

Weekly Field Report
Week: 02-09-14 through 02-15-14
New Bedford Harbor Lower Harbor CAD Cell (LHCC)

This Weekly Field Report was prepared to serve as a summary of field activities conducted throughout the week for Phase I dredging of the New Bedford Harbor Lower Harbor CAD Cell (LHCC) in New Bedford, Massachusetts.

1. Introduction:

The weekly field report describes the activities carried out by the Contractor (Cashman/Tripp Marine), the Owner's Representative (Apex Companies, LLC), and any subcontractors completing work within the scope of the project requirements.

This Weekly Field Report represents the fifteenth Report associated with Phase I dredging of the LHCC in New Bedford Harbor, and the associated handling and disposal of dredged materials at CAD cells within the Harbor, and at designated open-water disposal sites approved for this Project.

Since no dredging activities were conducted at the LHCC during the week of February 9th through February 15th, this 15th report for the Project does not include the below listed attachments normally submitted as part of the regular reporting requirements:

- Daily Inspection Reports (Attachment 1) summarizing dredging oversight performed, and contractor activities observed on site during the reporting period.
- Water Quality Monitoring Forms (Attachment 2) summarizing monitoring survey data recorded during active dredging. In the absence of water quality monitoring data, there is no Figure 1 Lower Harbor CAD Cell Phase I Water Quality Monitoring Plan, for presenting the locations of the water quality monitoring events conducted during this reporting period.

Summary:

There were no dredging activities conducted at the LHCC site this reporting period.

2. Operational Notes:

Dredging:

Dredging of LHCC Phase I Bottom of CAD sediments did not occur during the week. Previous dredging operations performed by Tripp Marine were focused on the strategic removal of sediments to open up a 125-foot wide deep water access channel to facilitate access for the larger deep draft dredging plant *J.P Boisseau*. Within the capabilities of the existing dredge equipment, a portion of that effort has been completed, and Tripp Marine was demobilized from the site during the week. Apex is awaiting the arrival of the Cashman dredge *Bobby D* which is slated to complete the access channel, and at the appropriate time Apex will resume water quality monitoring to ensure that dredging activities are in compliance with project-specific water quality standards.

Offshore Disposal:

Offshore disposal for LHCC Phase I Bottom of CAD sediments is scheduled and permitted for the Rhode Island Sound Disposal Site however, there were no offshore disposal events conducted during this reporting period.

Table 1 – Cumulative Dredging Progress

Period of Activity	Volume (cy)
Approximate Top of CAD Volume Dredged to Date*	24,890
Approximate Bottom of CAD Volume Dredged this Reporting Period	0
Approximate Bottom of CAD Volume Dredged to Date*	4,600

* Dredge volume quantities are estimated based on observed scow draft marks and an assumed density of the materials dredged. Given the uncertainty in the density of a composite mix of sediments being dredged, all volumes are confirmed and adjusted as necessary using bathymetric survey data.

3. Monitoring Summary

There were no water quality exceedances observed during this reporting period related to dredging operations. No water quality samples were collected.

Prepared by:
Apex Companies, LLC



John B. McAllister, P.E.
Senior Project Engineer



Don Boyé
Senior Project Manager

Attachment 1
Daily Inspection Reports



City of New Bedford Harbor Development Commission
New Bedford Harbor USEPA Lower Harbor CAD Cell
CFDA No.: 66.802
Inspection Report

Inspector: K. Ryan

Date: 9 February 2014

Contractor: Cashman

Foreman/Supt: _____

Weather	AM:	<u>Overcast</u>	Temperature	AM:	<u>21</u>
	PM:	<u>Snow</u>		PM:	<u>30</u>

Tides	High	<u>0347</u>	AM	<u>1606</u>	PM
	Low	<u>1031</u>	AM	<u>2129</u>	PM

Manpower Onsite

Equipment Onsite

Foreman	_____ @ _____	Hrs	Description: _____	Hrs. _____
Operators	_____ @ _____	Hrs	_____	
Laborers	_____ @ _____	Hrs	_____	
Drivers	_____ @ _____	Hrs	_____	Hrs. _____
Other:	_____ @ _____	Hrs	_____	

Contractor Activities: (Attach Additional Sheets as Necessary)

0800- No activity occurring on-site. Tripp Marine has moved their equipment off-site. 0945- No activity. 1300- No activity. 1600- Left area, no activity.

Problems/Issues or Action Items:

None / n/a

Visitors: _____

Signature: K. Ryan

Date: 09 February 2014

Title: _____

Page: 1 of 1

Copy to: file

File: DIR_LHCC_020914



City of New Bedford Harbor Development Commission
New Bedford Harbor USEPA Lower Harbor CAD Cell
CFDA No.: 66.802
Inspection Report

Inspector: K. Ryan

Date: 10 February 2014

Contractor: Cashman **Foreman/Supt:** _____

Weather	AM:	<u>Fog, Snow</u>	Temperature	AM:	<u>16</u>
	PM:	<u>Snow</u>		PM:	<u>30</u>

Tides	High	<u>0448</u>	AM	<u>1703</u>	PM
	Low	<u>1108</u>	AM	<u>2221</u>	PM

Manpower Onsite

Equipment Onsite

Foreman	_____ @ _____	Hrs	Description: _____	Hrs. _____
Operators	_____ @ _____	Hrs	_____	
Laborers	_____ @ _____	Hrs	_____	
Drivers	_____ @ _____	Hrs	_____	Hrs. _____
Other:	_____ @ _____	Hrs	_____	

Contractor Activities: (Attach Additional Sheets as Necessary)

0800- No activity occurring on-site. Tripp Marine has finished their part of the dredge. CWNB will continue in the future. No equipment on site. 0945 No activity. 1300 No activity. 1600 Left area, no activity.

Problems/Issues or Action Items:

None / n/a

Visitors: _____

Signature: K. Ryan

Date: 10 February 2014

Title: _____

Page: 1 of 1

Copy to: file

File: DIR_LHCC_021014



City of New Bedford Harbor Development Commission
New Bedford Harbor USEPA Lower Harbor CAD Cell
CFDA No.: 66.802
Inspection Report

Inspector: M. Martinho

Date: 11 February 2014

Contractor: Cashman **Foreman/Supt:** _____

Weather	AM:	<u>Clear</u>	Temperature	AM:	<u>5</u>
	PM:	<u>Clear</u>		PM:	<u>24</u>

Tides	High	<u>0619</u>	AM	<u>1832</u>	PM
	Low	<u>1210</u>	PM	<u>2350</u>	PM

Manpower Onsite

Equipment Onsite

Foreman	_____ @ _____	Hrs	Description: _____	Hrs. _____
Operators	_____ @ _____	Hrs	_____	
Laborers	_____ @ _____	Hrs	_____	
Drivers	_____ @ _____	Hrs	_____	Hrs. _____
Other:	_____ @ _____	Hrs	_____	

Contractor Activities: (Attach Additional Sheets as Necessary)

0800- No activity occurring on-site. No equipment on site. 0945 No activity. 1300 No activity. 1600 Left area, no activity.

Problems/Issues or Action Items:

None / n/a

Visitors: _____

Signature: M. Martinho

Date: 11 February 2014

Title: _____

Page: 1 of 1

Copy to: file

File: DIR_LHCC_021114



City of New Bedford Harbor Development Commission
New Bedford Harbor USEPA Lower Harbor CAD Cell
CFDA No.: 66.802
Inspection Report

Inspector: C. Stillman

Date: 12 February 2014

Contractor: Cashman

Foreman/Supt: _____

Weather	AM:	<u>Clear</u>	Temperature	AM:	<u>1</u>
	PM:	<u>Clear</u>		PM:	<u>27</u>

Tides	High	<u>0619</u>	AM	<u>1832</u>	PM
	Low	<u>1210</u>	PM	<u>2350</u>	PM

Manpower Onsite

Equipment Onsite

Foreman	_____ @ _____	Hrs	Description: _____	Hrs. _____
Operators	_____ @ _____	Hrs	_____	
Laborers	_____ @ _____	Hrs	_____	
Drivers	_____ @ _____	Hrs	_____	Hrs. _____
Other:	_____ @ _____	Hrs	_____	

Contractor Activities: (Attach Additional Sheets as Necessary)

0800- No activity occurring on-site. No equipment on site. 0945 No activity. 1300 No activity. 1600 Left area, no activity.

Problems/Issues or Action Items:

None / n/a

Visitors:

Signature: C. Stillman

Date: 12 February 2014

Title: _____

Page: 1 of 1

Copy to: file

File: DIR_LHCC_021214



City of New Bedford Harbor Development Commission
New Bedford Harbor USEPA Lower Harbor CAD Cell
CFDA No.: 66.802
Inspection Report

Inspector: M. Martinho

Date: 13 February 2014

Contractor: Cashman **Foreman/Supt:** _____

Weather	AM:	<u>Fog, Snow</u>	Temperature	AM:	<u>12</u>
	PM:	<u>Snow</u>		PM:	<u>31</u>

Tides	High	<u>0655</u>	AM	<u>1909</u>	PM
	Low	<u>-</u>	AM	<u>1243</u>	PM

Manpower Onsite

Equipment Onsite

Foreman	_____ @ _____	Hrs	Description: _____	Hrs. _____
Operators	_____ @ _____	Hrs	_____	
Laborers	_____ @ _____	Hrs	_____	
Drivers	_____ @ _____	Hrs	_____	Hrs. _____
Other:	_____ @ _____	Hrs	_____	

Contractor Activities: (Attach Additional Sheets as Necessary)

0800- No activity occurring on-site. No equipment on site. 0945 No activity. 1300 No activity. 1600 Left area, no activity.

Problems/Issues or Action Items:

None / n/a

Visitors: _____

Signature: M. Martinho

Date: 13 February 2014

Title: _____

Page: 1 of 1

Copy to: file

File: DIR_LHCC_021314



City of New Bedford Harbor Development Commission
New Bedford Harbor USEPA Lower Harbor CAD Cell
CFDA No.: 66.802
Inspection Report

Inspector: M. Martinho

Date: 14 February 2014

Contractor: Cashman **Foreman/Supt:** _____

Weather	AM:	<u>cloudy, rain</u>	Temperature	AM:	<u>22</u>
	PM:	<u>cloudy, winds 10-15 mph</u>		PM:	<u>36</u>

Tides	High	<u>0728</u>	AM	<u>1945</u>	PM
	Low	<u>0044</u>	AM	<u>1316</u>	PM

Manpower Onsite

Equipment Onsite

Foreman	_____ @ _____	Hrs	Description: _____	Hrs. _____
Operators	_____ @ _____	Hrs	_____	
Laborers	_____ @ _____	Hrs	_____	
Drivers	_____ @ _____	Hrs	_____	Hrs. _____
Other:	_____ @ _____	Hrs	_____	

Contractor Activities: (Attach Additional Sheets as Necessary)

0730 No activity occurring on-site. No equipment on site. 0945 No activity. 1300 No activity. 1600 Left area, no activity.

Problems/Issues or Action Items:

None / n/a

Visitors:

Signature: M. Martinho

Date: 14 February 2014

Title: _____

Page: 1 of 1

Copy to: file

File: DIR_LHCC_021414



City of New Bedford Harbor Development Commission
New Bedford Harbor USEPA Lower Harbor CAD Cell
CFDA No.: 66.802
Inspection Report

Inspector: K. Ryan

Date: 15 February 2014

Contractor: Cashman **Foreman/Supt:** _____

Weather	AM:	<u>Snow</u>	Temperature	AM:	<u>21</u>
	PM:	<u>Snow</u>		PM:	<u>38</u>

Tides	High	<u>0758</u>	AM	<u>2020</u>	PM
	Low	<u>0107</u>	AM	<u>1343</u>	PM

Manpower Onsite

Foreman _____ @ _____ Hrs
Operators _____ @ _____ Hrs
Laborers _____ @ _____ Hrs
Drivers _____ @ _____ Hrs

Other: _____ @ _____ Hrs

Equipment Onsite

Description: _____ Hrs. _____

_____ Hrs. _____

Contractor Activities: (Attach Additional Sheets as Necessary)

0730 No activity occurring on-site. No equipment on site. 0945 No activity. 1300 No activity. 1600 Left area, no activity.

Problems/Issues or Action Items:

None / n/a

Visitors:

Signature: K. Ryan

Title: _____

Copy to: file

Date: 15 February 2014

Page: __1__ of __1__

File: DIR_LHCC_021514