



Pesticide Site Use Patterns

May 2014

Pesticide site use patterns* (sorted by site terms), EPA Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
ABIU	X												99 NO GROUP NAME
ACEROLA	X												99 NO GROUP NAME
AFRICAN HORNED CUCUMBER	X												99 NO GROUP NAME
AGRICULTURAL DRAINAGE SYSTEM				X									99 NO GROUP NAME
AGRIMONY	X												99 NO GROUP NAME
AIRCRAFT												X	99 NO GROUP NAME
AIRPOTATO	X												99 NO GROUP NAME
AKEE APPLE	X												99 NO GROUP NAME
ALFALFA		X											18 ANIMAL FEED, NONGRASS, GROUP
ALFALFA, FORAGE		X											18 ANIMAL FEED, NONGRASS, GROUP
ALFALFA, HAY		X											18 ANIMAL FEED, NONGRASS, GROUP
ALFALFA, MEAL		X											18 ANIMAL FEED, NONGRASS, GROUP
ALFALFA, SEED		X									X		18 ANIMAL FEED, NONGRASS, GROUP
ALFALFA, SEED SCREENING		X											18 ANIMAL FEED, NONGRASS, GROUP
ALFALFA, SILAGE		X											18 ANIMAL FEED, NONGRASS, GROUP
ALKALI SACATON		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
ALKALI SACATON, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
ALKALI SACATON, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
ALKALIGRASS		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
ALKALIGRASS, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
ALKALIGRASS, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
ALLSPICE	X										X		19 HERBS AND SPICES GROUP
ALMOND	X		X						X				14 NUT, TREE, GROUP
ALMOND, HULLS		X											14 NUT, TREE, GROUP
ALMOND, TROPICAL	X												14 NUT, TREE, GROUP
AMARANTH, GRAIN	X	X											99 NO GROUP NAME
AMARANTH, GRAIN, GRAIN	X	X											99 NO GROUP NAME
AMARANTH, GRAIN, STOVER		X											99 NO GROUP NAME

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by site terms), EPA Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
AMARANTH, LEAFY	X					X							04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
AMBARELLA	X								X				99 NO GROUP NAME
ANGELICA	X					X			X				19 HERBS AND SPICES GROUP
ANIMAL FEED		X									X		99 NO GROUP NAME
ANIMAL FEED, NONGRASS, GROUP		X											18 ANIMAL FEED, NONGRASS, GROUP
ANIMAL PRODUCTS											X	X	99 NO GROUP NAME
ANIMAL, FARM											X		99 NO GROUP NAME
ANISE HYSSOP	X												19 HERBS AND SPICES GROUP
ANISE, SEED	X										X		19 HERBS AND SPICES GROUP
ANISE, STAR	X												19 HERBS AND SPICES GROUP
ANNATTO	X								X				19 HERBS AND SPICES GROUP
ANNATTO, SEED	X								X				19 HERBS AND SPICES GROUP
APPLE	X		X						X				11 FRUIT, POME, GROUP
APPLE, DRIED POMACE		X											11 FRUIT, POME, GROUP
APPLE, JUICE	X												11 FRUIT, POME, GROUP
APPLE, WET POMACE		X											11 FRUIT, POME, GROUP
APPELMINT	X								X				99 NO GROUP NAME
APPELMINT, FRESH LEAVES	X								X				99 NO GROUP NAME
APRICOT	X		X						X				12 FRUIT, STONE, GROUP
AQUARIUMS												X	99 NO GROUP NAME
ARIZONA COTTONTOP		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
ARIZONA COTTONTOP, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
ARIZONA COTTONTOP, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
ARONIA BERRY	X												13 BERRY AND SMALL FRUIT CROP GROUP
ARRACACHA	X												01 VEGETABLE, ROOT AND TUBER, GROUP
ARROWHEAD	X												99 NO GROUP NAME
ARROWHEAD, CORM	X												99 NO GROUP NAME
ARROWLEAF BALSAMROOT		X											18 ANIMAL FEED, NONGRASS, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by site terms), EPA Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
ARROWLEAF BALSAMROOT, FORAGE		X											18 ANIMAL FEED, NONGRASS, GROUP
ARROWLEAF BALSAMROOT, HAY		X											18 ANIMAL FEED, NONGRASS, GROUP
ARROWROOT	X												01 VEGETABLE, ROOT AND TUBER, GROUP
ARROWROOT, POLYNESIAN	X												99 NO GROUP NAME
ARTICHOKE, CHINESE	X												01 VEGETABLE, ROOT AND TUBER, GROUP
ARTICHOKE, GLOBE	X												99 NO GROUP NAME
ARTICHOKE, JERUSALEM	X												01 VEGETABLE, ROOT AND TUBER, GROUP
ARUGULA	X					X			X				04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
ASAFETIDA	X												99 NO GROUP NAME
ASPARAGUS	X												99 NO GROUP NAME
ASPIRATED GRAIN FRACTIONS		X											99 GRAIN, CEREAL, GROUP
ATEMOYA	X												99 NO GROUP NAME
AVOCADO	X												99 NO GROUP NAME
BACON, UNCOOKED	X										X		99 NO GROUP NAME
BAHIAGRASS		X							X				17 GRASS, FORAGE, FODDER AND HAY, GROUP
BAHIAGRASS, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
BAHIAGRASS, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
BALM	X					X			X				19 HERBS AND SPICES GROUP
BALM, DRIED LEAVES	X					X			X				19 HERBS AND SPICES GROUP
BALM, FRESH LEAVES	X					X			X				19 HERBS AND SPICES GROUP
BALSAM APPLE	X								X				09 VEGETABLE, CUCURBIT GROUP
BALSAM PEAR	X								X				09 VEGETABLE, CUCURBIT GROUP
BAMBARA GROUNDNUT	X												99 NO GROUP NAME
BAMBARA GROUNDNUT, SEED	X												99 NO GROUP NAME
BAMBOO			X										99 NO GROUP NAME
BAMBOO, SHOOTS	X												99 NO GROUP NAME
BANANA	X												99 NO GROUP NAME
BARLEY	X												15 GRAIN, CEREAL, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by site terms), EPA Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
BARLEY, CEREAL	X												15 GRAIN, CEREAL, GROUP
BARLEY, FLOUR	X										X		15 GRAIN, CEREAL, GROUP
BARLEY, GRAIN	X	X											15 GRAIN, CEREAL, GROUP
BARLEY, HAY		X											16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
BARLEY, PEARLED BARLEY	X										X		15 GRAIN, CEREAL, GROUP
BARLEY, STRAW		X											16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
BASIL	X					X			X		X		19 HERBS AND SPICES GROUP
BASIL, DRIED LEAVES	X					X			X		X		19 HERBS AND SPICES GROUP
BASIL, FRESH LEAVES	X					X			X		X		19 HERBS AND SPICES GROUP
BATHROOM PREMISES												X	99 NO GROUP NAME
BEACHGRASS		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
BEACHGRASS, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
BEACHGRASS, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
BEAN	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, ADZUKI	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, ADZUKI, SEED	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, BROAD	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, BROAD, SEED	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, BROAD, SUCCULENT	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, DRY	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, DRY, FORAGE		X											07 VEGETABLE, FOLIAGE OF LEGUME, GROUP
BEAN, DRY, HAY		X											07 VEGETABLE, FOLIAGE OF LEGUME, GROUP
BEAN, DRY, SEED	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, FORAGE		X											07 VEGETABLE, FOLIAGE OF LEGUME, GROUP
BEAN, GOA	X								X				99 NO GROUP NAME
BEAN, GOA, ROOTS	X												99 NO GROUP NAME
BEAN, GOA, SEED	X												99 NO GROUP NAME

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by site terms), EPA Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
BEAN, GOA, SUCCULENT	X								X				99 NO GROUP NAME
BEAN, HAY		X											07 VEGETABLE, FOLIAGE OF LEGUME, GROUP
BEAN, KIDNEY	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, KIDNEY, SEED	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, LABLAB	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, LABLAB, SEED	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, LIMA	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, LIMA, FORAGE		X											07 VEGETABLE, FOLIAGE OF LEGUME, GROUP
BEAN, LIMA, HAY		X											07 VEGETABLE, FOLIAGE OF LEGUME, GROUP
BEAN, LIMA, SEED	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, LIMA, SUCCULENT	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, MOTH	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, MOTH, SEED	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, MOTH, SUCCULENT	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, MUNG	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, MUNG, SEED	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, NAVY	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, NAVY, SEED	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, PINK	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, PINK, SEED	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, PINTO	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, PINTO, SEED	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, RICE	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, RICE, SEED	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, RUNNER	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, RUNNER, SUCCULENT	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, SNAP, FORAGE		X											07 VEGETABLE, FOLIAGE OF LEGUME, GROUP
BEAN, SNAP, SUCCULENT	X	X				X			X				06 VEGETABLE, LEGUME, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by site terms), EPA Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
BEAN, STRAW		X											07 VEGETABLE, FOLIAGE OF LEGUME, GROUP
BEAN, SUCCULENT	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, TEPARY	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, TEPARY, SEED	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, TONKA	X												99 NO GROUP NAME
BEAN, TONKA, SEED	X												99 NO GROUP NAME
BEAN, URD	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, URD, SEED	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, WAX	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, WAX, SUCCULENT	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, YARDLONG	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEAN, YARDLONG, SUCCULENT	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
BEARBERRY	X												13 BERRY AND SMALL FRUIT CROP GROUP
BEECHNUT	X		X						X				14 NUT, TREE, GROUP
BEEHIVE	X												99 NO GROUP NAME
BEET, FODDER		X											01 VEGETABLE, ROOT AND TUBER, GROUP
BEET, FODDER, ROOTS		X											01 VEGETABLE, ROOT AND TUBER, GROUP
BEET, FODDER, TOPS		X											02 VEGETABLE, LEAVES OF ROOT AND TUBER, GROUP
BEET, GARDEN	X								X				01 VEGETABLE, ROOT AND TUBER, GROUP
BEET, GARDEN, ROOTS	X								X				01 VEGETABLE, ROOT AND TUBER, GROUP
BEET, GARDEN, TOPS	X					X			X				02 VEGETABLE, LEAVES OF ROOT AND TUBER, GROUP
BEET, SUGAR		X											01 VEGETABLE, ROOT AND TUBER, GROUP
BEET, SUGAR, DRIED PULP	X	X											01 VEGETABLE, ROOT AND TUBER, GROUP
BEET, SUGAR, MOLASSES	X												01 VEGETABLE, ROOT AND TUBER, GROUP
BEET, SUGAR, REFINED SUGAR	X												01 VEGETABLE, ROOT AND TUBER, GROUP
BEET, SUGAR, ROOTS	X												01 VEGETABLE, ROOT AND TUBER, GROUP
BEET, SUGAR, TOPS		X											02 VEGETABLE, LEAVES OF ROOT AND TUBER, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by site terms), EPA Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
BEN MORINGA SEED	X												99 NO GROUP NAME
BEN MORINGA SEED, SEED	X												99 NO GROUP NAME
BENTGRASS		X							X				17 GRASS, FORAGE, FODDER AND HAY, GROUP
BENTGRASS, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
BENTGRASS, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
BENTGRASS, SPIKE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
BENTGRASS, SPIKE, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
BENTGRASS, SPIKE, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
BERMUDAGRASS		X							X				17 GRASS, FORAGE, FODDER AND HAY, GROUP
BERMUDAGRASS, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
BERMUDAGRASS, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
BERMUDAGRASS, SILAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
BERRY GROUP	X								X				13 BERRY AND SMALL FRUIT CROP GROUP
BETELNUT	X												99 NO GROUP NAME
BILBERRY	X												13 BERRY AND SMALL FRUIT CROP GROUP
BIRDSEED, MIXTURES, POSTHARVEST												X	99 NO GROUP NAME
BIRIBA	X												99 NO GROUP NAME
BISCUIT MIX											X		99 NO GROUP NAME
BLACK BREAD WEED	X												99 NO GROUP NAME
BLACK BREAD WEED, SEED	X												99 NO GROUP NAME
BLACK WATTLE		X											99 NO GROUP NAME
BLACK WATTLE, FORAGE		X											99 NO GROUP NAME
BLACK WATTLE, HAY		X											99 NO GROUP NAME
BLACKBERRY	X		X						X				13 BERRY AND SMALL FRUIT CROP GROUP
BLIMBE	X												99 NO GROUP NAME
BLOWOUTGRASS		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
BLOWOUTGRASS, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
BLOWOUTGRASS, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by site terms), EPA Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
BLUEBERRY	X		X						X				13 BERRY AND SMALL FRUIT CROP GROUP
BLUEGRASS		X							X				17 GRASS, FORAGE, FODDER AND HAY, GROUP
BLUEGRASS, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
BLUEGRASS, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
BLUEGRASS, SILKY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
BLUEGRASS, SILKY, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
BLUEGRASS, SILKY, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
BLUESTEM, AUSTRALIAN		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
BLUESTEM, AUSTRALIAN, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
BLUESTEM, AUSTRALIAN, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
BLUESTEM, BIG		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
BLUESTEM, BIG, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
BLUESTEM, BIG, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
BLUESTEM, CAUCASIAN		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
BLUESTEM, CAUCASIAN, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
BLUESTEM, CAUCASIAN, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
BLUESTEM, DIAZ		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
BLUESTEM, DIAZ, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
BLUESTEM, DIAZ, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
BLUESTEM, LITTLE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
BLUESTEM, LITTLE, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
BLUESTEM, LITTLE, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
BLUESTEM, SAND		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
BLUESTEM, SAND, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
BLUESTEM, SAND, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
BLUESTEM, SILVER		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
BLUESTEM, SILVER, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
BLUESTEM, SILVER, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by site terms), EPA Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
BLUESTEM, SOUTH AFRICAN		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
BLUESTEM, SOUTH AFRICAN, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
BLUESTEM, SOUTH AFRICAN, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
BLUESTEM, YELLOW		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
BLUESTEM, YELLOW, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
BLUESTEM, YELLOW, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
BORAGE	X					X			X				19 HERBS AND SPICES GROUP
BORAGE, DRIED LEAVES	X					X			X				19 HERBS AND SPICES GROUP
BORAGE, FRESH LEAVES	X					X			X				19 HERBS AND SPICES GROUP
BORAGE, INDIAN	X												99 NO GROUP NAME
BORAGE, INDIAN, LEAVES	X												99 NO GROUP NAME
BORAGE, OIL	X												20 OILSEED CROP GROUP
BORAGE, SEED	X		X										20 OILSEED CROP GROUP
BOTANICAL HERBS	X												99 NO GROUP NAME
BRASSICA, HEAD AND STEM, SUBGROUP	X					X			X				05A Brassica, Head and stem, subgroup
BRASSICA, LEAFY GREENS, SUBGROUP	X					X			X				05B Brassica, Leafy greens, subgroup
BREAD MIX											X		99 NO GROUP NAME
BREADFRUIT	X												99 NO GROUP NAME
BREADING											X		99 NO GROUP NAME
BRISTLEGRASS, PLAINS		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
BRISTLEGRASS, PLAINS, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
BRISTLEGRASS, PLAINS, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
BROCCOLI	X					X			X				05 VEGETABLE, BRASSICA LEAFY, GROUP
BROCCOLI RAAB	X					X			X				05 VEGETABLE, BRASSICA LEAFY, GROUP
BROCCOLI, CHINESE	X					X			X				05 VEGETABLE, BRASSICA LEAFY, GROUP
BROMEGRASS		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
BROMEGRASS, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
BROMEGRASS, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by site terms), EPA Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
BROMEGRASS, SILAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
BROOMSEDGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
BROOMSEDGE, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
BROOMSEDGE, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
BRUSSELS SPROUTS	X					X			X				05 VEGETABLE, BRASSICA LEAFY, GROUP
BUCKWHEAT	X	X											15 GRAIN, CEREAL, GROUP
BUCKWHEAT, FLOUR	X										X		15 GRAIN, CEREAL, GROUP
BUCKWHEAT, FODDER		X											15 GRAIN, CEREAL, GROUP
BUCKWHEAT, FORAGE		X											15 GRAIN, CEREAL, GROUP
BUCKWHEAT, GRAIN	X												15 GRAIN, CEREAL, GROUP
BUFFALOGRASS		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
BUFFALOGRASS, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
BUFFALOGRASS, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
BUFFELGRASS		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
BUFFELGRASS, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
BUFFELGRASS, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
BURCLOVER		X											18 ANIMAL FEED, NONGRASS, GROUP
BURCLOVER, FORAGE		X											18 ANIMAL FEED, NONGRASS, GROUP
BURCLOVER, HAY		X											18 ANIMAL FEED, NONGRASS, GROUP
BURDOCK, EDIBLE	X												01 VEGETABLE, ROOT AND TUBER, GROUP
BURDOCK, EDIBLE, ROOTS	X												01 VEGETABLE, ROOT AND TUBER, GROUP
BURDOCK, EDIBLE, TOPS	X								X				02 VEGETABLE, LEAVES OF ROOT AND TUBER, GROUP
BURNET	X								X				19 HERBS AND SPICES GROUP
BUSHBERRY SUBGROUP	X								X				13B Bushberry subgroup
BUTTERNUT	X								X				14 NUT, TREE, GROUP
CABBAGE	X					X			X				05 VEGETABLE, BRASSICA LEAFY, GROUP
CABBAGE, ABYSSINIAN	X												99 NO GROUP NAME

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by site terms), EPA Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
CABBAGE, CHINESE, BOK CHOY	X					X			X				05 VEGETABLE, BRASSICA LEAFY, GROUP
CABBAGE, CHINESE, MUSTARD	X					X			X				05 VEGETABLE, BRASSICA LEAFY, GROUP
CABBAGE, CHINESE, NAPA	X					X			X				05 VEGETABLE, BRASSICA LEAFY, GROUP
CABBAGE, SEAKALE	X												99 NO GROUP NAME
CACAO BEAN	X												99 NO GROUP NAME
CACAO BEAN, CHOCOLATE											X		99 NO GROUP NAME
CACAO BEAN, COCOA POWDER											X		99 NO GROUP NAME
CACAO BEAN, DRIED BEAN											X		99 NO GROUP NAME
CACAO BEAN, ROASTED BEAN											X		99 NO GROUP NAME
CACTUS	X								X				99 NO GROUP NAME
CACTUS, FRUIT	X												99 NO GROUP NAME
CACTUS, PADS	X												99 NO GROUP NAME
CAKE MIX											X		99 NO GROUP NAME
CALAMONDIN	X												10 FRUIT, CITRUS, GROUP
CALAMUS ROOT	X												99 NO GROUP NAME
CALOPO		X											99 NO GROUP NAME
CAMOMILE	X					X			X		X		19 HERBS AND SPICES GROUP
CAMWOOD		X											99 NO GROUP NAME
CAMWOOD, FORAGE		X											99 NO GROUP NAME
CAMWOOD, HAY		X											99 NO GROUP NAME
CANARYGRASS, ANNUAL		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
CANARYGRASS, ANNUAL, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
CANARYGRASS, ANNUAL, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
CANARYGRASS, ANNUAL, SEED		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
CANARYGRASS, REED		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
CANARYGRASS, REED, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
CANARYGRASS, REED, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
CANARYGRASS, REED, SILAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by site terms), EPA Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
CANE BERRY	X		X										13 BERRY AND SMALL FRUIT CROP GROUP
CANE BERRY SUBGROUP	X								X				13A Caneberry subgroup
CANISTEL	X												99 NO GROUP NAME
CANNA, EDIBLE	X												01 VEGETABLE, ROOT AND TUBER, GROUP
CANOLA	X	X											20 OILSEED CROP GROUP
CANOLA, MEAL		X											20 OILSEED CROP GROUP
CANOLA, REFINED OIL	X	X									X		20 OILSEED CROP GROUP
CANOLA, SEED	X	X											20 OILSEED CROP GROUP
CANTALOUPE	X								X				09 VEGETABLE, CUCURBIT GROUP
CAPER	X										X		19 HERBS AND SPICES GROUP
CAPER, BUDS	X												19 HERBS AND SPICES GROUP
CARAWAY	X												19 HERBS AND SPICES GROUP
CARAWAY, BLACK	X										X		19 HERBS AND SPICES GROUP
CARAWAY, BLACK, SEED	X										X		19 HERBS AND SPICES GROUP
CARAWAY, SEED	X										X		19 HERBS AND SPICES GROUP
CARDAMOM	X										X		19 HERBS AND SPICES GROUP
CARDAMOM, SEED	X										X		19 HERBS AND SPICES GROUP
CARDAMON AMOMUM	X										X		19 HERBS AND SPICES GROUP
CARDAMON AMOMUM, SEED	X										X		19 HERBS AND SPICES GROUP
CARDOON	X												04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
CARIBGRASS		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
CARIBGRASS, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
CARIBGRASS, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
CAROB BEAN	X												99 NO GROUP NAME
CAROB BEAN, BEAN											X		99 NO GROUP NAME
CARPETGRASS		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
CARPETGRASS, BROADLEAF		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
CARPETGRASS, BROADLEAF, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by site terms), EPA Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
CARPETGRASS, BROADLEAF, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
CARPETGRASS, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
CARPETGRASS, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
CARROT	X								X				01 VEGETABLE, ROOT AND TUBER, GROUP
CARROT, CULLS		X											01 VEGETABLE, ROOT AND TUBER, GROUP
CARROT, ROOTS	X								X				01 VEGETABLE, ROOT AND TUBER, GROUP
CARROT, TOPS		X											02 VEGETABLE, LEAVES OF ROOT AND TUBER, GROUP
CASHEW	X		X										14 NUT, TREE, GROUP
CASSAVA	X												01 VEGETABLE, ROOT AND TUBER, GROUP
CASSAVA, LEAVES	X												02 VEGETABLE, LEAVES OF ROOT AND TUBER, GROUP
CASSAVA, ROOTS	X												01 VEGETABLE, ROOT AND TUBER, GROUP
CASSIA	X												19 HERBS AND SPICES GROUP
CASTORBEAN		X	X										20 OILSEED CROP GROUP
CASTORBEAN, SEED	X	X	X										20 OILSEED CROP GROUP
CATFISH				X									99 NO GROUP NAME
CATJANG	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
CATJANG, SEED	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
CATNIP	X					X			X	X			19 HERBS AND SPICES GROUP
CATTLE													99 NO GROUP NAME
CATTLE, FAT											X		99 NO GROUP NAME
CATTLE, FAT - BABYFOOD											X		99 NO GROUP NAME
CATTLE, FEED											X		99 NO GROUP NAME
CATTLE, FEED, CONCENTRATE, NONMEDICATED											X		99 NO GROUP NAME
CATTLE, KIDNEY											X		99 NO GROUP NAME
CATTLE, LIVER											X		99 NO GROUP NAME
CATTLE, LIVER - BABYFOOD											X		99 NO GROUP NAME
CATTLE, MEAT											X		99 NO GROUP NAME

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by site terms), EPA Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
CATTLE, MEAT - BABYFOOD											X		99 NO GROUP NAME
CATTLE, MEAT BYPRODUCTS											X		99 NO GROUP NAME
CATTLE, MEAT BYPRODUCTS - BABYFOOD											X		99 NO GROUP NAME
CATTLE, MEAT BYPRODUCTS, EXCEPT KIDNEY											X		99 NO GROUP NAME
CATTLE, MEAT BYPRODUCTS, EXCEPT KIDNEY AND LIVER											X		99 NO GROUP NAME
CATTLE, MEAT BYPRODUCTS, EXCEPT LIVER											X		99 NO GROUP NAME
CATTLE, MEAT, EXCEPT KIDNEY											X		99 NO GROUP NAME
CAULIFLOWER	X					X			X				05 VEGETABLE, BRASSICA LEAFY, GROUP
CELERIAC	X								X				01 VEGETABLE, ROOT AND TUBER, GROUP
CELERIAC, ROOTS	X								X				01 VEGETABLE, ROOT AND TUBER, GROUP
CELERY	X												04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
CELERY, CHINESE	X												04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
CELERY, SEED	X										X		19 HERBS AND SPICES GROUP
CELTUCE	X												04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
CENTIPEDEGRASS		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
CENTIPEDEGRASS, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
CENTIPEDEGRASS, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
CEREAL, COOKED	X												15 GRAIN, CEREAL, GROUP
CEREAL, FLOUR	X										X		15 GRAIN, CEREAL, GROUP
CEREAL, FLOUR AND RELATED PRODUCTS	X												15 GRAIN, CEREAL, GROUP
CHAMOMILE	X												99 HERBS AND SPICES GROUP
CHAYA	X												99 NO GROUP NAME
CHAYOTE	X												01 VEGETABLE, ROOT AND TUBER, GROUP
CHAYOTE, FRUIT	X					X			X				09 VEGETABLE, CUCURBIT GROUP
CHAYOTE, ROOTS	X												01 VEGETABLE, ROOT AND TUBER, GROUP
CHEESE, PARMESAN											X		99 NO GROUP NAME
CHEESE, ROQUEFORT											X		99 NO GROUP NAME

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by site terms), EPA Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
CHERIMOYA	X												99 NO GROUP NAME
CHERRY, BLACK	X												99 NO GROUP NAME
CHERRY, NANKING	X												99 NO GROUP NAME
CHERRY, SWEET	X		X						X				12 FRUIT, STONE, GROUP
CHERRY, TART	X		X						X				12 FRUIT, STONE, GROUP
CHERVIL	X					X			X				19 HERBS AND SPICES GROUP
CHERVIL	X								X				04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
CHERVIL, DRIED LEAVES	X					X			X				19 HERBS AND SPICES GROUP
CHERVIL, FRESH LEAVES	X								X				04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
CHERVIL, TURNIP ROOTED	X												01 VEGETABLE, ROOT AND TUBER, GROUP
CHERVIL, TURNIP ROOTED, ROOTS	X												01 VEGETABLE, ROOT AND TUBER, GROUP
CHERVIL, TURNIP ROOTED, TOPS	X								X				02 VEGETABLE, LEAVES OF ROOT AND TUBER, GROUP
CHESTNUT	X		X						X				14 NUT, TREE, GROUP
CHIA	X												99 NO GROUP NAME
CHIA, SEED	X												99 NO GROUP NAME
CHICKPEA	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
CHICKPEA, SEED	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
CHICORY	X												01 VEGETABLE, ROOT AND TUBER, GROUP
CHICORY, ROOTS	X												01 VEGETABLE, ROOT AND TUBER, GROUP
CHICORY, TOPS	X												02 VEGETABLE, LEAVES OF ROOT AND TUBER, GROUP
CHILI, POSTHARVEST	X					X			X				08 VEGETABLES, FRUITING, GROUP
CHINQUAPIN	X		X						X				14 NUT, TREE, GROUP
CHIVE	X					X			X		X		19 HERBS AND SPICES GROUP
CHIVE, CHINESE	X					X			X		X		19 HERBS AND SPICES GROUP
CHRISTMAS TREE PLANTATION			X										99 NO GROUP NAME
CHRYSANTHEMUM, EDIBLE LEAVED	X					X							04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
CHRYSANTHEMUM, GARLAND	X					X			X				04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by site terms), EPA Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
CHUFA	X												01 VEGETABLE, ROOT AND TUBER, GROUP
CILANTRO	X												01 VEGETABLE, ROOT AND TUBER, GROUP
CINNAMON	X										X		19 HERBS AND SPICES GROUP
CITRON, CITRUS	X												10 FRUIT, CITRUS, GROUP
CITRUS	X												10 FRUIT, CITRUS, GROUP
CITRUS HYBRIDS	X												10 FRUIT, CITRUS, GROUP
CITRUS HYBRIDS, DRIED PULP		X											10 FRUIT, CITRUS, GROUP
CITRUS HYBRIDS, JUICE	X												10 FRUIT, CITRUS, GROUP
CITRUS HYBRIDS, OIL	X												10 FRUIT, CITRUS, GROUP
CITRUS, DRIED PULP	X												10 FRUIT, CITRUS, GROUP
CITRUS, JUICE	X												10 FRUIT, CITRUS, GROUP
CITRUS, MEAL		X											10 FRUIT, CITRUS, GROUP
CITRUS, MOLASSES	X												10 FRUIT, CITRUS, GROUP
CITRUS, OIL	X												10 FRUIT, CITRUS, GROUP
CLARY	X					X			X				19 HERBS AND SPICES GROUP
CLARY, DRIED LEAVES	X					X			X				19 HERBS AND SPICES GROUP
CLARY, FRESH LEAVES	X					X			X				19 HERBS AND SPICES GROUP
CLODBERRY	X												13 BERRY AND SMALL FRUIT CROP GROUP
CLOVE	X										X		19 HERBS AND SPICES GROUP
CLOVER		X							X				18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, ALSIKE		X											18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, ALSIKE, FORAGE		X											18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, ALSIKE, HAY		X											18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, ALSIKE, SILAGE		X											18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, ALYCE		X											18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, ALYCE, FORAGE		X											18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, ALYCE, HAY		X											18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, ALYCE, SILAGE		X											18 ANIMAL FEED, NONGRASS, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by site terms), EPA Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
CLOVER, ARROWLEAF		X											18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, ARROWLEAF, FORAGE		X											18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, ARROWLEAF, HAY		X											18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, ARROWLEAF, SILAGE		X											18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, BALL		X											18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, BALL, FORAGE		X											18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, BALL, HAY		X											18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, BALL, SILAGE		X											18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, BERSEEM		X											18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, BERSEEM, FORAGE		X											18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, BERSEEM, HAY		X											18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, BERSEEM, SILAGE		X											18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, BIGFLOWER		X											18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, BIGFLOWER, FORAGE		X											18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, BIGFLOWER, HAY		X											18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, BIGFLOWER, SILAGE		X											18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, CRIMSON		X											18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, CRIMSON, FORAGE		X											18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, CRIMSON, HAY		X											18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, CRIMSON, SILAGE		X											18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, FORAGE		X											18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, HAY		X											18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, HOP		X											18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, HOP, FORAGE		X											18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, HOP, HAY		X											18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, HOP, SILAGE		X											18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, LAPPA		X											18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, LAPPA, FORAGE		X											18 ANIMAL FEED, NONGRASS, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by site terms), EPA Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
CLOVER, LAPPA, HAY		X											18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, LAPPA, SILAGE		X											18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, PERSIAN		X											18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, PERSIAN, FORAGE		X											18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, PERSIAN, HAY		X											18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, PERSIAN, SILAGE		X											18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, RED		X											18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, RED, FORAGE		X											18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, RED, HAY		X											18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, RED, SILAGE		X											18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, ROSE		X											18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, ROSE, FORAGE		X											18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, ROSE, HAY		X											18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, ROSE, SILAGE		X											18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, SEASIDE		X											18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, SEASIDE, FORAGE		X											18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, SEASIDE, HAY		X											18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, SEASIDE, SILAGE		X											18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, SEED SCREENINGS		X											18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, SILAGE		X											18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, STRAWBERRY		X											18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, STRAWBERRY, FORAGE		X											18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, STRAWBERRY, HAY		X											18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, STRAWBERRY, SILAGE		X											18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, STRIATE		X											18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, STRIATE, FORAGE		X											18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, STRIATE, HAY		X											18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, STRIATE, SILAGE		X											18 ANIMAL FEED, NONGRASS, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by site terms), EPA Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
CLOVER, SUB		X											18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, SUB, FORAGE		X											18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, SUB, HAY		X											18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, SUB, SILAGE		X											18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, SWEET		X											18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, SWEET, FORAGE		X											18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, SWEET, HAY		X											18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, SWEET, SILAGE		X											18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, TRUE		X											18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, TRUE, FORAGE		X											18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, TRUE, HAY		X											18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, TRUE, SILAGE		X											18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, WHITE		X							X				18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, WHITE, FORAGE		X											18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, WHITE, HAY		X											18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, WHITE, SILAGE		X											18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, WHITETIP		X											18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, WHITETIP, FORAGE		X											18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, WHITETIP, HAY		X											18 ANIMAL FEED, NONGRASS, GROUP
CLOVER, WHITETIP, SILAGE		X											18 ANIMAL FEED, NONGRASS, GROUP
COCONUT	X										X		99 NUT, TREE, GROUP
COCONUT, COPRA		X											99 NUT, TREE, GROUP
COCONUT, OIL	X										X		99 NUT, TREE, GROUP
COFFEE	X										X		99 NO GROUP NAME
COFFEE, BEAN	X										X		99 NO GROUP NAME
COFFEE, GREEN BEAN											X		99 NO GROUP NAME
COFFEE, INSTANT											X		99 NO GROUP NAME
COFFEE, ROASTED BEAN											X		99 NO GROUP NAME

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by site terms), EPA Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
COLA	X												99 NO GROUP NAME
COLA, SEED	X												99 NO GROUP NAME
COLLARDS	X					X			X				05 VEGETABLE, BRASSICA LEAFY, GROUP
COMFREY			X										99 NO GROUP NAME
COMPOST			X										99 NO GROUP NAME
CONIFER RELEASE								X					99 NO GROUP NAME
COOKIE MIX											X		99 NO GROUP NAME
CORDGRASS, MARSHHAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
CORDGRASS, MARSHHAY, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
CORDGRASS, MARSHHAY, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
CORIANDER	X					X			X		X		19 HERBS AND SPICES GROUP
CORIANDER, LEAVES	X					X			X		X		19 HERBS AND SPICES GROUP
CORIANDER, SEED	X					X			X		X		19 HERBS AND SPICES GROUP
CORN	X												15 GRAIN, CEREAL, GROUP
CORN SALAD	X					X			X				04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
CORN, CEREAL	X												15 GRAIN, CEREAL, GROUP
CORN, FIELD	X	X											16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
CORN, FIELD		X											15 GRAIN, CEREAL, GROUP
CORN, FIELD, ASPIRATED GRAIN FRACTIONS		X											15 GRAIN, CEREAL, GROUP
CORN, FIELD, ASPIRATED GRAIN FRACTIONS		X											16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
CORN, FIELD, DRY MILLING	X												15 GRAIN, CEREAL, GROUP
CORN, FIELD, FLOUR	X										X		15 GRAIN, CEREAL, GROUP
CORN, FIELD, FORAGE		X											16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
CORN, FIELD, GRAIN	X												15 GRAIN, CEREAL, GROUP
CORN, FIELD, GRITS	X										X		15 GRAIN, CEREAL, GROUP
CORN, FIELD, HAY		X											16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
CORN, FIELD, MEAL	X	X											15 GRAIN, CEREAL, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by site terms), EPA Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
CORN, FIELD, MILLED BYPRODUCTS	X	X											15 GRAIN, CEREAL, GROUP
CORN, FIELD, REFINED OIL	X												15 GRAIN, CEREAL, GROUP
CORN, FIELD, SOAPSTOCK		X											15 GRAIN, CEREAL, GROUP
CORN, FIELD, STARCH	X												15 GRAIN, CEREAL, GROUP
CORN, FIELD, STOVER		X											16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
CORN, FIELD, WET MILLING	X												15 GRAIN, CEREAL, GROUP
CORN, POD		X											16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
CORN, POD, GRAIN	X												15 GRAIN, CEREAL, GROUP
CORN, POD, STOVER		X											16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
CORN, POP	X	X											16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
CORN, POP	X												15 GRAIN, CEREAL, GROUP
CORN, POP, GRAIN	X								X		X		15 GRAIN, CEREAL, GROUP
CORN, POP, STOVER		X											16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
CORN, SWEET	X												15 GRAIN, CEREAL, GROUP
CORN, SWEET, CANNERY WASTE		X											16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
CORN, SWEET, FORAGE		X											16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
CORN, SWEET, KERNEL PLUS COB WITH HUSKS REMOVED	X										X		15 GRAIN, CEREAL, GROUP
CORN, SWEET, STOVER		X											16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
COSTMARY	X					X			X				19 HERBS AND SPICES GROUP
COSTMARY, DRIED LEAVES	X					X			X				19 HERBS AND SPICES GROUP
COSTMARY, FRESH LEAVES	X					X			X				19 HERBS AND SPICES GROUP
COTTON	X	X											20 OILSEED CROP GROUP
COTTON, FORAGE		X											20 OILSEED CROP GROUP
COTTON, GIN BYPRODUCTS		X											20 OILSEED CROP GROUP
COTTON, HAY		X											20 OILSEED CROP GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by site terms), EPA Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
COTTON, HULLS		X											20 OILSEED CROP GROUP
COTTON, MEAL		X											20 OILSEED CROP GROUP
COTTON, REFINED OIL	X									X			20 OILSEED CROP GROUP
COTTON, SEED, SOAPSTOCK		X											20 OILSEED CROP GROUP
COTTON, UNDELETED SEED	X	X											20 OILSEED CROP GROUP
COWPEA	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
COWPEA, FORAGE		X											07 VEGETABLE, FOLIAGE OF LEGUME, GROUP
COWPEA, HAY		X											07 VEGETABLE, FOLIAGE OF LEGUME, GROUP
COWPEA, SEED	X					X			X				06 VEGETABLE, LEGUME, GROUP
COWPEA, SUCCULENT	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
CRABAPPLE	X		X						X				11 FRUIT, POME, GROUP
CRABGRASS		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
CRABGRASS, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
CRABGRASS, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
CRAMBE		X	X										20 OILSEED CROP GROUP
CRAMBE, MEAL		X											20 OILSEED CROP GROUP
CRAMBE, SEED			X										20 OILSEED CROP GROUP
CRANBERRY	X												13 BERRY AND SMALL FRUIT CROP GROUP
CRANBERRY, HIGHBUSH	X												13 BERRY AND SMALL FRUIT CROP GROUP
CRAYFISH				X									99 NO GROUP NAME
CRESS, GARDEN	X					X			X				04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
CRESS, UPLAND	X					X			X				04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
CROP, IRRIGATED				X	X								99 NO GROUP NAME
CROTALARIA	X												99 NO GROUP NAME
CROWNVETCH		X											18 ANIMAL FEED, NONGRASS, GROUP
CROWNVETCH, FORAGE		X											18 ANIMAL FEED, NONGRASS, GROUP
CROWNVETCH, HAY		X											18 ANIMAL FEED, NONGRASS, GROUP
CUCUMBER	X					X							09 VEGETABLE, CUCURBIT GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by site terms), EPA Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
CUCUMBER, CHINESE	X												09 VEGETABLE, CUCURBIT GROUP
CUCUMBER, WILD	X												99 NO GROUP NAME
CUCURBITS	X												09 VEGETABLE, CUCURBIT GROUP
CUCURBITS	X												99 NO GROUP NAME
CULANTRO	X					X			X				19 HERBS AND SPICES GROUP
CULANTRO, LEAVES	X					X			X				19 HERBS AND SPICES GROUP
CULANTRO, SEED	X					X			X				19 HERBS AND SPICES GROUP
CUMIN	X										X		19 HERBS AND SPICES GROUP
CUPHEA			X										20 OILSEED CROP GROUP
CUPHEA, SEED		X	X										20 OILSEED CROP GROUP
CURLY MESQUITE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
CURLY MESQUITE, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
CURLY MESQUITE, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
CURRANT	X		X						X				13 BERRY AND SMALL FRUIT CROP GROUP
CURRY	X					X			X				19 HERBS AND SPICES GROUP
CURRY, DRIED LEAVES	X					X			X				19 HERBS AND SPICES GROUP
CURRY, FRESH LEAVES	X					X			X		X		19 HERBS AND SPICES GROUP
CUSTARD APPLE	X												99 NO GROUP NAME
DAHLIA, GARDEN	X								X				99 NO GROUP NAME
DAHLIA, GARDEN, ROOTS	X								X				99 NO GROUP NAME
DAIRY PRODUCT, MANUFACTURED										X	X		99 NO GROUP NAME
DALLISGRASS		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
DALLISGRASS, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
DALLISGRASS, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
DANDELION, LEAVES	X								X				04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
DANDELION, ROOTS	X								X				01 VEGETABLE, ROOT AND TUBER, GROUP
DASHEEN	X												01 VEGETABLE, ROOT AND TUBER, GROUP
DASHEEN, CORM	X												01 VEGETABLE, ROOT AND TUBER, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by site terms), EPA Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
DASHEEN, LEAVES	X												02 VEGETABLE, LEAVES OF ROOT AND TUBER, GROUP
DATE	X												99 NO GROUP NAME
DATE, DRIED FRUIT	X										X		99 NO GROUP NAME
DAYLILY	X								X				03 BULB VEGETABLE GROUP
DILL	X					X			X		X		19 HERBS AND SPICES GROUP
DILL, SEED	X					X			X		X		19 HERBS AND SPICES GROUP
DILLWEED	X					X			X		X		19 HERBS AND SPICES GROUP
DILLWEED, DRIED LEAVES	X					X			X		X		19 HERBS AND SPICES GROUP
DILLWEED, FRESH LEAVES	X					X			X				19 HERBS AND SPICES GROUP
DITCH BANK			X										99 NO GROUP NAME
DOCK	X					X			X				04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
DOG FOOD										X	X		99 NO GROUP NAME
DOG FOOD, DRY										X	X		99 NO GROUP NAME
DOKUDAMI	X												99 NO GROUP NAME
DRAGON FRUIT	X												99 NO GROUP NAME
DROPSEED, PINE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
DROPSEED, PINE, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
DROPSEED, PINE, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
DROPSEED, SAND		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
DROPSEED, SAND, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
DROPSEED, SAND, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
DROPSEED, TALL		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
DROPSEED, TALL, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
DROPSEED, TALL, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
DURIAN	X												99 NO GROUP NAME
ECHINACEA	X								X				99 NO GROUP NAME
ECHINACEA, ROOTS	X								X				99 NO GROUP NAME

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by site terms), EPA Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
ECHINACEA, TOPS	X								X				99 NO GROUP NAME
EDIBLE FUNGI						X							21 EDIBLE FUNGI GROUP
EGG										X	X		99 NO GROUP NAME
EGG, DRIED										X	X		99 NO GROUP NAME
EGGPLANT	X					X			X				08 VEGETABLES, FRUITING, GROUP
ELDERBERRY	X		X						X				13 BERRY AND SMALL FRUIT CROP GROUP
ELECAMPANE	X												99 NO GROUP NAME
ELECAMPANE, ROOTS	X												99 NO GROUP NAME
ENDIVE	X					X			X				04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
ENDIVE, BELGIUM	X					X							99 NO GROUP NAME
EPAZOTE	X								X				99 NO GROUP NAME
EUPHORBIA	X								X				20 OILSEED CROP GROUP
EUPHORBIA, SEED	X												20 OILSEED CROP GROUP
EVENING PRIMROSE, COMMON	X	X							X				20 OILSEED CROP GROUP
EVENING PRIMROSE, COMMON, ROOTS	X		X										20 OILSEED CROP GROUP
EVENING PRIMROSE, COMMON, SEED	X	X											20 OILSEED CROP GROUP
EVENING PRIMROSE, COMMON, TOPS	X		X						X				20 OILSEED CROP GROUP
FALLOW LAND			X										99 NO GROUP NAME
FAMEFLOWER			X										99 NO GROUP NAME
FEED PROCESSING AND STORAGE AREAS											X	X	99 NO GROUP NAME
FEED PROCESSING PLANT											X	X	99 NO GROUP NAME
FEED STORAGE AREA											X		99 NO GROUP NAME
FEIJOA	X												99 NO GROUP NAME
FENCE ROWS			X										99 NO GROUP NAME
FENCEROW			X										99 NO GROUP NAME
FENNEL	X					X							19 HERBS AND SPICES GROUP
FENNEL, FLORENCE	X					X			X				04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
FENNEL, FLORENCE, FRESH LEAVES AND STALK	X					X			X				04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by site terms), EPA Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
FENNEL, FLORENCE, SEED	X					X							19 HERBS AND SPICES GROUP
FENNEL, SEED	X												19 HERBS AND SPICES GROUP
FENUGREEK	X												19 HERBS AND SPICES GROUP
FENUGREEK, SEED	X												19 HERBS AND SPICES GROUP
FERN, EDIBLE	X												99 NO GROUP NAME
FESCUE		X							X				17 GRASS, FORAGE, FODDER AND HAY, GROUP
FESCUE, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
FESCUE, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
FIELD CONTAINER			X				X						99 NO GROUP NAME
FIG	X												99 NO GROUP NAME
FIG, DRIED FRUIT	X										X		99 NO GROUP NAME
FINGERGRASS, FEATHER		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
FINGERGRASS, FEATHER, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
FINGERGRASS, FEATHER, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
FISH				X									99 NO GROUP NAME
FISH - FRESHWATER FINFISH				X									99 NO GROUP NAME
FISH - FRESHWATER FINFISH, FARM RAISED				X									99 NO GROUP NAME
FISH - SALTWATER FINFISH, OTHER				X									99 NO GROUP NAME
FISH - SALTWATER FINFISH, TUNA				X									99 NO GROUP NAME
FISH - SHELLFISH, CRUSTACEAN				X									99 NO GROUP NAME
FISH - SHELLFISH, MOLLUSC				X									99 NO GROUP NAME
FISH HATCHERY				X	X							X	99 NO GROUP NAME
FISH PRODUCTION FACILITIES				X									99 NO GROUP NAME
FLAX	X	X	X										20 OILSEED CROP GROUP
FLAX, MEAL		X											20 OILSEED CROP GROUP
FLAX, SEED	X	X											20 OILSEED CROP GROUP
FLAX, STRAW		X											20 OILSEED CROP GROUP
FLOWER, EDIBLE	X								X		X		99 NO GROUP NAME

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by site terms), EPA Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
FLOWER, EDIBLE, FLOWER	X								X		X		99 NO GROUP NAME
FOOD HANDLING AREA											X		99 NO GROUP NAME
FOOD HANDLING PLANT											X	X	99 NO GROUP NAME
FOOD PROCESSING AND STORAGE AREAS											X		99 NO GROUP NAME
FOOD PROCESSING PLANT											X	X	99 NO GROUP NAME
FOOD, PROCESSED											X		99 NO GROUP NAME
FOREST TREE MANGEMENT								X					99 NO GROUP NAME
FOREST TREE NURSERY								X					99 NO GROUP NAME
FOREST TREES								X					99 NO GROUP NAME
FOXTAIL, CREEPING		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
FOXTAIL, CREEPING, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
FOXTAIL, CREEPING, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
FOXTAIL, MEADOW		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
FOXTAIL, MEADOW, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
FOXTAIL, MEADOW, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
FRUIT, CITRUS	X												10 FRUIT, CITRUS, GROUP
FRUIT, CITRUS	X										X		99 NO GROUP NAME
FRUIT, CITRUS, DRIED PULP		X											10 FRUIT, CITRUS, GROUP
FRUIT, CITRUS, EXCEPT MANDARIN	X												10 FRUIT, CITRUS, GROUP
FRUIT, CITRUS, GROUP		X											10 FRUIT, CITRUS, GROUP
FRUIT, CITRUS, POSTHARVEST	X												10 FRUIT, CITRUS, GROUP
FRUIT, GLACE											X		99 NO GROUP NAME
FRUIT, POME	X	X							X				11 FRUIT, POME, GROUP
FRUIT, POME	X												99 NO GROUP NAME
FRUIT, POME, GROUP	X	X							X				11 FRUIT, POME, GROUP
FRUIT, SMALL	X												99 NO GROUP NAME
FRUIT, SMALL AND BERRY GROUP	X												99 NO GROUP NAME
FRUIT, SMALL AND BERRY, GROUP													99 NO GROUP NAME

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by site terms), EPA Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
FRUIT, STONE	X		X						X				12 FRUIT, STONE, GROUP
FRUIT, STONE	X												99 NO GROUP NAME
FRUIT, STONE, EXCEPT PLUM, PRUNE, DRIED	X		X						X				12 FRUIT, STONE, GROUP
FRUIT, STONE, GROUP	X		X						X				12 FRUIT, STONE, GROUP
FUEL STORAGE AREAS			X										99 NO GROUP NAME
GALANGAL	X												99 NO GROUP NAME
GALANGAL, ROOTS	X												99 NO GROUP NAME
GAMAGRASS, EASTERN		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
GAMAGRASS, EASTERN, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
GAMAGRASS, EASTERN, HAY		X							X				17 GRASS, FORAGE, FODDER AND HAY, GROUP
GARLIC, BULB	X								X				03 VEGETABLE, BULB, GROUP
GARLIC, GREAT HEADED	X								X				03 VEGETABLE, BULB, GROUP
GARLIC, GREAT HEADED, BULB	X								X				03 VEGETABLE, BULB, GROUP
GERANIUM, SCENTED	X		X							X			99 NO GROUP NAME
GERANIUM, SCENTED, LEAVES	X												99 NO GROUP NAME
GHERKIN, WEST INDIAN	X					X							09 VEGETABLE, CUCURBIT GROUP
GINGER	X												14 NUT, TREE, GROUP
GINGER, ROOTS	X												01 VEGETABLE, ROOT AND TUBER, GROUP
GINGER, WHITE	X					X							99 NO GROUP NAME
GINGER, WHITE, FLOWER	X	X	X										99 NO GROUP NAME
GINKGO	X								X				14 NUT, TREE, GROUP
GINSENG	X												01 VEGETABLE, ROOT AND TUBER, GROUP
GINSENG, ROOTS	X												01 VEGETABLE, ROOT AND TUBER, GROUP
GLOBEMALLOW	X		X										99 NO GROUP NAME
GLOBEMALLOW, TOPS		X											99 NO GROUP NAME
GOAT											X		99 NO GROUP NAME
GOAT, FAT											X		99 NO GROUP NAME
GOAT, KIDNEY											X		99 NO GROUP NAME

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by site terms), EPA Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
GOAT, LIVER											X		99 NO GROUP NAME
GOAT, MEAT											X		99 NO GROUP NAME
GOAT, MEAT BYPRODUCTS											X		99 NO GROUP NAME
GOAT, MEAT BYPRODUCTS, EXCEPT KIDNEY											X		99 NO GROUP NAME
GOAT, MEAT BYPRODUCTS, EXCEPT KIDNEY AND LIVER											X		99 NO GROUP NAME
GOAT, MEAT BYPRODUCTS, EXCEPT LIVER											X		99 NO GROUP NAME
GOLF COURSE TURF			X										99 NO GROUP NAME
GOOD KING HENRY	X												99 NO GROUP NAME
GOOD KING HENRY, LEAVES	X												99 NO GROUP NAME
GOOSEBERRY	X		X						X				13 BERRY AND SMALL FRUIT CROP GROUP
GOURD, BUFFALO	X												99 NO GROUP NAME
GOURD, BUFFALO, SEED	X												99 NO GROUP NAME
GOURD, EDIBLE	X					X			X				09 VEGETABLE, CUCURBIT GROUP
GOVERNOR'S PLUM	X		X										99 NO GROUP NAME
GOW KEE	X								X				99 NO GROUP NAME
GOW KEE, LEAVES	X								X				99 NO GROUP NAME
GRAIN ELEVATOR											X		99 NO GROUP NAME
GRAIN, ASPIRATED GRAIN FRACTIONS		X											15 GRAIN, CEREAL, GROUP
GRAIN, CEREAL	X												15 GRAIN, CEREAL, GROUP
GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP		X											16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP, FOR FORAGE, EXCEPT SWEET CORN, FORAGE		X											16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
GRAIN, CEREAL, GROUP	X	X											16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
GRAIN, CEREAL, GROUP	X	X											15 GRAIN, CEREAL, GROUP
GRAIN, CEREAL, HAY		X											99 NO GROUP NAME
GRAIN, CEREAL, STOVER		X											99 NO GROUP NAME
GRAIN, CEREAL, STRAW		X											99 NO GROUP NAME

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by site terms), EPA Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
GRAIN, CROPS	X	X											99 NO GROUP NAME
GRAIN, CROPS	X												15 GRAIN, CEREAL, GROUP
GRAIN, CROPS, EXCEPT CORN, FRESH AND RICE, GRAIN	X												15 GRAIN, CEREAL, GROUP
GRAIN, CROPS, EXCEPT WHEAT	X												15 GRAIN, CEREAL, GROUP
GRAIN, CROPS, EXCEPT WHEAT, OATS, GRAIN SORGHUM, BARLEY	X	X											99 NO GROUP NAME
GRAIN, FORAGE AND STOVER		X											15 GRAIN, CEREAL, GROUP
GRAINS OF PARADISE	X												19 HERBS AND SPICES GROUP
GRAINS OF PARADISE, SEED	X												19 HERBS AND SPICES GROUP
GRAPE	X								X				13 BERRY AND SMALL FRUIT CROP GROUP
GRAPE, DRIED POMACE		X											99 NO GROUP NAME
GRAPE, JUICE											X		13 BERRY AND SMALL FRUIT CROP GROUP
GRAPE, RAISIN	X										X		13 BERRY AND SMALL FRUIT CROP GROUP
GRAPE, RAISIN, WASTE		X											13 BERRY AND SMALL FRUIT CROP GROUP
GRAPE, WET POMACE		X											13 BERRY AND SMALL FRUIT CROP GROUP
GRAPE, WINE	X								X		X		13 BERRY AND SMALL FRUIT CROP GROUP
GRAPEFRUIT	X								X				10 FRUIT, CITRUS, GROUP
GRAPEFRUIT, DRIED PULP		X											10 FRUIT, CITRUS, GROUP
GRAPEFRUIT, JUICE	X												10 FRUIT, CITRUS, GROUP
GRAPEFRUIT, OIL	X												10 FRUIT, CITRUS, GROUP
GRASS		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, FORAGE		X											99 NO GROUP NAME
GRASS, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, FORAGE, FODDER AND HAY, GROUP		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, GALLETA		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, GALLETA, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, GALLETA, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, GRAMA		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by site terms), EPA Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
GRASS, GRAMA, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, GRAMA, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, HAY		X											16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
GRASS, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, MUHLY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, MUHLY, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, MUHLY, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, PASTURE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, PASTURE, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, PASTURE, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, PASTURE, SEED SCREENINGS		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, PASTURE, SILAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, PASTURE, STRAW		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, RANGELAND		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, RANGELAND, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, RANGELAND, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, RANGELAND, SEED SCREENINGS		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, RANGELAND, SILAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, RANGELAND, STRAW		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, SEED SCREENINGS		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, SEED, STRAW		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, SILAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, ST. AUGUSTINE		X							X				17 GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, ST. AUGUSTINE, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, ST. AUGUSTINE, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, STRAW		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, WILD RYE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by site terms), EPA Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
GRASS, WILDRYE, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, WILDRYE, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, ZOYSIA		X							X				17 GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, ZOYSIA, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, ZOYSIA, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
GREENHOUSE FOOD CROPS						X							99 NO GROUP NAME
GREENHOUSE FRUIT GROWN						X							99 NO GROUP NAME
GREENHOUSE ORNAMENTAL							X						99 NO GROUP NAME
GREENHOUSE ORNAMENTAL CROP							X						99 NO GROUP NAME
GREENHOUSE VEGETABLE GROWN						X							99 NO GROUP NAME
GROUNDCHERRY	X					X			X				08 VEGETABLES, FRUITING, GROUP
GUAJILLO		X											99 NO GROUP NAME
GUAJILLO, FORAGE		X											99 NO GROUP NAME
GUAR	X	X											06 VEGETABLE, LEGUME, GROUP
GUAR, FORAGE		X											06 VEGETABLE, LEGUME, GROUP
GUAR, SEED	X												06 VEGETABLE, LEGUME, GROUP
GUARANA	X												99 NO GROUP NAME
GUARANA, SEED	X												99 NO GROUP NAME
GUAVA	X										X		99 NO GROUP NAME
GUM, EDIBLE	X								X				06 VEGETABLE, LEGUME, GROUP
GUMWEED, CURLYCUP	X												99 NO GROUP NAME
GUMWEED, CURLYCUP, LEAVES	X												99 NO GROUP NAME
GUMWEED, GREAT VALLEY		X											99 NO GROUP NAME
GUMWEED, GREAT VALLEY, LEAVES		X											99 NO GROUP NAME
HAIRGRASS, TUFTED		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
HAIRGRASS, TUFTED, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
HAIRGRASS, TUFTED, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
HAM, UNCOOKED											X		99 NO GROUP NAME

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by site terms), EPA Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
HANOVER SALAD, LEAVES	X												99 NO GROUP NAME
HARDINGGRASS		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
HARDINGGRASS, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
HARDINGGRASS, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
HAZELNUT	X		X						X				14 NUT, TREE, GROUP
HEARTNUT	X												14 NUT, TREE, GROUP
HERBS AND SPICES GROUP	X												19 HERBS AND SPICES GROUP
HERBS SUBGROUP	X										X		19A Herbs subgroup
HERBS, DRIED	X					X			X		X		19 HERBS AND SPICES GROUP
HERBS, DRIED, DRIED LEAVES	X					X			X		X		19 HERBS AND SPICES GROUP
HERBS, FRESH	X					X			X		X		19 HERBS AND SPICES GROUP
HERBS, FRESH, FRESH LEAVES	X					X			X		X		19 HERBS AND SPICES GROUP
HOG											X		99 NO GROUP NAME
HOG, FAT											X		99 NO GROUP NAME
HOG, FEED											X		99 NO GROUP NAME
HOG, KIDNEY											X		99 NO GROUP NAME
HOG, LIVER											X		99 NO GROUP NAME
HOG, MEAT											X		99 NO GROUP NAME
HOG, MEAT AND HOG, MEAT BYPRODUCTS, EXCEPT KIDNEY											X		99 NO GROUP NAME
HOG, MEAT BYPRODUCTS											X		99 NO GROUP NAME
HOG, MEAT BYPRODUCTS, EXCEPT KIDNEY											X		99 NO GROUP NAME
HOG, MEAT BYPRODUCTS, EXCEPT KIDNEY AND LIVER											X		99 NO GROUP NAME
HOG, MEAT BYPRODUCTS, EXCEPT LIVER											X		99 NO GROUP NAME
HOG, SKIN											X		99 NO GROUP NAME
HONEWORT	X								X				99 NO GROUP NAME
HONEY	X											X	99 NO GROUP NAME
HONEY WITH HONEYCOMB	X												99 NO GROUP NAME

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by site terms), EPA Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
HONEYCOMB	X												99 NO GROUP NAME
HONEYCOMB WITH HONEY	X												99 NO GROUP NAME
HOP	X												99 NO GROUP NAME
HOP, DRIED CONES	X												99 NO GROUP NAME
HOP, FRESH		X											99 NO GROUP NAME
HOP, SPENT		X											99 NO GROUP NAME
HOP, VINES		X											99 NO GROUP NAME
HOREHOUND	X					X			X		X		19 HERBS AND SPICES GROUP
HOREHOUND, LEAVES	X					X			X				19 HERBS AND SPICES GROUP
HORSE											X		99 NO GROUP NAME
HORSE, FAT											X		99 NO GROUP NAME
HORSE, FEED											X		99 NO GROUP NAME
HORSE, KIDNEY											X		99 NO GROUP NAME
HORSE, LIVER											X		99 NO GROUP NAME
HORSE, MEAT											X		99 NO GROUP NAME
HORSE, MEAT BYPRODUCTS											X		99 NO GROUP NAME
HORSE, MEAT BYPRODUCTS, EXCEPT KIDNEY											X		99 NO GROUP NAME
HORSE, MEAT BYPRODUCTS, EXCEPT KIDNEY AND LIVER											X		99 NO GROUP NAME
HORSE, MEAT BYPRODUCTS, EXCEPT LIVER											X		99 NO GROUP NAME
HORSEMINT	X								X				99 NO GROUP NAME
HORSEMINT, FRESH LEAVES	X								X				99 NO GROUP NAME
HORSERADISH	X								X				01 VEGETABLE, ROOT AND TUBER, GROUP
HORSERADISH, ROOTS	X								X				01 VEGETABLE, ROOT AND TUBER, GROUP
HOSPITAL FACILITIES												X	99 NO GROUP NAME
HOUSEPLANTS												X	99 NO GROUP NAME
HUCKLEBERRY	X		X						X				13 BERRY AND SMALL FRUIT CROP GROUP
HUCKLEBERRY, GARDEN	X								X				99 NO GROUP NAME

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by site terms), EPA Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
HUISACHE		X											99 NO GROUP NAME
HUISACHE, FORAGE		X											99 NO GROUP NAME
HYSSOP	X					X			X				19 HERBS AND SPICES GROUP
HYSSOP, TOPS	X					X			X				19 HERBS AND SPICES GROUP
ICEPLANT	X								X				99 NO GROUP NAME
ICEPLANT, FRESH LEAVES	X								X				99 NO GROUP NAME
ILAMA	X												99 NO GROUP NAME
IMBE	X												99 NO GROUP NAME
IMBU	X												99 NO GROUP NAME
INDIANGRASS		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
INDIANGRASS, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
INDIANGRASS, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
INTERIOR PLANT SCAPE										X		X	99 NO GROUP NAME
INTERIOR SCAPE										X		X	99 NO GROUP NAME
IRRIGATION DITCHES				X									99 NO GROUP NAME
JABOTICABA	X												99 NO GROUP NAME
JACKBEAN	X					X			X				06 VEGETABLE, LEGUME, GROUP
JACKBEAN, SUCCULENT	X					X			X				06 VEGETABLE, LEGUME, GROUP
JACKFRUIT	X												99 NO GROUP NAME
JAPANESE HONEWORT	X								X				99 NO GROUP NAME
JAPANESE HONEWORT, TOPS	X								X				99 NO GROUP NAME
JAPANESE KNOTWEED						X							99 NO GROUP NAME
JOJOBA			X										20 OILSEED CROP GROUP
JOJOBA			X										20 OILSEED CROP GROUP
JOJOBA, SEED		X	X										20 OILSEED CROP GROUP
JOSTABERRY	X												13 BERRY AND SMALL FRUIT CROP GROUP
JUJUBE	X												99 NO GROUP NAME
JUJUBE, CHINESE	X		X						X				12 FRUIT, STONE GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by site terms), EPA Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
JUJUBE, INDIAN	X												99 NO GROUP NAME
JUNEBERRY	X												13 BERRY AND SMALL FRUIT CROP GROUP
JUNEGRASS		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
JUNEGRASS, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
JUNEGRASS, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
JUNIPER BERRY	X												19 HERBS AND SPICES GROUP
JUTE, NALTA	X												99 NO GROUP NAME
KALE	X					X			X				05 VEGETABLE, BRASSICA LEAFY, GROUP
KALE, SEA	X												99 NO GROUP NAME
KALE, SEA	X					X							04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
KAPOK	X	X											99 NO GROUP NAME
KAPOK, OIL	X												99 NO GROUP NAME
KENAF			X										99 NO GROUP NAME
KENAF, FORAGE		X	X										99 NO GROUP NAME
KIWIFRUIT	X								X				13 BERRY AND SMALL FRUIT CROP GROUP
KOA		X											99 NO GROUP NAME
KOA, FORAGE		X											99 NO GROUP NAME
KOA, HAY		X											99 NO GROUP NAME
KOCHIA		X											99 NO GROUP NAME
KOCHIA, FORAGE		X											99 NO GROUP NAME
KOCHIA, HAY		X											99 NO GROUP NAME
KOHLRABI	X					X			X				05 VEGETABLE, BRASSICA LEAFY, GROUP
KUDZU		X											18 ANIMAL FEED, NONGRASS, GROUP
KUDZU, FORAGE		X											18 ANIMAL FEED, NONGRASS, GROUP
KUDZU, HAY		X											18 ANIMAL FEED, NONGRASS, GROUP
KUMQUAT	X												10 FRUIT, CITRUS, GROUP
LAKES/PONDS				X	X								99 NO GROUP NAME
LAUREL, CHERRY	X												99 NO GROUP NAME

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by site terms), EPA Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
LAVENDER	X					X			X				19 HERBS AND SPICES GROUP
LAWN			X						X				99 NO GROUP NAME
LEADPLANT		X											99 NO GROUP NAME
LEADPLANT, FORAGE		X											99 NO GROUP NAME
LEADPLANT, HAY		X											99 NO GROUP NAME
LEEK	X					X			X				03 VEGETABLE, BULB, GROUP
LEGUME, FORAGE		X											07 VEGETABLE, FOLIAGE OF LEGUME, GROUP
LEGUME, FORAGE		X											99 NO GROUP NAME
LEGUME, FORAGE, EXCEPT SOYBEAN AND PEANUT		X											07 VEGETABLE, FOLIAGE OF LEGUME, GROUP
LEMON	X												10 FRUIT, CITRUS, GROUP
LEMON VERBENA	X								X				99 NO GROUP NAME
LEMON VERBENA, LEAVES	X								X				99 NO GROUP NAME
LEMON, DRIED PULP		X											10 FRUIT, CITRUS, GROUP
LEMON, JUICE	X												10 FRUIT, CITRUS, GROUP
LEMON, OIL	X												10 FRUIT, CITRUS, GROUP
LEMONGRASS	X					X			X				19 HERBS AND SPICES GROUP
LEMONGRASS, LEAVES	X					X			X				19 HERBS AND SPICES GROUP
LENTIL	X												06 VEGETABLE, LEGUME, GROUP
LENTIL, FORAGE		X											06 VEGETABLE, LEGUME, GROUP
LENTIL, HAY		X											06 VEGETABLE, LEGUME, GROUP
LENTIL, SEED	X	X											06 VEGETABLE, LEGUME, GROUP
LEREN	X								X				01 VEGETABLE, ROOT AND TUBER, GROUP
LESPEDEZA		X											18 ANIMAL FEED, NONGRASS, GROUP
LESPEDEZA, FORAGE		X											18 ANIMAL FEED, NONGRASS, GROUP
LESPEDEZA, HAY		X											18 ANIMAL FEED, NONGRASS, GROUP
LESPEDEZA, SEED		X											18 ANIMAL FEED, NONGRASS, GROUP
LESQUERELLA		X	X										20 OILSEED CROP GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by site terms), EPA Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
LESQUERELLA, SEED		X	X										20 OILSEED CROP GROUP
LETTUCE, HEAD	X					X			X				04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
LETTUCE, LEAF	X					X			X				04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
LEUCAENA		X											99 NO GROUP NAME
LEUCAENA, FORAGE		X											99 NO GROUP NAME
LEUCAENA, HAY		X											99 NO GROUP NAME
LICORICE	X												99 NO GROUP NAME
LICORICE, ROOTS	X												99 NO GROUP NAME
LIME	X												10 FRUIT, CITRUS, GROUP
LIME BLOSSOM	X		X						X				99 NO GROUP NAME
LIME, DRIED PULP		X											10 FRUIT, CITRUS, GROUP
LIME, JUICE	X												10 FRUIT, CITRUS, GROUP
LIME, OIL	X												10 FRUIT, CITRUS, GROUP
LIME, SWEET	X												99 FRUIT, CITRUS, GROUP
LIMPOGRASS		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
LIMPOGRASS, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
LIMPOGRASS, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
LINGONBERRY	X												13 BERRY AND SMALL FRUIT CROP GROUP
LOGANBERRY	X		X						X				13 BERRY AND SMALL FRUIT CROP GROUP
LONGAN	X												99 NO GROUP NAME
LOQUAT	X		X						X				11 FRUIT, POME, GROUP
LOTUS ROOT				X									99 NO GROUP NAME
LOVAGE	X					X			X				19 HERBS AND SPICES GROUP
LOVAGE, LEAVES	X					X			X				19 HERBS AND SPICES GROUP
LOVAGE, SEED	X					X							19 HERBS AND SPICES GROUP
LOVEGRASS		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
LOVEGRASS, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
LOVEGRASS, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by site terms), EPA Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
LUPIN	X	X											18 ANIMAL FEED, NONGRASS, GROUP
LUPIN, FORAGE		X											18 ANIMAL FEED, NONGRASS, GROUP
LUPIN, GRAIN	X	X											06 VEGETABLE, LEGUME, GROUP
LUPIN, GRAIN, FORAGE		X											07 VEGETABLE, FOLIAGE OF LEGUME, GROUP
LUPIN, GRAIN, GRAIN	X	X											06 VEGETABLE, LEGUME, GROUP
LUPIN, GRAIN, HAY		X											07 VEGETABLE, FOLIAGE OF LEGUME, GROUP
LUPIN, HAY		X											18 ANIMAL FEED, NONGRASS, GROUP
LUPIN, STRAW		X											18 ANIMAL FEED, NONGRASS, GROUP
LUPIN, SWEET		X											18 ANIMAL FEED, NONGRASS, GROUP
LUPIN, SWEET, FORAGE		X											18 ANIMAL FEED, NONGRASS, GROUP
LUPIN, SWEET, HAY		X											18 ANIMAL FEED, NONGRASS, GROUP
LYCHEE	X												99 NO GROUP NAME
MACA	X												99 NO GROUP NAME
MACA, ROOTS	X												99 NO GROUP NAME
MACA, TOPS	X												99 NO GROUP NAME
MACARONI PRODUCTS	X										X		15 GRAIN, CEREAL, GROUP
MACE	X												19 HERBS AND SPICES GROUP
MAIDENCANE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
MAIDENCANE, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
MAIDENCANE, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
MALT BEVERAGE											X		99 NO GROUP NAME
MAMEY APPLE	X												99 NO GROUP NAME
MANDARIN, SATSUMA	X												10 FRUIT, CITRUS, GROUP
MANGO	X										X		99 NO GROUP NAME
MANGOSTEEN	X												99 NO GROUP NAME
MANNAGRASS		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
MANNAGRASS, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
MANNAGRASS, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by site terms), EPA Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
MAPLE, SUGAR	X												99 NO GROUP NAME
MAPLE, SUGAR, SYRUP	X										X		99 NO GROUP NAME
MARIGOLD	X					X	X		X				19 HERBS AND SPICES GROUP
MARJORAM	X					X			X		X		19 HERBS AND SPICES GROUP
MARMALADEBOX	X												99 NO GROUP NAME
MARSHMARIGOLD	X		X										99 NO GROUP NAME
MARSHMARIGOLD, LEAVES	X												99 NO GROUP NAME
MARTYNIA	X		X										99 NO GROUP NAME
MARTYNIA, PODS	X		X										99 NO GROUP NAME
MASHUA	X												99 NO GROUP NAME
MASHUA, LEAVES	X												99 NO GROUP NAME
MASHUA, TUBER	X												99 NO GROUP NAME
MAUKA	X												99 NO GROUP NAME
MAUKA, LEAVES	X												99 NO GROUP NAME
MAUKA, ROOTS	X												99 NO GROUP NAME
MAYHAW	X		X						X				11 FRUIT, POME, GROUP
MAYPOP	X												99 NO GROUP NAME
MEADOWFOAM		X	X										20 OILSEED CROP GROUP
MEADOWFOAM, SEED		X											20 OILSEED CROP GROUP
MEAT											X		99 NO GROUP NAME
MEDICINAL CROPS	X												99 NO GROUP NAME
MEDLAR	X												99 NO GROUP NAME
MELON	X					X			X				09 VEGETABLE, CUCURBIT GROUP
MELON SUBGROUP	X					X							09A Melon subgroup.
MELON, CITRON	X					X							09 VEGETABLE, CUCURBIT GROUP
MILK											X		99 NO GROUP NAME
MILK HANDLING FACILITY											X		99 NO GROUP NAME
MILK, FAT											X		99 NO GROUP NAME

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by site terms), EPA Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
MILK, FAT, 0.05 PPM IN WHOLE MILK											X		99 NO GROUP NAME
MILK, FAT, 0.08 PPM IN MILK											X		99 NO GROUP NAME
MILK, FAT, 0.1 IN WHOLE MILK											X		99 NO GROUP NAME
MILK, FAT, FROM APPLICATION TO DAIRY COWS											X		99 NO GROUP NAME
MILK, FAT, REFLECTING 0.25 PPM IN WHOLE MILK											X		99 NO GROUP NAME
MILK, FAT, REFLECTING NEGLIGIBLE RESIDUES IN MILK											X		99 NO GROUP NAME
MILK, FAT, REFLECTING NEGLIGIBLE RESIDUES IN WHOLE MILK											X		99 NO GROUP NAME
MILLET	X												15 GRAIN, CEREAL, GROUP
MILLET, FLOUR	X												15 GRAIN, CEREAL, GROUP
MILLET, FORAGE		X											16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
MILLET, FOXTAIL		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
MILLET, FOXTAIL, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
MILLET, FOXTAIL, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
MILLET, GRAIN	X	X											15 GRAIN, CEREAL, GROUP
MILLET, HAY		X											16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
MILLET, JAPANESE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
MILLET, JAPANESE, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
MILLET, JAPANESE, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
MILLET, PEARL	X	X											15 GRAIN, CEREAL, GROUP
MILLET, PEARL, FORAGE		X											16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
MILLET, PEARL, GRAIN	X	X											15 GRAIN, CEREAL, GROUP
MILLET, PEARL, HAY		X											16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
MILLET, PEARL, STRAW		X											16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
MILLET, PROSO	X	X											15 GRAIN, CEREAL, GROUP
MILLET, PROSO, FLOUR	X												15 GRAIN, CEREAL, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by site terms), EPA Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
MILLET, PROSO, FORAGE		X											16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
MILLET, PROSO, GRAIN	X	X											15 GRAIN, CEREAL, GROUP
MILLET, PROSO, HAY		X											16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
MILLET, PROSO, STRAW		X											16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
MILLET, STRAW		X											16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
MINT, LEMON	X								X				99 NO GROUP NAME
MINT, LEMON, FRESH LEAVES	X								X				99 NO GROUP NAME
MIOGA	X												99 NO GROUP NAME
MIOGA, FLOWER	X												99 NO GROUP NAME
MOLASSESGRASS		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
MOLASSESGRASS, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
MOLASSESGRASS, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
MONARDA	X	X											99 NO GROUP NAME
MONARDA, LEAVES	X	X											99 NO GROUP NAME
MONSTERA	X	X											99 NO GROUP NAME
MOUNTAINMINT	X												99 NO GROUP NAME
MOUNTAINMINT, LEAVES	X												99 NO GROUP NAME
MULBERRY	X								X				13 BERRY AND SMALL FRUIT CROP GROUP
MULGA		X											99 NO GROUP NAME
MULGA, FORAGE		X											99 NO GROUP NAME
MUSHROOM						X					X		21 EDIBLE FUNGI GROUP
MUSKMELON	X					X			X				09 VEGETABLE, CUCURBIT GROUP
MUSTARD	X					X							19 HERBS AND SPICES GROUP
MUSTARD GREENS	X					X			X				05 VEGETABLE, BRASSICA LEAFY, GROUP
MUSTARD SPINACH	X					X			X				05 VEGETABLE, BRASSICA LEAFY, GROUP
MUSTARD, SEED	X					X					X		19 HERBS AND SPICES GROUP
MUSTARD, TUBEROUS ROOTED CHINESE	X												99 NO GROUP NAME

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by site terms), EPA Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
MUSTARD, TUBEROUS ROOTED CHINESE, ROOTS	X												99 NO GROUP NAME
MUSTARD, TUBEROUS ROOTED CHINESE, TOPS	X												99 NO GROUP NAME
NAPIERGRASS		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
NAPIERGRASS, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
NAPIERGRASS, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
NARANJILLA	X												99 NO GROUP NAME
NASTURTIUM	X					X			X				19 HERBS AND SPICES GROUP
NASTURTIUM, LEAVES	X					X			X				19 HERBS AND SPICES GROUP
NATAL PLUM	X												99 NO GROUP NAME
NECTARINE	X		X						X				12 FRUIT, STONE, GROUP
NEEDLEGRASS		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
NEEDLEGRASS, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
NEEDLEGRASS, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
NIGER SEED	X	X								X			20 OILSEED CROP GROUP
NIGER SEED, SEED	X	X								X			20 OILSEED CROP GROUP
NOODLE PRODUCTS	X										X		15 GRAIN, CEREAL, GROUP
NURSERY GROWN PLANTS			X				X						99 NO GROUP NAME
NUT	X										X		99 NO GROUP NAME
NUT, BRAZIL	X		X										14 NUT, TREE, GROUP
NUT, HICKORY	X		X						X				14 NUT, TREE, GROUP
NUT, MACADAMIA	X		X						X				14 NUT, TREE, GROUP
NUT, PILI	X												14 NUT, TREE, GROUP
NUT, PINE	X										X		14 NUT, TREE, GROUP
NUT, TREE, GROUP	X		X						X				14 NUT, TREE, GROUP
NUTMEAT, PROCESSED, EXCEPT PEANUT	X										X		14 NUT, TREE, GROUP
NUTMEG	X										X		19 HERBS AND SPICES GROUP
NUTS	X										X		14 NUT, TREE, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by site terms), EPA Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
OAK			X					X	X				14 NUT, TREE, GROUP
OAK, ACORN	X												14 NUT, TREE, GROUP
OAT	X												15 GRAIN, CEREAL, GROUP
OAT	X	X											16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
OAT AND BARLEY ANIMAL FEED MIXTURE, 97% OATS, 3% BARLEY		X											15 GRAIN, CEREAL, GROUP
OAT, BRAN	X												15 GRAIN, CEREAL, GROUP
OAT, CEREAL	X												15 GRAIN, CEREAL, GROUP
OAT, FLOUR	X										X		15 GRAIN, CEREAL, GROUP
OAT, FORAGE		X											16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
OAT, GRAIN	X	X											15 GRAIN, CEREAL, GROUP
OAT, GROATS/ROLLED OATS	X										X		15 GRAIN, CEREAL, GROUP
OAT, HAY		X											16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
OAT, SAND		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
OAT, SAND, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
OAT, SAND, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
OAT, SLENDER		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
OAT, SLENDER, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
OAT, SLENDER, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
OAT, STRAW		X											16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
OAT, WILD		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
OAT, WILD, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
OAT, WILD, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
OATGRASS		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
OATGRASS, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
OATGRASS, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
OATGRASS, TALL		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by site terms), EPA Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
OATGRASS, TALL, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
OATGRASS, TALL, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
OCA	X												99 NO GROUP NAME
OCA, TUBER	X												99 NO GROUP NAME
OKRA	X					X			X				08 VEGETABLES, FRUITING, GROUP
OLIVE	X												99 NO GROUP NAME
OLIVE, OIL	X												99 NO GROUP NAME
ONION, BULB	X					X			X				03 VEGETABLE, BULB, GROUP
ONION, GREEN	X					X			X				03 VEGETABLE, BULB, GROUP
ONION, POTATO	X								X				03 VEGETABLE, BULB, GROUP
ONION, POTATO, BULB	X								X				03 VEGETABLE, BULB, GROUP
ONION, TREE	X								X				03 VEGETABLE, BULB, GROUP
ONION, TREE, TOPS	X								X				03 VEGETABLE, BULB, GROUP
ONION, WELSH	X								X				03 VEGETABLE, BULB, GROUP
ONION, WELSH, TOPS	X								X				03 VEGETABLE, BULB, GROUP
ONIONGRASS		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
ONIONGRASS, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
ONIONGRASS, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
ORACH	X					X			X				04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
ORACH, LEAVES	X					X			X				04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
ORANGE, SOUR	X												10 FRUIT, CITRUS, GROUP
ORANGE, SOUR, DRIED PULP		X											10 FRUIT, CITRUS, GROUP
ORANGE, SOUR, JUICE	X												10 FRUIT, CITRUS, GROUP
ORANGE, SOUR, OIL	X												10 FRUIT, CITRUS, GROUP
ORANGE, SWEET	X								X				10 FRUIT, CITRUS, GROUP
ORANGE, SWEET, DRIED PULP		X											10 FRUIT, CITRUS, GROUP
ORANGE, SWEET, JUICE	X												10 FRUIT, CITRUS, GROUP
ORANGE, SWEET, OIL	X												10 FRUIT, CITRUS, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by site terms), EPA Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
ORANGE, TRIFOLIATE	X										X		99 NO GROUP NAME
ORCHARDGRASS		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
ORCHARDGRASS, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
ORCHARDGRASS, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
ORCHARDGRASS, SILAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
OREGANO, MEXICAN	X								X				99 NO GROUP NAME
OREGANO, MEXICAN, LEAVES	X								X				99 NO GROUP NAME
ORNAMENTAL PLANTS			X										99 NO GROUP NAME
ORNAMENTAL POND					X								99 NO GROUP NAME
OTAHEITE GOOSEBERRY	X		X										99 NO GROUP NAME
OYSTER				X									99 NO GROUP NAME
PALM	X		X										99 NO GROUP NAME
PALM HEART	X												99 NO GROUP NAME
PALM HEART, LEAVES	X												99 NO GROUP NAME
PALM, OIL	X										X		99 NO GROUP NAME
PANGOLAGRASS		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
PANGOLAGRASS, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
PANGOLAGRASS, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
PANICGRASS		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
PANICGRASS, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
PANICGRASS, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
PAPAYA	X										X		99 NO GROUP NAME
PAPAYA, MOUNTAIN	X												99 NO GROUP NAME
PARSLEY	X					X			X				04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
PARSLEY, DRIED LEAVES	X					X			X				19 HERBS AND SPICES GROUP
PARSLEY, LEAVES	X					X			X				04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
PARSLEY, TURNIP ROOTED	X								X				01 VEGETABLE, ROOT AND TUBER, GROUP
PARSLEY, TURNIP ROOTED, ROOTS	X								X				01 VEGETABLE, ROOT AND TUBER, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by site terms), EPA Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
PARSNIP	X								X				01 VEGETABLE, ROOT AND TUBER, GROUP
PARSNIP, ROOTS	X								X				01 VEGETABLE, ROOT AND TUBER, GROUP
PARSNIP, TOPS	X												02 VEGETABLE, LEAVES OF ROOT AND TUBER, GROUP
PARTRIDGEBERRY	X												13 BERRY AND SMALL FRUIT CROP GROUP
PASPALUM		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
PASPALUM, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
PASPALUM, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
PASSIONFRUIT	X												99 NO GROUP NAME
PASTURE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
PAWPAW	X	X											99 NO GROUP NAME
PEA	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
PEA AND BEAN, DRIED SHELLED, EXCEPT SOYBEAN, SUBGROUP	X					X							06C Pea and bean, dried shelled, except soybean, subgroup
PEA AND BEAN, SUCCULENT SHELLED, SUBGROUP	X					X			X				06B Pea and bean, succulent shelled, subgroup
PEA, BLACKEYED	X					X			X				06 VEGETABLE, LEGUME, GROUP
PEA, BLACKEYED, SEED	X					X			X				06 VEGETABLE, LEGUME, GROUP
PEA, BLACKEYED, SUCCULENT	X					X			X				06 VEGETABLE, LEGUME, GROUP
PEA, CROWDER	X					X			X				06 VEGETABLE, LEGUME, GROUP
PEA, CROWDER, SEED	X					X			X				06 VEGETABLE, LEGUME, GROUP
PEA, DRY	X					X			X				06 VEGETABLE, LEGUME, GROUP
PEA, DRY, SEED	X					X			X				06 VEGETABLE, LEGUME, GROUP
PEA, DWARF	X					X			X				06 VEGETABLE, LEGUME, GROUP
PEA, DWARF, SUCCULENT	X					X			X				06 VEGETABLE, LEGUME, GROUP
PEA, EDIBLE PODDED	X					X			X				06 VEGETABLE, LEGUME, GROUP
PEA, EDIBLE PODDED, SUCCULENT	X					X			X				06 VEGETABLE, LEGUME, GROUP
PEA, ENGLISH	X					X			X				06 VEGETABLE, LEGUME, GROUP
PEA, ENGLISH, SUCCULENT	X					X			X				06 VEGETABLE, LEGUME, GROUP
PEA, FIELD	X	X				X			X				06 VEGETABLE, LEGUME, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by site terms), EPA Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
PEA, FIELD, HAY		X											07 VEGETABLE, FOLIAGE OF LEGUME, GROUP
PEA, FIELD, SEED	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
PEA, FIELD, SILAGE		X											07 VEGETABLE, FOLIAGE OF LEGUME, GROUP
PEA, FIELD, VINES		X											07 VEGETABLE, FOLIAGE OF LEGUME, GROUP
PEA, GARDEN	X					X			X				06 VEGETABLE, LEGUME, GROUP
PEA, GARDEN, SUCCULENT	X					X			X				06 VEGETABLE, LEGUME, GROUP
PEA, GREEN	X					X			X				06 VEGETABLE, LEGUME, GROUP
PEA, GREEN, SUCCULENT	X					X			X				06 VEGETABLE, LEGUME, GROUP
PEA, PIGEON	X					X			X				06 VEGETABLE, LEGUME, GROUP
PEA, PIGEON, FORAGE		X											07 VEGETABLE, FOLIAGE OF LEGUME, GROUP
PEA, PIGEON, SEED	X					X			X				06 VEGETABLE, LEGUME, GROUP
PEA, PIGEON, SUCCULENT	X					X			X				06 VEGETABLE, LEGUME, GROUP
PEA, ROUGH		X											99 NO GROUP NAME
PEA, ROUGH, FORAGE		X											99 NO GROUP NAME
PEA, ROUGH, HAY		X											99 NO GROUP NAME
PEA, SHELLED	X					X			X				06 VEGETABLE, LEGUME, GROUP
PEA, SNOW	X					X			X				06 VEGETABLE, LEGUME, GROUP
PEA, SNOW, SUCCULENT	X					X			X				06 VEGETABLE, LEGUME, GROUP
PEA, SOUTHERN	X					X			X				06 VEGETABLE, LEGUME, GROUP
PEA, SOUTHERN, SEED	X					X			X				06 VEGETABLE, LEGUME, GROUP
PEA, SOUTHERN, SUCCULENT	X					X			X				06 VEGETABLE, LEGUME, GROUP
PEA, SUCCULENT	X					X			X				06 VEGETABLE, LEGUME, GROUP
PEA, SUGAR SNAP	X					X			X				06 VEGETABLE, LEGUME, GROUP
PEA, SUGAR SNAP, SUCCULENT	X					X			X				06 VEGETABLE, LEGUME, GROUP
PEA, UNSHELLED	X	X				X			X				06 VEGETABLE, LEGUME, GROUP
PEA, WINGED	X												99 NO GROUP NAME
PEA, WINGED, SUCCULENT	X												99 NO GROUP NAME
PEACH	X		X						X				12 FRUIT, STONE, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by site terms), EPA Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
PEANUT	X												99 NO GROUP NAME
PEANUT, HAY		X											99 NO GROUP NAME
PEANUT, HULLS		X											99 NO GROUP NAME
PEANUT, MEAL		X											99 NO GROUP NAME
PEANUT, PERENNIAL		X											99 NO GROUP NAME
PEANUT, PERENNIAL, FORAGE		X											99 NO GROUP NAME
PEANUT, PERENNIAL, HAY		X											99 NO GROUP NAME
PEANUT, REFINED OIL		X									X		99 NO GROUP NAME
PEANUT, SOAPSTOCK		X											99 NO GROUP NAME
PEAR	X		X						X				11 FRUIT, POME, GROUP
PEAR, ORIENTAL	X		X						X				11 FRUIT, POME, GROUP
PECAN	X		X						X				14 NUT, TREE, GROUP
PENNYROYAL	X					X			X				19 HERBS AND SPICES GROUP
PENNYROYAL, AMERICAN	X												99 NO GROUP NAME
PENNYROYAL, AMERICAN, LEAVES	X												99 NO GROUP NAME
PENNYROYAL, LEAVES	X					X			X				19 HERBS AND SPICES GROUP
PEPINO	X					X			X				08 VEGETABLES, FRUITING, GROUP
PEPPER	X					X			X				08 VEGETABLES, FRUITING, GROUP
PEPPER LEAF	X												99 NO GROUP NAME
PEPPER LEAF, FRESH LEAVES	X												99 NO GROUP NAME
PEPPER, BELL	X					X			X				08 VEGETABLES, FRUITING, GROUP
PEPPER, BLACK	X										X		19 HERBS AND SPICES GROUP
PEPPER, NONBELL	X					X			X				08 VEGETABLES, FRUITING, GROUP
PEPPER, NONBELL, SWEET	X					X			X				08 VEGETABLES, FRUITING, GROUP
PEPPER, WHITE	X					X					X		19 HERBS AND SPICES GROUP
PEPPERMINT	X									X			99 NO GROUP NAME
PEPPERMINT, OIL											X		99 NO GROUP NAME
PEPPERMINT, OIL (SEE ALSO SPEARMINT, OIL)	X										X		99 NO GROUP NAME

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by site terms), EPA Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
PEPPERMINT, SPENT HAY		X											99 NO GROUP NAME
PEPPERMINT, TOPS	X									X			99 NO GROUP NAME
PEPPERMINT, TOPS (SEE ALSO SPEARMINT, TOPS)	X									X			99 NO GROUP NAME
PERILLA	X												99 NO GROUP NAME
PERILLA, TOPS	X												99 NO GROUP NAME
PERSIMMON	X									X			99 NO GROUP NAME
PET ANIMAL												X	99 NO GROUP NAME
PIE MIX											X		99 NO GROUP NAME
PINEAPPLE	X										X		99 NO GROUP NAME
PINEAPPLE, BRAN		X											99 NO GROUP NAME
PINEAPPLE, FODDER		X											99 NO GROUP NAME
PINEAPPLE, FOLIAGE		X											99 NO GROUP NAME
PINEAPPLE, FORAGE		X									X		99 NO GROUP NAME
PINEAPPLE, JUICE											X		99 NO GROUP NAME
PINEAPPLE, PROCESS RESIDUE		X											99 NO GROUP NAME
PIPE LINE			X										99 NO GROUP NAME
PISTACHIO	X		X						X				14 NUT, TREE, GROUP
PLANTAIN	X												99 NO GROUP NAME
PLANTAIN, COMMON, LEAVES	X												99 NO GROUP NAME
PLUM	X		X						X				12 FRUIT, STONE, GROUP
PLUM, CHICKASAW	X		X						X				12 FRUIT, STONE, GROUP
PLUM, DAMSON	X		X						X				12 FRUIT, STONE, GROUP
PLUM, JAPANESE	X		X						X				12 FRUIT, STONE, GROUP
PLUM, PRUNE	X		X						X				12 FRUIT, STONE, GROUP
PLUM, PRUNE, DRIED	X												12 FRUIT, STONE, GROUP
PLUM, PRUNE, FRESH	X		X						X				12 FRUIT, STONE, GROUP
POKEWEED	X												99 NO GROUP NAME

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by site terms), EPA Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
POKEWEED, FRESH LEAVES	X												99 NO GROUP NAME
POLARGRASS		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
POLARGRASS, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
POLARGRASS, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
POMEGRANATE	X												99 NO GROUP NAME
POMERAC	X												99 NO GROUP NAME
POPPY	X		X			X							19 HERBS AND SPICES GROUP
POPPY, SEED	X					X					X		19 HERBS AND SPICES GROUP
POTATO	X								X				01 VEGETABLE, ROOT AND TUBER, GROUP
POTATO, CHIPS	X												01 VEGETABLE, ROOT AND TUBER, GROUP
POTATO, CULLS	X	X											01 VEGETABLE, ROOT AND TUBER, GROUP
POTATO, GRANULES/FLAKES	X												01 VEGETABLE, ROOT AND TUBER, GROUP
POTATO, PROCESSED POTATO WASTE		X											01 VEGETABLE, ROOT AND TUBER, GROUP
POTATO, WET PEEL		X											01 VEGETABLE, ROOT AND TUBER, GROUP
POULTRY											X		99 NO GROUP NAME
POULTRY FEED, FOR CHICKEN LAYERS											X		99 NO GROUP NAME
POULTRY FEED, FOR CHICKEN LAYERS AND BREEDER HENS											X		99 NO GROUP NAME
POULTRY, FAT											X		99 NO GROUP NAME
POULTRY, FEED											X		99 NO GROUP NAME
POULTRY, KIDNEY											X		99 NO GROUP NAME
POULTRY, LIVER											X		99 NO GROUP NAME
POULTRY, MEAT											X		99 NO GROUP NAME
POULTRY, MEAT BYPRODUCTS											X		99 NO GROUP NAME
POULTRY, MEAT BYPRODUCTS, EXCEPT KIDNEY											X		99 NO GROUP NAME
POULTRY, MEAT BYPRODUCTS, EXCEPT KIDNEY AND LIVER											X		99 NO GROUP NAME
POULTRY, MEAT BYPRODUCTS, EXCEPT LIVER											X		99 NO GROUP NAME
PRAIRIECLOVER, PURPLE		X											99 NO GROUP NAME

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by site terms), EPA Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
PRAIRIECLOVER, PURPLE, FORAGE		X											99 NO GROUP NAME
PRAIRIECLOVER, PURPLE, HAY		X											99 NO GROUP NAME
PRICKLY PEAR	X												99 NO GROUP NAME
PROCESSED FOOD											X		99 NO GROUP NAME
PROCESSED FOOD IN PAPER BAGS, MULTIWALLED											X		99 NO GROUP NAME
PROCESSED FOOD ITEM											X		99 NO GROUP NAME
PROCESSED FOOD, EXCEPT MEAT											X		99 NO GROUP NAME
PROCESSED FOOD, NONPERISHABLE, BAGGED OR PACKAGED											X		99 NO GROUP NAME
PROCESSED FOOD, TWO PLY BAG, CLOTH AND WAX PAPER											X		99 NO GROUP NAME
PROCESSED FRUIT											X		99 NO GROUP NAME
PROCESSED VEGETABLE											X		99 NO GROUP NAME
PSYLLIUM, SEED	X												99 NO GROUP NAME
PULASAN	X		X										99 NO GROUP NAME
PUMMELO	X												10 FRUIT, CITRUS, GROUP
PUMPKIN	X					X			X				09 VEGETABLE, CUCURBIT GROUP
PURSLANE, GARDEN	X					X			X				04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
PURSLANE, WINTER	X					X			X				04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
QUACKGRASS		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
QUACKGRASS, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
QUACKGRASS, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
QUINCE	X		X						X				11 FRUIT, POME, GROUP
QUINOA	X	X											99 NO GROUP NAME
QUINOA, GRAIN	X	X											99 NO GROUP NAME
RADICCHIO	X					X			X				04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
RADISH	X					X			X				01 VEGETABLE, ROOT AND TUBER, GROUP
RADISH, ORIENTAL	X								X				01 VEGETABLE, ROOT AND TUBER, GROUP
RADISH, ORIENTAL, ROOTS	X								X				01 VEGETABLE, ROOT AND TUBER, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by site terms), EPA Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
RADISH, ORIENTAL, TOPS	X												02 VEGETABLE, LEAVES OF ROOT AND TUBER, GROUP
RADISH, ROOTS	X					X			X				01 VEGETABLE, ROOT AND TUBER, GROUP
RADISH, TOPS	X												02 VEGETABLE, LEAVES OF ROOT AND TUBER, GROUP
RAILROAD CAR												X	99 NO GROUP NAME
RAILROAD RIGHTS OF WAY			X										99 FOREST TREES GROUP
RAKKYO	X									X			03 VEGETABLE, BULB, GROUP
RAKKYO, BULB	X									X			03 VEGETABLE, BULB, GROUP
RAMBUTAN	X												99 NO GROUP NAME
RAMPION	X												99 NO GROUP NAME
RAMPION, ROOTS	X												99 NO GROUP NAME
RAMPION, TOPS	X												99 NO GROUP NAME
RANGELAND		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
RAPE GREENS	X									X			05 VEGETABLE, BRASSICA LEAFY, GROUP
RAPE GREENS	X					X			X				05 VEGETABLE, BRASSICA LEAFY, GROUP
RAPESEED		X	X										20 OILSEED CROP GROUP
RAPESEED, FORAGE		X											20 OILSEED CROP GROUP
RAPESEED, MEAL		X											20 OILSEED CROP GROUP
RAPESEED, SEED	X	X											20 OILSEED CROP GROUP
RASPBERRY	X		X						X				13 BERRY AND SMALL FRUIT CROP GROUP
RAW AGRICULTURAL COMMODITIES	X										X		99 NO GROUP NAME
RAW AGRICULTURAL COMMODITIES	X										X		99 NO GROUP NAME
REDTOP		X							X				17 GRASS, FORAGE, FODDER AND HAY, GROUP
REDTOP, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
REDTOP, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
REEDGRASS		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
REEDGRASS, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
REEDGRASS, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by site terms), EPA Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
RHODESGRASS		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
RHODESGRASS, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
RHODESGRASS, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
RHODESGRASS, MULTIFLOWER FALSE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
RHODESGRASS, MULTIFLOWER FALSE, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
RHODESGRASS, MULTIFLOWER FALSE, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
RHUBARB	X					X			X				04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
RICE	X												15 GRAIN, CEREAL, GROUP
RICE, BRAN	X	X											15 GRAIN, CEREAL, GROUP
RICE, CEREAL	X												15 GRAIN, CEREAL, GROUP
RICE, CRACKED	X												15 GRAIN, CEREAL, GROUP
RICE, CRACKED, MALTED BEVERAGE	X												15 GRAIN, CEREAL, GROUP
RICE, FLOUR	X												15 GRAIN, CEREAL, GROUP
RICE, FORAGE		X											16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
RICE, GRAIN	X	X									X		15 GRAIN, CEREAL, GROUP
RICE, HULLS		X											16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
RICE, HULLS		X											15 GRAIN, CEREAL, GROUP
RICE, POLISHED RICE	X										X		15 GRAIN, CEREAL, GROUP
RICE, STRAW		X											16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
RICE, WILD	X	X											16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
RICE, WILD	X												15 GRAIN, CEREAL, GROUP
RICE, WILD, GRAIN	X										X		15 GRAIN, CEREAL, GROUP
RICEGRASS, INDIAN	X	X											16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
RICEGRASS, INDIAN		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
RICEGRASS, INDIAN, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
RICEGRASS, INDIAN, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by site terms), EPA Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
RIGHTS OF WAY			X										99 NO GROUP NAME
ROSE APPLE	X												99 NO GROUP NAME
ROSELLE	X												99 NO GROUP NAME
ROSEMARY	X					X			X		X		19 HERBS AND SPICES GROUP
ROSEMARY, DRIED LEAVES	X					X			X		X		19 HERBS AND SPICES GROUP
ROSEMARY, FRESH LEAVES	X					X			X		X		19 HERBS AND SPICES GROUP
ROUNDLEAF CASSIA		X											99 NO GROUP NAME
ROUNDLEAF CASSIA, FORAGE		X											99 NO GROUP NAME
ROUNDLEAF CASSIA, HAY		X											99 NO GROUP NAME
RUE	X					X			X				19 HERBS AND SPICES GROUP
RUE, DRIED LEAVES	X					X			X				19 HERBS AND SPICES GROUP
RUE, FRESH LEAVES	X					X			X				19 HERBS AND SPICES GROUP
RUTABAGA	X								X				01 VEGETABLE, ROOT AND TUBER, GROUP
RUTABAGA, ROOTS	X								X				01 VEGETABLE, ROOT AND TUBER, GROUP
RUTABAGA, TOPS	X												02 VEGETABLE, LEAVES OF ROOT AND TUBER, GROUP
RYE	X												15 GRAIN, CEREAL, GROUP
RYE, BRAN	X												15 GRAIN, CEREAL, GROUP
RYE, CEREAL	X												15 GRAIN, CEREAL, GROUP
RYE, FLOUR	X										X		15 GRAIN, CEREAL, GROUP
RYE, FORAGE		X											16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
RYE, GRAIN	X												15 GRAIN, CEREAL, GROUP
RYE, STRAW		X											16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
RYEGRASS, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
RYEGRASS, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
RYEGRASS, ITALIAN		X							X				17 GRASS, FORAGE, FODDER AND HAY, GROUP
RYEGRASS, ITALIAN, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
RYEGRASS, ITALIAN, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by site terms), EPA Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
RYEGRASS, PERENNIAL		X							X				17 GRASS, FORAGE, FODDER AND HAY, GROUP
RYEGRASS, PERENNIAL, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
RYEGRASS, PERENNIAL, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
SAFFLOWER	X	X											20 OILSEED CROP GROUP
SAFFLOWER, FODDER		X											20 OILSEED CROP GROUP
SAFFLOWER, FORAGE		X											20 OILSEED CROP GROUP
SAFFLOWER, MEAL		X											20 OILSEED CROP GROUP
SAFFLOWER, REFINED OIL	X										X		20 OILSEED CROP GROUP
SAFFLOWER, SEED	X	X											20 OILSEED CROP GROUP
SAFFRON	X					X							19 HERBS AND SPICES GROUP
SAFFRON, FLOWER	X					X					X		19 HERBS AND SPICES GROUP
SAGE	X					X					X		19 HERBS AND SPICES GROUP
SAGE	X										X		19 HERBS AND SPICES GROUP
SAGE, DRIED LEAVES	X					X		X			X		19 HERBS AND SPICES GROUP
SAGE, FRESH LEAVES	X					X		X			X		19 HERBS AND SPICES GROUP
SAINFOIN		X											18 ANIMAL FEED, NONGRASS, GROUP
SAINFOIN, FORAGE		X											18 ANIMAL FEED, NONGRASS, GROUP
SAINFOIN, HAY		X											18 ANIMAL FEED, NONGRASS, GROUP
SALAL	X												13 BERRY AND SMALL FRUIT CROP GROUP
SALSIFY	X								X				01 VEGETABLE, ROOT AND TUBER, GROUP
SALSIFY, BLACK	X								X				01 VEGETABLE, ROOT AND TUBER, GROUP
SALSIFY, BLACK, ROOTS	X								X				01 VEGETABLE, ROOT AND TUBER, GROUP
SALSIFY, BLACK, TOPS	X												02 VEGETABLE, LEAVES OF ROOT AND TUBER, GROUP
SALSIFY, ROOTS	X								X				01 VEGETABLE, ROOT AND TUBER, GROUP
SALSIFY, SPANISH	X								X				01 VEGETABLE, ROOT AND TUBER, GROUP
SALSIFY, SPANISH, ROOTS	X								X				01 VEGETABLE, ROOT AND TUBER, GROUP
SANDREED, PRAIRIE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by site terms), EPA Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
SANDREED, PRAIRIE, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
SANDREED, PRAIRIE, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
SAPODILLA	X												99 NO GROUP NAME
SAPOTE, BLACK	X												99 NO GROUP NAME
SAPOTE, GREEN	X												99 NO GROUP NAME
SAPOTE, MAMEY	X												99 NO GROUP NAME
SAPOTE, WHITE	X												99 NO GROUP NAME
SAUSAGE, UNCOOKED											X		99 NO GROUP NAME
SAVORY, SUMMER	X					X			X				19 HERBS AND SPICES GROUP
SAVORY, SUMMER, DRIED LEAVES	X					X			X				19 HERBS AND SPICES GROUP
SAVORY, SUMMER, FRESH LEAVES	X					X			X				19 HERBS AND SPICES GROUP
SAVORY, WINTER	X					X			X				19 HERBS AND SPICES GROUP
SAVORY, WINTER, DRIED LEAVES	X					X			X				19 HERBS AND SPICES GROUP
SAVORY, WINTER, FRESH LEAVES	X					X			X				19 HERBS AND SPICES GROUP
SEAGRAPE	X												13 BERRY AND SMALL FRUIT CROP GROUP
SEASONINGS, PROCESSED NATURAL											X		99 NO GROUP NAME
SEASONINGS, PROCESSED NATURAL, INCLUDING SPICES, EXCEPT SALT MIXTURE											X		99 NO GROUP NAME
SEDGE, THREADLEAF		X											99 NO GROUP NAME
SEDGE, THREADLEAF, FORAGE		X											99 NO GROUP NAME
SEDGE, THREADLEAF, HAY		X											99 NO GROUP NAME
SENTUL	X												99 NO GROUP NAME
SERVICEBERRY	X												13 BERRY AND SMALL FRUIT CROP GROUP
SESAME	X												20 OILSEED CROP GROUP
SESAME, OIL	X										X		20 OILSEED CROP GROUP
SESAME, SEED	X	X											20 OILSEED CROP GROUP
SESBANIA		X											99 NO GROUP NAME
SHALLOT	X								X				03 VEGETABLE, BULB, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by site terms), EPA Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
SHALLOT, BULB	X								X				03 VEGETABLE, BULB, GROUP
SHALLOT, FRESH LEAVES	X								X				03 VEGETABLE, BULB, GROUP
SHEA BUTTER TREE	X												99 NO GROUP NAME
SHEA BUTTER TREE, SEED	X												99 NO GROUP NAME
SHEEP											X		99 NO GROUP NAME
SHEEP, FAT											X		99 NO GROUP NAME
SHEEP, FEED											X		99 NO GROUP NAME
SHEEP, KIDNEY											X		99 NO GROUP NAME
SHEEP, LIVER											X		99 NO GROUP NAME
SHEEP, MEAT											X		99 NO GROUP NAME
SHEEP, MEAT BYPRODUCTS											X		99 NO GROUP NAME
SHEEP, MEAT BYPRODUCTS, EXCEPT KIDNEY											X		99 NO GROUP NAME
SHEEP, MEAT BYPRODUCTS, EXCEPT KIDNEY AND LIVER											X		99 NO GROUP NAME
SHEEP, MEAT BYPRODUCTS, EXCEPT LIVER											X		99 NO GROUP NAME
SHELLFISH				X									99 NO GROUP NAME
SIXWEEKS THREEAWN		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
SIXWEEKS THREEAWN, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
SIXWEEKS THREEAWN, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
SKIRRET	X								X				01 VEGETABLE, ROOT AND TUBER, GROUP
SKIRRET, ROOTS	X								X				01 VEGETABLE, ROOT AND TUBER, GROUP
SLOUGHGRASS		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
SLOUGHGRASS, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
SLOUGHGRASS, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
SMILOGRASS		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
SMILOGRASS, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
SMILOGRASS, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
SNAKEGOURD	X								X				99 NO GROUP NAME

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by site terms), EPA Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
SOAPSTOCK		X										X	99 NO GROUP NAME
SOD FARM			X										99 NO GROUP NAME
SORGHUM, FORAGE		X											16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
SORGHUM, FORAGE		X											16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
SORGHUM, FORAGE, FORAGE		X											16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
SORGHUM, FORAGE, HAY		X											16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
SORGHUM, FORAGE, SILAGE		X											16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
SORGHUM, GRAIN	X												15 GRAIN, CEREAL, GROUP
SORGHUM, GRAIN	X	X											16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
SORGHUM, GRAIN, ASPIRATED GRAIN FRACTIONS		X											15 GRAIN, CEREAL, GROUP
SORGHUM, GRAIN, BRAN	X												15 GRAIN, CEREAL, GROUP
SORGHUM, GRAIN, FLOUR	X												15 GRAIN, CEREAL, GROUP
SORGHUM, GRAIN, FORAGE		X											16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
SORGHUM, GRAIN, GRAIN	X												15 GRAIN, CEREAL, GROUP
SORGHUM, GRAIN, STOVER		X											16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
SORGHUM, GRAIN, STOVER		X											16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
SORGHUM, MILLED FRACTIONS, EXCEPT FLOUR	X												15 GRAIN, CEREAL, GROUP
SORGHUM, SWEET	X												99 NO GROUP NAME
SORGHUM, SWEET, STALK		X											99 NO GROUP NAME
SORGHUM, SWEET, SYRUP	X												99 NO GROUP NAME
SOURSOP	X										X		99 NO GROUP NAME
SOUTHERNWOOD	X								X				99 NO GROUP NAME
SOUTHERNWOOD, TOPS	X								X				99 NO GROUP NAME
SOYBEAN	X	X											06 VEGETABLE, LEGUME, GROUP
SOYBEAN, ASPIRATED GRAIN FRACTIONS		X											06 VEGETABLE, LEGUME, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by site terms), EPA Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
SOYBEAN, CRUDE OIL			X										06 VEGETABLE, LEGUME, GROUP
SOYBEAN, FORAGE		X											07 VEGETABLE, FOLIAGE OF LEGUME, GROUP
SOYBEAN, HAY		X											07 VEGETABLE, FOLIAGE OF LEGUME, GROUP
SOYBEAN, HULLS		X											06 VEGETABLE, LEGUME, GROUP
SOYBEAN, MEAL		X											06 VEGETABLE, LEGUME, GROUP
SOYBEAN, REFINED OIL	X	X											06 VEGETABLE, LEGUME, GROUP
SOYBEAN, SEED	X	X	X										06 VEGETABLE, LEGUME, GROUP
SOYBEAN, SILAGE		X											07 VEGETABLE, FOLIAGE OF LEGUME, GROUP
SOYBEAN, SOAPSTOCK			X										06 VEGETABLE, LEGUME, GROUP
SOYBEAN, VEGETABLE	X					X			X				06 VEGETABLE, LEGUME, GROUP
SOYBEAN, VEGETABLE, SUCCULENT	X					X			X				06 VEGETABLE, LEGUME, GROUP
SPANISH FENNEL	X												99 NO GROUP NAME
SPANISH FENNEL, DRIED LEAVES	X												99 NO GROUP NAME
SPANISH FENNEL, FRESH LEAVES	X												99 NO GROUP NAME
SPANISH FENNEL, SEED	X												99 NO GROUP NAME
SPANISH LIME	X												99 NO GROUP NAME
SPEARMINT	X								X				99 NO GROUP NAME
SPEARMINT, HAY (SEE ALSO PEPPERMINT, HAY)		X											99 NO GROUP NAME
SPEARMINT, OIL	X										X		99 NO GROUP NAME
SPEARMINT, OIL (SEE ALSO PEPPERMINT, OIL)											X		99 NO GROUP NAME
SPEARMINT, SPENT HAY		X											99 NO GROUP NAME
SPEARMINT, TOPS	X								X				99 NO GROUP NAME
SPICES	X										X		19 HERBS AND SPICES GROUP
SPICES SUBGROUP	X										X		19B Spice subgroup
SPICES, POSTHARVEST	X												19 HERBS AND SPICES GROUP
SPIKEOAT		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
SPIKEOAT, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by site terms), EPA Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
SPIKEOAT, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
SPINACH	X					X			X				04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
SPINACH, CHINESE	X					X			X				04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
SPINACH, NEW ZEALAND	X					X			X				04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
SPINACH, VINE	X					X			X				04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
SPINY HOPSAGE		X											99 NO GROUP NAME
SPINY HOPSAGE, FORAGE		X											99 NO GROUP NAME
SPINY HOPSAGE, HAY		X											99 NO GROUP NAME
SPRANGLETOP, GREEN		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
SPRANGLETOP, GREEN, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
SPRANGLETOP, GREEN, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
SQUASH	X					X			X				09 VEGETABLE, CUCURBIT GROUP
SQUASH, SUMMER	X					X			X				09 VEGETABLE, CUCURBIT GROUP
SQUASH, WINTER	X					X			X				09 VEGETABLE, CUCURBIT GROUP
SQUASH/CUCUMBER SUBGROUP	X					X			X				09B Squash/Cucumber subgroup
SQUIRRELTAIL		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
SQUIRRELTAIL, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
SQUIRRELTAIL, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
STAR APPLE	X												99 NO GROUP NAME
STARFRUIT	X										X		99 NO GROUP NAME
STEVIA	X												99 NO GROUP NAME
STEVIA, DRIED LEAVES	X												99 NO GROUP NAME
STORED FEED, DRIED, 4% FAT OR LESS, FROM COTTON BAGS											X		99 NO GROUP NAME
STORED FEED, DRIED, 4% FAT OR LESS, FROM PAPER BAGS											X		99 NO GROUP NAME
STRAWBERRY	X								X				13 BERRY AND SMALL FRUIT GROUP
STRAWBERRYPEAR	X												99 NO GROUP NAME
SUDANGRASS		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by site terms), EPA Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
SUDANGRASS, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
SUDANGRASS, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
SUGAR APPLE	X												99 NO GROUP NAME
SUGARCANE	X												99 NO GROUP NAME
SUGARCANE, BAGASSE		X											99 NO GROUP NAME
SUGARCANE, CANE	X												99 NO GROUP NAME
SUGARCANE, FODDER		X											99 NO GROUP NAME
SUGARCANE, FORAGE		X											99 NO GROUP NAME
SUGARCANE, MOLASSES	X										X		99 NO GROUP NAME
SUGARCANE, REFINED SUGAR	X										X		99 NO GROUP NAME
SUGARCANE, SEED PIECE TREATMENT		X											99 NO GROUP NAME
SUMAC, SMOOTH	X		X										99 NO GROUP NAME
SUMAC, SMOOTH, LEAVES	X		X										99 NO GROUP NAME
SUNFLOWER	X	X											20 OILSEED CROP GROUP
SUNFLOWER, FORAGE		X											20 OILSEED CROP GROUP
SUNFLOWER, MEAL		X											20 OILSEED CROP GROUP
SUNFLOWER, REFINED OIL	X										X		20 OILSEED CROP GROUP
SUNFLOWER, SEED	X										X		20 OILSEED CROP GROUP
SUNFLOWER, SEED, HULLS		X											20 OILSEED CROP GROUP
SUNFLOWER, SEED, SOAPSTOCK		X											20 OILSEED CROP GROUP
SUNOLGRASS		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
SUNOLGRASS, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
SUNOLGRASS, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
SURINAM CHERRY	X												99 NO GROUP NAME
SWAMP LEAF				X									99 NO GROUP NAME
SWEET BAY	X					X		X			X		19 HERBS AND SPICES GROUP
SWEET CICELY	X												99 NO GROUP NAME
SWEET CICELY, DRIED LEAVES	X												99 NO GROUP NAME

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by site terms), EPA Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
SWEET CICELY, FRESH LEAVES	X												99 NO GROUP NAME
SWEET POTATO	X								X				01 VEGETABLE, ROOT AND TUBER, GROUP
SWEET POTATO, ROOTS	X								X				01 VEGETABLE, ROOT AND TUBER, GROUP
SWISS CHARD	X					X			X				04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
SWORDBEAN	X								X				06 VEGETABLE, LEGUME, GROUP
SWORDBEAN, SUCCULENT	X								X				06 VEGETABLE, LEGUME, GROUP
TAMARIND	X		X										99 NO GROUP NAME
TAMPALA	X					X			X				04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
TANGELO	X												10 FRUIT, CITRUS, GROUP
TANGERINE	X												10 FRUIT, CITRUS, GROUP
TANGLEHEAD		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
TANGLEHEAD, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
TANGLEHEAD, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
TANIER	X								X				01 VEGETABLE, ROOT AND TUBER, GROUP
TANIER SPINACH	X								X				99 NO GROUP NAME
TANIER, CORM	X												01 VEGETABLE, ROOT AND TUBER, GROUP
TANIER, LEAVES	X												02 VEGETABLE, LEAVES OF ROOT AND TUBER, GROUP
TANSY	X					X			X				19 HERBS AND SPICES GROUP
TANSY, DRIED LEAVES	X					X			X				19 HERBS AND SPICES GROUP
TANSY, FRESH LEAVES	X					X			X				19 HERBS AND SPICES GROUP
TAPERTIP HAWKSBEARD		X											99 NO GROUP NAME
TAPERTIP HAWKSBEARD, FORAGE		X											99 NO GROUP NAME
TAPERTIP HAWKSBEARD, HAY		X											99 NO GROUP NAME
TARO	X												01 VEGETABLE, ROOT AND TUBER, GROUP
TARO, CORM	X												01 VEGETABLE, ROOT AND TUBER, GROUP
TARO, LEAVES	X												02 VEGETABLE, LEAVES OF ROOT AND TUBER, GROUP
TARRAGON	X					X			X		X		19 HERBS AND SPICES GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by site terms), EPA Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
TARRAGON, DRIED LEAVES	X					X			X				19 HERBS AND SPICES GROUP
TARRAGON, FRESH LEAVES	X					X			X				19 HERBS AND SPICES GROUP
TEA	X												99 NO GROUP NAME
TEA, DRIED											X		99 NO GROUP NAME
TEA, INSTANT											X		99 NO GROUP NAME
TEA, PLUCKED LEAVES	X												99 NO GROUP NAME
TEFF	X												99 NO GROUP NAME
TEFF, GRAIN	X												99 NO GROUP NAME
TEFF, HAY		X											99 NO GROUP NAME
TEFF, STRAW		X											99 NO GROUP NAME
TEOSINTE	X												15 GRAIN, CEREAL, GROUP
TEOSINTE, GRAIN	X												15 GRAIN, CEREAL, GROUP
THORN MIMOSA		X											99 NO GROUP NAME
THORN MIMOSA, FORAGE		X											99 NO GROUP NAME
THORN MIMOSA, HAY	X												99 NO GROUP NAME
THYME	X					X			X		X		19 HERBS AND SPICES GROUP
THYME, DRIED LEAVES	X					X			X		X		19 HERBS AND SPICES GROUP
THYME, FRESH LEAVES	X					X			X		X		19 HERBS AND SPICES GROUP
TI	X												99 NO GROUP NAME
TI, LEAVES	X												99 NO GROUP NAME
TI, ROOTS	X												99 NO GROUP NAME
TIMOTHY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
TIMOTHY, ALPINE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
TIMOTHY, ALPINE, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
TIMOTHY, ALPINE, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
TIMOTHY, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
TIMOTHY, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
TIMOTHY, SEED		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by site terms), EPA Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
TIMOTHY, SILAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
TOBACCO			X										99 NO GROUP NAME
TOMATILLO	X					X			X				08 VEGETABLES, FRUITING, GROUP
TOMATO	X					X			X				08 VEGETABLES, FRUITING, GROUP
TOMATO, CONCENTRATED PRODUCTS	X												08 VEGETABLES, FRUITING, GROUP
TOMATO, CURRANT	X								X				99 NO GROUP NAME
TOMATO, DRIED POMACE	X	X											08 VEGETABLES, FRUITING, GROUP
TOMATO, PASTE	X												08 VEGETABLES, FRUITING, GROUP
TOMATO, PUREE	X												08 VEGETABLES, FRUITING, GROUP
TOMATO, TREE	X										X		99 NO GROUP NAME
TOMATO, WET POMACE	X	X											08 VEGETABLES, FRUITING, GROUP
TREE NURSERY			X										99 NO GROUP NAME
TREFOIL		X											18 ANIMAL FEED, NONGRASS, GROUP
TREFOIL, FORAGE		X											18 ANIMAL FEED, NONGRASS, GROUP
TREFOIL, HAY		X											18 ANIMAL FEED, NONGRASS, GROUP
TRisetum, SPIKE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
TRisetum, SPIKE, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
TRisetum, SPIKE, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
TRITICALE	X	X											15 GRAIN, CEREAL, GROUP
TRITICALE, GRAIN	X	X									X		15 GRAIN, CEREAL, GROUP
TURKEY											X		99 NO GROUP NAME
TURKEY, FAT											X		99 NO GROUP NAME
TURKEY, MEAT											X		99 NO GROUP NAME
TURKEY, MEAT BYPRODUCTS													99 NO GROUP NAME
TURMERIC	X												01 VEGETABLE, ROOT AND TUBER, GROUP
TURMERIC, ROOTS	X												01 VEGETABLE, ROOT AND TUBER, GROUP
TURNIP	X								X				01 VEGETABLE, ROOT AND TUBER, GROUP
TURNIP, ROOTS	X								X				01 VEGETABLE, ROOT AND TUBER, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by site terms), EPA Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
TURNIP, TOPS	X					X			X				01 VEGETABLE, ROOT AND TUBER, GROUP
TURNIP, TOPS	X					X			X				02 VEGETABLE, LEAVES OF ROOT AND TUBER, GROUP
TURTLE, BEAN	X								X				06 VEGETABLE, LEGUME, GROUP
TYFON	X								X				99 NO GROUP NAME
UDO	X												99 NO GROUP NAME
ULLUCO	X												99 NO GROUP NAME
ULLUCO, LEAVES	X												99 NO GROUP NAME
ULLUCO, TUBER	X												99 NO GROUP NAME
VANILLA	X										X		19 HERBS AND SPICES GROUP
VASEYGRASS		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
VASEYGRASS, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
VASEYGRASS, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
VEGETABLE	X								X		X		99 NO GROUP NAME
VEGETABLE, BRASSICA, LEAFY, GROUP	X					X			X				05 VEGETABLE, BRASSICA LEAFY, GROUP
VEGETABLE, BULB, GROUP	X					X			X				03 VEGETABLE, BULB, GROUP
VEGETABLE, CUCURBIT, GROUP	X					X			X				09 VEGETABLE, CUCURBIT GROUP
VEGETABLE, DRIED	X										X		99 NO GROUP NAME
VEGETABLE, FOLIAGE OF LEGUME, EXCEPT SOYBEAN, SUBGROUP		X											07A Vegetable, foliage of legume, except soybean, subgroup
VEGETABLE, FOLIAGE OF LEGUME, GROUP		X											07 VEGETABLE, FOLIAGE OF LEGUME, GROUP
VEGETABLE, FRUITING	X												99 NO GROUP NAME
VEGETABLE, FRUITING	X	X											08 VEGETABLES, FRUITING, GROUP
VEGETABLE, FRUITING, GROUP	X	X							X				08 VEGETABLES, FRUITING, GROUP
VEGETABLE, LEAFY	X												99 NO GROUP NAME
VEGETABLE, LEAFY	X					X			X				04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP	X					X			X				04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
VEGETABLE, LEAVES OF ROOT AND TUBER, GROUP	X	X				X			X				02 VEGETABLE, LEAVES OF ROOT AND TUBER, GROUP
VEGETABLE, LEGUME, EDIBLE PODDED, SUBGROUP	X					X			X				06A Vegetable, legume, edible podded, subgroup

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by site terms), EPA Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
VEGETABLE, LEGUME, GROUP	X	X							X				06 VEGETABLE, LEGUME, GROUP
VEGETABLE, POD	X												99 NO GROUP NAME
VEGETABLE, ROOT	X												99 NO GROUP NAME
VEGETABLE, ROOT AND TUBER, GROUP	X	X							X				01 VEGETABLE, ROOT AND TUBER, GROUP
VEGETABLE, ROOT CROP	X												01 VEGETABLE, ROOT AND TUBER, GROUP
VEGETABLE, ROOT CROP, EXCEPT CARROT	X												01 VEGETABLE, ROOT AND TUBER, GROUP
VEGETABLE, ROOT, EXCEPT SUGARBEET, SUBGROUP	X	X							X				01B Vegetable, root, except sugarbeet, subgroup
VEGETABLE, ROOT, SUBGROUP	X	X							X				01A Vegetable, root, subgroup.
VEGETABLE, SEED	X												99 NO GROUP NAME
VEGETABLE, SEED AND POD	X												99 NO GROUP NAME
VEGETABLE, SEED AND POD	X	X							X				06 VEGETABLE, LEGUME, GROUP
VEGETABLE, SEED AND POD, EXCEPT SOYBEAN	X												99 NO GROUP NAME
VEGETABLE, SEED AND POD, FODDER		X											07 VEGETABLE, FOLIAGE OF LEGUME, GROUP
VEGETABLE, SEED AND POD, FORAGE		X											07 VEGETABLE, FOLIAGE OF LEGUME, GROUP
VEGETABLE, SEED AND POD, HAY		X											07 VEGETABLE, FOLIAGE OF LEGUME, GROUP
VEGETABLE, TUBEROUS AND CORM, EXCEPT POTATO, SUBGROUP	X								X				01D Vegetable, Tuberos and corm, except potato, subgroup
VEGETABLE, TUBEROUS AND CORM, SUBGROUP	X	X							X				01C Vegetable, Tuberos and corm, subgroup
VELDTGRASS, PERENNIAL		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
VELDTGRASS, PERENNIAL, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
VELDTGRASS, PERENNIAL, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
VELVETBEAN		X											18 ANIMAL FEED, NONGRASS, GROUP
VELVETBEAN, FORAGE		X											18 ANIMAL FEED, NONGRASS, GROUP
VELVETBEAN, HAY		X											18 ANIMAL FEED, NONGRASS, GROUP
VELVETGRASS		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
VELVETGRASS, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
VELVETGRASS, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
VERNONIA	X	X							X				20 OILSEED CROP GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by site terms), EPA Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
VERNONIA, SEED	X												20 OILSEED CROP GROUP
VETCH		X											18 ANIMAL FEED, NONGRASS, GROUP
VETCH, CHICKLING		X	X										99 NO GROUP NAME
VETCH, CHICKLING, FORAGE		X	X										99 NO GROUP NAME
VETCH, CHICKLING, HAY		X	X										99 NO GROUP NAME
VETCH, FORAGE		X											18 ANIMAL FEED, NONGRASS, GROUP
VETCH, HAY		X											18 ANIMAL FEED, NONGRASS, GROUP
VETCH, KIDNEY		X	X										99 NO GROUP NAME
VETCH, KIDNEY, FORAGE		X	X										99 NO GROUP NAME
VETCH, KIDNEY, HAY		X	X										99 NO GROUP NAME
VETCH, MILK		X											18 ANIMAL FEED, NONGRASS, GROUP
VETCH, MILK, FORAGE		X											18 ANIMAL FEED, NONGRASS, GROUP
VETCH, MILK, HAY		X											18 ANIMAL FEED, NONGRASS, GROUP
VETCH, SEED		X											18 ANIMAL FEED, NONGRASS, GROUP
VETCH, STRAW		X											18 ANIMAL FEED, NONGRASS, GROUP
VIETNAMESE CORIANDER	X								X				99 NO GROUP NAME
VIETNAMESE CORIANDER, DRIED LEAVES	X								X				99 NO GROUP NAME
VIETNAMESE CORIANDER, FRESH LEAVES	X								X				99 NO GROUP NAME
VIOLET	X		X			X			X				99 NO GROUP NAME
VIOLET, FLOWER	X		X			X			X				99 NO GROUP NAME
WALNUT	X		X						X				14 NUT, TREE, GROUP
WASABI	X												99 NO GROUP NAME
WASABI, ROOTS	X												99 NO GROUP NAME
WATER BAMBOO				X									99 NO GROUP NAME
WATER BAMBOO, STEMS				X									99 NO GROUP NAME
WATER DROPWORT	X												99 NO GROUP NAME
WATER DROPWORT, TOPS	X												99 NO GROUP NAME
WATER SPINACH				X									99 NO GROUP NAME

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by site terms), EPA Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
WATER SPINACH, TOPS				X									99 NO GROUP NAME
WATER, POTABLE				X						X	X		99 NO GROUP NAME
WATERCHESTNUT	X			X									99 NO GROUP NAME
WATERCHESTNUT, CORM	X			X									99 NO GROUP NAME
WATERCRESS	X			X									99 NO GROUP NAME
WATERLILY					X								99 NO GROUP NAME
WATERMELON	X								X				09 VEGETABLE, CUCURBIT GROUP
WATERMINT	X								X				99 NO GROUP NAME
WATERMINT, FRESH LEAVES	X								X				99 NO GROUP NAME
WAX JAMBU	X												99 NO GROUP NAME
WAXGOURD, CHINESE	X					X			X				09 VEGETABLE, CUCURBIT GROUP
WHEAT	X												15 GRAIN, CEREAL, GROUP
WHEAT, ASPIRATED GRAIN FRACTIONS		X											15 GRAIN, CEREAL, GROUP
WHEAT, BRAN	X										X		15 GRAIN, CEREAL, GROUP
WHEAT, CEREAL	X												15 GRAIN, CEREAL, GROUP
WHEAT, FLOUR	X										X		15 GRAIN, CEREAL, GROUP
WHEAT, FORAGE		X											16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
WHEAT, GERM	X										X		15 GRAIN, CEREAL, GROUP
WHEAT, GLUTEN, POSTHARVEST IN AUSTRALIA	X												15 GRAIN, CEREAL, GROUP
WHEAT, GRAIN	X												15 GRAIN, CEREAL, GROUP
WHEAT, HAY		X											16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
WHEAT, MIDDLINGS	X	X											15 GRAIN, CEREAL, GROUP
WHEAT, MILLED BYPRODUCTS	X	X											15 GRAIN, CEREAL, GROUP
WHEAT, SHORTS	X	X											15 GRAIN, CEREAL, GROUP
WHEAT, STRAW		X											16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
WHEAT, VAVILOVI	X												15 GRAIN, CEREAL, GROUP
WHEAT, VAVILOVI, GRAIN	X												15 GRAIN, CEREAL, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by site terms), EPA Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
WHEAT, VAVILOVI, STRAW		X											16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
WHEAT, WILD EINKORN	X												15 GRAIN, CEREAL, GROUP
WHEAT, WILD EINKORN, GRAIN	X												15 GRAIN, CEREAL, GROUP
WHEAT, WILD EINKORN, STRAW		X											16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
WHEAT, WILD EMMER	X												15 GRAIN, CEREAL, GROUP
WHEAT, WILD EMMER, GRAIN	X												15 GRAIN, CEREAL, GROUP
WHEAT, WILD EMMER, STRAW		X											16 GRAIN, CEREAL, FORAGE, FODDER AND STRAW, GROUP
WHEATGRASS		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, BLUEBUNCH		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, BLUEBUNCH, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, BLUEBUNCH, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, CRESTED		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, CRESTED, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, CRESTED, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, FAIRWAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, FAIRWAY, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, FAIRWAY, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, INTERMEDIATE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, INTERMEDIATE, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, INTERMEDIATE, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, PUBESCENT		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, PUBESCENT, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, PUBESCENT, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, SIBERIAN		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, SIBERIAN, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by site terms), EPA Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
WHEATGRASS, SIBERIAN, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, SLENDER		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, SLENDER, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, SLENDER, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, STREAMBANK		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, STREAMBANK, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, STREAMBANK, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, TALL		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, TALL, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, TALL, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, THICKSPIKE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, THICKSPIKE, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, THICKSPIKE, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, WESTERN		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, WESTERN, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
WHEATGRASS, WESTERN, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
WINDMILLGRASS, HOODED		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
WINDMILLGRASS, HOODED, FORAGE		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
WINDMILLGRASS, HOODED, HAY		X											17 GRASS, FORAGE, FODDER AND HAY, GROUP
WINE			X						X		X		99 NO GROUP NAME
WINTERGREEN	X					X			X				19 HERBS AND SPICES GROUP
WINTERGREEN, DRIED LEAVES	X					X			X				19 HERBS AND SPICES GROUP
WINTERGREEN, FRESH LEAVES	X					X			X				19 HERBS AND SPICES GROUP
WOODRUFF	X					X			X				19 HERBS AND SPICES GROUP
WOODRUFF, DRIED LEAVES	X					X			X				19 HERBS AND SPICES GROUP
WOODRUFF, FRESH LEAVES	X					X			X				19 HERBS AND SPICES GROUP
WORMWOOD	X					X			X				19 HERBS AND SPICES GROUP
WORMWOOD, DRIED LEAVES	X					X			X				19 HERBS AND SPICES GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns* (sorted by site terms), EPA Crop Group number/name

EPA PREFERRED SITE TERM (A-Z)	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	RES OUT	RES IND	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
WORMWOOD, FRESH LEAVES	X					X			X				19 HERBS AND SPICES GROUP
YACON	X												99 NO GROUP NAME
YACON, TUBER	X												99 NO GROUP NAME
YAM BEAN	X								X				01 VEGETABLE, ROOT AND TUBER, GROUP
YAM BEAN, ROOTS	X								X				01 VEGETABLE, ROOT AND TUBER, GROUP
YAM, TRUE	X								X				01 VEGETABLE, ROOT AND TUBER, GROUP
YAM, TRUE, LEAVES	X												02 VEGETABLE, LEAVES OF ROOT AND TUBER, GROUP
YAM, TRUE, TUBER	X								X				01 VEGETABLE, ROOT AND TUBER, GROUP
YARROW	X								X				99 NO GROUP NAME
YARROW, DRIED LEAVES	X												99 NO GROUP NAME
YARROW, FRESH LEAVES	X												99 NO GROUP NAME

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; RESOUT=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.