



Pesticide Site Use Patterns for Residential Indoor

May 2014

Pesticide site use patterns*: (RESOUT)=Residential outdoor, Crop Group number/name 1

EPA PREFERRED SITE TERM (A-Z)	RES OUT	RES IND	TER FOO	TER FEE	TER NFO	AQU FOO	AQU NFO	GRE FOO	GRE NFO	FOR EST	IND FOO	IND NFO	EPA CROP GROUP NUMBER and GROUP NAME
ALMOND	X		X		X								14 NUT, TREE, GROUP
AMBARELLA	X		X										99 NO GROUP NAME
ANGELICA	X		X					X					19 HERBS AND SPICES GROUP
ANNATTO	X		X										19 HERBS AND SPICES GROUP
ANNATTO, SEED	X		X										19 HERBS AND SPICES GROUP
APPLE	X		X		X								11 FRUIT, POME, GROUP
APPELMINT	X		X										99 NO GROUP NAME
APPELMINT, FRESH LEAVES	X		X										99 NO GROUP NAME
APRICOT	X		X		X								12 FRUIT, STONE, GROUP
ARUGULA	X		X					X					04 VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
BAHIAGRASS	X			X									17 GRASS, FORAGE, FODDER AND HAY, GROUP
BALM	X		X					X					19 HERBS AND SPICES GROUP
BALM, DRIED LEAVES	X		X					X					19 HERBS AND SPICES GROUP
BALM, FRESH LEAVES	X		X					X					19 HERBS AND SPICES GROUP
BALSAM APPLE	X		X										09 VEGETABLE, CUCURBIT GROUP
BALSAM PEAR	X		X										09 VEGETABLE, CUCURBIT GROUP
BASIL	X		X					X			X		19 HERBS AND SPICES GROUP
BASIL, DRIED LEAVES	X		X					X			X		19 HERBS AND SPICES GROUP
BASIL, FRESH LEAVES	X		X					X			X		19 HERBS AND SPICES GROUP
BEAN	X		X	X				X					06 VEGETABLE, LEGUME, GROUP
BEAN, ADZUKI	X		X	X				X					06 VEGETABLE, LEGUME, GROUP
BEAN, ADZUKI, SEED	X		X	X				X					06 VEGETABLE, LEGUME, GROUP
BEAN, BROAD	X		X	X				X					06 VEGETABLE, LEGUME, GROUP
BEAN, BROAD, SEED	X		X	X				X					06 VEGETABLE, LEGUME, GROUP
BEAN, BROAD, SUCCULENT	X		X	X				X					06 VEGETABLE, LEGUME, GROUP
BEAN, DRY	X		X	X				X					06 VEGETABLE, LEGUME, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; (RESOUT)=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns*: (RESOUT)=Residential outdoor, Crop Group number/name 2

BEAN, DRY, SEED	X		X	X				X					06	VEGETABLE, LEGUME, GROUP
BEAN, GOA	X		X										99	NO GROUP NAME
BEAN, GOA, SUCCULENT	X		X										99	NO GROUP NAME
BEAN, KIDNEY	X		X	X				X					06	VEGETABLE, LEGUME, GROUP
BEAN, KIDNEY, SEED	X		X	X				X					06	VEGETABLE, LEGUME, GROUP
BEAN, LABLAB	X		X	X				X					06	VEGETABLE, LEGUME, GROUP
BEAN, LABLAB, SEED	X		X	X				X					06	VEGETABLE, LEGUME, GROUP
BEAN, LIMA	X		X	X				X					06	VEGETABLE, LEGUME, GROUP
BEAN, LIMA, SEED	X		X	X				X					06	VEGETABLE, LEGUME, GROUP
BEAN, LIMA, SUCCULENT	X		X	X				X					06	VEGETABLE, LEGUME, GROUP
BEAN, MOTH	X		X	X				X					06	VEGETABLE, LEGUME, GROUP
BEAN, MOTH, SEED	X		X	X				X					06	VEGETABLE, LEGUME, GROUP
BEAN, MOTH, SUCCULENT	X		X	X				X					06	VEGETABLE, LEGUME, GROUP
BEAN, MUNG	X		X	X				X					06	VEGETABLE, LEGUME, GROUP
BEAN, MUNG, SEED	X		X	X				X					06	VEGETABLE, LEGUME, GROUP
BEAN, NAVY	X		X	X				X					06	VEGETABLE, LEGUME, GROUP
BEAN, NAVY, SEED	X		X	X				X					06	VEGETABLE, LEGUME, GROUP
BEAN, PINK	X		X	X				X					06	VEGETABLE, LEGUME, GROUP
BEAN, PINK, SEED	X		X	X				X					06	VEGETABLE, LEGUME, GROUP
BEAN, PINTO	X		X	X				X					06	VEGETABLE, LEGUME, GROUP
BEAN, PINTO, SEED	X		X	X				X					06	VEGETABLE, LEGUME, GROUP
BEAN, RICE	X		X	X				X					06	VEGETABLE, LEGUME, GROUP
BEAN, RICE, SEED	X		X	X				X					06	VEGETABLE, LEGUME, GROUP
BEAN, RUNNER	X		X	X				X					06	VEGETABLE, LEGUME, GROUP
BEAN, RUNNER, SUCCULENT	X		X	X				X					06	VEGETABLE, LEGUME, GROUP
BEAN, SNAP, SUCCULENT	X		X	X				X					06	VEGETABLE, LEGUME, GROUP
BEAN, SUCCULENT	X		X	X				X					06	VEGETABLE, LEGUME, GROUP
BEAN, TEPARY	X		X	X				X					06	VEGETABLE, LEGUME, GROUP
BEAN, TEPARY, SEED	X		X	X				X					06	VEGETABLE, LEGUME, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; (RESOUT)=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns*: (RESOUT)=Residential outdoor, Crop Group number/name 3

BEAN, URD	X		X	X				X					06	VEGETABLE, LEGUME, GROUP
BEAN, URD, SEED	X		X	X				X					06	VEGETABLE, LEGUME, GROUP
BEAN, WAX	X		X	X				X					06	VEGETABLE, LEGUME, GROUP
BEAN, WAX, SUCCULENT	X		X	X				X					06	VEGETABLE, LEGUME, GROUP
BEAN, YARDLONG	X		X	X				X					06	VEGETABLE, LEGUME, GROUP
BEAN, YARDLONG, SUCCULENT	X		X	X				X					06	VEGETABLE, LEGUME, GROUP
BEECHNUT	X		X		X								14	NUT, TREE, GROUP
BEET, GARDEN	X		X										01	VEGETABLE, ROOT AND TUBER, GROUP
BEET, GARDEN, ROOTS	X		X										01	VEGETABLE, ROOT AND TUBER, GROUP
BEET, GARDEN, TOPS	X		X					X					02	VEGETABLE, LEAVES OF ROOT AND TUBER, GROUP
BENTGRASS	X			X									17	GRASS, FORAGE, FODDER AND HAY, GROUP
BERMUDAGRASS	X			X									17	GRASS, FORAGE, FODDER AND HAY, GROUP
BERRY GROUP	X		X										13	BERRY AND SMALL FRUIT CROP GROUP
BLACKBERRY	X		X		X								13	BERRY AND SMALL FRUIT CROP GROUP
BLUEBERRY	X		X		X								13	BERRY AND SMALL FRUIT CROP GROUP
BLUEGRASS	X			X									17	GRASS, FORAGE, FODDER AND HAY, GROUP
BORAGE	X		X					X					19	HERBS AND SPICES GROUP
BORAGE, DRIED LEAVES	X		X					X					19	HERBS AND SPICES GROUP
BORAGE, FRESH LEAVES	X		X					X					19	HERBS AND SPICES GROUP
BRASSICA, HEAD AND STEM, SUBGROUP	X		X					X					05A	Brassica, Head and stem, subgroup
BRASSICA, LEAFY GREENS, SUBGROUP	X		X					X					05B	Brassica, Leafy greens, subgroup
BROCCOLI	X		X					X					05	VEGETABLE, BRASSICA LEAFY, GROUP
BROCCOLI RAAB	X		X					X					05	VEGETABLE, BRASSICA LEAFY, GROUP
BROCCOLI, CHINESE	X		X					X					05	VEGETABLE, BRASSICA LEAFY, GROUP
BRUSSELS SPROUTS	X		X					X					05	VEGETABLE, BRASSICA LEAFY, GROUP
BURDOCK, EDIBLE, TOPS	X		X										02	VEGETABLE, LEAVES OF ROOT AND TUBER, GROUP
BURNET	X		X										19	HERBS AND SPICES GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; (RESOUT)=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns*: (RESOUT)=Residential outdoor, Crop Group number/name 4

BUSHBERRY SUBGROUP	X		X									13B	Bushberry subgroup
BUTTERNUT	X		X									14	NUT, TREE, GROUP
CABBAGE	X		X				X					05	VEGETABLE, BRASSICA LEAFY, GROUP
CABBAGE, CHINESE, BOK CHOY	X		X				X					05	VEGETABLE, BRASSICA LEAFY, GROUP
CABBAGE, CHINESE, MUSTARD	X		X				X					05	VEGETABLE, BRASSICA LEAFY, GROUP
CABBAGE, CHINESE, NAPA	X		X				X					05	VEGETABLE, BRASSICA LEAFY, GROUP
CACTUS	X		X									99	NO GROUP NAME
CAMOMILE	X		X				X		X			19	HERBS AND SPICES GROUP
CANEBERRY SUBGROUP	X		X									13A	Caneberry subgroup
CANTALOUPE	X		X									09	VEGETABLE, CUCURBIT GROUP
CARROT	X		X									01	VEGETABLE, ROOT AND TUBER, GROUP
CARROT, ROOTS	X		X									01	VEGETABLE, ROOT AND TUBER, GROUP
CATJANG	X		X	X			X					06	VEGETABLE, LEGUME, GROUP
CATJANG, SEED	X		X	X			X					06	VEGETABLE, LEGUME, GROUP
CATNIP	X	X	X				X					19	HERBS AND SPICES GROUP
CAULIFLOWER	X		X				X					05	VEGETABLE, BRASSICA LEAFY, GROUP
CELERIAC	X		X									01	VEGETABLE, ROOT AND TUBER, GROUP
CELERIAC, ROOTS	X		X									01	VEGETABLE, ROOT AND TUBER, GROUP
CHAYOTE, FRUIT	X		X				X					09	VEGETABLE, CUCURBIT GROUP
CHERRY, SWEET	X		X		X							12	FRUIT, STONE, GROUP
CHERRY, TART	X		X		X							12	FRUIT, STONE, GROUP
CHERVIL	X		X									04	VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
CHERVIL	X		X				X					19	HERBS AND SPICES GROUP
CHERVIL, DRIED LEAVES	X		X				X					19	HERBS AND SPICES GROUP
CHERVIL, FRESH LEAVES	X		X									04	VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
CHERVIL, TURNIP ROOTED, TOPS	X		X									02	VEGETABLE, LEAVES OF ROOT AND TUBER, GROUP
CHESTNUT	X		X		X							14	NUT, TREE, GROUP
CHICKPEA	X		X	X			X					06	VEGETABLE, LEGUME, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; (RESOUT)=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns*: (RESOUT)=Residential outdoor, Crop Group number/name 5

CHICKPEA, SEED	X		X	X				X					06	VEGETABLE, LEGUME, GROUP
CHILI, POSTHARVEST	X		X					X					08	VEGETABLES, FRUITING, GROUP
CHINQUAPIN	X		X		X								14	NUT, TREE, GROUP
CHIVE	X		X					X			X		19	HERBS AND SPICES GROUP
CHIVE, CHINESE	X		X					X			X		19	HERBS AND SPICES GROUP
CHRYSANTHEMUM, GARLAND	X		X					X					04	VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
CLARY	X		X					X					19	HERBS AND SPICES GROUP
CLARY, DRIED LEAVES	X		X					X					19	HERBS AND SPICES GROUP
CLARY, FRESH LEAVES	X		X					X					19	HERBS AND SPICES GROUP
CLOVER	X			X									18	ANIMAL FEED, NONGRASS, GROUP
CLOVER, WHITE	X			X									18	ANIMAL FEED, NONGRASS, GROUP
COLLARDS	X		X					X					05	VEGETABLE, BRASSICA LEAFY, GROUP
CORIANDER	X		X					X			X		19	HERBS AND SPICES GROUP
CORIANDER, LEAVES	X		X					X			X		19	HERBS AND SPICES GROUP
CORIANDER, SEED	X		X					X			X		19	HERBS AND SPICES GROUP
CORN SALAD	X		X					X					04	VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
CORN, POP, GRAIN	X		X								X		15	GRAIN, CEREAL, GROUP
COSTMARY	X		X					X					19	HERBS AND SPICES GROUP
COSTMARY, DRIED LEAVES	X		X					X					19	HERBS AND SPICES GROUP
COSTMARY, FRESH LEAVES	X		X					X					19	HERBS AND SPICES GROUP
COWPEA	X		X	X				X					06	VEGETABLE, LEGUME, GROUP
COWPEA, SEED	X		X					X					06	VEGETABLE, LEGUME, GROUP
COWPEA, SUCCULENT	X		X	X				X					06	VEGETABLE, LEGUME, GROUP
CRABAPPLE	X		X		X								11	FRUIT, POME, GROUP
CRESS, GARDEN	X		X					X					04	VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
CRESS, UPLAND	X		X					X					04	VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
CULANTRO	X		X					X					19	HERBS AND SPICES GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; (RESOUT)=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns*: (RESOUT)=Residential outdoor, Crop Group number/name 6

CULANTRO, LEAVES	X		X				X					19	HERBS AND SPICES GROUP
CULANTRO, SEED	X		X				X					19	HERBS AND SPICES GROUP
CURRENT	X		X		X							13	BERRY AND SMALL FRUIT CROP GROUP
CURRY	X		X				X					19	HERBS AND SPICES GROUP
CURRY, DRIED LEAVES	X		X				X					19	HERBS AND SPICES GROUP
CURRY, FRESH LEAVES	X		X				X			X		19	HERBS AND SPICES GROUP
DAHLIA, GARDEN	X		X									99	NO GROUP NAME
DAHLIA, GARDEN, ROOTS	X		X									99	NO GROUP NAME
DANDELION, LEAVES	X		X									04	VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
DANDELION, ROOTS	X		X									01	VEGETABLE, ROOT AND TUBER, GROUP
DAYLILY	X		X									03	BULB VEGETABLE GROUP
DILL	X		X				X			X		19	HERBS AND SPICES GROUP
DILL, SEED	X		X				X			X		19	HERBS AND SPICES GROUP
DILLWEED	X		X				X			X		19	HERBS AND SPICES GROUP
DILLWEED, DRIED LEAVES	X		X				X			X		19	HERBS AND SPICES GROUP
DILLWEED, FRESH LEAVES	X		X				X					19	HERBS AND SPICES GROUP
DOCK	X		X				X					04	VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
ECHINACEA	X		X									99	NO GROUP NAME
ECHINACEA, ROOTS	X		X									99	NO GROUP NAME
ECHINACEA, TOPS	X		X									99	NO GROUP NAME
EGGPLANT	X		X				X					08	VEGETABLES, FRUITING, GROUP
ELDERBERRY	X		X		X							13	BERRY AND SMALL FRUIT CROP GROUP
ENDIVE	X		X				X					04	VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
EPAZOTE	X		X									99	NO GROUP NAME
EUPHORBIA	X		X									20	OILSEED CROP GROUP
EVENING PRIMROSE, COMMON	X		X	X								20	OILSEED CROP GROUP
EVENING PRIMROSE, COMMON, TOPS	X		X		X							20	OILSEED CROP GROUP
FENNEL, FLORENCE	X		X				X					04	VEGETABLE, LEAFY, EXCEPT BRASSICA,

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; (RESOUT)=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns*: (RESOUT)=Residential outdoor, Crop Group number/name 7

														GROUP
FENNEL, FLORENCE, FRESH LEAVES AND STALK	X		X				X						04	VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
FESCUE	X			X									17	GRASS, FORAGE, FODDER AND HAY, GROUP
FLOWER, EDIBLE	X		X							X			99	NO GROUP NAME
FLOWER, EDIBLE, FLOWER	X		X							X			99	NO GROUP NAME
FRUIT, POME	X		X	X									11	FRUIT, POME, GROUP
FRUIT, POME, GROUP	X		X	X									11	FRUIT, POME, GROUP
FRUIT, STONE	X		X		X								12	FRUIT, STONE, GROUP
FRUIT, STONE, EXCEPT PLUM, PRUNE, DRIED	X		X		X								12	FRUIT, STONE, GROUP
FRUIT, STONE, GROUP	X		X		X								12	FRUIT, STONE, GROUP
GAMAGRASS, EASTERN, HAY	X			X									17	GRASS, FORAGE, FODDER AND HAY, GROUP
GARLIC, BULB	X		X										03	VEGETABLE, BULB, GROUP
GARLIC, GREAT HEADED	X		X										03	VEGETABLE, BULB, GROUP
GARLIC, GREAT HEADED, BULB	X		X										03	VEGETABLE, BULB, GROUP
GINKGO	X		X										14	NUT, TREE, GROUP
GOOSEBERRY	X		X		X								13	BERRY AND SMALL FRUIT CROP GROUP
GOURD, EDIBLE	X		X				X						09	VEGETABLE, CUCURBIT GROUP
GOW KEE	X		X										99	NO GROUP NAME
GOW KEE, LEAVES	X		X										99	NO GROUP NAME
GRAPE	X		X										13	BERRY AND SMALL FRUIT CROP GROUP
GRAPE, WINE	X		X							X			13	BERRY AND SMALL FRUIT CROP GROUP
GRAPEFRUIT	X		X										10	FRUIT, CITRUS, GROUP
GRASS, ST. AUGUSTINE	X			X									17	GRASS, FORAGE, FODDER AND HAY, GROUP
GRASS, ZOYSIA	X			X									17	GRASS, FORAGE, FODDER AND HAY, GROUP
GROUNDCHERRY	X		X				X						08	VEGETABLES, FRUITING, GROUP
GUM, EDIBLE	X		X										06	VEGETABLE, LEGUME, GROUP
HAZELNUT	X		X		X								14	NUT, TREE, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; (RESOUT)=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns*: (RESOUT)=Residential outdoor, Crop Group number/name 8

HERBS, DRIED	X		X				X			X		19	HERBS AND SPICES GROUP
HERBS, DRIED, DRIED LEAVES	X		X				X			X		19	HERBS AND SPICES GROUP
HERBS, FRESH	X		X				X			X		19	HERBS AND SPICES GROUP
HERBS, FRESH, FRESH LEAVES	X		X				X			X		19	HERBS AND SPICES GROUP
HONEWORT	X		X									99	NO GROUP NAME
HOREHOUND	X		X				X			X		19	HERBS AND SPICES GROUP
HOREHOUND, LEAVES	X		X				X					19	HERBS AND SPICES GROUP
HORSEMINT	X		X									99	NO GROUP NAME
HORSEMINT, FRESH LEAVES	X		X									99	NO GROUP NAME
HORSERADISH	X		X									01	VEGETABLE, ROOT AND TUBER, GROUP
HORSERADISH, ROOTS	X		X									01	VEGETABLE, ROOT AND TUBER, GROUP
HUCKLEBERRY	X		X		X							13	BERRY AND SMALL FRUIT CROP GROUP
HUCKLEBERRY, GARDEN	X		X									99	NO GROUP NAME
HYSSOP	X		X				X					19	HERBS AND SPICES GROUP
HYSSOP, TOPS	X		X				X					19	HERBS AND SPICES GROUP
ICEPLANT	X		X									99	NO GROUP NAME
ICEPLANT, FRESH LEAVES	X		X									99	NO GROUP NAME
JACKBEAN	X		X				X					06	VEGETABLE, LEGUME, GROUP
JACKBEAN, SUCCULENT	X		X				X					06	VEGETABLE, LEGUME, GROUP
JAPANESE HONEWORT	X		X									99	NO GROUP NAME
JAPANESE HONEWORT, TOPS	X		X									99	NO GROUP NAME
JUJUBE, CHINESE	X		X		X							12	FRUIT, STONE GROUP
KALE	X		X				X					05	VEGETABLE, BRASSICA LEAFY, GROUP
KIWIFRUIT	X		X									13	BERRY AND SMALL FRUIT CROP GROUP
KOHLRABI	X		X				X					05	VEGETABLE, BRASSICA LEAFY, GROUP
LAVENDER	X		X				X					19	HERBS AND SPICES GROUP
LAWN	X				X							99	NO GROUP NAME
LEEK	X		X				X					03	VEGETABLE, BULB, GROUP
LEMON VERBENA	X		X									99	NO GROUP NAME

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; (RESOUT)=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns*: (RESOUT)=Residential outdoor, Crop Group number/name 9

LEMON VERBENA, LEAVES	X		X									99	NO GROUP NAME
LEMONGRASS	X		X				X					19	HERBS AND SPICES GROUP
LEMONGRASS, LEAVES	X		X				X					19	HERBS AND SPICES GROUP
LEREN	X		X									01	VEGETABLE, ROOT AND TUBER, GROUP
LETTUCE, HEAD	X		X				X					04	VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
LETTUCE, LEAF	X		X				X					04	VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
LIME BLOSSOM	X		X		X							99	NO GROUP NAME
LOGANBERRY	X		X		X							13	BERRY AND SMALL FRUIT CROP GROUP
LOQUAT	X		X		X							11	FRUIT, POME, GROUP
LOVAGE	X		X				X					19	HERBS AND SPICES GROUP
LOVAGE, LEAVES	X		X				X					19	HERBS AND SPICES GROUP
MARIGOLD	X		X				X	X				19	HERBS AND SPICES GROUP
MARJORAM	X		X				X			X		19	HERBS AND SPICES GROUP
MAYHAW	X		X		X							11	FRUIT, POME, GROUP
MELON	X		X				X					09	VEGETABLE, CUCURBIT GROUP
MINT, LEMON	X		X									99	NO GROUP NAME
MINT, LEMON, FRESH LEAVES	X		X									99	NO GROUP NAME
MULBERRY	X		X									13	BERRY AND SMALL FRUIT CROP GROUP
MUSKMELON	X		X				X					09	VEGETABLE, CUCURBIT GROUP
MUSTARD GREENS	X		X				X					05	VEGETABLE, BRASSICA LEAFY, GROUP
MUSTARD SPINACH	X		X				X					05	VEGETABLE, BRASSICA LEAFY, GROUP
NASTURTIUM	X		X				X					19	HERBS AND SPICES GROUP
NASTURTIUM, LEAVES	X		X				X					19	HERBS AND SPICES GROUP
NECTARINE	X		X		X							12	FRUIT, STONE, GROUP
NUT, HICKORY	X		X		X							14	NUT, TREE, GROUP
NUT, MACADAMIA	X		X		X							14	NUT, TREE, GROUP
NUT, TREE, GROUP	X		X		X							14	NUT, TREE, GROUP
OAK	X				X				X			14	NUT, TREE, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; (RESOUT)=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns*: (RESOUT)=Residential outdoor, Crop Group number/name 10

OKRA	X		X					X					08	VEGETABLES, FRUITING, GROUP
ONION, BULB	X		X					X					03	VEGETABLE, BULB, GROUP
ONION, GREEN	X		X					X					03	VEGETABLE, BULB, GROUP
ONION, POTATO	X		X										03	VEGETABLE, BULB, GROUP
ONION, POTATO, BULB	X		X										03	VEGETABLE, BULB, GROUP
ONION, TREE	X		X										03	VEGETABLE, BULB, GROUP
ONION, TREE, TOPS	X		X										03	VEGETABLE, BULB, GROUP
ONION, WELSH	X		X										03	VEGETABLE, BULB, GROUP
ONION, WELSH, TOPS	X		X										03	VEGETABLE, BULB, GROUP
ORACH	X		X					X					04	VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
ORACH, LEAVES	X		X					X					04	VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
ORANGE, SWEET	X		X										10	FRUIT, CITRUS, GROUP
OREGANO, MEXICAN	X		X										99	NO GROUP NAME
OREGANO, MEXICAN, LEAVES	X		X										99	NO GROUP NAME
PARSLEY	X		X					X					04	VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
PARSLEY, DRIED LEAVES	X		X					X					19	HERBS AND SPICES GROUP
PARSLEY, LEAVES	X		X					X					04	VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
PARSLEY, TURNIP ROOTED	X		X										01	VEGETABLE, ROOT AND TUBER, GROUP
PARSLEY, TURNIP ROOTED, ROOTS	X		X										01	VEGETABLE, ROOT AND TUBER, GROUP
PARSNIP	X		X										01	VEGETABLE, ROOT AND TUBER, GROUP
PARSNIP, ROOTS	X		X										01	VEGETABLE, ROOT AND TUBER, GROUP
PEA	X		X	X				X					06	VEGETABLE, LEGUME, GROUP
PEA AND BEAN, SUCCULENT SHELLLED, SUBGROUP	X		X					X					06B	Pea and bean, succulent shelled, subgroup
PEA, BLACKKEYED	X		X					X					06	VEGETABLE, LEGUME, GROUP
PEA, BLACKKEYED, SEED	X		X					X					06	VEGETABLE, LEGUME, GROUP
PEA, BLACKKEYED, SUCCULENT	X		X					X					06	VEGETABLE, LEGUME, GROUP
PEA, CROWDER	X		X					X					06	VEGETABLE, LEGUME, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; (RESOUT)=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns*: (RESOUT)=Residential outdoor, Crop Group number/name 11

PEA, CROWDER, SEED	X		X					X					06	VEGETABLE, LEGUME, GROUP
PEA, DRY	X		X					X					06	VEGETABLE, LEGUME, GROUP
PEA, DRY, SEED	X		X					X					06	VEGETABLE, LEGUME, GROUP
PEA, DWARF	X		X					X					06	VEGETABLE, LEGUME, GROUP
PEA, DWARF, SUCCULENT	X		X					X					06	VEGETABLE, LEGUME, GROUP
PEA, EDIBLE PODDED	X		X					X					06	VEGETABLE, LEGUME, GROUP
PEA, EDIBLE PODDED, SUCCULENT	X		X					X					06	VEGETABLE, LEGUME, GROUP
PEA, ENGLISH	X		X					X					06	VEGETABLE, LEGUME, GROUP
PEA, ENGLISH, SUCCULENT	X		X					X					06	VEGETABLE, LEGUME, GROUP
PEA, FIELD	X		X	X				X					06	VEGETABLE, LEGUME, GROUP
PEA, FIELD, SEED	X		X	X				X					06	VEGETABLE, LEGUME, GROUP
PEA, GARDEN	X		X					X					06	VEGETABLE, LEGUME, GROUP
PEA, GARDEN, SUCCULENT	X		X					X					06	VEGETABLE, LEGUME, GROUP
PEA, GREEN	X		X					X					06	VEGETABLE, LEGUME, GROUP
PEA, GREEN, SUCCULENT	X		X					X					06	VEGETABLE, LEGUME, GROUP
PEA, PIGEON	X		X					X					06	VEGETABLE, LEGUME, GROUP
PEA, PIGEON, SEED	X		X					X					06	VEGETABLE, LEGUME, GROUP
PEA, PIGEON, SUCCULENT	X		X					X					06	VEGETABLE, LEGUME, GROUP
PEA, SHELLLED	X		X					X					06	VEGETABLE, LEGUME, GROUP
PEA, SNOW	X		X					X					06	VEGETABLE, LEGUME, GROUP
PEA, SNOW, SUCCULENT	X		X					X					06	VEGETABLE, LEGUME, GROUP
PEA, SOUTHERN	X		X					X					06	VEGETABLE, LEGUME, GROUP
PEA, SOUTHERN, SEED	X		X					X					06	VEGETABLE, LEGUME, GROUP
PEA, SOUTHERN, SUCCULENT	X		X					X					06	VEGETABLE, LEGUME, GROUP
PEA, SUCCULENT	X		X					X					06	VEGETABLE, LEGUME, GROUP
PEA, SUGAR SNAP	X		X					X					06	VEGETABLE, LEGUME, GROUP
PEA, SUGAR SNAP, SUCCULENT	X		X					X					06	VEGETABLE, LEGUME, GROUP
PEA, UNSHELLED	X		X	X				X					06	VEGETABLE, LEGUME, GROUP
PEACH	X		X		X								12	FRUIT, STONE, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; (RESOUT)=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns*: (RESOUT)=Residential outdoor, Crop Group number/name 12

PEAR	X		X		X								11	FRUIT, POME, GROUP
PEAR, ORIENTAL	X		X		X								11	FRUIT, POME, GROUP
PECAN	X		X		X								14	NUT, TREE, GROUP
PENNYROYAL	X		X					X					19	HERBS AND SPICES GROUP
PENNYROYAL, LEAVES	X		X					X					19	HERBS AND SPICES GROUP
PEPINO	X		X					X					08	VEGETABLES, FRUITING, GROUP
PEPPER	X		X					X					08	VEGETABLES, FRUITING, GROUP
PEPPER, BELL	X		X					X					08	VEGETABLES, FRUITING, GROUP
PEPPER, NONBELL	X		X					X					08	VEGETABLES, FRUITING, GROUP
PEPPER, NONBELL, SWEET	X		X					X					08	VEGETABLES, FRUITING, GROUP
PISTACHIO	X		X		X								14	NUT, TREE, GROUP
PLUM	X		X		X								12	FRUIT, STONE, GROUP
PLUM, CHICKASAW	X		X		X								12	FRUIT, STONE, GROUP
PLUM, DAMSON	X		X		X								12	FRUIT, STONE, GROUP
PLUM, JAPANESE	X		X		X								12	FRUIT, STONE, GROUP
PLUM, PRUNE	X		X		X								12	FRUIT, STONE, GROUP
PLUM, PRUNE, FRESH	X		X		X								12	FRUIT, STONE, GROUP
POTATO	X		X										01	VEGETABLE, ROOT AND TUBER, GROUP
PUMPKIN	X		X					X					09	VEGETABLE, CUCURBIT GROUP
PURSLANE, GARDEN	X		X					X					04	VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
PURSLANE, WINTER	X		X					X					04	VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
QUINCE	X		X		X								11	FRUIT, POME, GROUP
RADICCHIO	X		X					X					04	VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
RADISH	X		X					X					01	VEGETABLE, ROOT AND TUBER, GROUP
RADISH, ORIENTAL	X		X										01	VEGETABLE, ROOT AND TUBER, GROUP
RADISH, ORIENTAL, ROOTS	X		X										01	VEGETABLE, ROOT AND TUBER, GROUP
RADISH, ROOTS	X		X					X					01	VEGETABLE, ROOT AND TUBER, GROUP
RAPE GREENS	X		X					X					05	VEGETABLE, BRASSICA LEAFY, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; (RESOUT)=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns*: (RESOUT)=Residential outdoor, Crop Group number/name 13

RASPBERRY	X		X		X								13	BERRY AND SMALL FRUIT CROP GROUP
REDTOP	X			X									17	GRASS, FORAGE, FODDER AND HAY, GROUP
RHUBARB	X		X					X					04	VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
ROSEMARY	X		X					X			X		19	HERBS AND SPICES GROUP
ROSEMARY, DRIED LEAVES	X		X					X			X		19	HERBS AND SPICES GROUP
ROSEMARY, FRESH LEAVES	X		X					X			X		19	HERBS AND SPICES GROUP
RUE	X		X					X					19	HERBS AND SPICES GROUP
RUE, DRIED LEAVES	X		X					X					19	HERBS AND SPICES GROUP
RUE, FRESH LEAVES	X		X					X					19	HERBS AND SPICES GROUP
RUTABAGA	X		X										01	VEGETABLE, ROOT AND TUBER, GROUP
RUTABAGA, ROOTS	X		X										01	VEGETABLE, ROOT AND TUBER, GROUP
RYEGRASS, ITALIAN	X			X									17	GRASS, FORAGE, FODDER AND HAY, GROUP
RYEGRASS, PERENNIAL	X			X									17	GRASS, FORAGE, FODDER AND HAY, GROUP
SAGE, DRIED LEAVES	X		X					X			X		19	HERBS AND SPICES GROUP
SAGE, FRESH LEAVES	X		X					X			X		19	HERBS AND SPICES GROUP
SALSIFY	X		X										01	VEGETABLE, ROOT AND TUBER, GROUP
SALSIFY, BLACK	X		X										01	VEGETABLE, ROOT AND TUBER, GROUP
SALSIFY, BLACK, ROOTS	X		X										01	VEGETABLE, ROOT AND TUBER, GROUP
SALSIFY, ROOTS	X		X										01	VEGETABLE, ROOT AND TUBER, GROUP
SALSIFY, SPANISH	X		X										01	VEGETABLE, ROOT AND TUBER, GROUP
SALSIFY, SPANISH, ROOTS	X		X										01	VEGETABLE, ROOT AND TUBER, GROUP
SAVORY, SUMMER	X		X					X					19	HERBS AND SPICES GROUP
SAVORY, SUMMER, DRIED LEAVES	X		X					X					19	HERBS AND SPICES GROUP
SAVORY, SUMMER, FRESH LEAVES	X		X					X					19	HERBS AND SPICES GROUP
SAVORY, WINTER	X		X					X					19	HERBS AND SPICES GROUP
SAVORY, WINTER, DRIED LEAVES	X		X					X					19	HERBS AND SPICES GROUP
SAVORY, WINTER, FRESH LEAVES	X		X					X					19	HERBS AND SPICES GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; (RESOUT)=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns*: (RESOUT)=Residential outdoor, Crop Group number/name 14

SHALLOT	X		X									03	VEGETABLE, BULB, GROUP
SHALLOT, BULB	X		X									03	VEGETABLE, BULB, GROUP
SHALLOT, FRESH LEAVES	X		X									03	VEGETABLE, BULB, GROUP
SKIRRET	X		X									01	VEGETABLE, ROOT AND TUBER, GROUP
SKIRRET, ROOTS	X		X									01	VEGETABLE, ROOT AND TUBER, GROUP
SNAKEGOURD	X		X									99	NO GROUP NAME
SOUTHERNWOOD	X		X									99	NO GROUP NAME
SOUTHERNWOOD, TOPS	X		X									99	NO GROUP NAME
SOYBEAN, VEGETABLE	X		X				X					06	VEGETABLE, LEGUME, GROUP
SOYBEAN, VEGETABLE, SUCCULENT	X		X				X					06	VEGETABLE, LEGUME, GROUP
SPEARMINT	X		X									99	NO GROUP NAME
SPEARMINT, TOPS	X		X									99	NO GROUP NAME
SPINACH	X		X				X					04	VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
SPINACH, CHINESE	X		X				X					04	VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
SPINACH, NEW ZEALAND	X		X				X					04	VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
SPINACH, VINE	X		X				X					04	VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
SQUASH	X		X				X					09	VEGETABLE, CUCURBIT GROUP
SQUASH, SUMMER	X		X				X					09	VEGETABLE, CUCURBIT GROUP
SQUASH, WINTER	X		X				X					09	VEGETABLE, CUCURBIT GROUP
SQUASH/CUCUMBER SUBGROUP	X		X				X					09B	Squash/Cucumber subgroup
STRAWBERRY	X		X									13	BERRY AND SMALL FRUIT GROUP
SWEET BAY	X		X				X			X		19	HERBS AND SPICES GROUP
SWEET POTATO	X		X									01	VEGETABLE, ROOT AND TUBER, GROUP
SWEET POTATO, ROOTS	X		X									01	VEGETABLE, ROOT AND TUBER, GROUP
SWISS CHARD	X		X				X					04	VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
SWORDBEAN	X		X									06	VEGETABLE, LEGUME, GROUP
SWORDBEAN, SUCCULENT	X		X									06	VEGETABLE, LEGUME, GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; (RESOUT)=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns*: (RESOUT)=Residential outdoor, Crop Group number/name 15

TAMPALA	X		X					X					04	VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
TANIER	X		X										01	VEGETABLE, ROOT AND TUBER, GROUP
TANIER SPINACH	X		X										99	NO GROUP NAME
TANSY	X		X					X					19	HERBS AND SPICES GROUP
TANSY, DRIED LEAVES	X		X					X					19	HERBS AND SPICES GROUP
TANSY, FRESH LEAVES	X		X					X					19	HERBS AND SPICES GROUP
TARRAGON	X		X					X			X		19	HERBS AND SPICES GROUP
TARRAGON, DRIED LEAVES	X		X					X					19	HERBS AND SPICES GROUP
TARRAGON, FRESH LEAVES	X		X					X					19	HERBS AND SPICES GROUP
THYME	X		X					X			X		19	HERBS AND SPICES GROUP
THYME, DRIED LEAVES	X		X					X			X		19	HERBS AND SPICES GROUP
THYME, FRESH LEAVES	X		X					X			X		19	HERBS AND SPICES GROUP
TOMATILLO	X		X					X					08	VEGETABLES, FRUITING, GROUP
TOMATO	X		X					X					08	VEGETABLES, FRUITING, GROUP
TOMATO, CURRANT	X		X										99	NO GROUP NAME
TURNIP	X		X										01	VEGETABLE, ROOT AND TUBER, GROUP
TURNIP, ROOTS	X		X										01	VEGETABLE, ROOT AND TUBER, GROUP
TURNIP, TOPS	X		X					X					01	VEGETABLE, ROOT AND TUBER, GROUP
TURNIP, TOPS	X		X					X					02	VEGETABLE, LEAVES OF ROOT AND TUBER, GROUP
TURTLE, BEAN	X		X										06	VEGETABLE, LEGUME, GROUP
TYFON	X		X										99	NO GROUP NAME
VEGETABLE	X		X								X		99	NO GROUP NAME
VEGETABLE, BRASSICA, LEAFY, GROUP	X		X					X					05	VEGETABLE, BRASSICA LEAFY, GROUP
VEGETABLE, BULB, GROUP	X		X					X					03	VEGETABLE, BULB, GROUP
VEGETABLE, CUCURBIT, GROUP	X		X					X					09	VEGETABLE, CUCURBIT GROUP
VEGETABLE, FRUITING, GROUP	X		X	X									08	VEGETABLES, FRUITING, GROUP
VEGETABLE, LEAFY	X		X					X					04	VEGETABLE, LEAFY, EXCEPT BRASSICA, GROUP
VEGETABLE, LEAFY, EXCEPT BRASSICA,	X		X					X					04	VEGETABLE, LEAFY, EXCEPT BRASSICA,

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; (RESOUT)=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns*: (RESOUT)=Residential outdoor, Crop Group number/name 16

GROUP														GROUP
VEGETABLE, LEAVES OF ROOT AND TUBER, GROUP	X		X	X				X					02	VEGETABLE, LEAVES OF ROOT AND TUBER, GROUP
VEGETABLE, LEGUME, EDIBLE PODDED, SUBGROUP	X		X					X					06A	Vegetable, legume, edible podded, subgroup
VEGETABLE, LEGUME, GROUP	X		X	X									06	VEGETABLE, LEGUME, GROUP
VEGETABLE, ROOT AND TUBER, GROUP	X		X	X									01	VEGETABLE, ROOT AND TUBER, GROUP
VEGETABLE, ROOT, EXCEPT SUGARBEET, SUBGROUP	X		X	X									01B	Vegetable, root, except sugarbeet, subgroup
VEGETABLE, ROOT, SUBGROUP	X		X	X									01A	Vegetable, root, subgroup.
VEGETABLE, SEED AND POD	X		X	X									06	VEGETABLE, LEGUME, GROUP
VEGETABLE, TUBEROUS AND CORM, EXCEPT POTATO, SUBGROUP	X		X										01D	Vegetable, Tuberous and corm, except potato, subgroup
VEGETABLE, TUBEROUS AND CORM, SUBGROUP	X		X	X									01C	Vegetable, Tuberous and corm, subgroup
VERNONIA	X		X	X									20	OILSEED CROP GROUP
VIETNAMESE CORIANDER	X		X										99	NO GROUP NAME
VIETNAMESE CORIANDER, DRIED LEAVES	X		X										99	NO GROUP NAME
VIETNAMESE CORIANDER, FRESH LEAVES	X		X										99	NO GROUP NAME
VIOLET	X		X		X			X					99	NO GROUP NAME
VIOLET, FLOWER	X		X		X			X					99	NO GROUP NAME
WALNUT	X		X		X								14	NUT, TREE, GROUP
WATERMELON	X		X										09	VEGETABLE, CUCURBIT GROUP
WATERMINT	X		X										99	NO GROUP NAME
WATERMINT, FRESH LEAVES	X		X										99	NO GROUP NAME
WAXGOURD, CHINESE	X		X					X					09	VEGETABLE, CUCURBIT GROUP
WINE	X				X						X		99	NO GROUP NAME
WINTERGREEN	X		X					X					19	HERBS AND SPICES GROUP
WINTERGREEN, DRIED LEAVES	X		X					X					19	HERBS AND SPICES GROUP
WINTERGREEN, FRESH LEAVES	X		X					X					19	HERBS AND SPICES GROUP
WOODRUFF	X		X					X					19	HERBS AND SPICES GROUP
WOODRUFF, DRIED LEAVES	X		X					X					19	HERBS AND SPICES GROUP

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; (RESOUT)=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.

Pesticide site use patterns*: (RESOUT)=Residential outdoor, Crop Group number/name 17

WOODRUFF, FRESH LEAVES	X		X					X					19	HERBS AND SPICES GROUP
WORMWOOD	X		X					X					19	HERBS AND SPICES GROUP
WORMWOOD, DRIED LEAVES	X		X					X					19	HERBS AND SPICES GROUP
WORMWOOD, FRESH LEAVES	X		X					X					19	HERBS AND SPICES GROUP
YAM BEAN	X		X										01	VEGETABLE, ROOT AND TUBER, GROUP
YAM BEAN, ROOTS	X		X										01	VEGETABLE, ROOT AND TUBER, GROUP
YAM, TRUE	X		X										01	VEGETABLE, ROOT AND TUBER, GROUP
YAM, TRUE, TUBER	X		X										01	VEGETABLE, ROOT AND TUBER, GROUP
YARROW	X		X										99	NO GROUP NAME

*Pesticide site use patterns: TERFOO=Terrestrial food; TERFEE=Terrestrial feed; TERNFO=Terrestrial nonfood; AQUFOO=Aquatic food; AQUUNFO=Aquatic nonfood; GREFOO=Greenhouse food; GRENFO=Greenhouse nonfood; FOREST=Forestry; (RESOUT)=Residential outdoor; RESIND=Residential indoor; INDFOO=Indoor food; INDNFO=Indoor nonfood.