Presented below are water quality standards that are in effect for Clean Water Act purposes.

EPA is posting these standards as a convenience to users and has made a reasonable effort to assure their accuracy. Additionally, EPA has made a reasonable effort to identify parts of the standards that are not approved, disapproved, or are otherwise not in effect for Clean Water Act purposes.


# Regulation No. 34 - Classifications and Numeric Standards for San Juan River and Dolores River Basins

## Effective March 12, 2020

The following provisions are in effect for Clean Water Act purposes with these few exceptions:

## EPA has taken no action on:

- All segment-specific total phosphorus (TP) numeric standards based on the interim value for river/stream segments with a cold water aquatic life classification (0.11 mg/L TP) or a warm water aquatic life classification (0.17 mg/L TP)
- All segment-specific TP numeric standards based on the interim value for lake/reservoir segments with a warm water aquatic life classification (0.083 mg/L TP)



#### DEPARTMENT OF PUBLIC HEALTH AND ENVIRONMENT

**Water Quality Control Commission** 

## REGULATION NO. 34 - CLASSIFICATIONS AND NUMERIC STANDARDS FOR SAN JUAN RIVER AND DOLORES RIVER BASINS

#### 5 CCR 1002-34

[Editor's Notes follow the text of the rules at the end of this CCR Document.]

#### 34.1 AUTHORITY

These regulations are promulgated pursuant to section 25-8-101 <u>et seq</u>. C.R.S., as amended, and in particular, 25-8-203 and 25-8-204.

#### 34.2 PURPOSE

These regulations establish classifications and numeric standards for the San Juan and the Dolores River Basins, including all tributaries and standing bodies of water south of the northern Dolores County lines, as indicated in section 34.6. The classifications identify the actual beneficial uses of the water. The numeric standards are assigned to determine the allowable concentrations of various parameters. Discharge permits will be issued by the Water Quality Control Division to comply with basic, narrative, and numeric standards and control regulations so that all discharges to waters of the state protect the classified uses. It is intended that these and all other stream classifications and numeric standards be used in conjunction with and be an integral part of Regulation No. 31 Basic Standards and Methodologies for Surface Water.

## 34.3 INTRODUCTION

These regulations and tables present the classifications and numeric standards assigned to stream segments listed in the attached tables (See Appendix 34-1). As additional stream segments are classified and numeric standards for designated parameters are assigned for this drainage system, they will be added to or replace the numeric standards in the tables in Appendix 34-1. Any additions or revisions of classifications or numeric standards can be accomplished only after public hearing by the Commission and proper consideration of evidence and testimony as specified by the statute and the "basic regulations".

#### 34.4 **DEFINITIONS**

See the Colorado Water Quality Control Act and the codified water quality regulations for definitions.

### 34.5 BASIC STANDARDS

## (1) <u>TEMPERATURE</u>

All waters of the San Juan/Dolores River Basin are subject to the following standard for temperature. (Discharges regulated by permits, which are within the permit limitations, shall not be subject to enforcement proceedings under this standard). Temperature shall maintain a normal pattern of diurnal and seasonal fluctuations with no abrupt changes and shall have no increase in temperature of a magnitude, rate, and duration deemed deleterious to the resident aquatic life. This standard shall not be interpreted or applied in a manner inconsistent with section 25-8-104, C.R.S.

## (2) QUALIFIERS

See Basic Standards and Methodologies for Surface Water for a listing of organic standards at 31.11 and metal standards found at 31.16 Table III. The column in the tables headed "Water + Fish" are presumptively applied to all aquatic life class 1 streams which also have a water supply classification, and are applied to aquatic life class 2 streams which also have a water supply classification, on a case-by-case basis as shown in the Appendix 34-1. The column in the tables at 31.11 and 31.16 Table III headed "Fish Ingestion" is presumptively applied to all aquatic life class 1 streams which do not have a water supply classification, and are applied to aquatic life class 2 streams which do not have a water supply classification, on a case-by-case basis as shown in Appendix 34-1.

#### (3) <u>URANIUM</u>

- (a) All waters of the San Juan/Dolores River Basin, are subject to the following basic standard for uranium, unless otherwise specified by a water quality standard applicable to a particular segment. However, discharges of uranium regulated by permits which are within these permit limitations shall not be a basis for enforcement proceedings under this basic standard.
- (b) Uranium level in surface waters shall be maintained at the lowest practicable level.
- (c) In no case shall uranium levels in waters assigned a water supply classification be increased by any cause attributable to municipal, industrial, or agricultural discharges so as to exceed 16.8-30 µg/l or naturally-occurring concentrations (as determined by the State of Colorado), whichever is greater.
  - (i) The first number in the 16.8-30 μg/l range is a strictly health-based value, based on the Commission's established methodology for human health-based standards. The second number in the range is a maximum contaminant level, established under the federal Safe Drinking Water Act that has been determined to be an acceptable level of this chemical in public water supplies, taking treatability and laboratory detection limits into account. Control requirements, such as discharge permit effluent limitations, shall be established using the first number in the range as the ambient water quality target, provided that no effluent limitation shall require an "end-of-pipe" discharge level more restrictive than the second number in the range. Water bodies will be considered in attainment of this standard, and not included on the Section 303(d) List, so long as the existing ambient quality does not exceed the second number in the range.

## (4) <u>INDIAN RESERVATIONS</u>

Some of the waterbodies in the San Juan/Dolores River Basin cross boundaries of Indian Reservations of the Southern Ute and Ute Mountain Ute Tribes. The Commission has included water quality classifications and standards on lands within the boundaries of these reservations in order to avoid a gap in the classifications and standards adopted for the river basins in question. The Southern Ute Indian tribe has not yet been granted authority by EPA to conduct their own water quality program, and EPA has granted the Ute Mountain Ute Indian tribe's application for treatment as a state with respect to adoption of water quality standards. The Commission intends that the classifications and standards that it is adopting apply to the lands in question only to the extent that the state has jurisdiction and is not attempting to resolve that jurisdictional issue here. Segments within Reservation boundaries are noted in the segment description and last column of Tables 34.6(4).

## (5) <u>NUTRIENTS</u>

Prior to May 31, 2022, interim nutrient values will be considered for adoption only in the limited circumstances defined at 31.17(e). These circumstances include headwaters, Direct Use Water Supply (DUWS) Lakes and Reservoirs, and other special circumstances determined by the Commission. Additionally, prior to May 31, 2017, only total phosphorus and chlorophyll *a* will be considered for adoption. After May 31, 2017, total nitrogen will be considered for adoption per the circumstances outlined in 31.17(e).

Prior to May 31, 2022, nutrient criteria will be adopted for headwaters on a segment by segment basis for the San Juan River Basin. Moreover, pursuant to 31.17(e) nutrient standards will only be adopted for waters upstream of all permitted domestic wastewater treatment facilities discharging prior to May 31, 2012 or with preliminary effluent limits requested prior to May 31, 2012, and any non-domestic facilities subject to Regulation 85 effluent limits and discharging prior to May 31, 2012. The following is a list of all permitted domestic wastewater treatment facilities discharging prior to May 31, 2012 or with preliminary effluent limits requested prior to May 31, 2012, and any non-domestic facilities subject to Regulation 85 effluent limits and discharging prior to May 31, 2012 in the San Juan River Basin:

Segment	Permittee Name	Facility Name	Permit No.	
COSJPN02a	Bayfield Town of BAYFIELD TOWN OF		CO0048291	
COSJAF12a	Grizzly Peak Water Sales & CASCADE VILLAGE WWTF		CO0039691	
COSJDO04a	Fort Beyhan LLC	DOLORES RIVER RV PARK AND CABINS	COG588071	
COSJDO04a	Dolores Town of	DOLORES WWTF	CO0040509	
COSJLP010	Dove Creek Town of	DOVE CREEK WWTF	COG589079	
COSJAF05a	Durango City of	urango City of DURANGO CITY OF		
COSJAF04b	Herrick Durango Land Co LLC	and Co LLC DURANGO NORTH PONDEROSA KOA		
COSJAF13c	Durango West Metro Dist #2	DURANGO WEST METRO DIST #2 WWTF	COG589115	
COSJAF11b	Durango La Plata County Airport	DURANGO/LA PLATA COUNTY AIRPORT	CO0047457	
COSJAF10a	Edgemont Ranch Metro Dist	Dist EDGEMONT RANCH METRO DISTRICT WWTF		
COSJPN02a	Five Branches Camper Park FIVE BRANCHES CAMPER PARK		COG588054	
COSJAF10	Forest Groves Estates	·		
COSJPN02a	Forest Lake Metro Dist	FOREST LAKES METRO DISTRICT	CO0048160	
COSJAF05a	Hermosa Sanitation District	HERMOSA SANITATION DISTRICT	COG588010	
COSJSJ06a	High Country Lodge LLC	LC HIGH COUNTRY LODGE		
COSJPN02a	Pine River Camp LLC	KANAKUK COLORADO YOUTH CAMP		
COSJLP08	Elegant Hills Park and Estates LLC  LAKESIDE WWTF		COG589098	
COSJLP09	Lee Mobile Home Park LEE MOBILE HOME PARK		COG589070	
COSJAF14b	MacArthur Apartments LLC	LIGHTNER CREEK CAMPGROUND	CO0026468	
COSJLP05	Mancos Town of	MANCOS TOWN OF	CO0021687	
COSJAF13d	Narrow Gauge MHP	MHP NARROW GAUGE MHP		
COSJSJ06b	Pagosa Springs Sanitation District			
COSJAF12a	Purgatory Metropolitan District	PURGATORY METROPOLITAN DIST	COG589010	
COSJSJ05	San Juan River Village Metro	SAN JUAN RIVER VILLAGE METRO		

COSJAF03b	Silverton Town of	SILVERTON TOWN OF WWTF	CO0020311
COSJAF05a	South Durango Sanitation District	SOUTH DURANGO SD WWTF	COG588057
COSJLP07a	Cortez Sanitation District	SOUTHWEST WWTF	CO0027545
COSJLP05a	Upper Valley Sanitation	UPPER VALLEY SANITATION DIST.	CO0047147
COSJPN04a	Lipslea Enterprises LLC	VALLECITO RESORT	COG588026
COSJLP07a	Vista Verde Village LLC	VISTA VERDE VILLAGE	CO0037702
COSJPI06d	Pagosa Area Water and San Dist	VISTA WWTF	CO0031755

## Prior to May 31, 2022:

- For segments located entirely above these facilities, nutrient standards apply to the entire segment.
- For segments with portions downstream of these facilities, nutrient standards only apply above these facilities. A note was added to the total phosphorus and chlorophyll a standards in these segments. The note references the table of qualified facilities at 34.5(5).
- For segments located entirely below these facilities, nutrient standards do not apply.

A note was added to the total phosphorus and chlorophyll a standards in lakes segments as nutrients standards apply only to lakes and reservoirs larger than 25 acres surface area.

#### **34.6 TABLES**

## (1) Introduction

The numeric standards for various parameters in this regulation and in the tables in Appendix 34-1 were assigned by the Commission after a careful analysis of the data presented on actual stream conditions and on actual and potential water uses.

Numeric standards are not assigned for all parameters listed in the tables attached to Regulation No. 31. If additional numeric standards are found to be needed during future periodic reviews, they can be assigned by following the proper hearing procedures.

## (2) Abbreviations:

(a) The following abbreviations are used in this regulation and the tables in Appendix 34-1:

°C = degrees Celsius ch = chronic (30-day)

Cl = chloride

CL = cold lake temperature tier

CLL = cold large lake temperature tier

CS-I = cold stream temperature tier one

CS-II = cold stream temperature tier two

DUWS = direct use water supply dissolved oxygen

DM = daily maximum temperature

E.coli = Escherichia coli mg/l = milligrams per liter

MWAT = maximum weekly average temperature

OW = outstanding waters

sc = sculpin sp = spawning

SSE = site-specific equation

t = total

T = total recoverable

tr = trout

TVS = table value standard μg/l = micrograms per liter UP = use-protected

WAT = weekly average temperature

WS = water supply

WS-II = warm stream temperature tier two WS-III = warm stream temperature tier three

WL = warm lake temperature tier

(b) In addition, the following abbreviations are used:

Fe(ch) = WS Mn(ch) = WS $SO_4 = WS$ 

These abbreviations mean: For all surface waters with an actual water supply use, the less restrictive of the following two options shall apply as numerical standards, as specified in the Basic Standards and Methodologies at 31.16 Table II and III:

(i) existing quality as of January 1, 2000; or

(ii) Iron =  $300 \mu g/I$  (dissolved) Manganese =  $50 \mu g/I$  (dissolved)

 $SO_4$  = 250 mg/l

For all surface waters with a "water supply" classification that are not in actual use as a water supply, no water supply standards are applied for iron, manganese or sulfate, unless the Commission determines as the result of a site-specific rulemaking hearing that such standards are appropriate.

- (c) Temporary Modification for Water + Fish Chronic Arsenic Standard
  - (i) The temporary modification for chronic arsenic standards applied to segments with an arsenic standard of 0.02 μg/l that has been set to protect the Water + Fish qualifier is listed in the temporary modification and qualifiers column as As(ch)=hybrid.
  - (ii) For discharges existing on or before 6/1/2013, the temporary modification is:

    As(ch)=current condition, expiring on 12/31/2024. Where a permit for an existing discharge is reissued or modified while the temporary modification is in effect, the division will include additional permit Terms and Conditions, which may include requirements for additional monitoring, source identification, and characterization of source control and treatment options for reducing arsenic concentrations in effluent.
  - (iii) For new or increased discharges commencing on or after 6/1/2013, the temporary modification is: As(ch)=0.02-3.0 µg/I (Trec), expiring on 12/31/2024.
    - (A) The first number in the range is the health-based water quality standard previously adopted by the Commission for the segment.

- (B) The second number in the range is a technology based value established by the Commission for the purpose of this temporary modification.
- (C) Control requirements, such as discharge permit effluent limitations, shall be established using the first number in the range as the ambient water quality target, provided that no effluent limitation shall require an "end-of-pipe" discharge level more restrictive than the second number in the range.

## (3) <u>Table Value Standards</u>

In certain instances in the tables in Appendix 34-1, the designation "TVS" is used to indicate that for a particular parameter a "table value standard" has been adopted. This designation refers to numerical criteria set forth in the Basic Standards and Methodologies for Surface Water. The criteria for which the TVS are applicable are on the following table.

TABLE VALUE STANDARDS
(Concentrations in ug/l unless noted

(Concentrations in µg/l unless noted)  PARAMETER <sup>(1)</sup> TABLE VALUE STANDARDS (2)(3)			
Aluminum	Acute = $e^{(1.3695[ln(hardness)]+1.8308)}$		
(T)	pH equal to or greater than 7.0		
	Chronic=e(1.3695[ln(hardness)]-0.1158)		
	pH less than 7.0		
A	Chronic= e(1.3695[In(hardness)]-0.1158) or 87, whichever is less		
Ammonia (4)	Cold Water = (mg/l as N) Total		
	acute = $\frac{0.\overline{275}}{1+10} + \frac{39.0}{1+10} + \frac{39.0}{1+10} + \frac{1}{1+10} = \frac{1}{1+1$		
	$chronic = \left(\frac{0.0577}{1+10} + \frac{2.487}{1+10}pH - 7.688 - pH + \frac{2.487}{1+10}pH - 7.688\right) * MIN \left(2.85, 1.45 * 10^{0.028(25-T)}\right)$		
	Warm Water = (mg/l as N) Total		
	0.411 58 .4		
	acute = $\frac{0.411}{1+10^{7.204-pH}} + \frac{58.4}{1+10^{pH-7.204}}$		
	$chronic (Aprl - Aug31) = \left(\frac{0.0577}{1+10^{7.688-pH}} + \frac{2.487}{1+10^{pH-7.688}}\right) * MIN \left(2.85, 1.45*10^{0.028(25-T)}\right)$		
	$chronic\;(Sep\;1-Mar\;31) = \left(\frac{0.0577}{1+10} + \frac{2.487}{1+10}pH - 7.688\right) * 1.45*10^{\;0.028*(25-M4X(T,\;7))}$		
Cadmium	Acute(warm) <sup>(5)</sup> = $(1.136672 - (ln(hardness)* 0.041838))*e^{(0.9789*ln(hardness)-3.443)}$		
	Acute(cold) <sup>(5)</sup> = (1.136672-(ln(hardness)* 0.041838))*e <sup>(0.9789*ln(hardness)-3.866)</sup>		
	Chronic = (1.101672-(In(hardness)*0.041838))* e <sup>(0.7977*In(hardness)-3.909)</sup>		
Chromium III(6)	Acute = e(0.819[in(hardness)]+2.5736)		
	$Chronic = e^{(0.819[ln(hardness)]+0.5340)}$		
Chromium VI <sup>(6)</sup>	Acute = 16		
	Chronic = 11		
Copper	Acute = e <sup>(0.9422[In(hardness)]-1.7408)</sup>		
	Chronic = $e^{(0.8545[ln(hardness)]-1.7428)}$		
Lead	Acute = $(1.46203-[(ln(hardness)*(0.145712)])*e^{(1.273[ln(hardness)]-1.46)}$		
	Chronic = $(1.46203-[(ln(hardness))*(0.145712)])*e^{(1.273[ln(hardness)]-4.705)}$		
Manganese	Acute = $e^{(0.3331[ln(hardness)]+6.4676)}$		
	Chronic = $e^{(0.3331 [ln (hardness)]+5.8743)}$		

Nickel	Acute = $e^{(0.846[ln(hardness)]+2.253)}$ Chronic = $e^{(0.846[ln(hardness)]+0.0554)}$					
Selenium <sup>(7)</sup>	Acute = 18.4 Chronic = 4.6					
Silver	Acute = $\frac{1}{2}e^{(1.72[\ln(h)]}$ Chronic = $e^{(1.72[\ln(h)]}$ Chronic(Trout) = $e^{(1.72[\ln(h)]}$	ardness)]-9.06)				
Temperature	TEMPERATURE	TIER	SPECIES EXPECTED	APPLICABLE	TEMPERATURE STANDARD (°C)	
	TIER	CODE	TO BE PRESENT	MONTHS	MWAT	DM
	Cold Stream Tier	CS-I	brook trout, cutthroat trout	June – Sept.	17.0	21.7
	I		liout	Oct. – May	9.0	13.0
	Cold Stream Tier 2	CS-II	all other cold-water species	April – Oct.	18.3	24.3
			•	Nov. – March	9.0	13.0
	Cold Lakes	CL	brook trout, brown trout, cutthroat trout, lake trout, rainbow	April – Dec.	17.0	21.2
			trout, Arctic grayling,	Jan. – March	9.0	13.0
	Cold Large Lakes (>100	CLL	rainbow trout, brown trout, lake trout	April – Dec.	18.3	24.2
	acres surface area)			Jan. – March	9.0	13.0
	Warm Stream Tier 2	WS-II	brook stickleback, central stoneroller, creek chub, longnose dace, northern	March – Nov.	27.5	28.6
			redbelly dace, finescale dace, razorback sucker, white sucker, mountain sucker	Dec. – Feb.	13.8	25.2
	Warm Stream Tier 3	WS-III	all other warm-water species	March – Nov.	28.7	31.8
				Dec. – Feb.	14.3	24.9
	Warm Lakes	WL	black crappie, bluegill, common carp, gizzard shad, golden shiner, largemouth bass, northern pike, pumpkinseed, sauger,	April – Dec.	26.2	29.3
			smallmouth bass, spottail shiner, stonecat, striped bass, tiger muskellunge, walleye, wiper, white bass, white crappie, yellow perch	Jan. – March	13.1	24.1
Uranium	Acute = $e^{(1.1021[ln(ha)]}$ Chronic = $e^{(1.1021[ln(ha)]}$					

Zinc	Acute = 0.978 * e (0.9094[In(hardness)]+0.9095)
	Chronic = $0.986 * e^{(0.9094[ln(hardness)]+0.6235)}$
	Where hardness is less than 102 mg/L CaCO <sup>3</sup> and mottled sculpin are expected to be
	present:
	Chronic (sculpin) = $e^{(2.140[ln(hardness)]-5.084)}$

#### TABLE VALUE STANDARDS - FOOTNOTES

- (1) Metals are stated as dissolved unless otherwise specified.
- (2) Hardness values to be used in equations are in mg/L as calcium carbonate and shall be no greater than 400 mg/L, except for aluminum for which hardness shall be no greater than 220 mg/L. The hardness values used in calculating the appropriate metal standard should be based on the lower 95 per cent confidence limit of the mean hardness value at the periodic low flow criteria as determined from a regression analysis of site-specific data. Where insufficient site-specific data exists to define the mean hardness value at the periodic low flow criteria, representative regional data shall be used to perform the regression analysis. Where a regression analysis is not appropriate, a site-specific method should be used. In calculating a hardness value, regression analyses should not be extrapolated past the point that data exist.
- (3) Both acute and chronic numbers adopted as stream standards are levels not to be exceeded more than once every three years on the average.
- (4) For acute conditions the default assumption is that salmonids could be present in cold water segments and should be protected, and that salmonids do not need to be protected in warm water segments. For chronic conditions, the default assumptions are that early life stages could be present all year in cold water segments and should be protected. In warm water segments the default assumption is that early life stages are present and should be protected only from April 1 through August 31. These assumptions can be modified by the commission on a site-specific basis where appropriate evidence is submitted.
- (5) The acute(warm) cadmium equation applies to segments classified as Aquatic LifeWarm Class 1 or 2. The acute(cold) cadmium equation applies to segments classified as Aquatic Life Cold Class 1 or 2.
- Unless the stability of the chromium valence state in receiving waters can be clearly demonstrated, the standard for chromium should be in terms of chromium VI. In no case can the sum of the instream levels of Hexavalent and Trivalent Chromium exceed the water supply standard of 50 μg/l total chromium in those waters classified for domestic water use.
- (7) Selenium is a bioaccumulative metal and subject to a range of toxicity values depending upon numerous site-specific variables.

## (4) <u>Discharger Specific Variances</u>

(a) Animas and Florida River Segment 13c

Discharger Specific Variance, Durango West Metro Dist. #2 (COG589115): The first number is the underlying standard previously adopted by the Commission for the segment and represents the long-term goal for the waterbody. The first number will be used for assessing attainment for the waterbody and for the development of effluent limitations. The second number is the Commission's determination of the effluent concentration with the highest degree of protection of the classified use that is feasible for Durango West Metro District. Control requirements, such as discharge permit effluent limitations, shall be established using the first number as the ambient water quality target, provided that no effluent limitation shall require an "end-of-pipe" discharge level more restrictive than the second number during the term of the DSV for the named dischargers.

## (5) <u>Stream Classifications and Water Quality Standards Tables</u>

The stream classifications and water quality standards tables in Appendix 34-1 are incorporated herein by reference.

The following is information regarding duration and measured form of standards in Appendix 34-1:

- (a) E.coli criteria and resulting standards for individual water segments, are established as indicators of the potential presence of pathogenic organisms. Standards for E. coli are expressed as a two-month geometric mean. Site-specific or seasonal standards are also two-month geometric means unless otherwise specified.
- (b) All phosphorus standards are based upon the concentration of total phosphorus. For total phosphorus, stream standards are expressed as an annual median and for lakes standards as a summer (July 1 September 30) average in the mixed layer. For chlorophyll a, stream standards are expressed as a maximum of attached algae and lakes standards as a summer (July 1 September 30) average in the mixed layer. For additional assessment details, see tables at Regulation 31.17(b) and (d).
- (c) The pH standards of 6.5 (or 5.0) and 9.0 are an instantaneous minimum and maximum, respectively to be applied as effluent limits. In determining instream attainment of water quality standards for pH, appropriate averaging periods may be applied, provided that beneficial uses will be fully protected.

## (6) <u>Assessment Criteria</u>

The following criteria and/or locations shall be used when assessing whether a specified waterbody is in attainment of the specified standard.

- (a) San Juan Segment 6b: Temperature Assessment Locations
  - Mill Creek at 119 Road: 37.245588, -107.004398
  - San Juan River below Pagosa Springs: 37.25171, -107.01037
- (b) San Juan Segment 6c: Temperature Assessment Location
  - Above Taylor Canyon: 37.172002, -107.035838

- (c) San Juan Segment 6d: Temperature Assessment Location
  - Above Rio Blanco: 37.121112, -107.044364
- (d) San Juan Segment 6e: Temperature Assessment Location
  - Above Navajo River: 37.04672, -107.1404
- (e) San Juan Segment 6f: Temperature Assessment Location
  - Above Navajo Reservoir: 37.01456, -107.30516
- (f) San Juan Segment 11c: Temperature Assessment Location
  - McCabe Creek at 400 Road: 37.265722,-107.013905
- (g) Piedra Segment 4a: Temperature Assessment Locations
  - Piedra River at Highway 160: 37.224016, -107.342255
  - Devil Creek at State Wildlife Area: 37.172523,-107.295287
- (h) Piedra Segment 4b: Temperature Assessment Location
  - Piedra River at SUIT boundary: 37.141004, -107.355045
- (i) Piedra Segment 4c: Temperature Assessment Location
  - Piedra River below Stollsteimer Creek: 37.112804, -107.38508

## 34.7 - 34.14 RESERVED

## 34.15 STATEMENT OF BASIS AND PURPOSE

#### I. Introduction

These stream classifications and water quality standards for State Waters of the San Juan River Basin including all tributaries and standing bodies of water and the Dolores River Basin including all tributaries and standing bodies of water south of the northern Dolores County line in all or parts of Archuleta, Conejos, Dolores, Hinsdale, La Plata, Mineral, Montezuma, Rio Grande and San Juan Counties implement requirements of the Colorado Water Quality Control Act C.R.S. 1973, 25-8-101 et seq. (Cum. Supp. 1981). They also represent the implementation of the Commission's Regulations Establishing Basic Standards and an Antidegradation Standard and Establishing a System for Classifying State Waters, for Assigning Standards, and for Granting Temporary Modifications (the "Basic Regulations)

The Basic Regulations establish a system for the classification of State Waters according to the beneficial uses for which they are suitable or are to become suitable, and for assigning specific numerical water quality standards according to such classifications. Because these stream classifications and standards implement the Basic Regulations, the statement of basis and purpose (Section 3.1.16) of those regulations must be referred to for a complete understanding of the basis and purpose of the regulations adopted herein. Therefore, Section 3.1.16 of the Basic Regulations is incorporated by reference. The focus of this statement of basis and purpose is on the scientific and technological rationale for the specific classifications and standards in the San Juan River Basin.

Public participation was a significant factor in the development of these regulations. A lengthy record was built through public hearings held on May 14, 1981. A total of 10 entities requested and were granted party status by the Commission in accordance with C.R.S. 1973, 24-4-101 et seq. (Cum. Supp. 1980). A supplementary public rulemaking hearing was held September 15, 1981, restricted to those issues raised by the changes in the Act contained in Senate Bill 10 (1981). Such issues included but were not limited to: "The economic reasonableness" evaluation required by 25-8-102(5), the effect on water rights as required by 25-8-104; and the new considerations for the adoption of water quality standards required by 25-8-204 C.R.S. 1973, as amended. The record established in these hearings forms the basis for the classifications and standards adopted.

#### II. General Considerations

- 1. These regulations are not adopted as control regulations. Stream classifications and water quality standards are specifically distinguished from control regulations in the Water Quality Control Act, and they need not be adopted as control regulations pursuant to the statutory scheme.
- 2. The Commission has been requested in public hearings to rule on the applicability of these and other regulations to the operation of water diversion facilities, dams, transport systems, and the consequent withdrawal, impoundment, non-release and release of water for the exercise of water rights. The Commission has determined that any such broad ruling is inappropriate in the context of the present regulations. The request does not raise specific questions as to proposed classifications and standards. However, the Commission has taken into account the fact that some issues are unresolved in adopting classifications and standards. On January 5, 1981, the Commission adopted a policy statement on quality/quantity issues that addresses a number of these concerns. Finally, the Commission has adopted these regulations in compliance with the requirements of the Water Quality Control Act that have bearing on these issues (See e.g.) sections 102, 104, and 503(5).

#### III. Definition of Stream Segments

1. For purposes of adopting classifications and water quality standards, the streams and water bodies are identified according to river basin and specific water segments.

- 2. Within each river basin, specific water segments are defined, for which use classifications and numeric water quality standards, if appropriate, are adopted. These segments may constitute a specific stretch of a river mainstem, a specific tributary, a specific lake or reservoir, or a generally defined grouping of waters within the basin (e.g., a specific mainstem segment and all tributaries flowing into that mainstem segment).
- 3. Segments are generally defined according to the points at which the use, water quality, or other stream characteristics change significantly enough to require a change in use classifications and/or water quality standards. In many cases, such transition points can be specifically identified from available data. In other cases the delineation of segments is based upon best judgments of the points where instream changes in uses, water quality, or other stream characteristicsoccur.

## IV. Use Classifications — Generally

Initially, recommendations for stream segmentation and use classifications are a result of input from 208 plans, water quality data and reports, the Division of Wildlife, and personal knowledge. After a basic outline of stream segments and use classifications was prepared, water quality data from a variety of sources was compared against the "table value" for the proposed use. "Table value" refers to the four tables attached to the "Basic Regulations". In general, if the mean plus one standard deviation  $(\bar{x} + s)$  of the available data for the segment indicated that a particular parameter did not exceed the "table value" for that recommended use, the "table value" was listed as the recommended standards for the parameter. If the  $\bar{x}$ + s value was recommended as that standard for that parameter.

Conversely, if the ambient quality  $(\bar{x} + s)$  for a certain parameter exceeded the "table value" for the protection of a use, and there is information that the use is not in place, the use classification was modified or temporary modifications to the parameters were established. Ambient quality is generally defined as the quality attributable to natural conditions and/or uncontrollable non-point sources.

One exception to the procedure just described is for whole body contact recreation (class 1). If an active domestic waste discharge was located on the segment in question, class 1 recreation was not recommended regardless of the ambient quality, unless there was information to show that the segment was actually used for swimming. This policy was established by the WQCC in order to avoid penalizing a discharger for protecting a use which is not in place and to limit possible harm to aquatic life due to chlorine residuals.

- 2. The use classifications have been established in accordance with the provisions of Section 203 of the Water Quality Control Act and Section 3.1.6 and 3.1.13 of the Basic Regulations.
- 3. In all cases the basic regulation has been followed, in that an upstream use cannot threaten or degrade a downstream use. Accordingly, upstream segments of a stream are generally the same as, or higher in classification than, downstream segments. In a few cases, tributaries are classified at lower classifications than mainstems, where flow from tributaries does not threaten the quality of mainstem waters and where the evidence indicates that lower classification for the tributaries is appropriate.
- 4. There have been no "High Quality Class 1" designations assigned in this basin.
- 5. The Commission has determined that it has the authority to assign the classification "High Quality Waters Class 1" and "High Quality Waters Class 2" where the evidence indicates that the requirements of Sections 3.1.13(1)(e) of the basic regulations are met. The appropriateness of this classification has been determined on a case-by-case basis. Streams have in some cases been classified "High Quality Class 2" for one or more of the following reasons:

- (a) to facilitate the enjoyment and use of the scenic and natural resources of the State in accordance with the Legislative Declaration of the Colorado Water Quality Control Act (25-8-102(1) C.R.S. 1973.
- (b) to provide a high degree of protection deserving of wilderness areas which are a resource providing a unique experience.
- (c) they contain threatened species or apply to wild and scenic river study areas or wilderness areas.
- (d) the concern of the USFS that High Quality 2 classification will unduly burden their management of multiple use areas is not well founded. This is because activities on Forest Service land, i.e. grazing, mineral exploration, trail and road maintenance, are considered as a historical impact upon existing ambient water quality conditions, and are non point sources which are presently not subject to any Water Quality Control Commission regulations.
- (e) a question exists as to whether existing diversion structures can be maintained consistent with a "High Quality Class 1" designation. Because of the questions regarding authority to regulate diversions, the Class 1 designation was deemed potentially too rigid. The Commission recognizes its authority to upgrade these segments if and when it is appropriate to do so.
- 6. In accordance with 25-8-104, C.R.S. 1973, the Commission intends that no provision of this regulation shall be interpreted so as to supercede, abrogate, or impair rights to divert water and apply water to beneficial uses.

## 7. Qualifiers — Seasonal and Intermittent

These qualifiers have been used to more fully describe characteristics of certain stream segments.

#### 8. Recreation — Class 1 and Class 2

In addition to the significant distinction between Recreation - Class 1 and Recreation - Class 2 as defined in Section 3.1.13(1) of the Basic Regulations, the difference between the two classifications in terms of water quality standards is the fecal coliform parameter. Recreation - Class 1 generally has a standard of 200 fecal coliform per 100 ml; Recreation - Class 2 generally has a standard of 2000 fecal coliform per 100 ml.

In accordance with the Colorado Water Quality Control Act, the Commission has decided to classify as "Recreation - Class 2"those stream segments where primary contact recreation does not exist in the future, regardless of water quality. The Commission has decided to classify as "Recreation - Class 1"only those stream segments where primary contact recreation actually exists, or could reasonably be expected to occur. The reasons for the application of Recreation Class 2 are as follows:

- (a) The mountain streams in this region are generally unsuitable for primary contact recreation because of water temperature and stream flows.
- (b) Fecal coliform is an indicator organism. Its presence does not always indicate the presence of pathogens. This depends on the source of the fecal coliform. If the source is agricultural runoff as opposed to human sewage, there may be no health hazard and therefore no significant need to reduce the presence of fecal coliform to the 200 per 100 ml. level. Also, control of nonpoint sources is very difficult.

- (c) Treating sewage to meet the 200 per 100 ml. level generally means the treatment plant must heavily chlorinate its effluent to meet the limitation. The presence of chlorine in the effluent can be significantly detrimental to aquatic life. Post-treatment of effluent to meet the residual chlorine standard is expensive and often results in the addition of more chemicals which have a negative effect on water quality and can be detrimental to aquatic life. Therefore, reducing the need for chlorine is beneficial to aquatic life.
- (d) Even where a treatment plant in this region might treat its effluent to attain the standard of 200 per 100 ml., agricultural runoff and irrigation return flows below the plant may result in the rapid increase of fecal coliform levels. Therefore, the benefits of further treatment are questionable.
- (e) The fecal coliform of 2000 per 100 ml. has been established to provide general public health protection. There is no significant impact on domestic drinking water treatment plants because they provide complete disinfection. The standard of 200 per 100 ml. is not intended to protect the water supply classification.

### 9. Water Supply Classification

The Commission finds that Colorado is a water short state and that it is experiencing considerable growth which places additional burdens on already scare water supplies. These considerations mitigate in favor of a conservation approach to protecting future water supplies. Where existing water quality is adequate to protect this use, and in the absence of dischargers to these segments or testimony in opposition to such classification, the water supply use has been assigned because it is reasonable to expect that it may exist in the future in such cases. For stream segments that flow through, or in the vicinity of, municipalities, this conclusion is further justified, since there is a reasonable probability that the use exists or will exist. Where the water supply classification has been opposed, the Commission has evaluated the evidence on a site specific basis, and in many cases the classification has been removed.

## V. Water Quality Standards — Generally

- The water quality standards for classified stream segments are defined as numeric values for specific water quality parameters. These numeric standards are adopted as the limits for chemical constituents and other parameters necessary to protect adequately the classified uses in all stream segments.
- 2. Not all of the parameters listed in the "Tables" appended to the Basic Regulations are assigned as water quality standards. This complies with Section 3.1.7(c) of the Basic Regulations.
  - Numeric standards have been assigned for the full range of parameters to a number of segments where little or not data existed specific to the segment. In these cases, there was reason to believe that the classified uses were in place or could be reasonably expected, and that the ambient water quality was as good as or better than the numeric standards assigned.
- 3. A numeric standard for the temperature parameter has been adopted as a basic standard applicable to all waters of the region in the same manner as the basic standards in Section 3.1.11 of the Basic Regulations.

The standard of a 3° C temperature increase above ambient water temperature as defined is generally valid based on the data regarding that temperature necessary to support an "Aquatic Life - Class 1" fishery. The standard takes into account daily and seasonal fluctuations; however, it is also recognized that the 3° C limitation as defined is only appropriate as a guideline and cannot be rigidly applied if the intention is to protect aquatic life. In winter, for example, warm water discharges may be beneficial to aquatic life. It is the intention of the Commission in adopting the standard to prevent radical temperature changes in short periods of time which are detrimental to aquatic life.

4. Numeric standards for seventeen organic parameters have been adopted as basic standards applicable to all waters of the region in the same manner as the basic standards in Section 3.1.11 of the Basic Regulations. These standards are essential to a program designed to protect the waters of the State regardless of specific use classifications because they describe the fundamental conditions that all waters must meet to be suitable for any use.

It is the decision of the Commission to adopt these standards as basic standards because the presence of the organic parameters is not generally suspected. Also, the values assigned for these standards are not detectable using routine methodology and there is some concern regarding the potential for monitoring requirements if the standards are placed on specific streams. This concern should be alleviated by Section 3.1.14(5) of the Basic Regulations but there is uncertainty regarding the interpretation of those numbers by other entities. Regardless of these concerns, because these constituents are highly toxic, there is a need for regulating their presence in State waters. Because the Commission has determined that they have uniform applicability here, their inclusion as basic standards for the region accomplishes this purpose.

5. In many cases, the numeric water quality standards are taken from the "Tables" appended to the Basic Regulations. These table values are used where actual ambient water quality data in a segment indicates that the existing quality is substantially equivalent to, or better than, the corresponding table values. This has been done because the table values are adequate to protect the classified uses.

Consistent with the Basic Regulations, the Commission has not assumed that the table values have presumptive validity or applicability. This accounts for the extensive data in the record on ambient water quality. However, the Commission has found that the table values are generally sufficient to protect the use classifications. Therefore, they have been applied in the situations outlined in the preceeding paragraph as well as in those cases where there is insufficient data in the record to justify the establishment of different standards. The documentary evidence forming the basis for the table values is included in the record.

6. In many cases, instream ambient water quality provides the basis for the water quality standards (See 7 below). In those cases where the classified uses presently exist or have a reasonable potential to exist despite the fact that instream data reflects ambient conditions of lower water quality than the table values, instream values have been used. In these cases, the evidence indicates that instream values are adequate to protect the uses. In those cases where temporary modifications are appropriate, instream values are generally reflected in the temporary modification and table values are reflected in the corresponding water quality standard. (Goals are established for the appropriate classification affected by the parameter).

Cases in which water quality standards reflect these instream values usually involve the metal parameters. On many stream segments elevated levels of metals are present due to natural or unknown causes, as well as mine seepage from inactive or abandoned mines. These sources are difficult to identify and impractical or impossible to control. The classified aquatic life uses may be impacted and/or may have adjusted to the conditions. In either case, the water quality standards are deemed sufficient to protect the uses that are present.

- 7. The Commission rejected the proposal to assign only "temporary" standards pending additional data collection to verify or modify values assigned. Concerned parties concurred that triennial review will lead to updating of standards as necessary. Furthermore, limited financial resources will be focused upon streams with permitted discharges.
- 8. In those cases where there was no data for a particular segment, or where the data consists of only a few samples for a limited range of parameters, "table values" were generally recommended. Data at the nearest downstream point was used to support this conclusion. In some cases, where the limited data indicated a problem existed, additional data was collected to expand the data base. Additionally, where there may not be existing data on present stream quality, the Commission anticipates that if necessary, additional data will be collected prior to a hearing required by C.R.S. 1973, 25-8-204(3), as amended.
- 9. In most cases in establishing standards based on instream ambient water quality, a calculation is made based upon the mean (average) plus one standard deviation (x̄ + s) for all sampling points on a particular stream segment. Since a standard deviation is not added to the water quality standard for purposes of determining the compliance with the standard, this is a fair method as applied to discharges.

Levels that were determined to be below the detectable limits of the sampling methodology employed were averaged in as zero rather than at the detectable limit. This moves the mean down but since zero is also used when calculating wasteload allocations, this method is not unfair to dischargers.

Metals present in water samples may be tied up in suspended solids when the water is present in the stream. In this form they are "available" to fish and may not be detrimental to aquatic life. Because the data of record does not distinguish as to availability, some deviation from table values, as well as the use of  $\bar{x} + s$ . is further justified because it is unlikely that the total value in all samples analyzed is in available form.

A number of different statistical methodologies could have been used where ambient water quality data dictates the standards. All of them have both advantages and disadvantages. It is recognized that the  $\bar{x}+$  s methodology also has weaknesses, in that the standard may not reflect natural conditions in a stream 100 per cent of the time, even though the use of  $\bar{x}+$  s already allows for some seasonal variability. However the use of this methodology is nevertheless justified since it provides the most meaningful index of stream quality of all methodologies proposed for setting stream standards.

- 10. No water quality standards are set below detectable limits for any parameter, although certain parameters may not be detectable at the limit of the standards using routine methodology. However, it must be noted that stream monitoring, as opposed to effluent monitoring, is generally not the responsibility of the dischargers but of the State. Furthermore, the purpose of the standards is to protect the classified uses and some inconvenience and expense as to monitoring is therefore justifiable.
  - Section 3.1.15(5) of the Basic Regulations states that "dischargers will not be required to regularly monitor for any parameters that are not identified by the Division as being of concern". Generally, there is no requirement for monitoring unless a parameter is in the effluent guidelines for the relevant industry, or is deemed to be a problem as to a specific discharge.
- 11. The dissolved oxygen standard is intended to apply to the epilimnion and metalimnion strata of lakes and reservoirs. Respiration by aerobic micro-organisms as organic matter is consumed is the primary cause of a natural decrease in dissolved oxygen and anaerobic conditions in the hypolimnion. Therefore, this stratum is exempt from the dissolved oxygen standard.

- 12. Where numeric standards are established based on historic instream water quality data at the level of  $\bar{x}+s$ , it is recognized by the Commission that measured instream parameter levels might exceed the standard approximately 15 percent of the time.
- 13. It is the Commission's intention that the Division implement and enforce all water quality standards consistent with the manner in which they have been established.

#### 14. Hardness/Alkalinity

Where hardness and alkalinity numbers differed, the Commission elected to use alkalinity as the controlling parameter, in order to be consistent with other river basins and because testimony from the Division staff indicated that in most cases alkalinity has a greater effort on toxic form of metals than does hardness.

#### VI. Water Quality Standards for Unionized Ammonia

On some Class 2 Warm Water Aquatic Life streams containing similar aquatic life communities to those found in the plains streams of the South Platte & Arkansas Basins, .1 mg/l ammonia was selected as being appropriate to protect such aquatic life.

These streams generally contain both lesser numbers and types of species than those inhabiting class 1 streams due to physical habitat characteristics, flow or irreversible water quality characteristics. The Commission felt that the incremental expense to meet a 0.06 mg/l unionized ammonia standard for present or potential dischargers along these streams cannot be justified. Low flow, in these segments is often intermittent or highly impacted by diversions.

Specifically, the Commission has relaxed unionized ammonia standards to .1 mg/l or greater on such streams for the following reasons:

- 1. limited nature of the aquatic life present:
- limited recreational value of species present;
- 3. habitat limitations, primarily flow and streambed characteristics, that impose significant limitations on the nature of aquatic life, even if ammonia reductions were attained;
- 4. rapid dissipation of ammonia in streams, reducing the impact of such discharges downstream; and
- 5. economic costs of ammonia removal, especially where such costs would fall primarily on publiclyowned treatment works, and while the availability of construction grant funds is questionable.
- 6. Biosurveys with support from a bioassay conducted on fathead minnows performed in the Cache la Poudre River, show that a .1 mg/l standard is appropriate to protect existing biota in the stream. The results of these studies may be reasonably extrapolated to similar plains streams; i.e., those streams that demonstrate similar chemical, physical, and biological characteristics.

Not all warmwater streams are comparable in terms of flow habitat, and types and numbers of species of aquatic life. Therefore, some variations in an appropriate ammonia standard must be tolerated, with the objective of protecting existing aquatic life. The Commission found this approach preferable to totally removing the aquatic life classification from impacted or marginal aquatic life streams.

## VII. Water Quality Standards for Uranium

Given the threat that radioactivity from uranium may pose to human health, it is advisable to limit uranium concentrations in streams to the maximum extent practicable. The Commission has adopted a standard of 40 pCi/l or natural background where higher, for the following reasons:

- 1. 40 p Ci/l generally reflects background concentrations of uranium that may be found in streams in Colorado and therefore this amount approximates routine human exposure.
- 2. The statistical risk of human health hazards is small at 40 pCi/l.
- 3. 40 p Ci/l is an interim level, established now pending the outcome of further studies currently underway.

## VIII. Water Quality Standards for Cyanide

The Commission acknowledges that total cyanide is to be used in State Discharge permits until a method is authorized by EPA for measuring free cyanide, even though free cyanide is the parameter of concern. While cyanide has received special treatment in cases discussed in the segment - by - segment section which follows, a free cyanide standard based on Table Values has been established for most segments.

## IX. Linkage of classifications and Standards

The Commission holds that the classifications which it adopts and the standards it assigns to them are linked. Disapproval by EPA of the standards may require reexamination by the Commission of the appropriateness of its original classification.

The reason for the linkage is that the Commission recognizes that there is a wide variability in the types of aquatic life in Colorado streams which require different levels of protection. Therefore, the numbers were chosen in some cases on a site specific basis to protect the species existing in that segment. If any reclassification is deemed a downgrading, then it will be based upon the grounds that the original classification was in error.

#### X. Economic Reasonableness

The Commission finds that these use classifications and water quality standards are economically reasonable. The Commission solicited and considered evidence of the economic impacts of these regulations. This evaluation necessarily involved a case-by-case consideration of such impacts, and reference is made to the fiscal impact statement for this analysis. Generally, a judgment was made as to whether the benefits in terms of improving water quality justified the costs of increased treatment. In the absence of evidence on economic impacts for a specific segment, the Commission concluded that the regulations impose no unreasonable economic burden.

## XI. Classifications and Standards - Special Cases

1. Page 1, Segment 2 - San Juan River in Archuleta County (proposed as page 1, segment 2)

At issue was the recommendation contained in the Regional Water Quality Management "208" Plan that flow deficiencies and silt attributable to the San Juan - Chama diversion limited use of the segment to agriculture. Although both warm and cold water species, including trout, were observed in the segment, the Commission found from the evidence that there was perennial flow sufficient to support the aquatic life use proposed.

In view of controversy in the testimony concerning flow, the Commission considered the recommendation in the "208 Plan, yet classified the aquatic life use as class 1, cold water because other testimony indicated that recorded stream flows were ample to support aquatic life.

## 2. Page 2, Segment 8

This segment was incorporated into segment 5 of page 1.

## 3. Page 2, Segment 10

The "208" Plan was relied on by the Commission and no other evidence on this segment was presented.

#### 4. Page 3, Segment 3 - Piedra River

The Commission retained the cold water aquatic life class 1 classification after finding that although one small portion of the segment may be intermittent, due to diversion, it quickly remakes itself and the intermittent portion is very small compared with the total length of the segment. The Commission also notes that it's decision will have no impact on any discharger.

## 5. Page 4, Segment 2(a) and 2(b) Los Pinos River (proposed as page 4, segment 2)

The resegmentation recommended by the Division is consistent with segmentation described in the Regional (208) Plan.

## 6. Page 6, Segment 2 - Animas and Florida Rivers

This is a large segment, exhibiting many water quality variables throughout its length. Although there is some evidence of insect life at points in the segment, the evidence regarding the presence of aquatic life is contradictory, and there is no evidence of fish life being present. In the absence of sufficient data to support the classification of any portion of this segment for aquatic life, the current status is being retained and no aquatic life, the current status is being retained and no aquatic life use is assigned. The Commission expects further information to be developed through studies sponsored by the Standard Metals Corporation and the Division.

The Commission declined to assign an agricultural classification to the segment due to the absence in the record of any evidence of an agricultural use in the segment.

#### 7. Page 6, Segment 6

Since Cement Creek and its tributaries are degraded by abandoned mine drainage and past discharges, the Commission did not assign aquatic and agricultural classifications to the segment as had been proposed. The segment does not currently have an aquatic life classifications, and thus the status quo is maintained. The Commission placed recreation in the class 2 category as the basic use and found no agricultural use to be in place.

## 8. Page 7, Segment 7

The Woodling Study indicates that Mineral Creek from its source to its confluence with South Mineral Creek is highly toxic due to mineralization and there is not a likelihood that the sources of that toxicity will be corrected in 20 years. However the Commission concluded that there was likely to be aquatic life in that portion of Mineral Creek from below South Fork to Silverton. By changing the stream segment description such that it covers the mainstem of Mineral Creek including all tributaries from the source to a point immediately above the confluence with South Mineral Creek, the Commission was enabled to preserve the aquatic life classification on South Mineral Creek and the remaining portion of Mineral Creek into Silverton.

## 9. Page 8, Segment 12(a) and 12(b) (proposed as page 6, segment 12)

Lemon Reservoir was resegmented as 12(a) for the purposes of classifying it Recreation Class 1 in recognition of known use appropriate to that classification.

## 10. Page 8, Segment 13(a) and 13(b)

Segment 13 included Junction Creek. The Resegmentation was to separate Junction Creek as 13(a) so that different standards could be assigned to it to protect its sue as a water supply for a fish hatchery. The Commission felt that the testimony supported: (a) classification of the stream for cold water aquatic life class 2 because of poor habitat and low flow conditions; and (b) assignment of numeric standards to protect the fish hatchery. The Commission felt that the use was in place and that the assignment of these standards was economically reasonable. It does not appear that discharges from trailer parks into this segment adversely impact this use. There was insufficient evidence in the record for the Commission to conclude that there would be any economic impact on such dischargers.

#### 11. Page 8, Segment 15

Testimony was received by the Commission from the Purgatory Water and Sanitation District that the water supply classification was not applicable below the reservoir. The Commission concurred and determined that there should be no more than a class 2 aquatic life classification for this segment because of its intermittent flow and poor habitat characteristics. It was recommended that recreation class 2, agriculture and water supply be designated for the protection of the reach above the reservoir. Despite opposition to the water supply classification by Purgatory Water and Sanitation District based upon the absence of such use below Duncan Reservoir, the Commission finds that the presence of this use at other locations justifies the classification. This should not impact the District because the numeric standards for protection of the use are less stringent than those for protection of aquatic life and should be met by the discharger without additional treatment facilities.

## 12. <u>Page 11, Segment 3</u> - Dolores River in Dolores County

Even though the regional "208" Plan recommended that the segment be classified for a water supply use, the Commission received no testimony that there was such use in the segment. Because of high levels of manganese and the lack of evidence of in place water supply use, the Commission did not so classify the segment. Anaconda Corporation proposed numeric standards for silver and mercury. The Division recommended to the Commission that it not utilize the Anaconda proposals for those constituents because they were based on limited data, unusually high values, and questionable analytical techniques. It had not been documented that the levels of those constituents proposed by Anaconda had been routinely found in the stream. Due to this lack of certainty with respect to these metals values, the Commission did not choose to use the Anaconda data on mercury an silver.

### 34.16 STATEMENT OF BASIS, SPECIFIC STATUTORY AUTHORITY, AND PURPOSE:

The provisions of 25—8-202(1)(a)(b) and (2); and 25-8-204 C.R.S. provide the specific statutory authority for the numeric standards that were adopted.

The Commission also adopted in compliance with 24-4-103(4) C.R.S. the following statements of basis and purpose and fiscal impact.

## BASIS AND PURPOSE - SAN JUAN AND DOLORES RIVER BASINS

The basis and purpose for the changes by segment is as follows:

<u>Segment 6</u>, <u>Piedra River</u> -This segment contains the lakes listed for inclusion in the proposed Segment 7. In order to separate these lakes from this segment, the description must be changed.

<u>Segment 7. Piedra River</u> -The lakes listed are all fisheries and a majority of them are used for sport fishing. Their present inclusion in Segment 6 does not represent their actual use, i.e., Class 1 Aquatic Life, or provide standards to protect this use. The Commission has classified all reservoirs in Segment 7 as Warm Water Class 1 instead of Cold Water Class 1 on the basis that: 1) all reservoirs are already heavily managed, including aeration; 2) trout have been introduced into the reservoirs and do not occur naturally; and 3) at least temperature excursions above that require for cold water classification occur.

The Commission notes that the data base supporting this change in classification to warm water Class 1 is not extensive and further water quality monitoring is encouraged.

<u>Segment 15, Animas River</u> - Studies conducted by the Water Quality Control Division indicate that both Goulding Creek and Nary Draw are intermittent streams more appropriately classified under Segment 15 than under Segment 12a. The change in the description of Segment 15 will accomplish this and provide adequate protection of the uses.

<u>Segment 8. La Plata River, Mancos- River, McElmo Creek, and San Juan River</u> -The change in description to include Dolores County will include those streams which are unclassified under the existing description.

<u>Change in basin description at top of pages 9 and 10 of the Tables</u> -Change is needed to accurately reflect the streams included in this section with the change in description of Segment 8.

#### 34.17 BASIS AND PURPOSE:

At the triennial review of the San Juan and Dolores River Basins in May, 1985, the Water Quality Control Division pointed out that the Division had recently (April, 1985) granted a variance to the limitation for cadmium in Anaconda Company's Rizo Mine discharge permit. The underlying stream concentration which was used to support the variance was 0.002 mg/l, and was based upon an  $\bar{x}$  + s calculation of fifteen cadmium data points above the St. Louis ponds discharge collected in 1981. The rationale for the variance anticipated the establishment of a revised cadmium standard through the established standards setting procedure of the Water Quality Control Commission, and noted that subsequent to that procedure, an amended discharge elimination in Anaconda's discharge permit would be written.

This amendment initiates the standards setting process envisioned when the cadmium variance was granted to Anaconda with the expectation that the variance will expire upon adoption of a new standard.

The revision of the cadmium standard from 0.0004 mg/l to 0.0012 mg/l is based upon a review of data supplied by Anaconda at stations D2 and D3 above the discharge point on the Dolores River. Consideration was also given to the existing table value for cadmium at the ambient hardness levels in the river, and the draft position on cadmium is being considered by the Basic Standards Task Force.

## 34.18 STATEMENT OF BASIS, SPECIFIC STATUTORY AUTHORITY, AND PURPOSE; AUGUST, 1989 HEARING ON MULTIPLE SEGMENTS

The provisions of 25-8-202(1)(a), (b) and (2); 25-8-203; 25-8-204; 25-8-207 and 25-8-402 C.R.S. provide the specific statutory authority for adoption of these regulatory amendments. The Commission also adopted, in compliance with 24-4-103(4), C.R.S., the following statement of basis and purpose.

#### **BASIS AND PURPOSE:**

First, the Commission has adopted new introductory language for the tables, in section 3.4.6(2). The purpose of this language is to explain the new references to "table value standards" (TVS) that are contained in the Tables. The other changes considered and adopted are addressed below.

#### A. Jurisdiction on Tribal Lands

On the issue of classifying and setting standards on tribal lands, the Commission was advised to classify and set standards as they would for waters on non-tribal lands with the understanding that the Commission is not attempting to assert jurisdiction or to usurp the authority of the tribe to classify and set standards for waters within the boundaries of the reservation.

#### B. Table Value Standards for Metals

San Juan, Segment 7; Los Pinos, Segment 4; Animas, Segment 5; Dolores, Segments 5 and 7.

Numerical standards for metals for these segments have in most instances previously been based on table values contained in Table III of the Basic Standards and Methodologies for Surface Water. Table III has been substantially revised, effective September 30, 1988. A few of these segments had no new data to indicate that new table value standards are not appropriate. There are also some of these segments whose previous standards were based in part on ambient quality, since their quality did not meet old table values based on alkalinity ranges. However, these segments generally have much higher hardness than alkalinity, and the new table values (based on hardness-dependent equations) are now appropriate as standards.

## C. New High Quality 2 Designations

San Juan, Segments 1, 5, and 9; Piedra, Segments 3 and 5; Los Pinos, Segment 2a; Animas, Segments 8a, 10, 11, 12a, 12b, and 14; La Plata, Segments 1 and 4; Dolores, Segments 4 and 10.

From the information available, it appears that the existing quality of these segments meets or exceeds the quality specified by the revised criteria in Table III, and new acute and chronic table value standards based thereon have therefore been adopted.

Second, in addition to these standards changes, the use classifications have been revised where necessary so that each of these segments has the following classifications:

Recreation - Class 1 Cold Water Aquatic Life - Class 1 Water Supply

#### Agriculture

## D. Existing High Quality 2 Segments; New Classifications and Standards

San Juan, Segment 4; Piedra, Segments 1 and 2; Los Pinos, Segment 1; Animas and Florida, Segment 1; Dolores, Segment 1.

These segments were already described as High Quality Class 2, as all are wilderness and wild and scenic rivers. Available information indicates that the parallel new High Quality 2 designation continues to be appropriate for each, along with new table value numeric standards and equations for cold water aquatic life classifications, i.e., acute (trout) for cadmium and zinc and chronic (trout) for silver.

The following use classifications, and associated table value standards, have been adopted for these segments:

Recreation - Class 1 Cold Water Aquatic Life - Class 1 Water Supply Agriculture

## E. Existing High Quality 2 Segments; New Classifications and Standards

San Juan, Segments 3, 10, and 11; Piedra, Segment 6; Los Pinos, Segment 6; Animas and Florida, Segments 3, 4, 9, 13b, and 15; La Plata, Mancos, McElmo, and San Juan, Segments 2, 3, 5, 6, 7, and 8; Dolores. Segment 9 and 11.

These segments all qualify for a Use-Protected designation based either on their present classifications or the existing standards contain three or more of the following metals parameters whose concentrations, based on total recoverable metals, indicate they may be worse than that specified in Table III for the protection of aquatic life class 1 use: cadmium, copper, iron, lead, or zinc.

## F. New Use-Protected Designation; Table Value Standards

Piedra, Segment 7; Animas and Florida, Segment 13a.

These segments qualify for a Use-Protected designation based upon their classification. Previous standards were based on table values and no new data was presented to indicate new table value standards are not appropriate.

For these segments, acute and chronic table value standards have been adopted for arsenic, cadmium, chromium (III and IV), copper, iron, lead, manganese, mercury, nickel, selenium, silver, and zinc.

#### G. Revised Recreation Classification

San Juan, Segments 2 and 6; Piedra, Segment 4;

Los Pinos, Segment 2b; La Plata, Segment 9

The recreation classification on these segments has been upgraded from Class 2 to Class 1 (whole body immersion is likely) because the stream sampling data indicate that the fecal coliform standard 200/100 ml is not being exceeded, and conditions are normally considered suitable for swimming or intentional whole body contact. This action was taken in response to a concern raised by the EPA regarding segments not attaining "fishable/swimmable" uses.

#### H. Other Revisions

1. Los Pinos, Segments 3 and 5.

Based on stream sampling data for Segment 3, table value standards were established as were ambient standards for cadmium and lead. For Segment 5, ambient standards for cadmium and lead were added; table value standards were added for the remaining metals.

2. <u>San Juan, Segment 9</u> (Four Corners Area)

Table Value Standards for metals have been adopted for this segment with the exception of total recoverable iron whose 50 percentile value is 2200 ug/l. In addition, the recreation classification has been changed from Class 2 to Class 1 with a fecal coliform standard of 200/100 ml.

## 34.19 STATEMENT OF BASIS, SPECIFIC STATUTORY AUTHORITY, AND PURPOSE; FEBRUARY, 1990 EMERGENCY RULEMAKING HEARING

The provisions of 25-8-208 and 25-8-402 C.R.S. provide the specific statutory authority for action on these regulatory amendments.

#### **BASIS AND PURPOSE:**

The Commission held this emergency rulemaking hearing to readopt the classifications and numeric standards for the San Juan River and Dolores River Basins to correct errors in the original filing. The affected regulation was amended on November 7, 1989 and was filed within the required timeframes with the Secretary of State's Office and the Office of Legislative Legal Services. The Commission learned shortly after the filings that three (3) pages had been inadvertently left out of the regulation, and that a typographical error appeared throughout the classification and standards tables that are part of the regulation. The Commission office was able to correct the errors with a replacement filing with the Secretary of State's Office so that the regulation published in the CCR (Colorado Code of Regulation) correctly reflects the Commission's actions.

The Office of Legislative Legal Services notified the Commission that it could not accept the corrected materials as they had not been submitted within the 20 day timeframe called for in section 24-4-103 (8) (d), C.R.S. of the "State Administrative Procedure Act". It was suggested that the Commission needed to repromulgate the rules that contained the errors submitted in November, 1989 and resubmit them.

The Commission elected to proceed on an emergency rulemaking basis to avoid any confusion that could result due to the fact that the two filings are currently not the same. Therefore, the Commission adopted the corrected version of the regulation at an emergency rulemaking hearing on February 6, 1990. Final action on the readoption is scheduled for June 5, 1990.

## 34.20 STATEMENT OF BASIS, SPECIFIC STATUTORY AUTHORITY, AND PURPOSE; JUNE, 1990 RULEMAKING HEARING

The provisions of 25-8-202(1)(a), (b) and (2); 25-8-203; 25-8-204; 25-8-207 and 25-8-402 C.R.S. provide the specific statutory authority for action on these regulatory amendments.

#### **BASIS AND PURPOSE:**

The Commission held this rulemaking hearing to make permanent the emergency hearing that was held in February, 1990 to readopt the classifications and numeric standards for the San Juan River and Dolores River Basins to correct errors in the original filing. The affected regulation was amended on November 7, 1989 and was filed within the required timeframes with the Secretary of State's Office and the Office of Legislative Legal Services. The Commission learned shortly after the filings that three (3) pages had been inadvertently left out of the regulation, and that a typographical error appeared throughout the classification and standards tables that are part of the regulation. The Commission office was able to correct the errors with a replacement filing with the Secretary of State's Office so that the regulation published in the CCR (Colorado Code of Regulation) correctly reflects the Commission's actions.

The Office of Legislative Legal Services notified the Commission that it could not accept the corrected materials as they had not been submitted within the 20 day timeframe called for in section 24-4-103 (8) (d), C.R.S. of the "State Administrative Procedure Act". It was suggested that the Commission needed to repromulgate the rules that contained the errors submitted in November, 1989 and resubmit them.

The Commission elected to proceed on an emergency rulemaking basis to avoid any confusion that could result due to the fact that the two filings are currently not the same. Therefore, the Commission adopted the corrected version of the regulation at an emergency rulemaking hearing on February 6, 1990.

## 34.21 STATEMENT OF BASIS, SPECIFIC STATUTORY AUTHORITY AND PURPOSE; MARCH1, 1993 HEARING:

The provisions of 25-8-202(1)(a), (b) and (2); 25-8-203; 25-8-204; and 25-8-402 C.R.S. provide the specific statutory authority for adoption of these regulatory amendments. The Commission also adopted in compliance with 24-4-103(4), C.R.S., the following statement of basis and purpose.

#### **BASIS AND PURPOSE:**

The changes to the designation column eliminating the old High Quality 1 and 2 (HQ1, HQ2) designations, and replacing HQ1 with Outstanding Waters (OW) designation were made to reflect the new mandates of section 25-8-209 of the Colorado Water Quality Act which was amended by HB 92-1200. The Commission believes that the immediate adoption of these changes and the proposals contained in the hearing notice is preferable to the alternative of waiting to adopt them in the individual basin hearings over the next three years. Adoption now should remove any potential for misinterpretation of the classifications and standards in the interim.

In addition, the Commission made the following minor revisions to all basin segments to conform them to the most recent regulatory changes:

- 1. The glossary of abbreviations and symbols were out of date and have been replaced by an updated version in section 3.4.6(2).
- 2. The organic standards in the Basic Standards were amended in October, 1991, which was subsequent to the basin hearings. The existing table was based on pre-1991 organic standards and are out of date and no longer relevant. Deleting the existing table and referencing the Basic Standards will eliminate any confusion as to which standards are applicable.

- 3. The table value for ammonia and zinc in the Basic Standards was revised in October, 1991. The change to the latest table value will bring a consistency between the tables in the basin standards and Basic Standards.
- 4. The addition of acute un-ionized ammonia is meant to bring a consistency with all other standards that have both the acute and chronic values listed. The change in the chlorine standard is based on the adoption of new acute and chronic chlorine criteria in the Basic Standards in October, 1991.

Finally, the Commission confirms that in no case will any of the minor update changes described above change or override any segment-specific water quality standards.

## 34.22 STATEMENT OF BASIS, SPECIFIC STATUTORY AUTHORITY AND PURPOSE; MARCH1, 1993 HEARING:

The provisions of 25-8-202(1)(a), (b) and (2); 25-8-203; 25-8-204; and 25-8-402 C.R.S. provide the specific statutory authority for adoption of these regulatory amendments. The Commission also adopted in compliance with 24-4-103(4), C.R.S., the following statement of basis and purpose.

#### **BASIS AND PURPOSE:**

On November 30, 1991, revisions to "The Basic Standards and Methodologies for Surface Water" 3.10 (5 CCR 1002-8), became effective. As part of the revisions, the averaging period for the selenium criterion to be applied as a standard to a drinking water supply classification was changed from a 1-day to a 30-day duration. The site-specific standards for selenium on drinking water supply segments were to be changed at the time of rulemaking for the particular basin. Only one river basin, the South Platte, has gone through basin-wide rulemaking since these revisions to the "Basic Standards". Through an oversight, the selenium standards was not addressed in the rulemaking for this basin and has since become an issue in a wasteload allocation being developed for segments 15 and 16 of the South Platte. Agreement on the wasteloads for selenium is dependent upon a 30-day averaging period for selenium limits in the effected parties permits. Therefore, the parties requested that a rulemaking hearing be held for the South Platte Basin to address changing the designation of the 10 ug/l selenium standard on all water supply segments from a 1-day to a 30-day standard. The Water Quality Control Division, foreseeing the possibility of a selenium issue arising elsewhere in the state, made a counter proposal to have one hearing to change the designation for the selenium standard on all water supply segments statewide. The Commission and the parties concerned with South Platte segments 15 and 16 agreed that this would be the most judicious way to address the issue.

The change in the averaging period may cause a slight increase in selenium loads to those segments which have CPDS permits regulating selenium on the basis of a water supply standard. However, these segments are only five in number and the use will still be fully protected on the basis that the selenium criterion is based on 1975 national interim primary drinking water regulations which assumed selenium to be a potential carcinogen. It has since been categorized as a non-carcinogen and new national primary drinking water regulations were promulgated in 1991 that raised the standard to 50 ug/l.

The Commission also corrected a type error in the TVS for Silver by changing the sign on the exponent for the chronic standard for Trout from +10.51 to - 10.51.

## 34.23 STATEMENT OF BASIS, SPECIFIC STATUTORY AUTHORITY, AND PURPOSE; SEPTEMBER 12, 1994 HEARING:

The provisions of 25-8-202(1)(a), (b) and (2); 25-8-203; 25-8-204; and 25-8-402 C.R.S. provide the specific statutory authority for adoption of these regulatory amendments. The Commission also adopted in compliance with 24-4-103(4), C.R.S., the following statement of basis and purpose.

#### **BASIS AND PURPOSE**

#### A. BACKGROUND

Between 1991 and 1993 the Water Quality Control Division, in cooperation with several federal, state, local and private interests conducted an intensive water quality investigation of the Animas River and its tributaries from Elk Creek to the headwaters. The objectives of the study were to characterize the current chemical, biological, and physical conditions of the Animas River and selected tributaries above Elk Creek and to quantify the areas of highest metal loadings and determine the potential for water quality improvement sufficient to allow naturally reproducing trout populations; and to prioritize sites for remedial projects based on relative loading, environmental impact, feasibility, cost, and benefits.

The water quality of this area is extensively impacted by heavy metals which are attributed to both natural and anthropogenic factors. The results of the investigation have been used to identify the beneficial uses and water quality that are currently being achieved or that may reasonably be achieved within a twenty year period through restoration of disturbed sites.

#### B. OVERVIEW

The starting point for the Commission's analysis is a conclusion that appears to be shared by most, if not all, of the participants in this rulemaking proceeding: current water quality in the Animas River Basin can and should be improved. For example, quoting from the Statement of the Animas River Stakeholders' Group:

All stakeholders agree that current water quality can and should be protected from any further degradation; all agree that there are opportunities to make improvements, and that improvement is desirable even if it were not mandated; all agree that the task before us now is to identify the sources of significant human-caused loadings and find ways to remediate them.

Beyond this starting point, there was considerable debate in the hearing, and among Commission members in its initial deliberations, regarding the most appropriate and constructive way to encourage and stimulate the desired water quality improvement. One perspective offered was that the Commission should adopt underlying numerical and narrative standards for the critical segments in question that would establish goals for water quality improvement, tempered by temporary modifications that recognize current water quality. An alternative perspective suggested that adopting such goals as legally effective standards before the feasibility of specific clean-up projects had been determined—and the achievable improvement quantified—may hinder the cooperative, community-based effort that has been evolving to identify, prioritize and acquire funding for remediation projects.

Following extensive discussion and debate, the Commission has decided to adopt a hybrid result that consists of two components. First, the set of proposals advanced by the Water Quality Control Division staff, based on the promulgation of underlying goal-based numerical and narrative standards for the critical segments, is adopted by the Commission with a three-year delayed effective date. The Commission finds that the evidence submitted in the hearing provides a sound scientific basis for the adoption of the Division's proposal, with the caveat that three-year temporary modifications almost certainly will not provide an adequate period in which to achieve water quality improvement that will attain the underlying standards. The issue of temporary modifications is discussed further below.

The second component of the action being taken by the Commission is the adoption of ambient quality-based standards that will be in place for the critical segments until the effective date of the goal-based standards described above. The purpose of taking this step, as opposed to adopting the goal-based standards with an immediate effective date, is to encourage the cooperative, community-based effort toward water quality improvement that has begun in the basin, unencumbered by the potential implications of the goal-based standards being in effect. This action is an experiment, intended to assess the ability of a cooperative process to achieve meaningful progress toward water quality improvement without the underlying improvement goal being reflected in currently effective, legally binding water quality standards.

If substantial progress toward water quality improvement—through the identification, prioritization and implementation of remediation projects—is achieved within the next three years, and if it appears three years from now that the lack of legal effectiveness of the goal-based standards will provide the best stimulus for further progress, further delay in the effective date of the goal-based standards can be considered by the Commission at that time. Of course, such progress could also demonstrate that the identified goals are achievable, or that they should be refined in some manner.

If, however, substantial and diligent progress toward water quality improvement is not achieved over the next three years, it is the intent of the Commission that the goal-based standards should and will be allowed to go into effect at that time to stimulate further progress. In a new rulemaking hearing, the burden should be on those that have argued that clean-up will be more successful with a cooperative effort working toward a goal, without that goal being reflected in currently effective water quality standards, to demonstrate the success of this experiment.

The Water Quality Control Commission expects that the cooperative effort will be successful and is attempting by this action to send that message to all stakeholders. To those concerned about the potential impacts on property owners of goal-based standards being in effect, the message is that the Commission wants to encourage this locally-driven, cooperative watershed improvement initiative by demonstrating as much flexibility as possible. To federal agencies or others with potential resources to devote to water quality improvement efforts, the message is that working toward such improvement in this basin is an extremely high priority for the State of Colorado. To the Water Quality Control Division and those that supported their proposal in this rulemaking proceeding, the message is that the Commission has been persuaded—based on the unprecedented level of monitoring and analysis that has occurred in this basin—that a sound scientific justification has been provided for the adoption of goal-based water quality standards, and that these standards should be allowed to go into effect unless it is demonstrated that the pending experiment in cooperative watershed management can succeed without this legal impetus. To all of the residents of the Animas River Basin, the message is that the Commission is concerned about water quality in your basin and is willing to work with you to explore whatever options appear most likely to facilitate progress toward water quality improvement in the least disruptive and most expeditious manner.

In summary, the Commission's action in revising the Animas River Basin water quality classifications and standards should in no way be interpreted as a sanctioning of the status quo. To repeat, current water quality in the Animas River Basin can and should be improved. The purpose of the Commission's action is to establish a clear goal of attaining such improvement, while providing regulatory flexibility intended to encourage cooperative efforts toward such improvement.

#### C. IMPLICATIONS OF THE HYBRID ACTION

Because of the unorthodox nature of the hybrid action being taken, the Commission believes that it may be important to clarify its understanding regarding the implications of this action for various activities or decisions that will need to be undertaken by others during the next three years.

For any existing point source discharge permit that may come up for renewal during the next three years, or for any new wastewater discharge permit issued during this period, the Commission intends that the permit would be written based on the ambient quality-based standards then in effect, along with other applicable effluent quality restrictions. The Commission also understands that ambient quality-based standards would require the continuation of current treatment levels for permit renewals, to assure that further degradation of water quality does not occur.

To the extent that general or individual storm water permits may be required for some sites in the basin, the Commission understands that the water quality standards now being adopted are not likely to affect the content of the first round of any such permits, which are anticipated to be based principally on the implementation of best management practices (BMPs). Such initial BMPs are not likely to be significantly different whether they are deemed to be technology-based or water quality-based.

Finally, as discussed above, the Commission intends this action to provide a clear message to other agencies, entities and persons involved with potential nonpoint source clean-up projects that the Animas River Basin is in fact a high priority for such efforts. The delayed effective date for goal-based standards should not be interpreted to in any way lessen the priority of this basin; rather, as discussed above, this hybrid action is intended to provide flexibility for the cooperative, community-based efforts toward clean-up while at the same time clarifying that improvement is the goal.

#### D. DELAYED CLASSIFICATIONS AND STANDARDS

This portion of this statement describes the basis for the goal-based standards that are scheduled to go into effect three years after the effective date of this action.

The upper Animas water quality study found that the Animas River and several tributaries above Maggie Gulch (segment 2), the Animas River from Cement Creek to Mineral Creek (segment 3b), Cement Creek and its tributaries (segment 7), and Mineral Creek above the confluence with South Mineral Creek (segment 8) do not support diverse forms of aquatic life owing to poor water quality and limited physical habitat. The imposition of effluent limits required under the Federal Act for point sources and cost-effective and reasonable best management practices (BMP's) for nonpoint sources are not likely to lead to the establishment of aquatic life in these segments. Additionally, federal regulation (40 C.F.R. 131.10) allows excluding an aquatic life classification where naturally occurring pollutant concentrations prevent the attainment of the use and/or human caused conditions or sources of pollution prevent the attainment of the use and cannot be remedied or would cause more environmental damage to correct than to leave in place. Therefore, an aquatic life classification is not being adopted for these segments. Downstream use classifications, however, depend on maintaining or improving the water quality in these segments. The Commission has therefore, determined that narrative standards for metals based on the application of BMP's to nonpoint sources and the continuation of current treatment levels for existing point sources for these segments establish an appropriate goal for water quality in these segments. Narrative (and for zinc in segment 3b. numerical) temporary modifications have been adopted based on current ambient quality in these segments, to assure no additional degradation of downstream segments.

The Commission recognizes that even with aggressive clean-up efforts, it may take many years to achieve in-stream quality that attains the underlying goal-based standards. Three-year temporary modifications are being adopted in an attempt to avoid conflict with the current EPA policy that temporary modifications are variances that can not be extend for longer than three years without being readopted. The Commission anticipates that many, if not all, of the temporary modifications being adopted in this proceeding will need to be extended beyond three years to attain the underlying standards, even considering the delayed effective date of that portion of the action that includes temporary modifications.

The Commission has further determined that the Animas River between Maggie Gulch and Cement Creek (segment 3a) supports a population of brook trout that appears to be naturally reproducing in that it consists of multiple age classes. The segment also contains a diversity of macrobenthos and possesses physical habitat similar to other streams in the Southern Rocky Mountain ecoregion. Although the concentration of several metals, especially cadmium and zinc, are higher than what is required to protect the most sensitive aquatic life species, they are lower than the chronic toxic criteria for brook trout. Therefore a cold water aquatic life class 1 classification is being established to protect the resident aquatic life found in this segment. Ambient standards for cadmium and zinc are adopted to ensure that downstream use classifications and standards are not jeopardized. The imposition of effluent limits required under the Federal Act for point sources and cost-effective and reasonable best management practices for nonpoint sources are not likely to lead to the establishment of the most sensitive aquatic life species in this seament. However, consistent with its prior practice, the Commission has determined that the most sensitive species need not be present to find that a segment is "capable of sustaining a wide variety of cold water biota, including sensitive species", warranting a cold water class 1 classification. Section 3.1.7(1)(b)(ii) authorizes ambient standards where natural or irreversible man-induced ambient levels are higher than TVS but are adequate to protect the classified uses.

Mineral Creek between South Mineral Creek and the Animas River, renumbered segment 9b, was already classified aquatic life cold water class 1, with total recoverable table value standards. The upper Animas water quality study showed that pH, aluminum, copper, iron, and zinc greatly exceed TVS in this segment and that both fish and macroinvertebrates are absent from the segment. The physical habitat assessment, however, found it comparable to other habitats within the Southern Rocky Mountain ecoregion. Because most of the aluminum, copper, iron, and zinc are contributed from two areas, there may be a potential to reduce loading from either or both of these areas. The Commission chose not to remove the aquatic life classification until it has been demonstrated that sources cannot be remedied within a twenty year period or would cause more environmental damage than to leave it in place. The Commission adopted TVS for segment 9b, together with temporary modifications for aluminum, copper, iron, and zinc based on ambient quality until the feasibility of remediation has been established. A use-protected designation has been added to this segment based on four key parameters with existing quality worse than table values.

The Animas River between Mineral Creek and Elk Creek, renumbered segment 4a, has not previously had an aquatic life classification. The upper Animas water quality study found that the water quality below Mineral Creek is suitable for brook trout and has physical habitat similar to other aquatic life streams in the Southern Rocky Mountain ecoregion. Some improvement in water quality from Cement Creek, Mineral Creek, and/or the Upper Animas may enable the water quality of the segment to support brown trout. However, the imposition of effluent limits required under the Federal Act for point sources and cost-effective and reasonable best management practices for nonpoint sources are not likely to lead to the establishment of aquatic life uses including the most sensitive species in this segment. The Commission adopted the aquatic life cold class 1 classification as a goal and TVS for this segment, except for the zinc standard which is based on the chronic toxic criterion for brown trout. Consistent with its prior practice, the Commission has determined that the most sensitive species need not be present or attainable to find that a segment is or may become "capable of sustaining a wide variety of cold water biota. including sensitive species", warranting a cold water class 1 classification. A temporary modification for zinc, based on the ambient quality, has been adopted until the feasibility for load reduction has been established.

#### E. AMBIENT QUALITY-BASED STANDARDS

This portion of this statement describes the basis for the ambient quality-based standards that are adopted for the three-year period starting with the effective date of this action.

For segments 2, 3b, 7 and 8, the Commission has adopted a narrative standard based on existing ambient quality for all metals to be applicable for the next three years. For segments 4a, 4b, and 9b, for this same time period the Commission has adopted ambient-quality based numerical standards for specific metals for which ambient quality currently is higher (worse than) table values. These standards are intended to protect the aquatic life that is currently in place in these segments until the goal-based standards go into effect. As discussed above, the primary basis for adopting these numerical and narrative ambient quality-based standards is to provide maximum regulatory flexibility to encourage the cooperative, community-based effort toward clean-up to proceed. This approach provides time in which additional information can be developed regarding the feasibility of specific remedial efforts that will result in water quality improvement.

Having ambient standards in place for the next three years means that any point source permits issued or renewed during this period will be based on those ambient standards, along with other applicable effluent quality restrictions, rather than being based on the more stringent goal-based standards. At the same time, the ambient standards should help assure that no additional degradation in water quality occurs for these segments in the next three years while clean-up actions are being examined and initiated.

For segment 4a, the aquatic life cold class 2 classification and the use-protected designation proposed by Sunnyside have been adopted for the next three years, since this classification and designation appear to be more consistent with the ambient standards applicable during that period. As discussed above, at the end of three years the use-protected designation would expire and the aquatic life classification would become cold water class 1.

For segment 9b, the currently applicable class 1 aquatic life classification has been left in place, even though ambient standards proposed by Sunnyside have been adopted for the next three years. The Commission believes that a downgrading of the classification of this segment is premature, pending additional analysis of clean-up opportunities. As noted above, the use-protected designation proposed by the Division and several parties has also been adopted.

## F. OTHER ISSUES

The above discussion, like the evidence submitted at the hearing, focuses principally on appropriate aquatic life classifications and associated water quality standards. In this hearing the Commission also added an agriculture classification to segments 2, 3a, and 7, based on evidence regarding the presence of grazing. In addition, the Commission changed the recreation classification from class 2 to class 1 for segments 4a, 4b, 5a, and 5b, based on evidence regarding the presence of primary contact recreation. Finally, fecal coliform standards for segments 2 and 3a were changed from 2,000 to 200/ml, to provide additional protection that better reflects current ambient conditions. There are no affected point sources on these segments.

# 34.24 STATEMENT OF BASIS, SPECIFIC STATUTORY AUTHORITY AND PURPOSE: MARCH14, 1995 HEARING (San Juan and Dolores River Basins revisions)

The provisions of 25-8-202(1)(a), (b) and (2): 25-8-204; and 25-8-402 C.R.S. provide the specific statutory authority for the adoption of these regulatory amendments. The Commission also adopted in compliance with 24-4-103(4) C.R.S. the following statement of basis and purpose.

#### **BASIS AND PURPOSE**

The Water Quality Control Division (Division) proposed that the Water Quality Control Commission consider the following changes to the Classifications and Numeric Standards for San Juan River and Dolores River Basins, 3.4.0. The basis and purpose for the changes are organized by topic.

## A. Resegmentation

Several of the segments contained waters that crossed into or were on the Southern Ute and Ute Mountain Indian Reservations. Both tribes are in the process of developing classifications and standards for waters within their reservations and it was agreeable to both tribes that those segments should be bi-furcated to indicate which portions are on tribal lands and to ease their future removal from the state standards system when the tribes' standards are approved by the U. S. Environmental Protection Agency. The segments on the Southern Ute Reservation, at the request of the Southern Ute Tribe, have been maintained at the classifications and standards in effect prior to this rulemaking hearing. The standards on some segments on the Ute Mountain Reservation, after discussion with tribal representatives, were changed to parallel the changes made by the state on the adjacent segments. These were all related to changes from total recoverable to dissolved metals standards where data indicated table value standards for metals were appropriate.

In addition to the bifurcation of segments, all segments, new and old, which delineate tributaries have added wetlands to their descriptions to clarify that all tributary wetlands have the same classifications and standards as the tributary streams, lakes and reservoirs.

The DOW identified several areas requiring resegmentation or changes to standards in order to protect fisheries. Therefore, the following changes were made. Mill Creek and Echo Canyon Reservoir were reassigned from San Juan segment 11 to San Juan segment 6a. Weber Canyon was reassigned from Mancos segment 6 to Mancos segment 5a. Summit Reservoir was reassigned from Dolores segment 11 to Dolores segment 4. Narraguinnep, Puett and Totten Reservoirs are reassigned from McElmo Creek segment 8 to McElmo Creek segment 11. According to new information, these waters support fisheries, fish consumption, and intensive recreation, and are suitable for domestic use. Therefore, this new segment 11 was assigned classifications of Recreation class 1, Aquatic Life Warm 1, Water Supply and Agriculture, with appropriate table value standards.

#### B. Segments Converted to Dissolved Metals Standards

There were several segments which still had metals standards based on the old total recoverable criteria. Review of metals data submitted to the hearing allowed the metal standards on the following segments to be appropriately converted from total recoverable to dissolved standards:

San Juan River segment 6a Piedra River segment 4a La Plata River segment 2a Mancos River segments 5a and 5b McElmo Creek segment 7 Dolores River segments 2, 3, 5, 6, and 9

## C. Revision of Classifications or Standards to Meet the Fishable/Swimmable Goals of Clean Water Act

Several segments in the San Juan-Dolores river basins did not have use classifications which met the swimmable goals of the Clean Water Act. Consistent with strategies adopted by the Commission, these segments which are designated recreation class 2 and have no point source dischargers to the segment have had their fecal coliform standard set equal to 200/100 ml. These segments are:

La Plata River segment 2a Dolores River segments 2, 3, 5, 6, 8, and 9

## D. Manganese and Mercury Standards

On all segments classified for water supply and aquatic life uses, the total recoverable manganese standard of 1,000 ug/l was stricken. The aquatic life manganese criterion was changed in 1991 revisions to the Basic Standards from total recoverable to dissolved and on these segments a more stringent dissolved manganese water supply standard of 50 ug/l is in place.

Mercury standards designated as total recoverable (Trec) were changed to Total (tot). This change reflects the Basic Standards designation of total mercury as the appropriate form of mercury for final residual value (FRV) standards.

## E. Deletion of Use-Protected Designation

One segment classified aquatic class 1, Piedra River segment 7, was found to have a useprotected designation which was based on prior basic standards requirements pertaining to waters classified as warmwater aquatic life class 1, recreation class 2. The designation was removed to conform to the requirements now in effect.

## F. Water Supply Classifications and Standards

New data on several segments showed the water quality to be suitable for a water supply classification. The water supply classifications and standards were added to the following segments:

San Juan River segment 6a Piedra River segment 4a McElmo Creek segment 11

#### PARTIES TO THE MARCH. 1995 RULEMAKING HEARING

- Pagosa Springs Sanitation District
- 2. Southwestern Water Conservation District
- 3. Southern Ute Indian Tribe
- 4. Pagosa Area Water and Sanitation District
- 5. Board of County Commissioners of San Juan County
- 6. U.S. Environmental Protection Agency's Region VIII Office
- 7. Colorado Division of Wildlife

## 34.25 STATEMENT OF BASIS, SPECIFIC STATUTORY AUTHORITY AND PURPOSE (1995 Silver hearing)

The provisions of C.R.S. 25-8-202(1)(b), (2) and 25-8-204; provide the specific statutory authority for adoption of these regulatory amendments. The Commission also adopted in compliance with 24-4-103(4) C.R.S. the following statement of basis and purpose.

#### **BASIS AND PURPOSE**

The changes described below are being adopted simultaneously for surface water in all Colorado river basins.

This action implements revisions to the Basic Standards and Methodologies for Surface Water adopted by the Commission in January, 1995. As part of a July, 1994 rulemaking hearing, the Commission considered the proposal of various parties to delete the chronic and chronic (trout) table values for silver in Table III of the Basic Standards. As a result of that hearing, the Commission found that the evidence demonstrated that ionic silver causes chronic toxicity to fish at levels below that established by the acute table values. It was undisputed that silver is present in Colorado streams and in the effluent of municipal and industrial dischargers in Colorado. The evidence also demonstrated that the removal of silver from wastewater can be costly. However, there was strongly conflicting scientific evidence regarding the degree to which silver does, or could in the absence of chronic standards, result in actual toxicity to aquatic life in Colorado surface waters. In particular, there was conflicting evidence regarding the degree to which the toxic effects of free silver are mitigated by reaction with soluble ligands to form less toxic compounds and by adsorption to particulates and sediments.

The Commission concluded that there is a need for additional analysis of the potential chronic toxicity of silver in streams in Colorado. The Commission encouraged the participants in that hearing, and any other interested parties, to work together to develop additional information that will help resolve the differences in scientific opinions that were presented in the hearing. The Commission believes that it should be possible to develop such information within the next three years.

In the meantime, the Commission decided as a matter of policy to take two actions. First, the chronic and chronic (trout) table values for silver have been repealed for the next three years. The Commission is now implementing this action by also repealing for the next three years, in this separate rulemaking hearing, all current chronic table value standards for silver previously established on surface waters in Colorado. Any acute silver standards and any site-specific silver standards not based on the chronic table values will remain in effect. The Commission intends that any discharge permits issued or renewed during this period will not include effluent limitations based on chronic table value standards, since such standards will not currently be in effect. In addition, at the request of any discharger, any such effluent limitations currently in permits should be deleted.

The second action taken by the Commission was the readoption of the chronic and chronic (trout) table values for silver, with a delayed effective date of three years from the effective date of final action. The Commission also is implementing this action by readopting chronic silver standards with a corresponding delayed effective date at the same time that such standards are deleted from the individual basins. The Commission has determined that this is an appropriate policy choice to encourage efforts to reduce or eliminate the current scientific uncertainty regarding in-stream silver toxicity, and to assure that Colorado aquatic life are protected from chronic silver toxicity if additional scientific information is not developed. If the current scientific uncertainty persists after three years, the Commission believes that it should be resolved by assuring protection of aquatic life.

In summary, in balancing the policy considerations resulting from the facts presented in the July 1994 rulemaking hearing and in this hearing, the Commission has chosen to provide relief for dischargers from the potential cost of treatment to meet chronic silver standards during the next three years, while also providing that such standards will again become effective after three years if additional scientific information does not shed further light on the need, or lack of need, for such standards.

Finally, the Division notes that arsenic is listed as a TVS standard in all cases where the Water Supply classification is not present. This is misleading since Table III in the Basic Standards lists an acute aquatic life criterion of 360 ug/l and a chronic criterion of 150 ug/l for arsenic, but a more restrictive agriculture criterion of 100 ug/l. It would be clearer to the reader of the basin standards if, for each instance where the standard "As(ac/ch)=TVS" appears, the standard "As=100(Trec)" is being inserted as a replacement. This change should make it clear that the agriculture protection standard would prevail in those instances where the more restrictive water supply use protective standard (50 ug/l) was not appropriate because that classification was absent.

The chemical symbol for antimony (Sb) was inadvertently left out of the "Tables" section which precedes the list of segments in each set of basin standards. The correction of this oversight will aid the reader in understanding the content of the segment standards. Also preceding the list of segment standards in each basin is a table showing the Table Value Standards for aquatic life protection which are then referred to as "TVS" in the segment listings. For cadmium, two equations for an acute table value standard should be shown, one for all aquatic life, and one where trout are present. A third equation for chronic table value should also be listed. The order of these three equations should be revised to first list the acute equation, next the acute (trout) equation, followed by the chronic equation. This change will also aid the reader in understanding the intent of the Table Value Standards.

#### PARTIES TO THE PUBLIC RULEMAKING HEARING JUNE 12, 1995

- 1. Coors Brewing Company
- 2. The Silver Coalition
- 3. Cyprus Climax Metals Company
- 4. The City of Fort Collins
- 5. The City of Colorado Springs

# 34.26 STATEMENT OF BASIS, SPECIFIC STATUTORY AUTHORITY AND PURPOSE; JULY, 1997 RULEMAKING

The provisions of sections 25-8-202 and 25-8-401, C.R.S., provide the specific statutory authority for adoption of the attached regulatory amendments. The Commission also adopted, in compliance with section 24-4-103(4) C.R.S., the following statement of basis and purpose.

#### **BASIS AND PURPOSE**

The Commission has adopted a revised numbering system for this regulation, as a part of an overall renumbering of all Water Quality Control Commission rules and regulations. The goals of the renumbering are: (1) to achieve a more logical organization and numbering of the regulations, with a system that provides flexibility for future modifications, and (2) to make the Commission's internal numbering system and that of the Colorado Code of Regulations (CCR) consistent. The CCR references for the regulations will also be revised as a result of this hearing.

# 34.27 STATEMENT OF BASIS, SPECIFIC STATUTORY AUTHORITY AND PURPOSE; NOVEMBER, 1997 RULEMAKING

The provisions of 25-8-202(1)(a) and (b); 25-8-203; 25-8-204; and 25-8-402 C.R.S. provide the specific statutory authority for adoption of these regulatory amendments. The Commission also adopted in compliance with 24-4-103(4) C.R.S. the following statement of basis and purpose.

## **BASIS AND PURPOSE**

In 1995, the Water Quality Control Commission adopted underlying goal-based numerical and narrative standards with temporary modifications for segments 2, 3b, 4a, 4b, 7, 8 and 9b of the Animas River Basin. The underlying goal-based standards were adopted with a three-year delayed effective date. In the interim, ambient quality-based standards were adopted for the critical segments to protect aquatic life currently in place in these segments. The critical segments did not meet the underlying goal based numeric standards, and it was not clear that the goal-based standards were in fact achievable within a 20-year period. Numeric standards were adopted in other segments of the river where supported by existing water quality. The overall purpose for adopting the underlying goal-based standards with temporary modifications was to encourage continuation of an existing community-based, cooperative watershed improvement initiative designed to improve water quality in the Animas River Basin unencumbered by the potential implications of the goal-based standards being in effect.

The Commission charged the Animas Stakeholders Group with the responsibility to determine the feasibility of specific clean-up projects, the quantification of achievable improvements and to identify, prioritize and acquire funding for remediation projects. Based on this work, the Commission expected that recommendations would be made for the permanent adoption of the underlying goal-based numeric standards or for alternative standards that would be achievable within a 20-year period. The Stakeholders have worked successfully toward accomplishment of this end. Significant progress has taken place in the basin in completion of feasibility studies, identification and prioritization of specific clean-up projects, initial funding for projects and on-the-ground remediation work in process. Evidence was submitted in the rulemaking regarding the work accomplished to date, additional work in progress or planned in the near future, and a schedule for the additional work planned during the next three years. Part of the planned work will be completed in conjunction with the U.S. Department of the Interior Abandoned Mined Land Initiative, which is designed to develop practical characterization and remediation methodologies for federal land managers and others to be used in a watershed management approach. The Animas Basin is one of two national pilot projects for this initiative. From this information, it is apparent that additional time is needed to finish studies to adequately characterize pollution sources, quantify feasible remediation levels, and define habitat limitations along with the potential for aquatic life. Completion of this work is necessary to provide a comprehensive recommendation to the Commission for ultimate numeric/narrative standards.

In order to allow the ongoing community-based, cooperative watershed improvements initiative an opportunity to continue the promising effort that is currently underway, the Commission has decided that the delayed effective date of underlying goal-based standards (and associated temporary modifications) should be delayed for another three years, to March 2, 2001.

With this extension, the Commission has the following expectations for: (1) preparation by the Stakeholders of a use attainability analysis which proposes aquatic life uses which are potentially attainable, specifies the causes of water quality impairment, determines the sources which may be controlled, and provides an economic evaluation of such a proposal; (2) that the Stakeholders, in conjunction with the Division of Wildlife develop recommendations for an appropriate underlying standard for zinc for segment 4a, as part of the use attainability analysis; and (3) that the delay until March 2, 2001 approved by the Commission for the effective date of underlying standards is adequate for all study to be completed and appropriate standards to be established.

Finally, the Commission notes that the action taken here is a unique approach to the unique situation present in the Animas River Basin, including the presence of a cooperative, community-based effort with unusually broad participation. This action should not be viewed as a precedent for other site-specific hearings.

#### PARTIES TO THE RULEMAKING HEARING

- 1. Animas River Stakeholders Group
- 2. Colorado Division of Wildlife
- 3. Town of Silverton
- 4. Sunnyside Gold Corporation
- 5. The Silver Wing Company, Inc.
- 6. Southwestern Water Conservation District of Colorado
- 7. Gold King Mines Corporation
- 8. US EPA Region VIII
- 9. Southern Ute Indian Tribe

# 34.28 STATEMENT OF BASIS, SPECIFIC STATUTORY AUTHORITY AND PURPOSE; NOVEMBER, 1998 RULEMAKING

The provisions of C.R.S. 25-8-202(1)(a), (b) and (2); 25-8-203; 25-8-204; and 25-8-402; provide the specific statutory authority for adoption of these regulatory amendments. The Commission also adopted in compliance with 24-4-103(4) C.R.S. the following statement of basis and purpose.

#### **BASIS AND PURPOSE**

The Commission has recently approved a new schedule for triennial reviews of water quality classifications and standards for all river basins in Colorado. In this hearing the Commission has extended the expiration dates of temporary modifications [and, for the Animas Basin, the effective dates of underlying standards] without substantive review, so that the next substantive review of the temporary modifications can occur as part of the overall triennial review of water quality standards for the particular watershed. This will avoid the need for multiple individual hearings that would take staff resources away from implementation of the new triennial review schedule.

# 34.29 STATEMENT OF BASIS, SPECIFIC STATUTORY AUTHORITY AND PURPOSE; MAY, 2001 AND JULY, 2001 RULEMAKING

The provisions of C.R.S. 25-8-202(1)(a), (b) and (2); 25-8-203; 25-8-204; and 25-8-402; provide the specific statutory authority for adoption of these regulatory amendments. The Commission also adopted in compliance with 24-4-103(4) C.R.S. the following statement of basis and purpose.

#### **BASIS AND PURPOSE**

#### I. Animas and Florida River Segments

The primary focus of this portion of the hearing was to revisit the aquatic life classifications and standards for streams in the Animas River Basin that have elevated levels of various metals. The water quality of this area is extensively impacted by heavy metals which are attributed to both natural and anthropogenic sources. Those impacts attributed to past human activities are largely the result of the extensive mining that has occurred in this basin over a period of several decades. It is evident that remediation of these impacts is a complex challenge that will require considerable time and effort.

Subsequent to the last major review of these streams, a use attainability analysis (UAA) was prepared by the Animas River Stakeholders Group (ARSG). Over the last several months, this UAA has provided the focal point for extensive discussions involving the Water Quality Control Division, the Colorado Division of Wildlife, U. S. EPA, the U.S. Forest Service, the U. S. Bureau of Land Management, and other participants in the stakeholders group. The Commission wishes to acknowledge and express its appreciation for this extensive collaborative effort. The Commission believes that the revised Animas River Basin classifications and standards adopted as a result of this hearing provide a major step forward in the long-term resolution of water quality issues in this basin. The Commission encourages all of those involved in this effort to continue to work cooperatively in furthering ARSG's mission of improving the water quality in the Animas River and its tributaries.

#### **Upper Animas Segmentation**

The Commission adopted several changes to the segmentation for streams in the Animas River Basin. The Commission changed descriptions for several segments to correct inaccuracies and to include tributaries previously left out of descriptions. The Commission changed the segment division between segments 4b and 5a to better reflect a natural division between the segments in terms of topography, geomorphology and land use patterns. The Commission also moved the dividing line between segments 4a and 4b upstream to Deer Park Creek, which is the first significant inflow of good quality water below the confluence with Mineral Creek. The streams formerly in segment 9a have been moved to segment 6, and the previous segment 9b renumbered as segment 9. Finally, recognizing the need for a new segment to cover a tributary to the Animas River not previously classified, the Commission created segment 3c to include Arrastra Gulch and applied site-specific standards as described below. Big Horn Creek and all tributaries on the west side of Mineral Creek above its confluence with South Mineral Creek except for a lower portion of Middle Fork of Mineral Creek and the mainstem of Mineral Creek (segment 8), were reclassified as part of segment 6.

# Overview of Aquatic Life Classifications and Standards

The UAA focused primarily on identifying the achievable remediation and associated water quality for segments 3a, 4a, and 9b (now segment 9) of the Animas. Some of the metals standards previously adopted for these segments were disapproved by EPA in 1998. The UAA identified the water quality that would result from remediation of selected priority sites where metals loadings were determined to be anthropogenic and reversible. Based upon this analysis, and the associated biological evidence submitted, the Commission revised the aquatic life classifications for segment 9b (now segment 9) and for resegmented segment 4a. In addition, the Commission has specified aquatic life indicators in the "goal qualifier" column for these three segments. These indicators identify biological goals for future water quality in these segments.

Numerical standards for these three segments adopted at this time are based on the conclusions of the UAA regarding what remediation is achievable. In some cases, identified remediation goals are expected to attain Table Value Standards. In other cases, site-specific standards are adopted based on the UAA's projections of what water quality will be attained at specific gages in the three key segments as a result of anticipated remediation. Remediation potentials and limitations have been explored in great detail and the resulting site-specific standards are scientifically defensible, recognizing, however, that there is significant uncertainty as discussed below. The standards are reflective of ambitious cleanup goals estimated at a cost of 20 to 30 million dollars. The goals are particularly ambitious given foreseeable funding availability and liability restrictions that may detrimentally affect remediation activity (e.g. there remains a lack of a "Good Samaritan" provision in the federal Clean Water Act).

The Commission also notes that additional information appears to be needed to determine attainable/protective water quality conditions in this basin over the long term. There is more than the usual amount of uncertainty associated with the various proposals considered in this hearing. There is uncertainty associated with the remediation targets because there may be additional reversible anthropogenic sources which have not yet been identified or fully characterized. There is uncertainty associated with the biological targets, because for some parameters there is a lack of toxicity data for key species of concern. In view of these uncertainties, the Commission emphasizes the importance of ongoing monitoring efforts and future studies in the Animas Basin to resolve the important issues that have been identified. It is the Commission's expectation that these efforts will proceed and will lead to refinement in the remediation goals in the basin, and in the associated determination of attainable water quality classifications and standards, in the future triennial reviews. Again, the Commission wishes to commend the cooperative efforts and the substantial local initiative that have brought the analysis to this stage. The Commission strongly encourages continued cooperation as these challenges are addressed in the future.

## Site-specific Aquatic Life Classifications and Standards

When segment 9b (now segment 9) was designated aquatic cold water class 1 in 1995, there was little or no data indicating that dissolved aluminum concentrations and total recoverable iron concentrations reached toxic levels because few or no winter water quality samples had been taken. Winter water quality samples taken since that time indicate dissolved aluminum concentrations almost three times the acute table value standard for aquatic life and total recoverable iron concentrations have been found to be four times the chronic table value standard for aquatic life. The Commission determined that the vast majority of sources of aluminum and iron are not associated with mining sites identified for remediation. In addition, the Commission heard testimony that no fish and few macroinvertebrates are found in segment 9b (now segment 9). Therefore, the Commission changed the use classification of cold water aquatic life class 1 to cold water aquatic life class 2 for segment 9b (now segment 9). Site-specific standards are applied for iron, aluminum, copper, and zinc based upon remediation goals presented by the ARSG.

The Commission determined that after remediation of identified priority loading sources, aluminum, iron, and copper concentrations will continue to exceed chronic table value standards for aquatic life during portions of the year in segment 4a. The Commission also determined that after remediation, zinc concentrations will continue to exceed acute and chronic table value standards for aquatic life year round. Based on this information, the Commission removed the use classification goal of cold water aquatic life class 1 from segment 4a and retained the use classification of cold water aquatic life class 2. Site-specific standards are applied for iron, aluminum and zinc based upon remediation goals presented by the ARSG.

In addition, the Commission recognized that there are few identified priority sources of cadmium, manganese, and zinc in or upstream of segment 3a. These constituents will continue to exceed aquatic life table value standards either year-round or during part of the year after remediation of the reversible sources. The UAA did not identify the large amount of metal loading entering segment 3a with any specific source. The Commission recognized the many unknowns and uncertainties in the analysis of source loadings in segment 3a. Therefore, the Commission applied site-specific standards based upon remediation goals to segment 3a for these constituents and encouraged the ARSG to continue their characterization efforts to determine the unknown sources of loading. The aluminum standards for segments 3a, 4a and 9 have been specified as "total recoverable", since that sampling fraction correlates better with the principal aquatic life toxicity studies available than the dissolved fraction.

As noted above, the Commission has adopted a new segment 3c for Arrastra Gulch, with a cold water aquatic life class 2 classification. The existing ambient quality for copper and zinc exceed the acute table value standards, therefore, chronic ambient standards could not be adopted. Acute table value standards for copper and zinc were adopted along with temporary modifications set at existing ambient quality. This provides time for the ARSG to investigate Arrastra Gulch and prepare appropriate chronic standards at the next triennial review.

During the hearing, the Commission heard evidence that iron is a major driver in the chemical processes that lower pH. The Commission determined that because most iron sources are not associated with priority remediation sites in the Upper Animas Basin, for some segments and some portions of the year, pH levels are unlikely to reach table value standards for aquatic life with remediation of mine sites. Therefore, the Commission applied seasonal, site-specific pH standards to segments 4a and 9b (now segment 9).

The adopted standards will protect existing aquatic populations and should allow for significant increases in biological diversity, population size, and aquatic health. At this time, there is no assurance that other human-caused conditions or sources of pollution preventing the attainment of Table Value Standards and higher uses can be remedied, given current technologies and regulatory conditions; nor is there assurance that additional remediation will not be feasible in the future. Particularly in view of the uncertainty noted above, as these restrictions to further water quality improvements change it will be necessary to review additional remediation possibilities and to implement standards reflective of these possibilities at future triennial reviews.

Temporary modifications were reviewed and extended to December 31, 2006 for segments 2, 3b, 7, 8 and 9.

#### Other Classification and Standards Issues

The following resegmentation was adopted:

Animas and Florida, Segment 11: Mainstem of Florida River was separated into Segments 11a and 11b to recognize the Southern Ute Indian Reservation boundary.

<u>Animas and Florida, Segments 13b and 13c:</u> These segment descriptions were clarified to recognize the Southern Ute Indian Reservation boundary. This change in descriptions corrects the duplicate classification of these tributaries.

Animas and Florida, Segments 15: Cascade Creek was deleted from the segment description. Cascade Creek now is included in Segment 12a which better reflects its cold water class 1 aquatic life use.

Animas/Florida segment 1 was designated outstanding waters (OW) due to its meeting the criteria in section 31.8(2)(a).

Ambient quality-based standards were removed from the following segments due to new data and/or changes to the Basic Standards which indicated ambient standards were no longer appropriate: segments 2, 3a, 3b, 4a, 4b, 7, 8, 9b.

"Fish Ingestion" and "Water + Fish Ingestion" standards for organic chemicals are discussed in section II.J. of this Statement of Basis and Purpose. For the Animas and Florida Rivers, Fish Ingestion standards were adopted for segment 13a and Water + Fish Ingestion standards were adopted for segments 13b and 13c.

Animas/Florida River, segments 13b, 13c where investigation showed that aquatic life was present were upgraded with the addition of the full suite of inorganic standards to protect aquatic life.

Water supply classifications and associated standards were adopted for segments 11b, 13b and 13c.

Agriculture classifications are added to segment 4a and to the new segment 3c based on existing or potential grazing uses. In addition, numerical standards are adopted to protect the existing agriculture classifications for segments 2, 7, and 8. In each case, no manganese standard was adopted, because the conditions associated with that criterion are not present.

Recreation classifications were changed from class 2 to class 1a for segments 2, 3a, 3b, 6, 7, 8, 9a, 9b, 13a, 13b, 13c, and 15. For several of these segments, the Southwestern Water Conservation District submitted use attainability analyses proposing that a recreation class 2 classification be retained. However, these UAAs were submitted after the deadline for submission of such information for this hearing and generally lacked site-specific analysis of recreation uses on the segments addressed. Existing recreation class 1 classifications were changed to class 1a for segments 1, 4a, 4b, 5a, 5b, 10, 11a, 12a, 12b, and 14. A recreation class 1a classification was also adopted for new segment 11b.

The Commission notes that the last paragraph of section 31.6(2)(b) will apply to future changes to the recreation classifications where a proper showing is made through a use attainability analysis that a recreation class 2 classification is appropriate, without application of the other downgrading criteria in this section. Moreover, the Commission is relying in part on previous representations from EPA that completion of a use attainability analysis showing that a lower recreation classification is appropriate satisfies applicable downgrading criteria. Based on these factors, the Commission intends that in a future rulemaking hearing the test for adopting a recreation class 2 classification would be the same as if it had been considered in this hearing.

Based on evidence submitted by the Town of Silverton, the Commission established a seasonal recreation class 1a classification for segment 3b, for the period of May 15 through September 10 and recreation class 2 for the remainder of the year.

# II. Other River Segments

# A. Resegmentation

Some segments were renumbered and/or created in the basin due to information which showed that: a) the original reasons for segmentation no longer applied; b) new water quality data showed that streams should be resegmented based on changes in their water quality; and/or c) certain segments could be grouped together in one segment because they had similar quality and uses. The following changes were made:

<u>San Juan, Segment 8:</u> This segment was created to recognize the portions of Navajo Reservoir that are on state lands.

San Juan. Segments 11 and 12: Tributaries to the San Juan River were separated out of Segments 11 and 12 to better identify the tributaries from Fourmile Creek to the Southern Ute Indian Reservation (11a) and from the Southern Ute Indian Reservation to the Colorado/New Mexico border (11b). All remaining tributaries to the San Juan River in Archuleta County were moved to Segments 12a and 12b. Segment 12b is within the Southern Ute Indian Reservation.

<u>Los Pinos, Segment 6b:</u> All remaining tributaries to the San Juan River in La Plata County were moved to Segments 7a and 7b. Those within the Southern Ute Indian Reservation are in Segment 7b.

<u>La Plata, Segment 2b:</u> The segment description was modified to only include the mainstem of the La Plata River. Wetlands, lakes and reservoirs to the La Plata River are now included in Segments 10a and 10b with their tributary systems.

<u>La Plata, Segment 7:</u> Mainstem of McElmo Creek was separated into Segments 7a and 7b to recognize the Ute Mountain Ute Indian Reservation boundaries. In addition, Yellowjacket Creek was added to Segment 7a from Segment 8 to better reflect its warm water class 1 aquatic life use.

<u>La Plata, Segments 8 and 10:</u> Tributaries to McElmo Creek were separated into Segments 8a and 8b to recognize the Ute Mountain Ute Indian Reservation boundaries.

<u>La Plata, Segments 8 and 10:</u> All remaining tributaries to the San Juan River in Dolores and Montezuma Counties were moved to Segments 10a and 10b. The portions within the Ute Mountain Ute Indian Reservation are included in Segment 10b.

<u>Dolores</u>, <u>Segment 7: The segment description was changed to exclude the upper portion</u> of Coal Creek which is located within the Lizard Head Wilderness Area.

## B. Manganese

The aquatic life manganese criterion was initially changed in the 1997 revisions to the Basic Standards (5 CCR 1002-31) from a single chronic dissolved criterion to acute and chronic hardness-based equations. The equations were further modified in the 2000 revisions to the Basic Standards. The new manganese acute and chronic equations were added as table value standards in 34.6(3). As a result of the adoption of these new TVS, all segments classified for aquatic life use that had a chronic total recoverable manganese standard of 1,000 μg/L had the 1,000 standard stricken and replaced with Mn(ac/ch)=TVS.

#### C. Selenium

The regulation in 34.6 (3) listed the table value standards for selenium as Acute=135  $\mu$ g/L and Chronic=17  $\mu$ g/L. This was updated to reflect the existing acute and chronic criteria for selenium listed in the Basic Standards as Acute=18.4  $\mu$ g/L and Chronic=4.6  $\mu$ g/L which was adopted in 2000 by the Commission. This change means that all segments with standards for selenium given as TVS now have these lower acute and chronic standards. Because of this change, on all segments classified for a water supply use, the chronic total recoverable selenium of 10  $\mu$ g/L was stricken and replaced with Se(ac/ch)=TVS.

## D. Outstanding Waters Designations

Several segments or waterbodies were designated outstanding waters (OW) due to their meeting certain criteria pursuant to section 31.8(2)(a). Segments which already included wilderness areas in their description were designated OW. The water quality of the following segments met the 12 parameter test and other requirements of 31.8(2)(a):

San Juan River, Segment 4 Piedra River, Segment 1 Los Pinos River, Segment 1 Dolores River, Segment 1

# E. Removal of Use Protected Designation

The Division proposed that a number of aquatic life class 2 waterbodies be assigned undesignated status under the state antidegradation regulation due to the presence of Colorado State species of special concern. State regulations governing the "use-protected" designation allow this exception if the Commission determines that the waters are of exceptional ecological significance. The Commission believes that a number of important issues have been raised in this hearing regarding when and how this exception should be applied, and that further examination of these issues should occur. Nevertheless, for purposes of this hearing, the Commission, based upon a concern over the protection of classified uses and the absence of evidence of potential injury to permitted entities, has decided to accept the change to reviewable water status for the following

San Juan River, Segment 10 La Plata, Segments 5a, 5b, 6a and 6b.

Based upon representations made by certain parties to this rulemaking, the Commission endorses the formation of a workgroup to address the following topics and develop recommendations to be submitted to the Commission

- The relationship between the "exceptional ecological significance" exception to useprotected designations and the aquatic life class 2 basis for applying use-protected designations
- The need for and content of guidance to determine what water bodies are exceptionally ecologically, significant
- The roles of a) water quality data; b) the nexus between water quality conditions and species decline, and c) other stressors
- The need for and nature of any amendments to the state antidegradation regulation if the presence of species of special concern constitute a basis for modification to the antidegradation designation of a water body.

The above listed segments would then be reviewed in light of the work group recommendations in the next triennial review of these basins.

The Commission urges that the work group process to address these issues move forward as expeditiously as possible. The Commission intends that the actions taken in this rulemaking not serve in any way as a precedent with respect to decisions in future Commission rulemaking proceedings.

#### F. Recreation Classifications/Fecal Coliform and E. Coli Standards

The biological standards were updated to include the dual standards for E. coli and fecal coliform, which were adopted by the Commission in the 2000 revisions to the Basic Standards. As stated in the statement of basis for the Basic Standards revisions, the Commission intends that dischargers will have the option of either parameter being used in establishing effluent limitations in discharge permits. In making section 303(d) listing decisions, in the event of a conflict between fecal coliform and E. coli data, the E. coli data will govern. The Commission believes that these provisions will help ease the transition from fecal coliform to E. coli standards.

In a continuation of the Commission's efforts to comply with the requirements contained in the federal Clean Water Act that all waters of the nation should be suitable for recreation in and on the water (known as the "swimmable" goal), the Commission reviewed all Recreation Class 2 segments. In Colorado, the "swimmable" goal translates into Recreation Class 1a, with the 200/100 ml fecal coliform and 126/100 ml E. Coli standard, and Class 1b with the 325/100 ml fecal coliform and 205/100 ml E. coli standard. Class 1a indicates waters where primary contact uses have been documented or are presumed to be present. Class 1b indicates waters where no use attainability analysis has been performed demonstrating that a recreation class 2 classification is appropriate, but for which no existing primary contact uses have been documented following a reasonable level of inquiry. To maintain the existing Recreation Class 2 with the 2000/100 ml standard on a segment, a use attainability analysis must be conducted that shows that it is unlikely that a Recreation Class 1 activity could exist.

There was considerable evidence and testimony submitted in this hearing regarding what activities should be considered primary contact recreation. Section 31.13(1)(a) of the Basic Standards provides a non-exclusive list of primary contact activities. In this hearing, much discussion focused on the issue of whether "child's play" in streams that are too shallow to accommodate the primary contact uses listed in the Basic Standards should be considered a primary contact use. The Commission does not believe that a theoretical potential for child's play means that all streams should be classified Recreation Class 1a or 1b. However, the Commission concludes that the evidence submitted demonstrates that there is a potential risk of ingestion of small quantities of water by children playing in relatively shallow streams, based on the hand-to-mouth pathway, which warrants Recreation Class 1 protection in appropriate circumstances as elaborated below. Thus, such ingestion may occur in streams where whole body immersion is not likely.

This does not mean, as suggested by some, that all water bodies would be reclassified as Recreation Class 1a or 1b based on some potential for child's play. Rather, the Commission intends that a stream should be classified Recreation Class 1a or 1b due to the presence or potential for child's play only where the evidence demonstrates a likelihood of such activity on a frequently occurring basis. Therefore, child's play may be an appropriate basis for a Recreation Class 1a or 1b classification in a developed area where there is easy access to a stream for children and it is likely that children will desire to play in the stream; it may not be an appropriate basis for such classifications in areas where it is not expected that children will be playing in a stream on a frequently occurring basis. Factors such as lack of adequate flow, excessive flows, remoteness from developed areas, physical limitations to access, steep banks, and visibly poor water quality may make it unlikely that child's play will take place on a frequently occurring basis.

The Commission anticipates that these classification decisions will require case-by-case judgments until more experience is gathered with this issue.

A recreation Class 1a or 1b classification of a segment is not intended to imply that the owner or operator of property surrounding any waterbody in a segment would allow access for primary contact recreation. The application of recreation classifications to state waters pursuant to these provisions does not create any rights of access on or across private property for the purposes of recreation in or on such waters. A recreation Class 1a classification is intended to only affect the use classification and water quality standards of a segment, and does not imply public or recreational access to waters with restricted access within a segment.

For segments changing to recreation Class 1a because no information was available about actual recreational uses, the last paragraph of section 31.6(2)(b) will apply to future changes to the recreation classification where a proper showing is made through a use attainability analysis that a recreation Class 2 classification is appropriate, without application of the other downgrading criteria in this section. Moreover, the Commission is relying in part on the testimony from EPA that completion of a use attainability analysis showing that a lower recreation classification is appropriate satisfies applicable downgrading criteria. Based on these factors, the Commission intends that in a future rulemaking hearing, the test for adopting a recreation Class 2 classification would be the same as if it had been considered in this hearing.

Based on the information received that showed Recreation Class 1a uses are in place or are presumed to be present in at least a portion of the segment, the Commission changed the following segments from Class 2 to Class 1a with a 200/100 ml fecal coliform and 126/100 ml E. coli standard:

San Juan River, Segments: 10 Los Pinos River, Segments: 6a, 6b Dolores River, Segments: 2, 3, 5, 6, 7, 8, 11

Based on the information received, where a reasonable level of inquiry failed to identify any existing class 1 uses of the waters in these segments, the Commission changed the following segments to Class 1b with a 325/100 ml fecal coliform and 205/100 ml E. coli standard:

Piedra River, Segments: 6a, 6b

New segments created in this rulemaking where information was received that showed Recreation Class 1a uses are in place or are presumed to be present in at least a portion of the segment, are:

San Juan River, Segment: 8 Los Pinos River, Segments: 7a, 7b La Plata River, Segments: 7b, 8a, 8b, 10a, 10b

The following segments with existing Recreation Class 1 classifications were changed to Class 1a:

San Juan River, Segments: 1, 2, 4, 5, 6a, 6b, 7, 9a, 9b Piedra River, Segments: 1, 4a, 4b Los Pinos River, Segments: 1, 2a, 2b, 3, 4a, 4b, 5 La Plata River, Segments: 1, 4, 7a, 9, 11 Dolores River, Segments: 1, 4, 10

For the following segments, the Commission adopted seasonal recreation classifications, based on evidence of differences in actual or potential uses at different times of the year

San Juan Segments 3, 12a, 12b: Class 1b, May 1 through October 31

Class 2, November 1 through April 30

San Juan Segments 11a, 11b: Class 1a, May 1 through October 31

Class 2, November 1 through April 30

Piedra River, Segments 2, 3, 5: Class 1a, May 1 through October 31

Class 2, November 1 through April 30

Piedra River, Segment 7: Class 1a, March 1 through November 30

Class 2, December 1 through February 28

La Plata River, Segments 2a, 2b: Class 1a, May 1 through October 31

Class 1b, November 1 through April 30

La Plata River, Segments 4, 5a, 5b: Class 1a, May 1 through October 31

Class 2, November 1 through April 30

La Plata River, Segments 6a, 6b: Class 1b, May 1 through October 31

Class 2, November 1 through April 30

Dolores River, Segment 9: Class 1a, May 1 through October 31

Class 2, November 1 through April 30

The following segments retained their Recreation Class 2 classification with 2,000/100 ml fecal coliform and 630/100 ml E. coli standards after sufficient evidence was received that a Recreation Class 1a use was unattainable, due to limited streamflows.

La Plata River, Segments 3a, 3b

## G. Aquatic Life Segments without Full Standards

The Commission reviewed information regarding Aquatic Life Class 2 segments where the full set of inorganic aquatic life protection standards have not been applied. Generally, these are dry segments with only rudimentary aquatic life. The Commission's policy has been that rather than adopt the full set of inorganic standards for these segments, standards for dissolved oxygen, pH and fecal coliform provide sufficient protection.

Segments where investigation showed that aquatic life was present were upgraded with the addition of the full suite of inorganic standards to protect aquatic life. These segments are:

San Juan River, Segments: 10, 11a, 11b Piedra River, Segments: 6a, 6b

La Plata River, Segments: 3a, 3b, 6a, 6b, 8a, 8b

Dolores River, Segment 11

## H. Ambient Quality-Based Standards

There are several segments in the San Juan Basin that contain standards based on existing ambient quality. Ambient standards are adopted where natural or irreversible man-induced conditions result in water quality levels higher (i.e. worse) than table value standards. EPA had requested that the Commission review the information that is the basis for these standards as well as any new information that would indicate whether they are still appropriate, need to be modified, or should be dropped. The Division reviewed the reason for the ambient standards and provided testimony that justified ambient standards being retained without adjustment on the following segments:

La Plata River, Segment 9

The Division reviewed the information about ambient water quality levels and provided testimony that justified revising the ambient standards on the following segments:

La Plata River, Segment 7a

Ambient standards were removed from the following segments due to new data and/or changes to the Basic Standards which indicated ambient standards were no longer appropriate:

Los Pinos River, Segment 5 Dolores River, Segment 9

# I. Temporary Modifications

There were several segments which had temporary modifications that were reviewed, and decisions were made to delete or to extend them, either as is or with modification of the numeric limits.

A temporary modification was adopted for La Plata, Segment 4, for copper with an expiration date of 12/31/06. A temporary modification was also adopted for Dolores River, Segment 9, for zinc with an expiration date of 12/31/06.

# J. Organic Chemical Standards

The organic chemical standards were updated to include changes adopted by the Commission in the 2000 revisions to the Basic Standards (see section 31.11 in Regulation No. 31). "Water + Fish" organic chemical standards are presumptively applied to all Aquatic Life Class 1 streams which also have a Water Supply classification, and are applied to Aquatic Life Class 2 streams which also have a Water Supply classification, on a case-by-case basis. The "Fish Ingestion" organic chemical standards are presumptively applied to all Aquatic Life Class 1 streams which do not have a Water Supply classification, and are applied to aquatic life class 2 streams which do not have a Water Supply classification, on a case-by-case basis. Existing site-specific applications of additional organics (as noted in the Qualifier column of Table 34.7) were modified to conform to this change.

Information was reviewed regarding Aquatic Life Class 2 segments that have fish that are presently being taken for human consumption or have fisheries that would indicate the potential for human consumption. That information showed that six additional segments had the potential for consumption of fish. These waterbodies were designated to receive the full protection of numeric Fish Ingestion or Water + Fish organic standards:

Fish Ingestion: La Plata 2a; Dolores 9 Water + Fish: Dolores 11

## K. Water Supply Classification

These segments had the Water Supply classification added to them or are new segments with a water supply use. The associated water supply standards will now apply to segments:

San Juan River, Segments: 6b, 8 Piedra River, Segments: 4b, 6a, 6b Dolores River, Segment 11

# L. Modification of Water Supply Standards

Water supply standards were modified to conform to the changes made by the Commission in the 2000 revisions to the Basic Standards (see Regulation No. 31 at section 31.11(6)). The Commission modified the water supply standards for iron, manganese, and sulfate that are based on secondary drinking water standards (based on aesthetics as opposed to human-health risks). The numeric values in the tables were changed to Fe(ch) = WS (dis), Mn(ch) = WS (dis), and SO<sub>4</sub> = WS. These abbreviations mean that for all surface waters with an actual water supply use, the less restrictive of the following two options shall apply as numerical standards, as discussed in the Basic Standards and Methodologies at section 31.11(6): either (i) existing quality as of January 1 2000; or (ii) Iron = 300  $\mu$ g/L (dissolved); Manganese = 50  $\mu$ g/L (dissolved); Sulfate = 250 mg/L (dissolved). For all surface waters with a "Water Supply" classification that are not in actual use as a water supply, no water supply standards are applied for iron, manganese or sulfate, unless the Commission determined as the result of a site-specific rulemaking hearing that such standards are appropriate.

# M. Tribally-Owned Lands

Many of the waterbodies in the southern parts of these basins are located on tribally-owned lands specifically those of the Southern Ute Indian Tribe and the Ute Mountain Ute Indian Tribe. Waters on tribally-owned lands are not regulated by the WQCC. Both Tribes are in the process of developing water quality standards for waters on their tribally-owned lands. The Commission has segmented the waterbodies which cross reservation boundaries. Water quality standards for waterbodies crossing reservation boundaries were reviewed by the Division in cooperation with Tribal representatives to ensure that the classified uses and numeric standards were consistent. The Commission included water quality classifications and standards on lands within the boundaries of these reservations in agreement with the Southern Ute and Ute Mountain Ute Indian Tribes in order to avoid a gap in the classifications and standards adopted for the river basins in question, since these Tribes have not yet been granted authority by EPA to conduct their own water quality program. Section 34.5 (4) was added to clarify this issue.

## N. Agriculture Standards

Numeric standards to protect agriculture uses were adopted for the following segments:

San Juan, Segment: 3 Los Pinos, Segments: 6a, 6b

#### O. Other Site-Specific Revisions

The Commission corrected several typographical and spelling errors, clarified segment descriptions and made the following site-specific revisions:

<u>La Plata</u>. Segment 2a: The classification was changed from aquatic life warm 2 to cold 2 because information was presented that indicated the aquatic community includes trout species.

<u>La Plata. Segment 7a</u>: The classification was changed from aquatic life warm 2 to warm 1 and removed the Use Protection designation, because information was presented that indicated the aquatic community is diverse and includes DOW species of special concern.

#### PARTIES TO THE RULEMAKING HEARING

- 1. Animas River Stakeholders Group
- 2. Colorado Wild, San Juan Citizen's Alliance, Sierra Club-Rocky Mountain Chapter, Colorado Environmental Coalition and The Wilderness Society

- 3. U.S. Department of the Interior, Bureau of Land Management
- 4. Sunnyside Gold Corporation
- 5. The Southwestern Water Conservation District
- 6. Silver Wing Company, Inc.
- 7. U.S. Department of Agriculture Forest Service
- 8. Shenandoah Mining Company Incorporated
- Town of Silverton
- 10. Pagosa Area Water and Sanitation District
- Peter Butler
- 12. U.S. Department of the Interior National Park Service
- 13. Climax Molybdenum Company
- 14. Tri-State Generation and Transmission Association, Inc.
- 15. Town of Olathe
- 16. The Board of County Commissioners of the County of Gunnison
- 17. Gunnison County Stockgrowers Association, Inc.
- 18. High Country Citizens' Alliance and Western Slope Environmental Resource Council
- 19. The City of Grand Junction
- 20. Homestake Mining Company
- 21. The Board of County Commissioners of the County of San Miguel
- 22. Mt. Crested Butte Water and Sanitation District
- 23. Colorado River Water Conservation District
- 24. Town of Cedaredge
- 25. The Board of County Commissioners of the County of Mesa
- 26. The Uncompangre Valley Water Users Association
- 27. Umetco Minerals Corporation
- 28. The Colowyo Coal Company, L.P.
- 29. The Uncompandere Valley Association
- 30. Town of Crested Butte
- 31. The City of Delta
- 32. Trapper Mining, Inc.
- 33. The Colowyo Coal Company, L.P.
- 34. The City of Grand Junction
- 35. Colorado River Water Conservation District
- 36. Yellow Jacket Water Conservation District
- 37. The Town of Meeker
- 38. The City of Fruita
- 39. Exxon Mobil Corporation
- 40. Shell Frontier Oil & Gas Inc.
- 41. The Board of County Commissioners of the County of Mesa
- 42. American Soda, LLP
- 43. The Rio Blanco Water Conservancy District
- 44. Colorado Division of Wildlife
- 45. The Northern Colorado Water Conservancy District and its Municipal Subdistrict
- 46. Upper Gunnison River Water Conservancy District
- 47. U.S. EPA Region
- 48. Ralph E. Clark III
- 49. U.S. Department of the Interior

# 34.30 STATEMENT OF BASIS, SPECIFIC STATUTORY AUTHORITY AND PURPOSE; JULY, 2002 RULEMAKING

The provisions of C.R.S. 25-8-202(1)(a), (b) and (2); 25-8-203; 25-8-204; and 25-8-402; provide the specific statutory authority for adoption of these regulatory amendments. The Commission also adopted in compliance with 24-4-103(4) C.R.S. the following statement of basis and purpose.

#### **BASIS AND PURPOSE**

As a result of major rulemaking hearings in May and July, 2001, the Commission adopted extensive revisions to the water quality designation, classifications and standards for the waters in this basin. Subsequent to the filing of the final action documents resulting from that rulemaking, minor error were identified in the published revisions. Errors in the water quality designation for San Juan segment 10, manganese standard for Animas River segment 4a, the segment description for Animas River segment 4b, and typographical errors for Animas River segments 9 and 12a were corrected in this rulemaking.

# 34.31 STATEMENT OF BASIS, SPECIFIC STATUTORY AUTHORITY AND PURPOSE; DECEMBER 12, 2005 RULEMAKING, EFFECTIVE MARCH 2, 2006

The provisions of C.R.S. 25-8-202(1)(a), (b) and (2); 25-8-203; 25-8-204; and 25-8-402; provide the specific statutory authority for adoption of these regulatory amendments. The Commission also adopted in compliance with 24-4-103(4) C.R.S. the following statement of basis and purpose.

#### **BASIS AND PURPOSE**

In the process of digitally mapping the segments in the San Juan and Dolores River Basins, the Division discovered errors and inconsistencies between segment descriptions. To resolve these issues the Commission adopted changes in the following segment descriptions:

San Juan segment 8

Dolores segments 6 and 10

The Commission has also adopted the deletion of San Juan Segment 7.

# 34.32 STATEMENT OF BASIS, SPECIFIC STATUTORY AUTHORITY AND PURPOSE; JUNE 12, 2006 RULEMAKING; ADOPTED AUGUST 14, 2006; EFFECTIVE JANUARY 1, 2007

The provisions of C.R.S. 25-8-202(1)(a), (b) and (2); 25-8-203; 25-8-204; and 25-8-402; provide the specific statutory authority for adoption of these regulatory amendments. The Commission also adopted in compliance with 24-4-103(4) C.R.S. the following statement of basis and purpose.

## **BASIS AND PURPOSE**

#### A. Waterbody Segmentation

Some renumbering and/or creation of new segments in the basin was made due to information which showed that: a) the original reasons for segmentation no longer applied; b) new water quality data showed that streams should be resegmented based on changes in their water quality; and/or c) certain segments could be grouped together in one segment because they had similar quality and uses. The following changes were made:

Animas River Basin segment 12c was created for Hermosa Creek and tributaries above Long Hollow, except for the East Fork of Hermosa Creek. The East Fork of Hermosa Creek was excluded from this segment due to uncertainty of future development in this drainage by Durango Mountain Ski Resort.

La Plata River Basin segment 4b was created for Mancos Reservoir (a.k.a. Jackson Gulch Lake).

La Plata River Basin segment 6c was created for waters within Mesa Verde National Park. These waters were proposed as "outstanding waters."

La Plata River Basin segment 8c was created for the Unnamed Tributary to Ritter Draw.

Dolores River Basin segment 4b was created for McPhee Reservoir and Summit Reservoir.

## B. Revised Aquatic Life Use Classifications

The Commission reviewed information regarding existing aquatic communities. There were no changes to the Aquatic Life Use Classifications in the San Juan Basin.

# C. <u>Recreation Classifications and Standards</u>

As part of the Basic Standards hearing of 2005, recreation classifications were revised into four new classifications. The Commission reviewed the previous segment classifications (1a, 1b and 2) and determined the appropriate new classification based on classification criteria presented as part of the Basic Standards Hearing, use attainability analyses or other basis. In addition, during the 2005 Basic Standards Hearing, the transition from the use of the fecal coliform standard to E. coli standard was completed. Fecal coliform criteria were deleted from the numeric standards.

Based on the information that showed existing primary contact recreation use is in place in at least a portion of the segment, the Commission changed the following segments from Recreation Class 1a to Recreation Class E with a 126/100 ml E. coli standard:

San Juan River Basin segments: 1, 2, 4, 5, 6a, 6b, 8, 9a, 9b and 10

Piedra River Basin segments: 1, 4a and 4b

Los Pinos River Basin segments: 1, 2a, 2b, 3, 4a, 4b, 5, 6a, 6b, 7a, 7b

Animas River and Florida River Basin segments: 1, 2, 3a, 3c, 4a, 4b, 5a, 5b, 6, 7, 8, 9, 10, 11a, 11b, 12a, 12b, 13a, 13b, 13c, 14 and 15

La Plata River Basin segments: 7a, 7b, 8a, 8b, 9, 10a, 10b and 11

Dolores River Basin segments: 1, 2, 3, 4a, 5, 6, 7, 8, 10, and 11

The following segments were converted from Recreation Class 1b to Recreation Class P with a 205/100 ml E. coli standard:

Piedra River Basin segments: 6a and 6b La Plata River Basin segment: 1

Based on review of existing Use Attainability Analyses showing that primary contact recreation is not attainable, the following segments were converted from Recreation Class 2 to Recreation Class N classification with 630/100 ml E. coli standard:

La Plata River Basin segments: 3a and 3b

The following segments with seasonal Recreation Class 1a/Recreation Class 2 classification were converted to Class E/Class N (some include changes to the seasons in parentheses):

San Juan River Basin segments: 11a and 11b

Piedra River Basin segments: 2, 3, (new seasons are Class E: April 1-Oct. 31, Class N: Nov. 1-March 31) 5 and 7

Animas River and Florida River Basin segment: 3b

La Plata River Basin segments: 2a, 4a, 5a and 5b

Dolores River Basin segment: 9

The following segments with seasonal Recreation Class 1a/Recreation Class 1b classification were converted to Class E/Class P (some include changes to the seasons in parentheses):

La Plata River Basin segment: 2b

The following segments with seasonal Recreation Class 2/Recreation Class 1b classification were converted to Class N/Class P:

San Juan River Basin segments: 3, 12a and 12b

La Plata River Basin segments 6a and 6b

## D. Addition of Water Supply Use Classification and Standards

Based on review of information regarding the location of public water supplies, no additional WS classifications and standards were added to Regulation No. 34.

# E <u>Agriculture Standards</u>

Numeric Standards to protect Agricultural Uses were adopted for the following segments:

San Juan River Basin segments: 12a and 12b Los Pinos River Basin segments: 7a and 7b La Plata River Basin segments: 10a and 10b

## F. Changes to Antidegradation Designation

Outstanding Waters Designation: Based on evidence that shows the water quality meets the requirements of 31.8(2)a, the OW designation was added to the following segments in Mesa Verde National Park: Segment COSJLP06c was created for waters within Mesa Verde National Park.

Based on evidence that shows the water quality meets the requirements of 31.8(2)(a), the OW designation was added to Hermosa Creek and its tributaries (except the East Fork of Hermosa Creek) above Long Hollow. A new segment, Segment COSJAF12c was created for these waters. The Commission understands that there are existing land uses, including grazing permits, in place in the watershed. The evidence demonstrates that these existing land uses are compatible with the Outstanding Water designation since the current high level of water quality has been attained with these uses in place. It is the Commission's intent that this OW designation should not be used to establish additional permit requirements for existing uses within this area.

Decoupling Cold 2 and UP: As part of the Basic Standards hearing of 2005, the Commission eliminated the direct linkage between cold-water aquatic life class 2 and the use-protected designation. Therefore, all cold-water aquatic life class 2 segments that are use-protected were reviewed to determine if that designation is still warranted. The following segments are now reviewable:

Los Pinos River Basin segments: 6a, 6b, 7a and 7b Animas River and Florida River Basin segments: 13a, 13b, 13c and 15 La Plata River Basin segment: 2a Dolores River Basin segments: 9 and 11

Decoupling Aquatic Life Warm 2 and UP Also as part of the Basic Standards hearing of 2005, the Commission decided that the presence of a warm water class 2 classification would still be a presumptive basis for applying a use-protected designation; however, that presumption can be overcome if there is data showing that the water is of high quality. Therefore, the Commission reviewed all warm water class 2 segments to determine if the use protected designation is still warranted. The following segment is now reviewable:

San Juan River Basin segment: 3

# G. Ambient Quality-Based Standards

There are several segments in the Basins that are assigned standards based on existing ambient water quality. Ambient standards are adopted where natural or irreversible man-induced conditions result in exceedances of table value standards. The Commission reviewed the information that is the basis for these standards as well as any new information that would indicate whether they are still appropriate, need to be modified, or should be dropped. The Commission did not adopt any changes to the ambient quality-based standards.

#### H. Aquatic Life Ammonia Standards

At the June 2005 Basic Standards rulemaking, the Commission adopted the 1999 Update of Ambient Water Quality Criteria for Ammonia (US EPA, Office of Water, EPA-822-R-99-014, December 1999) as the numeric ammonia criteria for Colorado. These new criteria are in the form of total ammonia rather than un-ionized ammonia. The Commission modified the ammonia equations in 34.6(3) and footnotes to conform to Regulation No. 31. In cases where dischargers need time beyond one permit term to assure compliance with new permit limits, temporary modifications have been adopted. These are listed below in the temporary modification section.

#### I. Aquatic Life Metals Standards

New Table Value Standards: As part of the Basic Standards hearing of 2005, new zinc and cadmium table values were adopted. The acute and chronic zinc and cadmium equations in 34.6(3) were modified to conform to Regulation No. 31.

Site-Specific Zinc Standards for Sculpin: In low hardness situations (hardness below 113 mg/L) the new zinc equation is not protective of sculpin, a native west-slope fish species. The Commission adopted sculpin-specific zinc equation as site-specific standards for the following segments that are inhabited by sculpin that also have low hardness:

San Juan River Basin segments: 5, 6a and 9a Piedra River Basin segments: 2, 3, 4a and 5 Los Pinos River Basin segments: 2a and 4a Animas River and Florida River Basin segment: 10 La Plata River Basin segments 1 and 2a Dolores River Basin segments: 1, 2, 5, 7 and 11

## J. <u>Arsenic Standards</u>

For arsenic, each use (except recreation) has a different arsenic ("As") value, including Fish Ingestion (FI) and Water Plus Fish (W+F). In different combinations of uses, different values become the most limiting. In order to eliminate the confusion, the Commission added the operative value to the individual segments. The following matrix displays the most limiting arsenic criteria.

Most Limiting Arsenic Criteria

Depending on the Possible Combinations of Uses and Qualifiers

If the Use Classifications were:	These Arsenic Standards were Applied (dissolved unless otherwise noted)
Class 1 aquatic life, water supply	As(ac) = 340, As(ch) = 0.02 (trec)
Class 2 aquatic life (water + fish standards), water supply	As(ac) = 340, As(ch) = 0.02(trec)
Class 2 aquatic life (no fish ingestion standards), water supply	As(ac) = 340, As(ch) = 0.02 - 10(trec)
Class 1 aquatic life	As(ac) = 340, As(ch) = 7.6(trec)
Class 2 aquatic life (fish ingestion standards)	As(ac) = 340, As(ch) = 7.6(trec)
Class 2 aquatic life (no fish ingestion standards), agriculture	As(ac) = 340, As(ch) = 100 (trec)
Agriculture only	As(ch) = 100 (trec)
Water supply only	As(ch) = 0.02 - 10(trec)

#### K Uranium Standards

Uranium standards were not added for any segments in this basin.

#### L. Temporary Modifications

All temporary modifications were re-examined to determine whether to delete the temporary modification or to extend them, either as existing or with modifications of the numeric standards. Because of the June 2005 changes to Regulation No. 31, temporary modifications were not automatically extended if non-attainment persisted.

The following segments had temporary modifications that are being removed because there are no discharge permits on these segments. Non-attainment of underlying standards shall be addressed through listing and prioritization of TMDLs or through implementation of approved TMDLs:

La Plata River Basin segment 4a: (Cu) Dolores River Basin segment 9: (Zn)

The following segments have new or extended temporary modifications. As specified in 61.8(2)(c)(iii) (the Permit Rules, Regulation No. 61), where a temporary modification has been adopted, limits in permits are to be set based on the temporary modification and the provision strictly limiting the loading from the facility does not apply. These temporary modifications will be subject to review and rulemaking for the two years before their scheduled expiration in order to track progress towards the full attainment of water body standards and uses.

San Juan River Basin segment 11a: Fe(ch)=1100 ug/l; expiration date 12/31/2011. This temporary modification is intended to allow Pagosa Area Water and Sanitation District (Snowball WTP) adequate time to assess any potential changes to its discharge permit. This need for this temporary modification will be reviewed in 2009 and 2010.

<u>La Plata River Basin segment 3a</u>: Fe(ch)=1920 ug/l; expiration date 12/31/2011. This temporary modification is intended to allow a discharger adequate time to assess any potential changes to its discharge permit. This need for this temporary modification will be reviewed in 2009 and 2010.

<u>La Plata River Basin segment 5a</u>:  $NH_3 = old TVS$ , expiration date 12/31/2011; This temporary modification is intended to allow the dischargers such as the Town of Mancos adequate time to assess any potential facility changes that will be required to assure compliance with new ammonia limits. This temporary modification will be reviewed in 2009 and 2010.

<u>La Plata River Basin segment 7a</u>:  $NH_3 = old TVS$ , expiration date 12/31/2011; This temporary modification is intended to allow the dischargers such as the City of Cortez adequate time to assess any potential facility changes that will be required to assure compliance with new ammonia limits. This temporary modification will be reviewed in 2009 and 2010.

La Plata River Basin segment 8a: NH<sub>3</sub> = old TVS, expiration date 12/31/2011; Fe(ch)=1500 ug/l; expiration date 12/31/2011. These temporary modifications are intended to allow the dischargers such as the City of Cortez and Dove Creek adequate time to assess any potential facility changes that will be required to assure compliance with new ammonia limits. This temporary modification will be reviewed in 2009 and 2010.

<u>La Plata River Basin segment 8c</u>: NH<sub>3</sub> = existing quality, expiration date 12/31/2013; This temporary modification is intended to allow Lee Mobile Home Park adequate time to assess any potential facility changes that will be required to assure compliance with new ammonia limits. This temporary modification will be reviewed in 2009 and 2010.

The Upper Animas River Basin is a historic mining region undergoing remedial efforts led by the Animas River Stakeholder Group. There are approved TMDLs for the basin that cover all segments and parameters that are in non-attainment of water quality standards. Due to historic mining there are numerous other point-source discharges to nine segments in the Upper Animas River Basin that are not currently permitted. The Commission decided to retain and update temporary modifications to the historic mining impacted segments to allow flexibility in remedial efforts.

<u>Animas River Basin segment 2</u>: Existing ambient quality for all metals. This temporary modification is intended to allow the TMDL directed remedial efforts adequate time to address non-attainment of standards. This need for this temporary modification will be reviewed in 2009 and 2010.

Animas River Basin segment 3a: Cd(ch)=3.0, Mn(ch)=3203, Zn(ch)=862. This temporary modification is intended to allow the TMDL directed remedial efforts adequate time to address non-attainment of standards. This need for this temporary modification will be reviewed in 2009 and 2010.

<u>Animas River Basin segment 3b</u>: Existing ambient quality for all metals. This temporary modification is intended to allow the TMDL directed remedial efforts adequate time to address non-attainment of standards. This need for this temporary modification will be reviewed in 2009 and 2010.

Animas River Basin segment 3c: Cu(ch)=6.6, Zn(ch)=184, no Cu, Zn acute. This temporary modification is intended to allow the TMDL directed remedial efforts adequate time to address non-attainment of standards. This need for this temporary modification will be reviewed in 2009 and 2010.

Animas River Basin segment 4a: Al(ch)=2523 (trec), Fe(ch)=4204 (trec), Zn(ch) = 730 ug/L, Cu(ch) = 20 ug/L; Cd(ch) = 2.5 u/L, pH= 5.3; expiration date 12/31/2011. This temporary modification is intended to allow the TMDL directed remedial efforts adequate time to address non-attainment of standards. This need for this temporary modification will be reviewed in 2009 and 2010.

Animas River Basin segment 4b: Zn(ch)=184. This temporary modification is intended to allow the TMDL directed remedial efforts adequate time to address non-attainment of standards. This need for this temporary modification will be reviewed in 2009 and 2010.

Animas River Basin segment 7: Existing ambient quality for all metals. This temporary modification is intended to allow the TMDL directed remedial efforts adequate time to address non-attainment of standards. This need for this temporary modification will be reviewed in 2009 and 2010.

Animas River Basin segment 8: Existing ambient quality for all metals. This temporary modification is intended to allow the TMDL directed remedial efforts adequate time to address non-attainment of standards. This need for this temporary modification will be reviewed in 2009 and 2010.

Animas River Basin segment 9: Al(ch)=3544(Trec), Cu(ch)=22, Fe(ch)=5023(Trec), Zn(ac/ch)=340. This temporary modification is intended to allow the TMDL directed remedial efforts adequate time to address non-attainment of standards. This need for this temporary modification will be reviewed in 2009 and 2010.

# M. Other changes

The hearing of section 34.5(4) has changed to "Indian Reservations" as a more accurate description. In addition, the test of this section was revised to reflect EPA's approval of the Ute Mountain Utes' treatment as a state status for the adoption of water quality standards.

The Commission corrected several typographical and spelling errors, and clarified segment descriptions.

The reference to "Water+Fish Organics" was corrected to "Water+Fish Standards" to incorporate the appropriate standards from both the organics table and the metal parameter table in Regulation No. 31.

The segment description for Piedra segment 5 was changed to include "Williams Creek Reservoir."

The segment description for Dolores segment 5 was changed to include "Groundhog Reservoir."

Acute copper and zinc TVS were added to the table for Animas River segment 3c.

## PARTIES TO THE RULEMAKING HEARING

- 1. San Juan Citizens Alliance
- 2. Tri-State Generation and Transmission Association
- National Park Service
- 4. Mountain Coal Company
- West Elk Mine
- 6. Homestake Mining Company of California
- 7. Umetco Minerals Corporation
- 8. Lee Mobile Home Park

- 9. The Southwest Mesa County Rural Services Public Improvement District
- 10. Animas River Stakeholders Group
- 11. Board of County Commissioners of the County of Gunnison, Colorado
- 12. The Town of Silverton
- 13. The Town of Cedaredge
- 14. The Town of Olathe
- 15. High Country Citizens Alliance
- 16. Upper Gunnison River Water Conservancy District
- 17. Colorado Trout Unlimited
- 18. The City of Grand Junction
- 19. Gunnison County Stockgrowers Association, Inc.
- 20. The Southwestern Water Conservation District
- 21. Vista Verde Village LLC
- 22. The Colorado Division of Wildlife
- 23. Nucla Sanitation District
- 24. Town of Naturita
- 25. The Pagosa Area Water and Sanitation District
- 26. The Boxelder Sanitation District
- 27. City of Ouray
- 28. Norwood Sanitation District
- 29. U.S. Environmental Protection Agency
- 30. Colorado River Water Conservation District

# 34.33 STATEMENT OF BASIS, SPECIFIC STATUTORY AUTHORITY AND PURPOSE: January 2007 Rulemaking Hearing; Final Action February 12, 2007; Revisions effective July 1, 2007

The provisions of section 25-8-202(1)(b), 25-8-204; 25-8-402, C.R.S., provide the specific statutory authority for adoption. The Commission also adopted, in compliance with section 24-4-103(4) C.R.S., the following statement of basis and purpose.

# **BASIS AND PURPOSE:**

The Commission revised the basin-wide temperature standards as part of the 2007 rulemaking hearing. These changes clarify the numeric temperature standards that will be in effect until the basin-wide rulemaking hearing in June of 2011. At that time, the Commission intends to consider segment specific temperature standards for all segments with aquatic life uses.

The Commission applied 17°C as an interim chronic standard for small, high elevation streams that are likely to be habitat for brook trout and cutthroat trout. First, second and third order streams are defined at section 31.5 in the Basic Standards.

The Commission also applied 18.2°C as an interim chronic standard to waters designated by the Colorado Wildlife Commission as "Gold Medal Fisheries". The Commission agrees that it is important to protect these fisheries that provide important recreational and tourism opportunities in the headwaters of Colorado. This standard is based on a criterion to protect rainbow trout. The Colorado Division of Wildlife presented evidence that rainbow trout thrive in Gold Medal fisheries because they are provided the necessary forage base and thermal conditions to maximize their consumption and growth. Because these thermal conditions also represent the upper temperature tolerance range for this species, it was determined that an interim standard of 20°C would not be adequate to protect these fisheries.

For the remainder of the cold water segments, the Commission left the current 20°C in place as an interim standard with the clarification that it is a chronic standard. The existing 30°C criterion for warm water segments was left in place as an interim standard with the clarification that is also to be applied as a chronic standard.

# PARTIES TO THE RULEMAKING HEARING

- The Temperature Group (City of Aurora, City of Boulder, Colorado Springs Utilities, Littleton/Englewood Wastewater Treatment, The Metro Wastewater Reclamation District, Colorado Mining Association, Colorado Rock Products Association, Tri-State Generation & Transmission Assn., Xcel Energy, Denver Water, Northern Colorado Water Conservancy District, Southeastern Colorado Water Conservancy District)
- 2. City of Grand Junction
- 3. City of Loveland
- 4. City of Pueblo
- Metro Wastewater Reclamation District
- 6. City of Aurora
- 7. City of Boulder
- 8. Colorado River Water Conservation District
- 9. Colorado Wastewater Utility Council
- 10. Bear Creek Watershed Association
- Chatfield Watershed Authority
- 12. Mountain Coal Company, L.L.C.
- 13. Northern Colorado Water Conservancy District
- Colorado Rock Products Association
- 15. Littleton/Englewood Wastewater Treatment Plant
- 16. Northwest Čolorado Council of Governments
- 17. Southeastern Colorado Water Conservancy District
- 18. Colorado Mining Association
- 19. Colorado Division of Wildlife
- 20. South Platte Coalition for Urban River Evaluation
- 21. City and County of Denver
- 22. City of Colorado Springs and Colorado Springs Utilities
- 23. City of Westminster
- 24. Board of Water Works of Pueblo
- 25. Coors Brewing Company
- 26. City and County of Broomfield
- 27. Centennial Water and Sanitation District
- 28. Plum Creek Wastewater Authority
- 29. Climax Molybdenum Company
- 30. Cripple Creek & Victor Gold Mining Company
- 31. Tri-State Generation and Transmission Association
- 32. Xcel Energy
- 33. Sky Ranch Metropolitan District No. 2
- 34. Parker Water and Sanitation District
- 35. CAM-Colorado and CAM Mining LLC
- 36. Aggregate Industries WCR, Inc.
- 37. Grand County Water and Sanitation District #1, Winter Park Water and Sanitation District, Winter Park West Water and Sanitation District and Fraser Sanitation District
- 38. Trout Unlimited and Colorado Trout Unlimited
- 39. Colorado Contractors Association
- 40. United States Environmental Protection Agency, Region 8
- 41. Hot Springs Lodge and Pool
- 42. Denver Regional Council of Governments

# 34.34 STATEMENT OF BASIS SPECIFIC STATUTORY AUTHORITY AND PURPOSE DECEMBER 2009 RULEMAKING REGARDING TEMPORARY MODIFICATIONS; FINAL ACTION FEBRUARY 8, 2010; EFFECTIVE DATE JUNE 30, 2010

The provisions of C.R S. 25-8-202(1)(a), (b) and (2); 25-8-203; 25-8-204; and 25-8-402; provide the specific statutory authority for adoption of these regulatory amendments. The Commission also adopted in compliance with 24-4-103(4) C.R.S. the following statement of basis and purpose.

#### **BASIS AND PURPOSE**

Pursuant to the requirements in the Basic Standards (at 31.7(3)), the Commission reviewed the status of temporary modifications to determine whether the temporary modification should be modified, eliminated or extended.

Ammonia: Temporary modifications of ammonia standards were reviewed.

Deleted: Ammonia temporary modifications were deleted on the following segments because in most cases permits had recently been reissued for dischargers on the segments. Compliance schedules in the permits are adequate to address any necessary treatment plant upgrade issues. In other cases, no permits now discharge to this segment.

La Plata, etc segments 5a and 8a

Modified: La Plata, etc. segment 7a: The chronic ammonia temporary modification was modified to clarify that the chronic standard's value is 0.06 mg/l, rather than just "TVS old." "Type iii" was added to identify that there is significant uncertainty regarding the appropriate underlying standard. The expiration date was extended to 12/31/2012 to allow time for additional study.

Other Parameters: Temporary modifications for other parameters were also reviewed.

Deleted: Temporary modification were deleted on the following segment because no permitted discharge has been identified that needs a temporary modification.

La Plata, etc segment 3a iron

Extension of expiration dates: The Commission has decided to delay the basin-wide review of water quality classifications and standards for this basin until June 2012, to accommodate an issue-specific rulemaking for nutrient criteria in June 2011. Consistent with that decision, the expiration dates of the temporary modifications on the following segments that are currently scheduled to expire on 12/31/2011 are extended to 12/31/2012. These will be reviewed again in the December 2010 and December 2011 Temporary Modification hearing.

San Juan segment 11a Animas and Florida segments 2, 3a, 3b, 3c, 4a, 4b, 7, 8, and 9 La Plata, etc. segment 8a

The Commission would like to emphasize that its intent and expectation is that the issues that necessitated adoption of these temporary modifications should be resolved as soon as possible and in a manner that takes full advantage of the opportunities provided by the December 2010 and December 2011 reviews of temporary modifications. The Commission recognizes that it is important to resolve uncertainty regarding the underlying standards so that temporary modifications can be eliminated and any needed pollution controls can be put in place in a timely manner.

#### PARTIES TO THE RULEMAKING

- 1. City of Grand Junction
- 2. City of Colorado Springs and Colorado Springs Utilities
- Tri-Lakes, Upper Monument, Security and Fountain Wastewater Treatment Facilities
- 4. Paint Brush Hills Metropolitan District
- 5. Pueblo West Metropolitan District
- 6. City of La Junta
- 7. Seneca Coal Company
- 8. Tri-State Generation and Transmission Association

- 9. Plum Creek Wastewater Authority
- 10. Centennial Water and Sanitation District
- 11. City and County of Broomfield
- 12. City of Fort Collins
- 13. Metro Wastewater Reclamation District
- 14. City of Black Hawk and the Black Hawk/Central City Sanitation District
- 15. Colorado Division of Wildlife
- 16. U.S. Environmental Protection Agency

# 34.35 STATEMENT OF BASIN SPECIFIC STATUTORY AUTHORITY AND PURPOSE, FEBRUARY 8, 2010 RULEMAKING REGARDING TEMPORARY MODIFICATION FOR RITTER DRAW, EFFECTIVE DATE JUNE 30, 2010

The provisions of C.R S. 25-8-202(1)(a), (b) and (2); 25-8-203; 25-8-204; and 25-8-402; provide the specific statutory authority for adoption of these regulatory amendments. The Commission also adopted in compliance with 24-4-103(4) C.R.S. the following statement of basis and purpose.

#### **BASIS AND PURPOSE**

The Commission added "Type iii" to the temporary modification of the ammonia standard for an unnamed tributary of Ritter Draw (La Plata River, Mancos River, McElmo Creek and San Juan River in Montezuma and Dolores County, segment 8c) in recognition that there is uncertainty regarding the appropriate underlying standard. A review of the hearing record shows that when this temporary modification was originally adopted (2006) testimony was presented that identified uncertainty regarding the aquatic life use. At that time, the type of temporary modification was not identified for each temporary modification. The Commission's current action is intended to recognize that time is needed to resolve the uncertainty about the appropriate standard before compliance is required.

# 34.36 STATEMENT OF BASIS SPECIFIC STATUTORY AUTHORITY AND PURPOSE DECEMBER 2010 RULEMAKING REGARDING TEMPORARY MODIFICATIONS; FINAL ACTION JANUARY 10, 2011; EFFECTIVE DATE JUNE 30, 2011

The provisions of C.R S. 25-8-202(1)(a), (b) and (2); 25-8-203; 25-8-204; and 25-8-402; provide the specific statutory authority for adoption of these regulatory amendments. The Commission also adopted in compliance with 24-4-103(4) C.R.S. the following statement of basis and purpose.

#### **BASIS AND PURPOSE**

Pursuant to the requirements in the Basic Standards (at 31.7(3)), the Commission reviewed the status of temporary modifications to determine whether the temporary modification should be modified, eliminated or extended.

The type iii temporary modification of ammonia standards on La Plata segment 7a was reviewed. It will expire on 12/31/2012. It is anticipated that site-specific standards will be considered as part of the basin-wide review in June 2012.

Temporary modifications of metal standards in the Upper Animas Basin (Animas River segments 2, 3a, 3b, 3c, 4a, 4b, 7, 8 and 9) were reviewed. They will expire on 12/31/2012. It is anticipated that the Animas River Stakeholder Group will present a more comprehensive review as part of the basin-wide review in June 2012.

The temporary modifications of the iron standard on San Juan segment 11a and La Plata segment 8a were reviewed. They will expire on 12/31/2012. When originally adopted, time was allotted to allow dischargers time to assess potential changes to their discharge permits. It is anticipated that these will be addressed as part of the basin-wide review in June 2012.

#### PARTIES TO THE RULEMAKING HEARING

- 1. Paint Brush Hills Metropolitan District
- 2. Tri-State Generation and Transmission Association
- 3. Seneca Coal Company
- 4. Mountain Water and Sanitation District
- 5. City of Grand Junction
- 6. Colorado Division of Wildlife
- 7. City of Boulder
- 8. U. S. Environmental Protection Agency
- 9. City of Colorado Springs and Colorado Springs Utilities

# 34.37 STATEMENT OF BASIS SPECIFIC STATUTORY AUTHORITY AND PURPOSE JUNE 13, 2011 RULEMAKING REGARDING TEMPORARY MODIFICATIONS; EFFECTIVE DATE JANUARY 1, 2012

The provisions of C.R S. 25-8-202(1)(a), (b) and (2); 25-8-203; 25-8-204; and 25-8-402; provide the specific statutory authority for adoption of these regulatory amendments. The Commission also adopted in compliance with 24-4-103(4) C.R.S. the following statement of basis and purpose.

#### **BASIS AND PURPOSE**

The Commission's decision to delay consideration of nutrient criteria until March 2012 resulted in cancelation of the December 2011 review of temporary modifications and a three-month delay of the Regulation #34 basin-wide review. Accordingly, the Commission considered the expiration dates of temporary modifications expiring on or before December 31, 2012 in a written comment rulemaking. The Commission extended the expiration dates of the following temporary modifications to March 31, 2013. They would be reviewed during the September 2012 basin-wide rulemaking hearing.

San Juan segment 11a (Fe)

Animas segment 2 (all metals)

Animas segment 3a (Cd, Mn, Zn)

Animas segment 3b (all metals)

Animas segment 3c (Cu, Zn)

Animas segment 4a (AI, Fe, Zn, Cu, Cd, pH)

Animas segment 4b (Zn)

Animas segment 7 (all metals)

Animas segment 8 (all metals)

Animas segment 9 (Al Cu, Fe, Zn)

La Plata etc, segment 7a (NH<sub>3</sub>)

La Plata etc, segment 8a (Fe).

# 34.38 STATEMENT OF BASIS, SPECIFIC STATUTORY AUTHORITY AND PURPOSE; SEPTEMBER 10, 2012 RULEMAKING; FINAL ACTION NOVEMBER 5, 2012; EFFECTIVE DATE MARCH 30, 2013

The provisions of C.R S. 25-8-202(1)(a), (b) and (2); 25-8-203; 25-8-204; and 25-8-402; provide the specific statutory authority for adoption of these regulatory amendments. The Commission also adopted in compliance with 24-4-103(4) C.R.S. the following statement of basis and purpose.

#### **BASIS AND PURPOSE:**

#### A. Waterbody Segmentation

The Commission split lakes and reservoirs from segments that also contained streams, so that new temperature standards could be adopted. Lakes and reservoirs were deleted from the following segments that previously encompassed streams and lakes and reservoirs:

San Juan River segments: 1a, 3, 4, 5, 6a, 9a, 9b, 11a, 11b, 12a

Piedra River segments: 1, 5, 6a, 6b Los Pinos River segments: 1, 4a, 6a, 6b

Animas and Florida River segments: 1, 3c, 6, 7, 8, 12a, 13b, 13c

La Plata River, Mancos, River, McElmo Creek and San Juan River segments: 1, 3a, 3b, 4a, 6a,

6b, 7a, 8a, 8b, 10a, 10b

Upper Dolores River segments: 1, 5a, 11

The following segments were created for lakes and reservoirs:

San Juan River segments: 13, 14, 15a, 15b, 16, 17, 18a, 18b, 19

Piedra River segments: 8, 9, 10, 11a, 11b Los Pinos River segments: 8, 9, 10, 11a, 11b

Animas and Florida River segments: 16, 17, 18, 19, 20, 21, 22, 23, 24

La Plata River, Mancos, River, McElmo Creek and San Juan River segments: 12, 13, 14, 15, 16,

17, 18, 19, 20, 21, 22

Upper Dolores River segments: 12, 13, 14, 15

The following segment was deleted when the constituent water bodies were merged with other segments:

San Juan River segment: 12b

Some existing stream segments were divided into two or more segments at the point where a change in temperature tiers occurred. The following segments were created or revised to facilitate adoption of the new temperature standards into individual segments:

San Juan River segments: 1a, 1b, 7, 8, 9a

Piedra River segments: 2a, 2b

Animas and Florida River segments: 10a, 10b, 14a, 14b

La Plata River, Mancos, River, McElmo Creek and San Juan River segments: 3a, 3c, 4a, 4c, 6a

The following segments were created or revised based upon water quality and/or aquatic life data which showed that streams should be resegmented or grouped with another segment for which there was similar water quality and designated uses:

San Juan River segments: 11b

Animas and Florida River segments: 12a, 12d, 13b, 13d, 14a

Dolores River segments 5a, 5b

The following segment descriptions were edited to improve clarity, fix typographical errors, update numbering and correct spelling:

San Juan River segments: 2, 5, 6a, 9a, 10, 11a, 11b, 12a

Piedra River segments: 4a, 5, 6a Los Pinos River segments: 7a, 7b, 8

Animas and Florida River segments: 6, 12a, 13a, 13b, 15

La Plata River, Mancos, River, McElmo Creek and San Juan River segments: 4b, 7b, 10a, 10b

Upper Dolores River segment: 1

# B. Revised Aquatic-Life Use Classifications and Standards

The Commission reviewed information regarding the existing aquatic communities. Class 2 segments with exceptionally high MMI scores, or fish data showing the presence of a wide variety of species, were upgraded from Class 2 to Class 1.

The following segments were upgraded from Warm 2 to Warm 1:

La Plata River, Mancos, River, McElmo Creek and San Juan River segments: 2b, 5a, 5b San Juan River segment: 11b (revised to include water bodies from the former segment 12b)

The following segments were upgraded from Cold 2 to Cold 1:

La Plata River, Mancos, River, McElmo Creek and San Juan River segment: 2a Animas and Florida River segments: 12a, 12d

Fish Ingestion qualifiers were added to the following segments, based upon review of available data:

Piedra River segment 11a La Plata River, Mancos, River, McElmo Creek and San Juan River segments: 14

Fish Ingestion qualifiers were deleted for the following segment that was upgraded from Class 2 to Class 1, since fish ingestion is presumed for all Class 1 waters:

La Plata River, Mancos, River, McElmo Creek and San Juan River segment: 2a

The following segment was upgraded from Warm 2 to Cold 1 based on biological data showing that the segments have cold-water species, or cold-water species are expected to be present:

La Plata River, Mancos, River, McElmo Creek and San Juan River segment: 3c

The following segments were designated as Aquatic Life Warm 2 or Cold 2, but lacked standards to fully support the Aquatic Life Use. Available data indicates that the Aquatic Life Use is attainable, and therefore the full suite of standards protective of aquatic life was added to the following segments:

San Juan River segments: 3, 12, 19 Los Pinos River segments: 6a, 6b, 11a, 11b La Plata River, Mancos, River, McElmo Creek and San Juan River segments: 10a, 10b

Some new lake segments were split from stream segments with no Aquatic Life Use. These new lake segments were designated as Aquatic Life Cold 2, because the Aquatic Life UAAs did not include data from these lakes. The full suite of standards protective of aquatic life was added to the following segments:

Animas and Florida River segments: 19, 20

A Use Attainability Analysis was prepared to downgrade the following segment from Cold 1 to Warm 1:

San Juan River segment: 8

A Use Attainability Analysis was prepared to remove the Aquatic Life Use and standards:

Animas and Florida River segment: 13d

#### C. Recreation Classifications and Standards

Newly created segments were given the same Recreation Use classification as the segment from which they were split, unless there was insufficient evidence to support keeping that classification, or evidence to show that the use classification was inappropriate or that recreation use had changed.

The following segments with year-round or seasonal Recreation N standards were upgraded to Recreation E:

La Plata River, Mancos, River, McElmo Creek and San Juan River segment: 3c La Plata River, Mancos, River, McElmo Creek and San Juan River segment: 14

The following segments with year-round or seasonal Recreation P standards were upgraded to Recreation E:

Piedra River segment: 11a La Plata River, Mancos, River, McElmo Creek and San Juan River segments: 1, 12

The following segment with year-round or seasonal Recreation N standards was upgraded to Recreation P:

La Plata River, Mancos, River, McElmo Creek and San Juan River segment: 13

#### D. Water Supply Use Classification and Standards

Based on review of information regarding the location of alluvial wells, where the evidence demonstrates a reasonable potential for a hydrological connection between the surface water and the wells, the Water Supply Use classification and standards were added to the following segments:

San Juan River segments: 10, 11a Animas and Florida River segments: 9, 13a La Plata River, Mancos, River, McElmo Creek and San Juan River segments: 2a, 2b, 3b, 4c, 5a, 8a Upper Dolores River segment: 3

A Use Attainability Analysis was prepared to remove the Water Supply Use and standards from the following segment:

Animas and Florida River segment: 13d

#### E. Agriculture Standards

A review of the standards associated with the Agriculture Use classification showed that many segments were missing a chronic chromium III standard to protect the use. The chronic chromium III standard to protect the Aquatic Life Use classification may be not be protective of the Agriculture Use in some high hardness situations. A chromium III standard of CrIII(ch)=100(Trec), was added to the following segments classified for Agriculture Use, but not for Water Supply, which has a more restrictive chromium III standard:

San Juan River segments: 11b, 18b Los Pinos River segments: 7a, 7b Animas and Florida River segment: 3a La Plata River, Mancos, River, McElmo Creek and San Juan River segments: 6a, 6b, 6c, 7a, 7b, 8b, 8c, 9, 13, 14, 16, 17, 18, 19

Several segments with the Agriculture Use classification were missing a standard for nitrate. A nitrate standard of 100 mg/l was added to the following segments:

Los Pinos River segments: 7a, 7b Animas and Florida River segments: 3a, 3c, 4a, 17, 19, 20 La Plata River, Mancos, River, McElmo Creek and San Juan River segments: 3a, 5b, 6a, 6b, 6c, 7a, 7b, 8b, 8c, 9, 13, 14, 16, 17, 18, 19, 20

Molybdenum: In 2010, the Commission adopted a new standard for molybdenum to protect cattle from the effects of molybdenosis. The table value adopted at that time was 300 ug/l, but included an assumption of 48 mg/day of copper supplementation to ameliorate the effects of molybdenosis. State and local experts on cattle nutrition indicated that copper supplementation in region is common, but is not universal. Therefore, copper supplementation assumption was removed from the equation, which yields a standard of 160 ug/l. The Commission expects that this value may be revised when data on the copper and molybdenum content of local forage becomes available. The Commission also notes that in view of EPA disapproval of the 300 ug/l table value in the Basic Standards and Methodologies for Surface Water, the Commission intends to review this value during the next Basic Standards triennial review.

The Agriculture Use table value assumes that the safe copper:molybdenum ratio is 4:1. Food and water intake is based on a 273 kg (600 lb) feeder steer consuming 6.8 kg/day of dry matter and 20% of its body weight in water per day. Total copper and molybdenum intakes are calculated from the following equations:

Cu intake  $mg/day = [([Cu] \text{ forage}, mg/kg) \times (\text{forage intake}, kg/day)] + [([Cu] \text{ water}, mg/l) \times (\text{water intake}, L/day)] + (Cu supplementation, mg/day)$ 

Mo intake  $mg/day = [([Mo] \text{ forage}, mg/kg) \times (\text{forage intake}, kg/day)] + [([Mo] \text{ water}, mg/l) \times (\text{water intake}, L/day)] + (Mo supplementation, mg/day)$ 

The assumed values for these equations are as follows:

[Cu] forage = 7 mg/kg, [Mo] forage = 0.5 mg/kg, forage intake = 6.8 kg/day, [Cu] water = 0.008 mg/L, [Mo] water = 0.375 mg/L, water intake = 54.6 L/day, Cu supplementation = 0 mg/day, Mo supplementation = 0 mg/day.

A molybdenum standard of 160 ug/l was adopted for all segments in Regulation 34 with an Agriculture Use classification; except for La Plata segment 6c, because grazing is not allowed within Mesa Verde National Park. No molybdenum standard was applied to Animas and Florida River segment 3b, because it does not have an Agriculture Use classification.

# F. Changes to Antidegradation Designation

Outstanding Waters: Based on evidence that shows the water quality meets the requirements of section 31.8(2)(a), and on the presence of conservation populations of native cutthroat trout in all three streams, the Outstanding Waters designation was added to Rio Lado, Little Taylor Creek and Spring Creek (Dolores River segment 5b). The Commission has determined that the evidence demonstrates that the three criteria for an Outstanding Waters designation set forth in section 31.8(2)(a) are met for this proposal. The Commission also notes that the outreach undertaken by Trout Unlimited as proponent of this designation helps to demonstrate broad support for the conclusion that these waters constitute an outstanding natural resource and that the additional protection provided by this designation is appropriate.

The Commission understands that there are existing land uses, including grazing permits, in place in the watershed. The evidence demonstrates that these existing land uses are compatible with the Outstanding Waters designation, since the current high level of water quality has been attained with these uses in place. It is the Commission's intent that this Outstanding Waters designation should not be the basis upon which federal, state or local agencies place more onerous or costly conditions upon permits or approvals existing at the time of the designation, or upon any renewals thereof.

Further, acknowledging that the adoption of the Outstanding Waters designation for identified segments is a discretionary undertaking by the Commission, with such designations not being subject to federal approval or disapproval, the Commission may, in the future, remove the Outstanding Waters designation from any such segment in accordance with the state substantive and procedural rules then in effect.

The Commission has not adopted the Outstanding Waters designations proposed by WildEarth Guardians for multiple segments. The Commission is not persuaded that the fact of being located within an area identified as a "roadless area" is sufficient to demonstrate that the waters in question constitute an outstanding natural resource. Moreover, the proponents did not provide adequate data to persuasively demonstrate the current quality of the waters in question. Finally, the Commission notes that the proponents did not demonstrate a substantial level of public outreach that might have helped to demonstrate a consensus that the criteria in section 31.8(2)(a) are met.

<u>Decoupling Cold 2 and UP</u>: As part of the Basic Standards hearing of 2005, the Commission eliminated the direct linkage between Cold-Water Aquatic Life Class 2 and the Use-Protected designation. The Commission reviewed available water quality data for all Cold 2 segments that were Use-Protected to determine if that designation was still warranted. The following segment(s) are now Reviewable:

Animas and Florida River segments: 17, 19, 20

<u>Decoupling Aquatic Life Warm 2 and UP:</u> As part of the Basic Standards hearing of 2005, the Commission decided that the presence of a Warm Water Class 2 classification would still be a presumptive basis for applying a Use-Protected designation; however, that presumption can be overcome if there is data showing that the water is of high quality. The Commission reviewed available water quality data for all Warm 2 segments to determine if the Use-Protected designation is still warranted. The following segment(s) are now Reviewable:

San Juan River segments: 11b (revised to include water bodies from the former segment 12b), 12

Other Changes to Antidegradation: The following segment was upgraded from "Warm 2" to "Warm 1" and the Antidegradation designation is now Reviewable:

La Plata River, Mancos, River, McElmo Creek and San Juan River segment: 2b

The following segment was upgraded from "Warm 2" to "Cold 1" and the antidegradation designation is now Reviewable:

La Plata River, Mancos, River, McElmo Creek and San Juan River segment: 3c

#### G. Ambient Quality-Based Standards

Ambient standards are adopted where natural or irreversible man-induced conditions result in exceedances of table value standards. The Commission reviewed the information that is the basis for these standards, as well as any new information that would indicate whether they are still appropriate, need to be modified, or should be dropped. The following segments have ambient-based or other site-specific standards:

Animas and Florida River segments: 2, 3a, 3b, 4a, 7, 8, 9 La Plata River, Mancos, River, McElmo Creek and San Juan River segments: 7a, 9

No changes were made to the ambient quality-based standards for these segments.

A site-specific manganese standard of 255 ug/L was added to Dolores Segment 3. This value was calculated as the 85<sup>th</sup> percentile of available data from 1/1/1995 – 12/31/2012, and is expected to be representative of conditions on January 1, 2000, consistent with 31.11(6)).

## H. Aquatic Life Metals Standards

<u>New Table Value Standards</u>: The zinc, zinc sculpin, and aluminum table values were revised in the 2010 Basic Standards hearing. The acute and chronic zinc, zinc sculpin, and aluminum equations in 34.6(3) were modified to conform to Regulation No. 31.

<u>Site-Specific Zinc Standards for Mottled Sculpin</u>: In low hardness situations (hardness below 102 mg/L), the zinc equation is not protective of mottled sculpin (*Cottus bairdi*), a native west-slope fish species. The Commission did not add a sculpin-specific zinc equation to any segment in Regulation 34.

The Commission deleted the zinc scuplin standards from the following new and revised lake segments, where mottled sculpin are not expected to be present:

San Juan River segments: 8, 17 Piedra River segments: 8, 10 Los Pinos River segment: 10

La Plata River, Mancos, River, McElmo Creek and San Juan River segments: 12, 13

Upper Dolores River segments: 12, 13, 14, 15

<u>Chromium III Standards</u>: A review of chromium III standards showed that the standard associated with the Water Supply Use classification is not protective of aquatic life where the average hardness is low (less than 61 mg/l). A chromium III standard, CrIII(ch)=TVS was added to following segments with Aquatic Life and Water Supply Use classifications that did not previously include this standard:

San Juan River segments: 1a, 1b, 2, 3, 4, 5, 6a, 6b, 7, 8, 9a, 9b, 10, 11a, 11b, 12, 13, 14, 15a, 15b, 16, 17, 18a, 18b, 19

Piedra River segments: 1, 2a, 2b, 3, 4a, 4b, 5, 6a, 6b, 7, 8, 9, 10, 11a, 11b

Los Pinos River segments: 1, 2a, 2b, 3, 4a, 4b, 5, 8, 9, 10

Animas and Florida River segments: 1, 5a, 5b, 6, 10a, 10b, 11a, 11b, 12a, 12c, 12d, 13b, 13c, 14a, 15, 16, 21, 22, 23, 24

La Plata River, Mancos, River, McElmo Creek and San Juan River segments: 1, 3b, 4a, 4b, 11, 12, 15

Upper Dolores River segments: 1, 2, 3, 4a, 4b, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15

The acute chromium III standard, CrIII(ac)=TVS was deleted from the following segments with Aquatic Life and Water Supply Use classifications that have the CrIII(ac)=50 ug/l standard:

San Juan River segment: 11a

Animas and Florida River segment: 4b

La Plata River, Mancos, River, McElmo Creek and San Juan River segments: 2a, 2b, 3b

<u>Arsenic Standards</u>: A review of arsenic standards showed that the acute standard for the protection of aquatic life was missing in some segments. An Acute Arsenic standard of 340 ug/l was added to the following segments:

Los Pinos River segments: 6a, 6b, 7a, 7b, 11a, 11b

#### I. Uranium Standards

At the 2010 Basic Standards rulemaking hearing, the Commission changed the Water Supply table value for uranium from 30 ug/L to a hyphenated standard of 16.8-30 ug/L. The Commission revised the language in 34.5(3)(c) to reflect the change to the basin-wide standard. A new section 34.5(3)(c)(i) was added to explain the hyphenated standard. Subsection 34.5(3)(d) was deleted because it was redundant with 34.5(3)(c).

# J. <u>Temporary Modifications</u>

All existing Temporary Modifications were re-examined to determine if they should be allowed to expire or to extend them. Temporary Modifications were not automatically extended if non-attainment persisted due to revisions made to the Temporary Modification provisions in 2005 and 2010.

The following segments had Temporary Modifications that were not extended:

San Juan River segment: 11a Animas and Florida River segments: 2, 3a, 3b, 3c, 4a, 4b, 7, 8, 9 La Plata River, Mancos, River, McElmo Creek and San Juan River segment: 8a

The following segments have new or extended "Type A"Temporary Modifications for ammonia:

Animas and Florida River segment: 13b La Plata River, Mancos, River, McElmo Creek and San Juan River segments: 7a, 8c

Temporary Modifications were added or extended for existing discharges to these segments, based upon evidence that the dischargers could not meet water quality based effluent limits for ammonia. The Commission's intent is to preserve the status quo during the term of the Temporary Modification. Existing discharges to these segments shall continue to be authorized to discharge ammonia at their current permitted concentration and flow levels, including a "report only" value. The Division will work with the existing dischargers to determine whether the table value standard for ammonia is necessary to protect the Aquatic Life Uses of these segments. The uncertainty in the standard for each segment may be resolved through a site-specific standard or a discharger specific variance. The Commission does not intend that Temporary Modifications set at "current condition" will apply to new or expanded facilities. The progress on resolving the uncertainty with the ammonia standards will be reviewed in the annual Temporary Modification hearing in December 2013.

The following segment has a new "Type B" Temporary Modification:

Animas and Florida River segment: 3b

For Animas River Segment 3b, the Commission adopted a Type B Temporary Modification for copper, cadmium and zinc with a narrative value of "current condition", and an expiration date of December 31, 2017. The Commission's intent is to preserve the status quo during the term of the Temporary Modification. Existing discharges to Animas River Segment 3b shall continue to be authorized to discharge copper, cadmium and zinc at their current permitted concentration and flow levels, including a "report only" value. Historic mining impacts upstream from Silverton indicate that elevated levels of copper, cadmium and zinc in the Animas River may be due to irreversible human-induced conditions. Since remediation options are still be evaluated, and some improvement in water quality may be gained, it is not yet feasible to quantify the extent of irreversible impacts. The Commission does not intend that Temporary Modifications set at "current condition" will apply to new or expanded facilities. The progress on resolving the uncertainty with the cadmium, copper and zinc standards will be reviewed in the annual Temporary Modification hearing in December 2015.

# K. <u>Temperature</u>

New table values were adopted for temperature in the 2007 Basic Standards hearing, and revised in the 2010 Basic Standards hearing. Temperature standards were applied to individual segments based upon the fish species expected to be present as provided by Parks and Wildlife, temperature data, and other available evidence.

The following segments have a Cold Stream Tier I temperature standard (CS-I):

San Juan River segments: 1a, 4, 5, 7 Piedra River segments: 1, 2a, 3, 5 Los Pinos River segments: 1, 4a, 5

Animas and Florida River segments: 1, 3a, 3c, 4a, 4b, 6, 9, 10a, 12a, 12c, 12d, 13b, 14a, 15

La Plata River, Mancos, River, McElmo Creek and San Juan River segments: 1, 4a

Upper Dolores River segments: 1, 2, 3, 5a, 5b, 6, 7, 8, 9, 10, 11

The following segments have a Cold Stream Tier II temperature standard (CS-II):

San Juan River segments: 1b, 2, 6a, 6b, 9a, 9b, 10

Piedra River segments: 2b, 4a, 4b

Los Pinos River segments: 2a, 2b, 4b, 6a, 6b, 7a, 7b

Animas and Florida River segments: 5a, 5b, 10b, 11a, 11b, 13a, 13c, 14b

La Plata River, Mancos, River, McElmo Creek and San Juan River segments: 2a, 3c, 4c

Upper Dolores River segment: 4a

The following segments have a Warm Stream Tier II temperature standard (WS-II):

San Juan River segments: 3, 11a, 11b

Piedra River segment: 6a

La Plata River, Mancos, River, McElmo Creek and San Juan River segments: 2b, 3a, 3b, 5a, 5b,

6a, 6b, 7a, 7b, 8a, 8b, 9

The following segments have a Warm Stream Tier III temperature standard (WS-III):

San Juan River segment: 12a Piedra River segment: 6b

La Plata River, Mancos, River, McElmo Creek and San Juan River segments: 6c, 8c, 10a, 10b

The following segments have a Cold Lakes temperature standard (CL):

San Juan River segments: 13, 15a, 15b, 16, 17

Piedra River segments: 9, 10

Los Pinos River segments: 8, 10, 11a, 11b

Animas and Florida River segments: 16, 17, 18, 19, 20, 21, 23, 24

La Plata River, Mancos, River, McElmo Creek and San Juan River segments: 12, 15

Upper Dolores River segments: 12, 14, 15

The following segments have a Large Cold Lakes (greater than 100 acres surface area) temperature standard (CLL):

Piedra River segment: 8

Los Pinos River segments: 3, 9

Animas and Florida River segments: 12b, 22

La Plata River, Mancos, River, McElmo Creek and San Juan River segment: 4b

Upper Dolores River segments: 4b, 13

The following segments have a Warm Lakes temperature standard (WL):

San Juan River segments: 8, 14, 18a, 18b, 19

Piedra River segments: 7, 11a, 11b

La Plata River, Mancos, River, McElmo Creek and San Juan River segments: 11,13, 14, 16, 17,

18, 19, 20, 21, 22

A temperature standard was not adopted for several segments which do not have a designated Aquatic Life Use:

Animas and Florida River segments: 2, 3b, 7, 8, 13d

The Commission recognizes that in some cases there is uncertainty about the temperature standards adopted in this hearing. The uncertainty stems from a lack of data about temperature or the aquatic community or where there is a conflict between the lines of evidence. In particular, there was very limited data available for segments within the Southern Ute and Ute Mountain Indian Reservations. It is the Commission's intent that the Division and interested parties work to resolve the uncertainty for the following segments:

San Juan River segments: 2, 6b, 9b, 11b, 15b, 18b Piedra River segments: 4b, 6b, 11b Los Pinos River segments: 2b, 4b, 6b, 7b, 11b Animas and Florida River segments: 5b, 11b, 13c, 24 La Plata River, Mancos, River, McElmo Creek and San Juan River segments: 2b, 3b, 5b, 6b, 7b, 8b, 9, 10b, 14, 17, 20, 22

#### L. Other Site-Specific Revisions

<u>La Plata River, Mancos, River, McElmo Creek and San Juan River 2b</u>: The discrepancy between the Recreation Use season and the E. coli standard season was corrected. The fecal coliform standard was also deleted.

<u>Upper Dolores River segment 11</u>: The typographical error in the Agriculture designated use was corrected.

#### M. <u>Tribally-Owned Lands</u>

The Southern Ute Indian Tribe raised an issue with the wording of section 34.5(4). The Commission deleted the phrase "in agreement with the Southern Ute and Ute Mountain Ute Indian Tribes". This section was added in 2001 and referred to a verbal staff level agreement at that time.

#### PARTIES TO THE RULEMAKING HEARING

- 1. Trout Unlimited
- 2. WildEarth Guardians
- 3. National Park Service, Curecanti National Recreation Area
- 4. Mountain Coal Company
- 5. U.S. Energy Corp.
- 6. Climax Molybdenum Company
- Gunnison County
- 8. Gunnison County Stockgrowers Association, Inc.
- 9. Homestake Mining Company of California
- 10. Colorado Parks and Wildlife
- 11. High Country Citizens' Alliance
- 12. Town of Crested Butte
- 13. Upper Gunnison River Water Conservancy District
- 14. Dolores Water Conservancy District
- 15. Town of Hotchkiss
- 16. Town of Olathe
- 17. Town of Silverton
- 18. Atlantic Richfield Company
- 19 City of Delta

- 20. Environmental Protection Agency
- 21 R Squared, Inc.
- 22. Wright Water Engineers, Inc.
- 23. San Juan Citizens Alliance
- 24. Colorado Sand and Gravel Association

#### 34.39 FINDINGS IN SUPPORT OF ADOPTION OF EMERGENCY REVISIONS; MAY 13, 2013

The Commission adopted the corrections to the zinc table value equations as an emergency action, making the revisions effective immediately. If the Commission does not adopt revisions as an emergency, the effective date would be delayed and discharge permits with zinc limits may be issued incorrectly, which would result in an unnecessary adverse impact on the public. The Commission finds that these amount to exigent circumstances which warrant emergency adoption of these interim revisions to the relevant water quality standards. The Commission further finds that these emergency revisions are imperatively necessary to preserve public health and welfare and that compliance with the procedural requirements of section 24-4-2103, C.R.S., resulting in further delay would be contrary to the public interest.

The changes to the zinc equation are to be effective immediately upon adoption by the Commission, and continue in effect until the effective date of permanent regulations.

# 34.40 STATEMENT OF BASIS, SPECIFIC STATUTORY AUTHORITY AND PURPOSE; MAY 13, 2013 RULEMAKING; EFFECTIVE DATE SEPTEMBER 30, 2013

The provisions of C.R S. 25-8-202(1)(a), (b) and (2); 25-8-203; 25-8-204; and 25-8-402; provide the specific statutory authority for adoption of these regulatory amendments. The Commission also adopted in compliance with 24-4-103(4) C.R.S. the following statement of basis and purpose.

## **BASIS AND PURPOSE:**

The Commission adopted revisions to Regulation #34 after a rulemaking hearing in September 2012. Changes to two table value criteria that were made in the 2010 Basic Standards hearing were inadvertently overlooked a the time the proposal for that rulemaking was developed: revisions to the zinc standard equations and temperature values for the Warm Stream tier 2 subclass. In today's action the Commission adopted the corrections to the table values for these parameters in section 34.6. The changes to the zinc equations were adopted as an emergency temporary action (see 34.39) and as a permanent action. Since this is the initial implementation of the new temperature standards in this basin it is not anticipated that the changes to the temperature table values will result in adverse impacts in any permitting action or to the public.

# 34.41 STATEMENT OF BASIS SPECIFIC STATUTORY AUTHORITY AND PURPOSE APRIL 8, 2013 RULEMAKING; FINAL ACTION MAY 13, 2013 EFFECTIVE DATE SEPTEMBER 30, 2013

The provisions of C.R S. 25-8-202(1)(a), (b) and (2); 25-8-203; 25-8-204; and 25-8-402; provide the specific statutory authority for adoption of these regulatory amendments. The Commission also adopted in compliance with 24-4-103(4) C.R.S. the following statement of basis and purpose.

#### **BASIS AND PURPOSE**

In August of 2005, the Commission adopted revisions to the Basic Standards and Methodologies for Surface Waters (Regulation #31) to add a Water + Fish (W+F) table value standard for chronic arsenic of 0.02 micrograms per liter ( $\mu$ g/L). W+F standards are numeric human health-based water quality standards that are calculated protective values that take into account the combined exposure from the pollutant in drinking water and the pollutant accumulated in fish flesh. This criterion automatically went into effect for Aquatic Life Class 1 waters which also have a Domestic Water Supply use, when the changes to the Basic Standards became effective. It was also adopted on a segment by segment basis for Aquatic Life class 2 waters with Domestic Water Supply where the Commission determined there are fish of a catchable size of species that are normally consumed. Because of the complicated nature of the arsenic standards, specific values were added to the basin tables in the basin hearings between 2006 and 2009.

In this hearing, the Commission adopted temporary modifications for W+F chronic arsenic where a permitted discharger with a water quality—based effluent limit compliance problem exists. The adopted temporary modification is listed in the regulation tables as "As(ch)=hybrid". An explanation of the temporary modification and its expected implementation into control requirements, such as Colorado Discharge Permit System (CDPS) effluent limitations, is described in 34.6(2)(d). The temporary modification was established by the Commission to allow for a temporarily less stringent application of the chronic arsenic standard in control requirements for both existing discharges and new or increased discharges.

For discharges existing on or before 6/1/2013, the temporary modification adopted for W+F chronic arsenic is "current condition", expiring on 12/31/2021. The Commission intends that, when implementing the temporary modification of "current condition" in a CDPS permit, the Division will assess the current effluent quality, recognizing that it changes over time due to variability in treatment facility removal efficiency and influent loading from natural or anthropogenic sources, and due to changes in the influent flow and concentration over time. Maintaining the current condition will include maintaining permitted total arsenic loading to a treatment facility from arsenic contributors at the levels existing on the effective date of the temporary modification, while expressly allowing for variability in such loading due to changes in effluent quality as described above and due to changes in the influent flow and concentration over time within the permitted design flow of that facility. The Commission understands that the Division's past practice implementing this requirement in permits has been through reporting regarding the arsenic loading to the facility, and not through numeric effluent limitations. The Commission intends that the Division will continue this practice. For facilities that lack enough representative data to quantify arsenic loading, the permittee may satisfy reporting requirements through narrative descriptions of potential sources of arsenic. No permit action shall be approved that allows an increase in permitted total arsenic loading to a treatment facility. The expiration date of the temporary modification was set at 12/31/21 to allow for CDPS permits that are issued prior to the effective date of anticipated changes to the chronic arsenic standard in the 2016 Basic Standards Rulemaking to not have the temporary modification expire within the term of a permit. The Commission adopted this temporary modification to allow time for the Division, dischargers and stakeholders to continue a workgroup process to resolve the uncertainty regarding the appropriateness of the W+F chronic arsenic standard of 0.02 µg/L with respect to a technologically feasible level of treatment.

For new or increased discharges that commence on or after 6/1/2013, the temporary modification adopted is As(ch) = 0.02-3.0 µg/L (Trec), expiring on 12/31/2021. The Commission decided that since the technologically achievable arsenic level is less stringent than the calculated W+F criterion, the temporary modification for new or increased discharges will be a range of 0.02-3.0 µg/L. The first number in the range is the health-based value, based on the Commission's established methodology for human healthbased standards that protect against the combined exposure of drinking water and eating fish. The second number in the range is the Commission's initial determination of a technologically achievable value for arsenic, set at 3.0 µg/L. Control requirements, such as discharge permits effluent limitations, shall be established using the first number in the range as the ambient water quality target, provided that no effluent limitation shall require an "end of pipe" discharge level more restrictive than the second number in the range during the effective period for this temporary modification. The expiration date of the temporary modification was set at 12/31/21 to allow for CDPS permits that are issued prior to the effective date of anticipated changes to the chronic arsenic standard in the 2016 Basic Standards Rulemaking to not have the temporary modification expire within the term of a permit. The Commission adopted this temporary modification to allow time for the Division, dischargers and stakeholders to continue a workgroup process to resolve the uncertainty regarding the appropriateness of the W+F chronic arsenic standard of 0.02 ug/L with respect to a technologically feasible level of treatment.

The technologically feasible level of  $3.0\,\mu\text{g/L}$  for arsenic is based upon testimony heard by the Commission at the December 13, 2011 Emergency Revisions to Regulation #38. At the December 13, 2011 hearing, the Commission determined, as a practical manner, that  $3.0\,\mu\text{g/L}$  is the lowest level that is technologically achievable for common types of water treatment facilities. At the April 8, 2013 Rulemaking, the Commission heard testimony that concurred with the finding from December 13, 2011 that an initial reasonable lower limit of treatment technology for arsenic is  $3.0\,\mu\text{g/L}$ , pending further investigation by the Division, dischargers and stakeholders. The Division intends to address the uncertainty of the W+F chronic arsenic standard with respect to a technologically feasible level of treatment through a continued workgroup process, and propose a revised W+F chronic arsenic standards as part of the 2016 Basic Standards Rulemaking Hearing

Temporary modifications were adopted on the following segments. The segments identified have the previously adopted W+F chronic arsenic standard of  $0.02\,\mu\text{g/L}$  and an identified CDPS permit or permits that discharge immediately to or directly above the identified segment.

San Juan River 2

San Juan River 4

San Juan River 5

San Juan River 6a

Piedra River 1

Piedra River 2a

Piedra River 4b

Piedra River 5

Los Pinos River 1

Los Pinos River 2a

Los Pinos River 2b

Los Pinos River 4a

Los Pinos River 4b

Animas and Florida River 4b

Animas and Florida River 5a

Animas and Florida River 5b

Animas and Florida River 6
Animas and Florida River 10b

Animas and Florida River 11a

Animas and Florida River 11b

Animas and Florida River 12a

Animas and Florida River 13b

Animas and Florida River 13c

Animas and Florida River 14a

Animas and Florida River 14b

La Plata River, Mancos River, McElmo Creek, And San Juan River in Montezuma County and Dolores County 1

La Plata River, Mancos River, McElmo Creek, And San Juan River in Montezuma County and

Dolores County 4a

Dolores River 8

**Dolores River 11** 

#### PARTIES TO THE RULEMAKING HEARING

- 1. Colorado Mining Association
- Union Gold, Inc.
- 3. Colorado Department of Transportation
- 4. City of Colorado Springs and Colorado Springs Utilities
- Town of Crested Butte
- 6. Mountain Coal Company
- 7. Centennial Water and Sanitation District
- 8. MillerCoors, LLC
- 9. Plum Creek Wastewater Authority
- 10. Tri-State Generation & Transmission Association
- 11. Climax Molybdenum Company
- 12. Littleton/Englewood Wastewater Treatment Plant
- 13. Eagle River Water and Sanitation District
- 14. City of Boulder
- 15. City and County of Denver
- 16. Parker Water and Sanitation District
- 17. U.S. Energy Corp.
- 18. U.S. Environmental Protection Agency
- 19. City of Greeley

## 34.42 STATEMENT OF BASIS SPECIFIC STATUTORY AUTHORITY AND PURPOSE DECEMBER 9, 2013 RULEMAKING REGARDING TEMPORARY MODIFICATIONS; FINAL ACTION MARCH 11, 2014 EFFECTIVE DATE JUNE 30, 2014

The provisions of C.R S. 25-8-202(1)(a), (b) and (2); 25-8-203; 25-8-204; and 25-8-402; provide the specific statutory authority for adoption of these regulatory amendments. The Commission also adopted in compliance with 24-4-103(4) C.R.S. the following statement of basis and purpose.

#### **BASIS AND PURPOSE**

Pursuant to the requirements in the Basic Standards (at 31.7(3)), the Commission reviewed the status of temporary modifications scheduled to expire before December 31, 2015, to determine whether the temporary modification should be modified, eliminated or extended. Temporary modifications of standards on three segments were reviewed.

Temporary Modifications for ammonia on the following segments were reviewed:

Animas and Florida River segment: 13b

La Plata River, Mancos River, McElmo Creek, and San Juan River segments: 7a, 8c

Temporary Modifications were extended for existing discharges to these segments in 2012, based upon evidence that the dischargers could not meet water quality based effluent limits for ammonia. The uncertainty in the standard for each segment may be resolved through a site-specific standard or a discharger specific variance. The expiration dates were extended to 6/30/2015. The Division intends to have proposals ready to resolve the uncertainty with the ammonia standards for the annual Temporary Modification hearing in December 2014.

#### PARTIES TO THE RULEMAKING HEARING

- 1. Rio Grande Silver, Inc.
- 2. Black Hawk/Central City Sanitation District and City of Black Hawk
- 3. Centennial Water & Sanitation District, City of Littleton, City of Englewood
- 4. Colorado Parks and Wildlife
- 5. Homestake Mining Company of California
- 6. Metro Wastewater Reclamation District
- 7. South Platte Coalition for Urban River Evaluation (SP CURE)
- 8. City of Boulder
- 9. Seneca Coal
- 10. Tri-State Generation and Transmission Association
- 11. City of Fort Collins
- 12. MillerCoors, LLC
- 13. Environmental Protection Agency
- 14. Barr Lake and Milton Reservoir Watershed Association
- 15. Plum Creek Water Reclamation Authority

## 34.43 STATEMENT OF BASIS SPECIFIC STATUTORY AUTHORITY AND PURPOSE AUGUST 11, 2014 RULEMAKING HEARING; FINAL ACTION AUGUST 11, 2014; EFFECTIVE DATE MARCH 1, 2015

The provisions of C.R S. 25-8-202(1)(a), (b) and (2); 25-8-203; 25-8-204; and 25-8-402; provide the specific statutory authority for adoption of these regulatory amendments. The Commission also adopted in compliance with 24-4-103(4) C.R.S. the following statement of basis and purpose.

#### **BASIS AND PURPOSE**

In 2010, the Commission adopted the discharger specific variance provisions at Regulation 31.7(4), which allow a temporary water quality standard to be adopted in cases where water quality based effluent limits are not feasible to achieve. A DSV is a hybrid standard that maintains the long-term water quality goal of fully protecting all designated uses, while temporarily authorizing an alternative effluent limit (AEL) to be developed for a specific pollutant and specific point source discharge where compliance with the water quality based effluent limit (WQBEL) is not feasible.

In reliance upon Durango West Metropolitan District #2's (DWMD's) commitment to implement upgrades and a continued maintenance program, the Commission adopted a DSV for Animas and Florida Segment 13b for ammonia that represents the highest degree of protection of the classified use that is feasible for DWMD. For ammonia, the monthly chronic total ammonia effluent limits for DWMD shall not be more restrictive than 15 mg/L prior to 12/31/2024. The Commission expects that DWMD will submit a progress report for the San Juan Basin Issues Formulation Hearing in November 2016 and expects that report to include information regarding whether there are any downstream domestic water supply wells that are impacted by the discharge.

#### PARTIES TO THE RULEMAKING HEARING

- Durango West Metropolitan District #2
- Colorado Parks and Wildlife

3. U.S. Environmental Protection Agency

## 34.44 STATEMENT OF BASIS, SPECIFIC STATUTORY AUTHORITY AND PURPOSE; DECEMBER 8, 2014 RULEMAKING; FINAL ACTION JANUARY 12, 2015; EFFECTIVE DATE JUNE 30, 2015

The provisions of C.R.S. 25-8-202(1)(a), (b) and (2); 25-8-203; 25-8-204; and 25-8-402; provide the specific statutory authority for adoption of these regulatory amendments. The Commission also adopted in compliance with 24-4-103(4) C.R.S. the following statement of basis and purpose.

#### **BASIS AND PURPOSE**

Pursuant to the requirements in the Basic Standards (at 31.7(3)), the Commission reviewed the status of temporary modifications scheduled to expire before December 31, 2016, to determine whether the temporary modification should be modified, eliminated or extended. Temporary modifications of standards on 2 segments were reviewed.

Extension: The Commission extended the expiration date of ammonia temporary modifications on the following segments.

La Plata, etc. segments 7a and 8c

Temporary modifications of the ammonia standards for these segments, due to expire on 6/30/2015, were extended to 6/30/2016. The Division is working with small domestic dischargers on these segments to explore the possibility of proposing discharger specific variances. Progress continues to be made to improve water treatment for these segments.

#### PARTIES TO THE RULEMAKING HEARING

- 1. Pioneer Natural Resources USA, Inc. and XTO Energy, Inc.
- 2. U.S. Energy Corp.
- 3. Plum Creek Water Reclamation Authority
- 4, Upper Clear Creek Watershed Association
- 5. Upper Thompson Sanitation District
- 6. Colorado Parks and Wildlife
- 7. U.S. Environmental Protection Agency
- 8. High Country Conservation Advocates
- 9. Metro Wastewater Reclamation District
- 10. Climax Molybdenum Company
- 11. Rio Grande Silver, Inc.
- 12. City of Pueblo
- 13. Tri-State Generation and Transmission, Inc.
- 14. Centennial Water and Sanitation District
- 15. Xcel Energy
- 16. MillerCoors
- 17. Seneca Coal Company
- 18. Peabody-Sage Creek Mining, LLC
- 19. City of Boulder

34.45 STATEMENT OF BASIS AND PURPOSE REGARDING THE ADOPTION OF NON-SUBSTANTIVE CHANGES TO THE CLASSIFICATION AND NUMEIRC STANDARDS FOR SAN JUAN RIVER AND DOLORES RIVER BASINS, JANUARY 11, 2016 RULEMAKING; EFFECTIVE DATE MARCH 1, 2016

The provisions of C.R.S. 25-8-202(1)(i) and 25-8-401(2) provide the specific statutory authority for adoption of these regulatory amendments. The Commission also adopted in compliance with 24-4-103(4) C.R.S. the following statement of basis and purpose.

#### **BASIS AND PURPOSE**

The Commission, in a public rulemaking hearing adopted extensive changes to the format of this regulation. The Commission does not intend to change any existing designations, use classifications or standards, or the implementation of any standards as the results of changing the format.

This rulemaking was in response to longstanding issues with managing the information contained in the standards tables. The changes made in this hearing reflect a change from storing the information in word processing documents to storing the information in a relational database. This change in platform will provide better consistency, facilitate error checking as well as a more readable format for the standards tables. Storing the information in a database allows it to be used more efficiently by other programs in the Division.

While it was the Commission's intent not to change the substantive meaning of the regulations in this rulemaking, in cases where there was ambiguity the revised regulation reflects the Commission's interpretation of the previous format based on Regulation #31 (the Basic Standards and Methodologies for Surface Water) and the experience of the Commission and its staff.

Overall format changes: The new format displays parameters by name, rather than by period table element abbreviations. The section formerly titled "Temporary Modifications and Qualifiers" does not appear in the new format. Instead, there is a separate section for qualifiers, and an "Other" section. Temporary modifications, variances and other footnotes are displayed in the "Other" section. Many items that were formerly in the "Temporary Modifications and Qualifiers" column will be displayed in the "Other" column and will have a different appearance or modified wording, although the information is substantively the same. Each footnote in the "Other" section is preceded by a heading that indicates where the footnote applies:

- Footnotes regarding a use classification will begin with the heading "Classification..."
- Footnotes regarding the antidegradation designation begin with the heading "Designation..."
- Footnotes that relate to a particular standard begin with the name of the parameter, for example "Selenium(chronic)= ..."

Constraints of the new format: Some adjustments were made to the way that data is displayed in order to be compatible with the functions of the Standards Database. Database organization requires that information which relates to multiple standards must be attached to each individual parameter. For example, a segment with a temporary modification listed for "all parameters" in the old format will have a temporary modification listed for each individual parameter in the new format. There are also spacing constraints in the new format, which require some information to be moved either to the "other" box on the new format, or moved out of the segment entirely and into another location in the regulation.

<u>Clarification of changes</u>: The shift to a database organizational structure required consistency in the way each data element is addressed. To insure that data is stored and displayed correctly, the following changes were made

- The "type" of temporary modification is no longer displayed in the segment tables, since they have no regulatory effect and have been inconsistently displayed.
- In the old format, waters that had a reviewable antidegradation designation were identified by the absence of either "UP" or "OW" in the designation column. These segments now display the word "reviewable" under the designation heading. There needed to be a value in the designation column for every segment.
- Dissolved standards are not specifically noted as dissolved in the new format. All metals standards are dissolved unless noted with a "T" or a "t". For example, a manganese standard in the old format of "WS(dis") is displayed as "WS" in the new format.
- A new footnote 7 was added to clarify that although E. coli is listed in the "chronic" column, the standard is a two-month geometric mean rather than a 30-day average. The language of footnote 7 was taken from Regulation 31, Table 1, footnote 7.
- A new footnote 8 was added to indicate that all phosphorus standards are based upon the
  concentration of total phosphorus. In the old format, individual phosphorus standards were noted
  as "total" in some basins and not others.
- A new footnote 9 was added to clarify that although pH is listed in the "acute" column, the standard is not applied as a 1-day average. The language of footnote 7 was taken from Regulation 31, Table 1, footnote 3.
- Physical and Biological Parameters: Some parameters are not specifically identified in the old format segment tables as acute or chronic. The new format requires that each parameter is placed in either the acute or chronic column. Specifically, these parameters and the basis for being identified as acute or chronic are as follows:
  - pH (acute) Regulation #31, Table 1, footnote 3
  - E. Coli (chronic) Regulation #31, Table 1, footnote 7
  - D.O. (chronic) Regulation #31, Table 1, footnote 1
  - cyanide (acute) Regulation #31, Table 2
  - sulfide (chronic) Regulation #31, Table 2
  - nitrate (acute) Regulation #31, Table 2
  - nitrite (chronic) not specified in Regulation #31. Nitrite has been implemented as a 30day average standard in permits and assessments.
  - chloride (chronic) Regulation #31, Table 2
  - boron (chronic) Regulation #31, Table 2
  - sulfate (chronic) Regulation #31, Table 2
- The previous format used Footnote 1 instead of Footnote A for the arsenic hybrid standard. The label for the footnote was changed from "1" to "A" but the text of the footnote did not change.

The footnote on Animas and Florida Segment 2 was modified to reduce the text to less than 200 characters, which is the maximum that can be included in the segment. Text longer than 200 characters has to be moved to a footnote outside the segment table (either at the front of the regulation or following the segment tables). The text change is as follows:

"The concentration of dissolved aluminum, cadmium, copper, iron, lead, manganese, and zinc that is directed toward maintaining and achieving standards established for segments 3a, 4a and 4b."

• The footnote regarding the variance conditions on Animas and Florida Segment 13b was moved to 34.6(4)(a) because it exceeded 200 characters and could not be shortened without substantively changing the meaning of the text.

## 34.46 STATEMENT OF BASIS, SPECIFIC STATUTORY AUTHORITY AND PURPOSE; DECEMBER 14, 2015 RULEMAKING; FINAL ACTION JANUARY 11, 2016; EFFECTIVE DATE JUNE 30, 2016

The provisions of C.R.S. 25-8-202(1)(a), (b) and (2); 25-8-203; 25-8-204; and 25-8-402; provide the specific statutory authority for adoption of these regulatory amendments. The Commission also adopted in compliance with 24-4-103(4) C.R.S. the following statement of basis and purpose.

#### **BASIS AND PURPOSE**

Pursuant to the requirements in the Basic Standards (at 31.7(3)), the Commission reviewed the status of temporary modifications scheduled to expire before December 31, 2017, to determine whether the temporary modification should be modified, eliminated or extended. Temporary modifications of standards on 3 segments were reviewed.

Animas River segment 3b: Temporary modifications of the cadmium, copper and zinc standards. The Town of Silverton has presented evidence that they are making progress on the plan for eliminating the need for the temporary modification. The Commission made no change to the expiration date of 12/31/2017 as the original time allotment was deemed adequate.

La Plata et al. segments 7a and 8c: Temporary modifications of the ammonia standards for these segments were extended to 6/30/2018. The Division is working with small domestic dischargers on these segments to explore the possibility of proposing discharger specific variances. Progress continues to be made to improve water treatment for these segments.

#### PARTIES TO THE RULEMAKING HEARING

- 1. City of Delta
- 2. Resurrection Mining Company
- 3. U.S. Energy Corp.
- 4. City of Pueblo
- 5. Peabody Sage Creek Mining and Seneca Coal Company
- 6. Climax Molybdenum Company
- 7. Rio Grande Silver
- 8. City of Colorado Springs and Colorado Springs Utilities
- 9. Tri-State Generation and Transmission Association, Inc.
- 10. High Country Conservation Advocates
- 11. U.S. Environmental Protection Agency
- 12. Colorado Parks and Wildlife
- 13. Town of Crested Butte and Coal Creek Watershed Coalition
- 14. Public Service Company of Colorado

## 34.47 STATEMENT OF BASIS, SPECIFIC STATUTORY AUTHORITY AND PURPOSE; DECEMBER 12, 2016 RULEMAKING; FINAL ACTION JANUARY 9, 2017; EFFECTIVE DATE JUNE 30, 2017

The provisions of C.R.S. 25-8-202(1)(a), (b) and (2); 25-8-203; 25-8-204; and 25-8-402; provide the specific statutory authority for adoption of these regulatory amendments. The commission also adopted in compliance with 24-4-103(4) C.R.S. the following statement of basis and purpose.

#### **BASIS AND PURPOSE**

Pursuant to the requirements in the Basic Standards (at 31.7(3)), the commission reviewed the status of temporary modifications scheduled to expire before December 31, 2018, to determine whether the temporary modification should be modified, eliminated or extended.

No action: The commission took no action on the temporary modifications on the following segments since they will be addressed in the basin wide hearing in June 2017.

Animas River Segment 3b: temporary modification of the cadmium, copper and zinc standards (expire 12/31/2017).

La Plata Segment 7a: temporary modification of the ammonia standards (expire 12/31/2018).

La Plata Segment 8c: temporary modification of the ammonia standards (expire 12/31/2018).

New Temporary Modifications of the Arsenic Standard:

Consistent with the actions taken in 2013, the commission adopted a temporary modification of the arsenic standard on segments on the following list, with an expiration date of 12/31/2021. At the April 8, 2013 rulemaking, the commission heard testimony that concurred with the finding from a December 13, 2011 hearing that an initial reasonable lower limit of treatment technology for arsenic is 3.0  $\mu$ g/L, pending further investigation by the division, dischargers and stakeholders. The temporary modification was established by the commission to allow for a temporarily less stringent application of the chronic arsenic standard in control requirements for both existing discharges and new or increased discharges.

San Juan River Segment 9a San Juan River Segment 11a Piedra River Segment 7 Los Pinos River Segment 5 Animas Florida River Segment 10a Animas Florida River Segment 13a Animas Florida River Segment 22 La Plata River Segment 2b La Plata River Segment 5a La Plata River Segment 12 **Dolores River Segment 1 Dolores River Segment 2** Dolores River Segment 3 Dolores River Segment 4a Dolores River Segment 4b Dolores River Segment 5a Dolores River Segment 5b

#### PARTIES TO THE RULEMAKING HEARING

- 1. Colorado Parks and Wildlife
- 2. Resurrection Mining Company
- 3. Public Service Company of Colorado
- 4. City of Pueblo
- 5. Peabody Sage Creek Mining Company and Seneca Coal Company
- 6. Tri-State Generation and Transmission Association, Inc.
- 7. Climax Molybdenum Company
- 8. Rio Grande Silver, Inc.
- 9. Mt. Emmons Mining Company
- 10. Plum Creek Water Reclamation Authority
- 11. Environmental Protection Agency
- 12. Raytheon Company13. City of Boulder Open Space and Mountain Parks
- 14. High Country Conservation Advocates
- 15. City of Colorado Springs and Colorado Springs Utilities
- 16. City of Black Hawk and Black Hawk/Central City Sanitation District
- 17. Town of Crested Butte and Coal Creek Watershed Coalition
- 18. Parker Water and Sanitation District

#### STATEMENT OF BASIS, SPECIFIC STATUTORY AUTHORITY AND PURPOSE; JUNE 12, 2017 RULEMAKING: FINAL ACTION AUGUST. 2017: EFFECTIVE DATE DECEMBER 31. 2017

The provisions of C.R.S. 25-8-202(1)(a), (b) and (2); 25-8-203; 25-8-204; and 25-8-402; provide the specific statutory authority for adoption of these regulatory amendments. The commission also adopted in compliance with 24-4-103(4) C.R.S. the following statement of basis and purpose.

#### **BASIS AND PURPOSE:**

#### **Water Body Segmentation** A.

Some segments were renumbered, combined, or new segments were created to facilitate appropriate organization of water bodies in this regulation. Renumbering and/or creation of new segments was made based on information that showed: a) the original reason for segmentation no longer applied; b) significant differences in uses, water quality and/or physical characteristics warrant a change in standards on only a portion of the existing segment; and/or c) certain segments could be merged into one segment because they had similar water quality and uses. The following changes were made:

Animas Florida Segments 2 and 3a: The boundary between Segments 2 and 3a was moved upstream from Maggie Gulch to Minnie Gulch, in order to facilitate a change in use classifications and standards on this portion of the mainstem of the Animas River.

Animas Florida Segments 5b through 5d: Segment 5b was divided into Segments 5b through 5d. The proposed boundaries were developed in consultation with the Southern Ute Indian Tribe, and the resegmentation provides a framework for working toward common water quality standards on waters where there is a jurisdictional dispute.

Animas and Florida Segment 11c: All tributaries to the Florida River formerly in Segment 13c were moved to Segment 11c to improve the organization of waters in this basin.

Animas Florida Segment 13c: The unnamed tributary to Coal Gulch was moved to Segment 13c to facilitate a change in the water supply use classification and standards. All water bodies formerly included in Segment 13c were moved to the new Segment 13e, 13f or 11c to improve the organization of waters in this basin.

Animas Florida Segment 13e and 13f: Tributaries to the Animas River were moved to the new Segment 13e (above Basin Creek) and 13f (Basin Creek to New Mexico Border). The proposed boundaries were developed in consultation with the Southern Ute Indian Tribe, and the resegmentation provides a framework for working toward common water quality standards on waters where there is a jurisdictional dispute.

<u>Dolores River Segments 5a</u>: Beaver Creek and Plateau Creek were moved from Segment 5a to a new Segment 11c to facilitate a change in the use classifications and temperature standards.

<u>Dolores River Segments 10a and 10b</u>: Segment 10 was split into Segments 10a and 10b to change the temperature standards on the West Dolores River below Fish Creek from CS-I to CS-II.

<u>Dolores River Segments 11a, 11b and 11c</u>: Segment 11 was split into Segments 11a, 11b and 11c to facilitate changes to the aquatic life use classifications and temperature standards on tributaries to the Dolores River.

<u>La Plata Segment 2b, 2c and 2d</u>: The mainstem of the La Plata River from the Southern Ute Indian Reservation to the Colorado/New Mexico border was split into Segments 2b, 2c and 2d. The proposed boundaries were developed in consultation with the Southern Ute Indian Tribe, and the resegmentation provides a framework for working toward common water quality standards on waters where there is a jurisdictional dispute.

<u>La Plata Segment 3a and 3e</u>: East Alkali Gulch and Hay Gulch were moved from Segment 3a to Segment 3e to facilitate changes to the water supply and aquatic life use classifications and standards.

<u>La Plata Segments 3c and 3d:</u> East Cherry Creek moved from Segment 3c to a new Segment 3d to facilitate changing the temperature standard from CS-II to CS-I.

<u>La Plata Segments 5, 6a, 7b, 8, 10 and 17</u>: Segments 5, 6a, 7b, 8, 10 and 17 were revised and/or renumbered to facilitate the exclusion of water bodies inside the Ute Mountain Ute Indian Reservation. Former Segments 5b, 6b, 7b, 8b, 9, 10b, 20, 21 and 22 were deleted entirely, as these contained water bodies entirely within the Ute Mountain Ute Indian Reservation.

<u>La Plata Segment 6b:</u> The East Fork of Muddy Creek and East Canyon were moved to a new Segment 6b to facilitate a change in the water supply use classification and standards.

<u>La Plata Segment 7b:</u> A portion of the mainstem of McElmo Creek moved to a new Segment 7b to facilitate a change in the water supply use classification and standards.

<u>Los Pinos Segments 2b, 2c and 2d and 4b:</u> Segment 2b was split into 2b, 2c, and 2d. All of the water bodies previously included in Segment 4b were moved either to Segment 2c (Beaver Creek) or Segment 2d (Ute Creek and Spring Creek). The proposed boundaries were developed in consultation with the Southern Ute Indian Tribe, and the resegmentation provides a framework for working toward common water quality standards on waters where there is a jurisdictional dispute.

<u>Los Pinos Segment 6</u>: Los Pinos Segment 6 was revised to exclude Segment 4b. The Segment number was revised from 6a to 6, since the number for 6b was no longer needed.

<u>Los Pinos Segment 7a:</u> Los Pinos Segment 6b was changed to 7a and the segment description was revised to exclude Segments 2b, 2c and 2d.

<u>Los Pinos Segment 7b:</u> The segment description for Segment 7b was revised to include only Trail Canyon and its tributaries. Other tributaries formerly included in Los Pinos Segment 7b were moved to San Juan Segment 11b (direct tributaries to Navajo Reservoir), as it is a more appropriate sub-basin for the geographic location of these tributaries.

<u>Piedra Segment 4a:</u> A portion of Devil Creek was moved from Segment 5 to 4a to facilitate changes to the temperature standards.

<u>Piedra Segment 4b and 4c</u>: Segment 4b was split into Segments 4b and 4c to facilitate changes to the temperature standards.

<u>Piedra Segment 5a and 5b</u>: Segment 5 was split into Segments 5a and 5b to facilitate changing the temperature standard from CS-I to CS-II on some of the tributaries to the Piedra River.

<u>Piedra Segment 6c</u>: Stollsteimer Creek was moved from Segment 6b to 6c to facilitate a change in the temperature standards.

<u>Piedra Segment 6d</u>: Steven's Draw was moved from Segment 6a to a new Segment 6d to facilitate a change in the water supply use classification and standards.

<u>San Juan Segments 5 and 6a</u>: The segment description for Segments 5 and 6a was revised in order to facilitate changing the temperature standard on the mainstem of the San Juan River from CS-I to CS-II for the portion between the West Fork and Fourmile Creek.

<u>San Juan Segments 6a through 6f</u>: Segments 6a was divided into two segments, Segments 6a and 6b. The former Segment 6b was renumbered as Segment 6c, and waters from this segment were divided into four Segments 6c through 6f. These changes in segmentation were made to facilitate changes to temperature standards on the mainstem of the San Juan River below Pagosa Springs.

<u>San Juan Segment 11c</u>: A new Segment 11c was created to facilitate changes to the aquatic life use classifications and standards for McCabe Creek.

Segment descriptions were also edited to improve clarity, correct typographical errors, and correct spelling errors. These changes are listed in Section Q

#### B. Aquatic Life Use Classifications and Standards

The commission reviewed information regarding the existing aquatic communities. For segments lacking an Aquatic Life use classification, a use was added where biological information demonstrated that these waters are capable of sustaining aquatic biota. Additionally, Class 2 segments with high MMI scores or a wide variety of fish species were upgraded from Class 2 to Class 1.

The following segments were upgraded from no Aquatic Life use to Aquatic Life Cold 1:

Animas Florida segment: 2 (a portion was moved from Segment 3a, resulting in the upgrade)

The following segments were upgraded from Cold 2 to Cold 1:

Dolores River segment: 9

For segments where the existing aquatic communities are not aligned with the Aquatic Life use, the following segments were upgraded from Warm to Cold:

San Juan River segment 11c

For segments where the existing aquatic communities are not aligned with the Aquatic Life use, the following segments were downgraded from Cold to Warm:

San Juan River segment: 2 Dolores River segment: 11c

The commission reviewed all Class 2 segments that have fish that are "of a catchable size and which are normally consumed and where there is evidence that fishing takes places on a recurring basis." Water + Fish or Fish Ingestion standards were applied to the following segments:

San Juan River segment: 19 Los Pinos River segment: 6 Animas Florida River segment: 11c La Plata River segments: 3b, 19

#### C. Recreation Use Classifications and Standards

The commission reviewed information regarding the current Recreation use classifications and evidence pertaining to actual or potential primary contact recreation, and no changes were adopted at this time. In addition, newly created segments were given the same Recreation use classification as the segment from which they were split, unless there was insufficient evidence to support keeping that classification, or evidence to show that the existing use classification was inappropriate.

#### D. Water Supply Use Classification and Standards

The commission added a Water Supply use classification and standards where the evidence demonstrated a reasonable potential for a hydrological connection between surface water and alluvial wells used for drinking water. The Water Supply use classification and standards were added to the following segments:

San Juan River segment: 11b La Plata River segments: 3e, 7b Los Pinos River segments: 6, 7

The commission removed the Water Supply use classification and standards where the evidence demonstrated that a Water Supply use does not currently exist due to flow or other conditions, and that such a use is not reasonably expected in the future due to water rights, source water options, or other conditions. The water supply standard for chloride was retained for these segments, given concerns regarding the protection of aquatic life by the existing Water Supply standard. The Water Supply use classification and standards, except for chloride, were removed from the following segments:

Animas Florida segment: 13c Piedra River segment: 6d

For the segments where the Water Supply use classification and standards were removed, the commission adopted the division's proposal to retain the 250 mg/L chronic (30-day average) standards for chloride as an interim step, based on evidence presented demonstrating the toxic effects of chloride on aquatic life. Retaining the current chloride standard is necessary to protect the assigned Aquatic Life uses and to ensure that these waters are free from substances toxic to aquatic life in accordance with 31.11(1)(a)(iv). The commission retained the numeric standard for chloride because narrative standards have often proved challenging to implement, and interim numeric standards will provide implementable interim standards while allowing time for development of robust replacement criteria based on the latest scientific information.

The commission recognizes that there is scientific uncertainty about the appropriate standards for chloride and/or sulfate to protect the Aquatic Life use, and that appropriate standards may need to recognize that toxicity is affected by site water characteristics (similar to the influence of hardness on the toxicity of dissolved metals). The commission's intention is that future revisions to the numeric standards assigned to these segments, and also to Regulation No. 31 (i.e., aquatic life-based table values chloride and/or sulfate), can be considered if: (1) EPA issues new or updated CWA § 304(a) Aquatic Life criteria recommendations, (2) another state adopts new or revised Aquatic Life criteria and EPA approves, or (3) protective criteria otherwise become available that incorporate the latest scientific information on the risks to aquatic life posed by these pollutants.

#### E. Agriculture Use Classification and Standards

A review of the segments with an existing Agriculture use classification showed that some segments were missing one or more standards to protect that use. The full suite of Agriculture standards was added to the following segments:

Dolores River segment: 9

The commission reviewed all segments with lacking an Agriculture use. Based on an evaluation of the available data and information, no changes were adopted at this time.

#### F. Other Standards to Protect Agriculture, Aquatic Life, and Water Supply Uses

1. **Molybdenum:** In 2010, the commission adopted a new standard for molybdenum to protect cattle from the effects of molybdenosis. The table value adopted at that time was 300  $\mu$ g/L, but included an assumption of 48 mg/day of copper supplementation to ameliorate the effects of molybdenosis. State and local experts on cattle nutrition indicated that copper supplementation in the region is common, but is not universal. Therefore, the copper supplementation assumption was removed from the equation, which then yielded a standard of 160  $\mu$ g/L. That standard was applied in recent basin reviews.

In the 2015 Regulation No. 38 hearing, the commission adopted a standard of 150  $\mu$ g/L, based on an improved understanding of the dietary- and water-intake rates for various life-stages of cattle. This standard is protective of all life-stages of cattle (including lactating cows and growing heifers, steers and bulls) at all times of year.

The Agriculture table value assumes that the safe copper:molybdenum ratio is 4:1. Food and water intake is based on growing heifers, steers, and bulls consuming 6.7 kg/day of dry matter and 56.8 liters of water per day. Total copper and molybdenum intakes are calculated from the following equations:

Cu intake mg/day = [([Cu] forage, mg/kg) x (forage intake, kg/day)] + [([Cu] water, mg/l) x (water intake, L/day)] + (Cu supplementation, mg/day)

Mo intake  $mg/day = [([Mo] \text{ forage}, mg/kg) \times (\text{forage intake}, kg/day)] + [([Mo] water, mg/l) \times (\text{water intake}, L/day)] + (Mo supplementation, mg/day)$ 

The assumed values for these equations are as follows:

[Cu] forage = 7 mg/kg, [Mo] forage =  $0.5 \, \text{mg/kg}$ , forage intake =  $6.7 \, \text{kg/day}$ , [Cu] water =  $0.008 \, \text{mg/L}$ , water intake =  $56.8 \, \text{L/day}$ , Cu supplementation =  $0 \, \text{mg/day}$ , Mo supplementation =  $0 \, \text{mg/day}$ .

In 2010, the commission also adopted a new standard for molybdenum to protect the Water Supply use that was calculated in accordance with Policy 96-2.

A molybdenum standard of 150  $\mu$ g/L was adopted for all segments in Regulation No. 34 that have an Agriculture use classification, and where livestock or irrigated forage are present or expected to be present. The following segments do *not* have an Agriculture or a Water Supply use classification. No molybdenum standard was applied to these segments:

Animas Florida Segment 3b

2. Cadmium for Aquatic Life: The commission adopted updated hardness-based cadmium Aquatic Life standards on a targeted, site-specific basis in cold waters to reflect the most up-to-date science. The new standards, released by the U.S. Environmental Protection Agency (EPA) in March 2016, are protective of sensitive cold water aquatic life (i.e., trout). The cadmium criteria recommended by EPA and adopted by the commission are as follows:

```
Acute = e^{(0.9789^*ln(hardness) - 3.866)*}(1.136672-(ln (hardness)*(0.041838))
Chronic = e^{(0.7977^*ln(hardness) - 3.909)*}(1.101672-(ln (hardness)*(0.041838))
```

EPA's updated cadmium criteria are less stringent than Colorado's current cadmium standards when water hardness is greater than 45 mg/L CaCO<sub>3</sub>. Although the criteria are less stringent, they were developed using the latest science and are protective of aquatic life, and it is expected that Colorado's state-wide cadmium standards will likely be updated using the 2016 EPA cadmium criteria at a later date. Therefore, the commission determined it was appropriate to adopt the new criteria for waters known to be impaired for cadmium to ensure forthcoming clean-up goal development and Total Maximum Daily Load (TMDL) evaluations are based on the most relevant water quality standards available. The updated cadmium standards were adopted for the following segments:

Animas Florida segments: 3a, 3c, 4a, 4b, 6 and 9 Dolores River segment: 9

3. Cadmium, Nickel, and Lead for Water Supply: A review of the cadmium, nickel, and lead standards showed that uses were not always adequately protected by the standards currently in the tables. Depending on hardness, the Aquatic Life standards for cadmium, lead, and nickel were not protective of the Water Supply use. The division reviewed all segments in Regulation No. 34 to determine if the current standards applied to each segment are fully protective of the assigned uses, and revised or added standards where appropriate.

The cadmium Water Supply standard was added because the acute Aquatic Life standard is not protective when the hardness was greater than 200 mg/L in non-trout streams and 345 mg/L in trout streams; the lead Water Supply standard was added because the acute Aquatic Life standard is not protective when hardness is greater than 79 mg/L; and the nickel Water Supply standard was added because the chronic Aquatic Life standard is not protective when hardness is greater than 216 mg/L. Cadmium, lead, and nickel Water Supply standards were added to the following segments:

```
San Juan segments: 1a, 1b, 2, 4, 5, 6a, 6b, 6c, 6d, 6e, 6f, 7, 8, 9a, 9b, 10, 11a, 11b, 11c, 13, 15a, 15b, 16, 17
```

Piedra River segments: 1, 2a, 2b, 3, 4a, 4b, 4c, 5a, 5b, 6a, 6b, 6c, 7, 8, 9, 10, 11a, 11b

Los Pinos segments: 1, 2a, 2b, 2c, 2d, 3, 4, 5, 6, 7a, 8, 9, 10

Animas Florida segments: 1, 4b, 5a, 5b, 5c, 5d, 5e, 6, 9, 10a, 10b, 11a, 11b, 11c, 12a, 12b, 12c, 12d, 13a, 13b, 13e, 13f, 14a, 14b, 15, 16, 18, 21, 22, 23, 24

La Plata River segments: 1, 2a, 2b, 2c, 2d, 3b, 3c, 3d, 3e, 4a, 4b, 4c, 5, 6b, 7b, 8, 11, 12, 15

Dolores River segments: 1, 2, 3, 4a, 4b, 5a, 5b, 6, 7, 8, 10a, 10b, 11a, 11b, 11c, 12, 13, 14, 15

4. Aquatic Life Criteria for Selenium and Ammonia: The commission declined to adopt EPA's revised 304(a) Aquatic Life criteria for selenium and ammonia at this time; however, the division is committed to evaluating these new criteria. Studies are currently underway for each parameter to improve understanding of these criteria in the context of water quality conditions in Colorado and how these criteria may be adopted and implemented in Colorado in the future.

#### G. Antidegradation Designations

The commission reviewed all Warm 2 segments designated Use Protected to determine if the Use Protected designation was still warranted. Based upon available water quality data that meet the criteria of 31.8(2)b, the Use Protected designation was removed from the following segments:

Piedra River segment: 6a La Plata River segment: 3b

#### H. Ambient Quality-Based Standards

Ambient quality-based standards are adopted where a comprehensive analysis has been conducted demonstrating that elevated existing water quality levels are the result of natural conditions or are infeasible to reverse, but are adequate to protect the highest attainable use.

The commission reviewed all existing site-specific standards. Based on an evaluation of the available data and information, no changes were adopted at this time.

#### I. Temporary Modifications

All existing Temporary Modifications were examined to determine if they should be allowed to expire or if they should be extended, either unchanged or with changes to the numeric limits.

The commission deleted or allowed to expire on 12/31/2017 certain temporary modifications on the following segments:

Animas Florida River segment: 3b (cadmium and zinc)

The commission revised or extended Temporary Modification on the following segments:

Animas Florida Segments 3b and 4a: Temporary modifications of the copper standards were extended to 12/31/2022 on Segment 3b and adopted on Segment 4a. The Town of Silverton presented evidence that additional time is needed to resolve the uncertainty regarding the underlying copper standards. There is uncertainty regarding the degree to which existing concentrations of copper are irreversible, because the U.S. EPA Superfund Program is evaluating potential remediation projects in the watershed that may reduce loading of copper to the Animas River. There is also uncertainty regarding the degree to which the copper loading from Silverton's effluent is irreversible, and Silverton will complete an alternatives analysis to resolve this uncertainty and determine how much copper reduction is feasible. Therefore, the commission extended the expiration date of the "current conditions" temporary modifications for copper to 12/31/2022.

La Plata Segment 7a and 9: The commission extended the ammonia temporary modifications on La Plata Segment 7a and 9. There is uncertainty regarding the degree to which the ammonia loading from Lee Mobile Home Park's and Vista Verde's effluent discharges is irreversible, and these facilities will complete an alternatives analysis to resolve this uncertainty and determine how much water quality improvement is feasible. Therefore, the commission extended the expiration date of the temporary modifications for copper to 6/30/2020. The commission changed the operative value of the temporary modification from "old TVS" to "current condition" on La Plata Segment 7a to be consistent with the commission's current practice for temporary modifications. Since the "old TVS" is no longer referenced in Appendix 34-1, the old ammonia standard equations and related footnotes were deleted from 34.6.

To remain consistent with the commission's decisions regarding arsenic in section 34.41, all existing temporary modifications for arsenic of "As(ch)=hybrid" (expiration date of 12/31/21) were retained. An arsenic temporary modification was added to the following segments, which had an existing or newly added chronic arsenic standard  $0.02~\mu g/L$  and a permitted discharger with a water quality–based effluent limit compliance problem:

Los Pinos River segments: 6

#### J. Discharger Specific Variances

There is currently one segment in the San Juan and Dolores River Basins (Animas Florida Segment 13c) that has a discharger specific variance (DSV) for ammonia. The commission reviewed the basis for this DSV and the available information regarding progress toward achieving the highest attainable water quality. The commission determined that this DSV is still appropriate and does not require revision at this time.

#### K. Temperature Standards for Rivers and Streams

The commission revised temperature criteria in Regulation No. 31 in 2007, and again in 2010, based on the development of the Colorado Temperature Database and a lengthy stakeholder process. In 2012, the new temperature standards were adopted for all segments with an Aquatic Life use classification in Regulation No. 34. In June 2016, temperature criteria in Regulation No. 31 were further revised, including changes to the temperature table value standards, revision of warm water winter acute standards, and the addition of footnotes to protect lake trout and mountain whitefish.

- 1. <u>Colorado Temperature Database Update</u>: The Colorado Temperature Database was updated in 2016 to reflect the most recent research regarding the thermal requirements of Colorado's fishes, which allowed for adoption of an overall update of the cold and warm water acute and chronic temperature table value standards. In this hearing, the commission adopted revisions at 34.6(3) to bring this regulation into conformity with the revised table value standards found in Table I of Regulation No.31.
- 2. Warm Water Winter Acute Table Values: The 2016 updates to the temperature database also allowed for the adoption of revisions to the warm water winter acute table values. When seasonal numeric temperature standards were first adopted in 2007, warm water winter acute and chronic standards were simply set at half the summer season table values, recognizing a pattern seen in cold waters. In 2016, the acute winter table values for warm water fish were revised based on lethal temperature thresholds established in laboratory experiments for fish acclimated to "winter" temperatures. Standards derived using this new method more accurately protect warm water fish from acute thermal effects in winter. In this hearing, the commission adopted revisions at 34.6(3) to bring this regulation into conformity with the revised warm water winter acute temperature table value standards found in Table I of Regulation No.31.
- 3. Mountain Whitefish and Lake Trout Footnotes: In 2016, the commission adopted two footnotes to Table I of Regulation No. 31 to allow for additional thermal protection of mountain whitefish and lake trout where appropriate. These species were given special standards due to their thermal sensitivity and limited distributions. In Regulation No. 34, there are no water bodies where lake trout are expected to occur, or where thermally-sensitive spawning and early life stages of mountain whitefish are known to occur, based upon information provided by Colorado Parks and Wildlife. No changes were adopted at this time to protect mountain whitefish or lake trout.

#### 4. Refinement of Temperature Standards

Since temperature criteria were revised in Regulation No. 31 in 2007, the division and others have worked to ensure that appropriate temperature standards were adopted for segments throughout the state. At times, this effort to assign temperature standards has also included reevaluation of the existing Aquatic Life use classifications, and use revisions have been proposed and adopted where appropriate. Incremental progress continues as temperature standards are refined based on the experience and data gains that have occurred since initial adoption of temperature standards.

In the 2016 Regulation No. 31 hearing, the commission declined to adopt the division's proposal for statewide solutions for temperature transition zones and shoulder seasons, in favor of a basin-by-basin consideration of temperature standards on a site-specific basis. The basin-by-basin approach was selected as it allows for consideration of temperature attainability and ambient quality-based site-specific temperature standards issues in the context of multiple lines of evidence and site-specific contravening evidence. The sections below describe the considerations and methods used to develop and support the site-specific temperature standards revisions adopted in this basin hearing.

- i. Existing Uncertainty: While a great deal of progress has been made regarding the development and implementation of temperature standards, uncertainty still remains for some segments due to the lack of site-specific temperature or aquatic community information or conflicts between the lines of evidence. This uncertainty was highlighted in the statement of basis and purpose language for the 2012 Regulation No. 34 Rulemaking Hearing at 34.38.K. To address this uncertainty, these segments were targeted for additional data collection where possible, and all new information collected for these segments was evaluated as part of this basin review.
- ii. Attainability: Following the commission's 2016 direction to consider attainability issues using a basin-by-basin approach, the division reviewed all available information to identify segments where attainability issues may exist based upon available instream temperature data and expected in-stream summer maximum weekly average temperatures (MWATs). Expected MWATs were determined using regression analysis of temperature and elevation and the NorWeST Stream Temperature Regional Database and Model. This screening found that many segments, or portions of segments, were not expected to attain the summer or winter chronic temperature standards. These waters were targeted for additional review, as were waters listed as impaired for temperature on the 2016 303(d) List.
- iii. Aquatic Life Use: For these selected segments, the division conducted a comprehensive, site-specific review of the existing use classification and temperature standards. Fishery data provided by Colorado Parks and Wildlife (CPW) was evaluated to identify fish species expected to occur, whether reproduction is expected (i.e., stocked, transient, or resident species), age class structures, and any other relevant information regarding aquatic life communities. For segments where little or no information on fish species expected to occur existed, fish population data from adjacent and representative water bodies was utilized when possible.
- iv. <u>Thermal Drivers</u>: In cases where temperature standards to protect the highest attainable use were determined, but the temperature standards were not attainable, site-specific factors that influence in-stream temperature were evaluated to identify any correctable anthropogenic thermal sources. All available data on temperature, hydrology, hydro-modification, canopy cover, groundwater influence, point and non-point thermal sources, and other relevant information was reviewed.

Based upon information regarding the species expected to occur, temperature data, physical habitat, land cover/use, groundwater inputs, flow conditions, and all other available information regarding thermal drivers, the commission adopted revisions of temperature standards for the segments listed below where water quality is not feasible to improve or where the thermal regime is the result of natural conditions, but is sufficient to protect the highest attainable use.

The following segments were changed from CS-I to CS-II:

San Juan River segment: 6a Piedra River segment: 5b Dolores River segment: 10b, 11b

The following segments were changed from CS-II to CS-I:

La Plata River segment: 3d

The following segments were changed from CS-II to WS-II:

San Juan River segment 2 Dolores River segment 11c

The following segments were changed from WS-II to CS-II:

La Plata River segment 3e

The following segments were changed from WS-III to WS-II:

Piedra River segment: 6c

Ambient temperature standards were adopted where a use attainability analysis was conducted demonstrating that elevated ambient temperatures are the result of natural conditions or are not feasible to improve to the level required by the current numeric standard, but are adequate to protect the highest attainable use. Ambient temperature standards were adopted for the following segments:

San Juan River segments: 6b, 6c, 6d, 6e, 6f, 11c Piedra River segments: 4a, 4b, 4c

Adequate data or resources were not always available to support a revision of the use classification or a temperature standards change. In these cases, no change was proposed. It is the commission's intent that the division and interested parties work to resolve the uncertainty. There is uncertainty regarding the appropriate use classifications and temperature standards to protect the highest attainable use still exist for the following segments:

San Juan River segments: 3, 9a and 9b Los Pinos River segments: 2c, 2d, 4b, 7a and 11b

Animas Florida segment: 4a, 5b – 5e, 11a, 11b, 11c, 13b, 13c, 13f, 14b

La Plata River segments: 2b, 2c, and 2d

Moving forward with this site-specific approach, the commission encourages the division to consider whether any additional information would be appropriate to be included in the use attainability analyses.

#### L. Ambient Quality-Based Temperature Standards for Lakes

The WAT standard was found to be unattainable for a number of cold large lakes and reservoirs where evidence indicated there are healthy cold water fish populations. Because summertime temperature in the mixed layer for large lakes and reservoirs is very well correlated to the water body's elevation, the commission adopted ambient temperature standards for large lakes wherever data were available to characterize a WAT and the thermal characteristics of the lakes and reservoirs were determined to be the result of natural or irreversible man-induced conditions. Ambient temperature standards were adopted for the following lakes:

Dolores River: 4b (McPhee and Summit Lakes)

#### M. Nutrients

In March 2012, the commission adopted interim nutrient values in the Basic Standards (Regulation No. 31) and created a new statewide control regulation (Regulation No. 85) to address nutrients in Colorado. Regulation 31.17 includes interim nutrient values for total phosphorus, total nitrogen, and chlorophyll a for both lakes and reservoirs, and rivers and streams. Due to the phased implementation approach adopted with these criteria (31.17(e)), the commission considered adoption of only total phosphorus and chlorophyll a standards at this time. Nitrogen standards were not considered as part of this rulemaking hearing, but will be considered in the next triennial review, currently scheduled for June 2020.

Total phosphorus and chlorophyll *a* standards were adopted for waters upstream of all permitted domestic wastewater treatment facilities discharging prior to May 31, 2012 or with preliminary effluent limits requested prior to May 31, 2012, and any non-domestic facilities subject to Regulation No. 85 effluent limits and discharging prior to May 31, 2012. A new section (4) was added at 34.5 describing implementation of the interim nutrient values into the tables at 34.6, and includes a table which lists these facilities and the segment to which they discharge.

For segments located entirely above these facilities, nutrient standards apply to the entire segment.

For segments with portions downstream of these facilities, *nutrient standards only apply above these facilities*. A note was added to the total phosphorus and chlorophyll a standards in these segments. The note references the table of qualified facilities at 34.5(5).

For segments located entirely below these facilities, nutrient standards do not apply.

For rivers and streams segments, total phosphorus standards were adopted for segments with an Aquatic Life use. Chlorophyll a standards were adopted for segments with either an E or P Recreation use classification.

For lakes and reservoirs segments, a note was added to total phosphorus and chlorophyll standards adopted for lakes in the tables at 34.6, as these standards only apply to lakes larger than 25 acres.

31.17(e)(ii) also allows the commission to adopt numeric nutrient standards for Direct Use Water Supply (DUWS) lakes and reservoirs. No proposals were made to adopt standards based on this provision in this rulemaking (see section N).

31.17(e)(iii) also allows the commission to adopt numeric nutrient standards for circumstances where the provisions of Regulation No. 85 are not adequate to protect waters from existing or potential nutrient pollution. No proposals were made to adopt standards based on this provision in this rulemaking.

Chlorophyll a standards were adopted for the following segments:

San Juan River segments: 1a, 1b, 2, 3, 4, 5, 6a, 6b, 7, 8, 9a, 9b, 10, 11a, 11b, 11c, 12, 13, 14, 15a, 15b, 16, 17, 18a, 18b, 19

Piedra River segments: 1, 2a, 2b, 3, 4a, 5a, 5b, 6a, 6b, 6c, 6d, 8, 9, 10, 11a, 11b

Los Pinos River segments: 1, 2a, 4, 5, 6, 7a, 7b, 8, 9, 10, 11a, 11b

Animas Florida River segment: 1, 2, 3a, 3b, 3c, 6, 7, 8, 9, 10a, 10b, 11c, 12a, 12b, 12c, 12d, 13a, 13b, 13c, 13d, 13e, 13f, 14a, 14b, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24

La Plata River segments: 1, 2a, 2b, 2c, 2d, 3a, 3b, 3c, 3d, 3e, 4a, 4b, 4c, 5, 6a, 6b, 6c, 7a, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19

Dolores River segments: 1, 2, 3, 4a, 4b, 5a, 5b, 6, 7, 8, 9, 10a, 10b, 11a, 11b, 11c, 12, 13, 14, 15

Total Phosphorus standards were adopted for the following segments:

San Juan River segments: 1a, 1b, 2, 3, 4, 5, 6a, 6b, 7, 8, 9a, 9b, 10, 11a, 11b, 11c, 12, 13, 14, 15a, 15b, 16, 17, 18a, 18b, 19

Piedra River segments: 1, 2a, 2b, 3, 4a, 5a, 5b, 6a, 6b, 6c, 6d, 8, 9, 10, 11a, 11b

Los Pinos River segments: 1, 2a, 4, 5, 6, 7a, 7b, 8, 9, 10, 11a, 11b

Animas Florida River segment: 1, 3a, 3c, 6, 9, 10a, 10b, 11c, 12a, 12b, 12c, 12d, 13a, 13b, 13c, 13e, 13f, 14a, 14b, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24

La Plata River segments: 1, 2a, 2b, 2c, 2d, 3a, 3b, 3c, 3d, 3e, 4a, 4b, 4c, 5, 6a, 6b, 6c, 7a, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19

Dolores River segments: 1, 2, 3, 4a, 4b, 5a, 5b, 6, 7, 8, 9, 10a, 10b, 11a, 11b, 11c, 12, 13, 14, 15

#### N. Direct Use Water Supply Sub-classification

Also in the March 2012 rulemaking hearing, the commission adopted a sub-classification of the Domestic Water Supply Use called "Direct Use Water Supply Lakes and Reservoirs Sub-classification" (DUWS), in Regulation No. 31, at 31.13(1)(d)(i). This sub-classification is for Water Supply lakes and reservoirs where there is a plant intake location in the lake or reservoir or a man-made conveyance from the lake or reservoir that is used regularly to provide raw water directly to a water treatment plant that treats and disinfects raw water. The commission has begun to apply this sub-classification and anticipates that it will take several basin reviews to evaluate all the reservoirs in the basin. The commission adopted the DUWS sub-classification on the following reservoirs and added "DUWS" to the classification column in the standards tables. The public water systems are listed along with the reservoirs and segments.

Piedra River segment: 7 (Hatcher and Stevens Reservoirs)
Animas Florida River segment: 23 (City Reservoir #1 and Lake Durango)
La Plata River segment: 4b (Jackson Gulch Reservoir)
Dolores River segment: 4b (McPhee Reservoir)

31.17(e)(ii) also allows the commission to adopt numeric nutrient standards for DUWS lakes and reservoirs. No proposals were made to adopt standards based on this provision in this rulemaking.

#### O. Other/Site-Specific Revisions

The commission revised segment descriptions and/or deleted entire segments to exclude all waters within the Ute Mountain Ute Indian Tribe from Regulation No. 34:

La Plata River, Mancos River, McElmo Creek, and San Juan River in Montezuma County and Dolores County: Segments 5, 6a, 7b, 8, 10 and 17

#### P. Duration of nitrite standard

The commission corrected the duration of the nitrite standard from chronic to acute on all segments. When the commission adopted the new format for tables in 2016, all nitrite standards were incorrectly included in the "chronic" standards column.

#### Q. Typographical and Other Errors

The following edits were made to segment descriptions to improve clarity and correct typographical errors:

Los Pinos River segments: 4, 6

Animas Florida River segment: 4b, 5a, 6, 10b, 11b, 13b

La Plata River segments: 6a, 9, 14

#### PARTIES TO THE RULEMAKING HEARING

- 1. Town of Silverton
- 2. Animas River Stakeholders Group
- 3. Homestake Mining Company
- 4. Mt. Emmons Mining Company
- 5. Colorado Parks and Wildlife
- 6. Colorado Waste Water Utility Council
- 7. Ouray Silver Mines Inc.
- 8. Trout Unlimited
- 9. U.S. Environmental Protection Agency, Region 8 Office
- 10. Towns of Hotchkiss, Lake City, Olathe, Ridgway
- 11. Southwestern Water Conservation District
- 12. Dolores Water Conservancy District
- 13. High Country Conservation Advocates
- 14. Upper Gunnison River Water Conservancy District
- 15. Littleton/Englewood Wastewater Treatment Plant
- 16. Eagle River Water and Sanitation District
- 17. Town of Crested Butte, Gunnison County, Coal Creek Watershed Coalition
- 18. Northern Colorado Water Conservancy District
- 19. Tri-State Generation and Transmission Association, Inc.
- 20. Climax Molybdenum Company
- 21. Northwest Colorado Council of Governments Water Quality/Quantity Committee

## 34.49 STATEMENT OF BASIS, SPECIFIC STATUTORY AUTHORITY AND PURPOSE; DECEMBER 10, 2018 RULEMAKING; FINAL ACTION JANUARY 14, 2019; EFFECTIVE DATE JUNE 30, 2019

The provisions of C.R.S. 25-8-202(1)(a), (b) and (2); 25-8-203; 25-8-204; and 25-8-402; provide the specific statutory authority for adoption of these regulatory amendments. The commission also adopted in compliance with 24-4-103(4) C.R.S. the following statement of basis and purpose.

#### **BASIS AND PURPOSE:**

Pursuant to the requirements in the Basic Standards (at 31.7(3)), the commission reviewed the status of temporary modifications scheduled to expire before December 31, 2020 to determine whether the temporary modification should be modified, eliminated, or extended.

For the temporary modifications set to expire after the effective date of this hearing, the commission reviewed progress toward resolving the uncertainty in the underlying standard and/or the extent to which conditions are a result of natural or anthropogenic conditions, and evaluated whether the temporary modifications were still necessary. The commission took no action on the following temporary modifications:

La Plata Segment 7a (COSJLP07a): temporary modification of the ammonia standards (expires 6/30/2020). Vista Verde continues to make progress on resolving the uncertainty regarding the degree to which the ammonia loading from Vista Verde's effluent discharge is irreversible, and will complete an alternatives analysis to resolve this uncertainty and determine how much water quality improvement is feasible. The commission made no change to the expiration date, as the original time allotment was deemed adequate to resolve the uncertainty.

La Plata Segment 9 (COSJLP09): temporary modification of the ammonia standards (expires 6/30/2020). Lee Mobile Home Park continues to make progress on resolving the uncertainty regarding the degree to which the ammonia loading from Lee Mobile Home Park's effluent discharge is irreversible, and will complete an alternatives analysis to resolve this uncertainty and determine how much water quality improvement is feasible. The commission made no change to the expiration date, as the original time allotment was deemed adequate to resolve the uncertainty.

## 34.50 STATEMENT OF BASIS, SPECIFIC STATUTORY AUTHORITY AND PURPOSE; DECEMBER 9, 2019 RULEMAKING; FINAL ACTION JANUARY 13, 2020; EFFECTIVE DATE JUNE 30, 2020

The provisions of C.R.S. 25-8-202(1)(a), (b) and (2); 25-8-203; 25-8-204; and 25-8-402; provide the specific statutory authority for adoption of these regulatory amendments. The commission also adopted in compliance with 24-4-103(4) C.R.S. the following statement of basis and purpose.

#### **BASIS AND PURPOSE**

Pursuant to the requirements in the Basic Standards (at 31.7(3)), the commission reviewed the status of temporary modifications scheduled to expire before December 31, 2021 to determine whether the temporary modification should be modified, eliminated, or extended.

For the temporary modifications set to expire after the effective date of this hearing, the commission reviewed progress toward resolving the uncertainty in the underlying standard and/or the extent to which conditions are a result of natural or anthropogenic conditions, and evaluated whether the temporary modifications were still necessary.

#### A. Temporary Modifications for Standards Other than Arsenic

The commission extended the following temporary modifications:

La Plata Segment 7a (COSJLP07a): The commission extended the temporary modifications for Ammonia (ac/ch) = current condition on La Plata Segment 7a until 06/30/2021. Vista Verde continues to make progress on resolving the uncertainty regarding the degree to which the ammonia loading from Vista Verde's effluent discharge is irreversible, and is working with the division to complete an alternatives analysis to resolve this uncertainty and determine how much water quality improvement is feasible. Vista Verde will participate in the small ammonia lagoons discharger specific variance (DSV) rulemaking hearing, which is anticipated to take place by December of 2020.

La Plata Segment 9 (COSJLP09): The commission extended the temporary modifications for Ammonia (ac/ch) = current condition on La Plata Segment 9 until 06/30/2021. Lee Mobile Home Park continues to make progress on resolving the uncertainty regarding the degree to which the ammonia loading from Lee Mobile Home Park's effluent discharge is irreversible, and is working with the division to complete an alternatives analysis to resolve this uncertainty and determine how much water quality improvement is feasible. Vista Verde will participate in the small ammonia lagoons discharger specific variance (DSV) rulemaking hearing, which is anticipated to take place by December of 2020.

#### B. Temporary Modifications for Arsenic

The temporary modification of the chronic arsenic standard, which applies to numerous segments with a standard of  $0.02 \,\mu\text{g/l}$  to protect the Water + Fish use, was extended from 12/31/2021 to 12/31/2024. No changes were made to the temporary modification operative values at 34.6(2)(c). For discharges existing on or before 6/1/2013, the temporary modification remains at As(ch)=current condition and numeric effluent limits will be developed by the division using the division's implementation method (WQCD Exhibit L). For new or increased discharges that commence on or after 6/1/2013, the temporary modification remains at  $0.02-3.0 \,\mu\text{g/L}$  (total recoverable). The extension provides time to resolve the uncertainty in the underlying standard for arsenic to protect human health. Significant uncertainty remains regarding the appropriate standard to protect the use and the extent to which ambient levels of arsenic are the result of natural or irreversible conditions. In addition, there is widespread instream non-attainment of the underlying standard and predicted or demonstrated compliance problems with permit limits based on the underlying standard, as demonstrated in the division's Prehearing Statement.

It is anticipated that the uncertainty regarding the appropriate underlying standard for arsenic to protect human health will be resolved by June 2024, with the adoption of new statewide arsenic use-based standards. The division presented (WQCD Exhibit E) a detailed plan to resolve the multifaceted uncertainty for arsenic. The plan includes conducting a field study to investigate the proportion of inorganic (versus total) arsenic in the tissue of fish collected from Colorado waters, deriving a bioaccumulation or bioconcentration factor for arsenic, appropriate for use in Colorado, and characterizing ambient levels of arsenic in surface waters and groundwater statewide. As discussed below, the division will also be gathering, through permit requirements, targeted data from facilities benefiting from the arsenic temporary modification (WQCD Exhibit D). These data will help the division to better understand the contribution of arsenic in effluent from permitted facilities to ambient levels of arsenic in Colorado waters and will inform the extent to which ambient levels of arsenic are the result of natural or irreversible conditions.

Effluent arsenic concentration data from facilities throughout the state demonstrate that many facilities will likely have issues meeting effluent limits based on the anticipated revised arsenic water quality standard to protect human health. As a result, there is a widespread need to make progress to understand sources of arsenic and options for source control and treatment. To ensure such progress is made, when implementing the "current condition" temporary modification in permits, the division will include additional permit Terms and Conditions, which may include requirements for additional monitoring, source identification, and characterization of source control and treatment options for reducing arsenic concentrations in effluent (WQCD Exhibit D). Under the duration of the temporary modification, facilities would not be required to implement facility improvements to meet a specified effluent limit; however, facilities may be required to evaluate arsenic source control and treatment options for their facility. For purposes of evaluating options to reduce arsenic concentrations in effluent, the arsenic treatment removal recognized in the 2013 Arsenic Rulemaking (3 µg/L) can be used as a point of reference until the uncertainty in the underlying standard is resolved. Implementation guidance for these requirements was included in WQCD Exhibit D. These requirements are reasonable and would not cause undue economic burden for facilities, but will ensure that progress is being made toward future attainment of the underlying standards and protection of the classified uses. Implementation of these requirements would function to increase the amount of time facilities would have for long-term planning and encourage data collection that would facilitate implementation of the most appropriate source reduction and treatment options and selection of the most appropriate regulatory pathways once the new underlying standard is adopted for arsenic.

#### C. Implementation of Current Condition Temporary Modifications into Permits

Several parties to the hearing raised concerns regarding the implementation of current condition temporary modifications into permits, as described in WQCD Exhibit L. The commission was persuaded that the division has existing legal authority to proceed with implementation of these temporary modifications in the absence of a rule or policy addressing this specifically. However, the commission believes it would be beneficial to develop a policy, and therefore requested that the division work toward developing a division policy about how the division will proceed with implementing current condition temporary modifications into permits. The commission requested that the division report back to the commission next year, potentially as part of the division's annual update to the commission regarding the 10-Year Water Quality Roadmap, regarding what the division believes is a reasonable timeline and process for developing such a policy. The commission encouraged the division to continue with its current efforts at transparency and implementation of current condition temporary modifications consistent with the evidence presented in the rulemaking, including Exhibit L, into permits prior to the development of a policy.

## 34.51 STATEMENT OF BASIS, SPECIFIC STATUTORY AUTHORITY AND PURPOSE; DECEMBER 9, 2019 RULEMAKING; FINAL ACTION JANUARY 13, 2020; EFFECTIVE DATE JUNE 30, 2020

The provisions of C.R.S. 25-8-202(1)(a), (b) and (2); 25-8-203; 25-8-204; and 25-8-402; provide the specific statutory authority for adoption of these regulatory amendments. The commission also adopted in compliance with 24-4-103(4) C.R.S. the following statement of basis and purpose.

#### **BASIS AND PURPOSE**

#### A. Aquatic Life Standards for Cadmium

Cadmium is a naturally-occurring element frequently found alongside other metals, and numerous treatment techniques are available to remove cadmium from wastewater. Cadmium has both acute and chronic effects on aquatic life, and can negatively impact survival, growth, reproduction, immune and endocrine systems, development, and behavior.

The commission revised the hardness-based cadmium table value standards to protect the Aquatic Life use. The updated standards incorporate toxicity data that have become available since the cadmium standards were last updated in the 2005 Regulation No. 31 rulemaking hearing. The updated standards are based on the United States Environmental Protection Agency's (EPA) "Aquatic Life Ambient Water Quality Criteria – 2016" and toxicity data that have become available since EPA's recommended criteria were released in 2016.

The updated standards include two acute equations (acute(cold) and acute(warm)) and one chronic equation. The acute(cold) and chronic equations are the same as the acute and chronic criteria recommended by EPA in 2016. The acute(cold) equation, which is lowered to protect trout, is protective of trout and other sensitive cold water species and applies in segments classified as Aquatic Life Cold Class 1 or 2. The acute(warm) equation, which is not lowered to protect trout, is protective of warm water species and applies in segments classified as Aquatic Life Warm Class 1 or 2. The chronic equation is protective of both cold and warm water aquatic life and applies in segments classified as either Aquatic Life Cold Class 1 or 2 or Aquatic Life Warm Class 1 or 2.

Compared to the previous cadmium table value standards, the updated standards are generally less stringent. The acute(cold) standard is less stringent than the previous acute(trout) standard when water hardness is greater than 45 mg/L CaCO<sub>3</sub>. The acute(warm) equation is less stringent than the previous acute standard when water hardness is greater than 101 mg/L CaCO<sub>3</sub>. The updated chronic equation is less stringent than the previous chronic standard at all water hardness values.

In the past, Colorado has had separate acute equations for waters with trout and waters without trout. The updated standards include separate acute equations for cold waters (both with and without trout) and warm waters. This change in approach is due to the addition of toxicity data showing that sculpin, which inhabit cold waters, are also sensitive to cadmium. To ensure protection of sculpin and other sensitive cold water aquatic life in waters where trout are absent, the acute(cold) equation applies to all cold waters. As a result, the acute trout (tr) qualifier for cadmium is no longer needed on select cold water segments and was deleted from all segments where it had applied.

During the 2017 basin review, the commission adopted EPA's 2016 recommended criteria as site-specific standards in select cold water segments. The updated table value standards for cold waters are the same as EPA's 2016 recommended criteria. Therefore, to reflect the commission's state-wide adoption of the updated table value standards, the cadmium "SSE" were replaced with "TVS" on the following segments:

Animas Florida: 3a, 3c, 4a, 4b, 6 and 9

Dolores River: 9

#### B. Clarifications to Appendix 34-1

To improve the clarity and usability of the tables, an acronym list was added to the front of Appendix 34-1 and the footnote referencing Section 34.6 was also simplified.

# COLORADO DEPARTMENT OF PUBLIC HEALTH AND ENVIRONMENT WATER QUALITY CONTROL COMMISSION

5 CCR 1002-34

REGULATION NO. 34
CLASSIFICATIONS AND NUMERIC STANDARDS
FOR
SAN JUAN RIVER AND DOLORES RIVER BASINS

APPENDIX 34-1
Stream Classifications and Water Quality Standards Tables

Effective 06/30/2020

#### **Abbreviations and Acroynms**

Aq °C Aquatic =

= degrees Celsius

CL = cold lake temperature tier CLL cold large lake temperature tier = CS-I cold stream temperature tier one = CS-II cold stream temperature tier two =

D.O. dissolved oxygen

daily maximum temperature DM DUWS = direct use water supply

E. coli = Escherichia coli EQ existing quality milligrams per liter mg/L

 $mg/m^2 =$ milligrams per square meter

mL milliliter

MWAT = maximum weekly average temperature

OW outstanding waters

sc sculpin =

SSE site-specific equation Τ total recoverable

total = t trout tr

TVS = table value standard = micrograms per liter μg/L UP use-protected = WS = water supply

WS-I = warm stream temperature tier one WS-II = warm stream temperature tier two WS-III = warm stream temperature tier three

WL warm lake temperature tier

1a. Mainstem of the Navajo River including all wetlands and tributaries from the boundary of the South San Juan Wilderness Area to below the confluence with Sheep Creek. Mainstem of the Little Navajo River, including all wetlands and tributaries, from the boundary of the South San Juan Wilderness Area to the San Juan-Chama Diversion. Classifications Physical and Biological Metals (ug/L) Designation Agriculture DM MWAT acute chronic Reviewable Aq Life Cold 1 Temperature °C CS-I CS-I Aluminum Recreation E acute chronic Arsenio 340 Water Supply D.O. (mg/L) 6.0 Arsenic(T) 0.02 Qualifiers: D.O. (spawning) 7.0 Beryllium рΗ 6.5 - 9.0 Other: Cadmium TVS TVS chlorophyll a (mg/m²) 150 Cadmium(T) 5.0 E. Coli (per 100 mL) 126 Chromium III TVS Chromium III(T) 50 Inorganic (mg/L) Chromium VI TVS TVS acute chronic Copper TVS TVS Iron ws Ammonia TVS TVS Boron 0.75 Iron(T) 1000 Lead TVS TVS Chloride 250 Chlorine 0.019 0.011 Lead(T) 50 0.005 Manganese TVS TVS/WS Cyanide EPA has not acted on segment-Nitrate 0.01(t) 10 Mercurv specific total phosphorus (TP) Nitrite Molybdenum(T) 150 0.05 numeric standards based on Phosphorus 0.11 Nickel TVS TVS the interim value for river/ Sulfate ws Nickel(T) 100 stream segments with a cold Sulfide 0.002 Selenium TVS TVS water aquatic life classification Silver TVS TVS(tr) (0.11 mg/L TP). Uranium Zinc TVS TVS 1b. Mainstem of the Navajo River, including all wetlands and tributaries from below the confluence with Sheep Creek to the Colorado/New Mexico border, except for specific listings in Segment 3 COSJSJ01B Classifications Physical and Biological Metals (ug/L) DM MWAT Designation chronic Agriculture acute Reviewable Aq Life Cold 1 Temperature °C CS-II CS-II Recreation E acute chronic Arsenic 340 Water Supply D.O. (mg/L) 6.0 0.02 Arsenic(T) Qualifiers: D.O. (spawning) ---7.0 Beryllium 6.5 - 9.0 Other: Cadmium TVS TVS chlorophyll a (mg/m²) 150 Cadmium(T) E. Coli (per 100 mL) 126 Chromium III **TVS** Chromium III(T) 50 Chromium VI TVS TVS Inorganic (mg/L) TVS acute chronic Copper TVS TVS Iron WS TVS Ammonia Boron 0.75 Iron(T) 1000 TVS TVS Chloride 250 Lead Chlorine 0.019 0.011 Lead(T) 50 TVS TVS/WS Cyanide 0.005 Manganese Nitrate 10 Mercury 0.01(t)Nitrite 0.05 Molybdenum(T) ---150 Phosphorus 0.11 Nickel TVS TVS Nickel(T) 100 Sulfate WS TVS Sulfide 0.002 Selenium TVS Silver TVS TVS(tr) Uranium 7inc TVS TVS

All metals are dissolved unless otherwise noted.

T = total recoverable

t = total tr=trout sc=sculpin D.O. = dissolved oxygen

DM = daily maximum

2. Mainstem of	of the Navajo River fron	n the Colorado/N	ew Mexico border to the o	confluence with	the San Jua	n River.			
COSJSJ02	Classifications		Physica	al and Biologic	cal		N	Metals (ug/L)	
Designation	Agriculture				DM	MWAT		acute	chronic
Reviewable	Aq Life Warm 1		Temperature °C		WS-II	WS-II	Aluminum		
	Recreation E				acute	chronic	Arsenic	340	
	Water Supply		D.O. (mg/L)			6.0	Arsenic(T)		0.02
Qualifiers:			D.O. (spawning)			7.0	Beryllium		
Other:			pH		6.5 - 9.0		Cadmium	TVS	TVS
Temporary M	odification(s):		chlorophyll a (mg/m²)			150	Cadmium(T)	5.0	
Arsenic(chroni	* *		E. Coli (per 100 mL)			126	Chromium III		TVS
Expiration Dat	e of 12/31/2024						Chromium III(T)	50	
*Couthorn Lite	Indian Reservation		lr	norganic (mg/L	-)		Chromium VI	TVS	TVS
Southern Ote	indian Reservation				acute	chronic	Copper	TVS	TVS
			Ammonia		TVS	TVS	Iron		WS
			Boron			0.75	Iron(T)		1000
EPA ha	s not acted on	seament-	Chloride			250	Lead	TVS	TVS
	total phosphor		Chlorine		0.019	0.011	Lead(T)	50	
	standards bas		Cyanide		0.005		Manganese	TVS	TVS/WS
1 1	rim value for riv		Nitrate		10		Mercury		0.01(t)
stream	segments with	a warm	Nitrite		0.05		Molybdenum(T)		150
	quatic life class		Phosphorus			0.17	Nickel	TVS	TVS
	g/L TP).		Sulfate			WS	Nickel(T)		100
	,		Sulfide			0.002	Selenium	TVS	TVS
							Silver	TVS	TVS
							Uranium		
							Zinc	TVS	TVS
			Juan-Chama diversion to the rersions to the confluence			ajo River; all t	tributaries to the Navajo Riv	er and the Little Navajo	River,
COSJSJ03	Classifications	ouali onaliia aiv	1	al and Biologic			l n	Metals (ug/L)	
Designation	Agriculture		,,,,,		DM	MWAT		acute	chronic
Reviewable	Aq Life Warm 2		Temperature °C		WS-II	WS-II	Aluminum		
	Recreation N	11/1 - 4/30	· · · · · · · · · · · · · · · ·		acute	chronic	Arsenic	340	
	Recreation P	5/1 - 10/31	D.O. (mg/L)			5.0	Arsenic(T)		100
Qualifiers:			pH		6.5 - 9.0		Beryllium		
Other:			chlorophyll a (mg/m²)			150	Beryllium(T)		100
			E. Coli (per 100 mL)	11/1 - 4/30		630	Cadmium	TVS	TVS
			E. Coli (per 100 mL)	5/1 - 10/31		205	Chromium III	TVS	TVS
			,				Chromium III(T)		100
			lı .	norganic (mg/L	)		Chromium VI	TVS	TVS
				3	acute	chronic	Copper	TVS	TVS
			Ammonia		TVS	TVS	Iron(T)		1000
			Boron			0.75	Lead	TVS	TVS
			Chloride				Manganese	TVS	TVS
			Chlorine		0.019	0.011	Mercury		0.01(t)
			Cyanide		0.005		Molybdenum(T)		150
			Nitrate		100		Nickel	TVS	TVS
			Nitrite				Selenium	TVS	TVS
			Phosphorus			0.17	Silver	TVS	TVS
			Sulfate				Uranium		
			Sulfide			0.002	Zinc	TVS	TVS
			Julius			0.002	I ***		

All metals are dissolved unless otherwise noted.

T = total recoverable

t = total

tr=trout

sc=sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly av

COSJSJ04	Classifications	Physical and	Biological		М	etals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
OW	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02
Qualifiers:		D.O. (spawning)		7.0	Beryllium		
Other:		рН	6.5 - 9.0		Cadmium	TVS	TVS
Γemporary M	1odification(s):	chlorophyll a (mg/m²)		150	Cadmium(T)	5.0	
Arsenic(chror	` '	E. Coli (per 100 mL)		126	Chromium III		TVS
•	ate of 12/31/2024				Chromium III(T)	50	
		Inorgani	c (mg/L)		Chromium VI	TVS	TVS
			acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron		WS
		Boron		0.75	Iron(T)		1000
		Chloride		250	Lead	TVS	TVS
EPΔ hs	as not acted on segment	Chlorine	0.019	0.011	Lead(T)	50	
1	c total phosphorus (TP)	Cyanide	0.005		Manganese	TVS	TVS/WS
1.1	c standards based on	Nitrate	10		Mercury		0.01(t)
1	erim value for river/	Nitrite	0.05		Molybdenum(T)		150
1	segments with a cold	Phosphorus		0.11	Nickel	TVS	TVS
1	equatic life classification	Sulfate		ws	Nickel(T)		100
	ng/L TP).	Sulfide		0.002	Selenium	TVS	TVS
(0.1111	19/ L 11 /·	<b></b>			Silver	TVS	TVS(tr)
					Uranium		
					Zinc	TVS	TVS

5. The East and West Forks of the San Juan River, including all tributaries, from the boundary of the Weminuche Wilderness Area (West Fork) and the source (East Fork) to the confluence of the mainstern of the San Juan River. All tributaries to the San Juan River from a point below the confluence with the West Fork to a point below the confluence with Fourmile Creek.

COSJSJ05	Classifications	Physical and Biolo	gical		Me	etals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02
Qualifiers:		D.O. (spawning)		7.0	Beryllium		
Other:		рН	6.5 - 9.0		Cadmium	TVS	TVS
Temporary Mo	odification(s):	chlorophyll a (mg/m²)		150*	Cadmium(T)	5.0	
Arsenic(chronic	` '	E. Coli (per 100 mL)		126	Chromium III		TVS
`	e of 12/31/2024				Chromium III(T)	50	
*chlorophyll a	(mg/m²)(chronic) = applies only above	Inorganic (mọ	g/L)		Chromium VI	TVS	TVS
the facilities lis	sted at 34.5(5).		acute	chronic	Copper	TVS	TVS
*Phosphorus(cl facilities listed	hronic) = applies only above the at 34.5(5).	Ammonia	TVS	TVS	Iron		WS
	,	Boron		0.75	Iron(T)		1000
		Chloride		250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	
		Cyanide	0.005		Manganese	TVS	TVS/WS
		Nitrate	10		Mercury		0.01(t)
		Nitrite	0.05		Molybdenum(T)		150
		Phosphorus		<del>0.11*</del>	Nickel	TVS	TVS
		Sulfate		WS	Nickel(T)		100
		Sulfide		0.002	Selenium	TVS	TVS
					Silver	TVS	TVS(tr)
					Uranium		
					Zinc	TVS	TVS(sc)

All metals are dissolved unless otherwise noted.

T = total recoverable

t = total tr=trout sc=sculpin D.O. = dissolved oxygen

DM = daily maximum

60 Mainston	of the San Juan River from a point imm	andiataly balay, the confluen	oo with the M	oct Early to L	Jiahway 160	in Pagasa Springs		
COSJSJ06A	Classifications	i i	and Biologic		Tigriway 100	iii Fagosa Spiiligs.	Metals (ug/L)	
Designation	Agriculture	,		DM	MWAT		acute	chronic
Reviewable	Ag Life Cold 1	Temperature °C		CS-II	CS-II	Aluminum		
	Recreation E	,		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)			6.0	Arsenic(T)		0.02
Qualifiers:		D.O. (spawning)			7.0	Beryllium		
Other:		pH		6.5 - 9.0		Cadmium	TVS	TVS
	adification(a).	chlorophyll a (mg/m²)			150*	Cadmium(T)	5.0	
Temporary Mo Arsenic(chronic		E. Coli (per 100 mL)			126	Chromium III		TVS
,	e of 12/31/2024					Chromium III(T)	50	
		In	organic (mg/L	_)		Chromium VI	TVS	TVS
*chlorophyll a the facilities lis	$(mg/m^2)$ (chronic) = applies only above sted at 34.5(5).		3	acute	chronic	Copper	TVS	TVS
*Phosphorus(cl facilities listed	hronic) = applies only above the	Ammonia		TVS	TVS	Iron		ws
idollitico liotod	at 04.0(0).	Boron			0.75	Iron(T)		1000
		Chloride			250	Lead	TVS	TVS
	s not acted on segment-	Chlorine		0.019	0.011	Lead(T)	50	
1.1	total phosphorus (TP)	Cyanide		0.005		Manganese	TVS	TVS/WS
	standards based on	Nitrate		10		Mercury		0.01(t)
	rim value for river/	Nitrite		0.05		Molybdenum(T)		150
	segments with a cold	Phosphorus			0.11*	Nickel	TVS	TVS
	quatic life classification	Sulfate			WS	Nickel(T)		100
(0.11 m	g/L TP).	Sulfide			0.002	Selenium	TVS	TVS
						Silver	TVS	TVS(tr)
						Uranium		
						Zinc	TVS	TVS(sc)
	of the San Juan River from Highway 16	io in Pagosa Springs to the	Southern Ute	Indian Rese	ervation North	nern boundary. Mainstem	of Mill Creek from the	source to the
confluence wit	th the San Juan River.				ervation North	nern boundary. Mainstem		source to the
confluence wit	th the San Juan River.  Classifications		Southern Ute	cal		nern boundary. Mainstem	Metals (ug/L)	
confluence wit COSJSJ06B Designation	th the San Juan River.  Classifications  Agriculture	Physica	I and Biologic	cal DM	MWAT	,	Metals (ug/L)	chronic
confluence wit	th the San Juan River.  Classifications  Agriculture  Aq Life Cold 1	Physica Temperature °C	1 and Biologic	DM CS-II	MWAT CS-II	Aluminum	Metals (ug/L) acute	chronic 
confluence wit COSJSJ06B Designation	th the San Juan River.  Classifications  Agriculture  Aq Life Cold 1  Recreation E	Physica	I and Biologic	cal DM	MWAT	Aluminum Arsenic	Metals (ug/L)  acute 340	chronic 
confluence wit COSJSJ06B Designation	th the San Juan River.  Classifications  Agriculture  Aq Life Cold 1	Physica Temperature °C	1 and Biologic	DM CS-II varies*	MWAT CS-II varies* C	Aluminum Arsenic Arsenic(T)	Metals (ug/L)  acute  340	chronic   0.02
confluence wit COSJSJ06B Designation Reviewable Qualifiers:	th the San Juan River.  Classifications  Agriculture  Aq Life Cold 1  Recreation E	Physica Temperature °C Temperature °C	1 and Biologic	DM CS-II varies*	MWAT CS-II varies* C	Aluminum Arsenic Arsenic(T) Beryllium	Metals (ug/L)  acute 340	chronic   0.02
confluence wit COSJSJ06B Designation Reviewable	th the San Juan River.  Classifications  Agriculture  Aq Life Cold 1  Recreation E	Physica  Temperature °C  Temperature °C	1 and Biologic	DM CS-II varies*	MWAT CS-II varies* C chronic 6.0	Aluminum Arsenic Arsenic(T) Beryllium Cadmium	Metals (ug/L)  acute 340 TVS	chronic   0.02
confluence wit COSJSJ06B  Designation Reviewable  Qualifiers: Other: *chlorophyll a	th the San Juan River.  Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  (mg/m²)(chronic) = applies only above	Physica  Temperature °C  Temperature °C  D.O. (mg/L)  D.O. (spawning)	1 and Biologic	DM CS-II varies*	MWAT CS-II varies* C	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T)	Metals (ug/L)  acute 340 TVS 5.0	chronic
confluence wit COSJSJ06B Designation Reviewable  Qualifiers: Other: *chlorophyll a the facilities lis	th the San Juan River.  Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  (mg/m²)(chronic) = applies only above sted at 34.5(5).	Physica  Temperature °C  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH	1 and Biologic	DM CS-II varies*	MWAT CS-II varies* C chronic 6.0 7.0	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III	Metals (ug/L)  acute 340 TVS 5.0	chronic 0.02 TVS TVS
confluence with COSJSJ06B  Designation Reviewable  Qualifiers: Other:  *chlorophyll a the facilities list should be facilities listed-facilities-facilities-	th the San Juan River.  Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  (mg/m²)(chronic) = applies only above sted at 34.5(5). hronic) = applies only above the at 34.5(5).	Physica  Temperature °C  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)	1 and Biologic	CS-II Varies*  acute 6.5 - 9.0	MWAT CS-II varies* C  chronic 6.0 7.0 150*	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T)	Metals (ug/L)  acute 340 TVS 5.0 50	chronic 0.02 TVS
confluence wit COSJSJ06B Designation Reviewable  Qualifiers: Other:  *chlorophyll a the facilities list *Phosphorus(el facilities list *Temperature( MWAT=21.4 a	th the San Juan River.  Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  (mg/m²)(chronic) = applies only above sted at 34.5(5).  hronic) = applies only above the at 34.5(5).  4/1 - 10/31) = San Juan River and DM=26.2	Physica  Temperature °C  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH	1 and Biologic	DM CS-II varies*  acute 6.5 - 9.0	MWAT CS-II varies* C chronic 6.0 7.0	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T)	Metals (ug/L)  acute  340 TVS 5.0 50 TVS	chronic 0.02 TVS TVS TVS
confluence wit COSJSJ06B Designation Reviewable  Qualifiers: Other:  *chlorophyll a the facilities listed facilities listed *Temperature(MWAT=21.4 a Mill Creek MW	th the San Juan River.  Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  (mg/m²)(chronic) = applies only above sted at 34.5(5).  hronie) = applies only above the at 34.5(5).  4/1 - 10/31) = San Juan River and DM=26.2  /AT=21.1 and DM=27.8	Physica  Temperature °C  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)	11/1 - 3/31 4/1 - 10/31	cal  DM  CS-II  varies*  acute   6.5 - 9.0	MWAT CS-II varies* C  chronic 6.0 7.0 150*	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper	Metals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS	Chronic
confluence wit COSJSJ06B Designation Reviewable  Qualifiers: Other:  *chlorophyll a the facilities listed facilities listed *Temperature(MWAT=21.4 a Mill Creek MW	th the San Juan River.  Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  (mg/m²)(chronic) = applies only above sted at 34.5(5).  hronic) = applies only above the at 34.5(5).  4/1 - 10/31) = San Juan River and DM=26.2	Physica  Temperature °C  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)	1 and Biologic	DM CS-II varies*  acute 6.5 - 9.0	MWAT CS-II varies* C  chronic 6.0 7.0 150* 126	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper	Metals (ug/L)  acute  340 TVS 5.0 50 TVS TVS TVS	chronic
confluence wit COSJSJ06B Designation Reviewable  Qualifiers: Other:  *chlorophyll a the facilities listed facilities listed *Temperature(MWAT=21.4 a Mill Creek MW	th the San Juan River.  Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  (mg/m²)(chronic) = applies only above sted at 34.5(5).  hronie) = applies only above the at 34.5(5).  4/1 - 10/31) = San Juan River and DM=26.2  /AT=21.1 and DM=27.8	Physica  Temperature °C  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)	11/1 - 3/31 4/1 - 10/31	Cal  DM  CS-II  varies*  acute 6.5 - 9.0 acute	MWAT CS-II varies* C  chronic 6.0 7.0 150* 126  chronic	Aluminum  Arsenic  Arsenic(T)  Beryllium  Cadmium  Cadmium(T)  Chromium III  Chromium VI  Copper  Iron  Iron(T)	Metals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS	Chronic
confluence wit COSJSJ06B Designation Reviewable  Qualifiers: Other:  *chlorophyll a the facilities listed facilities listed *Temperature(MWAT=21.4 a Mill Creek MW	th the San Juan River.  Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  (mg/m²)(chronic) = applies only above sted at 34.5(5).  hronie) = applies only above the at 34.5(5).  4/1 - 10/31) = San Juan River and DM=26.2  /AT=21.1 and DM=27.8	Physica  Temperature °C  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)	11/1 - 3/31 4/1 - 10/31	DM CS-II varies*  acute 6.5 - 9.0 acute TVS	MWAT CS-II varies* C  chronic 6.0 7.0 150* 126  chronic TVS	Aluminum  Arsenic  Arsenic(T)  Beryllium  Cadmium  Cadmium(T)  Chromium III  Chromium III(T)  Chromium VI  Copper  Iron  Iron(T)	Metals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS TVS TVS TVS TVS	Chronic 0.02 TVS TVS TVS TVS TVS TVS TVS
confluence wit COSJSJ06B Designation Reviewable  Qualifiers: Other:  *chlorophyll a the facilities listed facilities listed *Temperature(MWAT=21.4 a Mill Creek MW	th the San Juan River.  Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  (mg/m²)(chronic) = applies only above sted at 34.5(5).  hronie) = applies only above the at 34.5(5).  4/1 - 10/31) = San Juan River and DM=26.2  /AT=21.1 and DM=27.8	Physica  Temperature °C  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  In  Ammonia  Boron	11/1 - 3/31 4/1 - 10/31	DM   CS-II   Varies*   acute     6.5 - 9.0       acute   TVS	MWAT CS-II varies* C  chronic 6.0 7.0 150* 126  chronic TVS 0.75	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Corporium VI Copper Iron Iron(T) Lead Lead(T)	Metals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS TVS TVS 50	Chronic 0.02 TVS
confluence wit COSJSJ06B Designation Reviewable  Qualifiers: Other:  *chlorophyll a the facilities listed facilities listed *Temperature(MWAT=21.4 a Mill Creek MW	th the San Juan River.  Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  (mg/m²)(chronic) = applies only above sted at 34.5(5).  hronie) = applies only above the at 34.5(5).  4/1 - 10/31) = San Juan River and DM=26.2  /AT=21.1 and DM=27.8	Physica  Temperature °C  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  In  Ammonia  Boron  Chloride	11/1 - 3/31 4/1 - 10/31	acute 6.5 - 9.0 TVS	MWAT CS-II varies* C  chronic 6.0 7.0 150* 126  chronic TVS 0.75 250	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese	Metals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS TVS 50 TVS TVS TVS TVS TVS TVS	Chronic 0.02 TVS
confluence wit COSJSJ06B Designation Reviewable  Qualifiers: Other:  *chlorophyll a the facilities listed facilities listed *Temperature(MWAT=21.4 a Mill Creek MW	th the San Juan River.  Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  (mg/m²)(chronic) = applies only above sted at 34.5(5).  hronie) = applies only above the at 34.5(5).  4/1 - 10/31) = San Juan River and DM=26.2  /AT=21.1 and DM=27.8	Physica  Temperature °C  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  In  Ammonia  Boron  Chloride  Chlorine	11/1 - 3/31 4/1 - 10/31	CS-II Varies*  acute 6.5 - 9.0 TVS 0.019	MWAT CS-II varies* C  chronic 6.0 7.0 150* 126  chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury	Metals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS TVS 50 TVS TVS TVS 50 TVS	Chronic
confluence wit COSJSJ06B Designation Reviewable  Qualifiers: Other:  *chlorophyll a the facilities listed facilities listed *Temperature(MWAT=21.4 a Mill Creek MW	th the San Juan River.  Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  (mg/m²)(chronic) = applies only above sted at 34.5(5).  hronie) = applies only above the at 34.5(5).  4/1 - 10/31) = San Juan River and DM=26.2  /AT=21.1 and DM=27.8	Physica  Temperature °C  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  In  Ammonia  Boron  Chloride  Chlorine  Cyanide	11/1 - 3/31 4/1 - 10/31	DM   CS-II   varies*   acute     6.5 - 9.0         acute   TVS     0.019   0.005	MWAT CS-II varies* C  chronic 6.0 7.0 150* 126  chronic TVS 0.75 250 0.011	Aluminum  Arsenic  Arsenic(T)  Beryllium  Cadmium  Cadmium(T)  Chromium III  Chromium VI  Copper  Iron  Iron(T)  Lead  Lead(T)  Manganese  Mercury  Molybdenum(T)	Metals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS TVS	Chronic 0.02 TVS TVS TVS TVS TVS TVS TVS TVS US 1000 TVS TVSWS 0.01(t)
confluence wit COSJSJ06B Designation Reviewable  Qualifiers: Other:  *chlorophyll a the facilities listed facilities listed *Temperature(MWAT=21.4 a Mill Creek MW	th the San Juan River.  Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  (mg/m²)(chronic) = applies only above sted at 34.5(5).  hronie) = applies only above the at 34.5(5).  4/1 - 10/31) = San Juan River and DM=26.2  /AT=21.1 and DM=27.8	Physica  Temperature °C  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  In  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate	11/1 - 3/31 4/1 - 10/31	cal  DM  CS-II  varies*  acute 6.5 - 9.0  TVS 0.019 0.005 10	MWAT CS-II varies* C  chronic 6.0 7.0 150* 126  chronic TVS 0.75 250 0.011	Aluminum  Arsenic  Arsenic(T)  Beryllium  Cadmium  Cadmium(T)  Chromium III  Chromium VI  Copper  Iron  Iron(T)  Lead  Lead(T)  Manganese  Mercury  Molybdenum(T)  Nickel	Metals (ug/L)  acute 340 TVS 5.0 50 TVS	Chronic 0.02 TVS
confluence wit COSJSJ06B Designation Reviewable  Qualifiers: Other:  *chlorophyll a the facilities listed facilities listed *Temperature(MWAT=21.4 a Mill Creek MW	th the San Juan River.  Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  (mg/m²)(chronic) = applies only above sted at 34.5(5).  hronie) = applies only above the at 34.5(5).  4/1 - 10/31) = San Juan River and DM=26.2  /AT=21.1 and DM=27.8	Physica  Temperature °C  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  In  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate  Nitrite	11/1 - 3/31 4/1 - 10/31	Cal  DM  CS-II  varies*  acute 6.5 - 9.0 TVS 0.019 0.005 10 0.05	MWAT CS-II varies* C  chronic 6.0 7.0 150* 126  chronic TVS 0.75 250 0.011	Aluminum  Arsenic  Arsenic(T)  Beryllium  Cadmium  Cadmium(T)  Chromium III  Chromium VI  Copper  Iron  Iron(T)  Lead  Lead(T)  Manganese  Mercury  Molybdenum(T)  Nickel  Nickel(T)	Metals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS	Chronic 0.02 TVS
confluence wit COSJSJ06B Designation Reviewable  Qualifiers: Other:  *chlorophyll a the facilities listed facilities listed *Temperature(MWAT=21.4 a Mill Creek MW	th the San Juan River.  Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  (mg/m²)(chronic) = applies only above sted at 34.5(5).  hronie) = applies only above the at 34.5(5).  4/1 - 10/31) = San Juan River and DM=26.2  /AT=21.1 and DM=27.8	Physica  Temperature °C  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  In  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate  Nitrite  Phosphorus	11/1 - 3/31 4/1 - 10/31	Cal  DM  CS-II  Varies*  acute 6.5 - 9.0  TVS 0.019 0.005 10 0.005	MWAT CS-II varies* C  chronic 6.0 7.0 150* 126  chronic TVS 0.75 250 0.011 0.11*	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	Metals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS	Chronic 0.02 TVS
confluence wit COSJSJ06B Designation Reviewable  Qualifiers: Other:  *chlorophyll a the facilities listed facilities listed *Temperature(MWAT=21.4 a Mill Creek MW	th the San Juan River.  Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  (mg/m²)(chronic) = applies only above sted at 34.5(5).  hronie) = applies only above the at 34.5(5).  4/1 - 10/31) = San Juan River and DM=26.2  /AT=21.1 and DM=27.8	Physica  Temperature °C  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  In  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate  Nitrite  Phosphorus  Sulfate	11/1 - 3/31 4/1 - 10/31	Cal  DM  CS-II  varies*  acute 6.5 - 9.0  1)  acute  TVS 0.019 0.005 10 0.005	MWAT CS-II varies* C  chronic 6.0 7.0 150* 126  chronic TVS 0.75 250 0.011 0.41* WS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium Silver	Metals (ug/L)	Chronic 0.02 TVS TVS.WS 1000 TVS TVS.WS 100 TVS.WS 17VS TVS TVS TVS TVS TVS TVS TVS
confluence wit COSJSJ06B Designation Reviewable  Qualifiers: Other:  *chlorophyll a the facilities listed facilities listed *Temperature(MWAT=21.4 a Mill Creek MW	th the San Juan River.  Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  (mg/m²)(chronic) = applies only above sted at 34.5(5).  hronie) = applies only above the at 34.5(5).  4/1 - 10/31) = San Juan River and DM=26.2  /AT=21.1 and DM=27.8	Physica  Temperature °C  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  In  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate  Nitrite  Phosphorus	11/1 - 3/31 4/1 - 10/31	Cal  DM  CS-II  Varies*  acute 6.5 - 9.0  TVS 0.019 0.005 10 0.005	MWAT CS-II varies* C  chronic 6.0 7.0 150* 126  chronic TVS 0.75 250 0.011 0.11*	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	Metals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS	Chronic 0.02 TVS

All metals are dissolved unless otherwise noted. T = total recoverable

t = total tr=trout sc=sculpin D.O. = dissolved oxygen DM = daily maximum

		n Ute Indian Reservation r	nortnern bounda	ary to the co	onfluence wit	h Laylor Canyon.		
COSJSJ06C	Classifications	Physica	l and Biologic	cal		M	letals (ug/L)	
Designation	Agriculture			DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	11/1 - 3/31	CS-II	CS-II	Aluminum		
	Recreation E	Temperature °C	4/1 - 10/31	26.4*	22.1* <sup>C</sup>	Arsenic	340	
	Water Supply					Arsenic(T)		0.02
Qualifiers:				acute	chronic	Beryllium		
Other:		D.O. (mg/L)			6.0	Cadmium	TVS	TVS
		D.O. (spawning)			7.0	Cadmium(T)	5.0	
	Indian Reservation 4/1 - 10/31) = See Section 34.6(6) for	pH		6.5 - 9.0		Chromium III		TVS
assessment lo		chlorophyll a (mg/m²)				Chromium III(T)	50	
		E. Coli (per 100 mL)			126	Chromium VI	TVS	TVS
						Copper	TVS	TVS
		In	organic (mg/L	_)		Iron		WS
				acute	chronic	Iron(T)		1000
		Ammonia		TVS	TVS	Lead	TVS	TVS
		Boron			0.75	Lead(T)	50	
		Chloride			250	Manganese	TVS	TVS/WS
		Chlorine		0.019	0.011	Mercury		0.01(t)
		Cyanide		0.005		Molybdenum(T)		150
		Nitrate		10		Nickel	TVS	TVS
		Nitrite		0.05		Nickel(T)		100
		Phosphorus				Selenium	TVS	TVS
		Sulfate			WS	Silver	TVS	TVS(tr)
		Sulfide			0.002	Uranium		
		Camac			0.002	Zinc	TVS	TVS
6d. Mainstem	of the San Juan River from the confluer	nce with Taylor Canyon to	the confluence	with the Ric	o Blanco.			
6d. Mainstem COSJSJ06D	of the San Juan River from the confluer Classifications	1	the confluence		o Blanco.		letals (ug/L)	
		1			Blanco.		letals (ug/L)	chronic
COSJSJ06D	Classifications	1		cal				
COSJSJ06D Designation	Classifications Agriculture	Physica	l and Biologi	DM	MWAT CS-II	М	acute	chronic
COSJSJ06D Designation	Classifications Agriculture Aq Life Cold 1	Physica Temperature °C	1 and Biologic	DM CS-II	MWAT	Aluminum Arsenic	acute	chronic 
COSJSJ06D Designation	Classifications Agriculture Aq Life Cold 1 Recreation E	Physica Temperature °C	1 and Biologic	DM CS-II	MWAT CS-II	Aluminum Arsenic Arsenic(T)	acute  340	chronic 
COSJSJ06D  Designation  Reviewable  Qualifiers:	Classifications Agriculture Aq Life Cold 1 Recreation E	Physica Temperature °C Temperature °C	1 and Biologic	CS-II 27.1*	MWAT CS-II 22.5* C	Aluminum Arsenic	acute 340	chronic   0.02
COSJSJ06D  Designation  Reviewable	Classifications Agriculture Aq Life Cold 1 Recreation E	Physica Temperature °C	1 and Biologic	DM CS-II 27.1*	MWAT CS-II 22.5* C	Aluminum Arsenic Arsenic(T) Beryllium	acute  340 	chronic   0.02
COSJSJ06D Designation Reviewable Qualifiers: Other:	Classifications Agriculture Aq Life Cold 1 Recreation E	Physica  Temperature °C  Temperature °C  D.O. (mg/L)  D.O. (spawning)	1 and Biologic	DM CS-II 27.1* acute	MWAT CS-II 22.5* C chronic 6.0	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T)	acute 340 TVS 5.0	chronic   0.02  TVS
COSJSJ06D Designation Reviewable  Qualifiers: Other:  *Southern Ute *Temperature(	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  Indian Reservation  4/1 - 10/31) = See Section 34.6(6) for	Physical Temperature °C Temperature °C  D.O. (mg/L) D.O. (spawning) pH	1 and Biologic	DM CS-II 27.1*	MWAT CS-II 22.5* C chronic 6.0 7.0	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III	acute 340 TVS 5.0	chronic   0.02  TVS
COSJSJ06D Designation Reviewable Qualifiers: Other: *Southern Ute	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  Indian Reservation  4/1 - 10/31) = See Section 34.6(6) for	Physical Temperature °C Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²)	1 and Biologic	CS-II 27.1*  acute 6.5 - 9.0	MWAT CS-II 22.5* C chronic 6.0 7.0	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T)	acute 340 TVS 5.0 50	chronic 0.02 TVS TVS
COSJSJ06D Designation Reviewable  Qualifiers: Other:  *Southern Ute *Temperature(	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  Indian Reservation  4/1 - 10/31) = See Section 34.6(6) for	Physical Temperature °C Temperature °C  D.O. (mg/L) D.O. (spawning) pH	1 and Biologic	DM CS-II 27.1*  acute 6.5 - 9.0	MWAT CS-II 22.5* C chronic 6.0 7.0	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T)	acute 340 TVS 5.0 50 TVS	chronic 0.02 TVS TVS TVS
COSJSJ06D Designation Reviewable  Qualifiers: Other:  *Southern Ute *Temperature(	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  Indian Reservation  4/1 - 10/31) = See Section 34.6(6) for	Physica  Temperature °C  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)	11/1 - 3/31 4/1 - 10/31	DM CS-II 27.1* acute  6.5 - 9.0	MWAT CS-II 22.5* C chronic 6.0 7.0	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper	acute 340 TVS 5.0 50 TVS TVS	chronic 0.02 TVS TVS TVS TVS
COSJSJ06D Designation Reviewable  Qualifiers: Other:  *Southern Ute *Temperature(	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  Indian Reservation  4/1 - 10/31) = See Section 34.6(6) for	Physica  Temperature °C  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)	1 and Biologic	CS-II 27.1*  acute 6.5 - 9.0	MWAT CS-II 22.5* C chronic 6.0 7.0 126	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper	acute 340 TVS 5.0 50 TVS TVS	chronic 0.02 TVS TVS TVS TVS WS
COSJSJ06D Designation Reviewable  Qualifiers: Other:  *Southern Ute *Temperature(	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  Indian Reservation  4/1 - 10/31) = See Section 34.6(6) for	Physical Temperature °C Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)	11/1 - 3/31 4/1 - 10/31	DM CS-II 27.1*  acute 6.5 - 9.0 acute	MWAT CS-II 22.5* C chronic 6.0 7.0 126 chronic	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T)	acute 340 TVS 5.0 50 TVS TVS	chronic 0.02 TVS TVS TVS STVS WS 1000
COSJSJ06D Designation Reviewable  Qualifiers: Other:  *Southern Ute *Temperature(	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  Indian Reservation  4/1 - 10/31) = See Section 34.6(6) for	Physica  Temperature °C  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)	11/1 - 3/31 4/1 - 10/31	CS-II  27.1*  acute 6.5 - 9.0  acute TVS	MWAT CS-II 22.5* C chronic 6.0 7.0 126 chronic TVS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Ilron(T)	acute 340 TVS 5.0 50 TVS TVS TVS TVS	Chronic 0.02 TVS
COSJSJ06D Designation Reviewable  Qualifiers: Other:  *Southern Ute *Temperature(	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  Indian Reservation  4/1 - 10/31) = See Section 34.6(6) for	Physical Temperature °C Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  In  Ammonia Boron	11/1 - 3/31 4/1 - 10/31	Cal  DM  CS-II  27.1*  acute  6.5 - 9.0  acute TVS	MWAT CS-II 22.5* C chronic 6.0 7.0 126  chronic TVS 0.75	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T)	acute 340 TVS 5.0 50 TVS TVS TVS TVS 50	chronic 0.02 TVS TVS SUS TVS WS 1000 TVS
COSJSJ06D Designation Reviewable  Qualifiers: Other:  *Southern Ute *Temperature(	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  Indian Reservation  4/1 - 10/31) = See Section 34.6(6) for	Physical Temperature °C Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  In Ammonia Boron Chloride	11/1 - 3/31 4/1 - 10/31	acute 6.5 - 9.0 TVS	MWAT CS-II 22.5* C chronic 6.0 7.0 126 chronic TVS 0.75 250	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS TVS 50 TVS	Chronic 0.02 TVS
COSJSJ06D Designation Reviewable  Qualifiers: Other:  *Southern Ute *Temperature(	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  Indian Reservation  4/1 - 10/31) = See Section 34.6(6) for	Physical Temperature °C Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  In  Ammonia Boron Chloride Chlorine	11/1 - 3/31 4/1 - 10/31	Cal  DM  CS-II  27.1*  acute 6.5 - 9.0  TVS 0.019	MWAT CS-II 22.5* C chronic 6.0 7.0 126  chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS	Chronic 0.02 TVS TVS TVS TVS TVS TVS S TVS US 1000 TVS TVSWS 0.01(t)
COSJSJ06D Designation Reviewable Qualifiers: Other: *Southern Ute *Temperature(	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  Indian Reservation  4/1 - 10/31) = See Section 34.6(6) for	Physical Temperature °C Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  In  Ammonia Boron Chloride Chlorine Cyanide	11/1 - 3/31 4/1 - 10/31	Cal  DM  CS-II  27.1*  acute 6.5 - 9.0  TVS 0.019 0.005	MWAT CS-II 22.5* C chronic 6.0 7.0 126  chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T)	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS	Chronic 0.02 TVS TVS TVS TVS S TVS US 1000 TVS TVSWS 0.01(t) 150
COSJSJ06D Designation Reviewable Qualifiers: Other: *Southern Ute *Temperature(	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  Indian Reservation  4/1 - 10/31) = See Section 34.6(6) for	Physica  Temperature °C  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  In  Ammonia  Boron  Chloride  Chloride  Cyanide  Nitrate	11/1 - 3/31 4/1 - 10/31	Cal  DM  CS-II  27.1*  acute   6.5 - 9.0   TVS   0.019  0.005  10	MWAT CS-II 22.5* C chronic 6.0 7.0 126  chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS	Chronic 0.02 TVS TVS TVS S TVS US 1000 TVS TVSWS 0.01(t) 150 TVS
COSJSJ06D Designation Reviewable Qualifiers: Other: *Southern Ute *Temperature(	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  Indian Reservation  4/1 - 10/31) = See Section 34.6(6) for	Physical Temperature °C Temperature °C Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  In  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite	11/1 - 3/31 4/1 - 10/31	Cal  DM  CS-II  27.1*  acute   6.5 - 9.0   TVS   0.019  0.005  10  0.05	MWAT CS-II 22.5* C chronic 6.0 7.0 126  Chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T)	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS TVS	Chronic 0.02 TVS 1000
COSJSJ06D Designation Reviewable Qualifiers: Other: *Southern Ute *Temperature(	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  Indian Reservation  4/1 - 10/31) = See Section 34.6(6) for	Physical Temperature °C Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  In  Ammonia Boron Chloride Chlorine Cyanide Nitrite Phosphorus	11/1 - 3/31 4/1 - 10/31	Cal  DM  CS-II  27.1*  acute   6.5 - 9.0   TVS   0.019  0.005  10	MWAT CS-II 22.5* C chronic 6.0 7.0 126  Chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS	Chronic 0.02 TVS TVS TVS TVS TVS S 1000 TVS TVSWS 0.01(t) 150 TVS 1000 TVS
COSJSJ06D Designation Reviewable  Qualifiers: Other:  *Southern Ute *Temperature(	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  Indian Reservation  4/1 - 10/31) = See Section 34.6(6) for	Physical Temperature °C Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  In  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	11/1 - 3/31 4/1 - 10/31	Cal  DM  CS-II  27.1*  acute   6.5 - 9.0   TVS   0.019  0.005  10  0.05	MWAT CS-II 22.5* C chronic 6.0 7.0 126  Chronic TVS 0.75 250 0.011 WS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium Silver	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS	Chronic 0.02 TVS TVS TVS TVS TVS TVS 1000 TVS TVS/WS 0.01(t) 150 TVS 1000 TVS TVS TVS TVS TVS TVS
COSJSJ06D Designation Reviewable  Qualifiers: Other:  *Southern Ute *Temperature(	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  Indian Reservation  4/1 - 10/31) = See Section 34.6(6) for	Physical Temperature °C Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  In  Ammonia Boron Chloride Chlorine Cyanide Nitrite Phosphorus	11/1 - 3/31 4/1 - 10/31	Cal  DM  CS-II  27.1*  acute   6.5 - 9.0   TVS   0.019  0.005  10  0.05	MWAT CS-II 22.5* C chronic 6.0 7.0 126  Chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS	Chronic 0.02 TVS TVS TVS TVS TVS S 1000 TVS TVSWS 0.01(t) 150 TVS 1000 TVS

All metals are dissolved unless otherwise noted. T = total recoverable

t = total tr=trout sc=sculpin D.O. = dissolved oxygen DM = daily maximum

				WITH THE INC	vajo River.			
COSJSJ06E	Classifications	Physica	l and Biologi	cal		Me	etals (ug/L)	
Designation	Agriculture			DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	11/1 - 3/31	CS-II	CS-II	Aluminum		
	Recreation E	Temperature °C	4/1 - 10/31	28.7*	23.5* <sup>C</sup>	Arsenic	340	
	Water Supply					Arsenic(T)		0.02
Qualifiers:				acute	chronic	Beryllium		
Other:		D.O. (mg/L)			6.0	Cadmium	TVS	TVS
		D.O. (spawning)			7.0	Cadmium(T)	5.0	
	Indian Reservation	pH		6.5 - 9.0		Chromium III		TVS
assessment lo	4/1 - 10/31) = See Section 34.6(6) for ocations.	chlorophyll a (mg/m²)				Chromium III(T)	50	
		E. Coli (per 100 mL)			126	Chromium VI	TVS	TVS
						Copper	TVS	TVS
		In	organic (mg/l	L)		Iron		WS
				acute	chronic	Iron(T)		1000
		Ammonia		TVS	TVS	Lead	TVS	TVS
		Boron			0.75	Lead(T)	50	
		Chloride			250	Manganese	TVS	TVS/WS
		Chlorine		0.019	0.011	Mercury		0.01(t)
		Cyanide		0.005		Molybdenum(T)		150
		Nitrate		10		Nickel	TVS	TVS
		Nitrite		0.05		Nickel(T)		100
		Phosphorus				Selenium	TVS	TVS
		Sulfate			WS	Silver	TVS	TVS(tr)
		Sulfide			0.002	Uranium		
						Zinc	TVS	TVS
6f Mainstem	of the San Juan River from the confluence	ce with the Navaio Piver t						
OI. IVIGINOCOM	of the San Suan River hom the confiden	ce willing havajo itivei i	o Navajo Rese	rvoir.				
COSJSJ06F	Classifications	ī	o Navajo Resei Il and Biologi			Me	etals (ug/L)	
		ī			MWAT	Ме	etals (ug/L)	chronic
COSJSJ06F	Classifications	ī		cal	MWAT CS-II	Aluminum		chronic 
COSJSJ06F Designation	Classifications Agriculture	Physica	l and Biologi	cal DM			acute	
COSJSJ06F Designation	Classifications Agriculture Aq Life Cold 1	Physica Temperature °C	11/1 - 3/31	DM CS-II	CS-II	Aluminum	acute	
COSJSJ06F Designation	Classifications Agriculture Aq Life Cold 1 Recreation E	Physica Temperature °C	11/1 - 3/31	DM CS-II	CS-II	Aluminum Arsenic	acute  340	
COSJSJ06F  Designation  Reviewable	Classifications Agriculture Aq Life Cold 1 Recreation E	Physica Temperature °C	11/1 - 3/31	DM CS-II 28.8*	CS-II 24.2* <sup>C</sup>	Aluminum Arsenic Arsenic(T)	acute 340	0.02
COSJSJ06F  Designation  Reviewable  Qualifiers:	Classifications Agriculture Aq Life Cold 1 Recreation E	Physical Temperature °C Temperature °C	11/1 - 3/31	DM CS-II 28.8*	CS-II 24.2* C	Aluminum Arsenic Arsenic(T) Beryllium	acute  340 	  0.02 
COSJSJ06F Designation Reviewable Qualifiers: Other: *Southern Ute	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Physical Temperature °C Temperature °C  D.O. (mg/L)	11/1 - 3/31	DM CS-II 28.8* acute	CS-II 24.2* C chronic 6.0	Aluminum Arsenic Arsenic(T) Beryllium Cadmium	acute 340 TVS	 0.02  TVS
COSJSJ06F Designation Reviewable Qualifiers: Other: *Southern Ute	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  Indian Reservation  4/1 - 10/31) = See Section 34.6(6) for	Physical Temperature °C Temperature °C  D.O. (mg/L) D.O. (spawning)	11/1 - 3/31	DM CS-II 28.8* acute	CS-II 24.2* C chronic 6.0 7.0	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T)	acute 340 TVS 5.0	 0.02  TVS
COSJSJ06F Designation Reviewable Qualifiers: Other: *Southern Ute *Temperature(	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  Indian Reservation  4/1 - 10/31) = See Section 34.6(6) for	Physical Temperature °C Temperature °C  D.O. (mg/L) D.O. (spawning) pH	11/1 - 3/31	CS-II 28.8*  acute 6.5 - 9.0	CS-II 24.2* C chronic 6.0 7.0	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III	acute 340 TVS 5.0	 0.02  TVS 
COSJSJ06F Designation Reviewable Qualifiers: Other: *Southern Ute *Temperature(	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  Indian Reservation  4/1 - 10/31) = See Section 34.6(6) for	Physical Temperature °C Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²)	11/1 - 3/31	DM CS-II 28.8* acute  6.5 - 9.0	CS-II 24.2* C chronic 6.0 7.0	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T)	acute 340 TVS 5.0 50	0.02 TVS TVS
COSJSJ06F Designation Reviewable Qualifiers: Other: *Southern Ute *Temperature(	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  Indian Reservation  4/1 - 10/31) = See Section 34.6(6) for	Physical Temperature °C Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)	11/1 - 3/31	DM CS-II 28.8* acute  6.5 - 9.0	CS-II 24.2* C chronic 6.0 7.0	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T)	acute 340 TVS 5.0 50 TVS	0.02 TVS TVS TVS
COSJSJ06F Designation Reviewable Qualifiers: Other: *Southern Ute *Temperature(	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  Indian Reservation  4/1 - 10/31) = See Section 34.6(6) for	Physical Temperature °C Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)	al and Biologic 11/1 - 3/31 4/1 - 10/31	DM CS-II 28.8* acute  6.5 - 9.0	CS-II 24.2* C chronic 6.0 7.0	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper	acute 340 TVS 5.0 50 TVS TVS	0.02 TVS TVS TVS TVS
COSJSJ06F Designation Reviewable Qualifiers: Other: *Southern Ute *Temperature(	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  Indian Reservation  4/1 - 10/31) = See Section 34.6(6) for	Physical Temperature °C Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)	al and Biologic 11/1 - 3/31 4/1 - 10/31	DM CS-II 28.8* acute  6.5 - 9.0	CS-II 24.2* C  chronic 6.0 7.0 126	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper	acute 340 TVS 5.0 50 TVS TVS	0.02 TVS TVS TVS TVS TVS TVS TVS
COSJSJ06F Designation Reviewable Qualifiers: Other: *Southern Ute *Temperature(	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  Indian Reservation  4/1 - 10/31) = See Section 34.6(6) for	Physical Temperature °C Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)	al and Biologic 11/1 - 3/31 4/1 - 10/31	cal  DM  CS-II  28.8*  acute   6.5 - 9.0    L)  acute	CS-II 24.2* C  chronic 6.0 7.0 126  chronic	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T)	acute 340 TVS 5.0 50 TVS TVS	0.02 TVS TVS TVS WS 1000
COSJSJ06F Designation Reviewable Qualifiers: Other: *Southern Ute *Temperature(	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  Indian Reservation  4/1 - 10/31) = See Section 34.6(6) for	Physical Temperature °C Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)	al and Biologic 11/1 - 3/31 4/1 - 10/31	Cal  DM  CS-II  28.8*  acute   6.5 - 9.0    L)  acute  TVS	CS-II 24.2* C  chronic 6.0 7.0 126  chronic TVS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T)	acute 340 TVS 5.0 50 TVS TVS TVS TVS	0.02 TVS TVS TVS TVS TVS TVS TVS TVS TVS
COSJSJ06F Designation Reviewable Qualifiers: Other: *Southern Ute *Temperature(	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  Indian Reservation  4/1 - 10/31) = See Section 34.6(6) for	Physical Temperature °C Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  In  Ammonia Boron	al and Biologic 11/1 - 3/31 4/1 - 10/31	acute 6.5 - 9.0 TVS	CS-II 24.2* C  chronic 6.0 7.0 126  chronic TVS 0.75	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T)	acute 340 TVS 5.0 50 TVS TVS TVS TVS 50	0.02 TVS
COSJSJ06F Designation Reviewable Qualifiers: Other: *Southern Ute *Temperature(	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  Indian Reservation  4/1 - 10/31) = See Section 34.6(6) for	Physical Temperature °C Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  In  Ammonia Boron Chloride	al and Biologic 11/1 - 3/31 4/1 - 10/31	acute 6.5 - 9.0 TVS	CS-II 24.2* C  chronic 6.0 7.0 126  chronic TVS 0.75 250	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS TVS 50 TVS	0.02 TVS TVS TVS WS 1000 TVS TVS/WS
COSJSJ06F Designation Reviewable Qualifiers: Other: *Southern Ute *Temperature(	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  Indian Reservation  4/1 - 10/31) = See Section 34.6(6) for	Physical Temperature °C Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  In  Ammonia Boron Chloride Chlorine	al and Biologic 11/1 - 3/31 4/1 - 10/31	cal  DM  CS-II 28.8*  acute 6.5 - 9.0  TVS 0.019	CS-II 24.2* C  chronic 6.0 7.0 126  chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS TVS TVS TVS TVS	0.02 TVS TVS TVS WS 1000 TVS TVSWS 0.01(t)
COSJSJ06F Designation Reviewable Qualifiers: Other: *Southern Ute *Temperature(	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  Indian Reservation  4/1 - 10/31) = See Section 34.6(6) for	Physical Temperature °C Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  In  Ammonia Boron Chloride Chlorine Cyanide	al and Biologic 11/1 - 3/31 4/1 - 10/31	Cal  DM  CS-II  28.8*  acute   6.5 - 9.0   TVS   0.019  0.005	CS-II 24.2* C  chronic 6.0 7.0 126  chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T)	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS	0.02 TVS TVS TVS WS 1000 TVS TVS/WS 0.01(t)
COSJSJ06F Designation Reviewable Qualifiers: Other: *Southern Ute *Temperature(	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  Indian Reservation  4/1 - 10/31) = See Section 34.6(6) for	Physical Temperature °C Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  In  Ammonia Boron Chloride Chlorine Cyanide Nitrate	al and Biologic 11/1 - 3/31 4/1 - 10/31	Cal  DM  CS-II  28.8*  acute   6.5 - 9.0   TVS   0.019  0.005  10	CS-II 24.2* C  chronic 6.0 7.0 126  Chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS TVS	0.02 TVS TVS TVS WS 1000 TVS TVS/WS 0.01(t) 150 TVS
COSJSJ06F Designation Reviewable Qualifiers: Other: *Southern Ute *Temperature(	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  Indian Reservation  4/1 - 10/31) = See Section 34.6(6) for	Physical Temperature °C Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  In  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite	al and Biologic 11/1 - 3/31 4/1 - 10/31	Cal  DM  CS-II  28.8*  acute   6.5 - 9.0   TVS   0.019  0.005  10  0.05	CS-II 24.2* C  chronic 6.0 7.0 126  chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T)	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS TVS	0.02 TVS TVS TVS TVS TVS TVS S 1000 TVS TVS/WS 0.01(t) 150 TVS
COSJSJ06F Designation Reviewable Qualifiers: Other: *Southern Ute *Temperature(	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  Indian Reservation  4/1 - 10/31) = See Section 34.6(6) for	Physical Temperature °C Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  In  Ammonia Boron Chloride Chlorine Cyanide Nitrite Phosphorus	al and Biologic 11/1 - 3/31 4/1 - 10/31	Cal  DM  CS-II  28.8*  acute   6.5 - 9.0   TVS   0.019  0.005  10  0.05	CS-II 24.2* C  chronic 6.0 7.0 126  chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS TVS	0.02 TVS TVS TVS WS 1000 TVS TVS/WS 0.01(t) 150 TVS 1000 TVS
COSJSJ06F Designation Reviewable Qualifiers: Other: *Southern Ute *Temperature(	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  Indian Reservation  4/1 - 10/31) = See Section 34.6(6) for	Physical Temperature °C Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  In  Ammonia Boron Chloride Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	al and Biologic 11/1 - 3/31 4/1 - 10/31	Cal  DM  CS-II  28.8*  acute   6.5 - 9.0    L)  acute  TVS   0.019  0.005  10  0.05	CS-II 24.2* C  chronic 6.0 7.0 126  chronic TVS 0.75 250 0.011 WS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium Silver	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS	0.02 TVS TVS TVS WS 1000 TVS TVSWS 0.01(t) 150 TVS 1000 TVS TVS TVS TVS

All metals are dissolved unless otherwise noted. T = total recoverable

t = total tr=trout sc=sculpin D.O. = dissolved oxygen DM = daily maximum

7. Mainstem o							2111
COSJSJ07	Classifications	Physical and	Biological		N	/letals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02
Qualifiers:		D.O. (spawning)		7.0	Beryllium		
Other:		рН	6.5 - 9.0		Cadmium	TVS	TVS
		chlorophyll a (mg/m²)		150	Cadmium(T)	5.0	
		E. Coli (per 100 mL)		126	Chromium III		TVS
					Chromium III(T)	50	
		Inorgani	c (mg/L)		Chromium VI	TVS	TVS
			acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron		WS
		Boron		0.75	Iron(T)		1000
		Chloride		250	Lead	TVS	TVS
EPA ha	s not acted on segment-	Chlorine	0.019	0.011	Lead(T)	50	
specific	total phosphorus (TP)	Cyanide	0.005		Manganese	TVS	TVS/WS
numerio	standards based on	Nitrate	10		Mercury		0.01(t)
the inte	rim value for river/	Nitrite			Molybdenum(T)		150
stream	segments with a cold		0.05		. , ,	TVS	TVS
water a	quatic life classification	Phosphorus		0.11	Nickel		
(0.11 m	g/L TP).	Sulfate		WS	Nickel(T)	 T) (0	100
		Sulfide		0.002	Selenium	TVS	TVS
					Silver	TVS	TVS(tr)
					Uranium		
					Zinc	TVS	TVS(sc)
	servoir. Echo Canyon Reservoir.	Physical and	Biological		Zinc	TVS	TVS(sc)
COSJSJ08	Classifications	Physical and		MWAT	Zinc	TVS Metals (ug/L)	
OSJSJ08 Designation	Classifications Agriculture	,	DM	MWAT	Zinc	TVS Metals (ug/L) acute	chronic
OSJSJ08 Designation	Classifications Agriculture Aq Life Warm 1	Physical and I	DM WL	WL	Zinc	TVS  Metals (ug/L)  acute	chronic
OSJSJ08 Designation	Classifications Agriculture Aq Life Warm 1 Recreation E	Temperature °C	DM WL acute	WL	Zinc  Aluminum  Arsenic	TVS  Metals (ug/L)  acute   340	chronic
COSJSJ08 Designation Reviewable	Classifications Agriculture Aq Life Warm 1	Temperature °C  D.O. (mg/L)	DM WL acute	WL chronic 5.0	Aluminum Arsenic Arsenic(T)	TVS  Metals (ug/L)  acute 340	chronic
COSJSJ08 Designation Reviewable Qualifiers:	Classifications Agriculture Aq Life Warm 1 Recreation E	Temperature °C  D.O. (mg/L) pH	DM WL acute  6.5 - 9.0	WL chronic 5.0	Aluminum Arsenic Arsenic(T) Beryllium	TVS  Metals (ug/L)  acute 340	chronic
COSJSJ08 Designation Reviewable Qualifiers:	Classifications Agriculture Aq Life Warm 1 Recreation E	Temperature °C  D.O. (mg/L) pH chlorophyll a (ug/L)	DM WL acute  6.5 - 9.0	WL chronic 5.0 20*	Aluminum Arsenic Arsenic(T) Beryllium Cadmium	TVS  Metals (ug/L)  acute 340 TVS	chronic  0.02 
COSJSJ08 Designation Reviewable Qualifiers:	Classifications Agriculture Aq Life Warm 1 Recreation E Water Supply	Temperature °C  D.O. (mg/L) pH chlorophyll a (ug/L) E. Coli (per 100 mL)	DM WL acute  6.5 - 9.0	WL chronic 5.0	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T)	TVS  Metals (ug/L)  acute 340	chronic  0.02  TVS
COSJSJ08 Designation Reviewable Qualifiers: Other: chlorophyll a ne facilities li:	Classifications Agriculture Aq Life Warm 1 Recreation E Water Supply  (ug/L)(chronic) = applies only above sted at 34.5(5), applies only to lakes	Temperature °C  D.O. (mg/L) pH chlorophyll a (ug/L) E. Coli (per 100 mL)	DM WL acute  6.5 - 9.0	WL chronic 5.0 20* 126	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III	TVS  Metals (ug/L)  acute 340 TVS 5.0	chronic  0.02  TVS
COSJSJ08 Designation Reviewable  Qualifiers: Other: chlorophyll a ne facilities lirund reservoirs Phosphorus(e)	Classifications  Agriculture  Aq Life Warm 1  Recreation E  Water Supply  (ug/L)(chronic) = applies only above sted at 34.5(5), applies only to lakes a larger than 25 acres surface area.	Temperature °C  D.O. (mg/L) pH chlorophyll a (ug/L) E. Coli (per 100 mL)	DM WL acute  6.5 - 9.0	WL chronic 5.0 20*	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T)	TVS  Aletals (ug/L)  acute 340 TVS 5.0 50	chronic  0.02  TVS 
Designation Deviewable Designation Deviewable Designation Deviewable Designation Deviewable Designation Designatio	Classifications  Agriculture  Aq Life Warm 1  Recreation E  Water Supply  (ug/L)(chronic) = applies only above sted at 34.5(5), applies only to lakes larger than 25 acres surface area. Inhonic) = applies only above the at 34.5(5), applies only to lakes and	Temperature °C  D.O. (mg/L) pH chlorophyll a (ug/L) E. Coli (per 100 mL)	DM WL acute  6.5 - 9.0   c (mg/L)	WL chronic 5.0 20* 126	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III	TVS  Metals (ug/L)  acute 340 TVS 5.0	chronic  0.02  TVS 
Designation Deviewable Designation Deviewable Designation Deviewable Designation Deviewable Designation Designatio	Classifications  Agriculture  Aq Life Warm 1  Recreation E  Water Supply  (ug/L)(chronic) = applies only above sted at 34.5(5), applies only to lakes a larger than 25 acres surface area.	Temperature °C  D.O. (mg/L) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  Inorgani	DM WL acute  6.5 - 9.0   c (mg/L) acute	WL chronic 5.0 20* 126 chronic	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T)	TVS  Aletals (ug/L)  acute 340 TVS 5.0 50	Chronic
Designation Reviewable  Qualifiers:  Other:  chlorophyll a efacilities lind reservoire large  pacilities listed eservoire large	Classifications  Agriculture  Aq Life Warm 1  Recreation E  Water Supply  (ug/L)(chronic) = applies only above sted at 34.5(5), applies only to lakes alrger than 25 acres surface area.	Temperature °C  D.O. (mg/L) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorgani	DM  WL  acute 6.5 - 9.0 c (mg/L)  acute TVS	WL chronic 5.0 20* 126  chronic TVS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T)	TVS  Aletals (ug/L)  acute 340 TVS 5.0 50 TVS	chronic 0.02 TVS TVS TVS TVS
Designation Reviewable  Qualifiers: Other: chlorophyll a ne facilities lii. nd reservoirs Phosphorus(e acilities liisted esservoirs larg	Classifications  Agriculture  Aq Life Warm 1  Recreation E  Water Supply  (ug/L)(chronic) = applies only above sted at 34.5(5), applies only to lakes a larger than 25 acres surface area. hronic) = applies only above the at 34.5(5), applies only to lakes and yer than 25 acres surface area.	Temperature °C  D.O. (mg/L) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  Inorgani  Ammonia Boron	DM WL acute  6.5 - 9.0   c (mg/L) acute TVS 	WL chronic 5.0 20* 126  chronic TVS 0.75	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper	TVS  Aletals (ug/L)  acute 340 TVS 5.0 50 TVS TVS	chronic  0.02  TVS  TVS  TVS  VS
CosJsJ08 Designation Reviewable  Qualifiers: Chlorophyll a ne facilities listed geservoirs large  EPA has specific	Classifications  Agriculture  Aq Life Warm 1  Recreation E  Water Supply  (ug/L)(chronic) = applies only above sted at 34.5(5), applies only to lakes a larger than 25 acres surface area. hronic) = applies only above the at 34.5(5), applies only above the at 34.5(5), applies only to lakes and ger than 25 acres surface area.  Is not acted on segment-total phosphorus (TP)	Temperature °C  D.O. (mg/L) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  Inorgani  Ammonia Boron Chloride	DM WL acute  6.5 - 9.0   c (mg/L) acute TVS 	WL chronic 5.0 20* 126  chronic TVS 0.75 250	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper	TVS  Aletals (ug/L)  acute 340 TVS 5.0 50 TVS TVS	Chronic 0.02 TVS TVS TVS VS TVS TVS
eviewable  Aualifiers:  Chlorophyll a le facilities lind reservoirs Phesphorus(e listed esservoirs large specific numeric	Classifications  Agriculture  Aq Life Warm 1  Recreation E  Water Supply  (ug/L)(chronic) = applies only above sted at 34.5(5), applies only to lakes larger than 25 acres surface area. whronic) = applies only above the at 34.5(6), applies only to lakes and yer than 25 acres surface area.  S not acted on segment-total phosphorus (TP) estandards based on	Temperature °C  D.O. (mg/L) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  Inorgani  Ammonia Boron Chloride Chlorine	DM WL acute 6.5 - 9.0 c (mg/L) acute TVS 0.019	WL chronic 5.0 20* 126  chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Ilron Ilron(T)	TVS  Aletals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS	chronic  0.02  TVS  TVS  TVS  TVS  1000
Designation Reviewable  Designation Reviewable Reviewa	Classifications  Agriculture  Aq Life Warm 1  Recreation E  Water Supply  (ug/L)(chronic) = applies only above sted at 34.5(5), applies only to lakes larger than 25 acres surface area. whenie) = applies only to lakes and ger than 25 acres surface area. Se not acted on segment-total phosphorus (TP) estandards based on rim value for lake/	Temperature °C  D.O. (mg/L) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  Inorgani  Ammonia Boron Chloride Chlorine Cyanide	DM WL acute 6.5 - 9.0 c (mg/L) acute TVS 0.019 0.005	WL chronic 5.0 20* 126  chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead	TVS  Aletals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS TVS	Chronic 0.02 TVS TVS SUS TVS TVS TVS TVS TVS TVS TVS TVS
eviewable  dualifiers:  chlorophyll a ne facilities lind reservoirs large  EPA has specific numeric the interreservoir	Classifications  Agriculture  Aq Life Warm 1  Recreation E  Water Supply  (ug/L)(chronic) = applies only above sted at 34.5(5), applies only to lakes larger than 25 acres surface area. historie) = applies only to lakes and ger than 25 acres surface area.  S not acted on segment-total phosphorus (TP) estandards based on rim value for lake/r segments with a cold	Temperature °C  D.O. (mg/L) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  Inorgani  Ammonia Boron Chloride Chlorine Cyanide Nitrate	DM WL acute 6.5 - 9.0 c (mg/L) acute TVS 0.019 0.005	WL chronic 5.0 20° 126  chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T)	TVS  Aletals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS TVS 50	Chronic 0.02 TVS
eviewable  designation deviewable  deviewa	Classifications  Agriculture  Aq Life Warm 1  Recreation E  Water Supply  (ug/L)(chronic) = applies only above sted at 34.5(5), applies only to lakes larger than 25 acres surface area.  Shronic) = applies only above the at 34.5(5), applies only to lakes and ger than 25 acres surface area.  S not acted on segment-total phosphorus (TP) a standards based on tim value for lake/or segments with a cold quatic life classification	Temperature °C  D.O. (mg/L) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  Inorgani  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite	DM WL acute 6.5 - 9.0 c (mg/L) acute TVS 0.019 0.005 10 0.5	WL chronic 5.0 20° 126  chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese	TVS  Aletals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS TVS 50 TVS	Chronic 0.02 TVS TVS TVS S TVS TVS 0.01(t)
esignation deviewable	Classifications  Agriculture  Aq Life Warm 1  Recreation E  Water Supply  (ug/L)(chronic) = applies only above sted at 34.5(5), applies only to lakes larger than 25 acres surface area. historie) = applies only to lakes and ger than 25 acres surface area.  S not acted on segment-total phosphorus (TP) estandards based on rim value for lake/r segments with a cold	Temperature °C  D.O. (mg/L) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  Inorgani  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	DM WL acute 6.5 - 9.0 c (mg/L) acute TVS 0.019 0.005 10 0.5	WL chronic 5.0 20* 126  chronic TVS 0.75 250 0.011 0.083*	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury	TVS  Aletals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS TVS TVS TVS TVS	Chronic 0.02 TVS
Designation Reviewable  Dualifiers: Dther: Chlorophyll a ne facilities lind reservoire large  EPA has specific numeric the interreservoire water accordance water accordance acc	Classifications  Agriculture  Aq Life Warm 1  Recreation E  Water Supply  (ug/L)(chronic) = applies only above sted at 34.5(5), applies only to lakes larger than 25 acres surface area.  Shronic) = applies only above the at 34.5(5), applies only to lakes and ger than 25 acres surface area.  S not acted on segment-total phosphorus (TP) a standards based on tim value for lake/or segments with a cold quatic life classification	Temperature °C  D.O. (mg/L) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  Inorgani  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	DM WL acute 6.5 - 9.0 c (mg/L) acute TVS 0.019 0.005 10 0.5	WL chronic 5.0 20* 126  chronic TVS 0.75 250 0.011 0.083* WS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T)	TVS  Aletals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS TVS	Chronic 0.02 TVS TVS TVS TVS TVS TVS TVS/WS 0.01(t) 150 TVS
Designation Reviewable  Dualifiers: Dther: Chlorophyll a ne facilities lind reservoire large  EPA has specific numeric the interreservoire water accordance water accordance acc	Classifications  Agriculture  Aq Life Warm 1  Recreation E  Water Supply  (ug/L)(chronic) = applies only above sted at 34.5(5), applies only to lakes larger than 25 acres surface area.  Shronic) = applies only above the at 34.5(5), applies only to lakes and ger than 25 acres surface area.  S not acted on segment-total phosphorus (TP) a standards based on tim value for lake/or segments with a cold quatic life classification	Temperature °C  D.O. (mg/L) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  Inorgani  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	DM WL acute 6.5 - 9.0 c (mg/L) acute TVS 0.019 0.005 10 0.5	WL chronic 5.0 20* 126  chronic TVS 0.75 250 0.011 0.083* WS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel	TVS  Aletals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS TVS TVS	Chronic 0.02 TVS TVS TVS TVS TVS WS 1000 TVS TVS/WS 0.01(t) 1500 TVS
CosJSJ08 Designation Reviewable  Qualifiers: Other: Chlorophyll a ne facilities li nd reservoirs large EPA has specific numeric the inter reservoir water according to the control of the control of the control of the control of the cost of the cos	Classifications  Agriculture  Aq Life Warm 1  Recreation E  Water Supply  (ug/L)(chronic) = applies only above sted at 34.5(5), applies only to lakes larger than 25 acres surface area.  Shronic) = applies only above the at 34.5(5), applies only to lakes and ger than 25 acres surface area.  S not acted on segment-total phosphorus (TP) a standards based on tim value for lake/or segments with a cold quatic life classification	Temperature °C  D.O. (mg/L) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  Inorgani  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	DM WL acute 6.5 - 9.0 c (mg/L) acute TVS 0.019 0.005 10 0.5	WL chronic 5.0 20* 126  chronic TVS 0.75 250 0.011 0.083* WS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T)	TVS  Aletals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS TVS TVS	Chronic 0.02 TVS TVS TVS TVS S 1000 TVS TVS/WS 0.01(t) 150 TVS
CosJsJ08 Designation Reviewable  Qualifiers: Other: chlorophyll a ne facilities li and reservoirs-large  EPA has specific numeric the inter reservoi water accordance and the company of the control of the control of the cost of the cos	Classifications  Agriculture  Aq Life Warm 1  Recreation E  Water Supply  (ug/L)(chronic) = applies only above sted at 34.5(5), applies only to lakes larger than 25 acres surface area.  Shronic) = applies only above the at 34.5(5), applies only to lakes and ger than 25 acres surface area.  S not acted on segment-total phosphorus (TP) a standards based on tim value for lake/or segments with a cold quatic life classification	Temperature °C  D.O. (mg/L) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  Inorgani  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	DM WL acute 6.5 - 9.0 c (mg/L) acute TVS 0.019 0.005 10 0.5	WL chronic 5.0 20* 126  chronic TVS 0.75 250 0.011 0.083* WS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	TVS  Aletals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS TVS	chronic  0.02  TVS

All metals are dissolved unless otherwise noted. T = total recoverable

t = total tr=trout sc=sculpin D.O. = dissolved oxygen DM = daily maximum

9a. Mainstem	ent for specific listings in Seament 1()						
COSJSJ09A	rept for specific listings in Segment 10.  Classifications	Physical and E	Biological		м	etals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CS-II	CS-II	Aluminum		
	Recreation E	·	acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02
Qualifiers:		D.O. (spawning)		7.0	Beryllium		
Other:		pН	6.5 - 9.0		Cadmium	TVS	TVS
Temporary Mo	odification(s):	chlorophyll a (mg/m²)		150	Cadmium(T)	5.0	
Arsenic(chronic		E. Coli (per 100 mL)		126	Chromium III		TVS
,	te of 12/31/2024				Chromium III(T)	50	
•		Inorganio	c (mg/L)		Chromium VI	TVS	TVS
			acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron		WS
		Boron		0.75	Iron(T)		1000
EPA ha	s not acted on segment-	Chloride		250	Lead	TVS	TVS
	total phosphorus (TP)	Chlorine	0.019	0.011	Lead(T)	50	
1 '	standards based on	Cyanide	0.005		Manganese	TVS	TVS/WS
the inter	rim value for river/	Nitrate	10		Mercury		0.01(t)
stream	segments with a cold	Nitrite	0.05		Molybdenum(T)		150
	quatic life classification	Phosphorus		0.11	Nickel	TVS	TVS
(0.11 m	g/L TP).	Sulfate		WS	Nickel(T)		100
	,	Sulfide		0.002	Selenium	TVS	TVS
					Silver	TVS	TVS(tr)
					Uranium		
					Uranium		
					Zinc	TVS	TVS(sc)
9b. Mainstem	of the Rio Blanco, including all tributari	es and wetlands, from the boundar	y of the Southern U	Ite Indian Re	Zinc	TVS	TVS(sc)
9b. Mainstem COSJSJ09B	of the Rio Blanco, including all tributari	es and wetlands, from the boundar  Physical and E		Ite Indian Re	Zinc eservation to the confluence	TVS	TVS(sc)
COSJSJ09B Designation	1			Ite Indian Re	Zinc eservation to the confluence	TVS with the San Juan Riv	TVS(sc)
COSJSJ09B	Classifications Agriculture Aq Life Cold 1		Biological		Zinc eservation to the confluence	TVS with the San Juan Riv etals (ug/L)	TVS(sc)
COSJSJ09B Designation	Classifications Agriculture Aq Life Cold 1 Recreation E	Physical and E	Biological DM	MWAT	Zinc eservation to the confluence M	TVS with the San Juan Riv letals (ug/L) acute	TVS(sc) ver. chronic
COSJSJ09B  Designation  Reviewable	Classifications Agriculture Aq Life Cold 1	Physical and E	Biological  DM  CS-II	MWAT CS-II	Zinc eservation to the confluence M Aluminum	TVS with the San Juan Riv letals (ug/L) acute	TVS(sc) ver. chronic
COSJSJ09B Designation	Classifications Agriculture Aq Life Cold 1 Recreation E	Physical and E	Biological  DM  CS-II  acute	MWAT CS-II chronic	zinc eservation to the confluence  M  Aluminum  Arsenic	TVS with the San Juan Riv etals (ug/L) acute 340	rer.  chronic
COSJSJ09B  Designation  Reviewable	Classifications Agriculture Aq Life Cold 1 Recreation E	Physical and E Temperature °C  D.O. (mg/L)	Biological  DM  CS-II  acute	MWAT CS-II chronic 6.0	Zinc eservation to the confluence  M  Aluminum  Arsenic  Arsenic(T)	TVS with the San Juan Riv etals (ug/L) acute 340	rer.  chronic 0.02
COSJSJ09B Designation Reviewable Qualifiers: Other:	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Physical and E  Temperature °C  D.O. (mg/L)  D.O. (spawning)	Biological  DM  CS-II  acute	MWAT CS-II chronic 6.0 7.0	Zinc eservation to the confluence  M  Aluminum  Arsenic  Arsenic(T)  Beryllium	TVS with the San Juan Riv etals (ug/L) acute 340	TVS(sc)  chronic 0.02
COSJSJ09B Designation Reviewable Qualifiers: Other:	Classifications Agriculture Aq Life Cold 1 Recreation E	Physical and E  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH	Biological  DM  CS-II  acute   6.5 - 9.0	MWAT CS-II chronic 6.0 7.0	Zinc eservation to the confluence  M  Aluminum  Arsenic  Arsenic(T)  Beryllium  Cadmium	TVS with the San Juan Riv tetals (ug/L)  acute 340 TVS	TVS(sc)  chronic 0.02 TVS
COSJSJ09B Designation Reviewable Qualifiers: Other:	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Physical and E  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)	Biological  DM  CS-II  acute 6.5 - 9.0	MWAT CS-II chronic 6.0 7.0 150	Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T)	TVS with the San Juan Riv etals (ug/L) acute 340 TVS 5.0	TVS(sc)  chronic 0.02 TVS
COSJSJ09B Designation Reviewable Qualifiers: Other:	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Physical and E  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)	Biological  DM  CS-II  acute 6.5 - 9.0	MWAT CS-II chronic 6.0 7.0 150	Zinc eservation to the confluence  M  Aluminum  Arsenic  Arsenic(T)  Beryllium  Cadmium  Cadmium(T)  Chromium III	TVS with the San Juan Riv etals (ug/L) acute 340 TVS 5.0	TVS(sc)  chronic 0.02 TVS TVS
COSJSJ09B Designation Reviewable Qualifiers: Other:	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Physical and E Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)	Biological  DM  CS-II  acute 6.5 - 9.0	MWAT CS-II chronic 6.0 7.0 150	Zinc eservation to the confluence  M  Aluminum  Arsenic  Arsenic(T)  Beryllium  Cadmium  Cadmium(T)  Chromium III  Chromium III(T)	TVS with the San Juan Riv etals (ug/L)  acute 340 TVS 5.0 50	TVS(sc)  rer.  chronic 0.02 TVS TVS
COSJSJ09B Designation Reviewable Qualifiers: Other:	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Physical and E Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)	Biological  DM  CS-II  acute 6.5 - 9.0 c (mg/L)	MWAT CS-II chronic 6.0 7.0 150 126	Zinc eservation to the confluence  M  Aluminum  Arsenic  Arsenic(T)  Beryllium  Cadmium  Cadmium(T)  Chromium III  Chromium III(T)	TVS with the San Juan Riv etals (ug/L)  acute 340 TVS 5.0 50 TVS	TVS(sc)  rer.  chronic 0.02 TVS TVS TVS TVS
COSJSJ09B Designation Reviewable Qualifiers: Other:	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Physical and E  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)	Biological  DM  CS-II  acute 6.5 - 9.0 c (mg/L) acute	MWAT CS-II chronic 6.0 7.0 150 126  chronic	Zinc eservation to the confluence  M  Aluminum  Arsenic  Arsenic(T)  Beryllium  Cadmium  Cadmium(T)  Chromium III  Chromium III(T)  Chromium VI  Copper	TVS with the San Juan Riv letals (ug/L)  acute 340 TVS 5.0 50 TVS TVS	TVS(sc)  /er.  chronic 0.02 TVS TVS TVS TVS TVS TVS
COSJSJ09B Designation Reviewable Qualifiers: Other:	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Physical and E  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorganio	DM   CS-II   acute     6.5 - 9.0     c (mg/L)   acute   TVS	MWAT CS-II chronic 6.0 7.0 150 126  chronic TVS	Zinc eservation to the confluence  M  Aluminum  Arsenic  Arsenic(T)  Beryllium  Cadmium  Cadmium  Chromium III  Chromium III(T)  Chromium VI  Copper  Iron	TVS with the San Juan Riv letals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS	TVS(sc)  chronic 0.02 TVS TVS TVS TVS TVS TVS VS
COSJSJ09B Designation Reviewable Qualifiers: Other:	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Physical and E  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorgania  Ammonia  Boron	Biological  DM  CS-II  acute 6.5 - 9.0 c: (mg/L)  acute TVS	MWAT CS-II chronic 6.0 7.0 150 126  chronic TVS 0.75	Zinc eservation to the confluence  M  Aluminum  Arsenic  Arsenic(T)  Beryllium  Cadmium  Cadmium(T)  Chromium III  Chromium III(T)  Chromium VI  Copper  Iron  Iron(T)	TVS with the San Juan Riv letals (ug/L)  acute 340 TVS 5.0 50 TVS TVS	TVS(sc)  //er.  chronic 0.02 TVS TVS TVS TVS TVS TVS TVS TVS
COSJSJ09B Designation Reviewable Qualifiers: Other:	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Physical and E Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic  Ammonia Boron Chloride	Biological  DM  CS-II  acute 6.5 - 9.0 c (mg/L)  acute TVS	MWAT CS-II chronic 6.0 7.0 150 126  chronic TVS 0.75 250	Zinc eservation to the confluence  M  Aluminum  Arsenic  Arsenic(T)  Beryllium  Cadmium  Cadmium(T)  Chromium III  Chromium III(T)  Chromium VI  Copper  Iron  Iron(T)	TVS with the San Juan Riv etals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS TVS	TVS(sc)  rer.  chronic  0.02  TVS  TVS  TVS  TVS  TVS  TVS  TVS
COSJSJ09B Designation Reviewable Qualifiers: Other:	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Physical and E  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorganic  Ammonia  Boron  Chloride  Chlorine	Biological  DM  CS-II  acute 6.5 - 9.0 c (mg/L)  acute TVS 0.019	MWAT CS-II chronic 6.0 7.0 150 126  chronic TVS 0.75 250 0.011	Zinc eservation to the confluence  M  Aluminum  Arsenic  Arsenic(T)  Beryllium  Cadmium(T)  Chromium III  Chromium III(T)  Chromium VI  Copper  Iron  Iron(T)  Lead  Lead(T)	TVS with the San Juan Riv etals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS TVS TVS 50	TVS(sc)  rer.  chronic 0.02 TVS TVS TVS S TVS TVS TVS TVS TVS TVS TVS TVS T
COSJSJ09B Designation Reviewable Qualifiers: Other:	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Physical and E Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite	Biological  DM  CS-II  acute 6.5 - 9.0 c (mg/L)  acute TVS 0.019 0.005	MWAT CS-II chronic 6.0 7.0 150 126  chronic TVS 0.75 250 0.011	Zinc eservation to the confluence  M  Aluminum  Arsenic  Arsenic(T)  Beryllium  Cadmium  Cadmium  Chromium III  Chromium III(T)  Chromium VI  Copper  Iron  Iron(T)  Lead  Lead(T)  Manganese  Mercury  Molybdenum(T)	TVS with the San Juan Riv etals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS TVS 50 TVS TVS TVS	TVS(sc)  /er.  chronic 0.02 TVS TVS TVS TVS TVS TVS TVS 1000 TVS TVSWS 0.01(t) 150
COSJSJ09B Designation Reviewable Qualifiers: Other:	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Physical and E Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic  Ammonia Boron Chloride Chlorine Cyanide Nitrate	Biological  DM  CS-II  acute 6.5 - 9.0 c (mg/L)  acute TVS 0.019 0.005 10	MWAT CS-II chronic 6.0 7.0 150 126  chronic TVS 0.75 250 0.011	Zinc eservation to the confluence  M  Aluminum  Arsenic  Arsenic(T)  Beryllium  Cadmium  Cadmium(T)  Chromium III  Chromium IVI  Copper  Iron  Iron(T)  Lead  Lead(T)  Manganese  Mercury	TVS with the San Juan Riv letals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS	TVS(sc)  /er.  chronic 0.02 TVS TVS/WS 0.01(t)
COSJSJ09B Designation Reviewable Qualifiers: Other:	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Physical and E Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite	Biological  DM  CS-II  acute 6.5 - 9.0 c (mg/L)  acute  TVS 0.019 0.005	MWAT CS-II chronic 6.0 7.0 150 126  Chronic TVS 0.75 250 0.011	Zinc eservation to the confluence  M  Aluminum  Arsenic  Arsenic(T)  Beryllium  Cadmium  Cadmium  Chromium III  Chromium III(T)  Chromium VI  Copper  Iron  Iron(T)  Lead  Lead(T)  Manganese  Mercury  Molybdenum(T)	TVS with the San Juan Riv letals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS	TVS(sc)  /er.  chronic 0.02 TVS TVS TVS TVS TVS TVS TVS 1000 TVS TVSWS 0.01(t) 150
COSJSJ09B Designation Reviewable Qualifiers: Other:	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Physical and E Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	Biological  DM  CS-II  acute 6.5 - 9.0 c: (mg/L) acute TVS 0.019 0.005 10 0.005	MWAT CS-II chronic 6.0 7.0 150 126  Chronic TVS 0.75 250 0.011 0.11	Zinc eservation to the confluence  M  Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel	TVS with the San Juan Riv etals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS	TVS(sc)  rer.  chronic 0.02 TVS TVS TVS TVS TVS S 1000 TVS TVSWS 0.01(t) 150 TVS
COSJSJ09B Designation Reviewable Qualifiers: Other:	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Physical and E Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	Biological  DM  CS-II  acute 6.5 - 9.0 c: (mg/L)  acute  TVS 0.019 0.005 10 0.005	MWAT CS-II chronic 6.0 7.0 150 126  Chronic TVS 0.75 250 0.011 0.44 WS	Zinc eservation to the confluence  M  Aluminum  Arsenic  Arsenic(T)  Beryllium  Cadmium(T)  Chromium III  Chromium III(T)  Chromium VI  Copper  Iron  Iron(T)  Lead  Lead(T)  Manganese  Mercury  Molybdenum(T)  Nickel  Nickel(T)	TVS with the San Juan Riv etals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS	TVS(sc)  rer.  chronic 0.02 TVS TVS TVS S TVS VS 1000 TVS TVSWS 0.01(t) 150 TVS
COSJSJ09B Designation Reviewable Qualifiers: Other:	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Physical and E Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	Biological  DM  CS-II  acute 6.5 - 9.0 c: (mg/L)  acute  TVS 0.019 0.005 10 0.005	MWAT CS-II chronic 6.0 7.0 150 126  Chronic TVS 0.75 250 0.011 0.44 WS	Zinc eservation to the confluence  M  Aluminum  Arsenic  Arsenic(T)  Beryllium  Cadmium(T)  Chromium III  Chromium III(T)  Chromium VI  Copper  Iron  Iron(T)  Lead  Lead(T)  Manganese  Mercury  Molybdenum(T)  Nickel  Nickel(T)  Selenium	TVS with the San Juan Riv etals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS TVS	TVS(sc)  /er.  chronic 0.02 TVS TVS TVS S TVS US 1000 TVS TVS/WS 0.01(t) 150 TVS 1000 TVS

All metals are dissolved unless otherwise noted. T = total recoverable t = total

t = total tr=trout sc=sculpin D.O. = dissolved oxygen DM = daily maximum

10 Main 1	of the Dit-Di	ion from Estimate	inh to the conflict.	oo Die Die	Divor				
10. Mainstem	of the Rito Blanco Riv	ver from Echo Dit	ch to the confluence with the	ne Rio Blanco F al and Biologio			M	etals (ug/L)	
Designation	Agriculture		Titysica	a and biologic	DM	MWAT		acute	chronic
Reviewable	Ag Life Cold 2		Temperature °C		CS-II	CS-II	Aluminum		
	Recreation E				acute	chronic	Arsenic	340	
	Water Supply		D.O. (mg/L)			6.0	Arsenic(T)		0.02-10 A
Qualifiers:	1		D.O. (spawning)			7.0	Beryllium		0.02-10
Other:			pH		6.5 - 9.0		Cadmium	TVS	TVS
Other.			chlorophyll a (mg/m²)			150	Cadmium(T)	5.0	
			E. Coli (per 100 mL)			126	Chromium III		TVS
			2. Con (por 100 mz)			120	Chromium III(T)	50	
				norganic (mg/l			Chromium VI	TVS	TVS
			<u>'</u>	norganic (mg/i	acute	chronic	Copper	TVS	TVS
			Ammonia		TVS	TVS	Iron		WS
			Boron			0.75	Iron(T)		1000
							Lead	TVS	TVS
EPA ha	s not acted or	segment-	Chloride Chlorine		0.019	250 0.011	Lead(T)	50	1 73
specific	total phospho	rus (TP)						TVS	TVS/WS
	standards ba		Cyanide Nitrate		0.005		Manganese		
the inte	rim value for r	ver/			10		Mercury		0.01(t)
stream	segments with	n a cold	Nitrite		0.05		Molybdenum(T)		150
	quatic life clas		Phosphorus			0.11	Nickel	TVS	TVS
	g/L TP).		Sulfate			WS	Nickel(T)		100
`	,		Sulfide			0.002	Selenium	TVS	TVS
							Silver	TVS	TVS(tr)
							Uranium		
							Zinc	TVS	TVS
	ries to the San Juan specific listings in Se			ediately below t	he confluenc	e with Fourn	nile Creek to the Southern U	te Indian Reservation	boundary
COSJSJ11A	Classifications		Physica	al and Biologic	cal		М	etals (ug/L)	
Designation	Agriculture				DM	MWAT		acute	chronic
Reviewable	Aq Life Warm 1		Temperature °C		WS-II	WS-II	Aluminum		
	Recreation E	5/1 - 10/31			acute	chronic	Arsenic	340	
	Recreation N	11/1 - 4/30	D.O. (mg/L)			5.0	Arsenic(T)		0.02
	Water Supply		рН		6.5 - 9.0		Beryllium		
Qualifiers:			chlorophyll a (mg/m²)			150	Cadmium	TVS	TVS
Other:			E. Coli (per 100 mL)	5/1 - 10/31		126	Cadmium(T)	5.0	
Temporary Mo	odification(s):		E. Coli (per 100 mL)	11/1 - 4/30		630	Chromium III		TVS
Arsenic(chroni							Chromium III(T)	50	
	e of 12/31/2024		I	norganic (mg/l	L)		Chromium VI	TVS	TVS
					acute	chronic	Copper	TVS	TVS
			Ammonia		TVS	TVS	Iron		ws
			Boron			0.75	Iron(T)		1000
			Chloride			250	Lead	TVS	TVS
			Chlorine		0.019	0.011	Lead(T)	50	
			Chlorine			0.011	Lead(T)  Manganese	TVS	TVS/WS
					0.019 0.005 10				
			Chlorine Cyanide Nitrate		0.005		Manganese Mercury	TVS 	TVS/WS 0.01(t)
			Chlorine Cyanide Nitrate Nitrite		0.005 10 0.05		Manganese Mercury Molybdenum(T)	TVS 	TVS/WS 0.01(t) 150
			Chlorine Cyanide Nitrate Nitrite Phosphorus		0.005 10 0.05	   0.11	Manganese Mercury Molybdenum(T) Nickel	TVS TVS	TVS/WS 0.01(t) 150 TVS
			Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate		0.005 10 0.05 	  0.11 WS	Manganese Mercury Molybdenum(T) Nickel Nickel(T)	TVS TVS	TVS/WS 0.01(t) 150 TVS 100
			Chlorine Cyanide Nitrate Nitrite Phosphorus		0.005 10 0.05	   0.11	Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	TVS TVS TVS	TVS/WS 0.01(t) 150 TVS 100 TVS
			Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate		0.005 10 0.05 	  0.11 WS	Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium Silver	TVS TVS TVS TVS	TVS/WS 0.01(t) 150 TVS 100 TVS TVS(tr)
			Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate		0.005 10 0.05 	  0.11 WS	Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	TVS TVS TVS	TVS/WS 0.01(t) 150 TVS 100 TVS

All metals are dissolved unless otherwise noted. T = total recoverable

t = total tr=trout sc=sculpin D.O. = dissolved oxygen DM = daily maximum

COSJSJ11B	Classifications	Physica	l and Biologic	cal			Metals (ug/L)	
esignation	Agriculture			DM	MWAT		acute	chronic
teviewable	Aq Life Warm 1	Temperature °C		WS-II	WS-II	Aluminum		
	Recreation E 5/1 - 10/31			acute	chronic	Arsenic	340	
	Recreation N 11/1 - 4/30	D.O. (mg/L)			5.0	Arsenic(T)		0.02
	Water Supply	рH		6.5 - 9.0		Beryllium		
ualifiers:		chlorophyll a (mg/m²)			150	Cadmium	TVS	TVS
ther:		E. Coli (per 100 mL)	5/1 - 10/31		126	Cadmium(T)	5.0	
		E. Coli (per 100 mL)	11/1 - 4/30		630	Chromium III	TVS	TVS
Southern Ute	e Indian Reservation					Chromium III(T)		100
		lr.	organic (mg/L	<b>∟)</b>		Chromium VI	TVS	TVS
				acute	chronic	Copper	TVS	TVS
		Ammonia		TVS	TVS	Iron		WS
		Boron			0.75	Iron(T)		1000
	s not acted on segment-	Chloride			250	Lead	TVS	TVS
	total phosphorus (TP)	Chlorine		0.019	0.011	Lead(T)	50	
	standards based on	Cyanide		0.005		Manganese	TVS	TVS/WS
	rim value for river/	Nitrate		10		Mercury		0.01(t)
	segments with a warm	Nitrite		0.05		Molybdenum(T)		150
	quatic life classification	Phosphorus			0.17	Nickel	TVS	TVS
(0.17 m	g/L TP).	Sulfate			WS	Nickel(T)		100
		Sulfide			0.002	Selenium	TVS	TVS
						Silver	TVS	TVS
						Uranium		
						Uranium Zinc	TVS	
1c. McCabe	Creek from the source to the confluen	ce with the San Juan River.						TVS
1c. McCabe	Creek from the source to the confluence Classifications		ıl and Biologie	cal				
OSJSJ11C			ıl and Biologio	cal DM	MWAT		TVS	
OSJSJ11C esignation	Classifications		and Biologic 11/1 - 3/31		CS-II		TVS Metals (ug/L)	TVS
OSJSJ11C esignation	Classifications Agriculture	Physica		DM		Zinc	TVS  Metals (ug/L)  acute	chronic
OSJSJ11C esignation eviewable	Classifications Agriculture Aq Life Cold 1	Physica Temperature °C	11/1 - 3/31	DM CS-II	CS-II	Zinc	TVS  Metals (ug/L)  acute	chroni
OSJSJ11C esignation eviewable	Classifications Agriculture Aq Life Cold 1 Recreation E	Physica Temperature °C	11/1 - 3/31	DM CS-II	CS-II	Aluminum Arsenic	TVS  Metals (ug/L)  acute 340	chronic
osJsJ11C esignation eviewable ualifiers:	Classifications Agriculture Aq Life Cold 1 Recreation E	Physica Temperature °C	11/1 - 3/31	DM CS-II 25.1*	CS-II 21.6* <sup>C</sup>	Aluminum Arsenic Arsenic(T)	TVS  Metals (ug/L)  acute 340	chroni
osJsJ11C esignation eviewable ualifiers:	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Physica Temperature °C Temperature °C	11/1 - 3/31	DM CS-II 25.1*	CS-II 21.6* C	Aluminum Arsenic Arsenic(T) Beryllium	TVS  Metals (ug/L)  acute 340	Chroni 0.02 TVS
esignation eviewable tualifiers:	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Physica  Temperature °C  Temperature °C  D.O. (mg/L)	11/1 - 3/31	DM CS-II 25.1* acute	CS-II 21.6* <sup>C</sup> <b>chronic</b> 5.0	Aluminum Arsenic Arsenic(T) Beryllium Cadmium	TVS  Metals (ug/L)  acute 340 TVS	chronic
osJsJ11C esignation eviewable  ualifiers: emporary M rsenic(chronic	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Temperature °C Temperature °C  D.O. (mg/L)  pH	11/1 - 3/31	DM CS-II 25.1* acute  6.5 - 9.0	CS-II 21.6* C chronic 5.0	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T)	TVS  Metals (ug/L)  acute 340 TVS 5.0	chronic
osJsJ11C esignation eviewable  ualifiers: ther: emporary M rsenic(chroni xpiration Date	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  codification(s): ic) = hybrid te of 12/31/2024	Physica  Temperature °C  Temperature °C  D.O. (mg/L)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)	11/1 - 3/31	DM CS-II 25.1* acute  6.5 - 9.0	CS-II 21.6* C chronic 5.0  150	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III	TVS  Metals (ug/L)  acute 340 TVS 5.0	chronic
esignation eviewable  ualifiers: ther: emporary M rsenic(chroni xpiration Dai	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  codification(s):  ic) = hybrid  te of 12/31/2024  (4/1 - 10/31) = See Section 34.6(6) for	Physica  Temperature °C  Temperature °C  D.O. (mg/L)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)	11/1 - 3/31 4/1 - 10/31	DM CS-II 25.1* acute  6.5 - 9.0	CS-II 21.6* C chronic 5.0  150	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T)	TVS  Metals (ug/L)  acute 340 TVS 5.0 50	Chroni 0.02 TVS
esignation eviewable  ualifiers: ther: emporary M rsenic(chroni xpiration Dai	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  codification(s):  ic) = hybrid  te of 12/31/2024  (4/1 - 10/31) = See Section 34.6(6) for	Physica  Temperature °C  Temperature °C  D.O. (mg/L)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)	11/1 - 3/31 4/1 - 10/31	DM CS-II 25.1* acute  6.5 - 9.0 	CS-II 21.6* C chronic 5.0  150 126	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T)	TVS  Metals (ug/L)  acute 340 TVS 5.0 50 TVS	chroni  0.02  TVS
esignation eviewable  ualifiers: emporary M rsenic(chroni	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  codification(s):  ic) = hybrid  te of 12/31/2024  (4/1 - 10/31) = See Section 34.6(6) for	Physica  Temperature °C  Temperature °C  D.O. (mg/L)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)	11/1 - 3/31 4/1 - 10/31	DM CS-II 25.1* acute  6.5 - 9.0   L) acute	CS-II 21.6* C  chronic 5.0 150 126  chronic	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper	TVS  Metals (ug/L)  acute 340 TVS 5.0 50 TVS TVS	TVS  chroni   0.02  TVS  TVS  TVS  TVS
osjsj11C esignation eviewable  ualifiers: ther: emporary M rsenic(chronixpiration Dai	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  codification(s):  ic) = hybrid  te of 12/31/2024  (4/1 - 10/31) = See Section 34.6(6) for	Physica  Temperature °C  Temperature °C  D.O. (mg/L)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)	11/1 - 3/31 4/1 - 10/31	DM CS-II 25.1*  acute 6.5 - 9.0 L)  acute TVS	CS-II 21.6* C  chronic 5.0 150 126  chronic TVS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper	TVS  Metals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS	tvs chroni 0.02 Tvs Tvs Tvs Tvs Tvs
osjsj11C esignation eviewable  ualifiers: ther: emporary M esenic(chronic piration Dai femperature(esessment le	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  Iodification(s): ic) = hybrid te of 12/31/2024  (4/1 - 10/31) = See Section 34.6(6) for ocations.	Physica  Temperature °C  Temperature °C  D.O. (mg/L)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  In  Ammonia  Boron	11/1 - 3/31 4/1 - 10/31	DM CS-II 25.1*  acute 6.5 - 9.0 L)  acute TVS	CS-II 21.6* C  chronic 5.0 150 126  chronic TVS 0.75	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T)	TVS  Metals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS	TVS  chroni  0.02  TVS  TVS  TVS  VS  1000
esignation eviewable  ualifiers: ther: emporary M esenic(chronic expiration Dai emperature( essessment le	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  Indification(s):  Indication(s):  In	Physica  Temperature °C  Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  In  Ammonia Boron Chloride	11/1 - 3/31 4/1 - 10/31	DM CS-II 25.1*  acute 6.5 - 9.0 L) acute TVS	CS-II 21.6* C  chronic 5.0 150 126  chronic TVS 0.75 250	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T)	TVS  Metals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS TVS	TVS  chroni   0.02   TVS  TVS  TVS  VS  1000  TVS
esignation eviewable  ualifiers: emporary M senic(chronic piration Date emperature) sessment le	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  codification(s): ic) = hybrid te of 12/31/2024  (4/1 - 10/31) = See Section 34.6(6) for coations.	Physica  Temperature °C  Temperature °C  D.O. (mg/L)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  In  Ammonia  Boron  Chloride  Chlorine	11/1 - 3/31 4/1 - 10/31	DM CS-II 25.1*  acute 6.5 - 9.0 L) acute TVS 0.019	CS-II 21.6* C  chronic 5.0 150 126  chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T)	TVS  Metals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS TVS TVS 50	TVS  chroni   0.02  TVS  TVS  TVS  VS  1000  TVS
esignation eviewable  ualifiers: ther: emporary M senic(chronic corration Data emperature essessment le  EPA ha specific numeric	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  codification(s): ic) = hybrid te of 12/31/2024  (4/1 - 10/31) = See Section 34.6(6) for ocations.  as not acted on segmentation of total phosphorus (TP) c standards based on	Physica  Temperature °C  Temperature °C  D.O. (mg/L)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  In  Ammonia  Boron  Chloride  Chlorine  Cyanide	11/1 - 3/31 4/1 - 10/31	DM CS-II 25.1*  acute 6.5 - 9.0 L) acute TVS 0.019 0.005	CS-II 21.6* C  chronic 5.0 150 126  chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese	TVS  Metals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS TVS 50 TVS TVS TVS 50 TVS	TVS  chroni   0.02  TVS  TVS  TVS  TVS  TVS  TVS  TVS  TV
esignation eviewable  ualifiers: ther: emporary M senic(chronic corration Data emperature essessment le  EPA ha specific numeric	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  codification(s): ic) = hybrid te of 12/31/2024  (4/1 - 10/31) = See Section 34.6(6) for coations.	Physica  Temperature °C  Temperature °C  D.O. (mg/L)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  In  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate	11/1 - 3/31 4/1 - 10/31	DM CS-II 25.1*  acute 6.5 - 9.0 L)  acute TVS 0.019 0.005 10	CS-II 21.6* C  chronic 5.0 150 126  Chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury	TVS  Metals (ug/L)  acute 340 TVS 5.0 50 TVS	TVS  chroni 0.00 TVS -
esignation eviewable  ualifiers: ther: emporary M resenic(chronic) copiration Date femperature(resessment lessessment lesses l	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  codification(s): ic) = hybrid te of 12/31/2024  (4/1 - 10/31) = See Section 34.6(6) for ocations.  as not acted on segmentation of total phosphorus (TP) c standards based on	Physica  Temperature °C  Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  In  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	11/1 - 3/31 4/1 - 10/31	DM CS-II 25.1*  acute 6.5 - 9.0 TVS 0.019 0.005 10 0.05	CS-II 21.6* C  chronic 5.0 126  chronic TVS 0.75 250 0.011 0.11	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium IVI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel	TVS  Metals (ug/L)  acute 340 TVS 5.0 50 TVS	TVS  chroni 0.00 TVS TVS TVS TVS TVS/WS 0.01(t
esignation eviewable  ualifiers: ther: emporary M resenic(chronic expiration Dar femperature( seessment In	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  codification(s): ic) = hybrid te of 12/31/2024  (4/1 - 10/31) = See Section 34.6(6) for ocations.  as not acted on segmentate total phosphorus (TP) costandards based on erim value for river/	Temperature °C Temperature °C Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  In  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	11/1 - 3/31 4/1 - 10/31	DM CS-II 25.1*  acute 6.5 - 9.0  TVS 0.019 0.005 10 0.05	CS-II 21.6* C  chronic 5.0 126  Chronic TVS 0.75 250 0.011 0.411 WS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T)	TVS  Metals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS TVS 50 TVS	TVS  chroni   0.02  TVS  TVS  VS  1000  TVS  VS  150  TVS  1000  TVS  1500  TVS
esignation eviewable  ualifiers: ther: emporary M resenic(chronic expiration Dai emperature(sessesment le specific numeric the inte	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  lodification(s): ic) = hybrid te of 12/31/2024  (4/1 - 10/31) = See Section 34.6(6) for ocations.  as not acted on segment-cotal phosphorus (TP) costandards based on the common segment ocations with a cold	Physica  Temperature °C  Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  In  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	11/1 - 3/31 4/1 - 10/31	DM CS-II 25.1*  acute 6.5 - 9.0 L) acute TVS 0.019 0.005 10 0.05	CS-II 21.6* C  chronic 5.0 126  chronic TVS 0.75 250 0.011 0.11	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	TVS  Metals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS TVS	TVS  chroni 0.02 TVS TVS TVS-WS 0.01(t 150 TVS
esignation eviewable  ualifiers: ther: emporary M rsenic(chroni xpiration Dai femperature( ssessment li  EPA has specific numeric the inte stream water a	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  Indification(s):	Temperature °C Temperature °C Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  In  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	11/1 - 3/31 4/1 - 10/31	DM CS-II 25.1*  acute 6.5 - 9.0  TVS 0.019 0.005 10 0.05	CS-II 21.6* C  chronic 5.0 126  Chronic TVS 0.75 250 0.011 0.411 WS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T)	TVS  Metals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS TVS 50 TVS	TVS  chroni 0.00 TVS TVS TVS TVS TVS/WS 0.01(t

All metals are dissolved unless otherwise noted. T = total recoverable

t = total tr=trout sc=sculpin D.O. = dissolved oxygen DM = daily maximum

TVS

TVS

#### REGULATION #34 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS San Juan River Basin

12. All tributaries to the San Juan River in Archuleta County, including all wetlands, except for specific listings in Segments 1a, 1b, 2, 3, 4, 5, 6a, 6b, 7, 9a, 9b, 10, 11a, 11b and 12b. This segment includes Coyote Creek from its source to the Colorado/New Mexico border. Physical and Biological Metals (ug/L) Designation Agriculture DM MWAT acute chronic Reviewable Aq Life Warm 2 WS-III Temperature °C WS-III Aluminum Recreation N 11/1 - 4/30 acute chronic Arsenic 340 Recreation P 5/1 - 10/31 D.O. (mg/L) 5.0 Arsenic(T) 7.6 Qualifiers: 6.5 - 9.0 Beryllium 150 chlorophyll a (mg/m²) Other: Beryllium(T) 100 E. Coli (per 100 mL) 5/1 - 10/31 205 Cadmium TVS TVS E. Coli (per 100 mL) 11/1 - 4/30 630 Chromium III TVS Chromium III(T) 100 Inorganic (mg/L) Chromium VI TVS TVS acute chronic Copper TVS TVS Iron(T) 1000 Ammonia TVS TVS Boron 0.75 Lead TVS TVS EPA has not acted on segment-Chloride Manganese **TVS TVS** specific total phosphorus (TP) Chlorine 0.019 0.011 Mercury 0.01(t)numeric standards based on Cyanide 0.005 Molybdenum(T) 150 the interim value for river/ Nitrate 100 Nickel TVS TVS stream segments with a warm TVS Nitrite Selenium TVS water aquatic life classification Phosphorus 0.17 Silver **TVS** TVS (0.17 mg/L TP). Sulfate Uranium

13. All lakes and reservoirs that are tributary to the mainstem of the Navajo River and the Little Navajo River, from the boundary of the South San Juan Wilderness Area to the Colorado/New Mexico border, except for specific listings in Segment 14. This segment includes Gardner Lake, Fall View Lake, Hidden Lake, Dolomite Lake, Bull Elk Pond, Price Lakes, and Spence Reservoir.

0.002

Zinc

Sulfide

COSJSJ13	Classifications	Physical and	Biological		N	/letals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CL	CL	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02
Qualifiers:		D.O. (spawning)		7.0	Beryllium		
Other:		рН	6.5 - 9.0		Cadmium	TVS	TVS
*	(//)/abassis/ analise sub-45 labes	chlorophyll a (ug/L)		8*	Cadmium(T)	5.0	
	(ug/L)(chronic) = applies only to lakes slarger than 25 acres surface area.	E. Coli (per 100 mL)		126	Chromium III		TVS
	thronic) = applies only to lakes and ger than 25 acres surface area.				Chromium III(T)	50	
reservoirs rang	ger man 25 acres surface area.	Inorgar	nic (mg/L)		Chromium VI	TVS	TVS
			acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron		WS
		Boron		0.75	Iron(T)		1000
		Chloride		250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	
		Cyanide	0.005		Manganese	TVS	TVS/WS
		Nitrate	10		Mercury		0.01(t)
		Nitrite	0.05		Molybdenum(T)		150
		Phosphorus		0.025*	Nickel	TVS	TVS
		Sulfate		WS	Nickel(T)		100
		Sulfide		0.002	Selenium	TVS	TVS
					Silver	TVS	TVS(tr)
					Uranium		
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.

T = total recoverable

t = total

tr=trout

sc=sculpin

D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 34.6 for further details on applied standards.

14. All lakes a	and reservoirs that are	e tributary to the N	avajo River and the Little I	Navajo River, fr	om the San	Juan-Chama	diversions to the confluence	with the San Juan R	iver.
COSJSJ14	Classifications		Physica	al and Biologi	cal		М	etals (ug/L)	
Designation	Agriculture				DM	MWAT		acute	chronic
Reviewable	Aq Life Warm 2		Temperature °C		WL	WL	Aluminum		
	Recreation N	11/1 - 4/30			acute	chronic	Arsenic	340	
	Recreation P	5/1 - 10/31	D.O. (mg/L)			5.0	Arsenic(T)		100
Qualifiers:			pН		6.5 - 9.0		Beryllium		
Other:			chlorophyll a (ug/L)			20*	Beryllium(T)		100
*ablaraphyll a	(ug/L)(chronic) = app	dias anly to lakes	E. Coli (per 100 mL)	11/1 - 4/30		630	Cadmium	TVS	TVS
and reservoirs	larger than 25 acres	surface area.	E. Coli (per 100 mL)	5/1 - 10/31		205	Chromium III	TVS	TVS
	thronic) = applies onliger than 25 acres surf						Chromium III(T)		100
	,		I	norganic (mg/	L)		Chromium VI	TVS	TVS
					acute	chronic	Copper	TVS	TVS
			Ammonia		TVS	TVS	Lead	TVS	TVS
			Boron			0.75	Manganese	TVS	TVS
EPΔ has	s not acted on	segment-	Chloride				Mercury		0.01(t)
	total phospho		Chlorine		0.019	0.011	Molybdenum(T)		150
	standards ba	` '	Cyanide		0.005		Nickel	TVS	TVS
	im value for la		Nitrate		100		Selenium	TVS	TVS
	r segments w		Nitrite				Silver	TVS	TVS
	quatic life clas		Phosphorus			0.083*	Uranium		
	ng/L TP).	Silication	Sulfate				Zinc	TVS	TVS
(0.003 11	ilg/L TF).		Sulfide			0.002			
				indary of South	San Juan V	Vilderness Ar	ea to the Southern Ute Indiar	Reservation boundar	ry. This
	des Harris Lake, Bud	kles Lake, and Cr							
COSJSJ15A	Classifications		Physica	al and Biologic			M	etals (ug/L)	
Designation	Agriculture				DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1 Recreation E		Temperature °C		CL	CL	Aluminum		
	Water Supply		DO (***/I)		acute	chronic	Arsenic	340	
Qualifiers:	water Suppry		D.O. (mg/L)			6.0	Arsenic(T)		0.02
			D.O. (spawning)			7.0	Beryllium	 T1/0	
Other:			pH		6.5 - 9.0		Cadmium	TVS	TVS
*chlorophyll a	(ug/L)(chronic) = app	lies only to lakes	chlorophyll a (ug/L)			8*	Cadmium(T)	5.0	
	s larger than 25 acres hronic) = applies onl		E. Coli (per 100 mL)			126	Chromium III		TVS
	ger than 25 acres surf						Chromium III(T)	50	
			ı	norganic (mg/	•		Chromium VI	TVS	TVS
					acute	chronic	Copper	TVS	TVS
			Ammonia		TVS	TVS	Iron		WS
			Boron			0.75	Iron(T)		1000
			Chloride			250	Lead	TVS	TVS
			Chlorine		0.019	0.011	Lead(T)	50	
			Cyanide		0.005		Manganese	TVS	TVS/WS
			Nitrate		10		Mercury		0.01(t)
			Nitrite		0.05		Molybdenum(T)		150
-			Phosphorus			0.025*	Nickel	TVS	TVS
			Phosphorus Sulfate			0.025* WS	Nickel(T)	TVS 	100
			·					TVS  TVS	100 TVS
			Sulfate			WS	Nickel(T) Selenium Silver	TVS  TVS TVS	100
			Sulfate			WS	Nickel(T) Selenium	TVS  TVS	100 TVS

All metals are dissolved unless otherwise noted. T = total recoverable t = total tr=trout sc=sculpin

DM = daily maximum

MWAT = maximum weekly average temperature
See 34.6 for further details on applied standards.

D.O. = dissolved oxygen

COSJSJ15B	Classifications	Physical and	Biological		М	etals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CL	CL	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02
Qualifiers:		D.O. (spawning)		7.0	Beryllium		
Other:		pН	6.5 - 9.0		Cadmium	TVS	TVS
		chlorophyll a (ug/L)		8*	Cadmium(T)	5.0	
	Indian Reservation	E. Coli (per 100 mL)		126	Chromium III		TVS
and reservoirs	(ug/L)(chronic) = applies only to lakes larger than 25 acres surface area.				Chromium III(T)	50	
	hronic) = applies only to lakes and ger than 25 acres surface area.	Inorgani	ic (mg/L)		Chromium VI	TVS	TVS
COOL VOILO TAIL	yer than 20 deree candee area.		acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron		WS
		Boron		0.75	Iron(T)		1000
		Chloride		250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	
		Cyanide	0.005		Manganese	TVS	TVS/WS
		Nitrate	10		Mercury		0.01(t)
		Nitrite	0.05		Molybdenum(T)		150
		Phosphorus		0.025*	Nickel	TVS	TVS
		Sulfate		ws	Nickel(T)		100
		Sulfide		0.002	Selenium	TVS	TVS
					Silver	TVS	TVS(tr)
					Uranium		
					Zinc	TVS	TVS

16. All lakes and reservoirs which are tributary to the San Juan River, Rio Blanco, and Navajo River and located within the Weminuche Wilderness Area and South San Juan Wilderness Area. This segment includes Archuleta Lake, Spruce Lakes, Turkey Creek Lake, Fourmile Lake, Upper Fourmile Lake, Crater Lake, Quartz Lake, Fish Lake, and Opal Lake.

COSJSJ16	Classifications	Physical and Biolo	gical		N	/letals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
OW	Aq Life Cold 1	Temperature °C	CL	CL	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02
Qualifiers:		D.O. (spawning)		7.0	Beryllium		
Other:		pH	6.5 - 9.0		Cadmium	TVS	TVS
*ablaranbull a	(ug/L) (chronic) applies only to lakes	chlorophyll a (ug/L)		8*	Cadmium(T)	5.0	
and reservoirs	(ug/L)(chronic) = applies only to lakes alarger than 25 acres surface area.	E. Coli (per 100 mL)		126	Chromium III		TVS
	hronic) = applies only to lakes and ger than 25 acres surface area.				Chromium III(T)	50	
reservoirs rarg	yer than 20 acres surface area.	Inorganic (m	g/L)		Chromium VI	TVS	TVS
			acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron		ws
		Boron		0.75	Iron(T)		1000
		Chloride		250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	
		Cyanide	0.005		Manganese	TVS	TVS/WS
		Nitrate	10		Mercury		0.01(t)
		Nitrite	0.05		Molybdenum(T)		150
		Phosphorus		0.025*	Nickel	TVS	TVS
		Sulfate		WS	Nickel(T)		100
		Sulfide		0.002	Selenium	TVS	TVS
					Silver	TVS	TVS(tr)
					Uranium		
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.

T = total recoverable

t = totaltr=trout sc=sculpin D.O. = dissolved oxygen

DM = daily maximum

17. All lakes and reservoirs that are tributary to the San Juan River and the East Fork and West Fork of the San Juan River, from the boundary of the Weminuche Wilderness Area (West Fork) and the source (East Fork) to the confluence with Fourmile Creek. This segment includes Born Lake, Hatcher Lakes, T Lazy T Reservoir, and Lost Lake. Classifications Physical and Biological Metals (ug/L) Designation Agriculture DM MWAT acute chronic Reviewable Aq Life Cold 1 Temperature °C CI CI Aluminum Recreation E acute chronic Arsenic 340 Water Supply D.O. (mg/L) 6.0 Arsenic(T) 0.02 Qualifiers: D.O. (spawning) 7.0 Beryllium рΗ 6.5 - 9.0 Other: Cadmium TVS TVS chlorophyll a (ug/L) 8\* Cadmium(T) 5.0 \*chlorophyll a (ug/L)(chronic) = applies only to lakes E. Coli (per 100 mL) 126 Chromium III **TVS** and reservoirs larger than 25 acres surface area. \*Phosphorus(chronic) = applies only to lakes and Chromium III(T) 50 eservoirs larger than 25 acres surface area. Inorganic (mg/L) Chromium VI TVS **TVS** acute chronic Copper TVS TVS Iron ws Ammonia TVS TVS Boron 0.75 Iron(T) 1000 Chloride 250 Lead TVS **TVS** Chlorine 0.019 0.011 Lead(T) 50 Manganese TVS TVS/WS Cyanide 0.005 Nitrate 0.01(t) 10 Mercurv Nitrite 0.05 Molybdenum(T) 150 Phosphorus 0.025\* Nickel TVS TVS Sulfate Nickel(T) 100 WS Sulfide Selenium TVS TVS 0.002 Silver TVS TVS(tr) Uranium 7inc TVS TVS 18a. All lakes and reservoirs tributary to the San Juan River from a point immediately below the confluence with Fourmile Creek to the Southern Ute Indian Reservation boundary, except for the specific listings in Segment 8. COSJSJ18A Classifications Physical and Biological Metals (ug/L) MWAT Designation Agriculture DM acute chronic Aq Life Warm 1 Reviewable Temperature °C WL WLAluminum 5/1 - 10/31 Recreation E acute chronic Arsenic 340 Recreation N 11/1 - 4/30 D.O. (mg/L) 5.0 Arsenic(T) 7.6 Qualifiers: рΗ 6.5 - 9.0 Beryllium 20\* chlorophyll a (ug/L) Other: Cadmium TVS **TVS** E. Coli (per 100 mL) 11/1 - 4/30 Chromium III 630 TVS TVS \*chlorophyll a (ug/L)(chronic) = applies only to lakes E. Coli (per 100 mL) 5/1 - 10/31 ---126 Chromium III(T) 100 and reservoirs larger than 25 acres surface area. \*Phosphorus(chronic) = applies only to lakes and Chromium VI TVS TVS reservoirs larger than 25 acres surface area. Inorganic (mg/L) Coppe TVS TVS chronic Iron(T) 1000 acute ---Lead TVS **TVS** Ammonia TVS TVS 0.75 Manganese TVS TVS Boron 0.01(t) EPA has not acted on segment-Chloride Mercury specific total phosphorus (TP) 0.011 Chlorine 0.019 Molybdenum(T) 150 numeric standards based on Nickel TVS Cyanide 0.005 TVS the interim value for lake/ Nitrate 100 Selenium TVS TVS reservoir segments with a cold TVS(tr) Nitrite 0.05 Silver TVS water aquatic life classification Phosphorus 0.083\* Uranium (0.083 mg/L TP). TVS **TVS** Sulfate Sulfide 0.002

All metals are dissolved unless otherwise noted. T = total recoverable

t = total tr=trout sc=sculpin D.O. = dissolved oxygen DM = daily maximum

COSJSJ18B	Classifications		Physic	al and Biologic	cal		M	etals (ug/L)	
Designation	Agriculture				DM	MWAT		acute	chronic
Reviewable	Aq Life Warm 1		Temperature °C		WL	WL	Aluminum		
	Recreation E	5/1 - 10/31			acute	chronic	Arsenic	340	
	Recreation N	11/1 - 4/30	D.O. (mg/L)			5.0	Arsenic(T)		7.6
Qualifiers:			pH		6.5 - 9.0		Beryllium		
Other:			chlorophyll a (ug/L)			20*	Cadmium	TVS	TVS
			E. Coli (per 100 mL)	5/1 - 10/31		126	Chromium III	TVS	TVS
	e Indian Reservation		E. Coli (per 100 mL)	11/1 - 4/30		630	Chromium III(T)		100
	a (ug/L)(chronic) = ap s larger than 25 acre						Chromium VI	TVS	TVS
	chronic) = applies or ger than 25 acres su			Inorganic (mg/L	_)		Copper	TVS	TVS
CSCI VOII S TAI	ger triair 20 acres sui	race area.			acute	chronic	Lead	TVS	TVS
			Ammonia		TVS	TVS	Manganese	TVS	TVS
			Boron			0.75	Mercury		0.01(t)
FPA ha	s not acted or	n segment-	Chloride				Molybdenum(T)		150
	total phospho	~	Chlorine		0.019	0.011	Nickel	TVS	TVS
	standards ba		Cyanide		0.005		Selenium	TVS	TVS
	rim value for I		Nitrate		100		Silver	TVS	TVS(tr)
	ir segments w		Nitrite		0.05		Uranium		
	quatic life clas		Phosphorus			0.083*	Zinc	TVS	TVS
	ng/L TP).	20000.011	Sulfate						
1(0.000 1	9, = ).								

19. All lakes and reservoirs in Archuleta County which are tributary to the San Juan River, except for specific listings in Segment 18b. All lakes and reservoirs which are tributary to Coyote Creek from its source to the Colorado/New Mexico border.

COSJSJ19	Classifications		Physic	al and Biologic	cal		М	etals (ug/L)	
Designation	Agriculture				DM	MWAT		acute	chronic
Reviewable	Aq Life Warm 2		Temperature °C		WL	WL	Aluminum		
	Recreation N	11/1 - 4/30			acute	chronic	Arsenic	340	
	Recreation P	5/1 - 10/31	D.O. (mg/L)			5.0	Arsenic(T)		7.6
Qualifiers:			pН		6.5 - 9.0		Beryllium		
Fish Ingestio	n		chlorophyll a (ug/L)			20*	Beryllium(T)		100
Other:			E. Coli (per 100 mL)	5/1 - 10/31		205	Cadmium	TVS	TVS
*.111 11	( - (1) ( -1	.P I A. I.I.	E. Coli (per 100 mL)	11/1 - 4/30		630	Chromium III		TVS
and reservoirs	(ug/L)(chronic) = ap s larger than 25 acre	s surface area.					Chromium III(T)	100	
	chronic) = applies or ger than 25 acres su		ı	norganic (mg/L	-)		Chromium VI	TVS	TVS
10001101101101	go. a.a 20 ao. 00 oa.	. raco arca.			acute	chronic	Copper	TVS	TVS
			Ammonia		TVS	TVS	Iron(T)		1000
			Boron			0.75	Lead	TVS	TVS
			Chloride				Manganese	TVS	TVS
			Chlorine		0.019	0.011	Mercury		0.01(t)
			Cyanide		0.005		Molybdenum(T)		150
			Nitrate		100		Nickel	TVS	TVS
			Nitrite				Selenium	TVS	TVS
			Phosphorus			0.083*	Silver	TVS	TVS
			Sulfate				Uranium		
			Sulfide			0.002	Zinc	TVS	TVS

t = total tr=trout sc=sculpin D.O. = dissolved oxygen DM = daily maximum

<ol> <li>All tributarie</li> </ol>	S IU lile Fleula Nive		etlands, which are within	tile vveiiiiidei	ie vviiderrie	ss Area.			
COSJPI01	Classifications	·,····································	1	al and Biolog			М	letals (ug/L)	
Designation	Agriculture				DM	MWAT		acute	chronic
OW	Aq Life Cold 1		Temperature °C		CS-I	CS-I	Aluminum		
	Recreation E		·		acute	chronic	Arsenic	340	
	Water Supply		D.O. (mg/L)			6.0	Arsenic(T)		0.02
Qualifiers:			D.O. (spawning)			7.0	Beryllium		
Other:			pH		6.5 - 9.0		Cadmium	TVS	TVS
			chlorophyll a (mg/m²)			150	Cadmium(T)	5.0	
Temporary Mo			E. Coli (per 100 mL)			126	Chromium III		TVS
Arsenic(chronic	te of 12/31/2024		,				Chromium III(T)	50	
Expiration Dat	le 0i 12/31/2024		Ir	norganic (mg/	71.)		Chromium VI	TVS	TVS
				iorganic (ing/	acute	chronic	Copper	TVS	TVS
			Ammonia		TVS	TVS	Iron		WS
					175				1000
			Boron			0.75	Iron(T)		
			Chloride		0.040	250	Lead	TVS	TVS
	not acted on		Chlorine		0.019	0.011	Lead(T)	50 TV0	
specific t	otal phosphoi	rus (TP)	Cyanide		0.005		Manganese	TVS	TVS/WS
numeric :	standards bas	sed on	Nitrate		10		Mercury		0.01(t)
the interi	m value for riv	ver/	Nitrite		0.05		Molybdenum(T)		150
stream s	egments with	a cold	Phosphorus			0.11	Nickel	TVS	TVS
water aq	uatic life class	sification	Sulfate			WS	Nickel(T)		100
(0.11 mg	ı/L TP).		Sulfide			0.002	Selenium	TVS	TVS
							Silver	TVS	TVS(tr)
							Uranium		
							Oranium		
							Zinc	TVS	TVS
			River, including all tribut ecific listing in Segment		ands, from	the boundary			-
			ecific listing in Segment			the boundary	Zinc of the Weminuche Wilder		-
the mainstem	of the Piedra River,		ecific listing in Segment	3.		the boundary	Zinc of the Weminuche Wilder	ness Area to the con	
the mainstem COSJPI02A Designation	of the Piedra River, Classifications		ecific listing in Segment	3.	ical		Zinc of the Weminuche Wilder	ness Area to the con	fluence with
the mainstem	of the Piedra River, Classifications Agriculture		Physica	3.	ical DM	MWAT	Zinc of the Weminuche Wilder	ness Area to the con letals (ug/L) acute	fluence with
the mainstem COSJPI02A Designation	of the Piedra River,  Classifications  Agriculture  Aq Life Cold 1  Recreation E  Recreation N	except for the sp	Physica	3.	ical  DM  CS-I	MWAT CS-I	Zinc of the Weminuche Wilder  M  Aluminum	ness Area to the con letals (ug/L) acute	fluence with
the mainstem COSJPI02A Designation Reviewable	of the Piedra River,  Classifications  Agriculture  Aq Life Cold 1  Recreation E	except for the sp	Physica  Temperature °C	3.	DM CS-I acute	MWAT CS-I chronic	Zinc of the Weminuche Wilder  M  Aluminum  Arsenic	letals (ug/L) acute 340	chronic
the mainstem COSJPI02A Designation	of the Piedra River,  Classifications  Agriculture  Aq Life Cold 1  Recreation E  Recreation N	except for the sp	Physica  Temperature °C  D.O. (mg/L)	3.	DM CS-I acute	MWAT CS-I chronic 6.0	Zinc of the Weminuche Wilder  M  Aluminum  Arsenic  Arsenic(T)	letals (ug/L) acute 340	chronic
the mainstem COSJPI02A Designation Reviewable	of the Piedra River,  Classifications  Agriculture  Aq Life Cold 1  Recreation E  Recreation N	except for the sp	Physica  Temperature °C  D.O. (mg/L) D.O. (spawning)	3.	DM CS-I acute	MWAT CS-I chronic 6.0 7.0	Zinc of the Weminuche Wilder  M  Aluminum  Arsenic  Arsenic(T)  Beryllium	letals (ug/L) acute 340	chronic
the mainstem COSJPI02A Designation Reviewable  Qualifiers: Other:	of the Piedra River,  Classifications  Agriculture  Aq Life Cold 1  Recreation E  Recreation N  Water Supply	except for the sp	Physica  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH	3.	DM CS-I acute	MWAT CS-I chronic 6.0 7.0	Zinc of the Weminuche Wilder  M  Aluminum  Arsenic  Arsenic(T)  Beryllium  Cadmium	letals (ug/L) acute 340 TVS	chronic
the mainstem COSJPI02A Designation Reviewable  Qualifiers:	of the Piedra River,  Classifications  Agriculture  Aq Life Cold 1  Recreation E  Recreation N  Water Supply  odification(s):	except for the sp	Physica  Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²)	3. al and Biolog	DM CS-I acute  6.5 - 9.0	MWAT CS-I chronic 6.0 7.0 150	Zinc of the Weminuche Wilder  M  Aluminum  Arsenic  Arsenic(T)  Beryllium  Cadmium  Cadmium(T)	letals (ug/L) acute 340 TVS 5.0	chronic 0.02 TVS
the mainstem COSJPI02A Designation Reviewable  Qualifiers: Other: Temporary Mo Arsenic(chroni	of the Piedra River,  Classifications  Agriculture  Aq Life Cold 1  Recreation E  Recreation N  Water Supply  odification(s):	except for the sp	Physica  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  E. Coli (per 100 mL)	3. al and Biolog	DM CS-I acute  6.5 - 9.0	MWAT CS-I chronic 6.0 7.0 150 630	Zinc of the Weminuche Wilder  M  Aluminum  Arsenic  Arsenic(T)  Beryllium  Cadmium  Cadmium(T)  Chromium III	letals (ug/L) acute 340 TVS 5.0	chronic 0.02 TVS TVS
the mainstem COSJPI02A Designation Reviewable  Qualifiers: Other: Temporary Mo Arsenic(chroni	of the Piedra River,  Classifications  Agriculture  Aq Life Cold 1  Recreation E  Recreation N  Water Supply  odification(s): c) = hybrid	except for the sp	Physica  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  E. Coli (per 100 mL)	3.  al and Biolog  11/1 - 3/31  4/1 - 10/31	DM CS-I acute  6.5 - 9.0	MWAT CS-I chronic 6.0 7.0 150 630	Zinc of the Weminuche Wilder  M  Aluminum  Arsenic  Arsenic(T)  Beryllium  Cadmium  Cadmium(T)  Chromium III  Chromium III(T)	ness Area to the con letals (ug/L)  acute 340 TVS 5.0 50	chronic 0.02 TVS TVS
the mainstem COSJPI02A Designation Reviewable  Qualifiers: Other: Temporary Mo Arsenic(chroni	of the Piedra River,  Classifications  Agriculture  Aq Life Cold 1  Recreation E  Recreation N  Water Supply  odification(s): c) = hybrid	except for the sp	Physica  Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  E. Coli (per 100 mL)	3.  al and Biolog  11/1 - 3/31  4/1 - 10/31	DM CS-I acute  6.5 - 9.0 	MWAT CS-I chronic 6.0 7.0 150 630 126	Zinc of the Weminuche Wilder  M  Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI	ness Area to the con letals (ug/L)	chronic 0.02 TVS TVS
the mainstem COSJPI02A Designation Reviewable  Qualifiers: Other: Temporary Mo Arsenic(chroni	of the Piedra River,  Classifications  Agriculture  Aq Life Cold 1  Recreation E  Recreation N  Water Supply  odification(s): c) = hybrid	except for the sp	Physica  Temperature °C  D.O. (mg/L) D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Ir	3.  al and Biolog  11/1 - 3/31  4/1 - 10/31	CS-I acute 6.5 - 9.0 /L) acute	MWAT CS-I chronic 6.0 7.0 150 630 126	Zinc of the Weminuche Wilder  M  Aluminum  Arsenic  Arsenic(T)  Beryllium  Cadmium  Cadmium(T)  Chromium III  Chromium III(T)  Chromium VI  Copper	ness Area to the con letals (ug/L) acute 340 TVS 5.0 50 TVS TVS	chronic 0.02 TVS TVS TVS TVS
the mainstem COSJPI02A Designation Reviewable  Qualifiers: Other: Temporary Mo Arsenic(chroni	of the Piedra River,  Classifications  Agriculture  Aq Life Cold 1  Recreation E  Recreation N  Water Supply  odification(s): c) = hybrid	except for the sp	Physica  Physica  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Ir  Ammonia	3.  al and Biolog  11/1 - 3/31  4/1 - 10/31	DM   CS-I   acute     6.5 - 9.0       /L   acute   TVS	MWAT CS-I chronic 6.0 7.0 150 630 126  chronic TVS	Zinc of the Weminuche Wilder  M  Aluminum  Arsenic  Arsenic(T)  Beryllium  Cadmium  Cadmium(T)  Chromium III  Chromium III(T)  Chromium VI  Copper  Iron	ness Area to the con letals (ug/L)	chronic 0.02 TVS TVS TVS WS
the mainstem COSJPI02A Designation Reviewable  Qualifiers: Other: Temporary Mo Arsenic(chroni	of the Piedra River,  Classifications  Agriculture  Aq Life Cold 1  Recreation E  Recreation N  Water Supply  odification(s): c) = hybrid	except for the sp	Physica  Physica  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  E. Coli (per 100 mL)  Ir  Ammonia  Boron	3.  al and Biolog  11/1 - 3/31  4/1 - 10/31	DM   CS-I   acute     6.5 - 9.0	MWAT CS-I chronic 6.0 7.0 150 630 126  chronic TVS 0.75	Zinc of the Weminuche Wilder  M  Aluminum  Arsenic  Arsenic(T)  Beryllium  Cadmium  Cadmium(T)  Chromium III  Chromium III(T)  Chromium VI  Copper  Iron  Iron(T)	letals (ug/L) acute 340 TVS 5.0 50 TVS TVS	chronic 0.02 TVS TVS TVS TVS WS 1000
COSJPI02A Designation Reviewable  Qualifiers: Other: Temporary Mo Arsenic(chroni	of the Piedra River,  Classifications  Agriculture  Aq Life Cold 1  Recreation E  Recreation N  Water Supply  odification(s): c) = hybrid	except for the sp	Physica  Physica  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  In  Ammonia  Boron  Chloride  Chlorine	3.  al and Biolog  11/1 - 3/31  4/1 - 10/31	DM   CS-  acute     6.5 - 9.0     /L)   acute   TVS     0.019	MWAT CS-I chronic 6.0 7.0 150 630 126  chronic TVS 0.75 250 0.011	Zinc of the Weminuche Wilder  M  Aluminum  Arsenic  Arsenic(T)  Beryllium  Cadmium(T)  Chromium III  Chromium III(T)  Chromium VI  Copper  Iron  Iron(T)  Lead	ress Area to the constant of t	chronic 0.02 TVS TVS TVS TVS S TVS TVS TVS TVS TVS TVS T
COSJPI02A Designation Reviewable  Qualifiers: Other: Temporary Mo Arsenic(chroni	of the Piedra River,  Classifications  Agriculture  Aq Life Cold 1  Recreation E  Recreation N  Water Supply  odification(s): c) = hybrid	except for the sp	Physica  Physica  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  E. Coli (per 100 mL)  In  Ammonia  Boron  Chloride	3.  al and Biolog  11/1 - 3/31  4/1 - 10/31	DM   CS-I   acute     6.5 - 9.0	MWAT CS-I chronic 6.0 7.0 150 630 126  chronic TVS 0.75 250	Zinc of the Weminuche Wilder  M  Aluminum  Arsenic  Arsenic(T)  Beryllium  Cadmium(T)  Chromium III  Chromium III(T)  Chromium VI  Copper  Iron  Iron(T)  Lead  Lead(T)	ress Area to the constant of t	chronic 0.02 TVS TVS TVS TVS TVS SVS 1000 TVS
COSJPI02A Designation Reviewable  Qualifiers: Other: Temporary Mo Arsenic(chroni	of the Piedra River,  Classifications  Agriculture  Aq Life Cold 1  Recreation E  Recreation N  Water Supply  odification(s): c) = hybrid	except for the sp	Physica  Physica  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  E. Coli (per 100 mL)  Ir  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate	3.  al and Biolog  11/1 - 3/31  4/1 - 10/31	DM   CS-I   acute     6.5 - 9.0	MWAT CS-I chronic 6.0 7.0 150 630 126  Chronic TVS 0.75 250 0.011	Zinc of the Weminuche Wilder  M  Aluminum  Arsenic  Arsenic(T)  Beryllium  Cadmium  Cadmium(T)  Chromium III  Chromium III(T)  Chromium VI  Copper  Iron  Iron(T)  Lead  Lead(T)  Manganese	ress Area to the consideration for the consi	chronic 0.02 TVS TVS S TVS WS 1000 TVS TVS/WS
COSJPI02A Designation Reviewable  Qualifiers: Other: Temporary Mo Arsenic(chroni	of the Piedra River,  Classifications  Agriculture  Aq Life Cold 1  Recreation E  Recreation N  Water Supply  odification(s): c) = hybrid	except for the sp	Physica  Physica  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  In  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate  Nitrite	3.  al and Biolog  11/1 - 3/31  4/1 - 10/31	DM   CS-  acute     6.5 - 9.0     /L     acute   TVS     0.019   0.005	MWAT CS-I chronic 6.0 7.0 150 630 126  Chronic TVS 0.75 250 0.011	Zinc of the Weminuche Wilder  M  Aluminum  Arsenic  Arsenic(T)  Beryllium  Cadmium(T)  Chromium III  Chromium III(T)  Chromium VI  Copper  Iron  Iron(T)  Lead  Lead(T)  Manganese  Mercury  Molybdenum(T)	ress Area to the considerable for the considerable	thence with  chronic 0.02 TVS TVS S TVS S TVS S TVS WS 1000 TVS TVS/WS 0.01(t) 150
COSJPI02A Designation Reviewable  Qualifiers: Other: Temporary Mo Arsenic(chroni	of the Piedra River,  Classifications  Agriculture  Aq Life Cold 1  Recreation E  Recreation N  Water Supply  odification(s): c) = hybrid	except for the sp	Physica  Physica  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Ir  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate  Nitrite  Phosphorus	3.  al and Biolog  11/1 - 3/31  4/1 - 10/31	DM   CS-  acute     6.5 - 9.0     7L)   acute   TVS     0.019   0.005   10   0.05	MWAT CS-I chronic 6.0 7.0 150 630 126  Chronic TVS 0.75 250 0.011 0.11	Zinc of the Weminuche Wilder  M  Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel	ress Area to the constant of t	thence with  chronic 0.02 TVS TVS S TVS S 1000 TVS TVS/WS 0.01(t) 150 TVS
COSJPI02A Designation Reviewable Qualifiers: Other: Femporary Mo	of the Piedra River,  Classifications  Agriculture  Aq Life Cold 1  Recreation E  Recreation N  Water Supply  odification(s): c) = hybrid	except for the sp	Physica  Physica  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  In  Ammonia  Boron  Chloride  Chloride  Chlorine  Cyanide  Nitrate  Nitrite  Phosphorus  Sulfate	3.  al and Biolog  11/1 - 3/31  4/1 - 10/31	DM   CS-I   acute     6.5 - 9.0     7L)   acute   TVS     0.019   0.005   10   0.005	MWAT CS-I chronic 6.0 7.0 150 630 126  Chronic TVS 0.75 250 0.011 0.44 WS	Zinc of the Weminuche Wilder  M  Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T)	ress Area to the constant of t	thence with  chronic 0.02 TVS TVS TVS TVS S 1000 TVS TVS/WS 0.01(t) 150 TVS
COSJPI02A Designation Reviewable  Qualifiers: Other: Temporary Mo Arsenic(chroni	of the Piedra River,  Classifications  Agriculture  Aq Life Cold 1  Recreation E  Recreation N  Water Supply  odification(s): c) = hybrid	except for the sp	Physica  Physica  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Ir  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate  Nitrite  Phosphorus	3.  al and Biolog  11/1 - 3/31  4/1 - 10/31	DM   CS-  acute     6.5 - 9.0     7L)   acute   TVS     0.019   0.005   10   0.05	MWAT CS-I chronic 6.0 7.0 150 630 126  Chronic TVS 0.75 250 0.011 0.11	Zinc of the Weminuche Wilder  M  Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	ress Area to the constant of t	thronic chronic chroni
COSJPI02A Designation Reviewable  Qualifiers: Other: Temporary Mo Arsenic(chroni	of the Piedra River,  Classifications  Agriculture  Aq Life Cold 1  Recreation E  Recreation N  Water Supply  odification(s): c) = hybrid	except for the sp	Physica  Physica  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  In  Ammonia  Boron  Chloride  Chloride  Chlorine  Cyanide  Nitrate  Nitrite  Phosphorus  Sulfate	3.  al and Biolog  11/1 - 3/31  4/1 - 10/31	DM   CS-I   acute     6.5 - 9.0     7L)   acute   TVS     0.019   0.005   10   0.005	MWAT CS-I chronic 6.0 7.0 150 630 126  Chronic TVS 0.75 250 0.011 0.44 WS	Zinc of the Weminuche Wilder  M  Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T)	ress Area to the constant of t	thence with  chronic 0.02 TVS TVS TVS TVS S 1000 TVS TVS/WS 0.01(t) 150 TVS

All metals are dissolved unless otherwise noted.

T = total recoverable

t = total tr=trout sc=sculpin D.O. = dissolved oxygen DM = daily maximum

∠o. Iviainstem	of the Piedra River	from the confluence	e with the East and Mido	dle Forks to the	e confluence	with Indian	Creek.		
COSJPI02B	Classifications		Physica	l and Biologi	cal		Me	etals (ug/L)	
Designation	Agriculture				DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1		Temperature °C		CS-II	CS-II	Aluminum		
	Recreation E	4/1 - 10/31			acute	chronic	Arsenic	340	
	Recreation N	11/1 - 3/31	D.O. (mg/L)			6.0	Arsenic(T)		0.02
	Water Supply		D.O. (spawning)			7.0	Beryllium		
Qualifiers:	•		pН		6.5 - 9.0		Cadmium	TVS	TVS
Other:			chlorophyll a (mg/m²)			150	Cadmium(T)	5.0	
			E. Coli (per 100 mL)	11/1 - 3/31		630	Chromium III		TVS
			E. Coli (per 100 mL)	4/1 - 10/31		126	Chromium III(T)	50	
				norganic (mg/	/L)		Chromium VI	TVS	TVS
			-		acute	chronic	Copper	TVS	TVS
			Ammonia		TVS	TVS	Iron		WS
			Boron			0.75	Iron(T)		1000
			Chloride			250	Lead	TVS	TVS
			Chlorine		0.019	0.011	Lead(T)	50	
EDA L	( ( )		Cyanide		0.005		Manganese	TVS	TVS/WS
	s not acted or		Nitrate		10		Mercury		0.01(t)
	total phospho		Nitrite		0.05		Molybdenum(T)		150
l I	standards ba		Phosphorus			0.11	Nickel	TVS	TVS
I I	im value for i		Sulfate			WS	Nickel(T)		100
	segments wit		Sulfide			0.002	Selenium	TVS	TVS
	quatic life clas	ssification	Cumac			0.002	Silver	TVS	TVS(tr)
(0.11 mg	g/L TP).						Uranium		
							Zinc	TVS	TVS(sc)
3. Mainstem o	of the East Fork of th								
	I THE LAST TORK OF T	ne Piedra River fro	m the Piedra Falls Ditch	to the confluence	ce with Pag	osa Creek.			
COSJPI03	Classifications	ne Piedra River fro	Ī	to the confluence  I and Biologi		osa Creek.	Me	etals (ug/L)	
COSJPI03 Designation	T	ne Piedra River fro	Ī			osa Creek.	Me	etals (ug/L)	chronic
	Classifications	ne Piedra River fro	Ī		cal		Aluminum		chronic
Designation	Classifications Agriculture Aq Life Cold 1 Recreation E	4/1 - 10/31	Physica		cal DM	MWAT		acute	
Designation	Classifications Agriculture Aq Life Cold 1 Recreation E Recreation N		Physica		CS-I	MWAT CS-I	Aluminum	acute	
Designation	Classifications Agriculture Aq Life Cold 1 Recreation E	4/1 - 10/31	Physica Temperature °C		DM CS-I acute	MWAT CS-I chronic	Aluminum Arsenic	acute 340	
Designation	Classifications Agriculture Aq Life Cold 1 Recreation E Recreation N	4/1 - 10/31	Physica  Temperature °C  D.O. (mg/L)  D.O. (spawning)		CS-I acute	MWAT CS-I chronic 6.0	Aluminum Arsenic Arsenic(T) Beryllium	acute  340 	0.02
<b>Designation</b> Reviewable	Classifications Agriculture Aq Life Cold 1 Recreation E Recreation N	4/1 - 10/31	Physica Temperature °C  D.O. (mg/L)		CS-I acute	MWAT CS-I chronic 6.0 7.0	Aluminum Arsenic Arsenic(T)	acute  340 	0.02
Designation Reviewable  Qualifiers:	Classifications Agriculture Aq Life Cold 1 Recreation E Recreation N	4/1 - 10/31	Physica Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH		Cal  DM  CS-I  acute  6.5 - 9.0	MWAT CS-I chronic 6.0 7.0	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T)	acute 340 TVS	0.02 TVS
Designation Reviewable  Qualifiers:	Classifications Agriculture Aq Life Cold 1 Recreation E Recreation N	4/1 - 10/31	Physica Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)	I and Biologi	Cal  DM  CS-I  acute   6.5 - 9.0	MWAT CS-I chronic 6.0 7.0 150	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III	acute 340 TVS 5.0	0.02 TVS
Designation Reviewable  Qualifiers:	Classifications Agriculture Aq Life Cold 1 Recreation E Recreation N	4/1 - 10/31	Physica  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  E. Coli (per 100 mL)	4/1 - 10/31 11/1 - 3/31	Cal  DM  CS-I  acute 6.5 - 9.0	MWAT CS-I chronic 6.0 7.0 150 126	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T)	acute 340 TVS 5.0 50	0.02 TVS TVS
Designation Reviewable  Qualifiers:	Classifications Agriculture Aq Life Cold 1 Recreation E Recreation N	4/1 - 10/31	Physica  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  E. Coli (per 100 mL)	4/1 - 10/31	Cal  DM  CS-I  acute 6.5 - 9.0	MWAT CS-I chronic 6.0 7.0 150 126	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T)	acute 340 TVS 5.0	 0.02  TVS 
Designation Reviewable  Qualifiers:	Classifications Agriculture Aq Life Cold 1 Recreation E Recreation N	4/1 - 10/31	Physica  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  E. Coli (per 100 mL)	4/1 - 10/31 11/1 - 3/31	Cal  DM  CS-I  acute 6.5 - 9.0 /L)  acute	MWAT CS-I chronic 6.0 7.0 150 126 630 chronic	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T)	acute 340 TVS 5.0 50 TVS	0.02 TVS TVS TVS
Designation Reviewable  Qualifiers:	Classifications Agriculture Aq Life Cold 1 Recreation E Recreation N	4/1 - 10/31	Physica  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  E. Coli (per 100 mL)	4/1 - 10/31 11/1 - 3/31	Cal  DM  CS-I  acute 6.5 - 9.0 /L)	MWAT CS-I chronic 6.0 7.0 150 126 630	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron	acute 340 TVS 5.0 50 TVS TVS	0.02 TVS TVS TVS TVS
Designation Reviewable  Qualifiers:	Classifications Agriculture Aq Life Cold 1 Recreation E Recreation N	4/1 - 10/31	Physica Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) E. Coli (per 100 mL)	4/1 - 10/31 11/1 - 3/31	Cal  DM  CS-I  acute 6.5 - 9.0 /L)  acute TVS	MWAT CS-I chronic 6.0 7.0 150 126 630  chronic TVS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper	acute 340 TVS 5.0 50 TVS TVS	0.02 TVS TVS TVS TVS WS
Designation Reviewable  Qualifiers:	Classifications Agriculture Aq Life Cold 1 Recreation E Recreation N	4/1 - 10/31	Physica Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) E. Coli (per 100 mL) In Ammonia Boron	4/1 - 10/31 11/1 - 3/31	cal  DM  CS-I  acute 6.5 - 9.0 /L)  acute TVS	MWAT CS-I chronic 6.0 7.0 150 126 630  chronic TVS 0.75	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T)	acute 340 TVS 5.0 50 TVS TVS	0.02 TVS TVS TVS WS 1000
Designation Reviewable  Qualifiers:	Classifications Agriculture Aq Life Cold 1 Recreation E Recreation N	4/1 - 10/31	Physica Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) E. Coli (per 100 mL) In  Ammonia Boron Chloride	4/1 - 10/31 11/1 - 3/31	cal  DM  CS-I  acute 6.5 - 9.0 /L)  acute TVS	MWAT CS-I chronic 6.0 7.0 150 126 630  chronic TVS 0.75 250	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead	acute 340 TVS 5.0 50 TVS TVS TVS	0.02 TVS TVS TVS WS 1000 TVS
Designation Reviewable  Qualifiers:	Classifications Agriculture Aq Life Cold 1 Recreation E Recreation N	4/1 - 10/31	Physica Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) E. Coli (per 100 mL) In  Ammonia Boron Chloride Chlorine	4/1 - 10/31 11/1 - 3/31	Cal  DM  CS-I  acute 6.5 - 9.0 /L)  acute TVS 0.019	MWAT CS-I chronic 6.0 7.0 150 126 630  chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T)	acute 340 TVS 5.0 50 TVS TVS TVS TVS TVS TVS TVS	TVS
Designation Reviewable  Qualifiers:	Classifications Agriculture Aq Life Cold 1 Recreation E Recreation N	4/1 - 10/31	Physica  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  E. Coli (per 100 mL)  In  Ammonia  Boron  Chloride  Chlorine  Cyanide	4/1 - 10/31 11/1 - 3/31	Cal  DM  CS-I  acute 6.5 - 9.0 /L)  acute TVS 0.019 0.005	MWAT CS-I chronic 6.0 7.0 150 126 630  chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS TVS 50 TVS	0.02 TVS TVS TVS TVS WS 1000 TVS TVSWS
Designation Reviewable  Qualifiers:	Classifications Agriculture Aq Life Cold 1 Recreation E Recreation N	4/1 - 10/31	Physica  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  E. Coli (per 100 mL)  In  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate	4/1 - 10/31 11/1 - 3/31	Cal  DM  CS-I  acute 6.5 - 9.0 /L)  acute TVS 0.019 0.005 10	MWAT CS-I chronic 6.0 7.0 150 126 630  Chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS	0.02 TVS TVS TVS TVS TVS TVS TVS S 1000 TVS TVSWS 0.01(t)
Designation Reviewable  Qualifiers:	Classifications Agriculture Aq Life Cold 1 Recreation E Recreation N	4/1 - 10/31	Physica  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  E. Coli (per 100 mL)  In  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate  Nitrite	4/1 - 10/31 11/1 - 3/31	Cal  DM  CS-I  acute 6.5 - 9.0 /L)  acute  TVS 0.019 0.005 10 0.05	MWAT CS-I chronic 6.0 7.0 150 126 630  Chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T)	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS	0.02 TVS TVS TVS WS 1000 TVS TVSWS 0.01(t)
Designation Reviewable  Qualifiers:	Classifications Agriculture Aq Life Cold 1 Recreation E Recreation N	4/1 - 10/31	Physical Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) E. Coli (per 100 mL) In  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	4/1 - 10/31 11/1 - 3/31	Cal  DM  CS-I  acute 6.5 - 9.0 TVS 0.019 0.005 10 0.05	MWAT CS-I chronic 6.0 7.0 150 126 630  Chronic TVS 0.75 250 0.011 0.411 WS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS TVS	0.02 TVS TVS TVS S TVS WS 1000 TVS TVSWS 0.01(t) 150 TVS
Designation Reviewable  Qualifiers:	Classifications Agriculture Aq Life Cold 1 Recreation E Recreation N	4/1 - 10/31	Physica Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) E. Coli (per 100 mL) In  Ammonia Boron Chloride Chlorine Cyanide Nitrate Phosphorus	4/1 - 10/31 11/1 - 3/31	Cal  DM  CS-I  acute  6.5 - 9.0  TVS  0.019 0.005 10 0.05	MWAT CS-I chronic 6.0 7.0 150 126 630  chronic TVS 0.75 250 0.011 0.11	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T)	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS TVS	0.02 TVS TVS TVS WS 1000 TVS TVSWS 0.01(t) 150 TVS
Designation Reviewable  Qualifiers:	Classifications Agriculture Aq Life Cold 1 Recreation E Recreation N	4/1 - 10/31	Physical Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) E. Coli (per 100 mL) In  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	4/1 - 10/31 11/1 - 3/31	Cal  DM  CS-I  acute  6.5 - 9.0  TVS  0.019 0.005 10 0.05	MWAT CS-I chronic 6.0 7.0 150 126 630  Chronic TVS 0.75 250 0.011 0.411 WS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS	0.02 TVS TVS TVS WS 1000 TVS TVS/WS 0.01(t) 150 TVS 1000 TVS
Designation Reviewable Qualifiers:	Classifications Agriculture Aq Life Cold 1 Recreation E Recreation N	4/1 - 10/31	Physical Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) E. Coli (per 100 mL) In  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	4/1 - 10/31 11/1 - 3/31	Cal  DM  CS-I  acute  6.5 - 9.0  TVS  0.019 0.005 10 0.05	MWAT CS-I chronic 6.0 7.0 150 126 630  Chronic TVS 0.75 250 0.011 0.411 WS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium Silver	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS	0.02 TVS TVS TVS WS 1000 TVS TVSWS 0.01(t) 150 TVS 100 TVS TVS TVS TVS TVS

All metals are dissolved unless otherwise noted. T = total recoverable

t = totaltr=trout sc=sculpin D.O. = dissolved oxygen DM = daily maximum

COSJPI04A	Classifications	Physica	al and Biolog	ical		M	etals (ug/L)	
Designation	Agriculture	•		DM	MWAT		acute	chronic
Reviewable	Ag Life Cold 1	Temperature °C	11/1 - 3/31	CS-II	CS-II	Aluminum		
	Recreation E	Temperature °C	4/1 - 10/31	varies*	varies* C	Arsenic	340	
	Water Supply	Tomporataro o	4/1 10/01	varioo	Valioo	Arsenic(T)		0.02
Qualifiers:	]			acute	chronic	Beryllium		0.02
Other:		D.O. (mg/L)			6.0	Cadmium	TVS	TVS
Julier.		D.O. (spawning)			7.0	Cadmium(T)	5.0	
	4/1 - 10/31) = Piedra River	pH		6.5 - 9.0	7.0		J.0 	
MWAT=20.7 a Devil Creek M	and DM=26.5 IWAT=19.9 and DM=26.5	chlorophyll a (mg/m²)		0.5 - 9.0	150	Chromium III Chromium III(T)	50	TVS
	4.6(6) for assessment locations.							
		E. Coli (per 100 mL)			126	Chromium VI	TVS	TVS
						Copper	TVS	TVS
		Ir	organic (mg/	L)		Iron		WS
				acute	chronic	Iron(T)		1000
		Ammonia		TVS	TVS	Lead	TVS	TVS
		Boron			0.75	Lead(T)	50	
EPA has	not acted on segment-	Chloride			250	Manganese	TVS	TVS/WS
	total phosphorus (TP)	Chlorine		0.019	0.011	Mercury		0.01(t)
	standards based on	Cyanide		0.005		Molybdenum(T)		150
	m value for river/	Nitrate		10		Nickel	TVS	TVS
	egments with a cold	Nitrite		0.05		Nickel(T)		100
	uatic life classification	Phosphorus			0.11	Selenium	TVS	TVS
(0.11 mg		Sulfate			WS	Silver	TVS	TVS(tr)
(0.111116	<i>y∟ 11 ).</i>	Sulfide			0.002	Uranium		
		Cumac			0.002	Zinc	TVS	TVS(sc)
4b Mainstem	of the Piedra River from the Souther	n Ute Indian Reservation	boundary to a	a point above	e the conflue			1 (00)
COSJPI04B	Classifications	T	al and Biolog	•			etals (ug/L)	
Designation	Agriculture	-		DM	MWAT			chronic
Reviewable	Ag Life Cold 1						acute	GIIOIIC
		Temperature °C	11/1 - 3/31	CS-II	CS-II	Aluminum	acute	
	· ·	Temperature °C	11/1 - 3/31 4/1 - 10/31	CS-II 28.8*	CS-II	Aluminum		
	Recreation E	Temperature °C Temperature °C	11/1 - 3/31 4/1 - 10/31	CS-II 28.8*	CS-II 22.8* C	Arsenic	340	
Qualifiers:	'	·		28.8*	22.8* <sup>C</sup>	Arsenic Arsenic(T)	340 	0.02
	Recreation E	Temperature °C		28.8* acute	22.8* C	Arsenic Arsenic(T) Beryllium	 340 	0.02
Qualifiers:	Recreation E	Temperature °C  D.O. (mg/L)		28.8* acute	chronic	Arsenic Arsenic(T) Beryllium Cadmium	 340   TVS	0.02
	Recreation E Water Supply	D.O. (mg/L) D.O. (spawning)		28.8* acute	22.8* C chronic 6.0 7.0	Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T)	340   TVS 5.0	 0.02  TVS
Other:	Recreation E Water Supply odification(s):	D.O. (mg/L) D.O. (spawning) pH		28.8* acute 6.5 - 9.0	22.8* C chronic 6.0 7.0	Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III	340   TVS 5.0	 0.02  TVS
Other: Temporary Manageria	Recreation E Water Supply odification(s):	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²)		28.8*  acute 6.5 - 9.0	chronic 6.0 7.0	Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T)	340   TVS 5.0  50	0.02 TVS TVS
Other: Temporary Monagement Marsenic (chronic Expiration Date	Recreation E Water Supply  odification(s): c) = hybrid te of 12/31/2024	D.O. (mg/L) D.O. (spawning) pH		28.8* acute 6.5 - 9.0	22.8* C chronic 6.0 7.0	Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI	340   TVS 5.0	 0.02  TVS
Other: Femporary Management of the Arsenic (chronic Expiration Dates of Southern Uter 1988)	Recreation E Water Supply  odification(s): c) = hybrid	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²)		28.8*  acute 6.5 - 9.0	chronic 6.0 7.0	Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T)	340   TVS 5.0  50	0.02 TVS TVS
Other: Femporary Management of the Arsenic (chronic Expiration Dates of Southern Uter 1988)	Recreation E Water Supply  odification(s): ic) = hybrid te of 12/31/2024 e Indian Reservation 4/1 - 10/31) = See Section 34.6(6)	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)		28.8*  acute 6.5 - 9.0	chronic 6.0 7.0	Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI	TVS 5.0 50 TVS	0.02 TVS TVS TVS
Other:  Temporary Marsenic(chronic Expiration Date of Southern Ute of Temperature)	Recreation E Water Supply  odification(s): ic) = hybrid te of 12/31/2024 e Indian Reservation 4/1 - 10/31) = See Section 34.6(6)	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)	4/1 - 10/31	28.8*  acute 6.5 - 9.0	chronic 6.0 7.0	Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper	340 TVS 5.0 50 TVS TVS	0.02 TVS TVS TVS TVS
Other:  Femporary Marsenic (chronic Expiration Date Southern Ute Temperature)	Recreation E Water Supply  odification(s): ic) = hybrid te of 12/31/2024 e Indian Reservation 4/1 - 10/31) = See Section 34.6(6)	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)	4/1 - 10/31	28.8*  acute 6.5 - 9.0 L)	chronic 6.0 7.0 126	Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron	340  TVS 5.0  50 TVS TVS	0.02 TVS TVS TVS TVS TVS TVS TVS
Other:  Femporary Marsenic (chronic Expiration Date Southern Ute Temperature)	Recreation E Water Supply  odification(s): ic) = hybrid te of 12/31/2024 e Indian Reservation 4/1 - 10/31) = See Section 34.6(6)	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)	4/1 - 10/31	28.8*  acute 6.5 - 9.0 L) acute	chronic 6.0 7.0 126 chronic	Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T)	340  TVS 5.0  50 TVS TVS	0.02 TVS TVS TVS WS 1000
Other:  Temporary Marsenic(chronic Expiration Date of Southern Ute of Temperature)	Recreation E Water Supply  odification(s): ic) = hybrid te of 12/31/2024 e Indian Reservation 4/1 - 10/31) = See Section 34.6(6)	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)	4/1 - 10/31	28.8*  acute 6.5 - 9.0 L) acute TVS	22.8* C chronic 6.0 7.0 126 chronic TVS	Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead	340 TVS 5.0 50 TVS TVS TVS TVS	0.02 TVS TVS TVS TVS TVS TVS TVS TVS TVS
Other:  Temporary Marsenic(chronic Expiration Date of Southern Ute of Temperature)	Recreation E Water Supply  odification(s): ic) = hybrid te of 12/31/2024 e Indian Reservation 4/1 - 10/31) = See Section 34.6(6)	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Ir Ammonia Boron	4/1 - 10/31	28.8*  acute 6.5 - 9.0 L) acute TVS	22.8* C chronic 6.0 7.0 126  chronic TVS 0.75	Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T)	340 TVS 5.0 50 TVS TVS TVS TVS 50	0.02 TVS
Other:  Temporary Marsenic(chronic Expiration Date of Southern Ute of Temperature)	Recreation E Water Supply  odification(s): ic) = hybrid te of 12/31/2024 e Indian Reservation 4/1 - 10/31) = See Section 34.6(6)	Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Ir  Ammonia Boron Chloride	4/1 - 10/31	28.8*  acute 6.5 - 9.0 L) acute TVS	22.8* C chronic 6.0 7.0 126  chronic TVS 0.75 250	Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese	340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS TVS 50 TVS	0.02 TVS
Other:  Temporary Marsenic(chronic Expiration Date Southern Ute Temperature(	Recreation E Water Supply  odification(s): ic) = hybrid te of 12/31/2024 e Indian Reservation 4/1 - 10/31) = See Section 34.6(6)	Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  In  Ammonia Boron Chloride Chlorine Cyanide	4/1 - 10/31	28.8*  acute 6.5 - 9.0  L) acute TVS 0.019	chronic 6.0 7.0 126  chronic TVS 0.75 250 0.011	Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T)	340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS	TVS
Other:  Femporary Marsenic (chronic Expiration Date Southern Ute Temperature)	Recreation E Water Supply  odification(s): ic) = hybrid te of 12/31/2024 e Indian Reservation 4/1 - 10/31) = See Section 34.6(6)	Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Ir  Ammonia Boron Chloride Chlorine Cyanide Nitrate	4/1 - 10/31	28.8*  acute 6.5 - 9.0 L)  acute TVS 0.019 0.005 10	22.8* C chronic 6.0 7.0 126  chronic TVS 0.75 250 0.011	Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel	340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS TVS	TVS
Other:  Temporary Marsenic(chronic Expiration Date Southern Ute Temperature(	Recreation E Water Supply  odification(s): ic) = hybrid te of 12/31/2024 e Indian Reservation 4/1 - 10/31) = See Section 34.6(6)	Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  In  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite	4/1 - 10/31	28.8*  acute 6.5 - 9.0 TVS 0.019 0.005 10 0.05	22.8* C chronic 6.0 7.0 126  chronic TVS 0.75 250 0.011	Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T)	340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS	0.02 TVS TVS TVS S 1000 TVS TVSWS 0.01(t) 150 TVS
Other:  Temporary Marsenic(chronic Expiration Date Southern Ute Temperature(	Recreation E Water Supply  odification(s): ic) = hybrid te of 12/31/2024 e Indian Reservation 4/1 - 10/31) = See Section 34.6(6)	Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Ir  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	4/1 - 10/31	28.8*  acute 6.5 - 9.0 TVS 0.019 0.005 10 0.05	22.8* C chronic 6.0 7.0 126  chronic TVS 0.75 250 0.011	Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	TVS 50 TVS 50 TVS TVS 50 TVS	TVS
Other:  Temporary Marsenic(chronic Expiration Date Southern Ute Temperature(	Recreation E Water Supply  odification(s): ic) = hybrid te of 12/31/2024 e Indian Reservation 4/1 - 10/31) = See Section 34.6(6)	Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  In  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	4/1 - 10/31	28.8*  acute 6.5 - 9.0 TVS 0.019 0.005 10 0.05	22.8* C chronic 6.0 7.0 126  chronic TVS 0.75 250 0.011 WS	Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium Silver	TVS 50 TVS 50 TVS 50 TVS TVS 50 TVS TVS 50 TVS	0.02 TVS TVS TVS 400 TVS TVSWS 0.01(t) 150 TVS TVS TVS TVS TVS TVS TVS
Other:  Femporary Marsenic (chronic Expiration Date Southern Ute Temperature)	Recreation E Water Supply  odification(s): ic) = hybrid te of 12/31/2024 e Indian Reservation 4/1 - 10/31) = See Section 34.6(6)	Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Ir  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	4/1 - 10/31	28.8*  acute 6.5 - 9.0 TVS 0.019 0.005 10 0.05	22.8* C chronic 6.0 7.0 126  chronic TVS 0.75 250 0.011	Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	TVS 50 TVS 50 TVS TVS 50 TVS	TVS

All metals are dissolved unless otherwise noted.

T = total recoverable

t = total tr=trout sc=sculpin D.O. = dissolved oxygen DM = daily maximum

4c. Mainstern	of the Piedra River from a point above	re the confluence with Sta	ollsteimer Cred	ek to Navaio	Reservoir			
COSJPI04C	Classifications		al and Biolog			М	etals (ug/L)	
Designation	Agriculture			DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	11/1 - 3/31	CS-II	CS-II	Aluminum		
	Recreation E	Temperature °C	4/1 - 10/31	28.8*	22.8* C	Arsenic	340	
	Water Supply	·				Arsenic(T)		0.02
Qualifiers:				acute	chronic	Beryllium		
Other:		D.O. (mg/L)			6.0	Cadmium	TVS	TVS
Temporary Mo	odification(s):	D.O. (spawning)			7.0	Cadmium(T)	5.0	
Arsenic(chronic		pН		6.5 - 9.0		Chromium III		TVS
,	e of 12/31/2024	chlorophyll a (mg/m²)				Chromium III(T)	50	
·		E. Coli (per 100 mL)			126	Chromium VI	TVS	TVS
	Indian Reservation 4/1 - 10/31) = See Section 34.6(6)					Copper	TVS	TVS
for assessmen		Ir	norganic (mg/	<b>(L)</b>		Iron		WS
				acute	chronic	Iron(T)		1000
		Ammonia		TVS	TVS	Lead	TVS	TVS
		Boron			0.75	Lead(T)	50	
		Chloride			250	Manganese	TVS	TVS/WS
		Chlorine		0.019	0.011	Mercury		0.01(t)
		Cyanide		0.005		Molybdenum(T)		150
		Nitrate		10		Nickel	TVS	TVS
		Nitrite		0.05		Nickel(T)		100
		Phosphorus				Selenium	TVS	TVS
		Sulfate			WS	Silver	TVS	TVS(tr)
		Sulfide			0.002	Uranium		
						Zinc	TVS	TVS
COSJPI05A	Classifications	Physica	al and Biolog			М	etals (ug/L)	
Designation	Agriculture			DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C		CS-I	CS-I	Aluminum		
	Recreation E 5/1 - 10/31  Recreation N 11/1 - 4/30			acute	chronic	Arsenic	340	
	Recreation N 11/1 - 4/30 Water Supply	D.O. (mg/L)			6.0	Arsenic(T)		0.02
Qualifiers:	участ Оцрргу	D.O. (spawning)			7.0	Beryllium		
		pH		6.5 - 9.0		Cadmium	TVS	TVS
Other:		chlorophyll a (mg/m²)			150	Cadmium(T)	5.0	
Temporary Mo	odification(s):	E. Coli (per 100 mL)	11/1 - 4/30		630	Chromium III		TVS
Arsenic(chronic	c) = hybrid	E. Coli (per 100 mL)	5/1 - 10/31			Chromium III(T)	50	
E					126	. ,		
Expiration Date	e of 12/31/2024	lr	norganic (mg/	-		Chromium VI	TVS	TVS
Expiration Date	e of 12/31/2024		norganic (mg/	acute	chronic	Chromium VI Copper	TVS TVS	TVS TVS
Expiration Date	e of 12/31/2024	Ammonia	norganic (mg/	acute TVS	chronic TVS	Chromium VI Copper Iron	TVS	TVS TVS WS
Expiration Dat	e of 12/31/2024	Ammonia Boron	norganic (mg/	acute	chronic TVS 0.75	Chromium VI Copper Iron Iron(T)	TVS TVS 	TVS TVS WS 1000
Expiration Date	e of 12/31/2024	Ammonia Boron Chloride	norganic (mg/	acute TVS	chronic TVS 0.75 250	Chromium VI Copper Iron Iron(T) Lead	TVS TVS  TVS	TVS TVS WS 1000 TVS
	e of 12/31/2024 not acted on segment-	Ammonia Boron Chloride Chlorine	norganic (mg/	TVS 0.019	chronic TVS 0.75 250 0.011	Chromium VI Copper Iron Iron(T) Lead Lead(T)	TVS TVS TVS 50	TVS TVS WS 1000 TVS
EPA has		Ammonia Boron Chloride Chlorine Cyanide	norganic (mg/	acute TVS 0.019 0.005	chronic TVS 0.75 250 0.011	Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese	TVS TVS TVS 50 TVS	TVS TVS WS 1000 TVS TVS/WS
EPA has specific to	not acted on segment-	Ammonia Boron Chloride Chlorine Cyanide Nitrate	norganic (mg/	acute TVS 0.019 0.005 10	chronic TVS 0.75 250 0.011	Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury	TVS TVS TVS 50 TVS	TVS TVS WS 1000 TVS TVS/WS 0.01(t)
EPA has specific to numeric s	not acted on segment- otal phosphorus (TP)	Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite	norganic (mg/	acute TVS 0.019 0.005 10 0.05	chronic TVS 0.75 250 0.011	Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T)	TVS TVS TVS 50 TVS	TVS TVS WS 1000 TVS TVS/WS 0.01(t)
EPA has specific to numeric sthe interior	not acted on segment- otal phosphorus (TP) standards based on	Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	norganic (mg/	acute TVS 0.019 0.005 10	chronic TVS 0.75 250 0.011 0.11	Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel	TVS TVS TVS 50 TVS TVS	TVS TVS WS 1000 TVS TVS/WS 0.01(t) 150 TVS
EPA has specific to numeric s the interin stream so	not acted on segment- otal phosphorus (TP) standards based on m value for river/	Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	norganic (mg/	acute TVS 0.019 0.005 10 0.05	chronic TVS 0.75 250 0.011 0.414 WS	Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T)	TVS TVS TVS 50 TVS TVS	TVS TVS WS 1000 TVS TVS/WS 0.01(t) 150 TVS 100
EPA has specific to numeric s the interin stream so	not acted on segment- otal phosphorus (TP) standards based on m value for river/ egments with a cold uatic life classification	Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	norganic (mg/	acute TVS 0.019 0.005 10 0.005	chronic TVS 0.75 250 0.011 0.11	Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	TVS TVS TVS 50 TVS TVS	TVS TVS WS 1000 TVS TVS/WS 0.01(t) 150 TVS 100 TVS
EPA has specific to numeric s the interious stream so water aqu	not acted on segment- otal phosphorus (TP) standards based on m value for river/ egments with a cold uatic life classification	Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	norganic (mg/	acute TVS 0.019 0.005 10 0.005	chronic TVS 0.75 250 0.011 0.414 WS	Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium Silver	TVS TVS TVS 50 TVS TVS	TVS TVS WS 1000 TVS TVS/WS 0.01(t) 150 TVS
EPA has specific to numeric s the interious stream so water aqu	not acted on segment- otal phosphorus (TP) standards based on m value for river/ egments with a cold uatic life classification	Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	norganic (mg/	acute TVS 0.019 0.005 10 0.005	chronic TVS 0.75 250 0.011 0.414 WS	Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	TVS TVS TVS 50 TVS TVS TVS TVS	TVS TVS WS 1000 TVS TVS/WS 0.01(t) 150 TVS 100 TVS

All metals are dissolved unless otherwise noted.

T = total recoverable

t = total tr=trout sc=sculpin D.O. = dissolved oxygen DM = daily maximum

COSJPI05B	Classifications	Physical and I	Biological		M	etals (ug/L)	
Designation	Agriculture	·	DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CS-II	CS-II	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02
Qualifiers:	l .	D.O. (spawning)		7.0	Beryllium		
Other:		pH	6.5 - 9.0		Cadmium	TVS	TVS
	PC - C - ( )	chlorophyll a (mg/m²)		150	Cadmium(T)	5.0	
emporary ivi Arsenic(chroni	odification(s):	E. Coli (per 100 mL)		126	Chromium III		TVS
,	e of 12/31/2024	,			Chromium III(T)	50	
Apiration Dai	e or 12/31/2024	Inorgani	c (ma/l )		Chromium VI	TVS	TVS
		morgani	acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron		WS
		Boron		0.75	Iron(T)		1000
					Lead	TVS	TVS
	not acted on segment-	Chloride Chlorine	0.019	250 0.011	Lead (T)	50	173
•	total phosphorus (TP)			0.011	Manganese	TVS	TVS/WS
	standards based on	Cyanide Nitrate	0.005 10		Mercury		0.01(t)
	m value for river/						150
	egments with a cold	Nitrite	0.05		Molybdenum(T)		
	uatic life classification	Phosphorus		0.11	Nickel	TVS	TVS
(0.11 mg	ı/L TP).	Sulfate		WS	Nickel(T)		100
		Sulfide		0.002	Selenium	TVS	TVS
					Silver	TVS	TVS(tr)
							1 (0(11)
					Uranium		
					Uranium Zinc	TVS	TVS(sc)
	ies to the Piedra River, including all v ecific listing in Segment 6d.	vetlands, from a point immediate	aly below the conflu	uence with [	Uranium Zinc	TVS	TVS(sc)
except the sp	ies to the Piedra River, including all vecific listing in Segment 6d.	vetlands, from a point immediate  Physical and I		uence with [	Uranium Zinc Devil Creek to Southern Ute	TVS	TVS(sc)
except the spe	ecific listing in Segment 6d.	•		uence with [	Uranium Zinc Devil Creek to Southern Ute	TVS Indian Reservation	TVS(sc)
except the spo COSJPI06A Designation	ccific listing in Segment 6d.  Classifications	•	Biological		Uranium Zinc Devil Creek to Southern Ute	TVS Indian Reservation etals (ug/L)	TVS(sc) boundary,
except the specific cosumption cosumption costs and costs are specifically considered as a constant co	ccific listing in Segment 6d.  Classifications  Agriculture	Physical and I	Biological DM	MWAT	Uranium Zinc Devil Creek to Southern Ute	TVS Indian Reservation etals (ug/L) acute	TVS(sc) boundary,
except the specific cosumption cosumption costs and costs are specifically considered as a constant co	ceific listing in Segment 6d.  Classifications  Agriculture  Aq Life Warm 2	Physical and I	Biological  DM  WS-II	MWAT WS-II	Uranium Zinc Devil Creek to Southern Ute M Aluminum Arsenic	TVS e Indian Reservation etals (ug/L) acute	TVS(sc) boundary, chronic
except the specific consumers of the specific construction of the specific	ceific listing in Segment 6d.  Classifications  Agriculture  Aq Life Warm 2  Recreation P	Physical and I Temperature °C  D.O. (mg/L)	Biological  DM  WS-II  acute	MWAT WS-II chronic	Uranium Zinc Devil Creek to Southern Ute M Aluminum Arsenic Arsenic(T)	TVS Indian Reservation  etals (ug/L)  acute   340	TVS(sc) boundary, chronic
except the specific COSJP106A  Designation Reviewable  Qualifiers:	ceific listing in Segment 6d.  Classifications  Agriculture  Aq Life Warm 2  Recreation P	Physical and I Temperature °C  D.O. (mg/L) pH	Biological  DM  WS-II  acute	MWAT WS-II chronic 5.0	Uranium Zinc Devil Creek to Southern Ute M Aluminum Arsenic Arsenic(T) Beryllium	TVS Pelndian Reservation Petals (ug/L)  acute 340	TVS(sc) boundary,  chronic 0.02-10
except the specific COSJPI06A  Designation Reviewable  Qualifiers:	ceific listing in Segment 6d.  Classifications  Agriculture  Aq Life Warm 2  Recreation P	Physical and I  Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²)	DM WS-II acute  6.5 - 9.0	MWAT WS-II chronic 5.0 150*	Uranium Zinc Devil Creek to Southern Ute M Aluminum Arsenic Arsenic(T) Beryllium Cadmium	TVS e Indian Reservation etals (ug/L) acute 340 TVS	TVS(sc) boundary,  chronic 0.02-10
except the specific consumers of the specifi	ccific listing in Segment 6d.  Classifications  Agriculture  Aq Life Warm 2  Recreation P  Water Supply  (mg/m²)(chronic) = applies only	Physical and I  Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)	DM WS-II acute  6.5 - 9.0	MWAT WS-II chronic 5.0	Uranium Zinc Devil Creek to Southern Ute  M  Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T)	TVS e Indian Reservation etals (ug/L) acute 340 TVS 5.0	TVS(sc) boundary,  chronic 0.02-10 TVS
except the specific constraints and constraints are constraints.  COSJPIO6A  Designation  Reviewable  Qualifiers:  Other:  chlorophyll a above the facility and constraints.	ccific listing in Segment 6d.  Classifications  Agriculture  Aq Life Warm 2  Recreation P  Water Supply	Physical and I  Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²)	Biological  DM  WS-II  acute   6.5 - 9.0    c (mg/L)	MWAT WS-II chronic 5.0 150* 205	Uranium Zinc Devil Creek to Southern Ute  M  Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III	TVS e Indian Reservation etals (ug/L) acute 340 TVS 5.0	TVS(sc) boundary,  chronic 0.02-10 TVS TVS
except the specific consumers of the specifi	ccific listing in Segment 6d.  Classifications  Agriculture  Aq Life Warm 2  Recreation P  Water Supply  (mg/m²)(chronic) = applies only lities listed at 34.5(5).  hronic) = applies only above the	Physical and I Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)	Biological  DM  WS-II  acute   6.5 - 9.0    c (mg/L)  acute	MWAT WS-II chronic 5.0 150* 205	Uranium Zinc Devil Creek to Southern Ute M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T)	TVS e Indian Reservation letals (ug/L) acute 340 TVS 5.0 50	TVS(sc) boundary,  chronic 0.02-10 TVS TVS
except the specific consumers of the specifi	ccific listing in Segment 6d.  Classifications  Agriculture  Aq Life Warm 2  Recreation P  Water Supply  (mg/m²)(chronic) = applies only lities listed at 34.5(5).  hronic) = applies only above the	Physical and I Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorgani	Biological  DM  WS-II  acute 6.5 - 9.0 c (mg/L)  acute  TVS	MWAT WS-II chronic 5.0 150* 205 chronic TVS	Uranium Zinc Devil Creek to Southern Ute  M  Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI	TVS e Indian Reservation letals (ug/L) acute 340 TVS 5.0 50 TVS	TVS(sc) boundary,  chronic 0.02-10 TVS TVS TVS
except the species of COSJPI06A  Designation Reviewable  Qualifiers:  Other:  Inchlorophyll a shove the facile	ccific listing in Segment 6d.  Classifications  Agriculture  Aq Life Warm 2  Recreation P  Water Supply  (mg/m²)(chronic) = applies only lities listed at 34.5(5).  hronic) = applies only above the	Physical and I  Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorgani  Ammonia Boron	Biological  DM  WS-II  acute 6.5 - 9.0 c (mg/L)  acute  TVS	MWAT WS-II chronic 5.0 150* 205  chronic TVS 0.75	Uranium Zinc Devil Creek to Southern Ute  M  Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper	TVS e Indian Reservation etals (ug/L) acute 340 TVS 5.0 50 TVS TVS	TVS(sc) boundary,  chronic 0.02-10 TVS TVS TVS TVS TVS
except the specific consumers of the specifi	ccific listing in Segment 6d.  Classifications  Agriculture  Aq Life Warm 2  Recreation P  Water Supply  (mg/m²)(chronic) = applies only lities listed at 34.5(5).  hronic) = applies only above the	Physical and I Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorgani  Ammonia Boron Chloride	Biological  DM  WS-II  acute 6.5 - 9.0 C (mg/L)  acute  TVS	MWAT WS-II chronic 5.0 150* 205  chronic TVS 0.75 250	Uranium Zinc Devil Creek to Southern Ute  M  Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron(T)	TVS e Indian Reservation letals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS	TVS(sc) boundary,  chronic 0.02-10 TVS TVS TVS TVS TVS 1000
except the specific constraints of the specific constraint	ccific listing in Segment 6d.  Classifications  Agriculture  Aq Life Warm 2  Recreation P  Water Supply  (mg/m²)(chronic) = applies only lities listed at 34.5(5).  hronic) = applies only above the	Physical and I Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorgani  Ammonia Boron Chloride Chlorine	Biological  DM  WS-II  acute   6.5 - 9.0    c (mg/L)  acute  TVS   0.019	MWAT WS-II chronic 5.0 150* 205  chronic TVS 0.75 250 0.011	Uranium Zinc  Devil Creek to Southern Ute  M  Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead	TVS e Indian Reservation letals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS TVS	TVS(sc) boundary,  chronic 0.02-10 TVS TVS TVS TVS TVS 1000 TVS
COSJPIO6A Designation Reviewable Qualifiers: Other: Chlorophyll a bove the faci	ccific listing in Segment 6d.  Classifications  Agriculture  Aq Life Warm 2  Recreation P  Water Supply  (mg/m²)(chronic) = applies only lities listed at 34.5(5).  hronic) = applies only above the	Physical and I Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorgani  Ammonia Boron Chloride Chlorine Cyanide	Biological  DM  WS-II  acute 6.5 - 9.0 c (mg/L)  acute  TVS 0.019 0.005	MWAT WS-II chronic 5.0 150* 205  chronic TVS 0.75 250 0.011	Uranium Zinc Devil Creek to Southern Ute  M  Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Lead(T)	TVS e Indian Reservation etals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS 5.0	TVS(sc) boundary,  chronic 0.02-10 TVS TVS TVS TVS TVS 10000 TVS
COSJPIO6A Designation Reviewable Qualifiers: Other: Chlorophyll a bove the faci	ccific listing in Segment 6d.  Classifications  Agriculture  Aq Life Warm 2  Recreation P  Water Supply  (mg/m²)(chronic) = applies only lities listed at 34.5(5).  hronic) = applies only above the	Physical and I Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorgani  Ammonia Boron Chloride Chlorine Cyanide Nitrate	Biological  DM  WS-II  acute 6.5 - 9.0 c (mg/L)  acute  TVS 0.019 0.005 100	MWAT WS-II chronic 5.0 150* 205  chronic TVS 0.75 250 0.011	Uranium Zinc Devil Creek to Southern Ute  M  Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Lead(T) Manganese	TVS e Indian Reservation letals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS 50 TVS TVS 50 TVS	TVS(sc) boundary,  chronic 0.02-10 TVS TVS TVS TVS 1000 TVS TVS
cosJPlo6A Designation Deviewable	ccific listing in Segment 6d.  Classifications  Agriculture  Aq Life Warm 2  Recreation P  Water Supply  (mg/m²)(chronic) = applies only lities listed at 34.5(5).  hronic) = applies only above the	Physical and I Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorgani  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite	Biological  DM  WS-II  acute 6.5 - 9.0 C (mg/L)  acute  TVS 0.019 0.005 100 0.5	MWAT WS-II chronic 5.0 150* 205  chronic TVS 0.75 250 0.011	Uranium Zinc Devil Creek to Southern Ute  M  Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium VI Copper Iron(T) Lead Lead(T) Manganese Mercury	TVS e Indian Reservation etals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS	TVS(sc) boundary,  chronic 0.02-10 TVS TVS TVS TVS 1000 TVS TVS 0.01(t)
COSJPIO6A Designation Reviewable Cualifiers: Other: Chlorophyll a bove the faci Phosphorus(cacilities-listed	cific listing in Segment 6d.  Classifications  Agriculture  Aq Life Warm 2  Recreation P  Water Supply  (mg/m²)(chronic) = applies only lities listed at 34.5(5).  hronic) = applies only above the at 34.5(5).	Physical and I Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorgani  Ammonia Boron Chloride Chlorine Cyanide Nitrate	Biological  DM  WS-II  acute 6.5 - 9.0 c (mg/L)  acute  TVS 0.019 0.005 100	MWAT WS-II chronic 5.0 150* 205  chronic TVS 0.75 250 0.011	Uranium Zinc  Devil Creek to Southern Ute  M  Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T)	TVS e Indian Reservation letals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS 50 TVS TVS TVS TVS	TVS(sc) boundary,  chronic 0.02-10 TVS TVS TVS 1000 TVS TVS 0.01(t) 150
cosyptoea  Designation Reviewable  Rualifiers:  Other:  Chlorophyll a bove the faci Phosphorus(cacilities-listed	Classifications  Agriculture  Aq Life Warm 2  Recreation P  Water Supply  (mg/m²)(chronic) = applies only lities listed at 34.5(5).  hronic) = applies only above the at 34.5(5).	Physical and I Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorgani  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite	Biological  DM  WS-II  acute 6.5 - 9.0 C (mg/L)  acute  TVS 0.019 0.005 100 0.5	MWAT WS-II chronic 5.0 150* 205  chronic TVS 0.75 250 0.011	Uranium Zinc Devil Creek to Southern Ute  M  Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium VI Copper Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel	TVS e Indian Reservation etals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS	TVS(sc) boundary,  chronic 0.02-10 TVS TVS TVS 1000 TVS TVS 0.01(t) 150 TVS
COSJPIO6A Designation Reviewable Cualifiers: Other: Chlorophyll a bove the faci Phosphorus(cacilities-listed	cific listing in Segment 6d.  Classifications  Agriculture  Aq Life Warm 2  Recreation P  Water Supply  (mg/m²)(chronic) = applies only lities listed at 34.5(5).  hronic) = applies only above the at-34.5(5).  not acted on segment- otal phosphorus (TP) standards based on	Physical and I Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorgani  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	Biological  DM  WS-II  acute   6.5 - 9.0    c (mg/L)  acute  TVS   0.019  0.005  100  0.5	MWAT WS-II chronic 5.0 150* 205  chronic TVS 0.75 250 0.011 0.17*	Uranium Zinc  Devil Creek to Southern Ute  M  Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T)	TVS e Indian Reservation letals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS 50 TVS TVS TVS TVS	TVS(sc) boundary,  chronic 0.02-10 TVS TVS TVS 1000 TVS TVS 0.01(t) 150
COSJPIOGA Designation Reviewable Chlorophyll a bove the faci acilities listed  EPA has specific to numeric s he interii	Classifications  Agriculture Aq Life Warm 2 Recreation P Water Supply  (mg/m²)(chronic) = applies only lities listed at 34.5(5). hronic) = applies only above the at 34.5(5).  not acted on segment- otal phosphorus (TP) standards based on m value for river/	Physical and I Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorgani  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	Biological  DM  WS-II  acute   6.5 - 9.0    c (mg/L)  acute  TVS   0.019  0.005  100  0.5	MWAT WS-II chronic 5.0 150* 205  chronic TVS 0.75 250 0.011 0.47* 250	Uranium Zinc Devil Creek to Southern Ute  M  Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium VI Copper Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel	TVS e Indian Reservation letals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS 50 TVS	TVS(sc) boundary,  chronic 0.02-10 TVS TVS TVS 1000 TVS TVS 0.01(t) 150 TVS
EPA has specific to numeric stream so	cific listing in Segment 6d.  Classifications  Agriculture  Aq Life Warm 2  Recreation P  Water Supply  (mg/m²)(chronic) = applies only listed at 34.5(5).  hronic) = applies only above the at 34.5(5).  not acted on segment-otal phosphorus (TP) standards based on m value for river/egments with a warm	Physical and I Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorgani  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	Biological  DM  WS-II  acute   6.5 - 9.0    c (mg/L)  acute  TVS   0.019  0.005  100  0.5	MWAT WS-II chronic 5.0 150* 205  chronic TVS 0.75 250 0.011 0.47* 250	Uranium Zinc  Devil Creek to Southern Ute  M  Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T)	TVS e Indian Reservation letals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS TVS 50 TVS	TVS(sc) boundary,  chronic 0.02-10 TVS TVS TVS TVS 1000 TVS TVS 0.01(t) 150 TVS
EPA has specific to numeric she interiistream so	Classifications  Agriculture Aq Life Warm 2 Recreation P Water Supply  (mg/m²)(chronic) = applies only lities listed at 34.5(5).  Anot acted on segmentata 34.5(5).  Inot acted on segmentatata phosphorus (TP) standards based on a value for river/egments with a warmulatic life classification	Physical and I Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorgani  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	Biological  DM  WS-II  acute   6.5 - 9.0    c (mg/L)  acute  TVS   0.019  0.005  100  0.5	MWAT WS-II chronic 5.0 150* 205  chronic TVS 0.75 250 0.011 0.47* 250	Uranium Zinc  Devil Creek to Southern Ute  M  Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	TVS e Indian Reservation etals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS	TVS(sc) boundary,  chronic 0.02-10 TVS TVS TVS 1000 TVS TVS 0.01(t) 150 TVS 1000 TVS

All metals are dissolved unless otherwise noted.

T = total recoverable

t = total tr=trout sc=sculpin D.O. = dissolved oxygen DM = daily maximum

6c.							
COSJPI06B	Classifications	Physical and I	Biological		M	letals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
UP	Aq Life Warm 2	Temperature °C	WS-III	WS-III	Aluminum		
	Recreation P		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		5.0	Arsenic(T)		0.02-10 A
Qualifiers:		рH	6.5 - 9.0		Beryllium		
Other:		chlorophyll a (mg/m²)		150	Cadmium	TVS	TVS
		E. Coli (per 100 mL)		205	Cadmium(T)	5.0	
*Southern Ute	Indian Reservation	Inorgani	c (mg/L)		Chromium III		TVS
			acute	chronic	Chromium III(T)	50	
		Ammonia	TVS	TVS	Chromium VI	TVS	TVS
		Boron		0.25	Copper	TVS	TVS
		Chloride		250	Iron		ws
		Chlorine	0.019	0.011	Iron(T)		1000
		Cyanide	0.005		Lead	TVS	TVS
FPA has	not acted on segment-	Nitrate	10		Lead(T)	50	
	otal phosphorus (TP)	Nitrite	0.5		Manganese	TVS	TVS/WS
•	standards based on	Phosphorus		0.17	Mercury		0.01(t)
	m value for river/	Sulfate		WS	Molybdenum(T)		150
		Sulfide		0.002	Nickel	TVS	TVS
	egments with a warm	Sunde		0.002	Nickel(T)		100
	uatic life classification				Selenium	TVS	TVS
(0.17 mg	/L 1P).				Silver	TVS	TVS
					Uranium		1 73
						TVS	T) (0
						1 1/5	
6a Stallataima	r Crook including all tributories from	n the Couthern Lite Indian Becor	votion boundary to	the conflue	Zinc	1,10	TVS
	r Creek, including all tributaries, fron	Ī		the conflue	ence with the Piedra River.		173
COSJPI06C	Classifications	n the Southern Ute Indian Reser Physical and I	Biological		ence with the Piedra River.	letals (ug/L)	
COSJPI06C Designation	Classifications Agriculture	Physical and I	Biological DM	MWAT	ence with the Piedra River.	letals (ug/L) acute	chronic
COSJPI06C Designation	Classifications Agriculture Aq Life Warm 2	Ī	Biological  DM  WS-II	MWAT WS-II	ence with the Piedra River.  M  Aluminum	letals (ug/L) acute 	chronic
COSJPI06C Designation	Classifications Agriculture Aq Life Warm 2 Recreation P	Physical and I	Biological  DM  WS-II  acute	MWAT WS-II chronic	Aluminum Arsenic	letals (ug/L) acute 340	chronic 
COSJPI06C Designation	Classifications Agriculture Aq Life Warm 2	Physical and E Temperature °C  D.O. (mg/L)	Biological  DM  WS-II  acute	MWAT WS-II chronic 5.0	Arsenic(T)	acute 340	chronic  0.02-10 A
COSJPI06C  Designation  UP  Qualifiers:	Classifications Agriculture Aq Life Warm 2 Recreation P	Physical and I	Biological  DM  WS-II  acute   6.5 - 9.0	MWAT WS-II chronic 5.0	Aluminum Arsenic Arsenic(T) Beryllium	acute 340	chronic   0.02-10 <sup>A</sup>
COSJPI06C Designation UP	Classifications Agriculture Aq Life Warm 2 Recreation P	Physical and B Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²)	Biological  DM  WS-II  acute   6.5 - 9.0	MWAT WS-II chronic 5.0 150	Aluminum Arsenic Arsenic(T) Beryllium Cadmium	acute 340 TVS	chronic  0.02-10 <sup>A</sup>
COSJPI06C Designation UP Qualifiers: Other:	Classifications Agriculture Aq Life Warm 2 Recreation P Water Supply	Physical and I	Biological  DM  WS-II  acute 6.5 - 9.0	MWAT WS-II chronic 5.0	Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T)	acute 340 TVS 5.0	chronic  0.02-10 A  TVS
COSJPI06C Designation UP Qualifiers: Other:	Classifications Agriculture Aq Life Warm 2 Recreation P	Physical and B Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²)	Biological  DM  WS-II  acute 6.5 - 9.0 c (mg/L)	MWAT WS-II chronic 5.0 150 205	Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III	acute 340 TVS 5.0	chronic  0.02-10 A  TVS  TVS
COSJPI06C Designation JP Qualifiers: Other:	Classifications Agriculture Aq Life Warm 2 Recreation P Water Supply	Physical and E Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic	Biological  DM  WS-II  acute   6.5 - 9.0   c (mg/L)  acute	MWAT WS-II chronic 5.0 150 205	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T)	acute 340 TVS 5.0 50	chronic 0.02-10 A TVS TVS
COSJPI06C Designation JP Qualifiers: Other:	Classifications Agriculture Aq Life Warm 2 Recreation P Water Supply	Physical and E Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic	Biological  DM  WS-II  acute 6.5 - 9.0 c (mg/L)  acute TVS	MWAT WS-II chronic 5.0 150 205 chronic TVS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI	acute 340 TVS 5.0 50 TVS	chronic 0.02-10 A TVS TVS TVS
COSJPI06C Designation JP Qualifiers: Other:	Classifications Agriculture Aq Life Warm 2 Recreation P Water Supply	Physical and E  Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorgania  Ammonia Boron	Biological  DM  WS-II  acute   6.5 - 9.0   c (mg/L)  acute	MWAT WS-II chronic 5.0 150 205  chronic TVS 0.25	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper	1etals (ug/L) acute 340 TVS 5.0 50 TVS TVS	Chronic 0.02-10 A TVS TVS TVS TVS
COSJPI06C Designation JP Qualifiers: Other:	Classifications Agriculture Aq Life Warm 2 Recreation P Water Supply	Physical and B Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic  Ammonia Boron Chloride	Biological  DM  WS-II  acute 6.5 - 9.0 c (mg/L) acute TVS	MWAT WS-II chronic 5.0 150 205  chronic TVS 0.25 250	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper	1etals (ug/L) acute 340 TVS 5.0 50 TVS TVS	Chronic 0.02-10 A TVS TVS TVS TVS VS
COSJPI06C Designation JP Qualifiers: Other:	Classifications Agriculture Aq Life Warm 2 Recreation P Water Supply	Physical and I	Biological  DM  WS-II  acute 6.5 - 9.0 c (mg/L)  acute  TVS 0.019	MWAT WS-II chronic 5.0 150 205  chronic TVS 0.25 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T)	1etals (ug/L) acute 340 TVS 5.0 50 TVS TVS	Chronic 0.02-10 A TVS TVS TVS VS VS
COSJPI06C Designation JP Qualifiers: Other:	Classifications Agriculture Aq Life Warm 2 Recreation P Water Supply	Physical and B Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic  Ammonia Boron Chloride	Biological  DM  WS-II  acute 6.5 - 9.0 C (mg/L)  acute  TVS 0.019 0.005	MWAT WS-II chronic 5.0 150 205  chronic TVS 0.25 250	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper	acute	Chronic 0.02-10 A TVS TVS TVS TVS VS
COSJPI06C Designation JP Qualifiers:	Classifications Agriculture Aq Life Warm 2 Recreation P Water Supply	Physical and I	Biological  DM  WS-II  acute 6.5 - 9.0 c (mg/L)  acute  TVS 0.019	MWAT WS-II chronic 5.0 150 205  chronic TVS 0.25 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T)	TVS 50 TVS TVS TVS TVS TVS TVS TVS	Chronic 0.02-10 A TVS TVS TVS TVS TVS TVS TVS
COSJPI06C Designation JP Qualifiers:	Classifications Agriculture Aq Life Warm 2 Recreation P Water Supply	Physical and I	Biological  DM  WS-II  acute 6.5 - 9.0 C (mg/L)  acute  TVS 0.019 0.005	MWAT WS-II chronic 5.0 150 205  chronic TVS 0.25 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead	acute	Chronic 0.02-10 A TVS TVS TVS TVS TVS WS 1000 TVS
COSJPI06C Designation JP Qualifiers:	Classifications Agriculture Aq Life Warm 2 Recreation P Water Supply	Physical and I	Biological  DM  WS-II  acute 6.5 - 9.0 c (mg/L)  acute  TVS 0.019 0.005	MWAT WS-II chronic 5.0 150 205  chronic TVS 0.25 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T)	TVS 50 TVS TVS TVS TVS TVS TVS TVS	Chronic 0.02-10 A TVS TVS TVS TVS TVS TVS TVS
COSJPI06C Designation JP Qualifiers:	Classifications Agriculture Aq Life Warm 2 Recreation P Water Supply	Physical and B Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorgania  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite	Biological  DM  WS-II  acute 6.5 - 9.0 c (mg/L)  acute  TVS 0.019 0.005 10 0.5	MWAT WS-II chronic 5.0 150 205  chronic TVS 0.25 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese	TVS	Chronic 0.02-10 A TVS
COSJPI06C Designation JP Qualifiers:	Classifications Agriculture Aq Life Warm 2 Recreation P Water Supply	Physical and I	Biological  DM  WS-II  acute 6.5 - 9.0 c (mg/L)  acute  TVS 0.019 0.005 10 0.5	MWAT WS-II chronic 5.0 150 205  chronic TVS 0.25 250 0.011 0.17	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury	details (ug/L)	Chronic 0.02-10 A TVS
COSJPI06C Designation JP Qualifiers:	Classifications Agriculture Aq Life Warm 2 Recreation P Water Supply	Physical and I	Biological  DM  WS-II  acute 6.5 - 9.0 c (mg/L)  acute  TVS 0.019 0.005 10 0.5	MWAT WS-II chronic 5.0 150 205  chronic TVS 0.25 250 0.011 0.47 WS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T)	details (ug/L)	Chronic 0.02-10 A TVS TVS TVS TVS TVS TVS TVS US 1000 TVS TVSAWS 0.01(t)
COSJPI06C Designation JP Qualifiers: Other:	Classifications Agriculture Aq Life Warm 2 Recreation P Water Supply	Physical and I	Biological  DM  WS-II  acute 6.5 - 9.0 c (mg/L)  acute  TVS 0.019 0.005 10 0.5	MWAT WS-II chronic 5.0 150 205  chronic TVS 0.25 250 0.011 0.47 WS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel	TVS  TVS  TVS  TVS  TVS  TVS  TVS  TVS	Chronic 0.02-10 A TVS
COSJPI06C Designation UP Qualifiers: Other:	Classifications Agriculture Aq Life Warm 2 Recreation P Water Supply	Physical and I	Biological  DM  WS-II  acute 6.5 - 9.0 c (mg/L)  acute  TVS 0.019 0.005 10 0.5	MWAT WS-II chronic 5.0 150 205  chronic TVS 0.25 250 0.011 0.47 WS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T)	TVS  TVS  TVS  TVS  TVS  TVS  TVS  TVS	Chronic 0.02-10 A TVS TVS TVS TVS WS 1000 TVS TVSWS 0.01(t) 150 TVS 100
COSJPI06C Designation UP Qualifiers: Other:	Classifications Agriculture Aq Life Warm 2 Recreation P Water Supply	Physical and I	Biological  DM  WS-II  acute 6.5 - 9.0 c (mg/L)  acute  TVS 0.019 0.005 10 0.5	MWAT WS-II chronic 5.0 150 205  chronic TVS 0.25 250 0.011 0.47 WS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	TVS  TVS  TVS  TVS  TVS  TVS  TVS  TVS	Chronic 0.02-10 A TVS TVS TVS SUS TVS WS 1000 TVS TVSWS 0.01(t) 150 TVS

All metals are dissolved unless otherwise noted.

T = total recoverable

t = total tr=trout sc=sculpin D.O. = dissolved oxygen DM = daily maximum

6d. Steven's c	fraw from the outlet of Lake Forest Re	eservoir to the confluence	with Martine	z Creek.				
COSJPI06D	Classifications		I and Biolog			N	letals (ug/L)	
Designation	Agriculture			DM	MWAT		acute	chronic
UP	Aq Life Warm 2	Temperature °C		WS-II	WS-II	Aluminum		
	Recreation P			acute	chronic	Arsenic	340	
Qualifiers:		D.O. (mg/L)			5.0	Arsenic(T)		100
Other:		pН		6.5 - 9.0		Beryllium		
	•	chlorophyll a (mg/m²)			150*	Cadmium	TVS	TVS
	(mg/m²)(chronic) = applies only lities listed at 34.5(5).	E. Coli (per 100 mL)			205	Chromium III	TVS	TVS
*Phosphorus(c	hronic) = applies only above the	In	organic (mg/	/L)		Chromium VI	TVS	TVS
facilities listed	at 34.5(5).			acute	chronic	Copper	TVS	TVS
		Ammonia		TVS	TVS	Iron(T)		1000
		Boron			0.75	Lead	TVS	TVS
FPA has	not acted on segment-	Chloride			250	Manganese	TVS	TVS
1	otal phosphorus (TP)	Chlorine		0.019	0.011	Mercury		0.01(t)
	standards based on	Cyanide		0.005		Molybdenum(T)		150
	m value for river/	Nitrate		100		Nickel	TVS	TVS
	egments with a warm	Nitrite		0.5		Selenium	TVS	TVS
	uatic life classification	Phosphorus			0.17*	Silver	TVS	TVS
(0.17 mg		Sulfate				Uranium		
(0.17 1119	/ L 11 /.	Sulfide			0.002	Zinc	TVS	TVS
7. Hatcher Re	servoir, Stevens Reservoir, Sullenbug	er Reservoir, Village Lak	ke and Forest	Lake.				
COSJPI07	Classifications	Physica	I and Biolog	jical		M	letals (ug/L)	
Designation	Agriculture			DM	MWAT		acute	chronic
Reviewable	Aq Life Warm 1	Temperature °C		WL	WL	Aluminum		
	Recreation E 2/2 - 11/30			acute	chronic	Arsenic	340	
	Recreation N 12/1 - 3/1	D.O. (mg/L)			5.0	Arsenic(T)		0.02
	Water Supply	рН		6.5 - 9.0		Beryllium		
	DUWS*	chlorophyll a (mg/m²)				Cadmium	TVS	TVS
Qualifiers:		E. Coli (per 100 mL)	12/1 - 3/1		630	Cadmium(T)	5.0	
Other:		E. Coli (per 100 mL)	3/2 - 11/30		126	Chromium III		TVS
T M	- #f # (-)	,				Chromium III(T)	50	
Temporary Mo Arsenic(chroni	, ,	In	organic (mg/	// )		Chromium VI	TVS	TVS
,	e of 12/31/2024		organic (mg/	acute	chronic	Copper	TVS	TVS
·		Ammonia		TVS	TVS	Iron		WS
Stevens Rese	: DUWS applies to Hatcher and rvoirs only.	Boron			0.25	Iron(T)		1000
		Chloride			250	Lead	TVS	TVS
		Chlorine		0.019	0.011	Lead(T)	50	
		Cyanide		0.005		Manganese	TVS	TVS/WS
		Nitrate		10		Mercury		0.01(t)
		Nitrite			0.5	Molybdenum(T)		150
		Phosphorus			0.5	Nickel	TVS	TVS
		Sulfate			WS	Nickel(T)		100
		Sulfide			0.002	Selenium	TVS	TVS
		Suniue			0.002	Silver	TVS	TVS
						Uranium	1 73	
						Zinc		TVS
							TVS	

COSJPI08	Classifications	Physica	al and Biolog	jical		М	etals (ug/L)	
Designation	Agriculture			DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C		CLL	CLL	Aluminum		
	Recreation E 5/1 - 10/31			acute	chronic	Arsenic	340	
	Recreation N 11/1 - 4/30	D.O. (mg/L)			6.0	Arsenic(T)		0.02
	Water Supply	D.O. (spawning)			7.0	Beryllium		
Qualifiers:		рН		6.5 - 9.0		Cadmium	TVS	TVS
Other:		chlorophyll a (ug/L)			8*	Cadmium(T)	5.0	
F.1.1	. ( . (1) ( . 1	E. Coli (per 100 mL)	5/1 - 10/31		126	Chromium III		TVS
	a (ug/L)(chronic) = applies only to servoirs larger than 25 acres surfac	e E. Coli (per 100 mL)	11/1 - 4/30		630	Chromium III(T)	50	
area. 'Phosphorus <i>(i</i>	chronic) = applies only to lakes an	d I	norganic (mg	/L)		Chromium VI	TVS	TVS
	ger than 25 acres surface area.			acute	chronic	Copper	TVS	TVS
		Ammonia		TVS	TVS	Iron		WS
		Boron			0.75	Iron(T)		1000
		Chloride			250	Lead	TVS	TVS
		Chlorine		0.019	0.011	Lead(T)	50	
		Cyanide		0.005		Manganese	TVS	TVS/WS
		Nitrate		10		Mercury		0.01(t)
		Nitrite		0.05		Molybdenum(T)		150
		Phosphorus			0.025*	Nickel	TVS	TVS
		Sulfate			WS	Nickel(T)		100
		Sulfide			0.002	Selenium	TVS	TVS
						Silver	TVS	TVS(tr)
						Uranium		
						Zinc	TVS	TVS

9. All lakes and reservoirs tributary to the Piedra River which are within the Weminuche Wilderness Area. This segment includes Window Lake, Monument Lake, Hossick Lake, and Williams Lakes.

COSJPI09	Classifications	Physical and Bio	alogical		I M	letals (ug/L)	
Designation		Filysical and bit	DM	MWAT	IVI	acute	chronic
OW	Agriculture Ag Life Cold 1	Temperature °C	CL	CL	Aluminum		
Ovv	Recreation E	Temperature *C	-				
	Water Supply		acute	chronic	Arsenic	340	
	vva.ei Зирріу	D.O. (mg/L)		6.0	Arsenic(T)		0.02
Qualifiers:		D.O. (spawning)		7.0	Beryllium		
Other:		pH	6.5 - 9.0		Cadmium	TVS	TVS
*ablarabull a	(ug/l)(abrasia) applies only to	chlorophyll a (ug/L)		8*	Cadmium(T)	5.0	
lakes and res	(ug/L)(chronic) = applies only to ervoirs larger than 25 acres surface	E. Coli (per 100 mL)		126	Chromium III		TVS
area.	hronic) = applies only to lakes and				Chromium III(T)	50	
	ger than 25 acres surface area.	Inorganic	(mg/L)		Chromium VI	TVS	TVS
			acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron		WS
		Boron		0.75	Iron(T)		1000
		Chloride		250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	
		Cyanide	0.005		Manganese	TVS	TVS/WS
		Nitrate	10		Mercury		0.01(t)
		Nitrite	0.05		Molybdenum(T)		150
		Phosphorus		0.025*	Nickel	TVS	TVS
		Sulfate		ws	Nickel(T)		100
		Sulfide		0.002	Selenium	TVS	TVS
					Silver	TVS	TVS(tr)
					Uranium		
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.  $\label{eq:T} T = total \ recoverable \\ t = total$ 

tr=trout sc=sculpin D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 34.6 for further details on applied standards.

COSJPI10	Classifications	Physica	I and Biologic	cal		M	letals (ug/L)	
Designation	Agriculture			DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C		CL	CL	Aluminum		
	Recreation E 5/1 - 10/31			acute	chronic	Arsenic	340	
	Recreation N 11/1 - 4/30	D.O. (mg/L)			6.0	Arsenic(T)		0.02
	Water Supply	D.O. (spawning)			7.0	Beryllium		
Qualifiers:		pH		6.5 - 9.0		Cadmium	TVS	TVS
Other:		chlorophyll a (ug/L)			8*	Cadmium(T)	5.0	
	( - (1) ( -1	E. Coli (per 100 mL)	5/1 - 10/31		126	Chromium III		TVS
	(ug/L)(chronic) = applies only to ervoirs larger than 25 acres surface	E. Coli (per 100 mL)	11/1 - 4/30		630	Chromium III(T)	50	
area. Dhaanharua/a	hrania) annias antu ta lakas and	In	organic (mg/L	L)		Chromium VI	TVS	TVS
	thronic) = applies only to lakes and ger than 25 acres surface area.			acute	chronic	Copper	TVS	TVS
		Ammonia		TVS	TVS	Iron		WS
		Boron			0.75	Iron(T)		1000
		Chloride			250	Lead	TVS	TVS
		Chlorine		0.019	0.011	Lead(T)	50	
		Cyanide		0.005		Manganese	TVS	TVS/WS
		Nitrate		10		Mercury		0.01(t)
		Nitrite		0.05		Molybdenum(T)		150
		Phosphorus		0.05	0.025*	Nickel	TVS	TVS
		Sulfate			WS	Nickel(T)		100
		Sulfide			0.002	Selenium	TVS	TVS
		Sunde			0.002	Silver	TVS	TVS(tr)
						Olivei	1 40	1 40(11)
						Hronium		
	and reservoirs which are tributary t	o the Piedra River, from a	point immediate	ely below t	the confluence	Uranium Zinc e with Devil Creek to the S	TVS Southern Ute Indian	
	and reservoirs which are tributary ts segment includes Capote Lake.  Classifications	-	point immediate		the confluence	Zinc e with Devil Creek to the S	TVS	TVS
oundary. This COSJPI11A Designation	s segment includes Capote Lake.  Classifications  Agriculture	-		ical DM	MWAT	Zinc e with Devil Creek to the S	TVS Southern Ute Indian	TVS
oundary. This COSJPI11A Designation	s segment includes Capote Lake.  Classifications  Agriculture  Aq Life Warm 2	-		cal  DM  WL	<b>MWAT</b> WL	Zinc e with Devil Creek to the S  N  Aluminum	TVS Southern Ute Indian	TVS Reservation
oundary. This COSJPI11A Designation	s segment includes Capote Lake.  Classifications  Agriculture  Aq Life Warm 2  Recreation E	Physica		ical DM	MWAT	Zinc e with Devil Creek to the S	TVS Southern Ute Indian	TVS Reservation chronic
coundary. This COSJPI11A Designation	s segment includes Capote Lake.  Classifications  Agriculture  Aq Life Warm 2	Physica		cal  DM  WL	<b>MWAT</b> WL	Zinc e with Devil Creek to the S  N  Aluminum	TVS Southern Ute Indian letals (ug/L) acute	TVS Reservation chronic
condary. This COSJPI11A Designation P	s segment includes Capote Lake.  Classifications  Agriculture  Aq Life Warm 2  Recreation E  Water Supply	Physica Temperature °C		DM WL acute	MWAT WL chronic	Zinc e with Devil Creek to the S  N  Aluminum  Arsenic	TVS Southern Ute Indian  letals (ug/L)  acute 340	TVS Reservation chronic
condary. This cosyplina designation P	s segment includes Capote Lake.  Classifications  Agriculture  Aq Life Warm 2  Recreation E  Water Supply	Physica Temperature °C  D.O. (mg/L)		DM WL acute	MWAT WL chronic 5.0	Zinc e with Devil Creek to the S  N  Aluminum  Arsenic  Arsenic(T)	TVS Southern Ute Indian  Metals (ug/L)  acute 340	TVS Reservation  chronic 0.02
cosypination P  eualifiers:	s segment includes Capote Lake.  Classifications  Agriculture  Aq Life Warm 2  Recreation E  Water Supply	Physica Temperature °C  D.O. (mg/L) pH		DM WL acute  6.5 - 9.0	MWAT WL chronic 5.0	Zinc e with Devil Creek to the S  N  Aluminum Arsenic Arsenic(T) Beryllium	TVS Southern Ute Indian  Itetals (ug/L)  acute 340	TVS Reservation  chronic 0.02
oundary. This COSJPI11A Designation UP Qualifiers: Vater + Fish Other:	s segment includes Capote Lake.  Classifications  Agriculture  Aq Life Warm 2  Recreation E  Water Supply  Standards	Physica  Temperature °C  D.O. (mg/L) pH chlorophyll a (ug/L) E. Coli (per 100 mL)		DM WL acute 6.5 - 9.0	MWAT WL chronic 5.0 20*	Zinc e with Devil Creek to the S  N  Aluminum Arsenic Arsenic(T) Beryllium Cadmium	TVS Southern Ute Indian Metals (ug/L) acute 340 TVS	TVS Reservation  chronic 0.02 TVS
oundary. This COSJPI11A Designation IP Qualifiers: Vater + Fish Other:	s segment includes Capote Lake.  Classifications  Agriculture  Aq Life Warm 2  Recreation E  Water Supply	Physica  Temperature °C  D.O. (mg/L) pH chlorophyll a (ug/L) E. Coli (per 100 mL)	I and Biologie	DM WL acute 6.5 - 9.0	MWAT WL chronic 5.0 20*	Zinc e with Devil Creek to the S  N  Aluminum  Arsenic  Arsenic(T)  Beryllium  Cadmium  Cadmium(T)	TVS Southern Ute Indian Metals (ug/L) acute 340 TVS	Chronic 0.02 TVS
coundary. This cosJPI11A  Designation P  Lualifiers: Later + Fish  Ather:  Chlorophyll a  Likes and reserve.	s segment includes Capote Lake.  Classifications  Agriculture  Aq Life Warm 2  Recreation E  Water Supply  Standards  (ug/L)(chronic) = applies only to ervoirs larger than 25 acres surface	Physica  Temperature °C  D.O. (mg/L)  pH  chlorophyll a (ug/L)  E. Coli (per 100 mL)	I and Biologie	DM WL acute  6.5 - 9.0 	MWAT WL chronic 5.0 20* 126	Zinc e with Devil Creek to the S  N  Aluminum  Arsenic  Arsenic(T)  Beryllium  Cadmium  Cadmium(T)  Chromium III	TVS Southern Ute Indian  Itetals (ug/L) acute 340 TVS 5.0	Chronic 0.02 TVS TVS
oundary. This COSJPI11A Designation IP tualifiers: Vater + Fish Other: chlorophyll a akes and reservea.	s segment includes Capote Lake.  Classifications  Agriculture  Aq Life Warm 2  Recreation E  Water Supply  Standards  (ug/L)(chronic) = applies only to	Physica  Temperature °C  D.O. (mg/L)  pH  chlorophyll a (ug/L)  E. Coli (per 100 mL)	I and Biologie	DM WL acute 6.5 - 9.0 L) acute	MWAT WL chronic 5.0 20* 126  chronic	Zinc e with Devil Creek to the S  N  Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T)	TVS Southern Ute Indian  Itetals (ug/L)  acute 340 TVS 5.0 50	Chronic  0.02 TVS TVS
cosplita  cospli	s segment includes Capote Lake.  Classifications  Agriculture  Aq Life Warm 2  Recreation E  Water Supply  Standards  (ug/L)(chronic) = applies only to ervoirs larger than 25 acres surface thronic) = applies only to lakes and	Physica  Temperature °C  D.O. (mg/L) pH chlorophyll a (ug/L) E. Coli (per 100 mL)	I and Biologie	DM WL acute 6.5 - 9.0 L) acute	MWAT WL chronic 5.0 20* 126  chronic TVS	Zinc e with Devil Creek to the S  N  Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI	TVS Southern Ute Indian  Metals (ug/L)  acute 340 TVS 5.0 50 TVS	TVS Reservation  chronic  0.02  TVS  TVS  TVS  TVS  TVS
cosplita  cospli	s segment includes Capote Lake.  Classifications  Agriculture  Aq Life Warm 2  Recreation E  Water Supply  Standards  (ug/L)(chronic) = applies only to ervoirs larger than 25 acres surface thronic) = applies only to lakes and	Physica  Temperature °C  D.O. (mg/L) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  In  Ammonia Boron	I and Biologie	DM WL acute 6.5 - 9.0 L) acute TVS	MWAT WL chronic 5.0 20* 126  chronic TVS 0.75	Zinc e with Devil Creek to the S  N  Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper	TVS Southern Ute Indian  Metals (ug/L)  acute 340 TVS 5.0 50 TVS TVS	TVS Reservation  chronic  0.02 TVS TVS TVS TVS WS
oundary. This COSJPI11A Designation IP tualifiers: Vater + Fish Other: chlorophyll a akes and reservea.	s segment includes Capote Lake.  Classifications  Agriculture  Aq Life Warm 2  Recreation E  Water Supply  Standards  (ug/L)(chronic) = applies only to ervoirs larger than 25 acres surface thronic) = applies only to lakes and	Physica  Temperature °C  D.O. (mg/L) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  In  Ammonia Boron Chloride	I and Biologie	DM   WL   acute     6.5 - 9.0     L)   acute   TVS	MWAT WL chronic 5.0 20* 126  chronic TVS 0.75 250	Zinc e with Devil Creek to the S  Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron	TVS Southern Ute Indian  Itetals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS	TVS Reservation  chronic  0.02 TVS TVS TVS
cosplita cos	s segment includes Capote Lake.  Classifications  Agriculture  Aq Life Warm 2  Recreation E  Water Supply  Standards  (ug/L)(chronic) = applies only to ervoirs larger than 25 acres surface thronic) = applies only to lakes and	Physica  Temperature °C  D.O. (mg/L) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  In  Ammonia Boron Chloride Chlorine	I and Biologie	DM   WL   acute     6.5 - 9.0     L)   acute   TVS     0.019	MWAT WL chronic 5.0 20* 126  chronic TVS 0.75 250 0.011	Zinc e with Devil Creek to the S  N  Aluminum  Arsenic  Arsenic(T)  Beryllium  Cadmium(T)  Chromium III  Chromium III(T)  Chromium VI  Copper  Iron  Iron(T)	TVS Southern Ute Indian  Itetals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS	TVS Reservation  chronic 0.02 TVS TVS TVS TVS TVS WS 1000
coundary. This cosyplina esignation  p  ualifiers: tater + Fish ther: chlorophyll a kes and rese ea. chesphorus(e servoirs-larg	s segment includes Capote Lake.  Classifications  Agriculture  Aq Life Warm 2  Recreation E  Water Supply  Standards  (ug/L)(chronic) = applies only to ervoirs larger than 25 acres surface area.	Physica  Temperature °C  D.O. (mg/L) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  In  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite	I and Biologie	cal  DM  WL  acute 6.5 - 9.0 L)  acute TVS 0.019 0.005	MWAT WL chronic 5.0 20* 126  chronic TVS 0.75 250 0.011	Zinc e with Devil Creek to the S  Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead	TVS Southern Ute Indian  Itetals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS TVS	TVS Reservation  chronic 0.02 TVS TVS SS TVS SS TVS US 1000 TVS
coundary. This cosyplina esignation  p  ualifiers: tater + Fish ther: chlorophyll a kes and rese ea. chlorophyrus(e servoirs larg	Segment includes Capote Lake.  Classifications  Agriculture  Aq Life Warm 2  Recreation E  Water Supply  Standards  (ug/L)(chronic) = applies only to ervoirs larger than 25 acres surface area.  chronic) = applies only to lakes and per than 25 acres surface area.	Physica  Temperature °C  D.O. (mg/L) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  In  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite	I and Biologie	cal  DM  WL  acute 6.5 - 9.0 L)  acute  TVS 0.019 0.005 10	MWAT WL chronic 5.0 20* 126  chronic TVS 0.75 250 0.011	Zinc e with Devil Creek to the S  N  Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T)	TVS Southern Ute Indian  Idetals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS TVS TVS TVS TVS	TVS Reservation  chronic 0.02 TVS TVS TVS SVS TVS US 1000 TVS
coundary. This cosyplita esignation  P  ualifiers: /ater + Fish ther: chlorophyll a kes and rese ea. chlorophyll a kes and r	Segment includes Capote Lake.  Classifications  Agriculture  Aq Life Warm 2  Recreation E  Water Supply  Standards  (ug/L)(chronic) = applies only to ervoirs larger than 25 acres surface thronic) = applies only to lakes and ger than 25 acres surface area.	Physica  Temperature °C  D.O. (mg/L) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  In  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite	I and Biologie	cal  DM  WL  acute 6.5 - 9.0 L)  acute  TVS 0.019 0.005 10 0.5	MWAT WL chronic 5.0 20* 126  chronic TVS 0.75 250 0.011	Zinc e with Devil Creek to the S  M  Aluminum  Arsenic  Arsenic(T)  Beryllium  Cadmium  Cadmium(T)  Chromium III  Chromium III(T)  Chromium VI  Copper  Iron  Iron(T)  Lead  Lead(T)  Manganese	TVS Southern Ute Indian  Itetals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS TVS 50 TVS TVS TVS 50 TVS	TVS Reservation  chronic  0.02 TVS TVS S TVS US 1000 TVS TVS/WS
coundary. This cosypilata resignation P rualifiers: Vater + Fish other: chlorophyll a rikes and rese rea. Phosphorus(e asservoirs-larg	Segment includes Capote Lake.  Classifications  Agriculture  Aq Life Warm 2  Recreation E  Water Supply  Standards  (ug/L)(chronic) = applies only to ervoirs larger than 25 acres surface area.  September 125 acres surface area.  September 125 acres surface area.	Physica  Temperature °C  D.O. (mg/L) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  In  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	I and Biologie	cal  DM  WL  acute 6.5 - 9.0  1.7  acute TVS 0.019 0.005 10 0.5	MWAT WL chronic 5.0 20* 126  Chronic TVS 0.75 250 0.011 0.083* WS	Zinc e with Devil Creek to the S  M  Aluminum  Arsenic  Arsenic(T)  Beryllium  Cadmium(T)  Chromium III  Chromium III(T)  Chromium VI  Copper  Iron  Iron(T)  Lead  Lead(T)  Manganese  Mercury	TVS Southern Ute Indian  Itelas (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS	TVS Reservation  chronic  0.02 TVS TVS S TVS US 1000 TVS TVSWS 0.01(t)
coundary. This cosypilata lesignation P  ualifiers: //ater + Fish ther: chlorophyll a kes and rese ea. Phosphorus(e seervoirs-larg  EPA has specific to numeric che interi	s segment includes Capote Lake.  Classifications  Agriculture  Aq Life Warm 2  Recreation E  Water Supply  Standards  (ug/L)(chronic) = applies only to ervoirs larger than 25 acres surface whronic) = applies only to lakes and ger than 25 acres surface area.	Physica  Temperature °C  D.O. (mg/L) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  In  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	I and Biologie	cal  DM  WL  acute 6.5 - 9.0 L)  acute TVS 0.019 0.005 10 0.5	MWAT WL chronic 5.0 20* 126  chronic TVS 0.75 250 0.011 0.083*	Zinc e with Devil Creek to the S  M  Aluminum  Arsenic  Arsenic(T)  Beryllium  Cadmium(T)  Chromium III  Chromium III(T)  Chromium VI  Copper  Iron  Iron(T)  Lead  Lead(T)  Manganese  Mercury  Molybdenum(T)	TVS Southern Ute Indian  Itetals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS TVS	TVS  Reservation  chronic  0.02  TVS  TVS  TVS  WS 1000 TVS  TVSWS 0.01(t) 150 TVS
coundary. This cospPl11A lesignation P ualifiers: //ater + Fish ther: chlorophyll a kes and rese ea. Phosphorus(e aservoire-larg  EPA has specific to numeric che interi	s segment includes Capote Lake.  Classifications  Agriculture  Aq Life Warm 2  Recreation E  Water Supply  Standards  (ug/L)(chronic) = applies only to ervoirs larger than 25 acres surface whrenic) = applies only to lakes and ger than 25 acres surface area.  Is not acted on segment total phosphorus (TP) standards based on im value for lake/ r segments with a cold	Physica  Temperature °C  D.O. (mg/L) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  In  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	I and Biologie	cal  DM  WL  acute 6.5 - 9.0 L)  acute TVS 0.019 0.005 10 0.5	MWAT WL chronic 5.0 20* 126  Chronic TVS 0.75 250 0.011 0.083* WS	Zinc e with Devil Creek to the S  N  Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel	TVS Southern Ute Indian  Itetals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS TVS 50 TVS TVS TVS 50 TVS	TVS Reservation  chronic 0.02 TVS TVS S TVS TVS WS 1000 TVS TVSWS 0.01(t) 150 TVS
cosplication  pualifiers:  // der + Fish  ther:  chlorophyll a akes and reserva.  Phosphorus(e asservoire-large)  EPA has specific to numeric the interireservoir water aquestion and the servoire approximately app	Segment includes Capote Lake.  Classifications  Agriculture  Aq Life Warm 2  Recreation E  Water Supply  Standards  (ug/L)(chronic) = applies only to ervoirs larger than 25 acres surface area.  Sonot acted on segment total phosphorus (TP) standards based on im value for lake/ r segments with a cold quatic life classification	Physica  Temperature °C  D.O. (mg/L) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  In  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	I and Biologie	cal  DM  WL  acute 6.5 - 9.0 L)  acute TVS 0.019 0.005 10 0.5	MWAT WL chronic 5.0 20* 126  Chronic TVS 0.75 250 0.011 0.083* WS	Zinc e with Devil Creek to the S  N  Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	TVS Southern Ute Indian  Itetals (ug/L)	TVS  Reservation  chronic  0.02 TVS
cosplication  pualifiers:  // der + Fish  ther:  chlorophyll a akes and reserva.  Phosphorus(e asservoire-large)  EPA has specific to numeric the interireservoir water aquestion and the servoire approximately app	s segment includes Capote Lake.  Classifications  Agriculture  Aq Life Warm 2  Recreation E  Water Supply  Standards  (ug/L)(chronic) = applies only to ervoirs larger than 25 acres surface whrenic) = applies only to lakes and ger than 25 acres surface area.  Is not acted on segment total phosphorus (TP) standards based on im value for lake/ r segments with a cold	Physica  Temperature °C  D.O. (mg/L) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  In  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	I and Biologie	cal  DM  WL  acute 6.5 - 9.0 L)  acute TVS 0.019 0.005 10 0.5	MWAT WL chronic 5.0 20* 126  Chronic TVS 0.75 250 0.011 0.083* WS	Zinc e with Devil Creek to the S  Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T)	TVS Southern Ute Indian  Itetals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS TVS	TVS Reservation  chronic 0.02 TVS TVS STVS 1000 TVS TVS/WS 0.01(t) 150

 $\ensuremath{\mathsf{All}}$  metals are dissolved unless otherwise noted.

T = total recoverable

t = total tr=trout sc=sculpin D.O. = dissolved oxygen DM = daily maximum

COSJPI11B	Classifications	Physical and E	Biological		M	letals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
UP	Aq Life Warm 2	Temperature °C	WL	WL	Aluminum		
	Recreation P		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		5.0	Arsenic(T)		0.02-10 A
Qualifiers:		pН	6.5 - 9.0		Beryllium		
Other:		chlorophyll a (ug/L)		20*	Cadmium	TVS	TVS
		E. Coli (per 100 mL)		205	Cadmium(T)	5.0	
	Indian Reservation	Inorganio	(mg/L)		Chromium III		TVS
	(ug/L)(chronic) = applies only to ervoirs larger than 25 acres surface		acute	chronic	Chromium III(T)	50	
area. *Phosphorus(c	hronic) = applies only to lakes and	Ammonia	TVS	TVS	Chromium VI	TVS	TVS
	ger than 25 acres surface area.	Boron		0.25	Copper	TVS	TVS
		Chloride		250	Iron		WS
		Chlorine	0.019	0.011	Iron(T)		1000
		Cyanide	0.005		Lead	TVS	TVS
		Nitrate	10		Lead(T)	50	
		Nitrite	0.5		Manganese	TVS	TVS/WS
EDA boo	not acted on segment-	Phosphorus		0.083*	Mercury		0.01(t)
		Sulfate		ws	Molybdenum(T)		150
	total phosphorus (TP) standards based on	Sulfide		0.002	Nickel	TVS	TVS
	m value for lake/				Nickel(T)		100
					Selenium	TVS	TVS
	segments with a cold				Silver	TVS	TVS
(0.083 m	uatic life classification				Uranium		
(0.003 11	ig/L i P).				Zinc	TVS	TVS

1. All tributaries to the Los Pinos River, including all wetlands, which are within the Weminuche Wilderness Area.

# REGULATION #34 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS Los Pinos River Basin

OSJPN01	Classifications	Physical and I			М		
esignation	Agriculture		DM	MWAT		acute	chroni
W	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02
ualifiers:		D.O. (spawning)		7.0	Beryllium		
her:		рН	6.5 - 9.0		Cadmium	TVS	TVS
emporary M	lodification(s):	chlorophyll a (mg/m²)		150	Cadmium(T)	5.0	
	ic) = hybrid	E. Coli (per 100 mL)		126	Chromium III		TVS
	ite of 12/31/2024				Chromium III(T)	50	
		Inorgani	c (mg/L)		Chromium VI	TVS	TVS
			acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron		WS
		Boron		0.75	Iron(T)		1000
		Chloride		250	Lead	TVS	TVS
	as not acted on segment-	Chlorine	0.019	0.011	Lead(T)	50	
	total phosphorus (TP)	Cyanide	0.005		Manganese	TVS	TVS/WS
	c standards based on	Nitrate	10		Mercury		0.01(t)
he inte	rim value for river/	Nitrite	0.05		Molybdenum(T)		150
	segments with a cold	Phosphorus	0.05	0.11	Nickel	TVS	TVS
water a	quatic life classification	Sulfate		WS	Nickel(T)		10
(0.11 m	ng/L TP).				Selenium	TVS	TVS
•		Sulfide		0.002			
					Silver	TVS	TVS(tr
					Uranium		
a. Mainstem egment 3.	of the Los Pinos River from the bounds	· -		of the Sout	ı		TVS
egment 3. OSJPN02A	Classifications	ry of the Weminuche Wilderness  Physical and B	Biological		hern Ute Indian Reservation	except for the specif	fic listing in
gment 3.  DSJPN02A  esignation	Classifications Agriculture	Physical and B	Biological DM	MWAT	hern Ute Indian Reservation	except for the specif	ic listing in
gment 3.  DSJPN02A  esignation	Classifications Agriculture Aq Life Cold 1	· -	Biological  DM  CS-II	MWAT CS-II	hern Ute Indian Reservation  M  Aluminum	except for the specification (ug/L) acute	chroni
gment 3.  DSJPN02A  esignation	Classifications Agriculture	Physical and E	Biological DM	MWAT CS-II chronic	hern Ute Indian Reservation  M  Aluminum  Arsenic	except for the specification (ug/L) acute	chroni
egment 3.  OSJPN02A esignation eviewable	Classifications  Agriculture  Aq Life Cold 1  Recreation E	Physical and E Temperature °C  D.O. (mg/L)	Biological  DM  CS-II  acute	MWAT CS-II chronic 6.0	hern Ute Indian Reservation  M  Aluminum  Arsenic  Arsenic(T)	except for the specification (ug/L)  acute  340	chroni
gment 3.  DSJPN02A esignation eviewable ualifiers:	Classifications  Agriculture  Aq Life Cold 1  Recreation E	Physical and B Temperature °C  D.O. (mg/L) D.O. (spawning)	Biological  DM  CS-II  acute	MWAT CS-II chronic 6.0 7.0	hern Ute Indian Reservation  M  Aluminum  Arsenic  Arsenic(T)  Beryllium	except for the specification (ug/L)  acute 340	chroni
gment 3.  DSJPN02A signation eviewable salifiers:	Classifications  Agriculture  Aq Life Cold 1  Recreation E	Physical and B Temperature °C  D.O. (mg/L) D.O. (spawning) pH	DM CS-II acute  6.5 - 9.0	MWAT CS-II chronic 6.0 7.0	Aluminum Arsenic Arsenic(T) Beryllium Cadmium	except for the specification (ug/L)  acute 340 TVS	chroni 0.00 TVS
gment 3. DSJPN02A signation viewable addiffers:	Classifications  Agriculture  Aq Life Cold 1  Recreation E	Physical and E Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)	DM CS-II acute  6.5 - 9.0	MWAT CS-II chronic 6.0 7.0 150*	Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T)	except for the specification (ug/L)  acute 340 TVS 5.0	chroni 0.00 TVS
egment 3.  DSJPN02A esignation eviewable  ualifiers: cher:	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply	Physical and B Temperature °C  D.O. (mg/L) D.O. (spawning) pH	DM CS-II acute  6.5 - 9.0	MWAT CS-II chronic 6.0 7.0	Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III	except for the specification (ug/L)  acute 340 TVS 5.0	chroni 0.02 TVS
egment 3.  OSJPN02A esignation eviewable  ualifiers: ther: emporary M senic(chronic	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Physical and E  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)	Biological  DM  CS-II  acute   6.5 - 9.0	MWAT CS-II chronic 6.0 7.0 150*	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T)	except for the specification (ug/L)  acute 340 TVS 5.0 50	chroni 0.02 TVS
gment 3.  DSJPN02A  esignation  eviewable  ualifiers:  her:  emporary M  senic(chroni piration Dal	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  Identification(s): iic) = hybrid ite of 12/31/2024  Item (mg/m²)(chronic) = applies only above	Physical and E Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)	Biological  DM  CS-II  acute 6.5 - 9.0 c (mg/L)	MWAT CS-II chronic 6.0 7.0 150* 126	Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III(T) Chromium VI	except for the specification (ug/L)  acute 340 TVS 5.0 50 TVS	chroni 0.00 TVS TVS
gment 3.  DSJPN02A  signation  viewable  alifiers:  her:  mporary M  senic(chroni piration Dat  allorophyll a  facilities ii	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  lodification(s): ic) = hybrid  tte of 12/31/2024	Physical and E Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)	Biological  DM  CS-II  acute 6.5 - 9.0 c (mg/L) acute	MWAT CS-II chronic 6.0 7.0 150* 126	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper	except for the specification (ug/L)  acute 340 TVS 5.0 50 TVS TVS	chroni 0.00 TVS TVS TVS
gment 3.  DSJPN02A  signation  eviewable  ualifiers:  her:  mporary M  senic(chroni piration Dat  horophyll a  e facilities li hosphorus(e	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  Iodification(s):  iic) = hybrid  ite of 12/31/2024  In (mg/m²) (chronic) = applies only above isted at 34.5(5).  Schronic) = applies only above the	Physical and E Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic	Biological  DM  CS-II  acute 6.5 - 9.0 c (mg/L) acute TVS	MWAT CS-II chronic 6.0 7.0 150* 126  chronic TVS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium VI Copper Iron	except for the specification (ug/L)  acute 340 TVS 5.0 50 TVS TVS	chroni 0.00 TVS TVS TVS VS
gment 3.  DSJPN02A  signation  eviewable  ualifiers:  her:  emporary M  senic(chroni piration Dat  hlorophyll a  e facilities li	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  Iodification(s):  iic) = hybrid  ite of 12/31/2024  In (mg/m²) (chronic) = applies only above isted at 34.5(5).  Schronic) = applies only above the	Physical and E Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic  Ammonia Boron	Biological  DM  CS-II  acute 6.5 - 9.0 c (mg/L) acute	MWAT CS-II chronic 6.0 7.0 150* 126  chronic TVS 0.75	Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T)	except for the specification (ug/L)  acute 340 TVS 5.0 50 TVS TVS	chroni 0.00 TVS TVS VS VS TVS TVS TVS
gment 3.  DSJPN02A  signation  eviewable  ualifiers:  her:  mporary M  senic(chroni piration Dat  horophyll a  e facilities li hosphorus(e	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  Iodification(s):  iic) = hybrid  ite of 12/31/2024  In (mg/m²) (chronic) = applies only above isted at 34.5(5).  Schronic) = applies only above the	Physical and B Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic  Ammonia Boron Chloride	Biological  DM  CS-II  acute 6.5 - 9.0 c (mg/L) acute TVS	MWAT CS-II chronic 6.0 7.0 150* 126  chronic TVS 0.75 250	Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead	except for the specification (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS TVS	chroni 0.00 TV\$ TV\$ TV\$ TV\$ TV\$
gment 3.  DSJPN02A  signation  eviewable  ualifiers:  her:  mporary M  senic(chroni piration Dat  horophyll a  e facilities li hosphorus(e	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  Iodification(s):  iic) = hybrid  ite of 12/31/2024  In (mg/m²) (chronic) = applies only above isted at 34.5(5).  Schronic) = applies only above the	Physical and E Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic  Ammonia Boron	Biological  DM  CS-II  acute 6.5 - 9.0 c (mg/L) acute TVS	MWAT CS-II chronic 6.0 7.0 150* 126  chronic TVS 0.75	Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T)	except for the specification (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS TVS 50	Chron
gment 3.  DSJPN02A  signation  viewable  alifiers:  her:  mporary M  senic(chroni piration Dal  allorophyll a  facilities li nesphorus(e)	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  Iodification(s):  iic) = hybrid  ite of 12/31/2024  In (mg/m²) (chronic) = applies only above isted at 34.5(5).  Schronic) = applies only above the	Physical and B Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic  Ammonia Boron Chloride	Biological  DM  CS-II  acute 6.5 - 9.0 c (mg/L)  acute TVS 0.019 0.005	MWAT CS-II chronic 6.0 7.0 150* 126  chronic TVS 0.75 250	Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead	except for the specification (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS TVS	Chroni   Chroni     0.00     TVS     TVS   TVS   VS   VS   1000   TVS
OSJPN02A signation viewable alifiers: her: mporary M senic(chronioiration Dal alidorophyll a facilities li neephorus(e)	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  Iodification(s):  iic) = hybrid  ite of 12/31/2024  In (mg/m²) (chronic) = applies only above isted at 34.5(5).  Schronic) = applies only above the	Physical and B Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorgania  Ammonia  Boron Chloride Chlorine	Biological  DM  CS-II  acute 6.5 - 9.0 c (mg/L)  acute TVS 0.019	MWAT CS-II chronic 6.0 7.0 150* 126  chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T)	except for the specification (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS TVS 50	chroni ch
OSJPN02A signation viewable alifiers: her: mporary M senic(chronioiration Dal alidorophyll a facilities li neephorus(e)	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  Iodification(s):  iic) = hybrid  ite of 12/31/2024  In (mg/m²) (chronic) = applies only above isted at 34.5(5).  Schronic) = applies only above the	Physical and Interpretation of Improvement of Impro	Biological  DM  CS-II  acute 6.5 - 9.0 c (mg/L)  acute TVS 0.019 0.005	MWAT CS-II chronic 6.0 7.0 150* 126  chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese	except for the specification (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS TVS 50 TVS TVS TVS 50 TVS	Chroni
gment 3.  DSJPN02A  signation  viewable  alifiers:  her:  mporary M  senic(chroni piration Dal  allorophyll a  facilities li nesphorus(e)	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  Iodification(s):  iic) = hybrid  ite of 12/31/2024  In (mg/m²) (chronic) = applies only above isted at 34.5(5).  Schronic) = applies only above the	Physical and B Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorgania  Ammonia Boron Chloride Chlorine Cyanide Nitrate	Biological  DM  CS-II  acute 6.5 - 9.0 c (mg/L)  acute TVS 0.019 0.005 10	MWAT CS-II chronic 6.0 7.0 150* 126  Chronic TVS 0.75 250 0.011	hern Ute Indian Reservation  M  Aluminum  Arsenic  Arsenic(T)  Beryllium  Cadmium(T)  Chromium III  Chromium III(T)  Chromium VI  Copper  Iron  Iron(T)  Lead  Lead(T)  Manganese  Mercury	except for the specification (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS	chroni 0.00 TVS TVS TVS TVS TVS 0.01 TVS TVS TVS TVS TVS TVS
gment 3.  DSJPN02A  signation  viewable  alifiers:  her:  mporary M  senic(chronipiration Dal  allorophyll a  facilities li nesphorus(e)	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  Iodification(s):  iic) = hybrid  ite of 12/31/2024  In (mg/m²) (chronic) = applies only above isted at 34.5(5).  Schronic) = applies only above the	Physical and B Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorgania  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite	Biological  DM  CS-II  acute 6.5 - 9.0 c (mg/L)  acute TVS 0.019 0.005 10 0.05	MWAT CS-II chronic 6.0 7.0 150* 126  Chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T)	except for the specification (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS	Chroni 0.00 TV\$ TV\$ TV\$ TV\$ TV\$ 1000 TV\$ TV\$S/W\$ 0.01(t
gment 3.  DSJPN02A  signation  viewable  alifiers:  her:  mporary M  senic(chroni piration Dat  aliforophyll a  a facilities li nosphorus(e	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  Iodification(s):  iic) = hybrid  ite of 12/31/2024  In (mg/m²) (chronic) = applies only above isted at 34.5(5).  Schronic) = applies only above the	Physical and B Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	Biological  DM  CS-II  acute 6.5 - 9.0 c (mg/L)  acute TVS 0.019 0.005 10 0.05	MWAT CS-II chronic 6.0 7.0 150* 126  Chronic TVS 0.75 250 0.011 0.11*	hern Ute Indian Reservation  M  Aluminum  Arsenic  Arsenic(T)  Beryllium  Cadmium(T)  Chromium III  Chromium VI  Copper  Iron  Iron(T)  Lead  Lead(T)  Manganese  Mercury  Molybdenum(T)  Nickel	except for the specification (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS	Chroni 0.00 TV\$ TV\$ TV\$ 1000 TV\$ TVS/W\$ 0.01(t
gment 3.  DSJPN02A  signation  viewable  alifiers:  her:  mporary M  senic(chroni piration Dat  aliforophyll a  a facilities li nosphorus(e	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  Iodification(s):  iic) = hybrid  ite of 12/31/2024  In (mg/m²) (chronic) = applies only above isted at 34.5(5).  Schronic) = applies only above the	Physical and B Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	Biological  DM  CS-II  acute 6.5 - 9.0 c (mg/L)  acute TVS 0.019 0.005 10 0.05	MWAT CS-II chronic 6.0 7.0 150* 126  Chronic TVS 0.75 250 0.011 0.41* WS	hern Ute Indian Reservation  M  Aluminum  Arsenic  Arsenic(T)  Beryllium  Cadmium  Cadmium(T)  Chromium III  Chromium VI  Copper  Iron  Iron(T)  Lead  Lead(T)  Manganese  Mercury  Molybdenum(T)  Nickel  Nickel(T)	except for the specification (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS	Chroni 0.00 TVS TVS TVS-WS 0.01(t 150 TVS
gment 3.  DSJPN02A  ssignation  eviewable  ualifiers: her: emporary M senic(chroni piration Dat holorophyll a e facilities li hosphorus(e	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  Iodification(s):  iic) = hybrid  ite of 12/31/2024  In (mg/m²) (chronic) = applies only above isted at 34.5(5).  Schronic) = applies only above the	Physical and B Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	Biological  DM  CS-II  acute 6.5 - 9.0 c (mg/L)  acute TVS 0.019 0.005 10 0.05	MWAT CS-II chronic 6.0 7.0 150* 126  Chronic TVS 0.75 250 0.011 0.41* WS	hern Ute Indian Reservation  M  Aluminum  Arsenic  Arsenic(T)  Beryllium  Cadmium  Cadmium(T)  Chromium III  Chromium III(T)  Chromium VI  Copper  Iron  Iron(T)  Lead  Lead(T)  Manganese  Mercury  Molybdenum(T)  Nickel  Nickel(T)  Selenium	except for the specification (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS	chroni

All metals are dissolved unless otherwise noted.  $T = total \ recoverable \\ t = total \\ tr=trout$ 

sc=sculpin

COSJPN02B	Classifications	Physical and I	servation to the Pine		r '	fletals (ug/L)	
		Physical and B		BANA/ A T	IV.		-1
esignation	Agriculture	T	DM	MWAT	A1	acute	chronic
eviewable	Aq Life Cold 1	Temperature °C	CS-II	CS-II	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02
ualifiers:		D.O. (spawning)		7.0	Beryllium		
ther:		рН	6.5 - 9.0		Cadmium	TVS	TVS
emporary M	odification(s):	chlorophyll a (mg/m²)			Cadmium(T)	5.0	
rsenic(chroni		E. Coli (per 100 mL)		126	Chromium III		TVS
piration Dat	te of 12/31/2024				Chromium III(T)	50	
S. d 11.	. I. fac. Dance of a	Inorganio	c (mg/L)		Chromium VI	TVS	TVS
soutnern Ute	Indian Reservation		acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron		WS
		Boron		0.75	Iron(T)		1000
		Chloride		250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	
		Cyanide	0.005		Manganese	TVS	TVS/WS
		Nitrate	10		Mercury		0.01(t)
		Nitrite	0.05		Molybdenum(T)		150
		Phosphorus			Nickel	TVS	TVS
		Sulfate		WS	Nickel(T)		100
		Sulfide		0.002	Selenium	TVS	TVS
					Silver	TVS	TVS(tr)
					Uranium		
							TVS
		the Pine Ditch Diversion (37.1906, -107.58778	B) to above the conf	fluence with	Dry Creek. Mainstem of Bea	aver Creek from the b	
		the Pine Ditch Diversion (37.1906, -107.58778 their confluences with the Los Pinos River.  Physical and B	•	fluence with	, I	aver Creek from the b	
the Souther	n Ute Indian Reservation to	their confluences with the Los Pinos River.	•	fluence with	, I		
the Souther	n Ute Indian Reservation to Classifications	their confluences with the Los Pinos River.	Biological		, I	lletals (ug/L)	oundaries
the Souther OSJPN02C esignation	Ute Indian Reservation to     Classifications     Agriculture	their confluences with the Los Pinos River.  Physical and I	Biological DM	MWAT	N	fletals (ug/L)	oundaries chronic
the Souther OSJPN02C esignation	n Ute Indian Reservation to  Classifications  Agriculture  Aq Life Cold 1	Temperature °C	Biological  DM  CS-II	MWAT	Aluminum Arsenic	Metals (ug/L)	chronic
the Souther OSJPN02C esignation eviewable	n Ute Indian Reservation to Classifications  Agriculture  Aq Life Cold 1  Recreation E	Temperature °C  D.O. (mg/L)	Biological  DM  CS-II  acute	MWAT CS-II chronic 6.0	Aluminum Arsenic Arsenic(T)	Acute 340	chronic
the Souther OSJPN02C esignation eviewable ualifiers:	n Ute Indian Reservation to Classifications  Agriculture  Aq Life Cold 1  Recreation E	Temperature °C  D.O. (mg/L)  D.O. (spawning)	Biological  DM  CS-II  acute	MWAT CS-II chronic 6.0 7.0	Aluminum Arsenic Arsenic(T) Beryllium	Aetals (ug/L)  acute 340	chronic
the Souther OSJPN02C esignation eviewable ualifiers:	n Ute Indian Reservation to Classifications  Agriculture  Aq Life Cold 1  Recreation E	Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH	Biological  DM  CS-II  acute   6.5 - 9.0	MWAT CS-II chronic 6.0 7.0	Aluminum Arsenic Arsenic(T) Beryllium Cadmium	### Acute 340 TVS	chronic 0.02 TVS
the Souther OSJPN02C esignation eviewable ualifiers:	n Ute Indian Reservation to Classifications  Agriculture  Aq Life Cold 1  Recreation E	Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)	Biological  DM  CS-II  acute   6.5 - 9.0	MWAT CS-II chronic 6.0 7.0	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T)	acute 340 TVS 5.0	chronic 0.02 TVS
the Souther OSJPN02C esignation eviewable ualifiers: ther:	N Ute Indian Reservation to Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply	Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH	Biological  DM  CS-II  acute   6.5 - 9.0	MWAT CS-II chronic 6.0 7.0	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III	acute 340 TVS 5.0	chronic 0.02 TVS
the Souther OSJPN02C esignation eviewable ualifiers:	N Ute Indian Reservation to Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply	Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)	Biological  DM  CS-II  acute   6.5 - 9.0	MWAT CS-II chronic 6.0 7.0	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T)	Actals (ug/L)  acute 340 TVS 5.0 50	chronic 0.02 TVS
the Souther OSJPN02C esignation eviewable ualifiers:	N Ute Indian Reservation to Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply	Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)	DM   CS-II   acute     6.5 - 9.0       c (mg/L)	MWAT  CS-II  chronic  6.0  7.0   126	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T)	Actals (ug/L)  acute 340 TVS 5.0 50 TVS	chronic 0.02 TVS TVS TVS
the Souther OSJPN02C esignation eviewable ualifiers:	N Ute Indian Reservation to Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply	Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)	Biological  DM  CS-II  acute 6.5 - 9.0 c (mg/L)  acute	MWAT CS-II chronic 6.0 7.0 126 chronic	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper	### Acute	chronic 0.02 TVS TVS TVS TVS
the Souther OSJPN02C esignation eviewable ualifiers:	N Ute Indian Reservation to Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply	Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorganic	Biological  DM  CS-II  acute 6.5 - 9.0 c (mg/L)  acute TVS	MWAT CS-II chronic 6.0 7.0 126  chronic	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper	Actals (ug/L)  acute 340 TVS 5.0 50 TVS	chronic  0.02 TVS TVS TVS SVS
the Souther OSJPN02C esignation eviewable ualifiers:	N Ute Indian Reservation to Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply	Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)	Biological  DM  CS-II  acute 6.5 - 9.0 c (mg/L)  acute	MWAT CS-II chronic 6.0 7.0 126 chronic	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T)	### Acute	chronic  0.02 TVS TVS TVS S VS TVS US TVS TVS
the Souther OSJPN02C esignation eviewable ualifiers:	N Ute Indian Reservation to Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply	Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorganic	Biological  DM  CS-II  acute 6.5 - 9.0 c (mg/L)  acute TVS	MWAT CS-II chronic 6.0 7.0 126  chronic	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper	Acute 340 TVS 5.0 50 TVS TVS	chronic  0.02 TVS TVS TVS S VS TVS US TVS TVS
the Souther OSJPN02C esignation eviewable ualifiers:	N Ute Indian Reservation to Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply	Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorgani  Ammonia  Boron	DM   CS-II   acute     6.5 - 9.0       c (mg/L)   acute   TVS	MWAT CS-II chronic 6.0 7.0 126  chronic TVS 0.75	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T)	Actals (ug/L)	chronic  0.02 TVS TVS TVS TVS SVS
the Souther OSJPN02C esignation eviewable ualifiers:	N Ute Indian Reservation to Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply	Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorganic  Ammonia  Boron  Chloride	Biological  DM  CS-II  acute   6.5 - 9.0   c (mg/L)  acute  TVS	MWAT CS-II chronic 6.0 7.0 126  chronic TVS 0.75	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead	### Acute	chronic  0.02 TVS TVS STVS WS 1000 TVS
the Souther OSJPN02C esignation eviewable ualifiers:	N Ute Indian Reservation to Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply	Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorganic  Ammonia  Boron  Chloride  Chlorine	Biological  DM  CS-II  acute 6.5 - 9.0 c (mg/L)  acute TVS 0.019	MWAT CS-II chronic 6.0 7.0 126  chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T)	### Acute	chronic  0.02 TVS TVS STVS WS 1000 TVS
the Souther OSJPN02C esignation eviewable ualifiers:	N Ute Indian Reservation to Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply	Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorganic  Ammonia  Boron  Chloride  Chlorine  Cyanide	Biological  DM  CS-II  acute 6.5 - 9.0 c (mg/L)  acute TVS 0.019 0.005	MWAT  CS-II  chronic  6.0  7.0   126  chronic  TVS  0.75  250  0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese	### Acute   Ac	Chronic   Chro
the Souther OSJPN02C esignation eviewable ualifiers:	N Ute Indian Reservation to Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply	Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorganic  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate	Biological  DM  CS-II  acute   6.5 - 9.0   c (mg/L)  acute  TVS   0.019  0.005  10	MWAT CS-II chronic 6.0 7.0 126  chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury	### Acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS	Chronic   Chro
the Souther OSJPN02C esignation eviewable ualifiers:	N Ute Indian Reservation to Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply	Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorganic  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate  Nitrite  Phosphorus	Biological  DM  CS-II  acute   6.5 - 9.0   c (mg/L)  acute  TVS   0.019  0.005  10  0.05	MWAT CS-II chronic 6.0 7.0 126  chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel	### Acute   Section   Sect	Chronic   Chro
the Souther OSJPN02C esignation eviewable ualifiers:	N Ute Indian Reservation to Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply	Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorganic  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate  Nitrite  Phosphorus  Sulfate	Biological  DM  CS-II  acute 6.5 - 9.0 c (mg/L)  acute TVS 0.019 0.005 10 0.05	MWAT CS-II chronic 6.0 7.0 126  Chronic TVS 0.75 250 0.011 WS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T)	### Acute	Chronic 0.02 TVS TVS S 1000 TVS TVSWS 0.01(t) 150 TVS
the Souther OSJPN02C esignation eviewable ualifiers:	N Ute Indian Reservation to Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply	Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorganic  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate  Nitrite  Phosphorus	Biological  DM  CS-II  acute   6.5 - 9.0   c (mg/L)  acute  TVS   0.019  0.005  10  0.05	MWAT CS-II chronic 6.0 7.0 126  chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	### Acute   Section   Sect	Chronic 0.02 TVS TVS S 1000 TVS TVS/WS 0.01(t) 150 TVS
the Souther OSJPN02C esignation eviewable ualifiers: ther:	N Ute Indian Reservation to Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply	Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorganic  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate  Nitrite  Phosphorus  Sulfate	Biological  DM  CS-II  acute 6.5 - 9.0 c (mg/L)  acute TVS 0.019 0.005 10 0.05	MWAT CS-II chronic 6.0 7.0 126  Chronic TVS 0.75 250 0.011 WS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium Silver	### Acute   Ac	Chronic 0.02 TVS TVS S TVS 1000 TVS TVSWS 0.01(t) 150 TVS TVS(tr)
the Souther OSJPN02C esignation eviewable ualifiers:	N Ute Indian Reservation to Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply	Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorganic  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate  Nitrite  Phosphorus  Sulfate	Biological  DM  CS-II  acute 6.5 - 9.0 c (mg/L)  acute TVS 0.019 0.005 10 0.05	MWAT CS-II chronic 6.0 7.0 126  Chronic TVS 0.75 250 0.011 WS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	### Acute   Section   Sect	Chronic 0.02 TVS TVS S 1000 TVS TVS/WS 0.01(t) 150 TVS

All metals are dissolved unless otherwise noted.  $\label{eq:T} T = total \ recoverable$  t = total

t=total tr=trout sc=sculpin D.O. = dissolved oxygen DM = daily maximum

COSJPN02D	Classifications	Physical and E	Biological		М	etals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
eviewable	Aq Life Cold 1	Temperature °C	CS-II	CS-II	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02
Qualifiers:		D.O. (spawning)		7.0	Beryllium		
Other:		рН	6.5 - 9.0		Cadmium	TVS	TVS
		chlorophyll a (mg/m²)			Cadmium(T)	5.0	
Southern Ute	e Indian Reservation	E. Coli (per 100 mL)		126	Chromium III		TVS
					Chromium III(T)	50	
		Inorganio	(mg/L)		Chromium VI	TVS	TVS
			acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron		WS
		Boron		0.75	Iron(T)		1000
		Chloride		250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	
		Cyanide	0.005		Manganese	TVS	TVS/WS
		Nitrate	10		Mercury		0.01(t)
		Nitrite	0.05		Molybdenum(T)		150
		Phosphorus			Nickel	TVS	TVS
		Sulfate		ws	Nickel(T)		100
		Sulfide		0.002	Selenium	TVS	TVS
					Silver	TVS	TVS(tr)
					Uranium		
					Zinc	TVS	TVS
3. Vallecito R	eservoir.						
3. Vallecito R	eservoir.  Classifications	Physical and E	Biological		Zinc		
COSJPN03		Physical and E	Biological DM	MWAT	Zinc	TVS	
COSJPN03 Designation	Classifications	Physical and E		MWAT CLL	Zinc	TVS etals (ug/L)	TVS
COSJPN03 Designation	Classifications Agriculture Aq Life Cold 1 Recreation E	·	DM		Zinc	TVS etals (ug/L) acute	TVS
COSJPN03 Designation Reviewable	Classifications Agriculture Aq Life Cold 1	·	DM CLL	CLL	Zinc M	TVS etals (ug/L) acute	chronic
COSJPN03 Designation Reviewable	Classifications Agriculture Aq Life Cold 1 Recreation E	Temperature °C	DM CLL acute	CLL	Zinc M Aluminum Arsenic	etals (ug/L) acute 340	chronic
COSJPN03 Designation Reviewable Qualifiers:	Classifications Agriculture Aq Life Cold 1 Recreation E	Temperature °C  D.O. (mg/L)	DM CLL acute	CLL chronic 6.0	Zinc  M  Aluminum  Arsenic  Arsenic(T)	etals (ug/L) acute 340	chronic
	Classifications Agriculture Aq Life Cold 1 Recreation E	Temperature °C  D.O. (mg/L)  D.O. (spawning)	DM CLL acute	CLL chronic 6.0 7.0	Aluminum Arsenic Arsenic(T) Beryllium	TVS  etals (ug/L)  acute 340	chronic
COSJPN03 Designation Reviewable Qualifiers:	Classifications Agriculture Aq Life Cold 1 Recreation E	Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH	DM CLL acute   6.5 - 9.0	CLL chronic 6.0 7.0	Aluminum Arsenic Arsenic(T) Beryllium Cadmium	TVS  etals (ug/L)  acute 340 TVS	chronic
COSJPN03 Designation Reviewable Qualifiers:	Classifications Agriculture Aq Life Cold 1 Recreation E	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L)	CLL acute  6.5 - 9.0	CLL chronic 6.0 7.0	Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T)	TVS  etals (ug/L)  acute 340 TVS 5.0	chronic
COSJPN03 Designation Reviewable Qualifiers:	Classifications Agriculture Aq Life Cold 1 Recreation E	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L)	CLL acute  6.5 - 9.0	CLL chronic 6.0 7.0	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III	TVS  etals (ug/L)  acute 340 TVS 5.0	chronic 0.02 TVS TVS
COSJPN03 Designation Reviewable Qualifiers:	Classifications Agriculture Aq Life Cold 1 Recreation E	Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (ug/L)  E. Coli (per 100 mL)	CLL acute  6.5 - 9.0	CLL chronic 6.0 7.0	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T)	TVS  etals (ug/L)  acute 340 TVS 5.0 50	chronic 0.02 TVS TVS TVS
COSJPN03 Designation Reviewable Qualifiers:	Classifications Agriculture Aq Life Cold 1 Recreation E	Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (ug/L)  E. Coli (per 100 mL)	DM CLL acute   6.5 - 9.0  	CLL chronic 6.0 7.0 126	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T)	TVS  etals (ug/L)  acute 340 TVS 5.0 50 TVS	chronic 0.02 TVS TVS TVS TVS TVS
COSJPN03 Designation Reviewable Qualifiers:	Classifications Agriculture Aq Life Cold 1 Recreation E	Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (ug/L)  E. Coli (per 100 mL)	CLL acute 6.5 - 9.0 c: (mg/L) acute	CLL chronic 6.0 7.0 126 chronic	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper	TVS  etals (ug/L)  acute 340 TVS 5.0 50 TVS TVS	chronic 0.02 TVS TVS TVS VS
COSJPN03 Designation Reviewable Qualifiers:	Classifications Agriculture Aq Life Cold 1 Recreation E	Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (ug/L)  E. Coli (per 100 mL)  Inorganic	CLL acute 6.5 - 9.0 c: (mg/L) acute TVS	CLL chronic 6.0 7.0 126  chronic TVS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium Chromium III Chromium III Chromium VI Copper Iron	TVS  etals (ug/L)  acute 340 TVS 5.0 50 TVS TVS	TVS  chronic  0.02 TVS TVS TVS VS 1000
COSJPN03 Designation Reviewable Qualifiers:	Classifications Agriculture Aq Life Cold 1 Recreation E	Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (ug/L)  E. Coli (per 100 mL)  Inorganic  Ammonia  Boron	CLL acute 6.5 - 9.0 c: (mg/L) acute TVS	CLL chronic 6.0 7.0 126  chronic TVS 0.75	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T)	TVS  etals (ug/L)  acute 340 TVS 5.0 50 TVS TVS	Chronic 0.02 TVS TVS
COSJPN03 Designation Reviewable Qualifiers:	Classifications Agriculture Aq Life Cold 1 Recreation E	Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (ug/L)  E. Coli (per 100 mL)  Inorganic  Ammonia  Boron  Chloride	CLL acute 6.5 - 9.0 c: (mg/L) acute TVS	CLL chronic 6.0 7.0 126 chronic TVS 0.75 250	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T)	TVS  etals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS TVS	TVS  chronic  0.02 TVS TVS TVS TVS TVS TVS TVS TVS
COSJPN03 Designation Reviewable Qualifiers:	Classifications Agriculture Aq Life Cold 1 Recreation E	Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (ug/L)  E. Coli (per 100 mL)  Inorganic  Ammonia  Boron  Chloride  Chlorine	CLL acute 6.5 - 9.0 c: (mg/L) acute TVS 0.019	CLL chronic 6.0 7.0 126  chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T)	TVS  etals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS TVS 50	TVS  chronic  0.02 TVS TVS TVS SVS 1000 TVS
COSJPN03 Designation Reviewable Qualifiers:	Classifications Agriculture Aq Life Cold 1 Recreation E	Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (ug/L)  E. Coli (per 100 mL)  Inorganio  Ammonia  Boron  Chloride  Chlorine  Cyanide	CLL acute 6.5 - 9.0 c: (mg/L) acute TVS 0.019 0.005	CLL chronic 6.0 7.0 126  chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese	TVS  etals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS TVS 50 TVS	TVS  chronic 0.02 TVS TVS TVS TVS TVS TVS TVSWS
COSJPN03 Designation Reviewable Qualifiers:	Classifications Agriculture Aq Life Cold 1 Recreation E	Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  Inorganic  Ammonia Boron Chloride Chlorine Cyanide Nitrate	CLL acute 6.5 - 9.0 c: (mg/L) acute TVS 0.019 0.005 10	CLL chronic 6.0 7.0 126  chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury	TVS  etals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS	TVS  chronic   0.02   TVS  TVS  VS  1000  TVS  TVS  TVS  TVS  0.01(t)  150
COSJPN03 Designation Reviewable Qualifiers:	Classifications Agriculture Aq Life Cold 1 Recreation E	Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  Inorganic  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite	CLL acute 6.5 - 9.0  c (mg/L)  acute TVS 0.019 0.005 10 0.05	CLL chronic 6.0 7.0 126  chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T)	TVS  etals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS TVS	TVS  chronic   0.02   TVS  TVS  TVS  TVS  TVS  1000  TVS  TVS  TVS  TVS  TVS  TVS  TVS
COSJPN03 Designation Reviewable Qualifiers:	Classifications Agriculture Aq Life Cold 1 Recreation E	Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (ug/L)  E. Coli (per 100 mL)  Inorganic  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate  Nitrite  Phosphorus  Sulfate	CLL acute 6.5 - 9.0 c: (mg/L) acute TVS 0.019 0.005 10 0.05	CLL chronic 6.0 7.0 126  chronic TVS 0.75 250 0.011 WS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel	TVS  etals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS	TVS  chronic   0.02   TVS  TVS  TVS  TVS  TVS  1000  TVS  TVS  TVS  TVS  TVS  TVS  TVS
COSJPN03 Designation Reviewable Qualifiers:	Classifications Agriculture Aq Life Cold 1 Recreation E	Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (ug/L)  E. Coli (per 100 mL)  Inorganic  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate  Nitrite  Phosphorus	DM CLL acute 6.5 - 9.0 c: (mg/L) acute TVS 0.019 0.005 10 0.05	CLL chronic 6.0 7.0 126  chronic TVS 0.75 250 0.011	Zinc  M  Aluminum  Arsenic  Arsenic(T)  Beryllium  Cadmium  Cadmium(T)  Chromium III  Chromium VI  Copper  Iron  Iron(T)  Lead  Lead(T)  Manganese  Mercury  Molybdenum(T)  Nickel  Nickel(T)	TVS  etals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS	TVS  chronic  0.02  TVS  TVS  TVS  TVS  TVS  TVS  0.01(t)
COSJPN03 Designation Reviewable Qualifiers:	Classifications Agriculture Aq Life Cold 1 Recreation E	Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (ug/L)  E. Coli (per 100 mL)  Inorganic  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate  Nitrite  Phosphorus  Sulfate	DM CLL acute 6.5 - 9.0 c: (mg/L) acute TVS 0.019 0.005 10 0.05	CLL chronic 6.0 7.0 126  chronic TVS 0.75 250 0.011 WS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	TVS  etals (ug/L)  acute 340 TVS 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS TVS	TVS  chronic   0.02   TVS  TVS  TVS  1000  TVS  TVS  TVS  TVS  TVS  TVS  TVS

All metals are dissolved unless otherwise noted. T = total recoverable t = total

tr=trout sc=sculpin D.O. = dissolved oxygen DM = daily maximum MWAT = maximum weekly average temperature See 34.6 for further details on applied standards.

4. All tributaries to the Los Pinos River and Vallecito Reservoir, including all wetlands, from the boundary of the Weminuche Wilderness Area to a point immediately below the confluence with Bear Creek, except for the specific listing in Segment 5; mainstems of Beaver Creek, Ute Creek, and Spring Creek from their sources to the boundary of the Southern Ute Indian Reservation.

Designation	Classifications	Physical and Biolog	ical		Metals	s (ug/L)	
_ 55.g/idilo/i	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02
Qualifiers:		D.O. (spawning)		7.0	Beryllium		
Other:		pH	6.5 - 9.0		Cadmium	TVS	TVS
Temporary Mo	odification(s):	chlorophyll a (mg/m²)		150	Cadmium(T)	5.0	
Arsenic(chroni	c) = hybrid	E. Coli (per 100 mL)		126	Chromium III		TVS
Expiration Date	e of 12/31/2024				Chromium III(T)	50	
		Inorganic (mg	/L)		Chromium VI	TVS	TVS
			acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron		WS
EPA ha	s not acted on segment-	Boron		0.75	Iron(T)		1000
	total phosphorus (TP)	Chloride		250	Lead	TVS	TVS
	standards based on	Chlorine	0.019	0.011	Lead(T)	50	
	rim value for river/	Cyanide	0.005		Manganese	TVS	TVS/WS
	segments with a cold	Nitrate	10		Mercury		0.01(t)
	quatic life classification	Nitrite	0.05		Molybdenum(T)		150
(0.11 m		Phosphorus		0.11	Nickel	TVS	TVS
(0111111	9, = ,.	Sulfate		WS	Nickel(T)		100
		Sulfide		0.002	Selenium	TVS	TVS
					Silver	TVS	TVS(tr)
					Uranium		
					Zinc	TVS	TVS(sc)
5. Mainstem o	of Vallecito Creek from the boundary of	the Weminuche Wilderness Area to Vall	ecito Reservo	ir.			
COSJPN05	Classifications	Physical and Biolog	ical		Metals	s (ug/L)	
Designation	Agriculture		DM	B414/AT			
	• *		DIVI	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Aluminum	acute 	chronic 
Reviewable	Aq Life Cold 1 Recreation E	Temperature °C			Aluminum Arsenic		
	Aq Life Cold 1	Temperature °C  D.O. (mg/L)	CS-I	CS-I			
Reviewable  Qualifiers:	Aq Life Cold 1 Recreation E		CS-I acute	CS-I chronic	Arsenic	340	
	Aq Life Cold 1 Recreation E	D.O. (mg/L)	CS-I acute	CS-I chronic 6.0	Arsenic Arsenic(T)	340 	  0.02
Qualifiers:	Aq Life Cold 1 Recreation E Water Supply	D.O. (mg/L) D.O. (spawning)	CS-I acute	CS-I chronic 6.0 7.0	Arsenic Arsenic(T) Beryllium	 340 	  0.02 
Qualifiers:	Aq Life Cold 1 Recreation E Water Supply  odification(s):	D.O. (mg/L) D.O. (spawning) pH	CS-I acute  6.5 - 9.0	CS-I chronic 6.0 7.0	Arsenic Arsenic(T) Beryllium Cadmium	 340   TVS	 0.02  TVS
Qualifiers: Other: Temporary Mo	Aq Life Cold 1 Recreation E Water Supply  odification(s):	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²)	CS-I acute   6.5 - 9.0	CS-I chronic 6.0 7.0  150*	Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T)	340  TVS 5.0	 0.02  TVS
Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date	Aq Life Cold 1 Recreation E Water Supply  odification(s): c) = hybrid e of 12/31/2024	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²)	CS-I acute  6.5 - 9.0 	CS-I chronic 6.0 7.0  150*	Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III	340  TVS 5.0	 0.02  TVS
Qualifiers: Other: Temporary Modern Arsenic (chronic Expiration Data *chlorophyll a the facilities list	Aq Life Cold 1 Recreation E Water Supply  odification(s): c) = hybrid e of 12/31/2024 (mg/m²) (chronic) = applies only above sted at 34.5(5).	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)	CS-I acute  6.5 - 9.0 	CS-I chronic 6.0 7.0  150*	Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T)	340   TVS 5.0  50	0.02 TVS TVS
Qualifiers: Other: Temporary Modern Arsenic (chronic Expiration Data *chlorophyll a the facilities list	Aq Life Cold 1 Recreation E Water Supply  odification(s): c) = hybrid e of 12/31/2024 (mg/m²) (chronic) = applies only above sted at 34.5(5). hronic) = applies only above the	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)	CS-I acute 6.5 - 9.0 /L)	CS-I chronic 6.0 7.0 150* 126	Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T)	340 TVS 5.0 50 TVS	0.02 TVS TVS TVS
Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Date *chlorophyll a the facilities list *Phosphorus(e)	Aq Life Cold 1 Recreation E Water Supply  odification(s): c) = hybrid e of 12/31/2024 (mg/m²) (chronic) = applies only above sted at 34.5(5). hronic) = applies only above the	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)	CS-I acute 6.5 - 9.0 /L) acute	CS-I chronic 6.0 7.0 150* 126  chronic	Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper	340  TVS 5.0  50 TVS	0.02 TVS TVS TVS TVS
Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Date *chlorophyll a the facilities list *Phosphorus(e)	Aq Life Cold 1 Recreation E Water Supply  odification(s): c) = hybrid e of 12/31/2024 (mg/m²) (chronic) = applies only above sted at 34.5(5). hronic) = applies only above the	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic (mg	CS-I acute 6.5 - 9.0 /L) acute TVS	CS-I chronic 6.0 7.0 150* 126  chronic TVS	Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper	340  TVS 5.0  50 TVS TVS	0.02 TVS TVS TVS TVS TVS VS VS VS VS
Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Date *chlorophyll a the facilities list *Phosphorus(e)	Aq Life Cold 1 Recreation E Water Supply  odification(s): c) = hybrid e of 12/31/2024 (mg/m²) (chronic) = applies only above sted at 34.5(5). hronic) = applies only above the	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic (mg	CS-I acute 6.5 - 9.0 /L) acute TVS	CS-I chronic 6.0 7.0 150* 126  chronic TVS 0.75	Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T)	340  TVS 5.0  50 TVS TVS	0.02 TVS TVS TVS WS 1000
Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Date *chlorophyll a the facilities list *Phosphorus(e)	Aq Life Cold 1 Recreation E Water Supply  odification(s): c) = hybrid e of 12/31/2024 (mg/m²) (chronic) = applies only above sted at 34.5(5). hronic) = applies only above the	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic (mg Ammonia Boron Chloride	CS-I acute 6.5 - 9.0 /L) acute TVS	CS-I chronic 6.0 7.0 150* 126  chronic TVS 0.75 250	Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead	340 TVS 5.0 50 TVS TVS TVS TVS	0.02 TVS TVS TVS TVS TVS WS 1000 TVS
Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Date *chlorophyll a the facilities list *Phosphorus(e)	Aq Life Cold 1 Recreation E Water Supply  odification(s): c) = hybrid e of 12/31/2024 (mg/m²) (chronic) = applies only above sted at 34.5(5). hronic) = applies only above the	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic (mg/m²)  Ammonia Boron Chloride Chlorine	CS-I acute 6.5 - 9.0 /L) acute TVS 0.019	CS-I chronic 6.0 7.0 150* 126  chronic TVS 0.75 250 0.011	Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T)	340 TVS 5.0 50 TVS TVS TVS 50	0.02 TVS
Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Date *chlorophyll a the facilities list *Phosphorus(e)	Aq Life Cold 1 Recreation E Water Supply  odification(s): c) = hybrid e of 12/31/2024 (mg/m²) (chronic) = applies only above sted at 34.5(5). hronic) = applies only above the	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic (mg/m²)  Ammonia Boron Chloride Chlorine Cyanide	CS-I acute 6.5 - 9.0 /L) acute TVS 0.019 0.005	CS-I chronic 6.0 7.0 150* 126  chronic TVS 0.75 250 0.011	Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese	340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS TVS 50 TVS	0.02 TVS TVS TVS TVS WS 1000 TVS TVS/WS
Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Date *chlorophyll a the facilities list *Phosphorus(e)	Aq Life Cold 1 Recreation E Water Supply  odification(s): c) = hybrid e of 12/31/2024 (mg/m²) (chronic) = applies only above sted at 34.5(5). hronic) = applies only above the	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic (mg/m²)  Ammonia Boron Chloride Chlorine Cyanide Nitrate	CS-I acute 6.5 - 9.0  /L) acute TVS 0.019 0.005 10	CS-I chronic 6.0 7.0 150* 126  chronic TVS 0.75 250 0.011	Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury	340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS	0.02 TVS TVS TVS TVS STVS WS 1000 TVS TVSWS 0.01(t)
Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Date *chlorophyll a the facilities list *Phosphorus(e)	Aq Life Cold 1 Recreation E Water Supply  odification(s): c) = hybrid e of 12/31/2024 (mg/m²) (chronic) = applies only above sted at 34.5(5). hronic) = applies only above the	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic (mg Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite	CS-I acute 6.5 - 9.0 TVS 0.019 0.005 10 0.05	CS-I chronic 6.0 7.0 150* 126  chronic TVS 0.75 250 0.011	Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T)	340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS TVS TVS TVS	0.02 TVS TVS TVS TVS SUS TVS WS 1000 TVS TVS/WS 0.01(t) 150
Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Date *chlorophyll a the facilities list *Phosphorus(e)	Aq Life Cold 1 Recreation E Water Supply  odification(s): c) = hybrid e of 12/31/2024 (mg/m²) (chronic) = applies only above sted at 34.5(5). hronic) = applies only above the	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic (mg Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	CS-I acute 6.5 - 9.0 /L) acute TVS 0.019 0.005 10 0.05	CS-I chronic 6.0 7.0 150* 126  chronic TVS 0.75 250 0.011 0.11*	Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel	340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS TVS TVS TVS TVS	0.02 TVS TVS TVS TVS TVS TVS S TVS WS 1000 TVS TVS/WS 0.01(t) 150 TVS
Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Date *chlorophyll a the facilities list *Phosphorus(e)	Aq Life Cold 1 Recreation E Water Supply  odification(s): c) = hybrid e of 12/31/2024 (mg/m²) (chronic) = applies only above sted at 34.5(5). hronic) = applies only above the	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic (mg Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	CS-I acute 6.5 - 9.0 /L) acute TVS 0.019 0.005 10 0.05	CS-I chronic 6.0 7.0 150* 126  chronic TVS 0.75 250 0.011 0.41* WS	Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T)	340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS TVS TVS TVS TVS	0.02 TVS TVS TVS TVS WS 1000 TVS TVS/WS 0.01(t) 150 TVS
Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Date *chlorophyll a the facilities list *Phosphorus(e)	Aq Life Cold 1 Recreation E Water Supply  odification(s): c) = hybrid e of 12/31/2024 (mg/m²) (chronic) = applies only above sted at 34.5(5). hronic) = applies only above the	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic (mg Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	CS-I acute 6.5 - 9.0 /L) acute TVS 0.019 0.005 10 0.05	CS-I chronic 6.0 7.0 150* 126  chronic TVS 0.75 250 0.011 0.41* WS	Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	TVS 50 TVS 50 TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS TVS TVS	0.02 TVS TVS TVS TVS WS 1000 TVS TVS/WS 0.01(t) 150 TVS 100 TVS
Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Date *chlorophyll a the facilities list *Phesphorus(e)	Aq Life Cold 1 Recreation E Water Supply  odification(s): c) = hybrid e of 12/31/2024 (mg/m²) (chronic) = applies only above sted at 34.5(5). hronic) = applies only above the	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic (mg Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	CS-I acute 6.5 - 9.0 /L) acute TVS 0.019 0.005 10 0.05	CS-I chronic 6.0 7.0 150* 126  chronic TVS 0.75 250 0.011 0.41* WS	Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium Silver	340 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS	0.02 TVS TVS TVS TVS WS 1000 TVS TVS/WS 0.01(t) 150 TVS 100 TVS TVS TVS TVS

All metals are dissolved unless otherwise noted.

T = total recoverable

t = total tr=trout sc=sculpin D.O. = dissolved oxygen

DM = daily maximum

COSJPN06	Classifications	Physical and	Biological		M	etals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 2	Temperature °C	CS-II	CS-II	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02
Qualifiers:		D.O. (spawning)		7.0	Beryllium		
Fish Ingestio	n	pH	6.5 - 9.0		Beryllium(T)		100
Other:		chlorophyll a (mg/m²)		150	Cadmium	TVS	TVS
Temporary M	odification(s):	E. Coli (per 100 mL)		126	Cadmium(T)	5.0	
Arsenic(chroni	* /				Chromium III	TVS	TVS
Expiration Dat	e of 12/31/2024	Inorgani	c (mg/L)		Chromium III(T)		100
			acute	chronic	Chromium VI	TVS	TVS
		Ammonia	TVS	TVS	Copper	TVS	TVS
		Boron		0.75	Iron		WS
EPA ha	s not acted on segment-	Chloride		250	Iron(T)		1000
specific	total phosphorus (TP)	Chlorine	0.019	0.011	Lead	TVS	TVS
numerio	standards based on	Cyanide	0.005		Lead(T)	50	
the inte	rim value for river/	Nitrate	10		Manganese	TVS	TVS/WS
stream	segments with a cold	Nitrite			Mercury		0.01(t)
water a	quatic life classification	Phosphorus		0.11	Molybdenum(T)		150
(0.11 m	g/L TP).	Sulfate		WS	Nickel	TVS	TVS
		Sulfide		0.002	Nickel(T)		100
					Selenium	TVS	TVS
					Silver	TVS	TVS
					Uranium		
					Zinc	TVS	TVS

and 2d.	Classifications	Physical and	Piological		T N	Metals (ug/L)		
		Physical and	DM	MWAT	i v		al-namia	
Designation	Agriculture					acute	chronic	
Reviewable	Aq Life Cold 2	Temperature °C	WS-III	WS-III	Aluminum			
	Recreation E Water Supply	50 ( 4)	acute	chronic	Arsenic	340		
	water Suppry	D.O. (mg/L)		6.0	Arsenic(T)		7.6	
Qualifiers:		D.O. (spawning)		7.0	Beryllium			
Other:		рН	6.5 - 9.0		Beryllium(T)		100	
		chlorophyll a (mg/m²)		150	Cadmium	TVS	TVS	
		E. Coli (per 100 mL)		126	Cadmium(T)	5.0		
					Chromium III	TVS	TVS	
		Inorgani	c (mg/L)		Chromium III(T)		100	
			acute	chronic	Chromium VI	TVS	TVS	
		Ammonia	TVS	TVS	Copper	TVS	TVS	
		Boron		0.75	Iron		WS	
	not acted on segment-	Chloride		250	Iron(T)		1000	
specific t	otal phosphorus (TP)	Chlorine	0.019	0.011	Lead	TVS	TVS	
numeric	standards based on	Cyanide	0.005		Lead(T)	50		
l .	m value for river/	Nitrate	10		Manganese	TVS	TVS/WS	
	egments with a warm	Nitrite			Mercury		0.01(t)	
	uatic life classification	Phosphorus		0.17	Molybdenum(T)		150	
(0.17 mg	/L TP).	Sulfate		WS	Nickel	TVS	TVS	
		Sulfide		0.002	Nickel(T)		100	
					Selenium	TVS	TVS	
					Silver	TVS	TVS	
					Uranium			
					Zinc	TVS	TVS	

COSJPN07B	Classifications	Physical and	Biological		M	letals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 2	Temperature °C	CS-II	CS-II	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
Qualifiers:		D.O. (mg/L)		6.0	Arsenic(T)		100
Other:		D.O. (spawning)		7.0	Beryllium		
		pH	6.5 - 9.0		Cadmium	TVS	TVS
*Southern Ute	e Indian Reservation	chlorophyll a (mg/m²)		150	Chromium III	TVS	TVS
		E. Coli (per 100 mL)		126	Chromium III(T)		100
					Chromium VI	TVS	TVS
		Inorgani	c (mg/L)		Copper	TVS	TVS
			acute	chronic	Iron(T)		1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron		0.75	Manganese	TVS	TVS
FPA ha	as not acted on segment-	Chloride			Mercury		0.01(t)
	c total phosphorus (TP)	Chlorine	0.019	0.011	Molybdenum(T)		150
1.1	c standards based on	Cyanide	0.005		Nickel	TVS	TVS
	erim value for river/	Nitrate	100		Selenium	TVS	TVS
	segments with a warm	Nitrite	0.05		Silver	TVS	TVS
	aquatic life classification	Phosphorus		0.17	Uranium		
	ng/L TP).	Sulfate			Zinc	TVS	TVS
(0.17 11	<del></del>	Sulfide		0.002			

8. All lakes and reservoirs tributary to the Los Pinos River which are within the Weminuche Wilderness Area, except for the specific listing in Segment 9. This includes Granite Lake, Divide Lakes, Elk Lake, Flint Lakes, Moon Lake, Rock Lake, Betty Lake, Lost Lake, Hidden Lake, Vallecito Lake, Eldorado Lake, Trinity Lake, Leviathan Lake, Sunlight Lake, Hazel Lake, and Columbine Lake.

COSJPN08	Classifications	Physical and B	iological		ı	Metals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
OW	Aq Life Cold 1	Temperature °C	CL	CL	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02
Qualifiers:		D.O. (spawning)		7.0	Beryllium		
Other:		pH	6.5 - 9.0		Cadmium	TVS	TVS
		chlorophyll a (ug/L)		8*	Cadmium(T)	5.0	
	(ug/L)(chronic) = applies only to lakes larger than 25 acres surface area.	E. Coli (per 100 mL)		126	Chromium III		TVS
*Phosphorus(c	hronic) = applies only to lakes and per than 25 acres surface area.				Chromium III(T)	50	
reservoirs larg	per than 25 acres surface area.	Inorganic	(mg/L)		Chromium VI	TVS	TVS
			acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron		ws
		Boron		0.75	Iron(T)		1000
		Chloride		250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	
		Cyanide	0.005		Manganese	TVS	TVS/WS
		Nitrate	10		Mercury		0.01(t)
		Nitrite	0.05		Molybdenum(T)		150
		Phosphorus		0.025*	Nickel	TVS	TVS
		Sulfate		ws	Nickel(T)		100
		Sulfide		0.002	Selenium	TVS	TVS
					Silver	TVS	TVS(tr)
					Uranium		
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.

T = total recoverable

t = total tr=trout sc=sculpin D.O. = dissolved oxygen DM = daily maximum

	Classifications	Physical and	Biological		N	letals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
OW	Aq Life Cold 1	Temperature °C	CLL	CLL	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02
Qualifiers:		D.O. (spawning)		7.0	Beryllium		
Other:		pН	6.5 - 9.0		Cadmium	TVS	TVS
	( - (I) ( - ( - ( - ( - ( - ( - ( - ( - ( - (	chlorophyll a (ug/L)		8*	Cadmium(T)	5.0	
	(ug/L)(chronic) = applies only to lakes s larger than 25 acres surface area.	E. Coli (per 100 mL)		126	Chromium III		TVS
	chronic) = applies only to lakes and ger than 25 acres surface area.				Chromium III(T)	50	
000. 70.70 10.	go. t.a 20 ao. 00 oanaoo a. oa	Inorgan	nic (mg/L)		Chromium VI	TVS	TVS
			acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron		WS
		Boron		0.75	Iron(T)		1000
		Chloride		250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	
		Cyanide	0.005		Manganese	TVS	TVS/WS
		Nitrate	10		Mercury		0.01(t)
		Nitrite	0.05		Molybdenum(T)		150
		Phosphorus		0.025*	Nickel	TVS	TVS
		Sulfate		WS	Nickel(T)		100
		Sulfide		0.002	Selenium	TVS	TVS
					Silver	TVS	TVS(tr)
					Uranium		
					Zinc	TVS	TVS
	and reservoirs tributary to the Los Pinos					t immediately below t	he
	ith Bear Creek (T35N, R7W), except for Classifications	· · · · · · · · · · · · · · · · · · ·		des Lake Silli	<del>`</del>	Metals (ug/L)	
COSJPN10	Classifications	Physical and	Biological		<del>`</del>	letals (ug/L)	chronic
COSJPN10 Designation	Classifications Agriculture	Physical and	Biological DM	MWAT	N	acute	chronic
COSJPN10 Designation	Classifications	· · · · · · · · · · · · · · · · · · ·	Biological  DM  CL	<b>MWAT</b>	Aluminum	acute	
COSJPN10 Designation	Classifications Agriculture Aq Life Cold 1	Physical and Temperature °C	Biological  DM  CL  acute	MWAT CL chronic	Aluminum Arsenic	acute 340	
OSJPN10 Designation Reviewable	Classifications Agriculture Aq Life Cold 1 Recreation E	Physical and Temperature °C  D.O. (mg/L)	Biological  DM  CL	MWAT CL chronic 6.0	Aluminum Arsenic Arsenic(T)	acute	
COSJPN10 Designation Reviewable Qualifiers:	Classifications Agriculture Aq Life Cold 1 Recreation E	Physical and Temperature °C  D.O. (mg/L) D.O. (spawning)	Biological  DM  CL  acute	MWAT CL chronic	Aluminum Arsenic Arsenic(T) Beryllium	340	 0.02
COSJPN10 Designation Reviewable Qualifiers:	Classifications Agriculture Aq Life Cold 1 Recreation E	Physical and Temperature °C  D.O. (mg/L) D.O. (spawning) pH	Biological  DM  CL  acute	MWAT CL chronic 6.0 7.0	Aluminum Arsenic Arsenic(T) Beryllium Cadmium	340 TVS	 0.02
COSJPN10 Designation Reviewable Qualifiers: Other:	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply	Physical and Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L)	Biological  DM  CL  acute   6.5 - 9.0	MWAT CL chronic 6.0 7.0 8*	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T)	340 TVS 5.0	 0.02  TVS
COSJPN10 Designation Reviewable Qualifiers: Other: chlorophyll a and reservoir: Phosphorus(cost)	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  (ug/L)(chronic) = applies only to lakes s larger than 25 acres surface area. chronic) = applies only to lakes and	Physical and Temperature °C  D.O. (mg/L) D.O. (spawning) pH	Biological  DM  CL  acute   6.5 - 9.0	MWAT CL chronic 6.0 7.0	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III	acute 340 TVS 5.0	 0.02  TVS
COSJPN10 Designation Reviewable Qualifiers: Other: chlorophyll a and reservoir: Phosphorus(	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  (ug/L)(chronic) = applies only to lakes s larger than 25 acres surface area.	Physical and Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)	Biological  DM  CL  acute   6.5 - 9.0	MWAT CL chronic 6.0 7.0 8*	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T)	acute 340 TVS 5.0 50	 0.02  TVS  TVS
COSJPN10 Designation Reviewable Qualifiers: Other: chlorophyll a and reservoir: Phosphorus(	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  (ug/L)(chronic) = applies only to lakes s larger than 25 acres surface area. chronic) = applies only to lakes and	Physical and Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)	Biological  DM  CL  acute   6.5 - 9.0   cute   cute  c	MWAT  CL chronic  6.0  7.0   8*  126	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T)	acute 340 TVS 5.0 50 TVS	 0.02  TVS  TVS
COSJPN10 Designation Reviewable  Qualifiers: Other: Chlorophyll a nd reservoir: Phosphorus(cost)	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  (ug/L)(chronic) = applies only to lakes s larger than 25 acres surface area. chronic) = applies only to lakes and	Physical and Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)	Biological  DM  CL  acute   6.5 - 9.0   cic (mg/L)  acute	MWAT CL chronic 6.0 7.0 8* 126	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper	acute 340 TVS 5.0 50 TVS TVS	0.02 TVS TVS TVS TVS
COSJPN10 Designation Reviewable Qualifiers: Other: chlorophyll a and reservoir: Phosphorus(	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  (ug/L)(chronic) = applies only to lakes s larger than 25 acres surface area. chronic) = applies only to lakes and	Physical and Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  Inorgan	Biological  DM  CL  acute   6.5 - 9.0   cute  mic (mg/L)  acute  TVS	MWAT CL chronic 6.0 7.0 8* 126  chronic	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron	acute 340 TVS 5.0 50 TVS TVS	0.02 TVS TVS TVS TVS WS
COSJPN10 Designation Reviewable Qualifiers: Other: chlorophyll a and reservoir: Phosphorus(	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  (ug/L)(chronic) = applies only to lakes s larger than 25 acres surface area. chronic) = applies only to lakes and	Physical and Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  Inorgan  Ammonia Boron	Biological  DM  CL  acute 6.5 - 9.0 sic (mg/L)  acute TVS	MWAT CL chronic 6.0 7.0 8* 126  chronic TVS 0.75	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T)	acute 340 TVS 5.0 50 TVS TVS	TVS TVS TVS TVS TVS TVS TVS
COSJPN10 Designation Reviewable Qualifiers: Other: chlorophyll a and reservoir: Phosphorus(	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  (ug/L)(chronic) = applies only to lakes s larger than 25 acres surface area. chronic) = applies only to lakes and	Physical and Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  Inorgan  Ammonia Boron Chloride	Biological  DM  CL  acute 6.5 - 9.0 sic (mg/L)  acute TVS	MWAT CL chronic 6.0 7.0 8* 126  chronic TVS 0.75	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead	acute 340 TVS 5.0 50 TVS TVS TVS	0.02 TVS TVS TVS TVS TVS TVS TVS TVS TVS
COSJPN10 Designation Reviewable Qualifiers: Other: chlorophyll a and reservoir: Phosphorus(	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  (ug/L)(chronic) = applies only to lakes s larger than 25 acres surface area. chronic) = applies only to lakes and	Physical and Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  Inorgan  Ammonia Boron Chloride Chlorine	Biological  DM  CL  acute   6.5 - 9.0    sic (mg/L)  acute  TVS   0.019	MWAT CL chronic 6.0 7.0 8* 126  chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T)	340 TVS 5.0 TVS TVS TVS 5.0	TVS TVS TVS TVS TVS TVS TVS TVS
COSJPN10 Designation Reviewable  Qualifiers: Other: Chlorophyll a nd reservoir: Phosphorus(cost)	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  (ug/L)(chronic) = applies only to lakes s larger than 25 acres surface area. chronic) = applies only to lakes and	Physical and Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  Inorgan  Ammonia Boron Chloride Chlorine Cyanide	Biological  DM  CL  acute   6.5 - 9.0    sic (mg/L)  acute  TVS   0.019  0.005	MWAT CL chronic 6.0 7.0 8* 126  chronic TVS 0.75	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese	acute 340 TVS 5.0 50 TVS TVS TVS	0.02 TVS TVS TVS TVS TVS TVS TVS TVS TVS
COSJPN10 Designation Reviewable  Qualifiers: Other: Chlorophyll a nd reservoir: Phosphorus(cost)	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  (ug/L)(chronic) = applies only to lakes s larger than 25 acres surface area. chronic) = applies only to lakes and	Physical and Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  Inorgan  Ammonia Boron Chloride Chlorine Cyanide Nitrate	Biological  DM  CL  acute   6.5 - 9.0   tic (mg/L)  acute  TVS   0.019  0.005  10	MWAT CL chronic 6.0 7.0 8* 126  chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS	TVS TVS TVS TVS TVS TVS TVS 0.01(t)
COSJPN10 Designation Reviewable Qualifiers: Other: chlorophyll a and reservoir: Phosphorus(	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  (ug/L)(chronic) = applies only to lakes s larger than 25 acres surface area. chronic) = applies only to lakes and	Physical and Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  Inorgan  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite	Biological  DM  CL  acute   6.5 - 9.0   sic (mg/L)  acute  TVS   0.019  0.005  10  0.05	MWAT CL chronic 6.0 7.0 8* 126  chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T)	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS	TVS WS 1000 TVS TVS WS 1000 TVS TVSWS 0.01(t)
COSJPN10 Designation Reviewable Qualifiers: Other: chlorophyll a and reservoir: Phosphorus(	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  (ug/L)(chronic) = applies only to lakes s larger than 25 acres surface area. chronic) = applies only to lakes and	Physical and Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  Inorgan  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	Biological  DM  CL  acute  6.5 - 9.0   iic (mg/L)  acute  TVS  0.019 0.005 10 0.05	MWAT CL chronic 6.0 7.0 8* 126  chronic TVS 0.75 250 0.011 0.025*	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS TVS TVS TVS TVS	TVS  TVS  TVS  TVS  TVS  TVS  TVS  TVS
COSJPN10 Designation Reviewable Qualifiers: Other: chlorophyll a and reservoir: Phosphorus(	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  (ug/L)(chronic) = applies only to lakes s larger than 25 acres surface area. chronic) = applies only to lakes and	Physical and Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  Inorgan  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	Biological  DM  CL  acute   6.5 - 9.0   10 (mg/L)  acute  TVS   0.019  0.005  10  0.05	MWAT CL chronic 6.0 7.0 8* 126  chronic TVS 0.75 250 0.011 0.025* WS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T)	TVS	TVS TVS 1000 TVS 0.01(t) 150 TVS
COSJPN10 Designation Reviewable Qualifiers: Other: chlorophyll a and reservoir: Phosphorus(	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  (ug/L)(chronic) = applies only to lakes s larger than 25 acres surface area. chronic) = applies only to lakes and	Physical and Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  Inorgan  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	Biological  DM  CL  acute  6.5 - 9.0   iic (mg/L)  acute  TVS  0.019 0.005 10 0.05	MWAT CL chronic 6.0 7.0 8* 126  chronic TVS 0.75 250 0.011 0.025*	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS TVS	TVS
COSJPN10 Designation Reviewable Qualifiers: Other: chlorophyll a and reservoir: Phosphorus(cost)	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  (ug/L)(chronic) = applies only to lakes s larger than 25 acres surface area. chronic) = applies only to lakes and	Physical and Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  Inorgan  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	Biological  DM  CL  acute   6.5 - 9.0   10 (mg/L)  acute  TVS   0.019  0.005  10  0.05	MWAT CL chronic 6.0 7.0 8* 126  chronic TVS 0.75 250 0.011 0.025* WS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T)	TVS	TVS TVS TVS TVS TVS TVS TVS 0.01(t)

All metals are dissolved unless otherwise noted.

T = total recoverable

t = total tr=trout sc=sculpin D.O. = dissolved oxygen DM = daily maximum

11a. All lakes Indian Reserv	ration.	_			•		
COSJPN11A	Classifications	Physical and	Biological		N	/letals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 2	Temperature °C	CL	CL	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
Qualifiers:		D.O. (mg/L)		6.0	Arsenic(T)		100
Other:		D.O. (spawning)		7.0	Beryllium		
chlorophyll a	(ug/L)(chronic) = applies only to lakes	рН	6.5 - 9.0		Beryllium(T)		100
ind reservoirs	s larger than 25 acres surface area.	chlorophyll a (ug/L)		8*	Cadmium	TVS	TVS
	chronic) = applies only to lakes and ger than 25 acres surface area.	E. Coli (per 100 mL)		126	Chromium III	TVS	TVS
coor voir o rai g	gor than 25 dores banded area.				Chromium III(T)		100
		Inorgan	ic (mg/L)		Chromium VI	TVS	TVS
			acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron(T)		1000
		Boron		0.75	Lead	TVS	TVS
		Chloride			Manganese	TVS	TVS
		Chlorine	0.019	0.011	Mercury		0.01(t)
		Cyanide	0.005		Molybdenum(T)		150
		Nitrate	100		Nickel	TVS	TVS
		Nitrite	0.05		Selenium	TVS	TVS
		Phosphorus		0.025*	Silver	TVS	TVS
		Sulfate			Uranium		
		Sulfide		0.002	Zinc	TVS	TVS
	and reservoirs tributary to the Los Pinos						
Pond.	·	s River, from the Southern Ute Inc	dian Reservation bo		Colorado/New Mexico boro	der. This segment incl	
ond.	Classifications		dian Reservation bo	undary to the	Colorado/New Mexico boro	der. This segment incl	udes Harper
	Classifications Agriculture	River, from the Southern Ute Inc.  Physical and	dian Reservation bo	undary to the	Colorado/New Mexico boro	der. This segment incl	
Pond. COSJPN11B Designation	Classifications	s River, from the Southern Ute Inc	dian Reservation bo  Biological  DM  CL	MWAT	Colorado/New Mexico boro	der. This segment incl Metals (ug/L) acute	udes Harper
Pond.  COSJPN11B  Designation  Reviewable	Classifications Agriculture Aq Life Cold 2	Physical and Temperature °C	dian Reservation bo	MWAT CL chronic	Colorado/New Mexico boro  Aluminum  Arsenic	der. This segment incl  Metals (ug/L)  acute 340	chronic
COSJPN11B Designation Reviewable Qualifiers:	Classifications Agriculture Aq Life Cold 2	Physical and Temperature °C  D.O. (mg/L)	dian Reservation bo  Biological  DM  CL  acute	MWAT CL chronic 6.0	Colorado/New Mexico boro  Aluminum  Arsenic  Arsenic(T)	der. This segment incl Metals (ug/L) acute	chronic
COSJPN11B Designation Reviewable Qualifiers:	Classifications Agriculture Aq Life Cold 2	Physical and  Temperature °C  D.O. (mg/L) D.O. (spawning)	dian Reservation bo	MWAT CL chronic 6.0 7.0	Colorado/New Mexico boro  Aluminum  Arsenic  Arsenic(T)  Beryllium	der. This segment incl  Metals (ug/L)  acute   340	chronic
COSJPN11B Designation Reviewable Qualifiers:	Classifications Agriculture Aq Life Cold 2	Physical and  Temperature °C  D.O. (mg/L) D.O. (spawning) pH	Biological  DM  CL  acute   6.5 - 9.0	MWAT CL chronic 6.0 7.0	Colorado/New Mexico boro  Aluminum  Arsenic  Arsenic(T)  Beryllium  Beryllium(T)	der. This segment incl  Metals (ug/L)  acute   340	chronic 100
COSJPN11B Designation Reviewable Qualifiers: Other: Southern Ute	Classifications  Agriculture  Aq Life Cold 2  Recreation E  Indian Reservation (ug/L)(chronic) = applies only to lakes	Physical and  Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L)	Biological  DM  CL  acute   6.5 - 9.0	MWAT CL chronic 6.0 7.0 20*	Colorado/New Mexico boro  Aluminum  Arsenic  Arsenic(T)  Beryllium  Beryllium(T)  Cadmium	der. This segment incl  fletals (ug/L)  acute   340   TVS	chronic 100 100 TVS
COSJPN11B Cosignation Reviewable Cualifiers: Cother: Couthern Ute Chlorophyll a and reservoirs	Classifications  Agriculture Aq Life Cold 2 Recreation E  Indian Reservation (ug/L)(chronic) = applies only to lakes arger than 25 acres surface area.	Physical and  Temperature °C  D.O. (mg/L) D.O. (spawning) pH	Biological  DM  CL  acute   6.5 - 9.0	MWAT CL chronic 6.0 7.0	Colorado/New Mexico boro  Aluminum  Arsenic  Arsenic(T)  Beryllium  Beryllium(T)  Cadmium  Chromium III	der. This segment incl  detals (ug/L)  acute   340   TVS  TVS	chronic 100 100 TVS TVS
Cosypnita  Designation Reviewable  Qualifiers:  Other:  Southern Ute chlorophyll a and reservoirs Phosphorus(cosyphorus)	Classifications  Agriculture  Aq Life Cold 2  Recreation E  Indian Reservation (ug/L)(chronic) = applies only to lakes	Physical and Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)	dian Reservation bo	MWAT CL chronic 6.0 7.0 20*	Aluminum Arsenic Arsenic(T) Beryllium Beryllium(T) Cadmium Chromium III Chromium III(T)	der. This segment incl  fetals (ug/L)  acute 340 TVS TVS	chronic 100 100 TVS TVS 100
Cond. CosypN11B Designation Reviewable Qualifiers: Other: Southern Ute chlorophyll a and reservoirs Phosphorus(co	Classifications  Agriculture  Aq Life Cold 2  Recreation E  e Indian Reservation (ug/L)(chronic) = applies only to lakes a larger than 25 acres surface area.	Physical and Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)	dian Reservation bo	MWAT CL chronic 6.0 7.0 20* 126	Aluminum Arsenic Arsenic(T) Beryllium Beryllium(T) Cadmium Chromium III Chromium VI	der. This segment incl  Metals (ug/L)  acute   340   TVS  TVS  TVS  TVS	chronic 100 100 TVS TVS 100 TVS
Cond. COSJPN11B Designation Reviewable Qualifiers: Other: Southern Ute chlorophyll a and reservoirs Phosphorus(co	Classifications  Agriculture  Aq Life Cold 2  Recreation E  e Indian Reservation (ug/L)(chronic) = applies only to lakes a larger than 25 acres surface area.	Physical and  Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)	dian Reservation bo  Biological  DM  CL  acute 6.5 - 9.0 ic (mg/L) acute	MWAT CL chronic 6.0 7.0 20* 126  chronic	Aluminum Arsenic Arsenic(T) Beryllium Beryllium(T) Cadmium Chromium III Chromium III(T) Chromium VI Copper	der. This segment incl  Metals (ug/L)  acute   340   TVS  TVS  TVS  TVS  TVS	chronic 100 100 TVS TVS TVS TVS
Cond. COSJPN11B Designation Reviewable Qualifiers: Other: Southern Ute chlorophyll a and reservoirs Phosphorus(co	Classifications  Agriculture  Aq Life Cold 2  Recreation E  e Indian Reservation (ug/L)(chronic) = applies only to lakes a larger than 25 acres surface area.	Physical and  Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  Inorgan	dian Reservation bo	MWAT CL chronic 6.0 7.0 20* 126  chronic TVS	Aluminum Arsenic Arsenic(T) Beryllium Beryllium(T) Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T)	der. This segment incl  //etals (ug/L)  acute 340 TVS TVS TVS TVS TVS TVS	Chronic
COSJPN11B Designation Reviewable Cualifiers: Other: Southern Ute chlorophyll a and reservoirs Phosphorus(c	Classifications  Agriculture  Aq Life Cold 2  Recreation E  Indian Reservation (ug/L)(chronic) = applies only to lakes a larger than 25 acres surface area.  Shronic) = applies only to lakes and ger-than 25 acres surface area.	Physical and  Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  Inorgan  Ammonia Boron	dian Reservation bo	MWAT CL chronic 6.0 7.0 20* 126  chronic TVS 0.75	Aluminum Arsenic Arsenic(T) Beryllium Beryllium(T) Cadmium Chromium III Chromium VI Copper Iron(T) Lead	der. This segment incl  fetals (ug/L)  acute  340  TVS TVS TVS TVS TVS TVS TVS TVS TVS	Chronic
COSJPN11B Designation Reviewable Qualifiers: Other: Southern Ute chlorophyll a nd reservoirs Phosphorus(ceservoirs-lare)	Classifications  Agriculture  Aq Life Cold 2  Recreation E  e Indian Reservation (ug/L)(chronic) = applies only to lakes s larger than 25 acres surface area. shronic) = applies only to lakes and ger-than 25 acres surface area.	Physical and  Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  Inorgan  Ammonia Boron Chloride	dian Reservation bo	MWAT CL chronic 6.0 7.0 20* 126  chronic TVS 0.75	Aluminum Arsenic Arsenic(T) Beryllium Beryllium(T) Cadmium Chromium III Chromium VI Copper Iron(T) Lead Manganese	der. This segment incl  fetals (ug/L)  acute  340 TVS	Chronic
COSJPN11B Designation Reviewable Rualifiers: Other: Southern Utechlorophyll and reservoirs Phosphorus(esservoirs-large	Classifications  Agriculture  Aq Life Cold 2  Recreation E  Indian Reservation (ug/L)(chronic) = applies only to lakes slarger than 25 acres surface area. shronic) = applies only to lakes and ger than 25 acres surface area.	Physical and  Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  Inorgan  Ammonia Boron Chloride Chlorine	dian Reservation bo	### MWAT   CL   chronic   6.0   7.0     20*   126     Chronic   TVS   0.75     0.011	Aluminum Arsenic Arsenic(T) Beryllium Beryllium(T) Cadmium Chromium III Chromium VI Copper Iron(T) Lead Manganese Mercury	der. This segment incl  Aletals (ug/L)  acute  340  TVS	chronic 100 TVS TVS 1000 TVS TVS 1000 TVS TVS 0.01(t)
COSJPN11B Designation Reviewable Qualifiers: Other: Southern Ute chlorophyll a and reservoirs Phosphorus(c esservoirs-larg	Classifications  Agriculture  Aq Life Cold 2  Recreation E  e Indian Reservation (ug/L)(chronic) = applies only to lakes s larger than 25 acres surface area. shronic) = applies only to lakes and ger-than 25 acres surface area.	Physical and  Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  Inorgan  Ammonia Boron Chloride Chlorine Cyanide	DM   CL   acute     6.5 - 9.0	MWAT CL chronic 6.0 7.0 20* 126  chronic TVS 0.75 0.011	Aluminum Arsenic Arsenic(T) Beryllium Beryllium(T) Cadmium Chromium III Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T)	der. This segment incl  Metals (ug/L)  acute   340   TVS  TVS  TVS  TVS  TVS   TVS  TVS	thronic chronic chroni
Pond.  COSJPN11B  Designation Reviewable  Qualifiers: Other:  Southern Ute chlorophyll a nd reservoirs Phosphorus(coeservoirs large  EPA has specific numeric	Classifications  Agriculture  Aq Life Cold 2  Recreation E  Indian Reservation (ug/L)(chronic) = applies only to lakes slarger than 25 acres surface area. shronic) = applies only to lakes and ger than 25 acres surface area.	Physical and  Physical and  Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  Inorgan  Ammonia Boron Chloride Chlorine Cyanide Nitrate	dian Reservation bo  Biological  DM  CL  acute 6.5 - 9.0 ic (mg/L)  acute TVS 0.019 0.005 100	MWAT CL chronic 6.0 7.0 20* 126  chronic TVS 0.75 0.011	Aluminum Arsenic Arsenic(T) Beryllium Beryllium(T) Cadmium Chromium III Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel	der. This segment incl  Metals (ug/L)  acute   340   TVS  TVS  TVS  TVS  TVS  TVS  TVS	thronic chronic chroni
EPA has specific numeric the inter	Classifications  Agriculture Aq Life Cold 2 Recreation E  e Indian Reservation (ug/L)(chronic) = applies only to lakes a larger than 25 acres surface area.  shronic) = applies only to lakes and ger than 25 acres surface area.  shronic) = applies only to lakes and ger than 25 acres surface area.	Physical and  Physical and  Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  Inorgan  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite	dian Reservation bo  Biological  DM  CL  acute 6.5 - 9.0 ic (mg/L)  acute TVS 0.019 0.005 100 0.05	MWAT CL chronic 6.0 7.0 20* 126  chronic TVS 0.75 0.011	Colorado/New Mexico bord  Aluminum  Arsenic  Arsenic(T)  Beryllium  Beryllium(T)  Cadmium  Chromium III  Chromium VI  Copper  Iron(T)  Lead  Manganese  Mercury  Molybdenum(T)  Nickel  Selenium	der. This segment incl  fetals (ug/L)  acute  340  TVS	thronic chronic chroni
COSJPN11B Designation Reviewable Cualifiers: Other: Southern Ute chlorophyll a and reservoirs Phosphorus(c eservoirs-large  EPA has specific numeric the inter	Classifications  Agriculture Aq Life Cold 2 Recreation E  e Indian Reservation (ug/L)(chronic) = applies only to lakes a larger than 25 acres surface area.  chronic) = applies only to lakes and ger than 25 acres surface area.  chronic) = applies only to lakes and ger than 25 acres surface area.	Physical and  Physical and  Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  Inorgan  Ammonia Boron Chloride Chlorine Cyanide Nitrate	dian Reservation bo  Biological  DM  CL  acute 6.5 - 9.0 ic (mg/L)  acute TVS 0.019 0.005 100	MWAT CL chronic 6.0 7.0 20* 126  chronic TVS 0.75 0.011	Aluminum Arsenic Arsenic(T) Beryllium Beryllium(T) Cadmium Chromium III Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel Selenium Silver	der. This segment incl  fetals (ug/L)  acute  340  TVS	Chronic
COSJPN11B Designation Reviewable Cualifiers: Other: Southern Ute Chlorophyll a and reservoirs Phosphorus(c eservoirs-large  EPA has specific numeric the inter reservoi water ac	Classifications  Agriculture Aq Life Cold 2 Recreation E  Indian Reservation (ug/L)(chronic) = applies only to lakes a larger than 25 acres surface area.  Shronic) = applies only to lakes and ger-than 25 acres surface area.  Is not acted on segment-total phosphorus (TP) a standards based on rim value for lake/ir segments with a cold	Physical and  Physical and  Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  Inorgan  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite	dian Reservation bo  Biological  DM  CL  acute 6.5 - 9.0 ic (mg/L)  acute TVS 0.019 0.005 100 0.05	MWAT CL chronic 6.0 7.0 20* 126  chronic TVS 0.75 0.011	Colorado/New Mexico bord  Aluminum  Arsenic  Arsenic(T)  Beryllium  Beryllium(T)  Cadmium  Chromium III  Chromium VI  Copper  Iron(T)  Lead  Manganese  Mercury  Molybdenum(T)  Nickel  Selenium	der. This segment incl  fetals (ug/L)  acute  340  TVS	thronic chronic chroni

4 All City Code	on the Arizon Direct Library Direct	Animas and F					
1. All tributarie	es to the Animas River and Florida River Classifications	Physical and E		che Wildern		etals (ug/L)	
Designation	Agriculture	Filysical and L	DM	MWAT	141	acute	chronic
OW	Ag Life Cold 1	Temperature °C	CS-I	CS-I	Aluminum	acute	CITOTIC
011	Recreation E	Temperature C	acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02
Qualifiers:		D.O. (mg/z) D.O. (spawning)		7.0	Beryllium		
Other:		pH	6.5 - 9.0		Cadmium	TVS	TVS
Other.		chlorophyll a (mg/m²)		150	Cadmium(T)	5.0	
		E. Coli (per 100 mL)		126	Chromium III		TVS
					Chromium III(T)	50	
		Inorganio	c (ma/L)		Chromium VI	TVS	TVS
		inorganic	acute	chronic	Copper	TVS	TVS
		Ammonio	TVS	TVS	Iron		WS
		Ammonia Boron		0.75	Iron(T)		1000
		Chloride		250	Lead	TVS	TVS
EPA ha	as not acted on segment-	Chlorine	0.019	0.011	Lead(T)	50	
specific	c total phosphorus (TP)	Cyanide	0.005		Manganese	TVS	TVS/WS
numeri	c standards based on	Nitrate	10		Mercury		0.01(t)
the inte	erim value for river/	Nitrite			Molybdenum(T)		150
stream	segments with a cold	Phosphorus	0.05	0.11	Nickel	TVS	TVS
water a	aquatic life classification	Sulfate		WS	Nickel(T)		100
(0.11 n	ng/L TP).	Sulfide		0.002	Selenium	TVS	TVS
		Juniae		0.002	Silver	TVS	TVS(tr)
					Uranium		1 v3(u)
					Zinc	TVS	TVS
2. Mainstem	of the Animas River, including all tributa	ries and wetlands, from the outlet	of Denver Lake to a	point imme			
specific listing	s in Segment 6.	T					
COSJAF02	Classifications	Physical and E	_		M	etals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
UP	Recreation E				Aluminum		
Qualifiers:		( )	acute	chronic	Arsenic(T)		100
Other:		D.O. (mg/L)		3.0	Beryllium(T)		100
*The concentr	ation of dissolved aluminum,	pH	5.8-9.0		Cadmium(T)		10
cadmium, cop	pper, iron, lead, manganese, and zinc	chlorophyll a (mg/m²)		150	Chromium III(T)		100
	d toward maintaining and achieving ablished for segments 3a, 4a and 4b.	E. Coli (per 100 mL)		126	Chromium VI(T)		100
	-	Inorganio			Copper(T)		200
			acute	chronic	Iron		
		Ammonia			Lead(T)		100
		Boron		0.75	Manganese		
		Chloride			Mercury		
		Chlorine			Molybdenum(T)		150
					Nickel(T)		200
		Cyanide	0.2		0 1 1 (7)		
		Nitrate	0.2	100	Selenium(T)		20
		Nitrate Nitrite	10	100	Silver		
		Nitrate Nitrite Phosphorus		100	Silver Uranium		
		Nitrate Nitrite	10	100	Silver		

COSJAF03A	Classifications	Physica	l and Biologic	cal		l N	fletals (ug/L)	
Designation	Agriculture	-		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1*	Temperature °C		CS-I	CS-I	Aluminum(T)	750	750
	Recreation E			acute	chronic	Arsenic	340	
Qualifiers:		D.O. (mg/L)			6.0	Arsenic(T)		100
Other:		D.O. (spawning)			7.0	Beryllium		
		рН		6.5 - 9.0		Cadmium	TVS	varies*
Classification: rout	: Aquatic life indicator goal: Brook	chlorophyll a (mg/m²)			150	Chromium III	TVS	TVS
Cadmium(chr	ronic) = 3.5 ug/L from 4/1-4/30	E. Coli (per 100 mL)			126	Chromium III(T)		100
2.2 ug/L from VS from 6/1-	3/31					Chromium VI	TVS	TVS
	chronic) = Standards are listed on	In	organic (mg/L	-)		Copper	TVS	TVS
	Standards are listed on Table 1.			acute	chronic	Iron(T)		1000
, ,	= Standards are listed on Table 1.	Ammonia		TVS	TVS	Lead	TVS	TVS
		Boron			0.75	Manganese		varies*
I⊏PA ha	s not acted on segment-	Chloride				Mercury		0.01(t)
	total phosphorus (TP)	Chlorine		0.019	0.011	Molybdenum(T)		150
1. 1	standards based on	Cyanide		0.005		Nickel	TVS	TVS
	rim value for river/	Nitrate		100		Selenium	TVS	TVS
	segments with a cold	Nitrite				Silver	TVS	TVS(tr)
	quatic life classification	Phosphorus			0.11	Uranium		
	g/L TP).	Sulfate				Zinc	varies*	varies*
	9, =,-	Sulfide			0.000			
		<u> </u>			0.002			
Creek.	of the Animas River, including wetlands	s, from a point immediately	above the con			eek to a point immediately ab	pove the confluence w	ith Mineral
Creek.	Classifications	· · · ·	above the con	fluence with	n Cement Cre		ove the confluence w	ith Mineral
Creek. COSJAF03B Designation	Classifications  Recreation E 5/15 - 9/10	· · · ·		fluence with		N N		ith Mineral
Creek. COSJAF03B Designation UP	Classifications	· · · ·		fluence with	MWAT	Aluminum	letals (ug/L)	
Creek. COSJAF03B Designation UP	Classifications  Recreation E 5/15 - 9/10	Physica		fluence with	MWAT  chronic	Aluminum Arsenic	Metals (ug/L)	
Creek. COSJAF03B Designation UP Qualifiers:	Classifications  Recreation E 5/15 - 9/10	Physica  D.O. (mg/L)		DM acute	MWAT  chronic 3.0	Aluminum Arsenic Beryllium	Metals (ug/L) acute	chronic
Creek.  COSJAF03B  Designation  UP  Qualifiers:  Other:	Classifications  Recreation E 5/15 - 9/10  Recreation N 9/11 - 5/14	Physica  D.O. (mg/L) pH		DM  acute 6.0-9.0	MWAT  chronic 3.0	Aluminum Arsenic Beryllium Cadmium	Metals (ug/L) acute 	chronic
Creek.  COSJAF03B  Designation  UP  Qualifiers:  Other:  Temporary Mo	Classifications  Recreation E 5/15 - 9/10  Recreation N 9/11 - 5/14	Physica  D.O. (mg/L) pH chlorophyll a (mg/m²)	I and Biologic	DM acute	MWAT  chronic 3.0	Aluminum Arsenic Beryllium	Metals (ug/L) acute	chronic
Creek. COSJAF03B Designation UP Qualifiers: Other: Temporary Mc Copper(ac/ch)	Classifications  Recreation E 5/15 - 9/10  Recreation N 9/11 - 5/14  odification(s):	D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)		DM  acute 6.0-9.0	MWAT  chronic 3.0	Aluminum Arsenic Beryllium Cadmium	Metals (ug/L) acute	chronic
Creek.  COSJAF03B  Designation  UP  Qualifiers:  Other:  Temporary M.  Copper(ac/ch)  Expiration Dat	Classifications  Recreation E 5/15 - 9/10  Recreation N 9/11 - 5/14  odification(s): = current condition	Physica  D.O. (mg/L) pH chlorophyll a (mg/m²)	I and Biologic	DM  acute 6.0-9.0	MWAT  chronic 3.0 150*	Aluminum Arsenic Beryllium Cadmium Chromium III Chromium VI Copper	Aetals (ug/L)  acute	chronic
Creek.  COSJAF03B  Designation  UP  Qualifiers:  Other:  Temporary Mc  Copper(ac/ch)  Expiration Dat  *The concentracedmium, copp	Classifications  Recreation E 5/15 - 9/10  Recreation N 9/11 - 5/14  odification(s):  = current condition te of 12/31/2022 ation of dissolved aluminum, per, iron, lead, manganese, and zinc	D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)	I and Biologic	DM  acute 6.0-9.0	MWAT  chronic 3.0 150* 126	Aluminum Arsenic Beryllium Cadmium Chromium III Chromium VI	Aetals (ug/L)  acute	chronic
Creek.  COSJAF03B  Designation  UP  Qualifiers:  Other:  Temporary Mc Copper(ac/ch)  Expiration Dat  *The concentra cadmium, copp that is directed	Classifications  Recreation E 5/15 - 9/10  Recreation N 9/11 - 5/14  odification(s):  = current condition te of 12/31/2022 ation of dissolved aluminum,	Physica  D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) E. Coli (per 100 mL)	I and Biologic	DM  acute 6.0-9.0	MWAT  chronic 3.0 150* 126 630	Aluminum Arsenic Beryllium Cadmium Chromium III Chromium VI Copper	acute	chronic
Creek.  COSJAF03B  Designation  UP  Qualifiers:  Other:  Temporary Mc  Copper(ac/ch)  Expiration Dat  *The concentral cadmium, copper that is directed water quality served and 4b.	Classifications  Recreation E 5/15 - 9/10  Recreation N 9/11 - 5/14  odification(s):  = current condition te of 12/31/2022 ation of dissolved aluminum, per, iron, lead, manganese, and zinc d toward maintaining and achieving standards established for segments 4a	Physica  D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) E. Coli (per 100 mL)	5/15 - 9/10 9/11 - 5/14	DM  acute 6.0-9.0	MWAT  chronic 3.0 150* 126	Aluminum Arsenic Beryllium Cadmium Chromium III Chromium VI Copper	Aetals (ug/L) acute	chronic
Creek.  COSJAF03B  Designation  UP  Qualifiers:  Temporary Mc  Copper(ac/ch)  Expiration Dat  "The concentrate cadmium, coppithat is directed water quality sand 4b. "chlorophyll a	Classifications  Recreation E 5/15 - 9/10  Recreation N 9/11 - 5/14  odification(s):  = current condition te of 12/31/2022 ation of dissolved aluminum, per, iron, lead, manganese, and zinc toward maintaining and achieving	Physica  D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) E. Coli (per 100 mL)	5/15 - 9/10 9/11 - 5/14	acute 6.0-9.0	MWAT  chronic 3.0 150* 126 630	Aluminum Arsenic Beryllium Cadmium Chromium III Chromium VI Copper Iron Lead Manganese Mercury	Aetals (ug/L)  acute	chronic
Creek.  COSJAF03B  Designation  UP  Qualifiers:  Temporary Mc  Copper(ac/ch)  Expiration Dat  "The concentrate cadmium, coppithat is directed water quality sand 4b. "chlorophyll a	Classifications  Recreation E 5/15 - 9/10  Recreation N 9/11 - 5/14  odification(s):  = current condition te of 12/31/2022 ation of dissolved aluminum, per, iron, lead, manganese, and zinc distortion distortio	Physica  D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) E. Coli (per 100 mL)	5/15 - 9/10 9/11 - 5/14	DM  acute 6.0-9.0 acute	MWAT  chronic 3.0 150* 126 630  chronic	Aluminum Arsenic Beryllium Cadmium Chromium III Chromium VI Copper Iron Lead Manganese	Aetals (ug/L)  acute	chronic
Creek.  COSJAF03B  Designation  UP  Qualifiers:  Temporary Mc  Copper(ac/ch)  Expiration Dat  "The concentrate cadmium, coppithat is directed water quality sand 4b. "chlorophyll a	Classifications  Recreation E 5/15 - 9/10  Recreation N 9/11 - 5/14  odification(s):  = current condition te of 12/31/2022 ation of dissolved aluminum, per, iron, lead, manganese, and zinc distortion distortio	Physica  D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) E. Coli (per 100 mL)	5/15 - 9/10 9/11 - 5/14	DM  acute 6.0-9.0 acute	MWAT  chronic 3.0 150* 126 630  chronic	Aluminum Arsenic Beryllium Cadmium Chromium III Chromium VI Copper Iron Lead Manganese Mercury	Acute	chronic
Creek.  COSJAF03B  Designation  UP  Qualifiers:  Other:  Temporary Mc  Copper(ac/ch)  Expiration Dat  "The concentracedmium, coppithat is directed water quality sand 4b. "chlorophyll a	Classifications  Recreation E 5/15 - 9/10  Recreation N 9/11 - 5/14  odification(s):  = current condition te of 12/31/2022 ation of dissolved aluminum, per, iron, lead, manganese, and zinc distortion distortio	Physica  D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) E. Coli (per 100 mL) In Ammonia Boron	5/15 - 9/10 9/11 - 5/14	acute 6.0-9.0 acute	MWAT  chronic 3.0 150* 126 630  chronic	Aluminum Arsenic Beryllium Cadmium Chromium III Chromium VI Copper Iron Lead Manganese Mercury Molybdenum(T)	Aetals (ug/L)  acute	chronic
Creek.  COSJAF03B  Designation  UP  Qualifiers:  Other:  Temporary Mc  Copper(ac/ch)  Expiration Dat  "The concentracedmium, coppithat is directed water quality sand 4b. "chlorophyll a	Classifications  Recreation E 5/15 - 9/10  Recreation N 9/11 - 5/14  odification(s):  = current condition te of 12/31/2022 ation of dissolved aluminum, per, iron, lead, manganese, and zinc distortion distortio	Physica  D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) E. Coli (per 100 mL) In Ammonia Boron Chloride	5/15 - 9/10 9/11 - 5/14	acute 6.0-9.0 acute	MWAT  chronic 3.0 150* 126 630  chronic	Aluminum Arsenic Beryllium Cadmium Chromium III Chromium VI Copper Iron Lead Manganese Mercury Molybdenum(T) Nickel	Aetals (ug/L)  acute	chronic
Creek.  COSJAF03B  Designation  UP  Qualifiers:  Other:  Temporary Mc  Copper(ac/ch)  Expiration Dat  "The concentracedmium, coppithat is directed water quality sand 4b. "chlorophyll a	Classifications  Recreation E 5/15 - 9/10  Recreation N 9/11 - 5/14  odification(s):  = current condition te of 12/31/2022 ation of dissolved aluminum, per, iron, lead, manganese, and zinc distortion distortio	Physica  D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) E. Coli (per 100 mL) In  Ammonia Boron Chloride Chlorine	5/15 - 9/10 9/11 - 5/14	acute	MWAT  chronic 3.0 150* 126 630  chronic	Aluminum Arsenic Beryllium Cadmium Chromium III Chromium VI Copper Iron Lead Manganese Mercury Molybdenum(T) Nickel Selenium	Aetals (ug/L)  acute	chronic
Creek.  COSJAF03B  Designation  UP  Qualifiers:  Other:  Temporary Mc  Copper(ac/ch)  Expiration Dat  "The concentracedmium, coppithat is directed water quality sand 4b. "chlorophyll a	Classifications  Recreation E 5/15 - 9/10  Recreation N 9/11 - 5/14  odification(s):  = current condition te of 12/31/2022 ation of dissolved aluminum, per, iron, lead, manganese, and zinc distortion distortio	Physica  D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) E. Coli (per 100 mL)  In  Ammonia Boron Chloride Chlorine Cyanide	5/15 - 9/10 9/11 - 5/14	acute	MWAT  chronic 3.0 150* 126 630  chronic	Aluminum Arsenic Beryllium Cadmium Chromium III Chromium VI Copper Iron Lead Manganese Mercury Molybdenum(T) Nickel Selenium Silver	Aetals (ug/L) acute	chronic
Creek.  COSJAF03B  Designation  UP  Qualifiers:  Temporary Mc  Copper(ac/ch)  Expiration Dat  "The concentrate cadmium, coppithat is directed water quality sand 4b. "chlorophyll a	Classifications  Recreation E 5/15 - 9/10  Recreation N 9/11 - 5/14  odification(s):  = current condition te of 12/31/2022 ation of dissolved aluminum, per, iron, lead, manganese, and zinc distortion distortio	Physica  D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) E. Coli (per 100 mL)  In  Ammonia Boron Chloride Chlorine Cyanide Nitrate	5/15 - 9/10 9/11 - 5/14	acute	MWAT  chronic 3.0 150* 126 630  chronic	Aluminum Arsenic Beryllium Cadmium Chromium III Chromium VI Copper Iron Lead Manganese Mercury Molybdenum(T) Nickel Selenium Silver Uranium	Aetals (ug/L)  acute	chronic
Creek. COSJAF03B Designation IP Qualifiers: Copper(ac/ch) Expiration Dat The concentra admium, copp nat is directed rater quality s nd 4b. chlorophyll a	Classifications  Recreation E 5/15 - 9/10  Recreation N 9/11 - 5/14  odification(s):  = current condition te of 12/31/2022 ation of dissolved aluminum, per, iron, lead, manganese, and zinc distortion distortio	Physica  D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) E. Coli (per 100 mL)  In  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite	5/15 - 9/10 9/11 - 5/14	acute 6.0-9.0	MWAT  chronic 3.0 150* 126 630  chronic	Aluminum Arsenic Beryllium Cadmium Chromium III Chromium VI Copper Iron Lead Manganese Mercury Molybdenum(T) Nickel Selenium Silver Uranium	Aetals (ug/L)  acute	chronic

Sulfide

D.O. = dissolved oxygen

20 Arrostro C	ulch including all tributaries and wetla						
COSJAF03C	Classifications	Physical and E		Rivei.	I .	Metals (ug/L)	
Designation	Agriculture	,	DM	MWAT		acute	chronic
UP	Aq Life Cold 2	Temperature °C	CS-I	CS-I	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
Qualifiers:		D.O. (mg/L)		6.0	Arsenic(T)		100
Other:		D.O. (spawning)		7.0	Beryllium		
Other.		pH	6.5 - 9.0		Cadmium	TVS	TVS
		chlorophyll a (mg/m²)		150	Chromium III	TVS	TVS
		E. Coli (per 100 mL)		126	Chromium III(T)		100
		,			Chromium VI	TVS	TVS
		Inorganio	c (ma/L)		Copper	TVS	TVS
		morgani	acute	chronic	Iron(T)		1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron		0.75	Manganese	TVS	TVS
FPΔ has	not acted on segment-	Chloride			Mercury		0.01(t)
	otal phosphorus (TP)	Chlorine	0.019	0.011	Molybdenum(T)		150
	standards based on	Cyanide	0.005		Nickel	TVS	TVS
	m value for river/	Nitrate	100		Selenium	TVS	TVS
	egments with a cold	Nitrite	0.05		Silver	TVS	TVS(tr)
	uatic life classification	Phosphorus	0.05	0.11	Uranium		1 00(11)
		i nospriorus		0.11	Granium		
		Sulfate			Zinc	TVS	TVS
(0.11 mg		Sulfate		0.002	Zinc	TVS	TVS
(0.11 mg	/L TP).	Sulfide		0.002			
(0.11 mg	/L TP).	Sulfide		0.002			
(0.11 mg	/L TP).  of the Animas River, including wetland	Sulfide	the confluence with	0.002	ek to a point immediately ab		
4a. Mainstem Creek. COSJAF04A Designation	/L TP).  of the Animas River, including wetland  Classifications  Agriculture	Sulfide ds, from a point immediately above	the confluence with	0.002  Mineral Cre	ek to a point immediately ab	pove the confluence wi	
4a. Mainstem Creek.	/L TP).  of the Animas River, including wetland  Classifications  Agriculture  Aq Life Cold 2*	Sulfide ds, from a point immediately above	the confluence with	0.002 Mineral Cre	ek to a point immediately ab	ove the confluence wi	ith Deer Park
4a. Mainstem Creek. COSJAF04A Designation	/L TP).  of the Animas River, including wetland  Classifications  Agriculture	Sulfide ds, from a point immediately above  Physical and E  Temperature °C	the confluence with	0.002  Mineral Cre	ek to a point immediately ab	ove the confluence wi Metals (ug/L) acute	ith Deer Park chronic
4a. Mainstem Creek. COSJAF04A Designation	/L TP).  of the Animas River, including wetland  Classifications  Agriculture  Aq Life Cold 2*	Sulfide ds, from a point immediately above  Physical and E	the confluence with Biological DM CS-I	0.002  Mineral Cre  MWAT  CS-I	ek to a point immediately ab	Netals (ug/L) acute varies*	chronic varies*
4a. Mainstem Creek. COSJAF04A Designation	/L TP).  of the Animas River, including wetland  Classifications  Agriculture  Aq Life Cold 2*	Sulfide ds, from a point immediately above  Physical and E  Temperature °C	the confluence with Biological DM CS-I acute	0.002 Mineral Cre  MWAT  CS-I  chronic	ek to a point immediately ab  Aluminum  Arsenic	whetals (ug/L) acute varies* 340	chronic varies*
(0.11 mg  4a. Mainstem Creek.  COSJAF04A  Designation UP  Qualifiers: Other:	of the Animas River, including wetland Classifications Agriculture Aq Life Cold 2* Recreation E	Sulfide  ds, from a point immediately above  Physical and E  Temperature °C  D.O. (mg/L)	the confluence with Biological  DM  CS-I  acute	0.002 Mineral Cre MWAT CS-I chronic 6.0	ek to a point immediately ab  Aluminum  Arsenic  Arsenic(T)	ove the confluence windetals (ug/L)  acute  varies*  340	chronic varies*
4a. Mainstem Creek. COSJAF04A Designation UP Qualifiers: Other: Temporary Mo	of the Animas River, including wetland Classifications Agriculture Aq Life Cold 2* Recreation E	Sulfide  ds, from a point immediately above  Physical and E  Temperature °C  D.O. (mg/L)  D.O. (spawning)	the confluence with Biological  DM  CS-I  acute	0.002 Mineral Cre  MWAT  CS-I  chronic  6.0  7.0	ek to a point immediately ab  Aluminum  Arsenic  Arsenic(T)  Beryllium	widetals (ug/L)  acute  varies*  340	chronic varies* 100
4a. Mainstem Creek.  COSJAF04A  Designation  UP  Qualifiers: Other: Temporary Mc Copper(ac/ch)	of the Animas River, including wetland Classifications Agriculture Aq Life Cold 2* Recreation E	Sulfide  ds, from a point immediately above  Physical and E  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH	the confluence with Biological  DM  CS-I  acute   varies*	MWAT CS-I chronic 6.0 7.0	ek to a point immediately ab  Aluminum Arsenic Arsenic(T) Beryllium Cadmium	with acute varies* 340 TVS	chronic varies* 100 TVS
4a. Mainstem Creek. COSJAF04A Designation UP Qualifiers: Other: Temporary Mc Copper(ac/ch) Expiration Date	of the Animas River, including wetland Classifications Agriculture Aq Life Cold 2* Recreation E  addification(s): = current condition e of 12/31/2022	Sulfide  ds, from a point immediately above  Physical and E  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)	the confluence with  Biological  DM  CS-I  acute   varies*	0.002 Mineral Cre  MWAT  CS-I  chronic  6.0  7.0	Aluminum Arsenic Arsenic(T) Beryllium Cadmium III	varies* 340 TVS TVS	chronic varies* 100 TVS TVS
4a. Mainstern Creek.  COSJAF04A  Designation  UP  Qualifiers: Other: Temporary Mc Copper(ac/ch) Expiration Date *Classification: Trout	of the Animas River, including wetland  Classifications  Agriculture  Aq Life Cold 2*  Recreation E  odification(s):  = current condition  e of 12/31/2022  : Aquatic life indicator goal: Brook	Sulfide  ds, from a point immediately above  Physical and E  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorganic	the confluence with  Biological  DM  CS-I  acute   varies*	0.002 Mineral Cre  MWAT  CS-I  chronic  6.0  7.0	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III(T)	Metals (ug/L)  acute  varies*  340   TVS  TVS	chronic varies* 100 TVS TVS 100
(0.11 mg  4a. Mainstem Creek.  COSJAF04A  Designation  UP  Qualifiers:  Other:  Temporary Moto Copper(ac/ch) Expiration Date  *Classification: Trout  *Aluminum(accident)	of the Animas River, including wetland Classifications Agriculture Aq Life Cold 2* Recreation E  addification(s): = current condition e of 12/31/2022 : Aquatic life indicator goal: Brook ute) = Standards are listed on Table 1	Sulfide  ds, from a point immediately above  Physical and E  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorganic	the confluence with  Biological  DM  CS-I  acute   varies*	0.002 Mineral Cre  MWAT  CS-I  chronic  6.0  7.0	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI	vove the confluence with details (ug/L)  acute varies* 340 TVS TVS TVS TVS	chronic varies* 100 TVS TVS 100 TVS
(0.11 mg  4a. Mainstem Creek.  COSJAF04A  Designation  UP  Qualifiers:  Other:  Temporary Moto Copper(ac/ch) Expiration Date  *Classification: Trout  *Aluminum(accident)	of the Animas River, including wetland  Classifications  Agriculture  Aq Life Cold 2*  Recreation E  odification(s):  = current condition  e of 12/31/2022  : Aquatic life indicator goal: Brook	Sulfide  ds, from a point immediately above  Physical and E  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorganic	the confluence with Biological  DM CS-I acute varies* c (mg/L)	0.002  Mineral Cre  MWAT  CS-I  chronic  6.0  7.0   126	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper	with a confluence with a cute varies*  340 TVS TVS TVS TVS TVS TVS	chronic varies* 100 TVS TVS 100 TVS TVS
(0.11 mg  4a. Mainstem Creek.  COSJAF04A  Designation  UP  Qualifiers:  Other:  Temporary Mc Copper(ac/ch) Expiration Date  *Classification: Trout  *Aluminum(acci *Aluminum(acci *Aluminum(chr 1.	of the Animas River, including wetland Classifications Agriculture Aq Life Cold 2* Recreation E  addification(s): = current condition e of 12/31/2022 : Aquatic life indicator goal: Brook ute) = Standards are listed on Table 1	Sulfide  ds, from a point immediately above  Physical and E  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorganio	the confluence with  Biological  DM  CS-I  acute   varies*   c (mg/L)  acute	MWAT CS-I chronic 6.0 7.0 126 chronic	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron	with a confluence with a cute varies*  340 TVS TVS TVS TVS TVS TVS TVS TVS TVS	chronic varies* 100 TVS TVS 100 TVS TVS Varies*
4a. Mainstem Creek.  COSJAF04A  Designation  UP  Qualifiers:  Other:  Temporary Mc Copper(ac/ch) Expiration Date  *Classification: Trout  *Aluminum(act 1. *Iron(chronic)	of the Animas River, including wetland Classifications Agriculture Aq Life Cold 2* Recreation E  odification(s): = current condition e of 12/31/2022 : Aquatic life indicator goal: Brook ute) = Standards are listed on Table 1 ronic) = Standards are listed on Table 1	Sulfide  ds, from a point immediately above  Physical and E  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorganic  Ammonia	the confluence with  Biological  DM  CS-I  acute varies* c (mg/L)  acute TVS	MWAT CS-I chronic 6.0 7.0 126  chronic TVS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron Lead	ovve the confluence windetals (ug/L)  acute varies* 340 TVS	chronic varies* 100 TVS TVS 100 TVS TVS Varies* TVS
4a. Mainstem Creek.  COSJAF04A  Designation  UP  Qualifiers:  Other:  Temporary Mc Copper(ac/ch) Expiration Date  *Classification: Trout  *Aluminum(act *Aluminum(chronic)  1. *Iron(chronic) *Zinc(acute) = *Zinc(chronic)	Classifications Agriculture Aq Life Cold 2* Recreation E  addification(s): = current condition e of 12/31/2022 : Aquatic life indicator goal: Brook aute) = Standards are listed on Table 1 = Standards are listed on Table 1. = Standards are listed on Table 1. = Standards are listed on Table 1.	Sulfide  ds, from a point immediately above  Physical and E  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorganic  Ammonia  Boron	the confluence with  Biological  DM  CS-I  acute varies* c (mg/L)  acute TVS	0.002 Mineral Cre  MWAT  CS-I chronic  6.0  7.0  126  chronic  TVS 0.75	ek to a point immediately ab  Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron Lead Manganese	wive the confluence with t	chronic varies*  100  TVS  TVS  100  TVS  TVS  TVS  Varies*  TVS  TVS
4a. Mainstem Creek.  COSJAF04A  Designation  UP  Qualifiers:  Other:  Temporary Mc Copper(ac/ch) Expiration Date  *Classification: Trout  *Aluminum(act *Aluminum(chronic)  1. *Iron(chronic) *Zinc(acute) = *Zinc(chronic)	of the Animas River, including wetland Classifications Agriculture Aq Life Cold 2* Recreation E  odification(s): = current condition e of 12/31/2022 : Aquatic life indicator goal: Brook ute) = Standards are listed on Table 1 ronic) = Standards are listed on Table 1. Standards are listed on Table 1.	Sulfide  ds, from a point immediately above  Physical and E  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorganic  Ammonia  Boron  Chloride	the confluence with  Biological  DM  CS-I  acute   varies*   c (mg/L)  acute  TVS	0.002  Mineral Cre  MWAT  CS-I  chronic  6.0  7.0   126  chronic  TVS  0.75	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium VI Copper Iron Lead Manganese Mercury	ove the confluence with details (ug/L)  acute varies* 340 TVS	chronic varies*  100 TVS TVS 100 TVS TVS Varies* TVS TVS 0.01(t)
4a. Mainstem Creek.  COSJAF04A  Designation  UP  Qualifiers:  Other:  Temporary Mc Copper(ac/ch) Expiration Date  *Classification: Trout  *Aluminum(act *Aluminum(chronic)  1. *Iron(chronic) *Zinc(acute) = *Zinc(chronic)	Classifications Agriculture Aq Life Cold 2* Recreation E  addification(s): = current condition e of 12/31/2022 : Aquatic life indicator goal: Brook aute) = Standards are listed on Table 1 = Standards are listed on Table 1. = Standards are listed on Table 1. = Standards are listed on Table 1.	Sulfide  ds, from a point immediately above  Physical and E  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorganic  Ammonia  Boron  Chloride  Chlorine	the confluence with  Biological  DM  CS-I  acute   varies*   c (mg/L)  acute  TVS   0.019	0.002  Mineral Cre  MWAT  CS-I  chronic  6.0  7.0   126  chronic  TVS  0.75   0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron Lead Manganese Mercury Molybdenum(T)	vove the confluence with t	chronic varies* TVS TVS 100 TVS TVS varies* TVS Varies* TVS TVS 0.01(t)
4a. Mainstem Creek.  COSJAF04A  Designation  UP  Qualifiers:  Other:  Temporary Mc Copper(ac/ch) Expiration Date  *Classification: Trout  *Aluminum(act *Aluminum(chronic)  1. *Iron(chronic) *Zinc(acute) = *Zinc(chronic)	Classifications Agriculture Aq Life Cold 2* Recreation E  addification(s): = current condition e of 12/31/2022 : Aquatic life indicator goal: Brook aute) = Standards are listed on Table 1 = Standards are listed on Table 1. = Standards are listed on Table 1. = Standards are listed on Table 1.	Sulfide  ds, from a point immediately above  Physical and E  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorganic  Ammonia  Boron  Chloride  Chlorine  Cyanide	the confluence with Biological  DM CS-I acute varies* c (mg/L)  acute TVS 0.019 0.005	0.002  Mineral Cre  MWAT  CS-I  chronic  6.0  7.0   126  Chronic  TVS  0.75   0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium VI Copper Iron Lead Manganese Mercury Molybdenum(T) Nickel	ove the confluence with th	chronic varies* 100 TVS TVS 100 TVS TVS Varies* TVS TVS 0.01(t) 150 TVS
4a. Mainstem Creek.  COSJAF04A  Designation  UP  Qualifiers:  Other:  Temporary Mc Copper(ac/ch) Expiration Date  *Classification: Trout  *Aluminum(act *Aluminum(chronic)  1. *Iron(chronic) *Zinc(acute) = *Zinc(chronic)	Classifications Agriculture Aq Life Cold 2* Recreation E  addification(s): = current condition e of 12/31/2022 : Aquatic life indicator goal: Brook aute) = Standards are listed on Table 1 = Standards are listed on Table 1. = Standards are listed on Table 1. = Standards are listed on Table 1.	Sulfide  ds, from a point immediately above  Physical and E  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorganic  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate	the confluence with  Biological  DM  CS-I  acute   varies*   c (mg/L)  acute  TVS   0.019  0.005  100	0.002 Mineral Cre  MWAT  CS-I  chronic  6.0  7.0   126  Chronic  TVS  0.75   0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron Lead Manganese Mercury Molybdenum(T) Nickel Selenium	ovve the confluence with t	chronic varies* 100 TVS TVS 100 TVS TVS varies* TVS TVS 0.01(t) 150 TVS
4a. Mainstem Creek.  COSJAF04A  Designation  UP  Qualifiers:  Other:  Temporary Mc Copper(ac/ch) Expiration Date  *Classification: Trout  *Aluminum(act *Aluminum(chronic)  1. *Iron(chronic) *Zinc(acute) = *Zinc(chronic)	Classifications Agriculture Aq Life Cold 2* Recreation E  addification(s): = current condition e of 12/31/2022 : Aquatic life indicator goal: Brook aute) = Standards are listed on Table 1 = Standards are listed on Table 1. = Standards are listed on Table 1. = Standards are listed on Table 1.	Sulfide  ds, from a point immediately above  Physical and E  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorganic  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate  Nitrite	the confluence with  Biological  DM  CS-I  acute varies* c (mg/L)  acute TVS 0.019 0.005 100	0.002 Mineral Cre  MWAT  CS-I  chronic  6.0  7.0   126   Chronic  TVS  0.75   0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron Lead Manganese Mercury Molybdenum(T) Nickel Selenium Silver	vove the confluence with t	chronic varies* 100 TVS TVS 100 TVS TVS varies* TVS TVS 0.01(t) 150 TVS

4b. Mainstem	of the Animas River, i	ncluding wetlands, from a point immediately above the	e confluence with	Deer Park (	Creek to Bakers Bridge (37.4	58620, -107.799194).	
COSJAF04B	Classifications	Physical and Bio	ological		ı	/letals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Aluminum(T)	TVS	TVS
	Recreation E		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02
Qualifiers:		D.O. (spawning)		7.0	Beryllium		
Other:		pН	6.5 - 9.0		Cadmium	TVS	TVS
Temporary M	odification(s):	chlorophyll a (mg/m²)			Cadmium(T)	5.0	
Arsenic(chroni		E. Coli (per 100 mL)		126	Chromium III		TVS
Expiration Dat	te of 12/31/2024				Chromium III(T)	50	
		Inorganic (	mg/L)		Chromium VI	TVS	TVS
			acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron		ws
		Boron		0.75	Iron(T)		1000
		Chloride		250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	
		Cyanide	0.005		Manganese	TVS	TVS/WS
		Nitrate	10		Mercury		0.01(t)
		Nitrite	0.05		Molybdenum(T)		150
		Phosphorus			Nickel	TVS	TVS
		Sulfate		WS	Nickel(T)		100
		Sulfide		0.002	Selenium	TVS	TVS
		Cumac		0.002	Silver	TVS	TVS(tr)
					Uranium		
					Zinc	TVS	TVS
5a. Mainstem	of the Animas River. i	ncluding wetlands, from Bakers Bridge (37,458620, -1	107.799194) to th	e Southern L			-
5a. Mainstem COSJAF05A	of the Animas River, i	ncluding wetlands, from Bakers Bridge (37.458620, -1		e Southern L	Ute Indian Reservation bound		-
				e Southern L	Ute Indian Reservation bound	dary.	chronic
COSJAF05A	Classifications		ological		Ute Indian Reservation bound	dary. Metals (ug/L)	
COSJAF05A Designation	Classifications Agriculture	Physical and Bio	ological DM	MWAT	Jte Indian Reservation boun	dary. Metals (ug/L) acute	chronic
COSJAF05A Designation	Classifications Agriculture Aq Life Cold 1	Physical and Bio	DIOGICAI  DM  CS-II	MWAT CS-II	Jte Indian Reservation bound  I Aluminum Arsenic	dary.  //letals (ug/L)  acute  TVS	chronic TVS
COSJAF05A Designation	Classifications Agriculture Aq Life Cold 1 Recreation E	Physical and Bio	DM CS-II acute	MWAT CS-II chronic	Jte Indian Reservation bound  I  Aluminum  Arsenic  Arsenic(T)	dary.  Aletals (ug/L)  acute  TVS  340	chronic TVS 
COSJAF05A  Designation  Reviewable  Qualifiers:	Classifications Agriculture Aq Life Cold 1 Recreation E	Physical and Bio Temperature °C  D.O. (mg/L)	DIOGICAI  DM  CS-II  acute	MWAT CS-II chronic 6.0	Jte Indian Reservation bound  I Aluminum Arsenic	Alary. Aletals (ug/L) acute TVS 340	chronic TVS  0.02
COSJAF05A  Designation  Reviewable  Qualifiers:  Other:	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Physical and Bio  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH	DM CS-II acute	MWAT CS-II chronic 6.0 7.0	Jte Indian Reservation bound  I Aluminum Arsenic Arsenic(T) Beryllium	Alary.  Aletals (ug/L)  acute  TVS  340	chronic TVS  0.02
COSJAF05A  Designation  Reviewable  Qualifiers:  Other:  Temporary M	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  odification(s):	Physical and Bio  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)	DM CS-II acute 6.5 - 9.0	MWAT CS-II chronic 6.0 7.0	Ite Indian Reservation bound It Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T)	Alary.  Aletals (ug/L)  acute  TVS  340   TVS	chronic TVS 0.02 TVS
COSJAF05A  Designation  Reviewable  Qualifiers:  Other:  Temporary M  Arsenic(chronic	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  odification(s): ic) = hybrid	Physical and Bio  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH	DM CS-II acute	MWAT CS-II chronic 6.0 7.0	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III	lary.  Aletals (ug/L)  acute  TVS  340   TVS  5.0	chronic TVS 0.02 TVS
COSJAF05A  Designation  Reviewable  Qualifiers:  Other:  Temporary M  Arsenic(chronic	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  odification(s):	Physical and Bio  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)	DM CS-II acute 6.5 - 9.0	MWAT CS-II chronic 6.0 7.0	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T)	Alary.  Aletals (ug/L)  acute  TVS  340   TVS  5.0  50	chronic  TVS 0.02 TVS TVS
COSJAF05A  Designation  Reviewable  Qualifiers:  Other:  Temporary M  Arsenic(chronic	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  odification(s): ic) = hybrid	Physical and Bio  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)	DM CS-II acute 6.5 - 9.0	MWAT CS-II chronic 6.0 7.0	Jte Indian Reservation bound  Aluminum  Arsenic  Arsenic(T)  Beryllium  Cadmium  Cadmium(T)  Chromium III  Chromium III(T)	Alary.  Aletals (ug/L)  acute  TVS  340   TVS  5.0	chronic TVS 0.02 TVS TVS
COSJAF05A  Designation  Reviewable  Qualifiers:  Other:  Temporary M  Arsenic(chronic	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  odification(s): ic) = hybrid	Physical and Bio  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorganic (	DM CS-II acute 6.5 - 9.0 Img/L) acute	MWAT CS-II chronic 6.0 7.0 126 chronic	Jte Indian Reservation bound  Aluminum  Arsenic  Arsenic(T)  Beryllium  Cadmium  Cadmium(T)  Chromium III  Chromium III(T)  Chromium VI  Copper	Ary.  Aletals (ug/L)  acute  TVS  340   TVS  5.0  TVS	Chronic TVS 0.02 TVS TVS TVS TVS TVS
COSJAF05A  Designation  Reviewable  Qualifiers:  Other:  Temporary M  Arsenic(chronic	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  odification(s): ic) = hybrid	Physical and Bio  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)	DM CS-II acute 6.5 - 9.0	MWAT CS-II chronic 6.0 7.0 126	Jte Indian Reservation bound  Aluminum  Arsenic  Arsenic(T)  Beryllium  Cadmium  Cadmium(T)  Chromium III  Chromium III(T)  Chromium VI  Copper  Iron	dary.  Aletals (ug/L)  acute  TVS  340   TVS  5.0  TVS  TVS  TVS	chronic TVS 0.02 TVS TVS TVS
COSJAF05A  Designation  Reviewable  Qualifiers:  Other:  Temporary M  Arsenic(chronic	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  odification(s): ic) = hybrid	Physical and Bio  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorganic (  Ammonia  Boron	DM CS-II acute 6.5 - 9.0	MWAT CS-II chronic 6.0 7.0 126  chronic TVS 0.75	Jte Indian Reservation bound  Aluminum  Arsenic  Arsenic(T)  Beryllium  Cadmium  Cadmium(T)  Chromium III  Chromium III(T)  Chromium VI  Copper	lary.  Aletals (ug/L)  acute  TVS  340   TVS  5.0  TVS  TVS  TVS  TVS  TVS  TVS	Chronic TVS 0.02 TVS TVS TVS TVS WS
COSJAF05A  Designation  Reviewable  Qualifiers:  Other:  Temporary M  Arsenic(chronic	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  odification(s): ic) = hybrid	Physical and Bio  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorganic (  Ammonia  Boron  Chloride	DM CS-II acute 6.5 - 9.0 Img/L) acute TVS	MWAT CS-II chronic 6.0 7.0 126  chronic TVS 0.75 250	Jte Indian Reservation bound  Aluminum  Arsenic  Arsenic(T)  Beryllium  Cadmium  Cadmium(T)  Chromium III  Chromium III(T)  Chromium VI  Copper  Iron  Iron(T)  Lead	Arry.  Aletals (ug/L)  acute  TVS  340   TVS  5.0   50  TVS  TVS  TVS  TVS  TVS  TVS  TVS	Chronic TVS 0.02 TVS TVS TVS TVS TVS TVS WS 1000 TVS
COSJAF05A  Designation  Reviewable  Qualifiers:  Other:  Temporary M  Arsenic(chroni	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  odification(s): ic) = hybrid	Physical and Bio  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorganic (  Ammonia Boron Chloride Chlorine	DM CS-II acute 6.5 - 9.0 CMg/L) acute TVS 0.019	MWAT CS-II chronic 6.0 7.0 126  chronic TVS 0.75 250 0.011	Jte Indian Reservation bound  Aluminum  Arsenic  Arsenic(T)  Beryllium  Cadmium(T)  Chromium III  Chromium III(T)  Chromium VI  Copper  Iron  Iron(T)  Lead  Lead(T)	Jary.  Jetals (ug/L)  acute  TVS  340   TVS  5.0  TVS  TVS  TVS  TVS  TVS  TVS  TVS  TV	Chronic TVS 0.02 TVS TVS TVS TVS TVS TVS TVS WS 1000 TVS
COSJAF05A  Designation  Reviewable  Qualifiers:  Other:  Temporary M  Arsenic(chroni	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  odification(s): ic) = hybrid	Physical and Bio  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorganic (  Ammonia Boron Chloride Chlorine Cyanide	DM   CS-II   acute     6.5 - 9.0	MWAT CS-II chronic 6.0 7.0 126  chronic TVS 0.75 250	Jte Indian Reservation bound I Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese	dary.  Aletals (ug/L)  acute  TVS  340   TVS  5.0  TVS  TVS  TVS  TVS  TVS  TVS  TVS  TV	Chronic TVS 0.02 TVS
COSJAF05A  Designation  Reviewable  Qualifiers:  Other:  Temporary M  Arsenic(chroni	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  odification(s): ic) = hybrid	Physical and Bio  Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic (  Ammonia Boron Chloride Chlorine Cyanide Nitrate	DM   CS-II   acute     6.5 - 9.0       Cmg/L)   acute   TVS       0.019   0.005   10   10	MWAT CS-II chronic 6.0 7.0 126  chronic TVS 0.75 250 0.011	Jte Indian Reservation bound I Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury	dary.  Aletals (ug/L)  acute  TVS  340   TVS  5.0  TVS  TVS  TVS  TVS  TVS  TVS  TVS  TV	Chronic TVS 0.02 TVS TVS TVS TVS TVS TVS TVS US 1000 TVS TVSWS 0.01(t)
COSJAF05A Designation Reviewable Qualifiers: Other: Temporary M Arsenic(chronic	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  odification(s): ic) = hybrid	Physical and Bio  Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic (  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite	DM   CS-II   acute     6.5 - 9.0       Cmg/L)   acute   TVS       0.019   0.005   10   0.05	MWAT CS-II chronic 6.0 7.0 126  chronic TVS 0.75 250 0.011	Jte Indian Reservation bound  Aluminum  Arsenic  Arsenic(T)  Beryllium  Cadmium(T)  Chromium III  Chromium III(T)  Chromium VI  Copper  Iron  Iron(T)  Lead  Lead(T)  Manganese  Mercury  Molybdenum(T)	Ary.  Aletals (ug/L)  acute  TVS  340   TVS  5.0  TVS  TVS  TVS  TVS  TVS  TVS   TVS  50  TVS  TVS   TVS   TVS   TVS   TVS   TVS   TVS   TVS   TVS   TVS   TVS   TVS   TVS   TVS   TVS	Chronic TVS 0.02 TVS T
COSJAF05A Designation Reviewable Qualifiers: Other: Temporary M Arsenic(chronic	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  odification(s): ic) = hybrid	Physical and Bio  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorganic (  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate  Nitrite  Phosphorus	DM   CS-II   acute     (6.5 - 9.0	MWAT CS-II chronic 6.0 7.0 126  chronic TVS 0.75 250 0.011	Jte Indian Reservation bound I Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel	Jary.  Jetals (ug/L)  acute  TVS  340   TVS  5.0  TVS  TVS  TVS  TVS  TVS  TVS  TVS  TV	Chronic TVS 0.02 TVS TVS TVS TVS TVS TVS US 1000 TVS TVSWS 0.01(t) 150 TVS
COSJAF05A Designation Reviewable Qualifiers: Other: Temporary M Arsenic(chronic	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  odification(s): ic) = hybrid	Physical and Bio  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorganic (  Ammonia  Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	DM   CS-II   acute     (6.5 - 9.0       (7.5   1.0	MWAT CS-II chronic 6.0 7.0 126  chronic TVS 0.75 250 0.011 WS	Jte Indian Reservation bound  Aluminum  Arsenic  Arsenic(T)  Beryllium  Cadmium(T)  Chromium III  Chromium III(T)  Chromium VI  Copper  Iron  Iron(T)  Lead  Lead(T)  Manganese  Mercury  Molybdenum(T)  Nickel  Nickel(T)	Arry.  Aletals (ug/L)  acute  TVS  340   TVS  5.0  TVS  TVS  TVS  TVS  TVS  TVS  TVS  TV	Chronic TVS 0.02 TVS TVS TVS TVS TVS TVS WS 1000 TVS TVSWS 0.01(t) 150 TVS
COSJAF05A Designation Reviewable Qualifiers: Other: Temporary M Arsenic(chronic	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  odification(s): ic) = hybrid	Physical and Bio  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorganic (  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate  Nitrite  Phosphorus	DM   CS-II   acute	MWAT CS-II chronic 6.0 7.0 126  chronic TVS 0.75 250 0.011	Jte Indian Reservation bound  Aluminum  Arsenic  Arsenic(T)  Beryllium  Cadmium(T)  Chromium III  Chromium III(T)  Chromium VI  Copper  Iron  Iron(T)  Lead  Lead(T)  Manganese  Mercury  Molybdenum(T)  Nickel  Nickel(T)  Selenium	Jary.  Jetals (ug/L)  acute  TVS  340   TVS  5.0  TVS  TVS  TVS  TVS  TVS  TVS  TVS  TV	Chronic TVS 0.02 TVS TVS TVS TVS TVS WS 1000 TVS TVSWS 0.01(t) 150 TVS 100 TVS
COSJAF05A Designation Reviewable Qualifiers: Other: Temporary M Arsenic(chronic	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  odification(s): ic) = hybrid	Physical and Bio  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorganic (  Ammonia  Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	DM   CS-II   acute     (6.5 - 9.0       (7.5   1.0	MWAT CS-II chronic 6.0 7.0 126  chronic TVS 0.75 250 0.011 WS	Jte Indian Reservation bound  Aluminum  Arsenic  Arsenic(T)  Beryllium  Cadmium  Cadmium(T)  Chromium III  Chromium III(T)  Chromium VI  Copper  Iron  Iron(T)  Lead  Lead(T)  Manganese  Mercury  Molybdenum(T)  Nickel  Nickel(T)  Selenium  Silver	dary.  Aletals (ug/L)  acute  TVS  340   TVS  5.0  TVS  TVS  TVS  TVS  TVS  TVS  TVS  TV	Chronic TVS 0.02 TVS TVS TVS TVS TVS S 0.01(t) 150 TVS 1000 TVS 1000 TVS
COSJAF05A Designation Reviewable Qualifiers: Other: Temporary M Arsenic(chronic	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  odification(s): ic) = hybrid	Physical and Bio  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorganic (  Ammonia  Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	DM   CS-II   acute     (6.5 - 9.0       (7.5   1.0	MWAT CS-II chronic 6.0 7.0 126  chronic TVS 0.75 250 0.011 WS	Jte Indian Reservation bound  Aluminum  Arsenic  Arsenic(T)  Beryllium  Cadmium(T)  Chromium III  Chromium III(T)  Chromium VI  Copper  Iron  Iron(T)  Lead  Lead(T)  Manganese  Mercury  Molybdenum(T)  Nickel  Nickel(T)  Selenium	Jary.  Jetals (ug/L)  acute  TVS  340   TVS  5.0  TVS  TVS  TVS  TVS  TVS  TVS  TVS  TV	Chronic TVS 0.02 TVS TVS TVS TVS TVS WS 1000 TVS TVS/WS 0.01(t) 150 TVS 1000 TVS

All metals are dissolved unless otherwise noted. T = total recoverable

t = total tr=trout sc=sculpin D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 34.6 for further details on applied standards.

5b. Mainstem	of the Animas River, including wetla	ands, from the Southern Ute Indian R	eservanon boundary	(37.214880	-107.000102) to basin the	ek.	
COSJAF05B	Classifications	Physical and		,	·	Metals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CS-II	CS-II	Aluminum	TVS	TVS
	Recreation E		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02
Qualifiers:		D.O. (spawning)		7.0	Beryllium		
Other:		рН	6.5 - 9.0		Cadmium	TVS	TVS
Temporary Mo	odification(s):	chlorophyll a (mg/m²)			Cadmium(T)	5.0	
Arsenic(chroni		E. Coli (per 100 mL)		126	Chromium III		TVS
	e of 12/31/2024				Chromium III(T)	50	
		Inorgani	c (mg/L)		Chromium VI	TVS	TVS
*Southern Ute	Indian Reservation		acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron		WS
		Boron		0.75	Iron(T)		1000
		Chloride		250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	
		Cyanide	0.005		Manganese	TVS	TVS/WS
		Nitrate	10		Mercury		0.01(t)
		Nitrite	0.05		Molybdenum(T)		150
		Phosphorus			Nickel	TVS	TVS
		Sulfate		WS	Nickel(T)		100
		Sulfide		0.002	Selenium	TVS	TVS
					Silver	TVS	TVS(tr)
							( )
					Uranium		
					Uranium Zinc	TVS	TVS
5c. Mainstem	of the Animas River, including wetla	ands, from Basin Creek to above the	confluence with the	Florida River	Zinc		TVS
5c. Mainstem COSJAF05C	of the Animas River, including wetla	ands, from Basin Creek to above the o		Florida River	Zinc		TVS
				Florida River	Zinc	TVS	TVS
COSJAF05C	Classifications		Biological		Zinc	TVS Metals (ug/L)	
COSJAF05C Designation	Classifications Agriculture Aq Life Cold 1 Recreation E	Physical and I	Biological DM	MWAT	Zinc .	TVS Metals (ug/L) acute	chronic
COSJAF05C  Designation  Reviewable	Classifications Agriculture Aq Life Cold 1	Physical and I	Biological  DM  CS-II	MWAT CS-II	Zinc	TVS  Metals (ug/L)  acute  TVS	chronic TVS
COSJAF05C Designation	Classifications Agriculture Aq Life Cold 1 Recreation E	Physical and I	Biological  DM  CS-II  acute	MWAT CS-II chronic	Zinc : Aluminum Arsenic	TVS  Metals (ug/L)  acute  TVS  340	chronic TVS
COSJAF05C  Designation  Reviewable	Classifications Agriculture Aq Life Cold 1 Recreation E	Physical and I	DM CS-II acute	MWAT CS-II chronic 6.0	Aluminum Arsenic Arsenic(T)	TVS  Metals (ug/L)  acute  TVS  340	chronic TVS  0.02
COSJAF05C Designation Reviewable Qualifiers: Other:	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Physical and I  Temperature °C  D.O. (mg/L)  D.O. (spawning)	DM CS-II acute	MWAT CS-II chronic 6.0 7.0	Aluminum Arsenic Arsenic(T) Beryllium	TVS  Metals (ug/L)  acute  TVS  340	chronic TVS  0.02
COSJAF05C  Designation  Reviewable  Qualifiers:	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  odification(s):	Physical and I  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH	DM CS-II acute  6.5 - 9.0	MWAT CS-II chronic 6.0 7.0	Aluminum Arsenic Arsenic(T) Beryllium Cadmium	TVS  Metals (ug/L)  acute  TVS  340   TVS	chronic TVS 0.02 TVS
COSJAF05C Designation Reviewable  Qualifiers: Other: Temporary Mo	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  odification(s):	Physical and I  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)	DM CS-II acute  6.5 - 9.0	MWAT CS-II chronic 6.0 7.0	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T)	TVS  Metals (ug/L)  acute  TVS  340   TVS  5.0	chronic TVS 0.02 TVS
COSJAF05C  Designation  Reviewable  Qualifiers:  Other:  Temporary Modersenic(chronic Expiration Dates)	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  odification(s): c) = hybrid te of 12/31/2024	Physical and I  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)	DM CS-II acute  6.5 - 9.0	MWAT CS-II chronic 6.0 7.0	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III	TVS  Metals (ug/L)  acute  TVS  340   TVS  5.0	chronic TVS 0.02 TVS
COSJAF05C  Designation  Reviewable  Qualifiers:  Other:  Temporary Modersenic(chronic Expiration Dates)	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  odification(s): c) = hybrid	Physical and I  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)	DM CS-II acute  6.5 - 9.0	MWAT CS-II chronic 6.0 7.0	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T)	TVS  Metals (ug/L)  acute  TVS  340   TVS  5.0   50	chronic TVS 0.02 TVS TVS
COSJAF05C  Designation  Reviewable  Qualifiers:  Other:  Temporary Modersenic(chronic Expiration Dates)	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  odification(s): c) = hybrid te of 12/31/2024	Physical and I  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)	DM CS-II acute  6.5 - 9.0 	MWAT CS-II chronic 6.0 7.0 126	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T)	TVS  Metals (ug/L)  acute  TVS  340   TVS  5.0   50  TVS	chronic TVS 0.02 TVS TVS TVS
COSJAF05C  Designation  Reviewable  Qualifiers:  Other:  Temporary Modersenic(chronic Expiration Dates)	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  odification(s): c) = hybrid te of 12/31/2024	Physical and I  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorgani	DM CS-II acute  6.5 - 9.0  c (mg/L)	MWAT CS-II chronic 6.0 7.0 126 chronic	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper	TVS  Metals (ug/L)  acute  TVS  340   TVS  5.0  TVS  TVS  TVS	chronic TVS 0.02 TVS TVS TVS TVS TVS
COSJAF05C  Designation  Reviewable  Qualifiers:  Other:  Temporary Modersenic(chronic Expiration Dates)	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  odification(s): c) = hybrid te of 12/31/2024	Physical and I  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorgani  Ammonia	DM   CS-II   acute     6.5 - 9.0     c (mg/L)   acute   TVS	MWAT CS-II chronic 6.0 7.0 126  chronic	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron	TVS  Metals (ug/L)  acute  TVS  340   TVS  5.0  TVS  TVS  TVS  TVS  TVS  TVS	chronic TVS 0.02 TVS TVS TVS TVS WS
COSJAF05C  Designation  Reviewable  Qualifiers:  Other:  Temporary Modersenic(chronic Expiration Dates)	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  odification(s): c) = hybrid te of 12/31/2024	Physical and I  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorgani  Ammonia  Boron	Biological  DM  CS-II  acute 6.5 - 9.0 c (mg/L)  acute TVS	MWAT CS-II chronic 6.0 7.0 126  chronic TVS 0.75	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T)	TVS  Metals (ug/L)  acute  TVS  340   TVS  5.0  TVS  TVS  TVS  TVS  TVS  TVS  TVS  TV	chronic TVS 0.02 TVS TVS TVS WS TVS 1000
COSJAF05C  Designation  Reviewable  Qualifiers:  Other:  Temporary Modersenic(chronic Expiration Dates)	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  odification(s): c) = hybrid te of 12/31/2024	Physical and I  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorgani  Ammonia  Boron  Chloride	Biological  DM  CS-II  acute 6.5 - 9.0 c (mg/L)  acute  TVS	MWAT CS-II chronic 6.0 7.0 126  chronic TVS 0.75 250	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T)	TVS  Metals (ug/L)  acute  TVS  340   TVS  5.0   50  TVS  TVS  TVS  TVS  TVS  TVS	Chronic TVS 0.02 TVS TVS TVS TVS TVS TVS TVS WS 1000 TVS
COSJAF05C  Designation  Reviewable  Qualifiers:  Other:  Temporary Modersenic(chronic Expiration Dates)	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  odification(s): c) = hybrid te of 12/31/2024	Physical and I  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorgani  Ammonia  Boron  Chloride  Chlorine	Biological  DM  CS-II  acute 6.5 - 9.0 c (mg/L)  acute TVS 0.019	MWAT CS-II chronic 6.0 7.0 126  chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T)	TVS  Metals (ug/L)  acute  TVS  340   TVS  5.0   50  TVS  TVS  TVS   TVS  50	Chronic TVS 0.02 TVS TVS TVS TVS TVS TVS WS 1000 TVS
COSJAF05C  Designation  Reviewable  Qualifiers:  Other:  Temporary Moders Arsenic (chronic)  Expiration Date	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  odification(s): c) = hybrid te of 12/31/2024	Physical and I  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorgani  Ammonia  Boron  Chloride  Chlorine  Cyanide	Biological  DM  CS-II  acute 6.5 - 9.0 c (mg/L)  acute TVS 0.019 0.005	MWAT CS-II chronic 6.0 7.0 126  chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese	TVS  Metals (ug/L)  acute  TVS  340   TVS  5.0  TVS  TVS  TVS  TVS  TVS  TVS  TVS  TV	Chronic TVS 0.02 TVS
COSJAF05C  Designation  Reviewable  Qualifiers:  Other:  Temporary Moders Arsenic (chronic)  Expiration Date	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  odification(s): c) = hybrid te of 12/31/2024	Physical and I  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorgani  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate	DM   CS-II   acute     6.5 - 9.0       c (mg/L)   acute   TVS       0.019   0.005   10	MWAT CS-II chronic 6.0 7.0 126  chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury	TVS  Metals (ug/L)  acute  TVS  340   TVS  5.0   50  TVS  TVS  TVS  TVS   TVS  50  TVS  TVS   TVS  50  TVS	Chronic TVS 0.02 TVS TVS TVS TVS TVS TVS US 1000 TVS TVSWS 0.01(t)
COSJAF05C  Designation  Reviewable  Qualifiers:  Other:  Temporary Moders Arsenic (chronic)  Expiration Date	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  odification(s): c) = hybrid te of 12/31/2024	Physical and I  Temperature °C  D.O. (mg/L) D.O. (spawning)  pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorgani  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite	Biological  DM  CS-II  acute 6.5 - 9.0 cc (mg/L)  acute TVS 0.019 0.005 10 0.05	MWAT CS-II chronic 6.0 7.0 126  chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T)	TVS  Metals (ug/L)  acute  TVS  340   TVS  5.0  TVS  TVS  TVS  TVS  TVS  TVS  TVS   TVS  50  TVS  TVS   TVS	Chronic TVS 0.02 TVS -
COSJAF05C Designation Reviewable Qualifiers: Other: Temporary Moders Arsenic(chronic Expiration Date	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  odification(s): c) = hybrid te of 12/31/2024	Physical and I  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorgani  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate  Nitrite  Phosphorus	Biological  DM  CS-II  acute 6.5 - 9.0 c (mg/L)  acute TVS 0.019 0.005 10 0.05	MWAT CS-II chronic 6.0 7.0 126  chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel	TVS  Metals (ug/L)  acute  TVS  340   TVS  5.0   50  TVS  TVS  TVS   TVS  50  TVS  TVS  TVS  50  TVS  TVS  TVS  TVS  TVS  TVS  TVS  TV	Chronic TVS 0.02 TVS TVS TVS TVS TVS WS 1000 TVS TVSWS 0.01(t) 150 TVS
COSJAF05C  Designation  Reviewable  Qualifiers:  Other:  Temporary Modersenic(chronic Expiration Dates)	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  odification(s): c) = hybrid te of 12/31/2024	Physical and I  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorgani  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate  Nitrite  Phosphorus  Sulfate	Biological  DM  CS-II  acute 6.5 - 9.0 c (mg/L)  acute TVS 0.019 0.005 10 0.05	MWAT CS-II chronic 6.0 7.0 126  chronic TVS 0.75 250 0.011 WS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T)	TVS  Metals (ug/L)  acute  TVS  340   TVS  5.0   50  TVS  TVS   TVS  50  TVS  TVS   TVS  50  TVS	Chronic TVS 0.02 TVS TVS TVS TVS TVS TVS WS 1000 TVS TVSWS 0.01(t) 150 TVS
COSJAF05C  Designation  Reviewable  Qualifiers:  Other:  Temporary Modersenic(chronic Expiration Dates)	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  odification(s): c) = hybrid te of 12/31/2024	Physical and I  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorgani  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate  Nitrite  Phosphorus  Sulfate	Biological  DM  CS-II  acute 6.5 - 9.0 c (mg/L)  acute TVS 0.019 0.005 10 0.05	MWAT CS-II chronic 6.0 7.0 126  chronic TVS 0.75 250 0.011 WS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	TVS  Metals (ug/L)  acute  TVS  340   TVS  5.0  TVS  TVS  TVS  TVS  TVS  TVS  TVS  TV	Chronic TVS 0.02 TVS TVS TVS TVS TVS WS 1000 TVS TVSWS 0.01(t) 150 TVS 100 TVS

All metals are dissolved unless otherwise noted.

T = total recoverable

t = total tr=trout sc=sculpin D.O. = dissolved oxygen DM = daily maximum

COSJAF05D	Classifications	Physical and	Biological		M	etals (ug/L)	
Designation	Agriculture	1.7,2	DM	MWAT		acute	chronic
Reviewable	Ag Life Cold 1	Temperature °C	CS-II	CS-II	Aluminum	TVS	TVS
	Recreation E		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02
Qualifiers:		D.O. (spawning)		7.0	Beryllium		
Other:		рН	6.5 - 9.0		Cadmium	TVS	TVS
Temporary Me	adification(s):	chlorophyll a (mg/m²)			Cadmium(T)	5.0	
Arsenic(chroni	, ,	E. Coli (per 100 mL)		126	Chromium III		TVS
,	e of 12/31/2024				Chromium III(T)	50	
•		Inorgani	c (mg/L)		Chromium VI	TVS	TVS
*Southern Ute	Indian Reservation		acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron		WS
		Boron		0.75	Iron(T)		1000
		Chloride		250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	
		Cyanide	0.005		Manganese	TVS	TVS/WS
		Nitrate	10		Mercury		0.01(t)
		Nitrite	0.05		Molybdenum(T)		150
		Phosphorus			Nickel	TVS	TVS
		Sulfate		WS	Nickel(T)		100
		Sulfide		0.002	Selenium	TVS	TVS
					Silver	TVS	TVS(tr)
					Uranium		
					Zinc	TVS	TVS

6. Mainstem of the Animas River from the source to the outlet of Denver Lake. Mainstem, including all tributaries and wetlands of Cinnamon Creek, Grouse Gulch, Picayne Gulch, and Minnie Gulch. All tributaries and wetlands to the Animas River from immediately above Maggie Gulch to to a point immediately above Elk Creek except for those listed under segments 3c, 7, 8 and 9. South Mineral Creek and all other tributaries and wetlands to Mineral Creek, except for those specifically listed in segments 8 and 9.

COSJAF06	Classifications	Physical and E	Biological			Metals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02
Qualifiers:		D.O. (spawning)		7.0	Beryllium		
Other:		pН	6.5 - 9.0		Cadmium	TVS	TVS
Temporary M	odification(s):	chlorophyll a (mg/m²)		150	Cadmium(T)	5.0	
Arsenic(chroni	• ,	E. Coli (per 100 mL)		126	Chromium III		TVS
,	e of 12/31/2024				Chromium III(T)	50	
•		Inorganio	(mg/L)		Chromium VI	TVS	TVS
			acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron		ws
		Boron		0.75	Iron(T)		1000
		Chloride		250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	
EPA ha	s not acted on segment-	Cyanide	0.005		Manganese	TVS	TVS/WS
	total phosphorus (TP)	Nitrate	10		Mercury		0.01(t)
1 '	standards based on	Nitrite	0.05		Molybdenum(T)		150
	rim value for river/	Phosphorus		0.11	Nickel	TVS	TVS
	segments with a cold	Sulfate		ws	Nickel(T)		100
	quatic life classification	Sulfide		0.002	Selenium	TVS	TVS
	g/L TP).				Silver	TVS	TVS(tr)
V = - 1 + 1 + 1	<i>5.</i> /				Uranium		
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.

T = total recoverable

t = total tr=trout sc=sculpin D.O. = dissolved oxygen

DM = daily maximum

OSJAF07 Classifications		Physical and Bi	ological	ogical Metals			
Designation	Agriculture		DM	MWAT		acute	chronic
JP	Recreation E				Aluminum		
Qualifiers:			acute	chronic	Arsenic(T)		100
Other:  *The concentration of dissolved aluminum, cadmium, copper, iron, lead, manganese, and zinc that is directed toward maintaining and achieving		D.O. (mg/L)		3.0	Beryllium(T)		100
		pН	3.7-9.0		Cadmium(T)		10
		chlorophyll a (mg/m²)		150	Chromium III(T)		100
		E. Coli (per 100 mL)		126	Chromium VI(T)		100
water quality : and 4b.	standards established for segments 4a	Inorganic (mg/L)		Copper(T)		200	
			acute	chronic	Iron		
		Ammonia			Lead(T)		100
		Boron		0.75	Manganese		
		Chloride			Mercury		
		Chlorine			Molybdenum(T)		150
		Cyanide	0.2		Nickel(T)		200
		Nitrate	100		Selenium(T)		20
		Nitrite	10		Silver		
		Phosphorus			Uranium		
		Sulfate			Zinc(T)		2000
		Sulfide					
egment of M	of Mineral Creek, including wetlands, fro ineral Creek including wetlands, except th Mineral Creek except for Crystal Lake	for Big Horn Creek. Mainstem of the	e Middle Fork of N	Ineral Creek	k including all tributaries and v		
		3					

COSJAF08	Classifications	Physical and Biologic	cal		N	/letals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
UP	Recreation E				Aluminum		
Qualifiers:			acute	chronic	Arsenic(T)		100
Other:		D.O. (mg/L)		3.0	Beryllium(T)		100
		pН	4.5-9.0		Cadmium(T)		10
	ation of dissolved aluminum, per, iron, lead, manganese, and zinc	chlorophyll a (mg/m²)		150	Chromium III(T)		100
that is directed	toward maintaining and achieving	E. Coli (per 100 mL)		126	Chromium VI(T)		100
water quality and 4b.	standards established for segments 4a	Inorganic (mg/L	-)		Copper(T)		200
			acute	chronic	Iron		
		Ammonia			Lead(T)		100
		Boron		0.75	Manganese		
		Chloride			Mercury		
		Chlorine			Molybdenum(T)		150
		Cyanide	0.2		Nickel(T)		200
		Nitrate	100		Selenium(T)		20
		Nitrite	10		Silver		
		Phosphorus			Uranium		
		Sulfate			Zinc(T)		2000
		Sulfide					

sc=sculpin

lassifications griculture q Life Cold 2* ecreation E //ater Supply  Aquatic Life indicator goal: as; Brook Trout corridor ic) = Standards are listed on Table 1. Standards are listed on Table 1. Standards are listed on Table 1. Indards are listed on	Physical and E  Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	DM CS-I acute  varies*	MWAT CS-I chronic 6.0 7.0 150 126  chronic TVS 0.75 250 0.011 0.414 WS 0.002	Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	### Acute   Continue	chronic varies* 0.02-10 A TVS TVS Varies* Varies* Varies* VS TVS TVSWS 0.01(t) 150 TVS
q Life Cold 2* ecreation E //ater Supply  Aquatic Life indicator goal: es; Brook Trout corridor ic) = Standards are listed on Table 1. Standards are listed on Table 1. Standards are listed on Table 1. Indards are listed on Table 1.  Indards are listed on Table 1.	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganio  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	CS-I acute varies* s: (mg/L) acute TVS 0.019 0.005 10 0.05	CS-I chronic 6.0 7.0 150 126  chronic TVS 0.75 250 0.011 0.41 WS	Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T)	340 TVS 5.0 TVS 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS	varies* 0.02-10 A TVS TVS Varies* Varies* WS TVS TVS/WS 0.01(t) 150 TVS 100
ecreation E //ater Supply  Aquatic Life indicator goal: es; Brook Trout corridor ic) = Standards are listed on Table 1. Standards are listed on Table 1. Standards are listed on Table 1. Andards are listed on Table 1.	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganio  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	acute varies* s: (mg/L) acute TVS 0.019 0.005 10 0.05	chronic 6.0 7.0 150 126  chronic TVS 0.75 250 0.011 0.414 WS	Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T)	340 TVS 5.0 TVS 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS	0.02-10 A TVS TVS Varies* Varies* WS TVS TVSWS 0.01(t) 150 TVS 100
Advantage Life indicator goal: as; Brook Trout corridor ic) = Standards are listed on Table = Standards are listed on Table 1. Standards are listed on Table 1. Standards are listed on Table 1. Indicated are listed on Table 1. Indic	D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	varies* s: (mg/L)  acute TVS 0.019 0.005 10 0.05	6.0 7.0 150 126  chronic TVS 0.75 250 0.011 0.411 WS	Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T)	TVS 5.0 TVS 50 TVS	0.02-10 A TVS TVS Varies* Varies* VS TVS TVS/WS 0.01(t) 150 TVS 100
equatic Life indicator goal: as; Brook Trout corridor ic) = Standards are listed on Table 1. Indiards are listed on Table 1	D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	varies* s: (mg/L)  acute TVS 0.019 0.005 10 0.05	7.0 150 126  chronic TVS 0.75 250 0.011 0.414 WS	Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T)	TVS 5.0 TVS 50 TVS TVS TVS 50 TVS 50 TVS 50 TVS TVS TVS TVS	TVS TVS TVS varies* varies* VS TVS TVSWS 0.01(t) 150 TVS 100
es; Brook Trout corridor ic) = Standards are listed on Table  = Standards are listed on Table 1. Indards are listed on	pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	varies* 0.019 0.005	150 126  chronic TVS 0.75 250 0.011 0.414 WS	Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T)	TVS 5.0 TVS 50 TVS TVS TVS 50 TVS 50 TVS 50 TVS TVS TVS	TVS TVS TVS varies* varies* WS TVS TVS/WS 0.01(t) 150 TVS 100
es; Brook Trout corridor ic) = Standards are listed on Table  = Standards are listed on Table 1. Indards are listed on	chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate		150 126 chronic TVS 0.75 250 0.011   0.414 WS	Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T)	5.0 TVS 50 TVS TVS TVS 50 TVS 50 TVS TVS TVS	TVS  TVS  varies*  varies*  WS  TVS  TVS  TVS  TVS/WS  0.01(t)  150  TVS  100
es; Brook Trout corridor ic) = Standards are listed on Table  = Standards are listed on Table 1. Indards are listed on	E. Coli (per 100 mL)  Inorganio  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	c (mg/L) acute TVS 0.019 0.005 10 0.05	chronic TVS 0.75 250 0.011 0.41 WS	Chromium III Chromium III(T) Chromium VI Copper Iron Iron Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T)	TVS 50 TVS TVS TVS 50 TVS 50 TVS TVS TVS	TVS  TVS varies* varies* WS TVS  TVS  TVS/WS  0.01(t)  150 TVS  100
es; Brook Trout corridor ic) = Standards are listed on Table  = Standards are listed on Table 1. Indards are listed on	Inorganio  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	0.019 0.005	chronic TVS 0.75 250 0.011 0.414 WS	Chromium III(T) Chromium VI Copper Iron Iron Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T)	50 TVS TVS TVS 50 TVS TVS TVS	TVS varies* varies* WS TVS TVS TVS TVS/WS 0.01(t) 150 TVS
= Standards are listed on Table 1. Standards are listed on Table 1. Standards are listed on Table 1. Indards are listed on T	Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	0.019 0.005 10 0.05	TVS 0.75 250 0.011 0.44 WS	Chromium VI Copper Iron Iron Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T)	TVS TVS TVS 50 TVS TVS	TVS varies* varies* WS TVS TVS/WS 0.01(t) 150 TVS 100
Standards are listed on Table 1. Standards are listed on Table 1. Indards based on a value for river/ Indards based on a value for river/ Indards with a cold actic life classification are TP). In a cold actic life classification are TP).	Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	0.019 0.005 10 0.05	TVS 0.75 250 0.011 0.44 WS	Copper Iron Iron Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T)	TVS TVS 50 TVS TVS TVS	varies* varies* WS TVS TVS/WS 0.01(t) 150 TVS 100
Standards are listed on Table 1. Standards are listed on Table 1. Indards based on a value for river/ Indards based on a value for river/ Indards with a cold actic life classification are TP). In a cold actic life classification are TP).	Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	TVS 0.019 0.005 10 0.05	TVS 0.75 250 0.011 0.44 WS	Iron Iron Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T)	TVS 50 TVS TVS	varies* WS TVS TVS/WS 0.01(t) 150 TVS 100
not acted on segment- tal phosphorus (TP) andards based on value for river/ gments with a cold atic life classification TP).	Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	0.019 0.005 10 0.005	0.75 250 0.011 0.41 WS	Iron Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T)	TVS 50 TVS TVS	WS TVS TVS/WS 0.01(t) 150 TVS 100
not acted on segment- tal phosphorus (TP) candards based on a value for river/ gments with a cold atic life classification _ TP).	Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	0.019 0.005 10 0.05	250 0.011   0.11 WS	Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T)	TVS 50 TVS TVS	TVS TVS/WS 0.01(t) 150 TVS 100
tal phosphorus (TP) candards based on value for river/ gments with a cold atic life classification TP).	Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	0.019 0.005 10 0.05 	0.011    0.11 WS	Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T)	50 TVS  TVS	TVS/WS 0.01(t) 150 TVS 100
tal phosphorus (TP) candards based on value for river/ gments with a cold atic life classification TP).	Cyanide Nitrate Nitrite Phosphorus Sulfate	0.005 10 0.05 	  0.11 WS	Manganese Mercury Molybdenum(T) Nickel Nickel(T)	TVS TVS	TVS/WS 0.01(t) 150 TVS 100
tal phosphorus (TP) candards based on value for river/ gments with a cold atic life classification TP).	Nitrate Nitrite Phosphorus Sulfate	10 0.05 	  0.11 WS	Mercury Molybdenum(T) Nickel Nickel(T)	  TVS 	0.01(t) 150 TVS 100
tal phosphorus (TP) candards based on value for river/ gments with a cold atic life classification TP).	Nitrite Phosphorus Sulfate	0.05	 0.11 WS	Molybdenum(T) Nickel Nickel(T)	 TVS 	150 TVS 100
andards based on value for river/ gments with a cold atic life classification TP).	Phosphorus Sulfate		<del>0.11</del> WS	Nickel Nickel(T)	TVS 	TVS 100
y value for river/ gments with a cold atic life classification TP).	Sulfate		WS	Nickel(T)		100
gments with a cold atic life classification _ TP).				. ,		
atic life classification TP).	Sulfide		0.002	Selenium	TVS	
TP).					1 40	TVS
f the Florida River from the boundary				Silver	TVS	TVS(tr)
				Uranium		
				Zinc	TVS	varies*
	of the Weminuche Wilderness Ar	ea to the inlet of Le	emon Reserv	roir.		
lassifications	Physical and E	Biological		ı	/letals (ug/L)	
griculture		DM	MWAT		acute	chronic
q Life Cold 1	Temperature °C	CS-I	CS-I	Aluminum		
ecreation E		acute	chronic	Arsenic	340	
/ater Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02
	D.O. (spawning)		7.0	Beryllium		
	рН	6.5 - 9.0		Cadmium	TVS	TVS
fication(s):	chlorophyll a (mg/m²)		150	Cadmium(T)	5.0	
= hybrid	E. Coli (per 100 mL)		126	Chromium III		TVS
of 12/31/2024				Chromium III(T)	50	
	Inorganio	(mg/L)		Chromium VI	TVS	TVS
		acute	chronic	Copper	TVS	TVS
	Ammonia	TVS	TVS	Iron		ws
	Boron		0.75	Iron(T)		1000
	Chloride		250	Lead	TVS	TVS
	Chlorine	0.019	0.011	Lead(T)	50	
	Cyanide	0.005		Manganese	TVS	TVS/WS
	Nitrate	10		Mercury		0.01(t)
	Nitrite	0.05		Molybdenum(T)		150
	Phosphorus		0.11	Nickel	TVS	TVS
	·					100
	ourrate					TVS
	Sulfide Sulfide			Silver	IVS	TVS(tr)
				Silver Uranium	TVS 	TVS(tr)
=	•	chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite	ation(s): hybrid  E. Coli (per 100 mL)  Inorganic (mg/L)  acute  Ammonia  TVS  Boron  Chloride  Chloride  Cyanide  0.005  Nitrate  10  Nitrite  0.05  Phosphorus  Sulfate   Sulfate   Chlorophyll a (mg/m²)   10  Norganic (mg/L)   10  Norg	Antion(s): hybrid E. Coli (per 100 mL)  Inorganic (mg/L)  Ammonia TVS TVS Boron Chloride Chlorine 0.019 0.011  Cyanide 0.005 Nitrate 10 Nitrite 0.05 Phosphorus Sulfate  Chloromk US  150 126 127 126 126 126 127 126 126 127 126 126 127 126 126 127 126 126 127 126 126 127 126 127 126 127 126 127 126 127 126 127 126 127 126 127 126 127 126 127 126 127 127 127 127 127 126 127 127 127 127 127	Chlorophyll a (mg/m²)	Antion(s): hybrid E. Coli (per 100 mL) E. Coli (per 100 mL)  Inorganic (mg/L)  Inorganic (mg/L)  Chromium III  Chromium VI  TVS  Ammonia  TVS  TVS  Iron  Chloride  Chloride  Chlorine  0.019  0.011  Lead(T)  5.0  Cadmium(T)  5.0  Chromium III  TVS  TVS  Iron  Chloride  TVS  Chlorine  0.019  0.011  Cyanide  0.005  TVS  Nitrate  10  Manganese  TVS  Nitrate  10  Mercury  Nitrite  0.005  Manganese  TVS  Nitrite  0.05  Manganese  TVS  Nitrite  0.05  Molybdenum(T)  TVS  Sulfate  TVS  Nickel(T)  TVS  Nickel(T)  TVS

All metals are dissolved unless otherwise noted. T = total recoverable

t = total tr=trout sc=sculpin D.O. = dissolved oxygen
DM = daily maximum
MWAT = maximum weekly average temperature
See 34.6 for further details on applied standards.

. Jo. IVIGII ISIGII	of the Florida River from the outlet of	Lemon Reservoir to the Florida Farm	ners Canal Headg	ate (37.2951	157, -107.791794).		
COSJAF10B	Classifications	Physical and Bio	ological			Metals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CS-II	CS-II	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02
Qualifiers:		D.O. (spawning)		7.0	Beryllium		
Other:		рН	6.5 - 9.0		Cadmium	TVS	TVS
Temporary Mo	odification(s):	chlorophyll a (mg/m²)		150*	Cadmium(T)	5.0	
Arsenic(chroni		E. Coli (per 100 mL)		126	Chromium III		TVS
*	te of 12/31/2024				Chromium III(T)	50	
*chlorophyll a	(mg/m²)(chronic) = applies only above	Inorganic (	(mg/L)		Chromium VI	TVS	TVS
the facilities lis	sted at 34.5(5).		acute	chronic	Copper	TVS	TVS
*Phosphorus(c facilities listed	chronic) = applies only above the	Ammonia	TVS	TVS	Iron		ws
	. ,	Boron		0.75	Iron(T)		1000
		Chloride		250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	
EDA I		Cyanide	0.005		Manganese	TVS	TVS/WS
	s not acted on segment-	Nitrate	10		Mercury		0.01(t)
1. 1	total phosphorus (TP)	Nitrite	0.05		Molybdenum(T)		150
	standards based on	Phosphorus		0.11*	Nickel	TVS	TVS
	im value for river/	Sulfate		WS	Nickel(T)		100
	segments with a cold	Sulfide		0.002	Selenium	TVS	TVS
	quatic life classification				Silver	TVS	TVS(tr)
(0.11 mg	g/L IP).				Uranium		
					Zinc	TVS	TVS/TVS(sc)
11a. Mainstern	n of the Florida River from the Florida F	armers Canal Headgate (37.295157,	-107.791794) to	the Souther	n Ute Indian Reservation	boundary (37.214724,	-107.746734).
COSJAF11A	Classifications	Physical and Bio	ological			Metals (ug/L)	
Designation							
	Agriculture		DM	MWAT		acute	chronic
Reviewable	Agriculture  Aq Life Cold 1	Temperature °C	CS-II	MWAT CS-II	Aluminum	acute	chronic
Reviewable	- T	Temperature °C			Aluminum Arsenic		
Reviewable	Aq Life Cold 1	Temperature °C  D.O. (mg/L)	CS-II	CS-II			
Reviewable  Qualifiers:	Aq Life Cold 1 Recreation E		CS-II acute	CS-II chronic	Arsenic	340	
	Aq Life Cold 1 Recreation E	D.O. (mg/L)	CS-II acute	CS-II chronic 6.0	Arsenic Arsenic(T)	340 	  0.02
Qualifiers: Other:	Aq Life Cold 1 Recreation E Water Supply	D.O. (mg/L) D.O. (spawning)	CS-II acute 	CS-II chronic 6.0 7.0	Arsenic Arsenic(T) Beryllium	340 	  0.02 
Qualifiers: Other: Temporary Mo	Aq Life Cold 1 Recreation E Water Supply  odification(s):	D.O. (mg/L) D.O. (spawning) pH	CS-II  acute 6.5 - 9.0	CS-II  chronic  6.0  7.0	Arsenic Arsenic(T) Beryllium Cadmium	340   TVS	 0.02  TVS
Qualifiers: Other: Temporary Mo	Aq Life Cold 1 Recreation E Water Supply  odification(s):	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²)	CS-II  acute 6.5 - 9.0	CS-II chronic 6.0 7.0	Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T)	340  TVS 5.0	 0.02  TVS
Qualifiers: Other: Temporary Mo	Aq Life Cold 1 Recreation E Water Supply  odification(s): ic) = hybrid	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²)	CS-II acute 6.5 - 9.0	CS-II chronic 6.0 7.0	Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III	340  TVS 5.0	 0.02  TVS 
Qualifiers: Other: Temporary Mo	Aq Life Cold 1 Recreation E Water Supply  odification(s): ic) = hybrid	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)	CS-II acute 6.5 - 9.0	CS-II chronic 6.0 7.0	Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T)	340  TVS 5.0  50	 0.02  TVS  TVS
Qualifiers: Other: Temporary Mo	Aq Life Cold 1 Recreation E Water Supply  odification(s): ic) = hybrid	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)	CS-II  acute 6.5 - 9.0 (mg/L)	CS-II chronic 6.0 7.0  126	Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI	340  TVS 5.0  50 TVS	0.02 TVS TVS TVS
Qualifiers: Other: Temporary Mo	Aq Life Cold 1 Recreation E Water Supply  odification(s): ic) = hybrid	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)	CS-II  acute 6.5 - 9.0 (mg/L) acute	CS-II chronic 6.0 7.0 126 chronic	Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper	340 TVS 5.0 50 TVS TVS	0.02 TVS TVS TVS TVS
Qualifiers: Other: Temporary Mo	Aq Life Cold 1 Recreation E Water Supply  odification(s): ic) = hybrid	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic (	CS-II  acute 6.5 - 9.0 (mg/L)  acute TVS	chronic 6.0 7.0 126  chronic	Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron	340 TVS 5.0 50 TVS TVS	0.02 TVS TVS TVS VS WS
Qualifiers: Other: Temporary Mo	Aq Life Cold 1 Recreation E Water Supply  odification(s): ic) = hybrid	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic ( Ammonia Boron	CS-II  acute 6.5 - 9.0 (mg/L) acute TVS	CS-II chronic 6.0 7.0 126  chronic TVS 0.75	Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T)	340 TVS 5.0 50 TVS TVS	0.02 TVS TVS TVS WS 1000
Qualifiers: Other: Temporary Mo	Aq Life Cold 1 Recreation E Water Supply  odification(s): ic) = hybrid	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic (  Ammonia Boron Chloride	CS-II acute 6.5 - 9.0 (mg/L) acute TVS	CS-II chronic 6.0 7.0 126  chronic TVS 0.75 250	Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead	340 TVS 5.0 50 TVS TVS TVS	0.02 TVS TVS TVS TVS TVS TVS TVS WS 1000 TVS
Qualifiers: Other: Temporary Mo	Aq Life Cold 1 Recreation E Water Supply  odification(s): ic) = hybrid	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic (  Ammonia Boron Chloride Chlorine	CS-II  acute 6.5 - 9.0 (mg/L)  acute TVS 0.019	CS-II  chronic 6.0 7.0 126  chronic TVS 0.75 250 0.011	Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T)	340 TVS 5.0 50 TVS TVS TVS TVS 50	0.02 TVS
Qualifiers: Other: Temporary Mo	Aq Life Cold 1 Recreation E Water Supply  odification(s): ic) = hybrid	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic (  Ammonia Boron Chloride Chlorine Cyanide	CS-II  acute 6.5 - 9.0 (mg/L)  acute TVS 0.019 0.005	CS-II  chronic 6.0 7.0 126  chronic TVS 0.75 250 0.011	Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese	340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS	0.02 TVS TVS TVS WS 1000 TVS TVSWS
Qualifiers: Other: Temporary Mo	Aq Life Cold 1 Recreation E Water Supply  odification(s): ic) = hybrid	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic ( Ammonia Boron Chloride Chlorine Cyanide Nitrate	CS-II  acute 6.5 - 9.0 (mg/L)  acute TVS 0.019 0.005 10	CS-II chronic 6.0 7.0 126  chronic TVS 0.75 250 0.011	Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury	340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS	0.02 TVS TVS TVS TVS WS 1000 TVS TVSWS 0.01(t)
Qualifiers: Other: Temporary Mo	Aq Life Cold 1 Recreation E Water Supply  odification(s): ic) = hybrid	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic (  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	CS-II  acute 6.5 - 9.0 TVS 0.019 0.005 10 0.05	CS-II chronic 6.0 7.0 126  chronic TVS 0.75 250 0.011	Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel	340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS	0.02 TVS TVS TVS WS 1000 TVS TVS/WS 0.01(t) 150
Qualifiers: Other: Temporary Mo	Aq Life Cold 1 Recreation E Water Supply  odification(s): ic) = hybrid	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic (  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	CS-II  acute 6.5 - 9.0 (mg/L)  acute TVS 0.019 0.005 10 0.05	CS-II chronic 6.0 7.0 126  chronic TVS 0.75 250 0.011 WS	Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T)	340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS	0.02 TVS TVS TVS WS 1000 TVS TVSWS 0.01(t) 150 TVS
Qualifiers: Other: Temporary Mo	Aq Life Cold 1 Recreation E Water Supply  odification(s): ic) = hybrid	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic (  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	CS-II  acute 6.5 - 9.0 (mg/L)  acute TVS 0.019 0.005 10 0.05	CS-II chronic 6.0 7.0 126  chronic TVS 0.75 250 0.011	Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS TVS	0.02 TVS TVS TVS WS 1000 TVS TVS/WS 0.01(t) 150 TVS 100 TVS
Qualifiers: Other: Temporary Mo	Aq Life Cold 1 Recreation E Water Supply  odification(s): ic) = hybrid	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic (  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	CS-II  acute 6.5 - 9.0 (mg/L)  acute TVS 0.019 0.005 10 0.05	CS-II chronic 6.0 7.0 126  chronic TVS 0.75 250 0.011 WS	Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium Silver	340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS TVS TVS TVS	0.02 TVS TVS TVS WS 1000 TVS TVSWS 0.01(t) 150 TVS
Qualifiers: Other: Temporary Mo	Aq Life Cold 1 Recreation E Water Supply  odification(s): ic) = hybrid	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic (  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	CS-II  acute 6.5 - 9.0 (mg/L)  acute TVS 0.019 0.005 10 0.05	CS-II chronic 6.0 7.0 126  chronic TVS 0.75 250 0.011 WS	Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	340 17VS 50 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS TVS	0.02 TVS TVS TVS WS 1000 TVS TVSWS 0.01(t) 150 TVS 100 TVS TVS

All metals are dissolved unless otherwise noted. T = total recoverable

t = total tr=trout sc=sculpin D.O. = dissolved oxygen
DM = daily maximum

	Ute Indian Reservation boundary		46734) to th			
Classifications	Physical and B			ı	/letals (ug/L)	
Agriculture		DM	MWAT		acute	chronic
Aq Life Cold 1	Temperature °C	CS-II	CS-II	Aluminum		
		acute	chronic	Arsenic	340	
Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02
	D.O. (spawning)		7.0	Beryllium		
	рН	6.5 - 9.0		Cadmium	TVS	TVS
odification(s):	chlorophyll a (mg/m²)			Cadmium(T)	5.0	
c) = hybrid	E. Coli (per 100 mL)		126	Chromium III		TVS
e of 12/31/2024				Chromium III(T)	50	
Indian Bosonyation	Inorganic	(mg/L)		Chromium VI	TVS	TVS
ilidian Reservation		acute	chronic	Copper	TVS	TVS
	Ammonia	TVS	TVS	Iron		WS
	Boron		0.75	Iron(T)		1000
	Chloride		250	Lead	TVS	TVS
	Chlorine	0.019	0.011	Lead(T)	50	
	Cyanide	0.005		Manganese	TVS	TVS/WS
	Nitrate	10		Mercury		0.01(t)
	Nitrite	0.05		Molybdenum(T)		150
	Phosphorus			Nickel	TVS	TVS
	Sulfate		WS	Nickel(T)		100
	Sulfide		0.002	Selenium	TVS	TVS
				Silver	TVS	TVS(tr)
				Uranium		
				Zinc	TVS	TVS
ries to the Florida River from the South	ern Ute Indian Reservation bounda	ry to the confluence	e with the A	nimas River.		
Classifications	Physical and B	iological		ı	Metals (ug/L)	
Agriculture		DM	MWAT		acute	chronic
Aq Life Cold 2	Temperature °C	CS-II	CS-II	Aluminum		
Recreation E		acute	chronic	Arsenic	340	
Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02
	D.O. (spawning)		7.0	Beryllium		
			7.0	,		
Standards	pН	6.5 - 9.0		Cadmium	TVS	TVS
Standards	pH chlorophyll a (mg/m²)	6.5 - 9.0				
	·			Cadmium	TVS	TVS
odification(s):	chlorophyll a (mg/m²)		 150*	Cadmium Cadmium(T)	TVS 5.0	TVS 
	chlorophyll a (mg/m²)		 150*	Cadmium Cadmium(T) Chromium III	TVS 5.0 	TVS  TVS
odification(s): c) = hybrid e of 12/31/2024	chlorophyll a (mg/m²) E. Coli (per 100 mL)		 150*	Cadmium Cadmium(T) Chromium III Chromium III(T)	TVS 5.0  50	TVS  TVS 
odification(s): c) = hybrid e of 12/31/2024 Indian Reservation	chlorophyll a (mg/m²) E. Coli (per 100 mL)	  (mg/L)	150* 126	Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI	TVS 5.0  50 TVS	TVS TVS TVS
odification(s): c) = hybrid e of 12/31/2024  Indian Reservation (mg/m²)(chronic) = applies only above sted at 34.5(5).	chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic	(mg/L)	150* 126 <b>chronic</b>	Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper	TVS 5.0  50 TVS TVS	TVS TVS TVS TVS
odification(s): c) = hybrid e of 12/31/2024  Indian Reservation (mg/m²)(chronic) = applies only above sted at 34.5(5). hronic) = applies only above the	chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorganic  Ammonia	(mg/L)  acute TVS	150* 126 chronic	Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron	TVS 5.0  50 TVS TVS	TVS TVS TVS TVS WS
odification(s): c) = hybrid e of 12/31/2024  Indian Reservation (mg/m²)(chronic) = applies only above sted at 34.5(5).	chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic  Ammonia Boron	(mg/L) acute TVS	150* 126  chronic TVS 0.75	Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T)	TVS 5.0 50 TVS TVS	TVS TVS TVS TVS WS 1000
odification(s): c) = hybrid e of 12/31/2024  Indian Reservation (mg/m²)(chronic) = applies only above sted at 34.5(5). hronic) = applies only above the	chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic  Ammonia Boron Chloride Chlorine	(mg/L)  acute  TVS	150* 126  chronic TVS 0.75 250	Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead	TVS 5.0 50 TVS TVS TVS	TVS TVS TVS TVS WS 1000
odification(s): c) = hybrid e of 12/31/2024  Indian Reservation (mg/m²)(chronic) = applies only above sted at 34.5(5). hronic) = applies only above the at 34.5(5).	chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic  Ammonia Boron Chloride	(mg/L)  acute  TVS 0.019	150° 126  chronic TVS 0.75 250 0.011	Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T)	TVS 5.0 50 TVS TVS TVS 50	TVS TVS TVS WS 1000 TVS
odification(s): c) = hybrid e of 12/31/2024  Indian Reservation (mg/m²)(chronic) = applies only above sted at 34.5(5). hronic) = applies only above the at 34.5(5).	chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic  Ammonia Boron Chloride Chlorine Cyanide	(mg/L)  acute  TVS 0.019 0.005	150* 126  chronic TVS 0.75 250 0.011	Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese	TVS 5.0 50 TVS TVS TVS 50 TVS	TVS TVS TVS TVS TVS TVS TVS TVS
odification(s): c) = hybrid e of 12/31/2024  Indian Reservation (mg/m²)(chronic) = applies only above sted at 34.5(5). hronic) = applies only above the at 34.5(5). s not acted on segment-total phosphorus (TP)	chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic  Ammonia  Boron Chloride Chlorine Cyanide Nitrate	mg/L)  acute  TVS 0.019 0.005	150° 126  chronic TVS 0.75 250 0.011	Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury	TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS	TVS TVS TVS TVS WS 1000 TVS TVS/WS 0.01(t)
odification(s): c) = hybrid e of 12/31/2024  Indian Reservation (mg/m²)(chronic) = applies only above sted at 34.5(5). hronic) = applies only above the at 34.5(5).  s not acted on segment-total phosphorus (TP) e standards based on	chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	(mg/L) acute TVS 0.019 0.005 10 0.005	150* 126  chronic TVS 0.75 250 0.011 0.11*	Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel	TVS 5.0 50 TVS TVS TVS 50 TVS TVS	TVS TVS TVS WS 1000 TVS TVSWS 0.01(t) 150 TVS
odification(s): c) = hybrid e of 12/31/2024  Indian Reservation (mg/m²)(chronic) = applies only above sted at 34.5(5). hronic) = applies only above the at 34.5(5).  s not acted on segment-total phosphorus (TP) e standards based on rim value for river/	chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic  Ammonia Boron  Chloride  Chlorine  Cyanide  Nitrate  Nitrite  Phosphorus  Sulfate	(mg/L)  acute  TVS   0.019  0.005  10  0.005	150° 126  chronic TVS 0.75 250 0.011 0.41* WS	Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T)	TVS 5.0 50 TVS TVS TVS 50 TVS 50 TVS TVS TVS TVS	TVS TVS TVS TVS TVS TVS TVS TVS.WS 0.01(t) 150 TVS
odification(s): c) = hybrid e of 12/31/2024  Indian Reservation (mg/m²)(chronic) = applies only above state at 34.5(5).  Indian Reservation (mg/m²)(chronic) = applies only above state at 34.5(5).  Indian Reservation (mg/m²)(chronic) = applies only above the at 34.5(5).  Indian Reservation (mg/m²)(chronic) = applies only above the at 34.5(5).  Indian Reservation (mg/m²)(chronic) = applies only above the at 34.5(5).  Indian Reservation (mg/m²)(chronic) = applies only above the at 34.5(5).	chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	(mg/L)  acute  TVS 0.019 0.005 10 0.005	150* 126  chronic TVS 0.75 250 0.011 0.11*	Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	TVS 5.0 50 TVS TVS TVS 50 TVS 50 TVS TVS TVS TVS TVS	TVS TVS TVS TVS WS 1000 TVS TVS/WS 0.01(t) 150 TVS 100 TVS
odification(s): c) = hybrid e of 12/31/2024  Indian Reservation (mg/m²)(chronic) = applies only above sted at 34.5(5). hronic) = applies only above the at 34.5(5).  s not acted on segment-total phosphorus (TP) e standards based on rim value for river/	chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic  Ammonia Boron  Chloride  Chlorine  Cyanide  Nitrate  Nitrite  Phosphorus  Sulfate	(mg/L)  acute  TVS 0.019 0.005 10 0.005	150° 126  chronic TVS 0.75 250 0.011 0.41* WS	Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T)	TVS 5.0 50 TVS TVS TVS 50 TVS 50 TVS TVS TVS TVS	TVS TVS TVS WS 1000 TVS TVS/WS 0.01(t) 150 TVS 100
	Agriculture Aq Life Cold 1 Recreation E Water Supply  Diffication(s): c) = hybrid e of 12/31/2024 Indian Reservation  Ties to the Florida River from the Souther Classifications Agriculture Aq Life Cold 2 Recreation E	Agriculture Aq Life Cold 1 Recreation E Water Supply  D.O. (mg/L) D.O. (spawning) PH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic  Inorganic  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide  Pries to the Florida River from the Southern Ute Indian Reservation bounda  Classifications  Agriculture Aq Life Cold 2 Recreation E Water Supply  D.O. (mg/L)  Temperature °C  Temperature °C  Temperature °C  Temperature °C  Temperature °C  Temperature °C  Temperature °C	Agriculture Aq Life Cold 1 Recreation E Water Supply  D.O. (mg/L)	Agriculture Aq Life Cold 1 Recreation E Water Supply  D.O. (mg/L) D.O. (spawning) D.O. (spawni	Agriculture Aq Life Cold 1 Recreation E Water Supply D.O. (mg/L) D.O. (mg/L) D.O. (spawning) D	Agriculture Aq Life Cold 1 Recreation E Mater Supply  D.O. (mg/L)  D.O. (spawning)  PH  6.5 - 9.0  Colfication(s): Col = floridar Neservation  Indian Reservation  Indian Reservation  Indian Reservation  Indian Reservation  Ammonia  TVS  Chloride  Chloride

All metals are dissolved unless otherwise noted. T = total recoverable

t = total tr=trout sc=sculpin

Classifications

COSJAF12A

Metals (ug/L)

#### **REGULATION #34 STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS Animas and Florida River Basins**

12a. All tributaries to the Animas River from a point immediately above the confluence with Elk Creek to a point immediately below the confluence with Hermosa Creek except for specific listings in Segments 12b, 12c and 15. All tributaries to the Florida River from the source to below the confluence with Mud Spring Creek, except the specific listing in Segment 1.

Physical and Biological

Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02
Qualifiers:		D.O. (spawning)		7.0	Beryllium		
Other:		pН	6.5 - 9.0		Cadmium	TVS	TVS
emporary Mo	odification(s):	chlorophyll a (mg/m²)		150*	Cadmium(T)	5.0	
rsenic(chronic	* *	E. Coli (per 100 mL)		126	Chromium III		TVS
	e of 12/31/2024				Chromium III(T)	50	
·		Inorganic	(mg/L)		Chromium VI	TVS	TVS
ne facilities lis	$(mg/m^2)$ (chronic) = applies only above sted at 34.5(5).		acute	chronic	Copper	TVS	TVS
Phosphorus(clacilities listed	hronic) = applies only above the	Ammonia	TVS	TVS	Iron		WS
aciiiticə iiəted	at 34.5(3).	Boron		0.75	Iron(T)		1000
		Chloride		250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	
		Cyanide	0.005		Manganese	TVS	TVS/WS
EPA has	s not acted on segment-	Nitrate	10		Mercury		0.01(t)
specific	total phosphorus (TP)	Nitrite	0.05		Molybdenum(T)		150
numeric	standards based on	Phosphorus	0.05	0.11*	Nickel	TVS	TVS
the inter	im value for river/				Nickel(T)		100
stream s	segments with a cold	Sulfate		WS	. ,		TVS
	quatic life classification	Sulfide		0.002	Selenium	TVS	
(0.11 mg	•				Silver	TVS	TVS(tr)
(0111111	g, = ··· /·				Uranium		
					Zinc	TVS	TVS
Oh Laman D	on on voir	I .					
		Physical and Ri	ological		N	letals (un/L)	
OSJAF12B	Classifications	Physical and Bi		MWAT	N	letals (ug/L)	chronic
OSJAF12B Designation	Classifications Agriculture		DM	MWAT		acute	chronic
OSJAF12B Designation	Classifications Agriculture Aq Life Cold 1	Physical and Bi	DM CLL	CLL	Aluminum	acute	
OSJAF12B esignation	Classifications Agriculture Aq Life Cold 1 Recreation E	Temperature °C	DM CLL acute	CLL	Aluminum Arsenic	acute 340	
esignation eviewable	Classifications Agriculture Aq Life Cold 1	Temperature °C D.O. (mg/L)	DM CLL acute	CLL chronic 6.0	Aluminum Arsenic Arsenic(T)	acute  340 	
COSJAF12B Designation Reviewable Qualifiers:	Classifications Agriculture Aq Life Cold 1 Recreation E	Temperature °C  D.O. (mg/L)  D.O. (spawning)	DM CLL acute	CLL chronic 6.0 7.0	Aluminum Arsenic Arsenic(T) Beryllium	acute  340 	 0.02
esignation eviewable dualifiers:	Classifications Agriculture Aq Life Cold 1 Recreation E	Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH	DM CLL acute   6.5 - 9.0	CLL chronic 6.0 7.0	Aluminum Arsenic Arsenic(T) Beryllium Cadmium	acute 340 TVS	0.02  TVS
cosJAF12B designation deviewable dualifiers:	Classifications Agriculture Aq Life Cold 1 Recreation E	Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (ug/L)	DM CLL acute  6.5 - 9.0	CLL chronic 6.0 7.0 8*	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T)	acute 340 TVS 5.0	 0.02  TVS
Designation deviewable dualifiers: Other: chlorophyll a nd reservoirs	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area.	Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH	DM CLL acute   6.5 - 9.0	CLL chronic 6.0 7.0	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III	acute 340 TVS 5.0	 0.02  TVS
Designation Leviewable  Aualifiers:  Chlorophyll a and reservoirs  Phosphorus(cl	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  (ug/L)(chronic) = applies only to lakes	Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (ug/L)  E. Coli (per 100 mL)	DM CLL acute   6.5 - 9.0	CLL chronic 6.0 7.0 8*	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T)	acute 340 TVS 5.0 50	 0.02  TVS 
esignation eviewable  tualifiers: ther: chlorophyll a nd reservoirs Phosphorus(cl	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area.  hronic) = applies only to lakes and	Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (ug/L)	DM CLL acute   6.5 - 9.0	CLL chronic 6.0 7.0 8* 126	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T)	acute 340 TVS 5.0 50 TVS	0.02 TVS TVS TVS
esignation eviewable  tualifiers: ther: chlorophyll a nd reservoirs Phosphorus(cl	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area.  hronic) = applies only to lakes and	Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (ug/L)  E. Coli (per 100 mL)	DM CLL acute   6.5 - 9.0	CLL chronic 6.0 7.0 8*	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T)	acute 340 TVS 5.0 50	0.02 TVS TVS TVS TVS
esignation eviewable  tualifiers: ther: chlorophyll a nd reservoirs Phosphorus(cl	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area.  hronic) = applies only to lakes and	Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (ug/L)  E. Coli (per 100 mL)	DM CLL acute   6.5 - 9.0  	CLL chronic 6.0 7.0 8* 126	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T)	acute 340 TVS 5.0 50 TVS	0.02 TVS TVS TVS TVS WS
esignation eviewable  tualifiers: ther: chlorophyll a nd reservoirs Phosphorus(cl	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area.  hronic) = applies only to lakes and	Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (ug/L)  E. Coli (per 100 mL)	DM CLL acute  6.5 - 9.0  (mg/L)	CLL chronic 6.0 7.0 8* 126	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper	acute 340 TVS 5.0 50 TVS TVS	0.02 TVS TVS TVS TVS
esignation eviewable  tualifiers: ther: chlorophyll a nd reservoirs Phosphorus(cl	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area.  hronic) = applies only to lakes and	Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  Inorganic	DM CLL acute  6.5 - 9.0  (mg/L) acute TVS	CLL chronic 6.0 7.0 8* 126  chronic	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper	acute 340 TVS 5.0 50 TVS TVS	0.02 TVS TVS TVS WS
esignation eviewable  tualifiers: ther: chlorophyll a nd reservoirs Phosphorus(cl	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area.  hronic) = applies only to lakes and	Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  Inorganic  Ammonia Boron	DM CLL acute  6.5 - 9.0  (mg/L) acute TVS	CLL chronic 6.0 7.0 8* 126  chronic TVS 0.75	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T)	acute 340 TVS 5.0 50 TVS TVS	0.02 TVS TVS TVS WS
OSJAF12B esignation eviewable  ualifiers: ther: chlorophyll a nd reservoirs Phosphorus(cl	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area.  hronic) = applies only to lakes and	Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (ug/L)  E. Coli (per 100 mL)  Inorganic  Ammonia  Boron  Chloride	DM CLL acute   6.5 - 9.0   (mg/L) acute TVS 	CLL chronic 6.0 7.0 8* 126  chronic TVS 0.75 250	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T)	acute 340 TVS 5.0 50 TVS TVS TVS TVS	0.02 TVS TVS TVS TVS TVS TVS TVS TVS TVS
OSJAF12B esignation eviewable  ualifiers: ther: chlorophyll a nd reservoirs Phosphorus(cl	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area.  hronic) = applies only to lakes and	Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (ug/L)  E. Coli (per 100 mL)  Inorganic  Ammonia  Boron  Chloride  Chlorine	DM CLL acute  6.5 - 9.0   (mg/L) acute TVS  0.019	CLL chronic 6.0 7.0 8* 126  chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T)	acute 340 TVS 5.0 50 TVS TVS TVS TVS 50	0.02 TVS
osJAF12B esignation eviewable  ualifiers: ther: chlorophyll a d reservoirs phosphorus(cl	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area.  hronic) = applies only to lakes and	Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (ug/L)  E. Coli (per 100 mL)  Inorganic  Ammonia  Boron  Chloride  Chlorine  Cyanide	DM CLL acute  6.5 - 9.0   (mg/L) acute TVS  0.019	CLL chronic 6.0 7.0 8* 126  chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS TVS 50 TVS	0.02 TVS
OSJAF12B esignation eviewable  ualifiers: ther: chlorophyll a nd reservoirs Phosphorus(cl	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area.  hronic) = applies only to lakes and	Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  Inorganic  Ammonia Boron Chloride Chlorine Cyanide Nitrate	DM CLL acute 6.5 - 9.0 (mg/L) acute TVS 0.019 0.005	CLL chronic 6.0 7.0 8* 126  chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS TVS TVS TVS TVS	TVS TVS TVS TVS TVS TVS TVS TVS TVS TOO TVS TOO TVS TVS TVS TOO TVS TVS TVS TVS
OSJAF12B esignation eviewable  ualifiers: ther: chlorophyll a nd reservoirs Phosphorus(cl	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area.  hronic) = applies only to lakes and	Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  Inorganic  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite	mg/L)  acute 6.5 - 9.0 (mg/L)  acute TVS 0.019 0.005 10 0.05	CLL chronic 6.0 7.0 8* 126  chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T)	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS	TVS TVS TVS TVS TVS TVS TVS TVS TOO TVS TOO TVS TOS TOO TOO
Designation Leviewable  Aualifiers:  Chlorophyll a and reservoirs  Phosphorus(cl	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area.  hronic) = applies only to lakes and	Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  Inorganic  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	DM   CLL   acute       (6.5 - 9.0     TVS       0.019   0.005   10   0.05     10   0.05	CLL chronic 6.0 7.0 8* 126  Chronic TVS 0.75 250 0.011 0.025*	Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS	TVS
Designation Leviewable  Aualifiers:  Chlorophyll a and reservoirs  Phosphorus(cl	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area.  hronic) = applies only to lakes and	Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  Inorganic  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	DM   CLL   acute     6.5 - 9.0       (mg/L)   acute   TVS         0.019   0.005   10   0.005	CLL chronic 6.0 7.0 8* 126  chronic TVS 0.75 250 0.011 0.025* WS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T)	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS TVS	0.02 TVS TVS TVS S 1000 TVS TVS/WS 0.01(t) 150 TVS
and reservoirs Phosphorus(cl	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area.  hronic) = applies only to lakes and	Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  Inorganic  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	DM   CLL   acute     6.5 - 9.0       (mg/L)   acute   TVS         0.019   0.005   10   0.005	CLL chronic 6.0 7.0 8* 126  chronic TVS 0.75 250 0.011 0.025* WS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS TVS TVS TVS TVS	0.02 TVS TVS TVS STVS TVS/WS 0.01(t) 150 TVS 1000 TVS

T = total recoverable

t = totaltr=trout sc=sculpin DM = daily maximum

 $\label{eq:maximum} \mbox{MWAT = } \stackrel{\cdot}{\mbox{maximum}} \mbox{weekly average temperature}$ See 34.6 for further details on applied standards.

12c Hermosa	Creek, including all tributaries, from the	source to immediately below the	confluence with La	na Hallow, e	excent for the Fast Fork of He	rmosa Creek.	
COSJAF12C	Classifications	Physical and E		ilg i ionom, o	1	etals (ug/L)	
Designation	Agriculture	,	DM	MWAT	***	acute	chronic
OW	Agriculture Ag Life Cold 1	Temperature °C	CS-I	CS-I	Aluminum	acute	
Ovv	Recreation E	Temperature 0	acute	chronic			
	Water Supply	D.O. (mg/L)	acute	6.0	Arsenic (T)	340	
Qualifiers:	Water Capp.)				Arsenic(T)		0.02
		D.O. (spawning) pH	6.5 - 9.0	7.0	Beryllium	 TVS	T\/S
Other:					Cadmium(T)	TVS	TVS
		chlorophyll a (mg/m²)		150	Cadmium(T)	5.0	
		E. Coli (per 100 mL)		126	Chromium III		TVS
			= 3		Chromium III(T)	50	TV6
		Inorganio		• !-	Chromium VI	TVS	TVS
			acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron		WS
		Boron		0.75	Iron(T)		1000
		Chloride		250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	
		Cyanide	0.005		Manganese	TVS	TVS/WS
	as not acted on segment-	Nitrate	10		Mercury		0.01(t)
1.1	total phosphorus (TP)	Nitrite	0.05		Molybdenum(T)		150
	c standards based on	Phosphorus		0.11	Nickel	TVS	TVS
the inte	rim value for river/	Sulfate		WS	Nickel(T)		100
stream	segments with a cold	Sulfide		0.002	Selenium	TVS	TVS
water a	quatic life classification				Silver	TVS	TVS(tr)
	ng/L TP).				Uranium		
					Zinc	TVS	TVS
		ries, from the source to the U.S. F	orest Boundary. Ma	ainstem of Fa	alls Creek, including all tributa	ries, from the source	to the
	n of Junction Creek, including all tributar th the Animas River.  Classifications	ries, from the source to the U.S. F  Physical and E		ainstem of Fa	1	etals (ug/L)	to the
confluence with	th the Animas River.	· •		ainstem of Fa	1		to the
confluence with	th the Animas River.  Classifications	· •	Biological		1	etals (ug/L)	
confluence with COSJAF12D Designation	th the Animas River.  Classifications  Agriculture	Physical and E	Biological DM	MWAT	M	etals (ug/L) acute	
confluence with COSJAF12D Designation	th the Animas River.  Classifications  Agriculture  Aq Life Cold 1	Physical and E	Biological  DM  CS-I	MWAT CS-I	M	etals (ug/L) acute	chronic 
confluence with COSJAF12D Designation	th the Animas River.  Classifications  Agriculture  Aq Life Cold 1  Recreation E	Physical and E	Biological  DM  CS-I  acute	MWAT CS-I chronic	Aluminum Arsenic	etals (ug/L) acute 340	chronic 
confluence with COSJAF12D Designation Reviewable	th the Animas River.  Classifications  Agriculture  Aq Life Cold 1  Recreation E	Physical and E Temperature °C  D.O. (mg/L)	DM CS-I acute	MWAT CS-I chronic 6.0	Aluminum Arsenic Arsenic(T)	acute 340	chronic   0.02
confluence with COSJAF12D Designation Reviewable Qualifiers:	th the Animas River.  Classifications  Agriculture  Aq Life Cold 1  Recreation E	Physical and E Temperature °C  D.O. (mg/L) D.O. (spawning)	Biological  DM  CS-I  acute	MWAT CS-I chronic 6.0 7.0	Aluminum Arsenic Arsenic(T) Beryllium	etals (ug/L) acute 340	chronic   0.02
confluence with COSJAF12D Designation Reviewable Qualifiers:	th the Animas River.  Classifications  Agriculture  Aq Life Cold 1  Recreation E	Physical and E Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH	DM CS-I acute  6.5 - 9.0	MWAT CS-I chronic 6.0 7.0	Aluminum Arsenic Arsenic(T) Beryllium Cadmium	etals (ug/L)  acute 340 TVS	chronic 0.02 TVS
confluence with COSJAF12D Designation Reviewable Qualifiers:	th the Animas River.  Classifications  Agriculture  Aq Life Cold 1  Recreation E	Physical and E Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)	Biological  DM  CS-I  acute   6.5 - 9.0	MWAT CS-I chronic 6.0 7.0 150	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T)	acute 340 TVS 5.0	chronic 0.02 TVS
confluence with COSJAF12D Designation Reviewable Qualifiers:	th the Animas River.  Classifications  Agriculture  Aq Life Cold 1  Recreation E	Physical and E  Temperature °C  D.O. (mg/L)  D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)	Biological  DM  CS-I  acute   6.5 - 9.0	MWAT CS-I chronic 6.0 7.0 150	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III	acute 340 TVS 5.0	chronic 0.02 TVS TVS
confluence with COSJAF12D Designation Reviewable Qualifiers:	th the Animas River.  Classifications  Agriculture  Aq Life Cold 1  Recreation E	Physical and E Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)	Biological  DM  CS-I  acute   6.5 - 9.0	MWAT CS-I chronic 6.0 7.0 150	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T)	acute 340 TVS 5.0 50 TVS	chronic 0.02 TVS TVS TVS
confluence with COSJAF12D Designation Reviewable Qualifiers:	th the Animas River.  Classifications  Agriculture  Aq Life Cold 1  Recreation E	Physical and E Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)	Biological  DM  CS-I  acute 6.5 - 9.0 c: (mg/L) acute	MWAT CS-I chronic 6.0 7.0 150 126	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper	acute 340 TVS 5.0 50	chronic 0.02 TVS TVS TVS TVS
confluence with COSJAF12D Designation Reviewable Qualifiers:	th the Animas River.  Classifications  Agriculture  Aq Life Cold 1  Recreation E	Physical and E  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorganio	Biological  DM  CS-I  acute   6.5 - 9.0   c: (mg/L)	MWAT CS-I chronic 6.0 7.0 150 126  chronic	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper	etals (ug/L)  acute 340 TVS 5.0 50 TVS TVS	Chronic
confluence wii COSJAF12D Designation Reviewable Qualifiers:	th the Animas River.  Classifications  Agriculture  Aq Life Cold 1  Recreation E	Physical and E Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic  Ammonia Boron	DM   CS-I   acute     6.5 - 9.0       c (mg/L)   acute   TVS	MWAT CS-I chronic 6.0 7.0 150 126  chronic TVS 0.75	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T)	retals (ug/L)  acute 340 TVS 5.0 50 TVS TVS	Chronic
confluence wii COSJAF12D Designation Reviewable Qualifiers:	th the Animas River.  Classifications  Agriculture  Aq Life Cold 1  Recreation E	Physical and E  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorganic  Ammonia  Boron  Chloride	Biological  DM  CS-I  acute   6.5 - 9.0   c (mg/L)  acute  TVS	MWAT CS-I chronic 6.0 7.0 150 126  chronic TVS 0.75 250	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead	retals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS TVS	Chronic 0.02 TVS TVS TVS TVS TVS TVS TVS WS 1000 TVS
confluence wii COSJAF12D Designation Reviewable Qualifiers:	th the Animas River.  Classifications  Agriculture  Aq Life Cold 1  Recreation E	Physical and E Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic  Ammonia Boron Chloride Chlorine	Biological  DM  CS-I  acute   6.5 - 9.0   c: (mg/L)  acute  TVS   0.019	MWAT CS-I chronic 6.0 7.0 150 126  chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T)	tetals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS TVS 50	Chronic 0.02 TVS
confluence wii COSJAF12D Designation Reviewable Qualifiers:	th the Animas River.  Classifications  Agriculture  Aq Life Cold 1  Recreation E	Physical and E Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic  Ammonia Boron Chloride Chlorine Cyanide	Biological  DM  CS-I  acute   6.5 - 9.0    c (mg/L)  acute  TVS   0.019  0.005	MWAT CS-I chronic 6.0 7.0 150 126  chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese	acute	Chronic
confluence wii COSJAF12D Designation Reviewable Qualifiers:	th the Animas River.  Classifications  Agriculture  Aq Life Cold 1  Recreation E	Physical and E Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic  Ammonia Boron Chloride Chlorine Cyanide Nitrate	Biological  DM  CS-I acute 6.5 - 9.0 c (mg/L)  acute TVS 0.019 0.005 10	MWAT CS-I chronic 6.0 7.0 150 126  Chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury	retals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS	Chronic 0.02 TVS TVS TVS TVS TVS TVS TVS TVS UND TVS TVS UND T
confluence wii COSJAF12D Designation Reviewable Qualifiers:	th the Animas River.  Classifications  Agriculture  Aq Life Cold 1  Recreation E	Physical and E  Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite	Biological  DM  CS-I  acute   6.5 - 9.0   TVS   0.019  0.005  10  0.05	MWAT CS-I chronic 6.0 7.0 150 126  Chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T)	retals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS TVS	Chronic 0.02 TVS TVS TVS TVS TVS TVS TVS US 1000 TVS TVSWS 0.01(t)
confluence wii COSJAF12D Designation Reviewable Qualifiers:	th the Animas River.  Classifications  Agriculture  Aq Life Cold 1  Recreation E	Physical and E  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorganic  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate  Nitrite  Phosphorus	Biological  DM  CS-I  acute   6.5 - 9.0    c: (mg/L)  acute  TVS   0.019  0.005  10  0.05	MWAT CS-I chronic 6.0 7.0 150 126  Chronic TVS 0.75 250 0.011 0.11	Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel	retals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS	Chronic 0.02 TVS
confluence with COSJAF12D Designation Reviewable Qualifiers:	th the Animas River.  Classifications  Agriculture  Aq Life Cold 1  Recreation E	Physical and E  Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite	Biological  DM  CS-I  acute   6.5 - 9.0   TVS   0.019  0.005  10  0.05	MWAT CS-I chronic 6.0 7.0 150 126  Chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T)	retals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS TVS	Chronic 0.02 TVS TVS TVS TVS TVS TVS TVS US 1000 TVS TVSWS 0.01(t)

All metals are dissolved unless otherwise noted.

T = total recoverable

t = total tr=trout sc=sculpin D.O. = dissolved oxygen DM = daily maximum

MWAT = maximum weekly average temperature See 34.6 for further details on applied standards.

Silver

Uranium Zinc TVS(tr)

TVS

TVS

TVS

	of Junction Creek including all tributa	1		with Animas			
COSJAF13A	Classifications	Physical and	Biological		N	letals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 2	Temperature °C	CS-II	CS-II	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02
Qualifiers:		D.O. (spawning)		7.0	Beryllium		
Vater + Fish	Standards	pН	6.5 - 9.0		Cadmium	TVS	TVS
Other:		chlorophyll a (mg/m²)		150	Cadmium(T)	5.0	
emporary Mo	odification(s):	E. Coli (per 100 mL)		126	Chromium III		TVS
rsenic(chroni	* *				Chromium III(T)	50	
xpiration Dat	e of 12/31/2024	Inorgani	c (mg/L)		Chromium VI	TVS	TVS
			acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron		WS
		Boron		0.75	Iron(T)		1000
		Chloride		250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	
EPA has	s not acted on segment-	Cyanide	0.005		Manganese	TVS	TVS/WS
specific <sup>*</sup>	total phosphorus (TP)	Nitrate	10		Mercury		0.01(t)
numeric	standards based on	Nitrite	0.05		Molybdenum(T)		150
the inter	im value for river/	Phosphorus		0.11	Nickel	TVS	TVS
stream s	segments with a cold	Sulfate		WS	Nickel(T)		100
water ac	quatic life classification	Sulfide		0.002	Selenium	TVS	TVS
(0.11 mg	g/L TP).				Silver	TVS	TVS(tr)
					Uranium		
					Zinc	TVS	TVS
listings in Seg	ries to the Animas River from a point ments 12d, 13a, 13c, 14a and 14b; all oundary, except for specific listings in Classifications	tributaries to the Florida River, from	n a point immediate		nern Ute Indian Reservation confluence with Mud Creek	boundary except for	he specific
	Agriculture	,	DM	MWAT		acute	chroni
esignation		L			ł		<del></del>
	Ŭ	Temperature °C	CS-I	CS-I	Aluminum		
	Aq Life Cold 2 Recreation E	Temperature °C	CS-I acute	CS-I chronic	Aluminum		
designation deviewable	Aq Life Cold 2		CS-I acute	chronic	Arsenic	340	
	Aq Life Cold 2 Recreation E	D.O. (mg/L)	acute	chronic 6.0	Arsenic Arsenic(T)	340	0.02
teviewable	Aq Life Cold 2 Recreation E Water Supply	D.O. (mg/L) D.O. (spawning)	acute	6.0 7.0	Arsenic Arsenic(T) Beryllium	340  	0.02 
eviewable	Aq Life Cold 2 Recreation E Water Supply	D.O. (mg/L)	acute	chronic 6.0	Arsenic Arsenic(T)	340	0.02

COSJAF13B	Classifications	Physical and Biolog	ical		Met	als (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 2	Temperature °C	CS-I	CS-I	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02
Qualifiers:		D.O. (spawning)		7.0	Beryllium		
Water + Fish	Standards	рН	6.5 - 9.0		Cadmium	TVS	TVS
Other:		chlorophyll a (mg/m²)		150	Cadmium(T)	5.0	
Temporary M	odification(s):	E. Coli (per 100 mL)		126	Chromium III		TVS
Arsenic(chroni	, ,				Chromium III(T)	50	
Expiration Dat	ie of 12/31/2024	Inorganic (mg/	<b>/L</b> )		Chromium VI	TVS	TVS
			acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron		ws
		Boron		0.75	Iron(T)		1000
		Chloride		250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	
		Cyanide	0.005		Manganese	TVS	TVS/WS
		Nitrate	10		Mercury		0.01(t)
		Nitrite	0.05		Molybdenum(T)		150
		Phosphorus		<del>0.11</del>	Nickel	TVS	TVS
		Sulfate		ws	Nickel(T)		100
		Sulfide		0.002	Selenium	TVS	TVS
					Silver	TVS	TVS(tr)
					Uranium		
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.

T = total recoverable

t = total tr=trout sc=sculpin D.O. = dissolved oxygen

DM = daily maximum

13c. Mainstern	of the unnamed tributary to Coal Gulch	which crosses Highway 160 at (3	37.267877, -107.961	598) from tl	he source to the confluence	with Coal Gulch.	
COSJAF13C	Classifications	Physical and E	Biological		N	Metals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 2	Temperature °C	CS-I	CS-I	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
Qualifiers:		D.O. (mg/L)		6.0	Arsenic(T)		7.6
Fish Ingestion	n	D.O. (spawning)		7.0	Beryllium		
Other:		pH	6.5 - 9.0		Cadmium	TVS	TVS
Diagharaar Cr	posific Mariana (a):	chlorophyll a (mg/m²)		150*	Chromium III		TVS
• .	pecific Variance(s): h) = TVS:15 mg/L	E. Coli (per 100 mL)		126	Chromium III(T)	50	
,	e of 12/31/2024				Chromium VI	TVS	TVS
	(mg/m²)(chronic) = applies only above	Inorganio	: (mg/L)		Copper	TVS	TVS
the facilities lis	sted at 34.5(5).		acute	chronic	Iron(T)		1000
facilities listed	hronic) = applies only above the at 34.5(5).	Ammonia	TVS	TVS	Lead	TVS	TVS
*Variance: Am	monia = see 34.6(4) for details.	Boron		0.75	Manganese	TVS	TVS
EDA bo	a not coted on comment	Chloride		250	Mercury		0.01(t)
	s not acted on segment-	Chlorine	0.019	0.011	Molybdenum(T)		150
1.1	total phosphorus (TP) standards based on	Cyanide	0.005		Nickel	TVS	TVS
		Nitrate	100		Selenium	TVS	TVS
	rim value for river/	Nitrite	0.05		Silver	TVS	TVS(tr)
	segments with a cold quatic life classification	Phosphorus		<del>0.11*</del>	Uranium		
	g/L TP).	Sulfate			Zinc	TVS	TVS
(0.11111	g/L 1P).	Sulfide		0.002			
13d. Brice Dra	aw, including all tributaries, from its sour	ce to the Southern Ute Indian Res	ervation Boundary.		•		
COSJAF13D	Classifications	Physical and E	Biological		N	/letals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Recreation E				Aluminum		
Qualifiers:			acute	chronic	Arsenic(T)		100
Other:		D.O. (mg/L)		3.0	Beryllium(T)		100
		pH	6.5 - 9.0		Cadmium(T)		10
*chlorophyll a the facilities lis	$(mg/m^2)(chronic) = applies only above sted at 34.5(5).$	chlorophyll a (mg/m²)		150*	Chromium III(T)		100
		E. Coli (per 100 mL)		126	Chromium VI(T)		100
		Inorganio	(mg/L)		Copper(T)		200
			acute	chronic	Iron		
		Ammonia			Lead(T)		100
		Boron		0.75	Manganese		
		Chloride			Mercury		
		Chlorine			Molybdenum(T)		150
		Cyanide	0.2		Nickel(T)		200
		Nitrate	100		Selenium(T)		20
		Nitrite	10		Silver		
		Phosphorus			Uranium		
		Sulfate			Zinc(T)		2000

		hern Ute Indian Reservation bour	idaly to below the co	onnuence wit	II Dasiii Creek.		
COSJAF13E	Classifications	Physical and	Biological		M	letals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 2	Temperature °C	CS-II	CS-II	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02
Qualifiers:	-	D.O. (spawning)		7.0	Beryllium		
Water + Fish	Standards	рН	6.5 - 9.0		Cadmium	TVS	TVS
Other:		chlorophyll a (mg/m²)		150	Cadmium(T)	5.0	
Temporary M	odification(s):	E. Coli (per 100 mL)		126	Chromium III		TVS
Arsenic(chroni					Chromium III(T)	50	
Expiration Dat	te of 12/31/2024	Inorgan	ic (mg/L)		Chromium VI	TVS	TVS
*Couthorn I Ito	Indian Deservation		acute	chronic	Copper	TVS	TVS
Southern Ote	e Indian Reservation	Ammonia	TVS	TVS	Iron		WS
		Boron		0.75	Iron(T)		1000
		Chloride		250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	
		Cyanide	0.005		Manganese	TVS	TVS/WS
EPA ha	s not acted on segment-	Nitrate	10		Mercury		0.01(t)
	total phosphorus (TP)	Nitrite	0.05		Molybdenum(T)		150
numerio	standards based on	Phosphorus		0.11	Nickel	TVS	TVS
the inte	rim value for river/	Sulfate		WS	Nickel(T)		100
stream	segments with a cold	Sulfide		0.002	Selenium	TVS	TVS
water a	quatic life classification				Silver	TVS	TVS(tr)
(0.11 m	g/L TP).				Uranium		
	,				Zinc	TVS	TVS
12f All tributor	ries to the Animas River from below the	confluence with Basin Creek to	the Colorado/New M	levice border	except for Segments 11h as	nd 11c	
131. All tributal		Communication With Busine Grook to	the odiorado/14ew 1vi	iexico border	except for Segments 11b at	id 110.	
COSJAF13F	Classifications	Physical and		Texted border	1	letals (ug/L)	
		1		MWAT	1		chronic
COSJAF13F	Classifications	1	Biological		1	letals (ug/L)	chronic 
COSJAF13F Designation	Classifications Agriculture Aq Life Cold 2 Recreation E	Physical and	Biological DM	MWAT	M	letals (ug/L) acute	
COSJAF13F Designation	Classifications Agriculture Aq Life Cold 2	Physical and	Biological  DM  CS-II	MWAT CS-II	Aluminum	etals (ug/L) acute	
COSJAF13F Designation Reviewable Qualifiers:	Classifications Agriculture Aq Life Cold 2 Recreation E Water Supply	Physical and Temperature °C	Biological  DM  CS-II  acute	MWAT CS-II chronic	Aluminum Arsenic	etals (ug/L) acute 340	
COSJAF13F  Designation  Reviewable	Classifications Agriculture Aq Life Cold 2 Recreation E Water Supply	Physical and Temperature °C  D.O. (mg/L)	Biological  DM  CS-II  acute	MWAT CS-II chronic 6.0	Aluminum Arsenic Arsenic(T)	acute 340	  0.02
COSJAF13F Designation Reviewable Qualifiers:	Classifications Agriculture Aq Life Cold 2 Recreation E Water Supply	Physical and Temperature °C  D.O. (mg/L) D.O. (spawning)	Biological  DM  CS-II  acute	MWAT CS-II chronic 6.0 7.0	Aluminum Arsenic Arsenic(T) Beryllium	acute 340	  0.02 
COSJAF13F Designation Reviewable Qualifiers: Water + Fish	Classifications Agriculture Aq Life Cold 2 Recreation E Water Supply Standards	Physical and Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH	DM CS-II acute  6.5 - 9.0	MWAT CS-II chronic 6.0 7.0	Aluminum Arsenic Arsenic(T) Beryllium Cadmium	acute 340 TVS	 0.02  TVS
COSJAF13F Designation Reviewable Qualifiers: Water + Fish Other:	Classifications Agriculture Aq Life Cold 2 Recreation E Water Supply  Standards  odification(s):	Physical and  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)	DM CS-II acute  6.5 - 9.0	MWAT CS-II chronic 6.0 7.0 150	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T)	acute 340 TVS 5.0	 0.02  TVS
COSJAF13F Designation Reviewable  Qualifiers: Water + Fish Other: Temporary M. Arsenic(chroni	Classifications Agriculture Aq Life Cold 2 Recreation E Water Supply  Standards  odification(s):	Physical and  Temperature °C  D.O. (mg/L)  D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)	DM CS-II acute  6.5 - 9.0	MWAT CS-II chronic 6.0 7.0 150	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III	etals (ug/L)  acute 340 TVS 5.0	 0.02  TVS 
COSJAF13F Designation Reviewable  Qualifiers: Water + Fish Other: Temporary Management M	Classifications Agriculture Aq Life Cold 2 Recreation E Water Supply  Standards  odification(s): ic) = hybrid ite of 12/31/2024	Physical and  Temperature °C  D.O. (mg/L)  D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)	Biological  DM  CS-II  acute 6.5 - 9.0	MWAT CS-II chronic 6.0 7.0 150	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T)	etals (ug/L)  acute 340 TVS 5.0 50	0.02 TVS TVS
COSJAF13F Designation Reviewable  Qualifiers: Water + Fish Other: Temporary Management M	Classifications Agriculture Aq Life Cold 2 Recreation E Water Supply  Standards  odification(s): (c) = hybrid	Physical and  Temperature °C  D.O. (mg/L)  D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)	Biological  DM  CS-II  acute 6.5 - 9.0 ic (mg/L)	MWAT CS-II chronic 6.0 7.0 150 126	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T)	etals (ug/L)  acute 340 TVS 5.0 50 TVS	0.02 TVS TVS TVS
COSJAF13F Designation Reviewable  Qualifiers: Water + Fish Other: Temporary Management M	Classifications Agriculture Aq Life Cold 2 Recreation E Water Supply  Standards  odification(s): ic) = hybrid ite of 12/31/2024	Physical and  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorgan	Biological  DM CS-II acute 6.5 - 9.0 ic (mg/L) acute	MWAT CS-II chronic 6.0 7.0 150 126  chronic	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper	etals (ug/L)  acute 340 TVS 5.0 50 TVS TVS	0.02 TVS TVS TVS TVS TVS
COSJAF13F Designation Reviewable  Qualifiers: Water + Fish Other: Temporary Management M	Classifications Agriculture Aq Life Cold 2 Recreation E Water Supply  Standards  odification(s): ic) = hybrid ite of 12/31/2024	Physical and  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorgan  Ammonia	Biological  DM  CS-II  acute 6.5 - 9.0 ic (mg/L) acute TVS	MWAT CS-II chronic 6.0 7.0 150 126  chronic	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper	tetals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS	0.02 TVS TVS TVS TVS WS
COSJAF13F Designation Reviewable  Qualifiers: Water + Fish Other: Temporary Management M	Classifications Agriculture Aq Life Cold 2 Recreation E Water Supply  Standards  odification(s): ic) = hybrid ite of 12/31/2024	Physical and Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorgan  Ammonia Boron	Biological  DM  CS-II  acute 6.5 - 9.0 ic (mg/L)  acute TVS	MWAT CS-II chronic 6.0 7.0 150 126  chronic TVS 0.75	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T)	tetals (ug/L)  acute 340 TVS 5.0 50 TVS TVS	0.02 TVS TVS TVS WS 1000
COSJAF13F Designation Reviewable  Qualifiers: Water + Fish Other: Temporary Management M	Classifications Agriculture Aq Life Cold 2 Recreation E Water Supply  Standards  odification(s): ic) = hybrid ite of 12/31/2024	Physical and  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorgan  Ammonia  Boron  Chloride	Biological  DM  CS-II  acute 6.5 - 9.0 ic (mg/L)  acute  TVS	MWAT CS-II chronic 6.0 7.0 150 126  chronic TVS 0.75 250	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead	tetals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS TVS	0.02 TVS TVS TVS TVS TVS TVS TVS WS 1000 TVS
COSJAF13F Designation Reviewable  Qualifiers: Water + Fish Other: Temporary Management M	Classifications Agriculture Aq Life Cold 2 Recreation E Water Supply  Standards  odification(s): ic) = hybrid ite of 12/31/2024	Physical and  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorgan  Ammonia  Boron  Chloride  Chlorine	Biological  DM  CS-II  acute 6.5 - 9.0 ic (mg/L) acute TVS 0.019	MWAT CS-II chronic 6.0 7.0 150 126  chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T)	tetals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS TVS 50	0.02 TVS TVS TVS SUS TVS TVS TVS TVS TVS TVS TVS TVS TVS TV
COSJAF13F Designation Reviewable  Qualifiers: Water + Fish Other: Temporary Management M	Classifications Agriculture Aq Life Cold 2 Recreation E Water Supply  Standards  odification(s): ic) = hybrid ite of 12/31/2024	Physical and  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorgan  Ammonia  Boron  Chloride  Chlorine  Cyanide	Biological  DM  CS-II  acute 6.5 - 9.0 ic (mg/L)  acute TVS 0.019 0.005	MWAT CS-II chronic 6.0 7.0 150 126  chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese	tetals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS TVS 50 TVS	0.02 TVS TVS TVS WS 1000 TVS TVS/WS
COSJAF13F Designation Reviewable  Qualifiers: Water + Fish Other: Temporary Management M	Classifications Agriculture Aq Life Cold 2 Recreation E Water Supply  Standards  odification(s): ic) = hybrid ite of 12/31/2024	Physical and  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorgan  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate	Biological  DM  CS-II  acute 6.5 - 9.0 ic (mg/L)  acute TVS 0.019 0.005 10	MWAT CS-II chronic 6.0 7.0 150 126  chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury	tetals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS	0.02 TVS TVS TVS TVS TVS TVS S 1000 TVS TVSWS 0.01(t)
COSJAF13F Designation Reviewable  Qualifiers: Water + Fish Other: Temporary Management M	Classifications Agriculture Aq Life Cold 2 Recreation E Water Supply  Standards  odification(s): ic) = hybrid ite of 12/31/2024	Physical and Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorgan  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite	Biological  DM  CS-II  acute 6.5 - 9.0 ic (mg/L)  acute TVS 0.019 0.005 10 0.05	MWAT CS-II chronic 6.0 7.0 150 126  Chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T)	tetals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS	0.02 TVS TVS TVS WS 1000 TVS TVS/WS 0.01(t)
COSJAF13F Designation Reviewable  Qualifiers: Water + Fish Other: Temporary Management M	Classifications Agriculture Aq Life Cold 2 Recreation E Water Supply  Standards  odification(s): ic) = hybrid ite of 12/31/2024	Physical and Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorgan  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	Biological  DM  CS-II  acute 6.5 - 9.0 ic (mg/L)  acute  TVS 0.019 0.005 10 0.05	MWAT CS-II chronic 6.0 7.0 150 126  chronic TVS 0.75 250 0.011 0.11	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel	tetals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS TVS 50 TVS	0.02 TVS TVS TVS WS 1000 TVS TVS/WS 0.01(t) 150 TVS
COSJAF13F Designation Reviewable  Qualifiers: Water + Fish Other: Temporary Management M	Classifications Agriculture Aq Life Cold 2 Recreation E Water Supply  Standards  odification(s): ic) = hybrid ite of 12/31/2024	Physical and  Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorgan  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	Biological  DM  CS-II  acute 6.5 - 9.0 ic (mg/L)  acute  TVS 0.019 0.005 10 0.05	MWAT CS-II chronic 6.0 7.0 150 126  chronic TVS 0.75 250 0.011 0.414 WS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T)	tetals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS TVS	0.02 TVS TVS TVS TVS WS 1000 TVS TVS/WS 0.01(t) 150 TVS
COSJAF13F Designation Reviewable  Qualifiers: Water + Fish Other: Temporary Management M	Classifications Agriculture Aq Life Cold 2 Recreation E Water Supply  Standards  odification(s): ic) = hybrid ite of 12/31/2024	Physical and  Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorgan  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	Biological  DM  CS-II  acute 6.5 - 9.0 ic (mg/L)  acute  TVS 0.019 0.005 10 0.05	MWAT CS-II chronic 6.0 7.0 150 126  chronic TVS 0.75 250 0.011 0.414 WS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	tetals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS TVS	0.02 TVS TVS TVS SUS 1000 TVS TVS/WS 0.01(t) 150 TVS 1000 TVS
COSJAF13F Designation Reviewable  Qualifiers: Water + Fish Other: Temporary Management M	Classifications Agriculture Aq Life Cold 2 Recreation E Water Supply  Standards  odification(s): ic) = hybrid ite of 12/31/2024	Physical and  Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorgan  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	Biological  DM  CS-II  acute 6.5 - 9.0 ic (mg/L)  acute  TVS 0.019 0.005 10 0.05	MWAT CS-II chronic 6.0 7.0 150 126  chronic TVS 0.75 250 0.011 0.414 WS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium Silver	tetals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS	0.02 TVS TVS TVS WS 1000 TVS TVS/WS 0.01(t) 150 TVS 1000 TVS TVS TVS TVS TVS TVS

All metals are dissolved unless otherwise noted. T = total recoverable t = total

t = total tr=trout sc=sculpin

		ies, from the source to below the con		op 0100K.			
COSJAF14A	Classifications	Physical and Biol	ogical		Me	tals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02
Qualifiers:		D.O. (spawning)		7.0	Beryllium		
Other:		рН	6.5 - 9.0		Cadmium	TVS	TVS
Temporary Mo	adification(s):	chlorophyll a (mg/m²)		150	Cadmium(T)	5.0	
Arsenic(chroni	* *	E. Coli (per 100 mL)		126	Chromium III		TVS
,	e of 12/31/2024				Chromium III(T)	50	
Expiration Dat	S SI 12/01/2021	Inorganic (n	na/L)		Chromium VI	TVS	TVS
		anorganic (	acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron		WS
		Boron		0.75	Iron(T)		1000
					Lead	TVS	TVS
		Chloride	0.019	250		50	
		Chlorine		0.011	Lead(T)		
EDA ho	a not octod on compant	Cyanide	0.005		Manganese	TVS	TVS/WS
	s not acted on segment-	Nitrate	10		Mercury		0.01(t)
	total phosphorus (TP)	Nitrite	0.05		Molybdenum(T)		150
	standards based on	Phosphorus		0.11	Nickel	TVS	TVS
	rim value for river/	Sulfate		WS	Nickel(T)		100
	segments with a cold	Sulfide		0.002	Selenium	TVS	TVS
	quatic life classification				Silver	TVS	TVS(tr)
(0.11 m	g/L TP).				Uranium		
					Zinc	TVS	TVS
	of Lightner Creek from below the conf		ence with the Ar	imas River.	1		
COSJAF14B	Classifications	Physical and Biol	_		Me	tals (ug/L)	
Designation	Agriculture	Physical and Biol	DM	MWAT	Me	tals (ug/L) acute	chronic
	Agriculture Aq Life Cold 1	Physical and Biol	_	MWAT CS-II	Me		chronic 
Designation	Agriculture Aq Life Cold 1 Recreation E		DM			acute	
<b>Designation</b> Reviewable	Agriculture Aq Life Cold 1		DM CS-II	CS-II	Aluminum	acute	
Designation	Agriculture Aq Life Cold 1 Recreation E	Temperature °C	DM CS-II acute	CS-II chronic	Aluminum Arsenic	acute 340	
<b>Designation</b> Reviewable	Agriculture Aq Life Cold 1 Recreation E	Temperature °C  D.O. (mg/L)	DM CS-II acute	CS-II chronic 6.0	Aluminum Arsenic Arsenic(T)	acute  340 	  0.02
Designation Reviewable  Qualifiers: Other:	Agriculture Aq Life Cold 1 Recreation E Water Supply	Temperature °C  D.O. (mg/L)  D.O. (spawning)	DM CS-II acute	CS-II chronic 6.0 7.0	Aluminum Arsenic Arsenic(T) Beryllium	acute  340 	  0.02 
Designation Reviewable  Qualifiers: Other: Temporary Mo	Agriculture Aq Life Cold 1 Recreation E Water Supply	Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH	DM CS-II acute  6.5 - 9.0	CS-II chronic 6.0 7.0	Aluminum Arsenic Arsenic(T) Beryllium Cadmium	acute 340 TVS	0.02  TVS
Designation Reviewable  Qualifiers: Other: Temporary Moders.	Agriculture Aq Life Cold 1 Recreation E Water Supply  odification(s): c) = hybrid	Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)	DM CS-II acute  6.5 - 9.0	CS-II chronic 6.0 7.0  150*	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T)	acute 340 TVS 5.0	 0.02  TVS
Designation Reviewable  Qualifiers: Other: Temporary Means Arsenic (chronic Expiration Date)	Agriculture Aq Life Cold 1 Recreation E Water Supply  odification(s): c) = hybrid e of 12/31/2024	Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)	DM CS-II acute  6.5 - 9.0	CS-II chronic 6.0 7.0  150*	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III	acute 340 TVS 5.0	 0.02  TVS 
Designation Reviewable  Qualifiers: Other: Temporary Moders Arsenic (chronic Expiration Data the facilities list	Agriculture Aq Life Cold 1 Recreation E Water Supply  odification(s): c) = hybrid te of 12/31/2024  (mg/m²)(chronic) = applies only above sted at 34.5(5).	Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)	DM CS-II acute  6.5 - 9.0	CS-II chronic 6.0 7.0  150*	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T)	acute 340 TVS 5.0 50	0.02 TVS TVS
Designation Reviewable  Qualifiers: Other: Temporary Moders Arsenic (chronic Expiration Date the facilities list Phosphorus (etc.)	Agriculture Aq Life Cold 1 Recreation E Water Supply  odification(s): c) = hybrid te of 12/31/2024  (mg/m²)(chronic) = applies only above sted at 34.5(5).  hronic) = applies only above the	Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)	DM CS-II acute  6.5 - 9.0	CS-II chronic 6.0 7.0  150* 126	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T)	acute 340 TVS 5.0 50 TVS	0.02 TVS TVS TVS
Designation Reviewable  Qualifiers: Other: Temporary Moders Arsenic (chronic Expiration Data the facilities list	Agriculture Aq Life Cold 1 Recreation E Water Supply  odification(s): c) = hybrid te of 12/31/2024  (mg/m²)(chronic) = applies only above sted at 34.5(5).  hronic) = applies only above the	Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorganic (mg/m²)	DM CS-II acute  6.5 - 9.0   ng/L)	CS-II chronic 6.0 7.0  150* 126	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper	acute 340 TVS 5.0 50 TVS TVS	0.02 TVS TVS TVS TVS TVS
Designation Reviewable  Qualifiers: Other: Temporary Moders Arsenic (chronic Expiration Date the facilities list Phosphorus (etc.)	Agriculture Aq Life Cold 1 Recreation E Water Supply  odification(s): c) = hybrid te of 12/31/2024  (mg/m²)(chronic) = applies only above sted at 34.5(5).  hronic) = applies only above the	Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorganic (m	CS-II acute 6.5 - 9.0 acute TVS	CS-II  chronic  6.0  7.0   150*  126  chronic  TVS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron	acute 340 TVS 5.0 50 TVS TVS	0.02 TVS TVS TVS TVS WS
Designation Reviewable  Qualifiers: Other: Temporary Moders Arsenic (chronic Expiration Date the facilities list Phosphorus (etc.)	Agriculture Aq Life Cold 1 Recreation E Water Supply  odification(s): c) = hybrid te of 12/31/2024  (mg/m²)(chronic) = applies only above sted at 34.5(5).  hronic) = applies only above the	Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic (r	CS-II acute 6.5 - 9.0 mg/L) acute TVS	CS-II  chronic 6.0 7.0 150* 126  chronic TVS 0.75	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T)	acute 340 TVS 5.0 50 TVS TVS	0.02 TVS TVS TVS WS 1000
Designation Reviewable  Qualifiers: Other: Temporary Moders Arsenic (chronic Expiration Date the facilities list Phosphorus (etc.)	Agriculture Aq Life Cold 1 Recreation E Water Supply  odification(s): c) = hybrid te of 12/31/2024  (mg/m²)(chronic) = applies only above sted at 34.5(5).  hronic) = applies only above the	Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic (mathematical description of the color of the c	DM CS-II acute 6.5 - 9.0 mg/L) acute TVS 0.019	CS-II  chronic 6.0 7.0 150* 126  chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T)	### acute   340   TVS  5.0   50  TVS  TVS  TVS   TVS  50	0.02 TVS TVS TVS TVS TVS TVS WS 1000 TVS
Designation Reviewable  Qualifiers: Other: Temporary Moders Arsenic (chronic Expiration Date the facilities list Phosphorus (etc.)	Agriculture Aq Life Cold 1 Recreation E Water Supply  odification(s): c) = hybrid te of 12/31/2024  (mg/m²)(chronic) = applies only above sted at 34.5(5). hronic) = applies only above the	Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic (r  Ammonia Boron Chloride Chlorine Cyanide	DM CS-II acute 6.5 - 9.0 100 CS-II 0.019 0.005	CS-II  chronic 6.0 7.0 150* 126  chronic TVS 0.75 250	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese	### acute   340  TVS  5.0  50  TVS  TVS  TVS  TVS  TVS   TVS	0.02 TVS TVS TVS TVS WS 1000 TVS TVS/WS
Designation Reviewable  Qualifiers: Other: Temporary Moders Arsenic (chronic Expiration Date the facilities list Phosphorus (etc.)	Agriculture Aq Life Cold 1 Recreation E Water Supply  odification(s): c) = hybrid te of 12/31/2024  (mg/m²)(chronic) = applies only above sted at 34.5(5). hronic) = applies only above the	Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic (r  Ammonia Boron Chloride Chlorine Cyanide Nitrate	DM CS-II acute 6.5 - 9.0 10019 0.005 10	CS-II chronic 6.0 7.0 150* 126  Chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS TVS 50 TVS	0.02 TVS TVS TVS TVS TVS TVS WS 1000 TVS TVSWS
Designation Reviewable  Qualifiers: Other: Temporary Moders Arsenic (chronic Expiration Date the facilities list Phosphorus (etc.)	Agriculture Aq Life Cold 1 Recreation E Water Supply  odification(s): c) = hybrid te of 12/31/2024  (mg/m²)(chronic) = applies only above sted at 34.5(5). hronic) = applies only above the	Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic (r  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite	DM CS-II acute 6.5 - 9.0 TVS 0.019 0.005 10 0.05	CS-II  chronic 6.0 7.0 150* 126  Chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T)	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS	0.02 TVS TVS TVS WS 1000 TVS TVS/WS 0.01(t)
Designation Reviewable  Qualifiers: Other: Temporary Moders Arsenic (chronic Expiration Date the facilities list Phosphorus (etc.)	Agriculture Aq Life Cold 1 Recreation E Water Supply  odification(s): c) = hybrid te of 12/31/2024  (mg/m²)(chronic) = applies only above sted at 34.5(5). hronic) = applies only above the	Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic (n  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	DM CS-II acute 6.5 - 9.0 10.019 0.005 10 0.05	CS-II chronic 6.0 7.0 150* 126  chronic TVS 0.75 250 0.011 0.11*	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel	### acute   340  TVS  5.0  50  TVS  TVS   TVS  50  TVS  TVS   TVS  50  TVS  TVS  TVS   TVS  TVS  TVS  TVS	0.02 TVS TVS TVS TVS WS 1000 TVS TVS/WS 0.01(t) 150 TVS
Designation Reviewable  Qualifiers: Other: Temporary Moders Arsenic (chronic Expiration Date the facilities list Phosphorus (etc.)	Agriculture Aq Life Cold 1 Recreation E Water Supply  odification(s): c) = hybrid te of 12/31/2024  (mg/m²)(chronic) = applies only above sted at 34.5(5). hronic) = applies only above the	Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic (n  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	DM CS-II acute 6.5 - 9.0 100/L) acute TVS 0.019 0.005 10 0.05	CS-II  chronic 6.0 7.0 150* 126  Chronic TVS 0.75 250 0.011 0.11* WS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T)	### acute   340  TVS  5.0  50  TVS  TVS   TVS  50  TVS  TVS   TVS  50  TVS   TVS	0.02 TVS TVS TVS TVS TVS TVS S TVS TVS TVS TVS T
Designation Reviewable  Qualifiers: Other: Temporary Moders Arsenic (chronic Expiration Date the facilities list Phosphorus (etc.)	Agriculture Aq Life Cold 1 Recreation E Water Supply  odification(s): c) = hybrid te of 12/31/2024  (mg/m²)(chronic) = applies only above sted at 34.5(5). hronic) = applies only above the	Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic (n  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	DM CS-II acute 6.5 - 9.0 10.019 0.005 10 0.05	CS-II chronic 6.0 7.0 150* 126  chronic TVS 0.75 250 0.011 0.11*	Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	### acute   340  TVS  5.0  50  TVS  TVS   TVS  50  TVS  TVS   TVS  50  TVS  TVS   TVS  TVS   TVS  TVS	0.02 TVS TVS TVS TVS WS 1000 TVS TVS/WS 0.01(t) 150 TVS
Designation Reviewable  Qualifiers: Other: Temporary Moders Arsenic (chronic Expiration Date the facilities list Phosphorus (etc.)	Agriculture Aq Life Cold 1 Recreation E Water Supply  odification(s): c) = hybrid te of 12/31/2024  (mg/m²)(chronic) = applies only above sted at 34.5(5). hronic) = applies only above the	Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic (n  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	DM CS-II acute 6.5 - 9.0 100/L) acute TVS 0.019 0.005 10 0.05	CS-II  chronic 6.0 7.0 150* 126  Chronic TVS 0.75 250 0.011 0.11* WS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium Silver	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS	0.02 TVS TVS TVS TVS TVS TVS S TVS TVS TVS TVS T
Designation Reviewable  Qualifiers: Other: Temporary Moders Arsenic (chronic Expiration Date the facilities list Phosphorus (etc.)	Agriculture Aq Life Cold 1 Recreation E Water Supply  odification(s): c) = hybrid te of 12/31/2024  (mg/m²)(chronic) = applies only above sted at 34.5(5). hronic) = applies only above the	Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic (n  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	DM CS-II acute 6.5 - 9.0 100/L) acute TVS 0.019 0.005 10 0.05	CS-II  chronic 6.0 7.0 150* 126  Chronic TVS 0.75 250 0.011 0.11* WS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium Silver Uranium	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS	0.02 TVS TVS TVS TVS WS 1000 TVS TVS/WS 0.01(t) 150 TVS 1000 TVS 1000 TVS 1000 TVS 1000 TVS 1000 TVS
Designation Reviewable  Qualifiers: Other: Temporary Modersenic(chronic Expiration Date the facilities list Phosphorus(e)	Agriculture Aq Life Cold 1 Recreation E Water Supply  odification(s): c) = hybrid te of 12/31/2024  (mg/m²)(chronic) = applies only above sted at 34.5(5). hronic) = applies only above the	Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic (n  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	DM CS-II acute 6.5 - 9.0 100/L) acute TVS 0.019 0.005 10 0.05	CS-II  chronic 6.0 7.0 150* 126  Chronic TVS 0.75 250 0.011 0.11* WS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium Silver	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS	0.02 TVS TVS TVS TVS WS 1000 TVS TVS/WS 0.01(t) 150 TVS

All metals are dissolved unless otherwise noted. T = total recoverable

t = total tr=trout sc=sculpin

.o. manotoni	of Purgatory Creek from the source to	Cascade Creek Goulding Creek from	the source to F	Ibert Creek	and Nary Draw from the so	ource to Haviland Lake	
COSJAF15	Classifications	Physical and Biol			i i	Metals (ug/L)	
Designation	Agriculture	,	DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 2	Temperature °C	CS-I	CS-I	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02
Qualifiers:		D.O. (spawning)		7.0	Beryllium		
Other:		pH	6.5 - 9.0		Cadmium	TVS	TVS
Other.		chlorophyll a (mg/m²)		150	Cadmium(T)	5.0	
		E. Coli (per 100 mL)		126	Chromium III		TVS
		2. 00.1 (poi 100 1112)		.20	Chromium III(T)	50	
		Inorganic (r	ma/I )		Chromium VI	TVS	TVS
		morganic (i	acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron		WS
		Boron		0.75	Iron(T)		1000
		Chloride			Lead	TVS	TVS
		Chlorine	0.019	250 0.011	Lead(T)	50	
						TVS	TVS/WS
EPA has	s not acted on segment-	Cyanide Nitrate	0.005		Manganese Mercury	175	0.01(t)
	total phosphorus (TP)						
1. 1	standards based on	Nitrite	0.05		Molybdenum(T)	 TVC	150 T) (C
	im value for river/	Phosphorus		0.11	Nickel	TVS	TVS
	segments with a cold	Sulfate		WS	Nickel(T)	 TVC	100 T) (C
	quatic life classification	Sulfide		0.002	Selenium	TVS	TVS
(0.11 mg					Silver	TVS	TVS(tr)
(0111118	9, =,.				Uranium		
4C All lalvas av	and accounting this start to the Animan D	in and Floride Diversible and state	- 4b - 10/	- \\/: -	Zinc	TVS	TVS
	nd reservoirs tributary to the Animas R erald Lake, Ruby Lake, Balsam Lake,						Lake, City
COSJAF16	Classifications	Physical and Biol	ogical			Metals (ug/L)	
Designation							
	Agriculture		DM	MWAT		acute	chronic
OW	Agriculture Aq Life Cold 1	Temperature °C	DM CL	MWAT CL	Aluminum	acute 	chronic
OW	Aq Life Cold 1 Recreation E	Temperature °C			Aluminum Arsenic		
OW	Aq Life Cold 1	Temperature °C  D.O. (mg/L)	CL	CL			
OW	Aq Life Cold 1 Recreation E		CL acute	CL chronic	Arsenic	 340	
OW	Aq Life Cold 1 Recreation E	D.O. (mg/L)	CL acute	CL chronic 6.0	Arsenic Arsenic(T)	 340 	0.02
OW  Qualifiers: Other:	Aq Life Cold 1 Recreation E Water Supply	D.O. (mg/L) D.O. (spawning)	CL acute	CL chronic 6.0 7.0	Arsenic Arsenic(T) Beryllium	340 	  0.02 
OW  Qualifiers: Other: *chlorophyll a (	Aq Life Cold 1 Recreation E	D.O. (mg/L) D.O. (spawning) pH	CL acute   6.5 - 9.0	CL chronic 6.0 7.0	Arsenic Arsenic(T) Beryllium Cadmium	340   TVS	0.02 TVS
OW  Qualifiers: Other:  *chlorophyll a (and reservoirs *Phosphorus(ch	Aq Life Cold 1 Recreation E Water Supply  (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area. hronic) = applies only to lakes and	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L)	CL acute  6.5 - 9.0	CL chronic 6.0 7.0  8*	Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T)	340   TVS 5.0	0.02  TVS
OW  Qualifiers: Other:  *chlorophyll a (and reservoirs *Phosphorus(ch	Aq Life Cold 1 Recreation E Water Supply  (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area.	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L)	CL acute   6.5 - 9.0	CL chronic 6.0 7.0  8*	Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III	TVS 5.0	 0.02  TVS 
OW  Qualifiers: Other:  *chlorophyll a (and reservoirs *Phosphorus(ch	Aq Life Cold 1 Recreation E Water Supply  (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area. hronic) = applies only to lakes and	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)	CL acute   6.5 - 9.0	CL chronic 6.0 7.0  8*	Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T)	340  TVS 5.0  50	0.02 TVS TVS
OW  Qualifiers: Other:  *chlorophyll a (and reservoirs *Phosphorus(ch	Aq Life Cold 1 Recreation E Water Supply  (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area. hronic) = applies only to lakes and	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)	CL acute 6.5 - 9.0	CL chronic 6.0 7.0  8* 126	Arsenic  Arsenic(T)  Beryllium  Cadmium  Cadmium(T)  Chromium III  Chromium VI	340  TVS 5.0  50	0.02 TVS TVS TVS
OW  Qualifiers: Other:  *chlorophyll a (and reservoirs *Phosphorus(ch	Aq Life Cold 1 Recreation E Water Supply  (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area. hronic) = applies only to lakes and	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  Inorganic (r	CL acute 6.5 - 9.0 mg/L) acute	CL chronic 6.0 7.0 8* 126	Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper	340  TVS 5.0  50 TVS	0.02 TVS TVS TVS TVS TVS
OW  Qualifiers: Other:  *chlorophyll a (and reservoirs *Phosphorus(ch	Aq Life Cold 1 Recreation E Water Supply  (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area. hronic) = applies only to lakes and	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  Inorganic (r	CL acute 6.5 - 9.0 mg/L) acute TVS	CL chronic 6.0 7.0 8* 126  chronic TVS	Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron	340  TVS 5.0  50 TVS TVS	0.02 TVS TVS TVS TVS WS
OW  Qualifiers: Other:  *chlorophyll a (and reservoirs *Phosphorus(ch	Aq Life Cold 1 Recreation E Water Supply  (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area. hronic) = applies only to lakes and	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  Inorganic (r Ammonia Boron	CL acute 6.5 - 9.0 mg/L) acute TVS	CL chronic 6.0 7.0 8* 126  chronic TVS 0.75	Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T)	340  TVS 5.0  50 TVS TVS	0.02 TVS TVS TVS WS 1000
OW  Qualifiers: Other:  *chlorophyll a (and reservoirs *Phosphorus(ch	Aq Life Cold 1 Recreation E Water Supply  (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area. hronic) = applies only to lakes and	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  Inorganic (r Ammonia Boron Chloride	CL acute 6.5 - 9.0 mg/L) acute TVS	CL chronic 6.0 7.0 8* 126  chronic TVS 0.75 250	Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead	340 TVS 5.0 50 TVS TVS TVS TVS	0.02 TVS
OW  Qualifiers: Other:  *chlorophyll a (and reservoirs *Phosphorus(ch	Aq Life Cold 1 Recreation E Water Supply  (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area. hronic) = applies only to lakes and	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  Inorganic (r  Ammonia Boron Chloride Chlorine	CL acute 6.5 - 9.0 mg/L) acute TVS 0.019	CL chronic 6.0 7.0 8* 126  chronic TVS 0.75 250 0.011	Arsenic  Arsenic(T)  Beryllium  Cadmium  Cadmium(T)  Chromium III  Chromium VI  Copper  Iron  Iron(T)  Lead  Lead(T)	340 340 TVS 5.0 50 TVS TVS TVS 50	0.02 TVS
OW  Qualifiers: Other:  *chlorophyll a (and reservoirs *Phosphorus(ch	Aq Life Cold 1 Recreation E Water Supply  (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area. hronic) = applies only to lakes and	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  Inorganic (r  Ammonia Boron Chloride Chlorine Cyanide	CL acute 6.5 - 9.0 mg/L) acute TVS 0.019 0.005	CL chronic 6.0 7.0 8* 126  chronic TVS 0.75 250 0.011	Arsenic  Arsenic(T)  Beryllium  Cadmium  Cadmium(T)  Chromium III  Chromium III(T)  Chromium VI  Copper  Iron  Iron(T)  Lead  Lead(T)  Manganese	340 340 TVS 5.0 50 TVS TVS TVS TVS 50 TVS	0.02 TVS TVS TVS TVS WS 1000 TVS TVS/WS
OW  Qualifiers: Other:  *chlorophyll a (and reservoirs *Phosphorus(ch	Aq Life Cold 1 Recreation E Water Supply  (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area. hronic) = applies only to lakes and	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  Inorganic (r  Ammonia Boron Chloride Chlorine Cyanide Nitrate	CL acute 6.5 - 9.0 mg/L) acute TVS 0.019 0.005	CL chronic 6.0 7.0 8* 126  chronic TVS 0.75 250 0.011	Arsenic  Arsenic(T)  Beryllium  Cadmium  Cadmium(T)  Chromium III  Chromium III(T)  Chromium VI  Copper  Iron  Iron(T)  Lead  Lead(T)  Manganese  Mercury	340 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS	0.02 TVS TVS TVS WS 1000 TVS TVS/WS 0.01(t)
OW  Qualifiers: Other:  *chlorophyll a (and reservoirs *Phosphorus(ch	Aq Life Cold 1 Recreation E Water Supply  (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area. hronic) = applies only to lakes and	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  Inorganic (r  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite	CL acute 6.5 - 9.0 TVS 0.019 0.005 10 0.05	CL chronic 6.0 7.0 8* 126  chronic TVS 0.75 250 0.011	Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T)	TVS	0.02 TVS TVS TVS WS 1000 TVS TVS/WS 0.01(t)
OW  Qualifiers: Other:  *chlorophyll a (and reservoirs *Phosphorus(ch	Aq Life Cold 1 Recreation E Water Supply  (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area. hronic) = applies only to lakes and	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  Inorganic (r  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	CL acute 6.5 - 9.0  mg/L) acute TVS 0.019 0.005 10 0.05	CL chronic 6.0 7.0 8* 126  chronic TVS 0.75 250 0.011 0.025*	Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel	340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS TVS	0.02 TVS
OW  Qualifiers: Other:  *chlorophyll a (and reservoirs *Phosphorus(ch	Aq Life Cold 1 Recreation E Water Supply  (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area. hronic) = applies only to lakes and	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  Inorganic (r  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	CL acute 6.5 - 9.0 10019 0.005 10 0.05	CL chronic 6.0 7.0 8* 126  chronic TVS 0.75 250 0.011 0.025* WS	Arsenic  Arsenic(T)  Beryllium  Cadmium  Cadmium(T)  Chromium III  Chromium VI  Copper  Iron  Iron(T)  Lead  Lead(T)  Manganese  Mercury  Molybdenum(T)  Nickel  Nickel(T)	340 17VS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS	0.02 TVS TVS TVS TVS TVS TVS WS 1000 TVS TVS/WS 0.01(t) 150 TVS
OW  Qualifiers: Other:  *chlorophyll a (and reservoirs *Phosphorus(ch	Aq Life Cold 1 Recreation E Water Supply  (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area. hronic) = applies only to lakes and	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  Inorganic (r  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	CL acute 6.5 - 9.0 10019 0.005 10 0.05	CL chronic 6.0 7.0 8* 126  chronic TVS 0.75 250 0.011 0.025* WS	Arsenic  Arsenic(T)  Beryllium  Cadmium  Cadmium(T)  Chromium III  Chromium III(T)  Chromium VI  Copper  Iron  Iron(T)  Lead  Lead(T)  Manganese  Mercury  Molybdenum(T)  Nickel  Nickel(T)  Selenium	TVS 50 TVS 50 TVS 50 TVS TVS 50 TVS	0.02 TVS TVS TVS WS 1000 TVS TVS/WS 0.01(t) 150 TVS 1000 TVS

All metals are dissolved unless otherwise noted.

T = total recoverable

t = total tr=trout sc=sculpin D.O. = dissolved oxygen DM = daily maximum

COSJAF17	Classifications	Physical and E	Biological			Metals (ug/L)	
Designation	Agriculture	,	DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 2	Temperature °C	CL	CL	Aluminum		
	Recreation E	'	acute	chronic	Arsenic	340	
Qualifiers:	•	D.O. (mg/L)		6.0	Arsenic(T)		100
Other:		D.O. (spawning)		7.0	Beryllium		
Other.		pН	6.5 - 9.0		Cadmium	TVS	TVS
	(ug/L)(chronic) = applies only to lakes s larger than 25 acres surface area.	chlorophyll a (ug/L)		8*	Chromium III	TVS	TVS
*Phosphorus(d	chronic) = applies only to lakes and	E. Coli (per 100 mL)		126	Chromium III(T)		100
reservoirs lar	ger than 25 acres surface area.				Chromium VI	TVS	TVS
		Inorganio	(mg/L)		Copper	TVS	TVS
		3	acute	chronic	Iron(T)		1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron		0.75	Manganese	TVS	TVS
		Chloride			Mercury		0.01(t)
		Chlorine	0.019	0.011	Molybdenum(T)		150
		Cyanide	0.005		Nickel	TVS	TVS
		Nitrate	100		Selenium	TVS	TVS
		Nitrite	0.05		Silver	TVS	TVS(tr)
		Phosphorus		0.025*	Uranium		
		Sulfate			Zinc	TVS	TVS
		Sulfide		0.002			

18. All lakes and reservoirs tributary to Cinnamon Creek, Grouse Creek, Picayne Gulch, Minnie Gulch and Eureka Gulch. All lakes and reservoirs tributary to the Animas River from immediately above Maggie Gulch to Elk Park except for those listed under Segments 16, 17,19, and 20. This segment includes Molas Lake, Bullion King Lake, Columbine Lake, Clear Lake, Island Lake, Ice Lake, Fuller Lake and Crystal Lake.

Clear Lake, Is	land Lake, Ice Lake, Fuller Lake and Cr	ystal Lake.					
COSJAF18	Classifications	Physical and Biolo	gical		Me	etals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CL	CL	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02
Qualifiers:		D.O. (spawning)		7.0	Beryllium		
Other:		pH	6.5 - 9.0		Cadmium	TVS	TVS
		chlorophyll a (ug/L)		8*	Cadmium(T)	5.0	
	(ug/L)(chronic) = applies only to lakes larger than 25 acres surface area.	E. Coli (per 100 mL)		126	Chromium III		TVS
	hronic) = applies only to lakes and er than 25 acres surface area.				Chromium III(T)	50	
reservoirs rang	er than 25 acres surface area.	Inorganic (mo	g/L)		Chromium VI	TVS	TVS
			acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron		WS
		Boron		0.75	Iron(T)		1000
		Chloride		250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	
		Cyanide	0.005		Manganese	TVS	TVS/WS
		Nitrate	10		Mercury		0.01(t)
		Nitrite	0.05		Molybdenum(T)		150
		Phosphorus		0.025*	Nickel	TVS	TVS
		Sulfate		WS	Nickel(T)		100
		Sulfide		0.002	Selenium	TVS	TVS
					Silver	TVS	TVS(tr)
					Uranium		
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.  $\label{eq:T} T = total \ recoverable$  t = total

tr=trout sc=sculpin

10 All lakes a	nd reconvoire tributery to Compart Creek						
COSJAF19	nd reservoirs tributary to Cement Creek  Classifications	Physical and E		iver.	l v	letals (ug/L)	
Designation	Agriculture	1.11/0.000.1 0.110	DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 2	Temperature °C	CL	CL	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
Qualifiers:		D.O. (mg/L)		6.0	Arsenic(T)		100
Other:		D.O. (spawning)		7.0	Beryllium		
Other.		pH	6.5 - 9.0		Cadmium	TVS	TVS
	(ug/L)(chronic) = applies only to lakes larger than 25 acres surface area.	chlorophyll a (ug/L)		8*	Chromium III	TVS	TVS
	hronic) = applies only to lakes and	E. Coli (per 100 mL)		126	Chromium III(T)		100
reservoirs larg	ger than 25 acres surface area.	,,			Chromium VI	TVS	TVS
		Inorganio	c (ma/L)		Copper	TVS	TVS
		<b>9</b>	acute	chronic	Iron(T)		1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron		0.75	Manganese	TVS	TVS
		Chloride			Mercury		0.01(t)
		Chlorine	0.019	0.011	Molybdenum(T)		150
		Cyanide	0.005		Nickel	TVS	TVS
		Nitrate	100		Selenium	TVS	TVS
		Nitrite	0.05		Silver	TVS	TVS(tr)
		Phosphorus		0.025*	Uranium		
4		1 Hoophol do		0.020	O T CALL TALL T		
		Sulfate			Zinc:	TVS	TVS
	nd reservoirs on the east side of Minera					TVS k. All lakes and reserv	TVS roirs tributary
	nd reservoirs on the east side of Minera Fork of Mineral Creek from the source t Classifications	Sulfide al Creek from the source to a point	immediately above	0.002 the confluen	ce with South Mineral Creel in Segment 18.		
to the Middle	Fork of Mineral Creek from the source t	Sulfide al Creek from the source to a point o the confluence with Mineral Cre	immediately above	0.002 the confluen	ce with South Mineral Creel in Segment 18.	k. All lakes and reserv	
to the Middle	Fork of Mineral Creek from the source t Classifications  Agriculture  Aq Life Cold 2	Sulfide al Creek from the source to a point o the confluence with Mineral Cre	: immediately above ek except for the sp Biological	0.002 the confluen ecific listings	ce with South Mineral Creel in Segment 18.	k. All lakes and reserv	oirs tributary
to the Middle COSJAF20 Designation Reviewable	Fork of Mineral Creek from the source t  Classifications  Agriculture	Sulfide al Creek from the source to a point o the confluence with Mineral Cre Physical and E	immediately above ek except for the sp  Biological  DM	0.002 the confluent ecific listings	ce with South Mineral Creel in Segment 18.	k. All lakes and reserv letals (ug/L) acute	oirs tributary
to the Middle COSJAF20 Designation	Fork of Mineral Creek from the source t Classifications  Agriculture  Aq Life Cold 2	Sulfide al Creek from the source to a point o the confluence with Mineral Cre Physical and E	immediately above ek except for the sp Biological DM CL	0.002 the confluencecific listings  MWAT  CL	ce with South Mineral Creel in Segment 18.	k. All lakes and reserv letals (ug/L) acute 	chronic
to the Middle COSJAF20 Designation Reviewable	Fork of Mineral Creek from the source t Classifications  Agriculture  Aq Life Cold 2	Sulfide al Creek from the source to a point o the confluence with Mineral Cre  Physical and E  Temperature °C	immediately above ek except for the spaniological  DM  CL  acute	0.002 the confluenceific listings  MWAT CL chronic	ce with South Mineral Creel in Segment 18.  N  Aluminum  Arsenic	k. All lakes and reserv  letals (ug/L)  acute   340	chronic
to the Middle COSJAF20 Designation Reviewable Qualifiers: Other:	Fork of Mineral Creek from the source t Classifications Agriculture Aq Life Cold 2 Recreation E	Sulfide al Creek from the source to a point of the confluence with Mineral Cre  Physical and E  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH	immediately above ek except for the sp Biological  DM  CL  acute	0.002 the confluenceific listings  MWAT CL chronic 6.0	ce with South Mineral Creel in Segment 18.  N  Aluminum  Arsenic  Arsenic(T)	k. All lakes and reserv  letals (ug/L)  acute   340	chronic 100
to the Middle COSJAF20 Designation Reviewable Qualifiers: Other: *chlorophyll a and reservoirs	Fork of Mineral Creek from the source t  Classifications  Agriculture  Aq Life Cold 2  Recreation E  (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area.	Sulfide al Creek from the source to a point of the confluence with Mineral Cre  Physical and E  Temperature °C  D.O. (mg/L)  D.O. (spawning)	immediately above ek except for the sp Biological  DM  CL  acute	0.002 the confluencecific listings  MWAT CL chronic 6.0 7.0	ce with South Mineral Creein Segment 18.  N  Aluminum  Arsenic  Arsenic(T)  Beryllium	k. All lakes and reserv  letals (ug/L)  acute 340	chronic 100
to the Middle COSJAF20 Designation Reviewable Qualifiers: Other: *chlorophyll a and reservoirs*Phosphorus(c	Fork of Mineral Creek from the source t  Classifications  Agriculture  Aq Life Cold 2  Recreation E  (ug/L)(chronic) = applies only to lakes	Sulfide al Creek from the source to a point of the confluence with Mineral Cre  Physical and E  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH	immediately above ek except for the sp Biological  DM  CL  acute   6.5 - 9.0	0.002 the confluencific listings  MWAT CL chronic 6.0 7.0	ce with South Mineral Creek in Segment 18.  N  Aluminum  Arsenic  Arsenic(T)  Beryllium  Cadmium  Chromium III  Chromium III(T)	k. All lakes and reserved letals (ug/L) acute 340 TVS TVS	chronic 100 TVS TVS 100
to the Middle COSJAF20 Designation Reviewable Qualifiers: Other: *chlorophyll a and reservoirs*Phosphorus(c	Fork of Mineral Creek from the source t  Classifications  Agriculture  Aq Life Cold 2  Recreation E  (ug/L)(chronic) = applies only to lakes arger than 25 acres surface area.  hronic) = applies only to lakes and	Sulfide al Creek from the source to a point of the confluence with Mineral Creek Physical and Example 1 Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L)	immediately above ek except for the sp Biological  DM  CL  acute   6.5 - 9.0	0.002 the confluencific listings  MWAT CL chronic 6.0 7.0 8*	ce with South Mineral Creek in Segment 18.  N Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III	letals (ug/L) acute 340 TVS TVS	chronic 100 TVS TVS
to the Middle COSJAF20 Designation Reviewable Qualifiers: Other: *chlorophyll a and reservoirs*Phosphorus(c	Fork of Mineral Creek from the source t  Classifications  Agriculture  Aq Life Cold 2  Recreation E  (ug/L)(chronic) = applies only to lakes arger than 25 acres surface area.  hronic) = applies only to lakes and	Sulfide al Creek from the source to a point of the confluence with Mineral Creek Physical and Example 1 Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L)	immediately above ek except for the sp Biological  DM  CL  acute   6.5 - 9.0	0.002 the confluencific listings  MWAT CL chronic 6.0 7.0 8*	ce with South Mineral Creein Segment 18.  N  Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper	k. All lakes and reserved.  letals (ug/L) acute 340 TVS TVS	chronic 100 TVS TVS 100
to the Middle COSJAF20 Designation Reviewable Qualifiers: Other: *chlorophyll a and reservoirs*Phosphorus(c	Fork of Mineral Creek from the source t  Classifications  Agriculture  Aq Life Cold 2  Recreation E  (ug/L)(chronic) = applies only to lakes arger than 25 acres surface area.  hronic) = applies only to lakes and	Sulfide al Creek from the source to a point of the confluence with Mineral Cre  Physical and E  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (ug/L)  E. Coli (per 100 mL)	immediately above ek except for the sp Biological  DM  CL  acute   6.5 - 9.0	0.002 the confluenceific listings  MWAT CL chronic 6.0 7.0 8* 126	ce with South Mineral Creein Segment 18.  N  Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI	k. All lakes and reserved letals (ug/L)  acute 340 TVS TVS TVS TVS	chronic 100 TVS TVS 100 TVS
to the Middle COSJAF20 Designation Reviewable Qualifiers: Other: *chlorophyll a and reservoirs*Phosphorus(c	Fork of Mineral Creek from the source t  Classifications  Agriculture  Aq Life Cold 2  Recreation E  (ug/L)(chronic) = applies only to lakes arger than 25 acres surface area.  hronic) = applies only to lakes and	Sulfide  al Creek from the source to a point of the confluence with Mineral Creek Physical and Experience of the confluence of the conflue	immediately above ek except for the sp Biological  DM  CL  acute   6.5 - 9.0   c (mg/L)  acute  TVS	0.002 the confluencific listings  MWAT CL chronic 6.0 7.0 8* 126  chronic TVS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead	k. All lakes and reserved letals (ug/L)  acute  340  TVS TVS TVS TVS TVS TVS TVS TVS TVS	chronic 100 TVS TVS 100 TVS TVS 1000 TVS
to the Middle COSJAF20 Designation Reviewable Qualifiers: Other: *chlorophyll a and reservoirs*Phosphorus(c	Fork of Mineral Creek from the source t  Classifications  Agriculture  Aq Life Cold 2  Recreation E  (ug/L)(chronic) = applies only to lakes arger than 25 acres surface area.  hronic) = applies only to lakes and	Sulfide al Creek from the source to a point of the confluence with Mineral Creek from the confluence with Mineral Creek from the confluence with Mineral Creek from the confluence of the conflu	immediately above ek except for the sp Biological  DM  CL  acute   6.5 - 9.0   c (mg/L)  acute	0.002 the confluencific listings  MWAT CL chronic 6.0 7.0 8* 126  chronic	ce with South Mineral Creed in Segment 18.  Note: Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese	k. All lakes and reserved letals (ug/L)  acute  340  TVS	chronic 100 TVS TVS 100 TVS 1000 TVS 1000 TVS 1000 TVS
to the Middle COSJAF20 Designation Reviewable Qualifiers: Other: *chlorophyll a and reservoirs*Phosphorus(c	Fork of Mineral Creek from the source t  Classifications  Agriculture  Aq Life Cold 2  Recreation E  (ug/L)(chronic) = applies only to lakes arger than 25 acres surface area.  hronic) = applies only to lakes and	Sulfide al Creek from the source to a point of the confluence with Mineral Creek from the source to a point of the confluence with Mineral Creek from the confluence with Mineral Creek from the confluence with Mineral from Physical and Expression of the Confluence with Mineral from the confluence	immediately above ek except for the sp Biological  DM CL acute 6.5 - 9.0 c (mg/L) acute TVS	0.002 the confluencific listings  MWAT CL chronic 6.0 7.0 8* 126  chronic TVS 0.75	ce with South Mineral Creed in Segment 18.  Note: Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury	k. All lakes and reserved letals (ug/L) acute 340 TVS	chronic 100 TVS TVS 100 TVS 1000 TVS 1000 TVS 1000 TVS 0.01(t)
to the Middle COSJAF20 Designation Reviewable Qualifiers: Other: *chlorophyll a and reservoirs*Phosphorus(c	Fork of Mineral Creek from the source t  Classifications  Agriculture  Aq Life Cold 2  Recreation E  (ug/L)(chronic) = applies only to lakes arger than 25 acres surface area.  hronic) = applies only to lakes and	Sulfide al Creek from the source to a point of the confluence with Mineral Creek from the confluence with Mineral Creek from the confluence with Mineral Creek from the confluence of the conflu	immediately above ek except for the sp Biological  DM  CL  acute   6.5 - 9.0   c (mg/L)  acute  TVS	0.002 the confluencific listings  MWAT CL chronic 6.0 7.0 8* 126  chronic TVS 0.75	ce with South Mineral Creet in Segment 18.  N  Aluminum Arsenic  Arsenic(T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI  Copper Iron(T) Lead Manganese Mercury Molybdenum(T)	k. All lakes and reserved letals (ug/L)  acute 340 TVS	chronic 100 TVS TVS 100 TVS 1000 TVS TVS 1000 TVS 1000 TVS TVS 0.01(t)
to the Middle COSJAF20 Designation Reviewable Qualifiers: Other: *chlorophyll a and reservoirs*Phosphorus(c	Fork of Mineral Creek from the source t  Classifications  Agriculture  Aq Life Cold 2  Recreation E  (ug/L)(chronic) = applies only to lakes arger than 25 acres surface area.  hronic) = applies only to lakes and	Sulfide al Creek from the source to a point of the confluence with Mineral Creek Physical and Experience of the confluence with Mineral Creek Physical and Experience of the confluence of the c	timmediately above ek except for the sp Biological  DM  CL  acute   6.5 - 9.0    c (mg/L)  acute  TVS   0.019  0.005	0.002 the confluenceific listings  MWAT CL chronic 6.0 7.0 8* 126  chronic TVS 0.75 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel	Acute	chronic 100 TVS TVS 100 TVS 1000 TVS TVS 0.01(t) 150 TVS
to the Middle COSJAF20 Designation Reviewable Qualifiers: Other: *chlorophyll a and reservoirs*Phosphorus(c	Fork of Mineral Creek from the source t  Classifications  Agriculture  Aq Life Cold 2  Recreation E  (ug/L)(chronic) = applies only to lakes arger than 25 acres surface area.  hronic) = applies only to lakes and	Sulfide  al Creek from the source to a point of the confluence with Mineral Creek Physical and Experience of the confluence with Mineral Creek Physical and Experience of the confluence of the	immediately above ek except for the sp Biological  DM CL acute 6.5 - 9.0 c (mg/L)  acute TVS 0.019	0.002 the confluenceific listings  MWAT CL chronic 6.0 7.0 8* 126  chronic TVS 0.75 0.011	ce with South Mineral Creet in Segment 18.  N  Aluminum Arsenic  Arsenic(T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI  Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel Selenium	k. All lakes and reserved letals (ug/L)  acute  340  TVS	chronic 100 TVS TVS 100 TVS 1000 TVS TVS 0.01(t) 150 TVS
to the Middle COSJAF20 Designation Reviewable Qualifiers: Other: *chlorophyll a and reservoirs*Phosphorus(c	Fork of Mineral Creek from the source t  Classifications  Agriculture  Aq Life Cold 2  Recreation E  (ug/L)(chronic) = applies only to lakes arger than 25 acres surface area.  hronic) = applies only to lakes and	Sulfide al Creek from the source to a point of the confluence with Mineral Creek Physical and Expenses and Ex	timmediately above ek except for the sp Biological  DM  CL  acute   6.5 - 9.0    c (mg/L)  acute  TVS   0.019  0.005	0.002 the confluenceific listings  MWAT CL chronic 6.0 7.0 8* 126  Chronic TVS 0.75 0.011	ce with South Mineral Creed in Segment 18.  Note: Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel Selenium Silver	Acute	chronic 100 TVS TVS 100 TVS 1000 TVS TVS 0.01(t) 150 TVS
to the Middle COSJAF20 Designation Reviewable Qualifiers: Other: *chlorophyll a and reservoirs*Phosphorus(c	Fork of Mineral Creek from the source t  Classifications  Agriculture  Aq Life Cold 2  Recreation E  (ug/L)(chronic) = applies only to lakes arger than 25 acres surface area.  hronic) = applies only to lakes and	Sulfide al Creek from the source to a point of the confluence with Mineral Creek Physical and Experience of the confluence with Mineral Creek Physical and Experience of the confluence of the c	timmediately above ek except for the sp Biological  DM  CL acute 6.5 - 9.0 c (mg/L) acute TVS 0.019 0.005 100	0.002 the confluenceific listings  MWAT CL chronic 6.0 7.0 8* 126  Chronic TVS 0.75 0.011	ce with South Mineral Creed in Segment 18.  Note: Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel Selenium Silver Uranium	k. All lakes and reserved letals (ug/L)  acute  340  TVS	chronic 100 TVS TVS 100 TVS 1000 TVS TVS 1000 TVS TVS 1000 TVS TVS TVS 1000 TVS
to the Middle COSJAF20 Designation Reviewable Qualifiers: Other: *chlorophyll a and reservoirs*Phosphorus(c	Fork of Mineral Creek from the source t  Classifications  Agriculture  Aq Life Cold 2  Recreation E  (ug/L)(chronic) = applies only to lakes arger than 25 acres surface area.  hronic) = applies only to lakes and	Sulfide al Creek from the source to a point of the confluence with Mineral Creek Physical and Expenses and Ex	immediately above ek except for the sp Biological  DM  CL acute 6.5 - 9.0 c (mg/L)  acute TVS 0.019 0.005 100 0.05	0.002 the confluenceific listings  MWAT CL chronic 6.0 7.0 8* 126  Chronic TVS 0.75 0.011	ce with South Mineral Creed in Segment 18.  Note: Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel Selenium Silver	k. All lakes and reserved letals (ug/L)  acute  340  TVS	chronic 100 1VS TVS 100 TVS 1000 TVS TVS 0.01(t) 150 TVS TVS TVS TVS

D.O. = dissolved oxygen

21. All lakes and reservoirs tributary to the Animas River from a point immediately above the confluence with Elk Creek to a point immediately below the confluence with Hermosa Creek except for the specific listing in Segment 12b. All lakes and reservoirs tributary to the Florida River from the source to the outlet of Lemon Reservoir, except the specific listing in Segment 16. This segment includes Little Molas Lake, Andrews Lake, Potato Lake, Scout Lake, Boyce Lake, Columbine Lake, Haviland Lake, Henderson Lake, Ruby Lake, Pear Lake, Webb Lake, Shalona Lake, Stratton Lake, and Wallace Lake.

COSJAF21	Classifications	Physical and Biolo	gical		Me	etals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CL	CL	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02
Qualifiers:		D.O. (spawning)		7.0	Beryllium		
Other:		рН	6.5 - 9.0		Cadmium	TVS	TVS
		chlorophyll a (ug/L)		8*	Cadmium(T)	5.0	
	(ug/L)(chronic) = applies only to lakes larger than 25 acres surface area.	E. Coli (per 100 mL)		126	Chromium III		TVS
*Phosphorus(c	hronic) = applies only to lakes and				Chromium III(T)	50	
reservoirs larg	ger than 25 acres surface area.	Inorganic (m	g/L)		Chromium VI	TVS	TVS
			acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron		ws
		Boron		0.75	Iron(T)		1000
		Chloride		250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	
		Cyanide	0.005		Manganese	TVS	TVS/WS
		Nitrate	10		Mercury		0.01(t)
		Nitrite	0.05		Molybdenum(T)		150
		Phosphorus		0.025*	Nickel	TVS	TVS
		Sulfate		WS	Nickel(T)		100
		Sulfide		0.002	Selenium	TVS	TVS
					Silver	TVS	TVS(tr)
					Uranium		
					Zinc	TVS	TVS

22. Electra La	ke. Lake Nighthorse.						
COSJAF22	Classifications	Physical and Bio	logical		N	letals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CLL	CLL	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02
Qualifiers:		D.O. (spawning)		7.0	Beryllium		
Other:		рН	6.5 - 9.0		Cadmium	TVS	TVS
Temporary M	odification(s):	chlorophyll a (ug/L)		8*	Cadmium(T)	5.0	
Arsenic(chroni	( )	E. Coli (per 100 mL)		126	Chromium III		TVS
,	e of 12/31/2024				Chromium III(T)	50	
*chlorophyll a	(ug/L)(chronic) = applies only to lakes	Inorganic (	mg/L)		Chromium VI	TVS	TVS
and reservoirs	larger than 25 acres surface area.		acute	chronic	Copper	TVS	TVS
	hronic) = applies only to lakes and ger than 25 acres surface area.	Ammonia	TVS	TVS	Iron		WS
		Boron		0.75	Iron(T)		1000
		Chloride		250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	
		Cyanide	0.005		Manganese	TVS	TVS/WS
		Nitrate	10		Mercury		0.01(t)
		Nitrite	0.05		Molybdenum(T)		150
		Phosphorus		0.025*	Nickel	TVS	TVS
		Sulfate		ws	Nickel(T)		100
		Sulfide		0.002	Selenium	TVS	TVS
					Silver	TVS	TVS(tr)
					Uranium		
					Zinc	TVS	TVS

23. All lakes and reservoirs tributary to the Animas River from a point immediately below the confluence with Hermosa Creek to the Southern Ute Indian Reservation boundary except for the specific listings in Segments 13a and 14; all lakes and reservoirs tributary to the Florida River, from the outlet of Lemon Reservoir to the Southern Ute Indian Reservation boundary. This segment includes Chapman Lake and City Res No 1.

COSJAF23	Classifications	Physical and Bi	ological		N	letals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 2	Temperature °C	CL	CL	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02
	DUWS*	D.O. (spawning)		7.0	Beryllium		
Qualifiers:		рН	6.5 - 9.0		Cadmium	TVS	TVS
Water + Fish	Standards	chlorophyll a (ug/L)		8*	Cadmium(T)	5.0	
Other:		E. Coli (per 100 mL)		126	Chromium III		TVS
*ablaranhull a	(ug/L)/abrania) applies only to lakes				Chromium III(T)	50	
and reservoirs	(ug/L)(chronic) = applies only to lakes larger than 25 acres surface area.	Inorganic	(mg/L)		Chromium VI	TVS	TVS
*Classification and Lake Dura	: DUWS applies to City Reservoir #1		acute	chronic	Copper	TVS	TVS
*Phosphorus(c	hronic) = applies only to lakes and	Ammonia	TVS	TVS	Iron		WS
reservoirs larg	ger than 25 acres surface area.	Boron		0.75	Iron(T)		1000
		Chloride		250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	
		Cyanide	0.005		Manganese	TVS	TVS/WS
		Nitrate	10		Mercury		0.01(t)
		Nitrite	0.05		Molybdenum(T)		150
		Phosphorus		0.025*	Nickel	TVS	TVS
		Sulfate		WS	Nickel(T)		100
		Sulfide		0.002	Selenium	TVS	TVS
					Silver	TVS	TVS(tr)
					Uranium		
					Zinc	TVS	TVS

COSJAF24	Classifications	Physical and	Biological		N	letals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 2	Temperature °C	CL	CL	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02
Qualifiers:		D.O. (spawning)		7.0	Beryllium		
Water + Fish	Standards	pН	6.5 - 9.0		Cadmium	TVS	TVS
Other:		chlorophyll a (ug/L)		8*	Cadmium(T)	5.0	
		E. Coli (per 100 mL)		126	Chromium III		TVS
	e Indian Reservation  (uq/L)(chronic) = applies only to lakes				Chromium III(T)	50	
and reservoirs	s larger than 25 acres surface area.	Inorgan	ic (mg/L)		Chromium VI	TVS	TVS
	chronic) = applies only to lakes and ger than 25 acres surface area.		acute	chronic	Copper	TVS	TVS
	g	Ammonia	TVS	TVS	Iron		WS
		Boron		0.75	Iron(T)		1000
		Chloride		250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	
		Cyanide	0.005		Manganese	TVS	TVS/WS
		Nitrate	10		Mercury		0.01(t)
		Nitrite	0.05		Molybdenum(T)		150
		Phosphorus		0.025*	Nickel	TVS	TVS
		Sulfate		ws	Nickel(T)		100
		Sulfide		0.002	Selenium	TVS	TVS
					Silver	TVS	TVS(tr)
					Uranium		
					Zinc	TVS	TVS

COSJLP01		moruany an wellal	nds and tributaries from the	0 000,00 10 1.10	nay Guich C	1VC131011 3001	T		
	Classifications		Physic	al and Biologi			N	letals (ug/L)	
	Agriculture				DM	MWAT		acute	chronic
	Aq Life Cold 1		Temperature °C		CS-I	CS-I	Aluminum		
	Recreation E				acute	chronic	Arsenic	340	
	Water Supply		D.O. (mg/L)			6.0	Arsenic(T)		0.02
Qualifiers:			D.O. (spawning)			7.0	Beryllium		
Other:			рН		6.5 - 9.0		Cadmium	TVS	TVS
Temporary Mo	odification(s):		chlorophyll a (mg/m²)			150	Cadmium(T)	5.0	
Arsenic(chronic	c) = hybrid		E. Coli (per 100 mL)			205	Chromium III		TVS
Expiration Date	e of 12/31/2024						Chromium III(T)	50	
Ì			I	norganic (mg/l	L)		Chromium VI	TVS	TVS
ì					acute	chronic	Copper	TVS	TVS
ì			Ammonia		TVS	TVS	Iron		WS
ì			Boron			0.75	Iron(T)		1000
ì			Chloride			250	Lead	TVS	TVS
i			Chlorine		0.019	0.011	Lead(T)	50	
FPA has	s not acted or	segment-	Cyanide		0.005		Manganese	TVS	TVS/WS
	total phospho	~	Nitrate		10		Mercury		0.01(t)
1. 1	standards ba	` ′	Nitrite		0.05		Molybdenum(T)		150
	im value for r		Phosphorus			0.11	Nickel	TVS	TVS
	segments with		Sulfate			WS	Nickel(T)		100
	quatic life clas		Sulfide			0.002	Selenium	TVS	TVS
(0.11 mg	•	Silication					Silver	TVS	TVS(tr)
(0.11111)	g/∟ ۱୮).						Uranium		
ì							Zinc	TVS	TVS(sc)
2a. Mainstem o	of the La Plata River	from the Hay Gul	ch diversion south of Hesp	erus to the bou	ndary of Sou	thern Ute In	dian Reservation.		
COSJLP02A	Classifications		Physic	al and Biologi	cal		N	letals (ug/L)	
Designation	Agriculture				DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1		Temperature °C		CS-II	CS-II	Aluminum		
i	Recreation E	5/1 - 10/31			acute	chronic	Arsenic	340	
	Recreation N	11/1 - 4/30	D.O. (mg/L)			6.0			
	Water Supply		` • ,			0.0	Arsenic(T)		0.02
Qualifiers:			D.O. (spawning)			7.0	Arsenic(T) Beryllium		0.02
•					6.5 - 9.0		1 1		
Other:			D.O. (spawning)			7.0	Beryllium		
Other:			D.O. (spawning) pH	5/1 - 10/31	6.5 - 9.0	7.0	Beryllium Cadmium	TVS	TVS
Other:			D.O. (spawning) pH chlorophyll a (mg/m²)	5/1 - 10/31 11/1 - 4/30	6.5 - 9.0	7.0  150	Beryllium Cadmium Cadmium(T)	TVS 5.0	TVS
Other:			D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) E. Coli (per 100 mL)		6.5 - 9.0	7.0  150 126	Beryllium Cadmium Cadmium(T) Chromium III	TVS 5.0 	TVS TVS
Other:			D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) E. Coli (per 100 mL)	11/1 - 4/30	6.5 - 9.0	7.0  150 126	Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T)	TVS 5.0  50	TVS  TVS 
Other:			D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) E. Coli (per 100 mL)	11/1 - 4/30	6.5 - 9.0   	7.0  150 126 630	Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI	TVS 5.0 50 TVS	TVS TVS TVS
Other:			D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) E. Coli (per 100 mL)	11/1 - 4/30	6.5 - 9.0   L)	7.0  150 126 630 <b>chronic</b>	Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper	TVS 5.0 50 TVS TVS	TVS TVS TVS TVS TVS
Other:			D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) E. Coli (per 100 mL)	11/1 - 4/30	6.5 - 9.0 L) acute TVS	7.0  150 126 630 <b>chronic</b> TVS	Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron	TVS 5.0 50 TVS TVS	TVS TVS TVS TVS TVS TVS TVS
Other:			D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) E. Coli (per 100 mL) I Ammonia Boron	11/1 - 4/30	6.5 - 9.0 L) acute TVS	7.0 150 126 630  chronic TVS 0.75	Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T)	TVS 5.0 50 TVS TVS	TVS TVS TVS TVS TVS TVS TVS TVS WS
Other:			D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) E. Coli (per 100 mL)  I  Ammonia Boron Chloride	11/1 - 4/30	6.5 - 9.0 L) acute TVS	7.0 150 126 630 <b>chronic</b> TVS 0.75 250	Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Chromium VI Copper Iron Iron(T)	TVS 5.0 50 TVS TVS TVS	TVS TVS TVS TVS TVS TVS TVS TVS
Other:			D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) E. Coli (per 100 mL)  I  Ammonia Boron Chloride Chlorine	11/1 - 4/30	6.5 - 9.0 L) acute TVS 0.019	7.0 150 126 630  chronic TVS 0.75 250 0.011	Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T)	TVS 5.0 50 TVS TVS TVS 50	TVS
Other:			D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) E. Coli (per 100 mL)  I  Ammonia Boron Chloride Chlorine Cyanide Nitrate	11/1 - 4/30	6.5 - 9.0 L) acute TVS 0.019 0.005 10	7.0 150 126 630  chronic TVS 0.75 250 0.011	Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese	TVS 5.0 50 TVS TVS TVS 50 TVS 50 TVS	TVS
Other:			D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) E. Coli (per 100 mL)  I  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite	11/1 - 4/30	6.5 - 9.0  acute TVS 0.019 0.005	7.0 150 126 630 <b>chronic</b> TVS 0.75 250 0.011	Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury	TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS	TVS TVS TVS TVS TVS TVS TVS TVS TVS 0.01(t)
Other:			D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) E. Coli (per 100 mL)  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	11/1 - 4/30	6.5 - 9.0 L) acute TVS 0.019 0.005 10 0.05	7.0 150 126 630 <b>chronic</b> TVS 0.75 250 0.011 0.11	Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel	TVS 5.0 50 TVS TVS TVS 50 TVS 50 TVS TVS TVS	TVS
Other:			D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) E. Coli (per 100 mL)  I  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	11/1 - 4/30	6.5 - 9.0   acute TVS 0.019 0.005 10 0.05	7.0 150 126 630  chronic TVS 0.75 250 0.011 0.44 WS	Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T)	TVS 5.0 50 TVS TVS TVS 50 TVS TVS TVS TVS TVS	TVS
Other:			D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) E. Coli (per 100 mL)  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	11/1 - 4/30	6.5 - 9.0 L) acute TVS 0.019 0.005 10 0.05	7.0 150 126 630 <b>chronic</b> TVS 0.75 250 0.011 0.11	Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	TVS 5.0  TVS 50  TVS  TVS  TVS  50  TVS  TVS  TVS  TVS  TVS  TVS  TVS  TV	TVS
Other:			D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) E. Coli (per 100 mL)  I  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	11/1 - 4/30	6.5 - 9.0   acute TVS 0.019 0.005 10 0.05	7.0 150 126 630  chronic TVS 0.75 250 0.011 0.44 WS	Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T)	TVS 5.0 50 TVS TVS TVS 50 TVS TVS TVS TVS TVS	TVS

All metals are dissolved unless otherwise noted.

T = total recoverable

t = total tr=trout sc=sculpin D.O. = dissolved oxygen DM = daily maximum

2b. Mainstem COSJLP02B	Classifications		al and Biologi	cal		, , , , , ,	Metals (ug/L)	
Designation	Agriculture	Titysic	a and biologi	DM	MWAT		acute	chronic
Reviewable	Aq Life Warm 1	Temperature °C		WS-II	WS-II	Aluminum	acute	CHIONIC
reviewable	Recreation E 5/1 - 10/31	Temperature C		acute	chronic			
	Recreation P 11/1 - 4/30	D.O. (mg/L)		acute 	5.0	Arsenic Arsenic(T)	340	
	Water Supply	pH		6.5 - 9.0	J.U	Beryllium		0.02
Qualifiers:							TVS	TVS
Other:		chlorophyll a (mg/m²)  E. Coli (per 100 mL)	11/1 - 4/30		150 205	Cadmium Cadmium(T)	5.0	
otner:			5/1 - 10/31		126	. ,		
Temporary Mo		E. Coli (per 100 mL)	5/1 - 10/31		120	Chromium III	50	TVS
Arsenic(chroni						Chromium III(T)		
Expiration Dat	e of 12/31/2024	<u> </u>	norganic (mg/l		.1	Chromium VI	TVS	TVS
Southern Ute	Indian Reservation			acute	chronic	Copper .	TVS	TVS
		Ammonia		TVS	TVS	Iron		WS
		Boron			0.75	Iron(T)		1000
		Chloride			250	Lead	TVS	TVS
EDA ho	a not coted an acament	Chlorine		0.019	0.011	Lead(T)	50	
1	s not acted on segment-	Cyanide		0.005		Manganese	TVS	TVS/WS
1. 1	total phosphorus (TP) standards based on	Nitrate		10		Mercury		0.01(t)
1		Nitrite		0.05		Molybdenum(T)		150
1	rim value for river/	Phosphorus			0.17	Nickel	TVS	TVS
	segments with a warm	Sulfate			WS	Nickel(T)		100
	quatic life classification	Sulfide			0.002	Selenium	TVS	TVS
(0.17 m	g/L IP).					Silver	TVS	TVS
						Uranium		
						Oranium		
						Zinc	TVS	TVS
	of the La Plata River from the confluen	1			ng Hollow.		TVS	
COSJLP02C	Classifications	1	ove the conflue	cal			TVS Metals (ug/L)	TVS
COSJLP02C Designation	Classifications Agriculture	Physic		cal DM	MWAT	Zinc	TVS  Metals (ug/L)  acute	TVS
COSJLP02C	Classifications Agriculture Aq Life Warm 1	1		DM WS-II	MWAT WS-II	Zinc	TVS  Metals (ug/L)  acute	chronic
COSJLP02C Designation	Classifications Agriculture Aq Life Warm 1 Recreation E	Physic Temperature °C		DM WS-II acute	MWAT WS-II chronic	Zinc  Aluminum  Arsenic	TVS  Metals (ug/L)  acute	chronic
COSJLP02C Designation Reviewable	Classifications Agriculture Aq Life Warm 1	Physic Temperature °C  D.O. (mg/L)		DM WS-II acute	MWAT WS-II chronic 5.0	Aluminum Arsenic Arsenic(T)	Metals (ug/L) acute 340	chronic
COSJLP02C Designation Reviewable Qualifiers:	Classifications Agriculture Aq Life Warm 1 Recreation E	Physic  Temperature °C  D.O. (mg/L)  pH		DM WS-II acute  6.5 - 9.0	MWAT WS-II chronic 5.0	Aluminum Arsenic Arsenic(T) Beryllium	Metals (ug/L) acute 340	chronic 0.02
COSJLP02C Designation	Classifications Agriculture Aq Life Warm 1 Recreation E	Physic  Temperature °C  D.O. (mg/L)  pH  chlorophyll a (mg/m²)		DM WS-II acute  6.5 - 9.0	MWAT WS-II chronic 5.0 150	Aluminum Arsenic Arsenic(T) Beryllium Cadmium	TVS  Metals (ug/L)  acute 340 TVS	chronic 0.02 TVS
COSJLP02C Designation Reviewable Qualifiers:	Classifications Agriculture Aq Life Warm 1 Recreation E Water Supply	Physic  Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)	al and Biologi	DM WS-II acute 6.5 - 9.0	MWAT WS-II chronic 5.0	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T)	TVS  Metals (ug/L)  acute 340 TVS 5.0	chronic 0.02 TVS
COSJLP02C Designation Reviewable Qualifiers: Other:	Classifications Agriculture Aq Life Warm 1 Recreation E Water Supply	Physic  Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)		DM WS-II acute  6.5 - 9.0 	MWAT WS-II chronic 5.0 150 126	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III	TVS  Metals (ug/L)  acute 340 TVS 5.0	chronic 0.02 TVS
COSJLP02C Designation Reviewable Qualifiers: Other: Femporary Marsenic(chroni	Classifications Agriculture Aq Life Warm 1 Recreation E Water Supply	Physic  Temperature °C  D.O. (mg/L)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)	al and Biologi	DM WS-II acute 6.5 - 9.0 L) acute	MWAT WS-II chronic 5.0 150 126  chronic	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T)	TVS  Metals (ug/L)  acute  340  TVS  5.0  50	Chronic 0.02 TVS TVS
COSJLP02C Designation Reviewable Qualifiers: Other: Femporary Means Arsenic(chronies privation Date	Classifications  Agriculture  Aq Life Warm 1  Recreation E  Water Supply  odification(s): c) = hybrid	Physic  Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)	al and Biologi	DM WS-II acute 6.5 - 9.0 L) acute TVS	MWAT WS-II chronic 5.0 150 126 chronic	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T)	TVS  Metals (ug/L)  acute 340 TVS 5.0 50 TVS	TVS  chronic 0.02 TVS TVS TVS
COSJLP02C Designation Reviewable Qualifiers: Other: Femporary Means Arsenic(chronies privation Date	Classifications Agriculture Aq Life Warm 1 Recreation E Water Supply  odification(s): c) = hybrid e of 12/31/2024	Physic  Temperature °C  D.O. (mg/L)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)	al and Biologi	DM WS-II acute 6.5 - 9.0 L) acute	MWAT WS-II chronic 5.0 150 126  chronic	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper	TVS  Metals (ug/L)  acute 340 TVS 5.0 50 TVS TVS	TVS  chronic 0.02 TVS TVS TVS TVS TVS
COSJLP02C Designation Reviewable Qualifiers: Other: Femporary Means Arsenic(chronies privation Date	Classifications Agriculture Aq Life Warm 1 Recreation E Water Supply  odification(s): c) = hybrid e of 12/31/2024	Physic  Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)	al and Biologi	DM WS-II acute 6.5 - 9.0 L) acute TVS	MWAT WS-II chronic 5.0 150 126 chronic	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T)	TVS  Metals (ug/L)  acute 340 TVS 5.0 50 TVS	TVS  chronic 0.02 TVS TVS TVS
COSJLP02C Designation Reviewable Qualifiers: Other: Femporary Means Arsenic(chronies privation Date	Classifications Agriculture Aq Life Warm 1 Recreation E Water Supply  odification(s): c) = hybrid e of 12/31/2024	Physic  Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Ammonia Boron	al and Biologi	Cal  DM  WS-II  acute 6.5 - 9.0 L)  acute TVS	MWAT WS-II chronic 5.0 150 126  chronic TVS 0.75	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper	TVS  Metals (ug/L)  acute 340 TVS 5.0 50 TVS TVS	TVS  chronic 0.02 TVS TVS TVS WS 1000
COSJLP02C Designation Reviewable Qualifiers: Other: Temporary Marsenic(chronic Expiration Date	Classifications Agriculture Aq Life Warm 1 Recreation E Water Supply  odification(s): c) = hybrid e of 12/31/2024	Physic  Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Ammonia Boron Chloride	al and Biologi	Cal  DM  WS-II  acute 6.5 - 9.0 L)  acute TVS	MWAT WS-II chronic 5.0 150 126  chronic TVS 0.75 250	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper	TVS  Metals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS	TVS  chronic 0.02 TVS TVS TVS VS WS
COSJLP02C Designation Reviewable Qualifiers: Other: Femporary Means Arsenic(chronies privation Date	Classifications Agriculture Aq Life Warm 1 Recreation E Water Supply  odification(s): c) = hybrid e of 12/31/2024	Physic  Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  I  Ammonia Boron Chloride Chlorine	al and Biologi	Cal  DM  WS-II  acute 6.5 - 9.0 L)  acute TVS 0.019	MWAT WS-II chronic 5.0 150 126  Chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T)	TVS  Metals (ug/L)  acute 340 TVS 5.0 50 TVS TVS	TVS  chronic 0.02 TVS TVS TVS WS 1000
COSJLP02C Designation Reviewable Qualifiers: Other: Temporary Marsenic(chronic Expiration Date	Classifications Agriculture Aq Life Warm 1 Recreation E Water Supply  odification(s): c) = hybrid e of 12/31/2024	Physic  Temperature °C  D.O. (mg/L)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  I  Ammonia  Boron  Chloride  Chlorine  Cyanide	al and Biologi	Cal  DM  WS-II  acute 6.5 - 9.0 L)  acute TVS 0.019 0.005	MWAT WS-II chronic 5.0 150 126  Chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium VI Copper Iron Iron(T) Lead	TVS  Metals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS TVS	TVS  chronic 0.02 TVS TVS TVS VS TVS TVS TVS
COSJLP02C Designation Reviewable  Qualifiers: Description Descript	Classifications Agriculture Aq Life Warm 1 Recreation E Water Supply  odification(s): c) = hybrid e of 12/31/2024	Physic  Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  I  Ammonia Boron Chloride Chlorine Cyanide Nitrate	al and Biologi	DM WS-II acute 6.5 - 9.0 L) acute TVS 0.019 0.005 10	MWAT WS-II chronic 5.0 150 126  Chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T)	TVS  Metals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS TVS TVS	TVS  chronic 0.02 TVS TVS TVS S TVS WS 1000 TVS
COSJLP02C Designation Reviewable  Qualifiers: Description Descript	Classifications Agriculture Aq Life Warm 1 Recreation E Water Supply  odification(s): c) = hybrid e of 12/31/2024	Physic  Temperature °C  D.O. (mg/L)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  I  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate  Nitrite	al and Biologi	Cal  DM  WS-II  acute 6.5 - 9.0 L)  acute  TVS 0.019 0.005 10 0.05	MWAT WS-II chronic 5.0 150 126  Chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese	TVS  Metals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS TVS 50 TVS TVS	TVS  chronic 0.02 TVS TVS TVS WS 1000 TVS TVS/WS
COSJLP02C Designation Reviewable  Qualifiers: Description Descript	Classifications Agriculture Aq Life Warm 1 Recreation E Water Supply  odification(s): c) = hybrid e of 12/31/2024	Physic  Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  I  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	al and Biologi	Cal  DM  WS-II  acute 6.5 - 9.0 L)  acute  TVS 0.019 0.005 10 0.05	MWAT WS-II chronic 5.0 150 126  Chronic TVS 0.75 250 0.011 0.17	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury	TVS  Metals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS	TVS  chronic 0.02 TVS
COSJLP02C Designation Reviewable  Qualifiers: Description Descript	Classifications Agriculture Aq Life Warm 1 Recreation E Water Supply  odification(s): c) = hybrid e of 12/31/2024	Physic  Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  I  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	al and Biologi	Cal  DM  WS-II  acute 6.5 - 9.0 L)  acute TVS 0.019 0.005 10 0.05	MWAT WS-II chronic 5.0 150 126  Chronic TVS 0.75 250 0.011 0.47 WS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T)	TVS  Metals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS TVS TVS	TVS  chronic 0.02 TVS TVS TVS TVS WS 1000 TVS TVS/WS 0.01(t) 150
COSJLP02C Designation Reviewable Qualifiers: Other: Temporary Marsenic(chronic Expiration Date	Classifications Agriculture Aq Life Warm 1 Recreation E Water Supply  odification(s): c) = hybrid e of 12/31/2024	Physic  Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  I  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	al and Biologi	Cal  DM  WS-II  acute 6.5 - 9.0 L)  acute TVS 0.019 0.005 10 0.05	MWAT WS-II chronic 5.0 150 126  Chronic TVS 0.75 250 0.011 0.47 WS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel	TVS  Metals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS	TVS  chronic 0.02 TVS TVS TVS SUS 1000 TVS TVS/WS 0.01(t) 150 TVS
COSJLP02C Designation Reviewable  Qualifiers: Other: Femporary Means Arsenic(chronic Expiration Date	Classifications Agriculture Aq Life Warm 1 Recreation E Water Supply  odification(s): c) = hybrid e of 12/31/2024	Physic  Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  I  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	al and Biologi	Cal  DM  WS-II  acute 6.5 - 9.0 L)  acute TVS 0.019 0.005 10 0.05	MWAT WS-II chronic 5.0 150 126  Chronic TVS 0.75 250 0.011 0.47 WS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T)	TVS  Metals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS TVS	TVS  chronic 0.02 TVS TVS TVS S TVS WS 1000 TVS TVS/WS 0.01(t) 150 TVS
COSJLP02C Designation Reviewable  Qualifiers: Other: Femporary Means Arsenic(chronic Expiration Date	Classifications Agriculture Aq Life Warm 1 Recreation E Water Supply  odification(s): c) = hybrid e of 12/31/2024	Physic  Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  I  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	al and Biologi	Cal  DM  WS-II  acute 6.5 - 9.0 L)  acute TVS 0.019 0.005 10 0.05	MWAT WS-II chronic 5.0 150 126  Chronic TVS 0.75 250 0.011 0.47 WS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	TVS  Metals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS TVS TVS	TVS  chronic 0.02 TVS TVS TVS WS 1000 TVS TVS/WS 0.01(t) 150 TVS 100 TVS

All metals are dissolved unless otherwise noted.

T = total recoverable

t = total tr=trout sc=sculpin D.O. = dissolved oxygen DM = daily maximum

	Classifications	Physical and E	Riological		NA.	letals (ug/L)	
COSJLP02D		Filysical and E	DM	MWAT	IVI		-1
<b>Designation</b> Reviewable	Agriculture Ag Life Warm 1	Tomporature 9C	WS-II	WS-II	Aluminum	acute	chronic
iteviewabie	Recreation E	Temperature °C			Aluminum		
	Water Supply	D.O. (/1)	acute	chronic	Arsenic	340	
Qualifiers:	water cappry	D.O. (mg/L)		5.0	Arsenic(T)		0.02
		pH	6.5 - 9.0	150	Beryllium		T. (0
Other:		chlorophyll a (mg/m²)		150	Cadmium	TVS	TVS
Temporary M	odification(s):	E. Coli (per 100 mL)		126	Cadmium(T)	5.0	
Arsenic(chroni	c) = hybrid	Inorganio	,		Chromium III		TVS
Expiration Dat	e of 12/31/2024		acute	chronic	Chromium III(T)	50	
*Southern Ute	Indian Reservation	Ammonia	TVS	TVS	Chromium VI	TVS	TVS
		Boron		0.75	Copper	TVS	TVS
		Chloride		250	Iron		WS
		Chlorine	0.019	0.011	Iron(T)		1000
		Cyanide	0.005		Lead	TVS	TVS
		Nitrate	10		Lead(T)	50	
	s not acted on segment-	Nitrite	0.05		Manganese	TVS	TVS/WS
specific	total phosphorus (TP)	Phosphorus		0.17	Mercury		0.01(t)
numerio	standards based on	Sulfate		WS	Molybdenum(T)		150
the inter	im value for river/	Sulfide		0.002	Nickel	TVS	TVS
stream	segments with a warm				Nickel(T)		100
water a	quatic life classification				Selenium	TVS	TVS
(0.17 m	g/L TP).				Silver	TVS	TVS
-							
					Uranium		
					Zinc	TVS	TVS
	es to the La Plata River, including all v	vetlands, from the Hay Gulch divers	sions south of Hesp	perus to the	Zinc	TVS	TVS
listing in Segn	nent 3c, 3d and 3e.	· •		perus to the S	Zinc Southern Ute Indian Reserva	TVS tion boundary, except	TVS
listing in Segn	nent 3c, 3d and 3e.  Classifications	vetlands, from the Hay Gulch divers	Biological		Zinc Southern Ute Indian Reserva	TVS tion boundary, except letals (ug/L)	TVS t for specific
COSJLP03A  Designation	nent 3c, 3d and 3e.  Classifications  Agriculture	Physical and E	Biological DM	MWAT	Zinc Southern Ute Indian Reserva M	TVS tion boundary, except letals (ug/L) acute	TVS for specific chronic
COSJLP03A	nent 3c, 3d and 3e.  Classifications  Agriculture  Aq Life Warm 2	· •	Biological  DM  WS-II	MWAT WS-II	Zinc Southern Ute Indian Reserva M Aluminum	TVS tion boundary, except letals (ug/L) acute 	TVS for specific chronic
Iisting in Segn COSJLP03A Designation UP	nent 3c, 3d and 3e.  Classifications  Agriculture	Physical and E	Biological DM	MWAT	Zinc Southern Ute Indian Reserva M	TVS tion boundary, except letals (ug/L) acute	TVS for specific chronic
COSJLP03A  Designation	nent 3c, 3d and 3e.  Classifications  Agriculture  Aq Life Warm 2	Physical and E Temperature °C  D.O. (mg/L)	Biological  DM  WS-II  acute	MWAT WS-II	Zinc Southern Ute Indian Reserva  M  Aluminum  Arsenic  Arsenic(T)	TVS tion boundary, except letals (ug/L) acute 	TVS for specific chronic
Iisting in Segn COSJLP03A Designation UP	nent 3c, 3d and 3e.  Classifications  Agriculture  Aq Life Warm 2	Physical and E	Biological  DM  WS-II  acute	MWAT WS-II chronic	Zinc Southern Ute Indian Reserval M Aluminum Arsenic	TVS tion boundary, except letals (ug/L) acute 340	TVS for specific  chronic
COSJLP03A  Designation  UP  Qualifiers:	nent 3c, 3d and 3e.  Classifications  Agriculture  Aq Life Warm 2	Physical and E Temperature °C  D.O. (mg/L)	Biological  DM  WS-II  acute	MWAT WS-II chronic 5.0	Zinc Southern Ute Indian Reserva  M  Aluminum  Arsenic  Arsenic(T)	TVS letals (ug/L) acute 340	TVS for specific chronic 100
COSJLP03A  Designation  UP  Qualifiers:	nent 3c, 3d and 3e.  Classifications  Agriculture  Aq Life Warm 2	Physical and E Temperature °C  D.O. (mg/L) pH	DM WS-II acute  6.5 - 9.0	MWAT WS-II chronic 5.0	Zinc Southern Ute Indian Reserval M Aluminum Arsenic Arsenic(T) Beryllium	TVS  tion boundary, except  letals (ug/L)  acute 340	TVS chronic 100
COSJLP03A  Designation  UP  Qualifiers:	nent 3c, 3d and 3e.  Classifications  Agriculture  Aq Life Warm 2	Physical and E Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²)	Biological  DM  WS-II  acute   6.5 - 9.0	MWAT WS-II chronic 5.0 150	Zinc Southern Ute Indian Reserva  M Aluminum Arsenic Arsenic(T) Beryllium Cadmium	TVS  letals (ug/L)  acute 340 TVS	TVS chronic 100 TVS
COSJLP03A  Designation  UP  Qualifiers:	nent 3c, 3d and 3e.  Classifications  Agriculture  Aq Life Warm 2	Physical and E  Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)	Biological  DM  WS-II  acute   6.5 - 9.0	MWAT WS-II chronic 5.0 150	Zinc Southern Ute Indian Reserval  M  Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III	TVS  tion boundary, except  letals (ug/L)  acute   340   TVS  TVS	thronic  chronic  100  TVS  TVS
listing in Segn COSJLP03A Designation UP Qualifiers:	nent 3c, 3d and 3e.  Classifications  Agriculture  Aq Life Warm 2	Physical and E  Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)	Biological  DM  WS-II  acute   6.5 - 9.0    c (mg/L)	MWAT WS-II chronic 5.0 150 630	Zinc Southern Ute Indian Reserval  M  Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III(T)	TVS tion boundary, except letals (ug/L) acute 340 TVS TVS	thronic  chronic   100   TVS  TVS  100
listing in Segn COSJLP03A Designation UP Qualifiers:	nent 3c, 3d and 3e.  Classifications  Agriculture  Aq Life Warm 2	Physical and E  Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic	Biological  DM  WS-II  acute   6.5 - 9.0   c: (mg/L)  acute	MWAT WS-II chronic 5.0 150 630 chronic	Southern Ute Indian Reserval  M  Aluminum  Arsenic  Arsenic(T)  Beryllium  Cadmium  Chromium III  Chromium III(T)	TVS  letals (ug/L)  acute 340 TVS TVS TVS TVS	t for specific  chronic   100  TVS  TVS  TVS  100  TVS
COSJLP03A  Designation  UP  Qualifiers:	nent 3c, 3d and 3e.  Classifications  Agriculture  Aq Life Warm 2	Physical and E  Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganio	### DM   WS-II   acute     6.5 - 9.0       c (mg/L)   acute   TVS	MWAT WS-II chronic 5.0 150 630  chronic TVS	Southern Ute Indian Reserval  Minume Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper	TVS  Ition boundary, except  letals (ug/L)  acute  340  TVS TVS TVS TVS TVS	TVS chronic 100 TVS TVS 100 TVS TVS TVS
COSJLP03A  Designation  UP  Qualifiers:	nent 3c, 3d and 3e.  Classifications  Agriculture  Aq Life Warm 2	Physical and E  Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic  Ammonia Boron	Biological  DM  WS-II  acute 6.5 - 9.0 c: (mg/L) acute  TVS	MWAT WS-II chronic 5.0 150 630  chronic TVS 0.75	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T)	TVS  tion boundary, except  letals (ug/L)  acute 340 TVS TVS TVS TVS TVS TVS	TVS chronic chronic 100 TVS TVS 100 TVS TVS 1000 TVS 1000
COSJLP03A  Designation  UP  Qualifiers:	nent 3c, 3d and 3e.  Classifications  Agriculture  Aq Life Warm 2	Physical and E  Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic  Ammonia Boron Chloride	Biological  DM  WS-II  acute   6.5 - 9.0    c: (mg/L)  acute  TVS	MWAT WS-II chronic 5.0 150 630  chronic TVS 0.75	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead	TVS  tion boundary, except  letals (ug/L)  acute  340  TVS TVS TVS TVS TVS TVS TVS TVS TVS	thronic  chronic  100  TVS  TVS  TVS  100  TVS  TVS  100  TVS  TVS  1000  TVS
COSJLP03A  Designation  UP  Qualifiers:	nent 3c, 3d and 3e.  Classifications  Agriculture  Aq Life Warm 2	Physical and E  Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic  Ammonia Boron Chloride Chlorine	Biological  DM  WS-II  acute 6.5 - 9.0 c (mg/L)  acute TVS 0.019	MWAT WS-II chronic 5.0 150 630  chronic TVS 0.75 0.011	Aluminum Arsenic Arsenic(T) Beryllium Chromium III Chromium VI Copper Iron(T) Lead Manganese	TVS tion boundary, except letals (ug/L) acute 340 TVS	thronic  chronic  100  TVS  TVS  TVS  100  TVS  TVS  TVS  1000  TVS  TVS  TVS  TVS  TVS  TVS  TVS
COSJLP03A  Designation  UP  Qualifiers:	nent 3c, 3d and 3e.  Classifications  Agriculture  Aq Life Warm 2	Physical and E  Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic  Ammonia Boron Chloride Chlorine Cyanide Nitrate	Biological  DM  WS-II  acute 6.5 - 9.0 c: (mg/L) acute TVS 0.019 0.005 100	MWAT WS-II chronic 5.0 150 630  chronic TVS 0.75 0.011	Zinc Southern Ute Indian Reserval  Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury	TVS tion boundary, except letals (ug/L) acute 340 TVS	TVS tor specific  chronic 100 TVS TVS 100 TVS TVS 1000 TVS TVS 1000 TVS TVS 0.01(t)
listing in Segn COSJLP03A Designation UP Qualifiers:	nent 3c, 3d and 3e.  Classifications  Agriculture  Aq Life Warm 2	Physical and E  Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganio  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite	Biological  DM  WS-II  acute 6.5 - 9.0 c: (mg/L)  acute  TVS 0.019 0.005	MWAT WS-II chronic 5.0 150 630  chronic TVS 0.75 0.011	Zinc Southern Ute Indian Reserval  Minum Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel	TVS  tion boundary, except  letals (ug/L)  acute 340 TVS	TVS to for specific  chronic 100 TVS TVS 100 TVS TVS 1000 TVS TVS 0.01(t) 150 TVS
COSJLP03A  Designation  UP  Qualifiers:	nent 3c, 3d and 3e.  Classifications  Agriculture  Aq Life Warm 2	Physical and E  Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	Biological  DM  WS-II  acute 6.5 - 9.0 c (mg/L)  acute  TVS 0.019 0.005 100 0.05	MWAT WS-II chronic 5.0 150 630  chronic TVS 0.75 0.011 0.47	Zinc Southern Ute Indian Reserval  M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel Selenium	TVS tion boundary, except letals (ug/L) acute 340 TVS	TVS tor specific  chronic 100 TVS TVS 100 TVS TVS 1000 TVS TVS 0.01(t) 150 TVS TVS
COSJLP03A  Designation  UP  Qualifiers:	nent 3c, 3d and 3e.  Classifications  Agriculture  Aq Life Warm 2	Physical and E  Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganio  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite	Biological  DM  WS-II  acute   6.5 - 9.0    c: (mg/L)  acute  TVS   0.019  0.005	MWAT WS-II chronic 5.0 150 630  chronic TVS 0.75 0.011	Southern Ute Indian Reservation  Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel	TVS  tion boundary, except  letals (ug/L)  acute 340 TVS	TVS to for specific  chronic 100 TVS TVS 100 TVS TVS 1000 TVS TVS 0.01(t) 150 TVS

3b. All tributar	les to the La Plata River, including all	wetlands, from the boundary of the S	Southern Ute Indian	Reservation	n to the Colorado/New Mexic	o border.	
COSJLP03B	Classifications	Physical and Bi	iological		М	etals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Warm 2	Temperature °C	WS-II	WS-II	Aluminum		
	Recreation N		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		5.0	Arsenic(T)		0.02
Qualifiers:		рН	6.5 - 9.0		Beryllium		
Water + Fish	Standards	chlorophyll a (mg/m²)		150	Cadmium	TVS	TVS
Other:		E. Coli (per 100 mL)		630	Cadmium(T)	5.0	
		Inorganic	(mg/L)		Chromium III		TVS
*Southern Ute	Indian Reservation		acute	chronic	Chromium III(T)	50	
		Ammonia	TVS	TVS	Chromium VI	TVS	TVS
		Boron		0.75	Copper	TVS	TVS
		Chloride		250	Iron		WS
		Chlorine	0.019	0.011	Iron(T)		1000
		Cyanide	0.005		Lead	TVS	TVS
		Nitrate	10		Lead(T)	50	
	s not acted on segment-	Nitrite	0.05		Manganese	TVS	TVS/WS
specific	total phosphorus (TP)	Phosphorus		0.17	Mercury		0.01(t)
numeric	standards based on	Sulfate		WS	Molybdenum(T)		150
the inter	im value for river/	Sulfide		0.002	Nickel	TVS	TVS
stream s	segments with a warm				Nickel(T)		100
water ac	quatic life classification				Selenium	TVS	TVS
(0.17 mg	g/L TP).				Silver	TVS	TVS
					Uranium		
					Zinc	TVS	TVS
3c. Cherry Cr	eek, including all tributaries and wetlan	do from the course to the boundary	of the Couthern II				
		us, it official source to the boundary	or the Southern U	te Indian Re	servation boundary.		
COSJLP03C	Classifications	Physical and Bi		te Indian Re		etals (ug/L)	
				te Indian Re		etals (ug/L)	chronic
COSJLP03C	Classifications		iological				chronic 
COSJLP03C Designation	Classifications Agriculture	Physical and Bi	iological DM	MWAT	М	acute	
COSJLP03C Designation	Classifications Agriculture Aq Life Cold 1	Physical and Bi	iological  DM  CS-II	MWAT CS-II	Aluminum	acute	
COSJLP03C Designation	Classifications Agriculture Aq Life Cold 1 Recreation E	Physical and Bi	DM CS-II acute	MWAT CS-II chronic	Aluminum Arsenic	acute  340	
COSJLP03C  Designation  Reviewable	Classifications Agriculture Aq Life Cold 1 Recreation E	Physical and Bi Temperature °C  D.O. (mg/L)	DM CS-II acute	MWAT CS-II chronic 6.0	Aluminum Arsenic Arsenic(T)	acute  340 	0.02
COSJLP03C  Designation  Reviewable  Qualifiers:	Classifications Agriculture Aq Life Cold 1 Recreation E	Physical and Bi Temperature °C  D.O. (mg/L)  D.O. (spawning)	DM CS-II acute	MWAT CS-II chronic 6.0 7.0	Aluminum Arsenic Arsenic(T) Beryllium	acute 340	  0.02 
COSJLP03C  Designation  Reviewable  Qualifiers:	Classifications Agriculture Aq Life Cold 1 Recreation E	Physical and B  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH	DM CS-II acute  6.5 - 9.0	MWAT CS-II chronic 6.0 7.0	Aluminum Arsenic Arsenic(T) Beryllium Cadmium	acute 340 TVS	0.02  TVS
COSJLP03C  Designation  Reviewable  Qualifiers:	Classifications Agriculture Aq Life Cold 1 Recreation E	Physical and Bi Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)	DM CS-II acute  6.5 - 9.0	MWAT CS-II chronic 6.0 7.0 150	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T)	acute 340 TVS 5.0	 0.02  TVS
COSJLP03C  Designation  Reviewable  Qualifiers:	Classifications Agriculture Aq Life Cold 1 Recreation E	Physical and Bi Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)	DM CS-II acute 6.5 - 9.0	MWAT CS-II chronic 6.0 7.0 150	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III	acute 340 TVS 5.0	 0.02  TVS 
COSJLP03C  Designation  Reviewable  Qualifiers:	Classifications Agriculture Aq Life Cold 1 Recreation E	Physical and Bi Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)	DM CS-II acute 6.5 - 9.0	MWAT CS-II chronic 6.0 7.0 150	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T)	acute 340 TVS 5.0 50	0.02 TVS
COSJLP03C  Designation  Reviewable  Qualifiers:	Classifications Agriculture Aq Life Cold 1 Recreation E	Physical and Bi Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorganic	iological  DM  CS-II  acute 6.5 - 9.0 (mg/L) acute	MWAT CS-II chronic 6.0 7.0 150 126	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T)	acute 340 TVS 5.0 50 TVS	0.02 TVS TVS TVS
COSJLP03C  Designation  Reviewable  Qualifiers:	Classifications Agriculture Aq Life Cold 1 Recreation E	Physical and Bi Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)	DM CS-II acute 6.5 - 9.0 (mg/L)	MWAT CS-II chronic 6.0 7.0 150 126	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper	acute 340 TVS 5.0 50 TVS TVS	0.02 TVS TVS TVS TVS TVS
COSJLP03C  Designation  Reviewable  Qualifiers:	Classifications Agriculture Aq Life Cold 1 Recreation E	Physical and Bi Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic  Ammonia Boron	DM   CS-II   acute     6.5 - 9.0     (mg/L)   acute   TVS	MWAT CS-II chronic 6.0 7.0 150 126  chronic TVS 0.75	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T)	acute 340 TVS 5.0 50 TVS TVS	0.02 TVS TVS TVS WS 1000
COSJLP03C Designation Reviewable Qualifiers: Other:	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Physical and Bi Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic  Ammonia	DM   CS-II   acute     6.5 - 9.0     (mg/L)   acute   TVS	MWAT CS-II chronic 6.0 7.0 150 126  chronic	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper	acute 340 TVS 5.0 50 TVS TVS	0.02 TVS TVS TVS TVS WS
COSJLP03C Designation Reviewable Qualifiers: Other:	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  s not acted on segment-	Physical and Bi Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic  Ammonia Boron Chloride Chlorine	iological  DM  CS-II  acute 6.5 - 9.0 (mg/L)  acute TVS 0.019	MWAT CS-II chronic 6.0 7.0 150 126  chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T)	acute 340 TVS 5.0 50 TVS TVS TVS TVS 50	0.02 TVS TVS TVS SUS TVS TVS TVS TVS TVS TVS TVS TVS TVS TV
COSJLP03C Designation Reviewable  Qualifiers: Other:  EPA ha specific	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  s not acted on segment-total phosphorus (TP)	Physical and Bi Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic  Ammonia Boron Chloride	DM   CS-II   acute     6.5 - 9.0     (mg/L)   acute   TVS	MWAT CS-II chronic 6.0 7.0 150 126  chronic TVS 0.75 250	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese	acute 340 TVS 5.0 50 TVS TVS TVS TVS	0.02 TVS TVS TVS WS 1000 TVS TVSWS
COSJLP03C Designation Reviewable  Qualifiers: Other:  EPA ha specific numeric	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  S not acted on segment- total phosphorus (TP)  c standards based on	Physical and Bi Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic  Ammonia Boron Chloride Chlorine Cyanide Nitrate	iological  DM  CS-II  acute 6.5 - 9.0 (mg/L)  acute TVS 0.019 0.005 10	MWAT CS-II chronic 6.0 7.0 150 126  Chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium(Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS TVS 50 TVS	0.02 TVS TVS TVS STVS WS 1000 TVS TVSWS 0.01(t)
COSJLP03C Designation Reviewable  Qualifiers: Other:  EPA ha specific numeric the intel	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  s not acted on segment- total phosphorus (TP) c standards based on rim value for river/	Physical and Bi Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite	iological  DM  CS-II  acute 6.5 - 9.0 (mg/L)  acute TVS 0.019 0.005 10 0.05	MWAT CS-II chronic 6.0 7.0 150 126  Chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T)	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS	0.02 TVS TVS TVS WS 1000 TVS TVSWS 0.01(t)
COSJLP03C Designation Reviewable  Qualifiers: Other:  EPA haspecific numeric the intestream	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  s not acted on segment- total phosphorus (TP) c standards based on rim value for river/ segments with a cold	Physical and Bi  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorganic  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate  Nitrite  Phosphorus	iological  DM CS-II acute 6.5 - 9.0 (mg/L) acute TVS 0.019 0.005 10 0.05	MWAT CS-II chronic 6.0 7.0 150 126  Chronic TVS 0.75 250 0.011 0.11	Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS	0.02 TVS TVS TVS WS 1000 TVS TVSWS 0.01(t) 150 TVS
COSJLP03C Designation Reviewable  Qualifiers: Other:  EPA ha specific numeric the interstream water active stream water stream wa	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  s not acted on segment- total phosphorus (TP) c standards based on rim value for river/ segments with a cold quatic life classification	Physical and Bi  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorganic  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate  Nitrite  Phosphorus  Sulfate	iological  DM CS-II acute 6.5 - 9.0 (mg/L) acute TVS 0.019 0.005 10 0.06	MWAT CS-II chronic 6.0 7.0 150 126  Chronic TVS 0.75 250 0.011 0.41 WS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T)	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS	0.02 TVS TVS TVS SUS 1000 TVS TVSWS 0.01(t) 150 TVS
COSJLP03C Designation Reviewable  Qualifiers: Other:  EPA ha specific numeric the interstream water as	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  s not acted on segment- total phosphorus (TP) c standards based on rim value for river/ segments with a cold	Physical and Bi  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorganic  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate  Nitrite  Phosphorus	iological  DM CS-II acute 6.5 - 9.0 (mg/L) acute TVS 0.019 0.005 10 0.05	MWAT CS-II chronic 6.0 7.0 150 126  Chronic TVS 0.75 250 0.011 0.11	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel(T) Selenium	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS TVS	0.02 TVS TVS TVS WS 1000 TVS TVSWS 0.01(t) 150 TVS 1000 TVS
COSJLP03C Designation Reviewable  Qualifiers: Other:  EPA ha specific numeric the interstream water active stream water stream wa	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  s not acted on segment- total phosphorus (TP) c standards based on rim value for river/ segments with a cold quatic life classification	Physical and Bi  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorganic  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate  Nitrite  Phosphorus  Sulfate	iological  DM CS-II acute 6.5 - 9.0 (mg/L) acute TVS 0.019 0.005 10 0.06	MWAT CS-II chronic 6.0 7.0 150 126  Chronic TVS 0.75 250 0.011 0.41 WS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium Silver	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS  TVS TVS 50 TVS	0.02 TVS TVS TVS WS 1000 TVS TVSWS 0.01(t) 150 TVS 1000 TVS TVS TVS TVS TVS TVS
COSJLP03C Designation Reviewable  Qualifiers: Other:  EPA ha specific numeric the interstream water actives the stream water active the stream water a	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  s not acted on segment- total phosphorus (TP) c standards based on rim value for river/ segments with a cold quatic life classification	Physical and Bi  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorganic  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate  Nitrite  Phosphorus  Sulfate	iological  DM CS-II acute 6.5 - 9.0 (mg/L) acute TVS 0.019 0.005 10 0.06	MWAT CS-II chronic 6.0 7.0 150 126  Chronic TVS 0.75 250 0.011 0.41 WS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel(T) Selenium	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS TVS	0.02 TVS TVS TVS WS 1000 TVS TVSWS 0.01(t) 150 TVS 1000 TVS

All metals are dissolved unless otherwise noted.

T = total recoverable

t = total tr=trout sc=sculpin D.O. = dissolved oxygen DM = daily maximum

	ry Creek from the source to the confluent	nce with Cherry Creek.					
COSJLP03D	Classifications	Physical and Biol	ogical		Me	etals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02
Qualifiers:		D.O. (spawning)		7.0	Beryllium		
Other:		pH	6.5 - 9.0		Cadmium	TVS	TVS
Temporary Mo	odification(s):	chlorophyll a (mg/m²)		150	Cadmium(T)	5.0	
Arsenic(chroni	,	E. Coli (per 100 mL)		126	Chromium III		TVS
-	te of 12/31/2024				Chromium III(T)	50	
'		Inorganic (n	ng/L)		Chromium VI	TVS	TVS
			acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron		WS
		Boron		0.75	Iron(T)		1000
		Chloride		250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	
		Cyanide	0.005		Manganese	TVS	TVS/WS
	s not acted on segment-	Nitrate	10		Mercury		0.01(t)
specific	total phosphorus (TP)	Nitrite	0.05		Molybdenum(T)		150
	c standards based on	Phosphorus		0.11	Nickel	TVS	TVS
the inte	rim value for river/	Sulfate		WS	Nickel(T)		100
	segments with a cold	Sulfide		0.002	Selenium	TVS	TVS
water a	quatic life classification	Sumas .		0.002	Silver	TVS	TVS(tr)
(0.11 m	ıg/L TP).				Uranium		
					Zinc	TVS	TVS(sc)
3e. East Alkali	i Gulch from the source to the Southern	Ute Indian Boundary. Hay Gulch, inc	luding all tributa	ries, from th			-()
	Classifications	1		,		,	
		Physical and Biol	ogical		Me	etals (ug/L)	
Designation	Agriculture	Physical and Biol	ogical DM	MWAT	Me	etals (ug/L) acute	chronic
<b>Designation</b> UP		Physical and Bioli Temperature °C		MWAT CS-II	Aluminum		chronic 
	Agriculture		DM			acute	
	Agriculture Aq Life Cold 2		DM CS-II	CS-II	Aluminum Arsenic	acute	
	Agriculture Aq Life Cold 2 Recreation N	Temperature °C	DM CS-II acute	CS-II chronic	Aluminum Arsenic Arsenic(T)	acute 340	
UP  Qualifiers:	Agriculture Aq Life Cold 2 Recreation N	Temperature °C  D.O. (mg/L) pH	DM CS-II acute	CS-II chronic 5.0	Aluminum Arsenic Arsenic(T) Beryllium	acute  340 	  0.02-10 <sup>A</sup>
UP	Agriculture Aq Life Cold 2 Recreation N	Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²)	DM CS-II acute  6.5 - 9.0	CS-II chronic 5.0  150	Aluminum Arsenic Arsenic(T) Beryllium Cadmium	acute  340   TVS	  0.02-10 <sup>A</sup>
UP  Qualifiers:	Agriculture Aq Life Cold 2 Recreation N	Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)	CS-II acute 6.5 - 9.0	CS-II chronic 5.0	Aluminum Arsenic Arsenic(T) Beryllium	acute  340 	0.02-10 A  TVS
UP  Qualifiers:	Agriculture Aq Life Cold 2 Recreation N	Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²)	CS-II acute 6.5 - 9.0	CS-II chronic 5.0  150	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T)	acute 340 TVS 5.0	 0.02-10 <sup>A</sup>  TVS
UP  Qualifiers:	Agriculture Aq Life Cold 2 Recreation N	Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic (n	CS-II acute 6.5 - 9.0 ng/L) acute	CS-II chronic 5.0 150 630 chronic	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T)	acute 340 TVS 5.0 TVS	0.02-10 A TVS TVS 100
UP  Qualifiers:	Agriculture Aq Life Cold 2 Recreation N	Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic (n	CS-II acute 6.5 - 9.0	CS-II  chronic  5.0   150  630  chronic  TVS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T)	acute 340 TVS 5.0 TVS TVS	0.02-10 A TVS TVS 100 TVS
UP  Qualifiers:	Agriculture Aq Life Cold 2 Recreation N	Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic (n	DM CS-II acute  6.5 - 9.0   ng/L) acute TVS	CS-II chronic 5.0 150 630 chronic TVS 0.75	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper	acute 340 TVS 5.0 TVS	0.02-10 A TVS TVS 100 TVS TVS
UP  Qualifiers:	Agriculture Aq Life Cold 2 Recreation N	Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic (n  Ammonia  Boron Chloride	CS-II acute 6.5 - 9.0 ng/L) acute TVS	CS-II chronic 5.0 150 630 chronic TVS 0.75 250	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron	acute 340 TVS 5.0 TVS TVS TVS	0.02-10 A TVS TVS 100 TVS TVS WS
UP  Qualifiers:	Agriculture Aq Life Cold 2 Recreation N	Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic (n  Ammonia  Boron Chloride Chlorine	DM CS-II acute 6.5 - 9.0 TVS 0.019	CS-II chronic 5.0 150 630  chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T)	acute 340 TVS 5.0 TVS TVS TVS TVS	0.02-10 A TVS TVS 100 TVS TVS WS 1000
UP  Qualifiers:	Agriculture Aq Life Cold 2 Recreation N	Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic (n  Ammonia  Boron Chloride Chlorine Cyanide	DM CS-II acute 6.5 - 9.0 TVS 0.019 0.005	CS-II chronic 5.0 150 630 chronic TVS 0.75 250	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead	acute 340 TVS 5.0 TVS TVS TVS TVS TVS TVS TVS TVS	0.02-10 A TVS TVS 100 TVS TVS WS
UP  Qualifiers:	Agriculture Aq Life Cold 2 Recreation N	Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic (n  Ammonia  Boron Chloride Chlorine Cyanide Nitrate	DM CS-II acute 6.5 - 9.0 10g/L) acute TVS 0.019 0.005 10	CS-II  chronic 5.0 150 630  chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T)	acute 340 TVS 5.0 TVS TVS TVS TVS TVS TVS TVS TVS	0.02-10 A TVS TVS 100 TVS TVS WS 1000 TVS
UP  Qualifiers:	Agriculture Aq Life Cold 2 Recreation N	Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic (n  Ammonia  Boron Chloride Chlorine Cyanide Nitrate Nitrite	DM CS-II acute 6.5 - 9.0 mg/L) acute TVS 0.019 0.005 10 0.05	CS-II  chronic 5.0 150 630  chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese	acute 340 TVS 5.0 TVS	0.02-10 A TVS TVS 100 TVS TVS WS 1000 TVS TVS WS 1000 TVS TVS/WS
UP  Qualifiers:	Agriculture Aq Life Cold 2 Recreation N	Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic (n  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	DM CS-II acute 6.5 - 9.0 mg/L) acute TVS 0.019 0.005 10 0.05	CS-II chronic 5.0 150 630 Chronic TVS 0.75 250 0.011 0.11	Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury	acute 340 TVS 5.0 TVS	0.02-10 A TVS TVS 100 TVS TVS WS 1000 TVS TVS/WS 0.01(t)
UP  Qualifiers:	Agriculture Aq Life Cold 2 Recreation N	Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic (n  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	DM CS-II acute 6.5 - 9.0 10005 10005	CS-II chronic 5.0 150 630  chronic TVS 0.75 250 0.011 0.411 WS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T)	acute 340 TVS 5.0 TVS TVS TVS TVS TVS TVS 50 TVS TVS	0.02-10 A TVS TVS 100 TVS TVS WS 1000 TVS TVSWS 0.01(t) 150
UP  Qualifiers:	Agriculture Aq Life Cold 2 Recreation N	Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic (n  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	DM CS-II acute 6.5 - 9.0 mg/L) acute TVS 0.019 0.005 10 0.05	CS-II chronic 5.0 150 630 Chronic TVS 0.75 250 0.011 0.11	Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel	acute 340 TVS 5.0 TVS TVS TVS TVS TVS TVS TVS TVS TVS 50 TVS TVS TVS TVS TVS	0.02-10 A TVS TVS 100 TVS TVS WS 1000 TVS TVS WS 1000 TVS TVS/WS 0.01(t) 150 TVS
UP  Qualifiers:	Agriculture Aq Life Cold 2 Recreation N	Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic (n  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	DM CS-II acute 6.5 - 9.0 10005 10005	CS-II chronic 5.0 150 630  chronic TVS 0.75 250 0.011 0.411 WS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T)	acute 340 TVS 5.0 TVS	0.02-10 A TVS TVS 100 TVS TVS WS 1000 TVS TVS/WS 0.01(t) 150 TVS
UP  Qualifiers:	Agriculture Aq Life Cold 2 Recreation N	Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic (n  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	DM CS-II acute 6.5 - 9.0 10005 10005	CS-II chronic 5.0 150 630  chronic TVS 0.75 250 0.011 0.411 WS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	acute 340 TVS 5.0 TVS TVS TVS TVS 50 TVS	0.02-10 A TVS TVS 100 TVS TVS WS 1000 TVS TVS/WS 0.01(t) 150 TVS 100 TVS
UP  Qualifiers:	Agriculture Aq Life Cold 2 Recreation N	Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic (n  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	DM CS-II acute 6.5 - 9.0 10005 10005	CS-II chronic 5.0 150 630  chronic TVS 0.75 250 0.011 0.411 WS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium Silver	acute 340 TVS 5.0 TVS TVS TVS TVS 50 TVS TVS 50 TVS	0.02-10 A TVS TVS 100 TVS TVS WS 1000 TVS TVS/WS 0.01(t) 150 TVS 1000 TVS TVS
UP  Qualifiers:	Agriculture Aq Life Cold 2 Recreation N	Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic (n  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	DM CS-II acute 6.5 - 9.0 10005 10005	CS-II chronic 5.0 150 630  chronic TVS 0.75 250 0.011 0.411 WS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	acute 340 TVS 5.0 TVS TVS TVS TVS 50 TVS	0.02-10 A TVS TVS 100 TVS TVS WS 1000 TVS TVSWS 0.01(t) 150 TVS 100 TVS

All metals are dissolved unless otherwise noted.

T = total recoverable

t = total tr=trout sc=sculpin D.O. = dissolved oxygen DM = daily maximum

	of the Mancos River, including all wetla				t and middle			
COSJLP04A	Classifications	Physica	al and Biologic			Me	etals (ug/L)	
Designation	Agriculture			DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C		CS-I	CS-I	Aluminum		
	Recreation E 5/1 - 10/31			acute	chronic	Arsenic	340	
	Recreation N 11/1 - 4/30	D.O. (mg/L)			6.0	Arsenic(T)		0.02
0	Water Supply	D.O. (spawning)			7.0	Beryllium		
Qualifiers:		рН		6.5 - 9.0		Cadmium	TVS	TVS
Other:		chlorophyll a (mg/m²)			150	Cadmium(T)	5.0	
Temporary Mo	odification(s):	E. Coli (per 100 mL)	5/1 - 10/31		126	Chromium III		TVS
Arsenic(chronic	c) = hybrid	E. Coli (per 100 mL)	11/1 - 4/30		630	Chromium III(T)	50	
Expiration Date	e of 12/31/2024	lı .	norganic (mg/L	.)		Chromium VI	TVS	TVS
				acute	chronic	Copper	TVS	TVS
		Ammonia		TVS	TVS	Iron		WS
		Boron			0.75	Iron(T)		1000
		Chloride			250	Lead	TVS	TVS
		Chlorine		0.019	0.011	Lead(T)	50	
FPA ha	s not acted on segment-	Cyanide		0.005		Manganese	TVS	TVS/WS
	total phosphorus (TP)	Nitrate		10		Mercury		0.01(t)
	standards based on	Nitrite		0.05		Molybdenum(T)		150
	rim value for river/	Phosphorus			0.11	Nickel	TVS	TVS
	segments with a cold	Sulfate			WS	Nickel(T)		100
	quatic life classification	Sulfide			0.002	Selenium	TVS	TVS
	ig/L TP).					Silver	TVS	TVS(tr)
(0.11111	ig/ E 11 /:					Uranium		
						Zinc	TVS	TVS
4b. Mancos Re	eservoir (Jackson Gulch Reservoir).	<u>U</u>						
COSJLP04B	Classifications	Physica	al and Biologic	al		M	etals (ug/L)	
	,	Physica	al and Biologic	cal DM	MWAT	М	etals (ug/L) acute	chronic
COSJLP04B	Classifications	Physica Temperature °C	al and Biologic		MWAT	Aluminum		chronic 
COSJLP04B Designation	Classifications Agriculture		al and Biologic	DM			acute	
COSJLP04B Designation	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply		al and Biologic	DM CLL	CLL	Aluminum	acute	
COSJLP04B Designation Reviewable	Classifications Agriculture Aq Life Cold 1 Recreation E	Temperature °C	al and Biologic	CLL acute	CLL	Aluminum Arsenic	acute  340	
COSJLP04B Designation	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Temperature °C  D.O. (mg/L)	al and Biologic	DM CLL acute	CLL chronic 6.0	Aluminum Arsenic Arsenic(T)	acute  340 	
COSJLP04B Designation Reviewable	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Temperature °C  D.O. (mg/L)  D.O. (spawning)	al and Biologic	DM CLL acute	CLL chronic 6.0 7.0	Aluminum Arsenic Arsenic(T) Beryllium	acute 340	  0.02 
COSJLP04B Designation Reviewable  Qualifiers: Other:	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply DUWS*	Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH	al and Biologic	DM CLL acute   6.5 - 9.0	CLL chronic 6.0 7.0	Aluminum Arsenic Arsenic(T) Beryllium Cadmium	acute 340 TVS	  0.02  TVS
COSJLP04B Designation Reviewable  Qualifiers: Other: *chlorophyll a and reservoirs	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  DUWS*  (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area.	Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (ug/L)	al and Biologic	DM CLL acute  6.5 - 9.0	CLL chronic 6.0 7.0 8*	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T)	acute 340 TVS 5.0	 0.02  TVS
COSJLP04B Designation Reviewable  Qualifiers: Other: *chlorophyll a and reservoirs *Classification:	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  DUWS*  (ug/L)(chronic) = applies only to lakes arger than 25 acres surface area.  DUWS applies to Jackson Gulch	Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)	al and Biologic	DM CLL acute   6.5 - 9.0	CLL chronic 6.0 7.0 8*	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III	acute 340 TVS 5.0	 0.02  TVS 
COSJLP04B Designation Reviewable  Qualifiers: Other: *chlorophyll a and reservoirs "Classification: Reservoir only "Phosphorus(cl	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  DUWS*  (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area.  DUWS applies to Jackson Gulch  hronic) = applies only to lakes and	Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)		DM CLL acute   6.5 - 9.0	CLL chronic 6.0 7.0 8*	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T)	acute 340 TVS 5.0 50	0.02 TVS
COSJLP04B Designation Reviewable  Qualifiers: Other: *chlorophyll a and reservoirs "Classification: Reservoir only "Phosphorus(cl	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  DUWS*  (ug/L)(chronic) = applies only to lakes a larger than 25 acres surface area.:  DUWS applies to Jackson Gulch	Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)		DM CLL acute   6.5 - 9.0 	CLL chronic 6.0 7.0 8* 126	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T)	acute 340 TVS 5.0 50 TVS	0.02 TVS TVS TVS
COSJLP04B Designation Reviewable  Qualifiers: Other: *chlorophyll a and reservoirs *Classification: Reservoir only *Phosphorus(cl	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  DUWS*  (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area.  DUWS applies to Jackson Gulch  hronic) = applies only to lakes and	Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)		CLL acute 6.5 - 9.0	CLL chronic 6.0 7.0 8* 126	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper	acute 340 TVS 5.0 50 TVS TVS	0.02 TVS TVS TVS TVS
COSJLP04B Designation Reviewable  Qualifiers: Other: *chlorophyll a and reservoirs *Classification: Reservoir only *Phosphorus(cl	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  DUWS*  (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area.  DUWS applies to Jackson Gulch  hronic) = applies only to lakes and	Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)		CLL acute 6.5 - 9.0 c) acute TVS	CLL chronic 6.0 7.0 8* 126  chronic TVS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper	acute 340 TVS 5.0 50 TVS TVS	0.02 TVS TVS TVS TVS TVS TVS TVS
COSJLP04B Designation Reviewable  Qualifiers: Other: *chlorophyll a and reservoirs *Classification: Reservoir only *Phosphorus(cl	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  DUWS*  (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area.  DUWS applies to Jackson Gulch  hronic) = applies only to lakes and	Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)		DM CLL acute  6.5 - 9.0   ) acute TVS	CLL chronic 6.0 7.0 8* 126  chronic TVS 0.75	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T)	acute 340 TVS 5.0 50 TVS TVS	0.02 TVS TVS TVS WS 1000
COSJLP04B Designation Reviewable  Qualifiers: Other: *chlorophyll a and reservoirs *Classification: Reservoir only *Phosphorus(cl	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  DUWS*  (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area.  DUWS applies to Jackson Gulch  hronic) = applies only to lakes and	Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  In  Ammonia Boron Chloride		CLL acute 6.5 - 9.0  N acute TVS	CLL chronic 6.0 7.0 8* 126  chronic TVS 0.75 250	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T)	acute 340 TVS 5.0 50 TVS TVS TVS TVS	0.02 TVS TVS TVS TVS TVS TVS TVS TVS TVS
COSJLP04B Designation Reviewable  Qualifiers: Other: *chlorophyll a and reservoirs *Classification: Reservoir only *Phosphorus(cl	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  DUWS*  (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area.  DUWS applies to Jackson Gulch  hronic) = applies only to lakes and	Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  In  Ammonia Boron Chloride Chlorine		CLL acute 6.5 - 9.0	CLL chronic 6.0 7.0 8* 126  chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T)	acute 340 TVS 5.0 50 TVS TVS TVS TVS 50	0.02 TVS
COSJLP04B Designation Reviewable  Qualifiers: Other: *chlorophyll a and reservoirs *Classification: Reservoir only *Phosphorus(cl	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  DUWS*  (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area.  DUWS applies to Jackson Gulch  hronic) = applies only to lakes and	Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  Ammonia Boron Chloride Chlorine Cyanide Nitrate		CLL acute 6.5 - 9.0 TVS 0.019 0.005	CLL chronic 6.0 7.0 8* 126  chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS TVS 50 TVS	0.02 TVS TVS TVS TVS WS 1000 TVS TVS/WS
COSJLP04B Designation Reviewable  Qualifiers: Other: *chlorophyll a and reservoirs *Classification: Reservoir only *Phosphorus(cl	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  DUWS*  (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area.  DUWS applies to Jackson Gulch  hronic) = applies only to lakes and	Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  In  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite		CLL acute 6.5 - 9.0  TVS 0.019 0.005	CLL chronic 6.0 7.0 8* 126  chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T)	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS TVS	0.02 TVS TVS TVS WS 1000 TVS TVSWS 0.01(t)
COSJLP04B Designation Reviewable  Qualifiers: Other: *chlorophyll a and reservoirs *Classification: Reservoir only *Phosphorus(cl	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  DUWS*  (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area.  DUWS applies to Jackson Gulch  hronic) = applies only to lakes and	Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  In  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus		CLL acute 6.5 - 9.0 TVS 0.019 0.005	CLL chronic 6.0 7.0 8* 126  chronic TVS 0.75 250 0.011 0.025*	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS	0.02 TVS TVS TVS WS 1000 TVS TVS/WS 0.01(t) 150 TVS
COSJLP04B Designation Reviewable  Qualifiers: Other: *chlorophyll a and reservoirs *Classification: Reservoir only *Phosphorus(cl	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  DUWS*  (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area.  DUWS applies to Jackson Gulch  hronic) = applies only to lakes and	Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  In  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate		DM CLL acute 6.5 - 9.0 TVS 0.019 0.005 10 0.005	CLL chronic 6.0 7.0 8* 126  chronic TVS 0.75 250 0.011 0.025* WS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T)	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS	0.02 TVS TVS TVS SUS 1000 TVS TVSWS 0.01(t) 150 TVS
COSJLP04B Designation Reviewable  Qualifiers: Other: *chlorophyll a and reservoirs *Classification: Reservoir only *Phosphorus(cl	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  DUWS*  (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area.  DUWS applies to Jackson Gulch  hronic) = applies only to lakes and	Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  In  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus		DM CLL acute  6.5 - 9.0   1) acute TVS  0.019 0.005 10	CLL chronic 6.0 7.0 8* 126  chronic TVS 0.75 250 0.011 0.025*	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS	0.02 TVS TVS TVS WS 1000 TVS TVS/WS 0.01(t) 150 TVS 1000 TVS
COSJLP04B Designation Reviewable  Qualifiers: Other: *chlorophyll a and reservoirs *Classification: Reservoir only *Phosphorus(cl	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  DUWS*  (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area.  DUWS applies to Jackson Gulch  hronic) = applies only to lakes and	Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  In  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate		DM CLL acute 6.5 - 9.0 TVS 0.019 0.005 10 0.005	CLL chronic 6.0 7.0 8* 126  chronic TVS 0.75 250 0.011 0.025* WS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium Silver	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS	0.02 TVS TVS TVS WS 1000 TVS TVSWS 0.01(t) 150 TVS 1000 TVS TVS TVS TVS
COSJLP04B Designation Reviewable  Qualifiers: Other: *chlorophyll a and reservoirs *Classification: Reservoir only *Phosphorus(cl	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  DUWS*  (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area.  DUWS applies to Jackson Gulch  hronic) = applies only to lakes and	Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  In  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate		DM CLL acute 6.5 - 9.0 TVS 0.019 0.005 10 0.005	CLL chronic 6.0 7.0 8* 126  chronic TVS 0.75 250 0.011 0.025* WS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS	0.02 TVS TVS TVS WS 1000 TVS TVS/WS 0.01(t) 150 TVS 1000 TVS

All metals are dissolved unless otherwise noted.

T = total recoverable

t = total tr=trout sc=sculpin D.O. = dissolved oxygen DM = daily maximum

4c. Mainstern of the Mancos River, including all wetlands, tributaries, from below the San Juan National Forest Boundary to Hwy 160. Chicken Creek, including all tributaries, from its source to the confluence with the Mancos River COSJLP04C Classifications Metals (ug/L) Physical and Biological Designation Agriculture DM MWAT acute chronic Reviewable Aq Life Cold 1 Temperature °C CS-II CS-II Aluminum 5/1 - 10/31 Recreation E chronic acute Arsenio 340 11/1 - 4/30 Recreation N D.O. (ma/L) 6.0 Arsenic(T) 0.02 Water Supply D.O. (spawning) 7.0 Beryllium Qualifiers: рΗ 6.5 - 9.0Cadmium TVS TVS chlorophyll a (mg/m²) Cadmium(T) Other: 150 5.0 E. Coli (per 100 mL) 11/1 - 4/30 630 Chromium III TVS E. Coli (per 100 mL) 5/1 - 10/31 Chromium III(T) 126 50 Inorganic (mg/L) Chromium VI TVS TVS acute chronic Copper TVS TVS Iron ws Ammonia TVS TVS Boron 0.75 Iron(T) 1000 TVS Lead TVS Chloride 250 Chlorine 0.019 0.011 Lead(T) 50 Cyanide Manganese TVS TVS/WS 0.005 Nitrate 0.01(t) 10 Mercury EPA has not acted on segment-Molybdenum(T) 150 specific total phosphorus (TP) 0.05 Phosphorus 0.11 Nicke TVS TVS numeric standards based on Nickel(T) 100 the interim value for river/ Sulfate WS Selenium TVS TVS stream segments with a cold Sulfide 0.002 TVS(tr) Silver TVS water aquatic life classification (0.11 mg/L TP). Uranium TVS TVS Zinc 5. Mainstern of the Mancos River from Hwy 160 to the boundary of the Ute Mountain Indian Reservation and mainstern of Weber Canyon from source to boundary of the Ute Mountain Ute Indian Reservation COSJLP05 Classifications Physical and Biological Metals (ug/L) Designation MWAT DM Agriculture acute chronic Reviewable WS-II Aq Life Warm 1 Temperature °C WS-II Aluminum 5/1 - 10/31 Recreation E acute chronic Arsenic 340 ---11/1 - 4/30 Recreation N D.O. (mg/L) 5.0 0.02 Arsenic(T) Water Supply рΗ 6.5 - 9.0 Bervllium Qualifiers: chlorophyll a (mg/m²) 150° Cadmium TVS TVS E. Coli (per 100 mL) Other: 11/1 - 4/30 630 Cadmium(T) 5.0 E. Coli (per 100 mL) 5/1 - 10/31 126 Chromium III ------**TVS** Temporary Modification(s): Chromium III(T) 50 Arsenic(chronic) = hybrid Chromium VI TVS TVS Expiration Date of 12/31/2024 Inorganic (mg/L) TVS TVS acute chronic Copper \*chlorophyll a (mg/m2)(chronic) = applies only above the facilities listed at 34.5(5) Iron WS Ammonia TVS TVS \*Phosphorus(chronic) = applies only above the facilities listed at 34.5(5). Boron 0.75 Iron(T) 1000 Lead TVS TVS Chloride 250 Chlorine 0.019 0.011 Lead(T) 50 TVS/WS

numeric standards based on the interim value for river/ stream segments with a warm water aquatic life classification

All metals are dissolved unless otherwise noted.

EPA has not acted on segment-

specific total phosphorus (TP)

(0.17 mg/L TP).

T = total recoverable t = total tr=trout sc=sculpin

D.O. = dissolved oxygen DM = daily maximum

Cyanide

Nitrite

Sulfate

Sulfide

Phosphorus

MWAT = maximum weekly average temperature See 34.6 for further details on applied standards.

0.005

10

0.17

0.002

WS

0.05

Manganese

Molybdenum(T)

Mercury

Nicke

Nickel(T)

Selenium

Uranium

Silver

Zinc

TVS

---

TVS

TVS

TVS

TVS

0.01(t)

150

TVS

100

TVS

TVS

---

TVS

6a. All tributaries to the Mancos River, including all wetlands, from Hwy 160 to the boundary of the Ute Mountain Indian Reservation, except for specific listings in segment 4c, 5, 6b and 6c. Navajo Wash, including all tributaries, from the source to the Ute Mountain Indian Reservation Boundary. Classifications Physical and Biological Metals (ug/L) Designation Agriculture DM MWAT acute chronic Aq Life Warm 2 Reviewable Temperature °C WS-II WS-II Aluminum ---Recreation N 11/1 - 4/30 chronic acute Arsenio 340 Recreation P 5/1 - 10/31 D.O. (mg/L) 100 5.0 Arsenic(T) Qualifiers: 6.5 - 9.0 Beryllium chlorophyll a (mg/m²) 150 Other: Cadmium TVS TVS E. Coli (per 100 mL) 5/1 - 10/31 Chromium III TVS TVS E. Coli (per 100 mL) 11/1 - 4/30 630 Chromium III(T) 100 Chromium VI TVS TVS Inorganic (mg/L) Copper TVS TVS acute chronic Iron(T) ---1000 Lead TVS TVS Ammonia TVS TVS Boron 0.75 Manganese TVS TVS EPA has not acted on segment-0.01(t)Chloride Mercury specific total phosphorus (TP) Chlorine 0.019 0.011 Molybdenum(T) ---150 numeric standards based on Nickel TVS TVS Cyanide 0.005 the interim value for river/ Nitrate 100 TVS TVS Selenium stream segments with a warm Silver TVS TVS Nitrite 0.05 water aquatic life classification Phosphorus 0.17 Uranium ---(0.17 mg/L TP). Zinc TVS TVS Sulfate Sulfide 0.002 6b. East Fork of Mud Creek, including all tributaries, from the source to the confluence with the West Fork of Mud Creek. East Canyon from the source to the confluence with Joes Canyon. COSJLP06B Classifications Physical and Biological Metals (ug/L) Designation DM MWAT acute chronic Aariculture Ag Life Warm 2 WS-II WS-II Reviewable Temperature °C Aluminum Recreation N 11/1 - 4/30 acute chronic 340 Arsenic Recreation P 5/1 - 10/31 0.02-10 A D.O. (mg/L) 5.0 Arsenic(T) Water Supply Bervllium nН 65 - 90Qualifiers: chlorophyll a (mg/m²) 150 Cadmium TVS TVS Other: E. Coli (per 100 mL) 5/1 - 10/31 205 Cadmium(T) 5.0 E. Coli (per 100 mL) 11/1 - 4/30 630 Chromium III TVS TVS Chromium III(T) 100 Chromium VI TVS TVS Inorganic (mg/L) acute chronic Copper TVS TVS WS TVS TVS Iron Ammonia Boron Iron(T) 1000 TVS Lead **TVS** Chloride 250 Chlorine 0.019 0.011 Lead(T) 50 TVS/WS Cyanide 0.005 Manganese **TVS** Nitrate 0.01(t) 10 Mercurv Molybdenum(T) 150 0.05 Nitrite ---Phosphorus 0.17 Nickel TVS TVS 100 Sulfate WS Nickel(T) Sulfide 0.002 Selenium TVS TVS Silver TVS TVS Uranium

Zinc

**TVS** 

**TVS** 

COSJLP06C	Classifications	Physical and	Biological		М	etals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
OW	Aq Life Warm 1	Temperature °C	WS-III	WS-III	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
Qualifiers:		D.O. (mg/L)		5.0	Arsenic(T)		7.6
Other:		pH	6.5 - 9.0		Beryllium		
		chlorophyll a (mg/m²)		150	Cadmium	TVS	TVS
		E. Coli (per 100 mL)		126	Chromium III	TVS	TVS
		Inorgani	c (mg/L)		Chromium III(T)		100
			acute	chronic	Chromium VI	TVS	TVS
		Ammonia	TVS	TVS	Copper	TVS	TVS
		Boron		0.75	Iron(T)		1000
		Chloride			Lead	TVS	TVS
EPA ha	is not acted on segment-	Chlorine	0.019	0.011	Manganese	TVS	TVS
	total phosphorus (TP)	Cyanide	0.005		Mercury		0.01(t)
1.1	c standards based on	Nitrate	100		Molybdenum(T)		
	rim value for river/	Nitrite	0.05		Nickel	TVS	TVS
1	segments with a warm	Phosphorus		0.17	Selenium	TVS	TVS
1	quatic life classification	Sulfate			Silver	TVS	TVS
1	ig/L TP).	Sulfide		0.002	Uranium		
(3111 111	<i>5</i> /-	Ц			Zinc	TVS	TVS

7a. Mainstem of McElmo Creek from the source to the confluence with Alkali Canyon. Mainstem of Yellow Jacket Creek, including all tributaries and wetlands, from the source to the confluence with McElmo Creek.

COSJLP07A	Classifications	Physical and Biolo	ogical		М	etals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Warm 1	Temperature °C	WS-II	WS-II	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
Qualifiers:		D.O. (mg/L)		5.0	Arsenic(T)		7.6
Other:		рН	6.5 - 9.0		Beryllium		
Temporary Mo	odification(s).	chlorophyll a (mg/m²)		150*	Cadmium	TVS	TVS
' '	h) = current conditions*	E. Coli (per 100 mL)		126	Chromium III	TVS	TVS
Expiration Date	,	Inorganic (m	ıg/L)		Chromium III(T)		100
*chlorophyll a	(mg/m²)(chronic) = applies only above		acute	chronic	Chromium VI	TVS	TVS
the facilities lis	sted at 34.5(5).	Ammonia	TVS	TVS	Copper	TVS	TVS
*Phosphorus(classification facilities listed	hronic) = applies only above the	Boron		0.75	Iron(T)		2200
	mmonia = Adopted 8/14/2006	Chloride			Lead	TVS	TVS
		Chlorine	0.019	0.011	Manganese	TVS	TVS
		Cyanide	0.005		Mercury		0.01(t)
		Nitrate	100		Molybdenum(T)		150
		Nitrite	0.05		Nickel	TVS	TVS
		Phosphorus		0.17*	Selenium	TVS	TVS
		Sulfate			Silver	TVS	TVS
		Sulfide		0.002	Uranium		
					Zinc	TVS	TVS

	of McElmo Creek from the confluence	•		•	_		
COSJLP07B	Classifications	Physical and	Biological		N	letals (ug/L)	
esignation	Agriculture		DM	MWAT		acute	chronic
eviewable	Aq Life Warm 1	Temperature °C	WS-II	WS-II	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		5.0	Arsenic(T)		0.02
ualifiers:		рH	6.5 - 9.0		Beryllium		
ther:		chlorophyll a (mg/m²)			Cadmium	TVS	TVS
		E. Coli (per 100 mL)		126	Cadmium(T)	5.0	
		Inorgan	ic (mg/L)		Chromium III	TVS	TVS
			acute	chronic	Chromium III(T)		100
		Ammonia	TVS	TVS	Chromium VI	TVS	TVS
		Boron		0.75	Copper	TVS	TVS
		Chloride		250	Iron		WS
		Chlorine	0.019	0.011	Iron(T)		2200
		Cyanide	0.005		Lead	TVS	TVS
		Nitrate	10		Lead(T)	50	
		Nitrite	0.05		Manganese	TVS	TVS/WS
		Phosphorus	0.05		Mercury		0.01(t)
		·		WS	Molybdenum(T)		150
		Sulfate			Nickel	TVS	TVS
		Sulfide		0.002			
					Nickel(T)	 TV0	100
					Selenium	TVS	TVS
					Silver	TVS	TVS
					Uranium Zinc	TVS	TVS
	es to McElmo Creek, including all wetla tings in Segments 7a, 7b and 11.	nds, from the source to the Colora	ado/Utah border, exc	ept for the p	Zinc	TVS	TVS
or specific lis	tings in Segments 7a, 7b and 11.  Classifications	nds, from the source to the Colora  Physical and	Biological		Zinc ortions within the Ute Mounta	TVS ain Indian Reservatio	TVS n and except
or specific lis COSJLP08 Designation	tings in Segments 7a, 7b and 11.  Classifications  Agriculture	T	Biological DM	MWAT	Zinc ortions within the Ute Mounta N	TVS ain Indian Reservatio	TVS
or specific lis	tings in Segments 7a, 7b and 11.  Classifications  Agriculture  Aq Life Warm 2	T	Biological	MWAT WS-II	Zinc ortions within the Ute Mounta	TVS ain Indian Reservatio	TVS n and except
r specific lis OSJLP08 esignation	classifications Agriculture Aq Life Warm 2 Recreation E	Physical and Temperature °C	Biological DM	MWAT WS-II chronic	Zinc ortions within the Ute Mounta N	TVS ain Indian Reservation letals (ug/L) acute	TVS n and except chronic
or specific lis OSJLP08 esignation	tings in Segments 7a, 7b and 11.  Classifications  Agriculture  Aq Life Warm 2	Physical and	Biological  DM  WS-II	MWAT WS-II	Zinc ortions within the Ute Mounta  N  Aluminum	TVS ain Indian Reservation letals (ug/L) acute	TVS n and except chronic
or specific lise COSJLP08 resignation	classifications Agriculture Aq Life Warm 2 Recreation E	Physical and Temperature °C	Biological  DM  WS-II  acute	MWAT WS-II chronic	Zinc ortions within the Ute Mounta  N  Aluminum  Arsenic	TVS ain Indian Reservation letals (ug/L) acute 340	TVS n and except chronic
or specific lis COSJLP08 Designation	classifications Agriculture Aq Life Warm 2 Recreation E	Physical and Temperature °C  D.O. (mg/L)	Biological  DM  WS-II  acute	MWAT WS-II chronic 5.0	Zinc ortions within the Ute Mounta  N Aluminum Arsenic Arsenic(T)	TVS ain Indian Reservation letals (ug/L) acute 340	r and except  chronic  0.02-10 A
r specific lis OSJLP08 esignation P ualifiers:	classifications Agriculture Aq Life Warm 2 Recreation E Water Supply	Physical and Temperature °C  D.O. (mg/L) pH	Biological  DM  WS-II  acute   6.5 - 9.0	MWAT WS-II chronic 5.0	Zinc ortions within the Ute Mounta  N  Aluminum Arsenic Arsenic(T) Beryllium	TVS ain Indian Reservation letals (ug/L) acute 340	TVS n and except  chronic 0.02-10 A
or specific lis OSJLP08 esignation P ualifiers:	classifications Agriculture Aq Life Warm 2 Recreation E Water Supply  (mg/m²)(chronic) = applies only above	Physical and Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)	Biological  DM  WS-II  acute 6.5 - 9.0	MWAT WS-II chronic 5.0 150*	Zinc ortions within the Ute Mounta  N  Aluminum Arsenic Arsenic(T) Beryllium Cadmium	TVS ain Indian Reservation letals (ug/L) acute 340 TVS	chronic 0.02-10 A TVS
r specific lis OSJLP08 esignation P ualifiers: ther: chlorophyll a e facilities li	classifications Agriculture Aq Life Warm 2 Recreation E Water Supply  (mg/m²)(chronic) = applies only above sted at 34.5(5).	Physical and Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)	Biological  DM  WS-II  acute   6.5 - 9.0	MWAT WS-II chronic 5.0 150*	Zinc ortions within the Ute Mounta  N  Aluminum  Arsenic  Arsenic(T)  Beryllium  Cadmium  Cadmium(T)	TVS ain Indian Reservation letals (ug/L) acute 340 TVS 5.0	trvs chronic 0.02-10 f TVS
r specific lis OSJLP08 esignation P ualifiers: ther: chlorophyll a e facilities li	classifications Agriculture Aq Life Warm 2 Recreation E Water Supply  (mg/m²)(chronic) = applies only above sted at 34.5(5).	Physical and Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)	Biological  DM  WS-II  acute   6.5 - 9.0    ic (mg/L)	MWAT WS-II chronic 5.0 150* 126	Zinc ortions within the Ute Mounta  N  Aluminum  Arsenic  Arsenic(T)  Beryllium  Cadmium  Cadmium(T)  Chromium III	TVS ain Indian Reservation letals (ug/L) acute 340 TVS 5.0 TVS	thronic  chronic  0.02-10  TVS  TVS
r specific lis OSJLP08 esignation P ualifiers: ther: chlorophyll a e facilities li	classifications Agriculture Aq Life Warm 2 Recreation E Water Supply  (mg/m²)(chronic) = applies only above sted at 34.5(5).	Physical and Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)	Biological  DM  WS-II  acute  6.5 - 9.0  ic (mg/L)  acute	MWAT WS-II chronic 5.0 150* 126  chronic	Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III(T)	TVS ain Indian Reservation  letals (ug/L)  acute 340 TVS 5.0 TVS 50	trvs  chronic  0.02-10  Tvs  Tvs  Tvs
r specific lis OSJLP08 esignation P ualifiers: ther: chlorophyll a e facilities li	classifications Agriculture Aq Life Warm 2 Recreation E Water Supply  (mg/m²)(chronic) = applies only above sted at 34.5(5).	Physical and Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorgani	DM   WS-II   acute     6.5 - 9.0     ic (mg/L)   acute   TVS	MWAT WS-II chronic 5.0 150* 126  chronic TVS	Zinc ortions within the Ute Mounta  N  Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T)	TVS ain Indian Reservation  letals (ug/L)  acute 340 TVS 5.0 TVS 50 TVS	trys  chronic  0.02-10 f  TVS  TVS  TVS  TVS  TVS
r specific lis OSJLP08 esignation P ualifiers: ther: chlorophyll a e facilities li	classifications Agriculture Aq Life Warm 2 Recreation E Water Supply  (mg/m²)(chronic) = applies only above sted at 34.5(5).	Physical and Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorgani  Ammonia Boron	Biological  DM  WS-II  acute 6.5 - 9.0 ic (mg/L) acute TVS	MWAT WS-II chronic 5.0 150* 126  chronic TVS 0.75	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper	TVS ain Indian Reservation  letals (ug/L)  acute 340 TVS 5.0 TVS 50 TVS TVS TVS	tvs n and except  chronic 0.02-10 f tvs tvs tvs tvs tvs
r specific lis OSJLP08 esignation P ualifiers: ther: chlorophyll a e facilities li	classifications Agriculture Aq Life Warm 2 Recreation E Water Supply  (mg/m²)(chronic) = applies only above sted at 34.5(5).	Physical and Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorgani  Ammonia Boron Chloride Chlorine	Biological  DM  WS-II  acute 6.5 - 9.0 ic (mg/L)  acute  TVS 0.019	MWAT WS-II chronic 5.0 150* 126  chronic TVS 0.75 250 0.011	Zinc ortions within the Ute Mounta  Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron	TVS ain Indian Reservation  letals (ug/L)  acute 340 TVS 5.0 TVS 50 TVS TVS TVS	tvs n and except  chronic 0.02-10 A Tvs Tvs Tvs Vs Vs Vs Vs
r specific lis OSJLP08 esignation P ualifiers: ther: ther: therian e facilities li thosphorus(e	classifications Agriculture Aq Life Warm 2 Recreation E Water Supply  (mg/m²)(chronic) = applies only above sted at 34.5(5).	Physical and Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorgani  Ammonia Boron Chloride Chlorine Cyanide	Biological  DM  WS-II  acute 6.5 - 9.0 ic (mg/L) acute  TVS	MWAT WS-II chronic 5.0 150* 126  chronic TVS 0.75 250	Zinc ortions within the Ute Mounts  Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead	TVS ain Indian Reservation letals (ug/L)	TVS n and except  chronic 0.02-10 f TVS TVS TVS VS VS US VS US .
r specific lis OSJLP08 esignation P ualifiers: ther: chlorophyll a e facilities li chesphorus(c cilities listed	classifications Agriculture Aq Life Warm 2 Recreation E Water Supply  (mg/m²)(chronic) = applies only above sted at 34.5(5).	Physical and Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorgani  Ammonia Boron Chloride Chlorine Cyanide Nitrate	Biological  DM  WS-II  acute 6.5 - 9.0 ic (mg/L)  acute  TVS 0.019 0.005 10	MWAT WS-II chronic 5.0 150* 126  Chronic TVS 0.75 250 0.011	Zinc ortions within the Ute Mounts  Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T)	TVS ain Indian Reservation  letals (ug/L)  acute 340 TVS 5.0 TVS 50 TVS TVS TVS TVS TVS TVS	TVS n and except  chronic 0.02-10 f TVS TVS TVS TVS TVS TVS TVS US 1000 TVS
r specific lis OSJLP08 esignation P ualifiers: ther: hlorophyll a e facilities listed cilities listed	classifications Agriculture Aq Life Warm 2 Recreation E Water Supply  (mg/m²)(chronic) = applies only above sted at 34.5(5). chronic) = applies only above the lat-34.5(5).	Physical and Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorgani  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite	Biological  DM  WS-II  acute 6.5 - 9.0 ic (mg/L)  acute  TVS 0.019 0.005	MWAT WS-II chronic 5.0 150* 126  chronic TVS 0.75 250 0.011	Zinc ortions within the Ute Mounta  Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese	TVS ain Indian Reservation letals (ug/L)	TVS n and except  chronic 0.02-10 f TVS
r specific lis OSJLP08 esignation P ualifiers: ther: hlorophyll a e facilities listed EPA has specific	classifications Agriculture Aq Life Warm 2 Recreation E Water Supply  (mg/m²)(chronic) = applies only above sted at 34.5(5). chronic) = applies only above the lat 34.5(5).	Physical and Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorgani  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	Biological  DM  WS-II  acute 6.5 - 9.0 ic (mg/L)  acute  TVS 0.019 0.005 10 0.05	MWAT WS-II chronic 5.0 150* 126  chronic TVS 0.75 250 0.011 0.17*	Zinc ortions within the Ute Mountain Managanese Mountain Managarese  Arsenic Arsenic Arsenic Arsenic Arsenic Arsenic Managanese Mercury	TVS sin Indian Reservation  letals (ug/L)  acute 340 TVS 5.0 TVS 50 TVS TVS TVS 50 TVS TVS 50 TVS	TVS n and except  chronic 0.02-10 / TVS
r specific lis OSJLP08 esignation P ualifiers: ther: hlorophyll a e facilities listed EPA has specific numeric	classifications Agriculture Aq Life Warm 2 Recreation E Water Supply  (mg/m²)(chronic) = applies only above sted at 34.5(5). chronic) = applies only above the lat-34.5(5).	Physical and Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorgani  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	Biological  DM  WS-II  acute 6.5 - 9.0 ic (mg/L)  acute  TVS 0.019 0.005 10 0.05	MWAT WS-II chronic 5.0 150* 126  Chronic TVS 0.75 250 0.011 0.47* WS	Zinc ortions within the Ute Mountain Managanese Maluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T)	TVS sin Indian Reservation  letals (ug/L)  acute 340 TVS 5.0 TVS 50 TVS TVS TVS 50 TVS TVS TVS TVS	TVS n and except  chronic 0.02-10 / TVS TVS TVS TVS TVS TVS TVS TVS 1000 TVS TVS/WS 0.01(t)
r specific lis OSJLP08 esignation P ualifiers: ther: ther: therical effective side of the second sec	classifications Agriculture Aq Life Warm 2 Recreation E Water Supply  (mg/m²)(chronic) = applies only above sted at 34.5(5).  chronic) = applies only above the lat-34.5(5):  s not acted on segment-total phosphorus (TP) as standards based on	Physical and Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorgani  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	Biological  DM  WS-II  acute 6.5 - 9.0 ic (mg/L)  acute  TVS 0.019 0.005 10 0.05	MWAT WS-II chronic 5.0 150* 126  chronic TVS 0.75 250 0.011 0.17*	Zinc ortions within the Ute Mountain Manganese Marsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel	TVS ain Indian Reservation letals (ug/L)	TVS n and except  chronic 0.02-10 / TVS TVS TVS TVS WS 1000 TVS TVS/WS 0.01(t) 150 TVS
r specific lis OSJLP08 esignation P ualifiers: ther: ther: thorophyll a e facilities listed efacilities listed EPA has specific numerice the interestreams	classifications Agriculture Aq Life Warm 2 Recreation E Water Supply  (mg/m²)(chronic) = applies only above sted at 34.5(5).  shronic) = applies only above the lat-34.5(5):  s not acted on segment-total phosphorus (TP) estandards based on rim value for river/segments with a warm	Physical and Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorgani  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	Biological  DM  WS-II  acute 6.5 - 9.0 ic (mg/L)  acute  TVS 0.019 0.005 10 0.05	MWAT WS-II chronic 5.0 150* 126  Chronic TVS 0.75 250 0.011 0.47* WS	Zinc ortions within the Ute Mounts  Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T)	TVS ain Indian Reservation letals (ug/L)	TVS n and except  chronic 0.02-10 / TVS TVS TVS TVS WS 1000 TVS TVSWS 0.01(t) 150 TVS
r specific lis OSJLP08 esignation P ualifiers: ther: ther: therical interpolation of the specific of the interestream several actions and the specific of the interestream several actions and the interestream several actions are actions and actions are actions actions are ac	classifications Agriculture Aq Life Warm 2 Recreation E Water Supply  (mg/m²)(chronic) = applies only above sted at 34.5(5).  shronic) = applies only above the lat 34.5(5).  shronic) = applies only above the lat 34.5(5).	Physical and Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorgani  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	Biological  DM  WS-II  acute 6.5 - 9.0 ic (mg/L)  acute  TVS 0.019 0.005 10 0.05	MWAT WS-II chronic 5.0 150* 126  Chronic TVS 0.75 250 0.011 0.47* WS	Zinc ortions within the Ute Mounts  Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	TVS ain Indian Reservation letals (ug/L)  acute 340 TVS 5.0 TVS 50 TVS TVS TVS 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS	TVS n and except  chronic 0.02-10 / TVS TVS TVS TVS TVS TVS TVS US 1000 TVS TVS/WS 0.01(t) 150 TVS
esignation P ualifiers: ther: ther: therese is the facilities listed  EPA has specific numeric the interstream stream s	classifications Agriculture Aq Life Warm 2 Recreation E Water Supply  (mg/m²)(chronic) = applies only above sted at 34.5(5).  shronic) = applies only above the lat 34.5(5).  shronic) = applies only above the lat 34.5(5).	Physical and Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorgani  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	Biological  DM  WS-II  acute 6.5 - 9.0 ic (mg/L)  acute  TVS 0.019 0.005 10 0.05	MWAT WS-II chronic 5.0 150* 126  Chronic TVS 0.75 250 0.011 0.47* WS	Zinc ortions within the Ute Mounta  Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium Silver	TVS ain Indian Reservation  Ietals (ug/L)  acute 340 TVS 50 TVS 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS	TVS n and except  chronic 0.02-10 f TVS TVS TVS TVS TVS TVS S 1000 TVS TVSWS 0.01(t) 150 TVS 100 TVS TVS
esignation P  rualifiers:  chlorophyll a le facilities li l'hosphorus(e leilities listed)  EPA has specific under interestream stream stream swater according to the interestream stream substantial la lei facilities listed	classifications Agriculture Aq Life Warm 2 Recreation E Water Supply  (mg/m²)(chronic) = applies only above sted at 34.5(5).  shronic) = applies only above the lat 34.5(5).  shronic) = applies only above the lat 34.5(5).	Physical and Temperature °C  D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorgani  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	Biological  DM  WS-II  acute 6.5 - 9.0 ic (mg/L)  acute  TVS 0.019 0.005 10 0.05	MWAT WS-II chronic 5.0 150* 126  Chronic TVS 0.75 250 0.011 0.47* WS	Zinc ortions within the Ute Mounts  Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	TVS ain Indian Reservation letals (ug/L)  acute 340 TVS 5.0 TVS 50 TVS TVS TVS 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS	TVS n and except  chronic 0.02-10 f TVS TVS TVS TVS TVS TVS US 1000 TVS TVSWS 0.01(t) 150 TVS

All metals are dissolved unless otherwise noted. T = total recoverable

t = total tr=trout sc=sculpin D.O. = dissolved oxygen DM = daily maximum

COSJLP09	Classifications	Physical and E	Biological		M	etals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
UP	Aq Life Warm 2	Temperature °C	WS-III	WS-III	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
Qualifiers:		D.O. (mg/L)		5.0	Arsenic(T)		100
Other:		pН	6.5 - 9.0		Beryllium		
Temporary M	1odification(s):	chlorophyll a (mg/m²)		150*	Cadmium	TVS	TVS
' '	ch) = current conditions*	E. Coli (per 100 mL)		126	Chromium III	TVS	TVS
`	ate of 6/30/2021	Inorgani	(mg/L)		Chromium III(T)		100
*chlorophyll a	a (mg/m²)(chronic) = applies only above		acute	chronic	Chromium VI	TVS	TVS
the facilities l	isted at 34.5(5).	Ammonia	TVS	TVS	Copper	TVS	TVS
* <del>Phosphorus(</del> facilities listed	chronic) = applies only above the d at 34.5(5).	Boron		0.75	Iron(T)		1000
*TempMod: A	Ammonia = Adopted 8/14/2006	Chloride		250	Lead	TVS	TVS
EPΔ hs	as not acted on segment-	Chlorine	0.019	0.011	Manganese	TVS	TVS
	total phosphorus (TP)	Cyanide	0.005		Mercury		0.01(t)
1.1	c standards based on	Nitrate	100		Molybdenum(T)		150
1	erim value for river/	Nitrite	0.05		Nickel	TVS	TVS
	segments with a warm	Phosphorus		<del>0.17*</del>	Selenium	TVS	TVS
	equatic life classification	Sulfate		250	Silver	TVS	TVS
	ng/L TP).	Sulfide		0.002	Uranium		
(0.17 11	19/1-11/-				Zinc	TVS	TVS

10. All tributaries to the San Juan River in Montezuma Dolores and San Miguel Counties, including all wetlands, except for the specific listings in Segments 2 through 8c and Segments 10b and 11.

COSJLP10	Classifications	Physical and Biolo	ogical		Me	tals (ug/L)	•
Designation	Agriculture		DM	MWAT		acute	chronic
UP	Aq Life Warm 2	Temperature °C	WS-III	WS-III	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
Qualifiers:		D.O. (mg/L)		5.0	Arsenic(T)		7.6
Other:		pН	6.5 - 9.0		Beryllium		
	-	chlorophyll a (mg/m²)		150*	Beryllium(T)		100
	$(mg/m^2)(chronic) = applies only above sted at 34.5(5).$	E. Coli (per 100 mL)		126	Cadmium	TVS	TVS
	hronic) = applies only above the	Inorganic (n	ng/L)		Chromium III	TVS	TVS
iaciiiles iisleu	<del>at 34.5(5).</del>		acute	chronic	Chromium III(T)		100
		Ammonia	TVS	TVS	Chromium VI	TVS	TVS
		Boron		0.75	Copper	TVS	TVS
		Chloride			Iron(T)		1000
		Chlorine	0.019	0.011	Lead	TVS	TVS
		Cyanide	0.005		Manganese	TVS	TVS
		Nitrate	100		Mercury		0.01(t)
		Nitrite			Molybdenum(T)		150
		Phosphorus		<del>0.17*</del>	Nickel	TVS	TVS
		Sulfate			Selenium	TVS	TVS
		Sulfide		0.002	Silver	TVS	TVS
					Uranium		
					Zinc	TVS	TVS

	nep, Puett and Totten Reservoirs.	_					
COSJLP11	Classifications	Physical and	Biological		Ме	etals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Warm 1	Temperature °C	WL	WL	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		5.0	Arsenic(T)		0.02
Qualifiers:		pН	6.5 - 9.0		Beryllium		
Other:		chlorophyll a (ug/L)		20*	Cadmium	TVS	TVS
*-111-11	/ - /// /	E. Coli (per 100 mL)		126	Cadmium(T)	5.0	
and reservoirs	(ug/L)(chronic) = applies only to lakes larger than 25 acres surface area.	Inorgani	ic (mg/L)		Chromium III		TVS
	hronic) = applies only to lakes and per than 25 acres surface area.		acute	chronic	Chromium III(T)	50	
reserveirs larg	ger than 20 dores surface area.	Ammonia	TVS	TVS	Chromium VI	TVS	TVS
		Boron		0.75	Copper	TVS	TVS
		Chloride		250	Iron		WS
		Chlorine	0.019	0.011	Iron(T)		1000
		Cyanide	0.005		Lead	TVS	TVS
		Nitrate	10		Lead(T)	50	
		Nitrite	0.5		Manganese	TVS	TVS/WS
EDAL		Phosphorus		0.083*	Mercury		0.01(t)
	is not acted on segment-	Sulfate		WS	Molybdenum(T)		150
1 1 1	total phosphorus (TP)	Sulfide		0.002	Nickel	TVS	TVS
	standards based on				Nickel(T)		100
	rim value for lake/				Selenium	TVS	TVS
	ir segments with a cold				Silver	TVS	TVS
	quatic life classification				Uranium		
(0.083  r)	mg/L TP).				Zinc	TVS	TVS
12. All lakes a	nd reconneire tributery to the Le Diete F						
	no reservoirs urbulary lo life la Piala r	River from the source to the Hav G	Sulch diversion south	n of Hesperus	S.		
COSJLP12	Classifications	River from the source to the Hay G  Physical and		n of Hesperus		etals (ug/L)	
	· ·	1		n of Hesperus		etals (ug/L)	chronic
COSJLP12	Classifications	1	Biological	·			chronic 
COSJLP12 Designation	Classifications Agriculture	Physical and	Biological DM	MWAT	М	acute	
COSJLP12 Designation	Classifications Agriculture Aq Life Cold 1	Physical and	Biological  DM  CL	MWAT CL	Aluminum	acute	
COSJLP12 Designation	Classifications Agriculture Aq Life Cold 1 Recreation E	Physical and Temperature °C	Biological  DM  CL  acute	MWAT CL chronic	Aluminum Arsenic	acute  340	
COSJLP12 Designation Reviewable Qualifiers:	Classifications Agriculture Aq Life Cold 1 Recreation E	Physical and Temperature °C  D.O. (mg/L)	Biological  DM  CL  acute	MWAT CL chronic 6.0	Aluminum Arsenic Arsenic(T)	acute  340 	0.02
COSJLP12 Designation Reviewable Qualifiers: Other:	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Physical and  Temperature °C  D.O. (mg/L)  D.O. (spawning)	Biological  DM  CL  acute	MWAT CL chronic 6.0 7.0	Aluminum Arsenic Arsenic(T) Beryllium	acute  340 	  0.02 
COSJLP12 Designation Reviewable  Qualifiers: Other: Temporary Mo	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Physical and  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH	Biological  DM  CL  acute   6.5 - 9.0	MWAT CL chronic 6.0 7.0	Aluminum Arsenic Arsenic(T) Beryllium Cadmium	acute  340   TVS	 0.02  TVS
COSJLP12 Designation Reviewable  Qualifiers: Other: Temporary Mo Arsenic(chronic	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  odification(s): c) = hybrid	Physical and  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (ug/L)	Biological  DM CL acute 6.5 - 9.0	MWAT CL chronic 6.0 7.0 8*	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T)	acute 340 TVS 5.0	0.02  TVS
COSJLP12 Designation Reviewable  Qualifiers: Other: Temporary Mo Arsenic(chronic	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  odification(s): c) = hybrid e of 12/31/2024	Physical and  Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)	Biological  DM  CL  acute   6.5 - 9.0	MWAT CL chronic 6.0 7.0 8*	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T)	acute 340 TVS 5.0 50	0.02 TVS TVS
COSJLP12 Designation Reviewable  Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date *chlorophyll a	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  odification(s): c) = hybrid e of 12/31/2024 (ug/L)(chronic) = applies only to lakes	Physical and  Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)	Biological  DM  CL  acute 6.5 - 9.0 ic (mg/L)	MWAT CL chronic 6.0 7.0 8* 126	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T)	acute 340 TVS 5.0 50 TVS	0.02 TVS TVS TVS
COSJLP12 Designation Reviewable  Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date *chlorophyll a and reservoirs *Phosphorus(cl	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  odification(s): c) = hybrid e of 12/31/2024  (ug/L)(chronic) = applies only to lakes alarger than 25 acres surface area. hronic) = applies only to lakes and	Physical and  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (ug/L)  E. Coli (per 100 mL)	Biological  DM  CL  acute 6.5 - 9.0 ic (mg/L)  acute	MWAT CL chronic 6.0 7.0 8* 126	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper	acute 340 TVS 5.0 50 TVS TVS	0.02 TVS TVS TVS TVS TVS
COSJLP12 Designation Reviewable  Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date *chlorophyll a and reservoirs *Phosphorus(cl	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  odification(s): c) = hybrid e of 12/31/2024  (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area.	Physical and  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (ug/L)  E. Coli (per 100 mL)  Inorgani  Ammonia	Biological  DM CL acute 6.5 - 9.0 ic (mg/L) acute TVS	MWAT CL chronic 6.0 7.0 8* 126  chronic TVS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper	acute 340 TVS 5.0 50 TVS TVS	0.02 TVS TVS TVS TVS WS
COSJLP12 Designation Reviewable  Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date *chlorophyll a and reservoirs *Phosphorus(cl	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  odification(s): c) = hybrid e of 12/31/2024  (ug/L)(chronic) = applies only to lakes alarger than 25 acres surface area. hronic) = applies only to lakes and	Physical and  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (ug/L)  E. Coli (per 100 mL)  Inorgani  Ammonia  Boron	Biological  DM CL acute 6.5 - 9.0 cic (mg/L) acute TVS	MWAT CL chronic 6.0 7.0 8* 126  chronic TVS 0.75	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T)	acute 340 TVS 5.0 50 TVS TVS	0.02 TVS TVS TVS WS 1000
COSJLP12 Designation Reviewable  Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date *chlorophyll a and reservoirs *Phosphorus(cl	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  odification(s): c) = hybrid e of 12/31/2024  (ug/L)(chronic) = applies only to lakes alarger than 25 acres surface area. hronic) = applies only to lakes and	Physical and  Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  Inorgani  Ammonia Boron Chloride	Biological  DM CL acute 6.5 - 9.0 ic (mg/L) acute TVS	MWAT CL chronic 6.0 7.0 8* 126  chronic TVS 0.75 250	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead	acute 340 TVS 5.0 50 TVS TVS TVS TVS	0.02 TVS TVS TVS TVS WS
COSJLP12 Designation Reviewable  Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date *chlorophyll a and reservoirs *Phosphorus(cl	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  odification(s): c) = hybrid e of 12/31/2024  (ug/L)(chronic) = applies only to lakes alarger than 25 acres surface area. hronic) = applies only to lakes and	Physical and  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (ug/L)  E. Coli (per 100 mL)  Inorgani  Ammonia  Boron  Chloride  Chlorine	Biological  DM  CL  acute 6.5 - 9.0 ic (mg/L)  acute  TVS 0.019	MWAT CL chronic 6.0 7.0 8* 126  chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T)	acute 340 TVS 5.0 50 TVS TVS TVS 50	0.02 TVS
COSJLP12 Designation Reviewable  Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date *chlorophyll a and reservoirs *Phosphorus(cl	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  odification(s): c) = hybrid e of 12/31/2024  (ug/L)(chronic) = applies only to lakes alarger than 25 acres surface area. hronic) = applies only to lakes and	Physical and  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (ug/L)  E. Coli (per 100 mL)  Inorgani  Ammonia  Boron  Chloride  Chlorine  Cyanide	Biological  DM  CL  acute 6.5 - 9.0 ic (mg/L)  acute  TVS 0.019 0.005	MWAT CL chronic 6.0 7.0 8* 126  chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS	0.02 TVS TVS TVS TVS WS 1000 TVS TVS/WS
COSJLP12 Designation Reviewable  Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date *chlorophyll a and reservoirs *Phosphorus(cl	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  odification(s): c) = hybrid e of 12/31/2024  (ug/L)(chronic) = applies only to lakes alarger than 25 acres surface area. hronic) = applies only to lakes and	Physical and  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (ug/L)  E. Coli (per 100 mL)  Inorgani  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate	Biological  DM CL acute 6.5 - 9.0 ic (mg/L) acute TVS 0.019 0.005 10	MWAT CL chronic 6.0 7.0 8* 126  chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS	0.02 TVS TVS TVS WS 1000 TVS TVS/WS 0.01(t)
COSJLP12 Designation Reviewable  Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date *chlorophyll a and reservoirs *Phosphorus(cl	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  odification(s): c) = hybrid e of 12/31/2024  (ug/L)(chronic) = applies only to lakes alarger than 25 acres surface area. hronic) = applies only to lakes and	Physical and  Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  Inorgani  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite	Biological  DM CL acute 6.5 - 9.0 ic (mg/L)  acute TVS 0.019 0.005 10 0.05	MWAT CL chronic 6.0 7.0 8* 126  chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T)	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS TVS	0.02 TVS TVS TVS WS 1000 TVS TVS/WS 0.01(t)
COSJLP12 Designation Reviewable  Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date *chlorophyll a and reservoirs *Phosphorus(cl	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  odification(s): c) = hybrid e of 12/31/2024  (ug/L)(chronic) = applies only to lakes alarger than 25 acres surface area. hronic) = applies only to lakes and	Physical and  Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  Inorgani  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	Biological  DM CL acute 6.5 - 9.0 ic (mg/L) acute TVS 0.019 0.005 10 0.05	MWAT CL chronic 6.0 7.0 8* 126  chronic TVS 0.75 250 0.011 0.025*	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS	0.02 TVS TVS TVS TVS TVS TVS S 1000 TVS TVS/WS 0.01(t) 150 TVS
COSJLP12 Designation Reviewable  Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date *chlorophyll a and reservoirs *Phosphorus(cl	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  odification(s): c) = hybrid e of 12/31/2024  (ug/L)(chronic) = applies only to lakes alarger than 25 acres surface area. hronic) = applies only to lakes and	Physical and  Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  Inorgani  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	Biological  DM CL acute 6.5 - 9.0 ic (mg/L)  acute TVS 0.019 0.005 10 0.05	MWAT CL chronic 6.0 7.0 8* 126  chronic TVS 0.75 250 0.011 0.025* WS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T)	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS	0.02 TVS TVS TVS WS 1000 TVS TVS/WS 0.01(t) 150 TVS
COSJLP12 Designation Reviewable  Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date *chlorophyll a and reservoirs *Phosphorus(cl	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  odification(s): c) = hybrid e of 12/31/2024  (ug/L)(chronic) = applies only to lakes alarger than 25 acres surface area. hronic) = applies only to lakes and	Physical and  Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  Inorgani  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	Biological  DM CL acute 6.5 - 9.0 ic (mg/L) acute TVS 0.019 0.005 10 0.05	MWAT CL chronic 6.0 7.0 8* 126  chronic TVS 0.75 250 0.011 0.025*	Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS TVS	0.02 TVS TVS TVS WS 1000 TVS TVS/WS 0.01(t) 150 TVS 1000 TVS
COSJLP12 Designation Reviewable  Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date *chlorophyll a and reservoirs *Phosphorus(cl	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  odification(s): c) = hybrid e of 12/31/2024  (ug/L)(chronic) = applies only to lakes alarger than 25 acres surface area. hronic) = applies only to lakes and	Physical and  Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  Inorgani  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	Biological  DM CL acute 6.5 - 9.0 10 (mg/L) acute TVS 0.019 0.005 10 0.05	MWAT CL chronic 6.0 7.0 8* 126  chronic TVS 0.75 250 0.011 0.025* WS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium Silver	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS	0.02 TVS TVS TVS WS 1000 TVS TVS/WS 0.01(t) 150 TVS 1000 TVS TVS TVS TVS
COSJLP12 Designation Reviewable  Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date *chlorophyll a and reservoirs *Phosphorus(cl	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  odification(s): c) = hybrid e of 12/31/2024  (ug/L)(chronic) = applies only to lakes alarger than 25 acres surface area. hronic) = applies only to lakes and	Physical and  Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  Inorgani  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	Biological  DM CL acute 6.5 - 9.0 10 (mg/L) acute TVS 0.019 0.005 10 0.05	MWAT CL chronic 6.0 7.0 8* 126  chronic TVS 0.75 250 0.011 0.025* WS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS TVS	0.02 TVS TVS TVS WS 1000 TVS TVS/WS 0.01(t) 150 TVS 1000 TVS

All metals are dissolved unless otherwise noted.

T = total recoverable

t = total tr=trout sc=sculpin D.O. = dissolved oxygen DM = daily maximum

COSJLP13	Classifications	Physical and E	Biological		ı	Vietals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
JP	Aq Life Warm 2	Temperature °C	WL	WL	Aluminum		
	Recreation P		acute	chronic	Arsenic	340	
Qualifiers:		D.O. (mg/L)		5.0	Arsenic(T)		100
ther:		pH	6.5 - 9.0		Beryllium		
		chlorophyll a (ug/L)		20*	Cadmium	TVS	TVS
	(ug/L)(chronic) = applies only to lakes slarger than 25 acres surface area.	E. Coli (per 100 mL)		205	Chromium III	TVS	TVS
Phosphorus(c	chronic) = applies only to lakes and ger than 25 acres surface area.	Inorganio	(mg/L)		Chromium III(T)		100
<del>aservoirs rar</del> ę	ger than 25 acres surface area.		acute	chronic	Chromium VI	TVS	TVS
		Ammonia	TVS	TVS	Copper	TVS	TVS
		Boron		0.75	Iron(T)		1000
		Chloride			Lead	TVS	TVS
FPA ha	as not acted on segment-	Chlorine	0.019	0.011	Manganese	TVS	TVS
	total phosphorus (TP)	Cyanide	0.005		Mercury		0.01(t)
1.1	c standards based on	Nitrate	100		Molybdenum(T)		150
1 1	erim value for lake/	Nitrite	0.05		Nickel	TVS	TVS
	oir segments with a cold	Phosphorus		0.083*	Selenium	TVS	TVS
l	iquatic life classification	Sulfate			Silver	TVS	TVS
1	mg/L TP).	Sulfide		0.002	Uranium		
(5.500	9, = /.				Zinc	TVS	TVS

14. All lakes and reservoirs tributary to the La Plata River from the boundary of the Southern Ute Indian Reservation to the Colorado/New Mexico border. The segment includes Mormon Reservoir (a.k.a. Red Mesa Ward Reservoir) and Long Hollow Reservoir (a.k.a. Bobby K. Taylor Reservoir).

COSJLP14	Classifications	Physical and Biolo	gical		M	etals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
UP	Aq Life Warm 2	Temperature °C	WL	WL	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
Qualifiers:		D.O. (mg/L)		5.0	Arsenic(T)		7.6
Fish Ingestio	n	pH	6.5 - 9.0		Beryllium		
Other:		chlorophyll a (ug/L)		20*	Cadmium	TVS	TVS
		E. Coli (per 100 mL)		126	Chromium III	TVS	TVS
	Indian Reservation	Inorganic (m	g/L)		Chromium III(T)		100
and reservoirs	(ug/L)(chronic) = applies only to lakes slarger than 25 acres surface area.		acute	chronic	Chromium VI	TVS	TVS
	hronic) = applies only to lakes and ger than 25 acres surface area.	Ammonia	TVS	TVS	Copper	TVS	TVS
reservoirs rary	ger than 20 dores surface area.	Boron		0.75	Iron(T)		1000
		Chloride			Lead	TVS	TVS
		Chlorine	0.019	0.011	Manganese	TVS	TVS
		Cyanide	0.005		Mercury		0.01(t)
		Nitrate	100		Molybdenum(T)		150
		Nitrite	0.05		Nickel	TVS	TVS
		Phosphorus		0.083*	Selenium	TVS	TVS
		Sulfate			Silver	TVS	TVS
		Sulfide		0.002	Uranium		
					Zinc	TVS	TVS

15. All lakes and reservoirs tributary to the Mancos River from the source of the East, West and Middle Forks to Hwy 160, except for the specific listing in Segment 4b. This segment includes Weber Reservoir, Bauer Lake, Little Bauer Reservoir, Hackley Reservoir, Joe Moore Reservoir, and Coppinger Reservoir. COSJI P15 Physical and Biological Metals (ug/L) Classifications Designation Agriculture DM MWAT acute chronic Reviewable Aq Life Cold 1 Temperature °C CL CL Aluminum Recreation E 5/1 - 10/31 acute chronic Arsenic 340 Recreation N 11/1 - 4/30 D.O. (mg/L) 6.0 Arsenic(T) 0.02 Water Supply D.O. (spawning) 7.0 Beryllium Qualifiers: рΗ 6.5 - 9.0 Cadmium TVS TVS Other: chlorophyll a (ug/L) 8\* Cadmium(T) 5.0 E. Coli (per 100 mL) 11/1 - 4/30 630 Chromium III TVS \*chlorophyll a (ug/L)(chronic) = applies only to lakes E. Coli (per 100 mL) 5/1 - 10/31 126 Chromium III(T) 50 --and reservoirs larger than 25 acres surface area. \*Phosphorus(chronic) = applies only to lakes and Inorganic (mg/L) Chromium VI TVS TVS reservoirs larger than 25 acres surface area. TVS TVS chronic Copper acute WS Ammonia TVS TVS Iron 1000 Boron 0.75 Iron(T) TVS TVS Chloride 250 Chlorine 0.019 0.011 Lead(T) 50 TVS/WS 0.005 Manganese TVS Cyanide Nitrate 10 Mercury 0.01(t) Nitrite 0.05 Molybdenum(T) 150 ---Phosphorus 0.025\* Nickel TVS TVS 100 Nickel(T) Sulfate WS Sulfide Selenium **TVS** TVS 0.002 Silver TVS TVS(tr) Uranium TVS TVS 16. All lakes and reservoirs tributary to the Mancos River, from Hwy 160 to the boundary of the Ute Mountain Indian Reservation. COSJLP16 Physical and Biological Metals (ug/L) Classifications Designation DM **MWAT** Agriculture acute chronic Reviewable Ag Life Warm 2 Temperature °C WI WL Aluminum 11/1 - 4/30 Recreation N acute chronic 340 Arsenic Recreation P 5/1 - 10/31 100 D.O. (mg/L) 5.0 Arsenic(T) Qualifiers: рΗ 6.5 - 9.0Beryllium ------Other: chlorophyll a (ug/L) Cadmium TVS TVS E. Coli (per 100 mL) 5/1 - 10/31 ---205 Chromium III TVS TVS \*chlorophyll a (ug/L)(chronic) = applies only to lakes E. Coli (per 100 mL) 11/1 - 4/30 630 Chromium III(T) 100 and reservoirs larger than 25 acres surface area. \*Phosphorus(chronic) = applies only to lakes and Chromium VI TVS TVS reservoirs larger than 25 acres surface area. Inorganic (mg/L) Copper **TVS TVS** chronic Iron(T) 1000 acute Lead TVS TVS Ammonia **TVS TVS** Manganese TVS TVS Boron 0.75 0.01(t) EPA has not acted on segment-Chloride Mercury Molybdenum(T) specific total phosphorus (TP) Chlorine 0.019 0.011 150 numeric standards based on 0.005 Nickel **TVS TVS** Cyanide the interim value for lake/ Nitrate 100 Selenium TVS TVS --reservoir segments with a cold TVS TVS Silver Nitrite 0.05 water aquatic life classification Phosphorus Uranium 0.083 (0.083 mg/L TP). Zinc **TVS TVS** Sulfate Sulfide 0.002

17. All lakes a	and reservoirs tributary to the San Juan	River in Montezuma Dolores and	Sair Miguel Courille	s except for t	the specific listings in Segri	ients 40, ii through 16	, io and is.
COSJLP17	Classifications	Physical and I	Biological			Metals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Warm 2	Temperature °C	WL	WL	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
Qualifiers:		D.O. (mg/L)		5.0	Arsenic(T)		7.6
Other:		pН	6.5 - 9.0		Beryllium		
		chlorophyll a (ug/L)		20*	Beryllium(T)		100
*chlorophyll a	(ug/L)(chronic) = applies only to lakes slarger than 25 acres surface area.	E. Coli (per 100 mL)		126	Cadmium	TVS	TVS
*Phosphorus(c	hronic) = applies only above the	Inorgani	c (mg/L)		Chromium III	TVS	TVS
	at 34.5(5), applies only to lakes and ger than 25 acres surface area.		acute	chronic	Chromium III(T)		100
	,	Ammonia	TVS	TVS	Chromium VI	TVS	TVS
		Boron		0.75	Copper	TVS	TVS
		Chloride			Iron(T)		1000
		Chlorine	0.019	0.011	Lead	TVS	TVS
FPA has	s not acted on segment-	Cyanide	0.005		Manganese	TVS	TVS
	total phosphorus (TP)	Nitrate	100		Mercury		0.01(t)
1. 1	standards based on	Nitrite			Molybdenum(T)		150
	im value for lake/	Phosphorus		0.083*	Nickel	TVS	TVS
	r segments with a cold	Sulfate			Selenium	TVS	TVS
1	quatic life classification	Sulfide		0.002	Silver	TVS	TVS
1	ng/L TP).	Sunide		0.002	Uranium		
(0.000 11	19,2 11 ):				Zinc	TVS	TVS
18 All lakes a	and reservoirs tributary to Yellow Jacket	Creek from the source to the con	fluence with McElm	no Creek			
COSJLP18	Classifications	Physical and I					
			Jiologicai			Metals (ug/L)	
Designation	Agriculture	,	DM	MWAT		Metals (ug/L) acute	chronic
	Agriculture Aq Life Warm 1	Temperature °C		<b>MWAT</b> WL	Aluminum		chronic
<b>Designation</b> Reviewable	· ·	·	DM			acute	
	Aq Life Warm 1	·	<b>DM</b> WL	WL	Aluminum	acute	
Reviewable  Qualifiers:	Aq Life Warm 1	Temperature °C	DM WL acute	WL	Aluminum Arsenic	acute 340	
Reviewable	Aq Life Warm 1	Temperature °C  D.O. (mg/L)	DM WL acute	WL chronic 5.0	Aluminum Arsenic Arsenic(T)	acute  340 	  7.6
Reviewable  Qualifiers:  Other:  *chlorophyll a	Aq Life Warm 1 Recreation E  (ug/L)(chronic) = applies only to lakes	Temperature °C  D.O. (mg/L) pH chlorophyll a (ug/L)	DM WL acute  6.5 - 9.0	chronic 5.0	Aluminum Arsenic Arsenic(T) Beryllium	acute 340	  7.6 
Reviewable  Qualifiers:  Other:  *chlorophyll a and reservoirs	Aq Life Warm 1 Recreation E	Temperature °C  D.O. (mg/L) pH chlorophyll a (ug/L) E. Coli (per 100 mL)	DM WL acute  6.5 - 9.0 	WL chronic 5.0  20*	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III	acute 340 TVS	 7.6  TVS
Reviewable  Qualifiers:  Other:  *chlorophyll a and reservoirs *Phosphorus(e)	Aq Life Warm 1 Recreation E  (ug/L)(chronic) = applies only to lakes a larger than 25 acres surface area.	Temperature °C  D.O. (mg/L) pH chlorophyll a (ug/L)	DM WL acute  6.5 - 9.0 	WL chronic 5.0  20*	Aluminum Arsenic Arsenic(T) Beryllium Cadmium	acute 340 TVS TVS	7.6  TVS
Reviewable  Qualifiers:  Other:  *chlorophyll a and reservoirs *Phosphorus(e)	Aq Life Warm 1 Recreation E  (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area. hronie) = applies only to lakes and	Temperature °C  D.O. (mg/L) pH chlorophyll a (ug/L) E. Coli (per 100 mL)	DM WL acute  6.5 - 9.0   c (mg/L) acute	WL chronic 5.0 20* 126 chronic	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III(T)	acute 340 TVS TVS TVS	TVS TVS 100 TVS
Reviewable  Qualifiers:  Other:  *chlorophyll a and reservoirs *Phosphorus(e)	Aq Life Warm 1 Recreation E  (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area. hronie) = applies only to lakes and	Temperature °C  D.O. (mg/L) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorgani	DM WL acute  6.5 - 9.0  	WL chronic 5.0 20* 126  chronic TVS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium IIII(T) Chromium VI Copper	acute 340 TVS TVS	TVS TVS 100 TVS TVS
Reviewable  Qualifiers:  Other:  'chlorophyll a and reservoirs  Phosphorus(e)	Aq Life Warm 1 Recreation E  (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area. hronie) = applies only to lakes and	Temperature °C  D.O. (mg/L) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  Inorgani  Ammonia Boron	DM WL acute 6.5 - 9.0 c (mg/L) acute TVS	WL chronic 5.0 20* 126 chronic	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T)	acute 340 TVS TVS TVS TVS	7.6 TVS TVS 100 TVS TVS 2200
Reviewable  Qualifiers:  Other:  'chlorophyll a and reservoirs  Phosphorus(e)	Aq Life Warm 1 Recreation E  (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area. hronie) = applies only to lakes and	Temperature °C  D.O. (mg/L) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  Inorgani  Ammonia Boron Chloride	DM WL acute 6.5 - 9.0 c (mg/L) acute TVS	WL chronic 5.0 20* 126  chronic TVS 0.75	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead	acute 340 TVS TVS TVS TVS TVS TVS TVS TVS	TVS TVS 100 TVS TVS 2200 TVS
Reviewable  Qualifiers:  Other:  'chlorophyll a and reservoirs'  Phosphorus(e)	Aq Life Warm 1 Recreation E  (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area. hronie) = applies only to lakes and	Temperature °C  D.O. (mg/L) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorgani  Ammonia Boron Chloride Chlorine	DM WL acute 6.5 - 9.0 c (mg/L) acute TVS 0.019	WL chronic 5.0 20* 126  chronic TVS 0.75	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese	acute 340 TVS TVS TVS TVS	TVS TVS 100 TVS TVS 2200 TVS TVS
Reviewable  Qualifiers:  Other:  'chlorophyll a and reservoirs  Phosphorus(e)	Aq Life Warm 1 Recreation E  (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area. hronie) = applies only to lakes and	Temperature °C  D.O. (mg/L) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  Inorgani  Ammonia Boron Chloride Chlorine Cyanide	DM WL acute 6.5 - 9.0 c (mg/L) acute TVS 0.019 0.005	WL chronic 5.0 20* 126  chronic TVS 0.75 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury	acute 340 TVS	TVS TVS TVS TVS TVS TVS TVS TVS TVS 2200 TVS TVS 0.01(t)
Reviewable  Qualifiers:  Other:  'chlorophyll a and reservoirs'  Phosphorus(e)	Aq Life Warm 1 Recreation E  (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area. hronie) = applies only to lakes and	Temperature °C  D.O. (mg/L) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  Inorgani  Ammonia Boron Chloride Chlorine Cyanide Nitrate	DM WL acute 6.5 - 9.0 c (mg/L) acute TVS 0.019 0.005 100	WL chronic 5.0 20* 126  chronic TVS 0.75 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T)	acute 340 TVS	TVS TVS 100 TVS TVS 2200 TVS TVS 0.01(t)
Reviewable  Qualifiers:  Other:  'chlorophyll a and reservoirs  Phosphorus(e)	Aq Life Warm 1 Recreation E  (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area. hronie) = applies only to lakes and	Temperature °C  D.O. (mg/L) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  Inorgani  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite	DM WL acute 6.5 - 9.0 c (mg/L) acute TVS 0.019 0.005	WL chronic 5.0 20* 126  chronic TVS 0.75 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel	acute 340 TVS	TVS TVS TVS TVS TVS TVS 2200 TVS TVS 0.01(t) T50 TVS
Reviewable  Qualifiers:  Other:  'chlorophyll a and reservoirs  Phosphorus(e)	Aq Life Warm 1 Recreation E  (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area. hronie) = applies only to lakes and	Temperature °C  D.O. (mg/L) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  Inorgani  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	DM WL acute 6.5 - 9.0 c (mg/L) acute TVS 0.019 0.005 100 0.05	wL chronic 5.0 20* 126  chronic TVS 0.75 0.011 0.083*	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel Selenium	acute 340 TVS	TVS TVS TVS TVS TVS 2200 TVS TVS 0.01(t) TVS TVS
Reviewable  Qualifiers:  Other:  *chlorophyll a and reservoirs *Phosphorus(e)	Aq Life Warm 1 Recreation E  (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area. hronie) = applies only to lakes and	Temperature °C  D.O. (mg/L) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  Inorgani  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	DM WL acute 6.5 - 9.0 c (mg/L) acute TVS 0.019 0.005 100 0.05	WL chronic 5.0 20* 126  chronic TVS 0.75 0.011 0.083*	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel Selenium Silver	acute 340 TVS	TVS
Reviewable  Qualifiers:  Other:  *chlorophyll a and reservoirs *Phosphorus(e)	Aq Life Warm 1 Recreation E  (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area. hronie) = applies only to lakes and	Temperature °C  D.O. (mg/L) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  Inorgani  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	DM WL acute 6.5 - 9.0 c (mg/L) acute TVS 0.019 0.005 100 0.05	wL chronic 5.0 20* 126  chronic TVS 0.75 0.011 0.083*	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel Selenium	acute 340 TVS	TVS TVS TVS TVS TVS 2200 TVS TVS 0.01(t) TVS TVS

sc=sculpin

D.O. = dissolved oxygen

COSJLP19	Classifications	Physical and	Biological		Metals (ug/L)		
Designation	Agriculture		DM	MWAT		acute	chronic
JP	Aq Life Warm 2	Temperature °C	WL	WL	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
Qualifiers:		D.O. (mg/L)		5.0	Arsenic(T)		7.6
ish Ingestic	on	рН	6.5 - 9.0		Beryllium		
Other:		chlorophyll a (ug/L)		20*	Cadmium	TVS	TVS
		E. Coli (per 100 mL)		126	Chromium III	TVS	TVS
	a (ug/L)(chronic) = applies only to lakes s larger than 25 acres surface area.	Inorgan	ic (mg/L)		Chromium III(T)		100
	chronic) = applies only to lakes and		acute	chronic	Chromium VI	TVS	TVS
CSCI VOITS TAI	ger than 25 acres surface area.	Ammonia	TVS	TVS	Copper	TVS	TVS
		Boron		0.75	Iron(T)		1000
		Chloride			Lead	TVS	TVS
EPA ha	as not acted on segment-	Chlorine	0.019	0.011	Manganese	TVS	TVS
specific	total phosphorus (TP)	Cyanide	0.005		Mercury		0.01(t)
numeri	c standards based on	Nitrate	100		Molybdenum(T)		150
the inte	rim value for lake/	Nitrite	0.05		Nickel	TVS	TVS
reservo	oir segments with a cold	Phosphorus		0.083*	Selenium	TVS	TVS
water a	quatic life classification	Sulfate			Silver	TVS	TVS
(0.083	mg/L TP).	Sulfide		0.002	Uranium		
					Zinc	TVS	TVS

	s to the Dolores River and West Dolo	es river, including an wellands, th	batarroo, writorr are	widili die Li			
COSJDO01	Classifications	Physical and E	Biological		M	etals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
OW	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02
Qualifiers:		D.O. (spawning)		7.0	Beryllium		
Other:		pH	6.5 - 9.0		Cadmium	TVS	TVS
Temporary Mo	odification(s):	chlorophyll a (mg/m²)		150	Cadmium(T)	5.0	
Arsenic(chronic	c) = hybrid	E. Coli (per 100 mL)		126	Chromium III		TVS
Expiration Date	e of 12/31/2024				Chromium III(T)	50	
		Inorgani	(mg/L)		Chromium VI	TVS	TVS
			acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron		WS
		Boron		0.75	Iron(T)		1000
		Chloride		250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	
EDA bo	s not acted on segment-	Cyanide	0.005		Manganese	TVS	TVS/WS
	total phosphorus (TP)	Nitrate	10		Mercury		0.01(t)
	standards based on	Nitrite	0.05		Molybdenum(T)		150
	rim value for river/	Phosphorus		0.11	Nickel	TVS	TVS
	segments with a cold	Sulfate		WS	Nickel(T)		100
	quatic life classification	Sulfide		0.002	Selenium	TVS	TVS
					Silver	TVS	TVS(tr)
(0.11111	g/L TP).				Uranium		
					Zinc	TVS	TVS(sc)
2. Mainstem o	of the Dolores River from the source to	a point immediately above the con-	fluence with Horse	Creek.			
COSJDO02	Classifications	Physical and E	Biological		M	etals (ug/L)	
Designation							
	Agriculture		DM	MWAT		acute	chronic
Reviewable	Agriculture Aq Life Cold 1	Temperature °C	CS-I	MWAT CS-I	Aluminum	acute	chronic
	· ·	Temperature °C			Aluminum Arsenic		
	Aq Life Cold 1	Temperature °C  D.O. (mg/L)	CS-I	CS-I			
	Aq Life Cold 1 Recreation E		CS-I acute	CS-I chronic	Arsenic	 340	
Reviewable	Aq Life Cold 1 Recreation E	D.O. (mg/L)	CS-I acute	CS-I chronic 6.0	Arsenic Arsenic(T)	 340 	  0.02
Reviewable  Qualifiers:  Other:	Aq Life Cold 1 Recreation E Water Supply	D.O. (mg/L) D.O. (spawning)	CS-I acute 	CS-I chronic 6.0 7.0	Arsenic Arsenic(T) Beryllium	 340 	  0.02 
Reviewable  Qualifiers: Other: Temporary Mo	Aq Life Cold 1 Recreation E Water Supply  odification(s):	D.O. (mg/L) D.O. (spawning) pH	CS-I acute   6.5 - 9.0	CS-I chronic 6.0 7.0	Arsenic Arsenic(T) Beryllium Cadmium	 340   TVS	0.02  TVS
Qualifiers: Other: Temporary Mo	Aq Life Cold 1 Recreation E Water Supply  odification(s):	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²)	CS-I acute   6.5 - 9.0	CS-I chronic 6.0 7.0  150	Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T)	340   TVS 5.0	 0.02  TVS
Qualifiers: Other: Temporary Mo	Aq Life Cold 1 Recreation E Water Supply  odification(s): c) = hybrid	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)	CS-I acute   6.5 - 9.0 	CS-I chronic 6.0 7.0  150	Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III	340  TVS 5.0	 0.02  TVS 
Qualifiers: Other: Temporary Mo	Aq Life Cold 1 Recreation E Water Supply  odification(s): c) = hybrid	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²)	CS-I acute   6.5 - 9.0 	CS-I chronic 6.0 7.0  150	Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T)	340   TVS 5.0  50	 0.02  TVS  TVS
Qualifiers: Other: Temporary Mo	Aq Life Cold 1 Recreation E Water Supply  odification(s): c) = hybrid	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)	CS-I acute 6.5 - 9.0 c (mg/L)	CS-I chronic 6.0 7.0  150 126	Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI	340 TVS 5.0 50 TVS	0.02 TVS TVS TVS
Reviewable  Qualifiers:  Other:  Temporary Mo Arsenic(chronic	Aq Life Cold 1 Recreation E Water Supply  odification(s): c) = hybrid	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)	CS-I acute 6.5 - 9.0 c (mg/L) acute	CS-I chronic 6.0 7.0  150 126	Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron	340  TVS 5.0  50 TVS	0.02 TVS TVS TVS TVS TVS
Qualifiers: Other: Temporary Mo	Aq Life Cold 1 Recreation E Water Supply  odification(s): c) = hybrid	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorgania	CS-I acute 6.5 - 9.0 c: (mg/L) acute TVS	CS-I chronic 6.0 7.0 150 126  chronic TVS	Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper	340  TVS 5.0  50 TVS TVS	0.02 TVS TVS TVS TVS WS
Reviewable  Qualifiers: Other: Temporary Mo	Aq Life Cold 1 Recreation E Water Supply  odification(s): c) = hybrid	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic  Ammonia Boron	CS-I acute 6.5 - 9.0 c (mg/L) acute TVS	CS-I chronic 6.0 7.0  150 126 chronic TVS 0.75	Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T)	340  TVS 5.0  50 TVS TVS	0.02 TVS TVS TVS WS 1000
Reviewable  Qualifiers: Other: Temporary Mo	Aq Life Cold 1 Recreation E Water Supply  odification(s): c) = hybrid	D.O. (mg/L) D.O. (spawning)  pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic  Ammonia Boron Chloride Chlorine	CS-I acute 6.5 - 9.0 c (mg/L) acute TVS	CS-I chronic 6.0 7.0 150 126  chronic TVS 0.75 250	Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead	340 TVS 5.0 50 TVS TVS TVS	0.02 TVS TVS TVS TVS TVS TVS TVS TVS TVS
Reviewable  Qualifiers: Other: Temporary Mo	Aq Life Cold 1 Recreation E Water Supply  odification(s): c) = hybrid	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic  Ammonia Boron Chloride	CS-I acute 6.5 - 9.0 c: (mg/L) acute TVS 0.019	CS-I chronic 6.0 7.0 150 126  chronic TVS 0.75 250 0.011	Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T)	340 TVS 5.0 50 TVS TVS TVS TVS 50	0.02 TVS
Reviewable  Qualifiers: Other: Temporary Mo	Aq Life Cold 1 Recreation E Water Supply  odification(s): c) = hybrid	D.O. (mg/L) D.O. (spawning)  pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic  Ammonia Boron Chloride Chlorine Cyanide	CS-I acute 6.5 - 9.0 c: (mg/L) acute TVS 0.019 0.005	CS-I chronic 6.0 7.0 150 126  chronic TVS 0.75 250 0.011	Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese	340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS TVS 50 TVS	0.02 TVS TVS TVS TVS TVS WS 1000 TVS TVS/WS
Reviewable  Qualifiers: Other: Temporary Mo	Aq Life Cold 1 Recreation E Water Supply  odification(s): c) = hybrid	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite	CS-I acute 6.5 - 9.0 c (mg/L) acute TVS 0.019 0.005 10	CS-I chronic 6.0 7.0 150 126  chronic TVS 0.75 250 0.011	Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T)	TVS 50 TVS	0.02 TVS TVS TVS WS 1000 TVS TVSWS 0.01(t)
Reviewable  Qualifiers: Other: Temporary Mo	Aq Life Cold 1 Recreation E Water Supply  odification(s): c) = hybrid	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	CS-I acute 6.5 - 9.0 c (mg/L) acute TVS 0.019 0.005 10 0.05	CS-I chronic 6.0 7.0 150 126  Chronic TVS 0.75 250 0.011 0.11	Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel	340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS	0.02 TVS TVS TVS WS 1000 TVS TVS/WS 0.01(t) 150 TVS
Reviewable  Qualifiers: Other: Temporary Mo Arsenic(chronic	Aq Life Cold 1 Recreation E Water Supply  odification(s): c) = hybrid	D.O. (mg/L) D.O. (spawning)  pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	CS-I acute 6.5 - 9.0 c: (mg/L) acute TVS 0.019 0.005 10 0.05	CS-I chronic 6.0 7.0 150 126  chronic TVS 0.75 250 0.011 0.41 WS	Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T)	340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS	0.02 TVS TVS TVS TVS WS 1000 TVS TVS/WS 0.01(t) 150 TVS
Reviewable  Qualifiers: Other: Temporary Mo	Aq Life Cold 1 Recreation E Water Supply  odification(s): c) = hybrid	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	CS-I acute 6.5 - 9.0 c (mg/L) acute TVS 0.019 0.005 10 0.05	CS-I chronic 6.0 7.0 150 126  Chronic TVS 0.75 250 0.011 0.11	Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS TVS TVS TVS	0.02 TVS TVS TVS TVS WS 1000 TVS TVS/WS 0.01(t) 150 TVS 1000 TVS
Reviewable  Qualifiers: Other: Temporary Mo	Aq Life Cold 1 Recreation E Water Supply  odification(s): c) = hybrid	D.O. (mg/L) D.O. (spawning)  pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	CS-I acute 6.5 - 9.0 c: (mg/L) acute TVS 0.019 0.005 10 0.05	CS-I chronic 6.0 7.0 150 126  chronic TVS 0.75 250 0.011 0.41 WS	Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium Silver	340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS	0.02 TVS TVS TVS SUS 1000 TVS TVS/WS 0.01(t) 150 TVS 100 TVS TVS TVS TVS TVS TVS
Reviewable  Qualifiers: Other: Temporary Mo	Aq Life Cold 1 Recreation E Water Supply  odification(s): c) = hybrid	D.O. (mg/L) D.O. (spawning)  pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	CS-I acute 6.5 - 9.0 c: (mg/L) acute TVS 0.019 0.005 10 0.05	CS-I chronic 6.0 7.0 150 126  chronic TVS 0.75 250 0.011 0.41 WS	Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS TVS TVS TVS	0.02 TVS TVS TVS TVS WS 1000 TVS TVS/WS 0.01(t) 150 TVS 1000 TVS

All metals are dissolved unless otherwise noted. T = total recoverable

t = total tr=trout sc=sculpin

3. Mainstem of	or the Dolores River from a point immed	diately above the confluence with H	iorse Creek to a por	<u>nt im</u> mediate	ty above the confidence with	Bear Creek.	
COSJDO03	Classifications	Physical and E	Biological		M	letals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02
Qualifiers:	•	D.O. (spawning)		7.0	Beryllium		
Other:		рН	6.5 - 9.0		Cadmium	TVS	TVS
Temporary M	adification(s):	chlorophyll a (mg/m²)		150	Cadmium(T)	5.0	
Arsenic(chroni		E. Coli (per 100 mL)		126	Chromium III	TVS	TVS
	te of 12/31/2024				Chromium III(T)	50	
Expiration Dat	1201/2024	Inorganio	: (ma/L)		Chromium VI	TVS	TVS
		3.0	acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron		WS
		Boron		0.75	Iron(T)		1000
		Chloride		250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	
					Manganese	TVS	TVS/255
	s not acted on segment-	Cyanide Nitrate	0.005		-		
1 1	total phosphorus (TP)		10		Mercury		0.01(t)
	standards based on	Nitrite	0.05		Molybdenum(T)		150
	rim value for river/	Phosphorus		0.11	Nickel	TVS	TVS
	segments with a cold	Sulfate		WS	Nickel(T)		100
	quatic life classification	Sulfide		0.002	Selenium	TVS	TVS
(0.11 mg	g/L TP).				Silver	TVS	TVS
					Uranium		
					Zinc	TVS	TVS
	of the Dolores River from a point imme	ediately above the confluence with	Bear Creek to the b	oridge at Brad	Zinc		
4a. Mainstem County Line).	of the Dolores River from a point imme	ediately above the confluence with		oridge at Brad	Zinc Ifield Ranch (Forest Route 5		
County Line).	·			oridge at Brad	Zinc Ifield Ranch (Forest Route 5	05, near Montezuma/E	
CosjDoo4A	Classifications		Biological		Zinc Ifield Ranch (Forest Route 5	05, near Montezuma/D	Polores
County Line). COSJD004A Designation	Classifications Agriculture	Physical and E	Biological DM	MWAT	Zinc ffield Ranch (Forest Route 5 N	05, near Montezuma/L letals (ug/L) acute	Chronic
County Line). COSJD004A Designation	Classifications Agriculture Aq Life Cold 1	Physical and E	Biological  DM  CS-II	MWAT CS-II	Zinc ffield Ranch (Forest Route 5 M Aluminum	05, near Montezuma/Detals (ug/L) acute	chronic
County Line). COSJD004A Designation	Classifications Agriculture Aq Life Cold 1 Recreation E	Physical and E Temperature °C  D.O. (mg/L)	DM CS-II acute	MWAT CS-II chronic	Zinc  dield Ranch (Forest Route 5  N  Aluminum  Arsenic  Arsenic(T)	05, near Montezuma/Detals (ug/L)  acute 340	chronic
County Line). COSJD004A Designation Reviewable Qualifiers:	Classifications Agriculture Aq Life Cold 1 Recreation E	Physical and E	DM CS-II acute	MWAT CS-II chronic 6.0	Zinc  field Ranch (Forest Route 5  N  Aluminum  Arsenic  Arsenic(T)  Beryllium	05, near Montezuma/D letals (ug/L) acute 340	chronic 0.02
County Line). COSJD004A Designation Reviewable Qualifiers: Other:	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Physical and E  Temperature °C  D.O. (mg/L)  D.O. (spawning) pH	DM CS-II acute	MWAT CS-II chronic 6.0 7.0	Zinc  ffield Ranch (Forest Route 5  N  Aluminum  Arsenic  Arsenic(T)  Beryllium  Cadmium	05, near Montezuma/D letals (ug/L) acute 340 TVS	chronic 0.02
County Line).  COSJD004A  Designation  Reviewable  Qualifiers:  Other:  Temporary Management of the country Management of the country of the	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  odification(s):	Physical and E  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)	DM CS-II acute  6.5 - 9.0	MWAT CS-II chronic 6.0 7.0 150*	Zinc  field Ranch (Forest Route 5  N  Aluminum  Arsenic  Arsenic(T)  Beryllium  Cadmium  Cadmium(T)	05, near Montezuma/D letals (ug/L) acute 340 TVS 5.0	Chronic
County Line).  COSJD004A  Designation  Reviewable  Qualifiers:  Other:  Temporary Management of the control of	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  odification(s): ic) = hybrid	Physical and E  Temperature °C  D.O. (mg/L)  D.O. (spawning) pH	DM CS-II acute  6.5 - 9.0	MWAT CS-II chronic 6.0 7.0	Zinc  ffield Ranch (Forest Route 5  N  Aluminum  Arsenic  Arsenic(T)  Beryllium  Cadmium  Cadmium(T)  Chromium III	05, near Montezuma/D  letals (ug/L)  acute 340 TVS 5.0	chronic 0.02 TVS
County Line).  COSJD004A  Designation  Reviewable  Qualifiers:  Other:  Temporary Moders Arsenic (chronic)  Expiration Date	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  odification(s): ic) = hybrid te of 12/31/2024	Physical and E  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)	Biological  DM  CS-II  acute   6.5 - 9.0	MWAT CS-II chronic 6.0 7.0 150*	Zinc  field Ranch (Forest Route 5  N  Aluminum  Arsenic  Arsenic(T)  Beryllium  Cadmium  Cadmium(T)  Chromium III  Chromium III(T)	05, near Montezuma/D letals (ug/L)  acute 340 TVS 5.0 50	Chronic
County Line).  COSJD004A  Designation  Reviewable  Qualifiers:  Other:  Temporary Management of the control of	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  odification(s): ic) = hybrid te of 12/31/2024  (mg/m²)(chronic) = applies only above	Physical and E  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)	### DM   CS-II   acute     6.5 - 9.0       c: (mg/L)	MWAT CS-II chronic 6.0 7.0 150° 126	Zinc  field Ranch (Forest Route 5  N  Aluminum  Arsenic  Arsenic(T)  Beryllium  Cadmium  Cadmium(T)  Chromium III  Chromium III(T)	05, near Montezuma/D  letals (ug/L)  acute 340 TVS 5.0 50 TVS	Chronic
County Line).  COSJD004A  Designation  Reviewable  Qualifiers:  Other:  Temporary Management of the control of	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  odification(s): ic) = hybrid te of 12/31/2024  (mg/m²)(chronic) = applies only above sted at 34.5(5). chronic) = applies only above the	Physical and E  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)	DM   CS-II   acute     6.5 - 9.0     c (mg/L)   acute   acut	MWAT CS-II chronic 6.0 7.0 150* 126	Zinc  field Ranch (Forest Route 5  N  Aluminum  Arsenic  Arsenic(T)  Beryllium  Cadmium  Cadmium(T)  Chromium III  Chromium III(T)  Chromium VI  Copper	05, near Montezuma/D  letals (ug/L)  acute 340 TVS 5.0 50 TVS TVS	Chronic
County Line).  COSJD004A  Designation  Reviewable  Qualifiers:  Other:  Temporary Management of the control of the control of the control of the control of the facilities list of the facilities list of the control of	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  odification(s): ic) = hybrid te of 12/31/2024  (mg/m²)(chronic) = applies only above sted at 34.5(5). chronic) = applies only above the	Physical and E  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorganic	DM   CS-II   acute     6.5 - 9.0       c: (mg/L)   acute   TVS	MWAT CS-II chronic 6.0 7.0 150* 126  chronic	Zinc  field Ranch (Forest Route 5  N  Aluminum  Arsenic  Arsenic(T)  Beryllium  Cadmium  Cadmium(T)  Chromium III  Chromium III(T)  Chromium VI  Copper  Iron	05, near Montezuma/D  letals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS	Chronic
County Line).  COSJD004A  Designation  Reviewable  Qualifiers:  Other:  Temporary Management of the control of	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  odification(s): ic) = hybrid te of 12/31/2024  (mg/m²)(chronic) = applies only above sted at 34.5(5). chronic) = applies only above the	Physical and E  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorganic  Ammonia  Boron	DM   CS-II   acute     6.5 - 9.0       c (mg/L)   acute   TVS	MWAT CS-II chronic 6.0 7.0 150* 126  chronic TVS 0.75	Zinc  ffield Ranch (Forest Route 5  N  Aluminum  Arsenic  Arsenic(T)  Beryllium  Cadmium(T)  Chromium III  Chromium III(T)  Chromium VI  Copper  Iron(T)	05, near Montezuma/D letals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS	Chronic
County Line).  COSJD004A  Designation  Reviewable  Qualifiers:  Other:  Temporary Management of the control of	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  odification(s): ic) = hybrid te of 12/31/2024  (mg/m²)(chronic) = applies only above sted at 34.5(5). chronic) = applies only above the	Physical and E  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorganic  Ammonia  Boron  Chloride	Biological  DM  CS-II  acute   6.5 - 9.0   c: (mg/L)  acute  TVS	MWAT CS-II chronic 6.0 7.0 150* 126  chronic TVS 0.75 250	Zinc  field Ranch (Forest Route 5  N  Aluminum  Arsenic  Arsenic(T)  Beryllium  Cadmium(T)  Chromium III  Chromium III(T)  Chromium VI  Copper  Iron  Iron(T)  Lead	05, near Montezuma/D letals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS TVS TVS	Chronic 0.02 TVS TVS TVS SVS 1000 TVS
County Line).  COSJD004A  Designation  Reviewable  Qualifiers:  Other:  Temporary Management of the control of	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  odification(s): ic) = hybrid te of 12/31/2024  (mg/m²)(chronic) = applies only above sted at 34.5(5). chronic) = applies only above the	Physical and E  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorganic  Ammonia  Boron	DM   CS-II   acute     6.5 - 9.0       c (mg/L)   acute   TVS	MWAT CS-II chronic 6.0 7.0 150* 126  chronic TVS 0.75	Zinc  field Ranch (Forest Route 5  N  Aluminum  Arsenic  Arsenic(T)  Beryllium  Cadmium(T)  Chromium III  Chromium VI  Copper  Iron  Iron(T)  Lead  Lead(T)	05, near Montezuma/D letals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS TVS 50 TVS TVS TVS 50	Chronic 0.02 TVS TVS TVS SVS 1000 TVS
County Line).  COSJD004A  Designation  Reviewable  Qualifiers:  Other:  Temporary Management of the control of	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  odification(s): ic) = hybrid te of 12/31/2024  (mg/m²)(chronic) = applies only above sted at 34.5(5). chronic) = applies only above the	Physical and E  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorganic  Ammonia  Boron  Chloride	Biological  DM  CS-II  acute 6.5 - 9.0  c: (mg/L)  acute TVS 0.019 0.005	MWAT CS-II chronic 6.0 7.0 150* 126  chronic TVS 0.75 250	Zinc  field Ranch (Forest Route 5  N  Aluminum  Arsenic  Arsenic(T)  Beryllium  Cadmium(T)  Chromium III  Chromium III(T)  Chromium VI  Copper  Iron  Iron(T)  Lead	05, near Montezuma/D letals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS TVS TVS	Chronic 0.02 TVS TVS S TVS WS 1000 TVS TVS/WS
County Line).  COSJD004A  Designation  Reviewable  Qualifiers:  Other:  Temporary Management Manage	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  odification(s): ic) = hybrid te of 12/31/2024  (mg/m²)(chronic) = applies only above sted at 34.5(5). chronic) = applies only above the	Physical and E  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorganic  Ammonia  Boron  Chloride  Chlorine	Biological  DM  CS-II  acute 6.5 - 9.0 c: (mg/L)  acute TVS 0.019	MWAT CS-II chronic 6.0 7.0 150* 126  chronic TVS 0.75 250 0.011	Zinc  field Ranch (Forest Route 5  N  Aluminum  Arsenic  Arsenic(T)  Beryllium  Cadmium(T)  Chromium III  Chromium III(T)  Chromium VI  Copper  Iron  Iron(T)  Lead  Lead(T)  Manganese  Mercury	05, near Montezuma/D letals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS TVS 50 TVS TVS TVS 50	Chronic 0.02 TVS TVS S TVS US 1000 TVS TVS/WS 0.01(t)
County Line).  COSJD004A  Designation  Reviewable  Qualifiers:  Other:  Temporary Management Manage	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  odification(s): ic) = hybrid te of 12/31/2024  (mg/m²)(chronic) = applies only above sted at 34.5(5). chronic) = applies only above the	Physical and E  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorganic  Ammonia  Boron  Chloride  Chlorine  Cyanide	Biological  DM  CS-II  acute 6.5 - 9.0  c: (mg/L)  acute TVS 0.019 0.005	MWAT CS-II chronic 6.0 7.0 150* 126  chronic TVS 0.75 250 0.011	Zinc  field Ranch (Forest Route 5  N  Aluminum  Arsenic  Arsenic(T)  Beryllium  Cadmium(T)  Chromium III  Chromium VI  Copper  Iron  Iron(T)  Lead  Lead(T)  Manganese  Mercury  Molybdenum(T)	05, near Montezuma/D  letals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS	Chronic 0.02 TVS TVS S TVS WS 1000 TVS TVSWS 0.01(t) 150
County Line).  COSJD004A  Designation  Reviewable  Qualifiers:  Other:  Temporary Management Manage	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  odification(s): ic) = hybrid te of 12/31/2024  (mg/m²)(chronic) = applies only above sted at 34.5(5). chronic) = applies only above the	Physical and E  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorganic  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate	Biological  DM  CS-II  acute   6.5 - 9.0   c: (mg/L)  acute  TVS   0.019  0.005  10	MWAT CS-II chronic 6.0 7.0 150* 126  chronic TVS 0.75 250 0.011	Zinc  field Ranch (Forest Route 5  N  Aluminum  Arsenic  Arsenic(T)  Beryllium  Cadmium(T)  Chromium III  Chromium III(T)  Chromium VI  Copper  Iron  Iron(T)  Lead  Lead(T)  Manganese  Mercury	05, near Montezuma/D  letals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS	Chronic 0.02 TVS TVS S TVS US 1000 TVS TVS/WS 0.01(t)
County Line).  COSJD004A  Designation  Reviewable  Qualifiers:  Other:  Temporary Management Manage	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  odification(s): ic) = hybrid te of 12/31/2024  (mg/m²)(chronic) = applies only above sted at 34.5(5). chronic) = applies only above the	Physical and E  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorganic  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate  Nitrite	Biological  DM  CS-II  acute   6.5 - 9.0    c: (mg/L)  acute  TVS   0.019  0.005  10  0.005	MWAT CS-II chronic 6.0 7.0 150* 126  Chronic TVS 0.75 250 0.011	Zinc  field Ranch (Forest Route 5  N  Aluminum  Arsenic  Arsenic(T)  Beryllium  Cadmium(T)  Chromium III  Chromium VI  Copper  Iron  Iron(T)  Lead  Lead(T)  Manganese  Mercury  Molybdenum(T)	05, near Montezuma/D  letals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS	Chronic 0.02 TVS TVS S TVS WS 1000 TVS TVSWS 0.01(t) 150
County Line).  COSJD004A  Designation  Reviewable  Qualifiers:  Other:  Temporary Management Manage	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  odification(s): ic) = hybrid te of 12/31/2024  (mg/m²)(chronic) = applies only above sted at 34.5(5). chronic) = applies only above the	Physical and E  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorganic  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate  Nitrite  Phosphorus	Biological  DM  CS-II  acute   6.5 - 9.0    c: (mg/L)  acute  TVS   0.019  0.005  10  0.05	MWAT CS-II chronic 6.0 7.0 150* 126  Chronic TVS 0.75 250 0.011 0.41*	Zinc  field Ranch (Forest Route 5  N  Aluminum  Arsenic  Arsenic(T)  Beryllium  Cadmium(T)  Chromium III  Chromium VI  Copper  Iron  Iron(T)  Lead  Lead(T)  Manganese  Mercury  Molybdenum(T)  Nickel	05, near Montezuma/D  letals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS	Chronic 0.02 TVS TVS S TVS S TVS S TVS TVS S TVS S TVS TV
County Line).  COSJD004A  Designation  Reviewable  Qualifiers:  Other:  Temporary Management Manage	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  odification(s): ic) = hybrid te of 12/31/2024  (mg/m²)(chronic) = applies only above sted at 34.5(5). chronic) = applies only above the	Physical and E  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorganic  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate  Nitrite  Phosphorus  Sulfate	### CS-II ### CS-II #### CS-II ###################################	MWAT CS-II chronic 6.0 7.0 150* 126  Chronic TVS 0.75 250 0.011 0.11* WS	Zinc  field Ranch (Forest Route 5  M  Aluminum  Arsenic  Arsenic(T)  Beryllium  Cadmium(T)  Chromium III  Chromium III(T)  Chromium VI  Copper  Iron  Iron(T)  Lead  Lead(T)  Manganese  Mercury  Molybdenum(T)  Nickel  Nickel(T)	05, near Montezuma/D  letals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS	Chronic 0.02 TVS TVS S TVS WS 1000 TVS TVS/WS 0.01(t) 150 TVS 100
County Line).  COSJD004A  Designation  Reviewable  Qualifiers:  Other:  Temporary Management Manage	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  odification(s): ic) = hybrid te of 12/31/2024  (mg/m²)(chronic) = applies only above sted at 34.5(5). chronic) = applies only above the	Physical and E  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorganic  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate  Nitrite  Phosphorus  Sulfate	### CS-II ### CS-II #### CS-II ###################################	MWAT CS-II chronic 6.0 7.0 150* 126  Chronic TVS 0.75 250 0.011 0.11* WS	Zinc  field Ranch (Forest Route 5  N  Aluminum  Arsenic  Arsenic(T)  Beryllium  Cadmium(T)  Chromium III  Chromium VI  Copper  Iron  Iron(T)  Lead  Lead(T)  Manganese  Mercury  Molybdenum(T)  Nickel  Nickel(T)  Selenium	05, near Montezuma/D  letals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS	Chronic 0.02 TVS TVS S TVS TV

All metals are dissolved unless otherwise noted. T = total recoverable

t = total tr=trout sc=sculpin

	teservoir and Summit Reservoir.	<u> </u>				<u> </u>	** * * * * * * * * * * * * * * * * * * *	
COSJD004B	Classifications	Physical and	d Biologic				Metals (ug/L)	
Designation	Agriculture			DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1		1 - 4/30	CLL	CLL	Aluminum		
	Recreation E	Temperature °C 4/1	- 12/31	CLL*	varies* B	Arsenic	340	
	Water Supply DUWS*				al-namia	Arsenic(T)		0.02
Qualifiers:	DOWS			acute	chronic	Beryllium		
		D.O. (mg/L)			6.0	Cadmium	TVS	TVS
Other:		D.O. (spawning)			7.0	Cadmium(T)	5.0	
Temporary Mo	odification(s):	pH		6.5 - 9.0		Chromium III		TVS
Arsenic(chronic	c) = hybrid	chlorophyll a (ug/L)			8*	Chromium III(T)	50	
Expiration Date	e of 12/31/2024	E. Coli (per 100 mL)			126	Chromium VI	TVS	TVS
	(ug/L)(chronic) = applies only above					Copper	TVS	TVS
	sted at 34.5(5), applies only to lakes larger than 25 acres surface area.	Inorga	nic (mg/L	.)		Iron		WS
*Classification:	DUWS applies to McPhee Reservoir			acute	chronic	Iron(T)		1000
only. *Phosphorus(cl	hronic) = applies only above the	Ammonia		TVS	TVS	Lead	TVS	TVS
facilities listed	at 34.5(5), applies only to lakes and per than 25 acres surface area.	Boron			0.75	Lead(T)	50	
*Temperature(4	4/1 - 12/31) = Summit Reservoir	Chloride			250	Manganese	TVS	TVS/WS
MWAT = 21.0	rvoir MWAT = 21.1	Chlorine		0.019	0.011	Mercury		0.01(t)
WICFIEE RESE	IVOII WWAT = 21.1	Cyanide		0.005		Molybdenum(T)		150
		Nitrate		10		Nickel	TVS	TVS
		Nitrite		0.05		Nickel(T)		100
		Phosphorus			0.025*	Selenium	TVS	TVS
		Sulfate			WS	Silver	TVS	TVS(tr)
		Sulfide			0.002	Uranium		
						Zinc	TVS	TVS
	es to the Dolores River and West Dolo	res River, including all wetlands,	f 4l	course to a			and with the West Deleres	i.
	cific listings in Seaments 1 and 5h thro		, from the	Source to a	point immed	ratery below the confluer	ice with the west bolores	River
COSJD005A	cific listings in Segments 1 and 5b thro  Classifications				point immed	lately below the conflue	Metals (ug/L)	River
		ugh 10.			MWAT	latery below the confluen		chronic
COSJDO05A	Classifications	ugh 10.		al		Aluminum	Metals (ug/L)	
COSJD005A Designation	Classifications Agriculture	ugh 10.  Physical and		cal DM	MWAT		Metals (ug/L)	chronic
COSJD005A Designation	Classifications Agriculture Aq Life Cold 1	Physical and Temperature °C		DM CS-I	MWAT CS-I chronic	Aluminum Arsenic	Metals (ug/L) acute	chronic 
COSJD005A Designation	Classifications Agriculture Aq Life Cold 1 Recreation E	Physical and Temperature °C  D.O. (mg/L)		DM CS-I acute	MWAT CS-I chronic 6.0	Aluminum Arsenic Arsenic(T)	Metals (ug/L)  acute 340	chronic   0.02
COSJD005A  Designation  Reviewable  Qualifiers:	Classifications Agriculture Aq Life Cold 1 Recreation E	Physical and Temperature °C  D.O. (mg/L) D.O. (spawning)		DM CS-I acute	MWAT CS-I chronic	Aluminum Arsenic Arsenic(T) Beryllium	Metals (ug/L)  acute 340	chronic   0.02
COSJD005A  Designation  Reviewable  Qualifiers:  Other:	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Physical and Temperature °C  D.O. (mg/L) D.O. (spawning) pH		DM CS-I acute	MWAT CS-I chronic 6.0 7.0	Aluminum Arsenic Arsenic(T) Beryllium Cadmium	Metals (ug/L)  acute 340 TVS	chronic   0.02
COSJD005A  Designation  Reviewable  Qualifiers:  Other:  Temporary Mo	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²)		DM CS-I acute 6.5 - 9.0	MWAT CS-I chronic 6.0 7.0	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T)	Metals (ug/L)  acute 340	chronic 0.02 TVS
COSJDO05A  Designation  Reviewable  Qualifiers: Other: Temporary Mo Arsenic(chronic	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  odification(s): c) = hybrid	Physical and Temperature °C  D.O. (mg/L) D.O. (spawning) pH		CS-I acute 6.5 - 9.0	MWAT CS-I chronic 6.0 7.0 150	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III	Metals (ug/L)  acute 340 TVS 5.0	chronic   0.02  TVS
COSJD005A  Designation  Reviewable  Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  addification(s): c) = hybrid e of 12/31/2024	Physical and Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)	d Biologic	CS-I acute 6.5 - 9.0	MWAT CS-I chronic 6.0 7.0 150	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T)	Metals (ug/L)  acute 340 TVS 5.0 50	chronic 0.02 TVS TVS
COSJDO05A  Designation  Reviewable  Qualifiers:  Other:  Temporary Moderation Control of the prince	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  Didification(s): c) = hybrid e of 12/31/2024  = Chronic zinc sculpin standard	Physical and Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)		DM CS-I acute  6.5 - 9.0	MWAT CS-I chronic 6.0 7.0 150 126	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T)	Metals (ug/L)  acute 340 TVS 5.0 50 TVS	chronic 0.02 TVS TVS TVS
COSJDO05A  Designation  Reviewable  Qualifiers:  Other:  Temporary Moderation Control of the prince	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  addification(s): c) = hybrid e of 12/31/2024	Physical and Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)	d Biologic	CS-I acute 6.5 - 9.0 acute	MWAT CS-I chronic 6.0 7.0 150 126	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper	Metals (ug/L)  acute 340 TVS 5.0 50 TVS TVS	chronic 0.02 TVS TVS TVS TVS
COSJDO05A  Designation  Reviewable  Qualifiers:  Other:  Temporary Moderation Control of the prince	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  Didification(s): c) = hybrid e of 12/31/2024  = Chronic zinc sculpin standard	Physical and Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)	d Biologic	CS-I acute 6.5 - 9.0 scute TVS	MWAT CS-I chronic 6.0 7.0 150 126  chronic TVS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper	Metals (ug/L)  acute 340 TVS 5.0 50 TVS TVS	Chronic
COSJD005A  Designation  Reviewable  Qualifiers:  Other:  Temporary Moderation Control of the prince	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  Didification(s): c) = hybrid e of 12/31/2024  = Chronic zinc sculpin standard	Physical and Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorgal  Ammonia Boron	d Biologic	cal  DM  CS-I  acute   6.5 - 9.0   TVS	MWAT CS-I chronic 6.0 7.0 150 126  chronic TVS 0.75	Aluminum  Arsenic  Arsenic(T)  Beryllium  Cadmium  Cadmium(T)  Chromium III  Chromium III(T)  Chromium VI  Copper  Iron  Iron(T)	Metals (ug/L)  acute 340 TVS 5.0 50 TVS TVS	Chronic
COSJDO05A  Designation  Reviewable  Qualifiers:  Other:  Temporary Moderation Control of the prince	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  Didification(s): c) = hybrid e of 12/31/2024  = Chronic zinc sculpin standard	Physical and Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorgal  Ammonia Boron Chloride	d Biologic	cal  DM  CS-I  acute   6.5 - 9.0   TVS   TVS	MWAT CS-I chronic 6.0 7.0 150 126  chronic TVS 0.75 250	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead	### Metals (ug/L)  ### acute  340 TVS 5.0 50 TVS TVS TVS TVS TVS TVS	Chronic
COSJDO05A  Designation  Reviewable  Qualifiers:  Other:  Temporary Moderation Control of the prince	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  Didification(s): c) = hybrid e of 12/31/2024  = Chronic zinc sculpin standard	Physical and Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorgal  Ammonia Boron Chloride Chlorine	d Biologic	cal  DM  CS-I  acute   6.5 - 9.0    TVS   0.019	MWAT CS-I chronic 6.0 7.0 150 126  chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T)	### Metals (ug/L)  ### acute  340 TVS 5.0 50 TVS TVS TVS TVS 50 TVS 50	chronic 0.02 TVS TVS SUSS TVS WS 1000 TVS
COSJD005A  Designation  Reviewable  Qualifiers: Other: Temporary Mo Arsenic(chronic) Expiration Date *Zinc(chronic) applies to Silve	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  codification(s): c) = hybrid e of 12/31/2024 = Chronic zinc sculpin standard er Creek and Fish Creek.	Physical and Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorgal  Ammonia Boron Chloride Chlorine Cyanide	d Biologic	al DM CS-I acute 6.5 - 9.0)  acute TVS 0.019 0.005	MWAT CS-I chronic 6.0 7.0 150 126  chronic TVS 0.75 250 0.011	Aluminum  Arsenic  Arsenic(T)  Beryllium  Cadmium  Cadmium(T)  Chromium III  Chromium VI  Copper  Iron  Iron(T)  Lead  Lead(T)  Manganese	Metals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS TVS 50 TVS TVS TVS 50 TVS	Chronic
COSJD005A  Designation  Reviewable  Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date *Zinc(chronic) applies to Silve	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  Dedification(s):  C) = hybrid  e of 12/31/2024  = Chronic zinc sculpin standard er Creek and Fish Creek.	Physical and Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorgal  Ammonia Boron Chloride Chlorine Cyanide Nitrate	d Biologic	CS-I acute 6.5 - 9.0 TVS 0.019 0.005	MWAT CS-I chronic 6.0 7.0 150 126  chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury	Metals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS	Chronic 0.02 TVS TVS TVS WS 1000 TVS TVS/WS 0.01(t)
COSJDO05A  Designation  Reviewable  Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date *Zinc(chronic) applies to Silve  EPA ha specific	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  Didification(s): c) = hybrid e of 12/31/2024  = Chronic zinc sculpin standard er Creek and Fish Creek.  s not acted on segment-total phosphorus (TP)	Physical and Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorgal  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite	d Biologic	CS-I acute 6.5 - 9.0 TVS 0.019 0.005 10	MWAT CS-I chronic 6.0 7.0 150 126  chronic TVS 0.75 250 0.011	Aluminum  Arsenic  Arsenic(T)  Beryllium  Cadmium  Cadmium(T)  Chromium III  Chromium VI  Copper  Iron  Iron(T)  Lead  Lead(T)  Manganese  Mercury  Molybdenum(T)	### Metals (ug/L)  ### acute  340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS TVS TVS	Chronic 0.02 TVS TVS TVS WS 1000 TVS TVSWS 0.01(t) 150
COSJDO05A  Designation  Reviewable  Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date *Zinc(chronic) applies to Silve  EPA has specific numeric	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  Didification(s): c) = hybrid e of 12/31/2024  = Chronic zinc sculpin standard er Creek and Fish Creek.  S not acted on segment-total phosphorus (TP) c standards based on	Physical and Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorgal  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	d Biologic	CS-I acute 6.5 - 9.0 TVS 0.019 0.005 10 0.05	MWAT CS-I chronic 6.0 7.0 150 126  chronic TVS 0.75 250 0.011 0.414	Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel	### Metals (ug/L)  ### acute  340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS TVS 50 TVS	Chronic
COSJDO05A  Designation  Reviewable  Qualifiers: Other: Temporary Moderation Date *Zinc(chronic) applies to Silve  EPA has specific numeric the intel	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  Didification(s): c) = hybrid e of 12/31/2024  = Chronic zinc sculpin standard er Creek and Fish Creek.  s not acted on segment-total phosphorus (TP) c standards based on rim value for river/	Physical and Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorgal  Ammonia Boron Chloride Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	d Biologic	DM CS-I acute  6.5 - 9.0   0.019 0.005 10 0.005	MWAT CS-I chronic 6.0 7.0 150 126  chronic TVS 0.75 250 0.011 0.411 WS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T)	### Metals (ug/L)  ### acute  340 TVS 5.0 50 TVS TVS TVS 50 TVS	Chronic 0.02 TVS
COSJDO05A  Designation  Reviewable  Qualifiers: Other:  Temporary Mo Arsenic(chronic) Expiration Date  *Zinc(chronic) applies to Silve  EPA has specific numericulation interestreams.	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  Didification(s):  C) = hybrid  e of 12/31/2024  = Chronic zinc sculpin standard  er Creek and Fish Creek.  S not acted on segment- total phosphorus (TP)  c standards based on rim value for river/ segments with a cold	Physical and Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorgal  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	d Biologic	CS-I acute 6.5 - 9.0 TVS 0.019 0.005 10 0.05	MWAT CS-I chronic 6.0 7.0 150 126  chronic TVS 0.75 250 0.011 0.414	Aluminum  Arsenic  Arsenic(T)  Beryllium  Cadmium  Cadmium(T)  Chromium III  Chromium VI  Copper  Iron  Iron(T)  Lead  Lead(T)  Manganese  Mercury  Molybdenum(T)  Nickel  Nickel(T)  Selenium	### Metals (ug/L)  ### acute  340 TVS 5.0 50 TVS TVS TVS 50 TVS	Chronic 0.02 TVS TVS TVS WS 1000 TVS TVS/WS 0.01(t) 150 TVS
COSJDO05A  Designation  Reviewable  Qualifiers: Other:  Temporary Mo Arsenic(chronic Expiration Date *Zinc(chronic) applies to Silve  EPA has specific numeric the interestream swater acceptable.	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  Dedification(s):  C) = hybrid  e of 12/31/2024  = Chronic zinc sculpin standard er Creek and Fish Creek.  S not acted on segment- total phosphorus (TP)  C standards based on rim value for river/ segments with a cold quatic life classification	Physical and Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorgal  Ammonia Boron Chloride Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	d Biologic	DM CS-I acute  6.5 - 9.0   0.019 0.005 10 0.005	MWAT CS-I chronic 6.0 7.0 150 126  chronic TVS 0.75 250 0.011 0.411 WS	Aluminum  Arsenic  Arsenic(T)  Beryllium  Cadmium  Cadmium(T)  Chromium III  Chromium VI  Copper  Iron  Iron(T)  Lead  Lead(T)  Manganese  Mercury  Molybdenum(T)  Nickel  Nickel(T)  Selenium  Silver	### Metals (ug/L)  ### acute  340 17VS 5.0 50 TVS TVS 17VS 50 TVS	Chronic 0.02 TVS
COSJDO05A  Designation  Reviewable  Qualifiers: Other:  Temporary Mo Arsenic(chronic Expiration Date  *Zinc(chronic) applies to Silve  EPA has specific numeric the interestream serveram server	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  Didification(s):  C) = hybrid  e of 12/31/2024  = Chronic zinc sculpin standard  er Creek and Fish Creek.  S not acted on segment- total phosphorus (TP)  c standards based on rim value for river/ segments with a cold	Physical and Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorgal  Ammonia Boron Chloride Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	d Biologic	DM CS-I acute  6.5 - 9.0   0.019 0.005 10 0.005	MWAT CS-I chronic 6.0 7.0 150 126  chronic TVS 0.75 250 0.011 0.411 WS	Aluminum  Arsenic  Arsenic(T)  Beryllium  Cadmium  Cadmium(T)  Chromium III  Chromium VI  Copper  Iron  Iron(T)  Lead  Lead(T)  Manganese  Mercury  Molybdenum(T)  Nickel  Nickel(T)  Selenium	### Metals (ug/L)  ### acute  340 TVS 5.0 50 TVS TVS TVS 50 TVS	Chronic 0.02 TVS TVS TVS WS 1000 TVS TVS/WS 0.01(t) 150 TVS

All metals are dissolved unless otherwise noted.

T = total recoverable

t = total tr=trout sc=sculpin D.O. = dissolved oxygen DM = daily maximum

5b. Mainstem Little Taylor C	reek from the source to the confluence	with Taylor Creek.					
COSJDO05B	Classifications	Physical and E	Biological		M	letals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
OW	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02
Qualifiers:		D.O. (spawning)		7.0	Beryllium		
Other:		рН	6.5 - 9.0		Cadmium	TVS	TVS
Temporary Mo	odification(s):	chlorophyll a (mg/m²)		150	Cadmium(T)	5.0	
Arsenic(chroni	c) = hybrid	E. Coli (per 100 mL)		126	Chromium III		TVS
Expiration Date	e of 12/31/2024				Chromium III(T)	50	
		Inorganio	(mg/L)		Chromium VI	TVS	TVS
			acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron		WS
		Boron		0.75	Iron(T)		1000
		Chloride		250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	
EDA bo	s not acted on segment-	Cyanide	0.005		Manganese	TVS	TVS/WS
	total phosphorus (TP)	Nitrate	10		Mercury		0.01(t)
1. '	standards based on	Nitrite	0.05		Molybdenum(T)		150
	rim value for river/	Phosphorus		0.11	Nickel	TVS	TVS
1		Sulfate		WS	Nickel(T)		100
	segments with a cold	Sulfide		0.002	Selenium	TVS	TVS
	quatic life classification			0.002	Silver	TVS	TVS(tr)
(0.11 m	g/L TP).				Uranium		
					Zinc	TVS	TVS(sc)
6. Mainstem o	f the Slate Creek and Coke Oven Cree		s Area boundary to	their conflue			1 (00)
COSJDO06	Classifications	Physical and E	-			letals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02
Qualifiers:		D.O. (spawning)		7.0	Beryllium		
Other:				7.0	. ,		
		рН	6.5 - 9.0	7.0	Cadmium	TVS	TVS
		pH chlorophyll a (mg/m²)	6.5 - 9.0		-		
		•			Cadmium	TVS	TVS
		chlorophyll a (mg/m²)		150	Cadmium Cadmium(T)	TVS 5.0	TVS 
		chlorophyll a (mg/m²)		150	Cadmium Cadmium(T) Chromium III	TVS 5.0	TVS  TVS
		chlorophyll a (mg/m²)  E. Coli (per 100 mL)		150	Cadmium Cadmium(T) Chromium III Chromium III(T)	TVS 5.0  50	TVS  TVS 
		chlorophyll a (mg/m²)  E. Coli (per 100 mL)	  c (mg/L)	150 126	Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI	TVS 5.0  50 TVS	TVS TVS TVS
		chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorganio	c (mg/L)	150 126 chronic	Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper	TVS 5.0  50 TVS TVS	TVS TVS TVS TVS
		chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorganic  Ammonia  Boron	c (mg/L) acute TVS	150 126 <b>chronic</b> TVS 0.75	Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T)	TVS 5.0 50 TVS TVS	TVS TVS TVS TVS WS 1000
		chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorganic  Ammonia	c (mg/L) acute TVS	150 126 chronic	Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron	TVS 5.0 50 TVS TVS	TVS TVS TVS TVS WS
		chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorganic  Ammonia  Boron  Chloride  Chlorine	c (mg/L) acute TVS 0.019	150 126 chronic TVS 0.75 250 0.011	Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T)	TVS 5.0 50 TVS TVS TVS 50	TVS TVS TVS WS 1000 TVS
		chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic  Ammonia Boron Chloride	acute TVS	150 126 chronic TVS 0.75 250	Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese	TVS 5.0 50 TVS TVS TVS	TVS TVS TVS TVS WS 1000 TVS TVS/WS
		chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic  Ammonia Boron  Chloride Chlorine Cyanide Nitrate	c (mg/L) acute TVS 0.019 0.005	150 126 <b>chronic</b> TVS 0.75 250 0.011	Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury	TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS	TVS TVS TVS TVS WS 1000 TVS TVS/WS 0.01(t)
		chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic  Ammonia Boron  Chloride Chlorine Cyanide Nitrate Nitrite	c (mg/L)  acute TVS 0.019 0.005 10 0.05	150 126 chronic TVS 0.75 250 0.011	Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T)	TVS 5.0 50 TVS TVS TVS 50 TVS	TVS TVS TVS TVS WS 1000 TVS TVS/WS 0.01(t) 150
		chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorganic  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate  Nitrite  Phosphorus	c (mg/L) acute TVS 0.019 0.005 10 0.05	150 126  chronic TVS 0.75 250 0.011 0.414	Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel	TVS 5.0 50 TVS TVS TVS 50 TVS 50 TVS TVS	TVS TVS TVS WS 1000 TVS TVS/WS 0.01(t) 150 TVS
		chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorganic  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate  Nitrite  Phosphorus  Sulfate	c (mg/L) acute TVS 0.019 0.005 10 0.05	150 126  chronic TVS 0.75 250 0.011 0.411 WS	Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T)	TVS 5.0 50 TVS TVS TVS 50 TVS 50 TVS TVS TVS TVS	TVS TVS TVS WS 1000 TVS TVSWS 0.01(t) 150 TVS
		chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorganic  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate  Nitrite  Phosphorus	c (mg/L) acute TVS 0.019 0.005 10 0.05	150 126  chronic TVS 0.75 250 0.011 0.414	Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	TVS 5.0 50 TVS TVS TVS 50 TVS 50 TVS TVS TVS TVS	TVS TVS TVS TVS WS 1000 TVS TVS/WS 0.01(t) 150 TVS 100 TVS
		chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorganic  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate  Nitrite  Phosphorus  Sulfate	c (mg/L) acute TVS 0.019 0.005 10 0.05	150 126  chronic TVS 0.75 250 0.011 0.411 WS	Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium Silver	TVS 5.0 50 TVS TVS TVS 50 TVS 50 TVS TVS TVS TVS TVS TVS TVS	TVS TVS TVS TVS WS 1000 TVS TVS/WS 0.01(t) 150 TVS 100 TVS 100 TVS TVS(tr)
		chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorganic  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate  Nitrite  Phosphorus  Sulfate	c (mg/L) acute TVS 0.019 0.005 10 0.05	150 126  chronic TVS 0.75 250 0.011 0.411 WS	Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	TVS 5.0 50 TVS TVS TVS 50 TVS 50 TVS TVS TVS TVS	TVS TVS TVS TVS WS 1000 TVS TVS/WS 0.01(t) 150 TVS 100 TVS

All metals are dissolved unless otherwise noted. T = total recoverable

t = total tr=trout sc=sculpin D.O. = dissolved oxygen DM = daily maximum

ı, ıvıaınstem (	of Cool Crook from the hermaleur - It	Lizard Hood Wildornson Area to the	o confluence	ho Doloros F	Divor		
COSJD007	of Coal Creek from the boundary of the Classifications	Physical and E		ile Dolores F	AIVEL.	Metals (ug/L)	
Designation	Agriculture	Thyological did 1	DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02
Qualifiers:		D.O. (spawning)		7.0	Beryllium		
Other:		pH	6.5 - 9.0		Cadmium	TVS	TVS
Other.		chlorophyll a (mg/m²)		150	Cadmium(T)	5.0	
		E. Coli (per 100 mL)		126	Chromium III		TVS
		2. 3 cm (pc. 100 m2)		.20	Chromium III(T)	50	
		Inorgania	- (ma/l )		Chromium VI	TVS	TVS
		Inorganio	acute	chronic	Copper	TVS	TVS
		Ammonio	TVS	TVS	Iron		WS
		Ammonia Boron	175	0.75	Iron(T)		1000
		Chloride	0.040	250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50 T) (2	T)/044/0
EPA has	s not acted on segment-	Cyanide	0.005		Manganese	TVS	TVS/WS
	total phosphorus (TP)	Nitrate	10		Mercury		0.01(t)
1 1	standards based on	Nitrite	0.05		Molybdenum(T)		150
	im value for river/	Phosphorus		0.11	Nickel	TVS	TVS
	segments with a cold	Sulfate		WS	Nickel(T)		100
	quatic life classification	Sulfide		0.002	Selenium	TVS	TVS
(0.11 mg					Silver	TVS	TVS(tr)
(0.1111)	3/2 11 ).				Uranium		
					Zinc	TVS	TVS(sc)
	of Horse Creek from the source to the		Dialo minal		Zinc		TVS(sc)
COSJDO08	Classifications	confluence with the Dolores River.  Physical and E		BANA A T	Zinc	Metals (ug/L)	
COSJDO08 Designation	Classifications Agriculture	Physical and E	DM	MWAT		Metals (ug/L)	TVS(sc)
COSJDO08	Classifications Agriculture Aq Life Cold 1		DM CS-I	CS-I	Aluminum	Metals (ug/L) acute	chronic
COSJDO08 Designation	Classifications Agriculture Aq Life Cold 1 Recreation E	Physical and E	DM CS-I acute	CS-I chronic	Aluminum Arsenic	Metals (ug/L)  acute 340	chronic 
COSJD008  Designation  Reviewable	Classifications Agriculture Aq Life Cold 1	Physical and E Temperature °C  D.O. (mg/L)	DM CS-I acute	CS-I chronic 6.0	Aluminum Arsenic Arsenic(T)	Metals (ug/L)  acute 340	chronic 0.02
COSJDO08  Designation  Reviewable  Qualifiers:	Classifications Agriculture Aq Life Cold 1 Recreation E	Physical and E  Temperature °C  D.O. (mg/L)  D.O. (spawning)	DM CS-I acute	CS-I <b>chronic</b> 6.0 7.0	Aluminum Arsenic Arsenic(T) Beryllium	Metals (ug/L)  acute 340	chronic   0.02
COSJD008  Designation  Reviewable	Classifications Agriculture Aq Life Cold 1 Recreation E	Physical and E  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH	DM CS-I acute	CS-I chronic 6.0 7.0	Aluminum Arsenic Arsenic(T) Beryllium Cadmium	Metals (ug/L)  acute 340 TVS	chronic 0.02
COSJDO08  Designation  Reviewable  Qualifiers:	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Physical and E  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)	DM CS-I acute	CS-I chronic 6.0 7.0  150	Aluminum Arsenic Arsenic(T) Beryllium	Metals (ug/L)  acute 340	chronic  0.02  TVS
COSJDO08 Designation Reviewable Qualifiers: Other:	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply  odification(s):	Physical and E  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH	DM CS-I acute  6.5 - 9.0	CS-I chronic 6.0 7.0	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III	Metals (ug/L)  acute 340 TVS 5.0	chronic   0.02
COSJD008  Designation  Reviewable  Qualifiers:  Other:  Temporary M  Arsenic(chronic	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  odification(s):	Physical and E  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)	CS-I acute 6.5 - 9.0	CS-I chronic 6.0 7.0  150	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T)	Metals (ug/L)  acute 340 TVS 5.0 50	chronic 0.02 TVS TVS
COSJD008 Designation Reviewable Qualifiers: Other: Temporary M Arsenic(chronic	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  odification(s): ic) = hybrid	Physical and E  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)	CS-I acute 6.5 - 9.0	CS-I chronic 6.0 7.0  150 126	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T)	Metals (ug/L)  acute 340 TVS 5.0 50 TVS	chronic 0.02 TVS TVS TVS
COSJD008 Designation Reviewable Qualifiers: Other: Temporary M Arsenic(chronic	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  odification(s): ic) = hybrid	Physical and E  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)	CS-I acute 6.5 - 9.0	CS-I chronic 6.0 7.0  150	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T)	Metals (ug/L)  acute 340 TVS 5.0 50	chronic 0.02 TVS TVS TVS TVS
COSJD008 Designation Reviewable Qualifiers: Other: Temporary M Arsenic(chronic	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  odification(s): ic) = hybrid	Physical and E  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)	CS-I acute 6.5 - 9.0 c (mg/L)	CS-I chronic 6.0 7.0  150 126	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T)	Metals (ug/L)  acute 340 TVS 5.0 50 TVS	chronic 0.02 TVS TVS TVS
COSJD008  Designation  Reviewable  Qualifiers:  Other:  Temporary M  Arsenic(chronic	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  odification(s): ic) = hybrid	Physical and E  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)	CS-I acute 6.5 - 9.0 c (mg/L) acute	CS-I chronic 6.0 7.0  150 126	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper	Metals (ug/L)  acute 340 TVS 5.0 50 TVS TVS	chronic 0.02 TVS TVS TVS TVS
COSJD008  Designation  Reviewable  Qualifiers:  Other:  Temporary M  Arsenic(chronic	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  odification(s): ic) = hybrid	Physical and E  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorganio	DM CS-I acute  6.5 - 9.0   c (mg/L) acute TVS	CS-I chronic 6.0 7.0 150 126  chronic TVS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper	Metals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS	chronic 0.02 TVS TVS TVS TVS WS
COSJD008  Designation  Reviewable  Qualifiers:  Other:  Temporary M  Arsenic(chronic	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  odification(s): ic) = hybrid	Physical and E  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorganic  Ammonia  Boron	C (mg/L)  DM  CS-I  acute 6.5 - 9.0 c (mg/L)  acute  TVS	CS-I chronic 6.0 7.0 150 126  chronic TVS 0.75	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T)	Metals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS	chronic 0.02 TVS TVS TVS WS 1000
COSJD008  Designation  Reviewable  Qualifiers:  Other:  Temporary M  Arsenic(chronic	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  odification(s): ic) = hybrid	Physical and E  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorganic  Ammonia  Boron  Chloride	CS-I acute 6.5 - 9.0 c (mg/L) acute TVS	CS-I chronic 6.0 7.0 150 126  chronic TVS 0.75 250	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead	Metals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS TVS TVS	chronic 0.02 TVS TVS TVS TVS TVS WS 1000 TVS
COSJD008  Designation  Reviewable  Qualifiers:  Other:  Temporary M  Arsenic(chronic	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  odification(s): ic) = hybrid	Physical and E  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorganic  Ammonia  Boron  Chloride  Chlorine	CS-I acute 6.5 - 9.0 c (mg/L) acute TVS 0.019	CS-I chronic 6.0 7.0 150 126  Chronic TVS 0.75 250 0.011	Aluminum  Arsenic  Arsenic(T)  Beryllium  Cadmium  Cadmium(T)  Chromium III  Chromium VI  Copper  Iron  Iron(T)  Lead  Lead(T)	Metals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS TVS 50	chronic 0.02 TVS TVS SUSS TVS WS 1000 TVS
COSJD008 Designation Reviewable Qualifiers: Other: Temporary M Arsenic(chronic	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  odification(s): ic) = hybrid	Physical and E  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorganio  Ammonia  Boron  Chloride  Chlorine  Cyanide	CS-I acute 6.5 - 9.0 c (mg/L) acute TVS 0.019	CS-I chronic 6.0 7.0 150 126  chronic TVS 0.75 250 0.011	Aluminum  Arsenic  Arsenic(T)  Beryllium  Cadmium  Cadmium(T)  Chromium III  Chromium VI  Copper  Iron  Iron(T)  Lead  Lead(T)  Manganese	Metals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS TVS TVS TVS TVS 50 TVS	chronic 0.02 TVS TVS TVS TVS TVS WS 1000 TVS TVS/WS
COSJD008 Designation Reviewable Qualifiers: Other: Temporary M Arsenic(chronic	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  odification(s): ic) = hybrid	Physical and E  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorganio  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate	DM CS-I acute 6.5 - 9.0 c (mg/L) acute TVS 0.019 0.005	CS-I chronic 6.0 7.0 150 126  chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury	Metals (ug/L)  acute 340 TVS 5.0 50 TVS	chronic 0.02 TVS TVS TVS TVS TVS S 0.01(t)
COSJD008  Designation  Reviewable  Qualifiers:  Other:  Temporary M  Arsenic(chronic	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  odification(s): ic) = hybrid	Physical and E  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorganic  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate  Nitrite	DM CS-I acute 6.5 - 9.0 TVS 0.019 0.005 10 0.05	CS-I chronic 6.0 7.0 150 126  chronic TVS 0.75 250 0.011	Aluminum  Arsenic  Arsenic(T)  Beryllium  Cadmium(T)  Chromium III  Chromium VI  Copper  Iron  Iron(T)  Lead  Lead(T)  Manganese  Mercury  Molybdenum(T)	Metals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS TVS TVS	Chronic 0.02 TVS TVS TVS S TVS US 1000 TVS TVSWS 0.01(t) 150
COSJD008  Designation  Reviewable  Qualifiers:  Other:  Temporary M  Arsenic(chronic	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  odification(s): ic) = hybrid	Physical and E  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorganic  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate  Nitrite  Phosphorus	CS-I acute 6.5 - 9.0 c (mg/L) acute TVS 0.019 0.005 10 0.05	CS-I chronic 6.0 7.0 150 126  Chronic TVS 0.75 250 0.011 0.11	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel	Metals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS	Chronic 0.02 TVS TVS STVS WS 1000 TVS TVSWS 0.01(t) 150 TVS
COSJD008  Designation  Reviewable  Qualifiers:  Other:  Temporary M  Arsenic(chronic	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  odification(s): ic) = hybrid	Physical and E  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorganic  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate  Nitrite  Phosphorus  Sulfate	CS-I acute 6.5 - 9.0 c (mg/L) acute TVS 0.019 0.005 10 0.05	CS-I chronic 6.0 7.0 150 126  Chronic TVS 0.75 250 0.011 0.414 WS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T)	Metals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS TVS 50 TVS	Chronic
COSJD008  Designation  Reviewable  Qualifiers:  Other:  Temporary M  Arsenic(chronic	Classifications  Agriculture  Aq Life Cold 1  Recreation E  Water Supply  odification(s): ic) = hybrid	Physical and E  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorganic  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate  Nitrite  Phosphorus  Sulfate	CS-I acute 6.5 - 9.0 c (mg/L) acute TVS 0.019 0.005 10 0.05	CS-I chronic 6.0 7.0 150 126  Chronic TVS 0.75 250 0.011 0.414 WS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	Metals (ug/L)  acute 340 TVS 5.0 50 TVS TVS TVS TVS 50 TVS	Chronic 0.02 TVS TVS TVS TVS WS 1000 TVS TVSWS 0.01(t) 150 TVS 1000 TVS

All metals are dissolved unless otherwise noted. T = total recoverable

t = total tr=trout sc=sculpin

9. Mainstem o	of Silver Creek from a point immediately	below the Town of Rico's	water supply di	version to the	e confluence	with the Dolores Rive	r.	
COSJDO09	Classifications		al and Biologic				Metals (ug/L)	
Designation	Recreation N 11/1 - 4/30			DM	MWAT		acute	chronic
Reviewable	Agriculture	Temperature °C		CS-I	CS-I	Aluminum		
	Aq Life Cold 1			acute	chronic	Arsenic	340	
	Recreation E 5/1 - 10/31	D.O. (mg/L)			6.0	Arsenic(T)		7.6
Qualifiers:		D.O. (spawning)			7.0	Beryllium		
Fish Ingestion	n	рН		6.5 - 9.0		Cadmium	TVS	TVS
Other:		chlorophyll a (mg/m²)			150	Chromium III	TVS	TVS
		E. Coli (per 100 mL)	5/1 - 10/31		126	Chromium III(T)		100
		E. Coli (per 100 mL)	11/1 - 4/30		630	Chromium VI	TVS	TVS
		lı	norganic (mg/L	_)		Copper	TVS	TVS
				acute	chronic	Iron		
		Ammonia		TVS	TVS	Lead	TVS	TVS
		Boron			0.75	Manganese	TVS	TVS
EPA ha	s not acted on segment-	Chloride				Mercury		0.01(t)
	total phosphorus (TP)	Chlorine		0.019	0.011	Molybdenum(T)		150
numerio	standards based on	Cyanide		0.005		Nickel	TVS	TVS
the inte	rim value for river/	Nitrate		100		Selenium	TVS	TVS
stream	segments with a cold	Nitrite		0.05		Silver	TVS	TVS(tr)
water a	quatic life classification	Phosphorus			0.11	Uranium		
(0.11 m	g/L TP).	Sulfate				Zinc	TVS	TVS
	,	Sulfide			0.002			
10a. Mainsterr	n of the West Dolores River from the Li		a boundary to a	bove the co		Fish Creek.		
COSJDO10A	Classifications		al and Biologic				Metals (ug/L)	
Designation	Agriculture		-	DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C		CS-I	CS-I	Aluminum		
	Recreation E			acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)			6.0	Arsenic(T)		0.02
Qualifiers:		D.O. (spawning)			7.0	Beryllium		
Other:		рН		6.5 - 9.0		Cadmium	TVS	TVS
		chlorophyll a (mg/m²)			150	Cadmium(T)	5.0	
*Manganese(c	chronic) = WS, TVS and 50 ug/L	E. Coli (per 100 mL)			126	Chromium III		TVS
						Chromium III(T)	50	
		lı	norganic (mg/L	_)		Chromium VI	TVS	TVS
				acute	chronic	Copper	TVS	TVS
		Ammonia		TVS	TVS	Iron		WS
		Boron			0.75	Iron(T)		1000
		Chloride			250	Lead	TVS	TVS
		Chlorine		0.019	0.011	Lead(T)	50	
		Cyanide		0.005		Manganese	TVS	varies*
		Nitrate		10		Mercury		0.01(t)
		Nitrite		0.05		Molybdenum(T)		150
		Phosphorus		0.05	0.11	Nickel	TVS	TVS
		Sulfate			WS	Nickel(T)		100
		Sulfide			0.002	Selenium	TVS	TVS
		Juliue			0.002			TVS(tr)
						Silver	TVS	
						Uranium Zinc	 TVS	 TVS

All metals are dissolved unless otherwise noted. T = total recoverable t = total tr=trout sc=sculpin

		the confluence with Fish Creek to	THE COMMUNICE WIT	n the Dolores				
COSJDO10B	Classifications	Physical and B	iological		Me	etals (ug/L)		
Designation	Agriculture		DM	MWAT		acute	chronic	
Reviewable	Aq Life Cold 1	Temperature °C	CS-II	CS-II	Aluminum			
	Recreation E		acute	chronic	Arsenic	340		
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02	
Qualifiers:		D.O. (spawning)		7.0	Beryllium			
Other:		рН	6.5 - 9.0		Cadmium	TVS	TVS	
		chlorophyll a (mg/m²)		150	Cadmium(T)	5.0		
*Manganese(cl	hronic) = WS, TVS and 50 ug/L	E. Coli (per 100 mL)		126	Chromium III		TVS	
					Chromium III(T)	50		
		Inorganic	(mg/L)		Chromium VI	TVS	TVS	
			acute	chronic	Copper	TVS	TVS	
		Ammonia	TVS	TVS	Iron		WS	
		Boron		0.75	Iron(T)		1000	
		Chloride		250	Lead	TVS	TVS	
		Chlorine	0.019	0.011	Lead(T)	50		
EDA box	s not acted on segment-	Cyanide	0.005		Manganese	TVS	varies*	
	total phosphorus (TP)	Nitrate	10		Mercury		0.01(t)	
	standards based on	Nitrite	0.05		Molybdenum(T)		150	
	rim value for river/	Phosphorus		0.11	Nickel	TVS	TVS	
		Sulfate		WS	Nickel(T)		100	
	segments with a cold	Sulfide		0.002	Selenium	TVS	TVS	
	quatic life classification				Silver	TVS	TVS(tr)	
(0.11 mg	y/L 1P).				Uranium			
					Zinc	TVS	TVS	
						-		
11a. Lost Canyon, including all tributaries, from the		ource to the Forest Service Bounda	ry.					
COSJDO11A	Classifications	ource to the Forest Service Bounda  Physical and B			Me	etals (ug/L)		
				MWAT	Ма	etals (ug/L)	chronic	
COSJDO11A	Classifications		iological	MWAT CS-I	Aluminum		chronic 	
COSJDO11A Designation	Classifications Agriculture	Physical and B	iological DM			acute		
COSJDO11A Designation	Classifications Agriculture Aq Life Cold 2	Physical and B	DM CS-I	CS-I	Aluminum	acute		
COSJDO11A Designation	Classifications Agriculture Aq Life Cold 2 Recreation E	Physical and B	DM CS-I acute	CS-I chronic	Aluminum Arsenic	acute 340		
COSJDO11A  Designation  Reviewable	Classifications Agriculture Aq Life Cold 2 Recreation E Water Supply	Physical and B Temperature °C  D.O. (mg/L)	DM CS-I acute	CS-I chronic 6.0	Aluminum Arsenic Arsenic(T)	acute 340	  0.02	
COSJDO11A  Designation  Reviewable  Qualifiers:	Classifications Agriculture Aq Life Cold 2 Recreation E Water Supply	Physical and B  Temperature °C  D.O. (mg/L)  D.O. (spawning)	DM CS-I acute	CS-I chronic 6.0 7.0	Aluminum Arsenic Arsenic(T) Beryllium	acute  340 	  0.02 	
COSJDO11A  Designation  Reviewable  Qualifiers:  Water + Fish	Classifications Agriculture Aq Life Cold 2 Recreation E Water Supply	Physical and B  Temperature °C  D.O. (mg/L)  D.O. (spewning)  pH	DM CS-I acute  6.5 - 9.0	CS-I chronic 6.0 7.0	Aluminum Arsenic Arsenic(T) Beryllium Cadmium	acute 340 TVS	 0.02  TVS	
COSJDO11A  Designation  Reviewable  Qualifiers:  Water + Fish	Classifications Agriculture Aq Life Cold 2 Recreation E Water Supply	Physical and B  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)	DM CS-I acute  6.5 - 9.0	CS-I chronic 6.0 7.0  150	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T)	acute 340 TVS 5.0	 0.02  TVS	
COSJDO11A  Designation  Reviewable  Qualifiers:  Water + Fish	Classifications Agriculture Aq Life Cold 2 Recreation E Water Supply	Physical and B  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)	DM CS-I acute  6.5 - 9.0	CS-I chronic 6.0 7.0  150	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III	acute 340 TVS 5.0	 0.02  TVS 	
COSJDO11A  Designation  Reviewable  Qualifiers:  Water + Fish	Classifications Agriculture Aq Life Cold 2 Recreation E Water Supply	Physical and B  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)	DM CS-I acute  6.5 - 9.0	CS-I chronic 6.0 7.0  150	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T)	acute 340 TVS 5.0 50	0.02 TVS	
COSJDO11A  Designation  Reviewable  Qualifiers:  Water + Fish	Classifications Agriculture Aq Life Cold 2 Recreation E Water Supply	Physical and B  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)	DM CS-I acute  6.5 - 9.0	CS-I chronic 6.0 7.0  150 126	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T)	acute 340 TVS 5.0 50 TVS	0.02 TVS TVS TVS	
COSJDO11A  Designation  Reviewable  Qualifiers:  Water + Fish	Classifications Agriculture Aq Life Cold 2 Recreation E Water Supply	Physical and B  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)	DM CS-I acute 6.5 - 9.0 (mg/L) acute	CS-I chronic 6.0 7.0 150 126	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron	acute 340 TVS 5.0 50 TVS TVS	0.02 TVS TVS TVS TVS	
COSJDO11A  Designation  Reviewable  Qualifiers:  Water + Fish	Classifications Agriculture Aq Life Cold 2 Recreation E Water Supply	Physical and B  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorganic	DM   CS-I   acute     6.5 - 9.0       c (mg/L)   acute   TVS	CS-I chronic 6.0 7.0 150 126  chronic TVS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper	acute 340 TVS 5.0 50 TVS TVS	0.02 TVS TVS TVS TVS TVS WS	
COSJDO11A  Designation  Reviewable  Qualifiers:  Water + Fish	Classifications Agriculture Aq Life Cold 2 Recreation E Water Supply	Physical and B  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorganic  Ammonia  Boron	DM   CS-I   acute     6.5 - 9.0     (mg/L)   acute   TVS	CS-I chronic 6.0 7.0 150 126  chronic TVS 0.75	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T)	acute 340 TVS 5.0 50 TVS TVS	0.02 TVS TVS TVS WS 1000	
COSJDO11A  Designation  Reviewable  Qualifiers:  Water + Fish	Classifications Agriculture Aq Life Cold 2 Recreation E Water Supply	Physical and B Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic  Ammonia Boron Chloride Chlorine	DM   CS-I   acute     6.5 - 9.0       C   (mg/L)   acute   TVS	CS-I chronic 6.0 7.0 150 126  chronic TVS 0.75 250	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T)	acute 340 TVS 5.0 50 TVS TVS TVS TVS	0.02 TVS TVS TVS TVS TVS TVS TVS TVS TVS	
COSJDO11A  Designation  Reviewable  Qualifiers:  Water + Fish	Classifications Agriculture Aq Life Cold 2 Recreation E Water Supply	Physical and B  Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic  Ammonia Boron Chloride	DM   CS-I   acute     6.5 - 9.0       C   mg/L   acute   TVS       C   C   C   C   C   C   C   C	CS-I chronic 6.0 7.0 150 126  chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T)	acute 340 TVS 5.0 50 TVS TVS TVS TVS 50	0.02 TVS TVS TVS WS 1000 TVS TVS/WS	
COSJDO11A  Designation  Reviewable  Qualifiers:  Water + Fish	Classifications Agriculture Aq Life Cold 2 Recreation E Water Supply	Physical and B  Temperature °C  D.O. (mg/L)  D.O. (spawning)  pH  chlorophyll a (mg/m²)  E. Coli (per 100 mL)  Inorganic  Ammonia  Boron  Chloride  Chlorine  Cyanide  Nitrate	DM   CS-I   acute     6.5 - 9.0     1.0   CM   CM   CM   CM   CM   CM   CM   C	CS-I chronic 6.0 7.0 150 126  chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS TVS 50 TVS	0.02 TVS	
COSJDO11A  Designation  Reviewable  Qualifiers:  Water + Fish	Classifications Agriculture Aq Life Cold 2 Recreation E Water Supply	Physical and B  Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite	DM   CS-I   acute     6.5 - 9.0     C   (mg/L)   acute   TVS       0.019   0.005	CS-I chronic 6.0 7.0 150 126  Chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS	0.02 TVS TVS TVS TVS TVS TVS TVS TVS 0.01(t)	
COSJDO11A  Designation  Reviewable  Qualifiers:  Water + Fish	Classifications Agriculture Aq Life Cold 2 Recreation E Water Supply	Physical and B  Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	DM   CS-I   acute     6.5 - 9.0     C   (mg/L)   acute   TVS       0.019   0.005   10   0.05     10   0.05           10   0.05   -	CS-I chronic 6.0 7.0 150 126  chronic TVS 0.75 250 0.011 0.41	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS	0.02 TVS TVS TVS TVS WS 1000 TVS TVS/WS 0.01(t) 150 TVS	
COSJDO11A  Designation  Reviewable  Qualifiers:  Water + Fish	Classifications Agriculture Aq Life Cold 2 Recreation E Water Supply	Physical and B  Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	DM   CS-I   acute     6.5 - 9.0     C   (mg/L)   acute   TVS     0.019   0.005   10   0.005	CS-I chronic 6.0 7.0 150 126  Chronic TVS 0.75 250 0.011 0.411 WS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T)	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS TVS	0.02 TVS TVS TVS TVS SUS 1000 TVS TVS/WS 0.01(t) 150 TVS	
COSJDO11A  Designation  Reviewable  Qualifiers:  Water + Fish	Classifications Agriculture Aq Life Cold 2 Recreation E Water Supply	Physical and B  Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	DM   CS-I   acute     6.5 - 9.0     C   (mg/L)   acute   TVS       0.019   0.005   10   0.05     10   0.05           10   0.05   -	CS-I chronic 6.0 7.0 150 126  chronic TVS 0.75 250 0.011 0.11	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS	0.02 TVS TVS TVS TVS WS 1000 TVS TVS/WS 0.01(t) 150 TVS	
COSJDO11A  Designation  Reviewable  Qualifiers:  Water + Fish	Classifications Agriculture Aq Life Cold 2 Recreation E Water Supply	Physical and B  Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	DM   CS-I   acute     6.5 - 9.0     C   (mg/L)   acute   TVS     0.019   0.005   10   0.005	CS-I chronic 6.0 7.0 150 126  Chronic TVS 0.75 250 0.011 0.411 WS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium Silver	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS	0.02 TVS TVS TVS TVS TVS TVS S 1000 TVS TVS/WS 0.01(t) 150 TVS	
COSJDO11A  Designation  Reviewable  Qualifiers:  Water + Fish	Classifications Agriculture Aq Life Cold 2 Recreation E Water Supply	Physical and B  Temperature °C  D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)  Inorganic  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	DM   CS-I   acute     6.5 - 9.0     C   (mg/L)   acute   TVS     0.019   0.005   10   0.005	CS-I chronic 6.0 7.0 150 126  Chronic TVS 0.75 250 0.011 0.411 WS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS	0.02 TVS TVS TVS WS 1000 TVS TVS/WS 0.01(t) 150 TVS 1000 TVS	

All metals are dissolved unless otherwise noted. T = total recoverable

t = total tr=trout sc=sculpin

COSJDO11B	Classifications	Physical and Bi	iological		N	letals (ug/L)	· <u> </u>
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 2	Temperature °C	CS-II	CS-II	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02
Qualifiers:		D.O. (spawning)		7.0	Beryllium		
Nater + Fish	Standards	pH	6.5 - 9.0		Cadmium	TVS	TVS
Other:		chlorophyll a (mg/m²)		150	Cadmium(T)	5.0	
		E. Coli (per 100 mL)	Chromium III		TVS		
					Chromium III(T)	50	
		Inorganic	(mg/L)	Chromium VI	TVS	TVS	
			acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron		WS
		Boron		0.75	Iron(T)		1000
		Chloride		250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	
1	s not acted on segment-	Cyanide	0.005		Manganese	TVS	TVS/WS
1. 1	total phosphorus (TP)	Nitrate	10		Mercury		0.01(t)
1	standards based on	Nitrite	0.05		Molybdenum(T)		150
1	rim value for river/	Phosphorus		0.11	Nickel	TVS	TVS
	segments with a cold	Sulfate		WS	Nickel(T)		100
	quatic life classification	Sulfide		0.002	Selenium	TVS	TVS
(0.11 m	g/L TP).				Silver	TVS	TVS
					Uranium		
					Zinc	TVS	TVS(sc)

11c. All tributaries to McPhee Reservoir, except for the specific listings in Segments 4a and 11b. All tributaries to the Dolores River from the outlet of McPhee Reservoir to the bridge at Bradfield Ranch (Forest Route 505, near Montezuma/Dolores County Line). Beaver Creek and Plateau Creek, including all tributaries, from the source to the confluence with the Dolores River.

COSJDO11C	Classifications	Physical and Biolog	gical			Metals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Warm 1	Temperature °C	WS-II	WS-II	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02
Qualifiers:		D.O. (spawning)		7.0	Beryllium		
Other:		рН	6.5 - 9.0		Cadmium	TVS	TVS
Temporary Mo	odification(s):	chlorophyll a (mg/m²)		150	Cadmium(T)	5.0	
Arsenic(chronic	,	E. Coli (per 100 mL)		126	Chromium III		TVS
•	e of 12/31/2024				Chromium III(T)	50	
		Inorganic (mg	g/L)		Chromium VI	TVS	TVS
			acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron		ws
		Boron		0.75	Iron(T)		1000
		Chloride		250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	
	s not acted on segment-	Cyanide	0.005		Manganese	TVS	TVS/WS
	total phosphorus (TP)	Nitrate	10		Mercury		0.01(t)
	standards based on	Nitrite	0.05		Molybdenum(T)		150
	im value for river/	Phosphorus		0.11	Nickel	TVS	TVS
	segments with a cold	Sulfate		ws	Nickel(T)		100
	quatic life classification	Sulfide		0.002	Selenium	TVS	TVS
(0.11 m	g/L TP).				Silver	TVS	TVS
					Uranium		
					Zinc	TVS	TVS

	and reservoirs tributary to the Dolores F	River and West Dolores River, which	ch are within the Liz	ard Head W	Wilderness area. This segment includes Navajo Lake.					
COSJDO12	Classifications	Physical and E	Biological		N	letals (ug/L)				
Designation	Agriculture		DM	MWAT		acute	chronic			
OW	Aq Life Cold 1	Temperature °C	CL	CL	Aluminum					
	Recreation E		acute	chronic	Arsenic	340				
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02			
Qualifiers:		D.O. (spawning)		7.0	Beryllium					
Other:		pН	6.5 - 9.0		Cadmium	TVS	TVS			
		chlorophyll a (ug/L)		8*	Cadmium(T)	5.0				
	(ug/L)(chronic) = applies only to lakes s larger than 25 acres surface area.	E. Coli (per 100 mL)		126	Chromium III		TVS			
	chronic) = applies only to lakes and ger than 25 acres surface area.				Chromium III(T)	50				
reservoirs larg	ger man 25 acres surface area.	Inorganio	(mg/L)		Chromium VI	TVS	TVS			
			acute	chronic	Copper	TVS	TVS			
		Ammonia	TVS	TVS	Iron		WS			
		Boron		0.75	Iron(T)		1000			
		Chloride		250	Lead	TVS	TVS			
		Chlorine	0.019	0.011	Lead(T)	50				
		Cyanide	0.005		Manganese	TVS	TVS/WS			
		Nitrate	10		Mercury		0.01(t)			
		Nitrite	0.05		Molybdenum(T)		150			
		Phosphorus		0.025*	Nickel	TVS	TVS			
		Sulfate		WS	Nickel(T)		100			
		Sulfide		0.002	Selenium	TVS	TVS			
		Guirido		0.002	Silver	TVS	TVS(tr)			
					Uranium					
					Zinc	TVS	TVS			
13. Groundhoo	g Reservoir.				Ziilo	110	110			
COSJDO13	Classifications	Physical and E	Biological		Metals (ug/L)					
Designation	Agriculture		DM	MWAT		acute	chronic			
Reviewable	Aq Life Cold 1	Temperature °C	CIL	CLL	Aluminum					
	Aq Life Cold 1									
	Recreation E		acute	chronic	Arsenic	340				
		D.O. (mg/L)	acute	chronic 6.0	Arsenic Arsenic(T)	340	0.02			
Qualifiers:	Recreation E									
Qualifiers:	Recreation E	D.O. (mg/L)		6.0	Arsenic(T)		0.02			
Other:	Recreation E Water Supply	D.O. (mg/L) D.O. (spawning)		6.0 7.0	Arsenic(T) Beryllium		0.02			
Other: *chlorophyll a	Recreation E Water Supply  (ug/L)(chronic) = applies only to lakes	D.O. (mg/L) D.O. (spawning) pH	  6.5 - 9.0	6.0 7.0	Arsenic(T) Beryllium Cadmium	  TVS	0.02  TVS			
Other:  *chlorophyll a and reservoirs *Phosphorus(c	Recreation E Water Supply  (ug/L)(chronic) = applies only to lakes s larger than 25 acres surface area. chronic) = applies only to lakes and	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L)	  6.5 - 9.0	6.0 7.0  8*	Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III	  TVS 5.0	0.02  TVS 			
Other:  *chlorophyll a and reservoirs *Phosphorus(c	Recreation E Water Supply  (ug/L)(chronic) = applies only to lakes s larger than 25 acres surface area.	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L)	6.5 - 9.0 	6.0 7.0  8*	Arsenic(T) Beryllium Cadmium Cadmium(T)	 TVS 5.0	0.02  TVS  TVS			
Other:  *chlorophyll a and reservoirs *Phosphorus(c	Recreation E Water Supply  (ug/L)(chronic) = applies only to lakes s larger than 25 acres surface area. chronic) = applies only to lakes and	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)	6.5 - 9.0 	6.0 7.0  8*	Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T)	 TVS 5.0  50	0.02  TVS  TVS			
Other:  *chlorophyll a and reservoirs *Phosphorus(c	Recreation E Water Supply  (ug/L)(chronic) = applies only to lakes s larger than 25 acres surface area. chronic) = applies only to lakes and	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)	6.5 - 9.0  	6.0 7.0  8* 126	Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T)	 TVS 5.0  50 TVS	0.02 TVS TVS TVS			
Other:  *chlorophyll a and reservoirs *Phosphorus(c	Recreation E Water Supply  (ug/L)(chronic) = applies only to lakes s larger than 25 acres surface area. chronic) = applies only to lakes and	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)	  6.5 - 9.0  	6.0 7.0  8* 126	Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium IIII(T) Chromium VI Copper Iron	TVS 5.0 50 TVS TVS	0.02 TVS TVS TVS TVS TVS WS			
Other:  *chlorophyll a and reservoirs *Phosphorus(c	Recreation E Water Supply  (ug/L)(chronic) = applies only to lakes s larger than 25 acres surface area. chronic) = applies only to lakes and	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  Inorganic  Ammonia Boron	6.5 - 9.0	6.0 7.0  8* 126 <b>chronic</b> TVS 0.75	Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper	TVS 5.0 50 TVS TVS	0.02 TVS TVS TVS TVS TVS			
Other:  *chlorophyll a and reservoirs *Phosphorus(c	Recreation E Water Supply  (ug/L)(chronic) = applies only to lakes s larger than 25 acres surface area. chronic) = applies only to lakes and	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  Inorganic  Ammonia Boron Chloride	6.5 - 9.0 : (mg/L) acute TVS	6.0 7.0  8* 126 <b>chronic</b> TVS	Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead	TVS 5.0 50 TVS TVS	0.02 TVS TVS TVS WS 1000			
Other:  *chlorophyll a and reservoirs *Phosphorus(c	Recreation E Water Supply  (ug/L)(chronic) = applies only to lakes s larger than 25 acres surface area. chronic) = applies only to lakes and	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  Inorganic  Ammonia Boron Chloride Chlorine	6.5 - 9.0	6.0 7.0 8* 126  chronic TVS 0.75 250	Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T)	TVS 5.0 50 TVS TVS TVS TVS	0.02 TVS TVS TVS TVS WS 1000 TVS			
Other:  *chlorophyll a and reservoirs *Phosphorus(c	Recreation E Water Supply  (ug/L)(chronic) = applies only to lakes s larger than 25 acres surface area. chronic) = applies only to lakes and	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  Inorganic  Ammonia Boron Chloride	6.5 - 9.0	6.0 7.0 8* 126  chronic TVS 0.75 250 0.011	Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese	TVS 5.0 50 TVS TVS TVS TVS 50	0.02 TVS TVS TVS TVS WS 1000 TVS TVSWS			
Other:  *chlorophyll a and reservoirs *Phosphorus(c	Recreation E Water Supply  (ug/L)(chronic) = applies only to lakes s larger than 25 acres surface area. chronic) = applies only to lakes and	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  Inorganic  Ammonia Boron Chloride Chlorine Cyanide Nitrate	6.5 - 9.0 c (mg/L) acute TVS 0.019 0.005	6.0 7.0 8* 126  chronic TVS 0.75 250 0.011	Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury	TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS	0.02 TVS TVS TVS SVS TVS WS 1000 TVS			
Other:  *chlorophyll a and reservoirs *Phosphorus(c	Recreation E Water Supply  (ug/L)(chronic) = applies only to lakes s larger than 25 acres surface area. chronic) = applies only to lakes and	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  Inorganic  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite	6.5 - 9.0	6.0 7.0 8* 126  chronic TVS 0.75 250 0.011	Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T)	TVS 5.0 TVS	0.02 TVS TVS TVS TVS WS 1000 TVS TVSWS 0.01(t)			
Other:  *chlorophyll a and reservoirs *Phosphorus(c	Recreation E Water Supply  (ug/L)(chronic) = applies only to lakes s larger than 25 acres surface area. chronic) = applies only to lakes and	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  Inorganic  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	6.5 - 9.0  1. (mg/L)  acute  TVS 0.019 0.005 10 0.05	6.0 7.0 8* 126  chronic TVS 0.75 250 0.011 0.025*	Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel	TVS 5.0 50 TVS TVS TVS 50 TVS 50 TVS TVS 50 TVS TVS	0.02 TVS TVS TVS TVS WS 1000 TVS TVSWS 0.01(t) 150 TVS			
Other:  *chlorophyll a and reservoirs *Phosphorus(c	Recreation E Water Supply  (ug/L)(chronic) = applies only to lakes s larger than 25 acres surface area. chronic) = applies only to lakes and	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  Inorganic  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	6.5 - 9.0  c (mg/L)  acute  TVS 0.019 0.005 10 0.05	6.0 7.0 8* 126  chronic TVS 0.75 250 0.011 0.025* WS	Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T)	TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS	0.02 TVS TVS TVS TVS WS 1000 TVS TVSWS 0.01(t) 150 TVS			
Other:  *chlorophyll a and reservoirs *Phosphorus(c	Recreation E Water Supply  (ug/L)(chronic) = applies only to lakes s larger than 25 acres surface area. chronic) = applies only to lakes and	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  Inorganic  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	6.5 - 9.0  1. (mg/L)  acute  TVS 0.019 0.005 10 0.05	6.0 7.0 8* 126  chronic TVS 0.75 250 0.011 0.025*	Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	TVS 5.0 TVS 50 TVS	0.02 TVS TVS TVS TVS WS 1000 TVS TVS/WS 0.01(t) 150 TVS 100 TVS			
Other:  *chlorophyll a and reservoirs *Phosphorus(c	Recreation E Water Supply  (ug/L)(chronic) = applies only to lakes s larger than 25 acres surface area. chronic) = applies only to lakes and	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  Inorganic  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	6.5 - 9.0  c (mg/L)  acute  TVS 0.019 0.005 10 0.05	6.0 7.0 8* 126  chronic TVS 0.75 250 0.011 0.025* WS	Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium Silver	TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS TVS	0.02 TVS TVS TVS WS 1000 TVS TVSWS 0.01(t) 150 TVS 1000 TVS TVS TVS TVS TVS			
Other:  *chlorophyll a and reservoirs *Phosphorus(c	Recreation E Water Supply  (ug/L)(chronic) = applies only to lakes s larger than 25 acres surface area. chronic) = applies only to lakes and	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)  Inorganic  Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	6.5 - 9.0  c (mg/L)  acute  TVS 0.019 0.005 10 0.05	6.0 7.0 8* 126  chronic TVS 0.75 250 0.011 0.025* WS	Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	TVS 5.0 TVS 50 TVS	0.02 TVS TVS TVS TVS WS 1000 TVS TVS/WS 0.01(t) 150 TVS 100 TVS			

All metals are dissolved unless otherwise noted. T = total recoverable

t = total tr=trout sc=sculpin

COSJDO14	Classifications	Physical and	Biological		N	letals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CL	CL	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02
Qualifiers:		D.O. (spawning)		7.0	Beryllium		
Other:		pН	6.5 - 9.0		Cadmium	TVS	TVS
الماسيدال	((I) (abaseria) — maliae — ml	chlorophyll a (ug/L)		8*	Cadmium(T)	5.0	
	(ug/L)(chronic) = applies only to lakes s larger than 25 acres surface area.	E. Coli (per 100 mL)	. Coli (per 100 mL) 126 Chr		Chromium III		TVS
	chronic) = applies only to lakes and			Chromium III(T)	50		
eservoirs iar	ger than 25 acres surface area.	Inorgan	ic (mg/L)	Chromium VI	TVS	TVS	
			acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron		WS
		Boron		0.75	Iron(T)		1000
		Chloride		250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	
		Cyanide	0.005		Manganese	TVS	TVS/WS
		Nitrate	10		Mercury		0.01(t)
		Nitrite	0.05		Molybdenum(T)		150
		Phosphorus		0.025*	Nickel	TVS	TVS
		Sulfate		WS	Nickel(T)		100
		Sulfide		0.002	Selenium	TVS	TVS
					Silver	TVS	TVS(tr)
					Uranium		
					Zinc	TVS	TVS

15. All lakes and reservoirs which are tributary to the Dolores River from a point immediately below the confluence of the West Dolores River, to the bridge at Bradfield Ranch (Forest Route 505, near Montezuma/Dolores County Line), except for the specific listing in Segment 4b. This segment includes Campbell Reservoir, Summers Reservoir, Red Lake, and Long Draw Reservoir.

COSJDO15	Classifications	Physical and Biolo	gical		M	letals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 2	Temperature °C	CL	CL	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02
Qualifiers:		D.O. (spawning)		7.0	Beryllium		
Water + Fish	Standards	pН	6.5 - 9.0		Cadmium	TVS	TVS
Other:		chlorophyll a (ug/L)		8*	Cadmium(T)	5.0	
*ablarasbull a	(ug/L)(abrania) applies only to lake	E. Coli (per 100 mL)		126	Chromium III		TVS
and reservoirs	nlorophyll a (ug/L)(chronic) = applies only to laked d reservoirs larger than 25 acres surface area. hosphorus(chronic) = applies only to lakes and				Chromium III(T)	50	
	hronic) = applies only to lakes and per than 25 acres surface area.	Inorganic (m	g/L)		Chromium VI	TVS	TVS
reservoirs rarg	or than 20 acres surface area.		acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron		WS
		Boron		0.75	Iron(T)		1000
		Chloride		250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	
		Cyanide	0.005		Manganese	TVS	TVS/WS
		Nitrate	10		Mercury		0.01(t)
		Nitrite	0.05		Molybdenum(T)		150
		Phosphorus		0.025*	Nickel	TVS	TVS
		Sulfate		WS	Nickel(T)		100
		Sulfide		0.002	Selenium	TVS	TVS
					Silver	TVS	TVS
					Uranium		
					Zinc	TVS	TVS

#### STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS - FOOTNOTES

- (A) Whenever a range of standards is listed and referenced to this footnote, the first number in the range is a strictly health-based value, based on the Commission's established methodology for human health-based standards. The second number in the range is a maximum contaminant level, established under the federal Safe Drinking Water Act that has been determined to be an acceptable level of this chemical in public water supplies, taking treatability and laboratory detection limits into account. Control requirements, such as discharge permit effluent limitations, shall be established using the first number in the range as the ambient water quality target, provided that no effluent limitation shall require an "end-of-pipe" discharge level more restrictive than the second number in the range. Water bodies will be considered in attainment of this standard, and not included on the Section 303(d) List, so long as the existing ambient quality does not exceed the second number in the range.
- (B) Assessment of adequate refuge shall rely on the Cold Large Lake table value temperature criterion and applicable dissolved oxygen standard rather than the site-specific temperature standard.
- (C) For certain site-specific temperature standards, the temperature excursions listed in Table I Footnote 5(c) of 31.16 do not apply. Assessment of ambient-based temperature standards should be conducted in a way that represents similar conditions to those under which the criteria were developed (i.e., air, low flow, and warming event excursions should not apply). Similarly, where site-specific adjustments to the winter shoulder season have been adopted, the winter shoulder season excursion does not apply.

#### TABLE 1

#### ANIMAS RIVER BASIN AQUATIC LIFE INDICATOR GOAL: BROOK TROUT

#### Segment 3a Acute Standards

	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC
Zn	720	780	1060	1200	760	410	280	340	380	440	510	590

#### Chronic Standards

	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC
Mn	TVS	TVS	2571	2179	TVS	TVS	TVS	TVS	TVS	TVS	TVS	TVS
Zn	720	780	1060	1200	760	410	280	340	380	440	510	590

#### Segment 4a

#### Acute Standards

	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT	ОСТ	NOV	DEC
Al(Trec)	3100	3550	2800	2020	1010	740	700	1360	1490	1610	2280	2570
Zn	460	520	620	570	430	250	170	240	290	340	380	420

#### **Chronic Standards**

	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC
рН	5.9-9.0	5.7-9.0	6.2-9.0	6.5-9.0	6.5-9.0	6.5-9.0	6.5-9.0	6.5-9.0	6.5-9.0	6.5-9.0	6.5-9.0	5.9-9.0
Al(Trec)	3100	3550	2800	2020	1010	740	700	1360	1490	1610	2280	2570
Fe	3473	2961	3776	3404	2015	1220	1286	1830	1623	2258	2631	3511
Zn	460	520	620	570	430	250	170	240	290	340	380	420

#### Segment 9

#### Acute Standards

	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC
Al(Trec)	4680	4950	4560	3800	1390	1350	1290	2040	2570	2680	3450	4050

#### Chronic Standards

	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT	ОСТ	NOV	DEC
рН	4.9-9.0	4.8-9.0	4.9-9.0	5.9-9.0	6.5-9.0	6.5-9.0	6.5-9.0	6.5-9.0	6.5-9.0	6.5-9.0	6.2-9.0	5.4-9.0
Al(Trec)	4680	4950	4560	3800	1390	1350	1290	2040	2570	2680	3450	4050
Cu	TVS	TVS	TVS	18	20	TVS						
Fe	3420	3800	4370	3370	3150	2210	2275	2280	3020	3580	3620	3490
Zn	TVS	TVS	TVS	TVS	230	TVS						

#### **Editor's Notes**

#### **History**

Rules 34.5, 34.32 eff. 07/01/2007.

Rules 34.6 (Tables 1-18), 34.33, 34.34 eff. 06/30/2010.

Rules 34.6 (Tables 1-18), 34.35 eff. 06/30/2011.

Rules 34.6 (Table pp. 2, 7, 8, 12), 34.36 eff. 01/01/2012.

Rules 34.5(1), 34.5(3)-34.5(4), 34.6(2)-34.6(3), 34.38 eff. 03/30/2013.

Rules 34.6(3), 34.39 emer. rules eff. 05/13/2013.

Rules 34.6(2)(d), 34.6(3), (Tables pgs. 1, 5, 7, 9-12, 15, 21), 34.40-34.41 eff. 09/30/2013.

Rules 34.6 Animas and Florida River segment 13b, La Plata River, McElmo Creek, and San Juan River segments 7a, 8c, 34.42 eff. 06/30/2014.

Rules 34.6 Animas and Florida River segment 13b, 34.43 eff. 03/01/2015.

Rules 34.6 La Plata River, Mancos River, McElmo Creek, and San Juan River segments 7a, 8c, 34.44 eff. 06/30/2015.

Rules 34.6, Appendix 34-1, 34.45 eff. 03/01/2016.

Rule 34.46, Appendix 34-1 eff. 06/30/2016.

Rule 34.47, Appendix 34-1 eff. 06/30/2017.

Rules 34.2-34.6, 34.48, Appendix 34-1 eff. 12/31/2017.

Rule 34.49, Appendix 34-1 eff. 06/30/2019.

Rules 34.6, 34.50, 34.51, Appendix 34-1 eff. 06/30/2020.