Presented below are water quality standards that are in effect for Clean Water Act purposes.

EPA is posting these standards as a convenience to users and has made a reasonable effort to assure their accuracy. Additionally, EPA has made a reasonable effort to identify parts of the standards that are not approved, disapproved, or are otherwise not in effect for Clean Water Act purposes.

Regulation No. 35 - Classifications and Numeric Standards for San Juan Gunnison and Lower Dolores River Basins

Effective March 12, 2020

The following provisions are in effect for Clean Water Act purposes with these few exceptions:

EPA has **taken no action** on:

- All segment-specific total phosphorus (TP) numeric standards based on the interim value for river/stream segments with a cold water aquatic life classification (0.11 mg/L TP) or a warm water aquatic life classification (0.17 mg/L TP)
- All segment-specific TP numeric standards based on the interim value for lake/reservoir segments with a warm water aquatic life classification (0.083 mg/L TP)



DEPARTMENT OF PUBLIC HEALTH AND ENVIRONMENT

Water Quality Control Commission

REGULATION NO. 35 - CLASSIFICATIONS AND NUMERIC STANDARDS FOR GUNNISON AND LOWER DOLORES RIVER BASINS

5 CCR 1002-35

[Editor's Notes follow the text of the rules at the end of this CCR Document.]

35.1 AUTHORITY

These regulations are promulgated pursuant to section 25-8-101 et seq. C.R.S., as amended, and in particular, 25-8-203 and 25-8-204.

35.2 PURPOSE

These regulations establish classifications and numeric standards for the Gunnison River/Lower Dolores River Basins, including all tributaries and standing bodies of water. This includes all or parts of Gunnison, Delta, Montrose, Ouray, Mesa, Saguache and Hinsdale Counties. This also includes the lower Dolores River and its tributaries in Dolores, Montrose, Mesa and San Miguel Counties. The classifications identify the actual beneficial uses of the water. The numeric standards are assigned to determine the allowable concentrations of various parameters. Discharge permits will be issued by the Water Quality Control Division to comply with basic, narrative, and numeric standards and control regulations so that all discharges to waters of the state protect the classified uses. It is intended that these and all other stream classifications and numeric standards be used in conjunction with and be an integral part of Regulation No. 31 Basic Standards and Methodologies for Surface Water.

35.3 INTRODUCTION

These regulations and tables present the classifications and numeric standards assigned to stream segments listed in the attached tables (See Appendix 35-1). As additional stream segments are classified and numeric standards for designated parameters are assigned for this drainage system, they will be added to or replace the numeric standards in the tables in Appendix 35-1. Any additions or revisions of classifications or numeric standards can be accomplished only after public hearing by the Commission and proper consideration of evidence and testimony as specified by the statute and the "basic regulations".

35.4 **DEFINITIONS**

See the Colorado Water Quality Control Act and the codified water quality regulations for definitions.

35.5 BASIC STANDARDS

(1) <u>TEMPERATURE</u>

All waters of the Gunnison/Lower Dolores River Basins are subject to the following standard for temperature. (Discharges regulated by permits, which are within the permit limitations, shall not be subject to enforcement proceedings under this standard). Temperature shall maintain a normal pattern of diurnal and seasonal fluctuations with no abrupt changes and shall have no increase in temperature of a magnitude, rate, and duration deemed deleterious to the resident aquatic life. This standard shall not be interpreted or applied in a manner inconsistent with section 25-8-104, C.R.S.

(2) QUALIFIERS

See Basic Standards and Methodologies for Surface Water for a listing of organic standards at 31.11 and metal standards found at 31.16 Table III. The column in the tables headed "Water + Fish" are presumptively applied to all aquatic life class 1 streams which also have a water supply classification, and are applied to aquatic life class 2 streams which also have a water supply classification, on a case-by-case basis as shown in Appendix 35-1. The column in the tables at 31.11 and 31.16 Table III headed "Fish Ingestion" is presumptively applied to all aquatic life class 2 streams which do not have a water supply classification, and are applied to attract supply classification, and are applied to applied to all aquatic life class 4 streams which do not have a water supply classification, and are applied to aquatic life class 2 streams which do not have a water supply classification, on a case-by-case basis as shown in Appendix 35-1.

(3) URANIUM

- (a) All waters of the Gunnison/Lower Dolores River Basin, are subject to the following basic standard for uranium, unless otherwise specified by a water quality standard applicable to a particular segment. However, discharges of uranium regulated by permits which are within these permit limitations shall not be a basis for enforcement proceedings under this basic standard.
- (b) Uranium level in surface waters shall be maintained at the lowest practicable level.
- (c) In no case shall uranium levels in waters assigned a water supply classification be increased by any cause attributable to municipal, industrial, or agricultural discharges so as to exceed 16.8-30 µg/l or naturally-occurring concentrations (as determined by the State of Colorado), whichever is greater.
 - (i) The first number in the 16.8-30 µg/l range is a strictly health-based value, based on the Commission's established methodology for human health-based standards. The second number in the range is a maximum contaminant level, established under the federal Safe Drinking Water Act that has been determined to be an acceptable level of this chemical in public water supplies, taking treatability and laboratory detection limits into account. Control requirements, such as discharge permit effluent limitations, shall be established using the first number in the range as the ambient water quality target, provided that no effluent limitation shall require an "end-of-pipe" discharge level more restrictive than the second number in the range. Water bodies will be considered in attainment of this standard, and not included on the Section 303(d) List, so long as the existing ambient quality does not exceed the second number in the range.

(4) <u>NUTRIENTS</u>

Prior to May 31, 2022, interim nutrient values will be considered for adoption only in the limited circumstances defined at 31.17(e). These circumstances include headwaters, Direct Use Water Supply (DUWS) Lakes and Reservoirs, and other special circumstances determined by the Commission. Additionally, prior to May 31, 2017, only total phosphorus and chlorophyll a will be considered for adoption. After May 31, 2017, total nitrogen will be considered for adoption per the circumstances outlined in 31.17(e).

Prior to May 31, 2022, nutrient criteria will be adopted for headwaters on a segment by segment basis for the Gunnison/Lower Dolores River Basin. Moreover, pursuant to 31.17(e) nutrient standards will only be adopted for waters upstream of all permitted domestic wastewater treatment facilities discharging prior to May 31, 2012 or with preliminary effluent limits requested prior to May 31, 2012, and any non-domestic facilities subject to Regulation 85 effluent limits and discharging prior to May 31, 2012. The following is a list of all permitted domestic wastewater treatment facilities discharging prior to May 31, 2012 or with preliminary effluent limits requested prior to May 31, 2012, and any non-domestic facilities subject to Regulation 85 effluent limits requested prior to May 31, 2012, and any non-domestic facilities subject to Regulation 85 effluent limits and discharging prior to May 31, 2012 in the Gunnison/Lower Dolores River Basin:

Segment	Permittee Name Facility Name		Permit No.
COGUUG04	Almont Sewage Hereafter In Transit Plant	ALMONT WWTF	COG588012
COGUSM04a	Wick Hospitality Group LLC	BLUE JAY RESTAURANT AND LODGE	COG588113
COGUUG14	Camp Gunnison Inc	CAMP GUNNISON CHURCH CAMP	COG588112
COGULG09	Cedaredge Town of	CEDAREDGE WWTF	CO0031984
COGUNF06b	Crawford Town of	CRAWFORD WWTF	CO0037729
COGUUG05b	Crested Butte South Metro District	CRESTED BUTTE SOUTH METRO DIST WWTF	COG588045
COGUUG08	Crested Butte Town of	CRESTED BUTTE TOWN OF WWTF	CO0020443
COGULG06b	Delta Correctional Center	DELTA CORRECTIONAL CENTER	COG588032
COGULG02	Delta City of	DELTA WWTF	CO0039641
COGUUG05a	East River Regional Sanitation District	EAST RIVER REGIONAL SD WWTF	COG588079
COGUUN10b	Elk Meadows Estates	ELK MEADOWS WWTF	COG589091
COGUSM04a	Fall Creek HOA	FALL CREEK	COG588119
COGUUG14	Gunnison City of	GUNNISON CITY OF	CO0041530
COGULG07b	Volunteers of America Care Fac	HORIZON HEALTH CARE & RETIREMENT COMMUNITY	CO0042617
COGUNF03	Hotchkiss Town of	HOTCHKISS TOWN OF	CO0044903
COGUSM08	Stemz LLC	ILIUM POWER STATION CHURCH CAMP	COG588033
COGUNF04a,c	Scarp RidgeLodge	IRWIN MOUNTAIN LODGE	CO0045217
COGUUG29a	L and N Inc	L & N INC	COG588052
COGUUG29a	Lake City Town of	LAKE CITY WWTF	CO0040673
COGUSM03b	Last Dollar PUD Improvements Assn	LAST DOLLAR WWTF	COG588005
COGUSM03b	Ilium Park Owners Association	LAWSON HILL PUD ILLIUM VALLEY WWTF	COG588021
COGUUN04b	Montrose City of	MONTROSE WWTP	CO0039624
COGUUG13	Mt Crested Butte WSD	MT CRESTED BUTTE WSD	CO0027171
COGUSM05	Naturita Town of	NATURITA WWTF	CO0024007
COGUSM12c	Nucla Town of	NUCLA WWTF	COG589067

COGUUN04b	Olathe Town of	OLATHE TOWN OF	CO0020907
COGUUN03a	Ouray City of	OURAY CITY OF	CO0043397
COGUNF03	Paonia Town of	PAONIA WWTF	CO0047431
COGUSM03b	Telluride Town of	REGIONAL WWTF	CO0041840
COGUUN03a	Ridgway Town of	RIDGWAY, TOWN OF	COG588047
COGUUG29a	Ute Trail Ranch Foundation	SKY RANCH AT UTE TRAIL	COG588109
COGULD02	SW Mesa County Rural Public Improvement District	SW MESA CO RURAL PUB IMP DIST WWTF	COG588086
COGUUN04b	West Montrose Sanitation District	WEST MONTROSE SANITATION DIST WWTF	CO0030449

Prior to May 31, 2022:

- For segments located entirely above these facilities, nutrient standards apply to the entire segment.
- For segments with portions downstream of these facilities, *nutrient standards* only apply above these facilities. A note was added to the total phosphorus and chlorophyll a standards in these segments. The note references the table of qualified facilities at 35.5(4).
- For segments located entirely below these facilities, nutrient standards do not apply.

A note was added to the total phosphorus and chlorophyll a standards in lakes segments as nutrients standards apply only to lakes and reservoirs larger than 25 acres surface area.

35.6 TABLES

(1) Introduction

The numeric standards for various parameters in this regulation and in the tables in Appendix 35-1 were assigned by the Commission after a careful analysis of the data presented on actual stream conditions and on actual and potential water uses.

Numeric standards are not assigned for all parameters listed in the tables attached to Regulation No. 31. If additional numeric standards are found to be needed during future periodic reviews, they can be assigned by following the proper hearing procedures.

(2) Abbreviations:

- (a) The following abbreviations are used in this regulation and the tables in Appendix 35-1:
 - degrees Celsius
 - = chronic (30-day)
 - = chloride

∘C ch

CI

CL

CLL

- = cold lake temperature tier
- = cold large lake temperature tier
- CS-I = cold stream temperature tier one
- CS-II = cold stream temperature tier two
- D.O. = dissolved oxygen
- DM = daily maximum temperature
- DUWS = direct use water supply
- E. coli = Escherichia coli
- mg/l = milligrams per liter
- MWAT = maximum weekly average temperature

OW	=	outstanding waters
SC	=	sculpin
sp	=	spawning
SSE	=	site-specific equation
Т	=	total recoverable
t	=	total
tr	=	trout
TVS	=	table value standard
µg/l	=	micrograms per liter
ÚP	=	use-protected
WAT	=	weekly average temperature
WS	=	water supply
WS-II	=	warm stream temperature tier two
WS-III	=	warm stream temperature tier three
WL	=	warm lake temperature tier

(b) In addition, the following abbreviations are used:

Fe(ch)	=	WS
Mn(ch)	=	WS
SO ₄	=	WS

These abbreviations mean: For all surface waters with an actual water supply use, the less restrictive of the following two options shall apply as numerical standards, as specified in the Basic Standards and Methodologies at 31.16 Table II and III:

- (1) existing quality as of January 1, 2000; or
- (2) $Iron = 300 \,\mu g/l$ (dissolved) Manganese = $50 \mu g/l$ (dissolved) $SO_4 = 250 \text{ mg/l}$

For all surface waters with a "water supply" classification that are not in actual use as a water supply, no water supply standards are applied for iron, manganese or sulfate, unless the Commission determines as the result of a site-specific rulemaking hearing that such standards are appropriate.

- Temporary Modification for Water + Fish Chronic Arsenic Standard (c)
 - (i) The temporary modification for chronic arsenic standards applied to segments with an arsenic standard of 0.02 µg/l that has been set to protect the Water + Fish gualifier is listed in the temporary modification and gualifiers column as As(ch)=hybrid.
 - For discharges existing on or before 6/1/2013, the temporary modification is: (ii) As(ch)=current condition, expiring on 12/31/2024. Where a permit for an existing discharge is reissued or modified while the temporary modification is in effect, the division will include additional permit Terms and Conditions, which may include requirements for additional monitoring, source identification, and characterization of source control and treatment options for reducing arsenic concentrations in effluent.
 - For new or increased discharges commencing on or after 6/1/2013, the (iii) temporary modification is: As(ch)=0.02-3.0 µg/l (Trec), expiring on 12/31/2024.

- (a) The first number in the range is the health-based water qualitystandard previously adopted by the Commission for the segment.
- (b) The second number in the range is a technology based value established by the Commission for the purpose of this temporary modification.
- (c) Control requirements, such as discharge permit effluent limitations, shall be established using the first number in the range as the ambient water quality target, provided that no effluent limitation shall require an "end-of-pipe" discharge level more restrictive than the second number in the range.

(3) <u>Table Value Standards</u>

In certain instances in the tables in Appendix 35-1, the designation "TVS" is used to indicate that for a particular parameter a "table value standard" has been adopted. This designation refers to numerical criteria set forth in the Basic Standards and Methodologies for Surface Water. The criteria for which the TVS are applicable are on the following table.

PARAMETER ⁽¹⁾	TABLE VALUE STANDARDS (2)(3)				
Aluminum (T)	Acute = e ^{(1.3695[In(hardness)]+1.8308)} pH equal to or greater than 7.0 Chronic=e ^{(1.3695[In(hardness)]-0.1158)} pH less than 7.0 Chronic= e ^{(1.3695[In(hardness)]-0.1158)} or 87, whichever is less				
Ammonia ⁽⁴⁾	Cold Water = (mg/l as N) Total $acute = \frac{0.275}{1+10^{7.204} - pH} + \frac{39.0}{1+10^{pH} - 7.204}$ $chronic = \left(\frac{0.0577}{1+10^{7.688} - pH} + \frac{2.487}{1+10^{pH} - 7.688}\right) * MIN\left(2.85, 1.45 * 10^{0.028(25-T)}\right)$				
	Warm Water = (mg/l as N) Total $acute = \frac{0.411}{1+10^{7.204} - pH} + \frac{58.4}{1+10^{pH} - 7.204}$				
	$chronic (Apr1 - Aug31) = \left(\frac{0.0577}{1+10^{7.688-pH}} + \frac{2.487}{1+10^{pH-7.688}}\right) * MIN(2.85, 1.45 * 10^{0.028(25-H)})$ $chronic (Sep1 - Mar31) = \left(\frac{0.0577}{1+10^{7.688-pH}} + \frac{2.487}{1+10^{pH-7.688}}\right) * 1.45 * 10^{0.028*(25-MAX(T, 7))}$				
Cadmium	$\begin{aligned} &\text{Acute}(\text{warm})^{(5)} = (1.136672 \cdot (\ln(\text{hardness})^* \ 0.041838))^* e^{(0.9789^* \ln(\text{hardness}) \cdot 3.443)} \\ &\text{Acute}(\text{cold})^{(5)} = (1.136672 \cdot (\ln(\text{hardness})^* \ 0.041838))^* e^{(0.9789^* \ln(\text{hardness}) \cdot 3.866)} \\ &\text{Chronic} = (1.101672 \cdot (\ln(\text{hardness})^* \ 0.041838))^* e^{(0.7977^* \ln(\text{hardness}) \cdot 3.909)} \end{aligned}$				
Chromium III ⁽⁶⁾	$Acute = e^{(0.819[ln(hardness)]+2.5736)}$ Chronic = $e^{(0.819[ln(hardness)]+0.5340)}$				
Chromium VI ⁽⁶⁾	Acute = 16 Chronic = 11				

TABLE VALUE STANDARDS (Concentrations in µg/l unless noted)

Copper	Acute = $e^{(0.9422[ln(hardness)]-1.7408)}$ Chronic = $e^{(0.8545[ln(hardness)]-1.7428)}$						
Lead	Acute = $(1.46203-[(ln(hardness)*(0.145712)])*e^{(1.273[ln(hardness)]-1.46)}$ Chronic = $(1.46203-[(ln(hardness)*(0.145712)])*e^{(1.273[ln(hardness)]-4.705)}$						
Manganese	Acute = e ^{(0.3331[In(hardness)]+6.4676)} Chronic = e ^{(0.3331 [In (hardness)]+5.8743)}						
Nickel	Acute = e ^{(0.846[In(hardness)]+2.253)} Chronic = e ^{(0.846[In(hardness)]+0.0554)}						
Selenium ⁽⁷⁾	Acute = 18.4 Chronic = 4.6						
Silver	$\begin{array}{l} Acute = \frac{1}{2}e^{(1.72[ln(hardness)]-6.52)}\\ Chronic = e^{(1.72[ln(hardness)]-9.06)}\\ Chronic(Trout) = e^{(1.72[ln(hardness)]-10.51)} \end{array}$						
Temperature	TEMPERATURE	IPERATURE TIER EXPECTED TO BE		APPLICABLE	TEMPERATURE STANDARD (°C)		
	TIER	CODE	PRESENT	MONTHS	MWAT	DM	
	Cold Stream Tier	CS-I	brook trout, cutthroat	June – Sept.	17.0	21.7	
	1		lioul	Oct. – May	9.0	13.0	
	Cold Stream Tier 2	CS-II	all other cold-water species	April – Oct.	18.3	24.3	
				Nov. – March	9.0	13.0	
	Cold Lakes [®] CL	CL	brook trout, brown trout, cutthroat trout, lake trout, rainbow trout, Arctic grayling, sockeye salmon	April – Dec.	17.0	21.2	
				Jan. – March	9.0	13.0	
	Cold Large Lakes (>100 acres	Cold Large Lakes CLL rainbow trout, brown 100 acres trout, lake trout	April – Dec.	18.3	24.2		
	surface area) ⁽⁸⁾		Jan. – March	9.0	13.0		
	Warm Stream Tier 2	WS-II	brook stickleback, central stoneroller, creek chub, longnose dace, northern	March – Nov.	27.5	28.6	
		redbelly dace, finescale dace, razorback sucker, white sucker, mountain sucker	Dec. – Feb.	13.8	25.2		
	Warm Stream WS Tier 3	WS-III	all other warm-water species	March – Nov.	28.7	31.8	
				Dec. – Feb.	14.3	24.9	
	Warm Lakes	WL	black crappie, bluegill,	April – Dec.	26.2	29.3	

			common carp, gizzard shad, golden shiner, largemouth bass, northern pike, pumpkinseed, sauger, smallmouth bass, spottail shiner, stonecat, striped bass, tiger muskellunge, walleye, wiper, white bass, white crappie, yellow perch	Jan. – March	13.1	24.1
Uranium	Acute = e ^{(1.1021[In(hardness)]+2.7088)} Chronic = e ^{(1.1021[In(hardness)]+2.2382)}					
Zinc	$\begin{array}{l} \mbox{Acute} = 0.978 * e^{(0.9094[ln(hardness)]+0.9095)} \\ \mbox{Chronic} = 0.986 * e^{(0.9094[ln(hardness)]+0.6235)} \\ \mbox{Where hardness is less than 102 mg/L CaCO^3 and mottled sculpin are expected to be present:} \\ \mbox{Chronic (sculpin)} = e^{(2.140[ln(hardness)]-5.084)} \end{array}$					

TABLE VALUE STANDARDS - FOOTNOTES

- (1) Metals are stated as dissolved unless otherwise specified.
- (2) Hardness values to be used in equations are in mg/L as calcium carbonate and shall be no greater than 400 mg/L, except for aluminum for which hardness shall be no greater than 220 mg/L. The hardness values used in calculating the appropriate metal standard should be based on the lower 95 per cent confidence limit of the mean hardness value at the periodic low flow criteria as determined from a regression analysis of site-specific data. Where insufficient site-specific data exists to define the mean hardness value at the periodic low flow criteria, representative regional data shall be used to perform the regression analysis. Where a regression analysis is not appropriate, a site-specific method should be used. In calculating a hardness value, regression analyses should not be extrapolated past the point that data exist.
- (3) Both acute and chronic numbers adopted as stream standards are levels not to be exceeded more than once every three years on the average.
- (4) For acute conditions the default assumption is that salmonids could be present in cold water segments and should be protected, and that salmonids do not need to be protected in warm water segments. For chronic conditions, the default assumptions are that early life stages could be present all year in cold water segments and should be protected. In warm water segments the default assumption is that early life stages are present and should be protected only from April 1 through August 31. These assumptions can be modified by the commission on a site-specific basis where appropriate evidence is submitted.
- (5) The acute(warm) cadmium equation applies to segments classified as Aquatic Life Warm Class 1 or 2. The acute(cold) cadmium equation applies to segments classified as Aquatic Life Cold Class 1 or 2.

- (6) Unless the stability of the chromium valence state in receiving waters can be clearly demonstrated, the standard for chromium should be in terms of chromium VI. In no case can the sum of the instream levels of Hexavalent and Trivalent Chromium exceed the water supply standard of 50 µg/l total chromium in those waters classified for domestic water use.
- (7) Selenium is a bioaccumulative metal and subject to a range of toxicity values depending upon numerous site-specific variables.
- (8) Lake trout-based summer temperature criteria [16.6 (ch), 22.4 (ac)] apply where appropriate and necessary to protect lake trout from thermal impacts.

(4) Discharger Specific Variances

- (a) A Discharger Specific Variance (DSV) establishes a temporary water quality standard that represents the highest degree of protection of a classified use that is feasible within 20 years and is granted by the Commission pursuant to criteria contained in Regulation 31.7(4).
 - (i) In every case, the variance to the standard shall be temporary and must be reexamined not less than once every three years.
 - (ii) For DSVs that are longer than five years in duration, the Commission will submit the results of its re-evaluation to EPA within 30 days of the date the Commission completes its re-evaluation. Pursuant to 40 CFR 131.14(b)(1)(v)-(vi), the DSV will no longer be the applicable water quality standard for purposes of the Clean Water Act if the Commission does not conduct a re-evaluation consistent with the specified frequency or if the Commission does not submit the results within 30 days of completion of the re-evaluation process.
- (b) The first number of the DSV is the underlying standard previously adopted by the Commission for the segment and represents the long-term goal for the waterbody. The first number will be used for assessing attainment for the waterbody and for the development of effluent limitations. The second number is the Commission's determination of the effluent concentration with the highest degree of protection of the classified use that is feasible for the discharger. Control requirements, such as discharge permit effluent limitations, shall be established using the first number as the ambient water quality target, provided that no effluent limitation shall require an "end-of-pipe" discharge level more restrictive than the second number during the term of the DSV for the named discharger.
- (c) San Miguel Segment 12c:

Discharger Specific Variance, Town of Nucla (COG589067): Adopted 10/11/2016.

Ammonia (acute) = TVS: no limit; Ammonia (chronic) = TVS: 13.8 mg/L (11/1-4/30); Ammonia (chronic) = TVS: 8.3 mg/L (5/1-10/31). Expiration date: 12/31/2026.

(5) Stream Classifications and Water Quality Standards Tables

The stream classifications and water quality standards tables in Appendix 35-1 are incorporated herein by reference.

The following is information regarding duration and measured form of standards in Appendix 35-1:

- (a) E.coli criteria and resulting standards for individual water segments, are established as indicators of the potential presence of pathogenic organisms. Standards for E. coli are expressed as a two-month geometric mean. Site-specific or seasonal standards are also two-month geometric means unless otherwise specified.
- (b) All phosphorus standards are based upon the concentration of total phosphorus. For total phosphorus, stream standards are expressed as an annual median and for lakes standards as a summer (July 1 September 30) average in the mixed layer. For chlorophyll a, stream standards are expressed as a maximum of attached algae and lakes standards as a summer (July 1 September 30) average in the mixed layer. For additional assessment details, see tables at Regulation 31.17(b) and (d).
- (c) The pH standards of 6.5 (or 5.0) and 9.0 are an instantaneous minimum and maximum, respectively to be applied as effluent limits. In determining instream attainment of water quality standards for pH, appropriate averaging periods may be applied, provided that beneficial uses will be fully protected.
- (6) <u>Assessment Criteria</u>

The following criteria and/or locations shall be used when assessing whether a specified waterbody is in attainment of the specified standard.

- (a) Upper Gunnison Segment 18b: Temperature Assessment Locations
 - Tomichi Creek at Doyleville: 38.456592, -106.626869
 - Tomichi Creek at Gunnison: 38.521111, -106.940958
- (b) North Fork Gunnison Segment 3: Temperature Assessment Location
 - North Fork Gunnison River above mouth near Lazear: 38.785167, -107.833417
- 35.7 35.10 RESERVED

35.11 STATEMENT OF BASIS AND PURPOSE

I. Introduction

These stream classifications and water quality standards for State Waters of the Gunnison River Basin including all tributaries and standing bodies of water in all or parts of the Gunnison, Delta, Montrose, Ouray, Mesa, Saguache, and Hinsdale Counties and the Lower Dolores River and its tributaries in Dolores and San Miguel Counties implement requirements of the Colorado Water Quality Control Act C.R.S. 1973, 25-8-101 <u>et seq</u>. (Cum. Supp. 1981). They also represent the implementation of the Commission's <u>Regulations Establishing Basic Standards and an Antidegradation Standard and Establishing a System for Classifying State Waters. for Assigning Standards. and for Granting Temporary Modifications (the "Basic Regulations")</u>

The Basic Regulations establish a system for the classification of State Waters according to the beneficial uses for which they are suitable or are to become suitable, and for assigning specific numerical water quality standards according to such classifications. Because these stream classifications and standards implement the Basic Regulations, the statement of basis and purpose (Section 3.1.16) of those regulations must be referred to for a complete understanding of the basis and purpose of the regulations adopted herein. Therefore, Section 3.1.16 of the Basic Regulations is incorporated by reference. The focus of this statement of basis and purpose is on the scientific and technological rationale for the specific classifications and standards in the Gunnison River Basin.

Public participation was a significant factor in the development of these regulations. A lengthy record was built through public hearings held on November 16-18, 1981. A total of 10 entities requested and were granted party status by the Commission in accordance with the Commission's Procedural Regulations (Cum. Supp. 1980). The record established in these hearings forms the basis for the classifications and standards adopted.

II. General Considerations

These regulation are not adopted as control regulations. Stream classifications and water quality standards are specifically distinguished from control regulations in the Water Quality Control Act, and they need not be adopted as control regulations pursuant to the statutory scheme.

III. Definition of Stream Segments

- 1. For purposes of adopting classifications and water quality standards, the streams and water bodies are identified according to river basin and specific water segments.
- 2. Within each river basin, specific water segments are defined, for which use classifications and numeric water quality standards, if appropriate, are adopted. These segments may constitute a specified stretch of a river mainstem, a specific tributary, a specific lake or reservoir, or a generally defined grouping of waters within the basin (e.g., a specific mainstem segment and all tributaries flowing into that mainstem segment).
- 3. Segments are generally defined according to the points at which the use, water quality, or other stream characteristics change significantly enough to require a change in use classification and/or water quality standards. In many cases, such transition points can be specifically identified from available data. In other cases the delineation of segments is based upon best judgments of the points where instream changes in uses, water quality, or other stream characteristicsoccur.

IV. Use Classifications and Standards -- Generally

1. Initially, recommendations for stream segmentation and use classifications are a result of input from 208 plans, water quality data and reports, the Division of Wildlife, and personal knowledge. After a basic outline of stream segments and use classifications was prepared, water quality data from a variety of sources was compared against the "table value" for the proposed use. "Table value" refers to the four tables attached to the "Basic Regulations". In general, if the mean plus one standard deviation ($\bar{x} + s$) of the available data for the segment indicated that a particular parameter did not exceed the "table value" for that recommended use, the "table value" was listed as the recommended standard for the parameter. If the $\bar{x} + s$ computation indicated that the instream concentrations of the parameter exceeded the "table value" and yet the use to be protected by that parameter was in place, then the $\bar{x} + s$ value was recommended as the standard for that parameter.

Conversely, if the ambient quality $(\bar{x} + s)$ for a certain parameter exceeded the "table value" for the protection of a use, and there is information that the proposed use is <u>not</u> in place, the use classification was modified or temporary modifications to the parameters were established. Ambient quality is generally defined as the quality attributable to natural conditions and/or uncontrollable non-point sources.

- 2. The use classifications have been established in accordance with the provisions of Section 203 of the Water Quality Control Act and Section 3.1.6 and 3.1.13 of the Basic Regulations.
- 3. In most cases upstream segments of a stream are generally the same as, or higher in classification, than downstream segments in order to protect downstream uses. In a few cases, tributaries are classified at lower classifications than mainstems where flow from tributaries does not threaten the quality of mainstem waters where the evidence indicates that lower classification for the tributaries is appropriate. In either case, permits should be written to assure compliance with Water Quality Standards and any stream segment affected by a discharge.
- 4.
- A. The Commission has determined that it has the authority to assign the classification "High Quality Waters - Class 1" and "High Quality Waters - Class 2" where the evidence indicates that the requirements of Sections 3.1.13(1)(e) of the basic regulations are met. A question exists as to whether existing diversion structures can be maintained consistent with a "High Quality - Class 1" designation. Because of the questions regarding authority to regulate diversions, the Class 1 designation was deemed potentially too rigid. The Commission recognizes its authority to upgrade these segments if and when it is appropriate to do so. Streams have been classified "High Quality - Class 2" for one or more of the following reasons:
 - (a) to facilitate the enjoyment and use of the scenic and natural resources of the State in accordance with the Legislative Declaration of the Colorado Water Quality Control Act (25-8-102(1) C.R.S. 1973.
 - (b) to provide a high degree of protection deserving of wilderness areas which are a resource providing a unique experience.
 - (c) to protect threatened species or to protect wild scenic river study areas or wilderness areas.

The concern of the United States Forest Service that High Quality 2 classification will unduly burden their management of multiple use areas is not well founded. This is because activities on Forest Service land, i.e. grazing, mineral exploration, trail and road maintenance, are considered as a historical impact upon existing ambient water quality conditions and are non point sources which are presently not subject to any Water Quality Control Commission regulations.

- B. The "High Quality Class 2" classification was proposed by the Gunnison River Coalition and other witnesses for a number of segments. These proposals have been rejected, and the segments classified for specific uses, for the following reasons:
 - (a) High quality classifications represent extraordinary categories, and their use is optional at the discretion of the Commission;
 - (b) It is important in these cases to assign specific water quality standards to protect the highest specific use classifications, and only specific use classifications provide the mechanism for assigning such standards.
- 5. In accordance with 25-8-104, C.R.S. 1973, the Commission intends that no provision of this regulation shall be interpreted so as to supercede, abrogate, or impair rights to divert water and apply water to beneficial uses.

6. <u>Recreation -- Class 1 and Class 2</u>

In addition to the significant distinction between Recreation - Class 1 and Recreation - Class 2 as defined in Section 3.1.13(1) of the Basic Regulations, the difference between the two classifications in terms of water quality standards is the fecal coliform parameter. Recreation - Class 1 generally has a standard of 200 fecal coliform per 100 ml; Recreation - Class 2 generally has a standard of 2000 fecal coliform per 100 ml.

In accordance with the Colorado Water Quality Control Act, the Commission has decided to classify as "Recreation - Class 2" those stream segments where primary contact recreation does not exist and cannot be reasonably expected to exist in the future, regardless of water quality. The Commission has decided to classify as "Recreation - Class 1" only those stream segments where primary contact recreation actually exists, or could reasonably be expected to occur. The reasons for the application of Recreation Class 2 are as follows:

- (a) The mountain streams in this region are generally unsuitable for primary contact recreation because of low water temperature and low stream flows.
- (b) Fecal coliform is an indicator organism. Its presence does not always indicate the presence of pathogens. This depends on the source of the fecal coliform. If the source is agricultural runoff as opposed to human sewage, there may be no health hazard and therefore no significant need to reduce the presence of fecal coliform to the 200 per 100 ml. level. Also, control of nonpoint sources is very difficult.
- (c) Treating sewage to meet the 200 per 100 ml. level generally means the treatment plant must heavily chlorinate its effluent to meet the limitation. The presence of chlorine in the effluent can be significantly detrimental to aquatic life. Post-treatment of effluent to meet the residual chlorine standard is expensive and often results in the addition of more chemicals which have a negative effect on water quality and can be detrimental to aquatic life. Therefore, reducing the need for chlorine is beneficial to aquatic life.

- (d) Even where a treatment plant in this region might treat its effluent to attain the standard of 200 per 100 ml., agricultural runoff and irrigation return flows below the plant may result in the rapid increase of fecal coliform levels. Therefore, the benefits of further treatment are questionable.
- (e) The fecal coliform standard of 2000 per 100 ml. has been established to provide general public health protection. There is no significant impact on domestic drinking water treatment plants because they provide complete disinfection. The standard of 200 per 100 ml. is not intended to protect the water supply classification.

7. <u>Water Supply Classification</u>

The Commission finds that Colorado is a water short state and that it is experiencing considerable growth which places additional burdens on already scarce water supplies. These considerations mitigate in favor of a conservative approach to protecting future water supplies. Where existing water quality is adequate to protect this use, and in the absence of dischargers to these segments or testimony in opposition to such classification, the water supply use has been assigned because it is reasonable to expect that it may exist in the future in such cases. For stream segments that flow through, or in the vicinity of, municipalities, this conclusion is further justified, since there is a reasonable probability that the use exists or will exist. Where the water supply classification has been opposed, the Commission has evaluated the evidence on a site specific basis, and in many cases the classification has been removed.

V. Water Quality Standards -- Generally

- 1. The water quality standards for classified stream segments are defined as numeric values for specific water quality parameters. These numeric standards are adopted as the limits for chemical constituents and other parameters necessary to protect adequately the classified uses in all stream segments.
- 2. Not all of the parameters listed in the "Tables" appended to the Basic Regulations are assigned as water quality standards. This complies with Section 3.1.7(c) of the Basic Regulations.

Numeric standards have been assigned for the full range of parameters to a number of segments where little or no data existed specific to the segment. In these cases, there was reason to believe that the classified uses were in place or could be reasonably expected, and that the ambient water quality was as good as or better than the numeric standards assigned.

3. A numeric standard for the temperature parameter has been adopted as a basic standard applicable to all waters of the region in the same manner as the basic standards in Section 3.1.11 of the Basic Regulations.

The standard of a 3 C temperature increase above ambient water temperature as defined is generally valid based on the data regarding that temperature necessary to support an "Aquatic Life - Class 1" fishery. The standard takes into account daily and seasonal fluctuations; however, it is also recognized that the 3 C limitation as defined is only appropriate as a guideline and cannot be rigidly applied if the intention is to protect aquatic life. In winter, for example, warm water discharges may be beneficial to aquatic life. It is the intention of the Commission in adopting the standard to prevent radical temperature changes in short periods of time which are detrimental to aquatic life.

4. Numeric standards for seventeen organic parameters have been adopted as basic standards applicable to all waters of the region in the same manner as the basic standards in Section 3.1.11 of the Basic Regulations. These standards are essential to a program designed to protect the waters of the State regardless of specific use classifications because they describe the fundamental conditions that all waters must meet to be suitable for any use.

It is the decision of the Commission to adopt these standards as basic standards because the presence of the organic parameters is not generally suspected. Also, the values assigned for these standards are not detectable using routine methodology and there is some concern regarding the potential for monitoring requirements if the standards are placed on specific streams. This concern should be alleviated by Section 3.1.14(5) of the Basic Regulations but there is uncertainty regarding the interpretation of those numbers by other entities. Regardless of these concerns, because these constituents are highly toxic, there is a need for regulating their presence in State waters. Because the Commission has determined that they have uniform applicability here, their inclusion as basic standards for the region accomplishes this purpose.

5. In many cases, the numeric water quality standards are taken from the "Tables" appended to the Basic Regulations. These table values are used where actual ambient water quality data in a segment indicates that the existing quality is substantially equivalent to, or better than, the corresponding table values. This has been done because the table values are adequate to protect the classified uses.

Consistent with the Basic Regulations, the Commission has not assumed that the table values have presumptive validity or applicability. This accounts for the extensive data in the record on ambient water quality. However, the Commission has found that the table values are generally sufficient to protect the use classifications. Therefore, they have been applied in the situations outlined in the preceeding paragraph as well as in those cases where there is insufficient data in the record to justify the establishment of different standards. The documentary evidence forming the basis for the table values is included in the record.

6. In many cases, instream ambient water quality provides the basis for the water quality standards (See 7 below). In those cases where the classified uses presently exist or have a reasonable potential to exist despite the fact that instream data reflects ambient conditions of lower water quality than the table values, instream values have been used. In these cases, the evidence indicates that instream values are adequate to protect the uses. In those cases where temporary modifications are appropriate, instream values are generally reflected in the temporary modification and table values are reflected in the corresponding water quality standard. (Goals are established for the appropriate classification affected by the parameter).

Cases in which water quality standards reflect these instream values usually involve the metal parameters. On many stream segments elevated levels of metals are present due to natural or unknown causes, as well as mine seepage from inactive or abandoned mines. These sources are difficult to identify and impractical or impossible to control. The classified aquatic life uses may be impacted and/or may have adjusted to the condition. In either case, the water quality standards are deemed sufficient to protect the uses that are present.

- 7. In those cases where there was no data for a particular segment, or where the data consists of only a few samples for a limited range of parameters, "table values" were generally recommended. Data at the nearest downstream point was used to support this conclusion. In some cases, where the limited data indicated a problem existed, additional data was collected to expand the data base. Additionally, where there may not be existing data on present stream quality, the Commission anticipates that if necessary, additional data will be collected prior to an economic reasonableness hearing required by C.R.S. 1973, 25-8-204(3), as amended.
- 8. In most cases in establishing standards based on instream ambient water quality, a calculation is made based upon the mean (average) plus one standard deviation (x + s) for all sampling points on a particular stream segment. Since a standard deviation is not added to the water quality standard for purposes of determining the compliance with the standard, this is a fair method as applied to discharges.

Levels that were determined to be below the detectable limits of the sampling methodology employed were averaged in as zero rather that at the detectable limit. This moves the mean down but since zero is also used when calculating wasteload allocations, this method is not unfair to dischargers.

Metals present in water samples may be tied up in suspended solids when the water is present in the stream. In this form they are not "available" to fish and may not be detrimental to aquatic life. Because the data of record does not distinguish as to availability, some deviation from table values, and the use of $\bar{x} + s$, is further justified because it is unlikely that the total value in all samples analyzed is in available form.

A number of different statistical methodologies could have been used where ambient water quality data dictates the standards. All of them have both advantages and disadvantages. It is recognized that the \overline{x} + s methodology also has weaknesses, in that the standard may not reflect natural conditions in a stream 100 per cent of the time, even though the use of \overline{x} + s already allows for some seasonal variability. However, the use of this methodology is justified since it provides a meaningful index of stream quality for setting stream standards.

Since the \bar{x} + s methodology is an index of existing conditions and is not a classical statistical description, use of a methodology which eliminates outlyers, i.e. unusually high or low data which may be in error, is acceptable in approximating an average condition. The practice of eliminating only extremely high recorded data points and not low recorded values may result in erring on the side of safety. High recorded values may be due to sampling, laboratory, or recording error. To a limited degree the high values may be due to seasonal variation in the data base.

Finally, the fairness and consistency of the use of any methodology in setting standards must recognize the manner in which the standards are implemented and enforced. It is essential that there be consistency between standard setting and the manner in which attainment or nonattainment of the standards is established based on future stream monitoring data. In addition the Division must take this methodology into account in writing and enforcing discharge permits.

9. No water quality standards are set below detectable limits for any parameter, although certain parameters may not be detectable at the limit of the standards using routine methodology. However, it must be noted that stream monitoring, as opposed to effluent monitoring, is generally not the responsibility of the dischargers but of the State. Furthermore, the purpose of the standards is to protect the classified uses and some inconvenience and expense as to monitoring is therefore justifiable.

Section 3.1.15(5) of the Basic Regulations states that "dischargers will not be required to regularly monitor for any parameters that are not identified by the Division as being of concern". Generally, there is no requirement for monitoring unless a parameter is in the effluent guidelines for the relevant industry, or is deemed to be a problem as to a specific discharge.

Some of the data developed by AMAX for metals values were based on "direct aspiration" testing method. This testing method has a detection limit 100 times higher than the furnace method used by the Division. In using "direct aspiration", detection limit is above some of the proposed metal values. Therefore, the Commission chose to disregard this data. Because water quality standards are set at levels of ten times below detection limits of the direct aspiration testing method, it is appropriate to use data based upon detection limits of the Health Department Laboratory. These detection limits for establishing water quality standards may be more restrictive than EPA detection limits for effluent monitoring.

10. The dissolved oxygen standard is intended to apply to the epilimnion and metalimnion strata of lakes and reservoirs. Respiration by aerobic micro-organisms, as organic matter is consumed, is the primary cause of a natural decrease in dissolved oxygen and anaerobic conditions in the hypolimnion. Therefore, this stratum is exempt from the dissolved oxygen standard.

- 11. Where numeric standards are established based on historic instream water quality data at the level of \bar{x} + s, it is recognized by the Commission that measured instream parameter levels might exceed the standard approximately 15 percent of the time.
- 12. It is the Commission's intention that the Division implement and enforce all water quality standards consistent with the manner in which they have been established.
- 13. Hardness/Alkalinity

Where hardness and alkalinity numbers differed, the Commission elected to use alkalinity as the controlling parameter, in order to be consistent with other river basins and because testimony from the Division staff indicated that in most cases alkalinity has a greater effect on toxic form of metals than does hardness.

VI. Water Quality Standards for Unionized Ammonia

The Commission retains the use of unionized ammonia as a parameter rather than total ammonia because unionized ammonia is the toxic portion. Furthermore, the relationship of total ammonia as a function of temperature and pH is recognized.

On some Class 2 Warm Water Aquatic Life streams containing similar aquatic life communities to those found in the plains streams of the South Platte & Arkansas Basins, .1 mg/l ammonia was selected as being appropriate to protect such aquatic life.

The Commission has relaxed unionized ammonia standards to .1 mg/l or greater on several streams for the following reasons:

- 1. limited nature of the aquatic life present;
- 2. limited recreational value of species present;
- 3. habitat limitations, primarily flow and streambed characteristics, that impose significant limitations on the nature of aquatic life, even if ammonia reductions were attained;
- 4. rapid dissipation of ammonia in streams, reducing the impact of such discharges downstream; and
- 5. economic costs of ammonia removal, especially where such costs would fall primarily on publiclyowned treatment works, and while the availability of construction grant funds is questionable.
- 6. Biosurveys with support from a bioassay conducted on fathead minnows performed in the Cache la Poudre River show that a .1 mg/l standard is appropriate to protect existing biota in that stream. The results of these studies may be reasonably extrapolated to similar streams; i.e., those streams that demonstrate similar chemical, physical, and biological characteristics.

Not all warmwater streams are comparable in terms of flow and habitat, and types and numbers of species of aquatic life. Therefore, some variations in an appropriate ammonia standard must be tolerated, with the objective of protecting existing aquatic life. The Commission found this approach preferable to totally removing the aquatic life classification from impacted or marginal aquatic life streams.

VII. Water Quality Standards for Uranium

Given the threat that radioactivity from uranium may pose to human health, it is advisable to limit uranium concentrations in streams to the maximum extent practicable. For segments assigned a water supply classification the Commission has adopted a standard of 40 pCi/l or natural background where higher, for the following reasons:

- 1. 40 pCi/l generally reflects background concentrations of uranium that may be found in streams in Colorado and therefore this amount approximates routine human exposure.
- 2. The statistical risk of human health hazards is small at 40 pCi/l.
- 3. 40 pCi/l is an interim level, established now pending the outcome of further studies currently underway.

VIII. Water Quality Standards for Cyanide

The Commission acknowledges that total cyanide is to be used in State Discharge Permits until a method is authorized by EPA for measuring free cyanide, even though free cyanide is the parameter of concern.

IX. Water Quality Standards for Metals

Several parties were concerned about the methods that were employed to digest samples used to determine ambient metal values. The Commission heard testimony that when high suspended solids are present, the two methods of sample digestion could result in very different values, with the "total" method yielding the higher values. But when the suspended solids are low, the two digestion methods will result in similar values, Therefor, the Commission has incorporated data generated by the "total" method when it could be determined that the suspended solids in the water sample were low.

The Commission believes that the "total recoverable" or equivalent method should be used as a testing method for determining ambient metal values for streams. This method is a better indicator in determining the amount of metal available to aquatic life in a toxic form, particularly when the amount of suspended solids carried by the stream is high. However, with low suspended solids the two testing methods should yield the same result. Therefore, before incorporating into stream standards data generated by the "total" method it must be verified that there are low suspended solids in the water samples tested.

The United States Geological Survey used the "total" method before 1978 and the "total recoverable" after 1978, and that because of this, there might be some inconsistency in the STORET data. The Commission believes that with the proper check on suspended solids, pre-1976 STORET data can be used to determine ambient stream values.

It was suggested by AMAX that since the "total" method is used in monitoring state discharge permits, then the "total" method should be used in setting stream standards. The Commission does not agree. For the reasons already stated, the Commission believes that the "total recoverable" is preferable for assigning water quality standards. And, since most state discharge permits limit suspended solids to 30 mg/l, effluent testing will be similar to the methods underlying stream standards.

X. Linkage of classifications and Standards

The Commission holds that the classifications which it adopts and the standards it assigns to them are linked. Disapproval by EPA of the standards may require reexamination by the Commission of the appropriateness of its original classification. The reason for the linkage is that the Commission recognizes that there is a wide variability in the types of aquatic life in Colorado streams which require different levels of protection. Therefore, the numbers were chosen in some cases on a site specific basis to protect the species existing in that segment. If any reclassification is deemed a downgrading, then it will be based upon the grounds that the original classification was in error.

XI. Economic Reasonableness

The Commission finds that these use classifications and water quality standards are economically reasonable. The Commission solicited and considered evidence of the economic impacts of these regulations. This evaluation necessarily involved a case-by-case consideration of such impacts, and reference is made to the fiscal impact statement for this analysis. Generally, a judgment was made as to whether the benefits in terms of improving water quality justified the costs of increased treatment. In the absence of evidence on economic impacts for a specific segment, the Commission concluded that the regulations impose no unreasonable economic burden.

XII. Classifications and Standards - Special Cases

1. Page 1, Segment 6(a), 6(b), and 6(c) (Proposed as page 1, segment 6)

Segment 6(a) receives a discharge from the Roaring Judy fish hatchery. 6(a) contains the tributaries to the mainstem which are intermittent. The perennial tributaries to the mainstem are included in segment 6(b). The Commission found no evidence of water supply use associated with segment 6(b) which contains fisheries.

2. Page 2, Segments 7 and 8

Water supply was retained for both segments because segment 8 is subject to conditional water rights held by the Town of Crested Butte. The agriculture classification was retained because the use it currently in place.

3. Page 2, Segment 9

Segment 9 represents the mainstem of the Slate River from the point immediately above its confluence with Coal Creek to its confluence with the East River. The Division's initial proposal was based on 17 samples taken during 1979 through 1981. These data were significantly influenced by heavy metals entering the Slate River from Coal Creek. In May of 1981 Amax commenced operation of the wastewater treatment facility treating discharges to Coal Creek, a tributary of the Slate River. By July, 1981 steady state operation had been achieved. In view of the significant change in ambient water quality resulting from the operation of the wastewater treatment plant, the Commission adopted the Division's suggestion that the record on this segment be kept open to receive more meaningful data. The water quality standards adopted by the Commission are based on combined Amax and Storet data during the period of record July, 1981 through June, 1982. The water quality standards adopted for this segment are table values from the 0-100 hardness/alkalinity column, with the exception of cadmium, copper, lead and zinc. The standards for these parameters were based on \overline{x} + s values derived from the combined Amex and Storet data for the twelve month period of record. The Storet data was in terms of total recoverable while Amax data was in terms of total metals. The cadmium level of 0.03 mg/l taken on November 12, 1981 was discarded as an outlier. All Amax data used had total suspended solids of less than 30 milligrams per liter. The monitoring location for Segment 9 was at the wooden bridge on Highway 135, 0.25 miles below the Crested Butte domestic wastewater treatment plant.

Adoption of an aquatic life, class 1 classification with a 0.02 mg/l unionized ammonia standard presents the potential for economic impact upon the Town of Crested Butte. The Commission acknowledged the potential, for requirements necessitating nitrification facilities but found it justified for the following reasons: (1) There is no clear and present threat of immediate economic impact; (2) Future impact, if ammonia removal becomes necessary, will be spread among a substantial population base and thus per capita impact will be small'; (3) Several interim options are available to the district to further postpone and reduce the probability of significant economic impact; and (4) The Town testified that it was willing to assume the potential for economic impact in order to protect the quality of this segment as it provides a significant contribution to the local recreational resources which account for a substantial portion of the economic base in the region.

In view of the factors that mitigate the near-term potential for economic impact and since the most likely impacted entity supports this classification, the Commission finds that the assignment of a class 1 designation is economically reasonable.

4. Page 2, Segment 10

This segment receives effluent from the Crested Butte Water and Sanitation District by way of Woods Creek. Existing aquatic life supports a class 1 cold water classification. A report by Camp, Dresser, and McKee describes a less expensive alternative to ammonia removal which could be implemented ammonia as an interim treatment to greatly delay the necessity of nitrification facilities. The Commission acknowledges that removal will probably be required for the Crested Butte W & S District's wastewater treatment plant as they reach the maximum population in their masterplan. Ammonia removal maybe required in the near future, but a report by Camp, Dresser, & McKee describes a less expensive alternative which could be implemented. Notwithstanding such improvements, ammonia removal may be required to provide services for the maximum population projected in the master plan. The Commission believes that the cost of ammonia removal when it is ultimately required is economically reasonable because of the large population base which will be available to support this requirement and the economic importance of recreational fisheries to communities in this area.

5. Page 3, Segment 12

In the initial proposal, Segment 12 included the mainstem of Coal Creek from a point immediately above the confluence with Elk Creek to a point immediately below the Crested Butte water supply intake. Elk Creek and its tributaries were added to this segment since water quality sampling indicated that the water quality of Elk Creek and Coal Creek are similar. Although a recreation class 2 was adopted for this segment a fecal coliform standard of 200 per 100 m/l was adopted by agreement of the interested parties and because the standards is currently met.

6. Page 3, Segment 13

The Division's initial proposal for this segment was based on four samples taken prior to the startup of the Amax wastewater treatment facility in July of 1981. This facility treats the discharge from the inactive Keystone Mine which is the principal point source discharger into Coal Creek. In view of the significant change in ambient water quality resulting from operation of the wastewater treatment plant, the Commission in effect adopted the Division's suggestion that the record on this segment be kept open to receive more meaningful data. The aquatic life cold water class 1 use classification for this segment is based on ambient flow (Q7-10 = 3.5 CFS), quality conditions with continuous operation of the Amax wastewater treatment facility, and presence of aquatic life. These standards include consideration of the existing discharge and it is not anticipated that additional treatment will be required. Where water quality data was available, the water quality standards adopted for this segment were developed based upon the ambient flow conditions and water quality in this segment for those parameters. Only cadmium and zinc were greater than table values in the 100-200 hardness/alkalinity range. If Crested Butte fully exercised its decreed water right in Segment 12, the flow in Segment 13 would essentially be the discharge from the Amax wastewater treatment facility. This flow is in the greater than 400 hardness/alkalinity range. If, changes in flow conditions occur or if data subsequently becomes available for water quality standards based on table values, these water quality standards should be reviewed for compatibility with ambient conditions. The water quality standards for cadmium and zinc are \overline{x} + s values based on Amax data for the twelve month period of record of July, 1981 through June, 1982. This data is in terms of total metals. However, all data had suspended solids of less than 30 milligrams per liter. The November 12, 1981 samples for zinc, iron and manganese were determined to be outliers. The monitoring location for Segment 13 was on Coal Creek 30 meters upstream from its confluence with the Slate River and the water quality standards are specific to this location.

7. Page 3, Segment 14

An aquatic life classification has not been assigned to this segment because the presence of aquatic life is extremely limited, flow is intermittent, gradient is steep, and fish habitat is not present. The potential economic impact of standards to protect an aquatic life classification is therefore not justified.

8. Page 3, Segment 15

Water Supply and agriculture are existing uses. An aquatic life, class 1 classification may require occasional ammonia removal. The City of Gunnison supported aquatic life, class 1 classification.

9. Page 4, Segment 17

The Division's initial proposal for water quality standards for segment 17 was based on table values from 0-100 hardness/alkalinity column. The standards adopted are the same with the exception of zinc which represents the \overline{x} + s of the Amax data for the period of record. The Amax data was in terms of total metals. However, all data used had total suspended solids of less than 30 milligrams per liter.

10. Page 4. Segments 21(a) 21(b) and 22

Indian Creek has been resegmented into 2 segments, 21(a) and 21(b), to reflect variability's in water quality and aquatic life.

The uranium standard of 2.0 mg/l for Segment 21(a) is sufficient to protect the aquatic life in that segment. The standard is consistent with historic instream conditions and the existing discharge at SW33. The determination that this standard is sufficient to protect aquatic life is based upon bioassay and benthic studies which are included in the record (Homestake additional Exhibit A, Vol. II, pp. 232-235 and Homestake Exhibits H-N). This standard will adequately protect the classified uses assigned in Segment 21(b), and in Segment 22, Lower Marshall Creek.

The uranium standard of .3 mg/l for Segment 21(b) is sufficient to protect the aquatic life in that segment. The more stringent standard adopted here is consistent with historic instream conditions based upon data taken at both monitoring stations within the segment, namely SW3 and WQCD 149. The Division, in implementing and enforcing the standard for Segment 21(b), should recognize this fact that the standard reflects data from both stations. SW3 is located on Indian Creek approximately 660 feet below the confluence of Indian Creek and Bull Creek, and Station 149 is located in close proximity to Homestake sampling station SW4. The standard for segment 21(b) will adequately protect the classified uses assigned in segment 22, including the water supply use that exists there. It should be noted that there is not water supply use in either segment 21(a) or segment 21(b).

11. Page 6, Segments 29, 30, 31, and 33

A U.S. Forest Service letter dated December 9, 1981, provided water quality data for streams on segments 29, 30, 31, and 33 of the Upper Gunnison. It was considered unreliable because the reported concentrations were too hi9gh to support aquatic life on streams acknowledged by the U.S. Forest Service as good fisheries.

12. Page 7, Segment 5; North Fork of the Gunnison

Hubbard Creek was not separated from this segment as requested by the Blue Ribbon Coal Company as the presence of three species of trout justifies a class 1 aquatic life classification. The water supply use is also in place and the evidence indicated that uses in Hubbard Creek were compatible with the balance of the segment. In addition, although the Blue River Coal Company is a NPDES discharge permit holder there is currently no discharge and no current economic impact.

13. Page 9, Segment 5

An aquatic life classification of cold water, class 1 was requested for Wehauken Creek to protect an existing private trout hatchery on the creek. However, the majority of the tributary streams in this segment do not support fisheries because of steep gradients. The Commission elected to classify the segment as aquatic, cold water, class 2 with table values for cold water, class 1 to protect the fish hatchery on Wehauken Creek.

14. Page 9, Segment 6

The aquatic life classification was removed because the Commission found no evidence of aquatic life in this segment and determined that there was no expectation of such use in the future. The segment is badly degraded by mine drainage.

15. Page 12, Segment 2

The Commission assigned the segment a cold water, class 1, aquatic life classification having found: That the City of Delta would not be adversely impacted due to the dilution provided by large stream flows.

16. Page 14, Segment 5

An underlying standard for ammonia of .08 mg/l was adopted based upon the results of a bioassay conducted in 1975. Although this represents a relaxation of the proposed standard of .06 mg/l, this result is justified since the bioassay reflects site specific conditions for pH, temperature and TDS, which factors affect ammonia toxicity.

The temporary modification for ammonia reflects seasonal variations in ammonia levels based upon existing discharge permit conditions. Since the existing discharge will cease in 1986, the conditions causing exceedence of the underlying standard will be corrected within a 20 year period These facilities will be replaced by new facilities designed for zero discharge of ammonia. In view of the cost of the new facilities and the limited duration of the existing discharge, a standard necessitating additional interim treatment facilities would not be economically reasonable.

COLORADO DEPARTMENT OF HEALTH Water Quality Control Division 4210 East 11th Avenue Denver, Colorado 80220

FISCAL IMPACT STATEMENT

Stream Classifications and Water Quality Standards for State Waters of the Lower Colorado Basin below Glenwood Springs; the Yampa River Basin below Elkhead Creek; the Green river; and the entire White River drainage including all tributaries and standing bodies of water associated with those rivers in all of Moffat, Rio Blanco, Garfield, and portions of Mesa and Routt Counties.

I. INTRODUCTION

The Water Quality Control Commission is charged with he responsibility to conserve, protect, and improve the quality of state waters pursuant to C.R.S. 1973, 25-8-101 et seq.

The Commission is further empowered and directed to classify waters of the State and to promulgate water quality standards for any measurable characteristic of the water in order to protect both the uses in place and those that can be reasonably expected in the future. (25-8-203 and 25-8-204) The above-titled document assigns use classifications and standards for the state waters in the listed areas in accordance with the "basic regulations" adopted May 22, 1979.

The measurable fiscal impacts which may be caused by these regulations are as follows:

- Cost of construction due to requirements for increased levels of treatment by municipal waste treatment facilities;
- Cost of construction due to requirements for increased levels of treatmentby industrial/commercial waste treatment facilities;
- Cost of Operation and Maintenance associated with increased levels of treatment required of municipalities;
- Cost of Operation and Maintenance associated with increased levels of treatment required of industrial and commercial dischargers;
- Cost of instream monitoring and laboratory analysis for new parameters added by the standards.

Dischargers will not be required by the adoption of these regulations to do stream monitoring. The state, federal and local agencies now doing instream monitoring will have some increased cost; however, any additional frequency should be done to improve state surveillance and would be needed regardless of standard changes.

The stream classifications and standards adopted by the Commission will protect the water uses primarily through control of point source pollution. Non-point source pollution will be controlled primarily through management practices which are in existence or which will be implemented in the future. Future management practices need careful consideration and may be the result of 208 area-wide wastewater management plans developed by regional planning agencies and being updated annually. These plans involve local governments with general assistance from state government. Some of the possible non-point source pollution may be controlled through "Control Regulations" yet to be promulgated by the Commission. These types of controls could involve runoff from construction, mining activities, and urban areas. It is not certain what controls are needed at this time and there is no way that possible costs can be identified at this time

Persons who benefit from standards which will protect existing and future anticipated uses can be identified as all persons benefiting from recreation, municipal water supply, and agriculture. These benefits are directly economic for agriculture, industry, and municipalities whose health benefit costs are reduced by having clean water, and are both economic and non-quantifiable for some uses such as fishing, recreation, and the aesthetic value of clean waters. Furthermore, benefits will result from human health protection and lack of debilitating disease. Figures have been developed for a recreation/fishing day which can be applied to that aspect of a water use'; however, figures which have been developed for total recreation/fishing day uses have been developed statewide and could not be applied region-by-region or stream-by-stream.

The uses of water in this region are adequately protected by these standards. Most municipal treatment facilities and industrial facilities are currently adequate, or are already being upgraded, in order to meet previous requirements. Any additional facilities or expansions in this region will generally be caused by increased capacity required because of population growths or industrial enlargement. Industries are required by federal statute to meet effluent limitations described as "Best Available Technology Economically Achievable" (BATEA) by 1983 or 1984. For most major industries in this region, the water quality standards should not require treatment beyond these limitations.

The fiscal impact of any regulatory decision must take into account only the incremental costs explicitly associated with the regulations as finally promulgated. Costs and expenditures associated with the status quo, regulations of other regulatory agencies, or regulations already in effect should not be included in an assessment of the fiscal impact of the Gunnison River Basin Classifications.

In addition, a distinction must be made between actual expenditures or dislocations that will be immediately or unavoidable necessary upon promulgation of these classifications and standards, and those costs which are speculative in nature. In keeping with concepts of "Expected Value", it is proper for the Commission to place more emphasis on definite impacts.

With the passage in 1981 of Senate Bill 10, amending the Colorado Water Quality Control Act, it becomes incumbent upon the Water Quality Control Commission to consider the economic impact of their decisions with more emphasis placed upon the concept of the "Economic Reasonableness". Charged with such a mandate, the Commission was quite sensitive to the objective of minimizing the socio-economic "price" of clean water while adhering to the anti-degradation policy that water quality be preserved and protected in all cases, and improved wherever feasible. The Gunnison River Basin was heard under the provisions of the Act.

The analysis and data which follow are derived primarily from testimony and exhibits offered by interested parties during the course of the rulemaking hearings. This was supplemented by staff assessments of potential impacts upon other major entities who were not formally represented. The impacts are separately presented for the public and private sectors. No attempt has been made to identify future development costs as this type of data is not readily available and estimation techniques are dependent upon many highly subjective assumptions.

II. FISCAL IMPACT: PUBLIC SECTOR

The primary fiscal impact to the public sector in this basin involves the potential domestic wastewater treatment costs associated with the stream classifications and water quality standards. Other costs, such as tax and employment base impacts due to forgone industrial development opportunities or mitigated growth potentials, can be theoretically postulated but are difficult to quantify. Generally, it is recognized that higher tap fees, service charges or property taxes associated with increased treatment costs can potentially affect industrial siting decisions. However, this is not as significant as increased levels of treatment that may be required of industries if they are dischargers. While the Commission acknowledges the existence of such potentials, the lack of firm evidence and actual tax base impact estimates make deliberative assessment impractical.

In this basin the Commission acknowledged four municipalities that may be impacted: Crested Butter Water and Sanitation District, The Town of Crested Butte, Delta, and The Gunnison Water and Sanitation District. In each case the standard for unionized ammonia was the factor of concern.

The Commission recognizes the probability of increased treatment costs to accrue to the town of Crested Butte to meet the ammonia standard but fund these costs to bear a reasonable relationship to the benefits to be derived. The essential rationale is the support for these standards by the Town of Crested Butte in order to maintain the lucrative tourism industry through preservation of premiumfisheries. Crested Butte went on record to state that they felt the economic benefits would outweigh the costs to achieve them. In addition, the Commission finds that's: (1) There is no immediate potential for economic impact; (2) future economic impact, if nitrification becomes necessary, will be spread among a substantial population base thereby minimizing per capita burden; (3) several interim options are available to the City to postpone and reduce the probability of economic impact as detailed in the <u>East River Valley</u> <u>Wastewater Facilities Plan</u> prepared by Camp, Dresser & McKee which was submitted to the Commission as additional information; and (4 as evidenced by the plan, the City is planning and preparing for a twenty-year program to include nitrification facilities and is aware of the economic requirements to support the plan.

The Crested Butte Water and Sanitation District will most likely need ammonia removal as they approach the maximum population in their masterplan. As estimated for 1982 in the facilities plan, nitrification facilities will cost 1.168 million dollars. The Commission has determined this cost to be economically reasonable for many of the same reasons as for the Town of Crested Butte. The District and the Town ill most likely share in the costs of the facilities and thus there will be a large population base to support ammonia removal costs. Finally, the District's economic base is largely derived from the tourism and recreation industry of which the value is strongly related to the quality of the fisheries in the region.

The Town of Delta is recognized as facing a potential requirement for nitrification facilities but several mitigating factors lead the Commission to conclude that this potential was negligible. The Town offered testimony indicating that they felt there would be no foreseeable impact and they are in the process of converting to a rotating biological disc (RBD) system which will lower the ammonia in their effluent. The Commission noted that Delta's discharge into the Gunnison River is at a point of high volume (Q710=210 CFS) and a wide channel which, in addition to a high dilution factor, leaves room for options such as mixing zones. Coupled with these factors, the Commission believes that provisions contained in the Colorado Water Quality Control Act as relating to advanced wastewater treatment requirements adequately protect the Town from any remaining potential for economic impact through the provisions of Section 204(3), C.R.S. 1973.

In the case of the Gunnison Water and Sanitation District, the District supports a class 1 cold water designation recognizing that there could be some economic impact. The District is strongly supported by the economic base of tourism and recreation of which excellent fisheries is important. Because of the District's support of the classification and thus their implicit willingness to accept the economic impact that could result, the Commission is compelled to conclude that the potential for economic impact bears a reasonable relationship to the benefits to be derived from the ammonia standard.

In summary, the public participation and careful deliberation have resulted in regulations that will protect the quality of the waters of the Gunnison River Basin through classifications and standards that are economically reasonable in terms of the costs to the municipalities lying with the region.

It must be noted that before advanced treatment can be required and the costs discussed herein incurred, a hearing is available pursuant to section 204(3), C.R.S. 1973.

FISCAL IMPACT: PRIVATE SECTION

Six private sector entities were identified concerning potential economic impacts as a result of the proposed standards in this basin: Homestake Mining Company, Blue Ribbon Coal Company, ARCO, the Idarado Mine, Union Carbide, and AMAX. All of these entities have been, are, or will be involved in mining and milling activities with the region.

The Homestake concern was with uranium limits. They indicated that they would be forced into a zero discharge situation if the standard for Indian Creek remained as proposed. This posed the potential of shutting down their operation entirely with the resultant loss of jobs and economic contribution to the region. The beneficial uses for the relatively short segment length for which Homestake claimed difficulty in meeting the standard were found to not bear a reasonable relationship to the economic consequences of the uranium standard. Thus the Commission adopted a proposal for resegmenting Indian Creek to accommodate both Homestake's concerns and the beneficial uses to be preserved by the uranium standard. This action was found to not significantly impact the beneficial uses of the stream while eliminating the potential economic cost of the proposed segmentation.

Blue Ribbon Coal Company was concerned with the accuracy of the proposal for Hubbard Creek. They do not currently, nor plan to, discharge into this segment and indicated no specific economic cost to be attributed to the proposed classifications. Because the Commission found the evidence to be supportive of the proposed classification, and because no specific economic consequences were in evidence to mitigate the benefits of the proposed classification, the Commission found the most economically reasonable position was to support the classification of Hubbard Creek as proposed.

ARCO was primarily concerned with the accuracy of the classifications and was interested in the controversy surrounding the different techniques for measuring the presence and concentration of heavy metals. No specific evidence was offered indicating economic costs to be associated with these standards. Because the Commission found compelling evidence to support the protection of beneficial uses through the proposed classifications and that there were no offsetting economic consequences, the most economically reasonable course of action was to retain the proposal.

The Idarado Mine ("project") currently is not in active operation but is permitted to discharge into the San Miguel River for which Cold Water, Class 1 Aquatic Life was retained as a classification. The Commission found this classification to the reasonable in respect to the Idarado Project for several reasons: one, the future of the project is uncertain both to its economic viability and whether and when it will start active operations; two, no specific economic impact evidence was offered to measure against the beneficial uses of the San Miguel as a fishery; and three, the Idarado Project has available to it the option of discharging into Red Mountain Creek which was found to be so severely impacted by past and current human activities that no metals numbers were assigned as standards and virtually no beneficial uses were in evidence to be protected. The Commission found this to be the most economically reasonable manner in which to deal with the concerns of the Idarado project.

Union Carbide indicated a potentially wasteful economic impact that would result from the ammonia standard proposed for the mainstem of the San Miguel River. They testified that they use ammonia to stabilize the pH of their process water and that while they could meet the standard for part of the year with their current operational scheme, they could not meet the standard on a year-round basis. Union Carbide stated that they are currently planning a treatment facility that would be of the no-discharge type at an estimated installed capital cost of around thirty million dollars but this facility would not be on line until sometime in 1986. Thus, if the standard was retained, they would be forced to build facilities in incorporate other pH stabilizing techniques in the interim at an installed capital cost of between \$730,000 and \$1,000,000 with an annual operating cost of approximately \$200,000. The Commission adopted a seasonal temporary modification until such time as the no-discharge facility will be operational. In light of the fact that the interim facility would be rendered useless after four years, the Commission found that cost to not be reasonable. The seasonal standard was adopted as economically reasonable since any exceedances of the underlying standards will be corrected when the no-discharge facility is operational and no permanent, uncorrectable damage to the fishery would result.

AMAX was concerned with issues relating to the procedures and methodology used to develop the proposals. They believed that the standards could result in treatment costs approaching several hundred million dollars assuming that technology was available which they content most likely is not. To avoid this potential, AMAX offered seasonal standards which they felt were more reflective of the ambient qualities of the mainstem of Ohio Creek. The Commission decided to keep the record open to allow the Division as well as AMAX to pool additional data for both Coal Creek and Ohio Creek in order to test AMAX's claim that their additional data and a change in the hardness/alkalinity would alter the standards and thus the potential for debilitating economic impact. The additional data from AMAX was folded into the Division's calculations and most of the metals of concern did evidence higher ambient levels. The standards were changed to reflect these higher levels. The Commission found these amended standards to be acceptable on economic terms because no clear and present threat of economic impact was in evidence and they there are administrative options available to consider future impact if they develop.

Through evaluation of expert testimony and careful deliberative consideration, the Commission has taken steps to minimize the economic impact of these classifications and standards upon the private sector. As adopted, these classifications and standards will have a negligible impact upon the private sector while protecting current and achievable beneficial uses.

It is concluded that the Commission has strenuously considered the economic factors at issue in this basin and that this regulation is economically reasonable both in terms of potential costs that may result, and in terms of the beneficial uses to be protected.

35.12 STATEMENT OF BASIS AND PURPOSE REGARDING THE ADOPTION OF MINOR CORRECTONS AND CLARIFICATIONS FOR THE BASIC STANDARDS AND METHODOLOGIES AND CORRECTIONS TO THE NUMERIC STANDARDS FOR THE SAN JUAN AND DOLORES, GUNNISON, AND LOWER DOLORES, RIO GRANDE, AND THE SOUTH PLATTE RIVER BASINS.

BASIS AND PURPOSE:

In accordance with the requirements of 24-4-103(4), C.R.S. 1973, the Commission makes these findings and adopts this Statement of Basis and Purpose. The Commission at a public rulemaking hearing November 14, 1983, and December 12, 1983, adopted minor and editorial corrections to clarify the Commission's current regulations numbered respectively 3.1.0, 3.4.0, 3.5.0, 3.6.0, and 3.8.0. These regulations are contained in Article 3, Water Quality Standards and Classifications, of the <u>Policies</u>, <u>Regulations</u>, and <u>Guidelines of the Water quality Control Commission</u>. (5 CCR 1002-8)

In adopting these corrections and clarifications, the Commission considered the economic reasonableness of its action. The scientific or technological rationale of the Commission in justifying the changes to its rules was that it made the classifications and standards which it had previously assigned more technically correct and accurate.

The consolidated changes adopted by the Commission are provided with this Basis and Purpose. The Secretary of State is being provided corrected pages for each of the regulations as replacements for pages previously published in those regulations.

An issue raised during the hearing, was whether or not the table or organic parameters should be moved from the Appendix to the text. The Commission included standards for organic parameters in the regulations it adopted for each of the River Basins of the State. Thus, standards for organic parameters were applicable Statewide, prior to the hearing to consider the changes to which this Statement of Basis and Purpose is applicable. This has had the same effect as would have a basic standard applicable to all waters of the state.

The Commission finds that it would be easier to make changes to one document, the Basic Standards and Methodologies, as future scientific information necessitates, than to make such changes in each basin. Thus it is more economically reasonable to deal with the organic substances in one regulatory document, rather than many. There was testimony that it was confusing to have the table of organic parameters as criteria guidance subject to change on a stream by stream basis when the parameters had been assigned and were merely to provide guidance. It was testified that it would be less confusing to have the table in the text of the regulation to provide basic standards.

The City of Loveland testified that if the table in question were move to the regulatory text there was the possibility of a basin standard differing from the general standard. The Commission found that its regulations enabled I to set site specific standards to stream segments as an exception to the basic standard, and that for the parameters in this table it was unlikely to have different basin standards.

The organic parameters in the table are not substances that form a naturally occurring background. They are toxics controlled at the point of sale or use. They are not ambient and subject to the same treatment as are other naturally occurring parameters. The Commission found it inappropriate to regulate these organic constituents in the same manner as are those that can be ambient or uncontrollable background parameters. Therefore, the Commission changed the guideline table to a basic standard in the body of the regulation.

35.13 STATEMENT OF BASIS, SPECIFIC STATUTORY AUTHORITY, AND PURPOSE:

The provisions of 25-8-202(1)(a) (b) and (2); 25-8-203; and 25-8-204, C.R.S., provide the specific statutory authority for consideration of the attached regulatory amendments and also the statements of Basis and Purpose and Fiscal Impact in compliance with 24-4-103(4) C.R.S.

BASIS AND PURPOSE:

At the triennial review conducted April 7, 1986, no recommendations were received from the public. Nonsubstantive amendments were recommended by the Water Quality Control Commission to correct clerical errors. In adopting these corrections, the Commission considered the economic reasonableness of its action. Except as specified, the corrections in no way change the classifications and numeric standards originally adopted by the Commission.

FISCAL IMPACT STATEMENT:

The Water Quality Control Commission found that the clerical corrections to its regulation 3.5.0 have no fiscal impact.

35.14 STATEMENT OF BASIS, SPECIFIC STATUTORY AUTHORITY AND PURPOSE; 1988 AMENDEMENTS REGARDING SAN MIGUEL RIVER SEGMENTS

The provisions of 25-8-202(1)(a), (b) and (2); 25-8-203; 25-8-204; and 25-8-207 C.R.S., provide the specific statutory authority for adoption of the attached regulatory amendments. The Commission also adopted, in compliance with 24-4-103(4) and 24-4-103(8)(d) C.R.S., the following statements of basis and purpose and fiscal impact.

BASIS AND PURPOSE:

The hearing that resulted in these amendments was held as the result of a petition submitted by the Idarado Mining Company (Idarado). Idarado requested that the Commission, pursuant to 25-8-207 C.R.S., make a finding of inconsistency regarding certain use classifications and water quality standards in effect for the San Miguel River and related tributaries and that those classifications and standards be declared viod <u>ab initio</u>. Idarado also requested that the Commission establish and adopt revised segment boundaries, use classifications and water quality standards for those waters. The Idarado proposal was opposed by the Division of Wildlife (DOW), the Town of Telluride, and San Miguel County (who were also parties to the proceeding), and by the Water Quality Control Division (WQCD).

Idarado owns the Idarado Mine located, in part, approximately one-half mile east of the Town of Telluride, County of San Miguel, Colorado. That portion of the mine is located in the San Miguel river drainage basin which is a part of the Lower Dolores river Basin (3.5.0) 5 CCR 1002-8.

The headwaters of the San Miguel River, Formed by the confluence of Bridal Veil and Ingram Creeks, are located approximately one mile east of the Idarado mine and Pandora Mill site. The San Miguel River then flows past Idarado's properties, through the town of Telluride, and eventually to the Dolores River several miles downstream.

Idarado presently discharges water from the mine pursuant to a National Pollutant Discharge Elimination System permit (No. CO-0026956). Discharges from the mine are to the ground, not directly to surface waters.

The State of Colorado, in 1983, sued Idarado under the Comprehensive Environmental Response, Compensation, and Liability Act of 1980 ("CERCLA"), 42 U.S.C. & 9601 <u>et seq</u>. In that action, the State alleges that Idarado's operations have resulted in injury to the environment. Idarado has vigorously contested that allegations and that action is presently pending in federal district court. Much of the information presented in this proceeding originally was generated in connection with the State CERCLA litigation.

Summary of Action:

Segment 3 of the San Miguel is resegmented into segment 3a above Marshall Creek and segment 3b below. Marshall Creek and Ingram Creek are divided into separate segments segment 6a for Ingram Creek and segment 6b for Marshall Creek. The existing classifications are retained for all segments.

For new segment 3a, the existing numeric standards are retained except that the zinc standard is changed to 0.19 mg/l, a table value standard (for the 0 to 100 hardness range) is adopted for lead, and 6-year for Marshall Creek. The existing classifications are retained on all segments.

For new segment 3a, the existing numeric standards are retained except that the zinc standard is changed to 0.19 mg/l, a table value standard (for the 100 to 200 hardness range) is adopted for lead, the table value standard for nickel is revised, based on the new hardness range, and 6-year temporary modifications based on the existing ambient quality are adopted for cadmium, copper, lead and zinc.

For new segments 6 a and 6b, the existing numeric standards are retained except that the zinc standard is changed to 0.19 mg/l, table value standards (for the 0 to 100 hardness range) are adopted for cadmium, copper, and lead, and 6-year temporary modifications based on the existing ambient quality (except where it is already better than table values) are adopted for cadmium, copper, lead and zinc.

For the reasons elaborated below and in the Fiscal Impact Statement, the Commission has determined that these changes are economically reasonable. This is particularly the case since the costs that will be incurred by Idarado to achieve the revised standards are the result of a need to remedy prior impacts caused by Idarado.

Resegmentation:

The resegmentation of the San Miguel mainstem into segments 3a and 3b is warranted because water quality differs above and below Marshall Creek and significantly different aquatic life habitat is attainable above and below this point. Because of the influence of Marshall Creek, water quality in the San Miguel is significantly different below their confluence.

There was evidence that habitat limitations in the mainstem are significantly more pronounced above Bear Creek (downstream of Marshall Creek) due in part to rechannelization as the result of Idarado's operations and due to lower stream flows. The mainstem has been resegmented at Marshall Creek rather than Bear Creek because there was evidence that habitat limitations on the mainstem between those two creeks are largely correctable.

The resegmentation of Ingram and Marshall Creeks into segments 6a and 6b is warranted by the significantly different current water quality of those two streams

Idarado proposed the establishment of additional sub-segments on the San Miguel mainstem and of separate segments for several additional tributaries which currently are grouped together as part of segment 2. The additional mainstem resegmentation appears unnecessary at this time. While there is evidence of some variations in water quality and habitat in this stretch, they do not appear substantial enough to warrant further resegmentation. Also, there is not enough differences to warrant, separate segmentation for the other tributaries. Moreover, it is not apparent that further resegmentation would have significantly different regulatory impacts on potential affected entities.

Classifications:

Retention of the existing classifications is warranted by the evidence submitted. Marshall Creek and Ingram Creek retain their current cold water aquatic class 2 designation because of the evidence that they currently are, and are likely to remain, habitat-limited. No parties challenged this classification.

The other segments at issue retain their current cold water aquatic life class 1 designations. For the mainstem of the San Miguel, below Bear Creek all parties agreed that the class 1 designation is appropriate. From Bear Creek upstream to Marshall Creek, there was evidence of some degree of current habitat limitations, as well as water quality limitations on aquatic life. The Commission believes that any habitat limitations are correctable within a twenty year period.

For new segment 3a above Marshall Creek, there was some evidence that flows in this stretch are very limited, creating a significant habitat limitation. However, there was other evidence that there are substantial flows in this segment for significant parts of the year, adequate to support a variety of aquatic life.

For the other tributaries that were not resegmented or reclassified, there was some evidence that habitat limitations may be a significant factor on these streams, due primarily to flow and gradient conditions. However, the Commission does not believe this evidence was substantial enough to warrant reclassification. Moreover, it is not apparent that reclassification of these tributaries would have significantly different regulatory impacts on potentially affected entities.

Standards:

The revised metals standards for segments 3a, 3b, 6a and 6b have been adopted because the information currently available indicates that the more stringent levels should be attainable within a 20-year period. All parties agreed that significant improvement in water quality will occur as a result of the changes that will be implemented due to the legal actions that has been instituted under the Comprehensive Environmental Response, compensation and Liability Act (CERCLA). At a minimum,, the cleanup plan proposed by Idarado Mining Company will result in some water quality improvement. The standards are consistent with levels found to be achievable by the Record of Decision prepared by the State in the CERCLA action.

The Commission recognizes that the evidence demonstrates some uncertainty as to exactly what water quality levels will be achievable following any cleanup of the site. However, in view of (1) the evidence submitted, (2) the desirability of establishing specific standards that can serve as a goal for regulatory and planning purposes, and (3) the Water Quality Control Act's policy of encouraging water quality improvement where feasible, the revised standards are appropriate at this time. If additional information developed in the future demonstrates that any of these standards are in fact not attainable within a 20-year period, the standards can be revised accordingly.

For those revised standards based on table values, for segment 3b the values associated with the 100 to 200 hardness range have been used because the data indicates that hardness for this segment typically is in this range. Although the Commission typically has used alkalinity levels instead of hardness where that would result in more protective standards, harness has been used here because of the greater quantity of hardness data available.

The Commission also has adopted temporary modifications for the metals for which standards have been revised, based on the current ambient quality, as calculated by the "mean plus one standard deviation: methodology. The adoption of these temporary modifications recognizes that cleanup of past mining-related impacts and resulting water quality improvement will take time. Thus, the temporary modifications recognize current conditions, while the revised standards establish goals that should be using for purposes of cleanup and other planning decisions. The temporary modifications have been adopted for six years because it appears from the evidence that completion of any site cleanup as a result of the CERCLA litigation will take at least that long. It is anticipated that the need for the temporary modifications would be reviewed in the 1992 triennial review of the Gunnison and Lower Dolores River Basin standards. At that time, the temporary modifications may be extended if new information then available demonstrates that the underlying standards cannot be attained by the expiration date of the current temporary modifications.

The Commission rejected the argument by Idarado that permanent standards should be set equal to the existing instream quality. The Commission Believes that water quality does act as a limiting factor with respect to aquatic life in these segments. Moreover, as a matter of policy the Commission does not believe that only those aquatic life currently present in these segments warrant protection.

Summary:

The Commission has determined that the "findings of inconsistency" requested by Idarado pursuant to 25-8-207, C.R.S. is not appropriate. Use classifications and water quality standards for aquatic life for the segment in question are not more stringent than is necessary to protect fish life, shellfish life, and wildlife in water body segments which are reasonably capable of sustaining such life. Moreover, use classification and water quality standards were not adopted based upon material assumptions that were ion error or no longer apply. Based on new developments and new information since the original classification and standard-setting proceeding, the Commission has adopted revisions to stream segmentation and standards, as described above.

35.15 STATEMENT OF BASIS, SPECIFIC STATUTORY AUTHORITY, AND PURPOSE: (1988 revisions regarding Canyon Creek, Sneffels Creek and Imogene Creek)

The provisions of 25-8-202 (1) (b) and (2); 25-8-204; and 25-8-207 C.R.S. provide the specific statutory authority for adoption of these regulatory amendments. The Commission also adopted, in compliance with 24-4-103(4), and 24-4-103(8)(d), C.R.S. the following statement of basis and purpose and fiscal impact.

Basis and Purpose:

No change in the aquatic use classifications was requested, although aquatic uses are extremely limited in the new segment 9a. A water supply classification was included for the existing segment 5 within which the headwaters were previously included, and the ambient quality should be sufficient to support that use. No water supply uses exist or are anticipated in super Imogene and Sneffels Creeks and the existing quality is poorer than the dissolved manganese criterion for a water supply classification. Therefore, new segments 9a and 9b do not include a water supply use classification.

The changes in water quality standards are based upon a one-year sampling program conducted by Engineering Science, Inc., in consultation with the Division. The changes more accurately reflect existing stream quality, since the Commission's 1983 adoption of classifications and standards for these segments was based upon extremely limited data.

In determining appropriate standards based on the new data, the Commission applied the Division's established methodology for the rejection of certain data "outliers". The Commission felt that the inclusion of these outliers in the standards calculation would have resulted in standards that are not representative of water quality normally found in the segments in question. The adopted standards more accurately reflect existing ambient quality.

The temporary modification for mercury for segment 9b, adopted for one year, is based on the level necessary to protect aquatic life. The underlying standard for mercury is based on the level necessary to protect human health, assuming bioaccumulation of mercury in fish tissue. If a bioaccumulation study is completed on this segment by the Camp Bird Venture prior to the expiration of the temporary modification, the Commission will reconsider the appropriateness of the underlying standard.

The basis for the adoption of the temporary modification for lead in segment 9a is that imposition of the underlying standard at this time would likely result in substantial and widespread economic and social impact within the area in question, without corresponding environmental benefit. Evidence submitted indicates that construction of a treatment plant to meet the underlying standards could cost on the order of one to two million dollars. A cost of this magnitude would put continuation of the current exploration activities at the Camp Bird Mine – which currently employees 97 people – at risk.

The Commission also decided that no permanent downgrading of the segments in question is necessary at this time. Within the time frame of the temporary modification, the Camp Bird exploration operations would be completed and the long-term economic impact of meeting the underlying standards should be known. If new information n economic impacts or ambient water quality becomes available prior to that time, those segments can be readdressed at the request of Camp Bird Venture. In any event, at the next triennial review, the pending revision to the Basic Standards and Methodologies, although it is not anticipated that new facts will be available by that time to warrant reconsideration of the temporary modifications.

Fiscal Impact:

Other than the rulemaking hearing, no increased regulatory costs will result from the changes. No change in existing mine discharge flows is contemplated, and existing treatment of the historic mining flows will continue during the life of the temporary modification for lead. Adoption of the temporary modification will avoid the potential for an adverse substantial and widespread economic and social impact that could result from requiring immediate compliance with the underlying standards.

The revised standards, based on more accurate data, generally are less stringent than the previous standards for these waters. This should help assure that discharge treatment requirements are not unnecessarily string, resulting in potential long-term cost savings for existing or future dischargers.

35.16 STATEMENT OF BASIS, SPECIFIC STATUTORY AUTHORITY AND PURPOSE; May, 1990 HEARING ON SEVERAL SEGMENTS:

The provisions of 25-8-202(1)(a), (b) and (2); 25-8-203; 25-8-204; and 25-8-402 C.R.S. provide the specific statutory authority for adoption of these regulatory amendments. The Commission also adopted in compliance with 24-4-103(4), C.R.S., the following statement of basis and purpose.

Basis and Purpose:

First, the Commission has adopted new introductory language for the tables in section 3.5.6. The purpose of this language is to explain the new references to "table value standards" (TV) that are contained in the Tables. These provisions also include the adoption of new hardness equations for the acute and chronic zinc standards throughout the basin. Based on information developed since the "Basic Standards" were revised, these new equations have been determined to represent more appropriate zinc criteria. The other changes considered and adopted are addressed below by segment.

One other general issue should be addressed at the outset. Several parties to this proceeding submitted documents expressing concern regarding the adoption of High Quality 2 designations because of potential impact on water rights held by these entities. Although none of the initial documents submitted specifically asserted that the rulemaking proposal would cause material injury to these entities' water rights, particula4rly because the Senate Bill 191 consolations process is new, the Commission transmitted these documents to the State Engineer and the Colorado Water Conservation Board to solicit any comments that they might have. In its transmittal letter, the Commission stated its preliminary assessment that the proposed adoption of High Quality 2 designations did not present the potential to cause material injury to water rights.

The High Quality designation merely indicates that an antidegradation review will be required for certain activities. In its regulations, the Commission has specifically provided that in an antidegradation review "any alternatives that would be inconsistent with section 25-8-104 of the Water Quality Control Act shall not be considered available alternatives." If an issue should arise as to whether the antidegradation review criteria prohibiting material injury are being applied correctly to a specific proposed activity, that issue would be considered during that specific review process, including through consultation with the State Engineer and Water Conservation Board.

The Commission received letters back from both the State Engineer and the Water Conservation Board, stating their agreement with the Commission's preliminary assessment. Upon consideration of all of the available information, the Commission has determined that the adoption of High Quality 2 designations in this proceeding does not cause material injury to water rights.

A. Overview of Segment-Specific Changes

Three principal issues were in controversy for several of the segments addressed in this hearing. The most controversial was whether to apply a high quality 2 designation to certain waters. In several instances, designations proposed by the Water Quality Division were opposed on the basis that there was inadequate information to support such a designation. The three most common challenges to the adequacy of the information were: (1) detection limits for some data were too high to determine whether ambient quality was better than "table values;" (2) for some segments there was not adequate data for some or all of the twelve parameters referenced in section 3.1.8(2)(b)(i)(C); (3) for some segments the sample location(s) of available data were too limited to generalize the results to the whole segment.

The Commission explicitly considered establishing minimum data requirements when it adopted the current antidegradation regulations, and consciously rejected that option. Rather, the Commission recognized that it would be necessary to reply on best professional judgment to determine what constitutes representative date in a specific situation. These issues are not new, or unique to high quality designations. The Commission has for years been required to make water quality classifications and standards decisions in the absence of perfect information. Requiring substantial, recently acquired data for all parameters from multiple locations in each segment before establishing high quality designations would assure that very few waters in Colorado would receive this protection for many years to come. As a policy matter, the Commission has determined that high quality designations may appropriately be established based on a lower threshold of available data than that suggested by several parties to this proceeding.

The Commission also notes that having adequate <u>information</u> upon which to base a high quality designation is not dependent solely on the availability of specific data for a particular segment. Relevant information my include data from downstream segments, comparison of available data with that for similar streams, and information regarding the presence or absence of activities likely to adversely impact the quality of the segment in question.

Where there is a substantial basis for considering a high quality 2 designation, in the face of some residual uncertainty the Commission has chosen or err in the direction of providing the protection. This policy decision is strongly influenced by the ease with which designations can be changed if better data is developed in the future. Unlike classifications, downgrading restrictions do not apply to water quality designations. If new site-specific data is developed that demonstrates that a particular high quality designation is improper, it can and should be removed the Commission.

With respect to detection limits, the Commission has chosen to continue the same policy that it has followed for over ten years—i.e. to treat data reported as below detection limits as being equivalent to zero. while other methodologies have been proposed and may be defensible, the Commission that this approach is reasonable and appropriate. Requiring routine analysis to below table value standard levels for all constituents would substantially increase monitoring costs for the state and the public. Moreover, the Commission believes that the "zero" assumption is fair, so long as it is applied consistently throughout the water quality regulatory system.

Use of zeros in the water quality designation of standard-setting process may marginally err in the direction of increased protection. However, when zeros are used in applying standards to specific dischargers, those dischargers benefit by the assumption that there is more assimilative capacity available in the stream (allowing higher levels of pollutants to be discharged) since the existing pollution is considered to be zero rather than some level between zero and the detection limit.
The second recurring issue addressed for multiple segments in this hearing was whether to establish a recreation class 1 classification wherever a high quality 2 designation is established. The Division proposed this classification change for applicable segments, since the high quality 2 designation indicates that such segments have adequate water quality to support the recreation class 1 use. However, the Commission generally has declined to change the recreation classification from class 2 to class 1 in such circumstances, unless there was also evidence submitted that class 1 use were present or likely for the waters in question. Unless the use is present or likely, application of use-protection-based water quality standards does not appear appropriate. At the same time, the Commission notes that this approach does not diminish application of antidegradation protection requirements for high quality waters. Where the existing quality is adequate, a high quality 2 designation has been established, requiring antidegradation requirements to be met before any degradation is allowed, even though the recreation classification is class 2.

A related issue is the determination of which uses warrant the class 1 recreation classification. The recreation classification definition in section 3.1.13 (1)(a)(i) of the Basic Standards and Methodologies for Surface Water refers to "activities when the ingestion of small quantities of water is likely to occur," and states that "such waters include <u>but are not limited to</u> those used for swimming." In the past the Commission often has applied the class 1 classification only when swimming occurs, and not where other recreational uses that may result in ingestion of small quantities of water occur. The Commission now believes it is appropriate for the class 1 classification also to be applied for uses such as rafting, kayaking, and water skiing.

The appropriateness of recreation class 1 versus class 2 classifications was debated for several segments in the Gunnison Basin. The Commission has received information regarding actual recreational uses. It has also received substantial input regarding the property (of lack thereof) of broadening the application of the class 1 recreation classification, based upon an evolving interpretation of the Basic Standards language. After lengthy discussion, the Commission has decided that it is appropriate as a matter of policy to begin in this basin to apply the recreation class 1 classification for all uses that involve a significant likelihood of ingesting water, including but not necessarily limited to rafting, kayaking, and water skiing. The Commission received substantial testimony that kayaking often results in water ingestion. In addition, the testimony presented, as well as the personal experience of individual Commissioners, indicates that rafting—white water or otherwise—also presents a significant potential for water ingestion.

Section 3.1.6(1)(d) of the Basic Standards and Methodologies for Surface Water requires the Commission to establish classifications to protect all actual uses. Therefore, for waterbodies where rafting and kayaking is an actual use, the recreation class 1 use classification should be applies, since ingestion of water is likely to occur. The Commission sees no reason to distinguish between ingestion that may result from swimming and ingestion that may result from rafting or kayaking. In fact there was some testimony indicating that ingestion is more likely to result from the latter activities.

The Commission wishes to emphasize that the action that it is now taking is consistent with the existing definition of class 1 recreation uses. Some of the comments submitted stated or suggested that the action now being taken by the Commission would constitute a "definitional change" that should be addressed only in a review of the Basic Standards and Methodologies for Surface Water. No change in the regulatory definitions of the classifications is being considered or adopted at this time. Rather, the Commission is applying what it believes to be the proper interpretation of the existing definition.

The Commission believes that as a matter of policy it is not necessary or appropriate to wait until the July, 1991 rulemaking hearing regarding the Basic Standards and Methodologies for Surface Water to implement its current interpretation of the class 1 recreation classification. Over the last decade, there have been many instances when arguments and facts presented in basin-specific rulemaking hearings have resulted in an evolving interpretation of the provisions of the Basic Standards and Methodologies for Surface Water. This Commission is not bound by interpretations made by its predecessors in other basin-specific hearings. To the degree that the class 1 recreation classification in the past has not been applied for some existing activities that involve a likelihood of ingesting water, the Commission now believes that such decision were in error.

This action does not improperly exclude input from entities interested in other river basins. First, the Commission specifically reopened this hearing and received input from entities not specifically concerned with the Gunnison basin. Moreover, the Commission can further modify its policy if in other basin-specific reviews, or in the upcoming review of the Basic Standards and Methodologies, parties that did not participate in this proceeding bring forth new considerations that the Commission believes warrant a modification in the approach to recreation classifications that is now being adopted. The Commission also does not believe that there was any problem with the notice provided for the specific segments at issue in the hearing. Each of the segments for which the recreation classification is being changed from class 2 to class 1 based on rafting or kayaking uses were proposed to be changed to class 1 in the original hearing notice. Although the basis for this proposal evolved during the hearing, any parties potentially concerned with a recreation classification were on notice that this change would be considered in this hearing.

In applying the interpretation of the existing recreation class 1 definition that has been described, the Commission is also influenced by the fact that the importance of recreational uses of surface waters in Colorado has increased over the last decade. Testimony indicated that uses such as rafting and kayaking have expanded substantially, and it is therefore even more important that adequate water quality protection now be provided.

Some of the testimony submitted addressed the appropriateness of the current fecal coliform standards that are applied in association with recreation classifications. The Commission believes that the appropriateness of the existing standards can and should be addressed, when and if there is new evidence available indicating that the current standards are not appropriate. However, changes in such standards were not at issue in this hearing. The Commission believes that questions regarding the appropriate numerical standards should not interfere with its obligation to establish appropriate classifications to protect existing uses. If members of the public have information indicating that a different indicator parameter should be used, or that different fecal coliforms levels are appropriate for the respective recreation classifications, that issue can and should be considered in the upcoming review of the Basic Standards and Methodologies for Surface Water.

Comment was also submitted to the Commission expressing concern regarding the potential effect of downgrading restrictions, should the Commission now adopt class 1 recreation classifications for certain waters and later change its views regarding the appropriate approach to recreation classifications. The Commission does not believe that this presents a substantial problem. Downgrading is appropriate only when a use is not in place. So long as the class 1 recreation classification is defined as including activities that involve ingestion, applying that classification to waters where uses involving ingestion are present should not present a downgrading issue in the future. If the Commission at some later date should completely revise its approach to, and definition of, recreation classifications, application of the new system would involve a set of "de novo" determinations, and not questions regarding upgrading or downgrading.

The Commission recognizes the approach now being adopted may result in increased economic impacts for some dischargers, to meet the class 1 classifications. The evidence submitted indicated that in many instances this will not be the case, because state-wide effluent limitations for fecal coliforms and chlorine standards to protect aquatic life will often drive the level of disinfection and dechlorination that are required. However, in some circumstances it may be possible for the Division to consider an ex0anded use of seasonal effluent limitations that take low flow or high flow circumstances into account. However, irrespective of these considerations, a potential increase in treatment requirements for dischargers cannot eliminate the Commission's obligation to classify state waters to protect actual uses.

Finally, concern was expressed that the approach now taken by the Commission will result in inconsistency regarding recreation classifications for different waters throughout the state. Anytime a policy interpretation changes or evolves in any significant way, the first time the change is applied to specific state waters there will be some inconsistency among individual water bodies, since site-specific classifications and standards are addressed on a basin-by-basin basis. However, it is the Commission's intention to apply its policy interpretations consistently as individual basins are addressed.

The third recurring issue was the proposal by several parties that the Commission substantially resegment several existing stream segments, creating additional segments. The Commission generally has declined to resegment where there was not information submitted justifying different water quality designations, classifications or standards within separate portions of existing segments. Where there is not such a basis for increasing the number of segments, the Commission believes that resegmentation would unnecessarily add additional complexity to the current system.

B. Aquatic Life Class 1 with Table Values; New High Quality 2 Designations

Upper Gunnison River segments 4, 5, 6a, 6c, 7, 8, 10, 15, 19, 20, 25, 26, 27, 30 Lower Gunnison River segment 1b San Miguel River segments 7b, 9, 10 Lower Dolores River segments 1, 6

Numerical standards for metals for these segments have in most instances been based on table values contained in Table III of the previous Basic Standards and Methodologies for Surface Water. Table III has been substantially revised, effective September 30, 1988. From the information available, it appears that the existing quality of these segments meets or exceeds the quality specified by the revised criteria in Table III, and new acute and chronic table value standards based thereon have therefore been adopted. There are also come of these segments whose previous standards were based in party on ambient quality, since their quality did not met old table values based on alkalinity ranges. However, these segments generally have much higher hardness than alkalinity, and the new table values (based on hardness-dependent equations) are now appropriate as standards.

Existing use classifications for these segments have been retained, with the following exceptions. A water supply classification has been added to Upper Gunnison segment 19 because the existing quality is adequate to protect these uses. In addition, the recreation classifications for Upper Gunnison segment 15 and Lower Gunnison segment 1b have been changed from class 2 to class 1. The Commission recognizes that this change could result in increased treatment costs for dischargers to segment 15. However, the evidence demonstrated that class 1 recreation uses –i.e. rafting—are present in this segment. Because their classifications, designations, and standards will now be the same, Lower Gunnison segment 1b has now been combined with segment 1a (discussed in section C, below).

The descriptions of Upper Gunnison segments 20 and 23 have been revised, to consolidate several tributaries formally in segment 23 into segment 20. The same designation, classifications and standards are appropriate for all of the waters now in segment 20. Segment 23 is addressed under Paragraph F, below.

Finally, a high quality 2 designation has been established for each of these segments. The best available information in each case indicates that the existing quality for dissolved oxygen, pH, fecal coliform, cadmium, copper, iron, lead, manganese, mercury, selenium, silver and zinc is better than that specified in Tables I, II, and III of the Basic Standards and Methodologies for Surface Water, for the protection of aquatic life class 1 and recreation class 1 uses.

C. Existing High Quality 2 Segments; New Classifications and Standards

Upper Gunnison River segments 1, 2, 3 North Fork of the Gunnison segment 1 Uncompany River segment 1 Lower Gunnison segment 1a San Miguel segment 1

These segments were already described as high quality class 2, and available information indicates that the parallel new high quality 2 designation continues to be appropriate for each. All except Lower Gunnison segment 1a are within wilderness areas. Lower Gunnison segment 1a is for the most part within the Black Canyon of the Gunnison National Monument and the entire segment is a renowned gold medal trout fishery. In addition, the following use classifications, and associated table value standards, were adopted for these segments:

Recreation – Class 1 Cold Water Aquatic Life – Class 1 Water Supply Agriculture

These classifications and standards are appropriate based on the best available information regarding existing uses and quality. These provisions would apply in the event that degradation is determined to be necessary following an activity-specific antidegradation is determined to be necessary following an activity-specific antidegradation review.

The Commission rejected a proposal to resegment Lower Gunnison segment 1a into separate segments, because the evidence did not demonstrate that different designations, classifications, or standards are appropriate for different portions of this segment. The USGS data offered in support of resegmentation was unconvincing due to concerns regarding its reliability. Segment 1a has now been combined with segment 1b.

D. New Use-Protected Designations; No Change in Numeric Standards

Upper Gunnison River segments 6a, 14, 16, 28, 32 North Fork of the Gunnison segments 6, 10 Uncompany River segments 10, 12 Lower Gunnison River segment 4 San Miguel River segment 12 Lower Dolores River segment 4

These segments all qualify for a use-protected designation based on their present classifications. All are aquatic class 2 streams except Upper Gunnison segment 14 which has no aquatic life classification. Existing standards are adopted because these segments have only a minimal number of standards with no metal or nutrient standards.

E. New Use-Protected Designations; Revised Numeric Standards

Upper Gunnison River segment 11, 18 Uncompany River segments 4, 5, 13 Lower Gunnison River segments 6, 7, 8 Lower Dolores River segment 5

All of these segments, with the exception of Upper Gunnison segment 11, are aquatic life class 2 streams with numeric standards to protect the existing aquatic life. The aquatic life classification for Upper Gunnison segment 18 has been changed from cold water class 1 to class 2. Numerical standards for metals have in most instances been based on table values contained in Table III of the previous Basic Standards and Methodologies for Surface Water. Table III has been substantially revised, effective September 30, 1988. From the information available, it appears that the existing quality of these segments meets or exceeds the quality specified by the revised criteria in Table III, and new acute and chronic table value standards based thereon are adopted, except as specified below. There are also some of these segments whose previous standards were based in part on ambient quality, since their quality did not meet old table values based on alkalinity ranges. However, these segments generally have much higher hardness than alkalinity, and the new table values (based on hardness-dependent equations) are now appropriate as standards. The one exception, Upper Gunnison segment 11, is a cold water class 1 stream that has three antidegradation parameters exceeding the table value criteria.

Table value standards are adopted for all parameters for all segments noted in Paragraph E except as follows:

Segment	Constituents, ug/l
Upper Gunnison 11	Cd(ch = 2.2, Cu(ch) = 20,
	Pb(ch) = 16, Zn(ch) = 400, No Acute standard for Cd, Cu or Zn/
Upper Gunnison 18	$NH_3 (ch) = 0.05 mg/l$
	NH_3 (ch) = 0.02 mg/l from Co. Rd. 17 to confluence with Gunnison River.).
Uncompahgre 4	Fe(ch) = 2,800 (Trec), Se(ch) = 35 (Trec)

The purpose of the qualifier on Upper Gunnison segment 18 is to provide additional protection for trout that are likely to use this reach for spawning or inhabit it during seasons when flow is present.

F. No Change in Classification; No Designations; Revised Numeric Standards

Upper Gunnison segments 9, 12, 13, 17, 21a, 21b, 22, 23, 24, 29, 33 North Fork Gunnison segments 2, 3, 4, 5, 7, 8, 9, 11 Uncompany River segment 11, 14 Lower Gunnison segments 3, 5 San Miguel River segment 11 Lower Dolores River segment 2

These are water bodies whose classifications and standards are appropriate for high quality 2 designation, but for which either: (1) the quality is not suitable for a water supply classification or 85th percentile values of one or two parameters exceed the criteria for class 1 aquatic life; or (2) the Commission has determined that there is currently inadequate information available upon which to base a high quality 2 designation.

The segments that fall in the latter category are Upper Gunnison segments 22 and 33; North Fork segments 7 and 9, and Lower Gunnison segments 3 and 5. For example, for Upper Gunnison segment 33 there is some data showing table value exceedances for two parameters. Although the Division questioned the reliability of this data, no alternative data is available at this time. However, the Commission also notes that table value standards, rather than ambient quality standards, have been established for this segment since the available data do not create a reliable basis for specific ambient quality standards at this time. For North Fork segment 9, not only is there limited data available on this segment, but available information regarding other waters in this subbasin does not support the conclusion that these are high quality waters,. The Commission also rejected proposals to change the aquatic life classification of North Fork segment 7 to class 2 with a use-protected designation, and to resegment Lower Gunnison segment 3, because these proposals were not supported by the evidence.

For North Fork segment 5, the Commission has rejected a proposal to change the recreation classification from class 1 to class 2. This hearing was not noticed pursuant to section 25-8-207, C.R.S., which provides authority to revise classifications based on material assumptions that were in error or no longer apply. If one of the parties, or any other member of the public, believes that the current classification is in error and that it may have an adverse impact on their activities, such a hearing may be requested in the future to consider this issue.

The Division proposed that the recreation classification for North Fork segment 3 be changed from class 2 to class 1. The Commission rejected this proposal due to inadequate information that such uses are in place or likely.

Table value standards are adopted for all parameters for all segments noted in Paragraph F except as follows:

Segment	Constituent(s), ug/l
Upper Gunnison 9	Zn(ch) = 80
Upper Gunnison 17	Fe(ch) = 1,600 (Trec)
Upper Gunnison 21a	U(ch) = 2,000
Upper Gunnison 21b	U(ch) = 300
Upper Gunnison 22	Fe(ch) = 1,1,80 (Trec)
North Fork Gunnison 4	Fe(ch) = 1,500 (Trec)
North Fork Gunnison 5	Fe(ch) = 1,900 (Trec)
Uncompahgre River 11	Fe(ch) = 1,600 (Trec)
Lower Dolores 2	Fe(ch) = 2,600 (Trec)

In addition, three-year temporary modifications have been adopted for the following segments and parameters:

Segment	Constituent(s), ug/l
Upper Gunnison 12	Cd(ch) = 10 (Trec); Zn(ch) = 790 (Trec)
Upper Gunnison 13	Cd(ch) = 10 (Trec), Zn(ch) = 1,080 (Trec)
Upper Gunnison 23	Ag(ch)=0.5

G. Changes in Classification; No designations; Revised Numeric Standards

Lower Gunnison River segment 2 San Miguel River Segments 4, 5 Lower Dolores River segment 3

Review of available data and existing uses indicates that Lower Gunnison segment 2 and Lower Dolores segment 3 are appropriate to be upgraded to recreation class 1 with a corresponding fecal coliform standard of 200 MPN/100 ml. The agricultural use classification has been adopted to San Miguel segments 4 and 5. Table value standards have been adopted for all parameters on all segments except for ambient standards for iron of 2,300 ug/l on Lower Gunnison segment 2 and 2,800 ug/l on Lower Dolores segment 3.

H. No change in Classifications or Standards

Upper Gunnison segment 31 Uncompany River segments 2, 3, 6, 7, 8, 9a, 9b San Miguel River segments 2, 3a, 3b, 6a, 6b, 7a, 8

Upper Gunnison segment 31 and San Miguel River segments 7a and 8 are segments with several ambient standards based on total recoverable data. No new data was available to indicate that table value standards are appropriate and/or make the conversion to a dissolved metals basis for the ambient standards.

The remainder of the segments on the Uncompany and San Miguel are either directly involved in CERCLA litigations or may be influenced by them. In view of the current status of these CERCLA actions, the Commission has agreed to address these segments in the next triennial review. The Commission has requested the Division to notify it if any new discharges are proposed for these segments prior to that time, so that an earlier hearing can be held.

35.17 STATEMENT OF BASIS, SPECIFIC STATUTORY AUTHORITY AND PURPOSE; NOVEMBER 2, 1992:

The provisions of 25-8-202; 204; and 402 C.R.S. provide the specific statutory authority for adoption of these regulatory amendments. The Commission also adopted in compliance with 24-4-103(4), C.R.S., the following statement of basis and purpose.

BASIS AND PURPOSE:

he Commission adopted temporary modifications for Segments 12 and 13 as a result of its May 1990 hearing on the Gunnison and Lower Dolores River Basins. These temporary modifications are scheduled to expire July 1, 1993. A hearing for the Gunnison and Lower Dolores River Basins has been scheduled by the Commission for December 5, 1994. The Commission extended the expiration date of the temporary modifications to December 31, 1994, so that the Commission will have an opportunity to hear evidence as to whether these temporary modifications continue to be necessary.

35.18 STATEMENT OF BASIS, SPECIFIC STATUTORY AUTHORITY AND PURPOSE; MARCH1, 1993 HEARING:

The provisions of 25-8-202(1)(a), (b) and (2); 25-8-203; 25-8-204; and 25-8-402 C.R.S. provide the specific statutory authority for adoption of these regulatory amendments. The Commission also adopted in compliance with 24-4-103(4), C.R.S., the following statement of basis and purpose.

BASIS AND PURPOSE:

The changes to the designation column eliminating the old High Quality 1 and 2 (HQ1, HQ2) designations, and replacing HQ1 with Outstanding Waters (OW) designation were made to reflect the new mandates of section 25-8-209 of the Colorado Water Quality Act which was amended by HB 92-1200. The Commission believes that the immediate adoption of these changes and the proposals contained in the hearing notice is preferable to the alternative of waiting to adopt them in the individual basin hearings over the next three years. Adoption now should remove any potential for misinterpretation of the classifications and standards in the interim.

In addition, the Commission made the following minor revisions to all basin segments to conform them to the most recent regulatory changes:

- 1. The glossary of abbreviations and symbols were out of date and have been replaced by an updated version in section 3.5.6(2).
- 2. The organic standards in the Basic Standards were amended in October, 1991, which was subsequent to the basin hearings. The existing table was based on pre-1991 organic standards and are out of date and no longer relevant. Deleting the existing table and referencing the Basic Standards will eliminate any confusion as to which standards are applicable.
- 3. The table value for ammonia and zinc in the Basic Standards was revised in October, 1991. The change to the latest table value will bring a consistency between the tables in the basin standards and Basic Standards.

4. The addition of acute un-ionized ammonia is meant to bring a consistency with all other standards that have both the acute and chronic values listed. The change in the chlorine standard is based on the adoption of new acute and chronic chlorine criteria in the Basic Standards in October, 1991.

Finally, the Commission confirms that in no case will any of the minor update changes described above change or override any segment-specific water quality standards.

35.19 STATEMENT OF BASIS, SPECIFIC STATUTORY AUTHORITY, AND PURPOSE, September 7, 1993:

The provisions of 25-8-202(1)(b) and (2); 25-8-203; 25-8-204; and 25-8-402 C.R.S. provide the specific statutory authority for adoption of these regulatory amendments. The Commission also adopted, in compliance with 24-4-103(4), C.R.S., the following Statement of Basis and Purpose.

BASIS AND PURPOSE:

On November 30, 1991, revisions to "The Basic Standards and Methodologies for Surface Water:,. 3.1.0 (5 CCR 1002-8), became effective. As part of the revisions, the averaging period for the selenium criterion to be applied as a standard to a drinking water supply classification was changed from a 1-day to a 30-day duration. The site-specific standards for selenium on drinking water supply segments were to be changed at the time of rulemaking for the particular basin. Only one river basin, the South Platte, has gone through basin-wide rulemaking since these revisions to the "Basic Standards". Through an oversight, the selenium standards was not addressed in the rulemaking for this basin and has since become an issue in a wasteload allocation being developed for segment 15 and 16 of the South Platte. Agreement on the wasteloads for selenium is dependent upon a 30-day averaging period for selenium limits in the effected parties permits. Therefore, the parties requested that a rulemaking hearing be held for the South Platte Basin to address changing the designations of the 10 ug/l to a 30-day standard. The Water Quality Control Division, foreseeing the possibility of a selenium issue arising elsewhere in the state, made a counter proposal to have one hearing to change the designation for the selenium standard on all water supply segments statewide. The Commission and the parties concerned with South Platte segments 15 and 16 agreed that this would be most judicious way to address the issue.

The change in the averaging period may cause a slight increase in selenium loads to those segments which have CPDS permits regulating selenium on the basis of a water supply standard. However, these segments are only five in number and the use will still be fully protected on the basis that the selenium criterion is based on 1975 national interim primary drinking water regulations which assumed selenium to be a potential carcinogen. It has since been categorized as a non-carcinogen and new national primary drinking water regulations were promulgated in 1991 that raised the standard to 50 ug/l.

The Commission also corrected a type error in the TVS for Silver by changing the sign on the exponent for the chronic standard for Trout from + 10.51 to - 10.51.

35.20 STATEMENT OF BASIS, SPECIFIC STATUTORY AUTHORITY, AND PURPOSE (February, 1995 Rulemaking)

The provisions of 25-8-202(1)(b) and (2); 25-8-204; and 25-8-402 C.R.S. provide the specific statutory authority for adoption of these regulatory amendments. The Commission also adopted, in compliance with 24-4-103(4), C.R.S., the following Statement of Basis and Purpose.

BASIS AND PURPOSE:

The temporary modifications addressed in this hearing for segments 12 and 13 of the Upper Gunnison River, for cadmium and zinc, were previously adopted with an expiration date of December 31, 1994. For efficient utilization of resources, the Commission has extended the temporary modifications to December 31, 1996, so that these temporary modifications can be considered along with other issues in the overall Gunnison River Basin rulemaking hearing.

35.21 STATEMENT OF BASIS, SPECIFIC STATUTORY AUTHORITY AND PURPOSE (1995 Silver hearing)

The provisions of C.R.S. 25-8-202(1)(b), (2) and 25-8-204; provide the specific statutory authority for adoption of these regulatory amendments. The Commission also adopted in compliance with 24-4-103(4) C.R.S. the following statement of basis and purpose.

BASIS AND PURPOSE

The changes described below are being adopted simultaneously for surface water in all Colorado river basins.

This action implements revisions to the Basic Standards and Methodologies for Surface Water adopted by the Commission in January, 1995. As part of a July, 1994 rulemaking hearing, the Commission considered the proposal of various parties to delete the chronic and chronic (trout) table values for silver in Table III of the Basic Standards. As a result of that hearing, the Commission found that the evidence demonstrated that ionic silver causes chronic toxicity to fish at levels below that established by the acute table values. It was undisputed that silver is present in Colorado streams and in the effluent of municipal and industrial dischargers in Colorado. The evidence also demonstrated that the removal of silver from wastewater can be costly. However, there was strongly conflicting scientific evidence regarding the degree to which silver does, or could in the absence of chronic standards, result in actual toxicity to aquatic life in Colorado surface waters. In particular, there was conflicting evidence regarding the degree to which the toxic effects of free silver are mitigated by reaction with soluble ligands to form less toxic compounds and by adsorption to particulates and sediments.

The Commission concluded that there is a need for additional analysis of the potential chronic toxicity of silver in streams in Colorado. The Commission encouraged the participants in that hearing, and any other interested parties, to work together to develop additional information that will help resolve the differences in scientific opinions that were presented in the hearing. The Commission believes that it should be possible to develop such information within the next three years.

In the meantime, the Commission decided as a matter of policy to take two actions. First, the chronic and chronic (trout) table values for silver have been repealed for the next three years. The Commission is now implementing this action by also repealing for the next three years, in this separate rulemaking hearing, all current chronic table value standards for silver previously established on surface waters in Colorado. Any acute silver standards and any site-specific silver standards not based on the chronic table values will remain in effect. The Commission intends that any discharge permits issued or renewed during this period will not include effluent limitations based on chronic table value standards, since such standards will not currently be in effect. In addition, at the request of any discharger, any such effluent limitations currently in permits should be deleted.

The second action taken by the Commission was the readoption of the chronic and chronic (trout) table values for silver, with a delayed effective date of three years from the effective date of final action. The Commission also is implementing this action by readopting chronic silver standards with a corresponding delayed effective date at the same time that such standards are deleted from the individual basins. The Commission has determined that this is an appropriate policy choice to encourage efforts to reduce or eliminate the current scientific uncertainty regarding in-stream silver toxicity, and to assure that Colorado aquatic life are protected from chronic silver toxicity if additional scientific information is not developed. If the current scientific uncertainty persists after three years, the Commission believes that it should be resolved by assuring protection of aquatic life.

In summary, in balancing the policy considerations resulting from the facts presented in the July 1994 rulemaking hearing and in this hearing, the Commission has chosen to provide relief for dischargers from the potential cost of treatment to meet chronic silver standards during the next three years, while also providing that such standards will again become effective after three years if additional scientific information does not shed further light on the need, or lack of need, for such standards.

Finally, the Division notes that arsenic is listed as a TVS standard in all cases where the Water Supply classification is not present. This is misleading since Table III in the Basic Standards lists an acute aquatic life criterion of 360 ug/l and a chronic criterion of 150 ug/l for arsenic, but a more restrictive agriculture criterion of 100 ug/l. It would be clearer to the reader of the basin standards if, for each instance where the standard "As(ac/ch)=TVS" appears, the standard "As=100(Trec)" is being inserted as a replacement. This change should make it clear that the agriculture protection standard would prevail in those instances where the more restrictive water supply use protective standard (50 ug/l) was not appropriate because that classification was absent.

The chemical symbol for antimony (Sb) was inadvertently left out of the "Tables" section which precedes the list of segments in each set of basin standards. The correction of this oversight will aid the reader in understanding the content of the segment standards. Also preceding the list of segment standards in each basin is a table showing the Table Value Standards for aquatic life protection which are then referred to as "TVS" in the segment listings. For cadmium, two equations for an acute table value standard should be shown, one for all aquatic life, and one where trout are present. A third equation for chronic table value should also be listed. The order of these three equations should be revised to first list the acute equation, next the acute (trout) equation, followed by the chronic equation. This change will also aid the reader in understanding the intent of the Table Value Standards.

PARTIES TO THE PUBLIC RULEMAKING HEARING JUNE 12, 1995

- 1. Coors Brewing Company
- 2. The Silver Coalition
- 3. Cyprus Climax Metals Company
- 4. The City of Fort Collins
- 5. The City of Colorado Springs

35.22 STATEMENT OF BASIS, SPECIFIC STATUTORY AUTHORITY AND PURPOSE (December, 1995 Rulemaking)

The provisions of C.R.S. 25-8-202(1)(b), (2); 25-8-204; and 25-8-402 C.R.S. provide the specific statutory authority for adoption of these regulatory amendments. The Commission also adopted in compliance with 24-4-103(4) C.R.S. the following Statement of Basis and Purpose.

BASIS AND PURPOSE

The temporary modifications addressed in this hearing for segments 12 and 13 of the Upper Gunnison river, for cadmium and zinc, were previously adopted with an expiration date of December 31, 1996. For efficient utilization of resources, the Commission has extended the temporary modifications to December 31, 1997, so that these temporary modifications can be considered along with other issues in the overall Gunnison River Basin rulemaking hearing, which is currently scheduled for June, 1997.

35.23 STATEMENT OF BASIS, SPECIFIC STATUTORY AUTHORITY AND PURPOSE (June, 1997 hearing)

The provisions of 25-8-202(1)(a), (b) and (2), 25-8-203; 25-8-204; and 25-8-402 C.R.S. provide the specific statutory authority for adoption of these regulatory amendments. The Commission also adopted, in compliance with 25-4-103(4) C.R.S. the following statement of basis and purpose.

BASIS AND PURPOSE

1. Resegmentation

Extensive renumbering of segments was made throughout the basin due to information which showed that:

- a. The original reasons for segmentation no longer applied.
- b. New water quality data showed that streams should be resegmented based on changes in their water quality.
- c. Certain segments could be grouped together in one segment because they had similar quality and uses.
- d. Certain segments were originally listed under the incorrect basin and have now been listed in the appropriate basin.

2. Wetlands

In March, 1993, the Commission amended the Basic Standards and Methodologies for Surface Water, Regulation 31 (5 CCR 1002-31) to include wetlands in the stream classification and standards system for the state. Due to that action, it became necessary to revise the segment description for all segments of the "all tributary" type to clarify that wetlands were also part of the tributary system for a given mainstem segment. All tributary wetlands now clearly carry the same classifications and standards as the stream to which they are tributary as provided for in 31.13(1)(e)(iv).

Information was submitted in the hearing that the Water Quality Control Division has been working with the Colorado Geological Survey to develop methodologies to measure the functions of wetlands. The development of such methodologies is an important implementation issue with respect to water quality standards for wetlands and the supports the Division's efforts in this regard.

3. Manganese Standards

On all segments classified for water supply and aquatic life uses, the total recoverable manganese standard of 1,000 ug/l was stricken. The aquatic life manganese criterion was changed in 1991 revisions to the Basic Standards from total recoverable to dissolved and on these segments a more stringent dissolved manganese water supply standard of 50 ug/l is in place. On segments classified for aquatic life and not water supply, the 1000 ug/l standard is designated as dissolved.

4. Mercury Standard

The Basic Standards include the note that the standard for mercury is based on the Final Residual Value (FRV), and that mercury in the total form is the proper way to express that value. Therefore, the Commission decided to change the (TREC) notation for mercury to (tot) in all cases where it appeared.

5. Conversion to Dissolved Metals

Several segments in the previous version of the classifications and standards for these basins contained standards for metals as "total recoverable". The Commission previously determined that standards for most metals should be expressed as dissolved, necessitating conversion of those metals standards for the following segments:

Upper Gunnison Basin segments 11 and 12 (previously segments 12 and 13; temporary modifications for total recoverable metals deleted), 29 (previously segment 31).

Uncompandere River segments 2, 3, 7, 8, and 9. San Miguel River segments 2, 3a, 3b, 6a, 6b, 7a and 8.

6. Changes Necessary to Comply with "Swimmable" Requirements

The Commission has reached an understanding with EPA regarding the classification and standards necessary to comply with the goal established in the federal Clean Water Act that all waters of the nation be suitable for recreation in and on the water. In Colorado, that requirement translates into a Recreation, Class 1, with the 200 fecal coliform/100 ml standard wherever swimming, rafting, etc. are in place or have the potential to occur; Recreation, Class 2, with 200 fecal coliform/100 ml standard wherever secondary contact recreation only is practiced, and the existing quality supports a class 1 recreation use and with consideration of the lack of significant increased treatment costs; and Recreation, Class 2, with the 2000 fecal coliform/100 ml standard in most other situations. This policy has resulted in recreation classification and/or fecal coliform standard modifications to the following segments:

Upper Gunnison Basin segments 4, 5, 6a and 6b (previously 6b and 6c), 7, segments 8 through 12 (previously 9 through 13), segments 16 through 19 (previously 17 through 20), segments 21 through 24 (previously 22 through 25), segment 26 (previously 27), segments 28 through 30 (previously 29 through 31), and segment 32 (previously 33). North Fork Gunnison segment 2. Uncompander River segments 3, 5, 7, 8, 9 (previously 9a), 13, and 15. Lower Gunnison River segments 6, 7, 8, and segments 10 and 11 (previously North Fork segments 8 and 9). San Miguel River segments 3b, 4, 5, and 8. Dolores River segments 4 and 5 (previously 5 and 6).

Concerns were raised in this hearing regarding the potential impact of more stringent fecal coliform standards on agricultural and ranching practices. Ranching and agriculture have been extensive in the Upper Gunnison River Basin. The Upper Basin Parties submitted testimony that these uses date back to the late 1800s and have been a continuing integral economic and social factor in the basin. The Commission recognizes the extent of this use of land within the basin, and that ranching and agriculture have co-existed with a high level of water quality in the basin. The Commission summarizes the extent of agricultural and ranching use within the basin as a helpful baseline should issues involving compliance with fecal coliform standards in the future involve agricultural and ranching activities.

The testimony submitted indicates that the large majority of water rights and uses within the basin are decreed for agricultural uses. There are approximately 1,500 absolute ditch rights within the basin decreed only for agricultural and irrigation uses, representing total decreed diversions of more than 7,700 c.f.s. As of 1997, the following acreage was classified within the basin as agricultural for taxing purposes:

County Acres

Gunnison 343,742 Hinsdale 7,292 Saguache 54,299

The testimony also indicated that the Colorado Agricultural Statistics Service census of 1992 shows the total number of cattle and calves in Gunnison County as 30,713 head, and the Service estimates the total number as of January 1, 1997, was 31,343. The BLM reports there are 85 grazing permeates and 45,133 AUMs within its Gunnison Resource Area. The Forest Service reports that within its Taylor River Ranger District, there are 29 active allotments, encompassing 688,260 Forest Service acres, and a total number of 9,119 permitted livestock, and 8,893 of authorized livestock. Within the Cebolla Ranger District, the Forest Service reports there are 36 active allotments encompassing 552,529 acres, and a total number of 12,662 permitted livestock, and 13,395 authorized livestock.

The Commission finds that this degree of agricultural activities in the Gunnison Basin has existed in this region while the fecal coliform levels have been maintained at lower concentrations than the more stringent fecal coliform standards being adopted for a number of stream segments, as described above.

The Commission has previously stated that the fecal coliform standard is to be implemented with a rebuttable presumption that high densities of fecal coliform identified in water quality samples are due to human fecal pollution. The focus of the existing regulatory system for bacteriological parameters is on identifying and controlling sources of human waste that may be discharged to waters of the state without adequate treatment.

Parties to the hearing also proposed that the Commission adopt "an additional indicator that would distinguish between human fecal coliform and animal fecal coliform." Based on the information submitted, it does not appear that any such indicator is available at this time.

7. Upgrading of Class 2 Aquatic Life Segments

The Commission decided to adopt upgraded classifications and/or a more complete set of standards for several segments where the Division recommended such changes based on recent sampling of the biota by the Division of Wildlife (DOW) and the Water Quality Control Division. In general, these segments were previously thought to contain very little aquatic life, and were appropriate for the Class 2, minimal standards application found on most intermittent streams. However, the biological data referred to above indicated that a more diverse and rich aquatic life community existed, including threatened species. The Commission has chosen to recognize these facts by the adoption of a higher aquatic life classification and/or a complete set of protective standards. The segments/streams affected are:

Uncompandere River segment 15. Lower Gunnison River segment 9.

In addition, based on testimony by the Division of Wildlife, several specific creeks that had been included in segments with minimal standards were moved to segments with the usual aquatic life table value standards. These creeks are now located in:

Upper Gunnison segment 6b. Uncompany segment 11. San Miguel segment 10. Lower Dolores segment 5.

8. Full Standards Not Applied to Aquatic Life Segments

EPA raised the issue of why the full set of inorganic aquatic life protection standards were not applied to various segments recommended for aquatic life class 2 classification. These segments typically were assigned only dissolved oxygen, pH, and fecal coliform standards. It was EPA's position that if there were dischargers located on the segments with the potential to produce toxic levels of one or more of the pollutants not contained in the abbreviated list of standards, the aquatic life in the segment could be jeopardized. Rather than adopt the full set of inorganic standards, the Commission was persuaded by the Division's arguments that the abbreviated list of standards was sufficient to protect the rudimentary aquatic life found in these intermittent streams, and that there was a very low probability that any of the few dischargers located on these segments would discharge toxic effluents. The segments where this policy was followed are:

Upper Gunnison Basin segments 6a, 13 (formerly 14), 15 (formerly 16), 27 and 31. North Fork Gunnison segment 6. Uncompany River segments 6, 10, and 12. Lower Gunnison River segments 4, and 12. San Miguel River segment 12. Dolores River segment 3.

As noted above, where specific creeks within these segments were identified with aquatic life that warrants additional standards, they were moved into segments with the usual aquatic life table value standards.

9. Outstanding Waters Designations

The Commission followed the recommendations of the Division in assigning the Outstanding Waters (OW) designation to all waters covered by this regulation that are within the La Garita, West Elk, Collegiate Peaks, Maroon Bells, Ragged, Oh-Be-Joyful, Big Blue, Mt. Sneffels, and Lizard Head wilderness areas. Division water quality data indicated all antidegradation parameters to be well within table values and several of the wilderness waters provided habitat to ecologically significant specifies, i.e. Colorado River cutthroat trout and the boreal toad.

Uncompandere River segment 1. North Fork Gunnison segment 1. San Miguel River segment 1. (Waters of the Sneffels Wilderness Area within the San Miguel watershed were added to Segment 1.)

The Commission also rejected a proposal by the High Country Citizens' Alliance (HCCA) and Western Slope Environmental Resource Council (WSERC) to adopt an outstanding waters designation for Upper Gunnison segment 25 and Lower Gunnison segment 1. These segments--which include Blue Mesa, Morrow Point and Crystal Reservoirs, as well as the Black Canyon of the Gunnison and the Gunnison Gorge--are located downstream of significant development in the Gunnison Basin and include reservoirs that are actively managed for a variety of purposes. The Commission does not believe that a showing has been made that adoption of the outstanding waters designation is necessary and appropriate for these waters at this time. The Commission is receptive to hearing future proposals regarding the adoption of outstanding waters designation or other forms of extra protection for these waters, supported by additional research and information regarding the implications of such protection for other activities in or upstream from such segments, particularly if broad support for any such proposals can be developed.

10. Use-Protected Designations

In a previous "Basic Standards" rulemaking, the Commission changed the basis for assigning the useprotected designation by eliminating the automatic assignment where recreation class 2 was a classified use. In this comprehensive review of the basin classifications, designations, and standards, the Commission removed one use-protected designation in order to be consistent with that Basic Standards revision. This segment is:

Upper Gunnison Basin segment 10 (previously segment 11).

In addition, the Commission added the use-protected designation to several segments that met the criteria for use-protected. These are:

Uncompany River segments 6, 7, 8, 9, and 15. Lower Gunnison River segment 9.

The Commission also rejected a proposal by HCCA and WSERC to remove the use-protected designations for several other stream segments. In each instance, the segments in question are classified as aquatic life class 2. The Basic Standards and Methodologies for Surface Water provide that this classification requires a use-protected designation, unless the Commission determines "that those waters with exceptional recreational or ecological significance should be undesignated, and deserving of the protection afforded by the antidegradation review provisions." Section 31.8(2)(b)(i). The evidence submitted in this hearing was not adequate to support such a finding.

11. Ambient Quality-Based Standards

The Division presented extensive information in its Exhibit 1 regarding ambient chemical quality of many segments in the basin. In most cases ambient quality was well within the "table value" limits prescribed by the Basic Standards for the protection of the various classified uses, prompting the Commission to assign those table values as segment standards. In a few cases, however, ambient quality exceeded the table values, yet there was information to suggest that the use was in place nonetheless. The available information lead to the conclusion that there was little hope of reversing the cause for degradation within twenty years. In those instances, the Commission followed the recommendation of the Division to adopt the 85th percentile of the ambient data as the standard (ambient quality-based standard). The following is a list of those segments where such standards have been adopted:

Upper Gunnison Basin segments 10, 11, 12 (formerly 11, 12, and 13) and 31. North Fork Gunnison segment 4. Uncompany River segments 2, 3, 4, and 7.

EPA expressed concern in the hearing regarding the basis for adopting ambient quality-based water quality standards. The Commission encourages the Division to work with EPA to explore the potential for developing more standardized criteria for determining that such standards are appropriate on a site-specific basis.

12. Temporary Modifications

In several instances, the Commission decided to establish temporary modifications to table value standards as an alternative to establishing an ambient-based standard. This practice was followed where these was information to suggest the underlying standard could be met within three years to five years, or where there were questions surrounding the data which could be clarified with additional sampling. Temporary modifications adopted for several segments for selenium standards are discussed separately below. The segments where other temporary modifications were established or modified are:

Upper Gunnison segment 8. Uncompangre segment 4. Lower Gunnison River segment 9. San Miguel River segments 3a and 3b. (See separate discussion below.)

13. Water + Fish Organics Applied to Aquatic Life Segments

It is the policy of the Commission to establish the water+fish organics standards found in the Basic Standards for those Class 2 aquatic life segments where fish of a catchable size and which are normally consumed are present and there is evidence that angling takes place on a recurring basis. Based on these criteria and the testimony submitted, the Commission has chosen to assign the water+fish organics standards to the following class 2 aquatic life segments:

Uncompandere River segments 4, 9 and 13. Lower Gunnison River segments 7 and 8.

14. Selenium Standards

In October of 1995, the Commission promulgated new aquatic life table value standards (TVS) for selenium, i.e., 20 ug/l acute and 5 ug/l chronic. At that time, the Commission adopted a footnote to the TVS which acknowledged that "selenium is a bioaccumulative metal and subject to a range of toxicity values depending upon numerous site-specific variables." The simultaneously adopted Statement of Basis and Purpose further elaborated upon this point, indicating that there exists the opportunity to develop "ambient or site-specific water quality standards on a basin-by-basin or specific segment basis," and identifying a number of site-specific factors that may be pertinent in the establishment of appropriate standards. Finally, the Commission noted that "a selenium standard need not be adopted during the course of triennial or segment specific rulemakings unless it is determined that the discharge or presence of selenium in the affected waters reasonably could be expected to interfere with the classified uses"

In this basin-specific rulemaking, the Commission has decided to adopt the selenium TVS for most segments in the Gunnison and Lower Dolores basins. Temporary modifications, however, based on the 85th percentile of ambient data with an underlying TVS of 5 ug/l chronic and 20 ug/l acute, have been adopted for the segments identified below.

Uncompany River Segment 4. Uncompany River Segment 14 (Sweitzer Lake). Lower Gunnison River Segment 2. North Fork Gunnison River Segment 5.

The Commission may revisit the question of ambient standards at some point in the future.

The Commission is hopeful that adoption of temporary modifications for these four segments will assist in reducing the existing high selenium levels. This action will establish interim goal-based criteria for selenium on these segments, ensure that there will be no further increases in selenium concentration for these waters as a result of regulated sources, and provide a mechanism to spur progress in improving water quality and attaining the goal-based standard. Furthermore, the temporary modifications may assist the Division in writing NPDES permits for any point source discharges while restoration efforts for nonpoint sources of selenium are underway - the temporary modification will serve as the basis for calculating the interim effluent limits for such permits.

Most important, however, the temporary modifications provide a mechanism to address the existing high selenium concentrations in these segments. For example, adoption of temporary modifications will allow these segments to be listed pursuant to Clean Water Act (CWA) section 303(d) and section 305(b) - sections of the Act which require identification of water quality-limited segments. These listings, in turn, will increase the potential for funding for selenium control projects. Although it may become necessary to further revise the selenium numeric standards as additional information becomes available, it is hoped that this action will benefit efforts aimed at reducing the existing high selenium levels in these four segments.

In adopting the above standards and temporary modifications, the Commission took into consideration a number of factors, including statements from EPA and the USFWS that an ambient standard for the above-referenced segments may not be approved by EPA because of concerns over (i) the potential impacts of such an elevated concentration upon fish and wildlife, with specific reference to the federally listed endangered species in the Lower Gunnison River Segment 2; (ii) the need for EPA to meet its consultation responsibilities under Section 7 of the Endangered Species Act; and (iii) the uncertainty as to whether the present condition is reversible.

The Commission acknowledges that there is also uncertainty associated with what will eventually prove to be the appropriate selenium standard for segments in this basin. For example, EPA is currently reexamining its national criteria for selenium. The USFWS is completing additional work on the potential impact of selenium upon razorback suckers, with a final report due in early 1998. Additional work is also being performed upon perfecting site specific methods of standard determination, including a sediment-total organic carbon model and uptake of selenium in aquatic biota.

Additional uncertainties presently exist concerning (i) the relative contributions of varying sources to the existing high ambient levels; (ii) whether these levels can be significantly reduced within 20 years or, stated another way, the pace of restoration efforts; (iii) what BMPs or other treatment technology exists or may be developed in the near future to achieve such a reduction; and (iv) the extent of measurable improvements in the aquatic ecosystem if the underlying TVS of 5 ug/l chronic is achieved.

Furthermore, it is currently unknown whether adequate funds can be found to undertake prevention and remediation measures, with specific reference to the control of nonpoint sources of selenium loading. The interested parties, together with the EPA, USFWS, and the Division shall cooperate in identifying sources of funds and, to the extent possible, obtaining needed monies, including funds which may be available under Section 319 of the Clean Water Act, from the US Department of Agriculture pursuant to the Environmental Quality Improvement Program (EQIP), the US Bureau of Reclamation through the Colorado River Salinity Control Program or the US Department of Interior through the Irrigation Drainage Program. The EPA, USFWS, and the Division, in their testimony, agreed to express to the Colorado River Basin Salinity Control Forum, in writing, their position that salinity control projects which simultaneously reduce loading should receive funding priority.

The interested parties to the hearing, the federal agencies, and landowners in the vicinity of the affected reaches have expressed an interest in employing voluntary, cooperative prevention and remediation practices for purposes of reducing selenium loading and improving water quality. The Commission encourages the formation of a Task Force for this purpose, and urges the Division to cooperate in such an effort. This Task Force could employ the TMDL concept in seeking to achieve the underlying TVS for selenium.

The Division has indicated to the Commission that it may take a minimum of five years to identify, fund and implement selenium control projects in these basins which may measurably improve water quality in the segments of concern. Thus, though the segments with a temporary modification will be reviewed at the end of three years, it is not anticipated that there will be any significant changes at that time.

15. Site-Specific Issues

a. Coal Creek

In response to a proposal by Climax Molybdenum Company (CMC), the Commission has adopted ambient quality-based standards for several metals for Coal Creek, segments 11 and 12 of the Upper Gunnison Basin (formerly segments 12 and 13). CMC submitted evidence that elevated metals levels in these segments are caused by "natural or irreversible man-induced" impacts. In adopting these standards, the Commission recognizes the following agreements between the parties with respect to these segments:

CMC agrees to assist HCCA in performing a reconnaissance study consisting of physical surveillance and high flow and low flow water quality monitoring in segment 11 with the objective of identifying sources of Cd, Fe, Mn and Zn.

CMC agrees to work with other parties, which may include the Town of Crested Butte and Gunnison County, to pursue development of a remedial project (or projects) to be funded by the section 319 nonpoint source grant program if such project (or projects) appear feasible.

HCCA agrees to support the adoption of the ambient based standards proposed by CMC for segments 11 and 12.

b. Indian Creek

Homestake Mining Company expressed concern about the Division's initial proposal to eliminate separate segments for Indian Creek (formerly Upper Gunnison segments 21a and 21b) and to add these waters into the segment for Marshall Creek (formerly Upper Gunnison segment 22). Following consideration of the evidence, including an agreement between the Division and Homestake, the Commission has left the upper portion of Indian Creek (formerly segment 21a, now segment 20) as a separate segment. The lower portion of Indian Creek (formerly segment 21b) has been added to the Marshall Creek segment (formerly segment 22, now segment 22).

c. North Fork segments 2 and 3

The Commission considered a proposal by HCCA and WSERC to move the segment boundary between North Fork segments 2 and 3 further downstream, to account for primary contact recreation activities in the upper portion of segment 3 as previously defined. The evidence does demonstrate that primary contact recreation uses currently occur in these waters. Following an extensive discussion of alternative potential resegmentation options, the Commission has established the new segment boundary at the Black Bridge, on which 4175 Drive crosses the river. The evidence indicates that the majority of the primary contact recreation use occurs above that point.

d. Fruitgrowers Reservoir

In response to a proposal by the Division, the Commission has established a new segment for Fruitgrowers Reservoir--segment 9 in the Lower Gunnison Basin. The evidence demonstrates that aquatic life class 2, recreation class 1 and agriculture are appropriate classifications for this reservoir based on actual current or recent past uses of these waters. In view of the reservoir's current degraded quality, the Commission has adopted a goal qualifier for the recreation classification and temporary modifications for the un-ionized ammonia and fecal coliform standards. The Commission appreciates and wishes to encourage the efforts of interested entities in the area to undertake a cooperative, intergovernmental two-year study to better determine the cause of current water quality problems in the reservoir. The Commission requests that the Division provide to the Commission an update regarding the status of these study efforts in the fall of 1998.

e. San Miguel segments 3a and 3b

The extensive data submitted in evidence demonstrate that the zinc levels in San Miguel River segments 3a and 3b exceed the current numeric standard of 190 ug/l of dissolved zinc (chronic) applicable to both segments. It is unclear whether that standard can be met within 20 years. Under a 1992 Consent Decree with the State of Colorado, Idarado Mining Company is pursuing activities pursuant to a Remedial Action Plan ("RAP") to remediate historic mining impacts in the upper reaches of the San Miguel River and Red Mountain Creek drainages, in order to enhance water quality. One performance objective of the RAP is to reduce zinc levels at a compliance point within San Miguel River segment 3b to 276 ug/l of dissolved or 336 ug/l of total zinc, on an average annual basis. The Commission will review the appropriateness of the 190 ug/l dissolved zinc (chronic) standard for segments 3a and 3b in future rulemakings to assess whether it should be adjusted to reflect actual water quality achievable and the uses that are attainable in light of Idarado's remediation efforts. In addition, five-year temporary modifications of 410 ug/l and 640 ug/l for dissolved zinc in segments 3a and 3b, respectively, to reflect ambient water quality are justified in light of the anticipated water quality enhancement resulting from Idarado's actions, and to coincide with the start of the compliance period under the RAP. Nothing in this rulemaking is intended to adjust, modify, or abrogate the Consent Decree or RAP.

f. New Water Supply Segments

In response to a request by HCCA and WSERC, the Commission has added a water supply classification, and corresponding numerical standards, to the following three segments:

Upper Gunnison segments 8 (formerly 9) and 15 (formerly 16). North Fork segment 6.

In each case, evidence was submitted that alluvial ground water hydrologically connected to these surface waters is used through domestic wells as a water supply. For Upper Gunnison segment 8, the Commission also adopted temporary modifications for iron and manganese, in view of evidence that current levels of these constituents are elevated above table values.

16. Other Proposals

EPA expressed concern in the hearing regarding whether documentation had been provided of an adequate "use attainability analysis" for segments whose classifications do not achieve the "fishable, swimmable" goals of the federal Clean Water Act. Based on the information provided, the Commission has adopted the Division's proposals for the waters in question. The Commission encourages the Division to work with EPA to assure that adequate documentation of the Division's use attainability analysis conclusions has been provided.

HCCA and WSERC requested that the Commission take action in this hearing to prohibit future in-stream gravel mining. The Commission has determined that this proposal is not relevant to the water quality designation, classification and standards issues raised in this hearing.

35.24 STATEMENT OF BASIS, SPECIFIC STATUTORY AUTHORITY AND PURPOSE; JULY, 1997 RULEMAKING

The provisions of sections 25-8-202 and 25-8-401, C.R.S., provide the specific statutory authority for adoption of the attached regulatory amendments. The Commission also adopted, in compliance with section 24-4-103(4) C.R.S., the following statement of basis and purpose.

BASIS AND PURPOSE

The Commission has adopted a revised numbering system for this regulation, as a part of an overall renumbering of all Water Quality Control Commission rules and regulations. The goals of the renumbering are: (1) to achieve a more logical organization and numbering of the regulations, with a system that provides flexibility for future modifications, and (2) to make the Commission's internal numbering system and that of the Colorado Code of Regulations (CCR) consistent. The CCR references for the regulations will also be revised as a result of this hearing.

35.25 STATEMENT OF BASIS, SPECIFIC STATUTORY AUTHORITY AND PURPOSE; APRIL, 1998 RULEMAKING

The provisions of sections 25-8-202(1)(b) and (2); 25-8-204; and 25-8-402 C.R.S. provide the specific statutory authority for the adoption of these regulatory amendments. The Commission also adopted in compliance with section 24-4-103(4) C.R.S. the following Statement of Basis and Purpose.

BASIS AND PURPOSE

As the result of a June, 1997 rulemaking hearing considering numerous proposed revisions to Gunnison River Basin water quality standards, the Commission decided to apply recently revised aquatic life table value criteria for selenium (20 ug/l acute and 5 ug/l chronic) to many segments in the basin. The basis for this action is discussed in paragraph 14 of the Statement of Basis and Purpose for that rulemaking (section 35.21). However, it was later noticed that in that rulemaking the Commission inadvertently neglected to revise the listing of selenium table values contained in section 35.6(3) of the regulation. In this rulemaking, the Commission is correcting the listing of selenium table values in section 35.6(3). The Commission is also deleting reference to March 2, 1998 effective date for silver table values, since that date has now passed.

35.26 STATEMENT OF BASIS, SPECIFIC STATUTORY AUTHORITY AND PURPOSE; DECEMBER, 1998 RULEMAKING

The provisions of sections 25-8-202(1)(b) and (2); 25-8-204; and 25-8-402 C.R.S. provide the specific statutory authority for the adoption of these regulatory amendments. The Commission also adopted in compliance with section 24-4-103(4) C.R.S. the following Statement of Basis and Purpose.

BASIS AND PURPOSE

The Commission has recently approved a new schedule for triennial reviews of water quality classifications and standards for all river basins in Colorado. In this hearing the Commission has extended the expiration dates of temporary modifications [and, for the Animas Basin, the effective dates of underlying standards] without substantive review, so that the next substantive review of the temporary modifications can occur as part of the overall triennial review of water quality standards for the particular watershed. This will avoid the need for multiple individual hearings that would take staff resources away from implementation of the new triennial review schedule.

35.71 STATEMENT OF BASIS, SPECIFIC STATUTORY AUTHORITY AND PURPOSE; JULY, 2001 RULEMAKING

The provisions of C.R.S. 25-8-202(1)(a), (b) and (2); 25-8-203; 25-8-204; and 25-8-402; provide the specific statutory authority for adoption of these regulatory amendments. The Commission also adopted in compliance with 24-4-103(4) C.R.S. the following statement of basis and purpose.

BASIS AND PURPOSE

A. Resegmentation

Some renumbering and/or creation of new segments were adopted in the basin due to information which showed that: a) the original reasons for segmentation no longer applied; b) new water quality data showed that streams should be resegmented based on changes in their water quality; and/or c) certain segments could be grouped together in one segment because they had similar quality and uses. The following changes were made:

Upper <u>Gunnison, Segment 13:</u> Woods Creek was separated into segments 13a and 13b to reflect the differences in recreation use.

Upper Gunnison, Segments 20 and 21: Lower portion of Indian Creek was moved from Segment 21 to Segment 20 to reflect the correct Uranium standard for that segment and lack of water supply use.

<u>Upper Gunnison. Segments 26, 27 and 28:</u> The Commission has decided to revise the segmentation of Segments 26, 27 and 28 of the Upper Gunnison River Basin based on the following rationale:

- Existing ambient water quality conditions of waters flowing into or which are present within Curecanti National Recreation Area meet or are better than those required by The Basic Standards and Methodologies for Surface Water (5 CCR 1002-31) for Aquatic Life Cold 1.
- These waters support an abundance of aquatic life. Many waters support a fishery which includes but is not limited to Rainbow Trout and Brook Trout, and have been identified as a potential in supporting state threatened Colorado River Cutthroat trout.
- Blue Mesa, Morrow Point and Crystal reservoirs, as well as portions of the mainstem of the Gunnison River and Lake Fork of the Gunnison offer significant natural resource values dedicated to public use as Curecanti National Recreation Area. These waters are classified as Aquatic Life Cold 1, Recreation 1 and it follows that the tributaries to these significant economic and natural resources have classifications as good or better.
- This resegmentation provides a watershed approach to this portion of the Upper Gunnison basin.

North Fork, Segment 2: The segment description was modified to more accurately reflect the beginning of the mainstem of the North Fork of the Gunnison.

<u>North Fork, Segment 5:</u> The segment description was modified to include the entire Roatcap Creek system. This change better reflects the aquatic life cold 1 uses of Roatcap Creek.

<u>Uncompandere. Segment 3 and 4:</u> The segment descriptions were modified to clarify the transition point in the Uncompandere River between cold (segment 3) and warm (segment 4) water aquatic life uses.

<u>Uncompandere. Segment 4:</u> This segment was resegmented into segments 4a, 4b and 4c to account for significant differences in recreational activities which occur along the mainstem of the lower Uncompandere River. A UAA demonstrated that segment 4b (the Uncompandere River from La Salle Road to Confluence Park) does not support recurring primary contact recreation.

<u>Uncompandence</u>, Segment 6: Red Mountain Creek was separated into Segments 6a and 6b to reflect the differences in aquatic life uses.

<u>Uncompany Regenent 15:</u> Segment 15 was changed to 15a. The mainstem of Dry Creek from the confluence of the East and West Forks to the boundary of the BLM land was removed from Uncompany segment 15a and placed into a new Uncompany segment 15b based on significant differences in recreational usage. Dry Creek supports rafting and kayaking during some times of year; whereas. a UAA has demonstrated that primary contact recreation is unattainable in the rest of segment 15.

Lower Gunnison, Segment 4: The lakes and reservoirs from segment 4 were separated into a new segment 4b; along with Kannah Creek below the water supply diversion to reflect the recreation 1a uses of these waterbodies. The remainder of segment 4 was renamed segment 4a.

Lower <u>Gunnison</u>. Segment 11: Doug Creek was added to the segment description to better reflect its cold water class 1 aquatic life use.

B. Manganese

The aquatic life manganese criterion was initially changed in the 1997 revisions to the Basic Standards (5 CCR 1002-31) from a single chronic dissolved criterion to acute and chronic hardness-based equations. The equations were further modified in the 2000 revisions to the Basic Standards. The new manganese acute and chronic equations were added as table value standards in 35.6(3). As a result of the adoption of these new TVS, all segments classified for aquatic life use that had a chronic total recoverable manganese standard of 1,000 μ g/L had the 1,000 standard stricken and replaced with Mn(ac/ch)=TVS.

C. Selenium

The regulation in 35.6 (3) listed the table value standards for selenium as Acute=20 μ g/L and Chronic=5 μ g/L. This was updated to reflect the existing acute and chronic criteria for selenium listed in the Basic Standards as Acute=18.4 μ g/L and Chronic=4.6 μ g/L which was adopted in 2000 by the Commission. This change means that all segments with standards for selenium given as TVS now have these lower acute and chronic standards.

The Commission adopted the table value standards for selenium and temporary modifications of existing ambient quality for selenium for Uncompany segment 12, Lower Gunnison segments 4a and 4b, and North Fork segment 6. The Commission also extended the temporary modifications for selenium for Uncompany respectively. A segment 4a, 4b, 4c, and 14 Lower Gunnison segment 2, and North Fork segment 5. The temporary modifications were adopted or extended pursuant to section 31.7(3)(a)(iii) of the Basic Standards regulation, based on the fact that there is significant uncertainty as to the appropriate underlying selenium standard for these segments. The reason for the adoption of the temporary modifications is noted in temporary modifications and qualifiers column of the table.

Water quality monitoring has demonstrated a severe selenium problem in the Lower Gunnison and Uncompany River Basins. The Gunnison River Selenium Task Force has been working since 1998 to evaluate the sources of selenium loading to the mainstem of the Uncompany and Gunnison rivers and methods to reduce those loads. To date, the effort has focused on attempting to meet the standards in the Uncompany and Gunnison River mainstems. Much of this effort has involved evaluating opportunities to reduce the loading, but not necessarily the concentrations, in the tributaries to both the lower Uncompany and lower Gunnison Rivers.

Selenium reduction in the Uncompany and Gunnison River Basins is a very complex issue. The tributaries to the Uncompany and Gunnison River pass through selenium-laden Mancos shale soils, and the extent to which the current levels of selenium are the result of natural sources, reversible activities, and/or irreversible activities is unknown at this time. Therefore, it is not clear whether the table value standards are achievable in these segments. The Commission does not intend its actions to in any way impede the efforts of the Selenium Task Force to reduce selenium loading in the Uncompany end Gunnison Rivers. The Commission intends that the actions taken in this hearing will mark the beginning of a process to identify the appropriate long-term selenium standards for these segments. It is expected that the efforts of the Selenium Task Force and others may result in the adoption of site-specific standards for selenium in some or all of the affected segments.

D. Removal of Use Protected Designation

The Division proposed that a number of aquatic life class 2 waterbodies be assigned undesignated status under the state antidegradation regulation due to the presence of Colorado State species of special concern. State regulations governing the "use-protected" designation allow this exception if the Commission determines that the waters are of exceptional ecological significance. The Commission believes that a number of important issues have been raised in this hearing regarding when and how this exception should be applied, and that further examination of these issues should occur. Nevertheless, for purposes of this hearing, the Commission, based upon a concern over the protection of classified uses and the absence of evidence of potential injury to permitted entities, has decided to accept the change to reviewable water status for the following:

Lower Dolores, Segment 4

Based upon representations made by certain parties to this rulemaking, the Commission endorses the formation of a workgroup to address the following topics and develop recommendations to be submitted to the Commission

The relationship between the "exceptional ecological significance" exception to use-protected designations and the aquatic life class 2 basis for applying use-protected designations

The need for and content of guidance to determine what water bodies are exceptionally ecologically significant

The roles of a) water quality data; b) the nexus between water quality conditions and species decline, and c) other stressors, in using this exception

The need for and nature of any amendments to the state antidegradation regulation if the presence of species of special concern constitute a basis for modification to the antidegradation designation of a water body.

The above listed segments would then be reviewed in light of the work group recommendations in the next triennial review of these basins.

The Commission urges that the work group process to address these issues move forward as expeditiously as possible. The Commission intends that the actions taken in this rulemaking not serve in any way as a precedent with respect to decisions in future Commission rulemaking proceedings.

E. Recreation Classifications/Fecal Coliform and E. Coli Standards

The biological standards were updated to include the dual standards for E. coli and fecal coliform, which were adopted by the Commission in the 2000 revisions to the Basic Standards. As stated in the statement of basis for the Basic Standards revisions, the Commission intends that dischargers will have the option of either parameter being used in establishing effluent limitations in discharge permits. In making section 303(d) listing decisions, in the event of a conflict between fecal coliform and E. coli data, the E. coli data will govern. The Commission believes that these provisions will help ease the transition from fecal coliform to E. coli standards.

In a continuation of the Commission's efforts to comply with the requirements contained in the federal Clean Water Act that all waters of the nation should be suitable for recreation in and on the water (known as the "swimmable" goal), the Commission reviewed all Recreation Class 2 segments. In Colorado, the "swimmable" goal translates into Recreation Class 1a, with the 200/100 ml fecal coliform and 126/100 ml E. Coli standard, and Class 1b with the 325/100 ml fecal coliform and 205/100 ml E. coli standard. Class 1a indicates waters where primary contact uses have been documented or are presumed to be present. Class 1b indicates waters where no use attainability analysis has been performed demonstrating that a recreation class 2 classification is appropriate, but for which no existing primary contact uses have been documented following a reasonable level of inquiry. A Recreation Class 2 classification must be supported by a use attainability analysis that shows that there is not a reasonable potential for primary contact uses.

There was considerable evidence and testimony submitted in this hearing regarding what activities should be considered primary contact recreation. Section 31.13(1)(a) of the Basic Standards provides a nonexclusive list of primary contact activities. In this hearing, much discussion focused on the issue of whether "child's play" in streams that are too shallow to accommodate the primary contact uses listed in the Basic Standards should be considered a primary contact use. The Commission does not believe that a theoretical potential for child's play means that all streams should be classified Recreation Class 1a or 1b. However, the Commission concludes that the evidence submitted demonstrates that there is a potential risk of ingestion of small quantities of water by children playing in relatively shallow streams, based on the hand-to-mouth pathway, which warrants Recreation Class 1 protection in appropriate circumstances as elaborated below. Thus, such ingestion may occur in streams where whole body immersion is not likely.

This does not mean, as suggested by some, that all water bodies would be reclassified as Recreation Class 1a or 1b based on some potential for child's play. Rather, the Commission intends that a stream should be classified Recreation Class 1a or 1b due to the presence or potential for child's play only where the evidence demonstrates a likelihood of such activity on a frequently occurring basis. Therefore, child's play may be an appropriate basis for a Recreation Class 1a or 1b classification in a developed area where there is easy access to a stream for children and it is likely that children will desire to play in the stream; it may not be an appropriate basis for such classifications in areas where it is not expected that children will be playing in a stream on a frequently occurring basis. Factors such as lack of adequate flow, excessive flows, remoteness from developed areas, physical limitations to access, steep banks, and visibly poor water quality may make it unlikely that child's play will take place on a frequently occurring basis. The Commission anticipates that these classification decisions will require case-by-case judgments until more experience is gathered with this issue.

A recreation Class 1a or 1b classification of a segment is not intended to imply that the owner or operator of property surrounding any waterbody in a segment would allow access for primary contact recreation. The application of recreation classifications to state waters pursuant to these provisions does not create any rights of access on or across private property for the purposes of recreation in or on such waters. A recreation Class 1a classification is intended to only affect the use classification and water quality standards of a segment, and does not imply public or recreational access to waters with restricted access within a segment.

For segments changing to recreation Class 1a because no evidence or inadequate evidence was submitted on the record about actual or potential recreational uses, the last paragraph of section 31.6(2)(b) will apply to future changes to the recreation classification where a proper showing is made through a use attainability analysis that a recreation Class 2 classification is appropriate, without application of the other downgrading criteria in this section. Moreover, the Commission is relying in part on the testimony from EPA that completion of a use attainability analysis showing that a lower recreation classification is appropriate satisfies applicable downgrading criteria. Based on these factors, the Commission intends that in a future rulemaking hearing, the test for adopting a recreation Class 2 classification would be the same as if it had been considered in this hearing.

Upper Gunnison Basin

Currently, there is a potentially explosive controversy escalating in the Upper Gunnison River Basin regarding public recreational floating use of waterways over private land. This controversy has greatly elevated the concern over consequences of some of the recreation use classifications being proposed in connection with this triennial review. The controversy also has greatly magnified the difficulty of conducting a water quality review process which is based on accurate, complete and neutral determinations of recreation uses of waterways.

The Commission recognizes the potential for being drawn into this non-water quality related issue through the process of the triennial review of recreational use classifications. The Commission intends that neither it nor the Division shall be drawn into the controversy.

The Commission has accomplished the majority of the current review in the Upper Gunnison Basin but has taken no action on the recreational use classification or standards for the following segments:

Upper Gunnison segments 5, 6a, 15, 16, 17, 18, 19, 21, 23, 24, and 26 (Under the National Park Service's proposal segments 27, and 28 have been combined into segment 26)

For these segments, the pre-existing recreation classifications and standards will continue. The Commission believes that these classifications and standards are protective of the current uses.

The Commission reiterates that a recreational use attainability analysis is required to support adoption of a Recreation 2 classification. Continuation of the current classification of Recreation 2, with a 200/100ml fecal coliform standard until the next triennial review does not represent a decision that Recreation 2 or 200 fecal coliform are the ultimate classification or standards for these stream segments, or eliminate the need to conduct recreational use attainability analyses for any Class 2 stream segments in the future. In addition, the Commission agrees that it would be appropriate for the Basic Standards Implementation work group to address these and similar issues before the next Basic Standards rulemaking.

Other Gunnison River Segments

Based on the information received that showed Recreation Class 1a uses are in place or are presumed to be present in at least a portion of the segment, the Commission changed the following segments from Class 2 to Class 1a with a 200/100 ml fecal coliform and 126/100 ml E. coli standard:

Upper Gunnison, Segments: 11, 12, 13a, 20, 22, 31 Uncompany Segments: 4a, 4c, 5, 15b Lower Gunnison, Segments: 3, 4b, 8, 11 San Miguel, Segments: 2, 3a, 6a, 6b, 7a, 7b, 12 Lower Dolores, Segments: 3, 4, 5

The following segments with existing Recreation Class 1 classifications were changed to Class 1a:

Upper Gunnison, Segments: 1, 2, 3, 4, 6b, 7, 8, 9, 10, 14, 25, 29, 30, 32 North Fork, Segments: 1, 2, 4, 7 Uncompandere, Segments: 1, 3, 14 Lower Gunnison, Segments: 1, 2, 5, 6, 10, 13 San Miguel, Segments: 1, 3b, 4, 5, 8, 9, 10, 11 Lower Dolores, Segments: 1, 2

Based on the information received, where a reasonable level of inquiry failed to identify any existing class 1 uses of the waters in these segments, the Commission changed the following segments to Class 1b with a 325/100 ml fecal coliform and 205/100 ml E. coli standard:

Upper Gunnison, Segment: 13b North Fork, Segments: 5, 6 Uncompangre, Segments: 9 Lower Gunnison, Segments: 7, 12

For the following segments, the Commission adopted seasonal recreation classifications, based on evidence differences in actual or potential uses at different times of the year:

North Fork, Segment 3:	Class 1a, April 1 through September 30
	Class 2, October 1 through March 31
Uncompahgre, Segments 10, 11:	Class 1b, May 1 through October 31
	Class 2, November 1 through April 30
Lower Gunnison, Segment 9:	Class 1a, April 1 through October 31
	Class 2, November 1 through March 31

The following segments retained their Recreation Class 2 classification with 2,000/100ml fecal coliform and 630/100 ml E. coli standards after sufficient evidence was received that a Recreation Class 1a use was unattainable.

Uncompany River, Segments: 2, 4b, 6a, 6b, 7, 8, 12, 13, 15a Lower Gunnison, Segment: 4a

The classifications for Uncompany segments 2, 7 and 8 are based upon low flows, cold temperatures, limited access and streambed characteristics that prevent primary contact recreation. The classifications for Uncompany segments 12, 13 and 15a and Lower Gunnison segment 4a are based upon low flows, limited access and streambed characteristics that prevent primary contact recreation. The classification for Uncompany 4b is based upon low flows and the presence of numerous major irrigation diversion structures which are hazardous and preclude primary contact recreation. The classifications for Uncompany segments 6a and 6b are based upon the gradient and size of the streambed, cold temperatures, and the fact that the allowable pH in this segment precludes primary contact recreation.

F. Aquatic Life Segments without Full Standards

The Commission reviewed information regarding Aquatic Life Class 2 segments where the full set of inorganic aquatic life protection standards have not been applied. Generally, these are dry segments with only rudimentary aquatic life. The Commission's policy has been that rather than adopt the full set of inorganic standards for these segments, standards for dissolved oxygen, pH and fecal coliform provide sufficient protection.

Segments where investigation showed that aquatic life was present were upgraded with the addition of the full suite of inorganic standards. These segments are:

Upper Gunnison, Segments: 13, 15, 27 North Fork, Segment: 6 Uncompangre, Segments: 6a, 10, 12 Lower Gunnison, Segment: 4 San Miguel, Segment: 12

G. Ambient Quality-Based Standards

There are several segments in the Gunnison Basin that contain standards based on existing ambient quality. Ambient standards are adopted where natural or irreversible man-induced conditions result in water quality levels higher (i.e. worse) than table value standards. EPA had requested that the Commission review the information that is the basis for these standards as well as any new information that would indicate whether they are still appropriate, need to be modified, or should be dropped. The Division reviewed the reason for the ambient standards and provided testimony that justified ambient standards being retained without adjustment on the following segments:

Upper Gunnison, Segments: 10(Pb), 20 San Miguel, Segment: 10

The Division reviewed the information about ambient water quality levels and provided testimony that justified revising or adopting the ambient standards on the following segments:

Upper Gunnison, Segments: 11, 12, 15 Uncompany Segments: 3, 4, 7, 11, 12 Lower Gunnison, Segment: 2 San Miguel, Segment: 8

Ambient standards were removed from the following segments due to new data and/or changes to the basic standards which indicated ambient standards were no longer appropriate:

Upper Gunnison, Segments: 10(Zn), 12, 17, 18, 21, 30 North Fork Gunnison, Segment: 4 Uncompangre, Segment: 2 Lower Gunnison, Segment: 2 San Miguel, Segment: 6b

H. Temporary Modifications

There were several segments which had temporary modifications that were reviewed, and decisions were made as to delete or to extend them, either as is or with modification of the numeric limits.

<u>Upper Gunnison, Segment 8: Slate Creek</u>: This segment had temporary modifications for iron and manganese set at existing ambient quality. The revisions to the Water Supply standards resolved this issue and therefore the temporary modification is no longer needed. The temporary modification was deleted.

North <u>Fork. Segment 5: Tribs to North Fork</u>: This segment has a temporary modification for selenium. The Selenium Task Force is studying this issue. The expiration date of the temporary modification was extended from 8/30/02 to 12/31/06 to coincide with the next triennial review.

<u>Uncompandere. Segment 4a. 4b. 4c: Uncompandere River. Montrose to Gunnison River</u>: This segment has a temporary modification for selenium. The Selenium Task Force is studying this issue. The expiration date of the temporary modification was extended from 8/30/02 to 12/31/06 to coincide with the next triennial review. This segment also had a temporary modification for fecal coliform which was deleted.

<u>Uncompandere, Segment 14: Sweitzer Lake</u>: This segment has a temporary modification for selenium. The Selenium Task Force is studying this issue. The selenium temporary modification value was changed to reflect current conditions and the expiration date was extended from 8/30/02 to 12/31/06 to coincide with the next triennial review.

Lower Gunnison, Segment 2: Gunnison River, Uncompany to Colorado Rivers : This segment has a temporary modification for selenium. The Selenium Task Force is studying this issue. The selenium temporary modification value was changed to reflect current conditions and the expiration date was extended from 8/30/02 to 12/31/06 to coincide with the next triennial review.

Lower Gunnison, Segment 9: Fruitgrowers Reservoir: This segment has temporary modifications for fecal coliform and unionized ammonia. The Division and other agencies are studying the reservoir. Data indicates that the underlying standards are attained. The temporary modifications were deleted. A temporary modification for dissolved oxygen was adopted with an expiration date of 12/31/06.

<u>San Miguel, Segment 3a: San Miguel River, Upper portion to Marshall Creek:</u> This segment has a temporary modification for zinc. Remedial work is currently conducted in the upper part of the basin. The expiration date of the temporary modification was extended from 6/30/02 to 12/31/06 to coincide with the next triennial review.

San Miguel, Segment 3b: San Miguel River, Marshall Creek to South Fork: This segment has temporary modifications for zinc, cadmium and manganese. Data indicates that the underlying standards are attained for cadmium and manganese. The temporary modifications for cadmium and manganese were deleted. The zinc temporary modification value was changed to reflect current conditions and the expiration date was extended from 6/30/02 to 12/31/06 to coincide with the next triennial review.

<u>San Miguel, Segment 4, San Miguel River, South Fork to Naturita Creek</u>: This segment has a temporary modification of the temperature standard from the Power Plant Bridge to Naturita Creek, of 28° C for July, August and September, which is set to expire 12/31/2006. The temporary modification is provided to allow time for Tri-State Generation and Transmission Association to participate in a work group to address the statewide implementation of the narrative and numeric temperature standards.

There were several segments where temporary modifications that reflect current ambient conditions were adopted. Temporary modifications were set to expire on 12/31/06 to coincide with the next triennial review. The segments and the constituents are:

Upper Gunnison, Segment 10: cadmium, copper, and zinc Upper Gunnison, Segment 11: cadmium and zinc Upper Gunnison, Segment 12: zinc North Fork, Segment 6: selenium Uncompahgre, Segment 12: selenium Lower Gunnison, Segment 4: selenium Lower Gunnison, Segment 7: selenium and iron San Miguel, Segments 6a and 6b: zinc San Miguel Segment 7b: lead

I. Organic Chemical Standards

The organic chemical standards were updated to include changes adopted by the Commission in the 2000 revisions to the Basic Standards (see 31.11 in Regulation No. 31). "Water + Fish" organic chemical standards are presumptively applied to all Aquatic Life Class 1 streams which also have a Water Supply classification, and are applied to Aquatic Life Class 2 streams which also have a Water Supply classification, on a case-by-case basis. The "Fish Ingestion" organic chemical standards are presumptively applied to all Aquatic Life Class 1 streams which also have a Water Supply classification, on a case-by-case basis. The "Fish Ingestion" organic chemical standards are presumptively applied to all Aquatic Life Class 1 streams which do not have a Water Supply classification, and are applied to aquatic life class 2 streams which do not have a Water Supply classification, on a case-by-case basis. Existing site-specific applications of additional organics (as noted in the Qualifier column of Table 35.7) were modified to conform to this change.

Information was reviewed regarding Aquatic Life Class 2 segments that have fish that are presently being taken for human consumption or have fisheries that would indicate the potential for human consumption. That information showed that four additional segments had the potential for consumption of fish. These waterbodies were designated to receive the full protection of numeric Water + Fish or Fish Ingestion organic standards:

Fish Ingestion: Upper Gunnison Segment 13 Water + Fish: Upper Gunnison Segment 17, North Fork Segment 6, and Uncompany Segment 10

J. Water Supply Classification

These segments had the Water Supply classification added to them. The associated water supply standards will now apply to segments:

Upper Gunnison, Segments: 13a, 13bUncompahgre, Segment: 10Lower Gunnison, Segment: 4San Miguel, Segment: 12

The Commission rejected a proposal by the High Country Citizens Alliance that a water supply classification be added to Upper Gunnison segment 12, based on the presence of a private water well near this segment of the stream. The Commission does not believe that adequate evidence was provided that the quality of water in segment 12 influences the quality of water in this well.

K. Modification of Water Supply Standards

Water supply standards were modified to conform to the changes made by the Commission in the 2000 revisions to the Basic Standards (see Regulation No. 31 at section 31.11(6)). The Commission modified the water supply standards for iron, manganese, and sulfate that are based on secondary drinking water standards (based on aesthetics as opposed to human-health risks). The numeric values in the tables were changed to Fe(ch) = WS (dis), Mn(ch) = WS (dis), and SO₄ = WS. These abbreviations mean that for all surface waters with an actual water supply use, the less restrictive of the following two options shall apply as numerical standards, as discussed in the Basic Standards and Methodologies at section 31.11(6): either (i) existing quality as of January 1 2000; or (ii) Iron = 300 μ g/L (dissolved); Manganese = 50 μ g/L (dissolved); Sulfate = 250 mg/L (dissolved). For all surface waters with a "Water Supply" classification that are not in actual use as a water supply, no water supply standards are applied for iron, manganese or sulfate, unless the Commission determined as the result of a site-specific rulemaking hearing that such standards are appropriate.

L. Agriculture Classifications

There is one segment in the Gunnison River Basin that was not correctly classified for Agricultural use. The Agricultural use classification was adopted for San Miguel, Segment 3b.

M. Agriculture Standards

Numeric Standards to protect Agricultural Uses were adopted for the following segments:

Upper Gunnison, Segments: 6a, 31 Lower Gunnison, Segment 12 Lower Dolores, Segment 3

N. Other Site-Specific Revisions

The Commission corrected several typographical and spelling errors, and clarified segment descriptions.

The following aquatic life classifications were upgraded from class 2 to class 1 based on information presented that showed diverse aquatic communities in these segments.

Lower Gunnison, Segment 8

Lower Gunnison, Segment 6 was changed from aquatic life class 2 warm to class 1 cold, based on information received about the aquatic community that includes trout species.

Aquatic life cold 2 use classifications were added to Upper Gunnison Segment 13 and Uncompany Segments 6a and 6b, based on information that an aquatic community is in place in these segments.

PARTIES TO THE RULEMAKING HEARING

- 1. Animas River Stakeholders Group
- 2. Colorado Wild, San Juan Citizen's Alliance, Sierra Club-Rocky Mountain Chapter, Colorado Environmental Coalition and The Wilderness Society
- 3. U.S. Department of the Interior, Bureau of Land Management
- 4. Sunnyside Gold Corporation
- 5. The Southwestern Water Conservation District
- 6. Silver Wing Company, Inc.
- 7. U.S. Department of Agriculture Forest Service
- 8. Shenandoah Mining Company Incorporated
- 9. Town of Silverton
- 10. Pagosa Area Water and Sanitation District
- 11. Peter Butler
- 12. U.S. Department of the Interior National Park Service
- 13. Climax Molybdenum Company
- 14. Tri-State Generation and Transmission Association, Inc.
- 15. Town of Olathe
- 16. The Board of County Commissioners of the County of Gunnison
- 17. Gunnison County Stockgrowers Association, Inc.
- 18. High Country Citizens' Alliance and Western Slope Environmental Resource Council
- 19. The City of Grand Junction
- 20. Homestake Mining Company
- 21. The Board of County Commissioners of the County of San Miguel
- 22. Mt. Crested Butte Water and Sanitation District
- 23. Colorado River Water Conservation District
- 24. Town of Cedaredge
- 25. The Board of County Commissioners of the County of Mesa
- 26. The Uncompany Valley Water Users Association
- 27. Umetco Minerals Corporation
- 28. The Colowyo Coal Company, L.P.

- 29. The Uncompany Valley Association
- 30. Town of Crested Butte
- 31. The City of Delta
- 32. Trapper Mining, Inc.
- 33. The Colowyo Coal Company, L.P.
- 34. The City of Grand Junction
- 35. Colorado River Water Conservation District
- 36. Yellow Jacket Water Conservation District
- 37. The Town of Meeker
- 38. The City of Fruita
- 39. Exxon Mobil Corporation
- 40. Shell Frontier Oil & Gas Inc.
- 41. The Board of County Commissioners of the County of Mesa
- 42. American Soda, LLP
- 43. The Rio Blanco Water Conservancy District
- 44. Colorado Division of Wildlife
- 45. The Northern Colorado Water Conservancy District and its Municipal Subdistrict
- 46. Upper Gunnison River Water Conservancy District
- 47. U.S. EPA Region
- 48. Ralph E. Clark III
- 49. U.S. Department of the Interior, Fish and Wildlife Service

35.72 STATEMENT OF BASIS, SPECIFIC STATUTORY AUTHORITY AND PURPOSE; DECEMBER 12, 2005 RULEMAKING EFFECTIVE MARCH 2, 2006

The provisions of C.R.S. 25-8-202(1)(a), (b) and (2); 25-8-203; 25-8-204; and 25-8-402; provide the specific statutory authority for adoption of these regulatory amendments. The Commission also adopted in compliance with 24-4-103(4) C.R.S. the following statement of basis and purpose.

BASIS AND PURPOSE

In the process of digitally mapping the segments in the Gunnison and Lower Dolores River Basins, the Division discovered errors and inconsistencies between segment descriptions. To resolve these issues the Commission adopted changes in the following segment descriptions:

Upper Gunnison segments 3, 10 and 32 Lower Gunnison segments 11 and 12 San Miguel segments 2 and 10

Lower Gunnison segment 11 was split into segments 11a and 11b: Segment 11b was added to identify the portion of the segment within the West Elk Wilderness Area.

35.21 STATEMENT OF BASIS, SPECIFIC STATUTORY AUTHORITY AND PURPOSE; JUNE 12, 2006 RULEMAKING; ADOPTED AUGUST 14, 2006; EFFECTIVE JANUARY 1, 2007

The provisions of C.R.S. 25-8-202(1)(a), (b) and (2); 25-8-203; 25-8-204; and 25-8-402; provide the specific statutory authority for adoption of these regulatory amendments. The Commission also adopted in compliance with 24-4-103(4) C.R.S. the following statement of basis and purpose.

BASIS AND PURPOSE

A. <u>Waterbody Segmentation</u>

Some renumbering and/or creation of new segments in the basin was made due to information which showed that: a) the original reasons for segmentation no longer applied; b) new water quality data showed that streams should be resegmented based on changes in their water quality; and/or c) certain segments could be grouped together in one segment because they had similar quality and uses. The following changes were made:

Upper Gunnison River Basin segment 29b was created for Lake San Cristobal.

Uncompany Rever Basin segment 3b was created for Ridgway Reservoir.

Waters within the Redwell Basin, tributary to Oh-Be-Joyful Creek, were moved to Upper Gunnison River Basin segment 10 to maintain water quality relationships of Oh-Be-Joyful Creek basin below the wilderness area boundary.

Red Mountain Creek tributaries Corkscrew and Champion basins were added to Uncompany River Basin segment 6b (Red Mountain Creek) to maintain water quality relationships of the drainage.

Pryor Creek and West Fork Spring Creek were added to Uncompany River Basin segment 13 because of similar water quality and uses with the existing segment.

San Miguel River Basin segment 4 was resegmented into segments 4a and 4b.

Lower Dolores River Basin segment 3b was created for the waters within the Sinbad Valley (Salt Creek).

B. <u>Revised Aquatic Life Use Classifications</u>

The Commission reviewed information regarding existing aquatic communities. The Aquatic Life Use classifications were changed for several segments based on the presence of Colorado Cutthroat Trout, current temperature data and deleted for one segment. The following changes were made:

Aquatic Life Use changed from Cold 2 to Cold 1 to reflect the presence of Colorado Cutthroat Trout, a species of special concern:

Upper Gunnison River Basin segment 17 Uncompahgre River Basin segment 13

Aquatic Life Use changed from Cold to Warm based on temperature data and aquatic life species present:

Lower Gunnison River Basin segment 2

Deletion of the Aquatic Life Use based on water quality and aquatic life sampling and the preparation of a use attainability analysis:

Uncompany River Basin segment 6b.

C. <u>Recreation Classifications and Standards</u>

As part of the Basic Standards hearing of 2005, recreation classifications were revised into four new classifications. The Commission reviewed the previous segment classifications (1a, 1b and 2) and determined the appropriate new classification based on classification criteria presented as part of the Basic Standards Hearing, use attainability analyses or other basis. In addition, during the 2005 Basic Standards Hearing, the transition from the use of the fecal coliform standard to an *E. coli* standard was completed. Fecal coliform criteria were deleted from the numeric standards.

Based on the information that showed existing primary contact recreation use is in place in at least a portion of the segment, the Commission changed the following segments from Recreation Class1a to Recreation Class E with a 126/100 ml *E. coli* standard:

Upper Gunnison River Basin segments: 1, 2, 3, 4, 5, 6b, 7, 8, 9, 10, 11, 12, 13a, 14, 20, 22, 25, 29a, 29b, 30, 31 and 32 North Fork of the Gunnison River Basin segments: 1, 2, 4 and 7 Uncompander River Basin segments: 1, 3a, 4a, 4c, 5, 6b, 13, 14 and 15b Lower Gunnison River Basin segments: 1, 2, 3, 4b, 5, 6, 8, 10, 11a, 11b and 13 San Miguel River Basin segments: 1, 2, 3a, 3b, 4, 5, 6a, 6b, 7a, 7b, 8, 9, 10, 11 and 12 Lower Dolores River Basin segments: 1, 2, 3a, 4 and 5

The following segments were converted from Recreation Class 1b to Recreation Class P with a 205/100 ml *E. coli* standard:

Upper Gunnison River Basin segment13b North Fork of the Gunnison River segments 5 and 6 Uncompany River Basin segment 9 Lower Gunnison River Basin segments 7 and 12

The following segment was converted from Recreation Class 1 to Recreation Class U:

Upper Gunnison River Basin segment 6a

The following segments were converted from Recreation Class 2 to Recreation Class U. These segments include:

Upper Gunnison River Basin segments 16, 17, 18, 19, 21, 23, 24 and 26. The *E. coli* standard for these segments were 126/100 ml and were not changed. Upper Gunnison River Basin segment 15 had a fecal coliform standard of 2000/100 ml and was changed to be consistent with the use at 126/100ml *E. coli*.

Based on review of existing Use Attainability Analyses showing that primary contact recreation is not attainable, the following segments were converted to Recreation Class N classification with 630/100 ml *E. coli* standard:

Uncompany River Basin segments 2, 4b, 6a, 7, 8, 12 and 15a Lower Gunnison River Basin segment 4a

The following segments with seasonal Recreation Class 1a/Recreation Class 2 classification were converted to Class E/Class N:

North Fork of the Gunnison River Basin segment: 3 Lower Gunnison River Basin segment 9

The following segment with seasonal Recreation Class 1a/Recreation Class 1b classification was converted to Class E/Class P:

Uncompany River Basin segment 10

The following segment with seasonal Recreation Class 1b/Recreation Class 2 classification was converted to Class P/Class N:

Uncompany River Basin segment 11

D. Addition of Water Supply Use Classification and Standards

Based on review of information regarding the location of public water supplies, a water supply classification and standards were added Uncompany River Basin segment 3a.

E. Agriculture Standards

Numeric Standards to protect Agricultural Uses were adopted for the following segments:

Uncompandere River Basin segment: 6a San Miguel River Basin segments: 3a, 6a and 6b

F. Changes to Antidegradation Designation

<u>Outstanding Waters Designation</u>: Based on evidence that shows the water quality meets the requirements of 31.8(2)a, the OW designation was added to the following segment: Upper Gunnison River Basin segment 1 was modified to incorporate the waters within the Powderhorn Wilderness Area.

<u>Decoupling Cold 2 and UP</u>: As part of the Basic Standards hearing of 2005, the Commission eliminated the direct linkage between cold-water aquatic life class 2 and the use-protected designation. Therefore, all cold-water aquatic life class 2 segments that are use-protected were reviewed to determine if that designation is still warranted. The following segments are now reviewable:

Upper Gunnison River Basin segments: 6a, 13a, 13b, 15 and 17 Uncompany River Basin segments: 6a, 7, 8, 9, 10, and 13 Lower Gunnison River Basin segment: 7. San Miguel River Basin segment: 12.

<u>Decoupling Aquatic Life Warm 2 and UP</u> Also as part of the Basic Standards hearing of 2005, the Commission decided that the presence of a warm water class 2 classification would still be a presumptive basis for applying a use-protected designation; however, that presumption can be overcome if there is data showing that the water is of high quality. Therefore, the Commission reviewed all warm water class 2 segments to determine if the use protected designation is still warranted. No Regulation 35 aquatic life warm 2 segments were changed from use-protected to reviewable.

G. Addition of Aquatic Life Standards

Based on water quality sampling data and aquatic life information, aquatic life numeric standards were added to Upper Gunnison River Basin segment 6a.

H. <u>Ambient Quality-Based Standards</u>

There are several segments in the Basins that are assigned standards based on existing ambient water quality. Ambient standards are adopted where natural or irreversible man-induced conditions result in exceedances of table value standards. The Commission reviewed the information that is the basis for these standards as well as any new information that would indicate whether they are still appropriate, need to be modified, or should be dropped. The Commission did not adopt any changes to the ambient quality-based standards.

I. <u>Aquatic Life Ammonia Standards</u>

At the June 2005 Basic Standards rulemaking, the Commission adopted the 1999 Update of Ambient Water Quality Criteria for Ammonia (US EPA, Office of Water, EPA-822-R-99-014, December 1999) as the numeric ammonia criteria for Colorado. These new criteria are in the form of total ammonia rather than un-ionized ammonia. The Commission modified the ammonia equations in 35.6(3) and footnotes to conform to Regulation No. 31. In cases where dischargers need time beyond one permit term to assure compliance with new permit limits, temporary modifications have been adopted. These are listed below in the temporary modification section.

J. Aquatic Life Metals Standards

<u>New Table Value Standards</u>: As part of the Basic Standards hearing of 2005, new zinc and cadmium table values were adopted. The acute and chronic zinc and cadmium equations in 35.6(3) were modified to conform to Regulation No. 31.

<u>Site-Specific Zinc Standards for Sculpin</u>: In low hardness situations (hardness below 113 mg/l CaCO₃) the new zinc equation is not protective of sculpin, a native west-slope fish species. The Commission adopted sculpin-specific zinc equation as site-specific standards for the following segments that are inhabited by sculpin that also have low hardness:

Upper Gunnison River Basin segments: 2, 3, 4, 6a, 7, 15, 16, 19, 22, 23, 29a, 30 and 32 North Fork of the Gunnison River Basin segments: 1, 2 and 4 Uncompany River Basin segments: 5 and 6a Lower Gunnison River Basin segment: 8 San Miguel River Basin segments: 1 and 2

K. Arsenic Standards

For arsenic, each use (except recreation) has a different arsenic ("As") value, including Fish Ingestion (FI) and Water Plus Fish (W+F). In different combinations of uses, different values become the most limiting. In order to eliminate the confusion, the Commission added the operative value to the individual segments. The following matrix displays the most limiting arsenic criteria.

If the Use Classifications were:	These Arsenic Standards were Applied (dissolved unless otherwise noted)
Class 1 aquatic life, water supply	As(ac) = 340, As(ch) = 0.02 (trec)
Class 2 aquatic life (water + fish standards), water supply	As(ac) = 340, As(ch) = 0.02(trec)
Class 2 aquatic life (no fish ingestion standards), water supply	As(ac) = 340, As(ch) = 0.02 - 10(trec)
Class 1 aquatic life	As(ac) = 340, As(ch) = 7.6(trec)
Class 2 aquatic life (fish ingestion standards)	As(ac) = 340, As(ch) = 7.6(trec)
Class 2 aquatic life (no fish ingestion standards), agriculture	As(ac) = 340, As(ch) = 100 (trec)
Agriculture only	As(ch) = 100 (trec)
Water supply only	As(ch) = 0.02 - 10(trec)

Most Limiting Arsenic Criteria Depending on the Possible Combinations of Uses and Qualifiers

L. Uranium Standards

Uranium standards were added for segments that flow near uranium-bearing rock formations. The Uranium standard was added to:

Lower Gunnison River Basin segments: 5 and 6 San Miguel River Basin segments: 5 and 12 Lower Dolores River Basin segments: 1, 2, 3a, 4 and 5

M. Temporary Modifications

All temporary modifications were re-examined to determine whether to delete the temporary modification or to extend them, either as existing or with modifications of the numeric standards. Because of the June 2005 changes to Regulation No. 31, temporary modifications were not automatically extended if non-attainment persisted.

The following segments had temporary modifications which are being removed because current ambient conditions are meeting the underlying standards:

Uncompahgre River Basin segment 4a (Selenium).

Temporary modifications were removed for the following segments though the water quality standards were not being met.

Upper Gunnison River Basin segment: 10 Lower Gunnison River Basin segment: 9 San Miguel River Basin segments: 6a, 6b and 7b.

The following segments have new or extended temporary modifications. As specified in 61.8(2)(c)(iii) (the Permit Rules, Regulation No 61), where a temporary modification has been adopted, limits in permits are to be set based on the temporary modification and the provision strictly limiting the loading from the facility does not apply. These temporary modifications will be subject to review and rulemaking for the two years before their scheduled expiration in order to track progress towards the full attainment of water body standards and uses.

<u>Upper Gunnison River Basin segment 8:</u> Cd(ch) = 0.4, expiration date of 12/31/2011. This temporary modification is intended to allow the Town of Crested Butte Wastewater Treatment Plant adequate time to assess any potential changes to its discharge permit. This need for this temporary modification will be reviewed in 2009 and 2010.

<u>Upper Gunnison River Basin segment 12:</u> Cd(ch) = 2.3, Zn(ch)= 518, expiration date of 12/31/2011. This temporary modification is intended to allow the Keystone Mine adequate time to assess any potential changes to its discharge permit. The need for these temporary modifications will be reviewed in 2009 and 2010.

<u>Upper Gunnison River Basin segment 16:</u> Zn(ch) = 11.9, expiration date of 12/31/2011. This temporary modification is intended to allow the North Elk Meadows HOA Wastewater Treatment Facility adequate time to assess any potential changes to its discharge permit. This need for this temporary modification will be reviewed in 2009 and 2010.

<u>North Fork of the Gunnison River Basin segment 3</u>: Se(ch) = 5.7, expiration date of 12/31/2011. This temporary modification is intended to allow multiple dischargers adequate time to assess any potential changes to its discharge permit. This need for this temporary modification will be reviewed in 2009 and 2010.

<u>North Fork of the Gunnison River Basin segment 5:</u> Se(ch) = existing ambient quality, expiration date of 12/31/2011. This temporary modification is intended to allow multiple dischargers adequate time to assess any potential changes to its discharge permit. This need for this temporary modification will be reviewed in 2009 and 2010.
<u>North Fork of the Gunnison River Basin segment 6b:</u> Fe(ch)(Trec)= existing ambient quality, Se(ch) = existing ambient quality, expiration date of 12/31/2011. This temporary modification is intended to allow multiple dischargers adequate time to assess any potential changes to its discharge permit. This need for this temporary modification will be reviewed in 2009 and 2010.

<u>Uncompany River Basin segment 3a:</u> Cd(ch)=1.1, Fe(Trec) = 1673, expiration date of 12/31/2011. This temporary modification is intended to allow multiple dischargers adequate time to assess any potential changes to its discharge permit. This need for this temporary modification will be reviewed in 2009 and 2010.

<u>Uncompany River Basin segment 4a:</u> NH₃ (ac/ch)=TVS(old) expiration date of 12/31/2011. This temporary modification is intended to allow the City of Montrose and the West Montrose Sanitation District Wastewater Treatment Plant adequate time to assess any potential changes to its discharge permit. This need for this temporary modification will be reviewed in 2009 and 2010.

<u>Uncompany River Basin segment 4b:</u> Se(ch) = 20, expiration date of 12/31/2011. This temporary modification is intended to allow multiple dischargers adequate time to assess any potential changes to its discharge permit. This need for this temporary modification will be reviewed in 2009 and 2010.

<u>Uncompander River Basin segment 4b</u>: NH_3 (ac/ch)=TVS(old) expiration date of 12/31/2011. This temporary modification is intended to allow the Town of Olathe Wastewater Treatment Plant adequate time to assess any potential changes to its discharge permit. This need for this temporary modification will be reviewed in 2009 and 2010.

<u>Uncompandre River Basin segment 4c:</u> Se(ch) = 20, expiration date of 12/31/2011. This temporary modification is intended to allow the Gunnison Basin Selenium Task Force and the Colorado River Water Conservation District adequate time to assess any potential changes. This need for this temporary modification will be reviewed in 2009 and 2010.

<u>Uncompander River Basin segment 12:</u> Se(ch) = existing ambient quality, expiration date of 12/31/2011. This temporary modification is intended to allow the Gunnison Valley Selenium Task Force adequate time to assess any potential changes. This need for this temporary modification will be reviewed in 2009 and 2010.

<u>Lower Gunnison River Basin segment 2:</u> Se(ch) = 8.4, expiration date of 12/31/2011. This temporary modification is intended to allow the Gunnison Valley Selenium Task Force adequate time to assess any potential changes. This need for this temporary modification will be reviewed in 2009 and 2010.

<u>Lower Gunnison River Basin segment 2:</u> NH_3 (ac/ch)=TVS(old) expiration date of 12/31/2011. This temporary modification is intended to allow the City of Delta Wastewater Treatment Plant adequate time to assess any potential changes to its discharge permit. This need for this temporary modification will be reviewed in 2009 and 2010.

<u>Lower Gunnison River Basin segment 4a</u>: Se(ch) = existing ambient quality, expiration date of 12/31/2011. This temporary modification is intended to allow the Gunnison Valley Selenium Task Force adequate time to assess any potential changes. This need for this temporary modification will be reviewed in 2009 and 2010.

Lower Gunnison River Basin segment 4a: NH₃ (ac/ch)=TVS (old) expiration date of 12/31/2011. This temporary modification is intended to allow the Town of Cedaredge Wastewater Treatment Plant adequate time to assess any potential changes to its discharge permit. This need for this temporary modification will be reviewed in 2009 and 2010.

<u>Lower Gunnison River Basin segment 4b:</u> Se(ch) = existing ambient quality, expiration date of 12/31/2011. This temporary modification is intended to allow the Gunnison Valley Selenium Task Force adequate time to assess any potential changes. This need for this temporary modification will be reviewed in 2009 and 2010.

<u>Lower Gunnison River Basin segment 7:</u> Se(ch) = 9.3 and Fe(ch)(Trec)= 2650, expiration date of 12/31/2011. This temporary modification is intended to allow the Gunnison Valley Selenium Task Force adequate time to assess any potential changes and to allow dischargers any potential changes to their permits. This need for this temporary modification will be reviewed in 2009 and 2010.

<u>San Miguel River Basin segment 2:</u> Cd(ch) = 0.6, expiration date of 12/31/2011. This temporary modification is intended to allow the Telluride Water Treatment Plant adequate time to assess any potential changes to its discharge permit. This need for this temporary modification will be reviewed in 2009 and 2010.

<u>San Miguel River Basin segment 3b:</u> Cd(ch) = 0.7, Zn(ch) = 198 expiration date of 12/31/2011. This temporary modification is intended to allow the Telluride Wastewater Treatment Plant adequate time to assess any potential changes to its discharge permit. This need for this temporary modification will be reviewed in 2009 and 2010.

<u>San Miguel River Basin segment 4b:</u> Temperature = 26.3°C MWAT below the mixing zone of the Tri-State Generation and Transmission Nucla Power Station from 6/1 to 9/30, expiration date of 12/31/2011. This temporary modification is intended to allow Tri-State Generation and Transmission adequate time to assess any potential changes to its discharge permit. This need for this temporary modification will be reviewed in 2009 and 2010. Further discussion of this temporary modification N. <u>Other Site-Specific Revions</u>.

San Miguel River Basin segment 5: NH₃ (ac/ch)=TVS(old) expiration date of 12/31/2011. This temporary modification is intended to allow the Naturita Wastewater Treatment Plant adequate time to assess any potential changes to its discharge permit. This need for this temporary modification will be reviewed in 2009 and 2010.

Lower Dolores River Basin segment 2: NH₃ (ac/ch)=TVS(old) expiration date of 12/31/2011. This temporary modification is intended to allow the Southwest Mesa County Rural Public Improvement District (Gateway) adequate time to assess any potential changes to its discharge permit. This need for this temporary modification will be reviewed in 2009 and 2010.

For segments with multiple streams or "all tributary" segments the Division in setting temporary modifications should use the narrative statement "existing ambient quality" to avoid confusion with multiple sampling locations.

- N. Other Site-Specific Revisions
 - 1. <u>Lower Gunnison segment 4c:</u> The Commission made the decision to resegment and change the recreation use of Red Rock Creek within the Black Canyon of the Gunnison National Park. This portion of Rock Creek was previously included in an all tributaries segment. The recreation use was changed from secondary contact to existing primary contact use. This change was based on evidence of greater public use to the area through recently opened public access.

- 2. <u>North Fork segment 6:</u> North Fork Segment 6 of the Gunnison River was refined to better define the "all tributaries" segment. Segment 6b was created with the existing use classifications based on 1) the presence of surface water and ground water under the influence of surface water that is used for water supply and 2) the presence of "fish of catchable size and that are normally consumed." Waterbodies with these uses were identified in this segment. The water supply use and the Water+Fish qualifier were removed from segment 6a since waterbodies with these uses were included in segment 6b.
- 3. <u>San Miguel segment 4:</u> The Commission resegmented San Miguel segment 4 into segments 4a and 4b with a new segment boundary at the CC Ditch. The decision was made to retain Cold Water Class 1 Aquatic Life in Segment 4a and to reclassify Segment 4b as Cold Water Class 2 based on dewatered conditions below the CC Ditch. The temperature standard of 20°C is applied to segments 4a and 4b. A new temporary modification has been applied to segment 4b, below the mixing zone of Tri-State Generation and Transmission Nucla Power Station.

The Commission adopted a temporary modification for temperature in the lower portion of Segment 4b of 26.3 °C, as a maximum weekly average temperature ("MWAT") from 6/1 to 9/30, to expire 12/31/2011. This temporary modification is adopted pursuant to Regulation 31.7(3)(a)(iii) because there is significant uncertainty regarding the appropriate long term underlying temperature standard.

There is uncertainty associated with the underlying standard in the lower portion of Segment 4b. This portion of the stream is a transition between cold and warm water. Based on the existing Basic Standards, the Commission adopted a temporary modification of 26.3°C and an underlying standard of 20°C, which raises uncertainty as to the appropriate underlying standard that should be applied to protect the aquatic life community.

A temporary modification has been adopted to provide time to address this uncertainty and recommend appropriate standards for these water bodies. During the effective period of this temporary modification, Tri-State, in coordination and collaboration with the Division and CDOW, will conduct cost-effective studies designed to address whether Tri-State's discharge has an adverse impact on the aquatic community.

The numeric value of this temporary modification was calculated using a mass-balance approach with the following assumptions: The upstream low-flow was estimated as the 7E3 generated from the amount of water measured at the Brooks Bridge minus the Tri-State cooling water withdrawal. The upstream temperature was an adjusted MWAT of 24°C which corresponds to the modeled MWAT of the San Miguel at the point of discharge. The discharge characteristics were the Power Station design flow and an effluent temperature of 30°C max.

It is the Commission's intent to preserve the *status quo* for Tri-State's discharge for the duration of the temporary modification. In a stipulation between Tri-State and the Division, Tri-State committed that it will not alter operations on a year round basis in a manner that would adversely affect effluent temperature for the duration of the temporary modification. The Division agreed that it will maintain the existing daily maximum permit limit of 30°C at the compliance point on a year round basis.

O. Other Changes

The Commission corrected several typographical and spelling errors, and clarified segment descriptions.

The reference to "Water+Fish Organics" was corrected to "Water+Fish Standards" to incorporate the appropriate standards from both the organics table and the metal parameter table in Regulation No. 31.

The Water and Fish Organics qualifier on the Uncompany River Basin segment 9 was corrected to Fish Ingestion since the segment does not have a Water Supply use.

The segment description for Upper Gunnison River Basin segment 2 was changed to reflect the incorporation of the Oh-Be-Joyful Wilderness Area into the Raggeds Wilderness Area.

The segment description for Upper Gunnison River Basin segment 4 was changed to include the Taylor Park Reservoir.

The segment description for Upper Gunnison River Basin segment 26 was changed to include the Silver Jack Reservoir.

The segment description for San Miguel River Basin segment 2 was changed to include the Trout Lake.

PARTIES TO THE RULEMAKING HEARING

- 1. San Juan Citizens Alliance
- 2. Tri-State Generation and Transmission Association
- 3. National Park Service
- 4. Mountain Coal Company
- 5. West Elk Mine
- 6. Homestake Mining Company of California
- 7. Umetco Minerals Corporation
- 8. Lee Mobile Home Park
- 9. The Southwest Mesa County Rural Services Public Improvement District
- 10. Animas River Stakeholders Group
- 11. Board of County Commissioners of the County of Gunnison, Colorado
- 12. The Town of Silverton
- 13. The Town of Cedaredge
- 14. The Town of Olathe
- 15. High Country Citizens Alliance
- 16. Upper Gunnison River Water Conservancy District
- 17. Colorado Trout Unlimited
- 18. The City of Grand Junction
- 19. Gunnison County Stockgrowers Association, Inc.
- 20. The Southwestern Water Conservation District
- 21. Vista Verde Village LLC
- 22. The Colorado Division of Wildlife
- 23. Nucla Sanitation District
- 24. Town of Naturita
- 25. The Pagosa Area Water and Sanitation District
- 26. The Boxelder Sanitation District
- 27. City of Ouray
- 28. Norwood Sanitation District
- 29. U.S. Environmental Protection Agency
- 30. Colorado River Water Conservation District

35.30 STATEMENT OF BASIS, SPECIFIC STATUTORY AUTHORITY AND PURPOSE: January 2007 Rulemaking Hearing; Final Action February 12, 2007; Revisions effective July 1, 2007

The provisions of section 25-8-202(1)(b), 25-8-204; 25-8-402, C.R.S., provide the specific statutory authority for adoption. The Commission also adopted, in compliance with section 24-4-103(4) C.R.S., the following statement of basis and purpose.

BASIS AND PURPOSE:

The Commission revised the basin-wide temperature standards as part of the 2007 rulemaking hearing. These changes clarify the numeric temperature standards that will be in effect until the basin-wide rulemaking hearing in June of 2011. At that time, the Commission intends to consider segment specific temperature standards for all segments with aquatic life uses.

The Commission applied 17°C as an interim chronic standard for small, high elevation streams that are likely to be habitat for brook trout and cutthroat trout. First, second and third order streams are defined at section 31.5 in the Basic Standards.

The Commission also applied 18.2°C as an interim chronic standard to waters designated by the Colorado Wildlife Commission as "Gold Medal Fisheries". The Commission agrees that it is important to protect these fisheries that provide important recreational and tourism opportunities in the headwaters of Colorado. This standard is based on a criterion to protect rainbow trout. The Colorado Division of Wildlife presented evidence that rainbow trout thrive in Gold Medal fisheries because they are provided the necessary forage base and thermal conditions to maximize their consumption and growth. Because these thermal conditions also represent the upper temperature tolerance range for this species, it was determined that an interim standard of 20°C would not be adequate to protect these fisheries.

For the remainder of the cold water segments, the Commission left the current 20°C in place as an interim standard with the clarification that it is a chronic standard. The existing 30°C criterion for warm water segments was left in place as an interim standard with the clarification that is also to be applied as a chronic standard.

PARTIES TO THE RULEMAKING HEARING

- 1. The Temperature Group (City of Aurora, City of Boulder, Colorado Springs Utilities, Littleton/Englewood Wastewater Treatment, The Metro Wastewater Reclamation District, Colorado Mining Association, Colorado Rock Products Association, Tri-State Generation & Transmission Assn., Xcel Energy, Denver Water, Northern Colorado Water Conservancy District, Southeastern Colorado Water Conservancy District)
- 2. City of Grand Junction
- 3. City of Loveland
- 4. City of Pueblo
- 5. Metro Wastewater Reclamation District
- 6. City of Aurora
- 7. City of Boulder
- 8. Colorado River Water Conservation District
- 9. Colorado Wastewater Utility Council
- 10. Bear Creek Watershed Association
- 11. Chatfield Watershed Authority
- 12. Mountain Coal Company, L.L.C.
- 13. Northern Colorado Water Conservancy District
- 14. Colorado Rock Products Association
- 15. Littleton/Englewood Wastewater Treatment Plant
- 16. Northwest Colorado Council of Governments
- 17. Southeastern Colorado Water Conservancy District
- 18. Colorado Mining Association
- 19. Colorado Division of Wildlife
- 20. South Platte Coalition for Urban River Evaluation
- 21. City and County of Denver
- 22. City of Colorado Springs and Colorado Springs Utilities
- 23. City of Westminster
- 24. Board of Water Works of Pueblo
- 25. Coors Brewing Company

- 26. City and County of Broomfield
- 27. Centennial Water and Sanitation District
- 28. Plum Creek Wastewater Authority
- 29. Climax Molybdenum Company
- 30. Cripple Creek & Victor Gold Mining Company
- 31. Tri-State Generation and Transmission Association
- 32. Xcel Energy
- 33. Sky Ranch Metropolitan District No. 2
- 34. Parker Water and Sanitation District
- 35. CAM-Colorado and CAM Mining LLC
- 36. Aggregate Industries WCR, Inc.
- 37. Grand County Water and Sanitation District #1, Winter Park Water and Sanitation District, Winter Park West Water and Sanitation District and Fraser Sanitation District
- 38. Trout Unlimited and Colorado Trout Unlimited
- 39. Colorado Contractors Association
- 40. United States Environmental Protection Agency, Region 8
- 41. Hot Springs Lodge and Pool
- 42. Denver Regional Council of Governments

35.31 STATEMENT OF BASIS SPECIFIC STATUTORY AUTHORITY AND PURPOSE DECEMBER 2009 RULEMAKING REGARDING TEMPORARY MODIFICATIONS; FINAL ACTION FEBRUARY 8, 2010; EFFECTIVE DATE JUNE 30, 2010

The provisions of C.R S. 25-8-202(1)(a), (b) and (2); 25-8-203; 25-8-204; and 25-8-402; provide the specific statutory authority for adoption of these regulatory amendments. The Commission also adopted in compliance with 24-4-103(4) C.R.S. the following statement of basis and purpose.

BASIS AND PURPOSE

Pursuant to the requirements in the Basic Standards (at 31.7(3)), the Commission reviewed the status of temporary modifications to determine whether the temporary modification should be modified, eliminated or extended.

Ammonia: Temporary modifications of ammonia standards were reviewed.

Deleted: Ammonia temporary modifications were deleted on the following segments because permits had recently been reissued for dischargers on the segments. Compliance schedules in the permits are adequate to address any necessary treatment plant upgrade issues.

Uncompany River Segments 4a and 4b Lower Gunnison River segments 2

Detail added: Lower Gunnison River segment 4a: The following details were added to the tables: the chronic ammonia temporary modification was modified to clarify that the chronic standard's value is 0.02 mg/l, rather than just "TVS old"; and an expiration date of 12/31/2011 was added to the ammonia temperature temporary modification.

Other Parameters: Temporary modifications of other parameters were also reviewed.

Deleted: temporary modifications were deleted on the following segments because no permitted discharge has been identified that needs a temporary modification

Uncompany segment 4c selenium Lower Gunnison segment 4b selenium Detail added: An expiration date was added to the temperature temporary modification on San Miguel River segment 4b

Extension of expiration dates: The Commission has decided to delay the basin-wide review of water quality classifications and standards for this basin until June 2012, to accommodate an issue-specific rulemaking for nutrient criteria in June 2011. Consistent with that decision, the expiration dates of the temporary modifications on the following segments that are currently scheduled to expire on 12/31/2011 are extended to 12/31/2012. These will be reviewed again in the December 2010 and December 2011 Temporary Modification hearing.

Upper Gunnison segments 8, 12, and 16 North Fork Gunnison segments 3, 5, and 6b Uncompany segments 3a, 4b, and 12 Lower Gunnison segments 2, 4a (selenium only), and 7 San Miguel River segments 2, 3b and 4b

The Commission would like to emphasize that its intent and expectation is that the issues that necessitated adoption of these temporary modifications should be resolved as soon as possible and in a manner that takes full advantage of the opportunities provided by the December 2010 and December 2011 reviews of temporary modifications. The Commission recognizes that it is important to resolve uncertainty regarding the underlying standards so that temporary modifications can be eliminated and any needed pollution controls can be put in place in a timely manner.

PARTIES TO THE RULEMAKING

- 1. City of Grand Junction
- 2. City of Colorado Springs and Colorado Springs Utilities
- 3. Tri-Lakes, Upper Monument, Security and Fountain Wastewater Treatment Facilities
- 4. Paint Brush Hills Metropolitan District
- 5. Pueblo West Metropolitan District
- 6. City of La Junta
- 7. Seneca Coal Company
- 8. Tri-State Generation and Transmission Association
- 9. Plum Creek Wastewater Authority
- 10. Centennial Water and Sanitation District
- 11. City and County of Broomfield
- 12. City of Fort Collins
- 13. Metro Wastewater Reclamation District
- 14. City of Black Hawk and the Black Hawk/Central City Sanitation District
- 15. Colorado Division of Wildlife
- 16. U.S. Environmental Protection Agency

35.32 STATEMENT OF BASIS SPECIFIC STATUTORY AUTHORITY AND PURPOSE DECEMBER 2010 RULEMAKING REGARDING TEMPORARY MODIFICATIONS; FINAL ACTION JANUARY 10, 2011; EFFECTIVE DATE JUNE 30, 2011

The provisions of C.R S. 25-8-202(1)(a), (b) and (2); 25-8-203; 25-8-204; and 25-8-402; provide the specific statutory authority for adoption of these regulatory amendments. The Commission also adopted in compliance with 24-4-103(4) C.R.S. the following statement of basis and purpose.

BASIS AND PURPOSE

Pursuant to the requirements in the Basic Standards (at 31.7(3)), the Commission reviewed the status of temporary modifications to determine whether the temporary modification should be modified, eliminated or extended.

- A. <u>Ammonia:</u> The type i temporary modifications of ammonia standards on 3 segments were reviewed. The Commission deleted the temporary modification on Lower Dolores segment 2 as it is no longer needed. The Commission took no action on San Miguel segment 5. The temporary modification will expire on 12/31/2011. On Lower Gunnison segment 4a, the Commission corrected the numeric value for the ammonia chronic temporary modification from 0.02 mg/L to 0.06 mg/L which had been modified in error in 2009. The temporary modification will expire on 12/31/2011.
- B. <u>Metals:</u> Temporary modifications of the metals standards were reviewed. They will expire on 12/31/2012. When originally adopted, time was allotted to allow dischargers time to assess potential changes to their discharge permits. It is anticipated that these will be addressed as part of the basin-wide review in June 2012:

Upper Gunnison segments 8, 12, and 16 North Fork Gunnison segments 3, 5, and 6b Uncompany segments 3a, 4b and 12 Lower Gunnison segments 2, 4a and 7 San Miguel segments 2, 3b, and 5

C. <u>San Miguel River segment 4b:</u> Tri-State Generation and Transmission Association, Inc. (Tri-State) proposed revisions to the Classifications and standards for San Miguel River segment 4b. The Commission found that the existing thermal discharge from Tri-State's Nucla power plant is not causing harm to the aquatic community based on fish and macroinvertebrate data collected in 2008 and 2009. Site-specific temperature standards were adopted to reflect the existing thermal conditions in San Miguel segment 4b. The summer temperature standards apply from March through October and are based on the maximum WAT and DM measured in Segment 4b (below Tri-State's mixing zone, 2,000 ft below the outfall) from April 16, 2008 through Oct 27, 2010. The winter temperature standards apply from November through February and are equivalent to the cold-stream tier-II winter temperature standards.

If no additional biological data is available in subsequent reviews, the site-specific summer temperature standards may be revised upwards using the following equations:

Summer DM above Tri-State Nucla plant discharge + 0.8°C = revised DM for segment 4b

Summer MWAT above Tri-State Nucla plant discharge + 0.4° C = revised MWAT for segment 4b

The 0.8°C for DM and 0.4°C for MWAT are the measured difference in temperature between the monitoring locations upstream and downstream of Tri-State's plant discharge on the days the maximum DM and MWAT were recorded. The biological data from 2008 and 2009 shows that this amount of warming does not cause harm to the biological community, and is protective of the Aquatic Life use. The temporary modification for temperature was deleted.

The Commission changed the use classification from Aquatic Life Cold 2 to Aquatic Life Warm 1 based on evidence presented by Tri-State of the overwhelming preponderance of warm water fish and macroinvertebrate species in segment 4b and no evidence of cold water fish reproduction. The more intensive sampling in 2008 and 2009 demonstrated that the segment supports a wide variety of warm water fish and macroinvertebrates, which supports the change to class 1 (warm).

PARTIES TO THE RULEMAKING HEARING

- 1. Paint Brush Hills Metropolitan District
- 2. Tri-State Generation and Transmission Association
- 3. Seneca Coal Company

- 4. Mountain Water and Sanitation District
- 5. City of Grand Junction
- 6. Colorado Division of Wildlife
- 7. City of Boulder
- 8. U. S. Environmental Protection Agency
- 9. City of Colorado Springs and Colorado Springs Utilities

35.33 STATEMENT OF BASIS SPECIFIC STATUTORY AUTHORITY AND PURPOSE JUNE 13, 2011 RULEMAKING REGARDING TEMPORARY MODIFICATIONS; EFFECTIVE DATE JANUARY 1, 2012

The provisions of C.R S. 25-8-202(1)(a), (b) and (2); 25-8-203; 25-8-204; and 25-8-402; provide the specific statutory authority for adoption of these regulatory amendments. The Commission also adopted in compliance with 24-4-103(4) C.R.S. the following statement of basis and purpose.

BASIS AND PURPOSE

The Commission's decision to delay consideration of nutrient criteria until March 2012 resulted in cancelation of the December 2011 review of temporary modifications and a three-month delay of the Regulation #35 basin-wide review. Accordingly, the Commission considered the expiration dates of temporary modifications expiring on or before December 31, 2012 in a written comment rulemaking. The Commission extended the expiration dates of the following temporary modifications to March 31, 2013. They would be reviewed during the September 2012 basin-wide rulemaking hearing.

Upper Gunnison segment 8 (Cd) Upper Gunnison segment 12 (Cd, Zn) Upper Gunnison segment 16 (Zn) North Fork Gunnison segment 3 (Se) North Fork Gunnison segment 5 (Se) North Fork Gunnison segment 6b (Fe, Se) Uncompanding segment 3a (Cd, Fe) Uncompanding segment 4b (Se) Uncompanding segment 4b (Se) Lower Gunnison segment 2 (Se) Lower Gunnison segment 4a (Se) Lower Gunnison segment 4a (Se) San Miguel segment 2 (Cd) San Miguel segment 3b (Cd, Zn)

The following temporary modifications were deleted because they will have expired as of the effective date of this revision:

Lower Gunnison segment 4a (NH₃) San Miguel segment 5 (NH₃).

35.34 STATEMENT OF BASIS, SPECIFIC STATUTORY AUTHORITY AND PURPOSE; SEPTEMBER 10, 2012 RULEMAKING; FINAL ACTION NOVEMBER 5, 2012; EFFECTIVE DATE MARCH 30, 2012

The provisions of C.R.S. 25-8-202(1)(a), (b) and (2); 25-8-203; 25-8-204; and 25-8-402; provide the specific statutory authority for adoption of these regulatory amendments. The Commission also adopted in compliance with 24-4-103(4) C.R.S. the following statement of basis and purpose.

BASIS AND PURPOSE:

A. Waterbody Segmentation

The Commission split lakes and reservoirs from segments that also contained streams, so that new temperature standards could be adopted. Lakes and reservoirs were deleted from the following segments that previously encompassed streams and lakes and reservoirs:

Upper Gunnison River segments: 1-5, 6b, 9-10, 15-17, 19, 21, 23, 25-26, 29a-b and 32 North Fork of the Gunnison River segments: 1, 4-5, 6a and 6b Uncompany River segments: 1-2, 3b, 5, 10-12 and 14 Lower Gunnison River segments: 3, 4b, 8, 11a-b and 12 San Miguel River segments: 1-2, 6a-b, 7a-b, 9-11 and 12 Lower Dolores River segments: 3a and 3b

The following segments were created for lakes and reservoirs:

Upper Gunnison River segments: 33-38 North Fork of the Gunnison River segments: 8-11 Uncompany River segments: 16-21 Lower Gunnison River segments: 14-19 San Miguel River segments: 13-20 Lower Dolores River segments: 7-8

The following segments were deleted when the constituent waterbodies were merged with other segments:

Upper Gunnison River segments: 3 and 13b San Miguel River segments: 7b

Some renumbering and/or creation of new segments was made due to information which showed that: a) the original reasons for segmentation no longer applied; b) differences in water-quality; and/or c) certain segments could be grouped together in one segment because they had similar quality and uses. In particular, segmentation was changed to facilitate adoption of the new temperature standards into individual segments. The following changes were made:

<u>Upper Gunnison River 1-3</u>: The segment description was amended to include all tributaries to the Gunnison within the West Elk, Collegiate Peaks, Maroon Bells, Raggeds, Fossil Ridge, or Uncompany Wilderness areas. The streams in these wilderness areas were formerly split into Segments 1-3. These waters were combined into one segment because they had the same use classifications, and are all designated Outstanding Waters. The lakes and reservoirs within Segments 1, 2, and 3 were moved to a new Segment 33 to facilitate the adoption of appropriate temperature standards. A new segment description was created for Segment 2: All tributaries and wetlands from North Beaver Creek to Meyers Gulch, from the West Elk Wilderness boundary to their confluences with Blue Mesa Reservoir, Morrow Point Reservoir, or the Gunnison River, excluding Steuben Creek, North Willow Creek, and Soap Creek. These tributaries were moved from Segment 26 to facilitate an outstanding waters designation.

<u>Upper Gunnison River 4</u>: The lakes and reservoirs in this segment were moved to a new Segment 34, with the exception of Taylor Park Reservoir, which was moved to Segment 37 with other coldwater lakes larger than 100 acres surface area. These waters were split into different segments to facilitate the adoption of appropriate temperature standards.

<u>Upper Gunnison River 5a-5b</u>: The mainstem of the East River from the confluence with the Slate River to the confluence with the Gunnison River was moved to a new Segment 5b. The lakes and reservoirs in Segment 5 were moved to a new Segment 34. These waters were split into different segments to facilitate the adoption of appropriate temperature standards.

<u>Upper Gunnison River 6b-6c</u>: The lower portion of Cement Creek, including tributaries and wetlands, from the Horse Basin Creek confluence to the East River were moved to a new Segment 6c. The lakes and reservoirs in Segment 6b were moved to a new Segment 34. These waters were split into different segments to facilitate the adoption of appropriate temperature standards.

<u>Upper Gunnison River 9</u>: The lakes and reservoirs in this segment were moved to a new Segment 34. These waters were split into different segments to facilitate the adoption of appropriate temperature standards.

<u>Upper Gunnison River 10a-10b</u>: The tributaries and wetlands in Redwell basin were moved to a new Segment 10b. Redwell basin was split from the rest of the Oh-Be-Joyful watershed because the water quality in Redwell basin is significantly different than the rest of the segment, and the ambient lead concentration is higher. The lakes and reservoirs in Redwell Basin were moved to a new Segment 35, and the remaining lakes and reservoirs in Segment 10 were moved to a new Segment 34 to facilitate the adoption of appropriate temperature standards.

<u>Upper Gunnison River 13</u>: Segments 13a and 13b were combined to create one segment for Woods Creek. The Commission determined that the Recreation P Use classification should be upgraded to Recreation E. These waters were combined into one segment because they now have the same use classifications, antidegradation designation, and standards.

<u>Upper Gunnison River 15a-15b</u>: South Beaver Creek, including tributaries and wetlands, from the source to the Saguache/Gunnison County line was moved to a new Segment 15b. The downstream boundary of Segment 15a was changed from the inlet of Blue Mesa Reservoir to the County Road 32 crossing. This boundary was changed because the water levels in Blue Mesa Reservoir fluctuate, and the location of the inlet changes with these fluctuations. The lakes and reservoirs in Segment 15 were moved to a new Segment 36. These waters were split into different segments to facilitate the adoption of appropriate temperature standards, and to refine the application of ambient iron standards, which now apply only to Segment 15a.

<u>Upper Gunnison River 16a-16b</u>: The mainstem of Ohio Creek from a point immediately below 7 Road to the confluence with the Gunnison River was moved to a new Segment 16b. The lakes and reservoirs in this segment were moved to a new Segment 36. These waters were split into different segments to facilitate the adoption of appropriate temperature standards.

<u>Upper Gunnison River 17a-17b</u>: Antelope Creek, including all tributaries and wetlands, except for West Antelope Creek, was moved to a new Segment 17b. The lakes and reservoirs in this segment were moved to a new Segment 36. These waters were split into different segments to facilitate the adoption of appropriate temperature standards.

<u>Upper Gunnison River 18a-18b</u>: The mainstem of Tomichi Creek from the confluence with Porphyry Creek to the confluence with the Gunnison River was moved to a new Segment 18b. This segment was split to facilitate the adoption of appropriate temperature standards.

<u>Upper Gunnison River 19</u>: The lakes and reservoirs in this segment were moved to a new Segment 36 to facilitate the adoption of appropriate temperature standards.

<u>Upper Gunnison River 21</u>: The lakes and reservoirs in this segment were moved to a new Segment 36 to facilitate the adoption of appropriate temperature standards.

<u>Upper Gunnison River 23</u>: The lakes and reservoirs in this segment were moved to a new Segment 36 to facilitate the adoption of appropriate temperature standards.

<u>Upper Gunnison River 25</u>: Blue Mesa, Morrow Point, and Crystal Reservoirs were moved to a new Segment 38 with other coldwater lakes larger than 100 acres surface area to facilitate the adoption of appropriate temperature standards.

<u>Upper Gunnison River 26</u>: The lakes and reservoirs in this segment were moved to a new Segment 37 to facilitate the adoption of appropriate temperature standards.

<u>Upper Gunnison River 29a-29b</u>: Cebolla Creek, including tributaries and wetlands, from the source to the County Road 29 crossing near Powderhorn was moved from Segment 26 to Segment 29a. Powderhorn Creek, including tributaries and wetlands, from the source to the confluence with Cebolla Creek was also moved from Segment 26 to Segment 29a. The Lake Fork, including tributaries and wetlands, from the confluence with Eaton Creek to Blue Mesa Reservoir was moved from Segment 29a to a new Segment 29b. Lake San Cristobal was moved from Segment 29b to a new Segment 38 with other coldwater lakes larger than 100 acres surface area. The remaining lakes and reservoirs in Segment 29a were moved to a new Segment 37. These waters were split into different segments to facilitate the adoption of appropriate temperature standards.

<u>Upper Gunnison River 32</u>: The lakes and reservoirs in this segment were moved to a new Segment 37 to facilitate the adoption of appropriate temperature standards.

<u>Upper Gunnison River 33</u>: This segment was created to encompass the lakes and reservoirs in the La Garita, Powderhorn, West Elk, Collegiate Peaks, Maroon Bells, Raggeds, Fossil Ridge, and Uncompany Wilderness areas. This segment was created to facilitate the adoption of appropriate temperature standards formerly in Segments 1, 2 and 3.

<u>Upper Gunnison River 34</u>: This segment was created to encompass the lakes and reservoirs tributary to the Taylor River and the East River formerly in Segments 4, 5a, 6b, 9 and 10. This segment was created to facilitate the adoption of appropriate temperature standards.

<u>Upper Gunnison River 35</u>: This segment was created to encompass the lakes and reservoirs tributary to Redwell Basin, formerly in Segment 10. This segment was created to facilitate the adoption of appropriate temperature standards.

<u>Upper Gunnison River 36</u>: This segment was created to encompass the lakes and reservoirs tributary to the Gunnison River from its inception at the confluence of the East River and Taylor River, to the inlet of Blue Mesa Reservoir. These lakes and reservoirs were formerly in Segments 15, 16, 17, 19, 21 and 23. This segment was created to facilitate the adoption of appropriate temperature standards.

<u>Upper Gunnison River 37</u>: This segment was created to encompass the lakes and reservoirs tributary to Blue Mesa Reservoir, Morrow Point Reservoir, Crystal Reservoir, and the interconnecting segments of the Gunnison River, which were formerly in Segments 26, 29a and 32. This segment was created to facilitate the adoption of appropriate temperature standards.

<u>Upper Gunnison River 38</u>: This segment was created to encompass the coldwater lakes and reservoirs in the Upper Gunnison Basin that are larger than 100 acres in surface area. These reservoirs were formerly in Segments 4, 25 and 29b.

<u>North Fork of the Gunnison River 1</u>: The lakes and reservoirs in this segment were moved to a new Segment 8 to facilitate the adoption of appropriate temperature standards.

<u>North Fork of the Gunnison River 4</u>: The lakes and reservoirs in this segment were moved to a new Segment 9 to facilitate the adoption of appropriate temperature standards.

<u>North Fork of the Gunnison River 5a-5b</u>: Roatcap Creek, including all tributaries and wetlands, from the national forest boundary to the confluence with the North Fork of the Gunnison was moved to a new Segment 5b. The lakes and reservoirs in Segment 5 were moved to a new Segment 10. These waters were split to facilitate the adoption of appropriate temperature standards.

<u>North Fork of the Gunnison River 6a-6b</u>: Segment 6a encompasses the tributaries to the North Fork of the Gunnison below the confluence with Coal Creek that are not within national forest boundaries, and do not have a Water Supply Use. The tributaries within the same area, but with a Water Supply Use are described in Segment 6b.

Multiple alluvial wells that were being used as a drinking water source were discovered on unnamed tributaries described within Segment 6a. Rather than try to describe the locations of these unnamed tributaries and move them to Segment 6b, larger swaths of tributaries were moved to Segment 6b. On the north side of the North Fork of the Gunnison, all tributaries and wetlands from the confluence with Roatcap Creek to confluence with the Gunnison River were moved from Segment 6a to 6b. Love Gulch, Dever Creek, Cow Creek, Stingley Gulch and Big Gulch were formerly described individually, but were deleted from the Segment 6b segment description, since they are included in this northern swath of tributaries. On the south side of the North Fork of the Gunnison all tributaries that flow into the North Fork of the Gunnison River were moved to Segment 6b. Miller Creek, German Creek, Reynolds Creek, Bell Creek, McDonald Creek, Cottonwood Creek and Alum Gulch were formerly described individually, but were deleted from the Segment description, since they are all included in this southern swath of tributaries.

The lakes and reservoirs in Segments 6a and 6b were moved to a new Segment 11 to facilitate the adoption of appropriate temperature standards.

<u>North Fork of the Gunnison River 7</u>: This segment was created to encompass coldwater lakes tributary to the North Fork of the Gunnison River that are greater than 100 acres in surface area. Overland Reservoir was moved to this segment with Paonia Reservoir to facilitate the adoption of appropriate temperature standards. Although Lake Irwin is large enough to qualify for this segment, it contains cutthroat trout and requires the lower temperature standard applied to smaller coldwater lakes to protect that species.

<u>North Fork of the Gunnison River 8</u>: This segment was created to encompass the lakes and reservoirs within the West Elk or Raggeds Wilderness areas, which were formerly in Segment 1. This segment was created to facilitate the adoption of appropriate temperature standards.

<u>North Fork of the Gunnison River 9</u>: This segment was created to encompass all the lakes and reservoirs tributary to Muddy Creek, Paonia Reservoir, Coal Creek, or the North Fork of the Gunnison from its inception at the confluence of Muddy Creek and Coal Creek to the confluence with the Gunnison River. This segment also includes lakes that are tributary to the North Fork of the Gunnison and within national forest boundaries. These lakes and reservoirs were formerly in Segment 4. This segment was created to facilitate the adoption of appropriate temperature standards.

<u>North Fork of the Gunnison River 10</u>: This segment was created to encompass the lakes and reservoirs tributary to Roatcap Creek and Jay Creek (in their entirety), and lakes and reservoirs tributary to Hubbard Creek, Terror Creek, Minnesota Creek, and Leroux Creek from the national forest boundary to the confluence with the North Fork of the Gunnison. The lakes and reservoirs in this segment were formerly in Segment 5. This segment was created to facilitate the adoption of appropriate temperature standards.

<u>North Fork of the Gunnison River 11</u>: This segment was created to encompass the lakes and reservoirs that are tributary to the North Fork of the Gunnison from its inception at the confluence of Muddy Creek and Coal Creek to the confluence with the Gunnison River, and are not within national forest boundaries. The lakes and reservoirs in this segment were formerly in Segments 6a and 6b. This segment was created to facilitate the adoption of appropriate temperature standards.

<u>Uncompandere River 1</u>: The lakes and reservoirs in this segment were moved to a new Segment 16 to facilitate the adoption of appropriate temperature standards.

<u>Uncompandere River 2</u>: Como Lake was moved to a new Segment 17 to facilitate the adoption of appropriate temperature standards.

<u>Uncompany River 3a-3f</u>: The mainstem of the Uncompany River from the confluence with Cascade Creek to the Hwy 90 bridge in Montrose was broken into four new Segments: 3b, 3c, 3d, 3e, and 3f. These waters were split into several segments to facilitate the adoption of appropriate temperature standards, to reflect large changes in water quality, and to better describe the ambient iron conditions. Ridgway Reservoir was moved from Segment 3b to a new Segment 19. Segment 3b now encompasses the mainstem of the Uncompany River from the confluence with Cascade Creek to the confluence with Dexter Creek. Segment 3c was created to encompass the mainstem of the Uncompany River from the confluence with Dallas Creek to the inlet of encompass the mainstem of the Uncompany River from the confluence with Dallas Creek to the inlet of Ridgway Reservoir. Segment 3e was created to encompass the mainstem of the Uncompany River from the outlet of Ridgway Reservoir to the outlet of the South Canal near Uncompany. Segment 3f was created to encompass the mainstem of the South Canal near Uncompany River from the Highway 90 bridge in Montrose.

<u>Uncompandre River 4a-4b</u>: The boundary between Segment 4a and Segment 4b was moved downstream from La Salle Road to Gunnison Road. The Recreation and Aquatic Life Uses in the Uncompander River between La Salle Road and Gunnison Road are more similar to Segment 4a than to Segment 4b.

<u>Uncompandere River 5</u>: The lakes and reservoirs in this segment were moved to a new Segment 17 to facilitate the adoption of appropriate temperature standards.

<u>Uncompandere River 9</u>: The segment description was amended to give a latitude and longitude location of "1.5 miles above the confluence with Imogene Creek", which is a somewhat indefinite boundary depending on how the stream length is measured.

<u>Uncompandere River 10</u>: The lakes and reservoirs in this segment were moved to a new Segment 18 to facilitate the adoption of appropriate temperature standards.

<u>Uncompandere River 11</u>: The lakes and reservoirs in this segment were moved to a new Segment 18 to facilitate the adoption of appropriate temperature standards.

<u>Uncompany River 12 and 14</u>: The lakes and reservoirs in this Segment 12 were moved to a new Segment 21 to facilitate the adoption of appropriate temperature standards. Sweitzer Lake was moved from Segment 14 to a new Segment 20. The East and West Forks of Horsefly Creek, including all tributaries and wetlands, and Happy Canyon Creek, including all tributaries and wetlands, from the source to the most downstream national forest boundary were moved from Segment 12 to a new Segment 14. These waters were split to facilitate the adoption of appropriate temperature standards.

<u>Uncompandere River 16</u>: This segment was created to encompass the lakes and reservoirs in the Mt. Sneffels or Uncompandere Wilderness areas, which were formerly in Segment 1. This segment was created to facilitate the adoption of appropriate temperature standards.

<u>Uncompandre River 17</u>: This segment was created to encompass the lakes and reservoirs tributary to the Uncompandre River from the source to the confluence with Dexter Creek, which were formerly in Segments 2 and 5. This segment was created to facilitate the adoption of appropriate temperature standards.

<u>Uncompander River 18</u>: This segment was created to encompass the lakes and reservoirs tributary to the Uncompander River from the confluence with Dexter Creek to the South Canal near Uncompander, which were formerly in Segments 10 and 11. This segment was created to facilitate the adoption of appropriate temperature standards.

<u>Uncompandere River 19</u>: This segment was created to encompass Ridgway Reservoir, which was formerly in Segment 3b. This segment was moved to facilitate the adoption of appropriate temperature standards.

<u>Uncompany River 20</u>: This segment was created to encompass Sweitzer Reservoir, which was formerly in Segment 14. This segment was moved to facilitate the adoption of appropriate temperature standards.

<u>Uncompany River 21</u>: This segment was created to encompass all the lakes and reservoirs tributary to the Uncompany River from the South Canal to the confluence with the Gunnison River, which were formerly in segment 12. This segment was created to facilitate the adoption of appropriate temperature standards.

<u>Lower Gunnison River 3</u>: Island Lake, Eggleston Lake, and Trickle Park Reservoir were moved from this segment to a new Segment 15. The remaining lakes and reservoirs in this segment were moved to a new Segment 14 to facilitate the adoption of appropriate temperature standards.

<u>Lower Gunnison River 4b</u>: The lakes and reservoirs in this segment were moved to a new Segment 16 to facilitate the adoption of appropriate temperature standards.

<u>Lower Gunnison River 7a-7b</u>: Segment 7 was split in Segments 7a and 7b to facilitate the adoption of appropriate temperature standards. The mainstem of Ward Creek, from the national forest boundary to the confluence with Dirty George Creek was split and moved to new Segment 7a.

Lower Gunnison River 8: The Fruita Water Supply Reservoirs I and II were moved to a new Segment 14 to facilitate the adoption of appropriate temperature standards.

Lower Gunnison River 11a: The lakes and reservoirs in the segment were moved to a new Segment 17 to facilitate the adoption of appropriate temperature standards.

Lower Gunnison River 11b: The lakes and reservoirs in this segment were moved to a new Segment 18 to facilitate the adoption of appropriate temperature standards.

<u>Lower Gunnison River 12</u>: The lakes and reservoirs in this segment were moved to a new Segment 19 to facilitate the adoption of appropriate temperature standards.

Lower Gunnison River 14: This segment was created to encompass lakes and reservoirs tributary to the Gunnison River, from the outlet of Crystal Reservoir, to the confluence with the Colorado River, and that are within national forest boundaries. These lakes and reservoirs were formerly in Segments 3 and 8. This segment was created to facilitate the adoption of appropriate temperature standards.

Lower Gunnison River 15: This segment was created to encompass large cold lakes and reservoirs tributary to the Gunnison River, from the outlet of Crystal Reservoir, to the confluence with the Colorado River. This segment includes Island Lake, Eggleston Lake, and Trickle Park Reservoir, which were formerly in Segment 3. This segment was created to facilitate the adoption of appropriate temperature standards.

Lower Gunnison River 16: This segment was created to encompass the lakes and reservoirs tributary to the Gunnison River from the outlet of Crystal Reservoir, to the confluence with the Colorado River, and not within national forest service boundaries. These lakes and reservoirs were formerly in Segment 4b. This segment was created to facilitate the adoption of appropriate temperature standards.

Lower Gunnison River 17: This segment was created to encompass the lakes and reservoirs tributary to the Smith Fork, and within national forest boundaries, and all lakes and reservoirs tributary to Doug Creek. These lakes and reservoirs were formerly in Segment 11a. This segment was created to facilitate the adoption of appropriate temperature standards.

Lower Gunnison River 18: This segment was created to encompass the lakes and reservoirs tributary to the Smith Fork, and within the West Elk Wilderness area, which were formerly in Segment 11b. This segment was created to facilitate the adoption of appropriate temperature standards.

<u>Lower Gunnison River 19</u>: This segment was created to encompass the lakes and reservoirs tributary to the Smith Fork, and not with national forest boundaries, which were formerly in Segment 12. This segment was created to facilitate the adoption of appropriate temperature standards.

<u>San Miguel River 1</u>: The lakes and reservoirs in this segment were moved to a new Segment 13 to facilitate the adoption of appropriate temperature standards.

San Miguel River 2: Trout Lakes was moved to a new Segment 20 with other coldwater lakes larger than 100 acres in surface area. The remaining lakes and reservoirs in this segment were moved to a new Segment 14 to facilitate the adoption of appropriate temperature standards.

<u>San Miguel River 6a</u>: The lakes and reservoirs in this segment were moved to a new Segment 15 to facilitate the adoption of appropriate temperature standards.

<u>San Miguel River 6b</u>: The lakes and reservoirs in this segment were moved to a new Segment 16 to facilitate the adoption of appropriate temperature standards.

<u>San Miguel River 7</u>: The lakes and reservoirs in this segment were moved to a new Segment 17 to facilitate the adoption of appropriate temperature standards. Waterfall Creek was moved into this segment from 7b, and this segment was renumbered as Segment 7.

<u>San Miguel River 9</u>: The lakes and reservoirs in this segment were moved to a new Segment 18 to facilitate the adoption of appropriate temperature standards.

<u>San Miguel River 10</u>: Gurley Reservoir was moved to a new Segment 20 with other coldwater lakes larger than 100 acres in surface area to facilitate the adoption of appropriate temperature standards.

San Miguel River 11a-11b: Miramonte Reservoir was moved from Segment 11 to a new Segment 20 with other coldwater lakes larger than 100 acres in surface area. The remaining lakes and reservoirs were moved to a new Segment 19. Saltado Creek, from the national forest boundary to the confluence with the San Miguel River, was split to a new Segment 11b. These waters were split to facilitate the adoption of appropriate temperature standards.

<u>San Miguel River 12a-12b</u>: The lakes and reservoirs in Segment 12 were moved to a new Segment 19. The tributaries to the San Miguel from the confluence with Naturita Creek to the confluence with the Dolores River were moved to a new Segment 12b. These waters were split to facilitate the adoption of appropriate temperature standards.

<u>San Miguel River 13</u>: This segment was created to encompass the lakes and reservoirs within the Lizard Head or Mount Sneffels Wilderness areas, which were formerly in Segment 1. This segment was created to facilitate the adoption of appropriate temperature standards.

<u>San Miguel River 14</u>: This segment was created to encompass the lakes and reservoirs tributary to the San Miguel River from it source to the confluence with Leopard Creek, which were formerly in Segment 2. This segment was created to facilitate the adoption of appropriate temperature standards.

<u>San Miguel River 15</u>: This segment was created to encompass the lakes and reservoirs tributary to Ingram Creek, which were formerly in Segment 6a. This segment was created to facilitate the adoption of appropriate temperature standards.

<u>San Miguel River 16</u>: This segment was created to encompass the lakes and reservoirs tributary to Marshall Creek, which were formerly in Segment 6b. This segment was created to facilitate the adoption of appropriate temperature standards.

<u>San Miguel River 17</u>: This segment was created to encompass the lakes and reservoirs tributary to the Howard Fork from the confluence with Swamp Gulch to the confluence with the San Miguel River. These lakes and reservoirs were formerly in Segment 7a. This segment was created to facilitate the adoption of appropriate temperature standards.

San Miguel River 18: This segment was created to encompass the lakes and reservoirs tributary to the San Miguel River from the confluence with Leopard Creek to the confluence with the Dolores River that are within national forest boundaries. These lakes and reservoirs were formerly in Segment 9. This segment was created to facilitate the adoption of appropriate temperature standards.

<u>San Miguel River 19</u>: This segment was created to encompass the lakes and reservoirs tributary to the San Miguel from the confluence with Leopard Creek to the confluence with the Dolores River that are not within national forest boundaries. These lakes and reservoirs were formerly in Segments 11 and 12. This segment was created to facilitate the adoption of appropriate temperature standards.

San Miguel River 20: This segment was created to encompass the coldwater reservoirs tributary to the San Miguel River that are greater than 100 acres surface area. These reservoirs were formerly in Segments 2, 10 and 11. This segment was created to facilitate the adoption of appropriate temperature standards.

Lower Dolores River 1a. 1b and 2: Segment 1 was split into Segments 1a and 1b, and the Dolores River from the Highway 141 road crossing to the Little Gypsum Valley Bridge was moved to Segment 2. Segment 1a encompasses the Dolores River from the bridge at Bradfield Ranch to the confluence with Big Canyon Creek, and is a coldwater segment. Segment 1b encompasses the Dolores River from the confluence with Big Canyon Creek to the Highway 141 road crossing near Slick Rock, and this coldwater segment has an ambient-based MWAT temperature standard. The upstream boundary of Segment 2 was moved from the Little Gypsum Valley Bridge at the San Miguel/Montrose County line to the Highway 141 road crossing near Slick Rock. The Commission determined that the Dolores River from the Highway 141 road crossing to the Little Gypsum Valley Bridge had been misclassified as a coldwater river. These segment boundaries were moved to facilitate the adoption of appropriate temperature standards.

Lower Dolores River 3a-3c. 4-6: The lakes and reservoirs in Segment 3a were moved to new Segments 7 and 8. Segment 3a was split, and the tributaries to the Dolores River within national forest boundaries (excluding a small area of Uncompany National Forest in the Disappointment Valley) were moved to Segment 3b. Additionally, the North Fork of West Creek, including all tributaries and wetlands, and Granite Creek from the source to the Colorado/Utah border were moved from Segment 3a to a new Segment 6. Segment 3b, which formerly encompassed Salt Creek was renumbered 3c, and the lakes and reservoirs in that segment were moved to new Segment 8. These waters were split to facilitate the adoption of appropriate temperature standards.

Lower Dolores River 4: The mainstem of West Paradox Creek from the source to the Manti-La Sal National Forest boundary, and Blue Creek from the source to the Uncompany National Forest boundary were moved from Segment 4 to a new Segment 3b.

<u>Lower Dolores River 5</u>: Multiple changes were made to the new Segment 3b. Roc Creek, La Sal Creek, and Mesa Creek from the source to the national forest boundary were moved from Segment 5 to Segment 3b.

Lower Dolores River 6: This segment was created to encompass the North Fork of West Creek, including all tributaries and wetlands, from the source to the confluence with West Creek, and Granite Creek, including all tributaries and wetlands, from the source to the Colorado/Utah border. This segment was created to facilitate the adoption of appropriate temperature standards.

<u>Lower Dolores River 7</u>: This segment was created to encompass the lakes and reservoirs tributary to the Dolores River, and within national forest boundaries. These lakes and reservoirs were formerly in Segments 3a and 3b. This segment was created to facilitate the adoption of appropriate Aquatic Life Use classifications, and temperature standards.

<u>Lower Dolores River 8</u>: This segment was created to encompass the lakes and reservoirs tributary to the Dolores River, and not within national forest boundaries. The lakes and reservoirs in this segment were formerly in Segments 3a and 3b. This segment was created to facilitate the adoption of appropriate temperature standards.

The following segment descriptions were edited to improve clarity, correct typographical errors, and correct spelling errors:

Upper Gunnison River segments: 6a, 14, 15a, 19, 22 and 26 North Fork of the Gunnison River segments: 1, 2, 4, 5a and 6a Uncompany River segments: 1, 4c, 5, 9, 11 and 15a Lower Gunnison River segments: 3, 4a, 4b, 5, 6, 7b, 8, 11a and 12 San Miguel River segments: 1, 3a, 5, 6a, 6b, 7, 8, 10 and 11a Lower Dolores River segments: 3c and 5

B. Revised Aquatic-Life Use Classifications

The Commission reviewed information regarding the existing aquatic communities. Class 2 segments with exceptionally high MMI scores, or fish data showing the presence of a wide variety of species, were upgraded from Class 2 to Class 1.

The following segments were upgraded from Warm 2 to Warm 1.

Uncompany River segments: 4a, 4c, 12 and 15a Lower Gunnison River segment: 16 Lower Dolores River segment: 4

The following segments were upgraded from Cold 2 to Cold 1:

Uncompandere River segment: 10 Lower Gunnison River segment: 7b

The following segment was upgraded from Warm 2 to Cold 1 based on biological data showing that the segment has a wide variety of cold-water species:

Lower Dolores River segment: 7

Fish Ingestion qualifiers were deleted for the following segment that was upgraded from Class 2 to Class 1, since fish ingestion is presumed for all Class 1 waters:

Lower Gunnison River segment: 7b

The following segments were upgraded from Warm 2 to Cold 2 based on biological data showing that cold-water species are present:

Uncompany River segments: 14 and 15b

A Use Attainability Analysis was prepared to downgrade the following segments, or portions of these segments, from Cold 1 to Warm 1.

Lower Gunnison River segment: 13 Lower Dolores River segment: 1

C. Recreation Classifications and Standards

Newly created segments were given the same Recreation Use classification as the segment from which they were split, unless there was insufficient evidence to support keeping that classification, or evidence to show that the use classification was inappropriate.

The following segments with year-round or seasonal Recreation N standards were upgraded to Recreation P:

North Fork of the Gunnison River segment: 3 Uncompany River segments: 2, 4b, 7, 8, 10, 11, 12 and 15a Lower Gunnison River segments: 4a and 9

The Towns of Hotchkiss and Olathe provided testimony expressing concerns about the potential cost of complying with new effluent limitations that could result from the adoption of revised Recreation standards for North Fork segment 3 and Uncompanying segment 4b, respectively. The Commission notes that should compliance with such effluent limitations become an issue, several options may be available to help address the compliance burden, including the possibility of compliance schedules, Temporary Modifications or discharger-specific variances, if necessary and appropriate.

The following segment with year-round or seasonal Recreation N standards was upgraded to Recreation E.

Uncompany River segment: 17

D. Water Supply Use Classification and Standards

Based on review of information regarding the location of alluvial wells, where the evidence demonstrates a reasonable potential for a hydrological connection between the surface water and the wells, the Water Supply Use classifications and standards were added to the following segments:

Upper Gunnison River segment: 12 North Fork of the Gunnison River segments: 3 and 11 Uncompahgre River segments: 4a and 4b Lower Gunnison River segments: 7b, 10 and 12 San Miguel River segments: 3b and 7a Lower Dolores River segments: 2, 3a and 4

The Commission found that the information submitted by U.S. Energy is insufficient to demonstrate the lack of a hydrological connection between Upper Gunnison segment 12 and the existing wells located adjacent to that section of the stream.

The following segment with Fish Ingestion standards was upgraded to Water+Fish when the Water Supply Use was added:

Uncompany River segment: 9

A review of the segments with an existing Water Supply Use classification showed that some segments were missing one or more standards to protect that use. The full suite of Water Supply standards were added to the following segments:

Upper Gunnison River segment: 13 Uncompany River segments: 3a and 10 Lower Gunnison River segment: 4a San Miguel River segment: 12a

E. Agriculture Standards

A review of the standards associated with the Agriculture Use classification showed that many segments were missing a chronic chromium III standard to protect the use. The chronic chromium III standard to protect the Aquatic Life Use classification may be not be protective of the Agriculture Use in some high hardness situations. A chromium III standard of CrIII(ch)=100(Trec), was added to the following segments classified for Agriculture Use, but not for Water Supply, which has a more restrictive chromium III standard:

Upper Gunnison River segments: 6a, 10a-b, 20, and 31 Uncompany River segments: 4c, 6a, 15b, 19-20 and 21 Lower Gunnison River segment: 13 San Miguel River segments: 3a, 5, 6a-b, 11a-b, 16 and 17 Lower Dolores River segments: 3c and 8

Molybdenum: In 2010, the Commission adopted a new standard for molybdenum to protect cattle from the effects of molybdenosis. The table value adopted at that time was 300 ug/l, but included an assumption of 48 mg/day of copper supplementation to ameliorate the effects of molybdenosis. State and local experts on cattle nutrition indicated that copper supplementation in region is common, but is not universal. Therefore, copper supplementation assumption was removed from the equation, which yields a standard of 160 ug/l. The Commission expects that this value may be revised when data on the copper and molybdenum content of local forage becomes available. The Commission also notes that in view of EPA's disapproval of the 300 ug/l table value in the Basic Standards and Methodologies for Surface Water, the Commission intends to review this value during the next Basic Standards triennial review.

The Agriculture table value assumes that the safe copper.molybdenum ratio is 4:1. Food and water intake is based on a 273 kg (600 lb) feeder steer consuming 6.8 kg/day of dry matter and 20% of its body weight in water per day. Total copper and molybdenum intakes are calculated from the following equations:

Cu intake $mg/day = [([Cu] forage, mg/kg) \times (forage intake, kg/day)] + [([Cu] water, mg/l) \times (water intake, L/day)] + (Cu supplementation, mg/day)$

Mo intake mg/day = $[([Mo] \text{ forage, mg/kg}) \times (\text{forage intake, kg/day})] + [([Mo] water, mg/l) \times (water intake, L/day)] + (Mo supplementation, mg/day)$

The assumed values for these equations are as follows:

[Cu] forage = 7 mg/kg, [Mo] forage = 0.5 mg/kg, forage intake = 6.8 kg/day, [Cu] water = 0.008 mg/L, [Mo] water = 0.375 mg/L, water intake = 54.6 L/day, Cu supplementation = 0 mg/day, Mo supplementation = 0 mg/day.

A molybdenum standard of 160 ug/l was adopted for the following segments in Regulation 35 that have an Agriculture Use classification, and where livestock or irrigated forage are present or expected to be present.

Upper Gunnison River segments: 1-4, 5a-b, 6a-b, 7-8, 10a-b, 12, 13a-b, 14, 15a-b, 16a-b, 17a-b, 6a, 18ab, 19-26, 29a-b, and 30-36 North Fork of the Gunnison River segments: 1-4, 5a-b, 6a-b, and 7-11 Uncompander River segments: 1, 2, 3a-f, 4a-c, 5, 6a-b, 7-14, 15a-b, and 16-21 Lower Gunnison River segments: 1-3, 4a-c, 5, 6, 7a-b, 8-10, 11a-b, and 12-19 San Miguel River segments: 1, 2, 3a-b, 4a-b, 5, 6a-b, 7-10, 11a-b, 12a-b, and 13-20 Lower Dolores River segments: 1a-b, 2, 3a-c, and 4-8

The following segments have an Agriculture Use classification, but neither livestock nor irrigated forage are present, nor are they expected to be present. A molybdenum standard of 210 ug/L was applied to these segments to protect the Water Supply Use classification:

Upper Gunnison River segments: 9 and 11

F. Changes to Antidegradation Designation

Decoupling Cold 2 and Use-Protected designations: As part of the Basic Standards hearing of 2005, the Commission eliminated the direct linkage between Cold Water Aquatic Life Class 2 and the Use-Protected designation. The Commission reviewed all Cold 2 segments that were Use-Protected to determine if that designation was still warranted. The following segments are now Reviewable:

Uncompany River segments: 5 and 15b

Decoupling Aquatic Life Warm 2 and Use-Protected designations: As part of the Basic Standards hearing of 2005, the Commission decided that the presence of a Warm Water Class 2 classification would still be a presumptive basis for applying a Use-Protected designation; however, that presumption can be overcome if there is data showing that the water is of high quality. The Commission reviewed all Warm 2 segments to determine if the Use-Protected designation is still warranted. The following segment(s) are now Reviewable:

North Fork of the Gunnison River segments: 6a and 6b Uncompany River segments: 4a, 4c and 15a Lower Gunnison River segments: 4b-c and 12 Lower Dolores River segment: 3c

The Commission adopted an Outstanding Waters designation for Upper Gunnison Segment 2 based on ample evidence that water quality in Segment 2 meets the requirements of 31.8(2)(a). The Commission also notes that the outreach undertaken by the Park Service as proponent of this designation helps to demonstrate broad support for the conclusion that these waters constitute an outstanding natural resource and that the additional protection provided by this designation is appropriate.

The evidence demonstrates that existing uses such as cattle grazing/agriculture, recreation, forest practices, and year-round and seasonal residences, on public and private land are compatible with the new Outstanding Waters designation since the current high level of water quality has been attained with these uses in place. It is the Commission's intent that this Outstanding Waters designation should not be the basis upon which federal, state or local agencies place more onerous or costly conditions upon permits or approvals existing at the time of the designation, or upon any renewals thereof.

Further, acknowledging that the adoption of the Outstanding Waters designation for identified segments is a discretionary undertaking by the Commission, with such designations not being subject to federal approval or disapproval, the Commission may, in the future, remove the Outstanding Waters designation from any such segment in accordance with the state substantive and procedural rules then in effect.

The Commission has not adopted the Outstanding Waters designations proposed by WildEarth Guardians for multiple segments. The Commission is not persuaded that the fact of being located within an area identified as a "roadless area" is sufficient to demonstrate that the waters in question constitute an outstanding natural resource. Moreover, the proponents did not provide adequate data to persuasively demonstrate the current quality of the waters in question. Finally, the Commission notes that the proponents did not demonstrate a substantial level of public outreach that might have helped to demonstrate a consensus that the criteria in section 31.8(2)(a) are met.

G. Ambient Standards

Ambient standards are adopted where natural or irreversible man-induced conditions result in exceedances of table value standards. The Commission reviewed the information that is the basis for these standards, as well as any new information that would indicate whether they are still appropriate, need to be modified, or should be dropped. In some cases, new ambient standards were adopted. The following segments have ambient-based standards:

Upper Gunnison River segments: 10a-b, 12, 15a, 16b and 20 Uncompany River segments: 1, 3a-b, 4b-c, 7 and 12 Lower Gunnison River segments: 2 and 8 San Miguel River segments: 3a-b, 4b, 6b, 8, 10 and 16 Lower Dolores River segment: 1a, 1b and 3c

H. Aquatic Life Metals Standards

New Table Value Standards: The zinc, zinc sculpin, and aluminum table values were revised in the 2010 Basic Standards hearing. The acute and chronic zinc, zinc sculpin, and aluminum equations in 35.6(3) were modified to conform to Regulation No. 31.

Site-Specific Zinc Standards for Mottled Sculpin: In low-hardness situations (hardness below 102 mg/L), the zinc equation is not protective of mottled sculpin (*Cottus bairdi*), a native west-slope fish species. The Commission added a sculpin-specific zinc equation as site-specific standard to the following segments where mottled sculpin are expected to be present, and hardness is low:

North Fork of the Gunnison River segment: 5a Uncompany River segment: 10 Lower Gunnison River segments: 1 and 10

The Commission deleted the zinc scuplin standards from the following segments where mottled sculpin are not expected to be present:

Upper Gunnison River segments: 4, 6a, 7, 15a, 16a-b, 19, 22, 23, 29a, 30, 32-36 and 37 Uncompany River segments: 5, 6a, 16 and 17

Chromium III Standards: A review of chromium III standards showed that the standard associated with the Water Supply Use classification is not protective of aquatic life where the average hardness is low (less than 61 mg/l). A chromium III standard, CrIII(ch)=TVS was added to following segments with Aquatic Life and Water Supply Use classifications that did not previously include this standard:

Upper Gunnison River segments: 1, 4, 5a-b, 6a-c, 7-9, 11, 14, 15a-b, 16a-b, 17a-b, 18a-b, 19, 21-26, 29a-b, 30, 32, 33-36 and 37 North Fork of the Gunnison River segments: 1-2, 4, 5a-b, 6b, 7-10 and 11 Uncompander River segments: 1-2, 5, 7-8, 11, 16-17 and 18 Lower Gunnison River segments: 1-3, 5, 8, 11a-b, 12, 14-15, 17-18 and 19 San Miguel River segments: 1-2, 4a-b, 8-10, 13-14, 17-18 and 20 Lower Dolores River segments: 1a-b, 2, 3a and 5

I. Uranium Standards

At the 2010 Basic Standards rulemaking hearing, the Commission changed the Water Supply table value for uranium from 30 ug/L to a hyphenated standard of 16.8-30 ug/L. The Commission revised the language in 35.5(3)(c) to reflect the change to the basin-wide standard. A new section 35.5(3)(c)(i) was added to explain the hyphenated standard. Subsection 35.5(3)(d) was deleted because it was redundant with 35.5(3)(c).

<u>Upper Gunnison Segment 20</u>: The Commission changed the site-specific chronic uranium standard of 2000 ug/I, and the acute uranium standard of TVS, to narrative standards of "lowest practical level".

J. Temporary Modifications

All existing Temporary Modifications were examined to determine if they should be allowed to expire or to extend them. Temporary Modifications were not automatically extended if non-attainment persisted due to revisions made to the Temporary Modification provisions in 2005 and 2010.

The following segments had Temporary Modifications that were not renewed:

Upper Gunnison River segments: 8 and 16 North Fork of the Gunnison River segments: 3, 5a and 6b Uncompany River segments: 3a and 12 Lower Gunnison River segments: 4a and 7b San Miguel River segments: 2 and 3b

In some cases, the Commission adopted Temporary Modifications with a narrative value of "current conditions". It is the Commission's intent to preserve the status quo during the term of the Temporary Modification. Existing discharges shall continue to be authorized to discharge parameters with a "current conditions" Temporary Modification at their current permitted concentration and flow levels, including a "report only" value. The Commission does not intend that Temporary Modifications set at "current condition" will apply to new or expanded facilities. Implementation of the underlying standard into existing permits is to take place as soon as feasible after the standard becomes effective in accordance with the Basic Standards and Methodologies for Surface Water.

New or extended Temporary Modifications were adopted for the segments below.

<u>Upper Gunnison River Segment 12</u>: The Commission adopted a Type A Temporary Modification for chronic arsenic with a narrative value of "current conditions", and an expiration date of June 30, 2014. U.S. Energy intends to participate in the April 2013 statewide rulemaking hearing on arsenic, which is the basis for a Type A Temporary Modification.

The Commission also adopted Type B Temporary Modifications for chronic cadmium, chronic copper, and chronic zinc with expiration dates of June 30, 2013. The Temporary Modification for cadmium and zinc have numeric values of 2.1 ug/l and 440 ug/l, respectively, based on ambient conditions that were calculated as the 85th percentile of a dataset that had been de-biased due to a preponderance of samples collected in the spring when water quality is poorest. The copper Temporary Modification has a value of current conditions. The Commission expects U.S. Energy to work with the Division and interested parties to develop a sampling plan to determine the natural and man-induced irreversible sources of cadmium, copper, and zinc in the Coal Creek watershed, which is the basis for a Type B Temporary Modification. The sampling plan will be reviewed in the annual Temporary Modification hearing in December 2013. Provided that the sampling plan is adequate, the expiration date will be extended to provide a reasonable amount of time to complete sampling and data analysis to set underlying standards.

<u>Upper Gunnison Segment 20</u>: The Commission adopted Type B Seasonal Temporary Modifications for chronic and acute uranium standards with an expiration date of June 30, 2015. The Temporary Modifications apply at sampling site SW-33, which is located just below the discharge from Homestake's Pitch Mine. The numeric values for the Temporary Modifications are based on ambient conditions at that sampling location, and are lower than the previous underlying uranium standards of 2000 ug/l for chronic uranium, and TVS for acute uranium. The Pitch Mine is being reclaimed, and this Temporary Modification will provide time to determine the "lowest practical level" of uranium that is achievable for this site. The progress to establish an appropriate underlying uranium standard for this segment will be reviewed in the annual Temporary Modification hearing in December 2013.

<u>North Fork of the Gunnison Segment 2</u>: The Commission adopted a Type B Temporary Modification for chronic arsenic with a narrative value of "current conditions", and an expiration date of July 1, 2015. Mountain Coal submitted evidence of natural sources of arsenic with the watershed, which is the basis for a Type B Temporary Modification. The progress on resolving the uncertainty with the arsenic standard will be reviewed in the annual Temporary Modification hearing in December 2013. During the Temporary Modification, a study will be completed that addresses watershed sources including the company's discharge.

<u>Uncompany Register 145</u>: The Commission adopted a Type A Temporary Modification for chronic selenium with a narrative value of "current condition", and an expiration date of December 31, 2017. The Town of Olathe wastewater treatment facility is currently discharging selenium at an average concentration of 7.8 ug/l. The Commission expects Olathe to make all reasonable efforts to identify the source of selenium to their wastewater treatment plant, and to make all reasonable efforts to reduce those sources for the duration of the Temporary Modification. There is significant uncertainty concerning the underlying selenium standard. Time is needed to wait for the EPA's new selenium criteria and implementation guidance, and to determine an appropriate underlying selenium standard for Uncompany Begment 4b. The progress on resolving the uncertainty with the selenium standard will be reviewed in the annual Temporary Modification hearing in December 2015.

Lower Gunnison Segment 2: The Commission adopted a Type A Temporary Modification for chronic selenium with a narrative value of "current condition", and an expiration date of December 31, 2017. The City of Delta wastewater treatment facility is currently discharging selenium at an average concentration of 8.3 ug/l, and is addressing the inflow and infiltration into their system that is the cause of elevated selenium in their effluent. There is significant uncertainty concerning the underlying selenium standard. Time is needed to wait for the EPA's new selenium criteria and implementation guidance, and to determine an appropriate underlying selenium standard for Lower Gunnison Segment 2. The progress on resolving the uncertainty with the selenium standard will be reviewed in the annual Temporary Modification hearing in December 2015.

K. Temperature

New table values were adopted for temperature in the 2007 Basic Standards hearing, and revised in the 2010 Basic Standards hearing. Temperature standards were applied to individual segments based upon the fish species expected to be present as provided by Parks and Wildlife, temperature data, and other available evidence.

The following segments have a Cold Stream Tier I temperature standard (CS-I):

Upper Gunnison River segments: 1, 4, 5a, 6a-b, 7-9, 10a-b, 11-13, 15b, 16a, 17a, 18a, 19-23, 26, 29a and 30-32. North Fork of the Gunnison River segments: 1, 4 and 5a Uncompahgre River segments: 1-2, 3a-b, 5, 6a, 7-8, 9, 11 and 13 Lower Gunnison River segments: 3, 7a, 11a and 11b San Miguel River segments: 1-2, 3a-b, 6a, 6b, 7, 9 and 11b Lower Dolores River segments: 3b and 6 The following segments have a Cold Stream Tier II temperature standard (CS-II): Upper Gunnison River segments: 5b, 6c, 14, 15a, 17b, 18b, 24, 25 and 29b North Fork of the Gunnison River segments: 2, 3 and 5b Uncompany River segments: 3c-e, 10, 14 and 15b Lower Gunnison River segments: 1, 5, 6, 7b, 8 and 10 San Miguel River segments: 4a, 8, 10, 11a, 12a and 12b Lower Dolores River segments: 1a and 5

The following segments have a Warm Stream Tier II temperature standard (WS-II):

North Fork of the Gunnison River segment: 6a Uncompandere River segments: 4a-c, 12 and 15a Lower Gunnison River segments: 2, 4a and 4b San Miguel River segment: 5 Lower Dolores River segments: 2, 3a and 4

The following segments have a Warm Stream Tier III temperature standard (WS-III):

North Fork of the Gunnison River segment: 6b Lower Gunnison River segments: 4c and 12 Lower Dolores River segment: 3c

The following segments have a Cold Lakes temperature standard (CL):

Upper Gunnison River segments: 33-37 North Fork of the Gunnison River segments: 8-10 Uncompany River segments: 16-18 Lower Gunnison River segments: 14, 17 and 18 San Miguel River segments: 13-18 and 19 Lower Dolores River segment: 7

The following segments have a Large Cold Lakes (greater than 100 acres surface area) temperature standard (CLL):

Upper Gunnison River segment: 38 North Fork of the Gunnison River segment: 7 Uncompany River segment: 19 Lower Gunnison River segment: 15 San Miguel River segment: 20

The following segments have a Warm Lakes temperature standard (WL):

North Fork of the Gunnison River segment: 11 Uncompany River segments: 20-21 Lower Gunnison River segments: 9, 13, 16 and 19 Lower Dolores River segments: 8 and 13

A temperature standard was not adopted for the following segment, which does not have an Aquatic Life Use classification:

Uncompanyer River segment: 6b

The following segments have ambient-based temperature standards:

Upper Gunnison River segment: 16b Uncompahgre River segment: 3b San Miguel River segment: 4b Lower Dolores River segments: 1a and 1b

The Commission recognizes that in some cases there is uncertainty about the temperature standards adopted in this hearing. The uncertainty stems from a lack of data about temperature, the aquatic community, or where there is a conflict between these two lines of evidence. It is the Commission's intent that the Division and interested parties work to resolve the uncertainty for the following segments:

Upper Gunnison River segment: 19 Uncompahgre River segments: 3b, 6, 11 and 13 Lower Gunnison River segments: 4c, 8 and 13 San Miguel River segments: 10 and 12b Lower Dolores River segments: 3b and 5

L. Other Site-Specific Revisions

<u>Upper Gunnison River 6a</u>: This segment does not have a Water Supply Use, but had an acute chromium III standard associated with that use. The Water Supply standard was deleted and replaced with TVS.

<u>Upper Gunnison River 12</u>: An ambient-based chronic manganese standard of 191 ug/l was adopted to protect the Water Supply Use classification. Adequate data from 2000 were not available to calculate an ambient standard. Ambient conditions were calculated as the 85th percentile of a dataset using the most recent 5-years of data. The dataset was de-biased due to a preponderance of samples collected in the spring when water quality is poorest.

<u>Upper Gunnison River 13a</u>: The Fish Ingestion standards were replaced with Water+Fish since the Water Supply Use applies to this segment.

<u>North Fork of the Gunnison River 6a</u>: This segment does not have a Water Supply Use, but had several standards associated with that use. The nitrate standard was changed from 10 mg/l to 100 mg/l, the chloride standard was deleted, and the acute chromium III standard was replaced with TVS. Acute and chronic TVS lead standards were added.

<u>North Fork of the Gunnison River 6b</u>: This segment was missing acute and chronic lead standards. Acute and chronic TVS lead standards were added. The acute and chronic designations were deleted from the nitrate and chloride standards since those descriptions do not apply to those standards.

<u>Uncompany River 8</u>: This segment had outdated Drinking Water standards for cadmium, copper, lead, nickel, selenium, silver and zinc. Recent water quality data showed that the table value standards were exceeded for lead and copper only. Acute and chronic table value standards were added for all metals except for lead and copper, which were left unchanged. A mercury standard was also added to protect the Aquatic Life Use. This segment may be a candidate for ambient-based lead and copper values when more data become available about the sources of metals to Mineral Creek.

<u>Lower Gunnison River 2</u>: The Aquatic Life Use classification for this segment was downgraded from Cold 1 to Warm 1 in 2006. The dissolved oxygen standards were changed to reflect the Warm Use classification.

Lower Gunnison River 3: This segment had a typographical error in the pH standard. The pH standard was changed from 6.4-9.0 to 6.5-9.0.

Lower Gunnison River 9: This segment does not have a Water Supply Use, but had iron and manganese standards associated with that use. The iron and manganese Water Supply standards were deleted from this segment.

San Miguel River 3b: This segment was missing an acute lead standard. An acute TVS lead standard was added to this segment.

San Miguel River 4b: This Aquatic Life Use classification for this segment was changed from Cold 2 to Warm 1 in 2010. The dissolved oxygen and nitrite standards were changed to reflect the Warm Use classification.

<u>San Miguel River 6a-b</u>: These segments had the outdated chronic arsenic standards of 150 ug/L. The chronic arsenic standards were changed to 100 ug/L to protect the Agriculture Use classification.

San Miguel River 11a: This segment does not have a Water Supply Use, but had nitrate and chloride standards associated with that use. The nitrate standard was changed from 10 mg/L to 100 mg/L, and the chloride standard was deleted.

Lower Dolores River 3c: This segment had ambient selenium and zinc standards. Recent data showed that the selenium concentrations were lower than the ambient-based standard, so the acute selenium standard was changed from 23.4 ug/L to 18.4 ug/L, and the chronic selenium standard was changed from 21.4 ug/L to 6.6 ug/L. The data showed that Salt Creek was attaining the table value standards for zinc, so the ambient based acute and chronic standards were replaced with TVS.

PARTIES TO THE RULEMAKING HEARING

- 1. Trout Unlimited
- 2. WildEarth Guardians
- 3. National Park Service, Curecanti National Recreation Area
- 4. Mountain Coal Company
- 5. U.S. Energy Corp.
- 6. Climax Molybdenum Company
- 7. Gunnison County
- 8. Gunnison County Stockgrowers Association, Inc.
- 9. Homestake Mining Company of California
- 10. Colorado Parks and Wildlife
- 11. High Country Citizens' Alliance
- 12. Town of Crested Butte
- 13. Upper Gunnison River Water Conservancy District
- 14. Dolores Water Conservancy District
- 15. Town of Hotchkiss
- 16. Town of Olathe
- 17. Town of Silverton
- 18. Atlantic Richfield Company
- 19 City of Delta
- 20. Environmental Protection Agency
- 21 R Squared, Inc.
- 22. Wright Water Engineers, Inc.
- 23. San Juan Citizens Alliance
- 24. Colorado Sand and Gravel Association

35.35 STATEMENT OF BASIS SPECIFIC STATUTORY AUTHORITY AND PURPOSE DECEMBER 10, 2012 RULEMAKING; FINAL ACTION JANUARY 14, 2013 EFFECTIVE DATE JUNE 30, 2013

The provisions of C.R S. 25-8-202(1)(a), (b) and (2); 25-8-203; 25-8-204; and 25-8-402; provide the specific statutory authority for adoption of these regulatory amendments. The Commission also adopted in compliance with 24-4-103(4) C.R.S. the following statement of basis and purpose.

BASIS AND PURPOSE

Upper Gunnison River Basin Segment 12:

Pursuant to the requirements in the Basic Standards (at 31.7(3)), the Commission reviewed the status of temporary modifications scheduled to expire before December 31, 2014, to determine whether the temporary modification should be modified, eliminated or extended.

During the September 10, 2012 Rulemaking, the Commission adopted Type B Temporary Modifications for chronic cadmium, chronic copper and chronic zinc with expiration dates of June 30, 2013. Since that time, U.S. Energy has worked with the Division and interested parties to develop a sampling plan to identify the natural and human-induced sources of cadmium, copper and zinc in the portion of the Coal Creek watershed affecting water quality in Segment 12 and to assess the extent to which human-induced sources are reversible, including measurable loads from wasterock piles and exploration shafts. U.S. Energy will evaluate a range of alternatives including treatment of contaminated water, whether surface or groundwater, including collection and treatment at the Keystone Mine site. Among other possible metals loading sources, the sampling plan includes a preliminary investigation of groundwater that may be originating from flooded workings within the historic Keystone Mine. The sampling plan includes efforts to evaluate the extent to which metals concentrations in groundwater within and immediately downgradient of the flooded mine workings are being affected by historic mining activity. If such effects are identified, or if preliminary results are inconclusive as to the effects of the flooded mine workings. U.S. Energy will develop plans for further investigation and characterization of metals loading to Segment 12 from the mine area. The Commission believes the sampling plan is sufficiently detailed and otherwise adequate to support extension of the Temporary Modifications until June 30, 2016. This should provide sufficient time to complete the proposed sampling and data analysis and to develop the other information needed (including a use attainability analysis) to set site specific water quality standards within a reasonable period. This will also ensure that progress towards (i) completing the initial investigation of the flooded mine workings, (ii) developing and implementing plans for further study of potential loading to Segment 12, and (iii) collecting sufficient information to support adoption of site-specific water quality standards in 2016 will be reviewed in the annual Temporary Modification hearings in December 2014 and December 2015.

PARTIES TO THE RULEMAKING HEARING

- 1. City of Pueblo
- 2. Seneca Coal Company
- 3. Tri-State Generation and Transmission Association
- 4. Eagle River Water and Sanitation District
- 5. Board of County Commissioners for the County of Gunnison, Colorado
- 6. Colorado Parks and Wildlife
- 7. High Country Citizens' Alliance
- 8. Bill Thiebaut, DA for 10th Judicial District and the Office of the DA for the 10th Judicial District
- 9. City of Colorado Springs
- 10. Town of Crested Butte
- 11. Upper Gunnison River Water Conservancy District
- 12. U.S. Energy Corp.
- 13. Gunnison County Stockgrowers Association, Inc.
- 14. Environmental Protection Agency
- 15. Cherokee Metropolitan District
- 16. Fountain Sanitation District
- 17. Lower Fountain Metropolitan Sewage Disposal District
- 18. Monument Sanitation District
- 19. Palmer Lake Sanitation District
- 20. Town of Monument
- 21. Academy Water and Sanitation District
- 22. Tri-Lakes Wastewater Treatment Facility

- 23. Town of Palmer Lake
- 24. Woodmoor Water and Sanitation District No. 1
- 25. Upper Monument Creek Regional Wastewater Treatment Facility

35.36 STATEMENT OF BASIS SPECIFIC STATUTORY AUTHORITY AND PURPOSE APRIL 8, 2013 RULEMAKING; FINAL ACTION MAY 13, 2013 EFFECTIVE DATE SEPTEMBER 30, 2013

The provisions of C.R S. 25-8-202(1)(a), (b) and (2); 25-8-203; 25-8-204; and 25-8-402; provide the specific statutory authority for adoption of these regulatory amendments. The Commission also adopted in compliance with 24-4-103(4) C.R.S. the following statement of basis and purpose.

BASIS AND PURPOSE

In August of 2005, the Commission adopted revisions to the Basic Standards and Methodologies for Surface Waters (Regulation #31) to add a Water + Fish (W+F) table value standard for chronic arsenic of 0.02 micrograms per liter (µg/L). W+F standards are numeric human health-based water quality standards that are calculated protective values that take into account the combined exposure from the pollutant in drinking water and the pollutant accumulated in fish flesh. This criterion automatically went into effect for Aquatic Life Class 1 waters which also have a Domestic Water Supply use, when the changes to the Basic Standards became effective. It was also adopted on a segment by segment basis for Aquatic Life class 2 waters with Domestic Water Supply where the Commission determined there are fish of a catchable size of species that are normally consumed. Because of the complicated nature of the arsenic standards, specific values were added to the basin tables in the basin hearings between 2006 and 2009.

In this hearing, the Commission adopted temporary modifications for W+F chronic arsenic where a permitted discharger with a water quality-based effluent limit compliance problem exists. The adopted temporary modification is listed in the regulation tables as "As(ch)=hybrid". An explanation of the temporary modification and its expected implementation into control requirements, such as Colorado Discharge Permit System (CDPS) effluent limitations, is described in 35.6(2)(d). The temporary modification of the commission to allow for a temporarily less stringent application of the chronic arsenic standard in control requirements for both existing discharges and new or increased discharges.

For discharges existing on or before 6/1/2013, the temporary modification adopted for W+F chronic arsenic is "current condition", expiring on 12/31/2021. The Commission intends that, when implementing the temporary modification of "current condition" in a CDPS permit, the Division will assess the current effluent quality, recognizing that it changes over time due to variability in treatment facility removal efficiency and influent loading from natural or anthropogenic sources, and due to changes in the influent flow and concentration over time. Maintaining the current condition will include maintaining permitted total arsenic loading to a treatment facility from arsenic contributors at the levels existing on the effective date of the temporary modification, while expressly allowing for variability in such loading due to changes in effluent quality as described above and due to changes in the influent flow and concentration over time within the permitted design flow of that facility. The Commission understands that the Division's past practice implementing this requirement in permits has been through reporting regarding the arsenic loading to the facility, and not through numeric effluent limitations. The Commission intends that the Division will continue this practice. For facilities that lack enough representative data to quantify arsenic loading, the permittee may satisfy reporting requirements through narrative descriptions of potential sources of arsenic. No permit action shall be approved that allows an increase in permitted total arsenic loading to a treatment facility. The expiration date of the temporary modification was set at 12/31/21 to allow for CDPS permits that are issued prior to the effective date of anticipated changes to the chronic arsenic standard in the 2016 Basic Standards Rulemaking to not have the temporary modification expire within the term of a permit. The Commission adopted this temporary modification to allow time for the Division, dischargers and stakeholders to continue a workgroup process to resolve the uncertainty regarding the appropriateness of the W+F chronic arsenic standard of 0.02 µg/L with respect to a technologically feasible level of treatment.

For new or increased discharges that commence on or after 6/1/2013, the temporary modification adopted is $As(ch) = 0.02-3.0 \mu q/L$ (Trec), expiring on 12/31/2021. The Commission decided that since the technologically achievable arsenic level is less stringent than the calculated W+F criterion, the temporary modification for new or increased discharges will be a range of 0.02-3.0 µg/L. The first number in the range is the health-based value, based on the Commission's established methodology for human healthbased standards that protect against the combined exposure of drinking water and eating fish. The second number in the range is the Commission's initial determination of a technologically achievable value for arsenic, set at 3.0 µg/L. Control requirements, such as discharge permits effluent limitations, shall be established using the first number in the range as the ambient water quality target, provided that no effluent limitation shall require an "end of pipe" discharge level more restrictive than the second number in the range during the effective period for this temporary modification. The expiration date of the temporary modification was set at 12/31/21 to allow for CDPS permits that are issued prior to the effective date of anticipated changes to the chronic arsenic standard in the 2016 Basic Standards Rulemaking to not have the temporary modification expire within the term of a permit. The Commission adopted this temporary modification to allow time for the Division, dischargers and stakeholders to continue a workgroup process to resolve the uncertainty regarding the appropriateness of the W+F chronic arsenic standard of 0.02 µg/L with respect to a technologically feasible level of treatment.

The technologically feasible level of $3.0 \,\mu$ g/L for arsenic is based upon testimony heard by the Commission at the December 13, 2011 Emergency Revisions to Regulation #38. At the December 13, 2011 hearing, the Commission determined, as a practical manner, that $3.0 \,\mu$ g/L is the lowest level that is technologically achievable for common types of water treatment facilities. At the April 8, 2013 Rulemaking, the Commission heard testimony that concurred with the finding from December 13, 2011 that an initial reasonable lower limit of treatment technology for arsenic is $3.0 \,\mu$ g/L, pending further investigation by the Division, dischargers and stakeholders. The Division intends to address the uncertainty of the W+F chronic arsenic standard with respect to a technologically feasible level of treatment through a continued workgroup process, and propose a revised W+F chronic arsenic standards as part of the 2016 Basic Standards Rulemaking Hearing

Temporary modifications were adopted on the following segments. The segments identified have the previously adopted W+F chronic arsenic standard of $0.02 \,\mu$ g/L and an identified CDPS permit or permits that discharge immediately to or directly above the identified segment.

Upper Gunnison River Basin 1 Upper Gunnison River Basin 2 Upper Gunnison River Basin 4 Upper Gunnison River Basin 5a Upper Gunnison River Basin 5b Upper Gunnison River Basin 6b Upper Gunnison River Basin 8 Upper Gunnison River Basin 9 Upper Gunnison River Basin 12 Upper Gunnison River Basin 14 Upper Gunnison River Basin 18a Upper Gunnison River Basin 18b Upper Gunnison River Basin 19 Upper Gunnison River Basin 21 Upper Gunnison River Basin 22 Upper Gunnison River Basin 26 Upper Gunnison River Basin 29a Upper Gunnison River Basin 30 North Fork of the Gunnison River 1 North Fork of the Gunnison River 2 North Fork of the Gunnison River 4 North Fork of the Gunnison River 5a North Fork of the Gunnison River 5b North Fork of the Gunnison River 6b Uncompahgre River 3a Lower Gunnison River 1 Lower Gunnison River 2 Lower Gunnison River 3 Lower Gunnison River 3 Lower Gunnison River 8 San Miguel River 2 San Miguel River 2 San Miguel River 4b San Miguel River 4b San Miguel River 7 San Miguel River 9 San Miguel River 10 San Miguel River 12a San Miguel River 12b Lower Dolores River 1b Lower Dolores River 5

PARTIES TO THE RULEMAKING HEARING

- 1. Colorado Mining Association
- 2. Union Gold, Inc.
- 3. Colorado Department of Transportation
- 4. City of Colorado Springs and Colorado Springs Utilities
- 5. Town of Crested Butte
- 6. Mountain Coal Company
- 7. Centennial Water and Sanitation District
- 8. MillerCoors, LLC
- 9. Plum Creek Wastewater Authority
- 10. Tri-State Generation & Transmission Association
- 11. Climax Molybdenum Company
- 12. Littleton/Englewood Wastewater Treatment Plant
- 13. Eagle River Water and Sanitation District
- 14. City of Boulder
- 15. City and County of Denver
- 16. Parker Water and Sanitation District
- 17. U.S. Energy Corp.
- 18. U.S. Environmental Protection Agency
- 19. City of Greeley

35.37 STATEMENT OF BASIS, SPECIFIC STATUTORY AUTHORITY AND PURPOSE; MAY 13, 2013 RULEMAKING; EFFECTIVE DATE SEPTEMBER 30, 2013

The provisions of C.R S. 25-8-202(1)(a), (b) and (2); 25-8-203; 25-8-204; and 25-8-402; provide the specific statutory authority for adoption of these regulatory amendments. The Commission also adopted in compliance with 24-4-103(4) C.R.S. the following statement of basis and purpose.

BASIS AND PURPOSE:

The Commission adopted revisions to Regulation #35 after a rulemaking hearing in September 2012. Changes to table value criteria for temperature Warm Stream Tier 2 subclass that were made in the 2010 Basic Standards hearing were inadvertently overlooked at the time the proposal for that rulemaking was developed. In today's action the Commission adopted the corrections to the table values for this parameter in section 35.6.

35.38 STATEMENT OF BASIS SPECIFIC STATUTORY AUTHORITY AND PURPOSE DECEMBER 9, 2013 RULEMAKING; FINAL ACTION MARCH 11, 2014, EFFECTIVE DATE JUNE 30, 2014

The provisions of C.R S. 25-8-202(1)(a), (b) and (2); 25-8-203; 25-8-204; and 25-8-402; provide the specific statutory authority for adoption of these regulatory amendments. The Commission also adopted in compliance with 24-4-103(4) C.R.S. the following statement of basis and purpose.

BASIS AND PURPOSE

Pursuant to the requirements in the Basic Standards (at 31.7(3)), the Commission reviewed the status of temporary modifications scheduled to expire before December 31, 2015, to determine whether the temporary modification should be modified, eliminated or extended.

No Action: Temporary modifications of the uranium standards on Upper Gunnison segment 20 were reviewed. Homestake Mining Company presented evidence that progress is being made on the plan to resolve uncertainty. Homestake is on schedule to make a water quality standards proposal for consideration by the Commission at the annual Temporary Modification hearing in December 2014.

PARTIES TO THE RULEMAKING HEARING

- 1. Rio Grande Silver, Inc.
- 2. Black Hawk/Central City Sanitation District and City of Black Hawk
- 3. Centennial Water & Sanitation District, City of Littleton, City of Englewood
- 4. Colorado Parks and Wildlife
- 5. Homestake Mining Company of California
- 6. Metro Wastewater Reclamation District
- 7. South Platte Coalition for Urban River Evaluation (SP CURE)
- 8. City of Boulder
- 9. Seneca Coal
- 10. Tri-State Generation and Transmission Association
- 11. City of Fort Collins
- 12. MillerCoors, LLC
- 13. Environmental Protection Agency
- 14. Barr Lake and Milton Reservoir Watershed Association
- 15. Plum Creek Water Reclamation Authority

35.39 STATEMENT OF BASIS, SPECIFIC STATUTORY AUTHORITY, AND PURPOSE: DECEMBER 8, 2014 RULEMAKING; EFFECTIVE DATE JUNE 30, 2015

The provisions of C.R.S. 25-8-202(1)(a), (b) and (2); 25-8-203; 25-8-204; and 25-8-402; provide the specific statutory authority for adoption of these regulatory amendments. The Commission also adopted in compliance with 24-4-103(4) C.R.S. the following statement of basis and purpose.

BASIS AND PURPOSE

To remain consistent with the Commission's decisions regarding arsenic at Section 35.36, an arsenic temporary modification was added to Upper Gunnison segment 13a, which had an existing chronic arsenic standard of 0.02 ug/l and a permitted discharger with a predicted water quality-based effluent limit compliance problem.

35.40 STATEMENT OF BASIS, SPECIFIC STATUTORY AUTHORITY AND PURPOSE; DECEMBER 8, 2014 RULEMAKING; FINAL ACTION JANUARY 12, 2015; EFFECTIVE DATE JUNE 30, 2015

The provisions of C.R.S. 25-8-202(1)(a), (b) and (2); 25-8-203; 25-8-204; and 25-8-402; provide the specific statutory authority for adoption of these regulatory amendments. The Commission also adopted in compliance with 24-4-103(4) C.R.S. the following statement of basis and purpose.

BASIS AND PURPOSE

Pursuant to the requirements in the Basic Standards (at 31.7(3)), the Commission reviewed the status of temporary modifications scheduled to expire before December 31, 2016, to determine whether the temporary modification should be modified, eliminated or extended. Temporary modifications of standards on 2 segments were reviewed.

No Action: The Commission took no action on the temporary modifications for the following segments.

Upper Gunnisonn River segment 12, metals standards (type B): The Commission took no action on the existing Type B Temporary Modifications for cadmium, copper, and zinc, which were adopted for Upper Gunnison River Basin Segment 12 during the December 10, 2012 Rulemaking. These temporary modifications are scheduled to expire on June 30, 2016. U.S. Energy presented evidence that sufficient progress is being made on implementation of the Study Plan to Evaluate Metals Loading in the Coal Creek Watershed in the Vicinity of the Keystone Mine (the "Study Plan"). The Study Plan, as approved by the Commission, is intended to identify and quantify sources of cadmium, copper, and zinc that may be affecting water quality in Segment 12, including groundwater downgradient of the flooded Keystone Mine workings. U.S. Energy also informed the Commission of certain modifications to the sampling approach set forth in the Study Plan. Changes include: (1) adding three sampling locations to better capture additional loading sources that had not been identified at the time the Study Plan was prepared; (2) discontinuing sampling at five locations where access is restricted or prior sampling showed that metals loading is not significant; (3) eliminating one of the two low flow annual sampling events at several sampling locations, because results from the two events in September and November 2013 were similar at many locations; and (4) revising the approach for monitoring groundwater guality within and downgradient of the historic Keystone Mine flooded mine workings. The Commission does not believe these modifications will materially affect U.S. Energy's ability to assess the extent to which existing water quality in Segment 12 is the result of natural or irreversible human-induced conditions or to collect the information needed to support adoption of site-specific water quality standards. These temporary modifications will be reviewed again at the annual temporary modification hearing in December 2015.

Upper Gunnison River segment 20, acute and chronic uranium standards (type B): Homestake Mining Company is currently conducting reclamation of the Pitch Uranium Mine in Saguache County and evidence was presented indicating progress is being made toward resolving uncertainty regarding the underlying standard in Upper Gunnison River segment 20. The Commission made no change to the expiration date of 6/30/2015 because the original time allotment was deemed adequate.

New Temporary Modifications: To remain consistent with the Commission's decisions regarding arsenic at 35.36, arsenic temporary modifications were added to the following two segments, which had an existing chronic arsenic standard of 0.02 ug/l and a permitted discharger with a predicted water quality-based effluent limit compliance problem:

San Miguel segment 3a Uncompangre segment 3b

PARTIES TO THE RULEMAKING HEARING

- 1. Pioneer Natural Resources USA, Inc. and XTO Energy, Inc.
- 2. U.S. EnergyCorp.
- 3. Plum Creek Water Reclamation Authority
- 4, Upper Clear Creek Watershed Association
- 5. Upper Thompson Sanitation District
- 6. Colorado Parks and Wildlife
- 7. U.S. Environmental Protection Agency
- 8. High Country Conservation Advocates
- 9. Metro Wastewater Reclamation District
- 10. Climax Molybdenum Company
- 11. Rio Grande Silver, Inc.
- 12. City of Pueblo
- 13. Tri-State Generation and Transmission, Inc.
- 14. Centennial Water and Sanitation District
- 15. Xcel Energy
- 16. MillerCoors
- 17. Seneca Coal Company
- 18. Peabody-Sage Creek Mining, LLC
- 19. City of Boulder

35.41 STATEMENT OF BASIS AND PURPOSE REGARDING THE ADOPTION OF NON-SUBSTANTIVE CHANGES TO THE CLASSIFICATION AND NUMEIRC STANDARDS FOR GUNISON AND LOWER DOLORES RIVER BASINS, JANUARY 11, 2016 RULEMAKING; EFFECTIVE DATE MARCH 1, 2016

The provisions of C.R.S. 25-8-202(1)(i) and 25-8-401(2) provide the specific statutory authority for adoption of these regulatory amendments. The Commission also adopted in compliance with 24-4-103(4) C.R.S. the following statement of basis and purpose.

BASIS AND PURPOSE

The Commission, in a public rulemaking hearing adopted extensive changes to the format of this regulation. The Commission does not intend to change any existing designations, use classifications or standards, or the implementation of any standards as the results of changing the format.

This rulemaking was in response to longstanding issues with managing the information contained in the standards tables. The changes made in this hearing reflect a change from storing the information in word processing documents to storing the information in a relational database. This change in platform will provide better consistency, facilitate error checking as well as a more readable format for the standards tables. Storing the information in a database allows it to be used more efficiently by other programs in the Division.

While it was the Commission's intent not to change the substantive meaning of the regulations in this rulemaking, in cases where there was ambiguity the revised regulation reflects the Commission's interpretation of the previous format based on Regulation #31 (the Basic Standards and Methodologies for Surface Water) and the experience of the Commission and its staff.

<u>Overall format changes</u>: The new format displays parameters by name, rather than by period table element abbreviations. The section formerly titled "Temporary Modifications and Qualifiers" does not appear in the new format. Instead, there is a separate section for qualifiers, and an "Other" section. Temporary modifications, variances and other footnotes are displayed in the "Other" section. Many items that were formerly in the "Temporary Modifications and Qualifiers" column will be displayed in the "Other" column and will have a different appearance or modified wording, although the information is substantively the same. Each footnote in the "Other" section is preceded by a heading that indicates where the footnote applies:

- Footnotes regarding a use classification will begin with the heading "Classification..."
- Footnotes regarding the antidegradation designation begin with the heading "Designation..."
- Footnotes that relate to a particular standard begin with the name of the parameter, for example "Selenium(chronic)= ..."

<u>Constraints of the new format</u>: Some adjustments were made to the way that data is displayed in order to be compatible with the functions of the Standards Database. Database organization requires that information which relates to multiple standards must be attached to each individual parameter. For example, a segment with a temporary modification listed for "all parameters" in the old format will have a temporary modification listed for each individual parameter in the new format. There are also spacing constraints in the new format, which require some information to be moved either to the "other" box on the new format, or moved out of the segment entirely and into another location in the regulation.

<u>Clarification of changes</u>: The shift to a database organizational structure required consistency in the way each data element is addressed. To insure that data is stored and displayed correctly, the following changes were made

- The "type" of temporary modification is no longer displayed in the segment tables, since they have no regulatory effect and have been inconsistently displayed.
- In the old format, waters that had a reviewable antidegradation designation were identified by the absence of either "UP" or "OW" in the designation column. These segments now display the word "reviewable" under the designation heading. There needed to be a value in the designation column for every segment.
- Dissolved standards are not specifically noted as dissolved in the new format. All metals standards are dissolved unless noted with a "T" or a "t". For example, a manganese standard in the old format of "WS(dis") is displayed as "WS" in the new format.
- A new footnote 7 was added to clarify that although E. coli is listed in the "chronic" column, the standard is a two-month geometric mean rather than a 30-day average. The language of footnote 7 was taken from Regulation 31, Table 1, footnote 7.
- A new footnote 8 was added to indicate that all phosphorus standards are based upon the concentration of total phosphorus. In the old format, individual phosphorus standards were noted as "total" in some basins and not others.
- A new footnote 9 was added to clarify that although pH is listed in the "acute" column, the standard is not applied as a 1-day average. The language of footnote 7 was taken from Regulation 31, Table 1, footnote 3.

- Physical and Biological Parameters: Some parameters are not specifically identified in the old format segment tables as acute or chronic. The new format requires that each parameter is placed in either the acute or chronic column. Specifically, these parameters and the basis for being identified as acute or chronic are as follows:
 - pH (acute) Regulation #31, Table 1, footnote 3
 - E. Coli (chronic) Regulation #31, Table 1, footnote 7
 - D.O. (chronic) Regulation #31, Table 1, footnote 1
 - cyanide (acute) Regulation #31, Table 2
 - sulfide (chronic) Regulation #31, Table2
 - nitrate (acute) Regulation #31, Table 2
 - nitrite (chronic) not specified in Regulation #31. Nitrite has been implemented as a 30day average standard in permits and assessments.
 - chloride (chronic) Regulation #31, Table 2
 - boron (chronic) Regulation #31, Table 2
 - sulfate (chronic) Regulation #31, Table 2
- The previous format used Footnote 1 instead of Footnote A for the arsenic hybrid standard. The label for the footnote was changed from "1" to "A" but the text of the footnote did not change.

35.42 STATEMENT OF BASIS, SPECIFIC STATUTORY AUTHORITY AND PURPOSE; DECEMBER 14, 2015 RULEMAKING; FINAL ACTION JANUARY 11, 2016; EFFECTIVE DATE JUNE 30, 2016

The provisions of C.R.S. 25-8-202(1)(a), (b) and (2); 25-8-203; 25-8-204; and 25-8-402; provide the specific statutory authority for adoption of these regulatory amendments. The Commission also adopted in compliance with 24-4-103(4) C.R.S. the following statement of basis and purpose.

BASIS AND PURPOSE

Pursuant to the requirements in the Basic Standards (at 31.7(3)), the Commission reviewed the status of temporary modifications scheduled to expire before December 31, 2017, to determine whether the temporary modification should be modified, eliminated or extended. Temporary modifications of standards on four segments were reviewed.

The Commission took no action on the temporary modifications on the following segments.

Uncompany segment 4b: Temporary modification of the selenium standards. The Commission took no action on the selenium temporary modifications on Uncompany segment 4b. The Town of Olathe did not participate in this rulemaking but the temporary modification will be reviewed in December 2016.
The Commission deleted the temporary modification on the following segment.

Upper Gunnison River segment 20: Temporary modification of the acute and chronic uranium standards. These temporary modifications expired on 6/30/2015. The Commission authorized deletion of the temporary modification from the tables.

The Commission extended the temporary modifications on the following segments.

Lower Gunnison segment 2: Temporary modification of the selenium standard. The Commission extended the temporary modification for chronic selenium with a narrative value of "current condition" to December 31, 2022 to coincide with the next basin review. The City of Delta wastewater treatment facility is currently discharging selenium at an average concentration of 8.45 ug/L and is addressing the inflow and infiltration into their collection system that is the cause of elevated selenium in their effluent. The City of Delta recently purchased a new wheeled collection system camera and has identified, with video and sampling a few sources of I & I (Inflow and Infiltration) and funds up to \$150,000 for this year have been allocated for pipe replacement. There is also still significant uncertainty concerning the underlying selenium standard. Time is needed to wait for the EPA's new selenium standard for Lower Gunnison guidance, and to determine an appropriate underlying selenium standard will be reviewed at the annual temporary modification hearing December 2020.

Upper Gunnison segment 12: Temporary modification of metals standards. The Commission extended the existing temporary modifications for cadmium, copper and zinc, which were adopted for segment 12 during the September 2012 rulemaking; these temporary modifications are now scheduled to expire on December 31, 2017. This extension will allow sufficient time to resolve the existing uncertainty regarding metals loading sources to segment 12 and develop site-specific standards. It will also reconcile the expiration date for the temporary modifications with the projected effective date for revised water quality standards adopted during the June 2017 Regulation #35 basin hearing. U.S. Energy presented evidence that progress is being made on implementation of the Study Plan to Evaluate Metals Loading in the Coal Creek Watershed in the Vicinity of the Keystone Mine (the "Study Plan"). The Study Plan, as approved by the Commission, is intended to identify and quantify sources of cadmium, copper and zinc loading that may be affecting water quality in segment 12, including groundwater down gradient of the flooded Keystone Mine workings. To address concerns regarding the groundwater portion of the study, U.S. Energy completed a longitudinal sampling event in November 2015. U.S. Energy identified activities it plans to complete over the next eighteen months to be ready to develop and propose site-specific water quality standards in June 2017, which includes continued data collection (if needed) and evaluation, report preparation, site-specific standards proposal development, and meetings with the agencies and stakeholders. The surface water data collected as part of the Study Plan and additional groundwater data as required by the groundwater portion of the plan will be used by U.S. Energy to develop site-specific standards for segment 12, if appropriate. Water quality improvements and seasonal variation evident from the long-term water quality data collection effort in segment 12 will be evaluated throughout the remainder of the temporary modifications during the development and consideration of site-specific standards. These temporary modifications will be reviewed again at the annual temporary modifications hearing in December 2016.

PARTIES TO THE RULEMAKING HEARING

- 1. City of Delta
- 2. Resurrection Mining Company
- 3. U.S. Energy Corp.
- 4. City of Pueblo
- 5. Peabody Sage Creek Mining and Seneca Coal Company
- 6. Climax Molybdenum Company

- 7. Rio Grande Silver
- 8. City of Colorado Springs and Colorado Springs Utilities
- 9. Tri-State Generation and Transmission Association, Inc.
- 10. High Country Conservation Advocates
- 11. U.S. Environmental Protection Agency
- 12. Colorado Parks and Wildlife
- 13. Town of Crested Butte and Coal Creek Watershed Coalition
- 14. Public Service Company of Colorado

35.43 STATEMENT OF BASIS SPECIFIC STATUTORY AUTHORITY AND PURPOSE: OCTOBER 11, 2016 RULEMAKING; FINAL ACTION NOVEMBER 14, 2016; EFFECTIVE DATE MARCH 1, 2017

The provisions of C.R S. 25-8-202(1)(a), (b) and (2); 25-8-203; 25-8-204; and 25-8-402; provide the specific statutory authority for adoption of these regulatory amendments. The Commission also adopted in compliance with 24-4-103(4) C.R.S. the following statement of basis and purpose.

BASIS AND PURPOSE

A. Adoption and Re-examination of Discharger-Specific Variances

In 2010, the Commission adopted the discharger specific variance (DSV) provisions at Regulation 31.7(4), which allow a temporary water quality standard to be adopted in cases where water quality based effluent limit (WQBELs) are not feasible to achieve. A DSV is a hybrid standard that maintains the long-term water quality goal of fully protecting all designated uses, while temporarily authorizing an alternative effluent limit (AEL) to be developed for a specific pollutant and specific point source discharge where compliance with the water quality based effluent limit is not feasible.

Pursuant to 40 CFR 131.14(b)(1)(v)-(vi), the Commission must re-evaluate every DSV with a duration longer than five years and provide EPA notice of the results within 30 days of the completion of the re-evaluation process. If the Commission does not complete this action, the federal regulation states that the DSV will no longer be the applicable water quality standard for purposes of the Clean Water Act. This re-evaluation is consistent with Commission Regulation 31.7(4), which requires that the Commission re-examine all DSVs not less than once every three years. For purposes of EPA's notice requirement, the Commission's re-evaluation can be completed at two different points: 1) at the completion of a publicly noticed informational hearing where the Commission has re-examined the DSV and determined that no changes to the DSV are to be formally considered through the rulemaking process; and 2) at the effective date of a rulemaking hearing where the Commission has formally considered changes to the DSV.

B. San Miguel Segment 12b

The Commission adopted a DSV for San Miguel Segment 12b for ammonia that represents the highest degree of protection of the classified use that is economically feasible for the Town of Nucla. For ammonia, effluent limits for the Town of Nucla shall not be more restrictive than 30-day average effluent limits of 13.8 mg/L from November through April, and 8.3 mg/L from May through October prior to 12/31/2026. The Commission adopted a 30-day average alternative effluent limit because proposed improvements are anticipated to reduce average effluent ammonia concentrations. The proposed improvements do not provide the opportunity to control for variation in the daily maximum effluent concentrations and therefore, an acute limit would not be an appropriate regulatory mechanism to determine whether implementation of the selected alternative was successful.

The Town of Nucla submitted evidence that meeting the ammonia WQBEL would cause substantial and widespread adverse social and economic impacts in the area where the discharge is located. Treatment that would allow the Town of Nucla to meet the ammonia WQBELs, such as replacing the lagoon with a mechanical plant, would result in user fees that exceed the community's ability to pay. The Commission determined that any alternative that would result in user fees exceeding 1.5% of median household income for the Town of Nucla's residents was economically infeasible at this time, due to the current economic conditions in the Town of Nucla, including a declining population and a local median household income that is significantly lower than the State's average.

The Commission adopted a DSV with an alternative effluent limit that is based upon the expected ammonia effluent quality that will be achieved through implementation of the selected alternative, which includes improvements to the lagoon. There is some uncertainty in the final effluent quality that will be achieved. This uncertainty may be addressed during future re-evaluations. The Town of Nucla will collect additional data to characterize the effectiveness of the improvements, which the Commission will review upon re-evaluation of the AEL at future hearings. Since the basis for this DSV is economic feasibility, at future re-evaluations of the DSV, the Commission will review whether economic conditions have changed in way that would make additional reductions in ammonia feasible.

The Commission expects that the Town of Nucla will submit a progress report for the Commission's review of the DSV and the AEL during the June 2017 and June 2022 Gunnison River Basin review rulemaking hearings. The Commission will conduct a re-evaluation of the DSV during the triennial review process for this regulation. At the time of the issues scoping hearing and the issues formulation hearing for this regulation, the Division will review all existing and readily available information and provide comments to the Commission regarding whether the DSV continues to be the highest attainable condition. The Commission will obtain public input on the re-evaluation through the triennial review process. For purposes of EPA's notice requirement, the Commission's re-examination of this DSV will be completed at the effective date of the 2017 and 2022 Gunnison River Basin rulemaking hearings, and the Commission will submit the results of the re-evaluation to EPA no later than 30 days after the effective date of the adoption of the DSV will be either the AEL identified at the time of the adoption of the variance, or the highest attainable condition identified during any re-evaluation rulemaking hearing hearing held by the Commission.

PARTIES TO THE RULEMAKING HEARING

- 1. Suncor Energy (U.S.A.) Inc.
- 2. City of Las Animas
- 3. Colorado Parks and Wildlife
- 4. U.S. Environmental Protection Agency
- 5. City of La Junta
- 6. Town of Nucla

35.44 STATEMENT OF BASIS, SPECIFIC STATUTORY AUTHORITY AND PURPOSE; DECEMBER 12, 2016 RULEMAKING; FINAL ACTION JANUARY 9, 2017; EFFECTIVE DATE JUNE 30, 2017

The provisions of C.R.S. 25-8-202(1)(a), (b) and (2); 25-8-203; 25-8-204; and 25-8-402; provide the specific statutory authority for adoption of these regulatory amendments. The commission also adopted in compliance with 24-4-103(4) C.R.S. the following statement of basis and purpose.

BASIS AND PURPOSE

Pursuant to the requirements in the Basic Standards (at 31.7(3)), the commission reviewed the status of temporary modifications scheduled to expire before December 31, 2018, to determine whether the temporary modification should be modified, eliminated or extended.

No action: The commission took no action on the temporary modifications on the following segments since they will be addressed in the basin wide hearing in June 2017.

Upper Gunnison Segment 12: temporary modification of the cadmium, copper and zinc standards (expire 12/31/2017).

Uncompany Segment 4b: temporary modification of the selenium standards (expire 12/31/2017).

New Temporary Modifications of the Arsenic Standard:

Consistent with the actions taken in 2013, the commission adopted a temporary modification of the arsenic standard on segments on the following list, with an expiration date of 12/31/2021. At the April 8, 2013 rulemaking, the commission heard testimony that concurred with the finding from a December 13, 2011 hearing that an initial reasonable lower limit of treatment technology for arsenic is $3.0 \ \mu g/L$, pending further investigation by the division, dischargers and stakeholders. The temporary modification was established by the commission to allow for a temporarily less stringent application of the chronic arsenic standard in control requirements for both existing discharges and new or increased discharges.

Upper Gunnison Segment 15b Upper Gunnison Segment 38 North Fork Segment 3 Uncompandre Segment 1 Uncompandre Segment 3c Uncompandre Segment 3f Uncompandre Segment 4a Uncompandre Segment 4b Uncompandre Segment 10 Uncompandre Segment 10 Uncompandre Segment 11 Lower Gunnison Segment 7b San Miguel Segment 8 Lower Dolores Segment 1a Lower Dolores Segment 2

PARTIES TO THE RULEMAKING HEARING

- 1. Colorado Parks and Wildlife
- 2. Resurrection Mining Company
- 3. Public Service Company of Colorado
- 4. City of Pueblo
- 5. Peabody Sage Creek Mining Company and Seneca Coal Company
- 6. Tri-State Generation and Transmission Association, Inc.
- 7. Climax Molybdenum Company
- 8. Rio Grande Silver, Inc.
- 9. Mt. Emmons Mining Company
- 10. Plum Creek Water Reclamation Authority
- 11. Environmental Protection Agency
- 12. Raytheon Company
- 13. City of Boulder Open Space and Mountain Parks
- 14. High Country Conservation Advocates
- 15. City of Colorado Springs and Colorado Springs Utilities
- 16. City of Black Hawk and Black Hawk/Central City Sanitation District
- 17. Town of Crested Butte and Coal Creek Watershed Coalition
- 18. Parker Water and Sanitation District

35.45 STATEMENT OF BASIS, SPECIFIC STATUTORY AUTHORITY AND PURPOSE; JUNE 12, 2017 RULEMAKING; FINAL ACTION AUGUST 7, 2017; EFFECTIVE DATE DECEMBER 31, 2017

The provisions of C.R.S. 25-8-202(1)(a), (b) and (2); 25-8-203; 25-8-204; and 25-8-402; provide the specific statutory authority for adoption of these regulatory amendments. The commission also adopted in compliance with 24-4-103(4) C.R.S. the following statement of basis and purpose.

BASIS AND PURPOSE:

A. Water Body Segmentation

Some segments were renumbered, combined, or new segments were created to facilitate appropriate organization of water bodies in this regulation. Renumbering and/or creation of new segments was made based on information that showed: a) the original reason for segmentation no longer applied; b) significant differences in uses, water quality and/or physical characteristics warrant a change in standards on only a portion of the existing segment; and/or c) certain segments could be merged into one segment because they had similar water quality and uses. The following changes were made:

<u>Upper Gunnison River Segment 2:</u> This segment excludes Steuben Creek, Willow Creek, and Soap Creek and was modified to also exclude their tributaries.

<u>Upper Gunnison River Segments 15a and 19:</u> Hot Springs Creek below the Hot Springs Reservoir was moved from Segment 19 to Segment 15a to change the temperature standards on this portion of Hot Springs Creek from CS-I to CS-II.

<u>North Fork of the Gunnison River Segments 4a, 4b, and 4c</u>: Segment 4 was split into 4a, 4b, and 4c as part of changes to temperature standards and the Water Supply use. Segment 4b was created to apply CS-II temperature standards on Muddy Creek and its tributaries. Segment 4c was created to remove the Water Supply use from the tributaries to Lake Irwin, which is a small portion of the original Segment 4.

North Fork of the Gunnison River Segments 5a and 5b: Leroux Creek was moved from Segment 5a to Segment 5b to change the temperature standards on Leroux Creek from CS-I to CS-II.

<u>North Fork of the Gunnison River Segments 6a and 6c</u>: Thompson Creek was moved to a new Segment 6c for the purpose of adding a Water Supply use. The description of Segment 6a was updated to include an exception for Segment 6c.

<u>Uncompany River Segments 10a, 10b, and 11:</u> The portion of Cow Creek below Nate Creek was moved from Segment 11 to Segment 10a to change the temperature standards on this portion of Cow Creek from CS-I to CS-II. A portion of Kettle Creek was moved to new Segment 10b to facilitate a removal of the Water Supply use.

<u>Uncompany River Segments 13a, 13b, and 13c</u>: Segment 13 was split into 13a, 13b, and 13c as part of changes to temperature standards and the Water Supply use. Segment 13b was created to apply CS-II temperature standards East Fork Dry Creek, Pryor Creek, and Spring Creek to Devinny Canyon. Segment 13c was created to apply CS-II temperature standards and add a Water Supply use to Spring Creek from Devinny Canyon to Popular Road.

<u>Uncompany River Segments 21 and 22:</u> Segment 21 was divided into segments 21 and 22 to facilitate adoption of a Water Supply use and DUWS sub-classification for Fairview Reservoir, which is in new Segment 22. The description of Segment 21 was updated to include an exception for Segment 22.

<u>Lower Gunnison River Segments 1 and 2:</u> The boundary between segments 1 and 2 was moved upstream to Highway 65 to increase the area of application of the WS-II temperature standards on Segment 2.

Lower Gunnison River Segments 5a and 5b: Segment 5 was divided into segments 5a and 5b to accommodate changes in temperature standards. Segment 5a includes North Fork Escalante Creek and was upgraded to CS-I standards, while Segment 5b includes Roubideau Creek, Monitor Creek, and Potter Creek which reclassified as Warm 1 with WS-II standards.

Lower Gunnison River Segments 6a, 6b, and 6c: Segment 6 was divided into segments 6a, 6b, and 6c as part of changes to temperature standards and the Water Supply use. New Segments 6b and 6c were both reclassified as Warm 1 with WS-II standards. A Water Supply use was also added to Segment 6c.

Lower Gunnison River Segments 8a and 8b: Segment 8 was divided into segments 8a and 8b to facilitate a change to CS-II temperature standards for new Segment 8b, which includes Kannah Creek. Segment 8a, which includes Surface Creek, retained its CS-I standards.

<u>San Miguel River Segments 5a and 5b:</u> Segment 5 was divided into segments 5a and 5b to facilitate adoption of a Water Supply use to the mainstem of the San Miguel River from below Naturita Creek to Coal Canyon. Downstream of Coal Canyon does not have a Water Supply use.

San Miguel River Segments 9, 10a, and 10b: Segment 10 was divided into segments 10a and 10b to facilitate a change in temperature standards and use classification. New Segment 10a, which includes the upper reaches of Tabeguache Creek inside the national forest boundary, retains its CS-II standards. New Segment 10b, which includes Naturita Creek and Tabeguache Creek below the national forest boundary were reclassified to Warm 1 with WS-II standards. An exception for Segment 10a was added to Segment 9 for clarity.

San Miguel River Segments 12a, 12b, and 12c: Segments 12a and 12b were modified to facilitate changes to temperature standards and the Water Supply use. The boundary between segments 12a and 12b was changed from Naturita Creek to Horsefly Creek, and Maverick Draw and other tributaries were moved to Segment 12b. Segment 12b was reclassified as Warm 2 with WS-II standards. New Segment 12c includes Calamity Draw below Lincoln Street in Nucla, which was previously part of Segment 12b. The creation of Segment 12c facilitates reclassification as Warm 2 with WS-II standards, and removal of the Water Supply use.

Segment descriptions were also edited to improve clarity, correct typographical errors, and correct spelling errors. These changes are listed in Section P.

B. Aquatic Life Use Classifications and Standards

Some segments assigned an Aquatic Life use classification were missing a standard to protect that use. The commission adopted the missing standards for the following segments:

North Fork of the Gunnison River: 11 (lead)

The commission reviewed information regarding the existing aquatic communities. For segments where the existing aquatic communities are not aligned with the Aquatic Life use, the following segments were downgraded from Cold to Warm:

Uncompandere River segment: 15b Lower Gunnison River segments: 5b, 6b, 6c San Miguel River segments: 10b, 12b The commission reviewed all Class 2 segments that have fish that are "of a catchable size and which are normally consumed and where there is evidence that fishing takes places on a recurring basis." Water + Fish or Fish Ingestion standards were applied to the following segments:

North Fork Gunnison River segment: 11 Uncompany River segment: 21 Lower Gunnison River segment: 9

C. Recreation Use Classifications and Standards

The commission reviewed information regarding the current Recreation use classifications and evidence pertaining to actual or potential primary contact recreation, and no changes were adopted at this time. In addition, newly created segments were given the same Recreation use classification as the segment from which they were split, unless there was insufficient evidence to support keeping that classification, or evidence to show that the existing use classification was inappropriate.

D. Water Supply Use Classification and Standards

The commission added a Water Supply use classification and standards where the evidence demonstrated a reasonable potential for a hydrological connection between surface water and alluvial wells used for drinking water. The Water Supply use classification and standards were added to the following segments:

North Fork Gunnison River segment: 6c Uncompany River segments: 12, 13c Lower Gunnison River segment: 6c San Miguel River segment: 5a

The commission removed the Water Supply use classification and standards where the evidence demonstrated that a Water Supply use does not currently exist due to flow or other conditions, and that such a use is not reasonably expected in the future due to water rights, source water options, or other conditions. The water supply standard for chloride was retained for these segments, given concerns regarding the protection of aquatic life by the existing Water Supply standard. The Water Supply use classification and standards, except for chloride, were removed from the following segments:

North Fork Gunnison River segment: 4c Uncompany River segment: 10b San Miguel River segment: 12c

For the segments where the Water Supply use classification and standards were removed, the commission adopted the division's proposal to retain the 250 mg/L chronic (30-day average) standards for chloride as an interim step, based on evidence presented demonstrating the toxic effects of chloride on aquatic life. Retaining the current chloride standard is necessary to protect the assigned Aquatic Life uses and to ensure that these waters are free from substances toxic to aquatic life in accordance with 31.11(1)(a)(iv). The commission retained the numeric standard for chloride because narrative standards have often proved challenging to implement, and interim numeric standards will provide implementable interim standards while allowing time for development of robust replacement criteria based on the latest scientific information.

The commission recognizes that there is scientific uncertainty about the appropriate standards for chloride and/or sulfate to protect the Aquatic Life use, and that appropriate standards may need to recognize that toxicity is affected by site water characteristics (similar to the influence of hardness on the toxicity of dissolved metals). The commission's intention is that future revisions to the numeric standards assigned to these segments, and also to Regulation No. 31 (i.e., aquatic life-based table values chloride and/or sulfate), can be considered if: (1) EPA issues new or updated CWA § 304(a) Aquatic Life criteria recommendations, (2) another state adopts new or revised Aquatic Life criteria and EPA approves, or (3) protective criteria otherwise become available that incorporate the latest scientific information on the risks to aquatic life posed by these pollutants.

A review of the segments with an existing Water Supply use classification showed that some segments were missing one or more standards to protect that use. The full suite of Water Supply standards was added to the following segments:

North Fork of the Gunnison River segment: 11 (iron) San Miguel River segment: 19 (arsenic)

E. Agriculture Use Classification and Standards

The commission reviewed all segments with lacking an Agriculture use. Based on an evaluation of the available data and information, no changes were adopted at this time.

F. Other Standards to Protect Agriculture, Aquatic Life, and Water Supply Uses

 Molybdenum: In 2010, the commission adopted a new standard for molybdenum to protect cattle from the effects of molybdenosis. The table value adopted at that time was 300 µg/L, but included an assumption of 48 mg/day of copper supplementation to ameliorate the effects of molybdenosis. State and local experts on cattle nutrition indicated that copper supplementation in the region is common, but is not universal. Therefore, the copper supplementation assumption was removed from the equation, which then yielded a standard of 160 µg/L. That standard was applied in recent basin reviews.

In the 2015 Regulation No. 38 hearing, the commission adopted a standard of 150 μ g/L, based on an improved understanding of the dietary- and water-intake rates for various life-stages of cattle. This standard is protective of all life-stages of cattle (including lactating cows and growing heifers, steers and bulls) at all times of year.

The Agriculture table value assumes that the safe copper:molybdenum ratio is 4:1. Food and water intake is based on growing heifers, steers, and bulls consuming 6.7 kg/day of dry matter and 56.8 liters of water per day. Total copper and molybdenum intakes are calculated from the following equations:

Cu intake mg/day = [([Cu] forage, mg/kg) x (forage intake, kg/day)] + [([Cu] water, mg/l) x (water intake, L/day)] + (Cu supplementation, mg/day)

Mo intake mg/day = [([Mo] forage, mg/kg) x (forage intake, kg/day)] + [([Mo] water, mg/l) x (water intake, L/day)] + (Mo supplementation, mg/day)

The assumed values for these equations are as follows:

[Cu] forage = 7 mg/kg, [Mo] forage = 0.5 mg/kg, forage intake = 6.7 kg/day, [Cu] water = 0.008 mg/L, water intake = 56.8 L/day, Cu supplementation = 0 mg/day, Mo supplementation = 0 mg/day.

In 2010, the commission also adopted a new standard for molybdenum to protect the Water Supply use that was calculated in accordance with Policy 96-2.

A molybdenum standard of 150 μ g/L was adopted for all segments in Regulation No. 35 that have an Agriculture use classification, and where livestock or irrigated forage are present or expected to be present.

The following segments (or portions of segments) have an Agriculture use classification and a Water Supply use, but livestock watering does not occur. A molybdenum standard of 210 μ g/L was retained on these segments to protect the Water Supply use:

Upper Gunnison River segments: 9, 11

2. **Cadmium for Aquatic Life:** The commission adopted updated hardness-based cadmium Aquatic Life standards on a targeted, site-specific basis in cold waters to reflect the most up-to-date science. The new standards, released by the U.S. Environmental Protection Agency (EPA) in March 2016, are protective of sensitive cold water aquatic life (i.e., trout). The cadmium criteria recommended by EPA and adopted by the commission are as follows:

Acute = e^{(0.9789*In(hardness) - 3.866)*}(1.136672-(In(hardness)*0.041838))

Chronic = $e^{(0.7977*\ln(hardness) - 3.909)*(1.101672-(\ln(hardness)*0.041838))}$

EPA's updated cadmium criteria are less stringent than Colorado's current cadmium standards when water hardness is greater than 45 mg/L CaCO₃. Although the criteria are less stringent, they were developed using the latest science and are protective of aquatic life, and it is expected that Colorado's state-wide cadmium standards will likely be updated using the 2016 EPA cadmium criteria at a later date. Therefore, the commission determined it was appropriate to adopt the new criteria for waters known to be impaired for cadmium to ensure forthcoming clean-up goal development and Total Maximum Daily Load (TMDL) evaluations are based on the most relevant water quality standards available. The updated cadmium standards were adopted for the following segments:

Upper Gunnison River segments: 7, 10a, 10b, 11, 12, 29a, 30, 31 North Fork of the Gunnison River segment: 4c Uncompany River segments: 2, 3a, 3b, 3c, 3d, 3e, 3f, 5, 8, 9 San Miguel River segments: 2, 3a, 3b, 6a, 6b

3. **Cadmium. Nickel. and Lead for Water Supply:** A review of the cadmium, nickel, and lead standards showed that uses were not always adequately protected by the standards currently in the tables. Depending on hardness, the Aquatic Life standards for cadmium, lead, and nickel were not protective of the Water Supply use. The division reviewed all segments in Regulation No. 35 to determine if the current standards applied to each segment are fully protective of the assigned uses, and revised or added standards where appropriate.

The cadmium Water Supply standard was added because the acute Aquatic Life standard is not protective when the hardness was greater than 200 mg/L in non-trout streams and 345 mg/L in trout streams; the lead Water Supply standard was added because the acute Aquatic Life standard is not protective when hardness is greater than 79 mg/L; and the nickel Water Supply standard was added because the chronic Aquatic Life standard is not protective when hardness is greater than 216 mg/L. Cadmium, lead, and nickel Water Supply standards were added to the following segments:

Upper Gunnison River segments: 1, 2, 4, 5a, 5b, 6b, 6c, 7, 8, 9, 11, 12, 13, 14, 15a, 15b, 16a, 16b, 17a, 17b, 18a, 18b, 19, 21, 22, 23, 24, 25, 26, 29a, 29b, 30, 32, 33, 34, 36, 37, 38

North Fork of the Gunnison River segments: 1, 2, 3, 4a, 4b, 5a, 5b, 6b, 6c, 7, 8, 9, 10, 11

Uncompany River segments: 1, 2, 3a, 3b, 3c, 3d, 3e, 3f, 4a, 4b, 5, 7, 8, 10a, 11, 12, 13c, 16, 17, 18, 22

Lower Gunnison River segments: 1, 2, 3, 4a, 4b, 4c, 5a, 5b, 6c, 7a, 7b, 8a, 8b, 10, 11a, 11b, 12, 14, 15, 16, 17, 18, 19

San Miguel River segments: 1, 2, 3b, 4a, 4b, 5a, 7, 8, 9, 10a, 10b, 12a, 12b, 13, 14, 18, 19, 20

Lower Dolores River segments: 1a, 1b, 2, 3a, 4, 5, 6, 7

4. **Aquatic Life Criteria for Selenium and Ammonia:** The commission declined to adopt EPA's revised 304(a) Aquatic Life criteria for selenium and ammonia at this time; however, the division is committed to evaluating these new criteria. Studies are currently underway for each parameter to improve understanding of these criteria in the context of water quality conditions in Colorado and how these criteria may be adopted and implemented in Colorado in the future.

G. Antidegradation Designations

The commission reviewed all Warm 2 segments designated Use Protected to determine if the Use Protected designation was still warranted. Based upon available water quality data that meet the criteria of 31.8(2)b, the Use Protected designation was not removed from any segments.

The commission reviewed all Warm 1 segments designated Use Protected to determine if the Use Protected designation was still warranted. Based upon available water quality data that meet the criteria of 31.8(2)b, the Use Protected designation was not removed from any segments.

The commission reviewed all Reviewable segments to determine if this Antidegradation designation was still warranted. Based upon available water quality data that fails to meet the criteria of 31.8(2)b, the Reviewable designation was not removed from any segments.

Where the commission downgraded the Aquatic Life use classification to Warm Class 2, the commission reviewed the Antidegradation designation. Pursuant to 31.8(2)(b), the following segments should be designated Use Protected because they are Warm Class 2 and the conditions outlined in 31.8(2)(b)(iii) are not met:

San Miguel River segments: 12b, 12c

The following segments with Outstanding Waters designations were expanded to include the Raggeds Wilderness Area:

Upper Gunnison River segment: 1

H. Ambient Quality-Based Standards

Ambient quality-based standards are adopted where a comprehensive analysis has been conducted demonstrating that elevated existing water quality levels are the result of natural conditions or are infeasible to reverse, but are adequate to protect the highest attainable use.

All existing ambient-based standards were reviewed and where appropriate were revised based on new information. Ambient-based standards were revised for the following segments:

Upper Gunnison River segments: 10a, 15a Uncompany River segments: 3a, 3b, 3c, 4b, 4c, 7

The commission reviewed all existing site-specific standards. Based on an evaluation of the available data and information, no changes were adopted at this time.

I. Temporary Modifications

All existing Temporary Modifications were examined to determine if they should be allowed to expire or if they should be extended, either unchanged or with changes to the numeric limits.

The commission deleted or allowed to expire on 12/31/2017 certain temporary modifications on the following segments:

Upper Gunnison River segment: 12 Uncompany River segment: 4b

To remain consistent with the commission's decisions regarding arsenic in section 35.36, all existing temporary modifications for arsenic of "As(ch)=hybrid" (expiration date of 12/31/21) were retained. An arsenic temporary modification was added to the following segments, which had an existing or newly added chronic arsenic standard 0.02 μ g/L and a permitted discharger with a water quality–based effluent limit compliance problem:

Uncompany River segment: 12

The commission adopted new Temporary Modifications on the following segments:

Upper Gunnison River segments: 12, 21

J. Discharger Specific Variances

There is currently one segment in the Gunnison and Lower Dolores River Basin (San Miguel Segment 12c) that has a discharger specific variance (DSV) for ammonia. The commission reviewed the basis for this DSV and the available information regarding progress toward achieving the highest attainable water quality. The commission determined that this DSV is still appropriate and does not require revision at this time.

K. Temperature Standards for Rivers and Streams

The commission revised temperature criteria in Regulation No. 31 in 2007, and again in 2010, based on the development of the Colorado Temperature Database and a lengthy stakeholder process. In 2012, the new temperature standards were adopted for all segments with an Aquatic Life use classification in Regulation No. 35. In June 2016, temperature criteria in Regulation No. 31 were further revised, including changes to the temperature table value standards, revision of warm water winter acute standards, and the addition of footnotes to protect lake trout and mountain whitefish.

- 1. **Colorado Temperature Database Update:** The Colorado Temperature Database was updated in 2016 to reflect the most recent research regarding the thermal requirements of Colorado's fishes, which allowed for adoption of an overall update of the cold and warm water acute and chronic temperature table value standards. In this hearing, the commission adopted revisions at 35.6(3) to bring this regulation into conformity with the revised table value standards found in Table I of Regulation No.31.
- 2. Warm Water Winter Acute Table Values: The 2016 updates to the temperature database also allowed for the adoption of revisions to the warm water winter acute table values. When seasonal numeric temperature standards were first adopted in 2007, warm water winter acute and chronic standards were simply set at half the summer season table values, recognizing a pattern seen in cold waters. In 2016, the acute winter table values for warm water fish were revised based on lethal temperature thresholds established in laboratory experiments for fish acclimated to "winter" temperatures. Standards derived using this new method more accurately protect warm water fish from acute thermal effects in winter. In this hearing, the commission adopted revisions at 35.6(3) to bring this regulation into conformity with the revised warm water winter acute temperature table value standards found in Table I of Regulation No.31.
- 3. Mountain Whitefish and Lake Trout Footnotes: In 2016, the commission adopted two footnotes to Table I of Regulation No. 31 to allow for additional thermal protection of mountain whitefish and lake trout where appropriate. These species were given special standards due to their thermal sensitivity and limited distributions. Lake trout occur in only a small number of lakes and reservoirs, and thermally-sensitive spawning and early life stages of mountain whitefish are known to occur only in certain cold water tributaries. In this hearing, the commission adopted standards to protect lake trout on a site-specific basis where information provided by Colorado Parks and Wildlife biologists indicated that this species occurs and protection from thermal impacts is necessary and appropriate. In Regulation No. 35, there are no water bodies where thermally-sensitive spawning and early life stages of mountain whitefish are known to occur, based upon information provided by Colorado Parks and Wildlife.

Temperature standards to protect lake trout were added to the following segments:

Upper Gunnison River segment: 38 (Lake San Cristobal, Taylor Park Reservoir, Blue Mesa Reservoir)

4. **Refinement of Temperature Standards:** Since temperature criteria were revised in Regulation No. 31 in 2007, the division and others have worked to ensure that appropriate temperature standards were adopted for segments throughout the state. At times, this effort to assign temperature standards has also included reevaluation of the existing Aquatic Life use classifications, and use revisions have been proposed and adopted where appropriate. Incremental progress continues as temperature standards are refined based on the experience and data gains that have occurred since initial adoption of temperature standards.

In the 2016 Regulation No. 31 hearing, the commission declined to adopt the division's proposal for statewide solutions for temperature transition zones and shoulder seasons, in favor of a basin-by-basin consideration of temperature standards on a site-specific basis. The basin-by-basin approach was selected as it allows for consideration of temperature attainability and ambient quality-based site-specific contravening evidence. The sections below describe the considerations and methods used to develop and support the site-specific temperature standards revisions adopted in this basin hearing.

- i. <u>Existing Uncertainty</u>: While a great deal of progress has been made regarding the development and implementation of temperature standards, uncertainty still remains for some segments due to the lack of site-specific temperature or aquatic community information or conflicts between the lines of evidence. This uncertainty was highlighted in the statement of basis and purpose language for the 2012 Regulation No. 35 Rulemaking Hearing at 35.34.K. To address this uncertainty, these segments were targeted for additional data collection where possible, and all new information collected for these segments was evaluated as part of this basin review.
- ii. <u>Attainability</u>: Following the commission's 2016 direction to consider attainability issues using a basin-by-basin approach, the division reviewed all available information to identify segments where attainability issues may exist based upon available instream temperature data and expected in-stream summer maximum weekly average temperatures (MWATs). Expected MWATs were determined using regression analysis of temperature and elevation and the NorWeST Stream Temperature Regional Database and Model. This screening found that many segments, or portions of segments, were not expected to attain the summer or winter chronic temperature standards. These waters were targeted for additional review, as were waters listed as impaired for temperature on the 2016 303(d) List.
- iii. <u>Aquatic Life Use</u>: For these selected segments, the division conducted a comprehensive, site-specific review of the existing use classification and temperature standards. Fishery data provided by Colorado Parks and Wildlife (CPW) was evaluated to identify fish species expected to occur, whether reproduction is expected (i.e., stocked, transient, or resident species), age class structures, and any other relevant information regarding aquatic life communities. For segments where little or no information on fish species expected to occur existed, fish population data from adjacent and representative water bodies was utilized when possible.
- iv. <u>Thermal Drivers</u>: In cases where temperature standards to protect the highest attainable use were determined, but the temperature standards were not attainable, site-specific factors that influence in-stream temperature were evaluated to identify any correctable anthropogenic thermal sources. All available data on temperature, hydrology, hydro-modification, canopy cover, groundwater influence, point and non-point thermal sources, and other relevant information was reviewed.

Based upon information regarding the species expected to occur, temperature data, physical habitat, land cover/use, groundwater inputs, flow conditions, and all other available information regarding thermal drivers, the commission adopted revisions of temperature standards for the segments listed below where water quality is not feasible to improve or where the thermal regime is the result of natural conditions, but is sufficient to protect the highest attainable use.

The following segments were changed from CS-I to CS-II:

North Fork Gunnison River segment: 4b Uncompany River segments: 3c, 13b, 13c Lower Gunnison River segment: 8b The following segments were changed from CS-II to WS-II:

Uncompany River segment: 15b Lower Gunnison River segments: 5b, 6b, 6c San Miguel River segments: 10b, 12b

The beginning and/or end date of the winter season for temperature standards was changed where a use attainability analysis was conducted demonstrating that the winter standards were not attainable during early and/or late winter due to natural or irreversible conditions, and that a delayed start and/or end date is adequate to protect the highest attainable use. Timing of the shoulder season was changed for the following segments:

Upper Gunnison River segment: 8 (summer: June 1 to October 15) North Fork Gunnison River segment: 3 (summer: March 16 to November 15) Uncompany River segment: 3e (summer: April 1 to November 15)

Ambient temperature standards were adopted where a use attainability analysis was conducted demonstrating that elevated ambient temperatures are the result of natural conditions or are not feasible to improve to the level required by the current numeric standard, but are adequate to protect the highest attainable use. Ambient temperature standards were adopted for the following segments:

Upper Gunnison River segment: 18b North Fork Gunnison River segment: 3

The commission also intends that the division and interested parties will collect additional data to better characterize the temperature regime and highest attainable aquatic life use in upper Tomichi Creek (Upper Gunnison Segment UG18b), and work to refine the use classifications and temperature standards in upper Tomichi Creek as appropriate in the next triennial review.

In some cases, the existing aquatic life community supported an upgrade in the temperature standard. The following segments were changed from CS-II to CS-I:

Lower Gunnison River segment: 5a

Adequate data or resources were not always available to support a revision of the use classification or a temperature standards change. In these cases, no change was proposed. It is the commission's intent that the division and interested parties work to resolve the uncertainty. There is uncertainty regarding the appropriate use classifications and temperature standards to protect the highest attainable use still exist for the following segments:

Lower Gunnison River segment: 10 San Miguel River segments: 2, 9 Lower Dolores River segment: 5

Moving forward with this site-specific approach, the commission encourages the division to consider whether any additional information would be appropriate to be included in the use attainability analyses.

L. Nutrients

In March 2012, the commission adopted interim nutrient values in the Basic Standards (Regulation No. 31) and created a new statewide control regulation (Regulation No. 85) to address nutrients in Colorado. Regulation 31.17 includes interim nutrient values for total phosphorus, total nitrogen, and chlorophyll *a* for both lakes and reservoirs, and rivers and streams. Due to the phased implementation approach adopted with these criteria (31.17(e)), the commission considered adoption of only total phosphorus and chlorophyll *a* standards at this time. Nitrogen standards were not considered as part of this rulemaking hearing, but will be considered in the next triennial review, currently scheduled for June 2020.

Total phosphorus and chlorophyll *a* standards were adopted for waters upstream of all permitted domestic wastewater treatment facilities discharging prior to May 31, 2012 or with preliminary effluent limits requested prior to May 31, 2012, and any non-domestic facilities subject to Regulation No. 85 effluent limits and discharging prior to May 31, 2012. A new section (4) was added at 35.5 describing implementation of the interim nutrient values into the tables at 35.6, and includes a table which lists these facilities and the segment to which they discharge.

For segments located entirely above these facilities, nutrient standards apply to the entire segment.

For segments with portions downstream of these facilities, *nutrient standards only apply above these facilities*. A note was added to the total phosphorus and chlorophyll *a* standards in these segments. The note references the table of qualified facilities at 35.5(4).

For segments located entirely below these facilities, nutrient standards do not apply.

For rivers and streams segments, total phosphorus standards were adopted for segments with an Aquatic Life use. Chlorophyll *a* standards were adopted for segments with either an E or P Recreation use classification.

For lakes and reservoirs segments, a note was added to total phosphorus and chlorophyll standards adopted for lakes in the tables at 35.6, as these standards only apply to lakes larger than 25 acres.

31.17(e)(ii) also allows the commission to adopt numeric nutrient standards for Direct Use Water Supply (DUWS) lakes and reservoirs. No proposals were made to adopt standards based on this provision in this rulemaking (see section M).

31.17(e)(iii) also allows the commission to adopt numeric nutrient standards for circumstances where the provisions of Regulation No. 85 are not adequate to protect waters from existing or potential nutrient pollution. No proposals were made to adopt standards based on this provision in this rulemaking.

Chlorophyll a standards were adopted for the following segments:

Upper Gunnison River segments: 1, 2, 4, 5a, 6a, 6b, 6c, 7, 9, 10a, 10b, 11, 12, 13, 15a, 15b, 16a, 16b, 17a, 17b, 18a, 18b, 19, 20, 21, 22, 23, 24, 26, 29a, 29b, 30, 31, 32, 33, 34, 35, 36, 37, 38

North Fork of the Gunnison River segments: 4a, 4b, 4c, 5a, 5b, 6a, 6b, 6c, 7, 8, 9, 10, 11

Uncompandere River segments: 1, 2, 3b, 3c, 5, 6a, 7, 8, 9, 10a, 10b, 11, 12, 13a, 13b, 13c, 14, 15a, 15b, 16, 17, 18, 20, 21, 22

Lower Gunnison River segments: 3, 4a, 4b, 4c, 5a, 5b, 6a, 6b, 6c, 7a, 7b, 8a, 8b, 10, 11a, 11b, 12, 13, 14, 15, 16, 17, 18, 19

San Miguel River segments: 1, 2, 3a, 3b, 6a, 6b, 7, 8, 9, 10a, 10b, 11a, 11b, 12a, 12b, 12c, 13, 14, 15, 16, 17, 18, 19, 20

Lower Dolores River segments: 3a, 3b, 3c, 4, 5, 6, 7, 8

Total Phosphorus standards were adopted for the following segments:

Upper Gunnison River segments: 1, 2, 4, 5a, 6a, 6b, 6c, 7, 9, 10a, 10b, 11, 12, 13, 15a, 15b, 16a, 16b, 17a, 17b, 18a, 18b, 19, 20, 21, 22, 23, 24, 26, 29a, 29b, 30, 31, 32, 33, 34, 35, 36, 37, 38

North Fork of the Gunnison River segments: 4a, 4b, 4c, 5a, 5b, 6a, 6b, 6c, 7, 8, 9, 10, 11

Uncompandre River segments: 1, 2, 3b, 3c, 5, 6a, 7, 8, 9, 10a, 10b, 11, 12, 13a, 13b, 13c, 14, 15a, 15b, 16, 17, 18, 20, 21, 22

Lower Gunnison River segments: 3, 4a, 4b, 4c, 5a, 5b, 6a, 6b, 6c, 7a, 7b, 8a, 8b, 10, 11a, 11b, 12, 13, 14, 15, 16, 17, 18, 19

San Miguel River segments: 1, 2, 3a, 3b, 6a, 6b, 7, 8, 9, 10a, 10b, 11a, 11b, 12a, 12b, 12c, 13, 14, 15, 16, 17, 18, 19, 20

Lower Dolores River segments: 3a, 3b, 3c, 4, 5, 6, 7, 8

M. Direct Use Water Supply Sub-classification

Also in the March 2012 rulemaking hearing, the commission adopted a sub-classification of the Domestic Water Supply Use called "Direct Use Water Supply Lakes and Reservoirs Sub-classification" (DUWS), in Regulation No. 31, at 31.13(1)(d)(i). This sub-classification is for Water Supply lakes and reservoirs where there is a plant intake location in the lake or reservoir or a man-made conveyance from the lake or reservoir that is used regularly to provide raw water directly to a water treatment plant that treats and disinfects raw water. The commission has begun to apply this sub-classification and anticipates that it will take several basin reviews to evaluate all the reservoirs in the basin. The commission adopted the DUWS sub-classification on the following reservoirs and added "DUWS" to the classification column in the standards tables. The public water systems are listed along with the reservoirs and segments.

Upper Gunnison River segments: 34 (Glazer Reservoir), 37 (Evergreen Lake) Uncompany River segments: 18 (Lake Otonawanda), 22 (Fairview Reservoir) Lower Gunnison River segment: 16 (Hallenbeck Reservoir, Juniata Reservoir) San Miguel River segments: 19 (Town Reservoir), 20 (Gurley Reservoir)

31.17(e)(ii) also allows the commission to adopt numeric nutrient standards for DUWS lakes and reservoirs. No proposals were made to adopt standards based on this provision in this rulemaking.

N. Other/Site-Specific Revisions

<u>Upper Gunnison River Segments 11 and 12:</u> The commission revised the segment boundary between Segments 11 and 12 to more appropriately reflect the changes in physical conditions, including hardness. In addition, the commission deleted the existing temporary modifications for cadmium, copper, and zinc on Segment 12, and adopted revised seasonal temporary modifications on the mainstem Coal Creek portion of Segment 12. For the period of April to June, the commission adopted the following seasonal temporary modifications with an expiration date of December 31, 2022: cadmium (acute) = $3.5 \,\mu$ g/L, cadmium (chronic) = $2.79 \,\mu$ g/L, copper (acute/chronic) = current condition, and zinc (chronic) = $576 \,\mu$ g/L.

Information submitted by Mount Emmons Mining Company (MEMC) showed demonstrated nonattainment of the cadmium, copper, and zinc water quality standards from April to June, demonstrated or predicted effluent limit compliance problems, and significant uncertainty regarding the extent to which existing quality is the result of natural or irreversible human-induced conditions. Sources identified as contributing to the non-attainment of the water quality standards include, but are not limited to, the iron fen and gossan which are natural sources in Segment 11, the Standard Mine which is a Superfund Site in Segment 11, and the Keystone Mine which is in Segment 12. A current condition temporary modification for chronic cadmium from July to March was also proposed, but prior to the hearing the parties agreed that, in this instance, a compliance schedule is a more appropriate tool to address compliance issues, and the commission agreed with this approach. The commission appreciates the commitment of the parties to work through these issues and encourages continued collaboration among MEMC, the division, and stakeholders about the appropriate implementation options including the terms and conditions of any compliance schedule.

MEMC acquired the U.S. Energy property in early 2016 with the intent, among other things, to work collaboratively with the division and other stakeholders to develop site-specific water quality standards for Coal Creek. After the commission adopted new requirements in Regulation 31.7(1)(b)(ii) in the June 2016 Basic Standards hearing, it became clear that more information would be available in the future to develop and support proposals for ambient-based water quality standards, more specifically to satisfy the new requirements of a comprehensive analysis described in Regulation 31.7(1)(b)(ii)(B). The commission adopted temporary modifications to allow for development of a comprehensive alternatives analysis to support a proposal for ambient-based standards or other appropriate alternatives. The commission found that an expiration date of December 31, 2022 provides the time necessary to identify the improved water quality conditions that could result from feasible pollution control alternatives addressing human-induced sources, including the Standard Mine and Keystone Mine, and to develop a proposal for ambient-based water quality standards at the 2022 Gunnison River Basin hearing. In establishing this date, the commission considered MEMC's plan to eliminate uncertainty. long-term water quality monitoring plan. commitment to continued collaboration with the stakeholders, and commitment to provide annual progress reports to the division and stakeholders. The commission will review the temporary modifications at the December 2020 and 2021 temporary modification hearings.

For the portion of Upper Gunnison River Segment 12 that includes Coal Creek and the unnamed tributary in the Red Lady Basin whose confluence with Coal Creek is at 38.867899, -107.021435, the commission directs the division to implement the chronic table value or site-specific standards for cadmium, zinc, and copper in a manner that considers seasonality of hardness (i.e., April-June, July-March). For these water bodies, the commission recognizes that seasonality in flow, dissolved metals, and hardness is an important element of the site conditions. Implementation of the numeric standards using the annual mean hardness, for example, would likely understate risks to aquatic life during snowmelt runoff in the spring when dissolved metals are high and hardness is low (approximately April 1 to June 30), and overstate risks during the remainder of the year when dissolved metals typically decrease and hardness levels increase. In this hearing, MEMC initially proposed seasonal standards whose purpose was to ensure the proper consideration of seasonality in permitting and assessments. MEMC withdrew this proposal because the division determined that footnote 3 to Table III in Regulation 31 and footnote 2 to Section 35.6(3) allow the division to account for seasonality in implementing decisions for Coal Creek and the unnamed tributary without the need for a change of standards. The commission agrees with this determination. The commission's intent is that assessment and permitting decisions should derive from and comply with the magnitude, duration and exceedance frequency of the numeric standards that have been assigned to the segment, and that the implementing programs should appropriately consider how aquatic life risks are affected by spatial and temporal variation, particularly where there are sufficient data to characterize such variability.

<u>Upper Gunnison River Segment 20:</u> The definition of LPL, which was erroneously deleted during the 2015 temporary modifications hearing, was replaced. The following text was added to the "Other" box in the segment table:

*Uranium(acute) = lowest practical level

*Uranium(chronic) = lowest practical level

<u>Upper Gunnison River Segment 21:</u> The commission assigned the chronic uranium water supply standard of 16.8-30 µg/L to Segment 21 to clearly define the underlying standard necessary to protect the use. Additionally, the commission adopted a "current condition" temporary modification of the uranium standard with an expiration date of 12/31/2022 for the portion of Marshall Creek from the confluence with Indian Creek to the confluence with Tomichi Creek. Evidence submitted by Homestake Mining Company (HMC) showed non-attainment of underlying standards, a demonstrated water quality-based effluent limit compliance problem and uncertainty regarding the extent to which existing quality is due to natural and/or irreversible human-induced conditions.

HMC is conducting closure and reclamation activities at the Pitch Reclamation Site (site) pursuant to Division of Reclamation and Mining Safety regulations. The site, an inactive uranium mine that ceased operations in 1984, is the main source of uranium loading to Indian Creek (Segment 20) and Marshall Creek (Segment 21). Water quality data from 2001 to 2016 show uranium concentrations decrease with increasing distance from the site outfall located at the headwaters of Indian Creek. The median uranium concentration is 1,060 μ g/L at the outfall on Indian Creek (SW-33), 68 μ g/L in Marshall Creek immediately downstream of Indian Creek (site MC-2), and 61 and 44 μ g/L, at downstream at sites SW-10 and SW-13, respectively. By contrast, upstream of the confluence with Indian Creek, the median uranium concentration in Marshall Creek is 1 μ g/L, which demonstrates the correlation between uranium concentrations on Indian Creek and Marshall Creek.

Indian Creek (Segment 20) was previously assigned a narrative "LPL" (lowest practical level) standard for uranium (2012). HMC is currently evaluating methodologies to control uranium loading to Indian Creek from the site in order to define the LPL standard. Ultimately, the controls are expected to reduce uranium loading to Indian Creek, which in turn will lower the concentrations in Marshall Creek. The temporary modification on Segment 21 will allow time for HMC to continue the process of determining the LPL for Indian Creek, the extent to which the legacy mining impacts are reversible, and the effect of site improvements on Segment 21 water quality. The plan for addressing the uncertainty includes determining what best management practices could be implemented, implementation of the management approach, and monitoring subsequent water quality improvements. While the timeline for these activities will likely exceed the 5-year temporary modification, additional water quality data and information regarding progress being made to implement the plan will be available for a review of the temporary modification prior to the expiration date.

In adopting the temporary modification on Marshall Creek, the commission relied on Homestake's commitments to provide updates to the commission in the December 2018 temporary modifications rulemaking hearing. This update is in addition to the regularly scheduled temporary modification reviews that take place the two years prior to expiration, and will focus on progress made by Homestake on the plan outlined in Homestake's Exhibit 10.

<u>Upper Gunnison River Segment 35:</u> The arsenic standard was changed from $0.02 \mu g/L$ to $7.6 \mu g/L$, as there is no Water Supply use on this segment and the Water + Fish arsenic standard should not apply.

<u>Uncompandere River Segment 14:</u> The E. coli standard was corrected to 205, as the previous standard of 206 was a typo.

Lower Gunnison River Segment 2: The cadmium and silver standards for the protection of trout were removed because this segment is classified as Warm.

Lower Gunnison River Segments 14 and 15: The pH standards were corrected to 6.5-9.0 on these segments, as the previous standard of 6.4-9.0 was a typo.

San Miguel River Segment 6a: The site-specific zinc standard of 190 µg/L was erroneously deleted during a previous rulemaking, and was replaced.

O. Duration of Nitrite Standard

The commission corrected the duration of the nitrite standard from chronic to acute on all segments. When the commission adopted the new format for tables in 2016, all nitrite standards were incorrectly included in the "chronic" standards column.

P. Typographical and Other Errors

The following edits were made to improve clarity and correct typographical errors:

- Upper Gunnison River Segment 2: "North Beaver Creek" was changed to "Beaver Creek" and "North Willow Creek" was changed to "Willow Creek" to be consistent with stream names indicated on maps.
- Upper Gunnison River Segment 4: The wording regarding exceptions was changed to conform with the rest of the regulation.
- Upper Gunnison River Segment 5a: The wording regarding exceptions was changed to conform with the rest of the regulation.
- Upper Gunnison River Segment 6a: The wording regarding exceptions was changed to conform with the rest of the regulation.
- Upper Gunnison River Segment 16a: The wording regarding exceptions was changed to conform with the rest of the regulation.
- Upper Gunnison River Segment 16b: The formatting of the site-specific temperature standards was changed to conform with the rest of the regulation.
- Upper Gunnison River Segment 25: "Inter-connect" was replaced with "interconnect".
- Upper Gunnison River Segment 26: The wording regarding exceptions was changed to conform with the rest of the regulation.
- Upper Gunnison River Segment 29a: Segment 9b was deleted from the list of exceptions, as this segment does not exist. In addition, the list of exceptions was moved to the end of the segment description to ensure the exclusions apply to the entire segment description.
- Upper Gunnison River Segment 30: The wording regarding exceptions was changed to conform with the rest of the regulation.
- Upper Gunnison River Segment 34: Glazer Reservoir was added to the list of lakes and reservoirs included in the segment.
- Upper Gunnison River Segment 36: Added the word "the" before "Gunnison River".
- Upper Gunnison River Segment 37: Evergreen Lake was added to the list of lakes and reservoirs included in the segment.
- Upper Gunnison River Segment 37: This segment included an exception for "Segment 37"; this was replaced with "Segment 38".
- North Fork of the Gunnison River Segments 2, 4a, 4b, 6a, 9, and 11: "Coal Creek" was replaced by "Anthracite Creek" because Coal Creek is a tributary to Anthracite Creek. Anthracite Creek, not Coal Creek, joins Muddy Creek.

- North Fork of the Gunnison River Segment 5b: A period was added after "5b" in the segment description.
- North Fork of the Gunnison River Segment 6b: The qualifier was changed from "Water+Fish Standards" to "Water + Fish Standards" to be consistent with formatting used in the rest of the regulation.
- North Fork of the Gunnison River Segment 9: Lake Irwin was added to the list of lakes and reservoirs included in the segment.
- Uncompany River Segment 3b: The dates for the site-specific temperature standards were corrected to include the month of June. In addition, the formatting of the site-specific temperature standards was changed to conform with the rest of the regulation.
- Uncompany River Segment 9: The spelling of "Sneffels" was corrected.
- Uncompany River Segment 17: Changed "Segments 16" to "Segment 16".
- Lower Gunnison River Segment 4a: Segments 9 and 13 were deleted from the list of exceptions, as this segment includes stream tributaries and Segments 9 and 13 are reservoirs.
- Lower Gunnison River Segment 4b: Coordinates for the point of diversion for public water supply (38.961321, -108.229830) were added to the segment description.
- Lower Gunnison River Segment 7b: Coordinates for the point of diversion for public water supply (38.965216, -107.876031) were added to the segment description. In addition, the description was corrected to "mainstem of Kiser Creek from the national forest boundary to the confluence with Ward Creek" instead of "... to the confluence with Youngs Creek."
- San Miguel River Segment 1: Removed unnecessary commas and clarified the description.
- San Miguel River Segment 2a: Corrected typos and changed wording regarding exceptions to conform with the rest of the regulation.
- San Miguel River Segment 3b: The dates for the site-specific temperature standards were corrected to include the month of June.
- San Miguel River Segment 7: Removed unnecessary commas and changed "and, all tributaries, and wetlands" to "including all tributaries and wetlands" to be consistent with the rest of the regulation.
- San Miguel River Segment 12a: Deleted Segment 10 from the list of exceptions, as these segments do not overlap.
- San Miguel River Segment 13: Deleted unnecessary commas and clarified the description.
- San Miguel River Segment 14: Corrected a typo and changed wording regarding exceptions to conform with the rest of the regulation.
- San Miguel River Segment 19: This segment included an exception for "Segment 19"; this was replaced with "Segment 20". To wn Reservoir was added to the list of lakes and reservoirs included in the segment.

- Lower Dolores River Segment 1a: The formatting of the site-specific temperature standards was changed to conform with the rest of the regulation.
- Lower Dolores River Segment 1b: The formatting of the site-specific temperature standards was changed to conform with the rest of the regulation.
- Lower Dolores River Segment 7: Morrison Lake, Old Dunham Reservoir, and Belmear Lake were removed from the segment description because these water bodies are not within national forest boundaries.

PARTIES TO THE RULEMAKING HEARING

- 1. Town of Silverton
- 2. Animas River Stakeholders Group
- 3. Homestake Mining Company
- 4. Mt. Emmons Mining Company
- 5. Colorado Parks and Wildlife
- 6. Colorado Waste Water Utility Council
- 7. Ouray Silver Mines Inc.
- 8. Trout Unlimited
- 9. U.S. Environmental Protection Agency, Region 8 Office
- 10. Towns of Hotchkiss, Lake City, Olathe, Ridgway
- 11. Southwestern Water Conservation District
- 12. Dolores Water Conservancy District
- 13. High Country Conservation Advocates
- 14. Upper Gunnison River Water Conservancy District
- 15. Littleton/Englewood Wastewater Treatment Plant
- 16. Eagle River Water and Sanitation District
- 17. Town of Crested Butte, Gunnison County, Coal Creek Watershed Coalition
- 18. Northern Colorado Water Conservancy District
- 19. Tri-State Generation and Transmission Association, Inc.
- 20. Climax Molybdenum Company
- 21. Northwest Colorado Council of Governments Water Quality/Quantity Committee

35.46 STATEMENT OF BASIS, SPECIFIC STATUTORY AUTHORITY AND PURPOSE; DECEMBER 10, 2018 RULEMAKING; FINAL ACTION JANUARY 14, 2019; EFFECTIVE DATE JUNE 30, 2019

The provisions of C.R.S. 25-8-202(1)(a), (b) and (2); 25-8-203; 25-8-204; and 25-8-402; provide the specific statutory authority for adoption of these regulatory amendments. The commission also adopted in compliance with 24-4-103(4) C.R.S. the following statement of basis and purpose.

BASIS AND PURPOSE:

Pursuant to the requirements in the Basic Standards (at 31.7(3)), the commission reviewed the status of temporary modifications scheduled to expire before December 31, 2020 to determine whether the temporary modifications should be modified, eliminated, or extended.

The commission took no action on the following temporary modification:

Upper Gunnison Segment 21 (COGUUG21): temporary modification of the chronic uranium standard (expires 12/31/2022). As requested by the commission at 35.45(N), Homestake Mining Company provided an update on its work to resolve the uncertainty in the chronic uranium standard. Homestake continues to make progress on resolving the uncertainty underlying the temporary modification and determining the lowest practical level of uranium that can be achieved. The commission made no change to the expiration date, as the original time allotment was deemed adequate to resolve the uncertainty.

35.47 STATEMENT OF BASIS, SPECIFIC STATUTORY AUTHORITY AND PURPOSE; DECEMBER 9, 2019 RULEMAKING; FINAL ACTION JANUARY 13, 2020; EFFECTIVE DATE JUNE 30, 2020

The provisions of C.R.S. 25-8-202(1)(a), (b) and (2); 25-8-203; 25-8-204; and 25-8-402; provide the specific statutory authority for adoption of these regulatory amendments. The commission also adopted in compliance with 24-4-103(4) C.R.S. the following statement of basis and purpose.

BASIS AND PURPOSE

Pursuant to the requirements in the Basic Standards (at 31.7(3)), the commission reviewed the status of temporary modifications scheduled to expire before December 31, 2021 to determine whether the temporary modifications should be modified, eliminated, or extended.

For the temporary modifications set to expire after the effective date of this hearing, the commission reviewed progress toward resolving the uncertainty in the underlying standard and/or the extent to which conditions are a result of natural or anthropogenic conditions, and evaluated whether the temporary modifications were still necessary.

A. Temporary Modifications for Standards Other than Arsenic

The commission took no action on the following temporary modification:

Upper Gunnison Segment 21 (COGUUG21): temporary modification of the chronic uranium standard (expires 12/31/2022). As requested by the commission at 35.45(N), Homestake Mining Company provided an update on its work to resolve the uncertainty in the chronic uranium standard. Homestake continues to make progress on resolving the uncertainty underlying the temporary modification and determining the lowest practical level of uranium that can be achieved. The commission made no change to the expiration date, as the original time allotment was deemed adequate to resolve the uncertainty.

B. Temporary Modifications for Arsenic

The temporary modification of the chronic arsenic standard, which applies to numerous segments with a standard of $0.02 \mu g/l$ to protect the Water + Fish use, was extended from 12/31/2021 to 12/31/2024. No changes were made to the temporary modification operative values at 35.6(2)(c). For discharges existing on or before 6/1/2013, the temporary modification remains at As(ch)=current condition and numeric effluent limits will be developed by the division using the division's implementation method (WQCD Exhibit L). For new or increased discharges that commence on or after 6/1/2013, the temporary modification remains at $0.02-3.0 \mu g/L$ (total recoverable). The extension provides time to resolve the uncertainty in the underlying standard for arsenic to protect human health. Significant uncertainty remains regarding the appropriate standard to protect the use and the extent to which ambient levels of arsenic are the result of natural or irreversible conditions. In addition, there is widespread instream non-attainment of the underlying standard and predicted or demonstrated compliance problems with permit limits based on the underlying standard, as demonstrated in the division's Prehearing Statement.

It is anticipated that the uncertainty regarding the appropriate underlying standard for arsenic to protect human health will be resolved by June 2024, with the adoption of new statewide arsenic use-based standards. The division presented (WQCD Exhibit E) a detailed plan to resolve the multifaceted uncertainty for arsenic. The plan includes conducting a field study to investigate the proportion of inorganic (versus total) arsenic in the tissue of fish collected from Colorado waters, deriving a bioaccumulation or bioconcentration factor for arsenic, appropriate for use in Colorado, and characterizing ambient levels of arsenic in surface waters and groundwater statewide. As discussed below, the division will also be gathering, through permit requirements, targeted data from facilities benefiting from the arsenic temporary modification (WQCD Exhibit D). These data will help the division to better understand the contribution of arsenic in effluent from permitted facilities to ambient levels of arsenic in Colorado waters and will inform the extent to which ambient levels of arsenic are the result of natural or irreversible conditions.

Effluent arsenic concentration data from facilities throughout the state demonstrate that many facilities will likely have issues meeting effluent limits based on the anticipated revised arsenic water quality standard to protect human health. As a result, there is a widespread need to make progress to understand sources of arsenic and options for source control and treatment. To ensure such progress is made, when implementing the "current condition" temporary modification in permits, the division will include additional permit Terms and Conditions, which may include requirements for additional monitoring, source identification, and characterization of source control and treatment options for reducing arsenic concentrations in effluent (WQCD Exhibit D). Under the duration of the temporary modification, facilities would not be required to implement facility improvements to meet a specified effluent limit: however. facilities may be required to evaluate arsenic source control and treatment options for their facility. For purposes of evaluating options to reduce arsenic concentrations in effluent, the arsenic treatment removal recognized in the 2013 Arsenic Rulemaking (3 µg/L) can be used as a point of reference until the uncertainty in the underlying standard is resolved. Implementation guidance for these requirements was included in WQCD Exhibit D. These requirements are reasonable and would not cause undue economic burden for facilities, but will ensure that progress is being made toward future attainment of the underlying standards and protection of the classified uses. Implementation of these requirements would function to increase the amount of time facilities would have for long-term planning and encourage data collection that would facilitate implementation of the most appropriate source reduction and treatment options and selection of the most appropriate regulatory pathways once the new underlying standard is adopted for arsenic.

C. Implementation of Current Condition Temporary Modifications into Permits

Several parties to the hearing raised concerns regarding the implementation of current condition temporary modifications into permits, as described in WQCD Exhibit L. The commission was persuaded that the division has existing legal authority to proceed with implementation of these temporary modifications in the absence of a rule or policy addressing this specifically. However, the commission believes it would be beneficial to develop a policy, and therefore requested that the division work toward developing a division policy about how the division will proceed with implementing current condition temporary modifications into permits. The commission requested that the division report back to the commission next year, potentially as part of the division's annual update to the commission regarding the 10-Year Water Quality Roadmap, regarding what the division believes is a reasonable timeline and process for developing such a policy. The commission encouraged the division to continue with its current efforts at transparency and implementation of current condition temporary modifications consistent with the evidence presented in the rulemaking, including Exhibit L, into permits prior to the development of a policy.

35.48 STATEMENT OF BASIS, SPECIFIC STATUTORY AUTHORITY AND PURPOSE; DECEMBER 9, 2019 RULEMAKING; FINAL ACTION JANUARY 13, 2020; EFFECTIVE DATE JUNE 30, 2020

The provisions of C.R.S. 25-8-202(1)(a), (b) and (2); 25-8-203; 25-8-204; and 25-8-402; provide the specific statutory authority for adoption of these regulatory amendments. The commission also adopted in compliance with 24-4-103(4) C.R.S. the following statement of basis and purpose.

BASIS AND PURPOSE

A. Aquatic Life Standards for Cadmium

Cadmium is a naturally-occurring element frequently found alongside other metals, and numerous treatment techniques are available to remove cadmium from wastewater. Cadmium has both acute and chronic effects on aquatic life, and can negatively impact survival, growth, reproduction, immune and endocrine systems, development, and behavior.

The commission revised the hardness-based cadmium table value standards to protect the Aquatic Life use. The updated standards incorporate toxicity data that have become available since the cadmium standards were last updated in the 2005 Regulation No. 31 rulemaking hearing. The updated standards are based on the United States Environmental Protection Agency's (EPA) "Aquatic Life Ambient Water Quality Criteria – 2016" and toxicity data that have become available since EPA's recommended criteria were released in 2016.

The updated standards include two acute equations (acute(cold) and acute(warm)) and one chronic equation. The acute(cold) and chronic equations are the same as the acute and chronic criteria recommended by EPA in 2016. The acute(cold) equation, which is lowered to protect trout, is protective of trout and other sensitive cold water species and applies in segments classified as Aquatic Life Cold Class 1 or 2. The acute(warm) equation, which is not lowered to protect trout, is protective of warm water species and applies in segments classified as Aquatic Life Cold Class 1 or 2. The acute(warm) equation, which is not lowered to protect trout, is protective of warm water species and applies in segments classified as Aquatic Life Cold Class 1 or 2. The chronic equation is protective of both cold and warm water aquatic life and applies in segments classified as either Aquatic Life Cold Class 1 or 2 or Aquatic Life Warm Class 1 or 2.

Compared to the previous cadmium table value standards, the updated standards are generally less stringent. The acute(cold) standard is less stringent than the previous acute(trout) standard when water hardness is greater than 45 mg/L CaCO₃. The acute(warm) equation is less stringent than the previous acute standard when water hardness is greater than 101 mg/L CaCO₃. The updated chronic equation is less stringent than the previous chronic standard at all water hardness values.

In the past, Colorado has had separate acute equations for waters with trout and waters without trout. The updated standards include separate acute equations for cold waters (both with and without trout) and warm waters. This change in approach is due to the addition of toxicity data showing that sculpin, which inhabit cold waters, are also sensitive to cadmium. To ensure protection of sculpin and other sensitive cold water aquatic life in waters where trout are absent, the acute(cold) equation applies to all cold waters. As a result, the acute trout (tr) qualifier for cadmium is no longer needed on select cold water segments and was deleted from all segments where it had applied.

During the 2017 basin review, the commission adopted EPA's 2016 recommended criteria as site-specific standards in select cold water segments. The updated table value standards for cold waters are the same as EPA's 2016 recommended criteria. Therefore, to reflect the commission's state-wide adoption of the updated table value standards, the cadmium "SSE" were replaced with "TVS" on the following segments:

Upper Gunnison River: 7, 10a, 10b, 11, 12, 29a, 30, 31 North Fork of the Gunnison River: 4c Uncompahgre River: 2, 3a, 3b, 3c, 3d, 3e, 3f, 5, 8, 9 San Miguel River: 2, 3a, 3b, 6a, 6b

B. Clarifications to Appendix 35-1

To improve the clarity and usability of the tables, an acronym list was added to the front of Appendix 35-1 and the footnote referencing Section 35.6 was also simplified.

COLORADO DEPARTMENT OF PUBLIC HEALTH AND ENVIRONMENT

WATER QUALITY CONTROL COMMISSION

5 CCR 1002-35

REGULATION NO. 35 CLASSIFICATIONS AND NUMERIC STANDARDS FOR GUNNISON AND LOWER DOLORES RIVER BASINS

APPENDIX 35-1 Stream Classifications and Water Quality Standards Tables

Effective 06/30/2020

Abbreviations and Acroynms

=	Aquatic
=	degrees Celsius
=	cold lake temperature tier
=	cold large lake temperature tier
=	cold stream temperature tier one
=	cold stream temperature tier two
=	dissolved oxygen
=	daily maximum temperature
=	direct use water supply
=	Escherichia coli
=	existing quality
=	milligrams per liter
=	milligrams per square meter
=	milliliter
=	maximum weekly average temperature
=	outstanding waters
=	sculpin
=	site-specific equation
=	total recoverable
=	total
=	trout
=	table value standard
=	micrograms per liter
=	use-protected
=	water supply
=	warm stream temperature tier one
=	warm stream temperature tier two
=	warm stream temperature tier three
=	warm lake temperature tier

1. All tributaries Wilderness Are	s to the Gunnison River, including and eas.	wetlands, within the La Garita, Powde	morn, west Eir	, Collegiate	Peaks, Maroon Bells, Raggeds	s, Fossii Ridge, or U	Jncompahgre
COGUUG01	Classifications	Physical and Biolo	ogical		Met	als (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
OW	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02
Qualifiers:		D.O. (spawning)		7.0	Beryllium		
Other:		рН	6.5 - 9.0		Cadmium	TVS	TVS
Temporary Mo	ndification(s).	chlorophyll a (mg/m ²)		150	Cadmium(T)	5.0	
Arsenic(chronic	c) = hybrid	E. Coli (per 100 mL)		126	Chromium III		TVS
Expiration Date	e of 12/31/2024				Chromium III(T)	50	
		Inorganic (m	ng/L)		Chromium VI	TVS	TVS
			acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron		WS
		Boron		0.75	Iron(T)		1000
		Chloride		250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	
		Cyanide	0.005		Manganese	TVS	TVS/WS
EPA has	not acted on segment-	Nitrate	10		Mercury		0.01(t)
specific to	otal phosphorus (TP)	Nitrite	0.02		Molybdenum(T)		150
numeric	standards based on	Phosphorus		0.11	Nickel	TVS	TVS
the interi	m value for river/	Sulfate		WS	Nickel(T)		100
stream se	egments with a cold	Sulfide		0.002	Selenium	TVS	TVS
water aqu					Silver	TVS	TVS(tr)
(0.11 mg	/L TP).				Uranium		
					Zina	T\/S	TVC
					ZINC	105	105
2. All tributaries or the Gunnison	s and wetlands from Beaver Creek to n River, excluding Steuben Creek, Wi	Meyers Gulch, from the West Elk Wild Ilow Creek, and Soap Creek and their	erness boundary tributaries.	to their con	fluences with Blue Mesa Rese	ervoir, Morrow Point	Reservoir,
2. All tributaries or the Gunnison COGUUG02	s and wetlands from Beaver Creek to n River, excluding Steuben Creek, Wi Classifications	Meyers Gulch, from the West Elk Wild Ilow Creek, and Soap Creek and their Physical and Biolo	erness boundary tributaries. o gical	to their con	fluences with Blue Mesa Rese	ervoir, Morrow Point	Reservoir,
2. All tributaries or the Gunnison COGUUG02 Designation	s and wetlands from Beaver Creek to n River, excluding Steuben Creek, Wi Classifications Agriculture	Meyers Gulch, from the West Elk Wild Ilow Creek, and Soap Creek and their Physical and Biolo	erness boundary tributaries. ogical DM	to their con	fluences with Blue Mesa Rese	ervoir, Morrow Point als (ug/L) acute	Reservoir, chronic
2. All tributaries or the Gunnisor COGUUG02 Designation OW	s and wetlands from Beaver Creek to n River, excluding Steuben Creek, Wi Classifications Agriculture Aq Life Cold 1	Meyers Gulch, from the West Elk Wild llow Creek, and Soap Creek and their Physical and Biolo Temperature °C	erness boundary tributaries. ogical DM CS-1	to their con MWAT CS-I	fluences with Blue Mesa Rese Met	acute	Reservoir, chronic
2. All tributaries or the Gunniso COGUUG02 Designation OW	s and wetlands from Beaver Creek to n River, excluding Steuben Creek, Wi Classifications Agriculture Aq Life Cold 1 Recreation E	Meyers Gulch, from the West Elk Wild llow Creek, and Soap Creek and their Physical and Biolo Temperature °C	erness boundary tributaries. Dgical DM CS-I acute	MWAT CS-I chronic	Aluminum Arsenic	als (ug/L) acute 340	Reservoir, chronic
2. All tributaries or the Gunnisor COGUUG02 Designation OW	s and wetlands from Beaver Creek to n River, excluding Steuben Creek, Wi Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Meyers Gulch, from the West Elk Wild Ilow Creek, and Soap Creek and their Physical and Biolo Temperature °C D.O. (mg/L)	erness boundary tributaries. ogical DM CS-I acute 	to their con MWAT CS-1 chronic 6.0	Aluminum Arsenic Arsenic(T)	als (ug/L) acute 340 	IVS Reservoir, chronic 0.02
2. All tributaries or the Gunnisor COGUUG02 Designation OW Qualifiers:	s and wetlands from Beaver Creek to n River, excluding Steuben Creek, Wi Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Meyers Gulch, from the West Elk Wild Ilow Creek, and Soap Creek and their Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning)	erness boundary tributaries. ogical DM CS-I acute 	MWAT CS-I chronic 6.0 7.0	Aluminum Arsenic Beryllium	acute 340	IVS Reservoir, chronic 0.02
2. All tributaries or the Gunnisor COGUUG02 Designation OW Qualifiers: Other:	s and wetlands from Beaver Creek to n River, excluding Steuben Creek, Wi Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Meyers Gulch, from the West Elk Wild Ilow Creek, and Soap Creek and their Physical and Biok Temperature °C D.O. (mg/L) D.O. (spawning) pH	pgical DM CS-1 acute 6.5 - 9.0	MWAT CS-I chronic 6.0 7.0	fluences with Blue Mesa Rese Met Aluminum Arsenic Arsenic(T) Beryllium Cadmium	acute	IVS Reservoir, chronic 0.02 TVS
2. All tributaries or the Gunnisou COGUUG02 Designation OW Qualifiers: Other: Temporary Mo	s and wetlands from Beaver Creek to n River, excluding Steuben Creek, Wi Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Meyers Gulch, from the West Elk Wild llow Creek, and Soap Creek and their Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²)	erness boundary tributaries. DM CS-1 acute 6.5 - 9.0	to their con MWAT CS-I chronic 6.0 7.0 150	Aluminum Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T)	acute 340 TVS 5.0	IVS Reservoir, chronic 0.02 TVS
2. All tributaries or the Gunnisou COGUUG02 Designation OW Qualifiers: Other: Temporary Mc Arsenic(chronic	s and wetlands from Beaver Creek to n River, excluding Steuben Creek, Wi Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply xdification(s): c) = hybrid	Meyers Gulch, from the West Elk Wild llow Creek, and Soap Creek and their Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)	erness boundary tributaries. DM CS-1 acute 6.5 - 9.0 	to their con MWAT CS-I chronic 6.0 7.0 150 126	Illences with Blue Mesa Reserved Met Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium Cadmium(T) Chromium III	acute 340 TVS 5.0	IVS Reservoir, chronic 0.02 TVS TVS
2. All tributaries or the Gunnisor COGUUG02 Designation OW Qualifiers: Other: Temporary Mc Arsenic(chronic Expiration Date	s and wetlands from Beaver Creek to n River, excluding Steuben Creek, Wi Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply diffication(s): c) = hybrid e of 12/31/2024	Meyers Gulch, from the West Elk Wild llow Creek, and Soap Creek and their Physical and Biok Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL)	erness boundary tributaries. DM CS-1 acute 6.5 - 9.0 	to their con MWAT CS-I chronic 6.0 7.0 150 126	fluences with Blue Mesa Rese fluences with Blue Mesa Rese Met Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium Cadmium(T) Chromium III Chromium III(T)	acute 340 TVS 5.0 50	IVS Reservoir, chronic 0.02 TVS TVS TVS
2. All tributaries or the Gunnisou COGUUG02 Designation OW Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date	s and wetlands from Beaver Creek to n River, excluding Steuben Creek, Wi Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply diffication(s): c) = hybrid e of 12/31/2024	Meyers Gulch, from the West Elk Wild Ilow Creek, and Soap Creek and their Physical and Biok Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (m	pogical DM CS-1 acute 6.5 - 9.0 mg/L)	to their con MWAT CS-I chronic 6.0 7.0 150 126	Illences with Blue Mesa Reserved Met Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI	acute 340 TVS 5.0 50 TVS	TVS Reservoir, chronic 0.02 TVS TVS TVS TVS TVS
2. All tributaries or the Gunnisou COGUUG02 Designation OW Qualifiers: Other: Temporary Mc Arsenic(chronic Expiration Date	s and wetlands from Beaver Creek to n River, excluding Steuben Creek, Wi Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply bdffication(s): c) = hybrid e of 12/31/2024	Meyers Gulch, from the West Elk Wild Ilow Creek, and Soap Creek and their Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (m	pgical DM CS-1 acute 6.5 - 9.0 c gg/L) acute	to their con MWAT CS-I chronic 6.0 7.0 150 126 chronic	Illences with Blue Mesa Reserved Met Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium Cadmium(T) Chromium III Chromium III Chromium III Chromium VI Copper	rvoir, Morrow Point acute 340 TVS 5.0 50 TVS S0 TVS	IVS Reservoir, chronic 0.02 TVS TVS TVS TVS TVS TVS TVS TVS
2. All tributaries or the Gunnisou COGUUG02 Designation OW Qualifiers: Other: Temporary Mc Arsenic(chronic Expiration Date	s and wetlands from Beaver Creek to n River, excluding Steuben Creek, Wi Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply dification(s): c) = hybrid e of 12/31/2024	Meyers Gulch, from the West Elk Wild Ilow Creek, and Soap Creek and their Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (m Ammonia	erness boundary tributaries. DM CS-1 acute 6.5 - 9.0 tg/L) acute TVS	to their con MWAT CS-I chronic 6.0 7.0 150 126 chronic TVS	Illences with Blue Mesa Reserved Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron	Ivs acute 340 TVS 5.0 50 TVS 50 TVS S0 TVS	IVS Reservoir, chronic 0.02 TVS TVS TVS TVS WS
2. All tributaries or the Gunnisou COGUUG02 Designation OW Qualifiers: Other: Temporary Mc Arsenic(chronic Expiration Date	s and wetlands from Beaver Creek to n River, excluding Steuben Creek, Wi Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply bdification(s): c) = hybrid e of 12/31/2024	Meyers Gulch, from the West Elk Wild llow Creek, and Soap Creek and their Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (m Ammonia Boron	erness boundary tributaries. ogical DM CS-I acute 6.5 - 9.0 mg/L) acute TVS 	to their con MWAT CS-I chronic 6.0 7.0 150 126 Chronic TVS 0.75	fluences with Blue Mesa Rese fluences with Blue Mesa Rese Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T)	IVS ervoir, Morrow Point acute 340 340 50 TVS 50 TVS 50 TVS So 50 TVS 50 TVS <tr< td=""><td>IVS Reservoir, chronic 0.02 TVS TVS TVS WS 1000</td></tr<>	IVS Reservoir, chronic 0.02 TVS TVS TVS WS 1000
2. All tributaries or the Gunnisou COGUUG02 Designation OW Qualifiers: Other: Temporary Mc Arsenic(chronic Expiration Date	s and wetlands from Beaver Creek to n River, excluding Steuben Creek, Wi Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply dification(s): c) = hybrid e of 12/31/2024	Meyers Gulch, from the West Elk Wild low Creek, and Soap Creek and their Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride	erness boundary tributaries. ogical DM CS-1 acute 6.5 - 9.0 cr- acute TVS acute TVS 	to their con MWAT CS-I chronic 6.0 7.0 7.0 150 126 126 Chronic TVS 0.75 250	Illences with Blue Mesa Reserved Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead	rvoir, Morrow Point acute 340 TVS 5.0 50 TVS TVS TVS TVS	TVS Reservoir, chronic 0.02 TVS TVS TVS WS 1000 TVS
2. All tributaries or the Gunnison COGUUG02 Designation OW Qualifiers: Other: Temporary Mc Arsenic(chronic Expiration Date	s and wetlands from Beaver Creek to n River, excluding Steuben Creek, Wi Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): c) = hybrid e of 12/31/2024	Meyers Gulch, from the West Elk Wild low Creek, and Soap Creek and their Physical and Biok Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chlorine	erness boundary tributaries. ogical DM CS-I acute 6.5 - 9.0 6.5 - 9.0 () acute TVS TVS 0.019	to their con MWAT CS-I chronic 6.0 7.0 7.0 150 126 126 Chronic TVS 0.75 250 0.011	Ille Illences with Blue Mesa Reserved Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T)	IVS ervoir, Morrow Point acute 340 340 50 TVS 50 TVS S0	TVS Reservoir, chronic 0.02 TVS TVS TVS S TVS
2. All tributaries or the Gunnisou COGUUG02 Designation OW Qualifiers: Other: Temporary Mc Arsenic(chronic Expiration Date	s and wetlands from Beaver Creek to n River, excluding Steuben Creek, Wi Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Meyers Gulch, from the West Elk Wild Ilow Creek, and Soap Creek and their Physical and Biok Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chlorine Cyanide	erness boundary tributaries. ogical DM CS-1 acute 6.5 - 9.0 6.5 - 9.0 0.01 0.005	to their con MWAT CS-I chronic 6.0 7.0 150 126 126 Chronic TVS 0.75 250 0.011 	Illences with Blue Mesa Reserved Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese	IVS ervoir, Morrow Point acute 340 340 5.0 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS TVS 50 TVS 50 TVS 50 TVS 50 TVS	TVS Reservoir, chronic 0.02 TVS TVS
2. All tributaries or the Gunnisou COGUUG02 Designation OW Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date	s and wetlands from Beaver Creek to n River, excluding Steuben Creek, Wi Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply dification(s): c) = hybrid e of 12/31/2024	Meyers Gulch, from the West Elk Wild Ilow Creek, and Soap Creek and their Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chlorine Cyanide Nitrate	erness boundary tributaries. ogical DM CS-1 acute 6.5 - 9.0 6.5 - 9.0 0.01 TVS 0.019 0.005 10	to their con MWAT CS-I chronic 6.0 7.0 150 126 Chronic TVS 0.75 250 0.011 	Illeances with Blue Mesa Reserved Illeances with Blue Mesa Reserved Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium Cadmium(T) Chromium III Chromium III Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury	rvoir, Morrow Point acute 340 TVS 5.0 50 TVS TVS TVS TVS 50 TVS 50 TVS TVS 50 TVS 	TVS Reservoir, chronic 0.02 TVS 0.000 TVS/WS 0.01(t)
2. All tributaries or the Gunnisou COGUUG02 Designation OW Qualifiers: Other: Temporary Mc Arsenic(chronic Expiration Date	s and wetlands from Beaver Creek to n River, excluding Steuben Creek, Wi Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Meyers Gulch, from the West Elk Wild Ilow Creek, and Soap Creek and their Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite	erness boundary tributaries. ogical DM CS-I acute 6.5 - 9.0 6.5 - 9.0 0.01 TVS 0.019 0.005 10 0.02	to their con MWAT CS-I chronic 6.0 7.0 150 126 0.126 Chronic TVS 0.75 250 0.011 150 0.011	Ille Illences with Blue Mesa Reserved Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T)	rvoir, Morrow Point acute 340 TVS 5.0 50 TVS TVS TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS 	TVS Reservoir, chronic 0.02 0.02 TVS TVS 1000 TVS 1000 TVS 0.02 TVS 0.01(t) 150
2. All tributaries or the Gunnisou COGUUG02 Designation OW Qualifiers: Other: Temporary Mc Arsenic(chronic Expiration Date	s and wetlands from Beaver Creek to n River, excluding Steuben Creek, Wi Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply xdification(s): :) = hybrid a of 12/31/2024	Meyers Gulch, from the West Elk Wild Ilow Creek, and Soap Creek and their Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	erness boundary tributaries. ogical DM CS-1 acute 6.5 - 9.0 6.5 - 9.0 0.01 TVS 0.019 0.005 10 0.02 	to their con MWAT CS-I chronic 6.0 7.0 7.0 150 126 0.126 Chronic TVS 0.75 250 0.011 0.011 0.11	Ille Illences with Blue Mesa Reserved Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel	rvs rvoir, Morrow Point acute 340 TVS 5.0 TVS 50 TVS TVS TVS 50 TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS 	TVS Reservoir, chronic 0.02 0.02 TVS TVS TVS TVS TVS TVS TVS 0.00 TVS 0.00 TVS 0.00 TVS 0.00 TVS/WS 0.01(t) 150 TVS
2. All tributaries or the Gunnisou COGUUG02 Designation OW Qualifiers: Other: Temporary Mc Arsenic(chronic Expiration Date	s and wetlands from Beaver Creek to n River, excluding Steuben Creek, Wi Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply dification(s): c) = hybrid a of 12/31/2024	Meyers Gulch, from the West Elk Wild Ilow Creek, and Soap Creek and their Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	erness boundary tributaries. ogical DM CS-I acute 6.5 - 9.0 6.5 - 9.0 0.01 0.005 10 0.002 10 0.02 	to their con MWAT CS-I chronic 6.0 7.0 150 126 126 Chronic TVS 0.75 250 0.011 250 0.011 0.11 WS	fluences with Blue Mesa Rese fluences with Blue Mesa Rese Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T)	rvs rvoir, Morrow Point acute 340 TVS 5.0 TVS 50 TVS TVS 50 TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS TVS TVS -	TVS Reservoir, chronic 0.02 TVS TVS TVS TVS TVS TVS TVS TVS TVS 0.002 TVS TVS TVS TVS 1000 TVSWS 0.01(t) 150 TVS 100
2. All tributaries or the Gunnison COGUUG02 Designation OW Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date	s and wetlands from Beaver Creek to n River, excluding Steuben Creek, Wi Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply dification(s): c) = hybrid e of 12/31/2024	Meyers Gulch, from the West Elk Wild Ilow Creek, and Soap Creek and their Physical and Biok Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	erness boundary tributaries. ogical DM CS-I acute 6.5 - 9.0 6.5 - 9.0 0.01 acute TVS 0.019 0.005 10 0.02 10 	to their con MWAT CS-I chronic 6.0 7.0 7.0 150 126 0.0 126 Chronic TVS 0.75 250 0.011 250 0.011 0.01 	fluences with Blue Mesa Rese fluences with Blue Mesa Rese Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	rvs rvoir, Morrow Point acute 340 TVS 5.0 50 TVS TVS 50 TVS TVS 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS TVS TVS	TVS Reservoir, chronic 0.02 TVS TVS TVS TVS TVS TVS TVS TVS TVS 0.01(t) TVS TVS TVS TVS TVS TVS TVS TVS/WS 0.01(t) TVS TVS TVS TVS/WS 0.01(t) TVS TVS
2. All tributaries or the Gunnisor COGUUG02 Designation OW Qualifiers: Other: Temporary Mc Arsenic(chronic Expiration Date	s and wetlands from Beaver Creek to n River, excluding Steuben Creek, Wi Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply xdification(s): c) = hybrid e of 12/31/2024	Meyers Gulch, from the West Elk Wild Ilow Creek, and Soap Creek and their Physical and Biok Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	erness boundary tributaries. ogical DM CS-I acute 6.5 - 9.0 6.5 - 9.0 0.01 acute TVS 0.019 0.005 10 0.002 10 0.02 	to their con MWAT CS-I chronic 6.0 7.0 7.0 150 126 0.126 Chronic TVS 0.75 250 0.011 250 0.011 0.11 WS 0.002	fluences with Blue Mesa Rese fluences with Blue Mesa Rese Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Silver	rvs rvoir, Morrow Point als (ug/L) acute 340 TVS 5.0 TVS TVS TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS	TVS Reservoir, chronic 0.02 TVS 0.00(1) TVS 0.01(t) 150 TVS 1000 TVS 1000 TVS YVS(tr)
2. All tributaries or the Gunnisou COGUUG02 Designation OW Qualifiers: Other: Temporary Mc Arsenic(chronic Expiration Date	s and wetlands from Beaver Creek to n River, excluding Steuben Creek, Wi Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Meyers Gulch, from the West Elk Wild Ilow Creek, and Soap Creek and their Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	erness boundary tributaries. ogical DM CS-1 acute 6.5 - 9.0 0.01 acute TVS 0.019 0.005 10 0.02 	to their con MWAT CS-I chronic 6.0 7.0 150 126 0.126 Chronic TVS 0.75 250 0.011 0.011 0.11 WS 0.002	Ille Illences with Blue Mesa Rese Illences with Blue Mesa Rese Arsenic Arsenic Arsenic(T) Beryllium Cadmium Cadmium Cadmium(T) Chromium III Chromium III Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium Silver Uranium	rvoir, Morrow Point acute 340 TVS 5.0 TVS 50 TVS TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS 	TVS Reservoir, chronic 0.02 0.02 TVS TVS TVS TVS TVS 0.001(t) TVS TVS TVS/WS 0.01(t) TVS TVS TVS TVS/WS TVS/WS TVS/WS TVS/WS TVS/WS TVS/WS TVS/WS TVS/WS TVS/WS

All metals are dissolved unless otherwise noted.

T = total recoverable

D.O. = dissolved oxygen

DM = daily maximum

MWAT = maximum weekly average temperature

See 35.6 for further details on applied standards.

tr = trout sc = sculpin

t = total

134

3. Deleted.							
COGUUG03	Classifications	Physical and Biolog	ical		Meta	ls (ug/L)	
Designation	<u>.</u>		DM	MWAT		acute	chronic
Qualifiers:			acute	chronic			
Other:							
		Inorganic (mg/	′L)				
			acute	chronic			
4. Mainstem o	f the Taylor River, including all tributarie	es and wetlands, from the source to the	confluence w	ith the Gunni	son River, except for specific lis	tings in Segment	1.
COGUUG04	Classifications	Physical and Biolog	ical		Meta	ls (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02
Qualifiers:		D.O. (spawning)		7.0	Beryllium		
Other:		рН	6.5 - 9.0		Cadmium	TVS	TVS
Temporary Mo	odification(s):	chlorophyll a (mg/m ²)		150	Cadmium(T)	5.0	
Arsenic(chroni	c) = hybrid	E. Coli (per 100 mL)		126	Chromium III		TVS
Expiration Date	e of 12/31/2024				Chromium III(T)	50	
		Inorganic (mg/	′L)		Chromium VI	TVS	TVS
			acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron		WS
		Boron		0.75	Iron(T)		1000
		Chloride		250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	
	a not optiod on pogmont	Cyanide	0.005		Manganese	TVS	TVS/WS
	total phosphorus (TD)	Nitrate	10		Mercury		0.01(t)
specific	standarda basad an	Nitrite	0.05		Molybdenum(T)		150
the inter	standards based on	Phosphorus		0.11	Nickel	TVS	TVS
	and value for fiver/	Sulfate		WS	Nickel(T)		100
stream s		Sulfide		0.002	Selenium	TVS	TVS
					Silver	TVS	TVS(tr)
	y/∟ ir).				Uranium		
					Zinc	TVS	TVS

D.O. = dissolved oxygen DM = daily maximum MWAT = maximum weekly average temperature See 35.6 for further details on applied standards.

Segment 1.							; iisungs iri
COGUUG05A	Classifications	Physical and Bi	ological		М	etals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02
Qualifiers:		D.O. (spawning)		7.0	Beryllium		
Other:		рН	6.5 - 9.0		Cadmium	TVS	TVS
Temporary Mo	dification(s):	chlorophyll a (mg/m ²)		150*	Cadmium(T)	5.0	
Arsenic(chronic	c) = hybrid	E. Coli (per 100 mL)		126	Chromium III		TVS
Expiration Date	e of 12/31/2024				Chromium III(T)	50	
*chlorophyll a	$(m\alpha/m^2)(chronic) = applies only above$	Inorganic	(mg/L)		Chromium VI	TVS	TVS
the facilities lis	sted at 35.5(4).		acute	chronic	Copper	TVS	TVS
*Phosphorus(cr facilities listed	nronic) = applies only above the at 35.5(4).	Ammonia	TVS	TVS	Iron		WS
	· · ·	Boron		0.75	Iron(T)		1000
		Chloride		250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	
	wet ested an example	Cyanide	0.005		Manganese	TVS	TVS/WS
EPA nas	not acted on segment-	Nitrate	10		Mercury		0.01(t)
specific t	otal phosphorus (TP)	Nitrite	0.05		Molybdenum(T)		150
numeric s	standards based on	Phosphorus		0.11*	Nickel	TVS	TVS
the interi	m value for river/	Sulfate		WS	Nickel(T)		100
stream s	egments with a cold	Sulfide		0.002	Selenium	TVS	TVS
water aq					Silver	TVS	TVS(tr)
(0.11 mg	/L TP).				Uranium		
					Zinc	TVS	TVS
5b. Mainstem	of the East River from a point immediat	ely above the Slate River to the con	fluence with the G	Gunnison Riv	er.		
5b. Mainstem COGUUG05B	of the East River from a point immediat Classifications	ely above the Slate River to the con Physical and Bi	nfluence with the G ological	Gunnison Riv	er. M	etals (ug/L)	
5b. Mainstem COGUUG05B Designation	of the East River from a point immediat Classifications Agriculture	ely above the Slate River to the con Physical and Bi	fluence with the G ological DM	Gunnison Riv	er. M	etals (ug/L) acute	chronic
5b. Mainstem (COGUUG05B Designation Reviewable	of the East River from a point immediat Classifications Agriculture Aq Life Cold 1	ely above the Slate River to the con Physical and Bi Temperature °C	ological DM CS-II	MWAT CS-II	er. M Aluminum	letals (ug/L) acute 	chronic
5b. Mainstern COGUUG05B Designation Reviewable	of the East River from a point immediat Classifications Agriculture Aq Life Cold 1 Recreation E	ely above the Slate River to the con Physical and Bi Temperature °C	Ifluence with the G ological DM CS-II acute	MWAT CS-II chronic	er. M Aluminum Arsenic	etals (ug/L) acute 340	chronic
5b. Mainstem (COGUUG05B Designation Reviewable	of the East River from a point immediat Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	ely above the Slate River to the con Physical and Bi Temperature °C D.O. (mg/L)	Influence with the G ological DM CS-II acute 	MWAT CS-II chronic 6.0	er. M Aluminum Arsenic Arsenic(T)	etals (ug/L) acute 340 	chronic 0.02
5b. Mainstem of COGUUG05B Designation Reviewable Qualifiers:	of the East River from a point immediat Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Pely above the Slate River to the com Physical and Bi Temperature °C D.O. (mg/L) D.O. (spawning)	Influence with the G ological DM CS-II acute 	MWAT CS-II chronic 6.0 7.0	er. M Aluminum Arsenic Arsenic(T) Beryllium	etals (ug/L) acute 340 	chronic 0.02
5b. Mainstem of COGUUG05B Designation Reviewable Qualifiers: Other:	of the East River from a point immediat Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	ely above the Slate River to the cor Physical and Bi Temperature °C D.O. (mg/L) D.O. (spawning) pH	Influence with the G ological DM CS-II acute 6.5 - 9.0	MWAT CS-II chronic 6.0 7.0	er. M Aluminum Arsenic Arsenic(T) Beryllium Cadmium	etals (ug/L) acute 340 TVS	chronic 0.02 TVS
5b. Mainstem of COGUUG05B Designation Reviewable Qualifiers: Other: Temporary Mo	of the East River from a point immediat Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply pdification(s):	ely above the Slate River to the cor Physical and Bi Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²)	Influence with the G ological DM CS-II acute 6.5 - 9.0 	MWAT CS-II chronic 6.0 7.0 	er. M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T)	etals (ug/L) acute 340 TVS 5.0	chronic 0.02 TVS
5b. Mainstem of COGUUG05B Designation Reviewable Qualifiers: Other: Temporary Mc Arsenic(chronic	of the East River from a point immediat Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply pdification(s): c) = hybrid	ely above the Slate River to the con Physical and Bi Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)	Influence with the G ological DM CS-II acute 6.5 - 9.0 	MWAT CS-II chronic 6.0 7.0 126	er. M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III	etals (ug/L) acute 340 TVS 5.0 	chronic 0.02 TVS TVS
5b. Mainstem of COGUUG05B Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date	of the East River from a point immediat Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply pdification(s): c) = hybrid e of 12/31/2024	ely above the Slate River to the con Physical and Bi Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)	Influence with the G ological DM CS-II acute 6.5 - 9.0 	MWAT CS-II chronic 6.0 7.0 126	er. M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T)	etals (ug/L) acute 340 TVS 5.0 50	chronic 0.02 TVS TVS
5b. Mainstem of COGUUG05B Designation Reviewable Qualifiers: Other: Temporary Mc Arsenic(chronic Expiration Date	of the East River from a point immediat Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	ely above the Slate River to the cor Physical and Bi Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic	fluence with the G ological DM CS-II acute 6.5 - 9.0 (mg/L)	MWAT CS-II chronic 6.0 7.0 126	er. M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium Cadmium(T) Chromium III Chromium III Chromium VI	etals (ug/L) acute 340 TVS 5.0 50 TVS	chronic 0.02 TVS TVS TVS
5b. Mainstem of COGUUG05B Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date	of the East River from a point immediat Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply pdification(s): c) = hybrid e of 12/31/2024	ely above the Slate River to the cor Physical and Bi Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic	ifluence with the G ological DM CS-II acute 6.5 - 9.0 (mg/L) acute	MWAT CS-II chronic 6.0 7.0 126 chronic	er. M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium Cadmium(T) Chromium III Chromium III Chromium VI Copper	etals (ug/L) acute 340 TVS 5.0 50 TVS TVS	chronic 0.02 TVS TVS TVS TVS
5b. Mainstem of COGUUG05B Designation Reviewable Qualifiers: Other: Temporary Mc Arsenic(chronic Expiration Date	of the East River from a point immediat Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): c) = hybrid e of 12/31/2024	ely above the Slate River to the cor Physical and Bi Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic Ammonia	ifluence with the G ological DM CS-II acute 6.5 - 9.0 (mg/L) acute TVS TVS	MWAT CS-II chronic 6.0 7.0 126 chronic TVS	er. M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium Cadmium(T) Chromium III Chromium III Chromium VI Copper Iron	etals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS	chronic 0.02 TVS TVS TVS WS
5b. Mainstem of COGUUG05B Designation Reviewable Qualifiers: Other: Temporary Mc Arsenic(chronic Expiration Date	of the East River from a point immediat Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply pdification(s): c) = hybrid e of 12/31/2024	ely above the Slate River to the cor Physical and Bi Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic Ammonia Boron	ifluence with the G ological DM CS-II acute 6.5 - 9.0 (mg/L) acute TVS	MWAT CS-II chronic 6.0 7.0 7.0 126 126 chronic TVS 0.75	er. M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T)	etals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS 	chronic 0.02 TVS TVS TVS TVS TVS TVS S TVS S S S 000
5b. Mainstem of COGUUG05B Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date	of the East River from a point immediat Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	ely above the Slate River to the cor Physical and Bi Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic Ammonia Boron Chloride	ifluence with the G ological DM CS-II acute 6.5 - 9.0 (mg/L) acute TVS acute	Bunnison Riv MWAT CS-II CS-II Chronic 6.0 7.0 7.0 126 Chronic TVS 0.75 250	er. M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead	etals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS	chronic 0.02 TVS TVS TVS TVS TVS WS 1000 TVS
5b. Mainstem of COGUUG05B Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date	of the East River from a point immediat Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): c) = hybrid e of 12/31/2024	ely above the Slate River to the con Physical and Bi Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic Ammonia Boron Chloride Chlorine	ifluence with the G ological DM CS-II acute 6.5 - 9.0 6.5 - 9.0 0.019	Bunnison Riv CS-II Chronic 6.0 7.0 126 chronic 7.0 126 Chronic 7.0 126 Chronic 7.0 126 0.75 250 0.011 11	er. M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T)	etals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS 50 TVS 50	chronic 0.02 TVS TVS TVS TVS S VVS 1000 TVS
5b. Mainstem of COGUUG05B Designation Reviewable Qualifiers: Other: Temporary Mc Arsenic(chronic Expiration Date	of the East River from a point immediat Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	ely above the Slate River to the cor Physical and Bi Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic Ammonia Boron Chloride Chlorine Cyanide	ifluence with the G ological DM CS-II acute 6.5 - 9.0 6.5 - 9.0 6.5 - 9.0 0.5 - 9.0 6.5 - 9.0 0.5 - 9.0 0.01 0.019 0.005	Bunnison Riv MWAT CS-II CS-II chronic 6.0 7.0 126 chronic 126 Chronic 0.75 250 0.011	er. M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium Cadmium(T) Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese	etals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS 50 TVS 50 TVS	chronic 0.02 TVS TVS TVS WS 1000 TVS TVS/WS
5b. Mainstem of COGUUG05B Designation Reviewable Qualifiers: Other: Temporary Mc Arsenic(chronic Expiration Date	of the East River from a point immediat Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): c) = hybrid e of 12/31/2024	ely above the Slate River to the cor Physical and Bi Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic Ammonia Boron Chloride Chlorine Cyanide Nitrate	ifluence with the G ological DM CS-II acute 6.5 - 9.0 (mg/L) acute 0.019 0.005 10	Bunnison Riv CS-II Chronic 6.0 7.0 126 Chronic 7.0 126 7.0 0.75 250 0.011	er. M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury	etals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS 50 TVS 50 TVS 50 TVS 50 TVS	chronic 0.02 TVS TVS TVS TVS TVS TVS TVS TVS TVS 0.00 TVS/WS 0.01(t)
5b. Mainstem of COGUUG05B Designation Reviewable Qualifiers: Other: Temporary Mc Arsenic(chronic Expiration Date	of the East River from a point immediat Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): c) = hybrid e of 12/31/2024	ely above the Slate River to the cor Physical and Bi Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic Ammonia Boron Chloride Chloride Chlorine Cyanide Nitrate Nitrite	influence with the G ological DM CS-II CS-II acute 6.5 - 9.0 (mg/L) CMJ 0.019 0.005 10 0.05	Riv MWAT CS-II chronic 6.0 7.0 126 chronic Chronic 0.011	er. Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T)	etals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS 50 TVS 50 TVS TVS 50 TVS 	chronic 0.02 TVS TVS TVS WS 1000 TVS WS 1000 TVS TVS/WS 0.01(t) 150
5b. Mainstem of COGUUG05B Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date	of the East River from a point immediat Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	ely above the Slate River to the cor Physical and Bi Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	Huence with the G ological DM CS-II acute 6.5 - 9.0 (mg/L) acute TVS (mg/L) 0.019 0.005 10 0.05 10	Bunnison Riv CS-II Chronic CS-II Chronic 6.0 7.0 7.0 126 Chronic 126 0.75 250 0.011	er. M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel	etals (ug/L) acute 340 TVS 5.0 TVS 50 TVS TVS TVS 50 TVS 50 TVS TVS 50 TVS TVS 50 TVS 	chronic 0.02 TVS TVS TVS TVS WS 1000 TVS WS 1000 TVS TVS/WS 0.01(t) 150 TVS
5b. Mainstem of COGUUG05B Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date	of the East River from a point immediat Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	ely above the Slate River to the cor Physical and Bi Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	ifluence with the G ological DM CS-II CS-II acute 6.5 - 9.0 6.5 - 9.0 6.7 6.7 7 0.019 0.005 10 0.055 10 0.055 0.019	Bunnison Riv CS-II CS-II Chronic 0 7.0 126 126 Chronic TVS 0.75 0.011 0.011 WS	er. M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T)	etais (ug/L) acute 340 TVS 5.0 50 TVS 50 TVS TVS 50 TVS 50 TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS -	chronic 0.02 TVS TVS TVS TVS WS 1000 TVS WS 1000 TVS TVS/WS 0.01(t) 150 TVS 100
5b. Mainstem of COGUUG05B Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date	of the East River from a point immedial Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	ely above the Slate River to the cor Physical and Bi Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic Ammonia Boron Chloride Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	influence with the G ological DM CS-II acute acute 6.5 - 9.0 6.5 - 9.0 6.5 - 9.0 0.5 - 9.0 6.5 - 9.0 0.0 0.019 0.005 10 0.05	Bunnison Riv CS-II CS-II Chronic 6.0 7.0 126 126 Chronic 126 0.75 250 0.011 WS 0.002	er. Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	etals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS	chronic 0.02 TVS TVS TVS WS 1000 TVS WS 1000 TVS 1000 TVS/WS 0.01(t) 150 TVS 1000 TVS
5b. Mainstern of COGUUG05B Designation Reviewable Qualifiers: Other: Temporary Mc Arsenic(chronic Expiration Date	of the East River from a point immedial Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	ely above the Slate River to the cor Physical and Bi Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic Ammonia Boron Chloride Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	influence with the G ological DM CS-II acute acute 6.5 - 9.0 6.5 - 9.0 6.5 - 9.0 0.5 - 9.0 0.5 - 9.0 0.019 0.005 10 0.05	Bunnison Riv CS-II Chronic 6.0 7.0 7.0 126 126 0.75 250 0.011 0.011 WS 0.002	er. M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium Cadmium(T) Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium Silver	etals (ug/L) acute	chronic 0.02 TVS TVS TVS TVS TVS TVS 0.001(t) 150 TVS 100 TVS 100 TVS 100 TVS
5b. Mainstem of COGUUG05B Designation Reviewable Qualifiers: Other: Temporary Mc Arsenic(chronic Expiration Date	of the East River from a point immediat Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	ely above the Slate River to the cor Physical and Bi Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic Ammonia Boron Chloride Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	influence with the G ological DM CS-II CS-II acute 6.5 - 9.0 6.5 - 9.0 0.5 - 9.0 0.019 0.005 10 0.05	Rive CS-II CS-II chronic 6.0 7.0 126 Chronic 0.011 0.011 0.011 WS 0.002	er. M Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium Silver Uranium	etals (ug/L) acute 340 TVS 50 TVS 50 TVS 10 50 TVS 50 TVS TVS 50 TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS TVS	chronic 0.02 TVS TVS TVS 1000 TVS 0.02 TVS TVS TVS 0.01(t) 150 TVS 1000 TVS TVS 0.01(t) 150 TVS 100 TVS 100 TVS 100 TVS

All metals are dissolved unless otherwise noted. T = total recoverable t = total

D.O. = dissolved oxygen

DM = daily maximum

MWAT = maximum weekly average temperature

tr = trout sc = sculpin See 35.6 for further details on applied standards.

6a. All tributarie Segments 6b a	es to the East River from a point imme and 6c.	diately above its confluence with the Sla	ate River to its	confluence	with the Gunnison River, except f	or specific listing	s in
COGUUG06A	Classifications	Physical and Biolog	gical		Metals	s (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 2	Temperature °C	CS-I	CS-I	Aluminum		
	Recreation U		acute	chronic	Arsenic	340	
Qualifiers:		D.O. (mg/L)		6.0	Arsenic(T)		100
Other:		D.O. (spawning)		7.0	Beryllium		
		рН	6.5 - 9.0		Cadmium	TVS	TVS
		chlorophyll a (mg/m ²)		150	Chromium III	TVS	TVS
		E. Coli (per 100 mL)		126	Chromium III(T)		100
					Chromium VI	TVS	TVS
		Inorganic (mg	g/L)		Copper	TVS	TVS
			acute	chronic	Iron(T)		1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron		0.75	Manganese	TVS	TVS
FPA has	s not acted on segment-	Chloride			Mercury		0.01(t)
Ispecific	total phosphorus (TP)	Chlorine	0.019	0.011	Molybdenum(T)		150
numeric	standards based on	Cyanide	0.005		Nickel	TVS	TVS
the inter	rim value for river/	Nitrate	100		Selenium	TVS	TVS
etroam of	segments with a cold	Nitrite	0.5		Silver	TVS	TVS(tr)
water ac	sugification	Phosphorus		0.11	Uranium		
(0.11 m)		Sulfate			Zinc	TVS	TVS
(0.1111	g/L TF).	Sulfide		0.002			
6b. Cement Cr	reek and all its tributaries and wetlands	from the source to a point immediately	above the cor	fluence with	Horse Basin Creek.		
COGUUG06B	Classifications	Physical and Biolog	gical		Metals	s (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02
Qualifiers:	•	D.O. (spawning)		7.0	Beryllium		
Other:		рН	6.5 - 9.0		Cadmium	TVS	TVS
Temporary Mo	ordification(s):	chlorophyll a (mg/m ²)		150	Cadmium(T)	5.0	
Arsenic(chronic	c) = bybrid	E. Coli (per 100 mL)		126	Chromium III		TVS
Expiration Date	e of 12/31/2024				Chromium III(T)	50	
		Inorganic (mg	g/L)		Chromium VI	TVS	TVS
			acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron		WS
					1		1000
		Boron		0.75	Iron(I)		
		Boron Chloride		0.75 250	Lead	TVS	TVS
		Boron Chloride Chlorine	 0.019	0.75 250 0.011	Lead Lead(T)	TVS 50	TVS
		Boron Chloride Chlorine Cvanide	 0.019 0.005	0.75 250 0.011 	Iron () Lead Lead(T) Manganese	TVS 50 TVS	TVS TVS/WS
		Boron Chloride Chlorine Cyanide Nitrate	0.019 0.005	0.75 250 0.011 	Iron(T) Lead Lead(T) Manganese Mercury	TVS 50 TVS	TVS TVS/WS 0.01(t)
		Boron Chloride Chlorine Cyanide Nitrate Nitrite	 0.019 0.005 10 0.05	0.75 250 0.011 	Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T)	TVS 50 TVS 	TVS TVS/WS 0.01(t) 150
		Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	 0.019 0.005 10 0.05 	0.75 250 0.011 0.11	Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel	TVS 50 TVS TVS	TVS TVS/WS 0.01(t) 150 TVS
		Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	 0.019 0.005 10 0.05 	0.75 250 0.011 0.11 WS	Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T)	TVS 50 TVS TVS 	TVS TVS/WS 0.01(t) 150 TVS 100
		Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	 0.019 0.005 10 0.05 	0.75 250 0.011 0.11 WS 0.002	Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	TVS 50 TVS TVS TVS	TVS TVS/WS 0.01(t) 150 TVS 100 TVS
		Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	 0.019 0.005 10 0.05 	0.75 250 0.011 0.11 WS 0.002	Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel Nickel(T) Selenium Silver	TVS 50 TVS TVS TVS TVS TVS	TVS TVS/WS 0.01(t) 150 TVS 100 TVS TVS(tr)
		Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	 0.019 0.005 10 0.05 	0.75 250 0.011 0.11 WS 0.002	Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium Silver Uranium	TVS 50 TVS TVS TVS TVS TVS 	TVS TVSWS 0.01(t) 150 TVS 100 TVS TVS(tr)
		Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	 0.019 0.005 10 0.05 	0.75 250 0.011 0.11 0.11 WS 0.002	Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium Silver Uranium Zinc	TVS 50 TVS TVS TVS TVS TVS	TVS TVS/WS 0.01(t) 150 TVS 100 TVS TVS(tr) TVS

DM = daily maximum MWAT = maximum weekly average temperature See 35.6 for further details on applied standards.

D.O. = dissolved oxygen

6c. Cement Ci	Teek, micruuling an tributaries and wettar	ids, from a point immediately above to	The continuence wi		Sin Creek to the confidence v	Auture East River.	
COGUUG06C	Classifications	Physical and Bio	logical		M	etals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CS-II	CS-II	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02
Qualifiers:		D.O. (spawning)		7.0	Beryllium		
Other:		рН	6.5 - 9.0		Cadmium	TVS	TVS
		chlorophyll a (mg/m ²)		150	Cadmium(T)	5.0	
		E. Coli (per 100 mL)		126	Chromium III		TVS
					Chromium III(T)	50	
		Inorganic (mg/L)		Chromium VI	TVS	TVS
			acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron		WS
		Boron		0.75	Iron(T)		1000
		Chloride		250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	
		Cyanide	0.005		Manganese	TVS	TVS/WS
FPA has	s not acted on segment-	Nitrate	10		Mercury		0.01(t)
specific	total phosphorus (TP)	Nitrite	0.05		Molybdenum(T)		150
numeric	standards based on	Phosphorus		0.11	Nickel	TVS	TVS
the inter	im value for river/	Sulfate		WS	Nickel(T)		100
etroam o	segments with a cold	Sulfide		0.002	Selenium	TVS	TVS
water ac	nuatic life classification	Cuntac		0.002	Silver	TVS	TVS(tr)
(0.11 m)	n/I TP)				Uranium		
(0.1111)	g/L 11).				Zinc	TVS	TVS
					2		
7. Mainstem o	of the Slate River from its source to a po	bint immediately above the confluence	with Coal Creek	κ.			
7. Mainstem o	of the Slate River from its source to a po Classifications	bint immediately above the confluence Physical and Bio	with Coal Creek logical	κ.	м	etals (ug/L)	
7. Mainstem o COGUUG07 Designation	of the Slate River from its source to a particular of the Slate River from its source to a particular of the source to a particulture of the source of the source to a particulture of the source of the source to a particular of the source of	int immediately above the confluence Physical and Bio	with Coal Creek logical DM	«. MWAT	M	etals (ug/L) acute	chronic
7. Mainstern o COGUUG07 Designation Reviewable	of the Slate River from its source to a po Classifications Agriculture Aq Life Cold 1	int immediately above the confluence Physical and Bio Temperature °C	with Coal Creek logical DM CS-I	K. MWAT CS-I	M	etals (ug/L) acute 	chronic
7. Mainstem o COGUUG07 Designation Reviewable	of the Slate River from its source to a po Classifications Agriculture Aq Life Cold 1 Recreation E	int immediately above the confluence Physical and Bio Temperature °C	with Coal Creek logical DM CS-I acute	K. MWAT CS-I chronic	M Aluminum Arsenic	etals (ug/L) acute 340	chronic
7. Mainstem o COGUUG07 Designation Reviewable	of the Slate River from its source to a po Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	int immediately above the confluence Physical and Bio Temperature °C D.O. (mg/L)	with Coal Creek logical DM CS-I acute 	K. MWAT CS-I chronic 6.0	M Aluminum Arsenic Arsenic(T)	etals (ug/L) acute 340 	chronic 0.02
7. Mainstern o COGUUG07 Designation Reviewable Qualifiers:	of the Slate River from its source to a po Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	int immediately above the confluence Physical and Bio Temperature °C D.O. (mg/L) D.O. (spawning)	with Coal Creek logical DM CS-I acute 	K. MWAT CS-I chronic 6.0 7.0	M Aluminum Arsenic Arsenic(T) Beryllium	etals (ug/L) acute 340 	chronic 0.02
7. Mainstem o COGUUG07 Designation Reviewable Qualifiers: Other:	of the Slate River from its source to a po Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	int immediately above the confluence Physical and Bio Temperature °C D.O. (mg/L) D.O. (spawning) pH	with Coal Creek logical DM CS-I acute 6.5 - 9.0	K. MWAT CS-I chronic 6.0 7.0 	M Aluminum Arsenic Arsenic(T) Beryllium Cadmium	etals (ug/L) acute 340 TVS	chronic 0.02 TVS
7. Mainstem o COGUUG07 Designation Reviewable Qualifiers: Other:	of the Slate River from its source to a po Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	int immediately above the confluence Physical and Bio Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²)	with Coal Creek logical DM CS-1 acute 6.5 - 9.0 	K. MWAT CS-I Chronic 6.0 7.0 150	M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T)	etals (ug/L) acute 340 TVS 5.0	chronic 0.02 T√S
7. Mainstem o COGUUG07 Designation Reviewable Qualifiers: Other:	of the Slate River from its source to a po Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	int immediately above the confluence Physical and Bio Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL)	with Coal Creek logical DM CS-I acute 6.5 - 9.0 	K. MWAT CS-I chronic 6.0 7.0 150 126	M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium Cadmium(T) Chromium III	etals (ug/L) acute 340 TVS 5.0 	chronic 0.02 TVS TVS
7. Mainstern o COGUUG07 Designation Reviewable Qualifiers: Other:	of the Slate River from its source to a po Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	int immediately above the confluence Physical and Bio Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL)	with Coal Creek logical DM CS-I acute 6.5 - 9.0 	K. MWAT CS-I chronic 6.0 7.0 150 126	M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T)	etals (ug/L) acute 340 TVS 5.0 50	chronic 0.02 TVS TVS
7. Mainstern o COGUUG07 Designation Reviewable Qualifiers: Other:	of the Slate River from its source to a po Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	int immediately above the confluence Physical and Bio Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (n	with Coal Creek logical DM CS-I acute 6.5 - 9.0 mg/L)	K. MWAT CS-1 chronic 6.0 7.0 7.0 150 126	M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium Cadmium(T) Chromium III Chromium III Chromium VI	etals (ug/L) acute 340 TVS 5.0 50 TVS	chronic 0.02 TVS TVS TVS
7. Mainstern o COGUUG07 Designation Reviewable Qualifiers: Other:	of the Slate River from its source to a po Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	int immediately above the confluence Physical and Bio Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (mg/m²)	with Coal Creek logical DM CS-1 acute 6.5 - 9.0 mg/L) acute	<. MWAT CS-I chronic 6.0 7.0 7.0 150 126 chronic	M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium Cadmium(T) Chromium III Chromium III Chromium VI Copper	etals (ug/L) acute 340 TVS 5.0 50 TVS TVS	chronic 0.02 TVS TVS TVS TVS TVS TVS
7. Mainstern o COGUUG07 Designation Reviewable Qualifiers: Other:	of the Slate River from its source to a po Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	int immediately above the confluence Physical and Bio Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (m Ammonia	with Coal Creek logical DM CS-I acute 6.5 - 9.0 mg/L) acute TVS	 MWAT CS-I chronic 6.0 7.0 150 126 chronic TVS 	M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron	etals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS	chronic 0.02 TVS TVS TVS TVS TVS WS
7. Mainstem o COGUUG07 Designation Reviewable Qualifiers: Other:	of the Slate River from its source to a po Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	int immediately above the confluence Physical and Bio Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (mg/max) Ammonia Boron	with Coal Creek logical DM CS-I acute 6.5 - 9.0 mg/L) acute TVS 	<. MWAT CS-I chronic 6.0 7.0 7.0 150 126 chronic TVS 0.75	M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron	etals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS 	chronic 0.02 TVS TVS TVS WS 1000
7. Mainstem o COGUUG07 Designation Reviewable Qualifiers: Other:	of the Slate River from its source to a po Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	int immediately above the confluence Physical and Bio Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (mg/m2) Chloride	with Coal Creek logical DM CS-I acute 6.5 - 9.0 mg/L) acute TVS 	K. MWAT CS-I chronic 6.0 7.0 7.0 150 126 Chronic TVS 0.75 250	M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead	etals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS 	chronic 0.02 TVS TVS TVS WS 1000 TVS
7. Mainstem o COGUUG07 Designation Reviewable Qualifiers: Other:	of the Slate River from its source to a po Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	int immediately above the confluence Physical and Bio Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chlorine	with Coal Creek logical DM CS-I acute 6.5 - 9.0 mg/L) acute TVS 0.019	K. MWAT CS-I chronic 6.0 7.0 7.0 150 126 Chronic TVS 0.75 250 0.011	M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T)	etals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS 50	chronic 0.02 TVS TVS TVS TVS TVS 1000 TVS
7. Mainstern o COGUUG07 Designation Reviewable Qualifiers: Other:	of the Slate River from its source to a po Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	int immediately above the confluence Physical and Bio Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chlorine Cvanide	with Coal Creek logical DM CS-I acute 6.5 - 9.0 mg/L) acute TVS 0.019 0.005	<. MWAT CS-I chronic 6.0 7.0 7.0 126 126 chronic TVS 0.75 250 0.011 	M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese	etals (ug/L) acute	chronic 0.02 TVS TVS TVS TVS WS 1000 TVS TVS/WS
7. Mainstern o COGUUG07 Designation Reviewable Qualifiers: Other:	of the Slate River from its source to a po Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	int immediately above the confluence Physical and Bio Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chloride Chlorine Cyanide Nitrate	with Coal Creek logical DM CS-I acute 6.5 - 9.0 mg/L) acute TVS 0.019 0.005 10	<. MWAT CS-I chronic 6.0 7.0 7.0 126 126 Chronic TVS 0.75 250 0.011 	M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury	etals (ug/L) acute 340 340 340 50 50 TVS TVS TVS 50 TVS 50 TVS 50 TVS 50 TVS 50	chronic 0.02 TVS 0.001 TVS 0.01(t)
7. Mainstem o COGUUG07 Designation Reviewable Qualifiers: Other:	of the Slate River from its source to a po Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	int immediately above the confluence Physical and Bio Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite	with Coal Creek logical DM CS-I acute 6.5 - 9.0 6.5 - 9.0 CVS mg/L) acute TVS 0.019 0.005 10 0.05	<. MWAT CS-I chronic 6.0 7.0 7.0 126 126 Chronic TVS 0.75 250 0.011 	M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T)	etals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS 50 50 TVS 50 50 TVS 50 50 TVS 50 50 50 TVS 50 50 50 50 50 50 50 50 50 50 50 50 50	chronic 0.02 TVS 0.01(t) 150
7. Mainstem o COGUUG07 Designation Reviewable Qualifiers: Other:	of the Slate River from its source to a po Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	int immediately above the confluence Physical and Bio Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	with Coal Creek Iogical DM CS-I CS-I acute	 K. MWAT CS-I Chronic 6.0 7.0 7.0 126 126 126 126 126 126 1250 0.11 0.11 0.11 0.11 	M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T)	etals (ug/L) acute 340 340 340 340 340 350 50	chronic 0.02 TVS 0.01(t) 150 TVS
7. Mainstem o COGUUG07 Designation Reviewable Qualifiers: Other:	of the Slate River from its source to a po Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	int immediately above the confluence Physical and Bio Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	with Coal Creek Iogical DM CS-I acute 6.5 - 9.0 6.5 - 9.0 C C acute TVS 0.019 0.005 10 0.05 -	<. MWAT CS-I chronic 6.0 7.0 120 120 120 0.01 125 0.011 0.01	M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T)	etals (ug/L) acute acut	chronic 0.02 TVS TVS TVS 1000 TVS 1000 TVS 0.02 TVS TVS TVS 0.01(t) 150 TVS 100
7. Mainstem o COGUUG07 Designation Reviewable Qualifiers: Other:	of the Slate River from its source to a po Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	int immediately above the confluence Physical and Bio Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (mg/m ²) E. Coli (per 100 mL) Chloride Chloride Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	with Coal Creek Iogical CS-I CS-I	<. MWAT CS-I chronic 6.0 7.0 150 126 126 Chronic TVS 0.75 250 0.011 250 0.011 0.414 WS 0.002	M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	etals (ug/L) acute acut	chronic 0.02 TVS TVS TVS TVS TVS TVS 0.01(t) 150 TVS 1000 TVS
7. Mainstem o COGUUG07 Designation Reviewable Qualifiers: Other:	of the Slate River from its source to a po Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	int immediately above the confluence Physical and Bio Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (n Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	with Coal Creek Iogical CS-I CS-I CS-I CS-I CS-I CS-I CS-I CS-I	<. MWAT CS-I chronic 6.0 7.0 120 120 120 0.01 Chronic TVS 0.75 250 0.011 0.01 0.01 0.01 0.01 0.01 0.01 0.00 0.	M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	etals (ug/L) acute	chronic 0.02 TVS TVS TVS TVS TVS TVS 0.01(t) 150 TVS 100 TVS 100 TVS 100 TVS 100 TVS
7. Mainstem o COGUUG07 Designation Reviewable Qualifiers: Other:	of the Slate River from its source to a po Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	int immediately above the confluence Physical and Bio Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	with Coal Creek Iogical CS-I CS-I CS-I CS-I CS-I CS-I CS-I CS-I	<. MWAT CS-I chronic 6.0 7.0 150 126 0.01 Chronic TVS 0.75 250 0.011 0.01 0.01 WS 0.002	M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium Silver Uranium	etals (ug/L) acute acut	chronic 0.02 TVS 1000 TVS 0.01(t) 150 TVS 100 TVS 100 TVS 100 TVS
7. Mainstem o COGUUG07 Designation Reviewable Qualifiers: Other:	of the Slate River from its source to a po Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	int immediately above the confluence Physical and Bio Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	with Coal Creek Iogical CS-I CS-I CS-I CS-I CS-I CS-I CS-I CS-I	<. MWAT CS-I chronic 6.0 7.0 150 126 0.126 Chronic TVS 0.75 250 0.011 0.011 0.011 0.011 0.011 0.011 0.011 0.011 0.011 0.011 0.011 0.011 0.011 0.011 0.011 0.011 0.002 0.002 0.002 0.002 0.002 0.002 0.002 0.002 0.002 0.002 0.002 0.002 0.002 	M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium Silver Uranium	etals (ug/L) acute acute 340 TVS 50 TVS 50 50 TVS 50 50 50 50 50 50 50 50 50 50 50 50 50	chronic 0.02 TVS 1000 TVS 0.01(t) 150 TVS 100 TVS 100 TVS TVS

All metals are dissolved unless otherwise noted. T = total recoverable t = total

tr = trout sc = sculpin D.O. = dissolved oxygen

DM = daily maximum

MWAT = maximum weekly average temperature See 35.6 for further details on applied standards.

8 Mainstem	of the Slate River from a point immedia	ately above the confluence with Coa	al Creek to the conflu	uence with the	ne East River		
COGUUG08	Classifications	Physical and	Biological		M	etals (uɑ/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CS-I*	CS-I* ^C	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02
Qualifiers:		D.O. (spawning)		7.0	Beryllium		
Other:		pH	6.5 - 9.0		Cadmium	TVS	TVS
		chlorophyll a (mg/m ²)			Cadmium(T)	5.0	
Temporary M	iodification(s):	E. Coli (per 100 mL)		126	Chromium III		TVS
Expiration Date	$t_{\rm c}$ of 12/31/2024				Chromium III(T)	50	
		Inorgani	c (mg/l)		Chromium VI	TVS	TVS
*Temperature 10/15	= summer criteria apply from 6/1-	linorgan	acute	chronic	Copper	TVS	TVS
10,10		Ammonia	TVS	TVS	Iron		WS
		Boron		0.75	Iron(T)		1000
		Oblarida		0.75		TVP	TVS
		Chloride		250		50	103
		Chiorme	0.019	0.011	Leau(1)	50	
		Cyanide	0.005		Manganese	103	1 03/003
		Nitrate	10		Mercury		0.01(t)
		Nitrite	0.05		Molybdenum(1)		150
		Phosphorus			Nickel	TVS	TVS
		Sulfate		WS	Nickel(T)		100
		Sulfide		0.002	Selenium	TVS	TVS
					Silver	TVS	TVS(tr)
					Uranium		
					Zinc	TVS	TVS
						-	
9. All tributarie	es and wetlands to the Slate River exc	ept for specific listings in Segments	; 1, 10a, 10b, 11, 12 Piological	and 13.		etals (ug/l)	
9. All tributarie COGUUG09	es and wetlands to the Slate River exc Classifications	Pept for specific listings in Segments Physical and	: 1, 10a, 10b, 11, 12 Biological	and 13.	M	etals (ug/L)	changia
9. All tributarie COGUUG09 Designation	es and wetlands to the Slate River exc Classifications Agriculture	Pept for specific listings in Segments Physical and	5 1, 10a, 10b, 11, 12 Biological DM	and 13.	M	etals (ug/L) acute	chronic
9. All tributarie COGUUG09 Designation Reviewable	es and wetlands to the Slate River exc Classifications Agriculture Aq Life Cold 1 Descention 5	rept for specific listings in Segments Physical and Temperature °C	5 1, 10a, 10b, 11, 12 Biological DM CS-I	and 13. MWAT CS-I	M	etals (ug/L) acute 	chronic
9. All tributarie COGUUG09 Designation Reviewable	es and wetlands to the Slate River exc Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Temperature °C	: 1, 10a, 10b, 11, 12 Biological DM CS-I acute	and 13. MWAT CS-I chronic	M Aluminum Arsenic	etals (ug/L) acute 340	chronic
9. All tributarie COGUUG09 Designation Reviewable	es and wetlands to the Slate River exc Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Physical and Temperature °C D.O. (mg/L)	: 1, 10a, 10b, 11, 12 Biological DM CS-I acute 	and 13. MWAT CS-I chronic 6.0	M Aluminum Arsenic Arsenic(T)	etals (ug/L) acute 340 	chronic 0.02
9. All tributarie COGUUG09 Designation Reviewable Qualifiers:	es and wetlands to the Slate River exc Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Physical and Temperature °C D.O. (mg/L) D.O. (spawning)	5 1, 10a, 10b, 11, 12 Biological DM CS-I acute 	and 13. MWAT CS-1 chronic 6.0 7.0	M Aluminum Arsenic Arsenic(T) Beryllium	etals (ug/L) acute 340 	chronic 0.02
9. All tributarie COGUUG09 Designation Reviewable Qualifiers: Other:	as and wetlands to the Slate River exc Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Physical and Temperature °C D.O. (mg/L) pH	E 1, 10a, 10b, 11, 12 Biological DM CS-1 acute 6.5 - 9.0	and 13. MWAT CS-I chronic 6.0 7.0 	M Aluminum Arsenic Arsenic(T) Beryllium Cadmium	etals (ug/L) acute 340 TVS	chronic 0.02 TVS
9. All tributarie COGUUG09 Designation Reviewable Qualifiers: Other: Temporary M	as and wetlands to the Slate River exc Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply Indification(s):	Physical and Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²)	<u>a 1, 10a, 10b, 11, 12</u> Biological DM CS-I acute 6.5 - 9.0 	and 13. MWAT CS-1 chronic 6.0 7.0 150	M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T)	etals (ug/L) acute 340 TVS 5.0	chronic 0.02 TVS
9. All tributarie COGUUG09 Designation Reviewable Qualifiers: Other: Temporary M Arsenic(chroni	es and wetlands to the Slate River exc Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply codification(s): ic) = hybrid	Physical and Physical PhysicaPhysi	E 1, 10a, 10b, 11, 12 Biological DM CS-1 acute 6.5 - 9.0 	and 13. MWAT CS-I chronic 6.0 7.0 150 126	M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III	etals (ug/L) acute 340 TVS 5.0 	Chronic 0.02 TVS TVS
9. All tributarie COGUUG09 Designation Reviewable Qualifiers: Other: Temporary M Arsenic(chroni Expiration Date	es and wetlands to the Slate River exc Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply Iodification(s): ic) = hybrid te of 12/31/2024	ept for specific listings in Segments Physical and Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL)	i 1, 10a, 10b, 11, 12 Biological DM CS-1 acute 6.5 - 9.0 	and 13. MWAT CS-I chronic 6.0 7.0 150 126	M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T)	etals (ug/L) acute 340 TVS 5.0 50	Chronic 0.02 TVS TVS
9. All tributarie COGUUG09 Designation Reviewable Qualifiers: Other: Temporary M Arsenic(chroni Expiration Dat	es and wetlands to the Slate River exc Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply Iodification(s): ic) = hybrid te of 12/31/2024	ept for specific listings in Segments Physical and Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorgani	i 1, 10a, 10b, 11, 12 Biological DM CS-I acute 6.5 - 9.0 c (mg/L)	and 13. MWAT CS-I chronic 6.0 7.0 150 126	M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI	etals (ug/L) acute 340 TVS 5.0 50 TVS	Chronic 0.02 TVS TVS TVS
9. All tributarie COGUUG09 Designation Reviewable Qualifiers: Other: Temporary M Arsenic(chroni Expiration Dat	as and wetlands to the Slate River exc Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): ic) = hybrid te of 12/31/2024	Physical and Physical and Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)	i 1, 10a, 10b, 11, 12 Biological DM CS-1 acute 6.5 - 9.0 c (mg/L) acute	and 13. MWAT CS-I chronic 6.0 7.0 150 126 chronic	M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium Cadmium(T) Chromium III Chromium III Chromium VI Copper	etals (ug/L) acute 340 TVS 5.0 50 TVS TVS	Chronic 0.02 TVS TVS TVS TVS
9. All tributarie COGUUG09 Designation Reviewable Qualifiers: Other: Temporary M Arsenic(chroni Expiration Dat	as and wetlands to the Slate River exc Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply Iodification(s): ic) = hybrid te of 12/31/2024	Physical and Physical and Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorgani Ammonia	iii 1, 10a, 10b, 11, 12 Biological DM CS-1 acute 6.5 - 9.0 c (mg/L) acute TVS	and 13. MWAT CS-I chronic 6.0 7.0 150 126 Chronic TVS	M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium Cadmium(T) Chromium III Chromium III Chromium VI Copper Iron	etals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS 	Chronic 0.02 TVS TVS TVS TVS WS
9. All tributarie COGUUG09 Designation Reviewable Qualifiers: Other: Temporary M Arsenic(chroni Expiration Dat	as and wetlands to the Slate River exc Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply lodification(s): ic) = hybrid te of 12/31/2024	ept for specific listings in Segments Physical and Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorgani Ammonia Boron	a 1, 10a, 10b, 11, 12 Biological DM CS-1 acute 6.5 - 9.0 c (mg/L) acute TVS 	and 13. MWAT CS-I CCS-I Chronic Chronic Chronic TVS 0.75	M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T)	etals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS 	chronic 0.02 TVS TVS TVS TVS TVS TVS TVS TVS TVS 1000
9. All tributarie COGUUG09 Designation Reviewable Qualifiers: Other: Temporary M Arsenic(chroni Expiration Dat	as and wetlands to the Slate River exc Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply Iodification(s): ic) = hybrid te of 12/31/2024	Physical and Physical and Physical and Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorgani Ammonia Boron Chloride	a 1, 10a, 10b, 11, 12 Biological DM CS-1 acute 6.5 - 9.0 c (mg/L) acute TVS 	and 13. MWAT CS-I chronic 6.0 7.0 150 126 chronic TVS 0.75 250	M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead	etals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS	Chronic 0.02 TVS TVS TVS TVS TVS S TVS WS 1000 TVS
9. All tributarie COGUUG09 Designation Reviewable Qualifiers: Other: Temporary M Arsenic(chroni Expiration Dat	as and wetlands to the Slate River exc Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply Indification(s): ic) = hybrid te of 12/31/2024	Physical and Physical and Physical and Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorgani Ammonia Boron Chloride Chlorine	a 1, 10a, 10b, 11, 12 Biological DM CS-I acute 6.5 - 9.0 c (mg/L) acute TVS 0.019	and 13. MWAT CS-I chronic 6.0 7.0 120 126 Chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T)	etals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS 50	chronic 0.02 TVS TVS TVS TVS TVS WS 1000 TVS
9. All tributarie COGUUG09 Designation Reviewable Qualifiers: Other: Temporary M Arsenic(chroni Expiration Dat	es and wetlands to the Slate River exc Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply codification(s): ic) = hybrid te of 12/31/2024	Physical and Physical and Temperature °C D.O. (mg/L) D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorgani Ammonia Boron Chloride Chlorine Cyanide	ii 1, 10a, 10b, 11, 12 Biological DM CS-I acute 6.5 - 9.0 c (mg/L) acute TVS 0.019 0.005	and 13. MWAT CS-I chronic 6.0 7.0 120 120 120 Chronic TVS 0.75 250 0.011 	M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese	etals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS TVS 50 TVS 50 TVS	Chronic 0.02 TVS TVS TVS WS 1000 TVS TVSWS
9. All tributarie COGUUG09 Designation Reviewable Qualifiers: Other: Temporary M Arsenic(chroni Expiration Dat	ss and wetlands to the Slate River exc Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): ic) = hybrid te of 12/31/2024 s not acted on segment-	Physical and Physical and Temperature °C D.O. (mg/L) D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorgani Ammonia Boron Chloride Chlorine Cyanide Nitrate	a 1, 10a, 10b, 11, 12 Biological DM CS-1 acute 6.5 - 9.0 c (mg/L) acute TVS 0.019 0.005 10	and 13. MWAT CS-I chronic 6.0 7.0 150 126 Chronic TVS 0.75 250 0.011 	M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium Cadmium(T) Chromium III Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury	etals (ug/L) acute 340 TVS 5.0 50 TVS 50 TVS TVS 50 TVS 50 TVS 50 TVS	Chronic 0.02 TVS TVS TVS WS 1000 TVS TVSWS 0.01(t)
9. All tributarie COGUUG09 Designation Reviewable Qualifiers: Other: Temporary M Arsenic(chroni Expiration Dat	ss and wetlands to the Slate River exc Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply Indification(s): ic) = hybrid te of 12/31/2024 S not acted on segment- total phosphorus (TP)	ept for specific listings in Segments Physical and Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorgani Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite	a 1, 10a, 10b, 11, 12 Biological DM CS-1 acute 6.5 - 9.0 c (mg/L) acute TVS 0.019 0.005 10 0.05	and 13. MWAT CS-I chronic 6.0 7.0 120 120 0.01 7.VS 0.75 250 0.011 1.50 0.01	M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T)	etals (ug/L) acute	Chronic 0.02 TVS TVS TVS WS 1000 TVS WS 1000 TVS TVS WS 1000 TVS TVS 200
9. All tributarie COGUUG09 Designation Reviewable Qualifiers: Other: Temporary M Arsenic(chroni Expiration Dat EPA has specific numeric	as and wetlands to the Slate River exc Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply lodification(s): ic) = hybrid te of 12/31/2024 s not acted on segment- total phosphorus (TP) s standards based on	Physical and Physical and Physical and Temperature °C D.O. (mg/L) D.O. (spawning) PH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorgani Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	ii 1, 10a, 10b, 11, 12 Biological DM CS-I acute 6.5 - 9.0 6.5 - 9.0 0.019 0.005 10 0.05	and 13. CS-I CS-I CS-I Chronic 150 126 Chronic Chronic Chronic Chronic Chronic Chronic Chronic Chr	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel	etals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS 50 TVS 50 TVS 50 TVS 50 TVS	Chronic 0.02 TVS TVS TVS WS 1000 TVS WS 1000 TVS TVSWS 0.01(t) 210 TVS
9. All tributarie COGUUG09 Designation Reviewable Qualifiers: Other: Temporary M Arsenic(chroni Expiration Dat EPA has specific numeric the inter	es and wetlands to the Slate River exc Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply lodification(s): ic) = hybrid te of 12/31/2024 s not acted on segment- total phosphorus (TP) : standards based on rim value for river/	Physical and Physical and Physical and Temperature °C D.O. (mg/L) D.O. (spawning) PH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorgani Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	a 1, 10a, 10b, 11, 12 Biological DM CS-1 acute 6.5 - 9.0 c (mg/L) acute TVS 0.019 0.005 10 0.05 	and 13. CS-I CS-I Chronic C,0 C,0 C,0 C,0 C,0 C,0 C,0 C,	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T)	etals (ug/L) acute 340 TVS 5.0 50 TVS 50 TVS TVS TVS 50 TVS 50 TVS 50 TVS TVS 50	Chronic 0.02 TVS TVS TVS WS 1000 TVS WS 1000 TVS TVSWS 0.01(t) 210 TVS 100
9. All tributarie COGUUG09 Designation Reviewable Qualifiers: Other: Temporary M Arsenic(chroni Expiration Dat EPA has specific numeric the inter stream s	es and wetlands to the Slate River exc Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply lodification(s): ic) = hybrid te of 12/31/2024 s not acted on segment- total phosphorus (TP) : standards based on rim value for river/ segments with a cold	Physical and Physical and Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) E. Coli (per 100 mL) Inorgani Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	a 1, 10a, 10b, 11, 12 Biological DM CS-1 acute 6.5 - 9.0 c (mg/L) acute TVS 0.019 0.005 10 0.05 	and 13.	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	etals (ug/L) acute	Chronic
9. All tributarie COGUUG09 Designation Reviewable Qualifiers: Other: Temporary M Arsenic(chroni Expiration Dat EPA has specific numeric the inter stream s water ac	es and wetlands to the Slate River exc Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply codification(s): ic) = hybrid te of 12/31/2024 S not acted on segment- total phosphorus (TP) e standards based on rim value for river/ segments with a cold guatic life classification	Physical and P	a 1, 10a, 10b, 11, 12 Biological DM CS-I acute 6.5 - 9.0 c (mg/L) acute TVS 0.019 0.005 10 0.005 10 0.05 	and 13. MWAT CS-I chronic 6.0 7.0 120 120 0.126 Chronic 7VS 0.75 250 0.011 0.002 0.002 0.002 	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	etals (ug/L) acute 340 340 TVS 5.0 50 TVS 50 TVS TVS 50 TVS 50 TVS TVS 50 TVS	Chronic 0.02 TVS TVS TVS WS 1000 TVS WS 1000 TVS 0.01(t) 210 TVS 100 TVS 100 TVS 100 TVS
9. All tributarie COGUUG09 Designation Reviewable Qualifiers: Other: Temporary M Arsenic(chroni Expiration Dat Expiration Dat Expecific numeric the inter stream s water ac (0.11 mo	es and wetlands to the Slate River exc Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply codification(s): ic) = hybrid te of 12/31/2024 s not acted on segment- total phosphorus (TP) e standards based on rim value for river/ segments with a cold quatic life classification g/L TP).	Physical and Physi	a 1, 10a, 10b, 11, 12 Biological DM CS-1 acute 6.5 - 9.0 6.5 - 9.0 6.5 - 9.0 6.5 - 9.0 0.019 0.005 10 0.005 10 0.005 0.019 0.005 10 0.005	and 13. MWAT CS-I chronic 6.0 7.0 150 126 0.01 Chronic 7VS 0.075 250 0.011 0.011 0.011 0.011 0.011 0.002 	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium Silver Uranium	etals (ug/L) acute	Chronic 0.02 TVS TVS TVS WS 1000 TVS WS 1000 TVS 0.01(t) 210 TVS 0.01(t) 210 TVS 1000 TVS 0.02(tr)

All metals are dissolved unless otherwise noted.

T = total recoverable

t = total

tr = trout

sc = sculpin

D.O. = dissolved oxygen DM = daily maximum

MWAT = maximum weekly average temperature

See 35.6 for further details on applied standards.

10a. Mainstem	of Oh-Be-Joyful Creek from the bound	ary of the Raggeds Wilderness Area	to the confluence	e with the SI	ate River.		
COGUUG10A	Classifications	Physical and Bio	logical		Meta	als (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
Qualifiers:		D.O. (mg/L)		6.0	Arsenic(T)		7.6
Other:		D.O. (spawning)		7.0	Beryllium		
		рН	6.5 - 9.0		Cadmium	TVS	TVS
		chlorophyll a (mg/m ²)		150	Chromium III	TVS	TVS
		E. Coli (per 100 mL)		126	Chromium III(T)		100
					Chromium VI	TVS	TVS
		Inorganic (mg/L)		Copper	TVS	TVS
			acute	chronic	Iron(T)		1000
		Ammonia	TVS	TVS	Lead	TVS	8.6
		Boron		0.75	Manganese	TVS	TVS
EPA ha	s not acted on segment-	Chloride			Mercury		0.01(t)
specific	total phosphorus (TP)	Chlorine	0.019	0.011	Molybdenum(T)		150
numeric	standards based on	Cyanide	0.005		Nickel	TVS	TVS
the inter	rim value for river/	Nitrate	100		Selenium	TVS	TVS
stream	segments with a cold	Nitrite	0.05		Silver	TVS	TVS(tr)
water a	quatic life classification	Phosphorus		0.11	Uranium		
(0.11 m	a/L TP).	Sulfate			Zinc	TVS	TVS
V ⁻	<u> </u>	Sulfide		0.002			
10b. All tributa	ries, including wetlands, to Redwell Cr	eek.					
10b. All tributat	ries, including wetlands, to Redwell Cr Classifications	eek. Physical and Bio	logical		Meta	als (ug/L)	
10b. All tributat COGUUG10B Designation	ries, including wetlands, to Redwell Cr Classifications Agriculture	Physical and Bio	logical DM	MWAT	Meta	als (ug/L) acute	chronic
10b. All tributa COGUUG10B Designation Reviewable	ries, including wetlands, to Redwell Cr Classifications Agriculture Aq Life Cold 1	Physical and Bio	logical DM CS-I	MWAT CS-I	Meta	als (ug/L) acute 	chronic
10b. All tributar COGUUG10B Designation Reviewable	ries, including wetlands, to Redwell Cr Classifications Agriculture Aq Life Cold 1 Recreation E	Physical and Bio	logical DM CS-I acute	MWAT CS-I chronic	Meta Aluminum Arsenic	als (ug/L) acute 340	chronic
10b. All tributat COGUUG10B Designation Reviewable Qualifiers:	ries, including wetlands, to Redwell Cr Classifications Agriculture Aq Life Cold 1 Recreation E	Physical and Bio Temperature °C D.O. (mg/L)	logical DM CS-I acute 	MWAT CS-I chronic 6.0	Meta Aluminum Arsenic Arsenic(T)	als (ug/L) acute 340 	chronic 7.6
10b. All tributa COGUUG10B Designation Reviewable Qualifiers: Other:	ries, including wetlands, to Redwell Cr Classifications Agriculture Aq Life Cold 1 Recreation E	Physical and Bio Temperature °C D.O. (mg/L) D.O. (spawning)	logical DM CS-I acute 	MWAT CS-I chronic 6.0 7.0	Meta Aluminum Arsenic Arsenic(T) Beryllium	als (ug/L) acute 340 	chronic 7.6
10b. All tributa COGUUG10B Designation Reviewable Qualifiers: Other:	ries, including wetlands, to Redwell Cr Classifications Agriculture Aq Life Cold 1 Recreation E	Physical and Bio Temperature °C D.O. (mg/L) D.O. (spawning) pH	logical DM CS-1 acute 6.5 - 9.0	MWAT CS-I chronic 6.0 7.0 	Meta Aluminum Arsenic Arsenic(T) Beryllium Cadmium	als (ug/L) acute 340 TVS	chronic 7.6 TVS
10b. All tributan COGUUG10B Designation Reviewable Qualifiers: Other:	ries, including wetlands, to Redwell Cr Classifications Agriculture Aq Life Cold 1 Recreation E	Physical and Bio Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²)	logical DM CS-1 acute 6.5 - 9.0 	MWAT CS-I chronic 6.0 7.0 150	Meta Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III	als (ug/L) acute 340 TVS TVS TVS	chronic 7.6 TVS TVS
10b. All tributa COGUUG10B Designation Reviewable Qualifiers: Other:	ries, including wetlands, to Redwell Cr Classifications Agriculture Aq Life Cold 1 Recreation E	Physical and Bio Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)	logical DM CS-1 acute 6.5 - 9.0 	MWAT CS-I chronic 6.0 7.0 150 126	Meta Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III(T)	als (ug/L) acute 340 TVS TVS TVS 	chronic 7.6 TVS TVS 100
10b. All tributa COGUUG10B Designation Reviewable Qualifiers: Other:	ries, including wetlands, to Redwell Cr Classifications Agriculture Aq Life Cold 1 Recreation E	Physical and Bio Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)	logical DM CS-1 acute 6.5 - 9.0 	MWAT CS-I chronic 6.0 7.0 150 126	Meta Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI	als (ug/L) acute 340 TVS TVS TVS TVS	chronic 7.6 TVS TVS 100 TVS
10b. All tributa COGUUG10B Designation Reviewable Qualifiers: Other:	ries, including wetlands, to Redwell Cr Classifications Agriculture Aq Life Cold 1 Recreation E	eek. Physical and Bio Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (logical DM CS-1 acute 6.5 - 9.0 mg/L)	MWAT CS-I chronic 6.0 7.0 150 126	Meta Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper	als (ug/L) acute 340 TVS TVS TVS TVS TVS TVS	chronic 7.6 TVS TVS 100 TVS TVS
10b. All tributa COGUUG10B Designation Reviewable Qualifiers: Other:	ries, including wetlands, to Redwell Cr Classifications Agriculture Aq Life Cold 1 Recreation E	Physical and Bio Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (logical DM CS-1 acute 6.5 - 9.0 mg/L) acute	MWAT CS-I chronic 6.0 7.0 150 126 chronic	Meta Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron(T)	als (ug/L) acute 340 TVS TVS TVS TVS TVS TVS TVS TVS	chronic 7.6 TVS TVS 100 TVS 100 TVS 1000
10b. All tributan COGUUG10B Designation Reviewable Qualifiers: Other:	ries, including wetlands, to Redwell Cr Classifications Agriculture Aq Life Cold 1 Recreation E	Physical and Bio Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (Ammonia	logical DM CS-1 acute 6.5 - 9.0 mg/L) acute TVS	MWAT CS-I chronic 6.0 7.0 150 126 chronic TVS	Meta Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead	als (ug/L) acute 340 TVS TVS TVS TVS TVS TVS TVS TVS	chronic 7.6 TVS TVS 100 TVS TVS 1000 407
10b. All tributa COGUUG10B Designation Reviewable Qualifiers: Other:	ries, including wetlands, to Redwell Cr Classifications Agriculture Aq Life Cold 1 Recreation E	Physical and Bio Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (Ammonia Boron	logical DM CS-1 acute 6.5 - 9.0 mg/L) acute TVS 	MWAT CS-I chronic 6.0 7.0 150 126 chronic TVS 0.75	Meta Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese	als (ug/L) acute 340 TVS TVS TVS TVS TVS TVS TVS TVS TVS	chronic 7.6 TVS TVS 100 TVS TVS 1000 407 TVS
10b. All tributa COGUUG10B Designation Reviewable Qualifiers: Other:	ries, including wetlands, to Redwell Cr Classifications Agriculture Aq Life Cold 1 Recreation E	eek. Physical and Bio Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (Ammonia Boron Chloride	logical DM CS-1 acute 6.5 - 9.0 6.5 - 9.0 mg/L) acute TVS 	MWAT CS-I chronic 6.0 7.0 150 126 126 chronic TVS 0.75 	Meta Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury	als (ug/L) acute 340 TVS TVS TVS TVS TVS TVS TVS TVS 	chronic 7.6 TVS TVS 100 TVS 1000 TVS 1000 407 TVS 0.01(t)
10b. All tributa COGUUG10B Designation Reviewable Qualifiers: Other:	ries, including wetlands, to Redwell Cr Classifications Agriculture Aq Life Cold 1 Recreation E	eek. Physical and Bio Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (Ammonia Boron Chloride Chlorine	logical DM CS-I acute 6.5 - 9.0 (.5) (.5) (.5) 	MWAT CS-I chronic 6.0 7.0 150 126 126 chronic TVS 0.75 0.011	Meta Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T)	als (ug/L) acute 340 TVS	chronic 7.6 TVS TVS 100 TVS 1000 407 TVS 1000 407 TVS 0.01(t) 150
10b. All tributa COGUUG10B Designation Reviewable Qualifiers: Other:	ries, including wetlands, to Redwell Cr Classifications Agriculture Aq Life Cold 1 Recreation E	Physical and Bio Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (Ammonia Boron Chloride Chlorine Cyanide	logical DM CS-1 acute 6.5 - 9.0 6.5 - 9.0 mg/L) acute TVS 1.0 0.019 0.005	MWAT CS-I chronic 6.0 7.0 150 126 0.126 chronic TVS 0.75 0.011	Meta Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel	als (ug/L) acute 340 TVS TVS TVS TVS TVS TVS TVS TVS	chronic 7.6 TVS TVS 100 TVS 1000 TVS 1000 TVS 1000 407 TVS 0.01(t) 150 TVS
10b. All tributa COGUUG10B Designation Reviewable Qualifiers: Other:	ries, including wetlands, to Redwell Cr Classifications Agriculture Aq Life Cold 1 Recreation E	Physical and Bio Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (Ammonia Boron Chloride Chlorine Cyanide Nitrate	logical DM CS-1 acute 6.5 - 9.0 mg/L) acute TVS 0.019 0.005 100	MWAT CS-I chronic 6.0 7.0 150 126 126 Chronic TVS 0.75 0.011	Meta Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel Selenium	als (ug/L) acute 340 TVS	chronic 7.6 TVS TVS 100 TVS 1000 407 TVS 0.01(t) 150 TVS 0.01(t)
10b. All tributa COGUUG10B Designation Reviewable Qualifiers: Other:	ries, including wetlands, to Redwell Cr Classifications Agriculture Aq Life Cold 1 Recreation E	eek. Physical and Bio Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite	logical DM CS-I acute 6.5 - 9.0 mg/L) mg/L) acute TVS 0.019 0.005 100 0.05	MWAT CS-I chronic 6.0 7.0 150 126 126 Chronic TVS 0.75 0.011 	Meta Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel Selenium Silver	als (ug/L) acute 340 340 TVS	chronic 7.6 TVS TVS 100 TVS 1000 407 TVS 0.01(t) 150 TVS TVS TVS TVS
10b. All tributa COGUUG10B Designation Reviewable Qualifiers: Other:	ries, including wetlands, to Redwell Cr Classifications Agriculture Aq Life Cold 1 Recreation E	eek. Physical and Bio Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	logical DM CS-I acute 6.5 - 9.0 (CVS mg/L) acute TVS 0.019 0.005 100 0.05 	MWAT CS-I chronic 6.0 7.0 150 126 126 0.2 0.01 0.011 0.011 0.011	Meta Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel Selenium Silver Uranium	als (ug/L) acute 340 340 TVS	chronic 7.6 TVS TVS 100 TVS 1000 407 TVS 0.01(t) 150 TVS TVS TVS TVS
10b. All tributa COGUUG10B Designation Reviewable Qualifiers: Other:	ries, including wetlands, to Redwell Cr Classifications Agriculture Aq Life Cold 1 Recreation E	eek. Physical and Bio Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	logical DM CS-I acute 6.5 - 9.0 6.5 - 9.0 7 0.019 0.005 100 0.005 100 0.05 	MWAT CS-I chronic 6.0 7.0 120 120 0.01 Chronic TVS 0.75 0.75 0.01 0.011 0.011 0.011 0.011 0.011	Meta Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel Selenium Silver Uranium	als (ug/L) acute 340 340 TVS	chronic 7.6 TVS TVS 100 TVS 1000 407 TVS 1000 407 TVS 1000 407 TVS 1000 407 TVS TVS TVS TVS TVS

All metals are dissolved unless otherwise noted. T = total recoverable t = total tr = trout sc = sculpin D.O. = dissolved oxygen DM = daily maximum MWAT = maximum weekly average temperature See 35.6 for further details on applied standards.

11. Mainstem Creek and its	tributaries and wetlands from its source	to its confluence with Coal Creek.					,
COGUUG11	Classifications	Physical and Biolo	gical		Met	als (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02
Qualifiers:		D.O. (spawning)		7.0	Beryllium		
Other:		рН	6.5 - 9.0		Cadmium	TVS	TVS
		chlorophyll a (mg/m ²)		150	Cadmium(T)	5.0	
		E. Coli (per 100 mL)		126	Chromium III		TVS
					Chromium III(T)	50	
		Inorganic (m	g/L)		Chromium VI	TVS	TVS
			acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron		WS
		Boron		0.75	Iron(T)		1000
		Chloride		250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	
		Cyanide	0.005		Manganese	TVS	TVS/WS
EPA has	not acted on segment-	Nitrate	10		Mercury		0.01(t)
specific t	total phosphorus (TP)	Nitrite	0.05		Molvbdenum(T)		210
numeric	standards based on	Phosphorus		0.11	Nickel	TVS	TVS
the interi	m value for river/	Sulfate		WS	Nickel(T)		100
stream s	egments with a cold	Sulfide		0.002	Selenium	TVS	TVS
water aq	uatic life classification	Guinae		0.002	Silver	TVS	TVS(tr)
(0.11 mg	J/L TP).						
					Zinc	TVS	 T\/S
12 Mainstom					200	100	110
	of Coal Creek, including all tributaries	and wetlands from a point immediately	above the Kev	stone Mine o	lischarge (38.867117107.023	627) to the conflue	nce with the
Slate River, w	of Coal Creek, including all tributaries it the exception of Wildcat Creek.	and wetlands from a point immediately	above the Key	stone Mine c	lischarge (38.867117, -107.023	627) to the conflue	nce with the
Slate River, wi	of Coal Creek, including all tributaries ith the exception of Wildcat Creek. Classifications	and wetlands from a point immediately Physical and Biolo	above the Key	stone Mine c	lischarge (38.867117, -107.023) Met	627) to the conflue	nce with the
Slate River, wi COGUUG12 Designation	of Coal Creek, including all tributaries ith the exception of Wildcat Creek. Classifications Agriculture	and wetlands from a point immediately Physical and Biolo	above the Key ogical DM	stone Mine o	tischarge (38.867117, -107.023) Met	627) to the conflue als (ug/L) acute	nce with the chronic
Slate River, wi COGUUG12 Designation Reviewable	of Coal Creek, including all tributaries ith the exception of Wildcat Creek. Classifications Agriculture Aq Life Cold 1	And wetlands from a point immediately Physical and Biolo Temperature °C	above the Key ogical DM CS-I	stone Mine of MWAT	tischarge (38.867117, -107.023) Met Aluminum	627) to the conflue als (ug/L) acute 	nce with the chronic
COGUUG12 Designation Reviewable	of Coal Creek, including all tributaries ith the exception of Wildcat Creek. Classifications Agriculture Aq Life Cold 1 Recreation E	And wetlands from a point immediately Physical and Biolo Temperature °C	above the Key ogical DM CS-I acute	MWAT CS-I chronic	iischarge (38.867117, -107.023) Met Aluminum Arsenic	627) to the conflue als (ug/L) acute 340	nce with the chronic
Slate River, w COGUUG12 Designation Reviewable	of Coal Creek, including all tributaries ith the exception of Wildcat Creek. Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Physical and Biolo Temperature °C D.O. (mg/L)	above the Key gical DM CS-1 acute 	MWAT CS-I chronic 6.0	iischarge (38.867117, -107.023) Met Aluminum Arsenic Arsenic(T)	627) to the conflue als (ug/L) acute 340 	chronic 0.02
COGUUG12 Designation Reviewable Qualifiers:	of Coal Creek, including all tributaries ith the exception of Wildcat Creek. Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	And wetlands from a point immediately Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning)	above the Key gical DM CS-I acute 	MWAT CS-I chronic 6.0 7.0	iischarge (38.867117, -107.023) Met Aluminum Arsenic Arsenic(T) Beryllium	627) to the conflue als (ug/L) acute 340 	nce with the chronic 0.02
COGUUG12 Designation Reviewable Qualifiers: Other:	of Coal Creek, including all tributaries ith the exception of Wildcat Creek. Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	And wetlands from a point immediately Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH	above the Key gical DM CS-1 acute 6.5 - 9.0	MWAT CS-I chronic 6.0 7.0 	iischarge (38.867117, -107.023 Met Aluminum Arsenic Arsenic(T) Beryllium Cadmium	627) to the conflue als (ug/L) acute 340 T√S	nce with the chronic 0.02 TVS
COGUUG12 Designation Reviewable Qualifiers: Other: Temporary Mo	of Coal Creek, including all tributaries ith the exception of Wildcat Creek. Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	And wetlands from a point immediately Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²)	above the Key gical DM CS-1 acute 6.5 - 9.0 	MWAT CS-I chronic 6.0 7.0 150	iischarge (38.867117, -107.023 Met Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium Cadmium(T)	627) to the conflue als (ug/L) acute 340 TVS 5.0	nce with the chronic 0.02 TVS
COGUUG12 Designation Reviewable Qualifiers: Other: Temporary Mo	of Coal Creek, including all tributaries ith the exception of Wildcat Creek. Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): c) = hybrid	And wetlands from a point immediately Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL)	above the Key gical DM CS-1 acute 6.5 - 9.0 	MWAT CS-I chronic 6.0 7.0 150 126	iischarge (38.867117, -107.023 Met Aluminum Arsenic Arsenic Arsenic(T) Beryllium Cadmium Cadmium Cadmium(T) Chromium III	627) to the conflue als (ug/L) acute 340 TVS 5.0 	chronic 0.02 TVS TVS
COGUUG12 Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Dat	of Coal Creek, including all tributaries ith the exception of Wildcat Creek. Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): c) = hybrid te of 12/31/2024	And wetlands from a point immediately Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL)	above the Key gical DM CS-1 acute 6.5 - 9.0 	MWAT CS-I chronic 6.0 7.0 150 126	iischarge (38.867117, -107.023 Met Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium Cadmium(T) Chromium III Chromium III(T)	627) to the conflue als (ug/L) acute 340 TVS 5.0 50	nce with the chronic 0.02 TVS TVS
COGUUG12 Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Dat Cadmium(ac/c	of Coal Creek, including all tributaries ith the exception of Wildcat Creek. Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): c) = hybrid te of 12/31/2024 ch) = 3.5/2.79* 4/1 - 6/30	And wetlands from a point immediately Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (m	above the Key gical DM CS-I acute 6.5 - 9.0 g/L)	MWAT CS-I chronic 6.0 7.0 150 126	iischarge (38.867117, -107.023 Met Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI	627) to the conflue als (ug/L) acute 340 TVS 5.0 50 TVS	nce with the chronic 0.02 TVS TVS TVS
Zate River, w COGUUG12 Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Dat Cadmium(ac/c Copper(ac/ch)	od Coal Creek, including all tributaries ith the exception of Wildcat Creek. Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): c) = hybrid te of 12/31/2024 ch) = 3.5/2.79* 4/1 - 6/34 = current condition* 4/1 - 6/34	And wetlands from a point immediately Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (m	above the Key gical DM CS-1 acute 6.5 - 9.0 g/L) acute	MWAT CS-I chronic 6.0 7.0 150 126 chronic	iischarge (38.867117, -107.023 Met Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium Cadmium(T) Chromium III Chromium III Chromium III(T) Chromium VI Copper	627) to the conflue als (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS	nce with the chronic 0.02 TVS TVS TVS TVS TVS
Zate River, w COGUUG12 Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Datt Cadmium(ac/c Copper(ac/ch) Zinc(chronic) =	of Coal Creek, including all tributaries ith the exception of Wildcat Creek. Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): c) = hybrid te of 12/31/2024 ch) = 3.5/2.79° 4/1 - 6/30 = current condition° 4/1 - 6/30 = 576° 4/1 - 6/30	And wetlands from a point immediately Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (m	above the Key: gical DM CS-1 acute 6.5 - 9.0 6.5 - 9.0 g/L) acute TVS	MWAT CS-I chronic 6.0 7.0 150 126 thronic TVS	iischarge (38.867117, -107.023 Met Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron	627) to the conflue als (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS 	nce with the chronic 0.02 TVS TVS TVS TVS WS
Zitte River, with Stein Reviewable Designation Reviewable Qualifiers: Other: Temporary Moderation Arsenic(chronin Expiration Date Copper(ac/ch) Zinc(chronic) = Expiration Date	of Coal Creek, including all tributaries ith the exception of Wildcat Creek. Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): c) = hybrid te of 12/31/2024 ch) = 3.5/2.79* = current condition* 4/1 - 6/30 = 576* 4/1 - 6/30 e of 12/31/2022	And wetlands from a point immediately Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (m Ammonia Boron	above the Key gical DM CS-1 acute 6.5 - 9.0 g/L) acute TVS 	MWAT CS-I chronic 6.0 7.0 150 126 chronic TVS 0.75	iischarge (38.867117, -107.023 Met Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium Cadmium(T) Chromium III Chromium III Chromium III Chromium VI Copper Iron Iron(T)	627) to the conflue als (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS 	nce with the chronic 0.02 TVS TVS TVS TVS WS 1000
Slate River, w COGUUG12 Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Dat Cadmium(ac/c Copper(ac/ch) Zinc(chronic) = Expiration Dat *TempMod: C.	of Coal Creek, including all tributaries ith the exception of Wildcat Creek. Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): c) = hybrid te of 12/31/2024 ch) = $3.5/2.79^*$ 4/1 - 6/30 = current condition* 4/1 - 6/30 te of 12/31/2022 admium(4/1 - 6/30) = Coal Creek	And wetlands from a point immediately Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride	above the Key: gical DM CS-1 acute 6.5 - 9.0 g/L) acute TVS 	MWAT CS-I chronic 6.0 7.0 126 chronic 126 chronic 7VS 0.75 250	iischarge (38.867117, -107.023 Met Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium Cadmium(T) Chromium III Chromium III Chromium III Chromium VI Copper Iron Iron(T) Lead	627) to the conflue als (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS	nce with the chronic 0.02 TVS TVS TVS TVS TVS TVS TVS TVS
CogUUG12 Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Dat Cadmium(ac/c Copper(ac/ch) Zinc(chronic) = Expiration Dat *TempMod: C *TempMod: C	of Coal Creek, including all tributaries ith the exception of Wildcat Creek. Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): c) = hybrid te of 12/31/2024 ch) = 3.5/2.79* 4/1 - 6/30 = current condition* 4/1 - 6/30 = Coal Creek opper(4/1 - 6/30) = Coal Creek	And wetlands from a point immediately Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chlorine	above the Key gical DM CS-I acute 6.5 - 9.0 g/L) acute TVS 0.019	MWAT CS-I chronic 6.0 7.0 120 126 chronic TVS 0.75 250 0.011	iischarge (38.867117, -107.023 Met Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T)	627) to the conflue als (ug/L) acute 340 TVS 5.0 50 TVS TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 50 50 50 50 50 50 50 50 50	nce with the chronic 0.02 TVS TVS TVS TVS S TVS
CogUUG12 Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronic) Expiration Datt Cadmium(ac/c Copper(ac/ch) Zinc(chronic) = Expiration Datt *TempMod: C *TempMod: C *TempMod: Zi	od Coal Creek, including all tributaries ith the exception of Wildcat Creek. Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): c) = hybrid te of 12/31/2024 4/1 - 6/34 = current condition* 4/1 - 6/34 = of 12/31/2022 admium(4/1 - 6/30) = Coal Creek opper(4/1 - 6/30) = Coal Creek inc(4/1 - 6/30) = Coal Creek	and wetlands from a point immediately Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chlorine Cyanide	above the Key gical DM CS-I acute 6.5 - 9.0 6.5 - 9.0 6.5 - 9.0 1 0.019 0.005	MWAT CS-I chronic 6.0 7.0 150 126 chronic TVS 0.75 250 0.011	iischarge (38.867117, -107.023 Met Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese	627) to the conflue als (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS	nce with the chronic 0.02 TVS TVS TVS WS 1000 TVS TVS/191
Slate River, w COGUUG12 Designation Reviewable Qualifiers: Other: Temporary Mod Arsenic(chronio Expiration Datt Cadmium(ac/cc Copper(ac/ch) Zinc(chronic) = Expiration Datt *TempMod: Co *TempMod: Ci	od Coal Creek, including all tributaries ith the exception of Wildcat Creek. Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): c) = hybrid te of 12/31/2024 ch) = $3.5/2.79^{*}$ 4/1 - $6/30^{*}$ = current condition* 4/1 - $6/30^{*}$ te of 12/31/2022 admium(4/1 - $6/30^{*}$) = Coal Creek opper(4/1 - $6/30^{*}$) = Coal Creek inc(4/1 - $6/30^{*}$) = Coal Creek	And wetlands from a point immediately Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chlorine Cyanide Nitrate	above the Key gical DM CS-I acute 6.5 - 9.0 6.5 - 9.0 6.5 - 9.0 0.01 0.005 10	Mine c MWAT CS-I chronic 6.0 7.0 150 126 Chronic TVS 0.75 250 0.011	iischarge (38.867117, -107.023 Met Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury	627) to the conflue als (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS 	nce with the chronic 0.02 TVS TVS TVS TVS WS 1000 TVS TVS/191 0.01(t)
Slate River, w COGUUG12 Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Date Cadmium(ac/c Copper(ac/ch) Zinc(chronic) = Expiration Date *TempMod: C *TempMod: Zi	of Coal Creek, including all tributaries ith the exception of Wildcat Creek. Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): c) = hybrid te of 12/31/2024 ch) = $3.5/2.79^*$ $4/1 - 6/30^2$ = current condition* $4/1 - 6/30^2$ = 576* $4/1 - 6/30^2$ te of 12/31/2022 admium($4/1 - 6/30$) = Coal Creek inc($4/1 - 6/30$) = Coal Creek	And wetlands from a point immediately Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite	above the Key: gical DM CS-1 acute 6.5 - 9.0 6.5 - 9.0 6.5 - 9.0 0.01 0.005 10 0.05	Mine c MWAT CS-I chronic 6.0 7.0 126 chronic TVS 0.75 250 0.011	iischarge (38.867117, -107.023 Met Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T)	627) to the conflue als (ug/L) acute 340 TVS 5.0 TVS 50 TVS TVS 50 TVS 50 TVS 50 TVS TVS 50 TVS 	nce with the chronic 0.02 TVS TVS TVS TVS WS 1000 TVS 4000 TVS TVS/191 0.01(t) 150
Slate River, w COGUUG12 Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Dat Cadmium(ac/c Copper(ac/ch) Zinc(chronic) = Expiration Dat *TempMod: C *TempMod: Zi	of Coal Creek, including all tributaries ith the exception of Wildcat Creek. Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): c) = hybrid te of 12/31/2024 ch) = $3.5/2.79^*$ 4/1 - $6/30^*$ = current condition* 4/1 - $6/30^*$ te of 12/31/2022 admium(4/1 - $6/30$) = Coal Creek opper(4/1 - $6/30$) = Coal Creek inc(4/1 - $6/30$) = Coal Creek	And wetlands from a point immediately Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	above the Key: gical DM CS-1 acute 6.5 - 9.0 6.5 - 9.0 0.01 0.005 10 0.05 	Stone Mine c MWAT CS-I Chronic 6.0 7.0 150 126 Chronic TVS 0.75 250 0.011 0.126	iischarge (38.867117, -107.023 Met Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel	627) to the conflue als (ug/L) acute 340 TVS 5.0 TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS	nce with the chronic 0.02 TVS TVS TVS 4 0.01 (t) 150 TVS
Slate River, w COGUUG12 Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Dat Cadmium(ac/c Copper(ac/ch) Zinc(chronic) = Expiration Dat *TempMod: C *TempMod: Zi	of Coal Creek, including all tributaries ith the exception of Wildcat Creek. Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): c) = hybrid te of 12/31/2024 ch) = $3.5/2.79^*$ 4/1 - 6/30 = current condition* 4/1 - 6/30 e of 12/31/2022 admium(4/1 - 6/30) = Coal Creek opper(4/1 - 6/30) = Coal Creek inc(4/1 - 6/30) = Coal Creek	And wetlands from a point immediately Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	above the Key gical DM CS-1 acute 6.5 - 9.0 6.5 - 9.0 6.5 - 9.0 0.01 0.005 10 0.005 10 0.05 	stone Mine c MWAT CS-1 chronic 6.0 7.0 150 126 chronic TVS 0.75 250 0.011 0.011 0.11 WS	iischarge (38.867117, -107.023 Met Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T)	627) to the conflue als (ug/L) acute 340 TVS 5.0 50 TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS 	nce with the chronic 0.02 TVS TVS TVS WS 1000 TVS TVS/191 0.01(t) 150 TVS 100
State River, w COGUUG12 Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Dat Cadmium(ac/c Copper(ac/ch) Zinc(chronic) = Expiration Dat *TempMod: C *TempMod: Zi	of Coal Creek, including all tributaries ith the exception of Wildcat Creek. Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): c) = hybrid te of 12/31/2024 ch) = $3.5/2.79^*$ 4/1 - 6/30 = current condition* 4/1 - 6/30 = 576^* 4/1 - 6/30 te of 12/31/2022 admium(4/1 - 6/30) = Coal Creek inc(4/1 - 6/30) = Coal Creek	And wetlands from a point immediately Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	above the Key gical DM CS-1 acute 6.5 - 9.0 6.5 - 9.0 6.5 - 9.0 0.01 0.01 0.005 10 0.05 0.01 0.05 	stone Mine c MWAT CS-I chronic 6.0 7.0 150 126 Chronic TVS 0.75 250 0.011 0.011 0.11 WS 0.002	iischarge (38.867117, -107.023 Met Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	627) to the conflue als (ug/L) acute 340 TVS 5.0 50 TVS 50 TVS 50 TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS	nce with the chronic 0.02 TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS
State River, w COGUUG12 Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronic) = Expiration Dat *TempMod: C. *TempMod: Ci *TempMod: Zi	of Coal Creek, including all tributaries ith the exception of Wildcat Creek. Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): c) = hybrid te of 12/31/2024 ch) = 3.5/2.79* 4/1 - 6/30 = current condition* 4/1 - 6/30 = 576* 4/1 - 6/30 = Coal Creek inc(4/1 - 6/30) = Coal Creek	And wetlands from a point immediately Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	above the Key gical DM CS-1 acute 6.5 - 9.0 6.5 - 9.0 6.5 - 9.0 6.5 - 9.0 0.01 0.05 10 0	Stone Mine c MWAT CS-I Chronic 6.0 7.0 150 126 Chronic 126 0.75 250 0.011 0.11 0.11 0.11 0.011	iischarge (38.867117, -107.023 Met Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	627) to the conflue als (ug/L) acute 340 TVS 50 TVS 50 TVS TVS TVS	nce with the chronic 0.02 TVS TVS TVS TVS TVS TVS TVS
Slate River, w COGUUG12 Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronic) = Expiration Dat *TempMod: Co *TempMod: Ci *TempMod: Zi	of Coal Creek, including all tributaries ith the exception of Wildcat Creek. Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): c) = hybrid te of 12/31/2024 ch) = 3.5/2.79* 4/1 - 6/30 = current condition* 4/1 - 6/30 = 576* 4/1 - 6/30 = Coal Creek inc(4/1 - 6/30) = Coal Creek inc(4/1 - 6/30) = Coal Creek	And wetlands from a point immediately Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	above the Key gical DM CS-1 acute 6.5 - 9.0 6.5 - 9.0 6.5 - 9.0 0.01 0.005 10 0.005 10 0.05 0.01 0.005 10 0.05 -	Stone Mine c MWAT CS-I Chronic 6.0 7.0 150 126 Chronic 7.0 126 0.75 250 0.011 0.111 WS 0.002	iischarge (38.867117, -107.023 Met Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium Silver Uranium	627) to the conflue als (ug/L) acute 340 TVS 50 TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS 50 TVS TVS 50 TVS 	nce with the chronic 0.02 TVS TVS TVS TVS TVS TVS TVS TVS
Slate River, w COGUUG12 Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronic) Expiration Dat Cadmium(ac/c Copper(ac/ch) Zinc(chronic) = Expiration Dat *TempMod: C *TempMod: C	of Coal Creek, including all tributaries ith the exception of Wildcat Creek. Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): c) = hybrid te of 12/31/2024 ch) = 3.5/2.79° 4/1 - 6/30 = current condition* 4/1 - 6/30 = 576° 4/1 - 6/30 te of 12/31/2022 admium(4/1 - 6/30) = Coal Creek inc(4/1 - 6/30) = Coal Creek inc(4/1 - 6/30) = Coal Creek	And wetlands from a point immediately Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	above the Key gical DM CS-1 acute 6.5 - 9.0 6.5 - 9.0 6.5 - 9.0 0.01 0.005 10 10 10 10 10 10 10 10 10 10	Mine c MWAT CS-I chronic 6.0 7.0 126 0.126 Chronic TVS 0.75 250 0.011 0.11 0.11 0.11 0.011 0.011	iischarge (38.867117, -107.023 Met Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium Silver Uranium	627) to the conflue als (ug/L) acute 340 TVS 50 TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS	nce with the chronic 0.02 TVS TVS TVS WS 1000 TVS TVS/191 0.01(t) 150 TVS 1000 TVS 1000 TVS TVS/191 0.01(t) 150 TVS 1000 TVS 1000 TVS 1000 TVS

All metals are dissolved unless otherwise noted.

T = total recoverable

D.O. = dissolved oxygen

ble

DM = daily maximum

t = total

tr = trout sc = sculpin

MWAT = maximum weekly average temperature See 35.6 for further details on applied standards.

COGUUG13		Contraction Inter Predenington Calorin			-		
	Classifications	Physical and Biol	ogical		Ме	tals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 2	Temperature °C	CS-I	CS-I	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02
Qualifiers:		D.O. (spawning)		7.0	Beryllium		
Water + Fish S	Standards	рН	6.5 - 9.0		Cadmium	TVS	TVS
Other:		chlorophyll a (mg/m ²)		150*	Cadmium(T)	5.0	
Temporary Mo	dification(s):	E. Coli (per 100 mL)		126	Chromium III		TVS
Arsenic(chronic	c) = hybrid				Chromium III(T)	50	
Expiration Date	e of 12/31/2024	Inorganic (n	ng/L)		Chromium VI	TVS	TVS
*chlorophyll a ((mq/m^2) (chronic) = applies only above		acute	chronic	Copper	TVS	TVS
the facilities list	ted at 35.5(4).	Ammonia	TVS	TVS	Iron		WS
facilities listed a	ironic) = applies only above the a t 35.5(4).	Boron		0.75	Iron(T)		1000
		Chloride		250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	
		Cyanide	0.005		Manganese	TVS	TVS/WS
EPA has	not acted on segment-	Nitrate	10		Mercury		0.01(t)
specific t	total phosphorus (TP)	Nitrite	0.05		Molybdenum(T)		150
numeric	standards based on	Phosphorus		0.11*	Nickel	TVS	TVS
the interi	im value for river/	Sulfate		WS	Nickel(T)		100
stream s	egments with a cold	Sulfide		0.002	Selenium	TVS	TVS
water ag	uatic life classification				Silver	TVS	TVS(tr)
(0.11 mg	J/L TP).				Uranium		
(0	<i>y</i> = · · · <i>y</i> .				Zinc	TVS	TVS
14. Mainstem c	of the Gunnison River from its inception	at the confluence of the East and Ta	aylor rivers to the	e inlet of Blue	e Mesa Reservoir.		
COGUUG14	Classifications	Physical and Biol	ogical		Me	tals (ug/L)	
Decignation					-	(ug,=)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Agriculture Aq Life Cold 1	Temperature °C	DM CS-II	MWAT CS-II	Aluminum	acute	chronic
Reviewable	Agriculture Aq Life Cold 1 Recreation E	Temperature °C	DM CS-II acute	MWAT CS-II chronic	Aluminum Arsenic	acute 340	chronic
Reviewable	Agriculture Aq Life Cold 1 Recreation E Water Supply	Temperature °C D.O. (mg/L)	DM CS-II acute 	MWAT CS-II chronic 6.0	Aluminum Arsenic Arsenic(T)	acute 340 	chronic 0.02
Qualifiers:	Agriculture Aq Life Cold 1 Recreation E Water Supply	Temperature °C D.O. (mg/L) D.O. (spawning)	DM CS-II acute 	MWAT CS-II chronic 6.0 7.0	Aluminum Arsenic Arsenic(T) Beryllium	acute 340 	chronic 0.02
Qualifiers:	Agriculture Aq Life Cold 1 Recreation E Water Supply	Temperature °C D.O. (mg/L) D.O. (spawning) pH	DM CS-II acute 6.5 - 9.0	MWAT CS-II chronic 6.0 7.0	Aluminum Arsenic Arsenic(T) Beryllium Cadmium	acute 340 TVS	chronic 0.02 TVS
Qualifiers: Other: Temporary Mo	Agriculture Aq Life Cold 1 Recreation E Water Supply dification(s):	Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²)	DM CS-II acute 6.5 - 9.0 	MWAT CS-II chronic 6.0 7.0 	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T)	acute 340 TVS 5.0	chronic 0.02 TVS
Qualifiers: Other: Temporary Mo Arsenic(chronic	Agriculture Aq Life Cold 1 Recreation E Water Supply dification(s): :) = hybrid	Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL)	DM CS-II acute 6.5 - 9.0 	MWAT CS-II chronic 6.0 7.0 126	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III	acute 340 TVS 5.0 	chronic 0.02 TVS TVS
Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date	Agriculture Aq Life Cold 1 Recreation E Water Supply dification(s): :) = hybrid a of 12/31/2024	Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)	DM CS-II 6.5 - 9.0 	MWAT CS-II chronic 6.0 7.0 126	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T)	acute 340 TVS 5.0 50	chronic 0.02 TVS TVS
Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date	Agriculture Aq Life Cold 1 Recreation E Water Supply dification(s): :) = hybrid e of 12/31/2024	Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (m	DM CS-II acute 6.5 - 9.0 ng/L)	MWAT CS-II chronic 6.0 7.0 126	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI	acute 340 TVS 5.0 50 TVS	chronic 0.02 TVS TVS TVS
Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date	Agriculture Aq Life Cold 1 Recreation E Water Supply dification(s): :) = hybrid e of 12/31/2024	Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (n	DM CS-II acute 6.5 - 9.0 ng/L) acute	MWAT CS-II chronic 6.0 7.0 126 chronic	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper	acute 340 TVS 5.0 50 TVS TVS	chronic 0.02 TVS TVS TVS TVS
Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date	Agriculture Aq Life Cold 1 Recreation E Water Supply dification(s): :) = hybrid e of 12/31/2024	Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (m Ammonia	DM CS-II acute 6.5 - 9.0 ng/L) acute TVS	MWAT CS-II chronic 6.0 7.0 126 chronic TVS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron	acute 340 TVS 5.0 50 TVS TVS TVS 	chronic 0.02 TVS TVS TVS TVS WS
Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date	Agriculture Aq Life Cold 1 Recreation E Water Supply dification(s): :) = hybrid e of 12/31/2024	Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (m Ammonia Boron	DM CS-II acute 6.5 - 9.0 mg/L) acute TVS 	MWAT CS-II chronic 6.0 7.0 7.0 126 126 chronic TVS 0.75	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T)	acute 340 TVS 5.0 50 TVS TVS TVS	chronic 0.02 TVS TVS TVS TVS TVS SVS SVS
Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date	Agriculture Aq Life Cold 1 Recreation E Water Supply diffication(s): :) = hybrid e of 12/31/2024	Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (n Ammonia Boron Chloride	DM CS-II acute 6.5 - 9.0 mg/L) acute TVS 	MWAT CS-II chronic 6.0 7.0 126 126 chronic TVS 0.75 250	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead	acute 340 TVS 5.0 50 TVS TVS TVS TVS TVS TVS TVS TVS	chronic 0.02 TVS TVS TVS TVS WS 1000 TVS
Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date	Agriculture Aq Life Cold 1 Recreation E Water Supply dification(s): :) = hybrid a of 12/31/2024	Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (n Ammonia Boron Chloride Chlorine	DM CS-II acute 6.5 - 9.0 mg/L) acute TVS 0.019	MWAT CS-II chronic 6.0 7.0 126 Chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T)	acute 340 TVS 5.0 50 TVS TVS TVS TVS TVS TVS 50 TVS 50 50 50	chronic 0.02 TVS
Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date	Agriculture Aq Life Cold 1 Recreation E Water Supply dification(s): :) = hybrid e of 12/31/2024	Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chlorine Cyanide	DM CS-II acute 6.5 - 9.0 ng/L) acute TVS TVS 0.019 0.005	MWAT CS-II chronic 6.0 7.0 126 126 chronic TVS 0.75 250 0.011 	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese	acute 340 TVS 5.0 50 TVS TVS TVS TVS 50 TVS 50 TVS	chronic 0.02 TVS TVS TVS WS 1000 TVS SVSWS
Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date	Agriculture Aq Life Cold 1 Recreation E Water Supply dification(s): :) = hybrid e of 12/31/2024	Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chlorine Cyanide Nitrate	DM CS-II acute 6.5 - 9.0 ng/L) acute TVS 0.019 0.005 10	MWAT CS-II chronic 6.0 7.0 126 chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury	acute 340 340 TVS 5.0 50 TVS TVS TVS TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS TVS	chronic 0.02 TVS 0.01(t)
Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date	Agriculture Aq Life Cold 1 Recreation E Water Supply dification(s): :) = hybrid e of 12/31/2024	Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite	DM CS-II acute 6.5 - 9.0 ng/L) acute TVS 0.019 0.005 10 0.05	MWAT CS-II chronic 6.0 7.0 126 Chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T)	acute 340 340 TVS 5.0 50 TVS TVS TVS TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS	chronic 0.02 TVS US 1000 TVS US 0.01(t) 150
Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date	Agriculture Aq Life Cold 1 Recreation E Water Supply diffication(s): :) = hybrid e of 12/31/2024	Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	DM CS-II acute 6.5 - 9.0 mg/L) acute TVS 0.019 0.005 10 0.05 	MWAT CS-II chronic 6.0 7.0 126 Chronic 126 0.01 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel	acute 340 340 TVS 5.0 50 TVS TVS TVS 50 TVS 50 TVS TVS 50 TVS TVS 50 TVS 50 TVS TVS 50 TVS TVS	chronic 0.02 TVS 0.001 TVSWS 0.01(t) 150 TVS
Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date	Agriculture Aq Life Cold 1 Recreation E Water Supply dification(s): :) = hybrid e of 12/31/2024	Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (n Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	DM CS-II acute 6.5 - 9.0 6.5 - 9.0 10 0.05 10 0.05 10 0.05 	MWAT CS-II chronic 6.0 7.0 126 chronic TVS 0.75 250 0.011 WS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T)	acute 340 TVS 5.0 50 TVS 50 TVS 50 TVS 50 TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS	chronic 0.02 TVS 0.001(t) 150 TVS 100
Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date	Agriculture Aq Life Cold 1 Recreation E Water Supply dification(s): :) = hybrid e of 12/31/2024	Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (n Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	DM CS-II acute 6.5 - 9.0 mg/L) acute TVS 0.019 0.005 10 0.05 10 0.05 	MWAT CS-II chronic 6.0 7.0 126 chronic TVS 0.75 250 0.011 WS 0.002	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	acute 340 340 TVS 50 TVS 50 TVS 50 TVS 50 TVS TVS 50 TVS TVS TVS	chronic 0.02 TVS TVS TVS TVS TVS TVS TVS TVS TVS 0.001(1) 150 TVS 1000 TVS
Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date	Agriculture Aq Life Cold 1 Recreation E Water Supply dification(s): :) = hybrid e of 12/31/2024	Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	DM CS-II acute 6.5 - 9.0 mg/L) acute TVS 0.019 0.005 10 0.005 10 0.05 	MWAT CS-II chronic 6.0 7.0 126 chronic TVS 0.75 250 0.011 WS 0.002	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	acute 340 340 TVS 50 TVS 50 TVS 50 TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS	chronic 0.02 TVS 1000 TVSWS 0.01(t) 150 TVS 100 TVS 100 TVS 100 TVS
Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date	Agriculture Aq Life Cold 1 Recreation E Water Supply dification(s): :) = hybrid e of 12/31/2024	Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	DM CS-II acute 6.5 - 9.0 mg/L) acute TVS 0.019 0.005 10 0.005 10 0.005 	MWAT CS-II chronic 6.0 7.0 126 Chronic 126 0.75 0.011 0.011 WS 0.002	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium Silver Uranium	acute 340 340 TVS 50 TVS 50 TVS 50 TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS	chronic 0.02 TVS TVS TVS TVS TVS 0.02 TVS TVS 0.01(t) 150 TVS 100 TVS TVS TVS TVS TVS TVS TVS TVS TVS

All metals are dissolved unless otherwise noted. T = total recoverable D.O. = dissolved oxygen

DM = daily maximum

t = total tr = trout

sc = sculpin

MWAT = maximum weekly average temperature See 35.6 for further details on applied standards.
15a. All tributa Mesa Reservo	pir except for the specific listings in Sec	ments 1, 15b, 16a, 16b, 17 through 2	24, and 26.				
COGUUG15A	Classifications	Physical and Bio	ological		Me	etals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 2	Temperature °C	CS-II	CS-II	Aluminum		
	Recreation U		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02-10 ^A
Qualifiers:		D.O. (spawning)		7.0	Beryllium		
Other:		рН	6.5 - 9.0		Cadmium	TVS	TVS
		chlorophyll a (mg/m ²)		150	Cadmium(T)	5.0	
		E. Coli (per 100 mL)		126	Chromium III		TVS
					Chromium III(T)	50	
		Inorganic ((mg/L)		Chromium VI	TVS	TVS
			acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron		WS
		Boron		0.75	Iron(T)		1950
		Chloride		250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	
		Cyanide	0.005		Manganese	TVS	TVS/WS
EPA has	not acted on segment-	Nitrate	10		Mercury		0.01(t)
specific t	otal phosphorus (TP)	Nitrite	0.05		Molybdenum(T)		150
numeric	standards based on	Phosphorus		0.11	Nickel	TVS	TVS
the interi	m value for river/	Sulfate		WS	Nickel(T)		100
stream s	egments with a cold	Sulfide		0.002	Selenium	TVS	TVS
water aq	uatic life classification				Silver	TVS	TVS
(0.11 mg	J/L TP).				Uranium		
					Zinc	TVS	TVS
15b. South Be	eaver Creek, including all tributaries and	d wetlands, from the source to the Sa	aguache/Gunnison	County lin	e.		
15b. South Be	eaver Creek, including all tributaries and Classifications	d wetlands, from the source to the Sa Physical and Bio	aguache/Gunnison b logical	County lin	e. Me	etals (ug/L)	
15b. South Be COGUUG15B Designation	aver Creek, including all tributaries and Classifications Agriculture	d wetlands, from the source to the Sa Physical and Bic	aguache/Gunnison blogical DM	County lin	e. Me	etals (ug/L) acute	chronic
15b. South Be COGUUG15B Designation Reviewable	aver Creek, including all tributaries and Classifications Agriculture Aq Life Cold 1	e wetlands, from the source to the Sa Physical and Bio Temperature °C	aguache/Gunnison blogical DM CS-I	County lin MWAT CS-I	e. Me Aluminum	etals (ug/L) acute 	chronic
15b. South Be COGUUG15B Designation Reviewable	aver Creek, including all tributaries and Classifications Agriculture Aq Life Cold 1 Recreation U	e wetlands, from the source to the Sa Physical and Bio Temperature °C	aguache/Gunnison blogical DM CS-I acute	County lin MWAT CS-I chronic	e. Me Aluminum Arsenic	etals (ug/L) acute 340	chronic
15b. South Be COGUUG15B Designation Reviewable	aver Creek, including all tributaries and Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply	Temperature °C	aguache/Gunnison ological DM CS-I acute 	County lin MWAT CS-I chronic 6.0	e. Me Aluminum Arsenic Arsenic(T)	etals (ug/L) acute 340 	chronic 0.02
15b. South Be COGUUG15B Designation Reviewable Qualifiers:	aver Creek, including all tributaries and Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply	a wetlands, from the source to the Sa Physical and Bic Temperature °C D.O. (mg/L) D.O. (spawning)	aguache/Gunnison blogical DM CS-1 acute 	County lin MWAT CS-I chronic 6.0 7.0	e. Me Aluminum Arsenic Arsenic(T) Beryllium	etals (ug/L) acute 340 	chronic 0.02
15b. South Be COGUUG15B Designation Reviewable Qualifiers: Other:	aver Creek, including all tributaries and Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply	wetlands, from the source to the Sa Physical and Bic Temperature °C D.O. (mg/L) D.O. (spawning) pH	aguache/Gunnison Dological DM CS-1 acute 6.5 - 9.0	County lin MWAT CS-I chronic 6.0 7.0 	e. Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium	etals (ug/L) acute 340 TVS	chronic 0.02 TVS
15b. South Be COGUUG15B Designation Reviewable Qualifiers: Other: Temporary Mi	aver Creek, including all tributaries and Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply pdification(s):	wetlands, from the source to the Sa Physical and Bic Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²)	aguache/Gunnison blogical DM CS-1 acute 6.5 - 9.0 	County lin MWAT CS-I chronic 6.0 7.0 150	e. Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T)	etals (ug/L) acute 340 TVS 5.0	chronic 0.02 TVS
15b. South Be COGUUG15B Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chroni	aver Creek, including all tributaries and Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply odification(s): c) = hybrid	wetlands, from the source to the Sa Physical and Bic Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)	aguache/Gunnison blogical DM CS-1 acute 6.5 - 9.0 	County lin MWAT CS-I chronic 6.0 7.0 150 126	e. Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III	etals (ug/L) 340 TVS 5.0 	chronic 0.02 TVS TVS
15b. South Be COGUUG15B Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Dat	aver Creek, including all tributaries and Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply odification(s): c) = hybrid e of 12/31/2024	a wetlands, from the source to the Sa Physical and Bic Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)	aguache/Gunnison blogical DM CS-1 acute 6.5 - 9.0 	County lin MWAT CS-I chronic 6.0 7.0 150 126	e. Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T)	etals (ug/L) acute 340 TVS 5.0 50	chronic 0.02 TVS TVS
15b. South Be COGUUG15B Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Dat	aver Creek, including all tributaries and Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply odification(s): c) = hybrid e of 12/31/2024	wetlands, from the source to the Sa Physical and Bic Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (aguache/Gunnison ological DM CS-1 acute 6.5 - 9.0 (mg/L)	County lin MWAT CS-I chronic 6.0 7.0 150 126	e. Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium VI	etals (ug/L) acute 340 TVS 5.0 50 TVS	chronic 0.02 TVS TVS TVS
15b. South Be COGUUG15B Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Dat	aver Creek, including all tributaries and Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply odification(s): c) = hybrid e of 12/31/2024	wetlands, from the source to the Sa Physical and Bic Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (aguache/Gunnison ological DM CS-1 acute 6.5 - 9.0 (mg/L) acute	County lin MWAT CS-I chronic 6.0 7.0 7.0 150 126 chronic	e. Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III(T) Chromium VI Copper	etals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS	Chronic 0.02 TVS TVS TVS TVS
15b. South Be COGUUG15B Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Dat	aver Creek, including all tributaries and Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply odification(s): c) = hybrid e of 12/31/2024	wetlands, from the source to the Sa Physical and Bic Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (Ammonia	aguache/Gunnison ological DM CS-1 acute 6.5 - 9.0 (mg/L) acute TVS	County lin MWAT CS-I chronic 6.0 7.0 150 126 chronic TVS	e. Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron	etals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS	chronic 0.02 TVS TVS TVS TVS TVS WS
15b. South Be COGUUG15B Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Dat	aver Creek, including all tributaries and Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply odification(s): c) = hybrid e of 12/31/2024	wetlands, from the source to the Sa Physical and Bic Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (Ammonia Boron	aguache/Gunnison blogical DM CS-1 acute 6.5 - 9.0 (mg/L) acute TVS 	County lin MWAT CS-I chronic 6.0 7.0 7.0 150 126 Chronic TVS 0.75	e. Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T)	etals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS 	Chronic 0.02 TVS TVS TVS TVS WS 1000
15b. South Be COGUUG15B Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Dat	aver Creek, including all tributaries and Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply odification(s): c) = hybrid e of 12/31/2024	wetlands, from the source to the Sa Physical and Bic Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (Ammonia Boron Chloride	aguache/Gunnison blogical DM CS-1 acute 6.5 - 9.0 (mg/L) acute TVS 	County lin MWAT CS-1 chronic 6.0 7.0 150 126 Chronic TVS 0.75 250	e. Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III Chromium VI Copper Iron Iron(T) Lead	etals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS	chronic 0.02 TVS TVS TVS TVS S VS 1000 TVS
15b. South Be COGUUG15B Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Dat	aver Creek, including all tributaries and Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply odification(s): c) = hybrid e of 12/31/2024	wetlands, from the source to the Sa Physical and Bic Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (Ammonia Boron Chloride Chlorine	aguache/Gunnison blogical DM CS-1 acute 6.5 - 9.0 (mg/L) acute TVS TVS 0.019	County lin MWAT CS-I chronic 6.0 7.0 7.0 150 126 126 Chronic TVS 0.75 250 0.011	e. Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T)	etals (ug/L) acute 340 TVS 5.0 TVS 50 TVS TVS TVS TVS 50 TVS 50	Chronic 0.02 TVS TVS TVS TVS TVS WS 1000 TVS
15b. South Be COGUUG15B Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Dat	aver Creek, including all tributaries and Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply odification(s): c) = hybrid e of 12/31/2024	wetlands, from the source to the Sa Physical and Bic Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (Ammonia Boron Chloride Chlorine Cyanide	aguache/Gunnison ological DM CS-1 acute 6.5 - 9.0 (mg/L) acute TVS 0.019 0.005	County lin MWAT CS-I chronic 6.0 7.0 150 126 Chronic TVS 0.75 250 0.011 	e. Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese	etals (ug/L) acute	Chronic 0.02 TVS TVS TVS S S VS 1000 TVS TVS WS
15b. South Be COGUUG15B Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Dat	aver Creek, including all tributaries and Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply odification(s): c) = hybrid e of 12/31/2024	wetlands, from the source to the Sa Physical and Bic Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (Ammonia Boron Chloride Chlorine Cyanide Nitrate	aguache/Gunnison ological DM CS-1 acute 6.5 - 9.0 (mg/L) acute TVS 0.019 0.005 10	County lin MWAT CS-I chronic 6.0 7.0 150 126 Chronic TVS 0.75 250 0.011 	e. Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury	acute acute 340 340 50 TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS <td< td=""><td>Chronic 0.02 TVS TVS TVS TVS WS 1000 TVS TVS/WS 0.01(t)</td></td<>	Chronic 0.02 TVS TVS TVS TVS WS 1000 TVS TVS/WS 0.01(t)
15b. South Be COGUUG15B Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Dat	aver Creek, including all tributaries and Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply odification(s): c) = hybrid e of 12/31/2024		aguache/Gunnison blogical DM CS-I acute 6.5 - 9.0 (mg/L) acute TVS 0.019 0.005 10 0.05	County lin MWAT CS-I chronic 6.0 7.0 150 126 Chronic TVS 0.75 250 0.011 	e. Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T)	acute acute 340 340 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS TVS TVS TVS TVS TVS TVS 50 TVS 50 TVS	Chronic 0.02 TVS TVS TVS WS 1000 TVS TVS/WS 0.01(t) 150
15b. South Be COGUUG15B Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Dat	aver Creek, including all tributaries and Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply odification(s): c) = hybrid e of 12/31/2024		aguache/Gunnison blogical DM CS-I acute 6.5 - 9.0 6.5 - 9.0 (mg/L) acute TVS 0.019 0.005 10 0.05 	County lin MWAT CS-I chronic 6.0 7.0 150 126 Chronic TVS 0.75 250 0.011 0.011 0.11	e. Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel	acute acute 340 340 TVS 50 TVS S0 TVS	Chronic 0.02 TVS TVS TVS WS 1000 TVS 4000 TVS TVS/WS 0.01(t) 150 TVS
15b. South Be COGUUG15B Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Dat	aver Creek, including all tributaries and Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply odification(s): c) = hybrid e of 12/31/2024		aguache/Gunnison plogical DM CS-1 acute 6.5 - 9.0 (mg/L) acute TVS 0.019 0.005 10 0.05 	County lin MWAT CS-I chronic 6.0 7.0 150 126 0.126 Chronic TVS 0.75 250 0.011 0.011 0.11 WS	e. Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel	acute acute 340 340 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS TVS TVS TVS TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS TVS TVS	Chronic 0.02 TVS TVS TVS TVS WS 1000 TVS WS 1000 TVS TVS/WS 0.01(t) 150 TVS
15b. South Be COGUUG15B Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Dat	aver Creek, including all tributaries and Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply odification(s): c) = hybrid e of 12/31/2024		aguache/Gunnison blogical DM CS-1 acute 6.5 - 9.0 (mg/L) acute TVS 0.019 0.005 10 0.05 10 0.05 	County lin MWAT CS-I chronic 6.0 7.0 150 126 126 Chronic TVS 0.75 250 0.011 0.011 0.11 WS 0.002	e. Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	acute acute 340 340 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS TVS TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS TVS	Chronic 0.02 TVS TVS TVS TVS WS 1000 TVS WS 1000 TVS TVS/WS 0.01(t) 150 TVS 100 TVS
15b. South Be COGUUG15B Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Dat	aver Creek, including all tributaries and Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply codification(s): c) = hybrid e of 12/31/2024	wetlands, from the source to the Sa Physical and Bic Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	aguache/Gunnison blogical DM CS-1 acute 6.5 - 9.0 (mg/L) acute TVS 0.019 0.005 10 0.05 10 0.05 	County lin MWAT CS-I chronic 6.0 7.0 150 126 0.126 Chronic TVS 0.75 250 0.011 0.011 0.11 WS 0.002	e. Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	acute acute 340 340 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS <tr td=""> TVS</tr>	Chronic 0.02 TVS TVS TVS WS 1000 TVS WS 1000 TVS 0.01(t) 150 TVS 100 TVS 100 TVS
15b. South Be COGUUG15B Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Dat	aver Creek, including all tributaries and Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply odification(s): c) = hybrid e of 12/31/2024	wetlands, from the source to the Sa Physical and Bic Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	aguache/Gunnison blogical DM CS-1 acute 6.5 - 9.0 (mg/L) acute TVS 0.019 0.005 10 0.005 10 0.05 	County lin MWAT CS-I chronic 6.0 7.0 150 126 Chronic TVS 0.75 250 0.011 0.11 0.11 WS 0.002	e. Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium Silver Uranium	acute acute 340 340 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS TVS 50 TVS TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS TVS TVS TVS TVS TVS TVS	Chronic 0.02 TVS TVS TVS WS 1000 TVS TVS/WS 0.01(t) 150 TVS 100 TVS 150 150
15b. South Be COGUUG15B Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Dat	aver Creek, including all tributaries and Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply odification(s): c) = hybrid e of 12/31/2024	wetlands, from the source to the Sa Physical and Bic Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (Ammonia Boron Chloride Chlorine Cyanide Nitrite Phosphorus Sulfate Sulfide	aguache/Gunnison blogical DM CS-1 acute 6.5 - 9.0 (mg/L) acute TVS 0.019 0.005 10 0.005 10 0.05 	County lin MWAT CS-I chronic 6.0 7.0 150 126 Chronic TVS 0.75 250 0.011 0.011 0.11 WS 0.002	e. Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium Silver Uranium	acute acute 340 340 TVS 50 TVS 50 TVS 50 TVS 50 TVS TVS 50 TVS TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS TVS <tr< td=""><td>Chronic 0.02 TVS TVS TVS WS 1000 TVS TVS/WS 0.01(t) 150 TVS 100 TVS TVS 100 TVS TVS TVS TVS TVS TVS TVS </td></tr<>	Chronic 0.02 TVS TVS TVS WS 1000 TVS TVS/WS 0.01(t) 150 TVS 100 TVS TVS 100 TVS TVS TVS TVS TVS TVS TVS

All metals are dissolved unless otherwise noted.

T = total recoverable

t = total

tr = trout

sc = sculpin

D.O. = dissolved oxygen DM = daily maximum

MWAT = maximum weekly average temperature

16a. Mainstem	I OF UNIO Creek, from the source to a p	ooint immediately below 7 Road. All	tributaries to Unio	Creek, excep	ot for specific listings in Segm	ient 1.	
COGUUG16A	Classifications	Physical and E	Biological	-	М	etals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Aluminum		
	Recreation U		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02
Qualifiers:		D.O. (spawning)		7.0	Beryllium		
Other:		pН	6.5 - 9.0		Cadmium	TVS	TVS
		chlorophyll a (mg/m ²)		150	Cadmium(T)	5.0	
		E. Coli (per 100 mL)		126	Chromium III		TVS
					Chromium III(T)	50	
		Inorganio	c (mg/L)		Chromium VI	TVS	TVS
			acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron		WS
		Boron		0.75	Iron(T)		1000
		Chloride		250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	
		Cyanide	0.005		Manganese	TVS	TVS/WS
FPA has	s not acted on segment-	Nitrate	10		Mercury		0.01(t)
specific	total phosphorus (TP)	Nitrite	0.05		Molybdenum(T)		150
numeric	standards based on	Phosphorus		0.11	Nickel	TVS	TVS
the inter	im value for river/	Sulfate		WS	Nickel(T)		100
stream s	segments with a cold	Sulfide		0.002	Selenium	TVS	TVS
water ao	nuatic life classification				Silver	TVS	TVS(tr)
(0.11 m)	n/L TP)				Uranium		
(0.1111)	g/2 · · ·).				Zinc	TVS	TVS
101 11 1							
16b. Mainstem	of Onio Creek from a point immediate	ely below 7 Road to the confluence	with the Gunnison	River.			
COGUUG16B	Classifications	Physical and E	with the Gunnison Biological	River.	м	etals (ug/L)	
16b. Mainstem COGUUG16B Designation	Classifications	ely below 7 Road to the confluence Physical and E	with the Gunnison Biological DM	River.	M	etals (ug/L) acute	chronic
COGUUG16B Designation Reviewable	Ag Life Cold 1	Physical and E Temperature °C	with the Gunnison Biological DM CS-I*	River. MWAT CS-I*	M	etals (ug/L) acute 	chronic
16b. Mainstem COGUUG16B Designation Reviewable	Agriculture Aq Life Cold 1 Recreation U	Physical and E Temperature °C	with the Gunnison Biological DM CS-I* acute	River. MWAT CS-I* chronic	M Aluminum Arsenic	etals (ug/L) acute 340	chronic
16b. Mainstem COGUUG16B Designation Reviewable	Agriculture Aq Life Cold 1 Recreation U Water Supply	ly below 7 Road to the confluence Physical and E Temperature °C D.O. (mg/L)	with the Gunnison Biological DM CS-I* acute 	River. MWAT CS-I* chronic 6.0	M Aluminum Arsenic Arsenic(T)	etals (ug/L) acute 340 	chronic 0.02
16b. Mainstem COGUUG16B Designation Reviewable Qualifiers:	Agriculture Aq Life Cold 1 Recreation U Water Supply	ly below 7 Road to the confluence Physical and E Temperature °C D.O. (mg/L) D.O. (spawning)	with the Gunnison Biological DM CS-I* acute 	River. MWAT CS-I* chronic 6.0 7.0	M Aluminum Arsenic Arsenic(T) Beryllium	etais (ug/L) acute 340 	chronic 0.02
16b. Mainsterm COGUUG16B Designation Reviewable Qualifiers: Other:	Agriculture Aq Life Cold 1 Recreation U Water Supply	ly below 7 Road to the confluence Physical and E Temperature °C D.O. (mg/L) D.O. (spawning) pH	with the Gunnison Biological DM CS-I* acute 6.5 - 9.0	River. MWAT CS-I* chronic 6.0 7.0 	M Aluminum Arsenic Arsenic(T) Beryllium Cadmium	etals (ug/L) acute 340 TVS	chronic 0.02 TVS
16b. Manstem COGUUG16B Designation Reviewable Qualifiers: Other:	Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply - summer criteria apply from 4/16 -	ly below 7 Road to the confluence Physical and E Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²)	with the Gunnison Biological CS-I* acute 6.5 - 9.0 	River. MWAT CS-I* chronic 6.0 7.0 150	M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T)	etals (ug/L) acute 340 TVS 5.0	chronic 0.02 TVS
16b. Mainstem COGUUG16B Designation Reviewable Qualifiers: Other: *Temperature 11/15	a control creek from a point immediate Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply = summer criteria apply from 4/16 -	ly below 7 Road to the confluence Physical and E Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL)	with the Gunnison Biological DM CS-I* acute 6.5 - 9.0	River. MWAT CS-I* chronic 6.0 7.0 150 126	M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium Cadmium(T) Chromium III	etals (ug/L) acute 340 TVS 5.0 	chronic 0.02 TVS TVS
16b. Mainstem COGUUG16B Designation Reviewable Qualifiers: Other: *Temperature 11/15	a control creek from a point immediate Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply = summer criteria apply from 4/16 -	ly below 7 Road to the confluence Physical and E Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL)	with the Gunnison Biological DM CS-I* acute 6.5 - 9.0	River. MWAT CS-I* chronic 6.0 7.0 7.0 150 126	M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium Cadmium(T) Chromium III Chromium III	etais (ug/L) acute 340 TVS 5.0 50	chronic 0.02 TVS TVS
16b. Mainstem COGUUG16B Designation Reviewable Qualifiers: Other: *Temperature 11/15	a control creek from a point immediate Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply = summer criteria apply from 4/16 -	ly below 7 Road to the confluence Physical and E Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorgania	with the Gunnison Biological DM CS-I* acute 6.5 - 9.0	River. MWAT CS-I* chronic 6.0 7.0 150 126	M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI	etais (ug/L) acute 340 TVS 5.0 50 TVS	chronic 0.02 TVS TVS TVS
16b. Mainstem COGUUG16B Designation Reviewable Qualifiers: Other: *Temperature 11/15	Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply = summer criteria apply from 4/16 -	ly below 7 Road to the confluence Physical and E Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic	with the Gunnison Biological DM CS-I* acute 6.5 - 9.0 c (mg/L) acute	River. MWAT CS-I* chronic 6.0 7.0 150 126 chronic	M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III(T) Chromium VI Copper	etals (ug/L) acute 340 TVS 5.0 5.0 50 TVS TVS	chronic 0.02 TVS TVS TVS TVS TVS
16b. Manstem COGUUG16B Designation Reviewable Qualifiers: Other: *Temperature 11/15	Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply = summer criteria apply from 4/16 -	ly below 7 Road to the confluence Physical and E Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic Ammonia	with the Gunnison Biological DM CS-I* acute 6.5 - 9.0 c (mg/L) acute TVS	River. MWAT CS-I* chronic 6.0 7.0 150 126 chronic TVS	M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III Chromium VI Copper Iron	etals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS	chronic 0.02 TVS TVS TVS TVS TVS WS
16b. Manstem COGUUG16B Designation Reviewable Qualifiers: Other: *Temperature 11/15	a control creek from a point immediate Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply = summer criteria apply from 4/16 -	ly below 7 Road to the confluence Physical and E Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic Ammonia Boron	with the Gunnison Biological DM CS-I* acute 6.5 - 9.0 c. (mg/L) acute TVS 	River. MWAT CS-I* chronic 6.0 7.0 7.0 150 126 chronic TVS 0.75	M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium Cadmium(T) Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T)	etals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS	chronic 0.02 TVS TVS TVS TVS TVS S TVS S S S 000
16b. Mainstem COGUUG16B Designation Reviewable Qualifiers: Other: *Temperature 11/15	Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply = summer criteria apply from 4/16 -	ly below 7 Road to the confluence Physical and E Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorgania Boron Chloride	with the Gunnison Biological DM CS-I* acute 6.5 - 9.0 c (mg/L) c (mg/L) acute TVS 	River.	M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead	etais (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS	chronic 0.02 TVS TVS TVS TVS TVS WS 1000 TVS
16b. Mainstem COGUUG16B Designation Reviewable Qualifiers: Other: *Temperature 11/15	Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply = summer criteria apply from 4/16 -	ly below 7 Road to the confluence Physical and E Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorgania Boron Chloride Chlorine	with the Gunnison Biological DM CS-I* acute 6.5 - 9.0 (mg/L) c (mg/L) CS-I* 	River. MWAT CS-I* chronic 6.0 7.0 7.0 126 126 chronic TVS 0.75 250 0.011	M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T)	etais (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS TVS 50	chronic 0.02 TVS TVS TVS TVS S VVS 1000 TVS
16b. Mainstem COGUUG16B Designation Reviewable Qualifiers: Other: *Temperature 11/15	a control creek from a point immediate Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply = summer criteria apply from 4/16 -	ly below 7 Road to the confluence Physical and E Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic Ammonia Boron Chloride Chlorine Cyanide	with the Gunnison Biological DM CS-I* acute 6.5 - 9.0 6.5 - 9.0 6.5 - 9.0 6.5 - 9.0 6.5 - 9.0 0.019 0.005	River.	M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese	etais (ug/L) acute 340 TVS 50 TVS 50 TVS TVS TVS 50 TVS 50 TVS 50 TVS 50 TVS	chronic 0.02 TVS TVS
16b. Mainstem COGUUG16B Designation Reviewable Qualifiers: Other: *Temperature 11/15	a control creek from a point immediate Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply = summer criteria apply from 4/16 -	ly below 7 Road to the confluence Physical and E Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorgania Boron Chloride Chlorine Cyanide Nitrate	with the Gunnison Biological DM CS-I* acute 6.5 - 9.0 c. (mg/L) acute TVS 0.019 0.005 10	River.	M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron Iron Iron(T) Lead Lead(T) Manganese Mercury	etals (ug/L) acute 340 TVS 5.0 TVS 50 TVS TVS 50 TVS 50 TVS 50 TVS 50 TVS	chronic 0.02 TVS TVS TVS WS 1000 TVS WS 1000 TVS S 0.01(t)
16b. Mainsterm COGUUG16B Designation Reviewable Qualifiers: Other: *Temperature 11/15	a control creek from a point immediate Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply = summer criteria apply from 4/16 -	ly below 7 Road to the confluence Physical and E Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite	with the Gunnison Biological Biological DM CS-I* acute 6.5 - 9.0<	River.	M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III Chromium VI Copper Iron Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T)	etals (ug/L) acute	chronic 0.02 TVS TVS TVS WS 1000 TVS WS 1000 TVS S 0.01(t) 150
16b. Manstem COGUUG16B Designation Reviewable Qualifiers: Other: *Temperature 11/15	a control creek from a point immediate Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply = summer criteria apply from 4/16 -	ly below 7 Road to the confluence Physical and E Physical and E Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorgania Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	with the Gunnison Biological Biological CS-I* CS-I* acute 6.5 - 9.0	River.	M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel	etals (ug/L) acute	Chronic 0.02 TVS TVS TVS TVS 3 1000 TVS 1000 TVS 1000 TVS 0.01(t) 150 TVS
16b. Manstem COGUUG16B Designation Reviewable Qualifiers: Other: *Temperature 11/15	a control creek from a point immediate Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply = summer criteria apply from 4/16 -	ly below 7 Road to the confluence Physical and E Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorgania Boron Chloride Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	with the Gunnison Biological Biological CS-I* <pcs-i*< p=""> CS-I* <pcs-i*< p=""> <pcs-i*< p=""> <pcs-i*< p=""></pcs-i*<></pcs-i*<></pcs-i*<></pcs-i*<>	River.	M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T)	etais (ug/L) acute	chronic 0.02 TVS TVS TVS 3 TVS WS 1000 TVS WS 1000 TVS 0.01(t) 150 TVS 0.01(t)
16b. Mainsterm COGUUG16B Designation Reviewable Qualifiers: Other: *Temperature 11/15	Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply = summer criteria apply from 4/16 -	ly below 7 Road to the confluence Physical and E Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorgania Boron Chloride Chloride Chloride Chloride Nitrate Nitrite Phosphorus Sulfate Sulfide	with the Gunnison Biological Biological CS-I* <pcs-i*< p=""> CS-I* <pcs-i*< p=""> <pcs-i*< p=""></pcs-i*<></pcs-i*<></pcs-i*<></pcs-i*<></pcs-i*<></pcs-i*<></pcs-i*<></pcs-i*<></pcs-i*<></pcs-i*<></pcs-i*<></pcs-i*<></pcs-i*<></pcs-i*<></pcs-i*<></pcs-i*<></pcs-i*<>	River.	M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	etais (ug/L) acute 340 TVS 50 TVS 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS -	chronic 0.02 TVS 1000 TVS 0.01(t) 150 TVS 100 TVS 100 TVS
16b. Mainstem COGUUG16B Designation Reviewable Qualifiers: Other: *Temperature 11/15	Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply = summer criteria apply from 4/16 -	ly below 7 Road to the confluence Physical and E Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorgania Boron Chloride Chloride Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	with the Gunnison Biological DM CS-I* acute 6.5 - 9.0 6.5 - 9.0 6.5 - 9.0 6.5 - 9.0 6.5 - 9.0 6.5 - 9.0 6.5 - 9.0 0.019 0.005 10 0.05	River.	M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium Silver	etals (ug/L) acute 340 TVS 50 TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS TVS	chronic 0.02 TVS 1000 TVSWS 0.01(t) 150 TVS 100 TVS 100 TVS
16b. Mainsterm COGUUG16B Designation Reviewable Qualifiers: Other: *Temperature 11/15	Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply = summer criteria apply from 4/16 -	ly below 7 Road to the confluence Physical and E Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorgania Boron Chloride Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfate	with the Gunnison Biological Biological DM CS-I* acute acute 6.5 - 9.0 6.005 10 0.005 0.019 0.005 10 0.005 10 0.005	River. MWAT CS-I* chronic 6.0 7.0 126 126 CNON 126 0.011 250 0.011 0.126 0.011 0.11 0.11 0.11 0.11 0.11 0.11	Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium Silver Uranium	etals (ug/L) acute	chronic 0.02 TVS TVS TVS WS 1000 TVS WS 1000 TVS TVS/WS 0.01(t) 150 TVS 1000 TVS 1000 TVS

All metals are dissolved unless otherwise noted. T = total recoverable t = total D.O. = dissolved oxygen

DM = daily maximum

MWAT = maximum weekly average temperature

See 35.6 for further details on applied standards.

tr = trout sc = sculpin

17a. West Ante	elope Creek, including all tributaries ar	d wetlands, from the source to the	confluence with Ar	ntelope Creel	κ.		
COGUUG17A	Classifications	Physical and B	iological		Me	etals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Aluminum		
	Recreation U		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02
Qualifiers:		D.O. (spawning)		7.0	Beryllium		
Other:		рН	6.5 - 9.0		Cadmium	TVS	TVS
		chlorophyll a (mg/m ²)		150	Cadmium(T)	5.0	
		E. Coli (per 100 mL)		126	Chromium III		TVS
					Chromium III(T)	50	
		Inorganic	(mg/L)		Chromium VI	TVS	TVS
			acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron		WS
		Boron		0.75	Iron(T)		1000
		Chloride		250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	
		Cvanide	0.005		Manganese	TVS	TVS/WS
	a not acted on segment	Nitrate	10		Mercury		0.01(t)
	total phoophorup (TD)	Nitrite	0.05		Molybdenum(T)		150
specific	atondarda basad an	Phoenborus	0.00	0.11	Nickel	TVS	TVS
the inter	standards based on	Cultoto		W.C	Nickel(T)	110	100
	in value for fiver/	Sunale		0.000	Solonium	TVS	100
streams	segments with a cold	Sunide		0.002	Selenium	TVS	T\/\$(#r)
water ad						103	103(0)
(0.11 mg	g/L TP).						
					ZINC	172	105
17h Mainstom	of Antelope Creek including all tribut	aries and wetlands from the source	to the confluence	with the Gun	nison River excluding the list	tings in Segment 17	2
17b. Mainstem	of Antelope Creek, including all tribut	aries and wetlands, from the source Physical and B	to the confluence	with the Gun	nison River, excluding the list	tings in Segment 17a ttals (ug/L)	a.
17b. Mainstem COGUUG17B Designation	of Antelope Creek, including all tribut.	aries and wetlands, from the source Physical and B	to the confluence iological	with the Gun	nison River, excluding the list Me	tings in Segment 17a stals (ug/L) acute	a. chronic
17b. Mainstem COGUUG17B Designation Reviewable	of Antelope Creek, including all tribut Classifications Agriculture Ag Life Cold 1	ries and wetlands, from the source Physical and B Temperature °C	to the confluence iological DM CS-II	with the Gun	nison River, excluding the list Me	tings in Segment 17a ttals (ug/L) acute 	a. chronic
17b. Mainstem COGUUG17B Designation Reviewable	of Antelope Creek, including all tribut Classifications Agriculture Aq Life Cold 1 Recreation U	ries and wetlands, from the source Physical and B Temperature °C	to the confluence iological DM CS-II acute	with the Gun MWAT CS-II chronic	nison River, excluding the list Me Aluminum Arsenic	tings in Segment 17a ttals (ug/L) acute 340	a. chronic
17b. Mainstem COGUUG17B Designation Reviewable	of Antelope Creek, including all tribut Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply	Temperature °C	to the confluence iological DM CS-II acute	with the Gur MWAT CS-II chronic 6.0	nison River, excluding the list Me Aluminum Arsenic Arsenic(T)	ings in Segment 17a tals (ug/L) acute 340 	a. chronic 0.02
17b. Mainstem COGUUG17B Designation Reviewable Qualifiers:	of Antelope Creek, including all tribut Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply	Temperature °C	to the confluence iological DM CS-II acute 	with the Gur MWAT CS-II chronic 6.0 7.0	nison River, excluding the list Me Aluminum Arsenic Arsenic(T) Bervilium	ings in Segment 17a tals (ug/L) 340 	a. chronic 0.02
17b. Mainstem COGUUG17B Designation Reviewable Qualifiers:	of Antelope Creek, including all tribut Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply	ries and wetlands, from the source Physical and B Temperature °C D.O. (mg/L) D.O. (spawning) nH	to the confluence iological DM CS-II acute 65 - 90	With the Gur MWAT CS-II chronic 6.0 7.0	nison River, excluding the list Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium	ings in Segment 17a tals (ug/L) 340 TVS	a. chronic 0.02 TVS
17b. Mainstem COGUUG17B Designation Reviewable Qualifiers: Other:	of Antelope Creek, including all tribut Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply	ries and wetlands, from the source Physical and B Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²)	to the confluence iological DM CS-II acute 6.5 - 9.0	With the Gur MWAT CS-II chronic 6.0 7.0 150	nison River, excluding the list Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T)	tings in Segment 17e tals (ug/L) acute 340 TVS 50	a. chronic 0.02 TVS
17b. Mainstem COGUUG17B Designation Reviewable Qualifiers: Other:	of Antelope Creek, including all tribut Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply	ries and wetlands, from the source Physical and B Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 ml.)	to the confluence iological DM CS-II acute 6.5 - 9.0 	with the Gur MWAT CS-II chronic 6.0 7.0 150 126	nison River, excluding the list Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T)	tings in Segment 17a tals (ug/L) acute 340 TVS 5.0	a. chronic 0.02 TVS TVS
17b. Mainstem COGUUG17B Designation Reviewable Qualifiers: Other:	of Antelope Creek, including all tribut Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply	ries and wetlands, from the source Physical and B Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)	to the confluence iological DM CS-II acute 6.5 - 9.0 	with the Gur MWAT CS-II chronic 6.0 7.0 150 126	nison River, excluding the list Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III	tings in Segment 17a tals (ug/L) acute 340 TVS 5.0 50	a. chronic 0.02 TVS TVS TVS
17b. Mainstem COGUUG17B Designation Reviewable Qualifiers: Other:	of Antelope Creek, including all tribut Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply	ries and wetlands, from the source Physical and B Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)	to the confluence iological DM CS-II acute 6.5 - 9.0 (mg/L)	with the Gur MWAT CS-II chronic 6.0 7.0 150 126	nison River, excluding the list Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium VI	ings in Segment 17e tals (ug/L) acute 340 TVS 5.0 50 TVS	a. chronic 0.02 TVS TVS TVS
17b. Mainstem COGUUG17B Designation Reviewable Qualifiers: Other:	of Antelope Creek, including all tribut Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply	ries and wetlands, from the source Physical and B Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic	to the confluence iological DM CS-II acute 6.5 - 9.0 (mg/L) acute	with the Gur MWAT CS-II chronic 6.0 7.0 7.0 150 126	nison River, excluding the list Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI	tings in Segment 17e tals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS	a. chronic 0.02 TVS TVS TVS TVS
17b. Mainstem COGUUG17B Designation Reviewable Qualifiers: Other:	of Antelope Creek, including all tribut Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply	ries and wetlands, from the source Physical and B Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic	to the confluence iological DM CS-II acute 6.5 - 9.0 (mg/L) acute TV(C	with the Gur MWAT CS-II chronic 6.0 7.0 7.0 150 126 126 chronic	nison River, excluding the list Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III(T) Chromium VI Copper	tings in Segment 17e tals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS	a. chronic 0.02 TVS TVS TVS TVS TVS TVS TVS VS
17b. Mainstem COGUUG17B Designation Reviewable Qualifiers: Other:	of Antelope Creek, including all tribut Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply	ries and wetlands, from the source Physical and B Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic Ammonia	to the confluence iological DM CS-II acute 6.5 - 9.0 (mg/L) acute TVS	with the Gur MWAT CS-II chronic 6.0 7.0 7.0 150 126 126 chronic TVS	nison River, excluding the list Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron	tings in Segment 17e tals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS 	a. chronic 0.02 TVS TVS TVS TVS TVS WS 4000
17b. Mainstem COGUUG17B Designation Reviewable Qualifiers: Other:	of Antelope Creek, including all tribut Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply	ries and wetlands, from the source Physical and B Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic Ammonia Boron	to the confluence iological DM CS-II acute 6.5 - 9.0 (mg/L) acute TVS 	with the Gur MWAT CS-II chronic 6.0 7.0 150 126 Chronic TVS 0.75	nison River, excluding the list Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T)	tings in Segment 17e tals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS 	a. chronic 0.02 TVS TVS TVS TVS WS 1000 TVS
17b. Mainstem COGUUG17B Designation Reviewable Qualifiers: Other:	of Antelope Creek, including all tribut Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply	ries and wetlands, from the source Physical and B Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic Ammonia Boron Chloride	to the confluence iological DM CS-II acute 6.5 - 9.0 (mg/L) acute TVS CS- 	with the Gur MWAT CS-II chronic 6.0 7.0 120 126 chronic TVS 0.75 250	nison River, excluding the list Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III Chromium VI Copper Iron Iron(T) Lead	tings in Segment 172 tals (ug/L) acute 340 TVS 5.0 50 TVS	a. chronic 0.02 TVS TVS TVS TVS WS 1000 TVS
17b. Mainstem COGUUG17B Designation Reviewable Qualifiers: Other:	of Antelope Creek, including all tribut Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply	ries and wetlands, from the source Physical and B Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic Ammonia Boron Chloride Chlorine	to the confluence iological DM CS-II acute () () () () 	with the Gur MWAT CS-II chronic 6.0 7.0 120 126 chronic TVS 0.75 250 0.011	nison River, excluding the list Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T)	tings in Segment 172 tals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS 50 50 TVS 50 50 50 TVS 50 50 TVS 50 50 50 TVS 50 50 50 TVS 50 50 TVS 50 50 TVS 70 TVS 70 TVS 70 TVS 70 70 70 70 70 70 70 7	a. chronic 0.02 TVS TVS TVS WS 1000 TVS
17b. Mainstem COGUUG17B Designation Reviewable Qualifiers: Other:	of Antelope Creek, including all tribut Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply	ries and wetlands, from the source Physical and B Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic Ammonia Boron Chloride Chlorine Cyanide	to the confluence iological CS-II CS-II CS-I	with the Gur MWAT CS-II chronic 6.0 7.0 150 126 126 Chronic TVS 0.75 250 0.011	nison River, excluding the list Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese	tings in Segment 172 tals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS TVS 5.0 50 TVS	a. chronic 0.02 TVS TVS TVS WS 1000 TVS TVSWS 000/7
17b. Mainstem COGUUG17B Designation Reviewable Qualifiers: Other:	of Antelope Creek, including all tribut Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply	ries and wetlands, from the source Physical and B Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic Ammonia Boron Chloride Chlorine Cyanide Nitrate	to the confluence iological CS-II CS-II acute (with the Gur MWAT CS-II chronic 6.0 7.0 150 126 126 Chronic Chronic 0.75 250 0.011 	nison River, excluding the list Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury	tings in Segment 172 tals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS 50 T	a. chronic 0.02 TVS TVS TVS TVS WS 1000 TVS TVS WS 1000 TVS TVS WS 1000 TVS
17b. Mainstem COGUUG17B Designation Reviewable Qualifiers: Other:	of Antelope Creek, including all tribut Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply	ries and wetlands, from the source Physical and B Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite	to the confluence iological CS-II CS-II acute (with the Gur MWAT CS-II chronic 6.0 7.0 150 126 126 0.01 Chronic Chronic 0.75 250 0.011 0.01	nison River, excluding the list Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T)	tings in Segment 17e tals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS TVS 50 T	a. chronic 0.02 TVS TVS TVS TVS WS 1000 TVS WS 1000 TVS TVS/WS 0.01(t) 150
17b. Mainstem COGUUG17B Designation Reviewable Qualifiers: Other:	of Antelope Creek, including all tribut Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply	ries and wetlands, from the source Physical and B Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	to the confluence iological CS-II CCS-II CCS-I CCS-I CCS-I CCS-I CCS CCS CCS CCS CCS CCS CCS CC	with the Gur MWAT CS-II chronic 6.0 7.0 120 120 120 0.011 Chronic Chronic 0.75 250 0.011 0.0	nison River, excluding the list Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel	tings in Segment 17e tals (ug/L) acute 340 TVS 5.0 TVS 50 TVS TVS 50 TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS	a. chronic 0.02 TVS TVS TVS TVS WS 1000 TVS WS 1000 TVS WS 0.01(t) 150 TVS
17b. Mainstem COGUUG17B Designation Reviewable Qualifiers: Other:	of Antelope Creek, including all tribut Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply	ries and wetlands, from the source Physical and B Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	to the confluence iological CS-II CS-II C	with the Gur MWAT CS-II chronic 6.0 7.0 120 120 0.126 Chronic Chronic Chronic 0.75 250 0.011 0.011 0.011 WS	nison River, excluding the list Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T)	tings in Segment 17e tals (ug/L) acute 340 TVS 50 TVS 50 TVS TVS 50 TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS 	a. chronic 0.02 TVS TVS TVS TVS WS 1000 TVS WS 1000 TVS TVS/WS 0.01(t) 150 TVS 100
17b. Mainstem COGUUG17B Designation Reviewable Qualifiers: Other:	of Antelope Creek, including all tribut Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply	ries and wetlands, from the source Physical and B Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic Ammonia Boron Chloride Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	to the confluence iological DM CS-II acute acu	with the Gur MWAT CS-II chronic 6.0 7.0 120 120 120 0.01 Chronic TVS 0.75 250 0.011 0.01 0.01 0.01 0.01 0.01 0.01 0.01 0.00 0.0	nison River, excluding the list Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	tings in Segment 17e tals (ug/L) acute 340 TVS 5.0 TVS 5.0 TVS TVS TVS 50 TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS	a. chronic 0.02 TVS TVS TVS WS 1000 TVS WS 1000 TVS WS 1000 TVS TVS/WS 0.01(t) 150 TVS 100 TVS
17b. Mainstem COGUUG17B Designation Reviewable Qualifiers: Other:	of Antelope Creek, including all tribut Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply	ries and wetlands, from the source Physical and B Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic Ammonia Boron Chloride Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	to the confluence iological DM CS-II acute (mg/L)	with the Gur MWAT CS-II chronic 6.0 7.0 120 120 0.01 Chronic Chronic 0.01 0.011 0.01 0.01 0.01 0.01 0.01 0.01 0.01 0.01 0.00 0.0	nison River, excluding the list Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium Silver	tings in Segment 17e tals (ug/L) acute 340 TVS 5.0 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS 	a. chronic 0.02 TVS TVS TVS WS 1000 TVS WS 1000 TVS TVS/WS 0.01(t) 150 TVS 100 TVS 100 TVS 100 TVS
17b. Mainstem COGUUG17B Designation Reviewable Qualifiers: Other:	of Antelope Creek, including all tribut Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply	ries and wetlands, from the source Physical and B Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic Ammonia Boron Chloride Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfate	to the confluence iological CS-II CS-II CC	with the Gur MWAT CS-II chronic 6.0 7.0 150 126 0.126 0.011 Chronic 0.011 0.011 0.011 0.011 0.002	nison River, excluding the list Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium Silver Uranium	tings in Segment 172 tals (ug/L) acute 340 340 TVS 5.0 50 TVS TVS TVS 50 TVS 50 TVS TVS 50 TVS	a. chronic 0.02 TVS TVS TVS WS 1000 TVS WS 1000 TVS TVSWS 0.01(t) 150 TVS 100 TVS 100 TVS

All metals are dissolved unless otherwise noted. T = total recoverable t = total

tr = troutsc = sculpin D.O. = dissolved oxygen

DM = daily maximum

MWAT = maximum weekly average temperature

18a. Mainstem	of Tomichi Creek and its wetlands fro	om the source to the confluer	nce with Porph	yry Creek.				
COGUUG18A	Classifications	Physical	and Biologic	al		N	letals (ug/L)	
Designation	Agriculture			DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C		CS-I	CS-I	Aluminum		
	Recreation U			acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)			6.0	Arsenic(T)		0.02
Qualifiers:	•	D.O. (spawning)			7.0	Beryllium		
Other:		рН		6.5 - 9.0		Cadmium	TVS	TVS
Tomporory Ma	adification (a)	chlorophyll a (mg/m ²)			150	Cadmium(T)	5.0	
	c) = bybrid	E. Coli (per 100 mL)			126	Chromium III		TVS
Expiration Date	$c_{1} = 10010$,				Chromium III(T)	50	
	e or 12/31/2024	Inc	organic (mg/l)		Chromium VI	TVS	TVS
			organio (ing/L	acute	chronic	Copper	TVS	TVS
		Ammonia		TVS	TVS	Iron		WS
		Boron			0.75	Iron(T)		1000
		Boron			0.75		T) (0	1000
		Chloride			250	Lead	172	172
		Chlorine		0.019	0.011	Lead(T)	50	
		Cyanide		0.005		Manganese	TVS	TVS/WS
EPA has	not acted on segment-	Nitrate		10		Mercury		0.01(t)
specific t	otal phosphorus (TP)	Nitrite		0.05		Molybdenum(T)		150
numeric	standards based on	Phosphorus			0.11	Nickel	TVS	TVS
the interi	m value for river/	Sulfate			WS	Nickel(T)		100
stream s	egments with a cold	Sulfide			0.002	Selenium	TVS	TVS
water ag	uatic life classification					Silver	TVS	TVS(tr)
(0 11 mg	/I TP)					Uranium		
(o.rring	,2).					Zinc	TVS	TVS
18b. Mainstem	of Tomichi Creek and its wetlands fro	m the confluence with Porpl	hyry Creek to t	the confluence	e with the G	Gunnison River.		
18b. Mainstem COGUUG18B	of Tomichi Creek and its wetlands fro Classifications	m the confluence with Porph Physical	hyry Creek to t I and Biologic	the confluence cal	ce with the G	Gunnison River.	letals (ug/L)	
18b. Mainstem COGUUG18B Designation	of Tomichi Creek and its wetlands fro Classifications Agriculture	m the confluence with Porph Physical	hyry Creek to t I and Biologic	the confluenc cal DM	ce with the G	Gunnison River.	letals (ug/L) acute	chronic
18b. Mainstem COGUUG18B Designation Reviewable	of Tornichi Creek and its wetlands fro Classifications Agriculture Aq Life Cold 1	m the confluence with Porpl Physical Temperature °C	hyry Creek to t and Biologic 11/1 - 3/31	the confluence cal DM CS-II	MWAT CS-II	unnison River. N Aluminum	letals (ug/L) acute 	chronic
18b. Mainstem COGUUG18B Designation Reviewable	of Tomichi Creek and its wetlands fro Classifications Agriculture Aq Life Cold 1 Recreation U	m the confluence with Porpl Physical Temperature °C Temperature °C	hyry Creek to t and Biologic 11/1 - 3/31 4/1 - 10/31	the confluence cal DM CS-II CS-II*	MWAT CS-II 18.9* ^C	unnison River. N Aluminum Arsenic	Netals (ug/L) acute 340	chronic
18b. Mainstem COGUUG18B Designation Reviewable	of Tomichi Creek and its wetlands fro Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply	m the confluence with Porpi Physical Temperature °C Temperature °C	hyry Creek to t and Biologic 11/1 - 3/31 4/1 - 10/31	the confluence cal DM CS-II CS-II*	MWAT CS-II 18.9* ^C	Sunnison River. N Aluminum Arsenic Arsenic(T)	letals (ug/L) acute 340 	chronic 0.02
18b. Mainstem COGUUG18B Designation Reviewable Qualifiers:	of Tomichi Creek and its wetlands fro Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply	m the confluence with Porpi Physical Temperature °C Temperature °C	hyry Creek to t and Biologic 11/1 - 3/31 4/1 - 10/31	the confluence cal DM CS-II CS-II* acute	MWAT CS-II 18.9* ^C chronic	unnison River. N Aluminum Arsenic Arsenic(T) Beryllium	Netals (ug/L) acute 340 	chronic 0.02
18b. Mainstem COGUUG18B Designation Reviewable Qualifiers: Other:	of Tomichi Creek and its wetlands fro Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply	m the confluence with Porpi Physical Temperature °C Temperature °C	hyry Creek to t and Biologic 11/1 - 3/31 4/1 - 10/31	the confluence cal DM CS-II CS-II* acute	MWAT CS-II 18.9* C chronic 6.0	unnison River. N Aluminum Arsenic Arsenic(T) Beryllium Cadmium	Netals (ug/L) acute 340 TVS	chronic 0.02 TVS
18b. Mainstem COGUUG18B Designation Reviewable Qualifiers: Other:	of Tomichi Creek and its wetlands fro Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply	m the confluence with Porpi Physical Temperature °C Temperature °C D.O. (mg/L) D.O. (mg/L)	hyry Creek to t and Biologic 11/1 - 3/31 4/1 - 10/31	the confluence cal DM CS-II CS-II* acute	xe with the C MWAT CS-II 18.9* C chronic 6.0 7.0	Aluminum Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T)	Actals (ug/L) acute 340 TVS 50	chronic 0.02 TVS
18b. Mainstem COGUUG18B Designation Reviewable Qualifiers: Other: Temporary Mo	of Tornichi Creek and its wetlands fro Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply pdification(s):	m the confluence with Porpl Physical Temperature °C Temperature °C D.O. (mg/L) D.O. (spawning)	hyry Creek to t and Biologia 11/1 - 3/31 4/1 - 10/31	the confluence cal DM CS-II CS-II* acute 	xe with the C MWAT CS-II 18.9* C chronic 6.0 7.0	Aluminum Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T)	Aetals (ug/L) acute 340 TVS 5.0	chronic 0.02 TVS TVS
18b. Mainstem COGUUG18B Designation Reviewable Qualifiers: Other: Temporary Mo	of Tomichi Creek and its wetlands fro Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply bdification(s): c) = hybrid	m the confluence with Porpi Physical Temperature °C Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²)	hyry Creek to t and Biologia 11/1 - 3/31 4/1 - 10/31	the confluence cal DM CS-II CS-II* acute 6.5 - 9.0	xe with the C MWAT CS-II 18.9* C chronic 6.0 7.0 150	Aluminum Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III	Metals (ug/L) acute 340 TVS 5.0 50	chronic 0.02 TVS TVS
18b. Mainstem COGUUG18B Designation Reviewable Qualifiers: Other: Temporary Mod Arsenic(chronic) Expiration Date	of Tomichi Creek and its wetlands fro Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply bdification(s): c) = hybrid e of 12/31/2024	m the confluence with Porpi Physical Temperature °C Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Celi (opr. 100 ml.)	hyry Creek to t and Biologia 11/1 - 3/31 4/1 - 10/31	the confluence cal DM CS-II CS-II* acute 6.5 - 9.0 	xe with the C MWAT CS-II 18.9* C Chronic 6.0 7.0 150 126	Aluminum Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium Cadmium(T) Chromium III Chromium III	Actals (ug/L) acute 340 TVS 5.0 50	chronic 0.02 TVS TVS
18b. Mainstem COGUUG18B Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date *Temperature(chronic)	of Tomichi Creek and its wetlands fro Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply bdification(s): c) = hybrid e of 12/31/2024 A/1 - 10/31) = See temperature	m the confluence with Porpi Physical Temperature °C Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL)	hyry Creek to f and Biologia 11/1 - 3/31 4/1 - 10/31	the confluence cal DM CS-II CS-II* acute 6.5 - 9.0 	xe with the C MWAT CS-II 18.9* C Chronic 6.0 7.0 150 126	Aluminum Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T)	Itetals (ug/L) acute 340 TVS 5.0 50 TVS	chronic 0.02 TVS TVS TVS TVS
18b. Mainstem COGUUG18B Designation Reviewable Qualifiers: Other: Temporary Model Arsenic(chronic Expiration Date *Temperature(assessment logo	of Tomichi Creek and its wetlands fro Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply	m the confluence with Porpi Physical Temperature °C Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL)	hyry Creek to f and Biologia 11/1 - 3/31 4/1 - 10/31	the confluence cal DM CS-II CS-II* acute 6.5 - 9.0 	xe with the C MWAT CS-II 18.9* C 6.0 7.0 150 126	Aluminum Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III(T) Chromium VI Copper	Metals (ug/L) acute 340 TVS 5.0 50 TVS TVS	chronic 0.02 TVS TVS TVS TVS
18b. Mainstem COGUUG18B Designation Reviewable Qualifiers: Other: Temporary Mod Arsenic(chronic Expiration Date *Temperature(4 assessment log	of Tomichi Creek and its wetlands fro Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply	m the confluence with Porpi Physical Temperature °C Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL)	hyry Creek to I and Biologic 11/1 - 3/31 4/1 - 10/31	the confluence cal DM CS-II CS-II* acute 6.5 - 9.0 	xe with the C MWAT CS-II 18.9* C chronic 6.0 7.0 150 126	Aluminum Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron	Metals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS 	chronic 0.02 TVS TVS TVS TVS WS
18b. Mainstem COGUUG18B Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date *Temperature(- assessment lo	of Tomichi Creek and its wetlands fro Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply	m the confluence with Porpi Physical Temperature °C Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)	hyry Creek to I and Biologic 11/1 - 3/31 4/1 - 10/31	the confluence cal DM CS-II CS-II* acute 6.5 - 9.0 	xe with the C MWAT CS-II 18.9* C chronic 6.0 7.0 150 126 chronic	Aluminum Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T)	Metals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS 	chronic 0.02 TVS TVS TVS TVS TVS S TVS S S S S 1000
18b. Mainstem COGUUG18B Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date *Temperature(- assessment lo	of Tomichi Creek and its wetlands fro Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply	m the confluence with Porpi Physical Temperature °C Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inc Ammonia	hyry Creek to 1 and Biologic 11/1 - 3/31 4/1 - 10/31	the confluence cal DM CS-II CS-II* acute 6.5 - 9.0 c c c c c c	e with the G MWAT CS-II 18.9* C chronic 6.0 7.0 150 126 chronic TVS	Aluminum Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead	Metals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS	chronic 0.02 TVS TVS TVS TVS S VVS 1000 TVS
18b. Mainstem COGUUG18B Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date *Temperature(assessment lo	of Tomichi Creek and its wetlands fro Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply	m the confluence with Porpi Physical Temperature °C Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) International Boron	hyry Creek to I and Biologic 11/1 - 3/31 4/1 - 10/31 organic (mg/L	the confluence cal DM CS-II CS-II* acute 6.5 - 9.0 c c c acute TVS 	e with the G MWAT CS-II 18.9* C chronic 6.0 7.0 150 126 Chronic TVS 0.75	Aluminum Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T)	Actals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS TVS TVS TVS 50 TVS 50 TVS 50	chronic 0.02 TVS TVS TVS TVS TVS WS 1000 TVS
18b. Mainstem COGUUG18B Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date *Temperature(assessment lo	of Tomichi Creek and its wetlands fro Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply	m the confluence with Porpi Physical Temperature °C Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Ind Ammonia Boron Chloride	hyry Creek to f and Biologic 11/1 - 3/31 4/1 - 10/31	the confluence cal DM CS-II CS-II* acute 6.5 - 9.0 c c ty acute TVS TVS 	e with the G MWAT CS-II 18.9* C chronic 6.0 7.0 150 126 Chronic TVS 0.75 250	Aluminum Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese	Itetals (ug/L) acute 340 TVS 5.0 50 TVS STVS TVS 50 TVS TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS	Chronic 0.02 TVS TVS TVS TVS WS 1000 TVS TVSWS
18b. Mainstem COGUUG18B Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date *Temperature(assessment lo	of Tomichi Creek and its wetlands fro Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply	m the confluence with Porpi Physical Temperature °C Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Ind Ammonia Boron Chloride Chlorine	hyry Creek to f and Biologia 11/1 - 3/31 4/1 - 10/31 organic (mg/L	the confluence cal DM CS-II CS-II* acute 6.5 - 9.0 6.5 - 9.0 0.5 S acute TVS TVS 0.019	xe with the G MWAT CS-II 18.9* C Chronic 6.0 7.0 150 126 Chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury	Itetals (ug/L) acute 340 TVS 5.0 TVS TVS TVS 50 TVS TVS 50 TVS 50 TVS TVS TVS TVS TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS	Chronic 0.02 TVS TVS TVS TVS WS 1000 TVS S UNS TVSWS 0.01(t)
18b. Mainstem COGUUG18B Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date *Temperature(assessment loc	of Tomichi Creek and its wetlands fro Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply	m the confluence with Porpi Physical Temperature °C Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) E. Coli (per 100 mL) Ind Ammonia Boron Chloride Chlorine Cyanide	hyry Creek to f and Biologia 11/1 - 3/31 4/1 - 10/31	the confluence cal DM CS-II CS-II* acute 6.5 - 9.0 6.5 - 9.0 0.5 TVS TVS 0.019 0.005	xe with the G MWAT CS-II 18.9* C Chronic 6.0 7.0 150 126 126 Chronic TVS 0.75 250 0.011	Aluminum Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T)	Actuals (ug/L) acute 340 TVS 50 TVS S0 TVS 50 TVS	chronic 0.02 TVS TVS TVS S S S S S S S S S S S S S S S S
18b. Mainstem COGUUG18B Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date *Temperature(assessment lo	of Tomichi Creek and its wetlands fro Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply	m the confluence with Porpi Physical Temperature °C Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) E. Coli (per 100 mL) International Boron Chloride Chlorine Cyanide Nitrate	hyry Creek to f and Biologic 11/1 - 3/31 4/1 - 10/31	the confluence cal DM CS-II CS-II* acute 6.5 - 9.0 6.5 - 9.0 0.01 7 0.019 0.005 10	xe with the C MWAT CS-II 18.9* C chronic 6.0 7.0 150 126 126 Chronic TVS 0.75 250 0.011 	Aluminum Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel	Actuals (ug/L) acute 340 TVS 5.0 50 TVS S0 TVS 50 TVS 50 TVS TVS TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS TVS	Chronic 0.02 TVS TVS TVS TVS WS 1000 TVS 1000 TVS TVSWS 0.01(t) 150 TVS
18b. Mainstem COGUUG18B Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date *Temperature(4 assessment lo	of Tomichi Creek and its wetlands fro Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply	m the confluence with Porpi Physical Temperature °C Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) International Boron Chloride Chlorine Cyanide Nitrate	hyry Creek to I and Biologic 11/1 - 3/31 4/1 - 10/31	the confluence cal DM CS-II CS-II* acute 6.5 - 9.0 6.5 - 9.0 7.7 6.5 0.019 0.005 10 0.005	xe with the C MWAT CS-II 18.9° C chronic 6.0 7.0 150 126 126 Chronic TVS 0.75 250 0.011 250	Aluminum Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T)	Actuals (ug/L) acute 340 TVS 5.0 50 TVS State TVS 50 TVS TVS 50 TVS State TVS TVS TVS TVS TVS TVS State TVS TVS State TVS TVS </td <td>chronic 0.02 TVS TVS TVS WS 1000 TVS WS 1000 TVS TVS/WS 0.01(t) 150 TVS 100</td>	chronic 0.02 TVS TVS TVS WS 1000 TVS WS 1000 TVS TVS/WS 0.01(t) 150 TVS 100
18b. Mainstem COGUUG18B Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date *Temperature(- assessment lo	of Tomichi Creek and its wetlands fro Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply	m the confluence with Porpi Physical Temperature °C Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) International Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	hyry Creek to I and Biologic 11/1 - 3/31 4/1 - 10/31	the confluence cal DM CS-II CS-II* acute 6.5 - 9.0 6.5 - 9.0 6.5 - 9.0 7 6.5 - 9.0 0.01 7 0.019 0.005 10 0.05 10 0.05	xe with the C MWAT CS-II 18.9* C chronic 6.0 7.0 150 126 126 Chronic TVS 0.75 250 0.011 250 0.011 0.11	Aluminum Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	Actuals (ug/L) acute 340 TVS 5.0 50 TVS 50 TVS 50 TVS 50 TVS TVS TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS TVS	Chronic 0.02 TVS TVS TVS WS 1000 TVS WS 1000 TVS TVSWS 0.01(t) 150 TVS 100 TVS
18b. Mainstem COGUUG18B Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date *Temperature(- assessment lo	of Tomichi Creek and its wetlands fro Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply	m the confluence with Porpi Physical Temperature °C Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) E. Coli (per 100 mL) International Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	hyry Creek to I and Biologic 11/1 - 3/31 4/1 - 10/31	the confluence cal DM CS-II CS-II* acute 6.5 - 9.0 6.5 - 9.0 6.5 - 9.0 0.0 TVS TVS 0.019 0.005 10 0.05 	xe with the C MWAT CS-II 18.9* C chronic 6.0 7.0 150 126 0.0 126 Chronic TVS 0.75 250 0.011 0.011 0.011 WS	Aluminum Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium Silver	Actuals (ug/L) acute 340 TVS 5.0 500 TVS S00 TVS 500 TVS S00 TVS TVS S00 TVS TVS 500 TVS 500 TVS 500 TVS 500 TVS	Chronic 0.02 TVS TVS TVS WS 1000 TVS TVSWS 0.01(t) 150 TVS 100 TVS 100 TVS
18b. Mainstem COGUUG18B Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date *Temperature(- assessment lo	of Tomichi Creek and its wetlands fro Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply	m the confluence with Porpi Physical Temperature °C Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) E. Coli (per 100 mL) Int Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfate	hyry Creek to I and Biologic 11/1 - 3/31 4/1 - 10/31	the confluence cal DM CS-II CS-II* acute 6.5 - 9.0 6.5 - 9.0 6.0 	xe with the C MWAT CS-II 18.9* C chronic 6.0 7.0 150 126 0.01 126 Chronic TVS 0.75 250 0.011 150 0.011 0.11 WS 0.002	Aluminum Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium Silver Uranium	Aetals (ug/L) acute 340 340 50 TVS 50 TVS 50 TVS 50 TVS TVS 50 TVS TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS TVS TVS TVS	Chronic 0.02 TVS TVS TVS WS 1000 TVS TVSWS 0.01(t) 150 TVS 0.01(t) 150 TVS 1000 TVS
18b. Mainstem COGUUG18B Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date *Temperature(a assessment lo	of Tomichi Creek and its wetlands fro Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply	m the confluence with Porpi Physical Temperature °C Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) E. Coli (per 100 mL) Int Ammonia Boron Chloride Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	hyry Creek to I and Biologic 11/1 - 3/31 4/1 - 10/31	the confluence cal DM CS-II CS-II* acute 6.5 - 9.0 6.5 - 9.0 0.019 0.005 10 0.005 10 0.005 10 0.05	xe with the C MWAT CS-II 18.9* C chronic 6.0 7.0 150 126 Chronic TVS 0.75 250 0.011 0.41 WS 0.002	Aluminum Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium Silver Uranium	Aetals (ug/L) acute 340 TVS 5.0 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS TVS TVS TVS TVS TVS TVS TVS <td>Chronic 0.02 TVS TVS TVS WS 1000 TVS TVSWS 0.01(t) 150 TVS 0.01(t) 150 TVS 1000 TVS 1000 TVS TVS TVS TVS </td>	Chronic 0.02 TVS TVS TVS WS 1000 TVS TVSWS 0.01(t) 150 TVS 0.01(t) 150 TVS 1000 TVS 1000 TVS TVS TVS TVS

All metals are dissolved unless otherwise noted. T = total recoverable

D.O. = dissolved oxygen

DM = daily maximum

tr = troutsc = sculpin

t = total

Mainstems of	Barret, Razor, and Quartz Creeks from	ls, which are within the boundaries o their sources to their confluences w	ith Tomichi Creek	ational Fores	t, except for specific listings s Creek from its source to the	in Segments 20 throu e inlet of Hot Springs	ıgh 24. Reservoir.
COGUUG19	Classifications	Physical and Bio	ological		М	etals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Aluminum		
	Recreation U		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02
Qualifiers:	•	D.O. (spawning)		7.0	Beryllium		
Other:		рН	6.5 - 9.0		Cadmium	TVS	TVS
Temporary M	odification(s):	chlorophyll a (mg/m ²)		150	Cadmium(T)	5.0	
Arsenic(chroni	ic) = hybrid	E. Coli (per 100 mL)		126	Chromium III		TVS
Expiration Dat	te of 12/31/2024				Chromium III(T)	50	
		Inorganic (mg/L)		Chromium VI	TVS	TVS
			acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron		WS
		Boron		0.75	Iron(T)		1000
		Chloride		250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	
	and a start start start	Cyanide	0.005		Manganese	TVS	TVS/WS
EPA has	s not acted on segment-	Nitrate	10		Mercury		0.01(t)
specific t	total phosphorus (TP)	Nitrite	0.05		Molybdenum(T)		150
numeric	standards based on	Phosphorus		0.11	Nickel	TVS	TVS
the interi	im value for river/	Sulfate		WS	Nickel(T)		100
stream s	egments with a cold	Sulfide		0.002	Selenium	TVS	TVS
water aq	uatic life classification				Silver	TVS	TVS(tr)
(0.11 mg	g/LTP).				Uranium		
					Zinc	TVS	TVC
00 14							103
20. Mainstem	of Indian Creek, including all tributaries	, from the source to the confluence v	with Marshall Cre	ek.			103
COGUUG20	of Indian Creek, including all tributaries Classifications	, from the source to the confluence v Physical and Bio	vith Marshall Cre blogical	ek.	М	etals (ug/L)	173
COGUUG20 Designation	of Indian Creek, including all tributaries Classifications Agriculture	, from the source to the confluence w Physical and Bic	vith Marshall Crea ological DM	ek. MWAT	М	etals (ug/L) acute	chronic
20. Mainstem COGUUG20 Designation Reviewable	of Indian Creek, including all tributaries Classifications Agriculture Aq Life Cold 1	, from the source to the confluence of Physical and Bic Temperature °C	vith Marshall Cre ological DM CS-I	ek. MWAT CS-I	M	letals (ug/L) acute 	chronic
20. Mainstem COGUUG20 Designation Reviewable	of Indian Creek, including all tributaries Classifications Agriculture Aq Life Cold 1 Recreation E	, from the source to the confluence v Physical and Bic Temperature °C	vith Marshall Cree blogical DM CS-I acute	ek. MWAT CS-I chronic	M Aluminum Arsenic	etals (ug/L) acute 340	chronic
20. Mainstem COGUUG20 Designation Reviewable Qualifiers:	of Indian Creek, including all tributaries Classifications Agriculture Aq Life Cold 1 Recreation E	, from the source to the confluence w Physical and Bic Temperature °C D.O. (mg/L)	with Marshall Cree ological DM CS-I acute 	ek. MWAT CS-1 chronic 6.0	M Aluminum Arsenic Arsenic(T)	letals (ug/L) acute 340 	chronic 7.6
20. Mainstem COGUUG20 Designation Reviewable Qualifiers: Other:	of Indian Creek, including all tributaries Classifications Agriculture Aq Life Cold 1 Recreation E	, from the source to the confluence w Physical and Bic Temperature °C D.O. (mg/L) D.O. (spawning)	with Marshall Cree ological DM CS-I acute 	ek. MWAT CS-I chronic 6.0 7.0	Aluminum Arsenic Arsenic(T) Beryllium	letals (ug/L) acute 340 	 7.6
20. Mainstem COGUUG20 Designation Reviewable Qualifiers: Other:	of Indian Creek, including all tributaries Classifications Agriculture Aq Life Cold 1 Recreation E	, from the source to the confluence of Physical and Bio Temperature °C D.O. (mg/L) D.O. (spawning) pH	vith Marshall Cree ological DM CS-1 acute 6.5 - 9.0	ek. MWAT CS-1 chronic 6.0 7.0 	Aluminum Arsenic Arsenic(T) Beryllium Cadmium	etals (ug/L) acute 340 TVS	Chronic 7.6 TVS
20. Mainstem COGUUG20 Designation Reviewable Qualifiers: Other: *Uranium(acut	of Indian Creek, including all tributaries Classifications Agriculture Aq Life Cold 1 Recreation E te) = lowest practical level	, from the source to the confluence w Physical and Bic Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²)	vith Marshall Cree ological DM CS-1 acute 6.5 - 9.0 	ek. MWAT CS-I chronic 6.0 7.0 150	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III	etals (ug/L) acute 340 TVS TVS TVS	Chronic 7.6 TVS TVS
20. Mainstem COGUUG20 Designation Reviewable Qualifiers: Other: *Uranium(acut *Uranium(chro	of Indian Creek, including all tributaries Classifications Agriculture Aq Life Cold 1 Recreation E te) = lowest practical level price lowest practical level	, from the source to the confluence v Physical and Bic Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL)	vith Marshall Cree logical DM CS-1 acute 6.5 - 9.0 	ek. MWAT CS-I chronic 6.0 7.0 150 126	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III	etals (ug/L) acute 340 TVS TVS TVS 	chronic 7.6 TVS TVS 100
20. Mainstem COGUUG20 Designation Reviewable Qualifiers: Other: *Uranium(acut *Uranium(chro	of Indian Creek, including all tributaries Classifications Agriculture Aq Life Cold 1 Recreation E te) = lowest practical level onic) = lowest practical level	, from the source to the confluence v Physical and Bic Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)	vith Marshall Cree logical DM CS-1 acute 6.5 - 9.0 	ek. CS-I chronic 6.0 7.0 150 126	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III Chromium III(T)	letals (ug/L) acute 340 TVS TVS TVS TVS	chronic 7.6 TVS TVS 100 TVS
20. Mainstem COGUUG20 Designation Reviewable Qualifiers: Other: *Uranium(acut *Uranium(chrosphere)	of Indian Creek, including all tributaries Classifications Agriculture Aq Life Cold 1 Recreation E te) = lowest practical level onic) = lowest practical level	, from the source to the confluence v Physical and Bic Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (vith Marshall Cree ological DM CS-1 acute 6.5 - 9.0 mg/L)	ek. MWAT CS-I chronic 6.0 7.0 150 126	M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III Chromium III(T) Chromium VI Copper	acute 340 TVS TVS TVS TVS TVS TVS TVS	Chronic 7.6 TVS TVS 100 TVS TVS TVS
20. Mainstem COGUUG20 Designation Reviewable Qualifiers: Other: *Uranium(acut *Uranium(chro	of Indian Creek, including all tributaries Classifications Agriculture Aq Life Cold 1 Recreation E te) = lowest practical level onic) = lowest practical level	, from the source to the confluence w Physical and Bio Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (vith Marshall Cree ological DM CS-1 acute 6.5 - 9.0 mg/L) acute	ek. MWAT CS-I chronic 6.0 7.0 150 126 chronic	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T)	etals (ug/L) acute 340 TVS TVS TVS TVS TVS TVS TVS	Chronic 7.6 TVS TVS 100 TVS TVS 100 TVS 100 TVS 100 TVS
20. Mainstem COGUUG20 Designation Reviewable Qualifiers: Other: *Uranium(acut *Uranium(chro	of Indian Creek, including all tributaries Classifications Agriculture Aq Life Cold 1 Recreation E te) = lowest practical level onic) = lowest practical level	, from the source to the confluence w Physical and Bio Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (Ammonia	vith Marshall Crea ological DM CS-1 acute 6.5 - 9.0 img/L) acute TVS	ek. MWAT CS-I chronic 6.0 7.0 150 126 chronic TVS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead	etals (ug/L) acute 340 TVS TVS TVS TVS TVS TVS TVS TVS TVS	IVS chronic 7.6 TVS TVS 100 TVS 100 TVS 100 TVS TVS 100 TVS TVS TVS TVS TVS TVS
20. Mainstem COGUUG20 Designation Reviewable Qualifiers: Other: *Uranium(acut *Uranium(chro	of Indian Creek, including all tributaries Classifications Agriculture Aq Life Cold 1 Recreation E te) = lowest practical level onic) = lowest practical level	, from the source to the confluence w Physical and Bic Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (Ammonia Boron	vith Marshall Cree logical DM CS-1 acute 6.5 - 9.0 mg/L) acute TVS 	ek. MWAT CS-I chronic 6.0 7.0 7.0 150 126 chronic TVS 0.75	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese	etals (ug/L) acute 340 TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS	Chronic 7.6 TVS TVS 100 TVS 1000 TVS
20. Mainstem COGUUG20 Designation Reviewable Qualifiers: Other: *Uranium(acut *Uranium(chro	of Indian Creek, including all tributaries Classifications Agriculture Aq Life Cold 1 Recreation E te) = lowest practical level onic) = lowest practical level	, from the source to the confluence v Physical and Bic Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (Ammonia Boron Chloride	vith Marshall Cree logical DM CS-1 acute 6.5 - 9.0 mg/L) acute TVS TVS 	ek. MWAT CS-I chronic 6.0 7.0 7.0 150 126 chronic TVS 0.75 	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury	etals (ug/L) acute 340 TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS 	Chronic 7.6 TVS 100 TVS 100 TVS 1000 TVS TVS 1000 TVS TVS 1000 TVS 0.01(t)
20. Mainstem COGUUG20 Designation Reviewable Qualifiers: Other: *Uranium(acut *Uranium(chro	of Indian Creek, including all tributaries Classifications Agriculture Aq Life Cold 1 Recreation E te) = lowest practical level onic) = lowest practical level	, from the source to the confluence v Physical and Bic Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (Ammonia Boron Chloride Chlorine	vith Marshall Cree logical DM CS-1 acute 6.5 - 9.0 6.5 - 9.0 mg/L) acute TVS TVS 0.019	ek. MWAT CS-I chronic 6.0 7.0 7.0 150 126 Chronic TVS 0.75 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T)	letals (ug/L) acute 340 TVS TVS TVS TVS TVS TVS TVS 	chronic 7.6 TVS 100 TVS 100 TVS 1000 TVS 1000 TVS 0.00(1) TVS 0.01(t) 150
20. Mainstem COGUUG20 Designation Reviewable Qualifiers: *Uranium(acut *Uranium(chro	of Indian Creek, including all tributaries Classifications Agriculture Aq Life Cold 1 Recreation E te) = lowest practical level onic) = lowest practical level	, from the source to the confluence w Physical and Bic Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (Ammonia Boron Chloride Chlorine Cyanide	vith Marshall Cree logical DM CS-1 acute 6.5 - 9.0 (0.5 mg/L) acute TVS 0.019 0.005	ek. MWAT CS-I chronic 6.0 7.0 150 126 Chronic TVS 0.75 0.011 	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel	letals (ug/L) acute 340 TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS	IVS chronic 7.6 TVS TVS 100 TVS 1000 TVS 1000 TVS 1000 TVS 1000 TVS 1000 TVS 1000 TVS 0.01(t) 150 TVS
20. Mainstem COGUUG20 Designation Reviewable Qualifiers: Other: *Uranium(acut *Uranium(chro	of Indian Creek, including all tributaries Classifications Agriculture Aq Life Cold 1 Recreation E te) = lowest practical level onic) = lowest practical level	, from the source to the confluence v Physical and Bic Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (Ammonia Boron Chloride Chlorine Cyanide Nitrate	vith Marshall Crev blogical DM CS-1 acute 6.5 - 9.0 (0.5 mg/L) acute TVS 0.019 0.005 100	ek. MWAT CS-I chronic 6.0 7.0 150 126 Chronic TVS 0.75 0.011 	Aluminum Arsenic Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel Selenium	Itelais (ug/L) acute 340 TVS TVS	IVS chronic 7.6 TVS TVS 100 TVS 1000 TVS 1000 TVS 0.01(t) 150 TVS TVS
20. Mainstem COGUUG20 Designation Reviewable Qualifiers: Other: *Uranium(acut *Uranium(chro	of Indian Creek, including all tributaries Classifications Agriculture Aq Life Cold 1 Recreation E te) = lowest practical level onic) = lowest practical level	, from the source to the confluence w Physical and Bio Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite	vith Marshall Cree logical DM CS-1 acute 6.5 - 9.0 6.5 - 9.0 0.01 0.005 100 0.05	ek. MWAT CS-I chronic 6.0 7.0 150 126 Chronic TVS 0.75 0.011 0.011 	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel Selenium Silver	etals (ug/L) acute 340 TVS	IVS chronic 7.6 TVS TVS 100 TVS 1000 TVS 1000 TVS 0.001(t) 150 TVS TVS TVS TVS
20. Mainstem COGUUG20 Designation Reviewable Qualifiers: Other: *Uranium(acut *Uranium(chro	of Indian Creek, including all tributaries Classifications Agriculture Aq Life Cold 1 Recreation E te) = lowest practical level onic) = lowest practical level	, from the source to the confluence v Physical and Bic Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	vith Marshall Cree logical DM CS-1 acute 6.5 - 9.0 (0.5 - 9.0) mg/L) acute T√S 0.019 0.005 100 0.05	ek. MWAT CS-I chronic 6.0 7.0 7.0 150 126 Chronic TVS 0.75 0.011 0.011 0.011 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel Selenium Silver Uranium	ietals (ug/L) acute 340 TVS	Chronic 7.6 TVS TVS 100 TVS 1000 TVS 1000 TVS 1000 TVS 1000 TVS 1000 TVS TVS 0.01(t) 150 TVS TVS TVS TVS LPL*
20. Mainstem COGUUG20 Designation Reviewable Qualifiers: Other: *Uranium(acut *Uranium(chro	of Indian Creek, including all tributaries Classifications Agriculture Aq Life Cold 1 Recreation E te) = lowest practical level onic) = lowest practical level	, from the source to the confluence v Physical and Bio Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (Ammonia Boron Chloride Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	vith Marshall Cree logical DM CS-1 acute 6.5 - 9.0 6.5 - 9.0 0.01 mg/L) acute TVS 0.019 0.005 100 0.05 	ek. MWAT CS-I chronic 6.0 7.0 7.0 126 126 Chronic 126 0.11 0.011 0.011 0.11 0.11	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel Selenium Silver Uranium	tetals (ug/L) acute 340 TVS LPL* TVS	Chronic 7.6 TVS TVS 100 TVS 1000 TVS TVS 0.01(t) 150 TVS TVS TVS TVS 0.01(t) 150 TVS TVS TVS TVS
20. Mainstem COGUUG20 Designation Reviewable Qualifiers: Other: *Uranium(acut *Uranium(chro	of Indian Creek, including all tributaries Classifications Agriculture Aq Life Cold 1 Recreation E te) = lowest practical level onic) = lowest practical level	, from the source to the confluence v Physical and Bic Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (Ammonia Boron Chloride Chlorine Cyanide Nitriate Nitrite Phosphorus Sulfate Sulfide	vith Marshall Cree logical DM CS-1 acute 6.5 - 9.0 6.5 - 9.0 0.5 - 9.0 mg/L) acute TVS 0.019 0.005 100 0.05 100 0.05 	ek. MWAT CS-I chronic 6.0 7.0 7.0 150 126 0.126 Chronic TVS 0.75 0.011 0.011 0.011 0.11 0.11 0.01 0.11 0.02 0.002	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel Selenium Silver Uranium	letals (ug/L) acute 340 TVS LPL* TVS	Chronic 7.6 TVS 100 TVS 1000 TVS 1000 TVS 0.01(t) 150 TVS TVS TVS TVS US TVS US TVS TVS TVS TVS TVS TVS TVS TVS TVS

tr = trout sc = sculpin D.O. = dissolved oxygen

DM = daily maximum

21. Mainstem	of Marshall Creek, including all tributar	ies and wetlands, from the source to	o the continuence v	vitin Tomichi	Creek, except for specific list	ings in Segment 20.	
COGUUG21	Classifications	Physical and B	iological		м	etals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Aluminum		
	Recreation U		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02
Qualifiers:		D.O. (spawning)		7.0	Beryllium		
Other:		рH	6.5 - 9.0		Cadmium	TVS	TVS
Temporary M	odification(s):	chlorophyll a (mg/m ²)		150	Cadmium(T)	5.0	
Arsenic(chroni	ic) = hybrid	E. Coli (per 100 mL)		126	Chromium III		TVS
Expiration Dat	te of 12/31/2024				Chromium III(T)	50	
Uranium(chror	nic) = current condition*	Inorganic	(mg/L)		Chromium VI	TVS	TVS
Expiration Dat	te of 12/31/2022		acute	chronic	Copper	TVS	TVS
*TempMod: U	Iranium = Mainstem of Marshall Creek	Ammonia	TVS	TVS	Iron		WS
from the confluence wi	uence with Indian Creek to the	Boron		0.75	Iron(T)		1000
confidence wi		Chloride		250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	
		Cyanide	0.005		Manganese	TVS	TVS/WS
EPA has	s not acted on segment-	Nitrate	10		Mercury		0.01(t)
specific t	total phosphorus (TP)	Nitrite	0.05		Molybdenum(T)		150
numeric	standards based on	Phosphorus		0.11	Nickel	TVS	TVS
the interi	im value for river/	Sulfate		WS	Nickel(T)		100
stream s	segments with a cold	Sulfide		0.002	Selenium	TVS	TVS
water ag	uatic life classification				Silver	TVS	TVS(tr)
(0.11 m)	n/I TP)				Uranium		
(0.11 mg	<i>j</i> = · · · <i>j</i> .				Uranium(T)		16.8-30 A
					Zinc	TVS	TVS
22. Mainstem	of Gold Creek from Browns Gulch to the	e confluence with Quartz Creek.					
22. Mainstem COGUUG22	of Gold Creek from Browns Gulch to the Classifications	e confluence with Quartz Creek. Physical and B	iological		м	etals (ug/L)	
22. Mainstem COGUUG22 Designation	of Gold Creek from Browns Gulch to the Classifications Agriculture	e confluence with Quartz Creek. Physical and Bi	iological DM	MWAT	M	etals (ug/L) acute	chronic
22. Mainstem COGUUG22 Designation Reviewable	of Gold Creek from Browns Gulch to the Classifications Agriculture Aq Life Cold 1	e confluence with Quartz Creek. Physical and Bi Temperature °C	iological DM CS-I	MWAT CS-I	M	etals (ug/L) acute 	chronic
22. Mainstem COGUUG22 Designation Reviewable	of Gold Creek from Browns Gulch to the Classifications Agriculture Aq Life Cold 1 Recreation E	e confluence with Quartz Creek. Physical and Bi Temperature °C	iological DM CS-I acute	MWAT CS-I chronic	M Aluminum Arsenic	etals (ug/L) acute 340	chronic
22. Mainstem COGUUG22 Designation Reviewable	of Gold Creek from Browns Gulch to the Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	e confluence with Quartz Creek. Physical and Bi Temperature °C D.O. (mg/L)	iological DM CS-I acute 	MWAT CS-I chronic 6.0	M Aluminum Arsenic Arsenic(T)	etals (ug/L) acute 340 	chronic 0.02
22. Mainstem COGUUG22 Designation Reviewable Qualifiers:	of Gold Creek from Browns Gulch to the Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	e confluence with Quartz Creek. Physical and Bi Temperature °C D.O. (mg/L) D.O. (spawning)	iological DM CS-I acute 	MWAT CS-I chronic 6.0 7.0	M Aluminum Arsenic Arsenic(T) Beryllium	etals (ug/L) acute 340 	chronic 0.02
22. Mainstem COGUUG22 Designation Reviewable Qualifiers: Other:	of Gold Creek from Browns Gulch to the Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	e confluence with Quartz Creek. Physical and Bi Temperature °C D.O. (mg/L) D.O. (spawning) pH	iological DM CS-I acute 6.5 - 9.0	MWAT CS-1 chronic 6.0 7.0	Aluminum Arsenic Arsenic(T) Beryllium Cadmium	etals (ug/L) acute 340 TVS	chronic 0.02 TVS
22. Mainstem COGUUG22 Designation Reviewable Qualifiers: Other: Temporary M	of Gold Creek from Browns Gulch to the Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	e confluence with Quartz Creek. Physical and Bi Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²)	iological DM CS-I acute 6.5 - 9.0 	MWAT CS-I chronic 6.0 7.0 150	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T)	etals (ug/L) acute 340 TVS 5.0	chronic 0.02 TVS
22. Mainstem COGUUG22 Designation Reviewable Qualifiers: Other: Temporary Me Arsenic(chroni	of Gold Creek from Browns Gulch to the Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): ic) = hybrid	e confluence with Quartz Creek. Physical and Bi Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL)	iological DM CS-1 acute 6.5 - 9.0 	MWAT CS-I chronic 6.0 7.0 150 126	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium Cadmium(T) Chromium III	etals (ug/L) acute 340 TVS 5.0 	chronic 0.02 TVS TVS
22. Mainstem COGUUG22 Designation Reviewable Qualifiers: Other: Temporary Ma Arsenic(chroni Expiration Dat	of Gold Creek from Browns Gulch to the Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): ic) = hybrid te of 12/31/2024	e confluence with Quartz Creek. Physical and Bi Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL)	iological DM CS-1 acute 6.5 - 9.0 	MWAT CS-I chronic 6.0 7.0 150 126	M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium Cadmium(T) Chromium III Chromium III	etals (ug/L) acute 340 TVS 5.0 50	chronic 0.02 TVS TVS
22. Mainstem COGUUG22 Designation Reviewable Qualifiers: Other: Temporary Ma Arsenic(chroni Expiration Dat	of Gold Creek from Browns Gulch to the Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): ic) = hybrid te of 12/31/2024	e confluence with Quartz Creek. Physical and Bi Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic	iological DM CS-1 acute 6.5 - 9.0 (mg/L)	MWAT CS-I chronic 6.0 7.0 150 126	M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium Cadmium(T) Chromium III Chromium III Chromium VI	etals (ug/L) acute 340 TVS 5.0 50 TVS	chronic 0.02 TVS TVS TVS
22. Mainstem COGUUG22 Designation Reviewable Qualifiers: Other: Temporary Me Arsenic(chroni Expiration Dat	of Gold Creek from Browns Gulch to the Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): ic) = hybrid te of 12/31/2024	e confluence with Quartz Creek. Physical and Bi Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic	iological DM CS-1 acute 6.5 - 9.0 (mg/L) acute	MWAT CS-I chronic 6.0 7.0 150 126 chronic	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium VI Copper	etals (ug/L) acute 340 TVS 5.0 50 TVS TVS	chronic 0.02 TVS TVS TVS TVS
22. Mainstem COGUUG22 Designation Reviewable Qualifiers: Other: Temporary Me Arsenic(chroni Expiration Dat	of Gold Creek from Browns Gulch to the Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): ic) = hybrid te of 12/31/2024	e confluence with Quartz Creek. Physical and Bi Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic Ammonia	iological DM CS-I acute 6.5 - 9.0 (mg/L) acute TVS	MWAT CS-I chronic 6.0 7.0 150 126 thronic TVS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium VI Copper Iron	etals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS 	chronic 0.02 TVS TVS TVS TVS TVS WS
22. Mainstem COGUUG22 Designation Reviewable Qualifiers: Other: Temporary Me Arsenic(chroni Expiration Dat	of Gold Creek from Browns Gulch to the Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): ic) = hybrid te of 12/31/2024	e confluence with Quartz Creek. Physical and Bi Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic Ammonia Boron	iological DM CS-1 acute 6.5 - 9.0 (mg/L) acute TVS 	MWAT CS-I chronic 6.0 7.0 150 126 chronic TVS 0.75	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T)	etais (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS 	chronic 0.02 TVS TVS TVS WS 1000
22. Mainstem COGUUG22 Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Dat	of Gold Creek from Browns Gulch to the Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): ic) = hybrid te of 12/31/2024	e confluence with Quartz Creek. Physical and Bi Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic Ammonia Boron Chloride	iological DM CS-1 acute 6.5 - 9.0 (mg/L) acute TVS 	MWAT CS-I chronic 6.0 7.0 150 126 126 chronic TVS 0.75 250	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead	etals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS TVS	chronic 0.02 TVS TVS
22. Mainstem COGUUG22 Designation Reviewable Qualifiers: Other: Temporary Ma Arsenic(chroni Expiration Dat	of Gold Creek from Browns Gulch to the Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): ic) = hybrid te of 12/31/2024	e confluence with Quartz Creek. Physical and Bi Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic Ammonia Boron Chloride Chlorine	iological DM CS-I acute 6.5 - 9.0 (mg/L) acute TVS 0.019	MWAT CS-I chronic 6.0 7.0 7.0 150 126 126 Chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T)	etals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS 50	chronic 0.02 TVS TVS TVS TVS WS 1000 TVS
22. Mainstem COGUUG22 Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Dat	of Gold Creek from Browns Gulch to the Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): ic) = hybrid te of 12/31/2024	e confluence with Quartz Creek. Physical and Bi Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic Ammonia Boron Chloride Chlorine Cyanide	iological DM CS-1 acute 6.5 - 9.0 (mg/L) acute TVS (NS 0.019 0.005	MWAT CS-I chronic 6.0 7.0 150 126 126 Chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese	etals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS	chronic 0.02 TVS TVS TVS TVS WS 1000 TVS TVS/WS
22. Mainstem COGUUG22 Designation Reviewable Qualifiers: Other: Temporary Me Arsenic(chroni Expiration Dat	of Gold Creek from Browns Gulch to the Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): ic) = hybrid te of 12/31/2024	e confluence with Quartz Creek. Physical and Bi Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic Ammonia Boron Chloride Chlorine Cyanide Nitrate	iological DM CS-1 acute 6.5 - 9.0 (mg/L) acute TVS (0.019 0.005 10	MWAT CS-I chronic 6.0 7.0 150 126 126 Chronic TVS 0.75 250 0.011 	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury	etals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS	Chronic 0.02 TVS TVS TVS TVS S 1000 TVS TVS/WS 0.01(t)
22. Mainstem COGUUG22 Designation Reviewable Qualifiers: Other: Temporary Me Arsenic(chroni Expiration Dat	of Gold Creek from Browns Gulch to the Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): ic) = hybrid te of 12/31/2024	e confluence with Quartz Creek. Physical and Bi Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite	iological DM CS-1 acute 6.5 - 9.0 (mg/L) acute TVS 0.019 0.005 10 0.05	MWAT CS-I chronic 6.0 7.0 120 120 126 chronic TVS 0.75 250 0.011 	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T)	etals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS	Chronic 0.02 TVS TVS TVS TVS WS 1000 TVS TVS/WS 0.01(t) 150
22. Mainstem COGUUG22 Designation Reviewable Qualifiers: Other: Temporary Me Arsenic(chroni Expiration Dat	of Gold Creek from Browns Gulch to th Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): ic) = hybrid te of 12/31/2024	e confluence with Quartz Creek. Physical and Bi Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	iological DM CS-I acute 6.5 - 9.0 (mg/L) (mg/L) CUT 0.019 0.005 10 0.005 10 0.05	MWAT CS-I chronic 6.0 7.0 7.0 120 120 126 VS 0.75 250 0.011 250 0.011 0.41	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel	etais (ug/L) acute	chronic 0.02 TVS 1000 TVS 0.01(t) 150 TVS
22. Mainstem COGUUG22 Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Dat	of Gold Creek from Browns Gulch to the Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): ic) = hybrid te of 12/31/2024	e confluence with Quartz Creek. Physical and Bi Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	iological DM CS-I acute 6.5 - 9.0 (mg/L) (mg/L) acute TVS 0.019 0.005 10 0.05 10 0.05	MWAT CS-I chronic 6.0 7.0 150 126 Chronic TVS 0.75 250 0.011 0.011 0.11 WS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T)	etais (ug/L) acute	chronic 0.02 TVS 1000 TVS 0.01(t) 150 TVS 100
22. Mainstem COGUUG22 Designation Reviewable Qualifiers: Other: Temporary Ma Arsenic(chroni Expiration Dat	of Gold Creek from Browns Gulch to the Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): ic) = hybrid te of 12/31/2024	e confluence with Quartz Creek. Physical and Bi Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulficie	iological DM CS-I acute 6.5 - 9.0 (mg/L) acute TVS 0.019 0.005 10 0.005 10 0.05 	MWAT CS-I chronic 6.0 7.0 150 126 Chronic TVS 0.75 250 0.011 0.011 0.11 WS 0.02	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	etals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS -	chronic 0.02 TVS 1000 TVS 0.01(t) 150 TVS 100 TVS 100 TVS
22. Mainstem COGUUG22 Designation Reviewable Qualifiers: Other: Temporary Ma Arsenic(chroni Expiration Dat	of Gold Creek from Browns Gulch to the Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply codification(s): ic) = hybrid te of 12/31/2024	e confluence with Quartz Creek. Physical and Bi Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	iological DM CS-1 acute 6.5 - 9.0 (mg/L) acute TVS (mg/L) 0.019 0.005 10 0.005 10 0.05 10 0.05 	MWAT CS-I chronic 6.0 7.0 150 126 0.126 Chronic TVS 0.75 250 0.011 0.011 0.011 0.011 0.011 	Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III Chromium III Chromium III Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium Silver	etals (ug/L) acute 340 TVS 5.0 50 TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS -	chronic 0.02 TVS 1000 TVS 0.01(t) 150 TVS 100 TVS 100 TVS
22. Mainstem COGUUG22 Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Dat	of Gold Creek from Browns Gulch to the Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): ic) = hybrid te of 12/31/2024	e confluence with Quartz Creek. Physical and Bi Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	iological DM CS-1 acute (MWAT CS-I chronic 6.0 7.0 150 126 0.126 Chronic TVS 0.75 250 0.011 0.011 	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium Silver Uranium	etals (ug/L) acute 340 TVS 5.0 TVS 5.0 TVS TVS TVS 50 TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS -	Chronic 0.02 TVS TVS TVS TVS WS 1000 TVS TVS/WS 0.01(t) 150 TVS 100 TVS 100 TVS 100 TVS 100 TVS
22. Mainstem COGUUG22 Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Dat	of Gold Creek from Browns Gulch to the Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): ic) = hybrid te of 12/31/2024	e confluence with Quartz Creek. Physical and Bi Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	iological DM CS-1 acute (mg/L) (mg/L) (mg/L) Cmg/L) Cmg/L) Cmg/L	MWAT CS-I chronic 6.0 7.0 150 126 0.126 Chronic TVS 0.75 250 0.011 0.011 0.011 WS 0.002	Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium Silver Uranium	etals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS -	Chronic 0.02 TVS TVS TVS WS 1000 TVS WS 1000 TVS 0.01(t) 150 TVS 100 TVS 100 TVS 100 TVS 100 TVS

All metals are dissolved unless otherwise noted.

T = total recoverable

D.O. = dissolved oxygen

DM = daily maximum

t = total

tr = trout

sc = sculpin

23. Mainstem Segment 1.	or Cochelopa Creek, microung an indu	aries and wettands, from the source to		Delow			
COGUUG23	Classifications	Physical and Biolo	gical		Meta	als (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Aluminum		
	Recreation U		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02
Qualifiers:		D.O. (spawning)		7.0	Beryllium		
Other:		рН	6.5 - 9.0		Cadmium	TVS	TVS
		chlorophyll a (mg/m ²)		150	Cadmium(T)	5.0	
		E. Coli (per 100 mL)		126	Chromium III		TVS
					Chromium III(T)	50	
		Inorganic (m	ig/L)		Chromium VI	TVS	TVS
			acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron		WS
		Boron		0.75	Iron(T)		1000
		Chloride		250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	
		Cvanide	0.005		Manganese	TVS	TVS/WS
EPA has	s not acted on segment-	Nitrate	10		Mercurv		0.01(t)
specific	total phosphorus (TP)	Nitrite	0.05		Molybdenum(T)		150
numeric	standards based on	Phosphorus	0.00	0.11	Nickel	TVS	TVS
the inter	im value for river/	Sulfate		WS	Nickel(T)		100
stream s	segments with a cold	Sulfide		0.002	Selenium	TVS	TVS
water ac	quatic life classification	Sumue		0.002	Silver	TVS	TVS(tr)
(0.11 m	g/L TP).				Uropium	110	100(0)
					Zinc	TVS	 T\/S
					2110	1.00	1.40
24. Mainstem	of Cochetopa Creek from a point imme	ediately below the confluence with Wes	t Pass Creek to	the confluen	ce with Tomichi Creek.		
24. Mainstem	of Cochetopa Creek from a point imme Classifications	ediately below the confluence with Wes Physical and Biolo	t Pass Creek to ogical	the confluen	ce with Tomichi Creek. Meta	als (ug/L)	
24. Mainstem COGUUG24 Designation	of Cochetopa Creek from a point imme Classifications Agriculture	ediately below the confluence with Wes Physical and Biolo	t Pass Creek to ogical DM	the confluen	ce with Tomichi Creek. Meta	als (ug/L) acute	chronic
24. Mainstem COGUUG24 Designation Reviewable	of Cochetopa Creek from a point imme Classifications Agriculture Aq Life Cold 1	ediately below the confluence with Wes Physical and Biolo Temperature °C	ogical DM CS-II	MWAT	ce with Tomichi Creek. Meta	als (ug/L) acute 	chronic
24. Mainstem COGUUG24 Designation Reviewable	of Cochetopa Creek from a point imme Classifications Agriculture Aq Life Cold 1 Recreation U	ediately below the confluence with Wes Physical and Biolo Temperature °C	t Pass Creek to ogical DM CS-II acute	MWAT CS-II chronic	ce with Tomichi Creek. Meta Aluminum Arsenic	als (ug/L) acute 340	chronic
24. Mainstem COGUUG24 Designation Reviewable	of Cochetopa Creek from a point imme Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply	diately below the confluence with Wes Physical and Biolo Temperature °C D.O. (mg/L)	tt Pass Creek to ogical DM CS-II acute	MWAT CS-II chronic 6.0	ce with Tomichi Creek. Meta Aluminum Arsenic Arsenic(T)	als (ug/L) acute 340 	chronic 0.02
24. Mainstem COGUUG24 Designation Reviewable Qualifiers:	of Cochetopa Creek from a point imme Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply	diately below the confluence with Wes Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning)	tt Pass Creek to ogical DM CS-II acute 	MWAT CS-II chronic 6.0 7.0	ce with Tomichi Creek. Meta Aluminum Arsenic Arsenic(T) Bervllium	als (ug/L) acute 340 	chronic 0.02
24. Mainstem COGUUG24 Designation Reviewable Qualifiers: Other:	of Cochetopa Creek from a point imme Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply	Adiately below the confluence with Wes Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH	tt Pass Creek to ogical DM CS-II acute 6.5 - 9.0	MWAT CS-II chronic 6.0 7.0	ce with Tomichi Creek. Meta Aluminum Arsenic Arsenic(T) Beryllium Cadmium	als (ug/L) acute 340 TVS	chronic 0.02 TVS
24. Mainstem COGUUG24 Designation Reviewable Qualifiers: Other:	of Cochetopa Creek from a point imme Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply	ediately below the confluence with Wes Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²)	tt Pass Creek to ogical DM CS-II acute 6.5 - 9.0 	MWAT CS-II chronic 6.0 7.0 150	ce with Tomichi Creek. Meta Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T)	als (ug/L) acute 340 TVS 5.0	chronic 0.02 TVS
24. Mainstem COGUUG24 Designation Reviewable Qualifiers: Other:	of Cochetopa Creek from a point imme Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply	ediately below the confluence with Wes Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (cer 100 mL)	tt Pass Creek to ogical DM CS-II acute 6.5 - 9.0 	b the confluence MWAT CS-II chronic 6.0 7.0 150 126	ce with Tomichi Creek. Meta Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III	als (ug/L) acute 340 TVS 5.0	chronic 0.02 TVS TVS
24. Mainstem COGUUG24 Designation Reviewable Qualifiers: Other:	of Cochetopa Creek from a point imme Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply	Adiately below the confluence with Wes Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)	tt Pass Creek to ogical DM CS-II acute 6.5 - 9.0 	b the confluence MWAT CS-II chronic 6.0 7.0 150 126	ce with Tomichi Creek. Meta Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium Cadmium(T) Chromium III Chromium III(T)	als (ug/L) acute 340 TVS 5.0 50	chronic 0.02 TVS TVS
24. Mainstem COGUUG24 Designation Reviewable Qualifiers: Other:	of Cochetopa Creek from a point imme Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply	Adiately below the confluence with Wes Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL)	tt Pass Creek to ogical DM CS-II acute 6.5 - 9.0 	b the confluence MWAT CS-II chronic 6.0 7.0 150 126	ce with Tomichi Creek. Meta Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI	als (ug/L) acute 340 TVS 5.0 50 TVS	chronic 0.02 TVS TVS TVS
24. Mainstem COGUUG24 Designation Reviewable Qualifiers: Other:	of Cochetopa Creek from a point imme Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply	Adiately below the confluence with Wes Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (m	tt Pass Creek to ogical DM CS-II acute 6.5 - 9.0 g/L) acute	MWAT CS-II chronic 6.0 7.0 150 126 chronic	ce with Tomichi Creek. Meta Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Cooper	als (ug/L) acute 340 TVS 5.0 50 TVS TVS	chronic 0.02 TVS TVS TVS TVS TVS TVS
24. Mainstem COGUUG24 Designation Reviewable Qualifiers: Other:	of Cochetopa Creek from a point imme Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply	Adiately below the confluence with Wes Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (m Ammonia	tt Pass Creek to ogical DM CS-II acute 6.5 - 9.0 eg/L) acute TV/S	MWAT CS-II chronic 6.0 7.0 150 126 chronic TV/S	ce with Tomichi Creek. Meta Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron	als (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS	Chronic 0.02 TVS TVS TVS TVS TVS WS
24. Mainstem COGUUG24 Designation Reviewable Qualifiers: Other:	of Cochetopa Creek from a point imme Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply	ediately below the confluence with Wes Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (m Ammonia Boron	tt Pass Creek to ogical DM CS-II acute 6.5 - 9.0 er ig/L) acute TVS	b the confluent MWAT CS-II chronic 6.0 7.0 150 126 chronic TVS 0.75	ce with Tomichi Creek. Meta Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T)	als (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS 	chronic 0.02 TVS TVS TVS TVS TVS WS 1000
24. Mainstem COGUUG24 Designation Reviewable Qualifiers: Other:	of Cochetopa Creek from a point imme Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply	ediately below the confluence with Wese Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (m Ammonia Boron	tt Pass Creek to ogical DM CS-II acute 6.5 - 9.0 (g/L) acute TVS 	b the confluent MWAT CS-II chronic 6.0 7.0 120 126 chronic TVS 0.75	ce with Tomichi Creek. Meta Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead	als (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS 	chronic 0.02 TVS TVS TVS TVS WS 1000 TVS
24. Mainstem COGUUG24 Designation Reviewable Qualifiers: Other:	of Cochetopa Creek from a point imme Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply	ediately below the confluence with Wese Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chloride Chloride	tt Pass Creek to ogical DM CS-II acute 6.5 - 9.0 6.5 - 9.0 g/L) acute TVS TVS 	b the confluent MWAT CS-II chronic 6.0 7.0 150 126 chronic TVS 0.75 250 0.011	ce with Tomichi Creek. Meta Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T)	als (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS TVS	chronic 0.02 TVS TVS TVS TVS US TVS TVS
24. Mainstem COGUUG24 Designation Reviewable Qualifiers: Other:	of Cochetopa Creek from a point imme Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply	Adiately below the confluence with Wes Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chlorine	tt Pass Creek to ogical DM CS-II acute 6.5 - 9.0 6.5 - 9.0 g/L) acute TVS 0.019	b the confluence MWAT CS-II chronic 6.0 7.0 126 chronic Chronic 126 Chronic 0.75 250 0.011	ce with Tomichi Creek. Meta Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Maganagooo	als (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS 50 TVS 50 TVS 	Chronic 0.02 TVS TVS TVS TVS US 1000 TVS TUSMS TUSMS
24. Mainstem COGUUG24 Designation Reviewable Qualifiers: Other:	of Cochetopa Creek from a point imme Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply	Adiately below the confluence with Wese Physical and Biology Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chloride Chlorine Cyanide Nitrate	tt Pass Creek to ogical DM CS-II acute 6.5 - 9.0 6.5 - 9.0 bg/L) acute TVS 0.019 0.005 10	b the confluen MWAT CS-II chronic 6.0 7.0 150 126 chronic TVS 0.75 250 0.011 	ce with Tomichi Creek. Meta Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Metcury	als (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS 50 TVS TVS	Chronic 0.02 TVS TVS TVS TVS WS 1000 TVS TVSWS
24. Mainstem COGUUG24 Designation Reviewable Qualifiers: Other:	of Cochetopa Creek from a point imme Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply	Adiately below the confluence with Wese Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chlorine Cyanide Nitrate	tt Pass Creek to ogical DM CS-II acute 6.5 - 9.0 6.5 - 9.0 0.01 0.005 10 0.005 10 0.005	b the confluen MWAT CS-II chronic 6.0 7.0 150 126 chronic TVS 0.75 250 0.011 	ce with Tomichi Creek. Meta Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury	als (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS 50 TVS 50 TVS TVS 50 TVS	Chronic 0.02 TVS TVS TVS WS 1000 TVS WS 1000 TVS WS 0.01(t) 150
24. Mainstem COGUUG24 Designation Reviewable Qualifiers: Other:	of Cochetopa Creek from a point imme Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply	Adiately below the confluence with Wese Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Charace	tt Pass Creek to pgical DM CS-II CS	b the confluen MWAT CS-II chronic 6.0 7.0 150 126 Chronic TVS 0.75 250 0.011 0.011	ce with Tomichi Creek. Meta Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T)	als (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS	Chronic 0.02 TVS TVS TVS WS 1000 TVS WS 1000 TVS WS 0.01(t) 150
24. Mainstem COGUUG24 Designation Reviewable Qualifiers: Other:	of Cochetopa Creek from a point imme Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply	Adiately below the confluence with Wese Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Photophorus	tt Pass Creek to ogical DM CS-II acute 6.5 - 9.0 6.5 - 9.0 0.01 TVS 0.019 0.005 10 0.05 10	b the confluen MWAT CS-II chronic 6.0 7.0 7.0 126 126 Chronic TVS 0.75 250 0.011 0.11	ce with Tomichi Creek. Meta Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel	als (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS 	chronic 0.02 TVS TVS TVS TVS TVS TVS TVS TVS 0.00 TVS 0.00 TVS/WS 0.01(t) 150 TVS
24. Mainstem COGUUG24 Designation Reviewable Qualifiers: Other:	of Cochetopa Creek from a point imme Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply	Adiately below the confluence with Wese Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	tt Pass Creek to ogical DM CS-II acute 6.5 - 9.0 6.5 - 9.0 0.01 TVS 0.019 0.005 10 0.005 10 0.05 	b the confluent MWAT CS-II chronic 6.0 7.0 120 120 126 Chronic TVS 0.75 250 0.011 0.11 0.11 WS	ce with Tomichi Creek. Meta Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T)	als (ug/L) acute a	chronic 0.02 TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS 0.001(t) 150 TVS
24. Mainstem COGUUG24 Designation Reviewable Qualifiers: Other:	of Cochetopa Creek from a point imme Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply	Adiately below the confluence with Wese Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	tt Pass Creek to ogical DM CS-II acute 6.5 - 9.0 6.5 - 9.0 0.01 7VS 0.019 0.005 10 0.005 10 0.005	D the confluen MWAT CS-II chronic 6.0 7.0 120 126 Chronic TVS 0.75 250 0.011 0.011 0.11 WS 0.002	ce with Tomichi Creek. Meta Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	als (ug/L) acute 340 TVS 50 TVS TVS TVS TVS 50 TVS TVS 50 TVS TVS TVS	chronic 0.02 TVS 1000 TVS TVSWS 0.01(t) 150 TVS 100 TVS
24. Mainstem COGUUG24 Designation Reviewable Qualifiers: Other:	of Cochetopa Creek from a point imme Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply	Adiately below the confluence with Wese Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfate Sulfate	tt Pass Creek to pgical DM CS-II acute 6.5 - 9.0 6.5 - 9.0 6.5 - 9.0 0.01 0.005 10 0.005 0.019 0.005 10 0.005 	b the confluen MWAT CS-II chronic 6.0 7.0 7.0 126 126 Chronic TVS 0.75 250 0.011 0.011 0.11 WS 0.002	ce with Tomichi Creek. Meta Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium Silver	als (ug/L) acute 340 TVS 50 TVS 50 TVS TVS TVS	Chronic 0.02 TVS TVS TVS WS 1000 TVS TVS/WS 0.01(i) 150 TVS 1000 TVS TVS/WS 0.01(i) 150 TVS 1000 TVS
24. Mainstem COGUUG24 Designation Reviewable Qualifiers: Other:	of Cochetopa Creek from a point imme Classifications Agriculture Aq Life Cold 1 Recreation U Water Supply	Adiately below the confluence with Wese Physical and Biology Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	tt Pass Creek to pgical DM CS-II acute 6.5 - 9.0 6.5 - 9.0 6.5 - 9.0 0.01 0.005 10 0.005 10 0.005 	b the confluen MWAT CS-II chronic 6.0 7.0 150 126 Chronic TVS 0.75 250 0.011 0.011 0.11 WS 0.002	ce with Tomichi Creek. Meta Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium Silver Uranium	als (ug/L) acute 340 TVS 5.0 50 TVS 50 TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS 50 	chronic 0.02 TVS TVS TVS TVS TVS 0.00 TVS 0.01(t) 150 TVS 100 TVS 100 TVS 100 TVS TVS 100 TVS TVS(tr)

All metals are dissolved unless otherwise noted.

T = total recoverable

D.O. = dissolved oxygen

DM = daily maximum

MWAT = maximum weekly average temperature

tr = troutsc = sculpin

t = total

25. The segm	ents of the Gunnison River which interc	onnect Blue Mesa Reservoir, Morrow	Point Reservoir	, and Crysta	I Reservoir.		
COGUUG25	Classifications	Physical and Biolo	ogical		Met	als (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CS-II	CS-II	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02
Qualifiers:		D.O. (spawning)		7.0	Beryllium		
Other:		рН	6.5 - 9.0		Cadmium	TVS	TVS
		chlorophyll a (mg/m ²)			Cadmium(T)	5.0	
		E. Coli (per 100 mL)		126	Chromium III		TVS
					Chromium III(T)	50	
		Inorganic (m	ig/L)		Chromium VI	TVS	TVS
			acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron		WS
		Boron		0.75	Iron(T)		1000
		Chloride		250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	
		Cyanide	0.005		Manganese	TVS	TVS/WS
		Nitrate	10		Mercury		0.01(t)
		Nitrite	0.05		Molybdenum(T)		150
		Phosphorus			Nickel	TVS	TVS
		Sulfate		WS	Nickel(T)		100
		Sulfide		0.002	Selenium	TVS	TVS
					Silver	TVS	TVS(tr)
					Uranium		
					Zinc	TVS	TVS
26. All tributari	ies, including wetlands, which are tribu	tary to the Gunnison River from Coun	ty Road 32 to th	he inlet of Bl	ue Mesa Reservoir, Blue Mes	a Reservoir, Morro	w Point
Reservoir, Cry	ystal Reservoir, or the segments of the	Gunnison River that interconnect thos	se reservoirs, ex	xcept for spe	cific listings in Segments 1, 2,	, 29a, 29b, 30, 31,	and 32.
COGUUG26	Classifications	Physical and Biolo	ogical		Met	als (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Aluminum		
	Recreation U		acute	chronic	Arsenic	340	
0	Water Suppry	D.O. (mg/L)		6.0	Arsenic(T)		0.02
Qualifiers:		D.O. (spawning)		7.0	Beryllium		
Other:		pH	6.5 - 9.0		Cadmium	TVS	TVS
Temporary Mo	odification(s):	chlorophyll a (mg/m ²)		150*	Cadmium(T)	5.0	
Arsenic(chroni	c) = hybrid	E. Coli (per 100 mL)		126	Chromium III		TVS
Expiration Date	e of 12/31/2024				Chromium III(T)	50	
*chlorophyll a	(mg/m ²)(chronic) = applies only above	Inorganic (m	ng/L)		Chromium VI	TVS	TVS
the facilities lis	sted at 35.5(4).		acute	chronic	Copper	TVS	TVS
facilities listed	-at 35.5(4).	Ammonia	TVS	TVS	Iron		WS
		Boron		0.75	Iron(T)		1000
				050	Lead	T\/C	TVC
		Chloride		250		172	172
		Chloride Chlorine	0.019	250 0.011	Lead(T)	50	
		Chloride Chlorine Cyanide	 0.019 0.005	250 0.011 	Lead(T) Manganese	50 TVS	TVS/WS
EPA ha	s not acted on segment-1	Chloride Chlorine Cyanide Nitrate	0.019 0.005 10	250 0.011 	Lead(T) Manganese Mercury	50 TVS 	TVS/WS 0.01(t)
EPA ha	s not acted on segment- total phosphorus (TP)	Chloride Chlorine Cyanide Nitrate Nitrite	 0.019 0.005 10 0.05	250 0.011 	Lead(T) Manganese Mercury Molybdenum(T)	TVS 50 TVS 	TVS TVS/WS 0.01(t) 150
EPA ha specific numeric	s not acted on segment- total phosphorus (TP) standards based on	Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	0.019 0.005 10 0.05 	250 0.011 0.11*	Lead(T) Manganese Mercury Molybdenum(T) Nickel	TVS 50 TVS TVS	TVS TVS/WS 0.01(t) 150 TVS
EPA ha specific numeric the inte	s not acted on segment- total phosphorus (TP) standards based on rim value for river/	Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	0.019 0.005 10 0.05 	250 0.011 0.11* WS	Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T)	50 TVS TVS 	TVS/WS 0.01(t) 150 TVS 100
EPA ha specific numeric the inter stream	is not acted on segment- total phosphorus (TP) standards based on rim value for river/ segments with a cold	Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	 0.019 0.005 10 0.05 	250 0.011 0.11* WS 0.002	Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	TVS 50 TVS TVS TVS	TVS/WS 0.01(t) 150 TVS 100 TVS
EPA ha specific numeric the inter stream	is not acted on segment- total phosphorus (TP) standards based on rim value for river/ segments with a cold quatic life classification	Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	 0.019 0.005 10 0.05 	250 0.011 0.11* WS 0.002	Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium Silver	TVS 50 TVS TVS TVS TVS	TVS/WS 0.01(t) 150 TVS 100 TVS TVS(tr)
EPA ha specific numeric the inter stream water ac (0,11 m	s not acted on segment- total phosphorus (TP) c standards based on rim value for river/ segments with a cold quatic life classification to/L TP).	Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	 0.019 0.005 10 0.05 	250 0.011 0.11* WS 0.002	Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium Silver Uranium	TVS 50 TVS TVS TVS TVS 	TVS/WS 0.01(t) 150 TVS 100 TVS TVS(tr)

All metals are dissolved unless otherwise noted.

T = total recoverable

D.O. = dissolved oxygen

t = total tr = trout

sc = sculpin

DM = daily maximum

MWAT = maximum weekly average temperature

07 Deleted					
27. Deleted.			I		
COGUUG27 Classifications	Physical and Biological		Met	als (ug/L)	
Designation	DM	MWAT		acute	chronic
Qualifiers:	acute	chronic			
Other:					
	Inorganic (mg/L)				
	acute	chronic			
28. Deleted.					
28. Deleted. COGUUG28 Classifications	Physical and Biological		Met	als (ug/L)	
28. Deleted. COGUUG28 Classifications Designation	Physical and Biological DM	MWAT	Met	als (ug/L) acute	chronic
28. Deleted. COGUUG28 Classifications Designation	Physical and Biological DM	MWAT	Met	als (ug/L) acute	chronic
28. Deleted. COGUUG28 Classifications Designation Qualifiers:	Physical and Biological DM acute	MWAT	Met	als (ug/L) acute	chronic
28. Deleted. COGUUG28 Classifications Designation Qualifiers: Other:	Physical and Biological DM acute	MWAT	Met	als (ug/L) acute	chronic
28. Deleted. COGUUG28 Classifications Designation Qualifiers: Other:	Physical and Biological DM acute Inorganic (mg/L)	MWAT	Met	als (ug/L) acute	chronic
28. Deleted. COGUUG28 Classifications Designation Qualifiers: Other:	Physical and Biological DM acute Inorganic (mg/L) acute	MWAT chronic chronic	Met	als (ug/L) acute	chronic

29a. Mainster Creek, includir confluence wi	n of the Lake Fork of the Gunnison incling all tributaries and wetlands, from the ith Cebolla Creek. This segment exclude	uding all tributaries and wetlands, f source to the Hinsdale/Gunnison (s the specific listings in Segments	rom the source to County line. Powde 1, 29b, 30, 31, and	a point imme rhorn Creek 1 32.	ediately above the confluence a, including all tributaries and	e with Eaton Creek. C wetlands, from the s	Cebolla ource to the
COGUUG29A	Classifications	Physical and B	iological		1	Vietals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02
Qualifiers:		D.O. (spawning)		7.0	Beryllium		
Other:		рН	6.5 - 9.0		Cadmium	TVS	TVS
Temporary M	odification(s):	chlorophyll a (mg/m ²)		150*	Cadmium(T)	5.0	
Arsenic(chroni	ic) = hybrid	E. Coli (per 100 mL)		126	Chromium III		TVS
Expiration Date	te of 12/31/2024				Chromium III(T)	50	
*oblorophyll_o	$(ma/m^2)(abrania) = applies apply above$	Inorganic	(mg/L)		Chromium VI	TVS	TVS
the facilities li	sted at 35.5(4).		acute	chronic	Copper	TVS	TVS
*Phosphorus(c facilities listed	shronic) = applies only above the at 35.5(4).	Ammonia	TVS	TVS	Iron		WS
		Boron		0.75	Iron(T)		1000
		Chloride		250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	
EPA ha	s not acted on segment-	Cyanide	0.005		Manganese	TVS	TVS/WS
specific	total phosphorus (TP)	Nitrate	10		Mercury		0.01(t)
numeric	standards based on	Nitrite	0.05		Molybdenum(T)		150
the inte	rim value for river/	Phosphorus		0.11*	Nickel	TVS	TVS
stream	segments with a cold	Sulfate		WS	Nickel(T)		100
water a	quatic life classification	Sulfide		0.002	Selenium	TVS	TVS
(0.11 m	g/L TP).				Silver	TVS	TVS(tr)
·					Uranium		
					Zinc	TVS	TVS

29b. Mainstern Cebolla Creek	n of the Lake Fork of the Gunnison, inclu , including all tributaries and wetlands,	uding all tributaries and wetlands, from a from the Hinsdale/Gunnison County line	a point immed , to Blue Mes	diately above a Reservoir,	the confluence with Eaton Creecluding the listings in Segm	eek, to Blue Mesa F ient 29a.	<pre>eservoir.</pre>
COGUUG29B	Classifications	Physical and Biolog	ical		Ме	tals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CS-II	CS-II	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02
Qualifiers:		D.O. (spawning)		7.0	Beryllium		
Other:		рН	6.5 - 9.0		Cadmium	TVS	TVS
*		chlorophyll a (mg/m ²)		150*	Cadmium(T)	5.0	
the facilities list	$(mg/m^{-})(chronic) = applies only above sted at 35.5(4).$	E. Coli (per 100 mL)		126	Chromium III		TVS
*Phosphorus(c	$\frac{hronic}{25.5(4)}$ = applies only above the				Chromium III(T)	50	
	at 55.5(4).	Inorganic (mg	/L)		Chromium VI	TVS	TVS
			acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron		WS
		Boron		0.75	Iron(T)		1000
		Chloride		250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	
		Cyanide	0.005		Manganese	TVS	TVS/WS
EPA has	s not acted on segment-	Nitrate	10		Mercury		0.01(t)
specific	total phosphorus (TP)	Nitrite	0.05		Molybdenum(T)		150
numeric	standards based on	Phosphorus		0.11*	Nickel	TVS	TVS
the inter	im value for river/	Sulfate		WS	Nickel(T)		100
stream s	segments with a cold	Sulfide		0.002	Selenium	TVS	TVS
water ac					Silver	TVS	TVS(tr)
(0.11 m	g/LIP).				Uranium		
					Zinc	TVS	TVS

Segments 31	and 32.		e connachee wi	th the lake i	-ork of the Gunnison, except	for the specific listing	is in
COGUUG30	Classifications	Physical and Biol	ogical		Me	etals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02
Qualifiers:		D.O. (spawning)		7.0	Beryllium		
Other:		рН	6.5 - 9.0		Cadmium	TVS	TVS
Temporary Mo	odification(s):	chlorophyll a (mg/m ²)		150	Cadmium(T)	5.0	
Arsenic(chroni	c) = hybrid	E. Coli (per 100 mL)		126	Chromium III		TVS
Expiration Date	e of 12/31/2024				Chromium III(T)	50	
		Inorganic (n	ng/L)		Chromium VI	TVS	TVS
			acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron		WS
		Boron		0.75	Iron(T)		1000
		Chloride		250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	
		Cyanide	0.005		Manganese	TVS	TVS/WS
EPA ha	s not acted on segment-	Nitrate	10		Mercury		0.01(t)
specific	total phosphorus (TP)	Nitrite	0.05		Molybdenum(T)		150
numeric	standards based on	Phosphorus		0.11	Nickel	TVS	TVS
the inte	rim value for river/	Sulfate		WS	Nickel(T)		100
stream	segments with a cold	Sulfide		0.002	Selenium	TVS	TVS
water a					Silver	TVS	TVS(tr)
(0.11 m	g/LTP).				Uranium		
					Zinc	TVS	TVS
31. Mainstem	of Palmetto Gulch Creek including all t	ributaries.					
COGUUG31							
	Classifications	Physical and Biol	ogical		Me	etals (ug/L)	
Designation	Classifications Agriculture	Physical and Biol	ogical DM	MWAT	Me	etals (ug/L) acute	chronic
Designation UP	Classifications Agriculture Aq Life Cold 2 Begraphics E	Physical and Biol	DM CS-I	MWAT CS-I	Ma Aluminum	etals (ug/L) acute 	chronic
Designation	Classifications Agriculture Aq Life Cold 2 Recreation E	Physical and Biol	ogical DM CS-I acute	MWAT CS-I chronic	Mu Aluminum Arsenic	etals (ug/L) acute 340	chronic
Designation UP Qualifiers:	Classifications Agriculture Aq Life Cold 2 Recreation E	Physical and Biol Temperature °C D.O. (mg/L)	Digical DM CS-I acute 	MWAT CS-I chronic 6.0	Aluminum Arsenic Arsenic(T)	etals (ug/L) acute 340 	chronic 100
Designation UP Qualifiers: Other:	Classifications Agriculture Aq Life Cold 2 Recreation E	Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning)	DM CS-I acute	MWAT CS-I chronic 6.0 7.0	Ma Aluminum Arsenic Arsenic(T) Beryllium	etals (ug/L) acute 340 	chronic 100
Designation UP Qualifiers: Other:	Classifications Agriculture Aq Life Cold 2 Recreation E	Physical and Biol	DM CS-I acute 6.5 - 9.0	MWAT CS-I chronic 6.0 7.0 	Ma Aluminum Arsenic Arsenic(T) Beryllium Cadmium	etals (ug/L) acute 340 TVS TVS	chronic 100 TVS
Designation UP Qualifiers: Other:	Classifications Agriculture Aq Life Cold 2 Recreation E	Physical and Biol	DM CS-I acute 6.5 - 9.0 	MWAT CS-I chronic 6.0 7.0 150	Ma Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III	etals (ug/L) acute 340 TVS TVS	chronic 100 TVS TVS TVS
Designation UP Qualifiers: Other:	Classifications Agriculture Aq Life Cold 2 Recreation E	Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)	Degical DM CS-I acute 6.5 - 9.0 	MWAT CS-I chronic 6.0 7.0 150 126	Ma Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III(T)	etals (ug/L) acute 340 TVS TVS TVS 	chronic 100 TVS TVS 100 TV(S
Designation UP Qualifiers: Other:	Classifications Agriculture Aq Life Cold 2 Recreation E	Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL)	DM CS-I acute 6.5 - 9.0 	MWAT CS-I chronic 6.0 7.0 150 126	Ma Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III Chromium III(T) Chromium VI	etals (ug/L) acute 340 TVS TVS TVS TVS	chronic 100 TVS TVS 100 TVS 100 TVS
Designation UP Qualifiers: Other:	Classifications Agriculture Aq Life Cold 2 Recreation E	Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (m	DM CS-I acute 6.5 - 9.0 mg/L)	MWAT CS-I chronic 6.0 7.0 150 126	Ma Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III Chromium III(T) Chromium VI Copper	etals (ug/L) acute 340 TVS TVS TVS TVS TVS	chronic 100 TVS TVS 100 TVS 100 TVS 100 TVS 100 TVS 100 TVS
Designation UP Qualifiers: Other:	Classifications Agriculture Aq Life Cold 2 Recreation E	Physical and Biol	DM CS-I acute 6.5 - 9.0 mg/L) acute	MWAT CS-I chronic 6.0 7.0 150 126 chronic	Mo Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron(T)	etals (ug/L) acute 340 TVS TVS TVS TVS TVS TVS TVS TVS	chronic 100 TVS TVS 100 TVS 100 TVS 100 TVS 100 TVS 100 TVS 100 TVS 1000 TVS
Designation UP Qualifiers: Other:	Classifications Agriculture Aq Life Cold 2 Recreation E	Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (m Ammonia Boron	Dysection of the section of the sect	MWAT CS-I chronic 6.0 7.0 150 126 chronic TVS 0.75	Ma Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead	etals (ug/L) acute 340 TVS TVS TVS TVS TVS TVS TVS TVS	chronic 100 TVS TVS 100 TVS 100 TVS 100 TVS 100 TVS 100 TVS TVS TVS 1000 TVS 1000 TVS
Designation UP Qualifiers: Other:	Classifications Agriculture Aq Life Cold 2 Recreation E	Physical and Biol	bogical DM CS-I acute 6.5 - 9.0 mg/L) acute TVS 	MWAT CS-I chronic 6.0 7.0 150 126 126 chronic TVS 0.75	Ma Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese	etals (ug/L) acute 340 TVS TVS TVS TVS TVS TVS TVS TVS TVS	chronic 100 100 TVS TVS 100 TVS 100 TVS 100 TVS 100 TVS 100 TVS 1000 TVS 1000 TVS 0001
Designation UP Qualifiers: Other:	Classifications Agriculture Aq Life Cold 2 Recreation E	Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chloride Chloride	bogical DM CS-I acute 6.5 - 9.0 6.5 - 9.0 ng/L) acute TVS 0.010	MWAT CS-I chronic 6.0 7.0 150 126 chronic TVS 0.75 0.011	Marken Comparison of Compariso	etals (ug/L) acute 340 TVS TVS TVS TVS TVS TVS TVS TVS TVS	chronic 100 100 TVS 100 TVS 100 TVS 100 TVS 100 TVS 100 TVS 1000 TVS 1000 TVS 0.01(t) 150
Designation UP Qualifiers: Other:	Classifications Agriculture Aq Life Cold 2 Recreation E	Physical and Biol	bgical DM CS-I acute 6.5 - 9.0 6.5 - 9.0 acute TVS 0.019 0.007	MWAT CS-I chronic 6.0 7.0 150 126 chronic TVS 0.75 0.011	Ma Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T)	etals (ug/L) acute 340 TVS .	chronic 100 TVS TVS 100 TVS TVS 1000 TVS TVS 0.01(t) 150 TVS
Designation UP Qualifiers: Other:	Classifications Agriculture Aq Life Cold 2 Recreation E	Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chlorine Cyanide Nitrate	bgical DM CS-I acute 6.5 - 9.0 6.5 - 9.0 100 CVS 0.019 0.005 100	MWAT CS-I chronic 6.0 7.0 150 126 126 Chronic TVS 0.75 0.011	Mo Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel Selenium	etals (ug/L) acute acute 340 TVS TVS TVS TVS TVS TVS TVS TVS	chronic 100 TVS TVS 100 TVS 1000 TVS 1000 TVS 0.01(t) 150 TVS
Designation UP Qualifiers: Other:	Classifications Agriculture Aq Life Cold 2 Recreation E	Physical and Biol	bgical DM CS-I acute 6.5 - 9.0 6.5 - 9.0 7.7 6.5 0.01 0.005 100 0.005	MWAT CS-I chronic 6.0 7.0 150 126 Chronic TVS 0.75 0.011 	Mo Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel Selenium	etals (ug/L) acute acute 340 TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS	chronic 100 TVS TVS 100 TVS 100 TVS 100 TVS 100 TVS 0.01(t) 150 TVS TVS
Designation UP Qualifiers: Other:	Classifications Agriculture Aq Life Cold 2 Recreation E	Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Dheenbarue	bogical DM CS-I CS-I acute CS-I CS-I CS-I CS-I CS-I CS-I CS-I CS-I	MWAT CS-I chronic 6.0 7.0 150 126 Chronic TVS 0.75 0.011 0.011	Ma Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III Chromium III Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel Selenium	etals (ug/L) acute acute 340 TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS	chronic 100 TVS TVS 100 TVS 100 TVS 100 TVS 100 TVS 0.01(t) 150 TVS TVS TVS TVS TVS TVS TVS TVS
Designation UP Qualifiers: Other:	Classifications Agriculture Aq Life Cold 2 Recreation E	Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus O. Initianal Initiana Initian	bogical DM CS-I acute 6.5 - 9.0 6.5 - 9.0 0.01 0.005 100 0.005 100	MWAT CS-I chronic 6.0 7.0 150 126 Chronic TVS 0.75 0.011 0.011 0.011 0.011	Ma Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel Selenium Silver Uranium	etals (ug/L) acute 340 TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS 	chronic 100 100 TVS TVS 100 TVS 1000 TVS 1000 TVS 1000 TVS 0.01(t) 150 TVS
Designation UP Qualifiers: Other:	Classifications Agriculture Aq Life Cold 2 Recreation E	Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate O. If the content of the content	bogical DM CS-I acute 6.5 - 9.0 6.5 - 9.0 6.5 - 9.0 0.01 0.005 100 0.005 100 0.005 100	MWAT CS-I chronic 6.0 7.0 150 126 Chronic TVS 0.75 0.011 0.011 0.11 0.11	Marken Ma	etals (ug/L) acute acut	chronic 100 TVS TVS 100 TVS 100 TVS 100 TVS 0.01(t) 150 TVS TVS

All metals are dissolved unless otherwise noted. T = total recoverable D.O. = dissolved oxygen

DM = daily maximum

MWAT = maximum weekly average temperature See 35.6 for further details on applied standards.

tr = trout sc = sculpin

t = total

32. North Fork	of Henson Creek including all tributarie	es and wetlands, from its source to t	he confluence wi	In mension Ci	reek, except for specific listing	s in Segment 1.	
COGUUG32	Classifications	Physical and Bio	ological		Me	tals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02
Qualifiers:		D.O. (spawning)		7.0	Beryllium		
Other:		pH	6.5 - 9.0		Cadmium	TVS	TVS
		chlorophyll a (mg/m ²)		150	Cadmium(T)	5.0	
		E. Coli (per 100 mL)		126	Chromium III		TVS
		, , , , , , , , , , , , , , , , , , ,			Chromium III(T)	50	
		Inorganic	(mg/L)		Chromium VI	TVS	TVS
		litorgano	acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron		WS
		Roron	1 1 3	0.75	Iron(T)		1000
				0.75		TVC	1000
		Chloride		250		103	103
		Chiorine	0.019	0.011	Lead(1)	50	
		Cyanide	0.005		Manganese	172	105/005
EPA has	s not acted on segment-	Nitrate	10		Mercury		0.01(t)
specific	total phosphorus (TP)	Nitrite	0.05		Molybdenum(T)		150
numeric	standards based on	Phosphorus		0.11	Nickel	TVS	TVS
the inter	im value for river/	Sulfate		WS	Nickel(T)		100
stream s	segments with a cold	Sulfide		0.002	Selenium	TVS	TVS
water ac	uatic life classification				Silver	TVS	TVS(tr)
(0.11 mg	g/L TP).				Uranium		
					Zinc	TVS	TVS
33. All lakes a	nd reservoirs that are tributary to the G	unnison River and within the La Gar	ita. Powderhorn.	West Elk Co	llegiate Peaks Maroon Bells	Raggeds, Fossil Rig	dae. or
Incompandra	Wilderness Areas		, ,	West Lik, Co	lingiale i saile, marceri zene,	55,	-9-,
Uncompahgre COGUUG33	Wilderness Areas.	Physical and Bio	ological	West Lik, Co	Me	tals (ug/L)	-9-, -:
Uncompany of COGUUG33	Wilderness Areas. Classifications Agriculture	Physical and Bio	ological	MWAT	Me	tals (ug/L)	chronic
Uncompanding COGUUG33 Designation OW	Wilderness Areas. Classifications Agriculture An Life Cold 1	Physical and Bid	Diogical DM	MWAT	Aluminum	tals (ug/L) acute	chronic
Uncompand Presignation	Wilderness Areas. Classifications Agriculture Aq Life Cold 1 Recreation E	Physical and Bio	Diogical DM CL acute	MWAT CL chronic	Aluminum	tals (ug/L) acute 	chronic
Uncompany of the second	Wilderness Areas. Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Physical and Bio	Diogical DM CL acute	MWAT CL chronic	Aluminum Arsenic	tals (ug/L) acute 340	chronic
Uncompany re COGUUG33 Designation OW Qualifiers:	Wilderness Areas. Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Physical and Bio	Diogical DM CL acute	MWAT CL chronic 6.0	Aluminum Arsenic Arsenic(T)	tals (ug/L) acute 340 	chronic 0.02
Uncompany re COGUUG33 Designation OW Qualifiers:	Wilderness Areas. Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Physical and Bio Temperature °C D.O. (mg/L) D.O. (spawning)	Diogical DM CL acute 	MWAT CL chronic 6.0 7.0	Aluminum Arsenic Arsenic(T) Beryllium	tals (ug/L) acute 340 Tr/C	chronic 0.02
Uncompany re COGUUG33 Designation OW Qualifiers: Other:	Wilderness Areas. Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Physical and Bio Temperature °C D.O. (mg/L) D.O. (spawning) pH	Dological DM CL acute 6.5 - 9.0	MWAT CL chronic 6.0 7.0 	Mer Aluminum Arsenic Arsenic(T) Beryllium Cadmium	tals (ug/L) acute 340 TVS	chronic 0.02 TVS
Uncompandgre COGUUG33 Designation OW Qualifiers: Other: *chlorophyll a	Wilderness Areas. Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply (ug/L)(chronic) = applies only to lakes	Physical and Bid	Dological DM CL acute 6.5 - 9.0 	MWAT CL chronic 6.0 7.0 8*	Mer Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T)	tals (ug/L) acute 340 TVS 5.0	chronic 0.02 TVS
Uncompandgre COGUUG33 Designation OW Qualifiers: Other: *chlorophyll a and reservoirs	Wilderness Areas. Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area. provide a surface and	Physical and Bid Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)	Dological DM CL acute 6.5 - 9.0 	MWAT CL chronic 6.0 7.0 8* 126	Mer Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III	tals (ug/L) acute 340 TVS 5.0 	chronic 0.02 TVS TVS
Uncompahgre COGUUG33 Designation OW Qualifiers: Other: *chlorophyll a and reservoirs *Phosphorus(cl reservoirs larg	Wilderness Areas. Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area.	Physical and Bio Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)	Dological DM CL acute 6.5 - 9.0 	MWAT CL chronic 6.0 7.0 8* 126	Mer Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T)	tals (ug/L) acute 340 TVS 5.0 50	chronic 0.02 TVS TVS TVS
Uncompahgre COGUUG33 Designation OW Qualifiers: Other: *chlorophyll a and reservoirs *Phosphorus(cl reservoirs larg	Wilderness Areas. Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area. hronic) = applies only to lakes and ler than 25 acres surface area.	Physical and Bio Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic (Diogical DM CL acute 6.5 - 9.0 (mg/L)	MWAT CL chronic 6.0 7.0 8* 126	Mer Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T)	tals (ug/L) acute 340 TVS 5.0 50 TVS	chronic 0.02 TVS TVS TVS TVS
Uncompahgre COGUUG33 Designation OW Qualifiers: Other: *chlorophyll a and reservoirs *Phosphorus(cl reservoirs larg	Wilderness Areas. Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area. hronic) = applies only to lakes and er than 25 acres surface area.	Physical and Bio Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic (Dological DM CL acute 6.5 - 9.0 (mg/L) acute	MWAT CL chronic 6.0 7.0 8* 126 chronic	Mer Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium VI Copper	tals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS	chronic 0.02 TVS TVS TVS TVS TVS
Uncompahgre COGUUG33 Designation OW Qualifiers: Other: *chlorophyll a and reservoirs *Phosphorus(cl reservoirs larg	Wilderness Areas. Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area. hronic) = applies only to lakes and ler than 25 acres surface area.	Physical and Bio Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic (Ammonia	Diogical DM CL acute 6.5 - 9.0 (mg/L) acute TVS	MWAT CL chronic 6.0 7.0 8* 126 chronic TVS	Mer Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron	sals (ug/L) acute 340 TVS 5.0 50 TVS TVS S0 TVS 50 TVS 50 TVS 50 TVS 50 TVS	chronic 0.02 TVS TVS TVS TVS TVS TVS WS
Uncompahgre COGUUG33 Designation OW Qualifiers: Other: *chlorophyll a and reservoirs *Phosphorus(cl reservoirs larg	Wilderness Areas. Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area. hronic) = applies only to lakes and er than 25 acres surface area.	Physical and Bid Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic (Ammonia Boron	Dological DM CL acute 6.5 - 9.0 (mg/L) acute TVS 	MWAT CL chronic 6.0 7.0 8* 126	Mer Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III Chromium VI Copper Iron Iron(T)	tals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS 	chronic 0.02 TVS TVS TVS TVS S TVS WS 1000
Uncompahgre COGUUG33 Designation OW Qualifiers: Other: *chlorophyll a and reservoirs *Phosphorus(cl reservoirs larg	Wilderness Areas. Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area. hronic) = applies only to lakes and er than 25 acres surface area.	Physical and Bid Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic (Ammonia Boron Chloride	Dological DM CL acute 6.5 - 9.0 (mg/L) acute TVS TVS 	MWAT CL chronic 6.0 7.0 8* 126 126 Chronic TVS 0.75 250	Mer Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium VI Copper Iron Iron(T) Lead	tals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS	chronic 0.02 TVS TVS TVS TVS WS 1000 TVS
Uncompahgre COGUUG33 Designation OW Qualifiers: Other: *chlorophyll a and reservoirs *Phosphorus(cl reservoirs larg	Wilderness Areas. Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area. hronic) = applies only to lakes and er than 25 acres surface area.	Physical and Bid Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic (Ammonia Boron Chloride Chlorine	Dological DM CL acute 6.5 - 9.0 (mg/L) acute TV/S U/S 0.019	MWAT CL chronic 6.0 7.0 8* 126 Kronic TVS 0.75 250 0.011	Mer Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T)	tals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS TVS 50 TVS 50	chronic 0.02 TVS TVS TVS TVS WS 1000 TVS
Uncompahgre COGUUG33 Designation OW Qualifiers: Other: *chlorophyll a and reservoirs *Phosphorus(cl reservoirs larg	Wilderness Areas. Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area. hronic) = applies only to lakes and er than 25 acres surface area.	Physical and Bid Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic (Ammonia Boron Chloride Chlorine Chlorine	Dological DM CL CL acute 6.5 - 9.0 (mg/L) acute TVS 0.019 0.005	MWAT CL chronic 6.0 7.0 8* 126 8* 126 chronic TVS 0.75 250 0.011 	Met Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese	acute 340 TVS 50 TVS S0 TVS 50 TVS 50 TVS 50 TVS 50 TVS S0 TVS S0 TVS	chronic 0.02 TVS TVS TVS TVS WS 1000 TVS TVS/WS
Uncompahgre COGUUG33 Designation OW Qualifiers: Other: *chlorophyll a and reservoirs *Phosphorus(cl reservoirs larg	Wilderness Areas. Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area. hronic) = applies only to lakes and ler than 25 acres surface area.	Physical and Bio Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic (Ammonia Boron Chloride Chlorine Cyanide Nitrate	Dological DM CL CL acute 6.5 - 9.0 (mg/L) acute TVS 0.019 0.005 10	MWAT CL chronic 6.0 7.0 8* 126 8* 126 5.250 0.011 250 0.011 	Mer Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury	acute 340 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS TVS 50 TVS	chronic 0.02 TVS TVS TVS WS 1000 TVS WS 1000 TVS S US 0.01(t)
Uncompahgre COGUUG33 Designation OW Qualifiers: Other: *chlorophyll a and reservoirs *Phosphorus(ci reservoirs larg	Wilderness Areas. Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area. hronic) = applies only to lakes and ler than 25 acres surface area.	Physical and Bio Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic (Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite	blogical DM CL CL acute 6.5 - 9.0 (mg/L) acute TVS 0.019 0.005 10 0.02	MWAT CL chronic 6.0 7.0 8* 126 8* 126 250 0.011 250 0.011 	Mer Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T)	tals (ug/L) acute 340 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS TVS 50 TVS 50 TVS 50 TVS <td-< td=""><td>Chronic 0.02 TVS TVS TVS TVS WS 1000 TVS WS 1000 TVS TVS/WS 0.01(t) 150</td></td-<>	Chronic 0.02 TVS TVS TVS TVS WS 1000 TVS WS 1000 TVS TVS/WS 0.01(t) 150
Uncompahgre COGUUG33 Designation OW Qualifiers: Other: *chlorophyll a and reservoirs *Phosphorus(cl reservoirs larg	Wilderness Areas. Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area. hronic) = applies only to lakes and er than 25 acres surface area.	Physical and Bio Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic (Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	Diogical DM CL acute 6.5 - 9.0 (mg/L) acute TVS 0.019 0.005 10 0.02 	West Erk, Co MWAT CL chronic 6.0 7.0 7.0 7.0 4 126 0.75 250 0.011 250 0.011 0.025*	Mer Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel	subsection acute 340 340 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS TVS 50 TVS TVS	Chronic 0.02 TVS TVS TVS WS 1000 TVS WS 1000 TVS TVS/WS 0.01(t) 150 TVS
Uncompahgre COGUUG33 Designation OW Qualifiers: Other: *chlorophyll a and reservoirs *Phosphorus(cl reservoirs larg	Wilderness Areas. Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area. hronic) = applies only to lakes and er than 25 acres surface area.	Physical and Bid Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic (Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	Diogical DM CL acute 6.5 - 9.0 (mg/L) acute TVS 0.019 0.005 10 0.02 0.02 	MWAT CL chronic 6.0 7.0 8* 126 126 0.75 250 0.011 0.025* WS	Mer Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T)	tals (ug/L) acute 340 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS TVS 50 TVS TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS TVS TVS TVS TVS TVS	Chronic 0.02 TVS TVS TVS WS 1000 TVS WS 1000 TVS 0.01(t) 150 TVS 100
Uncompahgre COGUUG33 Designation OW Qualifiers: Other: *chlorophyll a and reservoirs *Phosphorus(cl reservoirs larg	Wilderness Areas. Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area. hronic) = applies only to lakes and ler than 25 acres surface area.	Physical and Bid Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic (Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrate Nitrite Phosphorus Sulfate Sulfide	Diogical DM CL CL acute 6.5 - 9.0 6.5 - 9.0 (mg/L) acute TVS 0.019 0.005 10 0.005 10 0.02 	MWAT CL chronic 6.0 7.0 8* 126 126 0.75 250 0.011 0.025* WS 0.002	Merica Aluminum Arsenic Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	acute 340 340 TVS 50 TVS 50 TVS 50 TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS	Chronic 0.02 TVS TVS TVS WS 1000 TVS TVS/WS 0.01(t) 150 TVS 100 TVS 100 TVS
Uncompahgre COGUUG33 Designation OW Qualifiers: Other: *chlorophyll a and reservoirs Phosphorus(cl reservoirs larg	Wilderness Areas. Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area. hronic) = applies only to lakes and ler than 25 acres surface area.	Physical and Bid Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic (Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	Dological DM CL acute 6.5 - 9.0 (mg/L) acute TV/S 0.019 0.005 10 0.002 10 0.02 	MWAT CL chronic 6.0 7.0 8* 126 8* 126 0.75 250 0.011 250 0.011 0.025* WS 0.002	Merican Aluminum Arsenic Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium Silver	tals (ug/L) acute	chronic 0.02 TVS TVS TVS WS 1000 TVS WS 1000 TVS TVS/WS 0.01(t) 150 TVS 100 TVS TVS TVS TVS TVS TVS TVS TVS
Uncompahgre COGUUG33 Designation OW Qualifiers: Other: *chlorophyll a and reservoirs *Phosphorus(cl reservoirs larg	Wilderness Areas. Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area. hronic) = applies only to lakes and er than 25 acres surface area.	Physical and Bid Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic (Ammonia Boron Chloride Chlorine Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	Dological DM CL acute () () () () () 0.019 0.005 10 10 0.019 0.005 	MWAT CL chronic 6.0 7.0 8* 126 8* 126 0.075 250 0.011 0.025* WS 0.002	Met Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium Silver Uranium	acute 340 340 50 TVS TVS TVS TVS TVS TVS TVS TVS <tr td=""></tr>	chronic 0.02 TVS TVS TVS WS 1000 TVS WS 1000 TVS TVS/WS 0.01(1) 150 TVS 100 TVS 100 TVS TVS 100 TVS TVS TVS TVS
Uncompahgre COGUUG33 Designation OW Qualifiers: Other: *chlorophyll a and reservoirs *Phosphorus(cl reservoirs larg	Wilderness Areas. Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area. hronic) = applies only to lakes and er than 25 acres surface area.	Physical and Bio Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic (Ammonia Boron Chloride Chlorine Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	blogical DM CL acute 6.5 - 9.0 (mg/L) acute TVS 0.019 0.005 10 0.002 0.019 0.005 10 	MWAT CL chronic 6.0 7.0 8* 126 8* 126 0.075 250 0.011 0.025* WS 0.002	Met Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium Silver Uranium	acute 340 TVS 50 TVS TVS TVS TVS TVS TVS TVS TVS TVS <tr tt=""></tr>	chronic 0.02 TVS TVS TVS WS 1000 TVS TVS/WS 0.01(t) 150 TVS 100 TVS 100 TVS TVS 100 TVS 100 TVS TVS 100 TVS TVS 100 TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS

All metals are dissolved unless otherwise noted.

T = total recoverable

D.O. = dissolved oxygen

DM = daily maximum

MWAT = maximum weekly average temperature

tr = troutsc = sculpin

t = total

34. All lakes and Segments 33, Reservoirs 1 a	nd reservoirs tributary to the Taylor Riv 35 and 37. This segment includes Meri and 2, Texas Lake, Mirror Lake, and Spr	er and the East River, from their source dian Lake, Nicholson Lake, Peanut Lak ing Creek Reservoir.	es to their conf ke, Glazer Res	luence at the servoir (38.87	inception of the Gunnison F 4441, -106.999868), Lake G	River, excluding the lis Grant, Lily Pond, Potho	stings in ble
COGUUG34	Classifications	Physical and Biolog	gical		N	letals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CL	CL	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02
	DUWS*	D.O. (spawning)		7.0	Beryllium		
Qualifiers:		рН	6.5 - 9.0		Cadmium	TVS	TVS
Other:		chlorophyll a (ug/L)		8*	Cadmium(T)	5.0	
*chlorophyll a	(ug/L)(chronic) - annlies only to lakes	E. Coli (per 100 mL)		126	Chromium III		TVS
and reservoirs	larger than 25 acres surface area.				Chromium III(T)	50	
*Classification: only.	DUWS applies to Glazer Reservoir	Inorganic (mg	g/L)		Chromium VI	TVS	TVS
*Phosphorus(cl	hronic) = applies only to lakes and		acute	chronic	Copper	TVS	TVS
reservoirs larg	per than 25 acres surface area.	Ammonia	TVS	TVS	Iron		WS
		Boron		0.75	Iron(T)		1000
		Chloride		250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	
		Cyanide	0.005		Manganese	TVS	TVS/WS
		Nitrate	10		Mercury		0.01(t)
		Nitrite	0.05		Molybdenum(T)		150
		Phosphorus		0.025*	Nickel	TVS	TVS
		Sulfate		WS	Nickel(T)		100
		Sulfide		0.002	Selenium	TVS	TVS
					Silver	TVS	TVS(tr)
					Uranium		
					Zinc	TVS	TVS
35. All lakes a	nd reservoirs tributary to Redwell Creek						
COGUUG35	Classifications	Physical and Biolog	gical		N	letals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CL	CL	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
Qualifiers:		D.O. (mg/L)		6.0	Arsenic(T)		7.6
Other:		D.O. (spawning)		7.0	Beryllium		
*chlorophyll a	(ug/L)(chronic) - applies only to lakes	pН	6.5 - 9.0		Cadmium	TVS	TVS
and reservoirs	a larger than 25 acres surface area.	chlorophyll a (ug/L)		8*	Chromium III		TVS
*Phosphorus(cl	hronic) = applies only to lakes and uer than 25 acres surface area	E. Coli (per 100 mL)		126	Chromium III(T)		100
rooor ron o harg					Chromium VI	TVS	TVS
		Inorganic (mg	g/L)		Copper	TVS	TVS
			acute	chronic	Iron(T)		1000
		Ammonia	TVS	TVS	Lead	TVS	8
		Boron		0.75	Manganese	TVS	TVS
		Chloride			Mercury		0.01(t)
		Chlorine	0.019	0.011	Molybdenum(T)		150
		Cyanide	0.005		Nickel	TVS	TVS
		Nitrate	100		Selenium	TVS	TVS
		Nitrite	0.05		Silver	TVS	TVS
		Phosphorus		0.025*	Uranium		
		Sulfate			Zinc	TVS	TVS
		Sulfide		0.002			

All metals are dissolved unless otherwise noted. T = total recoverable t = total tr = trout sc = sculpin D.O. = dissolved oxygen DM = daily maximum

36. All lakes a listings in Seg Reservoirs 1 a	nd reservoirs tributary to the Gunnison ment 33. This segment includes Kenny and 2.	River from its inception at the confluence Moore Reservoir, Hot Springs Reservoi	e of the Taylo r, Needle Cre	er and East F ek Reservoir	Rivers, to the inlet of Blue Me r, Vouga Reservoir, Moss La	esa Reservoir, excludi ke, Dome Lakes, and	ing the d McDonough	
COGUUG36	Classifications	Physical and Biolog	ical		Metals (ug/L) acute chroni			
Designation	Agriculture		DM	MWAT		acute	chronic	
Reviewable	Aq Life Cold 1	Temperature °C	CL	CL	Aluminum			
	Recreation E		acute	chronic	Arsenic	340		
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02	
Qualifiers:		D.O. (spawning)		7.0	Beryllium			
Other:		рН	6.5 - 9.0		Cadmium	TVS	TVS	
	/ #\/	chlorophyll a (ug/L)		8*	Cadmium(T)	5.0		
*chlorophyll a and reservoirs	(ug/L)(chronic) = applies only to lakes s larger than 25 acres surface area.	E. Coli (per 100 mL)		126	Chromium III		TVS	
*Phosphorus(c	thronic) = applies only to lakes and				Chromium III(T)	50		
	jei tilari 25 acres surface area.	Inorganic (mg	/L)		Chromium VI	TVS	TVS	
			acute	chronic	Copper	TVS	TVS	
		Ammonia	TVS	TVS	Iron		WS	
		Boron		0.75	Iron(T)		1000	
		Chloride		250	Lead	TVS	TVS	
		Chlorine	0.019	0.011	Lead(T)	50		
		Cyanide	0.005		Manganese	TVS	TVS/WS	
		Nitrate	10		Mercury		0.01(t)	
		Nitrite	0.05		Molybdenum(T)		150	
		Phosphorus		0.025*	Nickel	TVS	TVS	
		Sulfate		WS	Nickel(T)		100	
		Sulfide		0.002	Selenium	TVS	TVS	
					Silver	TVS	TVS	
					Uranium			
					Zinc	TVS	TVS	

37. All lakes and reservoirs tributary to Blue Mesa Reservoir, Morrow Point Reservoir, Crystal Reservoir or the segments of the Gunnison River that interconnect them, excluding the listings in Segments 33 and 38. This segment includes Fish Creek Reservoirs 1 and 2, Hampton Lake, High Park Lake, Watson Lake, Butte Lake, Swanson Lake, Fitzpatrick Lake, Evergreen Lake (38.325447, -107.365786), Dry Lake, Devils Lake, Powderhorn Lakes, Soderquist Reservoir, Rainbow Lake, Cataract Lake, Castle Lakes, Crystal Lake, and Waterdog Lake. COGUUG37 Classifications Physical and Biological Metals (ug/L) Designation MWAT Agriculture DM acute chronic Reviewable Aq Life Cold 1 Temperature °C CL CL Aluminum ... Recreation F acute chronic Arsenic 340 ---Water Supply D.O. (mg/L) 0.02 6.0 Arsenic(T) ------DUWS* D.O. (spawning) Beryllium 70 ---------Qualifiers: TVS TVS pН 6.5 - 9.0 ---Cadmium Other: chlorophyll a (ug/L) 8* Cadmium(T) 5.0 E. Coli (per 100 mL) 126 ---Chromium III TVS *chlorophyll a (ug/L)(chronic) = applies only to lakes Chromium III(T) 50 and reservoirs larger than 25 acres surface area. ---*Classification: DUWS applies to Evergreen Lake Inorganic (mg/L) Chromium VI TVS TVS only *Phosphorus(chronic) = applies only to lakes and TVS TVS acute chronic Copper reservoirs larger than 25 acres surface area. TVS Iron ---WS TVS Ammonia 0.75 Iron(T) 1000 Boron ------TVS Lead TVS Chloride 250 ---0.019 0.011 50 Chlorine Lead(T) ---TVS/WS Cyanide 0.005 Manganese TVS ---Nitrate 10 Mercury ---0.01(t) 0.05 Molybdenum(T) ---150 Nitrite ---0.025* Nickel TVS TVS Phosphorus ---100 Nickel(T) ---Sulfate WS ---Sulfide 0.002 Selenium TVS TVS ---Silver TVS TVS(tr) Uranium ---

Zinc

TVS

TVS

38. Lake San	Cristobal, Taylor Park Reservoir, Blue I	Mesa Reservoir, Morrow	Point Reservoir,	Crystal Res	servoir, and S	ilver Jack Reservoir.		
COGUUG38	Classifications	Physi	cal and Biologi	ical			Metals (ug/L)	
Designation	Agriculture			DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	1/1 - 3/31	CLL	CLL	Aluminum		
	Recreation E	Temperature °C	4/1 - 12/31	varies*	varies*	Arsenic	340	
	Water Supply					Arsenic(T)		0.02
Qualifiers:				acute	chronic	Beryllium		
Other:		D.O. (mg/L)			6.0	Cadmium	TVS	TVS
Temporary M	odification(s):	D.O. (spawning)			7.0	Cadmium(T)	5.0	
Arsenic(chroni	c) = hvbrid	рН		6.5 - 9.0		Chromium III		TVS
Expiration Dat	e of 12/31/2024	chlorophyll a (ug/L)			8*	Chromium III(T)	50	
*chlorophyll a	(ug/l)(chronic) = applies only above	E. Coli (per 100 mL)			126	Chromium VI	TVS	TVS
the facilities li	sted at 35.5(4), applies only to lakes					Copper	TVS	TVS
*Phosphorus(c	a larger than 25 acres surface area.		Inorganic (mg/	L)		Iron		WS
facilities listed	at 35.5(4), applies only to lakes and			acute	chronic	Iron(T)		1000
*Temperature(4/1 - 12/31) = Lake San Cristobal,	Ammonia		TVS	TVS	Lead	TVS	TVS
Taylor Park R	eservoir, and	Boron			0.75	Lead(T)	50	
All others MW	AT=CLL	Chloride			250	Manganese	TVS	TVS/WS
Lake San Cris	stobal, Taylor Park Reservoir, and	Chlorine		0.019	0.011	Mercury		0.01(t)
Blue Mesa Re	eservoir DM=24.2	Cyanide		0.005		Molybdenum(T)		150
All others Divis		Nitrate		10		Nickel	TVS	TVS
		Nitrite		0.05		Nickel(T)		100
		Phosphorus			0.025*	Selenium	TVS	TVS
		Sulfate			WS	Silver	TVS	TVS(tr)
		Sulfide			0.002	Uranium		
						Zinc	TVS	TVS

1. All tributaries	s to North Fork of the Gunnison River,	including all wetlands, within the West E	lk or Raggeo	ls Wilderness	Areas.		
COGUNF01	Classifications	Physical and Biologic	cal		Metals	s (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
OW	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02
Qualifiers:		D.O. (spawning)		7.0	Beryllium		
Other:		рН	6.5 - 9.0		Cadmium	TVS	TVS
Temporary Mo	odification(s):	chlorophyll a (mg/m ²)			Cadmium(T)	5.0	
Arsenic(chronic	c) = bybrid	E. Coli (per 100 mL)		126	Chromium III		TVS
Expiration Date	e of 12/31/2024				Chromium III(T)	50	
•		Inorganic (mg/	L)		Chromium VI	TVS	TVS
			acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron		WS
		Boron		0.75	Iron(T)		1000
		Chloride		250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	
		Cvanide	0.005		Manganese	TVS	TVS/WS
		Nitrate	10		Mercurv		0.01(t)
		Nitrite	0.05		Molvbdenum(T)		150
		Phosphorus			Nickel	TVS	TVS
		Sulfate		WS	Nickel(T)		100
		Sulfide		0.002	Selenium	TVS	TVS
		Canad		0.002	Silver	TVS	TVS(tr)
					Uranium		
					Zinc	TVS	TVS/TVS(sc)
2. Mainstem o	of North Fork of the Gunnison River from	n its inception at the confluence of Muddy	Creek and	Anthracite C	reek to the Black Bridge (41.75 D	rive) above P	aonia.
2. Mainstem o COGUNF02	of North Fork of the Gunnison River from Classifications	h its inception at the confluence of Muddy Physical and Biologie	/ Creek and	Anthracite C	reek to the Black Bridge (41.75 D	rive) above P s (ug/L)	aonia.
2. Mainstem o COGUNF02 Designation	of North Fork of the Gunnison River from Classifications Agriculture	h its inception at the confluence of Muddy Physical and Biologi	Creek and cal	Anthracite C	reek to the Black Bridge (41.75 D Metal	rive) above P s (ug/L) acute	aonia. chronic
2. Mainstem o COGUNF02 Designation Reviewable	f North Fork of the Gunnison River from Classifications Agriculture Aq Life Cold 1	n its inception at the confluence of Muddy Physical and Biologie Temperature °C	Creek and cal DM CS-II	Anthracite C MWAT CS-II	reek to the Black Bridge (41.75 D Metals	rive) above P s (ug/L) acute	chronic
2. Mainstem o COGUNF02 Designation Reviewable	f North Fork of the Gunnison River from Classifications Agriculture Aq Life Cold 1 Recreation E	n its inception at the confluence of Muddy Physical and Biologie Temperature °C	Creek and cal DM CS-II acute	Anthracite C MWAT CS-II chronic	Aluminum Arsenic	rive) above P s (ug/L) acute 340	chronic
2. Mainstem o COGUNF02 Designation Reviewable	f North Fork of the Gunnison River from Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Temperature °C	Creek and cal DM CS-II acute	Anthracite C MWAT CS-II chronic 6.0	Aluminum Arsenic Arsenic(T)	rive) above P s (ug/L) acute 340 	chronic 0.02
2. Mainstem o COGUNF02 Designation Reviewable Qualifiers:	of North Fork of the Gunnison River from Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Temperature °C D.O. (mg/L) D.O. (spawning)	Creek and cal DM CS-II acute 	Anthracite C MWAT CS-II chronic 6.0 7.0	Aluminum Arsenic Arsenic(T) Beryllium	rive) above P (ug/L) acute 340 	chronic 0.02
2. Mainstem o COGUNF02 Designation Reviewable Qualifiers: Other:	f North Fork of the Gunnison River from Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	n its inception at the confluence of Muddy Physical and Biologie Temperature °C D.O. (mg/L) D.O. (spawning) pH	r Creek and cal DM CS-II acute 6.5 - 9.0	Anthracite C MWAT CS-II chronic 6.0 7.0	Aluminum Arsenic Arsenic(T) Beryllium Cadmium	rive) above P s (ug/L) acute 340 TVS	chronic 0.02 TVS
2. Mainstem o COGUNF02 Designation Reviewable Qualifiers: Other:	f North Fork of the Gunnison River from Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply polification(s):	h its inception at the confluence of Muddy Physical and Biologie Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²)	r Creek and ccal DM CS-II acute 6.5 - 9.0 	Anthracite C MWAT CS-II chronic 6.0 7.0 	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T)	rive) above P s (ug/L) acute 340 TVS 5.0	chronic 0.02 TVS
2. Mainstem o COGUNF02 Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chroni	f North Fork of the Gunnison River from Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): c) = hybrid	h its inception at the confluence of Muddy Physical and Biologie Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)	r Creek and cal CS-II acute 6.5 - 9.0 	Anthracite C MWAT CS-II chronic 6.0 7.0 126	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III	rive) above P s (ug/L) acute 340 TVS 5.0 	chronic 0.02 TVS TVS
2. Mainstem o COGUNF02 Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chroniu Expiration Date	of North Fork of the Gunnison River from Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): c) = hybrid e of 12/31/2024	h its inception at the confluence of Muddy Physical and Biologie Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)	r Creek and cal CS-II acute 6.5 - 9.0 	Anthracite C MWAT CS-II chronic 6.0 7.0 126	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T)	rive) above P s (ug/L) acute 340 TVS 5.0 50	chronic 0.02 TVS TVS TVS
2. Mainstem o COGUNF02 Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date	of North Fork of the Gunnison River from Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): c) = hybrid e of 12/31/2024	h its inception at the confluence of Muddy Physical and Biologie Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (mg/	/ Creek and cal CS-II acute 6.5 - 9.0 	Anthracite C MWAT CS-II chronic 6.0 7.0 7.0 126	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI	rive) above P s (ug/L) acute 340 TVS 5.0 50 TVS	aonia. chronic 0.02 TVS TVS TVS TVS TVS
2. Mainstem o COGUNF02 Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronii Expiration Date	of North Fork of the Gunnison River from Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply codification(s): c) = hybrid e of 12/31/2024	h its inception at the confluence of Muddy Physical and Biologie Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (mg/	r Creek and ccal DM CS-II acute 6.5 - 9.0 L) acute	Anthracite C MWAT CS-II chronic 6.0 7.0 126 chronic	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper	rive) above P s (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS	aonia. chronic 0.02 TVS TVS TVS TVS TVS TVS
2. Mainstem o COGUNF02 Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date	of North Fork of the Gunnison River from Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): c) = hybrid e of 12/31/2024	h its inception at the confluence of Muddy Physical and Biologie Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (mg/m Ammonia	r Creek and ccal DM CS-II acute 6.5 - 9.0 C L) acute TVS	Anthracite C MWAT CS-II chronic 6.0 7.0 126 chronic TVS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron	rive) above P s (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS	chronic 0.02 TVS TVS TVS TVS WS
2. Mainstem o COGUNF02 Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date	of North Fork of the Gunnison River from Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): c) = hybrid e of 12/31/2024	h its inception at the confluence of Muddy Physical and Biologie Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (mg/m Ammonia Boron	r Creek and cal DM CS-II acute 6.5 - 9.0 C C C C C C C C C C C C C C C	Anthracite C MWAT CS-II 6.0 7.0 126 chronic TVS 0.75	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T)	rive) above P s (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS 	aonia. chronic 0.02 TVS TVS TVS WS 1000
2. Mainstem o COGUNF02 Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date	of North Fork of the Gunnison River from Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): c) = hybrid e of 12/31/2024	h its inception at the confluence of Muddy Physical and Biologie Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (mg/ Ammonia Boron Chloride	r Creek and cal DM CS-II acute 6.5 - 9.0 C C C C C C C U C C C C C C C	Anthracite C MWAT CS-II chronic 6.0 7.0 126 chronic TVS 0.75 250	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead	rive) above P (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS	chronic 0.02 TVS TVS TVS VS TVS
2. Mainstem o COGUNF02 Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Date	of North Fork of the Gunnison River from Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): c) = hybrid e of 12/31/2024	h its inception at the confluence of Muddy Physical and Biologie Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (mg/L) Ammonia Boron Chloride Chlorine	r Creek and cal DM CS-II acute 6.5 - 9.0 C.1 L) acute TVS TVS 0.019	Anthracite C MWAT CS-II chronic 6.0 7.0 126 Chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T)	rive) above P s (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS TVS	chronic 0.02 TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS
2. Mainstem o COGUNF02 Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date	of North Fork of the Gunnison River from Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): c) = hybrid e of 12/31/2024	h its inception at the confluence of Muddy Physical and Biologie Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (mg/l Ammonia Boron Chloride Chlorine Cyanide	r Creek and cal DM CS-II acute 6.5 - 9.0 6.5 - 9.0 ture TVS TVS 0.019 0.005	Anthracite C MWAT CS-II chronic 6.0 7.0 7.0 126 126 Chronic TVS 0.75 250 0.011 	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese	rive) above P 3 (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS 50 TVS TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS TVS TVS TVS TVS TVS TVS TVS	chronic 0.02 TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS
2. Mainstem o COGUNF02 Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date	of North Fork of the Gunnison River from Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): c) = hybrid e of 12/31/2024	h its inception at the confluence of Muddy Physical and Biologie Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (mg/l Ammonia Boron Chloride Chlorine Cyanide Nitrate	r Creek and cal DM CS-II acute 6.5 - 9.0 C C TVS TVS 0.019 0.005 10	Anthracite C MWAT CS-II chronic 6.0 7.0 126 Chronic TVS 0.75 250 0.011 	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury	rive) above P s (ug/L) acute 340 TVS 5.0 TVS 50 TVS TVS TVS 50 TVS 50 TVS 50 TVS TVS 50 TVS 	Iter (00) aonia. chronic 0.02 TVS TVS TVS TVS TVS TVS TVS TVS 1000 TVS TVS/WS 0.01(t)
2. Mainstem o COGUNF02 Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date	of North Fork of the Gunnison River from Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply codification(s): c) = hybrid e of 12/31/2024	h its inception at the confluence of Muddy Physical and Biologie Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (mg/M Ammonia Boron Chloride Chloride Chlorine Cyanide Nitrate Nitrite	<pre> / Creek and cal / DM / CS-II / acute / 6.5 - 9.0 / 6.5 - 9.0 / / CV / CVS / CVS / CVS / CVS / CUS / CU</pre>	Anthracite C MWAT CS-II chronic 6.0 7.0 126 Chronic TVS 0.75 250 0.011 250	reek to the Black Bridge (41.75 D Metals Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T)	rive) above P (ug/L) acute 340 TVS 5.0 TVS TVS TVS TVS TVS 50 TVS 50 TVS 	chronic 0.02 TVS SWS 1000 TVS TVS 0.01(t) 150
2. Mainstem o COGUNF02 Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date	of North Fork of the Gunnison River from Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): c) = hybrid e of 12/31/2024	Its inception at the confluence of Muddy Physical and Biologie Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (mg/m²) Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	<pre> / Creek and cal / CS-II / acute / 6.5 - 9.0 / 6.5 - 9.0 / 6.5 - 9.0 / 6.5 - 9.0 / 6.5 - 9.0 / 6.5 / 6.</pre>	Anthracite C MWAT CS-II chronic 6.0 7.0 126 Chronic TVS 0.75 250 0.011 0.011 	reek to the Black Bridge (41.75 D Metals Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel	rive) above P (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS	Iter ((s)) aonia. chronic 0.02 TVS TVS TVS TVS TVS TVS TVS TVS TVS O.01(t) 150 TVS
2. Mainstem o COGUNF02 Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date	of North Fork of the Gunnison River from Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): c) = hybrid e of 12/31/2024	Its inception at the confluence of Muddy Physical and Biologie Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (mg/m²) Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	<pre> / Creek and cal / CS-II / acute / 6.5 - 9.0 /</pre>	Anthracite C MWAT CS-II chronic 6.0 7.0 126 Chronic TVS 0.75 250 0.011 250 0.011 WS	reek to the Black Bridge (41.75 D Metals Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T)	rive) above P (ug/L) acute 340 TVS 5.0 TVS 5.0 TVS TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS TVS 	chronic 0.02 TVS TVS TVS TVS TVS TVS 0.01(t) 150 TVS 100
2. Mainstem o COGUNF02 Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronia Expiration Date	of North Fork of the Gunnison River from Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): c) = hybrid e of 12/31/2024	h its inception at the confluence of Muddy Physical and Biologie Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (mg/l Ammonia Boron Chloride Chloride Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	<pre> / Creek and cal / CS-II / acute / 6.5 - 9.0 / 6.</pre>	Anthracite C MWAT CS-II chronic 6.0 7.0 7.0 126 7.0 0.7 126 0.7 0.75 250 0.011 250 0.011 WS 0.002	reek to the Black Bridge (41.75 D Metals Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	rive) above P (ug/L) acute 340 TVS 5.0 TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS	chronic 0.02 TVS TVS TVS TVS TVS TVS 0.00 TVS 0.01(t) 150 TVS 100 TVS
2. Mainstem o COGUNF02 Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date	of North Fork of the Gunnison River from Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): c) = hybrid e of 12/31/2024	h its inception at the confluence of Muddy Physical and Biologie Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (mg/l Ammonia Boron Chloride Chloride Chlorine Cyanide Nitrate Nitrate Nitrate Phosphorus Sulfate Sulfide	<pre> / Creek and cal / CS-II / acute / 6.5 - 9.0 / 6.</pre>	Anthracite C MWAT CS-II chronic 6.0 7.0 126 126 0.11 Chronic 126 0.011 0.0	reek to the Black Bridge (41.75 D Metals Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	rive) above P 3 (ug/L) acute 340 340 TVS 5.0 50 TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS 	chronic 0.02 TVS TVS TVS TVS TVS TVS TVS 1000 TVS 0.01(t) 150 TVS 100 TVS 100 TVS 100 TVS(tr)
2. Mainstem o COGUNF02 Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date	of North Fork of the Gunnison River from Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): c) = hybrid e of 12/31/2024	Its inception at the confluence of Muddy Physical and Biologi Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (mg/m²) Ammonia Boron Chloride Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	<pre> / Creek and cal //// CS-II //// acute //// 6.5 - 9.0 /// 6.5 - 9.0 /// /// /// /// /// /// /// /// /// /</pre>	Anthracite C MWAT CS-II chronic 6.0 7.0 126 126 Chronic TVS 0.75 250 0.011 1250 0.011 WS 0.002	reek to the Black Bridge (41.75 D Metals Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium Silver Uranium	rive) above P s (ug/L) acute 340 340 TVS 5.0 50 TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS 	Iter (0,0) aonia. chronic 0.02 TVS TVS TVS TVS TVS TVS 1000 TVS TVS/WS 0.01(t) 150 TVS TVS 100 TVS 100 TVS(tr)

All metals are dissolved unless otherwise noted. T = total recoverable t = total tr = trout sc = sculpin D.O. = dissolved oxygen

DM = daily maximum

		rom the Black Bridge (41.75	Drive) above P	aonia to the	confluence \	with the Gunnison River.		
COGUNF03	Classifications	Physic	al and Biologi	cal			Metals (ug/L)	
Designation	Aariculture			DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	11/16 - 3/15	CS-II	CS-II	Aluminum		
	Recreation E 4/1 - 9/30	Temperature °C	3/16 - 11/15	26.5*	21.9* ^C	Arsenic	340	
	Recreation P 10/1 - 3/31					Arsenic(T)		0.02
	Water Supply			acute	chronic	Beryllium		
Qualifiers:		D.O. (mg/L)			6.0	Cadmium	TVS	TVS
Other:		D.O. (spawning)			7.0	Cadmium(T)	5.0	
Temporary Mo	odification(s):	рH		6.5 - 9.0		Chromium III		TVS
Arsenic(chronic	c) = hybrid	chlorophyll a (mg/m ²)				Chromium III(T)	50	
Expiration Date	e of 12/31/2024	E. Coli (per 100 mL)	10/1 - 3/31		205	Chromium VI	TVS	TVS
*Temperature/	3/16 - 11/15) - See temperature	E. Coli (per 100 mL)	4/1 - 9/30		126	Copper	TVS	TVS
assessment lo	$(3,10^{\circ} - 11,13) = 322 \text{ temperature}$		norganic (mg/l	L)		Iron		WS
				acute	chronic	Iron(T)		1000
		Ammonia		TVS	TVS	Lead	TVS	TVS
		Boron			0.75	Lead(T)	50	
		Chloride			250	Manganese	TVS	TVS/WS
		Chlorine		0.019	0.011	Mercury		0.01(t)
		Cvanide		0.005		Molvbdenum(T)		150
		Nitrate		10		Nickel	TVS	TVS
		Nitrite		0.05		Nickel(T)		100
		Phosphorus				Selenium	TVS	TVS
		Sulfate			WS	Silver	TVS	TVS(tr)
		Sulfide			0.002	Uranium		
		Canad			0.002	Zinc	TVS	TVS
4a. Tributaries	and wetlands to Muddy Creek with	in national forest boundaries.	Anthracite Cre	ek, includinc	all tributarie	s and wetlands, from the s	ource to the confluence	e with Muddy
Creek. All tribu	taries to the North Fork of the Gun	ison from its inception at the	confluence of l	Muddy Cree	k and Anthra	cite Creek to the confluence	e with the Gunnison F	River within
COGUNF04A	Classifications	Physic	al and Biologic	cal		1		
Designation							Metals (uq/L)	
. .	Agriculture			DM	MWAT		Metals (ug/L) acute	chronic
Reviewable	Agriculture Ag Life Cold 1	Temperature °C		DM CS-I	MWAT CS-I	Aluminum	Metals (ug/L) acute	chronic
Reviewable	Agriculture Aq Life Cold 1 Recreation E	Temperature °C		DM CS-I acute	MWAT CS-I chronic	Aluminum Arsenic	Metals (ug/L) acute 340	chronic
Reviewable	Agriculture Aq Life Cold 1 Recreation E Water Supply	Temperature °C	<u></u>	DM CS-I acute	MWAT CS-I chronic 6.0	Aluminum Arsenic Arsenic(T)	Metals (ug/L) acute 340 	chronic
Reviewable Qualifiers:	Agriculture Aq Life Cold 1 Recreation E Water Supply	Temperature °C		DM CS-I acute	MWAT CS-I chronic 6.0 7.0	Aluminum Arsenic Arsenic(T) Beryllium	Metals (ug/L) acute 340 	chronic 0.02
Reviewable Qualifiers:	Agriculture Aq Life Cold 1 Recreation E Water Supply	Temperature °C D.O. (mg/L) D.O. (spawning)		DM CS-I acute 6.5 - 9.0	MWAT CS-I chronic 6.0 7.0	Aluminum Arsenic Arsenic(T) Beryllium Cadmium	Metals (ug/L) acute 340 TVS	chronic 0.02 TVS
Reviewable Qualifiers: Other:	Agriculture Aq Life Cold 1 Recreation E Water Supply	Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²)		DM CS-I acute 6.5 - 9.0 	MWAT CS-I chronic 6.0 7.0 150*	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T)	Metals (ug/L) acute 340 TVS 5.0	chronic 0.02 TVS
Reviewable Qualifiers: Other: Temporary Mo	Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s):	Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL)		DM CS-1 acute 6.5 - 9.0 	MWAT CS-I chronic 6.0 7.0 150* 126	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III	Metals (ug/L) acute 340 TVS 5.0 	chronic 0.02 TVS TVS
Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronii Expiration Date	Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): c) = hybrid e of 12/31/2024	Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL)		DM CS-I acute 6.5 - 9.0 	MWAT CS-I chronic 6.0 7.0 150* 126	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T)	Metals (ug/L) acute 340 TVS 5.0 50	chronic 0.02 TVS TVS
Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date tehlogenbull of	Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): c) = hybrid e of 12/31/2024 (mg/m2)(chosin) _ stration only obt	Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL)	norganic (mg/	DM CS-I acute 6.5 - 9.0 	MWAT CS-I chronic 6.0 7.0 150* 126	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI	Metals (ug/L) acute 340 TVS 5.0 50 TVS	chronic 0.02 TVS TVS TVS
Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date *chlorophyll a the facilities lis	Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): c) = hybrid e of 12/31/2024 (mg/m ²)(chronic) = applies only abo sted at 35.5(4).	Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)	norganic (mg/	DM CS-1 acute 6.5 - 9.0 L) acute	MWAT CS-I chronic 6.0 7.0 150* 126 chronic	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper	Metals (ug/L) acute 340 TVS 5.0 50 TVS SU SU TVS	chronic 0.02 TVS TVS TVS TVS TVS TVS TVS
Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronii Expiration Date *chlorophyll a the facilities list #Phosphorus(el	Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): c) = hybrid e of 12/31/2024 (mg/m ²)(chronic) = applies only above sted at 35.5(4). hronic) = applies only above the at 35.6(4).	Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)	norganic (mg/l	DM CS-I acute 6.5 - 9.0 L) acute TVS	MWAT CS-I chronic 6.0 7.0 150* 126 chronic TVS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron	Metals (ug/L) acute 340 TVS 50 50 TVS TVS TVS 	chronic 0.02 TVS TVS TVS TVS WS
Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date *chlorophyll a the facilities listed facilities listed	Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): c) = hybrid e of 12/31/2024 (mg/m ²)(chronic) = applies only above sted at 35.5(4). hronic) = applies only above the at 36.5(4).	Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) ve Ammonia Boron	norganic (mg/	DM CS-I acute 6.5 - 9.0 L) acute TVS 	MWAT CS-I chronic 6.0 7.0 150* 126 126 chronic TVS 0.75	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T)	Metals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS 	chronic 0.02 TVS TVS TVS WS 1000
Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date *chlorophyll a the facilities listed facilities listed	Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): c) = hybrid e of 12/31/2024 (mg/m ²)(chronic) = applies only above sted at 35.5(4). hronic) = applies only above the at 35.5(4).	Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) E. Coli (per 100 mL) Ammonia Boron Chloride	norganic (mg/l	DM CS-I acute 6.5 - 9.0 L) acute TVS TVS 	MWAT CS-I chronic 6.0 7.0 150* 126 126 Chronic TVS 0.75 250	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead	Metals (ug/L)	chronic 0.02 TVS TVS TVS WS 1000 TVS
Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date *chlorophyll a the facilities lis #Phosphorus(el facilities listed	Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): c) = hybrid e of 12/31/2024 (mg/m ²)(chronic) = applies only above sted at 35.5(4). hronic) = applies only above the at 36.5(4).	Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Ve Ammonia Boron Chloride Chlorine	norganic (mg/l	DM CS-I acute 6.5 - 9.0 L) acute TVS TVS 0.019	MWAT CS-I chronic 6.0 7.0 150* 126	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T)	Metals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS 50 TVS 50 TVS 50 50 50 50 50 50 50 50 50 50	chronic 0.02 TVS TVS TVS TVS TVS S WS 1000 TVS
Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date *chlorophyll a the facilities lis *Phosphorus(el facilities listed	Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): c) = hybrid e of 12/31/2024 (mg/m ²)(chronic) = applies only above sted at 35.5(4). hronic) = applies only above the at 36.5(4).	Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) E. Coli (per 100 mL) Ammonia Boron Chloride Chlorine Cvanide	norganic (mg/l	DM CS-I acute 6.5 - 9.0 L) acute TVS 0.019 0.005	MWAT CS-I chronic 6.0 7.0 150* 126 Chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese	Metals (ug/L) acute 340 TVS 5.0 TVS S0 TVS	chronic 0.02 TVS TVS TVS WS 1000 TVS TVSWS
Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronii Expiration Date *chlorophyll a the facilities lis #Pheephorus(el facilities listed	Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): c) = hybrid e of 12/31/2024 (mg/m ²)(chronic) = applies only above sted at 35.5(4). hronic) = applies only above the at 35.5(4).	Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) E. Coli (per 100 mL) Ammonia Boron Chloride Chlorine Cyanide Nitrate	norganic (mg/	DM CS-I acute 6.5 - 9.0 C. C. C. C. C. C. C. C. C. C.	MWAT CS-I chronic 6.0 7.0 150* 126 126 Chronic TVS 0.75 250 0.011 	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury	Metals (ug/L) acute 340 TVS 5.0 TVS S0 TVS	chronic 0.02 TVS TVS TVS MS 1000 TVS TVS TVS TVS TVS TVS TVS TVS US 1000 TVS TVS/WS 0.01(t)
Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date *chlorophyll a the facilities list #Phesphorus(el facilities-listed	Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): c) = hybrid e of 12/31/2024 (mg/m ²)(chronic) = applies only above sted at 35.5(4). hronic) = applies only above the at 35.5(4). s not acted on segment total phosphorus (TP)	Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) E. Coli (per 100 mL) Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite	norganic (mg/l	DM CS-I acute 6.5 - 9.0 6.5 - 9.0 C.1 acute TVS 0.019 0.005 10 0.05	MWAT CS-I chronic 6.0 7.0 150* 126 126	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T)	Metals (ug/L) acute acu	chronic 0.02 TVS TVS TVS TVS TVS TVS TVS TVS TVS 0.00 TVS TVS 0.00 TVS TVS 0.01(t) 150
Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date *chlorophyll a the facilities lis =Phesphorus(el facilities_listed	Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): c) = hybrid e of 12/31/2024 (mg/m ²)(chronic) = applies only above sted at 35.5(4). hronic) = applies only above the -at 35.5(4). s not acted on segment total phosphorus (TP) s standards based on	Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	norganic (mg/l	DM CS-I acute 6.5 - 9.0 () acute TVS 0.019 0.005 10 0.005 	MWAT CS-I chronic 6.0 7.0 150* 126 126	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel	Metals (ug/L) acute 340 TVS 5.0 TVS 50 TVS S0 TVS S0 TVS TVS TVS S0 TVS S0 TVS S0 TVS S0 TVS	chronic 0.02 TVS TVS TVS TVS TVS TVS TVS TVS US 1000 TVS US 0.01(t) 150 TVS
Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date *chlorophyll a the facilities listed EPA has specific numeric the inter	Agriculture Aq Life Cold 1 Recreation E Water Supply	Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Ammonia Boron Chloride Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	norganic (mg/l	DM CS-I acute 6.5 - 9.0 C.1 acute TVS 0.019 0.005 10 0.05 	MWAT CS-I chronic 6.0 7.0 150* 126 126	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel	Metals (ug/L) acute 340 TVS 50 TVS S0 TVS 50 TVS S0 TVS S0 TVS TVS S0 TVS S0 TVS S0 TVS S0 TVS S0 TVS S0 TVS	chronic 0.02 TVS TVS TVS TVS TVS TVS TVS 1000 TVS TVS 0.01(t) 150 TVS 100
Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date *chlorophyll a the facilities listed EPA has specific numeric the inter stream s	Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): c) = hybrid e of 12/31/2024 (mg/m ²)(chronic) = applies only above sted at 35.5(4). hronic) = applies only above the at 36.5(4). s not acted on segment total phosphorus (TP) s standards based on rim value for river/ segments with a cold	Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Ve Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfate Sulfate	norganic (mg/l	DM CS-I acute 6.5 - 9.0 CO19 0.005 10 0.005 0.019 0.005 	MWAT CS-I chronic 6.0 7.0 150* 126 Chronic TVS 0.75 250 0.011 0.011 0.11* WS 0.002	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	Metals (ug/L) acute 340 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS TVS TVS	chronic 0.02 TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS 1000 TVS 0.01(t) 150 TVS 100 TVS 100 TVS
Reviewable Qualifiers: Other: Temporary Mc Arsenic(chronic Expiration Date *chlorophyll a the facilities listed EPA has specific numeric the inter stream s water ac	Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): c) = hybrid e of 12/31/2024 (mg/m ²)(chronic) = applies only above sted at 35.5(4). hronie) = applies only above the at 35.5(4). s not acted on segment total phosphorus (TP) e standards based on rim value for river/ segments with a cold guatic life classification	 Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) E. Coli (per 100 mL) Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfate Sulfate 	norganic (mg/l	DM CS-I acute 6.5 - 9.0 CO19 0.005 10 0.05 10 0.05 	MWAT CS-I chronic 6.0 7.0 150* 126 Chronic TVS 0.75 250 0.011 0.011 0.11* WS 0.002	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	Metals (ug/L) acute 340 TVS 50 TVS 50 TVS 50 TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS	chronic 0.02 TVS TVS
Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronii Expiration Date *chlorophyll a the facilities list *Pheophorus(el facilities listed EPA has specific numeric the inter stream s water ac (0, 11 mo	Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): c) = hybrid e of 12/31/2024 (mg/m ²)(chronic) = applies only above sted at 35.5(4). hronic) = applies only above the at 35.5(4). s not acted on segment total phosphorus (TP) is standards based on rim value for river/ segments with a cold quatic life classification g/L TP).	Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfate	norganic (mg/	DM CS-I acute 6.5 - 9.0 CO19 0.005 10 0.005 10 0.005 	MWAT CS-I chronic 6.0 7.0 150* 126 Chronic TVS 0.75 250 0.011 0.11* WS 0.002	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	Metals (ug/L) acute 340 TVS 5.0 TVS 5.0 TVS 5.0 TVS 50 TVS 50 TVS TVS 50 TVS TVS TVS	chronic 0.02 TVS 1000 TVS/WS 0.01(t) 150 TVS 100 TVS 100 TVS 100 TVS 100 TVS
Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronii Expiration Date *chlorophyll a the facilities list #Pheophorus(el facilities listed becific facilities listed EPA has specific numeric the inter stream s water ac (0.11 mg	Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): c) = hybrid e of 12/31/2024 (mg/m ²)(chronic) = applies only above sted at 35.5(4). hronic) = applies only above the at 35.5(4). s not acted on segment total phosphorus (TP) s standards based on rim value for river/ segments with a cold quatic life classification g/L TP).	Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) E. Coli (per 100 mL) Ammonia Boron Chloride Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfate	norganic (mg/	DM CS-I acute 6.5 - 9.0 COU TVS 0.019 0.005 10 0.005 10 0.05 	MWAT CS-I chronic 6.0 7.0 150* 126 Chronic TVS 0.75 250 0.011 0.11* WS 0.002	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium Silver Uranium	Metals (ug/L) acute 340 340 TVS 50 TVS 50 TVS 50 TVS 50 TVS TVS 50 TVS 50 TVS<	chronic 0.02 TVS 1000 TVS 0.01(1) 150 TVS 100 TVS 100 TVS 100 TVS TVS(r)

All metals are dissolved unless otherwise noted.

T = total recoverable

D.O. = dissolved oxygen DM = daily maximum

MWAT = maximum weekly average temperature

tr = trout sc = sculpin

t = total

4b. Muddy Cre	eek, including all tributaries and wetland	s, from the national forest boundary to	the confluence	e with Anthra	acite Creek, except for the specifi	c listings in Se	egment 1.
COGUNF04B	Classifications	Physical and Biolog	ical		Metal	s (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CS-II	CS-II	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02
Qualifiers:		D.O. (spawning)		7.0	Beryllium		
Other:		рН	6.5 - 9.0		Cadmium	TVS	TVS
		chlorophyll a (mg/m ²)		150	Cadmium(T)	5.0	
		E. Coli (per 100 mL)		126	Chromium III		TVS
					Chromium III(T)	50	
		Inorganic (mg	/L)		Chromium VI	TVS	TVS
			acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron		WS
		Boron		0.75	Iron(T)		1000
		Chloride		250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	
		Cyanide	0.005		Manganese	TVS	TVS/WS
EPA has	s not acted on segment-	Nitrate	10		Mercury		0.01(t)
specific	total phosphorus (TP)	Nitrite	0.05		Molybdenum(T)		150
numeric	standards based on	Phosphorus		0.11	Nickel	TVS	TVS
the inter	im value for river/	Sulfate		WS	Nickel(T)		100
stream s	segments with a cold	Sulfide		0.002	Selenium	TVS	TVS
water ac	uatic life classification				Silver	TVS	TVS(tr)
(0.11 mg	g/L TP).				Uranium		
	,				Zinc	TVS	TVS/TVS(sc)
4c. All tributarie	es to Lake Irwin from their sources to the	he inlet of Lake Irwin.					
COGUNF04C	Classifications	Physical and Biolog	ical		Metal	s (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Aluminum		
A 11/1	Recreation E		acute	chronic	Arsenic	340	
Qualifiers:		D.O. (mg/L)		6.0	Arsenic(T)		7.6
Other:		D.O. (spawning)		7.0	Beryllium		
*chlorophyll a	$(ma/m^2)(chronic) = applies only above$	рН	6.5 - 9.0		Cadmium	TVS	TVS
the facilities list	sted at 35.5(4).	chlorophyll a (mg/m ²)		150*	Chromium III		TVS
*Phosphorus(cl facilities listed	hronic) = applies only above the at 35.5(4).	E. Coli (per 100 mL)		126	Chromium III(T)	50	
					Chromium VI	TVS	TVS
		Inorganic (mg	/L)		Copper	TVS	TVS
			acute	chronic	Iron(T)		1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron		0.75	Manganese	TVS	TVS
		Chloride		250	Mercury		0.01(t)
		Chlorine	0.019	0.011	Molybdenum(T)		150
		Cyanide	0.005		Nickel	TVS	TVS
		Nitrate	100		Selenium	TVS	TVS
		Nitrite	0.05		Silver	TVS	TVS(tr)
		Phosphorus		0.11*	Uranium		
		Sulfate			Zinc	TVS	TVS/TVS(sc)
		Sulfide		0.002			

All metals are dissolved unless otherwise noted. T = total recoverable t = total tr = trout sc = sculpin

Orbuited Beignation An July Cod 1Physical Hollow (Internet Physical Network An July Cod 1Physical Hollow (Internet Physical Network Network Physical Network	5a. Mainstems Jay Creek fror	m its source to its confluence with the	North Fork of the Gunnison River.					
<table-container>Benden Normal NormaImage</table-container>	COGUNF05A	Classifications	Physical and Biolo	gical			Metals (ug/L)	
Processor / Name Programmer 'C CP-1 Marina (m) Outer Strip 0.0 (ng.1) 7.0 Postal	Designation	Agriculture		DM	MWAT		acute	chronic
ReventorProvembraAvainable	Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Aluminum		
Water Step/ O.C. (mp.L) ··· B.D. Marcat J. C. (mp.L) ··· Barra J. C. (mp.L) Call and M. J. C. (mp.L) ··· Barra J. C. (mp.L) Call and M. J. C. (mp.L) ··· Barra J. C. (mp.L) Call and M. J. C. (mp.L)		Recreation P		acute	chronic	Arsenic	340	
Quartial conceptD.0. (spratring)·P10RegularConceptMode···Other:Interpartar Modication():Interpartar		Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02
Other: PH 65.90 Cashinam TVS TVS Transport, the first Annack(thrank) - Hybrid Explanation Date of 12310024 Explanation Time 100 Cashinam (T) 5.0	Qualifiers:	•	D.O. (spawning)		7.0	Beryllium		
Tenponary Madilication (b): Anamacian (b):	Other:		рН	6.5 - 9.0		Cadmium	TVS	TVS
E. Configer 100 mL 265 Consider mill This Epiration Date of 1231/0201 Exact (see 100 mL) Consider MIII) 60 Epiration Date of 1231/0201 See 0 Consider MIII) 00 Epiration Date of 1231/0201 See 0 Consider MIIII) 00 EPA has not acted on segment specific total phosphorus (TP) numeric standards based on the interfir value for river/ stream segments with a cold water aquatic life classification (0.11 mg L TP). Conside 0.005 Maganese TVS Nodeffruit 0.010 Stream segments with a cold water aquatic life classification (0.11 mg L TP). Stream segments with a cold water aquatic life classification (0.11 mg L TP). Stream segments with a cold water aquatic life classification (0.11 mg L TP). Stream segments with a cold water aquatic life classification (0.11 mg L TP). Stream segments with a cold water aquatic life classification (0.11 mg L TP). Stream segments with a cold water aquatic life classification (0.11 mg L TP). TVS Stream segments (Transo L Lecux Creek transo L Lecux Creek transo L Lecux Creek transo L Lecux Creek transo L creak transo L Lecux Creek transo L creak transo L Lecux Creek transo L Lecux Creek transo L Lecux Creek transo L creak transo L Lecux Creek transo L Lecux Cree	Temporary M	odification(s):	chlorophyll a (mg/m ²)		150	Cadmium(T)	5.0	
Epidemin Due of 1231/224 Inicity Operation (ingl.) Second S	Arsenic(chroni	c) = bybrid	E. Coli (per 100 mL)		205	Chromium III		TVS
FPA has not acted on segment swith a cold with a cold w	Expiration Date	e of 12/31/2024				Chromium III(T)	50	
Barnen in aute dentitie cruss russ russ <thruss< th=""> russ russ</thruss<>	•		Inorganic (m	g/L)		Chromium VI	TVS	TVS
FPA has not a cted on segment Ammoria TVS TVS TVC TVC TVS TVS EPA has not a cted on segment Choine 0.019 0.011 Lead T TVS TVS specific trip Jonan 0.019 0.011 Lead T TVS TVS hmme to standards based on the interim value for river Minte 0.005 Maraze TVS TVS Suitas Nickd TVS Statis TVS TVS Suitas Nickd TVS TVS TVS TVS Suitas Nickd TVS TVS TVS TVS Suitas Nickd TVS				acute	chronic	Copper	TVS	TVS
EPA has not acted on segnenting pair in value for iver / value for i			Ammonia	TVS	TVS	Iron		WS
EPA has not acted on segment specific total phosphorus (TP) numeric standards based on the interim value for river/ stream segments with a cold water aguatic life classification (0.11 mg/L TP). Yusy (Yusy (Boron		0.75	Iron(T)		1000
EPA has not acted on segments specific total phosphorus (TP) numeric standards based thandards based on the interim value for river/ stream segments with a cold water aquatic life classification Original (Control (Contro (Control (Contro (Contro (Contro (Control (Contro (Contro (Contro)			Chloride		250	Lead	TVS	TVS
EPA has not acted on segments specific total phosphorus (TP) numeric standards based on the interim value for river/ stream segments with a cold water aquatic life classification (0.11 mg/L + P). Cyaride (Name (Classification) Cyaride (Name (Name) Cyaride (Name)			Chlorine	0.019	0.011	Lead(T)	50	
EPA has not acted on segments Nitrate 0.0 Mercury 0.01(i) specific total phosphorus (TP) Nitrate 0.05 Moldemn(T) 150 stream segments with a cold water aquatic life classification (0.11 mg/L TP). Nitrate 0.000 Nitrate Nitrate 0.000 Suite 0.000 Nitrate Nitrate 0.000 Silver TVS TVS Suite 0.000 Silver Nitrate 0.000 Silver TVS TVS TVS Suite 0.000 Silver TVS SUIT SUIT			Cvanide	0.005		Manganese	TVS	TVS/WS
specific total phosphorus (TP) numeric standards based on the interim value for river/ stream segments with a cold water aquatic life classification Nithe 0.05 Nickat (T) 150 Suide 0.44 Nickat (T) 100 Suide 0.44 Nickat (T) 100 Suide VS Nickat (T) 100 Suide VS Nickat (T)	EPA has	not acted on segment-	Nitrate	10		Mercury		0.01(t)
numeric standards based on the interim value for river/ Sultaba conductor (0.11 mg/L TP). Phosphorus segments with a cold water aquatic life classification (0.11 mg/L TP). Builds conductor (0.11 mg/L TP). B	specific t	otal phosphorus (TP)	Nitrite	0.05		Molybdenum(T)		150
the interim value for river/ stream segments with a cold water aquatic life classification (0.11 mg/L TP). Sultain V/S Nicke(T) 100 Sultain 0.002 Selfein N'S TVS Silver TVS TVS Silver TVS TVS Silver TVS TVS Silver TVS TVS TVS Silver TVS TVS Silver TVS TVS Silver TVS Silver Silver TVS Silver Silver TVS Silver Silv	numeric	standards based on	Phosphorus		0.11	Nickel	TVS	TVS
Stream segments with a cold water aquatic life classification (0.11 mg/L TP). Sulfa	the interi	m value for river/	Sulfate		WS	Nickel(T)		100
Water aquatic life classification (0.11 mg/L TP). Non- training Non	stream s	egments with a cold	Sulfide		0.002	Selenium	TVS	TVS
Image Image <th< td=""><td>water aq</td><td>uatic life classification</td><td>Canac</td><td></td><td>0.002</td><td>Silver</td><td>TVS</td><td>TVS(tr)</td></th<>	water aq	uatic life classification	Canac		0.002	Silver	TVS	TVS(tr)
Sh. Mainstem of Roatcap Creak, including all tributaries and verlands, from the source to the confluence with the North Fork of the Gunnison. Leroux Creak from the netional forest boundary to its confluence with the North Fork of the Gunnison. Leroux Creak from the netional forest boundary to its confluence with the North Fork of the Gunnison. Leroux Creak from the netional forest boundary to its confluence with the North Fork of the Gunnison. Leroux Creak from the netional forest boundary to its confluence with the North Fork of the Gunnison. Leroux Creak from the netional forest boundary to its confluence with the North Fork of the Gunnison. Leroux Creak from the netional forest boundary to its confluence with the North Fork of the Gunnison. Leroux Creak from the netional forest boundary to its confluence with the North Fork of the Gunnison. Leroux Creak from the netional forest boundary to its confluence with the North Fork of the Gunnison. Leroux Creak from the netional forest boundary to its confluence with the North Fork of the Gunnison. Leroux Creak from the netional forest boundary to its confluence with the North Fork of the Gunnison. Leroux Creak from the netional forest boundary to its confluence with the North Fork of the Gunnison. Leroux Creak from the netional forest boundary to its confluence with the North Fork of the Gunnison. Leroux Creak from the netional forest boundary to its confluence with the North Fork of the Gunnison. Leroux Creak from the netional forest boundary to its confluence with the North Fork of the Gunnison. Leroux Creak from the netional forest boundary to its confluence with the North Fork of the Gunnison. Leroux Creak from the netional forest boundary to its confluence with the North Fork of the Gunnison. Leroux Creak from the netional forest boundary to its confluence with the North Fork of the Gunnison. Leroux Creak from the netional forest boundary to its confluence from the North Forest boundary the North forest boundary to its confluence from th	(0.11 mg	J/L TP).				Uranium		
Bit Mainstern of Roatcap Creek, including all tributaries and wetlands, from the source to the confluence with the North of the Gunnison. Leroux Creek from the national Grest boundary to its confluence with the North Fork of the Gunnison. Leroux Creek from the national Grest Confluence with the North Fork of the Gunnison. Leroux Creek from the national Grest Confluence with the North Fork of the Gunnison. Leroux Creek from the national Grest Confluence with the North Fork of the Gunnison. Leroux Creek from the national Grest Confluence with the North Fork of the Gunnison. Leroux Creek from the national Grest Confluence with the North Fork of the Gunnison. Leroux Creek from the national Grest Confluence with the North Fork of the Gunnison. Leroux Creek from the national Grest Confluence with the North Fork of the Gunnison. Leroux Creek from the national Grest Confluence with the North Fork of the Gunnison. Leroux Creek from the national Grest Confluence with the North Fork of the Gunnison. Leroux Creek from the national Grest Confluence with the North Fork of the Gunnison. Leroux Creek from the national Grest Confluence with the North Fork of the Gunnison. Leroux Creek from the national Grest Confluence with the North Fork of the Gunnison. Leroux Creek from the national Grest Confluence with the North Fork of the Gunnison. Leroux Creek from the accute Confluence with the North Fork of the Gunnison. Leroux Creek from the Confluence with the North Fork of the Gunnison. Leroux Creek from the national Grest Confluence With the North Fork of the Gunnison. Leroux Creek from the Confluence with the North Fork of the Gunnison. Leroux Creek from the Confluence With the North Fork of the Gunnison. Leroux Creek from the Confluence With the North Fork of the Gunnison. Leroux Creek from the Confluence With the North Fork of the Gunnison. Leroux Creek from the Confluence With the North Fork of the Gunnison. Leroux Creek from the Confluence With the North Fork of the Gunnison. Leroux Creek from the Gres						Zinc	TVS	TVS/TVS(sc)
bandary is its corflience with the North Fork of the Genision River. Metals (ugL) C0GUNF08 Classifications Module Module Module Reviewable Agriculture Temperature "C CS-II Aluminum Reviewable Agriculture Temperature "C CS-II Auminum Qualifiers: D.O. (mg/L) 6.0 Arseric(T) 0.0 Qualifiers: D.O. (spawning) 7.0 Beryllium Other: pH 6.5 - 9.0 Cadmium(T) 5.0 Temporary Motification(s): pH 6.5 - 9.0 Cadmium(T) 5.0 Agriculture of torophyll a (mg/m ²) 1500 Cadmium(T) 5.0 Temporary Motification(s): Arseric(Printur) 5.0 Chronium III(T) 5.0								
Considerations Considerations Considerations Considerations Designation Agriculture Considerations Agriculture Agriculture CS:II CS:II Aluminum	5b. Mainstem	of Roatcap Creek, including all tributar	ies and wetlands, from the source to the	ne confluence v	vith the North	n Fork of the Gunnison. Le	roux Creek from the r	ational forest
Designation Reviewable Reviewable Network Agriculture Reviewable Agriculture Agriculture Reviewable Reviewable Network Agriculture Reviewable Network Agriculture Reviewable Network Agriculture Reviewable Agriculture Color Color Muminu	5b. Mainstem boundary to its	of Roatcap Creek, including all tributar s confluence with the North Fork of the	es and wetlands, from the source to th Gunnison River.	ne confluence v	vith the North	Fork of the Gunnison. Le	roux Creek from the r	ational forest
Reviewation P All Life Code 1 Representation P Automnum A	5b. Mainstem boundary to its COGUNF05B	of Roatcap Creek, including all tributar s confluence with the North Fork of the Classifications	es and wetlands, from the source to the Gunnison River. Physical and Biology	ne confluence v	vith the North	Fork of the Gunnison. Le	roux Creek from the r	ational forest
Rediction P Reserve of Point Arsence of Point Arsence of Point State of Point Stat	5b. Mainstem boundary to its COGUNF05B Designation	of Roatcap Creek, including all tributar s confluence with the North Fork of the Classifications Agriculture	es and wetlands, from the source to th Gunnison River. Physical and Biolo	ne confluence v ogical DM	with the North	h Fork of the Gunnison. Le	roux Creek from the r Metals (ug/L) acute	ational forest chronic
Dob. (mg/L)b.0Arsen(r)ColumnQualifiers:D.0. (spawning)NoBerylliumOther:PH6.50Cadmium (T)5.0Temporary Modification(s):chlorophyll a (mg/m ³)150Cadmium (T)5.0Arsenic(chronic) = hybridE. Coli (per 100 mL)205Chromium IIITVSFormation Date of 12/31/2024E. Coli (per 100 mL)205Chromium IIITVSMamoniaTVSTVSCopperTVSTVSAmmoniaTVSTVSIron(T)MVSBoron0.75Iron(T)1000Chloride0.05Iron(T)1000Chloride0.05MaganeseTVSTVSWSNitrate100Molybdenum(T)150Nitrate0.05Molybdenum(T)150SulfateWSNicke(T)100100SulfateWSNicke(T)150SulfateWSNicke(T)100100SulfateWSNicke(T)100SulfateWSSilverTVSVS(m)	5b. Mainstem boundary to its COGUNF05B Designation Reviewable	of Roatcap Creek, including all tributar s confluence with the North Fork of the Classifications Agriculture Aq Life Cold 1 Pecreation P	es and wetlands, from the source to th Gunnison River. Physical and Biolo Temperature °C	ne confluence v ngical DM CS-II	WWAT CS-II	h Fork of the Gunnison. Le	roux Creek from the r Metals (ug/L) acute	ational forest chronic
declanation D.0. (spawning) 7.0 Beryllum 7.0 Other: pH 6.5 - 9.0 Cadnium TVS TVS Temporary Modification(s): chlorophyll a (mg/m ²) 150 Cadmium(T) 5.0 Arsenic(chronic) = hybrid E. Coli (per 100 mL) Dromiun III TVS Inorganic (mg/L) Chromium III(T) 50 TVS Annonia TVS TVS Copper TVS TVS Boron 0.75 Iron(T) 1000 Chloride 250 Lead TVS TVS Chloride 0.019 0.011 Lead(T) 50 Cyanide 0.005 Marganese TVS TVS Nitrate 10 Moldenum(T) 0.01(i) Nitrate 0.05 Moldenum(T) 150 Suffate WS Nickel(T) 150 Prosphorus WS Selenium TVS TVS Suffate WS Silver TVS TVS(tr) <td>5b. Mainstem boundary to its COGUNF05B Designation Reviewable</td> <td>of Roatcap Creek, including all tributar s confluence with the North Fork of the Classifications Agriculture Aq Life Cold 1 Recreation P Water Sumly</td> <td>es and wetlands, from the source to th Gunnison River. Physical and Biolo Temperature °C</td> <td>ne confluence v ngical DM CS-II acute</td> <td>MWAT CS-II chronic</td> <td>Aluminum</td> <td>roux Creek from the r Metals (ug/L) acute 340</td> <td>chronic</td>	5b. Mainstem boundary to its COGUNF05B Designation Reviewable	of Roatcap Creek, including all tributar s confluence with the North Fork of the Classifications Agriculture Aq Life Cold 1 Recreation P Water Sumly	es and wetlands, from the source to th Gunnison River. Physical and Biolo Temperature °C	ne confluence v ngical DM CS-II acute	MWAT CS-II chronic	Aluminum	roux Creek from the r Metals (ug/L) acute 340	chronic
Other: PH 0.5 - SU Cadmum IVS IVS Temporary Modification(s): chlorophyll a (mg/m²) 150 Cadmium(T) 5.0 Arsenic(chronic) = hybrid E. Coli (per 100 mL) 205 Chromium III TVS Expiration Date of 12/31/2024 Inorganic (mg/L) Chromium III(T) 50 Mamonia TVS TVS Chromium III(T) 50 Ammonia TVS TVS Chromium III(T) 50 Boron 0.75 Iron(T) 1000 Chlorine 0.019 0.011 Lead TVS TVS Chronius 0.005 Manganese TVS TVS Nitrate 10 MolyDelnum(T) 0.01(I) Nitrate 0.05 MolyDelnum(T) 150 Phosphorus 0.414 Nicke(T) 1	5b. Mainstem boundary to its COGUNF05B Designation Reviewable	of Roatcap Creek, including all tributar s confluence with the North Fork of the Classifications Agriculture Aq Life Cold 1 Recreation P Water Supply	Physical and Biolo Temperature °C D.O. (mg/L)	e confluence v egical DM CS-II acute 	MWAT CS-II chronic 6.0	Aluminum Arsenic Arsenic(T)	roux Creek from the r Metals (ug/L) acute 340 	chronic 0.02
Temporary Modification(s): Citility (ing/m ²) 150 Cadmiun(1) 5.0 Arsenic(chronic) = hybrid E. Coli (per 100 mL) 205 Chromium III TVS Expiration Date of 12/31/2024 Inorganic (mg/L) Chromium VI TVS TVS TVS Inorganic (mg/L) Chromium VI TVS TVS TVS TVS Ammonia TVS TVS Iron(T) MS Boron 0.75 Iron(T) 1000 Chloride 250 Lead TVS TVS Chloride 0.019 0.011 Lead(T) 50 Cyanide 0.005 Marganese TVS TVS Nitrate 0.05 Molybdenum(T) 150 Phosphorus 0.414 Nickel(T) 100 Sulfate 0.002 Selenium TVS TVS Sulfate 0.002 Selenium TVS TVS(tr) Inorganic (mg/L) 100 100	5b. Mainstem boundary to its COGUNF05B Designation Reviewable Qualifiers:	of Roatcap Creek, including all tributar s confluence with the North Fork of the Classifications Agriculture Aq Life Cold 1 Recreation P Water Supply	es and wetlands, from the source to th Gunnison River. Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning)	e confluence v gical DM CS-II acute 	MWAT CS-II chronic 6.0 7.0	Aluminum Arsenic Arsenic(T) Beryllium	roux Creek from the r Metals (ug/L) acute 340 	chronic 0.02
Arsenic(chronic) = hybrid E. Cell (per 100 mL) 205 Chromium III TVS Expiration Date of 12/31/2024 Inorganic (mg/L) Chromium III(T) 50 Mamonia TVS Arus Copper TVS TVS Ammonia TVS TVS Iron(T) 0.075 Iron(T) 0.000 Chloride 250 Lead TVS TVS TVS Chorinie 0.019 0.011 Lead(T) 50 0.010 Chlorine 0.019 0.011 Lead(T) 50 0.010 Nitrate 0.010 Manganese TVS TVS Nitrate 0.05 Matybenum(T) 150 Phosphorus 0.014 Nickel(T) 100 Sulfate WS Nickel(T) 100 Sulfate 0.002 Selenium TVS TVS Sulfate 0.002 Selenium </td <td>5b. Mainstem boundary to its COGUNF05B Designation Reviewable Qualifiers: Other:</td> <td>of Roatcap Creek, including all tributar s confluence with the North Fork of the Classifications Agriculture Aq Life Cold 1 Recreation P Water Supply</td> <td>es and wetlands, from the source to th Gunnison River. Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH</td> <td>e confluence v ngical DM CS-II acute 6.5 - 9.0</td> <td>MWAT CS-II chronic 6.0 7.0</td> <td>Aluminum Aluminum Arsenic Arsenic(T) Beryllium Cadmium</td> <td>roux Creek from the r Metals (ug/L) acute 340 TVS</td> <td>chronic 0.02 TVS</td>	5b. Mainstem boundary to its COGUNF05B Designation Reviewable Qualifiers: Other:	of Roatcap Creek, including all tributar s confluence with the North Fork of the Classifications Agriculture Aq Life Cold 1 Recreation P Water Supply	es and wetlands, from the source to th Gunnison River. Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH	e confluence v ngical DM CS-II acute 6.5 - 9.0	MWAT CS-II chronic 6.0 7.0	Aluminum Aluminum Arsenic Arsenic(T) Beryllium Cadmium	roux Creek from the r Metals (ug/L) acute 340 TVS	chronic 0.02 TVS
Expiration Date of 12/31/2024Inorganic (mg/L)Chromium III(1)50Inorganic (mg/L)Chromium VITVSTVSTVSAmmoniaTVSTVSIronWSBoron0.75Iron(T)1000Chloride250LeadTVSTVSChorine0.0190.011Lead(T)50Cyanide0.005ManganeseTVSTVSWSNitrate10Molybdenum(T)1.00Nitrite0.05Molybdenum(T)1.50Sulfate0.414Nickel(T)1.00Sulfate0.002SeleniumTVSTVSSulfate0.002SilverTVSTVS(tr)Uranium0.002SilverTVSTVS(tr)Uranium0.002SilverTVSTVS(tr)Sulfate0.002SilverTVSTVS(tr)Sulfate0.002SilverTVSTVS(tr)UraniumSilverTVSTVS(tr)SulfateSilverTVSTVS(tr)SulfateSilverTVSTVS(tr)SulfateSilverTVSTVS(tr)SulfateSilverTVSTVS(tr)Sulfate <td>5b. Mainstem boundary to its COGUNF05B Designation Reviewable Qualifiers: Other: Temporary Mo</td> <td>of Roatcap Creek, including all tributar s confluence with the North Fork of the Classifications Agriculture Aq Life Cold 1 Recreation P Water Supply</td> <td>es and wetlands, from the source to th Gunnison River. Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. O. I'(co. 100 ml)</td> <td>e confluence v ogical DM CS-II acute 6.5 - 9.0</td> <td>MWAT CS-II chronic 6.0 7.0 150</td> <td>Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T)</td> <td>roux Creek from the r Metals (ug/L) acute 340 TVS 5.0</td> <td>chronic 0.02 TVS </td>	5b. Mainstem boundary to its COGUNF05B Designation Reviewable Qualifiers: Other: Temporary Mo	of Roatcap Creek, including all tributar s confluence with the North Fork of the Classifications Agriculture Aq Life Cold 1 Recreation P Water Supply	es and wetlands, from the source to th Gunnison River. Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. O. I'(co. 100 ml)	e confluence v ogical DM CS-II acute 6.5 - 9.0	MWAT CS-II chronic 6.0 7.0 150	Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T)	roux Creek from the r Metals (ug/L) acute 340 TVS 5.0	chronic 0.02 TVS
Inorganic (mg/L)Chromium VITVSTVSanumoniachronicCopperTVSTVSAmmoniaTVSTVSIronWSBoron0.75Iron(T)1000Chloride250LeadTVSTVSChlorine0.0190.011Lead(T)50Cyanide0.005ManganeseTVSTVSWSNitrate10Molybdenum(T)150Phosphorus0.014Nickel(T)150SulfateWSNickel(T)100SulfateWSNickel(T)100SulfateWSNickel(T)100SulfateWSNickel(T)100SulfateWSNickel(T)100SulfateWSNickel(T)100SulfateWSNickel(T)100SulfateWSNickel(T)100SulfateWSNickel(T)100SulfateWSNickel(T)100SulfateSilverTVSTVS(tr)UraniumIncIncSulfateIncTVSTVS(tr)UraniumIncInc	5b. Mainstern boundary to its COGUNF05B Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chroni	of Roatcap Creek, including all tributar s confluence with the North Fork of the Classifications Agriculture Aq Life Cold 1 Recreation P Water Supply odification(s): c) = hybrid	es and wetlands, from the source to th Gunnison River. Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)	e confluence v ogical CS-II acute 6.5 - 9.0 	WWAT CS-II chronic 6.0 7.0 150 205	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III	roux Creek from the r Metals (ug/L) acute 340 TVS 5.0 	chronic 0.02 TVS TVS
AmmoniaTVSTVSIronTVSTVSBoron0.75Iron(T)1000Chloride250LeadTVSTVSChlorine0.0190.011Lead(T)50Cyanide0.005MarganeseTVSTVSWSNitrate10Molybdenum(T)0.01(t)Nitrite0.05Molybdenum(T)150Phosphorus0.414Nickel(T)100SulfateWSNickel(T)100Sulfate0.02SeleniumTVSTVSSulfate0.02SeleniumTVSTVS(tr)Uranium2incTVSTVSTVSTVSTVSTVSTVSTVSSulfate0.02SeleniumTVSTVSSulfate0.02SeleniumTVSTVSSulfate0.02SeleniumTVSTVSSulfateSulfateSulfateSeleniumSulfateSeleniumSulfateSeleniumSulfateSeleniumSulfateSeleniumSulfate </td <td>5b. Mainstem boundary to its COGUNF05B Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Dat</td> <td>of Roatcap Creek, including all tributar s confluence with the North Fork of the Classifications Agriculture Aq Life Cold 1 Recreation P Water Supply odification(s): c) = hybrid e of 12/31/2024</td> <td>es and wetlands, from the source to th Gunnison River. Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)</td> <td>e confluence v ogical CS-II acute 6.5 - 9.0 </td> <td>With the North MWAT CS-II chronic 6.0 7.0 150 205</td> <td>Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III</td> <td>roux Creek from the r Metals (ug/L) acute 340 TVS 5.0 50</td> <td>chronic 0.02 TVS TVS </td>	5b. Mainstem boundary to its COGUNF05B Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Dat	of Roatcap Creek, including all tributar s confluence with the North Fork of the Classifications Agriculture Aq Life Cold 1 Recreation P Water Supply odification(s): c) = hybrid e of 12/31/2024	es and wetlands, from the source to th Gunnison River. Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)	e confluence v ogical CS-II acute 6.5 - 9.0 	With the North MWAT CS-II chronic 6.0 7.0 150 205	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III	roux Creek from the r Metals (ug/L) acute 340 TVS 5.0 50	chronic 0.02 TVS TVS
AmmoniaTVSTVSIronWSBoron0.75Iron(T)1000Chloride250LeadTVSTVSChlorine0.0190.011Lead(T)50Cyanide0.005ManganeseTVSTVSWSNitrate10Molybdenum(T)0.01(i)Nitrite0.05Molybdenum(T)150Phosphorus0.414Nickel TVSTVSTVSSulfateWSSeleniumTVSTVSSulfide0.002SeleniumTVSTVSSulfide0.002SeleniumTVSTVSJuranium0.002SilverTVSTVS(tr)UraniumSilverTVSTVS(tr)UraniumSilverTVSTVS(tr)UraniumSilverTVSTVSSundateSilverTVSTVSTVSSundateSilverTVSTVSTVSSundate	5b. Mainstem boundary to its COGUNF05B Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Dat	of Roatcap Creek, including all tributar s confluence with the North Fork of the Classifications Agriculture Aq Life Cold 1 Recreation P Water Supply odification(s): c) = hybrid e of 12/31/2024	es and wetlands, from the source to th Gunnison River. Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (m	e confluence v gical DM CS-II acute 6.5 - 9.0 g/L)	MWAT CS-II chronic 6.0 7.0 150 205	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III	roux Creek from the r Metals (ug/L) acute 340 TVS 5.0 50 TVS	chronic 0.02 TVS TVS TVS
Boron0.75Iron(T)1000Chloride250LeadTVSTVSChlorine0.0190.011Lead(T)50Cyanide0.005ManganeseTVSTVS/WSNitrate10Molybdenum(T)0.01(t)Nitrite0.05Molybdenum(T)150Phosphorus0.41NickelTVSTVSSulfateWSNickel(T)100Sulfate0.002SilverTVSTVSSulfate0.002SilverTVSTVSSulfate0.002SilverTVSTVSSulfate0.002SilverTVSTVS(tr)UraniumSilverTVSTVS(tr)ZincTVSTVSTVSTVSTVS	5b. Mainstem boundary to its COGUNF05B Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Date	of Roatcap Creek, including all tributar s confluence with the North Fork of the Classifications Agriculture Aq Life Cold 1 Recreation P Water Supply odification(s): c) = hybrid e of 12/31/2024	es and wetlands, from the source to th Gunnison River. Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (m	e confluence v gical DM CS-II acute 6.5 - 9.0 g/L) acute	MWAT CS-II chronic 6.0 7.0 150 205 chronic	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium VI Copper	roux Creek from the r Metals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS	chronic 0.02 TVS
Chloride250LeadTVSTVSChlorine0.0190.011Lead(T)50Cyanide0.005ManganeseTVSTVS/WSNitrate10Mercury0.01(t)Nitrite0.05Molybdenum(T)150Phosphorus0.41NickelTVSTVSSulfateWSNickel(T)100Sulfide0.002SeleniumTVSTVSSulfate0.002SilverTVSTVS(tr)Uranium1002incTVSTVS(tr)	5b. Mainstem boundary to its COGUNF05B Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Dat	of Roatcap Creek, including all tributar s confluence with the North Fork of the Classifications Agriculture Aq Life Cold 1 Recreation P Water Supply odification(s): c) = hybrid e of 12/31/2024	es and wetlands, from the source to th Gunnison River. Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (m Ammonia	e confluence v ogical CS-II acute 6.5 - 9.0 g/L) acute TVS	MWAT CS-II chronic 6.0 7.0 150 205 chronic TVS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III Chromium VI Copper Iron	roux Creek from the r Metals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS	chronic 0.02 TVS TVS TVS TVS WS
Chlorine 0.019 0.011 Lead(T) 50 $$ Cyanide 0.005 $$ ManganeseTVSTVS/WSNitrate 10 $$ Mercury $$ $0.01(t)$ Nitrite 0.05 $$ Molybdenum(T) $$ 150 Phosphorus $$ 0.414 NickelTVSTVSSulfate $$ WSNickel(T) $$ 100 Sulfide $$ 0.002 SeleniumTVSTVSSulfate $$ 0.002 SeleniumTVSTVS(tr)Uranium $$ $$ $2inc$ TVSTVS(tr)	5b. Mainsterm boundary to its COGUNF05B Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Dat	of Roatcap Creek, including all tributar s confluence with the North Fork of the Classifications Agriculture Aq Life Cold 1 Recreation P Water Supply odification(s): c) = hybrid e of 12/31/2024	es and wetlands, from the source to the Gunnison River. Physical and Biology Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron	e confluence v ogical CS-II acute 6.5 - 9.0 g/L) acute TVS 	MWAT CS-II chronic 6.0 7.0 150 205 chronic TVS 0.75	Fork of the Gunnison. Le Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III Chromium III Chromium VI Copper Iron Iron(T)	roux Creek from the r Metals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS 	chronic 0.02 TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS
Cyanide 0.005 ManganeseTVSTVS/WSNitrate10Mercury $0.01(t)$ Nitrite 0.05 Molybdenum(T) 150 Phosphorus 0.11 NickelTVSTVSSulfateWSNickel(T) 100 Sulfide 0.002 SeleniumTVSTVSSulfide 0.002 SeleniumTVSTVS(tr)Uranium $$ $2inc$ TVSTVS	5b. Mainstern boundary to its COGUNF05B Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Dat	of Roatcap Creek, including all tributar s confluence with the North Fork of the Classifications Agriculture Aq Life Cold 1 Recreation P Water Supply odification(s): c) = hybrid e of 12/31/2024	es and wetlands, from the source to the Gunnison River. Physical and Biology Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride	e confluence v ogical CS-II acute 6.5 - 9.0 g/L) acute TVS 	With the North MWAT CS-II chronic 6.0 7.0 150 205 chronic TVS 0.75 250	Fork of the Gunnison. Le Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III Chromium VI Copper Iron Iron(T) Lead	roux Creek from the r Metals (ug/L) acute 340 TVS 50 TVS TVS TVS TVS TVS	chronic 0.02 TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS
Nitrate10Mercury0.01(t)Nitrite0.05Molybdenum(T)150Phosphorus0.14NickelTVSTVSSulfateWSNickel(T)100Sulfide0.002SeleniumTVSTVSSulfide0.002SeleniumTVSTVSSulfide0.002SeleniumTVSTVS(tr)UraniumSilverTVSTVS(tr)UraniumStringSulfateStringStringSulfateSilverTVSTVS(tr)SulfateSilverStringStringSulfateSilverTVSTVS(tr)SulfateSilverStringStringSulfateSilverTVSTVSSulfateSilverStringStringSulfateSilverStringStringSulfateStringStringStringSulfateStringStringStringSulfateStringStringStringSulfateStringStringStringSulfate	5b. Mainstern boundary to its COGUNF05B Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Dat	of Roatcap Creek, including all tributar s confluence with the North Fork of the Classifications Agriculture Aq Life Cold 1 Recreation P Water Supply odification(s): c) = hybrid e of 12/31/2024	es and wetlands, from the source to th Gunnison River. Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chlorine	e confluence v gical DM CS-II acute 6.5 - 9.0 6.5 - 9.0 (0.019	With the North MWAT CS-II chronic 6.0 7.0 150 205 chronic TVS 0.75 250 0.011	Fork of the Gunnison. Le Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T)	roux Creek from the r Metals (ug/L) acute 340 TVS 50 TVS TVS TVS TVS TVS 50	chronic 0.02 TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS
Nitrite0.05Molybdenum(T)150Phosphorus0.11NickelTVSTVSSulfateWSNickel(T)100Sulfide0.002SeleniumTVSTVSSulfate0.002SeleniumTVSTVS(tr)LiraniumZincTVSTVS	5b. Mainstem boundary to its COGUNF05B Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Dat	of Roatcap Creek, including all tributar s confluence with the North Fork of the Classifications Agriculture Aq Life Cold 1 Recreation P Water Supply odification(s): c) = hybrid e of 12/31/2024	es and wetlands, from the source to th Gunnison River. Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chlorine Cyanide	e confluence v gical DM CS-II acute 6.5 - 9.0 6.5 - 9.0 6.5 - 9.0 0.5 0.019 0.005	Vith the North MWAT CS-II chronic 6.0 7.0 150 205 chronic TVS 0.75 250 0.011	Fork of the Gunnison. Le Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese	roux Creek from the r Metals (ug/L) acute 340 TVS 50 TVS TVS TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS	chronic 0.02 TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS
Phosphorus0.41NickelTVSTVSSulfateWSNickel(T)100Sulfide0.002SeleniumTVSTVSSulface0.002SeleniumTVSTVS(tr)UraniumZincTVSTVS	5b. Mainstem boundary to its COGUNF05B Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Date	of Roatcap Creek, including all tributar s confluence with the North Fork of the Classifications Agriculture Aq Life Cold 1 Recreation P Water Supply odification(s): c) = hybrid e of 12/31/2024	es and wetlands, from the source to th Gunnison River. Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chlorine Cyanide Nitrate	e confluence v gical DM CS-II acute 6.5 - 9.0 (0.5 CS (0.019 0.005 10	Vith the North MWAT CS-II CS-II Chronic 150 205 Chronic TVS 0.75 250 0.011	Fork of the Gunnison. Le Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury	roux Creek from the r Metals (ug/L) acute 340 TVS 50 TVS 50 TVS TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS	chronic 0.02 TVS TVS TVS TVS TVS TVS TVS TVS 1000 TVS TVS/WS 0.01(t)
Sulfate WS Nickel(T) 100 Sulfide 0.002 Selenium TVS TVS Silver TVS TVS(tr) Uranium Zinc TVS TVS TVS TVS	5b. Mainstem boundary to its COGUNF05B Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Dat	of Roatcap Creek, including all tributar s confluence with the North Fork of the Classifications Agriculture Aq Life Cold 1 Recreation P Water Supply codification(s): c) = hybrid e of 12/31/2024	es and wetlands, from the source to the Gunnison River. Physical and Biology Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Chlorine Cyanide Nitriate Nitrite	e confluence v gical DM CS-II acute 6.5 - 9.0 6.5 - 9.0 () 5.5 0.01 0.005 10 0.05	Vith the North MWAT CS-II CS-II Chronic 150 205 Chronic TVS 0.75 250 0.011	Fork of the Gunnison. Le Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T)	roux Creek from the r Metals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS	chronic 0.02 TVS US 1000 TVS US 1000 TVS 0.01(t) 150
Sulfide 0.002 Selenium TVS TVS Silver TVS TVS(tr) Uranium Zinc TVS TVS TVS TVS	5b. Mainstem boundary to its COGUNF05B Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Dat	of Roatcap Creek, including all tributar s confluence with the North Fork of the Classifications Agriculture Aq Life Cold 1 Recreation P Water Supply odification(s): c) = hybrid e of 12/31/2024	es and wetlands, from the source to the Gunnison River. Physical and Biology Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (mg/main Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	e confluence v gical DM CS-II acute 6.5 - 9.0 6.5 - 9.0 () () g/L) acute TVS 0.019 0.005 10 0.05 	vith the North MWAT CS-II CS-II chronic 7.0 7.0 7.0 7.0 7.0 7.0 7.0 7.	Fork of the Gunnison. Le Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel	roux Creek from the r Metals (ug/L) acute 340 TVS 50 TVS TVS 50 TVS	chronic 0.02 TVS TVS TVS TVS TVS TVS TVS 0.00 TVS 0.00 TVS TVS/WS 0.01(t) 150 TVS
SilverTVSTVS(tr)UraniumZincTVSTVS	5b. Mainstem boundary to its COGUNF05B Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Dat	of Roatcap Creek, including all tributar s confluence with the North Fork of the Classifications Agriculture Aq Life Cold 1 Recreation P Water Supply odification(s): c) = hybrid e of 12/31/2024	es and wetlands, from the source to the Gunnison River. Physical and Biology Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (mg/m ²) E. Coli (per 100 mL) Chloride Chloride Chloride Chloride Cyanide Nitrate Nitrite Phosphorus Sulfate	e confluence v gical DM CS-II acute 6.5 - 9.0 6.5 - 9.0 0.01 7VS 0.019 0.005 10 0.05 0.05	vith the North MWAT CS-II chronic 6.0 7.0 7.0 205 Chronic TVS 0.75 250 0.011 0.11 WS	Fork of the Gunnison. Le Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III Chromium III Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T)	roux Creek from the r Metals (ug/L) acute 340 TVS 50 TVS	chronic 0.02 TVS TVS TVS TVS TVS TVS 0.00 TVS 0.00 TVS 0.00 TVS 0.001(t) 150 TVS 100
Uranium Zinc TVS TVS	5b. Mainstem boundary to its COGUNF05B Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chroni: Expiration Dat	of Roatcap Creek, including all tributar s confluence with the North Fork of the Classifications Agriculture Aq Life Cold 1 Recreation P Water Supply odification(s): c) = hybrid e of 12/31/2024	es and wetlands, from the source to the Gunnison River. Physical and Biology Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (mg/m ²) E. Coli (per 100 mL) Inorganic (mg/m ²) Chloride Chloride Chloride Chloride Chloride Chloride Nitrite Phosphorus Sulfate Sulfide	e confluence v gical DM CS-II acute 6.5 - 9.0 6.5 - 9.0 6.5 - 9.0 0.01 0.019 0.005 10 0.005 10 0.05 0.01 0.01 0.005 	vith the North MWAT CS-II chronic 6.0 7.0 7.0 205 Chronic TVS 0.75 250 0.011 0.11 WS 0.002	Fork of the Gunnison. Le Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	roux Creek from the r Metals (ug/L) acute	chronic 0.02 TVS TVS TVS TVS TVS TVS 1000 TVS TVS 0.01(t) 150 TVS 100 TVS
Zinc TVS TVS	5b. Mainstem boundary to its COGUNF05B Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Dat	of Roatcap Creek, including all tributar s confluence with the North Fork of the Classifications Agriculture Aq Life Cold 1 Recreation P Water Supply odification(s): c) = hybrid e of 12/31/2024	es and wetlands, from the source to th Gunnison River. Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	e confluence v gical DM CS-II acute 6.5 - 9.0 6.5 - 9.0 6.5 - 9.0 0.019 0.005 10 0.005 10 0.05 	vith the North MWAT CS-II chronic 6.0 7.0 7.0 205 Chronic TVS 0.75 250 0.011 0.11 0.11 WS 0.002	Fork of the Gunnison. Le Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium Silver	Toux Creek from the r Metals (ug/L) acute acute 340 340 340 340 340 340 340 340 50 50 TVS TVS TVS 50 TVS 50 TVS TVS TVS TVS TVS	chronic 0.02 TVS TVS TVS TVS TVS 0.00 TVS 0.01(t) 150 TVS 1000 TVS 0.01(t) 150 TVS 1000 TVS 100 TVS(tr)
	5b. Mainstem boundary to its COGUNF05B Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Dat	of Roatcap Creek, including all tributar s confluence with the North Fork of the Classifications Agriculture Aq Life Cold 1 Recreation P Water Supply codification(s): c) = hybrid e of 12/31/2024	es and wetlands, from the source to th Gunnison River. Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	e confluence v gical DM CS-II acute 6.5 - 9.0 6.5 - 9.0 6.5 - 9.0 7.0 0.0 0.0 0.0 10 0.005 10 0.05 	vith the North MWAT CS-II chronic 6.0 7.0 150 205 chronic TVS 0.75 250 0.011 0.11 WS 0.002	Fork of the Gunnison. Le Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium Silver Uranium	Toux Creek from the r Metals (ug/L) acute acute 340 340 340 340 340 340 340 340 50 TVS 7VS 7VS 50 7VS 50 7VS 7VS 7VS 7VS 7VS 7VS 7VS	chronic 0.02 TVS TVS TVS TVS 0.02 TVS TVS 0.01(t) 150 TVS 1000 TVS 100 TVS 100 TVS 100 TVS(tr)

All metals are dissolved unless otherwise noted.

T = total recoverable

D.O. = dissolved oxygen

DM = daily maximum

MWAT = maximum weekly average temperature See 35.6 for further details on applied standards.

tr = trout sc = sculpin

t = total

6a. All tributari Gunnison Rive	ies, including wetlands, to the North For er, and not within national forest boundar	k of the Gunnison River from its inceptio ries, except for the specific listings in Se	n at the confl gments 5a, 5	uence of Mu 5b, 6b, and 6	uddy Creek and Anthracite Ci Sc.	reek to the confluence	with the	
COGUNF06A	Classifications	Physical and Biolog	ical		Metals (ug/L)			
Designation	Agriculture		DM	MWAT		acute	chronic	
Reviewable	Aq Life Warm 2	Temperature °C	WS-II	WS-II	Aluminum			
	Recreation P		acute	chronic	Arsenic	340		
Qualifiers:		D.O. (mg/L)		5.0	Arsenic(T)		100	
Other:		рН	6.5 - 9.0		Beryllium			
		chlorophyll a (mg/m ²)		150	Cadmium	TVS	TVS	
		E. Coli (per 100 mL)		205	Chromium III	TVS	TVS	
		Inorganic (mg/	/L)		Chromium III(T)		100	
			acute	chronic	Chromium VI	TVS	TVS	
		Ammonia	TVS	TVS	Copper	TVS	TVS	
		Boron		0.75	Iron(T)		1000	
		Chloride			Lead	TVS	TVS	
EPA ha	is not acted on segment-	Chlorine	0.019	0.011	Manganese	TVS	TVS	
specific	total phosphorus (TP)	Cyanide	0.005		Mercury		0.01(t)	
numerio	c standards based on	Nitrate	100		Molybdenum(T)		150	
the inte	rim value for river/	Nitrite	0.05		Nickel	TVS	TVS	
stream	segments with a warm	Phosphorus		0.17	Selenium	TVS	TVS	
water a	quatic life classification	Sulfate			Silver	TVS	TVS	
(0.17 m	ig/L TP).	Sulfide		0.002	Uranium			
					Zinc	TVS	TVS	

6b. Mainstem and all tributaries to Bear Creek and Stevens Gulch. All tributaries, including wetlands, to the North Fork of the Gunnison River that are north of the North Fork of the Gunnison River, from a point immediately above the confluence with Roatcap Creek to the confluence with the Gunnison River, and are not within national forest boundaries; all tributaries, including wetlands, to the North Fork of the Gunnison River that are south of the North Fork of the Gunnison River, from a point immediately above the confluence with material tributaries, including wetlands, to the North Fork of the Gunnison River that are south of the North Fork of the Gunnison River, from a point immediately above the confluence with Minnesota Creek to the confluence with the Gunnison River, and are not within national forest boundaries, excluding the specific listings in Segments 5a and 5b.

COGUNF06B	Classifications	Physical and Biolog	ical	0		Metals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Warm 2	Temperature °C	WS-III	WS-III	Aluminum		
	Recreation P		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		5.0	Arsenic(T)		0.02
Qualifiers:	•	pH	6.5 - 9.0		Beryllium		
Water + Fish	Standards	chlorophyll a (mg/m ²)		150*	Cadmium	TVS	TVS
Other:		E. Coli (per 100 mL)		205	Cadmium(T)	5.0	
Temporary Mo	odification(s):	Inorganic (mg	/L)		Chromium III		TVS
Arsenic(chronic	c) = hybrid		acute	chronic	Chromium III(T)	50	
Expiration Date	e of 12/31/2024	Ammonia	TVS	TVS	Chromium VI	TVS	TVS
*chlorophyll a	$(mg/m^2)(chronic) = applies only above$	Boron		0.75	Copper	TVS	TVS
the facilities lis	sted at 35.5(4).	Chloride		250	Iron		WS
*Phosphorus(cr facilities listed	nronic) = applies only above the at 35.5(4).	Chlorine	0.019	0.011	Iron(T)		1000
		Cyanide	0.005		Lead	TVS	TVS
		Nitrate	10		Lead(T)	50	
		Nitrite	0.05		Manganese	TVS	TVS/WS
		Phosphorus		0.17*	Mercury		0.01(t)
		Sulfate		WS	Molybdenum(T)		150
		Sulfide		0.002	Nickel	TVS	TVS
					Nickel(T)		100
					Selenium	TVS	TVS
					Silver	TVS	TVS
					Uranium		
					Zinc	TVS	TVS

D.O. = dissolved oxygen

DM = daily maximum

6c. Thompson	Creek from the Gunnison National For	est boundary to its confluence with the	e North Fork of t	the Gunnison	River.		
COGUNF06C	Classifications	Physical and Biol	ogical		Me	atals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Warm 2	Temperature °C	WS-II	WS-II	Aluminum		
	Recreation P		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		5.0	Arsenic(T)		7.6
Qualifiers:		рН	6.5 - 9.0		Beryllium		
Other:		chlorophyll a (mg/m ²)		150	Cadmium	TVS	TVS
		E. Coli (per 100 mL)		205	Cadmium(T)	5.0	
		Inorganic (n	ng/L)		Chromium III	TVS	TVS
			acute	chronic	Chromium III(T)		100
		Ammonia	TVS	TVS	Chromium VI	TVS	TVS
		Boron		0.75	Copper	TVS	TVS
		Chloride		250	Iron		WS
		Chlorine	0.019	0.011	Iron(T)		1000
		Cyanide	0.005		Lead	TVS	TVS
		Nitrate	10		Lead(T)	50	
	e wet e sted en eenverd	Nitrite	0.05		Manganese	TVS	TVS/WS
EPA na	as not acted on segment-	Phosphorus		0.17	Mercury		0.01(t)
specific	total phosphorus (IP)	Sulfate		WS	Molybdenum(T)		150
numerio	c standards based on	Sulfide		0.002	Nickel	TVS	TVS
the inte	rim value for river/	Cullus		0.002	Nickel(T)		100
stream	segments with a warm				Selenium	TVS	TVS
water a	quatic life classification				Silver	TVS	TVS
(0.17 m	ng/LTP).				Uranium		
					Zinc	TVS	TVS
					200	1.00	
7. Paonia Res	servoir and Overland Reservoir.					-	
7. Paonia Res COGUNF07	ervoir and Overland Reservoir.	Physical and Biol	ogical		Me	etals (ug/L)	
7. Paonia Res COGUNF07 Designation	servoir and Overland Reservoir. Classifications Agriculture	Physical and Biol	ogical DM	MWAT	Me	etals (ug/L) acute	chronic
7. Paonia Res COGUNF07 Designation Reviewable	servoir and Overland Reservoir. Classifications Agriculture Aq Life Cold 1	Physical and Biole	ogical DM CLL	MWAT CLL	Ma	etals (ug/L) acute 	chronic
7. Paonia Res COGUNF07 Designation Reviewable	ervoir and Overland Reservoir. Classifications Agriculture Aq Life Cold 1 Recreation E	Physical and Biole	ogical DM CLL acute	MWAT CLL chronic	Ma Aluminum Arsenic	etals (ug/L) acute 340	chronic
7. Paonia Res COGUNF07 Designation Reviewable	ervoir and Overland Reservoir. Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Physical and Biolo Temperature °C D.O. (mg/L)	ogical DM CLL acute 	MWAT CLL chronic 6.0	Ma Aluminum Arsenic Arsenic(T)	stals (ug/L) acute 340 	chronic 0.02
7. Paonia Res COGUNF07 Designation Reviewable Qualifiers:	ervoir and Overland Reservoir. Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning)	ogical DM CLL acute 	MWAT CLL chronic 6.0 7.0	Aluminum Arsenic Arsenic(T) Beryllium	etals (ug/L) acute 340 	chronic 0.02
7. Paonia Res COGUNF07 Designation Reviewable Qualifiers: Other:	servoir and Overland Reservoir. Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH	ogical DM CLL acute 6.5 - 9.0	MWAT CLL chronic 6.0 7.0	Ma Aluminum Arsenic Arsenic(T) Beryllium Cadmium	etals (ug/L) acute 340 TVS	chronic 0.02 TVS
7. Paonia Res COGUNF07 Designation Reviewable Qualifiers: Other:	servoir and Overland Reservoir. Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L)	ogical DM CLL acute 6.5 - 9.0 	MWAT CLL chronic 6.0 7.0 8*	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T)	etals (ug/L) acute 340 TVS 5.0	chronic 0.02 TVS
7. Paonia Res COGUNF07 Designation Reviewable Qualifiers: Other: *chlorophyll a and reservoirs	servoir and Overland Reservoir. Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area.	Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)	ogical DM CLL acute 6.5 - 9.0 	MWAT CLL chronic 6.0 7.0 8* 126	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III	etals (ug/L) acute 340 TVS 5.0 	chronic 0.02 TVS TVS
7. Paonia Res COGUNF07 Designation Reviewable Qualifiers: Other: *chlorophyll a and reservoirs *Phosphorus(cl	servoir and Overland Reservoir. Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area. hronic) = applies only to lakes and	Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)	ogical DM CLL acute 6.5 - 9.0 	MWAT CLL chronic 6.0 7.0 8* 126	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T)	etals (ug/L) acute 340 TVS 5.0 50	chronic 0.02 TVS TVS
7. Paonia Res COGUNF07 Designation Reviewable Qualifiers: Other: *chlorophyll a and reservoirs *Phosphorus(cl reservoirs larg	servoir and Overland Reservoir. Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply (ug/L)(chronic) = applies only to lakes a larger than 25 acres surface area. hronic) = applies only to lakes and ger than 25 acres surface area.	Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)	ogical DM CLL acute 6.5 - 9.0 	MWAT CLL chronic 6.0 7.0 8* 126	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III(T)	etals (ug/L) acute 340 TVS 5.0 50 TVS	chronic 0.02 TVS TVS TVS
7. Paonia Res COGUNF07 Designation Reviewable Qualifiers: Other: *chlorophyll a and reservoirs *Phosphorus(cl reservoirs larg	servoir and Overland Reservoir. Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply (ug/L)(chronic) = applies only to lakes arger than 25 acres surface area. hronic) = applies only to lakes and ger than 25 acres surface area.	Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic (n	ogical DM CLL acute 6.5 - 9.0 mg/L) acute	MWAT CLL chronic 6.0 7.0 8* 126 chronic	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III Chromium VI Copper	tals (ug/L) acute 340 TVS 5.0 50 TVS TVS	Chronic 0.02 TVS TVS TVS TVS
7. Paonia Res COGUNF07 Designation Reviewable Qualifiers: Other: *chlorophyll a and reservoirs *Phosphorus(cl reservoirs larg	servoir and Overland Reservoir. Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply (ug/L)(chronic) = applies only to lakes a larger than 25 acres surface area. hronic) = applies only to lakes and ger than 25 acres surface area.	Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic (m Ammonia	ogical DM CLL acute 6.5 - 9.0 mg/L) acute TVS	MWAT CLL chronic 6.0 7.0 8* 126 chronic TVS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron	etals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS	chronic 0.02 TVS TVS TVS TVS TVS TVS TVS
7. Paonia Res COGUNF07 Designation Reviewable Qualifiers: Other: *chlorophyll a and reservoirs *Phosphorus(cl reservoirs larg	servoir and Overland Reservoir. Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area. hronic) = applies only to lakes and ger than 25 acres surface area.	Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic (n Ammonia Boron	ogical DM CLL acute 6.5 - 9.0 mg/L) acute TVS 	MWAT CLL chronic 6.0 7.0 8* 126 chronic TVS 0.75	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium VI Copper Iron Iron(T)	etals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS 	chronic 0.02 TVS TVS TVS TVS WS U00
7. Paonia Res COGUNF07 Designation Reviewable Qualifiers: Other: *chlorophyll a and reservoirs *Phosphorus(cl reservoirs larg	servoir and Overland Reservoir. Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply (ug/L)(chronic) = applies only to lakes is larger than 25 acres surface area. hronic) = applies only to lakes and ger than 25 acres surface area.	Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride	ogical DM CLL acute 6.5 - 9.0 mg/L) acute TVS 	MWAT CLL chronic 6.0 7.0 8* 126 t26 tVS 0.75 250	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead	etals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS	chronic 0.02 TVS TVS TVS TVS WS 1000 TVS
7. Paonia Res COGUNF07 Designation Reviewable Qualifiers: Other: *chlorophyll a and reservoirs *Phosphorus(cl reservoirs larg	ervoir and Overland Reservoir. Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply (ug/L)(chronic) = applies only to lakes a larger than 25 acres surface area. hronic) = applies only to lakes and ger than 25 acres surface area.	Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chlorine	ogical DM CLL acute 6.5 - 9.0 mg/L) acute TVS TVS 0.019	MWAT CLL chronic 6.0 7.0 7.0 8* 126 126 chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T)	etals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS TVS 50 TVS 50	chronic 0.02 TVS TVS TVS TVS TVS TVS TVS TVS TVS
7. Paonia Res COGUNF07 Designation Reviewable Qualifiers: Other: *chlorophyll a and reservoirs *Phosphorus(cl reservoirs larg	ervoir and Overland Reservoir. Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply (ug/L)(chronic) = applies only to lakes a larger than 25 acres surface area. hronic) = applies only to lakes and ger than 25 acres surface area.	Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chlorine Cvanide	ogical DM CLL acute 6.5 - 9.0 ng/L) acute TVS 0.019 0.005	MWAT CLL chronic 6.0 7.0 7.0 8* 126 126 chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese	etals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS TVS 50 TVS 50 TVS	chronic 0.02 TVS TVS TVS TVS S TVS WS 1000 TVS TVSWS
7. Paonia Res COGUNF07 Designation Reviewable Qualifiers: Other: *chlorophyll a and reservoirs *Phosphorus(cl reservoirs larg	servoir and Overland Reservoir. Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply (ug/L)(chronic) = applies only to lakes arger than 25 acres surface area. hronic) = applies only to lakes and ger than 25 acres surface area.	Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chlorine Cyanide Nitrate	ogical DM CLL acute 6.5 - 9.0 6.5 - 9.0 7 0.01 0.019 0.005 10	MWAT CLL chronic 6.0 7.0 7.0 8* 126 126 chronic TVS 0.75 250 0.011 	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury	acute acute 340 TVS 5.0 TVS TVS TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS TVS TVS TVS TVS TVS TVS TVS 50 TVS 50 TVS 50 TVS 50 TVS	chronic 0.02 TVS TVS TVS TVS WS 1000 TVS WS 1000 TVS TVS/WS 0.01(t)
7. Paonia Res COGUNF07 Designation Reviewable Qualifiers: Other: *chlorophyll a and reservoirs *Phosphorus(cl reservoirs larg	servoir and Overland Reservoir. Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply (ug/L)(chronic) = applies only to lakes arger than 25 acres surface area. hronic) = applies only to lakes and ger than 25 acres surface area.	Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite	ogical DM CLL acute 6.5 - 9.0 6.5 - 9.0 0.019 0.005 10 0.05	MWAT CLL chronic 6.0 7.0 8* 126 Chronic TVS 0.75 250 0.011 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molvbdenum(T)	stals (ug/L) acute 340 TVS 5.0 TVS TVS TVS 50 TVS S0 TVS 50 TVS S0 TVS	chronic 0.02 TVS TVS TVS TVS WS 1000 TVS WS 1000 TVS S WS 1000 TVS S 1000 TVS
7. Paonia Res COGUNF07 Designation Reviewable Qualifiers: Other: *chlorophyll a and reservoirs *Phosphorus(cl reservoirs larg	ervoir and Overland Reservoir. Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply (ug/L)(chronic) = applies only to lakes I arger than 25 acres surface area. hronic) = applies only to lakes and ger than 25 acres surface area.	Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic (n Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	ogical DM CLL acute 6.5 - 9.0 6.5 - 9.0 6.5 - 9.0 0.01 0.019 0.005 10 0.05 	MWAT CLL chronic 6.0 7.0 8* 126 rVS 0.75 250 0.011 0.011 0.025*	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel	stals (ug/L) acute 340 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS TVS TVS 50 TVS TVS 50 TVS 50 TVS 50 TVS 50 TVS TVS	chronic 0.02 TVS TVS TVS TVS WS 1000 TVS WS 1000 TVS S 0.01(t) 150 TVS
7. Paonia Res COGUNF07 Designation Reviewable Qualifiers: Other: *chlorophyll a and reservoirs *Phosphorus(cl reservoirs larg	servoir and Overland Reservoir. Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply (ug/L)(chronic) = applies only to lakes is larger than 25 acres surface area. hronic) = applies only to lakes and ger than 25 acres surface area.	Physical and Biology Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	ogical DM CLL acute 6.5 - 9.0 6.5 - 9.0 0.01 0.00 0.005 10 0.05 10 0.05	MWAT CLL chronic 6.0 7.0 8* 126 Chronic 0.75 250 0.011 0.011 0.011 0.025*	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel	acute acute 340 TVS 50 TVS TVS	chronic 0.02 TVS TVS TVS S TVS WS 1000 TVS WS 1000 TVS S 0.01(t) 150 TVS
7. Paonia Res COGUNF07 Designation Reviewable Qualifiers: Other: *chlorophyll a and reservoirs *Phosphorus(cl reservoirs larg	ervoir and Overland Reservoir. Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply (ug/L)(chronic) = applies only to lakes a larger than 25 acres surface area. hronic) = applies only to lakes and ger than 25 acres surface area.	Physical and Biology Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfate	ogical DM CLL acute 6.5 - 9.0 0.01 0.005 10 0.005 10 0.05 0.05	MWAT CLL chronic 6.0 7.0 8* 126 Chronic 0.75 250 0.011 0.025* WS 0.022*	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	stals (ug/L) acute 340 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS TVS 50 TVS TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS TVS TVS TVS TVS TVS TVS	chronic 0.02 TVS TVS TVS WS 1000 TVS WS 1000 TVS TVSWS 0.01(t) 150 TVS 1000 TVS
7. Paonia Res COGUNF07 Designation Reviewable Qualifiers: Other: *chlorophyll a and reservoirs *Phosphorus(cl reservoirs larg	ervoir and Overland Reservoir. Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply (ug/L)(chronic) = applies only to lakes a larger than 25 acres surface area. hronic) = applies only to lakes and ger than 25 acres surface area.	Physical and Biology Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chloride Chloride Chloride Nitrate Nitrite Phosphorus Sulfate Sulfide	ogical DM CLL acute 6.5 - 9.0 6.5 - 9.0 0.01 0.005 10 0.005 10 0.05 0.019	MWAT CLL chronic 6.0 7.0 7.126 8* 126 0.01 0.75 250 0.011 0.025* WS 0.002	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	stals (ug/L) acute 340 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS TVS 50 TVS TVS 50 TVS	chronic 0.02 TVS TVS TVS WS 1000 TVS WS 1000 TVS TVS/WS 0.01(t) 150 TVS 100 TVS 100 TVS
7. Paonia Res COGUNF07 Designation Reviewable Qualifiers: Other: *chlorophyll a and reservoirs *Phosphorus(cl reservoirs larg	ervoir and Overland Reservoir. Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply (ug/L)(chronic) = applies only to lakes a larger than 25 acres surface area. hronic) = applies only to lakes and ger than 25 acres surface area.	Physical and Biology Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	ogical DM CLL acute 6.5 - 9.0 (0.01 0.005 10 0.005 10 0.05 0.019 0.005 10 0.05 	MWAT CLL chronic 6.0 7.0 126 7.0 0.126 0.011 0.011 0.011 0.025* 0.002	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	stals (ug/L) acute 340 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS TVS 50 TVS TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS -	Chronic 0.02 TVS TVS TVS WS 1000 TVS WS 1000 TVS 0.01(t) 150 TVS 0.01(t) 150 TVS 100 TVS 100 TVS 100 TVS
7. Paonia Res COGUNF07 Designation Reviewable Qualifiers: Other: *chlorophyll a and reservoirs *Phosphorus(cl reservoirs larg	servoir and Overland Reservoir. Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply (ug/L)(chronic) = applies only to lakes a larger than 25 acres surface area. hronic) = applies only to lakes and ger than 25 acres surface area.	Physical and Biology Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	ogical DM CLL acute 6.5 - 9.0 (0.019 0.005 10 0.005 10 0.05 10 0.05 0.019	MWAT CLL chronic 6.0 7.0 126 126 0.01 7.0 0.70 0.011 0.011 0.011 0.025* 0.002	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium Silver Uranium	stals (ug/L) acute 340 TVS 5.0 TVS 5.0 TVS 50 TVS 50 TVS 50 TVS TVS 50 TVS TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS	chronic 0.02 TVS TVS TVS WS 1000 TVS WS 1000 TVS 0.01(t) 150 TVS 0.01(t) 150 TVS 100 TVS 100 TVS 100 TVS

All metals are dissolved unless otherwise noted. T = total recoverable t = total

D.O. = dissolved oxygen

DM = daily maximum

MWAT = maximum weekly average temperature

tr = trout sc = sculpin

8. All lakes an	d reservoirs that are tributary to the Nor	th Fork of the Gunnison River and within	n the West El	k or Raggeds	s Wilderness areas.		
COGUNF08	Classifications	Physical and Biolog	ical		Me	tals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
OW	Aq Life Cold 1	Temperature °C	CL	CL	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02
Qualifiers:		D.O. (spawning)		7.0	Beryllium		
Other:		рН	6.5 - 9.0		Cadmium	TVS	TVS
* 11	7 - MA (1 1 - A	chlorophyll a (ug/L)		8*	Cadmium(T)	5.0	
*chlorophyll a and reservoirs	(ug/L)(chronic) = applies only to lakes a larger than 25 acres surface area.	E. Coli (per 100 mL)		126	Chromium III		TVS
*Phosphorus(c	hronic) = applies only to lakes and				Chromium III(T)	50	
1630 VOITS Targ	jei liidii 20 adres sunade area.	Inorganic (mg/	/L)		Chromium VI	TVS	TVS
			acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron		WS
		Boron		0.75	Iron(T)		1000
		Chloride		250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	
		Cyanide	0.005		Manganese	TVS	TVS/WS
		Nitrate	10		Mercury		0.01(t)
		Nitrite	0.05		Molybdenum(T)		150
		Phosphorus		0.025*	Nickel	TVS	TVS
		Sulfate		WS	Nickel(T)		100
		Sulfide		0.002	Selenium	TVS	TVS
					Silver	TVS	TVS(tr)
					Uranium		
					Zinc	TVS	TVS

9. All lakes and reservoirs tributary to Muddy Creek, Paonia Reservoir, or Anthracite Creek. All lakes and reservoirs tributary to the North Fork of the Gunnison River from its inception at the confluence with Muddy Creek and Anthracite Creek to the confluence with the Gunnison River, and within national forest boundaries, excluding the specific listing in Segments 7 and 8. This segment includes Island Lake, Aspen Leaf Reservoir, Floating Lake, Tomahawk Reservoir, Dollar Lake, Lost Lake, Lost Lake Slough, Lake Irwin, Terror Creek Reservoir, Minnesota Reservoir, Beaver Reservoir, Lone Cabin Reservoir, Todd Reservoir, Holy Terror Reservoir (aka Eagle River Reservoir), Goodenough Reservoir, Dogfish Reservoir, Hilltop Reservoir, Willow Reservoir, Doughty Reservoir, Reynolds Reservoir, Hanson Reservoir, Bailey Reservoir, Owens Reservoir, Gray Reservoir, and Patterson Reservoirs.

COGUNF09	Classifications	Physical and Biolog	ical		M	letals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CL	CL	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02
Qualifiers:		D.O. (spawning)		7.0	Beryllium		
Other:		рН	6.5 - 9.0		Cadmium	TVS	TVS
.11		chlorophyll a (ug/L)		8	Cadmium(T)	5.0	
the facilities list	(ug/L)(chronic) = applies only above sted at 35.5(4), applies only to lakes	E. Coli (per 100 mL)		126	Chromium III		TVS
and reservoirs	a larger than 25 acres surface area.				Chromium III(T)	50	
facilities listed	at 35.5(4), applies only to lakes and	Inorganic (mg/	′L)		Chromium VI	TVS	TVS
reservoirs larg	ger than 25 acres surface area.		acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron		WS
		Boron		0.75	Iron(T)		1000
		Chloride		250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	
		Cyanide	0.005		Manganese	TVS	TVS/WS
		Nitrate	10		Mercury		0.01(t)
		Nitrite	0.05		Molybdenum(T)		150
		Phosphorus		0.025*	Nickel	TVS	TVS
		Sulfate		WS	Nickel(T)		100
		Sulfide		0.002	Selenium	TVS	TVS
					Silver	TVS	TVS(tr)
					Uranium		
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted. T = total recoverable t = total tr = trout sc = sculpin

10. All lakes a tributary to Hu	nd reservoirs tributary to Roatcap Creek ubbard Creek, Terror Creek, Minnesota	and Jay Creek from their sources to the Creek, or Leroux Creek, and are not with	eir confluence nin national fe	es with the N prest boundar	North Fork of the Gunnison Rive	er. All lakes and res	servoirs
COGUNF10	Classifications	Physical and Biologi	ical		Met	als (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CL	CL	Aluminum		
	Recreation P		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02
Qualifiers:		D.O. (spawning)		7.0	Beryllium		
Other:		pН	6.5 - 9.0		Cadmium	TVS	TVS
.11		chlorophyll a (ug/L)		8	Cadmium(T)	5.0	
and reservoirs	(ug/L)(chronic) = applies only to lakes a larger than 25 acres surface area.	E. Coli (per 100 mL)		205	Chromium III		TVS
*Phosphorus(c	hronic) = applies only to lakes and				Chromium III(T)	50	
reservoirs larg	ger than 25 acres surface area.	Inorganic (mg/	L)		Chromium VI	TVS	TVS
			acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron		WS
		Boron		0.75	Iron(T)		1000
		Chloride		250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	
		Cyanide	0.005		Manganese	TVS	TVS/WS
		Nitrate	10		Mercury		0.01(t)
		Nitrite	0.05		Molybdenum(T)		150
		Phosphorus		0.025*	Nickel	TVS	TVS
		Sulfate		WS	Nickel(T)		100
		Sulfide		0.002	Selenium	TVS	TVS
					Silver	TVS	TVS(tr)
					Uranium		
					Zinc	TVS	TVS

11. All lakes a Gunnison Riv	and reservoirs tributary to the North Forler, and not within national forest bounda	of the Gunnison River from its incep ries, except for the specific listings in	tion at the confluent of the confluence of the segments 7, 9	uence of Muc , and 10. This	ddy Creek and Anthracite Cr s segment includes Roeber	eek to the confluence Reservoir.	with the
COGUNF11	Classifications	Physical and Bio	logical		N	letals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
UP	Aq Life Warm 2	Temperature °C	WL	WL	Aluminum		
	Recreation P		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		5.0	Arsenic(T)		0.02
Qualifiers:		рН	6.5 - 9.0		Beryllium		
Water + Fish	Standards	chlorophyll a (ug/L)		20*	Cadmium	TVS	TVS
Other:		E. Coli (per 100 mL)		205	Cadmium(T)	5.0	
*ablaraphyll a	(ug/l)(obrania) - applice, aply to lakes	Inorganic (I	mg/L)		Chromium III		TVS
and reservoirs	s larger than 25 acres surface area.		acute	chronic	Chromium III(T)	50	
*Phosphorus(c	hronic) = applies only to lakes and	Ammonia	TVS	TVS	Chromium VI	TVS	TVS
	ger than 25 acres surface area.	Boron		0.75	Copper	TVS	TVS
		Chloride		250	Iron		WS
		Chlorine	0.019	0.011	Iron(T)		1000
		Cyanide	0.005		Lead	TVS	TVS
		Nitrate	10		Lead(T)	50	
		Nitrite	0.05		Manganese	TVS	TVS/WS
EPA has	s not acted on segment-	Phosphorus		0.083*	Mercury		0.01(t)
specific	total phosphorus (TP)	Sulfate		WS	Molybdenum(T)		150
numeric	standards based on	Sulfide		0.002	Nickel	TVS	TVS
the inter	im value for lake/				Nickel(T)		100
reservoi	r segments with a cold				Selenium	TVS	TVS
water ac	uatic life classification				Silver	TVS	TVS
n 880.0)	ng/L TP).				Uranium		
L					Zinc	TVS	TVS

1. All tributarie	es to the Uncompangre River, including	g all wetlands, which are within the N	In Shellers of Offic	ompangre w	Areas.		
COGUUN01	Classifications	Physical and B	iological		Me	etals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
OW	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02
Qualifiers:		D.O. (spawning)		7.0	Beryllium		
Other:		рН	6.5 - 9.0		Cadmium	TVS	TVS
Temporary M	odification(s):	chlorophyll a (mg/m ²)		150	Cadmium(T)	5.0	
Arsenic(chroni	ic) = hybrid	E. Coli (per 100 mL)		126	Chromium III		TVS
Expiration Dat	te of 12/31/2024				Chromium III(T)	50	
		Inorganic	(mg/L)		Chromium VI	TVS	TVS
			acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron		WS
		Boron		0.75	Iron(T)		1000
		Chloride		250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	
		Cyanide	0.005		Manganese	TVS	TVS/WS
FPA has	not acted on segment-	Nitrate	10		Mercury		0.01(t)
specific t	total phosphorus (TP)	Nitrite	0.05		Molybdenum(T)		150
numeric	standards based on	Phosphorus		0.11	Nickel	TVS	TVS
the interi	im value for river/	Sulfate		WS	Nickel(T)		100
stream s	equents with a cold	Sulfide		0.002	Selenium	TVS	TVS
water ag	uatic life classification				Silver	TVS	TVS(tr)
(0.11 m)	n/L TP)				Uranium		
(01111)	<i>y</i> = · · <i>y</i> ·				Zinc	TVS	TVS
2. Mainstem o	of the Uncompangre River from the so	urce (Poughkeepsie Gulch) to a point	t immediately abov	ve the conflue	ence with Red Mountain Cree	ж.	
2. Mainstem of COGUUN02	of the Uncompandgre River from the so	urce (Poughkeepsie Gulch) to a point Physical and Bi	t immediately abov iological	e the conflue	ence with Red Mountain Cree	ek. etals (ug/L)	
2. Mainstem c COGUUN02 Designation	of the Uncompahgre River from the so Classifications Agriculture	urce (Poughkeepsie Gulch) to a point Physical and Bi	t immediately abov iological DM	e the conflue	ence with Red Mountain Cree Mo	ek. etals (ug/L) acute	chronic
2. Mainstem of COGUUN02 Designation Reviewable	of the Uncompahgre River from the so Classifications Agriculture Aq Life Cold 1	urce (Poughkeepsie Gulch) to a point Physical and Bi Temperature °C	t immediately abov iological DM CS-I	MWAT	ence with Red Mountain Cree Me Aluminum	etals (ug/L) acute 	chronic
2. Mainstem of COGUUN02 Designation Reviewable	of the Uncompahgre River from the so Classifications Agriculture Aq Life Cold 1 Recreation P	urce (Poughkeepsie Gulch) to a point Physical and Bi Temperature °C	t immediately abov iological DM CS-1 acute	MWAT CS-I chronic	ence with Red Mountain Cree Me Aluminum Arsenic	k. etals (ug/L) acute 340	chronic
2. Mainstern of COGUUN02 Designation Reviewable	of the Uncompahgre River from the so Classifications Agriculture Aq Life Cold 1 Recreation P Water Supply	urce (Poughkeepsie Gulch) to a point Physical and Bi Temperature °C D.O. (mg/L)	t immediately abov iological DM CS-1 acute 	MWAT CS-I chronic 6.0	Aluminum Arsenic Arsenic(T)	k. etals (ug/L) acute 340 	chronic 0.02
2. Mainstem of COGUUN02 Designation Reviewable Qualifiers:	of the Uncompahgre River from the so Classifications Agriculture Aq Life Cold 1 Recreation P Water Supply	urce (Poughkeepsie Gulch) to a point Physical and Bit Temperature °C D.O. (mg/L) D.O. (spawning)	t immediately above iological DM CS-1 acute 	MWAT CS-1 chronic 6.0 7.0	Aluminum Arsenic Arsenic(T) Beryllium	k. etals (ug/L) acute 340 	chronic 0.02
2. Mainstem of COGUUN02 Designation Reviewable Qualifiers: Other:	of the Uncompahgre River from the so Classifications Agriculture Aq Life Cold 1 Recreation P Water Supply	urce (Poughkeepsie Gulch) to a point Physical and Bi Temperature °C D.O. (mg/L) D.O. (spawning) pH	t immediately above iological DM CS-1 acute 6.5 - 9.0	MWAT CS-I Chronic 6.0 7.0 	Aluminum Aluminum Arsenic Arsenic(T) Beryllium Cadmium	k. etals (ug/L) 340 TVS	chronic 0.02 TVS
2. Mainstem of COGUUN02 Designation Reviewable Qualifiers: Other:	of the Uncompahgre River from the so Classifications Agriculture Aq Life Cold 1 Recreation P Water Supply	urce (Poughkeepsie Gulch) to a point Physical and Bi Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²)	t immediately above iological DM CS-1 acute 6.5 - 9.0 	e the conflue MWAT CS-1 chronic 6.0 7.0 150	Aluminum Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T)	k. etals (ug/L) 340 TVS 5.0	chronic 0.02 TVS
2. Mainstem of COGUUN02 Designation Reviewable Qualifiers: Other:	of the Uncompahgre River from the so Classifications Agriculture Aq Life Cold 1 Recreation P Water Supply	urce (Poughkeepsie Gulch) to a point Physical and Bi Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)	t immediately abov iological DM CS-1 acute 6.5 - 9.0 	e the conflue MWAT CS-1 chronic 6.0 7.0 150 205	Aluminum Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III	k. etals (ug/L) 340 TVS 5.0 	chronic 0.02 TVS TVS
2. Mainstem of COGUUN02 Designation Reviewable Qualifiers: Other:	of the Uncompahgre River from the so Classifications Agriculture Aq Life Cold 1 Recreation P Water Supply	urce (Poughkeepsie Gulch) to a point Physical and Bi Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)	t immediately abov iological DM CS-1 acute 6.5 - 9.0 	e the conflue MWAT CS-1 chronic 6.0 7.0 150 205	Aluminum Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T)	ek. etals (ug/L) 340 TVS 5.0 50	chronic 0.02 TVS TVS
2. Mainstem of COGUUN02 Designation Reviewable Qualifiers: Other:	of the Uncompahgre River from the so Classifications Agriculture Aq Life Cold 1 Recreation P Water Supply	urce (Poughkeepsie Gulch) to a point Physical and Bi Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic	t immediately abov iological DM CS-1 acute 6.5 - 9.0 (mg/L)	e the conflue MWAT CS-1 chronic 6.0 7.0 150 205	Aluminum Arsenic Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI	ek. etals (ug/L) acute 340 TVS 5.0 50 TVS	chronic 0.02 TVS TVS TVS
2. Mainstem of COGUUN02 Designation Reviewable Qualifiers: Other:	of the Uncompahgre River from the so Classifications Agriculture Aq Life Cold 1 Recreation P Water Supply	urce (Poughkeepsie Gulch) to a point Physical and Bi Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic	t immediately above iological DM CS-1 acute 6.5 - 9.0 (mg/L) acute	the conflue MWAT CS-1 Chronic 6.0 7.0 150 205 Chronic	ence with Red Mountain Cree Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper	*k. etals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS	chronic 0.02 TVS TVS TVS TVS
2. Mainstem of COGUUN02 Designation Reviewable Qualifiers: Other:	of the Uncompahgre River from the so Classifications Agriculture Aq Life Cold 1 Recreation P Water Supply	urce (Poughkeepsie Gulch) to a point Physical and Bi Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic Ammonia	t immediately abov iological DM CS-1 acute 6.5 - 9.0 (mg/L) acute TVS	the conflue MWAT CS-1 chronic 6.0 7.0 7.0 205 205 chronic TVS	Aluminum Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III Chromium VI Copper Iron	kk. etals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS 	Chronic 0.02 TVS TVS TVS TVS WS
2. Mainstem of COGUUN02 Designation Reviewable Qualifiers: Other:	of the Uncompahgre River from the so Classifications Agriculture Aq Life Cold 1 Recreation P Water Supply	urce (Poughkeepsie Gulch) to a point Physical and Bi Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic Ammonia Boron	t immediately abov iological DM CS-1 acute 6.5 - 9.0 (mg/L) acute TVS 	e the conflue MWAT CS-1 chronic 6.0 7.0 7.0 205 205 chronic TVS 0.75	ance with Red Mountain Cree Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T)	k. etals (ug/L) acute 340 TVS 5.0 50 TVS SUB TVS SUB 50 TVS TVS TVS	chronic 0.02 TVS TVS TVS TVS TVS TVS TVS TVS 1000
2. Mainstem of COGUUN02 Designation Reviewable Qualifiers: Other:	of the Uncompahgre River from the so Classifications Agriculture Aq Life Cold 1 Recreation P Water Supply	urce (Poughkeepsie Gulch) to a point Physical and Bi Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic Ammonia Boron Chloride	t immediately abov iological DM CS-1 acute 6.5 - 9.0 (mg/L) acute T∨S 	e the conflue MWAT CS-I chronic 6.0 7.0 150 205 chronic TVS 0.75 250	ance with Red Mountain Cree Ma Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead	ek. etals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS TVS	Chronic 0.02 TVS TVS TVS TVS TVS S TVS WS 1000 TVS
2. Mainstem of COGUUN02 Designation Reviewable Qualifiers: Other:	of the Uncompahgre River from the so Classifications Agriculture Aq Life Cold 1 Recreation P Water Supply	urce (Poughkeepsie Gulch) to a point Physical and Bi Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic Ammonia Boron Chloride Chlorine	t immediately abov iological DM CS-1 acute 6.5 - 9.0 (mg/L) acute TVS TVS 0.019	e the conflue MWAT CS-1 chronic 6.0 7.0 150 205 chronic TVS 0.75 250 0.011	Aluminum Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T)	etals (ug/L) acute 340 340 50 TVS 50 TVS TVS TVS TVS TVS TVS 50 TVS 50 TVS 50 TVS 50	Chronic 0.02 TVS TVS TVS TVS WS 1000 TVS
2. Mainstem of COGUUN02 Designation Reviewable Qualifiers: Other:	of the Uncompahgre River from the so Classifications Agriculture Aq Life Cold 1 Recreation P Water Supply	urce (Poughkeepsie Gulch) to a point Physical and B Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic Ammonia Boron Chloride Chlorine Cyanide	t immediately abov iological DM CS-1 acute 6.5 - 9.0 (mg/L) acute TVS UVS 0.019 0.005	the conflue MWAT CS-I chronic 6.0 7.0 150 205 chronic TVS 0.75 250 0.011 	ence with Red Mountain Cree Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese	k. acute acute 340 340 50 TVS 50 TVS TVS 50 TVS TVS 50 TVS 50 TVS 50 TVS TVS TVS TVS TVS S0 TVS	Chronic 0.02 TVS TVS TVS WS 1000 TVS 1000 TVS
2. Mainstem c COGUUN02 Designation Reviewable Qualifiers: Other:	of the Uncompahgre River from the so Classifications Agriculture Aq Life Cold 1 Recreation P Water Supply	urce (Poughkeepsie Gulch) to a point Physical and B Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic Ammonia Boron Chloride Chlorine Cyanide Nitrate	t immediately abov iological DM CS-1 acute 6.5 - 9.0 (mg/L) (mg/L) CS CO 0.019 0.005 10	the conflue MWAT CS-1 chronic 6.0 7.0 7.0 205 205 chronic TVS 0.75 250 0.011 	ence with Red Mountain Cree Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury	k. acute acute 340 340 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS TVS TVS TVS TVS TVS 50 TVS TVS TVS	Chronic 0.02 TVS TVS TVS WS 1000 TVS WS 1000 TVS TVS/WS 0.01(t)
2. Mainstem of COGUUN02 Designation Reviewable Qualifiers: Other:	of the Uncompahgre River from the so Classifications Agriculture Aq Life Cold 1 Recreation P Water Supply	Inorganic Ammonia Boron Chlorine Cyanide Nitrate Nitrite	t immediately abov iological DM CS-1 acute 6.5 - 9.0 6.5 - 9.0 cute CS CS CS CS CS CS CS CS CS CS CS CS CS	the conflue MWAT CS-I chronic 6.0 7.0 7.0 205 205 chronic TVS 0.75 250 0.011 	ance with Red Mountain Cree Ma Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T)	*k. etals (ug/L) acute 340 TVS 50 TVS S0 TVS 50 TVS	Chronic 0.02 TVS TVS TVS WS 1000 TVS 1000 TVS 1000 TVS
2. Mainstem of COGUUN02 Designation Reviewable Qualifiers: Other:	of the Uncompahgre River from the so Classifications Agriculture Aq Life Cold 1 Recreation P Water Supply	Inorganic Ammonia Boron Chloride Cyanide Nitrate Nitrite Phosphorus	t immediately abov iological DM CS-1 acute 6.5 - 9.0 (mg/L) acute TVS 0.019 0.005 10 0.05 	re the conflue MWAT CS-I chronic 6.0 7.0 150 205 205 chronic TVS 0.75 250 0.011 0.414	ance with Red Mountain Cree Ma Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel	*k. etals (ug/L) acute 340 340 50 TVS 50 TVS State TVS TVS T	Chronic 0.02 TVS TVS TVS WS 1000 TVS WS 1000 TVS 1000 TVS 1000 TVS 1000 TVS
2. Mainstem of COGUUN02 Designation Reviewable Qualifiers: Other:	of the Uncompahgre River from the so Classifications Agriculture Aq Life Cold 1 Recreation P Water Supply	Inorganic Ammonia Boron Chloride Cyanide Nitrite Phosphorus Sulfate	t immediately abov iological DM CS-1 acute 6.5 - 9.0 (mg/L) acute TVS (mg/L) 0.019 0.005 10 0.005 10 0.05 	re the conflue MWAT CS-I chronic 6.0 7.0 150 205 chronic TVS 0.75 250 0.011 0.11 0.414 WS	ance with Red Mountain Cree Ma Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T)	kk. acute acute 340 340 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS TVS TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS TVS	Chronic 0.02 TVS TVS TVS WS 1000 TVS WS 1000 TVS 0.01(t) 150 TVS 100
2. Mainstem of COGUUN02 Designation Reviewable Qualifiers: Other:	of the Uncompahgre River from the so Classifications Agriculture Aq Life Cold 1 Recreation P Water Supply	urce (Poughkeepsie Gulch) to a point Physical and B Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic Ammonia Boron Chloride Chlorine Cyanide Nitrite Phosphorus Sulfate Sulfide	t immediately abov iological DM CS-1 acute 6.5 - 9.0 6.5 - 9.0 (mg/L) acute TVS (mg/L) acute 10 (mg/L) 10 0.005 10 0.005 10 0.005	e the conflue MWAT CS-I chronic 6.0 7.0 150 205 chronic TVS 0.75 250 0.011 0.002 0.002 0.002 0.002 0.002 0.002 0.002 0.002 0.002 0.002 0.002 0.002 0.002 0.002 0.002 0.002 0.002 0.002 0.002 0.002 	ance with Red Mountain Cree Ma Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	*k. tals (ug/L) acute 340 340 50 TVS TVS	Chronic 0.02 TVS TVS TVS WS 1000 TVS WS 1000 TVS 0.01(t) 150 TVS 100 TVS
2. Mainstem c COGUUN02 Designation Reviewable Qualifiers: Other:	of the Uncompahgre River from the so Classifications Agriculture Aq Life Cold 1 Recreation P Water Supply	urce (Poughkeepsie Gulch) to a point Physical and B Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic Ammonia Boron Chloride Chloride Nitrate Nitrite Phosphorus Sulfate Sulfide	t immediately abov iological DM CS-1 acute 6.5 - 9.0 (mg/L) acute TV/S (mg/L) 0.019 0.005 10 0.005 10 0.005	re the conflue MWAT CS-I chronic 6.0 7.0 150 205 chronic TVS 0.75 250 0.011 0.011 0.411 WS 0.002	ence with Red Mountain Cree Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	kk. acute acute 340 340 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS TVS	chronic 0.02 TVS 0.001 TVS 0.001 TVS 0.01(t) 150 TVS 100 TVS TVS
2. Mainstem c COGUUN02 Designation Reviewable Qualifiers: Other:	of the Uncompahgre River from the so Classifications Agriculture Aq Life Cold 1 Recreation P Water Supply	urce (Poughkeepsie Gulch) to a point Physical and B Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic Ammonia Boron Chloride Chloride Nitrate Nitrite Phosphorus Sulfate Sulfide	t immediately abov iological DM CS-1 acute 6.5 - 9.0 (mg/L) acute TVS 0.019 0.005 10 0.005 10 0.05 	re the conflue MWAT CS-I chronic 6.0 7.0 150 205 chronic TVS 0.75 250 0.011 0.11 0.11 WS 0.002	ence with Red Mountain Cree Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium Silver Uranium	**. acute acute 340 340 50 TVS 50 TVS 50 TVS 50 TVS TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS	chronic 0.02 TVS 1000 TVS 0.01(t) 150 TVS 100 TVS 100 TVS 100 TVS 100 TVS

All metals are dissolved unless otherwise noted. T = total recoverable t = total tr = trout sc = sculpin D.O. = dissolved oxygen

DM = daily maximum

3a. Mainstem	of the Uncompangre River from a point	immediately above the confluence w	ith Red Mountain	Creek to a	point immediately above t	he confluence with Ca	scade Creek.
COGUUN03A	Classifications	Physical and Biol	logical			Metals (ug/L)	
Designation	Agriculture		DM	MWAI		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
Qualifiers	Water Suppry	D.O. (mg/L)		6.0	Arsenic(T)		0.02
Qualifiers.		D.O. (spawning)		7.0	Beryllium		
Other:		рН	6.5 - 9.0		Cadmium	TVS	TVS
Temporary Mo	pdification(s):	chlorophyll a (mg/m ²)			Cadmium(T)	5.0	
Arsenic(chronic	c) = hybrid	E. Coli (per 100 mL)		126	Chromium III		TVS
Expiration Date	e of 12/31/2024				Chromium III(T)	50	
		Inorganic (r	ng/L)		Chromium VI	TVS	TVS
			acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron		WS
		Boron		0.75	Iron(T)		7438
		Chloride		250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	
		Cyanide	0.005		Manganese	TVS	TVS/WS
		Nitrate	10		Mercury		0.01(t)
		Nitrite	0.05		Molybdenum(T)		150
		Phosphorus			Nickel	TVS	TVS
		Sulfate		WS	Nickel(T)		100
		Sulfide		0.002	Selenium	TVS	TVS
					Silver	TVS	TVS(tr)
					Uranium		
					Zinc	TVS	TVS
3b. Mainstem	of the Uncompangre River from a point	immediately above the confluence w	ith Cascade Cre	ek to a point	immediately above the co	onfluence with Dexter C	Creek.
3b. Mainstem	of the Uncompandere River from a point Classifications	immediately above the confluence w Physical and Biol	ith Cascade Cre logical	ek to a point	immediately above the co	Metals (ug/L)	Creek.
3b. Mainstem COGUUN03B	of the Uncompangre River from a point Classifications Agriculture	immediately above the confluence w Physical and Biol	ith Cascade Cre logical DM	ek to a point MWAT	immediately above the co	onfluence with Dexter (Metals (ug/L) acute	Creek.
3b. Mainstem (COGUUN03B Designation Reviewable	of the Uncompany River from a point Classifications Agriculture Aq Life Cold 1	immediately above the confluence w Physical and Biol Temperature °C	ith Cascade Cre logical DM CS-I*	ek to a point MWAT CS-I*	immediately above the co	mfluence with Dexter (Metals (ug/L) acute	Creek. chronic
3b. Mainstem (COGUUN03B Designation Reviewable	of the Uncompangre River from a point Classifications Agriculture Aq Life Cold 1 Recreation E	immediately above the confluence w Physical and Biol Temperature °C	ith Cascade Cre logical DM CS-I* acute	ek to a point MWAT CS-I* chronic	immediately above the co Aluminum Arsenic	Metals (ug/L) acute 340	chronic
3b. Mainstem (COGUUN03B Designation Reviewable	of the Uncompany River from a point Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	immediately above the confluence w Physical and Biol Temperature °C D.O. (mg/L)	ith Cascade Cre logical DM CS-I* acute 	MWAT CS-I* chronic 6.0	immediately above the co Aluminum Arsenic Arsenic(T)	Metals (ug/L) acute 340 	chronic 0.02
3b. Mainstem of COGUUN03B Designation Reviewable Qualifiers:	of the Uncompany River from a point Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	immediately above the confluence w Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning)	ith Cascade Cre logical DM CS-I* acute 	ek to a point MWAT CS-I* chronic 6.0 7.0	immediately above the co Aluminum Arsenic Arsenic(T) Beryllium	Anfluence with Dexter (Metals (ug/L) acute 340 	chronic 0.02
3b. Mainstem (COGUUN03B Designation Reviewable Qualifiers: Other:	of the Uncompahgre River from a point Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	immediately above the confluence w Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH	ith Cascade Cre logical DM CS-I* acute 6.5 - 9.0	MWAT CS-I* chronic 6.0 7.0 	immediately above the co Aluminum Arsenic Arsenic(T) Beryllium Cadmium	nfluence with Dexter (Metals (ug/L) acute 340 TVS	Creek. chronic 0.02 TVS
3b. Mainstem of COGUUN03B Designation Reviewable Qualifiers: Other:	of the Uncompany River from a point Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply vtification(s):	immediately above the confluence w Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²)	ith Cascade Cre logical DM CS-I* acute 6.5 - 9.0 	ek to a point MWAT CS-I* chronic 6.0 7.0 150*	immediately above the co Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T)	nfluence with Dexter (Metals (ug/L) acute 340 TVS 5.0	Creek. chronic 0.02 TVS
3b. Mainstem (COGUUN03B Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronic	of the Uncompany River from a point Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply bdification(s): c) = hybrid	immediately above the confluence w Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL)	ith Cascade Cre logical DM CS-I* acute 6.5 - 9.0 	ek to a point MWAT CS-I* chronic 6.0 7.0 150* 126	immediately above the co Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium Cadmium(T) Chromium III	nfluence with Dexter (Metals (ug/L) acute 340 TVS 5.0 	Creek. chronic 0.02 TVS TVS
3b. Mainstem (COGUUN03B Designation Reviewable Qualifiers: Other: Temporary Mc Arsenic(chronic Expiration Date	of the Uncompany River from a point Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply colification(s): c) = hybrid e of 12/31/2024	immediately above the confluence w Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)	ith Cascade Cre logical DM CS-I* acute 6.5 - 9.0 	ek to a point MWAT CS-I* chronic 6.0 7.0 150* 126	immediately above the co Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T)	Implementer With Dexter (Complementer) Metals (ug/L) acute 340 340 TVS 5.0 50	Creek. chronic 0.02 TVS TVS TVS
3b. Mainstem (COGUUN03B Designation Reviewable Qualifiers: Other: Temporary Mc Arsenic(chronic Expiration Date tableschult a.	of the Uncompany River from a point Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	immediately above the confluence w Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (r	ith Cascade Cre logical DM CS-I* acute 6.5 - 9.0 mg/L)	ek to a point MWAT CS-I* chronic 6.0 7.0 150* 126	immediately above the co Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI	nfluence with Dexter (Metals (ug/L) acute 340 TVS 5.0 50 TVS	Creek. chronic 0.02 TVS TVS TVS TVS
3b. Mainstem (COGUUN03B Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date *chlorophyll a the facilities lis	of the Uncompany River from a point Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	immediately above the confluence w Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (r	ith Cascade Cre logical DM CS-I* acute 6.5 - 9.0 mg/L) acute	ek to a point MWAT CS-I* chronic 6.0 7.0 150° 126 chronic	immediately above the co Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III(T) Chromium VI Copper	Implemence with Dexter (Content of the second of	Creek. chronic 0.02 TVS TVS TVS TVS TVS TVS
3b. Mainstem of COGUUN03B Designation Reviewable Qualifiers: Other: Temporary Mc Arsenic(chronic Expiration Date *chlorophyll a of the facilities lis *Phosphorus(cf	of the Uncompany River from a point Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	immediately above the confluence w Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (r Ammonia	ith Cascade Cre logical DM CS-I* acute 6.5 - 9.0 ng/L) acute TVS	ek to a point MWAT CS-I* chronic 6.0 7.0 150* 126 chronic TVS	immediately above the co Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III Chromium VI Copper Iron	Implemence with Dexter (Complementation) Metals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS TVS	Creek. chronic 0.02 TVS TVS TVS TVS TVS WS
3b. Mainstem of COGUUN03B Designation Reviewable Qualifiers: Other: Temporary Mc Arsenic(chronic Expiration Date *chlorophyll a the facilities listed- facilities listed-	of the Uncompany River from a point Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply bdification(s): c) = hybrid e of 12/31/2024 (mg/m ²)(chronic) = applies only above sted at 35.5(4). aronic) = applies only above the at 35.5(4).	immediately above the confluence w Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (r Ammonia Boron	ith Cascade Cre logical DM CS-I* acute 6.5 - 9.0 mg/L) acute TVS 	ek to a point MWAT CS-I* chronic 6.0 7.0 150* 126 chronic TVS 0.75	immediately above the co Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III Chromium VI Copper Iron Iron(T)	Implemence with Dexter (Complementation) Metals (ug/L) acute acute 340 340 TVS 5.0 50 TVS 50 TVS 50 TVS 50 TVS	Creek. chronic 0.02 TVS TVS TVS VS VS WS 2971
3b. Mainstem of COGUUN03B Designation Reviewable Qualifiers: Other: Temporary Mc Arsenic(chronic Expiration Date *chlorophyll a the facilities lis *Phosphorus(ch facilities listed *Temperature	of the Uncompany River from a point Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply bdification(s): c) = hybrid e of 12/31/2024 (mg/m ²)(chronic) = applies only above sted at 35.5(4). = Temperature = summer criteria	immediately above the confluence w Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (r Ammonia Boron Chloride	ith Cascade Cre logical DM CS-I* acute 6.5 - 9.0 ng/L) acute TVS 	ek to a point MWAT CS-I* chronic 6.0 7.0 150* 126 chronic TVS 0.75 250	immediately above the co Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III Chromium VI Copper Iron Iron(T) Lead	Influence with Dexter (Comparison) Metals (ug/L) acute 340 340 50 TVS 50	Creek. chronic 0.02 TVS TVS TVS TVS WS 2971 TVS
3b. Mainstem (COGUUN03B Designation Reviewable Qualifiers: Other: Temporary Mc Arsenic(chronic Expiration Date *chlorophyll a the facilities lis *Phoephorus(of facilities listed *Temperature apply from 6/1-	of the Uncompany River from a point Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): c) = hybrid e of 12/31/2024 (mg/m ²)(chronic) = applies only above sted at 35.5(4). ronic) = applies only above the at 35.5(4). = Temperature = summer criteria 10/15	immediately above the confluence w Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (r Ammonia Boron Chloride Chlorine	ith Cascade Cree logical DM CS-I* acute 6.5 - 9.0 mg/L) acute TVS TVS 0.019	ek to a point MWAT CS-I* chronic 6.0 7.0 150* 126 chronic TVS 0.75 250 0.011	immediately above the co Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T)	Implemence with Dexter C Metals (ug/L) acute 340 340 50 TVS 5.0 50 TVS 50 TVS TVS TVS TVS TVS 50 50	Creek. chronic 0.02 TVS TVS TVS WS 2971 TVS
3b. Mainstem of COGUUN03B Designation Reviewable Qualifiers: Other: Temporary Mc Arsenic(chronic Expiration Date *chlorophyll a the facilities lis *Phosphorus(ch facilities lis *Phosphorus(ch facilities listed- *Temperature apply from 6/1-	of the Uncompany River from a point Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): c) = hybrid e of 12/31/2024 (mg/m ²)(chronic) = applies only above sted at 35.5(4). hronic) = applies only above the at-35.5(4). = Temperature = summer criteria 10/15	immediately above the confluence w Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (r Ammonia Boron Chloride Chlorine Cvanide	ith Cascade Cree logical DM CS-I* acute 6.5 - 9.0 ng/L) acute TVS CS 0.019 0.005	ek to a point MWAT CS-I* chronic 6.0 7.0 7.0 126 126 chronic VS 0.75 250 0.011 	immediately above the co Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese	Implemence with Dexter O Metals (ug/L) acute 340 340 50 50 TVS 5.0 50 50 TVS 50 TVS	Creek. chronic 0.02 TVS TVS TVS WS 2971 TVS TVS TVS TVS
3b. Mainstem of COGUUN03B Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date *chlorophyll a the facilities lis *Phoephorus(ch facilities listed *Temperature apply from 6/1-	of the Uncompany River from a point Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	immediately above the confluence w Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (r Ammonia Boron Chloride Chlorine Cyanide Nitrate	ith Cascade Cre logical DM CS-I* acute 6.5 - 9.0 6.5 - 9.0 100 CS-I* acute TVS 0.019 0.005 10	ek to a point MWAT CS-I* chronic 6.0 7.0 7.0 150* 126 126 Chronic TVS 0.75 250 0.011 	immediately above the co Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury	Influence with Dexter (Comparison) Metals (ug/L) acute acute 340 340 TVS 5.0 TVS 50 TVS 50 TVS S0 TVS TVS 50	Creek. chronic 0.02 TVS TVS TVS WS 2971 TVS WS 2971 TVS WS 2971 TVS 0.01(t)
3b. Mainstem COGUUN03B Designation Reviewable Qualifiers: Other: Temporary Mc Arsenic(chronic Expiration Date *chlorophyll a i the facilities lis =Phoephorus(ef facilities-listed *Temperature apply from 6/1-	of the Uncompany River from a point Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply cdification(s): c) = hybrid e of 12/31/2024 (mg/m ²)(chronic) = applies only above sted at 35.5(4). aronic) = applies -only -above -the at 35.5(4). = Temperature = summer criteria -10/15 s not acted on segment- total phosphorus (TD)	immediately above the confluence w Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (r Ammonia Boron Chloride Chloride Chlorine Cyanide Nitrate Nitrite	ith Cascade Cre logical DM CS-I* acute 6.5 - 9.0 6.5 - 9.0 mg/L) acute TVS 0.019 0.005 10 0.05	ek to a point MWAT CS-I* chronic 6.0 7.0 150* 126 Chronic TVS 0.75 250 0.011 	immediately above the co Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T)	Implemence with Dexter (Complementation) Metals (ug/L) acute acute 340 340 TVS 5.0 TVS 50	Creek. chronic 0.02 TVS TVS TVS TVS WS 2971 TVS WS 2971 TVS WS 2971 TVS 0.01(t) 150
3b. Mainstem of COGUUN03B Designation Reviewable Qualifiers: Other: Temporary Mc Arsenic(chronic Expiration Date *chlorophyll a the facilities lis *Phoephorus(cf facilities listed *Temperature apply from 6/1-	of the Uncompany River from a point Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply colfication(s): c) = hybrid e of 12/31/2024 (mg/m ²)(chronic) = applies only above sted at 35.5(4). aronic) = applies only above the at 35.5(4). = Temperature = summer criteria 10/15 s not acted on segment- total phosphorus (TP) standards based on	immediately above the confluence w Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (r Ammonia Boron Chloride Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	ith Cascade Cre logical DM CS-I* acute 6.5 - 9.0 6.5 - 9.0 0.019 0.005 10 0.005 10 0.005	ek to a point MWAT CS-I* chronic 6.0 7.0 150* 126 Chronic TVS 0.75 250 0.011 250 0.011 0.11*	immediately above the co Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel	Influence with Dexter (Control Metals (ug/L) acute acute 340 340 TVS 5.0	TVS Chronic 0.02 TVS US O.01(1) 150
3b. Mainstem of COGUUN03B Designation Reviewable Qualifiers: Other: Temporary Mc Arsenic(chronic Expiration Date *chlorophyll a the facilities listed *chlorophyll a the facilities listed *Temperature apply from 6/1- EPA has specific f numeric	of the Uncompany River from a point Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply polification(s): c) = hybrid e of 12/31/2024 (mg/m ²)(chronic) = applies only above sted at 35.5(4). = Temperature = summer criteria -10/15 S not acted on segment- total phosphorus (TP) standards based on im value for river/	immediately above the confluence w Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (r Ammonia Boron Chloride Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	ith Cascade Cree logical DM CS-I* acute 6.5 - 9.0 mg/L) acute TVS 0.019 0.005 10 0.005 10	ek to a point MWAT CS-I* chronic 6.0 7.0 150* 126 Chronic TVS 0.75 250 0.011 250 0.011 0.11* WS	immediately above the co Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel	Influence with Dexter C Metals (ug/L) acute	Creek. chronic 0.02 TVS TVS TVS VS TVS TVS TVS TVS TVS TVS 0.01(t) 150 TVS 100
3b. Mainstem of COGUUN03B Designation Reviewable Qualifiers: Other: Temporary Mc Arsenic(chronic Expiration Date *chlorophyll a the facilities lis *Phosphorus(ch facilities listed *Temperature apply from 6/1- EPA has specific fanumeric the interio	of the Uncompany River from a point Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): c) = hybrid e of 12/31/2024 (mg/m ²)(chronic) = applies only above sted at 35.5(4). = Temperature = summer criteria -10/15 s not acted on segment- total phosphorus (TP) standards based on im value for river/	immediately above the confluence w Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (r Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfate	ith Cascade Cree logical DM CS-I* acute 6.5 - 9.0 6.5 - 9.0 7 0.01 0.005 10 0.005 10 0.005 10 0.05	ek to a point MWAT CS-I* chronic 6.0 7.0 7.0 126 126 Chronic TVS 0.75 250 0.011 250 0.011 0.11* WS 0.002	immediately above the co Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	Influence with Dexter C Metals (ug/L) acute 340 340 340 340 340 50 50 50	Creek. chronic 0.02 TVS TVS TVS TVS TVS TVS 0.01 TVS 0.01(l) 150 TVS 100 TVS
3b. Mainstem of COGUUN03B Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date *chlorophyll a the facilities lis *Phosphorus(ch facilities listed *Temperature apply from 6/1- EPA has specific for numeric the interi stream s	of the Uncompany River from a point Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	immediately above the confluence w Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (r Ammonia Boron Chloride Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	ith Cascade Cre logical DM CS-I* acute 6.5 - 9.0 6.5 - 9.0 CO CO CO CO CO CO CO CO CO CO CO CO CO	ek to a point MWAT CS-I* chronic 6.0 7.0 120 120 120 0.011 0.011 0.012 0.012 0.012 0.012 0.012 0.012 0.012 0.012 0.012 0.012 0.012 0.012 0.012 0.002 0.002 0.002 0.002 0.002 0.002 0.002 0.002 0.002 0.002 0.002 0.002 	immediately above the co Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	Implemence with Dexter C Metals (ug/L) acute 340 340 50 50 TVS 5.0 50 50 50 50	Creek. chronic 0.02 TVS TVS TVS TVS TVS 0.01 TVS 0.02 TVS TVS 0.01(t) 150 TVS 100 TVS TVS
3b. Mainstem of COGUUN03B Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date *Chlorophyll a the facilities lis *Phoephorus(cl facilities listed *Temperature apply from 6/1- EPA has specific f numeric the interi stream s water aq	of the Uncompany River from a point Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	immediately above the confluence w Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (r Ammonia Boron Chloride Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	ith Cascade Cre logical DM CS-I* acute 6.5 - 9.0 6.5 - 9.0 0.01 0.01 0.005 10 0.005 10 0.05 0.01 0.005 10 0.05 -	ek to a point MWAT CS-I* chronic 6.0 7.0 150° 126 126 Chronic TVS 0.75 250 0.011 0.011 0.011 0.011 0.011 0.011 0.011 0.011 0.011 0.011 0.012 0.002	immediately above the co Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium Silver	Influence with Dexter (Control Metals (ug/L) acute acute 340 340 340 340 50 50 TVS 7VS 50 7VS	Creek. chronic 0.02 TVS TVS TVS TVS TVS TVS 0.01(t) 150 TVS 100 TVS TVS 100 TVS
3b. Mainstem of COGUUN03B Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date *Chlorophyll a the facilities lis *Phoephorus(et facilities listed *Temperature apply from 6/1- EPA has specific to numeric the interi stream s water aq (0.11 mg	of the Uncompany River from a point Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	immediately above the confluence w Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (r Ammonia Boron Chloride Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	ith Cascade Cre logical DM CS-I* acute 6.5 - 9.0 6.5 - 9.0 0.01 0.01 0.005 10 0.005 10 0.005 10 0.005 	ek to a point MWAT CS-I* chronic 6.0 7.0 150* 126 7.0 0.01 126 0.011 0.011 0.011 0.011 0.011 0.011 0.011 0.011 0.011 0.011 0.011 0.011 0.011 0.011 0.002	immediately above the co Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium Silver Uranium	Influence with Dexter (Control Metals (ug/L) acute	Creek. chronic 0.02 TVS TVS TVS TVS TVS TVS TVS 0.01(t) 150 TVS 100 TVS TVS(tr)

All metals are dissolved unless otherwise noted. T = total recoverable

D.O. = dissolved oxygen

DM = daily maximum

MWAT = maximum weekly average temperature See 35.6 for further details on applied standards.

tr = trout sc = sculpin

t = total

3c. Mainstem	or the Uncompanyre River from a point	Infinitediately above the confidence v					κ.
COGUUN03C	Classifications	Physical and Bio	ological		Me	etals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CS-II	CS-II	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02
Qualifiers:		D.O. (spawning)		7.0	Beryllium		
Other:		рН	6.5 - 9.0		Cadmium	TVS	TVS
Temporary Mo	odification(s):	chlorophyll a (mg/m ²)		150*	Cadmium(T)	5.0	
Arsenic(chronic	c) = hybrid	E. Coli (per 100 mL)		126	Chromium III		TVS
Expiration Date	e of 12/31/2024				Chromium III(T)	50	
*ablaraphull a	(ma/m ²) (observe) compliant only observe	Inorganic ((mg/L)		Chromium VI	TVS	TVS
the facilities list	sted at 35.5(4).		acute	chronic	Copper	TVS	TVS
*Phosphorus(cl	$\frac{\text{hronic}}{25,5(4)} = \frac{1}{25,5(4)}$	Ammonia	TVS	TVS	Iron		WS
	ar 00.0(4).	Boron		0.75	Iron(T)		1793
		Chloride		250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	
		Cyanida	0.005		Manganese	TVS	TVS/WS
	wet ested as a surrent	Nitrato	10		Marganese	1.40	0.01(t)
EPA nas	not acted on segment-	Nituite	0.05		Melvedopum (T)		150
specific t	otal phosphorus (TP)	Nitrite	0.05		Norybaenam(1)		100
numeric	standards based on	Phosphorus		0.11*	NICKEI	172	105
the interi	m value for river/	Sulfate		WS	Nickel(1)		100
stream s	egments with a cold	Sulfide		0.002	Selenium	TVS	TVS
water aq	uatic life classification				Silver	TVS	TVS(tr)
(0.11 mg	J/L TP).				Uranium		
					Zinc	TVS	TVS
3d. Mainstem	of the Uncompany River from a point	immediately below the confluence w	vith Dallas Creek	to the inlet o	of Ridgway Reservoir.		
3d. Mainstem	of the Uncompany River from a point Classifications	himmediately below the confluence w Physical and Bic	vith Dallas Creek	to the inlet o	f Ridgway Reservoir.	etals (ug/L)	
3d. Mainstem COGUUN03D Designation	of the Uncompany River from a point Classifications Agriculture	The section of the se	vith Dallas Creek Diogical DM	MWAT	f Ridgway Reservoir.	etals (ug/L) acute	chronic
3d. Mainstem COGUUN03D Designation Reviewable	of the Uncompandgre River from a point Classifications Agriculture Aq Life Cold 1	Temperature °C	vith Dallas Creek ological DM CS-II	MWAT CS-II	f Ridgway Reservoir.	etals (ug/L) acute 	chronic
3d. Mainstem COGUUN03D Designation Reviewable	of the Uncompandgre River from a point Classifications Agriculture Aq Life Cold 1 Recreation E Water Surply	immediately below the confluence w Physical and Bic Temperature °C	vith Dallas Creek blogical DM CS-II acute	MWAT CS-II chronic	f Ridgway Reservoir. Mi Aluminum Arsenic	etals (ug/L) acute 340	chronic
3d. Mainstem COGUUN03D Designation Reviewable	of the Uncompandgre River from a point Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Temperature °C	vith Dallas Creek ological DM CS-II acute 	MWAT CS-II chronic 6.0	f Ridgway Reservoir. Ma Aluminum Arsenic Arsenic(T)	etals (ug/L) acute 340 	chronic 0.02
3d. Mainstem COGUUN03D Designation Reviewable Qualifiers:	of the Uncompandgre River from a point Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Immediately below the confluence w Physical and Bic Temperature °C D.O. (mg/L) D.O. (spawning)	vith Dallas Creek plogical DM CS-II acute 	to the inlet of MWAT CS-II chronic 6.0 7.0	f Ridgway Reservoir. Ma Aluminum Arsenic Arsenic(T) Beryllium	etals (ug/L) acute 340 	chronic 0.02
3d. Mainstem COGUUN03D Designation Reviewable Qualifiers: Other:	of the Uncompandgre River from a point Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	immediately below the confluence w Physical and Bic Temperature °C D.O. (mg/L) D.O. (spawning) pH	vith Dallas Creek blogical DM CS-II acute 6.5 - 9.0	MWAT CS-II chronic 6.0 7.0 	f Ridgway Reservoir. Ma Aluminum Arsenic Arsenic(T) Beryllium Cadmium	etals (ug/L) acute 340 TVS	chronic 0.02 TVS
3d. Mainstem COGUUN03D Designation Reviewable Qualifiers: Other:	of the Uncompahgre River from a point Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	immediately below the confluence were confluen	vith Dallas Creek blogical DM CS-II acute 6.5 - 9.0 	MWAT CS-II chronic 6.0 7.0 	f Ridgway Reservoir. Ma Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T)	etals (ug/L) acute 340 TVS 5.0	chronic 0.02 TVS
3d. Mainstem COGUUN03D Designation Reviewable Qualifiers: Other:	of the Uncompahgre River from a poin Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	immediately below the confluence were confluen	vith Dallas Creek blogical CS-II acute 6.5 - 9.0 	to the inlet of MWAT CS-II chronic 6.0 7.0 126	f Ridgway Reservoir.	etals (ug/L) acute 340 TVS 5.0 	chronic 0.02 TVS TVS
3d. Mainstem COGUUN03D Designation Reviewable Qualifiers: Other:	of the Uncompahgre River from a poin Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	immediately below the confluence w Physical and Bic Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL)	vith Dallas Creek blogical CS-II acute 6.5 - 9.0 	to the inlet of MWAT CS-II chronic 6.0 7.0 126	f Ridgway Reservoir. Mi Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III	etals (ug/L) acute 340 TVS 5.0 50	chronic 0.02 TVS TVS
3d. Mainstem COGUUN03D Designation Reviewable Qualifiers: Other:	of the Uncompahgre River from a poin Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	immediately below the confluence w Physical and Bio Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (vith Dallas Creek blogical DM CS-II acute 6.5 - 9.0 (mg/L)	to the inlet of MWAT CS-II chronic 6.0 7.0 126	f Ridgway Reservoir. Mi Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium VI	etals (ug/L) acute 340 TVS 5.0 50 TVS	chronic 0.02 TVS TVS TVS
3d. Mainstem COGUUN03D Designation Reviewable Qualifiers: Other:	of the Uncompahgre River from a poin Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	immediately below the confluence w Physical and Bio Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (vith Dallas Creek blogical DM CS-II acute 6.5 - 9.0 (mg/L) acute	to the inlet of MWAT CS-II chronic 6.0 7.0 126 chronic	f Ridgway Reservoir. Mi Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper	etals (ug/L) acute 340 TVS 5.0 50 TVS TVS	chronic 0.02 TVS TVS TVS TVS
3d. Mainstem COGUUN03D Designation Reviewable Qualifiers: Other:	of the Uncompahgre River from a poin Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	immediately below the confluence w Physical and Bio Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (Ammonia	vith Dallas Creek blogical CS-II CS-II acute 6.5 - 9.0 (mg/L) acute TVS	to the inlet of MWAT CS-II chronic 6.0 7.0 126 chronic TVS	f Ridgway Reservoir. Maintenne Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron	etals (ug/L) acute 340 TVS 5.0 5.0 50 TVS TVS TVS	chronic 0.02 TVS TVS TVS TVS TVS WS
3d. Mainstem COGUUN03D Designation Reviewable Qualifiers: Other:	of the Uncompahgre River from a poin Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	immediately below the confluence w Physical and Bio Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (Ammonia Boron	vith Dallas Creek Dogical DM CS-II acute 6.5 - 9.0 (mg/L) acute TVS 	to the inlet of MWAT CS-II chronic 6.0 7.0 126 chronic TVS 0.75	f Ridgway Reservoir. Maintenne Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T)	etals (ug/L) acute	chronic 0.02 TVS TVS TVS TVS TVS WS 2053
3d. Mainstem COGUUN03D Designation Reviewable Qualifiers: Other:	of the Uncompahgre River from a poin Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	immediately below the confluence w Physical and Bio Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (Ammonia Boron Chloride	vith Dallas Creek Dogical DM CS-II acute 6.5 - 9.0 (mg/L) acute TVS TVS 	to the inlet of MWAT CS-II chronic 6.0 7.0 126 Chronic TVS 0.75 250	f Ridgway Reservoir. Maintenne Maintenne Maint	etals (ug/L) acute 340 TVS 5.0 5.0 TVS TVS TVS 	chronic 0.02 TVS TVS TVS TVS WS 2053 TVS
3d. Mainstem COGUUN03D Designation Reviewable Qualifiers: Other:	of the Uncompahgre River from a poin Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	immediately below the confluence w Physical and Bio Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (Ammonia Boron Chloride Chlorine	vith Dallas Creek blogical CS-II acute 6.5 - 9.0 (mg/L) acute TVS 0.019	to the inlet of MWAT CS-II chronic 6.0 7.0 126 Chronic TVS 0.75 250 0.011	f Ridgway Reservoir. Mile Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead Lead(T)	etals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS 50	chronic 0.02 TVS TVS TVS TVS 2053 TVS
3d. Mainstem COGUUN03D Designation Reviewable Qualifiers: Other:	of the Uncompahgre River from a poin Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	immediately below the confluence w Physical and Bio Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (Ammonia Boron Chloride Chlorine Cvanide	vith Dallas Creek blogical DM CS-II acute 6.5 - 9.0 (mg/L) acute TVS 0.019 0.005	to the inlet of MWAT CS-II chronic 6.0 7.0 126 126 chronic TVS 0.75 250 0.011 	f Ridgway Reservoir. Mi Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese	etals (ug/L) acute	chronic 0.02 TVS TVS TVS SUS 2053 TVS TVSWS
3d. Mainstem COGUUN03D Designation Reviewable Qualifiers: Other:	of the Uncompahgre River from a poin Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	immediately below the confluence w Physical and Bio Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (Ammonia Boron Chloride Chlorine Cyanide Nitrate	vith Dallas Creek blogical DM CS-II acute () () (mg/L) acute TVS 0.019 0.005 10	to the inlet of MWAT CS-II chronic 6.0 7.0 126 Chronic TVS 0.75 250 0.011 	f Ridgway Reservoir.	etals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS TVS 50 TVS 50 TVS	chronic 0.02 TVS TVS TVS TVS 2053 TVS 2053 TVS TVSWS 0.01(t)
3d. Mainstem COGUUN03D Designation Reviewable Qualifiers: Other:	of the Uncompahgre River from a poin Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	immediately below the confluence w Physical and Bio Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (Ammonia Boron Chloride Chloride Chlorine Cyanide Nitrate Nitrite	vith Dallas Creek blogical DM CS-II acute () () () ()) 	to the inlet of MWAT CS-II chronic 6.0 7.0 126 Chronic TVS 0.75 250 0.011 	f Ridgway Reservoir. Mit Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead Lead(T) Manganese Mercury Molvbdenum(T)	etals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 50 50 TVS 50 50 50 50 50 50 50 50 50 50 50 50 50	chronic 0.02 TVS TVS TVS TVS WS 2053 TVS WS 2053 TVS WS 2053 TVS S
3d. Mainstem COGUUN03D Designation Reviewable Qualifiers: Other:	of the Uncompahgre River from a point Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	immediately below the confluence w Physical and Bio Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (Ammonia Boron Chloride Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	vith Dallas Creek Dogical DM CS-II CS-II CS-II CS-II CS-II CS-III CS-III CS-III CS-II CS-II CS-III	to the inlet of MWAT CS-II chronic 6.0 7.0 126 126 Chronic TVS 0.75 250 0.011 	f Ridgway Reservoir.	etals (ug/L) acute 340 340 TVS 5.0 50 50 TVS 50 TVS 50 TVS 50 TVS TVS TVS	chronic 0.02 TVS TVS TVS WS 2053 TVS WS 2053 TVS WS 2053 TVS WS 2053 TVS
3d. Mainstem COGUUN03D Designation Reviewable Qualifiers: Other:	of the Uncompahgre River from a point Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	immediately below the confluence w Physical and Bio Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (Ammonia Boron Chloride Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Suifete	vith Dallas Creek Dogical DM CS-II CS-II CS-II CS-II CS-I	to the inlet of MWAT CS-II chronic 6.0 7.0 126 Chronic TVS 0.75 250 0.011 0.011 	f Ridgway Reservoir.	etals (ug/L) acute	chronic 0.02 TVS TVS TVS WS 2053 TVS WS 2053 TVS WS 2053 TVS WS 2053 TVS S S 2053 TVS S 3 TVS S 3 TVS
3d. Mainstem COGUUN03D Designation Reviewable Qualifiers: Other:	of the Uncompahgre River from a point Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	immediately below the confluence w Physical and Bio Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (Ammonia Boron Chloride Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	vith Dallas Creek Dogical DM CS-II CS-II CS-II CS-I CS-10	to the inlet of MWAT CS-II chronic 6.0 7.0 126 0.0 Chronic TVS 0.75 250 0.011 250 0.011 WS 0.05	f Ridgway Reservoir. Mile Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Sclassium	etals (ug/L) acute	chronic 0.02 TVS TVS TVS WS 2053 TVS WS 2053 TVS S S 2053 TVS S 3 TVS S 3 TVS TVSWS 0.01(t) 150 TVS 100
3d. Mainstem COGUUN03D Designation Reviewable Qualifiers: Other:	of the Uncompahgre River from a point Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	immediately below the confluence w Physical and Bio Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (Ammonia Boron Chloride Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfate	vith Dallas Creek Dogical DM CS-II CS-II CS-II CS-II CS-I	to the inlet of MWAT CS-II chronic 6.0 7.0 7.0 126 7.0 0.011 Chronic 7.0 0.011 0.011 0.011 0.011 0.011 0.011 0.011 0.011 0.002	f Ridgway Reservoir. Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	etals (ug/L) acute acut	chronic 0.02 TVS TVS TVS S S 2053 TVS WS 2053 TVS WS 2053 TVS S 0.01(1) 150 TVS 100 TVS
3d. Mainstem COGUUN03D Designation Reviewable Qualifiers: Other:	of the Uncompahgre River from a point Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	immediately below the confluence w Physical and Bic Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfate	vith Dallas Creek Dogical DM CS-II CS-II CS-II CS-II CS-I	to the inlet of MWAT CS-II chronic 6.0 7.0 126 0.01 TVS 0.75 250 0.011 0.01 0.011 WS 0.002	f Ridgway Reservoir. Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium Silver	etals (ug/L) acute acut	chronic 0.02 TVS TVS TVS TVS TVS 0.01(t) 150 TVS 100 TVS TVS
3d. Mainstem COGUUN03D Designation Reviewable Qualifiers: Other:	of the Uncompahgre River from a point Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Immediately below the confluence w Physical and Bic Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (Ammonia Boron Chloride Chlorine Cyanide Nitrite Phosphorus Sulfate Sulfide	vith Dallas Creek Dogical DM CS-III CS-III CS-II CS-II CS-II CS-II CS-	to the inlet of MWAT CS-II chronic 6.0 7.0 126 126 Chronic TVS 0.75 250 0.011 250 0.011 WS 0.002	f Ridgway Reservoir. Mile Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium Silver Uranium	etals (ug/L) acute acut	chronic 0.02 TVS TVS TVS WS 2053 TVS WS 2053 TVS TVSWS 0.01(t) 150 TVS 100 TVS 100 TVS TVS(tr)

All metals are dissolved unless otherwise noted. T = total recoverable t = total tr = trout sc = sculpin D.O. = dissolved oxygen

DM = daily maximum

3e. Mainstem	of the Uncompangre River from the out	let of Ridgway Reservoir to a point imm	nediately above	e the outlet o	of the South Canal near Uncom	pahgre.	
COGUUN03E	Classifications	Physical and Biolog	gical		Me	tals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CS-II*	CS-II* ^C	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02
Qualifiers:		D.O. (spawning)		7.0	Beryllium		
Other:		pH	6.5 - 9.0		Cadmium	TVS	TVS
		chlorophyll a (mg/m ²)			Cadmium(T)	5.0	
		E. Coli (per 100 mL)		126	Chromium III		TVS
					Chromium III(T)	50	
*Temperature 11/15	= summer criteria apply from 4/1-	Inorganic (mg	g/L)		Chromium VI	TVS	TVS
			acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron		WS
		Boron		0.75	Iron(T)		1000
		Chloride		250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	
		Cvanida	0.005		Manganese	TVS	TVS/WS
		Nitrate	10		Mercury		0.01(t)
		Nitrito	0.05		Molybdenum(T)		150
		Phoenborue	0.05		Nickel	TVS	TVS
					Nickel/T)	103	100
		Sulfate		WS			100
		Sulfide		0.002	Selenium	172	TVS
					Silver	172	1 VS(tr)
					Uranium 		
					ZINC	IVS	IVS
Of Mainatam	of the Uneempehane Diver from a point	immediately above the outlet of the Cou	the Canal to a	point immed	istely, shave the Highway 00 h	ridao in Montropo	
3f. Mainstem c	of the Uncompander River from a point	immediately above the outlet of the Sou	uth Canal to a	point immed	iately above the Highway 90 b	ridge in Montrose.	
3f. Mainstem c COGUUN03F	of the Uncompany River from a point Classifications	immediately above the outlet of the Sou Physical and Biolog	uth Canal to a gical	point immed	iately above the Highway 90 b Me	ridge in Montrose. tals (ug/L)	chronic
3f. Mainstem of COGUUN03F Designation	of the Uncompandere River from a point Classifications Agriculture Agriculture	immediately above the outlet of the Sou Physical and Biolog	uth Canal to a gical DM	MWAT	iately above the Highway 90 b Me	ridge in Montrose. tals (ug/L) acute	chronic
3f. Mainstem of COGUUN03F Designation Reviewable	of the Uncompahgre River from a point Classifications Agriculture Aq Life Cold 1 Recreation E	immediately above the outlet of the Sou Physical and Biolog Temperature °C	uth Canal to a gical DM CS-II	point immed MWAT CS-II	iately above the Highway 90 b Me Aluminum	ridge in Montrose. tals (ug/L) acute 	chronic
3f. Mainstem of COGUUN03F Designation Reviewable	of the Uncompahgre River from a point Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Temperature °C	uth Canal to a gical DM CS-II acute	MWAT CS-II chronic	iately above the Highway 90 b Me Aluminum Arsenic	ridge in Montrose. tals (ug/L) acute 340	chronic
3f. Mainstern c COGUUN03F Designation Reviewable	of the Uncompahgre River from a point Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Temperature °C	uth Canal to a gical DM CS-II acute 	MWAT CS-II chronic 6.0	iately above the Highway 90 b Me Aluminum Arsenic Arsenic(T)	ridge in Montrose. tals (ug/L) acute 340 	chronic 0.02
3f. Mainstern c COGUUN03F Designation Reviewable Qualifiers:	of the Uncompany River from a point Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Temperature °C	th Canal to a gical DM CS-II acute 	MWAT CS-II chronic 6.0 7.0	iately above the Highway 90 b Me Aluminum Arsenic Arsenic(T) Beryllium	ridge in Montrose. tals (ug/L) acute 340 TVC	chronic 0.02
3f. Mainstern c COGUUN03F Designation Reviewable Qualifiers: Other:	of the Uncompahgre River from a point Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Temperature °C D.O. (mg/L) D.O. (spawning)	th Canal to a gical DM CS-II acute 6.5 - 9.0	MWAT CS-II chronic 6.0 7.0 	Aluminum Aluminum Arsenic Arsenic(T) Beryllium Cadmium	ridge in Montrose. tals (ug/L) acute 340 TVS	chronic 0.02 TVS
3f. Mainstern of COGUUN03F Designation Reviewable Qualifiers: Other: Temporary Mo	of the Uncompahgre River from a point Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s):	mmediately above the outlet of the Sou Physical and Biolog Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²)	uth Canal to a gical DM CS-II acute 6.5 - 9.0 	MWAT CS-II chronic 6.0 7.0 	Aluminum Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T)	ridge in Montrose. tals (ug/L) 340 TVS 5.0	chronic 0.02 TVS
3f. Mainstern of COGUUN03F Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronic	of the Uncompahgre River from a point Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply bdification(s): c) = hybrid	immediately above the outlet of the Sou Physical and Biolog Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL)	uth Canal to a gical DM CS-II acute 6.5 - 9.0 	MWAT CS-II chronic 6.0 7.0 126	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III	ridge in Montrose. tals (ug/L) acute 340 TVS 5.0 	chronic 0.02 TVS TVS
3f. Mainstern of COGUUN03F Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date	of the Uncompahgre River from a point Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply bdification(s): c) = hybrid e of 12/31/2024	mmediately above the outlet of the Sou Physical and Biolog Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL)	uth Canal to a gical DM CS-II acute 6.5 - 9.0 	point immed MWAT CS-II chronic 6.0 7.0 126	iately above the Highway 90 b Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium Cadmium(T) Chromium III Chromium III(T)	ridge in Montrose. tals (ug/L) acute 340 TVS 5.0 50	chronic 0.02 TVS TVS
3f. Mainstern of COGUUN03F Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date	of the Uncompahgre River from a point Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply bdification(s): c) = hybrid e of 12/31/2024	Immediately above the outlet of the Sou Physical and Biolog Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (mg	uth Canal to a gical DM CS-II acute 6.5 - 9.0 	point immed MWAT CS-II chronic 6.0 7.0 126	iately above the Highway 90 b Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III(T)	ridge in Montrose. tals (ug/L) acute 340 TVS 5.0 50 TVS	chronic 0.02 TVS TVS TVS
3f. Mainstern of COGUUN03F Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date	of the Uncompahgre River from a point Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply bdification(s): c) = hybrid e of 12/31/2024	immediately above the outlet of the Sou Physical and Biolog Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (mg	uth Canal to a gical DM CS-II acute 6.5 - 9.0 g/L) acute	point immed MWAT CS-II chronic 6.0 7.0 126 chronic	iately above the Highway 90 b Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium Cadmium(T) Chromium III Chromium III Chromium VI Copper	ridge in Montrose. tals (ug/L) acute 340 TVS 5.0 50 TVS TVS	chronic 0.02 TVS TVS TVS TVS
3f. Mainstern of COGUUN03F Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date	of the Uncompahgre River from a point Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): c) = hybrid e of 12/31/2024	immediately above the outlet of the Sou Physical and Biolog Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (mg Ammonia	uth Canal to a gical DM CS-II acute 6.5 - 9.0 c g/L) acute TVS	point immed MWAT CS-II chronic 6.0 7.0 126 chronic TVS	iately above the Highway 90 b Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron	ridge in Montrose. tals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS	chronic 0.02 TVS TVS TVS TVS TVS TVS WS
3f. Mainstern of COGUUN03F Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date	of the Uncompahgre River from a point Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): c) = hybrid e of 12/31/2024	immediately above the outlet of the Sou Physical and Biolog Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron	uth Canal to a gical DM CS-II acute 6.5 - 9.0 6.5 - 9.0 acute T	point immed MWAT CS-II chronic 6.0 7.0 126 chronic TVS 0.75	Aluminum Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T)	ridge in Montrose. tals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS 	chronic 0.02 TVS TVS TVS TVS TVS TVS S VS 1000
3f. Mainstern of COGUUN03F Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date	of the Uncompahgre River from a point Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply bdification(s): c) = hybrid e of 12/31/2024	immediately above the outlet of the Sou Physical and Biolog Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride	th Canal to a gical DM CS-II acute 6.5 - 9.0 6.5 - 9.0 g/L) acute TVS 	point immed MWAT CS-II chronic 6.0 7.0 126 126 chronic TVS 0.75 250	Aluminum Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead	ridge in Montrose. tals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS	chronic 0.02 TVS TVS TVS TVS TVS WS 1000 TVS
3f. Mainstern of COGUUN03F Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronio Expiration Date	of the Uncompahgre River from a point Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply cdification(s): c) = hybrid e of 12/31/2024	immediately above the outlet of the Sou Physical and Biolog Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Chlorine	th Canal to a gical DM CS-II acute 6.5 - 9.0 6.5 - 9.0 (2.0 5.5 - 9.0 (2.0 5.5 - 9.0 (2.0 	point immed MWAT CS-II chronic 6.0 7.0 126 126 chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T)	ridge in Montrose. tals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS TVS 50 TVS 50	chronic 0.02 TVS TVS TVS TVS S S S S S S S S S S S S S S S S
3f. Mainstem c COGUUN03F Designation Reviewable Qualifiers: Other: Temporary Mc Arsenic(chronic Expiration Date	of the Uncompahgre River from a point Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply bdification(s): c) = hybrid e of 12/31/2024	immediately above the outlet of the Sou Physical and Biolog Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Chlorine Cyanide	tth Canal to a gical DM CS-II acute 6.5 - 9.0 6.5 - 9.0 6.5 - 9.0 7.0 5.0 0.019 0.005	point immed MWAT CS-II chronic 6.0 7.0 126 Chronic TVS 0.75 250 0.011 	iately above the Highway 90 b Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese	ridge in Montrose. tals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS	chronic 0.02 TVS TVS TVS TVS WS 1000 TVS S TVS/WS
3f. Mainstern of COGUUN03F Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronio Expiration Date	of the Uncompahgre River from a point Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply colification(s): c) = hybrid e of 12/31/2024	immediately above the outlet of the Sou Physical and Biolog Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Chlorine Cyanide Nitrate	tth Canal to a gical DM CS-II acute 6.5 - 9.0 6.5 - 9.0 0.01 US 0.00 0.00 10	point immed MWAT CS-II chronic 6.0 7.0 7.0 126 Chronic TVS 0.75 250 0.011 	iately above the Highway 90 b Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury	ridge in Montrose. tals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS 50 TVS 50 TVS TVS 50 TVS	chronic 0.02 TVS TVS TVS S S S S S S S S S S S S S S S S
3f. Mainstern of COGUUN03F Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronio Expiration Date	of the Uncompahgre River from a point Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): c) = hybrid e of 12/31/2024	immediately above the outlet of the Soc Physical and Biolog Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite	tth Canal to a gical DM CS-II acute 6.5 - 9.0 6.5 - 9.0 0.01 XVS 0.019 0.005 10 0.05	point immed MWAT CS-II chronic 6.0 7.0 7.0 126 Chronic TVS 0.75 250 0.011 125 0.011	iately above the Highway 90 b Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T)	ridge in Montrose. tals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS 50 TVS TVS 50 TVS TVS 50 TVS 	chronic 0.02 TVS TVS TVS TVS WS 1000 TVS WS 1000 TVS WS 1000 TVS
3f. Mainstern of COGUUN03F Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronio Expiration Date	of the Uncompahgre River from a point Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): c) = hybrid e of 12/31/2024	immediately above the outlet of the Soc Physical and Biolog Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	Canal to a gical DM CS-II acute 6.5 - 9.0 6.5 - 9.0 7 0.01 0.005 10 0.05	point immed MWAT CS-II chronic 6.0 7.0 7.0 126 0.0 0.01 Chronic TVS 0.75 250 0.011 0.011 	iately above the Highway 90 b Mei Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel	ridge in Montrose. tals (ug/L) acute 340 TVS 5.0 50 TVS TVS 50 TVS 50 TVS 50 TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS TVS 	chronic 0.02 TVS TVS TVS TVS WS 1000 TVS WS 1000 TVS TVSWS 0.01(t) 150 TVS
3f. Mainstern of COGUUN03F Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronio Expiration Date	of the Uncompahgre River from a point Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	immediately above the outlet of the Soc Physical and Biolog Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	Canal to a gical DM CS-II acute 6.5 - 9.0 6.5 - 9.0 6.5 - 9.0 0.019 0.005 10 0.05	point immed MWAT CS-II chronic 6.0 7.0 7.0 126 7.0 0.0 7.0 0.0 126 0.0 0.0 0.0 126 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T)	ridge in Montrose. tals (ug/L) acute acute 340 TVS 50 TVS 50 TVS TVS 50 TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS TVS 	chronic 0.02 TVS TVS TVS TVS WS 1000 TVS WS 1000 TVS S 0.01(t) 150 TVS 100
3f. Mainstern of COGUUN03F Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronio Expiration Date	of the Uncompahgre River from a point Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	immediately above the outlet of the Soc Physical and Biolog Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	th Canal to a gical DM CS-II acute 6.5 - 9.0 6.5 - 9.0 0.019 0.005 10 0.005 10 0.05 	point immed MWAT CS-II chronic 6.0 7.0 126 0.01 Chronic TVS 0.75 250 0.011 250 0.011 WS 0.002	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	ridge in Montrose. tals (ug/L) acute 340 TVS 5.0 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS	chronic 0.02 TVS TVS TVS TVS WS 1000 TVS WS 1000 TVS TVS/WS 0.01(t) 150 TVS 100 TVS
3f. Mainstem of COGUUN03F Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronio Expiration Date	of the Uncompahgre River from a point Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	immediately above the outlet of the Soc Physical and Biolog Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	th Canal to a gical DM CS-II acute 6.5 - 9.0 6.5 - 9.0 C 0.019 0.005 10 0.019 0.005 10 0.05 10	point immed MWAT CS-II chronic 6.0 7.0 126 Chronic TVS 0.75 250 0.011 250 0.011 WS 0.002	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium Silver	ridge in Montrose. tals (ug/L) acute acute 340 TVS 50 TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS	chronic 0.02 TVS U000 TVS 0.01(t) 150 TVS 100 TVS 100 TVS TVS
3f. Mainstem of COGUUN03F Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date	of the Uncompahgre River from a point Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply cdification(s): c) = hybrid e of 12/31/2024	immediately above the outlet of the Soc Physical and Biolog Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	Canal to a gical DM CS-II acute 6.5 - 9.0 6.5 - 9.0 0.019 0.005 10 0.005 10	point immed MWAT CS-II chronic 6.0 7.0 7.0 126 0.75 250 0.011 250 0.011 WS 0.002	iately above the Highway 90 b Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium Silver Uranium	ridge in Montrose. tals (ug/L) acute 340 TVS 5.0 50 TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS TVS TVS 	chronic 0.02 TVS TVS TVS 3 TVS WS 1000 TVS WS 1000 TVS 0.01(t) 150 TVS/WS 0.01(t) 150 TVS TVS/WS

All metals are dissolved unless otherwise noted. T = total recoverable t = total tr = trout sc = sculpin D.O. = dissolved oxygen

DM = daily maximum

4a. Mainstem	of the Uncompandgre River from the Hi	ghway 90 bridge at Montrose to Gunniso	n Road.				
COGUUN04A	Classifications	Physical and Biolog	jical		Metal	s (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Warm 1	Temperature °C	WS-II	WS-II	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		5.0	Arsenic(T)		0.02
Qualifiers:		рН	6.5 - 9.0		Beryllium		
Other:		chlorophyll a (mg/m ²)			Cadmium	TVS	TVS
Temporary Mo	odification(s):	E. Coli (per 100 mL)		126	Cadmium(T)	5.0	
Arsenic(chronic	c) = hybrid	Inorganic (mg	I/L)		Chromium III		TVS
Expiration Date	e of 12/31/2024		acute	chronic	Chromium III(T)	50	
		Ammonia	TVS	TVS	Chromium VI	TVS	TVS
		Boron		0.75	Copper	TVS	TVS
		Chloride		250	Iron		WS
		Chlorine	0.019	0.011	Iron(T)		1000
		Cvanide	0.005		Lead	TVS	TVS
		Nitrate	10		Lead(T)	50	
		Nitrite	0.5		Manganese	TVS	TVS/WS
		Phosphorus			Mercury		0.01(t)
		Sulfate		WS	Molvbdenum(T)		150
		Sulfido		0.002	Nickel	TVS	TVS
		Sumue		0.002	Nickel(T)		100
					Selenium	TVS	TVS
					Silver	TVS	TVS
						103	103
					Zine	TVC	TVC
					ZIIIC	103	103
4h Mainstem	of the Uncompany River from Gunni	son Road to the unstream boundary of (Confluence Pa	rk			
4b. Mainstem	of the Uncompandere River from Gunni- Classifications	son Road to the upstream boundary of C Physical and Biolog	Confluence Pa gical	rk.	Metal	s (ug/L)	
4b. Mainstem COGUUN04B Designation	of the Uncompangre River from Gunni Classifications Agriculture	son Road to the upstream boundary of C Physical and Biolog	Confluence Pa gical DM	rk. MWAT	Meta	s (ug/L) acute	chronic
4b. Mainstem COGUUN04B Designation UP	of the Uncompany River from Gunni Classifications Agriculture Ag Life Warm 2	Road to the upstream boundary of C Physical and Biolog Temperature °C	Confluence Pa gical DM WS-II	rk. MWAT WS-II	Metal	is (ug/L) acute 	chronic
4b. Mainstem COGUUN04B Designation UP	of the Uncompany River from Gunni Classifications Agriculture Aq Life Warm 2 Recreation P	on Road to the upstream boundary of C Physical and Biolog Temperature °C	confluence Pa gical DM WS-II acute	rk. MWAT WS-II chronic	Metal Aluminum Arsenic	is (ug/L) acute 340	chronic
4b. Mainstem COGUUN04B Designation UP	of the Uncompahgre River from Gunni Classifications Agriculture Aq Life Warm 2 Recreation P Water Supply	on Road to the upstream boundary of C Physical and Biolog Temperature °C D.O. (mo/L)	Confluence Pa jical DM WS-II acute	rk. MWAT WS-II chronic 5.0	Metal Aluminum Arsenic Arsenic(T)	ls (ug/L) acute 340 	chronic
4b. Mainstem COGUUN04B Designation UP Qualifiers:	of the Uncompandingre River from Gunni Classifications Agriculture Aq Life Warm 2 Recreation P Water Supply	on Road to the upstream boundary of C Physical and Biolog Temperature °C D.O. (mg/L) pH	Confluence Pa jical DM WS-II acute 6.5 - 9.0	rk. MWAT WS-II chronic 5.0	Metal Aluminum Arsenic Arsenic(T) Bervilium	s (ug/L) acute 340 	chronic 0.02
4b. Mainstem COGUUN04B Designation UP Qualifiers:	of the Uncompangre River from Gunni Classifications Agriculture Aq Life Warm 2 Recreation P Water Supply	son Road to the upstream boundary of C Physical and Biolog Temperature °C D.O. (mg/L) pH chlorophvill a (mg/m ²)	Confluence Pa jical DM WS-II acute 6.5 - 9.0	rk. MWAT WS-II chronic 5.0 	Metal Aluminum Arsenic Arsenic(T) Beryllium Cadmium	s (ug/L) acute 340 TVS	chronic 0.02 TVS
4b. Mainstem COGUUN04B Designation UP Qualifiers: Other:	of the Uncompahgre River from Gunni Classifications Agriculture Aq Life Warm 2 Recreation P Water Supply	son Road to the upstream boundary of C Physical and Biolog Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m ²) E. Coli (per 100 ml.)	Confluence Pa jical DM WS-II acute 6.5 - 9.0	rk. MWAT WS-II chronic 5.0 205	Metai Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T)	s (ug/L) acute 340 TVS 50	chronic 0.02 TVS
4b. Mainstem COGUUN04B Designation UP Qualifiers: Other: Temporary Mo	of the Uncompahgre River from Gunni Classifications Agriculture Aq Life Warm 2 Recreation P Water Supply bdification(s):	on Road to the upstream boundary of C Physical and Biolog Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL)	Confluence Pa jical DM WS-II acute 6.5 - 9.0 (1)	rk. WS-II Chronic 5.0 205	Metal Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III	s (ug/L) acute 340 TVS 5.0	chronic 0.02 TVS TVS
4b. Mainstem COGUUN04B Designation UP Qualifiers: Other: Temporary Mo Arsenic(chronic Exclination Data	of the Uncompany River from Gunni Classifications Agriculture Aq Life Warm 2 Recreation P Water Supply bdification(s): c) = hybrid	on Road to the upstream boundary of C Physical and Biolog Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (mg	Confluence Pa jical DM WS-II acute 6.5 - 9.0 (/L) acute	rk. WS-II chronic 5.0 205 chronic	Metal Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium Cadmium(T) Chromium III	s (ug/L) acute 340 TVS 5.0 50	chronic 0.02 TVS TVS
4b. Mainstem COGUUN04B Designation UP Qualifiers: Other: Temporary Mo Arsenic(chronio Expiration Date	of the Uncompahgre River from Gunni Classifications Agriculture Aq Life Warm 2 Recreation P Water Supply bdification(s): c) = hybrid e of 12/31/2024	son Road to the upstream boundary of C Physical and Biolog Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (mg	Confluence Pa jical DM WS-II acute 6.5 - 9.0 //L) acute TV/C	rk. WS-II chronic 5.0 205 chronic TV/S	Metal Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium Cadmium(T) Chromium III Chromium III(T)	s (ug/L) acute 340 TVS 5.0 50 TVS	chronic 0.02 TVS TVS TVS
4b. Mainstem COGUUN04B Designation UP Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date	of the Uncompahgre River from Gunni Classifications Agriculture Aq Life Warm 2 Recreation P Water Supply bodification(s): c) = hybrid e of 12/31/2024	son Road to the upstream boundary of C Physical and Biolog Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron	Confluence Par jical DM WS-II acute 6.5 - 9.0 (/L) acute TVS	rk. WS-II chronic 5.0 205 chronic TVS 0.75	Metal Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III(T) Chromium VI	s (ug/L) acute 340 TVS 5.0 50 TVS TVS	chronic 0.02 TVS TVS TVS TVS
4b. Mainstem COGUUN04B Designation UP Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date	of the Uncompahgre River from Gunni Classifications Agriculture Aq Life Warm 2 Recreation P Water Supply Ddification(s): c) = hybrid e of 12/31/2024	son Road to the upstream boundary of C Physical and Biolog Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride	Confluence Pai jical DM WS-II acute 6.5 - 9.0 (L) acute TVS 	rk. WS-II Chronic 5.0 205 Chronic TVS 0.75 250	Metal Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium Cadmium(T) Chromium III Chromium III Chromium III Chromium VI Copper Iron	s (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS 	chronic 0.02 TVS TVS TVS TVS TVS
4b. Mainstem COGUUN04B Designation UP Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date	of the Uncompahgre River from Gunni Classifications Agriculture Aq Life Warm 2 Recreation P Water Supply pdification(s): c) = hybrid e of 12/31/2024	son Road to the upstream boundary of C Physical and Biolog Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Chloride	Confluence Pai jical DM WS-II acute 6.5 - 9.0 6.5 - 9.0 CVS TVS CVS 0.019	rk. MWAT WS-II chronic 5.0 205 chronic TVS 0.75 250 0.011	Metal Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron	s (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS 	chronic 0.02 TVS TVS TVS TVS TVS TVS S
4b. Mainstem COGUUN04B Designation UP Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date	of the Uncompahgre River from Gunni Classifications Agriculture Aq Life Warm 2 Recreation P Water Supply	son Road to the upstream boundary of C Physical and Biolog Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Chlorine	Confluence Participation jical DM WS-II acute 6.5 - 9.0 /L) acute 0.019	rk. WS-II Chronic 5.0 205 Chronic TVS 0.75 250 0.011	Metal Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Load	s (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS 	chronic 0.02 TVS TVS TVS TVS TVS WS 1000 TVS
4b. Mainstem COGUUN04B Designation UP Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date	of the Uncompahgre River from Gunni Classifications Agriculture Aq Life Warm 2 Recreation P Water Supply	on Road to the upstream boundary of C Physical and Biolog Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Chlorine Cyanide Niiste	Confluence Pa jical DM WS-II acute C 6.5 - 9.0 C C C C C C C C-	rk. WS-II Chronic 5.0 205 Chronic TVS 0.75 250 0.011 	Metal Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead	s (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS	chronic 0.02 TVS TVS TVS TVS WS 1000 TVS
4b. Mainstem COGUUN04B Designation UP Qualifiers: Other: Temporary Mc Arsenic(chronic Expiration Date	of the Uncompahgre River from Gunni Classifications Agriculture Aq Life Warm 2 Recreation P Water Supply	son Road to the upstream boundary of C Physical and Biolog Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Chlorine Cyanide Nitrate	Confluence Pa jical DM WS-II acute 6.5 - 9.0 6.5 - 9.0 CONT	rk. WS-II Chronic 5.0 205 Chronic TVS 0.75 250 0.011 	Metal Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T)	s (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS 50 TVS	chronic 0.02 TVS TVS TVS TVS S WS 1000 TVS TVS
4b. Mainstem COGUUN04B Designation UP Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date	of the Uncompahgre River from Gunni Classifications Agriculture Aq Life Warm 2 Recreation P Water Supply	son Road to the upstream boundary of C Physical and Biolog Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phoenbarun	Confluence Pa jical DM WS-II acute 6.5 - 9.0 (L) acute 0.019 0.005 10 0.5	rk. WS-II Chronic 5.0 205 Chronic TVS 0.75 250 0.011 250	Metal Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese	s (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS 50 TVS 50 TVS	chronic 0.02 TVS TVS TVS TVS WS 1000 TVS TVSWS
4b. Mainstem COGUUN04B Designation UP Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date	of the Uncompahgre River from Gunni Classifications Agriculture Aq Life Warm 2 Recreation P Water Supply	son Road to the upstream boundary of C Physical and Biolog Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus O tric	Confluence Pa jical DM WS-II acute 6.5 - 9.0 (.1) acute 0.019 0.005 10 0.5 	rk. WS-II Chronic 5.0 205 Chronic TVS 0.75 250 0.011 	Metal Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Malydaeum(T)	s (ug/L) acute 340 TVS 5.0 TVS TVS TVS TVS TVS 50 TVS 50 TVS 50 TVS 	chronic 0.02 TVS TVS TVS WS 1000 TVS WS 1000 TVS TVSWS 0.01(t)
4b. Mainstem COGUUN04B Designation UP Qualifiers: Other: Temporary Mo Arsenic(chronio Expiration Date	of the Uncompahgre River from Gunni Classifications Agriculture Aq Life Warm 2 Recreation P Water Supply	son Road to the upstream boundary of C Physical and Biolog Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate O. If it	Confluence Pa jical DM WS-II acute 6.5 - 9.0 () 	rk. MWAT WS-II chronic 5.0 205 chronic TVS 0.75 250 0.011 250 0.011 WS 0.75	Metal Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead Lead(T) Manganese Mercury Molybdenum(T)	s (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS 50 TVS 50 TVS 50 TVS TVS 50 TVS	chronic 0.02 TVS TVS TVS WS 1000 TVS WS 1000 TVS TVS/WS 0.01(t) 150
4b. Mainstem COGUUN04B Designation UP Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date	of the Uncompahgre River from Gunni Classifications Agriculture Aq Life Warm 2 Recreation P Water Supply	son Road to the upstream boundary of C Physical and Biolog Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	Confluence Pa jical DM WS-II acute 6.5 - 9.0 () 0.019 0.005 10 0.05 10 0.5 	rk. WS-II Chronic 5.0 205 205 Chronic TVS 0.75 250 0.011 250 0.011 WS 0.002	Metal Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel	s (ug/L) acute 340 TVS 5.0 TVS 50 TVS TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS	chronic 0.02 TVS TVS TVS US 1000 TVS 4000 TVS TVSWS 0.01(t) 150 TVS
4b. Mainstem COGUUN04B Designation UP Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date	of the Uncompahgre River from Gunni Classifications Agriculture Aq Life Warm 2 Recreation P Water Supply	son Road to the upstream boundary of C Physical and Biolog Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	Confluence Pa jical DM WS-II acute 6.5 - 9.0 (rk. WS-II Chronic 5.0 205 Chronic TVS 0.75 250 0.011 250 0.011 WS 0.002	Metal Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T)	s (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS 50 TVS TVS TVS 50	chronic 0.02 TVS TVS TVS TVS WS 1000 TVS TVSWS 0.01(t) 150 TVS 150
4b. Mainstem COGUUN04B Designation UP Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date	of the Uncompahgre River from Gunni Classifications Agriculture Aq Life Warm 2 Recreation P Water Supply	son Road to the upstream boundary of C Physical and Biolog Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	Confluence Pail jical N DM WS-II acute 6.5 - 9.0 6.5 - 9.0 6.5 - 9.0 0.17 0.019 0.005 10 0.5	rk. WS-II Chronic 5.0 205 205 Chronic TVS 0.75 250 0.011 250 0.011 WS 0.002	Metal Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	s (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS	chronic 0.02 TVS TVS TVS 3 UVS 1000 TVS 4 U00 TVS 0.01(t) 150 TVS 0.01(t) 150 TVS
4b. Mainstem COGUUN04B Designation UP Qualifiers: Other: Temporary Mc Arsenic(chronic Expiration Date	of the Uncompahgre River from Gunni Classifications Agriculture Aq Life Warm 2 Recreation P Water Supply	on Road to the upstream boundary of C Physical and Biolog Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Chloride Chloride Nitrate Nitrite Phosphorus Sulfate Sulfide	Confluence Pa jical DM WS-II acute 6.5 - 9.0 6.5 - 9.0 0.019 0.005 10 0.05 10 0.5	rk. WS-II Chronic 5.0 205 205 Chronic TVS 0.75 250 0.011 250 0.011 WS 0.002	Metal Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium Silver	s (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS	chronic 0.02 TVS TVS TVS TVS 3 1000 TVS 0.01(t) 150 TVS 1000 TVS 0.01(t) 150 TVS
4b. Mainstem COGUUN04B Designation UP Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date	of the Uncompahgre River from Gunni Classifications Agriculture Aq Life Warm 2 Recreation P Water Supply	on Road to the upstream boundary of C Physical and Biolog Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	Confluence Pa jical DM WS-II acute 6.5 - 9.0 (/L) acute TVS 0.019 0.005 10 0.05 .	rk. WS-II Chronic 5.0 205 Chronic TVS 0.75 250 0.011 250 0.011 WS 0.002	Metal Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium Silver Uranium	s (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS -	chronic 0.02 TVS TVS TVS WS 1000 TVS WS 1000 TVS 0.01(t) 150 TVS 100 TVS 0.01(t) 150 TVS 100 TVS

All metals are dissolved unless otherwise noted. T = total recoverable t = total tr = trout sc = sculpin D.O. = dissolved oxygen

DM = daily maximum

4c. Mainstem	of the Uncompangre River from the ups	stream boundary of Confluence Park to the	ne confluence	with the G	unnison River.		
COGUUN04C	Classifications	Physical and Biolog	ical		Metals	s (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Warm 1	Temperature °C	WS-II	WS-II	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
Qualifiers:		D.O. (mg/L)		5.0	Arsenic(T)		7.6
Other:		рН	6.5 - 9.0		Beryllium		
		chlorophyll a (mg/m ²)			Cadmium	TVS	TVS
		E. Coli (per 100 mL)		126	Chromium III	TVS	TVS
		Inorganic (mg/	'L)		Chromium III(T)		100
			acute	chronic	Chromium VI	TVS	TVS
		Ammonia	TVS	TVS	Copper	TVS	TVS
		Boron		0.75	lron(T)		1108
		Chloride			Lead	TVS	TVS
		Chlorine	0.019	0.011	Manganese	TVS	TVS
		Cyanide	0.005		Mercury		0.01(t)
		Nitrate	100		Molybdenum(T)		150
		Nitrite	0.5		Nickel	TVS	TVS
		Phosphorus			Selenium	TVS	TVS
		Sulfate			Silver	TVS	TVS
		Sulfide		0.002	Uranium		
					Zinc	TVS	TVS
5. All tributaries	s to the Uncompangre River, including	all wetlands, from the source to a point in	mmediately I	elow the co	fluence with Dexter Creek, exce	pt for specific list	ings in
Segments 1, 6	ba, 6b, and 7 through 9.	Divisional and Dialog			Matal	. (
COGUUN05		Physical and Biolog	ical		Metal	s (ug/L)	
Reviewable		Temperature %C			Aluminum	acute	chronic
Iteviewable	Aq Lie Cold 2 Recreation E		0.0-1	co-i	Aramia		
	Water Supply		acute	chronic	Arsenic (T)	340	
Qualifiers:				7.0	Arsenic(1)		0.02-10
0.1		D.O. (spawning)	65-90	7.0	Cadmium	 T\/C	
Other:		chlorophyll, a (ma/m^2)	0.5 - 9.0	150	Cadmium (T)	50	1 1 3
		E Coli (per 100 ml.)		126	Chromium III	5.0	T\/C
				120			172
						50	
		Inorganic (mg/	'L)			TVS	TVS
			acute	chronic	Copper	172	IVS
		Ammonia	TVS	TVS	Iron		WS
		Boron		0.75	Iron(I)		1000
		Chloride		250	Lead	178	178
		Chiorine	0.019	0.011	Lead(I)	50	
		- ···				T) (O	TUOMALO
EPA ha	s not acted on segment-	Cyanide	0.005		Manganese	TVS	TVS/WS
EPA ha specific	s not acted on segment- total phosphorus (TP)	Cyanide Nitrate	0.005 10		Manganese Mercury	TVS	TVS/WS 0.01(t)
EPA ha specific numeric	s not acted on segment- total phosphorus (TP) standards based on	Cyanide Nitrate Nitrite	0.005 10 0.05		Manganese Mercury Molybdenum(T)	TVS 	TVS/WS 0.01(t) 150
EPA ha specific numeric the inter	s not acted on segment- total phosphorus (TP) standards based on rim value for river/	Cyanide Nitrate Nitrite Phosphorus	0.005 10 0.05 	 0.11	Manganese Mercury Molybdenum(T) Nickel	TVS TVS	TVS/WS 0.01(t) 150 TVS
EPA ha specific numeric the inter stream	s not acted on segment- total phosphorus (TP) standards based on rim value for river/ segments with a cold	Cyanide Nitrate Nitrite Phosphorus Sulfate	0.005 10 0.05 	 0.11 WS	Manganese Mercury Molybdenum(T) Nickel Nickel(T)	TVS TVS 	TVS/WS 0.01(t) 150 TVS 100
EPA ha specific numeric the inter stream water ac	s not acted on segment- total phosphorus (TP) standards based on rim value for river/ segments with a cold quatic life classification	Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	0.005 10 0.05 	 0.111 WS 0.002	Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	TVS TVS TVS	TVSWS 0.01(t) 150 TVS 100 TVS
EPA ha specific numeric the intel stream water ac (0.11 m	s not acted on segment- total phosphorus (TP) c standards based on rim value for river/ segments with a cold quatic life classification g/L TP).	Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	0.005 10 0.05	 0.111 WS 0.002	Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium Silver	TVS TVS TVS TVS	TVSWS 0.01(t) 150 TVS 100 TVS TVS(tr)
EPA ha specific numeric the inter stream water ac (0.11 m	s not acted on segment- total phosphorus (TP) standards based on rim value for river/ segments with a cold quatic life classification g/L TP).	Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	0.005 10 0.05	 0.11 WS 0.002	Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium Silver Uranium	TVS TVS TVS TVS 	TVSWS 0.01(t) 150 TVS 100 TVS TVS(tr)

D.O. = dissolved oxygen

DM = daily maximum

MWAT = maximum weekly average temperature See 35.6 for further details on applied standards.

tr = trout sc = sculpin

6a. Mainstem o	of Red Mountain Creek from the source	to immediately above the confluence v	vith the East F	ork of Red N	Iountain Creek.		
COGUUN06A	Classifications	Physical and Biolog	gical		Meta	als (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 2	Temperature °C	CS-I	CS-I	Aluminum		
	Recreation N		acute	chronic	Arsenic	340	
Qualifiers:		D.O. (mg/L)		6.0	Arsenic(T)		100
Other:		D.O. (spawning)		7.0	Beryllium		
		рН	6.5 - 9.0		Cadmium	TVS	TVS
		chlorophyll a (mg/m ²)		150	Chromium III	TVS	TVS
		E. Coli (per 100 mL)		630	Chromium III(T)		100
					Chromium VI	TVS	TVS
		Inorganic (mg	ı/L)		Copper	TVS	TVS
			acute	chronic	Iron(T)		1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron		0.75	Manganese	TVS	TVS
		Chloride			Mercury		0.01(t)
EPA has	s not acted on segment-	Chlorine	0.019	0.011	Molybdenum(T)		150
specific	total phosphorus (TP)	Cyanide	0.005		Nickel	TVS	TVS
numeric	standards based on	Nitrate	100		Selenium	TVS	TVS
the inter	im value for river/	Nitrite	0.05		Silver	TVS	TVS
stream s	segments with a cold	Phosphorus		0.11	Uranium		
water aq	uatic life classification	Sulfate			Zinc	TVS	TVS
(0.11 mg	g/L TP).	Sulfide		0.002			
6b. Mainstem	of Red Mountain Creek from immediate	ly above the confluence with the East F	ork of Red M	ountain Cree	k to the confluence with the Un	compandre River.	All tributaries
to Red Mountai	in Creek within Corkscrew and Champi	on basins.					
COGUUN06B	Classifications	Physical and Biolog	yical		Meta	als (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
UP	Recreation N				Aluminum		
Qualifiers:			acute	chronic	Arsenic		
Other:		D.O. (mg/L)		3.0	Beryllium		
		рН	ambient		Cadmium		
		chlorophyll a (mg/m ²)			Chromium III		
		E. Coli (per 100 mL)		630	Chromium VI		
		Inorganic (mg	I/L)		Copper		
			acute	chronic	Iron		
		Ammonia			Lead		
		Boron			Manganese		
		Chloride			Mercury		
		Chlorine			Molybdenum(T)		
		Cyanide			Nickel		
		Nitrate			Selenium		
		Nitrite			Silver		
		Phosphorus			Uranium		
		Sulfate			Zinc		
		Sulfide					

COUUNG Beakerbanden Pariade Namination	7. Mainstem o	of Gray Copper Gulch from the source to	o the confluence with Red Mountain C	геек.				
Designation Reservation 10Image: 0Image: 0I	COGUUN07	Classifications	Physical and Biol	ogical		Meta	als (ug/L)	
Reinstein 0, Water Sergin (P Water Sergin) Improvation 10 (0.0, (nps)) Oat (0 Mainture Montee (0, (nps)) M	Designation	Agriculture		DM	MWAT		acute	chronic
Recordin P BarbyImage: Barby<	Reviewable	Aq Life Cold 2	Temperature °C	CS-I	CS-I	Aluminum		
Wate Supply D.0 (mpl,) ··· 6.0.0 Reserve(T) ··· ··· 0.0.0 Coldinary Pi(souro) ··· 570 Schnium TVS TVS Other: H 65:00 ··· Schnium(T) 6.0 ··· Coldinary ··· 150 Cathium(T) 6.0 ··· TVS E. Colore(100 mL) ··· Chronium III, TO Chronium III, TO TVS TVS Ford ··· 0.05 1.000 ··· Chronium III, TO 705 Econ ··· 0.015 0.014 Cad TVS TVS Chronic 0.019 0.014 Cad TVS TVS Chronic 0.019 0.014 Cad TVS TVS Statis Souro ···· Marginesis TVS TVS Statis Souro ···· Marginesis TVS TVS Statis Souro Souro Souro TVS		Recreation P		acute	chronic	Arsenic	340	
Quadrative D.0. (opcoming) · 7.0. Benjine · · Other 57.00 Cathniam (1) Cathniam (1) Control T/O E Cat (per 100 mk) Cathniam (1) Cathniam (1) T/O E Cat (per 100 mk) Cathniam (1) Cathniam (1) T/O E Cat (per 100 mk) Cathniam (1) Cathniam (1)		Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02-10 ^A
Other: PH 0.5 - 20 Dominim TVS PTM Processes	Qualifiers:		D.O. (spawning)		7.0	Beryllium		
 discripti a (mgn) 4 60 600 700 600 700 700<	Other:		рН	6.5 - 9.0		Cadmium	TVS	TVS
FC (d) (pr. 100 mL) Commun MI			chlorophyll a (mg/m ²)		150	Cadmium(T)	5.0	
Finance Increase: (mI) 0 0 increase: (mI) 0 0 0 0 Ammonia notot Vicona 0 0 0 0 Ammonia TVS Vicona 0			E. Coli (per 100 mL)		205	Chromium III		TVS
Free series Image is (mgL) Commun (mg) The series Compare (mg) Compare (mg) <td></td> <td></td> <td></td> <td></td> <td></td> <td>Chromium III(T)</td> <td>50</td> <td></td>						Chromium III(T)	50	
Best of the interval of			Inorganic (r	ng/L)		Chromium VI	TVS	TVS
FPA has not acted on segmenting function of the interim value for river/ the interim value for river/ strame segments with a cold water aquatic life classification (0.11 mg/L TP). Name 0.003				acute	chronic	Copper	TVS	TVS
Boon			Ammonia	TVS	TVS	Iron		WS
FPA has not acted on segment, specific total phosphorus (TP) humeric standards based on he interim value for river/ stream segments with a cold water aquatic life classification Chande 10 (Nime Medault TVS TVSR050 Nime 0.05 Mercay 0.01() Water aquatic life classification Nicke Methodum(T) 190 Numeric static life classification Nicke Nicke 100 Satis Nicke Nicke 100 Satis Nicke Nicke Satis Prosphorus With Clocompares River Satis Prosphorus With Clocompares River Satis Prosphorus With Clocompares River Reviewabis Aquife Cod 2			Boron		0.75	Iron(T)		2338
EPA has not acted on segments Chronic 0.019 0.011 Marganese TVS 85 Specific total phosphorus (TP) numeric standards based on the interim value for river/ Nitrite 0.05 Marganese TVS 85 Suitae 0.44 Nickel T S 150 Suitae 0.44 Nickel T S 170 Suitae 0.002 Selenium TVS 170 Suitae 0.002 Selenium TVS 170 Suitae			Chloride		250	Lead	TVS	TVS
Cyanide 0.005			Chlorine	0.019	0.011	Lead(T)	50	
EPA has not acted on segment specific total phosphorus (TP) numeric standards based on the interim value for river/ stream segments with a cold water aquetic life classification 0.11 mg/L TP). Nintie 0.05 Metcary Motide model (Mather aquetic life classification 0.11 mg/L TP). Nintie 0.05 Second Motide (Mather aquetic life classification 0.11 mg/L TP). Nintie 0.02 Second State Nintie 0.02 8 Mareter aquetic life classification 0.11 mg/L TP). Nintie 0.02 Second State TVS TVS 8 Mareter aquetic life classification 0.11 mg/L Mineter aquetic life classification Recreation P State TVS TVS TVS 8 additionation Reviewable Neare Supply A gricolure Water Supply Minetal for aquetic addition D.0. (mg/L) Minetal for aquetic addition Name Maretal (mg/L) Minetal for aquetic addition Name Minetal for aquetic addition Name </td <td></td> <td></td> <td>Cvanide</td> <td>0.005</td> <td></td> <td>Manganese</td> <td>TVS</td> <td>TVS/655</td>			Cvanide	0.005		Manganese	TVS	TVS/655
Chain Diff Diff< Diff Diff Diff Diff< Diff Diff< Diff< <td></td> <td>s not acted on segment</td> <td>Nitrate</td> <td>10</td> <td></td> <td>Mercury</td> <td></td> <td>0.01(t)</td>		s not acted on segment	Nitrate	10		Mercury		0.01(t)
Beside interview Introduce		total phoephorup (TD)	Nitrite	0.05		Molybdenum(T)		150
Inductor Control <	specific	iotal phosphorus (TP)	Phosphorus	0.00	0.11	Nickel	TVS	TV/S
diam No.002 No.002 No.002 Selection TVS TVS Suite 0.002 Selection TVS TVS Suite 0.002 Selection TVS TVS Suite 0.002 Selection TVS TVS Suite Basilizations Mineral Creek from the source to the confluence with the Uncompanyme River.	the inter	standards based on	Sulfate		We	Nickel(T)	1.43	100
Stream segments with a cool water aquic life classification (0.11 mg/L TP). State and a series (0.11 mg/L TP). State and a series (0.11 mg/L TP). State and a series (0.11 mg/L TP). TVS (0.11 mg/L TP). <t< td=""><td>the inter</td><td>Im value for river/</td><td>Suifate</td><td></td><td>0.000</td><td>Solonium</td><td></td><td>100</td></t<>	the inter	Im value for river/	Suifate		0.000	Solonium		100
Mater adjutite ine classification (0.1) Instruction	stream s	segments with a cold	Sume		0.002	Silver	1/5	TV(C(+r)
Character Oracter Test Test 8. Mainster of Mireral Creek from the source to the confluence with the Uncomparing River. Zine K Trys COGUN08 Classifications Physical and Biological MWAT Acute Chronic Reviewable Agriculture Emperature °C CS1 CS1 Aluminum Water Supply Temperature °C CS1 CS1 Aluminum 0.0. (mg/L) 6.0 Arseric(T) Qualifiers: D.0. (mg/L) 6.0 Arseric(T) Other: pH 6.5 - 9.0 7 Cadmium(T) 5.0 E. Coli (per 100 mL) 205 Chromium III TVS E. Coli (per 100 mL) 205 Iromium V TVS Amonaia TVS TVS Iromium V TVS Gride 205 Iromium V	water ac						1 1 2	103(0)
B. Mainster I Uneral Creek from the source tote in confluence with the Uncompanying River. Zinc Nit S COGUUN08 Classifications Physical and Biological Metals (ug/.) Designation Agric/lufe Imparature "C CS-I Aluminum acute ohronic Reviewable Maries Supply Temperature "C CS-I Aluminum acute ohronic Reviewable Agric/lufe Muinicour Assenic 340 acute ohronic Reviewable Maries Supply D.0. (mg/L) acute ohronic Assenic(T) acute 0.02-10 A Qualifiers: D.0. (mg/L) 6.00 Assenic(T) acute 0.02-10 A Other: Pid 6.5 -9.0 Cadmium(T) 5.0 Other: Pid 6.5 -9.0 Cadmium(T) 5.0 Inorganic (mg/L) D.0. (spawning) 150 Cadmium(T) 5.0 Inorganic (mg/L) E Coli (corphil a (mg/m)') 205 Circonium III TVS Boron Quality TVS TVS TVS TVS Quality Nitrate <t< td=""><td>(0.11 mỹ</td><td>g/L TP).</td><td></td><td></td><td></td><td></td><td></td><td></td></t<>	(0.11 mỹ	g/L TP).						
Analysistic is unanalysistic is within the solution being contained within the solution being within the solutin the solutin the solution being within the solution the solutin t						Zinc	IVS	IVS
Designation Agriculture Agriculture MWA action Autonium Autonium <th< th=""><th>9 Mainstom</th><th>of Minoral Crack from the course to the</th><th>confluence with the Uncompositore Bi</th><th>uor.</th><th></th><th></th><th></th><th></th></th<>	9 Mainstom	of Minoral Crack from the course to the	confluence with the Uncompositore Bi	uor.				
Construction Participation Construction	8. Mainstem o	of Mineral Creek from the source to the	confluence with the Uncompany Ring Ring Physical and Biol	ver. ogical		Met	als (ug/L)	
Number of Code 2 P Temperate C Code C <thcod c<="" th=""> <thcod c<="" th=""></thcod></thcod>	8. Mainstem of COGUUN08	of Mineral Creek from the source to the Classifications	confluence with the Uncompany Ri Physical and Biol	ver. ogical	MWAT	Meta	als (ug/L)	chronic
Water Supply D.0. (mg/L) $$ 6.0 Arsenic (T) $$ $0.0. (mg/L)$ <	8. Mainstem o COGUUN08 Designation	of Mineral Creek from the source to the Classifications Agriculture An Life, Cold 2	Confluence with the Uncompany Ri Physical and Biol	ver. ogical DM	MWAT	Met.	als (ug/L) acute	chronic
Outlifiers: D.O. (spawning) 0.00 Pagenic(1) 0.002/10 ** Other: D.O. (spawning) 7.0 Beryllium Other: D.O. (spawning) 150 Cadmium(T) 50 Other: D.O. (spawning) 150 Cadmium(T) 50 Chorophyll a (mg/m ²) 150 Cadmium(T) 50 E. Coli (per 100 mL) 205 Chronium III TVS Imorganic (mg/L) Chronium VI TVS TVS TVS TVS Ammonia TVS TVS Iron(T) 96 Gron 0.75 Iron(T) 1000 Gronium Cline 0.019 0.011 Lead(T) 50 Gronium Cline 0.019 0.011 Lead(T) 50 .001(t) Nitrate	8. Mainstem of COGUUN08 Designation Reviewable	of Mineral Creek from the source to the Classifications Agriculture Aq Life Cold 2 Recreation P	confluence with the Uncompany Ri Physical and Biol Temperature °C	ver. ogical DM CS-I	MWAT CS-I	Met.	als (ug/L) acute 	chronic
Dec (spawning) I.M. N.0 Berjinith I.M. N.0 Edition Other: pH 6.5 - 9.0 Cadmium(II) 5.0 TVS Chronium III TVS TVS Chronium III(T) 50 50 TVS TVS TVS TVS TVS TVS TVS Streinum VI TVS TVS TVS Streinum VI TVS TVS Streinum VI TVS TVS Streinum VI	8. Mainstem of COGUUN08 Designation Reviewable	of Mineral Creek from the source to the Classifications Agriculture Aq Life Cold 2 Recreation P Water Supply	Confluence with the Uncompany Ri Physical and Biol Temperature °C	ver. ogical DM CS-I acute	MWAT CS-I chronic	Met Aluminum Arsenic	als (ug/L) acute 340	chronic
Other: prin 0.5.5 + 3.0 Condition 1 VS 1 VS chlorophyll a (mg/m ²) 150 Cadmium(T) 5.0 E. Coli (per 100 mL) 205 Chromium III TVS Imorganic (mg/L) Chromium III(T) 50 S0 Imorganic (mg/L) Chromium III(T) 50 S0 Ammonia TVS TVS Chromium III(T) 50 Ammonia TVS TVS Iron WS Boron 0.75 Iron(T) 1000 Chloride 250 Lead 4 Chlorine 0.019 0.011 Lead(T) 50 Cyanide 0.005 Marganese TVS TVSWS Nitrate 10 Mercury 0.01(i) Nitrate 0.05	8. Mainstern o COGUUN08 Designation Reviewable	of Mineral Creek from the source to the Classifications Agriculture Aq Life Cold 2 Recreation P Water Supply	Confluence with the Uncompany Ri Physical and Biol Temperature °C D.O. (mg/L) D.O. (sequering)	ver. ogical DM CS-I acute 	MWAT CS-I chronic 6.0	Meta Aluminum Arsenic Arsenic(T)	als (ug/L) acute 340 	chronic 0.02-10 ^A
E. Coli (per 100 mL) 205 Chronium III TVS E. Coli (per 100 mL) 205 Chronium III 50 Inorganic (mg/L) Chronium III 50 50 Inorganic (mg/L) Chronium VI TVS TVS TVS TVS Ammonia TVS TVS Iron 95 Boron 0.75 Iron(T) 1000 Chloride 250 Lead 4 Chlorine 0.019 0.011 Lead(T) 50 Cyanide 0.005 Marganese TVS TVSWS Nitrate 10 Marganese 100 150 Phosphorus 0.41 Nickel TVS TVS 150 Sulfide 0.002 Selenium TVS TVS Sulfide 0.002 Selenium TVS TVS(r) Intrate 0.002 Selenium <	8. Mainstern o COGUUN08 Designation Reviewable Qualifiers:	of Mineral Creek from the source to the Classifications Agriculture Aq Life Cold 2 Recreation P Water Supply	confluence with the Uncompanyre Ri Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning)	ver. ogical DM CS-I acute 	MWAT CS-I chronic 6.0 7.0	Meta Aluminum Arsenic Arsenic(T) Beryllium	als (ug/L) 340 	chronic 0.02-10 ^A
E. Coli (per 100 mL) 205 Chromium III TVS Inorganic (mg/L) Chromium III(T) 50 Mmonia TVS Chromium VI TVS TVS Ammonia TVS TVS Iron 95 Ammonia TVS TVS Iron 95 Boron 0.75 Iron(T) 1000 Chloride 250 Lead 4 Chlorine 0.019 0.011 Lead(T) 50 Cyanide 0.005 Manganese TVS TVS Nitrate 0.01 Mickel Nickel TVS TVS Sulfate 9.44 Nickel(T) 150 Sulfate 0.002 Selenium TVS TVS Sulfate 0.002 Selenium TVS TVS Sulface 0.002 Selenium TVS TVS(r) Iuranum </td <td>8. Mainstern o COGUUN08 Designation Reviewable Qualifiers: Other:</td> <td>of Mineral Creek from the source to the Classifications Agriculture Aq Life Cold 2 Recreation P Water Supply</td> <td>confluence with the Uncompanyre Ri Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH</td> <td>ver. ogical DM CS-I acute 6.5 - 9.0</td> <td>MWAT CS-I chronic 6.0 7.0 </td> <td>Meta Aluminum Arsenic Arsenic(T) Beryllium Cadmium</td> <td>als (ug/L) acute 340 TVS</td> <td>chronic 0.02-10 ^A TVS</td>	8. Mainstern o COGUUN08 Designation Reviewable Qualifiers: Other:	of Mineral Creek from the source to the Classifications Agriculture Aq Life Cold 2 Recreation P Water Supply	confluence with the Uncompanyre Ri Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH	ver. ogical DM CS-I acute 6.5 - 9.0	MWAT CS-I chronic 6.0 7.0 	Meta Aluminum Arsenic Arsenic(T) Beryllium Cadmium	als (ug/L) acute 340 TVS	chronic 0.02-10 ^A TVS
Inorganic (mg/L)Chromium III(1)50Inorganic (mg/L)Chromium VITVSTVSImmoniaTVSTVSCopper5AmmoniaTVSTVSIronWSBoron0.75Iron(T)1000Chloride250Lead4Chlorine0.0190.011Lead(T)50Cyanide0.005ManganeseTVSTVSWSNitrate10Molybdenum(T)150Nitrite0.05Molybdenum(T)150Sulfate0.002SeleniumTVSTVSSulfate0.002SeleniumTVSTVS(tr)Uranium0.002SilverTVSTVS(tr)Uranium0.002SilverTVSTVS(tr)UraniumSilverTVSTVS(tr)UraniumSilverTVSTVS(tr)UraniumSilverTVSTVS(tr)UraniumSilverTVSTVS(tr)UraniumSilverTVSTVS(tr)UraniumSilverTVSTVS(tr)UraniumSilverTVSTVS(tr)UraniumSilverTVSTVSUraniumSilverTVSTVSUraniumSilverTVS <t< td=""><td>8. Mainstem o COGUUN08 Designation Reviewable Qualifiers: Other:</td><td>of Mineral Creek from the source to the Classifications Agriculture Aq Life Cold 2 Recreation P Water Supply</td><td>confluence with the Uncompahyre Ri Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²)</td><td>ver. ogical DM CS-I acute 6.5 - 9.0 </td><td>MWAT CS-I chronic 6.0 7.0 150</td><td>Met Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T)</td><td>als (ug/L) acute 340 TVS 5.0</td><td>chronic 0.02-10 Å TVS </td></t<>	8. Mainstem o COGUUN08 Designation Reviewable Qualifiers: Other:	of Mineral Creek from the source to the Classifications Agriculture Aq Life Cold 2 Recreation P Water Supply	confluence with the Uncompahyre Ri Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²)	ver. ogical DM CS-I acute 6.5 - 9.0 	MWAT CS-I chronic 6.0 7.0 150	Met Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T)	als (ug/L) acute 340 TVS 5.0	chronic 0.02-10 Å TVS
Inorganic (mg/L)Chromium VITVSTVSacutechronicCopper5AmmoniaTVSTVSIronWSBoron0.75Iron(T)1000Chloride250Lead4Chlorine0.0190.011Lead(T)50Cyanide0.005ManganeseTVSTVSWSNitrate10Molybdenum(T)150Phosphorus0.44Nickel(T)150SulfateWSNickel(T)100Sulfate0.02SeleniumTVSTVSSilverTVSSUfs(r)100Sulfate0.02SeleniumTVSTVS(r)Uranium0.02SeleniumTVSTVS(r)Uranium0.02SeleniumTVSTVS(r)UraniumSulfateSulfateTota0.02SeleniumTVSTVS(r)UraniumZircTVSTVS(r)UraniumZircTVSTVS(r)	8. Mainstem o COGUUN08 Designation Reviewable Qualifiers: Other:	of Mineral Creek from the source to the Classifications Agriculture Aq Life Cold 2 Recreation P Water Supply	confluence with the Uncompahyre Ri Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL)	ver. ogical DM CS-1 acute 6.5 - 9.0 	MWAT CS-I chronic 6.0 7.0 150 205	Met Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium Cadmium(T) Chromium III	als (ug/L) acute 340 TVS 5.0 	chronic 0.02-10 A TVS TVS
acutechronicCopper5AmmoniaTVSTVSIronWSBoron0.75Iron(T)1000Chloride250Lead4Chlorine0.0190.011Lead(T)50Cyanide0.005MarganeseTVSTVSWSNitrate10Mercury0.01(t)Nitrite0.05Molybdenum(T)150Phosphorus0.44Nickel(T)100SulfateWSSeleniumTVSTVSSulfate0.002SeleniumTVSTVSSulfate0.002SeleniumTVSTVS(tr)Uranium0.002SilverTVSTVS(tr)Uranium0.002SilverTVSTVS(tr)Sulfate0.002SilverTVSTVS(tr)Sulfate0.002SilverTVSTVS(tr)Sulfate0.002SilverTVSTVS(tr)Sulfate0.002SilverTVSTVS(tr)SulfateSilverTVSTVS(tr)SulfateSilverTVSTVS(tr)SulfateSilverTVSTVSSulfateSilverTVSTVSSulfateSilverTVSTVS <th>8. Mainstem o COGUUN08 Designation Reviewable Qualifiers: Other:</th> <th>of Mineral Creek from the source to the Classifications Agriculture Aq Life Cold 2 Recreation P Water Supply</th> <th>confluence with the Uncompanyre Ri Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)</th> <th>ver. ogical DM CS-1 acute 6.5 - 9.0 </th> <th>MWAT CS-I chronic 6.0 7.0 150 205</th> <th>Meta Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium Cadmium(T) Chromium III Chromium III</th> <th>als (ug/L) acute 340 TVS 5.0 50</th> <th>chronic 0.02-10 Å TVS TVS </th>	8. Mainstem o COGUUN08 Designation Reviewable Qualifiers: Other:	of Mineral Creek from the source to the Classifications Agriculture Aq Life Cold 2 Recreation P Water Supply	confluence with the Uncompanyre Ri Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)	ver. ogical DM CS-1 acute 6.5 - 9.0 	MWAT CS-I chronic 6.0 7.0 150 205	Meta Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium Cadmium(T) Chromium III Chromium III	als (ug/L) acute 340 TVS 5.0 50	chronic 0.02-10 Å TVS TVS
AmmoniaTVSTVSIronWSBoron0.75Iron(T)1000Chloride250Lead4Chlorine0.0190.011Lead(T)50Cyanide0.005ManganeseTVSTVS/WSNitrate10Molybdenum(T)0.01(i)Nitrite0.05Molybdenum(T)150Phosphorus0.414Nickel (T)TVSTVSSulfateWSNickel(T)100Sulfide0.002SeleniumTVSTVSSulfide0.002SeleniumTVSTVSSulfide0.002SeleniumTVSTVSSulfide0.002SeleniumTVSTVS(tr)UraniumSilverTVSTVS(tr)UraniumSilverTVSTVS(tr)UraniumSilverTVSTVS(tr)UraniumSilverTVSTVS(tr)UraniumSilverTVSTVS(tr)UraniumSilverTVSTVSSulfaceSilverTVSTVSSilverUraniumSilverTVSTVSSilverSulfaceSilverTVSTVSSilver <td>8. Mainstern o COGUUN08 Designation Reviewable Qualifiers: Other:</td> <td>of Mineral Creek from the source to the Classifications Agriculture Aq Life Cold 2 Recreation P Water Supply</td> <td>confluence with the Uncompahyre Ri Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (r</td> <td>ver. ogical DM CS-I acute 6.5 - 9.0 </td> <td>MWAT CS-I chronic 6.0 7.0 150 205</td> <td>Meta Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium Cadmium(T) Chromium III Chromium III Chromium VI</td> <td>als (ug/L) acute 340 TVS 5.0 50 TVS</td> <td>chronic 0.02-10 A TVS TVS TVS </td>	8. Mainstern o COGUUN08 Designation Reviewable Qualifiers: Other:	of Mineral Creek from the source to the Classifications Agriculture Aq Life Cold 2 Recreation P Water Supply	confluence with the Uncompahyre Ri Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (r	ver. ogical DM CS-I acute 6.5 - 9.0 	MWAT CS-I chronic 6.0 7.0 150 205	Meta Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium Cadmium(T) Chromium III Chromium III Chromium VI	als (ug/L) acute 340 TVS 5.0 50 TVS	chronic 0.02-10 A TVS TVS TVS
Boron0.75Iron(T)1000Chloride250Lead4Chlorine0.0190.011Lead(T)50Cyanide0.005ManganeseTVSTVS/WSNitrate10Molybdenum(T)0.01(t)Nitrite0.05Molybdenum(T)150Phosphorus0.11NickelTVSTVSSulfateWSNickel(T)100Sulfide0.002SeleniumTVSTVSSulfide0.002SeleniumTVSTVS(tr)UraniumZincTVSTVS	8. Mainstern o COGUUN08 Designation Reviewable Qualifiers: Other:	of Mineral Creek from the source to the Classifications Agriculture Aq Life Cold 2 Recreation P Water Supply	confluence with the Uncompahyre Ri Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (r	ver. ogical DM CS-I acute 6.5 - 9.0 ng/L) acute	MWAT CS-I chronic 6.0 7.0 150 205 chronic	Meta Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium Cadmium(T) Chromium III Chromium III Chromium VI Copper	als (ug/L) acute 340 TVS 5.0 50 TVS 	chronic 0.02-10 A TVS TVS TVS 5
Chloride250Lead4Chlorine0.0190.011Lead(T)50Cyanide0.005ManganeseTVSTVS/WSNitrate10Mercury0.01(t)Nitrite0.05Molybdenum(T)150Phosphorus0.414NickelTVSTVSSulfateWSNickel(T)100Sulfide0.002SeleniumTVSTVSSulfide0.002SeleniumTVSTVS(tr)UraniumZincTVSTVS	8. Mainstem o COGUUN08 Designation Reviewable Qualifiers: Other:	of Mineral Creek from the source to the Classifications Agriculture Aq Life Cold 2 Recreation P Water Supply	confluence with the Uncompahyre Ri Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (r Ammonia	ver. ogical DM CS-I acute 6.5 - 9.0 mg/L) acute TVS	MWAT CS-I chronic 6.0 7.0 150 205 chronic TVS	Meta Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium Cadmium(T) Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron	als (ug/L) acute 340 TVS 5.0 50 TVS 50 TVS 	chronic 0.02-10 A TVS TVS TVS 5 WS
Chlorine0.0190.011Lead(T)50Cyanide0.005ManganeseTVSTVSWSNitrate10Mercury0.01(t)Nitrite0.05Molybdenum(T)150Phosphorus0.414NickelTVSTVSSulfateWSNickel(T)100Sulfide0.002SeleniumTVSTVSSilverTVSSilverTVSSilverTVSVariaum2incTVSTVS	8. Mainstem o COGUUN08 Designation Reviewable Qualifiers: Other:	of Mineral Creek from the source to the Classifications Agriculture Aq Life Cold 2 Recreation P Water Supply	confluence with the Uncompahyre Ri Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (r Ammonia Boron	ver. ogical DM CS-I acute 6.5 - 9.0 mg/L) acute TVS 	MWAT CS-I chronic 6.0 7.0 150 205 205 chronic TVS 0.75	Met Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T)	als (ug/L) acute 340 TVS 5.0 50 TVS 50 TVS 	chronic 0.02-10 A TVS TVS TVS 5 WS 1000
Cyanide0.005ManganeseTVSTVS/WSNitrate10Mercury0.01(t)Nitrite0.05Molybdenum(T)150Phosphorus0.41NickelTVSTVSSulfateWSNickel(T)100Sulfide0.002SeleniumTVSTVSSulfate0.002SeleniumTVSTVS(tr)Uranium2incTVSTVS	8. Mainstem o COGUUN08 Designation Reviewable Qualifiers: Other:	of Mineral Creek from the source to the Classifications Agriculture Aq Life Cold 2 Recreation P Water Supply	confluence with the Uncompahyre Ri Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (r Ammonia Boron Chloride	ver. ogical DM CS-I acute 6.5 - 9.0 mg/L) acute TVS 	MWAT CS-I chronic 6.0 7.0 150 205 chronic TVS 0.75 250	Met Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead	als (ug/L) acute 340 TVS 5.0 50 TVS 	chronic 0.02-10 Å TVS TVS 5 WS 1000 4
Nirate10Mercury0.01(i)Nitrite0.05Molydenum(T)150Phosphorus0.414NickelTVSTVSSulfateWSNickel(T)100Sulfide0.002SeleniumTVSTVSSulfide0.002SeleniumTVSTVS(tr)UraniumSulfideSulfide	8. Mainstem o COGUUN08 Designation Reviewable Qualifiers: Other:	of Mineral Creek from the source to the Classifications Agriculture Aq Life Cold 2 Recreation P Water Supply	confluence with the Uncompahyre Ri Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (r Ammonia Boron Chloride Chlorine	ver. ogical DM CS-I acute 6.5 - 9.0 6.5 - 9.0 mg/L) acute TVS 0.019	MWAT CS-I chronic 6.0 7.0 150 205 chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T)	als (ug/L) acute 340 TVS 5.0 50 TVS 50 TVS 50 50 TVS 50 50 50	chronic 0.02-10 Å TVS TVS 5 WS 1000 4
Nitrite0.05Molybdenum(T)150Phosphorus0.11NickelTVSTVSSulfateWSNickel(T)100Sulfide0.002SeleniumTVSTVSSilverTVSSilverTVSTVS(tr)Uranium2incTVSTVS	8. Mainstem o COGUUN08 Designation Reviewable Qualifiers: Other:	of Mineral Creek from the source to the Classifications Agriculture Aq Life Cold 2 Recreation P Water Supply	confluence with the Uncompahyre Ri Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (r Ammonia Boron Chloride Chlorine Cyanide	ver. ogical DM CS-I acute 6.5 - 9.0 mg/L) acute TVS 0.019 0.005	MWAT CS-I chronic 6.0 7.0 150 205 chronic TVS 0.75 250 0.011 	Meta Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese	als (ug/L) acute 340 TVS 5.0 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS	chronic 0.02-10 Å TVS TVS 5 WS 1000 4 TVS/WS
Phosphorus 0.11 Nickel TVS TVS Sulfate WS Nickel(T) 100 Sulfide 0.002 Selenium TVS TVS Sulfide 0.002 Selenium TVS TVS(tr) Uranium Zinc TVS TVS	8. Mainstem o COGUUN08 Designation Reviewable Qualifiers: Other:	of Mineral Creek from the source to the Classifications Agriculture Aq Life Cold 2 Recreation P Water Supply	confluence with the Uncompahyre Ri Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (r Ammonia Boron Chloride Chlorine Cyanide Nitrate	ver. ogical DM CS-I acute 6.5 - 9.0 mg/L) acute TVS 0.019 0.005 10	MWAT CS-I chronic 6.0 7.0 150 205 Chronic TVS 0.75 250 0.011 	Meta Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury	als (ug/L) acute 340 TVS 5.0 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS	chronic 0.02-10 A TVS TVS 5 WS 1000 4 TVS/WS 0.01(t)
Sulfate WS Nickel(T) 100 Sulfide 0.002 Selenium TVS TVS Sulfide Silver TVS TVS(r) Uranium Zinc TVS TVS	8. Mainstem o COGUUN08 Designation Reviewable Qualifiers: Other:	of Mineral Creek from the source to the Classifications Agriculture Aq Life Cold 2 Recreation P Water Supply	confluence with the Uncompahyre Ri Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (r Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite	ver. ogical DM CS-I acute 6.5 - 9.0 6.5 - 9.0 0.01 0.019 0.005 10 0.05	MWAT CS-I chronic 6.0 7.0 150 205 205 Chronic TVS 0.75 250 0.011 	Meta Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T)	als (ug/L) acute 340 TVS 5.0 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS	chronic 0.02-10 A TVS TVS TVS 5 WS 1000 4 TVS/WS 0.01(t) 150
Sulfide0.002SeleniumTVSTVSSilverTVSTVS(tr)UraniumZincTVSTVS	8. Mainstem o COGUUN08 Designation Reviewable Qualifiers: Other:	of Mineral Creek from the source to the Classifications Agriculture Aq Life Cold 2 Recreation P Water Supply	confluence with the Uncompahyre Ri Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (r Ammonia Boron Chloride Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	ver. ogical DM CS-I acute 6.5 - 9.0 6.5 - 9.0 0.01 0.005 10 0.005 10 0.05 	MWAT CS-I chronic 6.0 7.0 150 205 205 chronic TVS 0.75 250 0.011 0.41	Meta Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel	als (ug/L) acute 340 TVS 5.0 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS	chronic 0.02-10 A TVS TVS 5 WS 1000 4 TVS/WS 0.01(t) 150 TVS
SilverTVSTVS(tr)UraniumZincTVSTVS	8. Mainstem o COGUUN08 Designation Reviewable Qualifiers: Other:	of Mineral Creek from the source to the Classifications Agriculture Aq Life Cold 2 Recreation P Water Supply	confluence with the Uncompahyre Ri Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (r Ammonia Boron Chloride Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	ver. ogical DM CS-I acute 6.5 - 9.0 6.5 - 9.0 0.01 acute TVS 0.019 0.005 10 0.05 10 0.05 	MWAT CS-I chronic 6.0 7.0 150 205 205 chronic TVS 0.75 250 0.011 250 0.011 0.11 WS	Met: Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T)	als (ug/L) acute 340 TVS 5.0 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS TVS 50 50 	chronic 0.02-10 Å TVS TVS 5 TVS 5 TVS 8 TVS 0.01(t) 150 TVS 1000
Uranium Zinc TVS TVS	8. Mainstem o COGUUN08 Designation Reviewable Qualifiers: Other:	of Mineral Creek from the source to the Classifications Agriculture Aq Life Cold 2 Recreation P Water Supply	confluence with the Uncompahyre Ri Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (r Ammonia Boron Chloride Chloride Chlorine Cyanide Nitrate Nitrate Nitrite Phosphorus Sulfate Sulfide	ver. ogical DM CS-I acute 6.5 - 9.0 6.5 - 9.0 0.01 acute TVS 0.019 0.005 10 0.005 10 0.05 	MWAT CS-I chronic 6.0 7.0 205 205 chronic TVS 0.75 250 0.011 0.011 0.011 WS 0.002	Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	als (ug/L) acute 340 TVS 5.0 50 TVS 50 50 50 TVS 50 TVS 50 50 50 TVS 50 50 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS	chronic 0.02-10 Å TVS TVS TVS 5 WS 1000 4 TVS/WS 0.01(t) 150 TVS 100 TVS
Zinc TVS TVS	8. Mainstem o COGUUN08 Designation Reviewable Qualifiers: Other:	of Mineral Creek from the source to the Classifications Agriculture Aq Life Cold 2 Recreation P Water Supply	confluence with the Uncompahyre Ri Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (r Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	ver. ogical DM CS-I acute 6.5 - 9.0 6.5 - 9.0 0.01 0.01 0.005 10 0.005 10 0.005 	MWAT CS-I chronic 6.0 7.0 205 205 chronic TVS 0.75 250 0.011 0.011 0.011 WS 0.002	Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium Silver	als (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS	chronic 0.02-10 Å TVS TVS TVS 5 WS 1000 4 TVS/WS 0.01(t) 150 TVS 100 TVS 100 TVS 100 TVS
	8. Mainstem o COGUUN08 Designation Reviewable Qualifiers: Other:	of Mineral Creek from the source to the Classifications Agriculture Aq Life Cold 2 Recreation P Water Supply	confluence with the Uncompahyre Ri Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (r Ammonia Boron Chloride Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfiate Sulfide	ver. ogical DM CS-I acute 6.5 - 9.0 6.5 - 9.0 0.019 0.005 10 0.005 10 0.05 	MWAT CS-I chronic 6.0 7.0 150 205 Chronic TVS 0.75 250 0.011 0.11 0.11 WS 0.002	Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Dhromium III Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium Silver Uranium	als (ug/L) acute 340 TVS 5.0 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 	Chronic 0.02-10 Å TVS TVS TVS 5 WS 1000 4 TVS/WS 0.01(t) 150 TVS 100 TVS 100 TVS 100 TVS

All metals are dissolved unless otherwise noted. T = total recoverable

D.O. = dissolved oxygen

DM = daily maximum

MWAT = maximum weekly average temperature

tr = trout sc = sculpin

t = total

COGIIIINO Classifications Devices and Biological	ception at the confluence of li	nogene Creek and
	Metals (ug/L)	
Designation Agriculture DM MWAT	acute	chronic
Reviewable Aq Life Cold 2 Temperature °C CS-I CS-I Aluminum		
Recreation P acute chronic Arsenic	340	
Qualifiers: D.O. (mg/L) 6.0 Arsenic(T)		7.6
Fish Ingestion D.O. (spawning) 7.0 Beryllium		
Other: pH 6.5 - 9.0 Cadmium	TVS	TVS
chlorophyll a (mg/m ²) 150 Chromium III	TVS	TVS
E. Coli (per 100 mL) 205 Chromium III(7	T)	100
Chromium VI	TVS	TVS
Inorganic (mg/L) Copper	TVS	TVS
acute chronic lron(T)		1000
Ammonia TVS TVS Lead	TVS	TVS
Boron 0.75 Manganese	TVS	TVS
		0.01(t)
specific total phosphorus (TP) Chlorine 0019 0011 Molydenum/T	T)	150
specific total phosphorus (TP) choice 0.005 0.011 Middechail(T	TVS	TVS
the interim value for river/	TVS	TVS
	1100	TV(C(+-)
Nitrite 0.05 Silver	105	1 VS(tr)
Water aquatic file classification Phosphorus 0.11 Uranium		
(U.TT Mg/L TP). Sulfate 2inc	105	172
Sulfide 0.002		
10a. All tributaries to the Uncompandere River, including all wetlands, from a point immediately below the confluence with Dexter Creek for specific listings in Segments 1, 10b, and 11.	k to the South Canal near Unc	ompahgre, except
COGUON TUAL CLASSIFICATIONS Physical and Biological	Metals (ug/L)	
Designation Agriculture DM MWAT	Metals (ug/L) acute	chronic
Designation Agriculture DM MWAT Reviewable Aq Life Cold 1 Temperature °C CS-II CS-II Aluminum	Metals (ug/L) acute 	chronic
Designation Agriculture Temperature °C CS-II CS-II Aluminum Reviewable Recreation P acute chronic Arsenic	Metals (ug/L) acute 340	chronic
Designation Agriculture Temperature °C CS-II CS-II Aluminum Reviewable Recreation P D.O. (mg/L) 6.0 Arsenic(T)	<u>Metals (ug/L)</u> acute 340 	chronic 0.02
Designation Agriculture Temperature °C CS-II CS-II Aluminum Reviewable Aq Life Cold 1 Temperature °C CS-II CS-II Aluminum Recreation P D.O. (mg/L) 6.0 Arsenic(T) Qualifiers: D.O. (spawning) 7.0 Bervilium	Metals (ug/L) acute 340 	chronic 0.02
Designation Agriculture Temperature °C CS-II CS-II Aluminum Reviewable Aq Life Cold 1 Temperature °C CS-II CS-II Aluminum Recreation P D.O. (mg/L) 6.0 Arsenic(T) Qualifiers: D.O. (spawning) 7.0 Beryllium	<u>Metals (ug/L)</u> acute 340 TVS	chronic 0.02 TVS
Designation Agriculture Image: Construct on Structure	Metals (ug/L) acute 340 TVS 5.0	chronic 0.02 TVS
Designation Agriculture Image: Construct classifications MWAT Reviewable Aq Life Cold 1 Temperature °C CS-II CS-II Aluminum Recreation P Water Supply D.O. (mg/L) 6.0 Arsenic(T) Qualifiers: D.O. (spawning) 7.0 Beryllium Other: pH 6.5 - 9.0 Cadmium(T) Temporary Modification(s): E. Coli (per 100 mL) 205 Chromium III	Metals (ug/L) acute 340 TVS 5.0	chronic 0.02 TVS TVS
Designation Agriculture Image: Composition of the state of th	Metals (ug/L) acute 340 TVS 5.0 T)	chronic 0.02 TVS TVS
Designation Agriculture Image: Composition of the state of th	Metals (ug/L) acute 340 TVS 5.0 T) 50 TVS	chronic 0.02 TVS TVS TVS
Designation Agriculture Image: Composition of the state of th	Metals (ug/L) acute 340 TVS 5.0 TVS TVS TVS TVS TVS	chronic 0.02 TVS TVS TVS TVS
Designation Agriculture Image: Constructions MWAT Auminum Reviewable Aq Life Cold 1 Temperature °C CS-II CS-II Aluminum Recreation P Temperature °C CS-II CS-II Arsenic Water Supply D.O. (mg/L) 6.0 Arsenic(T) Qualifiers: D.O. (spawning) 7.0 Beryllium Other: pH 6.5 - 9.0 Cadmium(T) Temporary Modification(s): arsenic(chronic) = hybrid E. Coli (per 100 mL) 205 Chromium III Expiration Date of 12/31/2024 Inorganic (mg/L) Chromium VI Chromium VI Chromium VI *chlorophyll a (mg/m²)(chronic) = applies only above the Imorganic (mg/L) Chromium VI Chromium VI	Metals (ug/L) acute 340 TVS 5.0 TVS TVS TVS S.0 TVS TVS	chronic 0.02 TVS TVS TVS TVS TVS WS
Designation Agriculture Image: Construct on Structure Image: Constructure	Metals (ug/L) acute 340 TVS 5.0 TVS TVS TVS TVS TVS TVS TVS TVS	chronic 0.02 TVS TVS TVS TVS WS 1000
Designation Agriculture Agriculture Image: Construct of the second s	Metals (ug/L) acute 340 TVS 5.0 TVS TVS TVS TVS	chronic 0.02 TVS TVS TVS TVS TVS WS 1000 TVS
Designation Agriculture Agriculture MWAT Reviewable Aq Life Cold 1 Temperature °C CS-II CS-II Aluminum Recreation P Water Supply D.O. (mg/L) 6.0 Arsenic Qualifiers: D.O. (mg/L) 6.0 Arsenic(T) Other: D.O. (spawning) 7.0 Beryllium Temporary Modification(s): Arsenic(chronic) = hybrid E. Coli (per 100 mL) 205 Chronium III Expiration Date of 12/31/2024 *chlorophyll a (mg/m²)(chronic) = applies only above the facilities listed at 35.5(4). Inorganic (mg/L) Chromium V Chromium V *Phosphorus(chronic) -= applies only above the facilities listed at 35.5(4). Expiration TVS TVS Iron Boron 0.75 Iron(T) Chloride 250 Lead	Metals (ug/L) acute 340 TVS 5.0 TVS TVS TVS TVS TVS TVS TVS TVS TVS	chronic 0.02 TVS TVS TVS TVS WS 1000 TVS
Coord of true Classifications Physical and Biological MWAT Designation Agriculture Important Constructions MWAT Auminum Reviewable Aq Life Cold 1 Temperature °C CS-II CS-II Aluminum Recreation P Water Supply D.O. (mg/L) 6.0 Arsenic Qualifiers: D.O. (mg/L) 6.0 Arsenic(T) Beryllium Other: D.O. (spawning) 7.0 Beryllium remporary Modification(s): pH 6.5 - 9.0 Cadmium Arsenic(chronic) = hybrid E. Coli (per 100 mL) 205 Chromium III Expiration Date of 12/31/2024 * Ammonia TVS TVS Corportium III *-hosphorus(chronic) = applies only above the facilities listed at 35.5(4). 0.75 Iron(T) Boron 0.75 Iron(T) Ead(T) 0.75 Iron(T) Boron 0.75 Iron(T) Ead(T)	Metals (ug/L) acute 340 TVS 5.0 TVS	chronic 0.02 TVS TVS TVS TVS WS 1000 TVS TVS
Designation Agriculture MWAT Reviewable Aq Life Cold 1 Recreation P Water Supply Temperature °C CS-II CS-II Aluminum Qualifiers: D.O. (mg/L) 6.0 Arsenic(T) Qualifiers: D.O. (spawning) 7.0 Beryllium Other: PH 6.5 - 9.0 Cadmium(T) Temporary Modification(s): Arsenic(Chronic) = hybrid E. Coli (per 100 mL) 205 Chronium III Expiration Date of 12/31/2024 *-Chlorophyll a (mg/m²)(chronic) = applies only above the facilities listed at 35.5(4). Goron 0.75 Iron(T) *-Phoephorus(chronic) - applies only above the facilities listed at 35.5(4). Foronic Chloride 0.75 Iron(T) Boron 0.75 Iron(T) Chloride 250 Lead Chloride 250 Lead Chloride 250 Lead	Metals (ug/L) acute 340 340 TVS 5.0 TVS	chronic 0.02 TVS TVS TVS WS 1000 TVS TVSWS
Designation Agriculture Agriculture MWAT Reviewable Aq Life Cold 1 Recreation P Water Supply Temperature °C CS-II CS-II Aluminum Qualifiers: D.0. (mg/L) 6.0 Arsenic (T) Qualifiers: D.0. (mg/L) 6.0 Arsenic (T) Other: D.0. (spawning) 7.0 Beryllium Temporary Modification(s): PH 6.5 - 9.0 Cadmium (T) Arsenic(chronic) = hybrid E. Coli (per 100 mL) 205 Chromium III Expiration Date of 12/31/2024 * Chorophyll a (mg/m²) (chronic) = applies only above the facilities listed at 35.5(4). Tvs Copper *Phosphorus(chronic) = applies only above the facilities listed at 35.5(4). Goron 0.75 Iron (T) Boron 0.75 Iron(T) Chorine (T) Chorine (T) Chloride 250 Lead Chorine 0.01 Lead(T)	Metals (ug/L) acute 340 340 TVS 5.0 TVS 5.0 TVS 5.0 TVS TVS TVS TVS TVS TVS TVS TVS	chronic 0.02 TVS TVS TVS WS 1000 TVS TVS/WS 0.01(t) 150
Designation Agriculture Agriculture Agriculture MWAT Reviewable Aq Life Cold 1 Temperature °C CS-II CS-II Aluminum Reviewable Aq Life Cold 1 Temperature °C CS-II CS-II Aluminum Recreation P Water Supply 0.0. (mg/L) 6.0 Arsenic (T) Other: D.0. (mg/L) 6.0 Arsenic (T) Temporary Modification(s): pH 6.5 - 9.0 Cadmium (T) Arsenic(chronic) = hybrid E. Coli (per 100 mL) 205 Chronium III Expiration Date / 12/31/2024 * ChlorophylI a (mg/m²) (chronic) = applies only above the facilities listed at 35.5(4). Foronium VI Chronium VI *Phoephorus(chronic) = applies only above the facilities listed at 35.5(4). Foronium VI Chronium VI Chronium VI *Phoephorus(chronic) = applies only above the facilities listed at 35.5(4). Eoron 250 Lead Chlorine 0.019 0.011 Lead(T) Cyanide 0.005 Molybdenum(T) <	Metals (ug/L) acute 340 340 TVS 5.0 TVS 5.0 TVS	chronic 0.02 TVS TVS TVS WS 1000 TVS WS 1000 TVS TVSWS 0.01(t) 150
Designation Agriculture CS-II CS-II Aluminum Reviewable Agriculture PP CS-II CS-II CS-II Arsenic Qualifiers: D.O. (mg/L) 6.0 Arsenic(T) Other: D.O. (spawning) 7.0 Beryllium Temporary Modification(s): Arsenic(chronic) = hybrid E. Coli (per 100 mL) 150* Cadmium(T) Expiration Date of 12/31/2024 * Chorophyll a (mg/m²)(chronic) = applies only above the facilities listed at 35.5(4). E. Coli (per 100 mL) 205 Chromium VI *Phosphorus(chronic) - applies only above the facilities listed at 35.5(4). Story Iron Ead Chloripher Ghoripher 0.019 0.011 Lead(T) Cyanide 0.005 Maganese Nitr	Metals (ug/L) acute 340 340 TVS	chronic 0.02 TVS TVS TVS TVS WS 1000 TVS TVSWS 0.01(t) 150 TVS
Designation Agriculture Agriculture MWWT Reviewable Ag Life Cold 1 Temperature °C CS-II CS-II Ausinium Reviewable Ag Life Cold 1 Temperature °C CS-II CS-II Arsenic Reviewable Ag Life Cold 1 Temperature °C CS-II CS-II Arsenic Qualifiers: D.O. (mg/L) 6.0 Arsenic(T) Other: D.O. (spawning) 7.0 Beryllium Temporary Modification(s): PH 6.5 - 9.0 Cadmium(T) Arsenic(chronic) = hybrid E. Coli (per 100 mL) 150° Cadmium(T) Expiration Dat of 12/31/2024 E. Coli (per 100 mL) 205 Chromium III *chlorophyll a (mg/m²)(chronic) = applies only above-the facilities listed at 35.5(4): Boron 0.75 Iron(T) Boron 250 Lead Chloride 250 Lead Chloride 250 Lead Chloride Moly	Metals (ug/L) acute 340 340 TVS TVS	chronic 0.02 TVS TVS TVS WS 1000 TVS TVSWS 0.01(t) 150 TVS 100
Designation Agriculture Agriculture MWWAT Reviewable Ag Life Cold 1 Temperature °C CS-II CS-II Ausinium Reviewable Ag Life Cold 1 Temperature °C CS-II CS-II Arsenic Water Supply D.O. (mg/L) 6.0 Arsenic(T) Other: D.O. (mg/L) 7.0 Beryllium Temporary Modification(s): pH 6.5 - 9.0 Cadmium(T) Arsenic(chronic) = hybrid E. Coli (per 100 mL) 205 Chromium III Expiration Dat of 12/31/2024 FE Coli (per 100 mL) 205 Chromium VI *chlorophyll a (mg/m²)(chronic) = applies only above-the facilities listed at 35.5(4): Foron 0.75 Iron(T) Boron 0.75 Iron(T) Chloride 250 Lead(T) Chloride 250 Lead(T) Chloride 404(T) Yender 0.05 Marganese Nitrate 10	Metals (ug/L) acute 340 340 TVS 50 TVS	chronic 0.02 TVS TVS TVS WS 1000 TVS TVSWS 0.01(t) 150 TVS 100 TVS
Designation Reviewable Agriculture Aq Life Cold 1 Recreation P Agriculture Recreation P DM MWAT Auminum Water Supply D.O. (mg/L) 6.0 Arsenic Outer Supply D.O. (mg/L) 6.0 Arsenic Other: D.O. (mg/L) 6.0 Arsenic Temporary Modification(s): D.O. (spawning) Cadmium Arsenic(chronic) = hybrid E. Coli (per 100 mL) Cadmium (T) Expiration Date of 12/3/2024 E. Coli (per 100 mL) Chronium III (T) *chlorophyll a (mg/m ²) (chronic) = applies only above the facilities listed at 35.6(4). FPhosphorus(chronic) - applies only above the facilities listed at 35.6(4). Chronium III (T) *Phosphorus(chronic) - applies only above the facilities listed at 35.6(4). Fronium III (T) Chronium III (T) *Chorophyll a (mg/m ²) (chronic) = applies only above the facilities listed at 35.6(4). Fronium III (T) Chronium III (T) *Phosphorus (chronic) = applies only above the facilities listed at 35.6(4). Fronium III (T) Chronium III (T) *Phosphorus (chronic) = applies only above the facilitites listed at 35.6(4). Holtotiet (C)<	Metals (ug/L) acute 340 340 TVS 5.0 TVS	chronic 0.02 TVS TVS TVS TVS TVS TVS TVS 0.00 TVS 0.01(t) 150 TVS 100 TVS 100 TVS TVS
Designation Reviewable Reviewable Name Agriculture Agriculture Reviewable Recreation P Agriculture Temperature °C OM MWAT Auminum Reviewable Recreation P Agriculture Recreation P Temperature °C CS-II CS-II Aluminum Qualifiers D.O. (mg/L) 6.0 Arsenic(T) Other: D.O. (mg/L) 6.0 Beryllium Temporary Modification(s): D.O. (spawning) 7.0 Beryllium Arsenic(chronic) = hybrid E. Coli (per 100 mL) 150° Cadmium(T) Expiration Date of 12/31/2024 Thoronium III(T) E. Coli (per 100 mL) 0.75 Iron *chtorophyll a (mg/m²) (chronic) = applies only above the facilities listed at 35.5(4). 0.75 Iron(T) Phoephorus(chronic)	Metals (ug/L) acute 340 340 340 TVS 5.0 TVS	chronic 0.02 TVS TVS TVS WS 1000 TVS WS 1000 TVS TVS/WS 0.01(t) 150 TVS 100 TVS 100 TVS 100 TVS

All metals are dissolved unless otherwise noted. T = total recoverable t = total tr = trout sc = sculpin D.O. = dissolved oxygen

DM = daily maximum
ConductionProvide and BiologiantMonorReference 30Reference 30	10b. Mainstem	or Rettie Guich from the road crossing	at 36.101201, -107.75949 to the Cou	inty ittodd 20 of	ossing.			
Debase Network Notion	COGUUN10B	Classifications	Physical and Biol	ogical		Me	etals (ug/L)	
Reduction PPart Improvement POLD (mph)CBAMannumNon-Non-Outer:0.0 (mph)8.00Activity7.6Other:0.0 (mph)8.00Activity7.6Other:0.0 (mph)8.00Activity7.6Other:0.0 (mph)8.00Activity7.6Particular (mph)0.00Cannum10.07.6Particular (mph)0.00Cannum10.07.00Particular (mph)0.00Cannum10.07.00Particular (mph)0.00Cannum10.07.00Particular (mph)0.00Marcay10.07.00Particular (mph)0.00Marcay10.010.010.0Particular (mph)0.00Marcay10.010.010.0Particular (mph)0.00Marcay10.010.010.0Particular (mph)0.00Marcay10.010.010.0Particular (mph)0.00Marcay10.010.010.0Particular (mph)0.00Marcay10.010.010.0Particular (mph)0.00Marcay10.010.010.0Particular (mph)0.00Marcay10.010.010.0Particu	Designation	Agriculture		DM	MWAT		acute	chronic
Image: Revision POtherApplicitOther <t< td=""><td>Reviewable</td><td>Aq Life Cold 1</td><td>Temperature °C</td><td>CS-II</td><td>CS-II</td><td>Aluminum</td><td></td><td></td></t<>	Reviewable	Aq Life Cold 1	Temperature °C	CS-II	CS-II	Aluminum		
Quartifier Do. (mg/Q) ··· Bod Management of the source of the sou		Recreation P		acute	chronic	Arsenic	340	
Other D.0. (spammin) ···· 7.0 Beyllinin ···· ···· ···· "microphyl is might"/(chroic) = applies only abore the braines inside." D.0. (spammin) ···· SS Outermian III ···· This is the braines inside.	Qualifiers:		D.O. (mg/L)		6.0	Arsenic(T)		7.6
PiPl 0.5 0.0 Camium TVS TVS the indication indication only above the indindication only above the indication only above the indindication	Other:		D.O. (spawning)		7.0	Beryllium		
Control Chronical Information Image TWS Exclusion Selection Control 150° Chronical III			рН	6.5 - 9.0		Cadmium	TVS	TVS
Physiophysical existication of	*chlorophyll a the facilities lis	(mg/m ²)(chronic) = applies only above sted at 35.5(4).	chlorophyll a (mg/m ²)		150*	Chromium III		TVS
Image: cmarker witcher Image: cmarker witcher Commun V TVS Visite Ammonia morganic (mg/L) Gaodie whronic (mg/L) Gaodie TVS Visite TVS Visite TVS TVS Visite TVS TVS Visite	*Phosphorus(cl	hronic) = applies only above the $r = 25.5(4)$	E. Coli (per 100 mL)		205	Chromium III(T)	50	
FPA Index Index Interface Interface <td>Hacimics iisted</td> <td>at 35.5(4).</td> <td></td> <td></td> <td></td> <td>Chromium VI</td> <td>TVS</td> <td>TVS</td>	Hacimics iisted	at 35.5(4).				Chromium VI	TVS	TVS
FPA has both acted on segments image of the segments <td></td> <td></td> <td>Inorganic (n</td> <td>ng/L)</td> <td></td> <td>Copper</td> <td>TVS</td> <td>TVS</td>			Inorganic (n	ng/L)		Copper	TVS	TVS
FPA has not acted on segment: specific triat phosphorus (TP) numeric standards based on the interim value for inver, stream segments with a cold white classification (0.11 m/L TP). Ammonia Tus Baron Manganese TUS Manganese Manganese TUS Manganese 11 Maratem C C C Cesh for inver, stream segments with a cold what regulation in the classification (0.11 m/L TP). Other inver, stream segments with a cold what regulation in the classification (0.11 m/L TP). Nitele Nit				acute	chronic	Iron(T)		1000
FPA has not acted on segments specific total phosphones (PP) numeric standards based of the interimet interimetal of electronic (PA) Numeric standards based of the interimet interimetal of electronic (PA) Numeric standards based of the interimet interimetal of electronic (PA) Numeric standards based of Numeric standards standards for Numeric standards for N			Ammonia	TVS	TVS	Lead	TVS	TVS
EPA has not acted on sequency sequency sequency in the interim value for river interiment of tables based on the interim value for river interiment of tables based on the interim value for river interiment of tables based on the interim value for river interiment of tables based on the interim value for river interiment of tables based on the interim value for river interiment of tables based on the interim value for river interiment of tables based on the interim value for river interiment of tables based on the interim value for river interiment of tables based on the interim value for river interiment of tables based on the interim value for river interiment of tables based on the interim value for river interiment of tables based on the interim value for river interiment of tables based on the interim value for river interiment of tables based on the interim value for river interiment of tables between manatem of tables between manatem of tables between manatem of tables between the corrilatore with the uncompater River interiments of tables between manatem of tables between			Boron		0.75	Manganese	TVS	TVS
EPA has not acted on segment, specific total phosphorus (TP) numeric standards based on the interim value for river/ stream segments with a cold water aquate life classification (0.11 mg/L TP). Choine 0.00			Chloride		250	Mercury		0.01(t)
Specific total phosphorus (TP) numeric standards based on the interim value for river/ stream segments with a cold water aquatic life classification (0.11 mg/L TP). Operation (0.11 mg/L TP). Noted (0.11 mg/L TP). TVS (0.11 mg/L TP). Noted (0.11 mg/L TP). TVS (0.11 mg/L TP). 11. Material - Coad Criek from the saces by the Psk Dish, metaber of Data Creak from the saces of the East of User Stream Segments with Palas Creak from the saces of the East of User Stream Segments with Data Creak from the saces of the East of User Stream Segments with Palas Creak from the saces of the East of User Stream Segments with Palas Creak from the saces of the East of User Stream Segments with Palas Creak from the saces of the East of User Stream Segments with Palas Creak from the saces of the East of User Stream Segments with Palas Creak from the saces of the East of User Stream Segments with Palas Creak from the saces of the East of User Stream Segments with Palas Creak from the saces of the Creak from the saces of the Stream Segments of Palas Creak from the saces of the Stream Segments of Palas Creak from the Stream Segment of Palas Creak from the Str	EPA has	not acted on segment-	Chlorine	0.019	0.011	Molybdenum(T)		150
numeric standards based on the interim value for river/ stream segments with a cold water aquatic life classification (0.11 mg/L TP). Ninte 0.00 ···· Stife TVS TVS(r) 1. Maristem quatic life classification (0.11 mg/L TP). Ninte 0.00 ···· 2/nc ···· ···· 1. Maristem quatic life classification (0.11 mg/L TP). Cod Crest from the source to the fire source to the source to t	specific t	total phosphorus (TP)	Cyanide	0.005		Nickel	TVS	TVS
Interime value for river/ stream segments with a cold water aquatic life classification (0.11 mg/L TP). Nitrite 0.05 Sher TVS TVS(r) 11. Marcet of Cold Creak from the source to the continence with state Creak from the source of the continence with state Creak from the source to the continence with state Creak from the source to the continence with state Creak from the source to the continence with state Creak from the source to the continence with state Creak from the source to the continence with the Uncompating Violation source to the continence with source to therecontin the continence with source to the continence with sourc	numeric	standards based on	Nitrate	100		Selenium	TVS	TVS
Segments with a cold water aquatic life classification 0.11 mg/L TP). Prosphorus 0.414 Uranum 1.1. Maristion of Coal Creek from the source to the Park Dith, mainstem of Dalas Creek from the Source to the East and West Foris to the confluence with the Uncomparing River; mainstem of Dalas Creek from the Source to the Park Dith, mainstem of Dalas Creek from the East and West Foris to the confluence with the Uncomparing River; mainstem of Dalas Creek, from the Source to the Confluence with the Uncomparing River; mainstem of Dalas Creek, from the Source to the Confluence with the Uncomparing River; mainstem of Dalas Creek, from the Source to the Confluence with the Uncomparing River; mainstem of Dalas Creek, from the Source to the Confluence with the Uncomparing River; mainstem of Dalas Creek, from the Source to the Confluence with the Uncomparing River; mainstem of Dalas Creek, from the Source to the Confluence with the Uncomparing River; mainstem of Dalas Creek, from the Source to the Confluence with the Uncomparing River; mainstem of Dalas Creek, from the Source to the Confluence with the Uncomparing River; mainstem of Dalas Creek, from the Source to the Confluence with the Uncomparing River; mainstem of Dalas Creek, from the Source to the Confluence with the Uncomparing River; mainstem of Dalas Creek, from the Source to the Confluence with the Uncomparing River; Confluence with the Uncomparing River; mainstem of Dalas Creek, from the Source to the Confluence with the Uncomparing River; Confluence River; mainstem of Dalas Creek, from the Uncomparing River; River; Confluence Park Dalas Creek, from the Uncomparing River; River; Confluence; River; Conflu	the interi	m value for river/	Nitrite	0.05		Silver	TVS	TVS(tr)
water aquatic life classification (0.11 mg/L TP). Sufate	stream s	egments with a cold	Phosphorus		0.11*	Uranium		
(0.11 mg/L TP). Sulide 0.002 11. Marstem of Coll Creck from the source to the Park Dich, mainstem of Dalas Creak from the source of the East and West Forks to the confluence with the Uncompainer River; mainstem of Dalas Creak from the confluence with Nate Creak, trobulence with the Uncompainer River; mainstem of Baser Creak from the source to the confluence with Dalas Creak from the uncompainer River; mainstem of Baser Creak from the source to the confluence with Dalas Creak from the source to the confluence with Dalas Creak from the uncompainer River; mainstem of Baser Creak from the source to the confluence with Dalas Creak from the source to the	water aq	uatic life classification	Sulfate			Zinc	TVS	TVS/TVS(sc)
1: Maristem of Coal Crieck from the source to the Park Dich, mainstem of Dallas Creek from the source of the East and West Forks to the confluence with the Uncompating River; mainstem of Coal Creek from the Uncompating River; mainstem of Billy Creek, Dich Creek from the Uncompating River; mainstem of Billy Creek, Dich Creek from the Source to the of Beaver Creek from the source to the confluence with the East Fork of Dallas Creek; and mainstem of Riesant Valley Creek from the source to the confluence with the East Fork of Dallas Creek; and mainstem of Riesant Valley Creek from the source to the confluence with the East Fork of Dallas Creek; and mainstem of Riesant Valley Creek from the source to the confluence with the East Fork of Dallas Creek; and mainstem of Riesant Valley Creek from the source to the confluence with the Uncompating River; mainstem of Quert Creek from the source to the confluence with the Uncompating River; mainstem of Quert Creek from the source to the confluence with the Uncompating River; mainstem of Quert Creek from the source to the confluence with the Uncompating River; mainstem of Quert Creek from the source to the confluence with the Uncompating River; mainstem of Quert Creek from the source to the confluence with the Uncompating River; mainstem of Quert Creek from the source to the confluence with the Creek from the source to the confluence with Dallas Creek. COGUUNT Classifications Physical and Biological Metal (ug/L) Reversion P Temperature °C CS-I Aluminum Qualifiestion (s): An (Life Codi (unc)) Temperature °C CS-I Aluminum Aresenic(Cronic) = hybrid E. Cell (per 100 mL) Choronium III	(0.11 mg	J/L TP).	Sulfide		0.002			
COGUNI Construction Construction Construction Designation Agriculture Construction OM Alward Concord Reviewable Agriculture Construction Construction Aunion Construction Reviewable Agriculture Construction Construction Association Construction Construction Qualities D.0. (ng/L) Association Construction Construct	mainstem of C Uncompahgre confluences w the source to t	Sow Creek from the Uncompangre Wild Wilderness Area boundary to the conflu- ith Uncompangre River; mainstem of E he confluence with Dallas Creek.	erness Area boundary to a point immu uence with the Uncompangre River; n Beaver Creek from the source to the o	ediately below the nainstems of Bi confluence with	he confluence Ily Creek, Or the East Fo	e with Nate Creek, tributaries nion Creek and Beaton Creek rk of Dallas Creek; and mains	from their sources stem of Pleasant V	the to their alley Creek from
Designation Agriculture Agriculture Off MWAT New code Acture Acture Chronic Acture Acture Col Audition Acture Acture Col Series Acture Acture Col Series Acture Acture Acture Col Series Acture <			T.					
Reviewable Recreation P Aq Life Cold 1 Recreation P Temperature *C CS-I Aluminum Recreation P Recreation P Arsenic 340 340 Qualifiers: D.O. (mg/L) 6.0 Arsenic 340 0.02 Qualifiers: PH 6.5 - 9.0 Cadmium TVS TVS Temporary Modification(s): PH 6.5 - 9.0 Cadmium(17) 5.0 Arsenic(hronic): = hybrid E. Oci (per 100 mL) 205 Chromium III TVS Expiration Date of 1231/2024 E. Oci (per 100 mL) 205 Chromium III TVS Amonia TVS TVS Chromium VI TVS TVS TVS Amonia TVS TVS Chromium VI TVS TVS Amonia TVS TVS Conor 2050 Lead(T) 1000 <td< td=""><td>COGUUN11</td><td>Classifications</td><td>Physical and Biol</td><td>ogical</td><td></td><td>Me</td><td>etals (ug/L)</td><td></td></td<>	COGUUN11	Classifications	Physical and Biol	ogical		Me	etals (ug/L)	
Recreation P Water Supply Incomparing Accession of the construction	COGUUN11 Designation	Classifications Agriculture	Physical and Biolo	ogical DM	MWAT	Me	etals (ug/L) acute	chronic
Value SupplyD.0. (mg/l)6.0Arsenic(T)0.02Qualifiers:D.0. (spawning)7.0Beryllium7.0Seryllium7.0Other:pH6.5 - 9.0CadmiumTVSTVSTVSTemporary Modification(s):chlorophyll a (mg/m²)205Chromium IIITVSArsenic(Funcic) = hybridE. Coli (per 100 mL)205Chromium IIITVSArsenic(mg/L)Chromium III(T)50SoAmmoniaTVSTVSIronWSSoBoron0.0190.011Icad(T)100MSChoride250IcadTVSTVSTVSChorine0.0190.011Icad(T)0.01(1)150Nitrate10MaganeseTVSTVS150Nitrate0.05MaganeseTVSTVS150Nitrate0.05MaganeseTVSTVS150SulfabeWSNickel(T)150150SulfabeWSNickel(T)150NickelWSNickel(T)150SulfabeWSNickel(T)150 <td>COGUUN11 Designation Reviewable</td> <td>Classifications Agriculture Aq Life Cold 1</td> <td>Physical and Biole</td> <td>ogical DM CS-I</td> <td>MWAT CS-I</td> <td>Ma</td> <td>etals (ug/L) acute </td> <td>chronic</td>	COGUUN11 Designation Reviewable	Classifications Agriculture Aq Life Cold 1	Physical and Biole	ogical DM CS-I	MWAT CS-I	Ma	etals (ug/L) acute 	chronic
dualities: D.O. (spawning) 7.0 Beryllum 7.0 Other: PH 6.5 - 9.0 Cadmium TVS TVS Temporary Modification(s): chlorophylla (mg/m²) 205 Cadmium(T) 5.0 Arsenic(chronic) = hybrid E. Coli (per 100 mL) 205 Chronium III TVS Expiration Date of 12/31/2024 E. Coli (per 100 mL) Chronium III(T) 5.0 Mamonia TVS TVS Chronium III(T) TVS TVS Boron 250 Icon(T) MS Othoride 250 Lead TVS TVS Chloride 250 Lead TVS TVS Othorine 0.019 0.011 Lead(T) 5.0 Nitrate 0.05 Manganese TVS TVS Nitrate 0.05 Molckel/T/T 0.01(h) Suffate WS Nickel(T) 0.01(h) Suffate WS Silver TVS TVS Suffate WS <td>COGUUN11 Designation Reviewable</td> <td>Classifications Agriculture Aq Life Cold 1 Recreation P</td> <td>Physical and Biole</td> <td>ogical DM CS-I acute</td> <td>MWAT CS-I chronic</td> <td>Ma Aluminum Arsenic</td> <td>etals (ug/L) acute 340</td> <td>chronic </td>	COGUUN11 Designation Reviewable	Classifications Agriculture Aq Life Cold 1 Recreation P	Physical and Biole	ogical DM CS-I acute	MWAT CS-I chronic	Ma Aluminum Arsenic	etals (ug/L) acute 340	chronic
Other:PH6.5 · 9.0····CadmiumTVSTVSTemporary Modification(s):chiorophyll a (mg/m²)····150Cadmium(T)5.0····Arsenic(chronic) = hybridE. Coli (per 100 mL)····205Chromium III····TVSExpiration Date of 12/31/2024Inorganic (mg/L)Chromium III(T)50·····AmmoniaTVSTVSChromium III(T)50····AmmoniaTVSTVSIronTVSTVSBoron····0.75Iron(T)····1000Chloride····250LeadTVSTVSWSChorine0.0190.011Lead(T)50····Quade0.05····ManganeseTVSTVSWSNitrate10····Molybdenum(T)····150Sulfate····0.414Nickel(T)····100Sulfate····0.02SeleniumTVSTVSSulfate····0.02SeleniumTVSTVS(tr)Sulfate····0.02SeleniumTVSTVS(tr)Sulfate····0.02SeleniumTVSTVS(tr)Sulfate····0.02SeleniumTVSTVS(tr)Ironium········100····Silver····Sulfate····0.02SeleniumTVSTVS(tr)Ironium····Ironium············Sulfate	COGUUN11 Designation Reviewable	Classifications Agriculture Aq Life Cold 1 Recreation P Water Supply	Physical and Biolo Temperature °C D.O. (mg/L)	ogical DM CS-I acute 	MWAT CS-I chronic 6.0	Aluminum Arsenic Arsenic(T)	etals (ug/L) acute 340 	chronic 0.02
Temporary Modification(s):Chlorophyll a (mg/m²)150Cadmium(1)5.0Arsenic(chronic) = hybridE. Coli (per 100 mL)205Chromium IIITVSExpiration Date of 12/31/2024Inorganic (mg/L)Chromium VITVSTVSTVSInorganic (mg/L)CopperTVSTVSTVSTVSAmmoniaTVSTVSIron(T)100TVSBoron0.75Iron(T)100Chloride250Lead(T)50Chorine0.0190.011Lead(T)50Nitrate10MaganeseTVSTVSWSSulfate0.05Molydenum(T)150Sulfate0.02SeleniumTVSTVSSulfate0.002SilverTVSTVSSulfateWSNickel(T)100Sulfate0.002SilverTVSTVSSulfateWSNickel(T)100SulfateWSSilverTVSTVS(tr)UraniumSulfateYSSilverTVSTVS(tr)UraniumSulfateSilverTVSSulfate	COGUUN11 Designation Reviewable Qualifiers:	Classifications Agriculture Aq Life Cold 1 Recreation P Water Supply	Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning)	ogical DM CS-I acute 	MWAT CS-I chronic 6.0 7.0	Aluminum Arsenic Arsenic(T) Beryllium	etals (ug/L) acute 340 	chronic 0.02
Arsenic(chronic) = hybrid E. Coll (per 100 mL) 205 Chromium III TVS Expiration Date of 12/31/2024 Inorganic (mg/L) Chromium III(T) 50 Inorganic (mg/L) Chromium III(T) 50 TVS Ammonia TVS TVS Copper TVS TVS Ammonia TVS TVS Iron(T) WS Boron 0.75 Iron(T) 1000 Chloride 250 Lead TVS TVS Chorine 0.019 0.011 Lead(T) 50 Cyanide 0.005 Manganese TVS TVS Nitrate 10 Molybdenum(T) 0.01(i) Nitrite 0.05 Molybdenum(T) 100 Phosphorus 0.012 Nickel(T) 100 Sulfate 0.02 Selenium	COGUUN11 Designation Reviewable Qualifiers: Other:	Classifications Agriculture Aq Life Cold 1 Recreation P Water Supply	Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH	ogical DM CS-I acute 6.5 - 9.0	MWAT CS-1 chronic 6.0 7.0	Aluminum Arsenic Arsenic(T) Beryllium Cadmium	etals (ug/L) acute 340 TVS	chronic 0.02 TVS
Expiration Date of 12/31/2024Indefinition (mg/L)Chromium III(T)50Inorganic (mg/L)Chromium VITVSTVSTVSAmmoniaTVSTVSIronWSBoron0.75Iron(T)1000Chloride250LeadTVSTVSChlorine0.0190.011Lead(T)50Qyanide0.005ManganeseTVSTVS/WSNitrate10Molybdenum(T)150Phosphorus0.05Molybdenum(T)100SuffateWSNickel (T)100SuffateWSSeleniumTVSTVSSuffateWSSilverTVSTVS(tr)UraniumSilverTVSTVS(tr)ZincTVSTVS(tr)TuSTVS(tr)TUSInformationSilverTVSTVS(tr)InformationSilverTVSTVS(tr)InformationSilverTVSTVS(tr)InformationSilverTVSTVS(tr)InformationSilverTVSTVS(tr)Information	COGUUN11 Designation Reviewable Qualifiers: Other: Temporary Mo	Classifications Agriculture Aq Life Cold 1 Recreation P Water Supply	Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²)	ogical DM CS-I acute 6.5 - 9.0 	MWAT CS-I chronic 6.0 7.0 150	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T)	etals (ug/L) acute 340 TVS 5.0	chronic 0.02 TVS
Inorganic (mg/L)Chromium VITVSTVSacutechronicCopperTVSTVSAmmoniaTVSTVSIronWSBoron0.75Iron(T)1000Chloride250LeadTVSTVSChorine0.0190.011Lead(T)50Cyanide0.005ManganeseTVSTVSWSNitrate10Molybdenum(T)150Phosphorus0.44Nickel(T)100SulfateWSNickel(T)100Sulfate0.002SeleniumTVSTVSSulfate0.002SeleniumTVSTVSUranium0.002SilverTVSTVS(tr)Uranium0.002SilverTVSTVSTVSTVSTVSTVSTVSTVSSulfate0.002SeleniumTVSTVSSulfate0.002SilverTVSTVS(tr)UraniumSilverTVSTVS(tr)TotoTVSTVS(tr)TVSTVS(tr)TVS <td>COGUUN11 Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronic</td> <td>Classifications Agriculture Aq Life Cold 1 Recreation P Water Supply pdffication(s): c) = hybrid</td> <td>Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)</td> <td>ogical DM CS-I acute 6.5 - 9.0 </td> <td>MWAT CS-I chronic 6.0 7.0 150 205</td> <td>Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III</td> <td>etals (ug/L) acute 340 TVS 5.0 </td> <td>chronic 0.02 TVS TVS</td>	COGUUN11 Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronic	Classifications Agriculture Aq Life Cold 1 Recreation P Water Supply pdffication(s): c) = hybrid	Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)	ogical DM CS-I acute 6.5 - 9.0 	MWAT CS-I chronic 6.0 7.0 150 205	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III	etals (ug/L) acute 340 TVS 5.0 	chronic 0.02 TVS TVS
AmmoniaTVSCopperTVSTVSAmmoniaTVSIronWSBoron0.75Iron(T)1000Chloride250LeadTVSTVSChlorine0.0190.011Lead(T)50Cyanide0.005ManganeseTVSTVSWSNitrate10Mercury0.01(t)Nitrite0.05Molybdenum(T)150Sulfate0.44Nickel(T)100SulfateWSNickel(T)100SulfateWSNickel(T)100SulfateWSNickel(T)100SulfateWSNickel(T)100SulfateWSNickel(T)100SulfateWSNickel(T)100SulfateWSNickel(T)100SulfateSeleniumTVSTVSTVSSulfateSilverTVSTVSTVSSulfateSilverTVSTVSTVSSulfateSilverTVSTVSTVSSulfateSilverTVSTVSSulfateSilverTVSTVSSulfateSilverTVSTVS </td <td>COGUUN11 Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date</td> <td>Classifications Agriculture Aq Life Cold 1 Recreation P Water Supply bdification(s): c) = hybrid e of 12/31/2024</td> <td>Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)</td> <td>ogical DM CS-1 acute 6.5 - 9.0 </td> <td>MWAT CS-I chronic 6.0 7.0 150 205</td> <td>Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T)</td> <td>etals (ug/L) acute 340 TVS 5.0 50</td> <td>chronic 0.02 TVS TVS </td>	COGUUN11 Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date	Classifications Agriculture Aq Life Cold 1 Recreation P Water Supply bdification(s): c) = hybrid e of 12/31/2024	Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL)	ogical DM CS-1 acute 6.5 - 9.0 	MWAT CS-I chronic 6.0 7.0 150 205	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T)	etals (ug/L) acute 340 TVS 5.0 50	chronic 0.02 TVS TVS
AmmoniaTVSIronWSBoron0.75Iron(T)1000Chloride250LeadTVSTVSChlorine0.0190.011Lead(T)50Cyanide0.005ManganeseTVSTVSWSNitrate10Mercury0.01(t)Nitrite0.05Molybdenum(T)150Phosphorus0.414Nickel(T)100SulfateWSNickel(T)100Sulfate0.002SeleniumTVSTVSSulfate0.002SeleniumTVSTVS(tr)Uranium2002SilverTVSTVS(tr)Uranium2002SilverTVSTVS(tr)Uranium2002SilverTVSTVS(tr)Uranium2002SilverTVSTVS(tr)Uranium2002SilverTVSTVSTVSTVSTVSTVSTVSTVSTVSTotoTotoToto	COGUUN11 Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronio Expiration Date	Classifications Agriculture Aq Life Cold 1 Recreation P Water Supply bdffication(s): c) = hybrid e of 12/31/2024	Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (r	ogical DM CS-1 acute 6.5 - 9.0 mg/L)	MWAT CS-I chronic 6.0 7.0 150 205	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III(T)	etals (ug/L) acute 340 TVS 5.0 50 TVS	chronic 0.02 TVS TVS TVS
Boron 0.75 Iron(T) 1000 Chloride 250 LeadTVSTVSChlorine 0.019 0.011 Lead(T) 50 Cyanide 0.005 ManganeseTVSTVSWSNitrate 10 Mercury $0.01(t)$ Nitrite 0.05 Molybdenum(T) 150 Phosphorus 0.414 NickelTVSTVSSulfateWSNickel(T) 100 Sulfide 0.002 SeleniumTVSTVSSulfide 0.002 SeleniumTVSTVS(tr)Uranium $$ 100 $$ 100 Sulfide 0.002 SeleniumTVSTVS(tr)Uranium $$ 100 $$ $$ Sulfide 0.002 SeleniumTVSTVS(tr)Uranium $$ $$ $$ $$ Sulfide $$ 100 $$ $$ Sulfide $$ $$ $$ $$ Sulfide $$ $$ $Sulfide$	COGUUN11 Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date	Classifications Agriculture Aq Life Cold 1 Recreation P Water Supply bdffication(s): c) = hybrid e of 12/31/2024	Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (m	ogical DM CS-1 acute 6.5 - 9.0 mg/L) acute	MWAT CS-I chronic 6.0 7.0 150 205 chronic	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III Chromium VI Copper	etals (ug/L) acute 340 TVS 5.0 50 TVS TVS	chronic 0.02 TVS TVS TVS TVS
Chloride250LeadTVSTVSChlorine0.0190.011Lead(T)50Cyanide0.005ManganeseTVSTVS/WSNitrate10Mercury0.01(t)Nitrite0.05Molybdenum(T)150Phosphorus0.414NickelTVSTVSSulfateWSNickel(T)100Sulfide0.002SeleniumTVSTVSSulfate0.002SeleniumTVSTVS(tr)UraniumSilverTVSTVS(tr)UraniumSilverTVSTVS(tr)UraniumSilverTVSTVS(tr)SulfateSilverTVSTVS(tr)SulfateSilverTVSTVS(tr)SulfateSilverTVSTVS(tr)SulfateSilverTVSTVS(tr)SulfateSilverTVSTVS(tr)SulfateSilverTVSTVSSulfateSilverTVSTVSSulfateSilverTVSTVSSulfate	COGUUN11 Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date	Classifications Agriculture Aq Life Cold 1 Recreation P Water Supply diffication(s): c) = hybrid e of 12/31/2024	Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (m	ogical DM CS-I acute 6.5 - 9.0 ng/L) acute TVS	MWAT CS-I chronic 6.0 7.0 7.0 205 205 chronic TVS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium VI Copper Iron	etals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS	chronic 0.02 TVS TVS TVS TVS TVS WS
Chorine0.0190.011Lead(T)50Cyanide0.005ManganeseTVSTVS/WSNitrate10Mercury0.01(r)Nitrite0.05Molybdenum(T)150Phosphorus0.414NickelTVSTVSSulfateWSNickel(T)100Sulfide0.002SeleniumTVSTVSSulfate0.002SilverTVSTVS(tr)UraniumSilverTVSTVS(tr)UraniumSilverTVSTVS(tr)SulfateSilverTVSTVS(tr)SulfateSilverTVSTVS(tr)SulfateSilverTVSTVS(tr)SulfateSilverTVSTVS(tr)SulfateSilverTVSTVS(tr)SulfateSilverTVSTVS(tr)SulfateSilverTVSTVS(tr)Sulfate	COGUUN11 Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronio Expiration Date	Classifications Agriculture Aq Life Cold 1 Recreation P Water Supply Ddification(s): c) = hybrid e of 12/31/2024	Physical and Biole Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (m Ammonia Boron	ogical DM CS-1 acute 6.5 - 9.0 6.5 - 9.0 mg/L) acute TVS 	MWAT CS-I chronic 6.0 7.0 150 205 205 chronic TVS 0.75	Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T)	etals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS	chronic 0.02 TVS TVS TVS TVS WS 1000
Cyanide0.005ManganeseTVSTVS/WSNitrate10Mercury0.01(r)Nitrite0.05Molybdenum(T)150Phosphorus0.41NickelTVSTVSSulfateWSNickel(T)100Sulfide0.002SeleniumTVSTVSSulfate0.002SilverTVSTVSSulfate0.002SilverTVSTVS(tr)UraniumSilverTVSTVS(tr)UraniumSilverTVSTVS(tr)UraniumSilverTVSTVS(tr)UraniumSilverTVSTVS(tr)UraniumSilverTVSTVSSilverTVSTVSTVSTVSSilverTVSTVSTVSTVSSilverTVSTVSTVSTVSSilverSilverTVSTVSTVSSilverSilverTVSTVSTVSSilverSilverTVSTVSTVSSilverSilverTVSTVSTVSSilverSilverTVSTVSTVSSilverSilverTVSTVSTVSSilverSilverTVSTVSTVSSilverSilverSilverTVSTVSSilverSilve	COGUUN11 Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date	Classifications Agriculture Aq Life Cold 1 Recreation P Water Supply odification(s): c) = hybrid e of 12/31/2024	Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride	ogical DM CS-1 acute 6.5 - 9.0 c ng/L) acute TVS TVS 	MWAT CS-I chronic 6.0 7.0 150 205 205 chronic TVS 0.75 250	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead	etals (ug/L) acute 340 TVS 5.0 5.0 TVS TVS TVS TVS	chronic 0.02 TVS TVS TVS TVS TVS WS 1000 TVS
Nitrate10Mercury0.01(t)Nitrite0.05Molybdenum(T)150Phosphorus0.414NickelTVSTVSSulfateWSNickel(T)100Sulfide0.002SeleniumTVSTVSSilverTVSSilverTVSTVS(tr)Uranium2incTVSTVS	COGUUN11 Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date	Classifications Agriculture Aq Life Cold 1 Recreation P Water Supply bdffication(s): c) = hybrid e of 12/31/2024	Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chlorine	ogical DM CS-1 acute 6.5 - 9.0 6.5 - 9.0 c 1.0 0.019	MWAT CS-I chronic 6.0 7.0 150 205 205 chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T)	etals (ug/L) acute 340 TVS 5.0 5.0 5.0 TVS TVS TVS TVS 50	chronic 0.02 TVS TVS TVS TVS TVS WS 1000 TVS
Nitrite 0.05 Molybdenum(T) 150 Phosphorus 0.41 Nickel TVS TVS Sulfate WS Nickel(T) 100 Sulfide 0.002 Selenium TVS TVS Viritie 0.002 Selenium TVS TVS Viritie 0.002 Selenium TVS TVS(r) Viritie Silver TVS TVS(r) Viritie Silver TVS TVS(r) Viritie Silver TVS TVS	COGUUN11 Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date	Classifications Agriculture Aq Life Cold 1 Recreation P Water Supply bodification(s): c) = hybrid e of 12/31/2024	Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chlorine Cyanide	ogical DM CS-1 acute 6.5 - 9.0 6.5 - 9.0 0.01 0.005	MWAT CS-I chronic 6.0 7.0 150 205 205 chronic TVS 0.75 250 0.011 	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron Iron Iron(T) Lead Lead(T) Manganese	etals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS 50 TVS 50 TVS 50 TVS	chronic 0.02 TVS TVS TVS TVS WS 1000 TVS TVSWS
Phosphorus 0.44 Nickel TVS TVS Sulfate WS Nickel(T) 100 Sulfide 0.002 Selenium TVS TVS Viriation 0.002 Selenium TVS TVS Viriation 0.002 Silver TVS TVS(tr) Uranium Zinc TVS TVS	COGUUN11 Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronio Expiration Date	Classifications Agriculture Aq Life Cold 1 Recreation P Water Supply bdification(s): c) = hybrid e of 12/31/2024	Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chlorine Cyanide Nitrate	ogical DM CS-1 acute 6.5 - 9.0 mg/L) acute TVS 0.019 0.005 10	MWAT CS-I chronic 6.0 7.0 150 205 205 chronic TVS 0.75 250 0.011 	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III Chromium VI Copper Iron Iron Iron(T) Lead Lead(T) Manganese Mercury	etals (ug/L) acute 340 TVS 50 TVS 50 TVS TVS TVS 50 TVS 50 TVS	chronic 0.02 TVS TVS TVS WS 1000 TVS TVS/WS 0.01(t)
Sulfate WS Nickel(T) 100 Sulfide 0.002 Selenium TVS TVS Sulfide 0.002 Selenium TVS TVS(tr) Uranium Zinc TVS TVS	COGUUN11 Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronio Expiration Date	Classifications Agriculture Aq Life Cold 1 Recreation P Water Supply odification(s): c) = hybrid e of 12/31/2024	Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite	ogical DM CS-I acute 6.5 - 9.0 (0.01 CS 0.01 0.005 10 0.05	MWAT CS-I chronic 6.0 7.0 205 205 chronic TVS 0.75 250 0.011 	Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T)	etals (ug/L) acute	chronic 0.02 TVS TVS TVS WS 1000 TVS 4000 TVS TVSWS 0.01(t) 150
Sulfide 0.002 Selenium TVS TVS Silver TVS TVS(tr) Uranium Zinc TVS TVS TVS TVS	COGUUN11 Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date	Classifications Agriculture Aq Life Cold 1 Recreation P Water Supply pdification(s): c) = hybrid e of 12/31/2024	Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	ogical DM CS-1 acute 6.5 - 9.0 6.5 - 9.0 0.01 0.019 0.005 10 0.05 10	MWAT CS-I chronic 6.0 7.0 150 205 205 Chronic TVS 0.75 250 0.011 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel	etals (ug/L) acute 340 TVS 5.0 50 TVS 50 TVS 50 TVS 50 TVS TVS TVS 50 TVS TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS TVS TVS 	chronic 0.02 TVS TVS TVS TVS WS 1000 TVS TVS/WS 0.01(t) 150 TVS
SilverTVSTVS(tr)UraniumZincTVSTVS	COGUUN11 Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date	Classifications Agriculture Aq Life Cold 1 Recreation P Water Supply pdffication(s): c) = hybrid e of 12/31/2024	Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	ogical DM CS-1 acute 6.5 - 9.0 6.5 - 9.0 0.01 0.019 0.005 10 0.005 10 0.05 	MWAT CS-I chronic 6.0 7.0 150 205 Chronic TVS 0.75 250 0.011 0.011 0.414 WS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T)	etals (ug/L) acute	chronic TVS TVS TVS TVS WS 1000 TVS TVSWS 0.01(t) 150 TVS 100
Uranium Zinc TVS TVS	COGUUN11 Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronio Expiration Date	Classifications Agriculture Aq Life Cold 1 Recreation P Water Supply bdffication(s): c) = hybrid e of 12/31/2024	Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	ogical DM CS-1 acute 6.5 - 9.0 6.5 - 9.0 0.01 0.019 0.005 10 0.005 10 0.05 10 0.05	MWAT CS-I chronic 6.0 7.0 150 205 0.01 Chronic TVS 0.75 250 0.011 0.011 0.011 0.02 0.02 0.02 0.02 0.02 0.02 0.02 0.02 0.02 0.02 0.02 0.002 0.02 0.02 0.02 0.02 0.02 0.02 0.02 0.02 	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	etals (ug/L) acute	chronic 0.02 TVS TVS TVS WS 1000 TVS WS 1000 TVS 0.01(t) 150 TVS 0.01(t) 150 TVS
Zinc TVS TVS	COGUUN11 Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date	Classifications Agriculture Aq Life Cold 1 Recreation P Water Supply	Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	ogical DM CS-1 acute 6.5 - 9.0 (0.01 0.019 0.005 10 0.005 10 0.05 0.019	MWAT CS-I chronic 6.0 7.0 150 205 205 chronic TVS 0.75 250 0.011 0.011 0.011 WS 0.002	Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium Silver	etals (ug/L) acute	chronic 0.02 TVS TVS TVS TVS TVS 0.00 TVS 0.01(t) 150 TVS 1000 TVS 100 TVS 100 TVS 100 TVS(tr)
	COGUUN11 Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronio Expiration Date	Classifications Agriculture Aq Life Cold 1 Recreation P Water Supply odification(s): c) = hybrid e of 12/31/2024	Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	ogical DM CS-I acute 6.5 - 9.0 0.01 0.005 10 0.005 10 0.005 0.019	MWAT CS-I chronic 6.0 7.0 150 205 205 chronic TVS 0.75 250 0.011 250 0.011 0.414 WS 0.002	Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Cadmium(T) Chromium III Chromium III Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium Silver Uranium	etals (ug/L) acute	chronic 0.02 TVS

All metals are dissolved unless otherwise noted. T = total recoverable D.O. = dissolved oxygen DM = daily maximum

- t = total tr = trout
- sc = sculpin

12. All tributari Segments 13,	es to the Uncompahgre River, including 14, 15a and 15b.	all wetlands, from the South Canal ne	ar Uncompahg	re to the co	nfluence with the Gunnison Ri	iver, except for speci	ific listings in
COGUUN12	Classifications	Physical and Biolo	gical		Me	stals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
UP	Aq Life Warm 1	Temperature °C	WS-II	WS-II	Aluminum		
	Recreation P		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		5.0	Arsenic(T)		0.02
Qualifiers:	•	pН	6.5 - 9.0		Beryllium		
Other:		chlorophyll a (mg/m ²)		150	Cadmium	TVS	TVS
Temporary Mo	odification(s).	E. Coli (per 100 mL)		205	Cadmium(T)	5.0	
Arsenic(chronic	c) = hybrid	Inorganic (m	g/L)		Chromium III	TVS	TVS
Expiration Date	e of 12/31/2024		acute	chronic	Chromium III(T)		100
		Ammonia	TVS	TVS	Chromium VI	TVS	TVS
		Boron		0.75	Copper	TVS	TVS
		Chloride		250	Iron		WS
		Chlorine	0.019	0.011	Iron(T)		1400
		Cvanide	0.005		Lead	TVS	TVS
		Nitrate	10		Lead(T)	50	
		Nitrite	0.05		Manganese	TVS	TVS/WS
EPA ha	s not acted on segment-	Phosphorus		0.17	Mercury		0.01(t)
specific	total phosphorus (TP)	Sulfate		WS	Molybdenum(T)		150
numeric	standards based on	Sulfide		0.002	Nickel	TVS	TVS
the inter	rim value for river/			0.002	Nickel(T)		100
stream	segments with a warm				Selenium	TVS	TVS
water a	quatic life classification				Silver	TVS	TVS
(0.17 m	g/L TP).				Uranium		
					Zinc	TVS	TVS
13a. Mainstem Creek; mainste dividing Sectio	of East Fork Dry Creek and Pryor Cre em of West Fork Spring Creek and Mid n 19 and 30. T49N. R9W.	ek from their sources to the national for dle Spring Creek from their sources to	est boundary; their confluence	West Fork E e, and mains	Dry Creek from its source to its stem of Mexican Gulch from th	confluence with Ea the source to the Sec	st Fork Dry tion line
COGUUN13A	Classifications	Physical and Biolo	gical		Metals (ug/L)		
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
Qualifiers:		D.O. (mg/L)		6.0	Arsenic(T)		7.6
Other:		D.O. (spawning)		7.0	Beryllium		
		pН	6.5 - 9.0		Cadmium	TVS	TVS
		chlorophyll a (mg/m ²)		150	Chromium III	TVS	TVS
		E. Coli (per 100 mL)		126	Chromium III(T)		100
					Chromium VI	TVS	TVS
		Inorganic (m	g/L)		Copper	TVS	TVS
			acute	chronic	Iron(T)		1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron		0.75	Manganese	TVS	TVS
FPA has	s not acted on segment-	Chloride			Mercury		0.01(t)
specific	total phosphorus (TP)	Chlorine	0.019	0.011	Molybdenum(T)		150
numeric	standards based on	Cvanide	0.005		Nickel	TVS	TVS
the inter	im value for river/	Nitrate	100		Selenium	TVS	TVS
stream	segments with a cold	Nitrite	0.05		Silver	TVS	TVS(tr)
water ac	nuatic life classification	Phosphorus		0.11	Uranium		
(0.11 m)	n/L TP)	Sulfate			Zinc	TVS	TVS
	yı⊑ 11).	Sulfide		0.002			
				0.002			

All metals are dissolved unless otherwise noted. T = total recoverable t = total D.O. = dissolved oxygen

DM = daily maximum

MWAT = maximum weekly average temperature See 35.6 for further details on applied standards.

tr = trout sc = sculpin

13b. Mainstem with East Fork	of East Fork Dry Creek from the nation Dry Creek. Mainstem of Spring Creek	al forest boundary to its confluence wit from the source to a point immediately b	th West Fork I below the con	Dry Creek. Pi fluence with	ryor Creek from the national forest Devinny Canyon.	boundary to its	confluence
COGUUN13B	Classifications	Physical and Biolog	gical		Metals	(ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CS-II	CS-II	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
Qualifiers:		D.O. (mg/L)		6.0	Arsenic(T)		7.6
Other:		D.O. (spawning)		7.0	Beryllium		
		pH	6.5 - 9.0		Cadmium	TVS	TVS
		chlorophyll a (mg/m²)		150	Chromium III	TVS	TVS
		E. Coli (per 100 mL)		126	Chromium III(T)		100
					Chromium VI	TVS	TVS
		Inorganic (mg	g/L)		Copper	TVS	TVS
			acute	chronic	Iron(T)		1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron		0.75	Manganese	TVS	TVS
		Chloride			Mercury		0.01(t)
EPA has	s not acted on segment-	Chlorine	0.019	0.011	Molybdenum(T)		150
specific	total phosphorus (TP)	Cyanide	0.005		Nickel	TVS	TVS
numeric	standards based on	Nitrate	100		Selenium	TVS	TVS
the inter	im value for river/	Nitrite	0.05		Silver	TVS	TVS(tr)
stream s	segments with a cold	Phosphorus		0.11	Uranium		
water ad	quatic life classification	Sulfate			Zinc	TVS	TVS
(0.11 mg	g/LTP).	Sulfide		0.002			
13c. Mainstem	of Spring Creek from a point immediat	lely below the confluence with Devinny (Canyon to Po	pular Road a	at the mouth of Spring Canyon.		
COGUUN13C	Classifications	Physical and Biolog	gical		Metals	(ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CS-II	CS-II	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02
Qualifiers:	-	D.O. (spawning)		7.0	Beryllium		
Other:		pH	6.5 - 9.0		Cadmium	TVS	TVS
		chlorophyll a (mg/m²)		150	Cadmium(T)	5.0	
		E. Coli (per 100 mL)		126	Chromium III	TVS	TVS
					Chromium III(T)		100
		Inorganic (mg	g/L)		Chromium VI	TVS	TVS
			acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron		WS
		Boron		0.75	Iron(T)		1000
		Chloride		250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	
		Cyanide	0.005		Manganese	TVS	TVS/WS
		Nitrate	10		Mercury		0.01(t)
		Nitrite	0.05		Molybdenum(T)		150
		Phosphorus		0.11	Nickel	TVS	TVS
		Sulfate		WS	Nickel(T)		100
		Sulfide		0.002	Selenium	TVS	TVS
					Silver	TVS	TVS(tr)
					Uranium		
					Zinc	TVS	TVS

DM = daily maximum MWAT = maximum weekly average temperature See 35.6 for further details on applied standards.

D.O. = dissolved oxygen

14. East and V all tributaries a	Vest Forks of Horsefly Creek, including and wetlands, from the source to the me	all tributaries and wetlands, from their s ost downstream national forest boundary	ources to a p	oint immediat	ely above their confluence. H	appy Canyon Creek,	including
COGUUN14	Classifications	Physical and Biolog	gical		Me	etals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 2	Temperature °C	CS-II	CS-II	Aluminum		
	Recreation P		acute	chronic	Arsenic	340	
Qualifiers:		D.O. (mg/L)		6.0	Arsenic(T)		100
Other:		D.O. (spawning)		7.0	Beryllium		
		pH	6.5 - 9.0		Cadmium	TVS	TVS
		chlorophyll a (mg/m ²)		150	Chromium III	TVS	TVS
		E. Coli (per 100 mL)		205	Chromium III(T)		100
					Chromium VI	TVS	TVS
		Inorganic (mg	ı/L)		Copper	TVS	TVS
			acute	chronic	Iron(T)		1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron		0.75	Manganese	TVS	TVS
EPA has	s not acted on segment-	Chloride			Mercury		0.01(t)
specific	total phosphorus (TP)	Chlorine	0.019	0.011	Molybdenum(T)		150
numeric	standards based on	Cyanide	0.005		Nickel	TVS	TVS
the inter	im value for river/	Nitrate	100		Selenium	TVS	TVS
stream s	segments with a cold	Nitrite	0.5		Silver	TVS	TVS(tr)
water ac	uatic life classification	Phosphorus		0.11	Uranium		
(0.11 mg	g/L TP).	Sulfate			Zinc	TVS	TVS
		Sulfide		0.002			
15a. Mainstem immediately be	of Happy Canyon from a point immed elow the confluence with Wildcat Canyo	ately below the West Canal to the confluence with the Uncompany	uence with the gre River.	Uncompang	re River; mainstem of Horsefl	ly Creek from a point	
COGUUN15A	Classifications	Physical and Biolog	gical		Ме	etals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Warm 1	Temperature °C	WS-II	WS-II	Aluminum		
	Recreation P		acute	chronic	Arsenic	340	
Qualifiers:		D.O. (mg/L)		5.0	Arsenic(T)		7.6
Other:		рН	6.5 - 9.0		Beryllium		
		chlorophyll a (mg/m ²)		150	Cadmium	TVS	TVS
		E. Coli (per 100 mL)		205	Chromium III	TVS	TVS
		Inorganic (mg	I/L)		Chromium III(T)		100
			acute	chronic	Chromium VI	TVS	TVS
		Ammonia	TVS	TVS	Copper	TVS	TVS
		Boron		0.75	Iron(T)		1000
		Chloride			Lead	TVS	TVS
EPA ha	s not acted on segment-	Chlorine	0.019	0.011	Manganese	TVS	TVS
specific	total phosphorus (TP)	Cyanide	0.005		Mercury		0.01(t)
numeric	standards based on	Nitrate	100		Molybdenum(T)		150
the inter	rim value for river/	Nitrite	0.5		Nickel	TVS	TVS
stream	segments with a warm	Phosphorus		0.17	Selenium	TVS	TVS
water ad	quatic life classification	Sulfate			Silver	TVS	TVS
(0.17 m	g/L TP).	Sulfide		0.002	Uranium		
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted. T = total recoverable t = total tr = trout

sc = sculpin

DM = daily maximum MWAT = maximum weekly average temperature See 35.6 for further details on applied standards.

D.O. = dissolved oxygen

15b. Mainstem	of Dry Creek from the confluence of th	e East and West Forks to immediately a	bove the cor	fluence with	Coalbank Canyon Creek.		
COGUUN15B	Classifications	Physical and Biologi	ical		Ν	letals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Warm 2	Temperature °C	WS-II	WS-II	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
Qualifiers:		D.O. (mg/L)		6.0	Arsenic(T)		100
Other:		D.O. (spawning)		7.0	Beryllium		
		рН	6.5 - 9.0		Cadmium	TVS	TVS
		chlorophyll a (mg/m ²)		150	Chromium III	TVS	TVS
		E. Coli (per 100 mL)		126	Chromium III(T)		100
					Chromium VI	TVS	TVS
		Inorganic (mg/	'L)		Copper	TVS	TVS
			acute	chronic	Iron(T)		1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron		0.75	Manganese	TVS	TVS
EDA bor	a not acted on sogment	Chloride			Mercury		0.01(t)
EFAilas	total phosphorus (TD)	Chlorine	0.019	0.011	Molybdenum(T)		150
specific	atenderde besed en	Cvanide	0.005		Nickel	TVS	TVS
the inter	standards based on	Nitrate	100		Selenium	TVS	TVS
the inter	Im value for river/	Nitrite	0.5		Silver	TVS	TVS(tr)
stream s	segments with a cold	Phosphorus		0.11	Uranium		
water ac		Sulfato		0.11	Zinc	TVS	T\/S
(0.11 mg	g/L TP).	Sulface		0.002	200	105	105
16 All Jokon or	ad reconvoire tributory to the Uncompose	Sumae		0.002	Areaa		
COGULINIA	Classifications	Physical and Riologi	ical	e wiidemess	Areas.	latale (un/l.)	
Designation	Agriculture		ПМ	MWAT		2011to	chronic
OW	Agriculture Agriculture	Temperature °C	CI	CL	Aluminum	acute	chronic
0.11	Recreation F		acute	chronic	Araonia	240	
	Water Supply		acute	60	Arsenic Arsenic(T)	340	0.02
Qualifiers:				7.0	Arsenic(1)		0.02
011		D.O. (spawning)	 6 E 0 0	7.0	Beryllium		
Other:			0.5 - 9.0		Cadmium (T)	105	172
*chlorophyll a ((ug/L)(chronic) = applies only to lakes			0		5.0	
*Phosphorus(ch	larger than 25 acres surface area.			120			172
reservoirs larg	er than 25 acres surface area.					50	
		Inorganic (mg/	L)		Chromium VI	TVS	TVS
			acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron		WS
		Boron		0.75	Iron(T)		1000
		Chloride		250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	
		Cyanide	0.005		Manganese	TVS	TVS/50
		Nitrate	10		Mercury		0.01(t)
		Nitrite	0.05		Molybdenum(T)		150
		Phosphorus		0.025*	Nickel	TVS	TVS
		Sulfate		WS	Nickel(T)		100
		Sulfide		0.002	Selenium	TVS	TVS
					Silver	TVS	TVS(tr)
					Uranium		
					Zinc	TVS	TVS
		1					

DM = daily maximum MWAT = maximum weekly average temperature

D.O. = dissolved oxygen

See 35.6 for further details on applied standards.

17. All lakes a 16. This segm	nd reservoirs tributary to the Uncompah nent includes Lake Como, Ptarmigan La	gre River from the source to a point imported a point imported to a point imported by the source of	mediately belo	ow the conflu	ence with Dexter Creek, except	for specific listing	s in Segment	
COGUUN17	Classifications	Physical and Biolog	ical		Metals (ug/L)			
Designation	Agriculture		DM	MWAT		acute	chronic	
Reviewable	Aq Life Cold 1	Temperature °C	CL	CL	Aluminum			
	Recreation E		acute	chronic	Arsenic	340		
Qualifiers:	D.O. (mg/L)		6.0	Arsenic(T)		0.02-10 A		
Qualifiers:		D.O. (spawning)		7.0	Beryllium			
Other:		pН	6.5 - 9.0		Cadmium	TVS	TVS	
.11		chlorophyll a (ug/L)		8	Cadmium(T)	5.0		
and reservoirs	(ug/L)(chronic) = applies only to lakes a larger than 25 acres surface area.	E. Coli (per 100 mL)		126	Chromium III		TVS	
*Phosphorus(c	hronic) = applies only to lakes and				Chromium III(T)	50		
reservoirs larg	jer man 25 acres surface area.	Inorganic (mg	/L)		Chromium VI	TVS	TVS	
			acute	chronic	Copper	TVS	TVS	
		Ammonia	TVS	TVS	Iron		WS	
		Boron		0.75	Iron(T)		1000	
		Chloride		250	Lead	TVS	TVS	
		Chlorine	0.019	0.011	Lead(T)	50		
		Cyanide	0.005		Manganese	TVS	TVS/WS	
		Nitrate	10		Mercury		0.01(t)	
		Nitrite	0.05		Molybdenum(T)		150	
		Phosphorus		0.025*	Nickel	TVS	TVS	
		Sulfate		WS	Nickel(T)		100	
		Sulfide		0.002	Selenium	TVS	TVS	
					Silver	TVS	TVS(tr)	
					Uranium			
					Zinc	TVS		

18. All lakes a Uncompahgre confluence. T Olathe Reserv	nd reservoirs tributary to the Uncompah , excluding the listings in Segment 16 a his segment includes Black Lake, Blue I voirs 1 and 2.	gre River from a point immediately belo nd 19. All lakes and reservoirs tributary Lakes, Ulah Brown Spring, Lake Otonaw	w the conflue to the East F vanda, West I	nce with De ork of Dry Ci Lake, Dry La	xter Creek to a point immedia reek or the West Fork of Dry ke, Elephant Reservoir, Buck	ately below the South Creek from their sour khorn Lakes, Silesca	Canal near rces to their Pond and
COGUUN18	Classifications	Physical and Biolog	gical		M		
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CL	CL	Aluminum		
	Recreation P		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02
DUWS* Qualifiers:	D.O. (spawning)		7.0	Beryllium			
Qualifiers:		рН	6.5 - 9.0		Cadmium	TVS	TVS
Other:		chlorophyll a (ug/L)		8*	Cadmium(T)	5.0	
+.1.1		E. Coli (per 100 mL)		205	Chromium III		TVS
and reservoirs	(ug/L)(chronic) = applies only to lakes s larger than 25 acres surface area.				Chromium III(T)	50	
*Classification	: DŬWS applies to Lake Otonawanda	Inorganic (mg/L)			Chromium VI	TVS	TVS
*Phosphorus(c	hronic) = applies only to lakes and		acute	chronic	Copper	TVS	TVS
reservoirs larg	ger than 25 acres surface area.	Ammonia	TVS	TVS	Iron		WS
		Boron		0.75	Iron(T)		1000
		Chloride		250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	
		Cyanide	0.005		Manganese	TVS	TVS/WS
		Nitrate	10		Mercury		0.01(t)
		Nitrite	0.05		Molybdenum(T)		150
		Phosphorus		0.025*	Nickel	TVS	TVS
		Sulfate		WS	Nickel(T)		100
		Sulfide		0.002	Selenium	TVS	TVS
					Silver	TVS	TVS(tr)
					Uranium		
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted. T = total recoverable t = total tr = trout sc = sculpin

19. Ridgway F							
COGUUN19	Classifications	Physical and Biolo	ogical		M	letals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CLL	CLL	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
Qualifiers:		D.O. (mg/L)		6.0	Arsenic(T)		7.6
Other:		D.O. (spawning)		7.0	Beryllium		
		pH	6.5 - 9.0		Cadmium	TVS	TVS
		chlorophyll a (ug/L)			Chromium III	TVS	TVS
		E. Coli (per 100 mL)		126	Chromium III(T)		100
					Chromium VI	TVS	TVS
		Inorganic (m	ig/L)		Copper	TVS	TVS
			acute	chronic	Iron(T)		1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron		0.75	Manganese	TVS	TVS
		Chloride			Mercury		0.01(t)
		Chlorine	0.019	0.011	Molybdenum(T)		150
		Cyanide	0.005		Nickel	TVS	TVS
		Nitrate	100		Selenium	TVS	TVS
		Nitrite	0.05		Silver	TVS	TVS(tr)
		Phosphorus			Uranium		
		Sulfate			Zinc	TVS	TVS
		Sulfide		0.002			
20. Sweitzer L	ake (a.k.a. Garnet Mesa Reservoir).						
COGUUN20	Classifications	Physical and Biolo	ogical		M	letals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Warm 1	Temperature °C	WL	WL	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
Qualifiers:		D.O. (mg/L)		5.0	Arsenic(T)		7.6
Other:		рН	6.5 - 9.0		Beryllium		
		chlorophyll a (ug/L)		20*	Cadmium	TVS	TVS
*chlorophyll a and reservoirs	(ug/L)(chronic) = applies only to lakes larger than 25 acres surface area	E. Coli (per 100 mL)					TVC
				126	Chromium III	TVS	103
*Phosphorus(c	hronic) = applies only to lakes and	Inorganic (m	ıg/L)	126	Chromium III Chromium III(T)	TVS	100
*Phosphorus(cl reservoirs larg	hronic) = applies only to lakes and ger than 25 acres surface area.	Inorganic (m	ng/L) acute	126 chronic	Chromium III Chromium III(T) Chromium VI	TVS TVS	100 TVS
*Phosphorus(cl reservoirs larg	heronic) — applies only to lakes and ger than 25 acres surface area.	Inorganic (m Ammonia	ng/L) acute TVS	126 chronic TVS	Chromium III Chromium III(T) Chromium VI Copper	TVS TVS TVS	100 TVS TVS
*Phosphorus(cl reservoirs larg	heronic) — applies only to lakes and ger than 25 acres surface area.	Inorganic (n Ammonia Boron	ng/L) acute TVS 	126 chronic TVS 0.75	Chromium III Chromium III(T) Chromium VI Copper Iron(T)	TVS TVS TVS 	100 TVS TVS 1000
*Phosphorus(cl reservoirs larg	hand a second se	Inorganic (n Ammonia Boron Chloride	ng/L) acute TVS 	126 chronic TVS 0.75 	Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead	TVS TVS TVS TVS	100 TVS TVS 1000 TVS
*Phosphorus(cl reservoirs larg	hronic) — applies only to lakes and ger than 25 acres surface area.	Inorganic (m Ammonia Boron Chloride Chlorine	ng/L) acute TVS 0.019	126 chronic TVS 0.75 0.011	Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese	TVS TVS TVS TVS TVS	100 TVS TVS 1000 TVS TVS
*Phosphorus(cl reservoirs larg	Is not acted on segment- total phosphorus (TP)	Inorganic (m Ammonia Boron Chloride Chlorine Cyanide	ng/L) acute TVS 0.019 0.005	126 chronic TVS 0.75 0.011 	Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury	TVS TVS TVS TVS TVS 	100 TVS TVS 1000 TVS TVS 0.01(t)
*Phosphorus(el recorvoirs larg	Is not acted on segment- total phosphorus (TP)	Inorganic (m Ammonia Boron Chloride Chlorine Cyanide Nitrate	ng/L) acute TVS 0.019 0.005 100	126 chronic TVS 0.75 0.011 	Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T)	TVS TVS TVS TVS TVS 	100 TVS TVS 1000 TVS TVS 0.01(t) 150
*Phosphorus(cl reservoirs-larg	hronic) = applies only to lakes and ger than 25 acres surface area.	Inorganic (m Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite	ng/L) acute TVS 0.019 0.005 100 0.5	126 chronic TVS 0.75 0.011 	Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel	TVS TVS TVS TVS TVS TVS	100 TVS TVS 1000 TVS TVS 0.01(t) 150 TVS
EPA ha specific numeric the inte	hronic) — applies only to lakes and ger than 25 acres surface area.	Inorganic (m Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	ng/L) acute TVS 0.019 0.005 100 0.5 	126 chronic TVS 0.75 0.011 0.083*	Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel Selenium	TVS TVS TVS TVS TVS TVS TVS	100 TVS TVS 1000 TVS TVS 0.01(t) 150 TVS TVS
Phosphorus(cl recorvoirs larg	hronic) — applies only to lakes and ger than 25 acres surface area.	Inorganic (m Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrate Phosphorus Sulfate	ng/L) acute TVS 0.019 0.005 100 0.5 	126 chronic TVS 0.75 0.011 0.083 	Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel Selenium Silver	TVS	100 TVS TVS 1000 TVS TVS 0.01(t) 150 TVS TVS TVS
Phosphorus(el recervoirs larg	hronic) - applies only to lakes and ger than 25 acres surface area.	Inorganic (m Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	ng/L) acute TVS 0.019 0.005 100 0.5 	126 chronic TVS 0.75 0.011 0.083 0.002	Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel Selenium Silver Uranium	TVS	100 TVS TVS 1000 TVS TVS 0.01(t) 150 TVS TVS TVS TVS
Phosphorus(er recervoirs larg EPA ha specific numeric the inte reservo water au (0.083 r	Is not acted on segment- total phosphorus (TP) c standards based on rim value for lake/ ir segments with a cold quatic life classification mg/L TP).	Inorganic (m Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	ng/L) acute TVS 0.019 0.005 100 0.5 	126 chronic TVS 0.75 0.011 0.083 0.002	Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel Selenium Silver Uranium Zinc	TVS	100 TVS TVS 1000 TVS TVS 0.01(t) 150 TVS TVS TVS TVS TVS

21. All lakes a excluding the	listings in Segments 18, 20, and 22.	igre River from a point immediately be	low the South	Canal near C	Incompangre to the confluence	e with the Gunnison	River,
COGUUN21	Classifications	Physical and Biolo	gical		Me	etals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
UP	Aq Life Warm 2	Temperature °C	WL	WL	Aluminum		
	Recreation P		acute	chronic	Arsenic	340	
Qualifiers:		D.O. (mg/L)		5.0	Arsenic(T)		100
Fish Ingestion	n	рН	6.5 - 9.0		Beryllium		
Other:		chlorophyll a (ug/L)		20*	Cadmium	TVS	TVS
		E. Coli (per 100 mL)		205	Chromium III	TVS	TVS
*chlorophyll a and reservoirs	(ug/L)(chronic) = applies only to lakes a larger than 25 acres surface area.	Inorganic (m	g/L)		Chromium III(T)		100
*Phosphorus(c	hronic) = applies only to lakes and		acute	chronic	Chromium VI	TVS	TVS
reservoirs larg	jer indir 25 deres sundee area.	Ammonia	TVS	TVS	Copper	TVS	TVS
		Boron		0.75	Iron(T)		1000
		Chloride			Lead	TVS	TVS
	pot acted on segment	Chlorine	0.019	0.011	Manganese	TVS	TVS
	total phosphorus (TP)	Cyanide	0.005		Mercury		0.01(t)
specific	standarda basad an	Nitrate	100		Molybdenum(T)		150
the interi	standards based on	Nitrite	0.05		Nickel	TVS	TVS
	accompate with a cold	Phosphorus		0.083*	Selenium	TVS	TVS
lieservoir	vetic life eleccification	Sulfate			Silver	TVS	TVS
		Sulfide		0.002	Uranium		
(0.065 11	IG/L TP).				Zinc	TVS	TVS
22. Fairview R	Reservoir.	1					
COGUUN22	Classifications	Physical and Biolo	gical		Me	etals (ug/L)	
Designation	Agriculture		DM				
	rightouriano		DIVI	MWAI		acute	chronic
UP	Aq Life Warm 2	Temperature °C	WL	WL	Aluminum	acute	chronic
UP	Aq Life Warm 2 Recreation P	Temperature °C	WL acute	WL chronic	Aluminum Arsenic	acute 340	
UP	Aq Life Warm 2 Recreation P Water Supply	Temperature °C D.O. (mg/L)	WL acute	WL chronic 5.0	Aluminum Arsenic Arsenic(T)	acute 340 	chronic 0.02
UP	Aq Life Warm 2 Recreation P Water Supply DUWS*	Temperature °C D.O. (mg/L) pH	WL acute 6.5 - 9.0	WWA1 WL chronic 5.0 	Aluminum Arsenic Arsenic(T) Beryllium	acute 340 	chronic 0.02
UP Qualifiers:	Aq Life Warm 2 Recreation P Water Supply DUWS*	Temperature °C D.O. (mg/L) pH chlorophyll a (ug/L)	WL acute 6.5 - 9.0	WWA1 WL chronic 5.0 20*	Aluminum Arsenic Arsenic(T) Beryllium Cadmium	acute 340 TVS	chronic 0.02 TVS
UP Qualifiers: Other:	Aq Life Warm 2 Recreation P Water Supply DUWS*	Temperature °C D.O. (mg/L) pH chlorophyll a (ug/L) E. Coli (per 100 mL)	WL acute 6.5 - 9.0 	WWA 1 WL chronic 5.0 20* 205	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T)	acure 340 TVS 5.0	chronic 0.02 TVS
UP Qualifiers: Other:	Aq Life Warm 2 Recreation P Water Supply DUWS*	Temperature °C D.O. (mg/L) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic (m	WL acute 6.5 - 9.0 g/L)	WWA1 WL chronic 5.0 20* 205	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III	acure 340 TVS 5.0 TVS	chronic 0.02 TVS TVS
UP Qualifiers: Other: *chlorophyll a and reservoirs	Aq Life Warm 2 Recreation P Water Supply DUWS* (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area.	Temperature °C D.O. (mg/L) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic (m	WL acute 6.5 - 9.0 g/L) acute	MWA1 WL chronic 5.0 20* 205 Chronic	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T)	acure 340 TVS 5.0 TVS 	chronic 0.02 TVS TVS 100
UP Qualifiers: Other: *chlorophyll a and reservoirs *Classification:	Aq Life Warm 2 Recreation P Water Supply DUWS* (ug/L)(chronic) = applies only to lakes a larger than 25 acres surface area. DUWS applies to Fairview Reservoir	Temperature °C D.O. (mg/L) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic (m Ammonia	WL acute 6.5 - 9.0 g/L) acute TVS	MWA1 WL chronic 5.0 20* 205 Chronic TVS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI	acure 340 TVS 5.0 TVS TVS	chronic 0.02 TVS TVS 100 TVS
UP Qualifiers: Other: *chlorophyll a and reservoirs *Classification: only. *Phosphorus(c	Aq Life Warm 2 Recreation P Water Supply DUWS* (ug/L)(chronic) = applies only to lakes arger than 25 acres surface area. DUWS applies to Fairview Reservoir hronic) = applies only to lakes and	Temperature °C D.O. (mg/L) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic (m Ammonia Boron	WL acute 6.5 - 9.0 g/L) acute TVS 	MWA1 WL chronic 5.0 20* 205 205 chronic TVS 0.75	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper	acure 340 TVS 5.0 TVS TVS TVS	chronic 0.02 TVS TVS 100 TVS TVS
UP Qualifiers: Other: *chlorophyll a and reservoirs *Classification: only. *Phosphorus(e reservoirs-larg	Aq Life Warm 2 Recreation P Water Supply DUWS* (ug/L)(chronic) = applies only to lakes a larger than 25 acres surface area. DUWS applies to Fairview Reservoir hronic) = applies only to lakes and ger than 25 acres surface area.	Temperature °C D.O. (mg/L) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride	WL acute 6.5 - 9.0 g/L) acute TVS 	MWA1 WL chronic 5.0 20* 205 205 chronic TVS 0.75 250	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron	acure 340 TVS 5.0 TVS TVS TVS TVS	chronic 0.02 TVS 100 TVS 100 TVS WS
UP Qualifiers: Other: *chlorophyll a and reservoirs *Classification: only. *Phosphorus(e reservoirs larg	Aq Life Warm 2 Recreation P Water Supply DUWS* (ug/L)(chronic) = applies only to lakes arger than 25 acres surface area. : DUWS applies to Fairview Reservoir hronic) = applies only to lakes and ger than 25 acres surface area.	Temperature °C D.O. (mg/L) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chlorine	WL acute 6.5 - 9.0 g/L) acute TVS 0.019	MWA1 WL chronic 5.0 20* 205 Chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T)	acure 340 TVS 5.0 TVS TVS TVS 	chronic 0.02 TVS TVS 100 TVS WS 1000
UP Qualifiers: Other: *chlorophyll a and reservoirs *Classification: only. *Phesphorus(c reservoirs-larg	Aq Life Warm 2 Recreation P Water Supply DUWS* (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area. : DUWS applies to Fairview Reservoir bronic) = applies only to lakes and yer than 25 acres surface area.	Temperature °C D.O. (mg/L) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chlorine Cyanide	WL acute 6.5 - 9.0 g/L) acute TVS 0.019 0.005	MWA1 WL chronic 5.0 20* 205 chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead	acure 340 TVS 5.0 TVS TVS TVS TVS TVS	chronic 0.02 TVS 100 TVS WS 1000 TVS
UP Qualifiers: Other: *chlorophyll a and reservoirs *Classification: only. =Phosphorus(e recervoirs larg	Aq Life Warm 2 Recreation P Water Supply DUWS* (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area. : DUWS applies to Fairview Reservoir hronic) = applies only to lakes and ger than 25 acres surface area.	Temperature °C D.O. (mg/L) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chlorine Cyanide Nitrate	UNL acute 6.5 - 9.0 g/L) acute TVS 0.019 0.005 10	MWA1 WL chronic 5.0 20* 205 chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T)	acure acure 340 TVS 5.0 TVS TVS TVS TVS 50	chronic 0.02 TVS TVS 100 TVS WS 1000 TVS
UP Qualifiers: Other: *chlorophyll a and reservoirs *Classification: only. =Phosphorus(e reservoirs larg	Aq Life Warm 2 Recreation P Water Supply DUWS* (ug/L)(chronic) = applies only to lakes a larger than 25 acres surface area. : DUWS applies to Fairview Reservoir hronic) = applies only to lakes and ger than 25 acres surface area.	Temperature °C D.O. (mg/L) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite	WL acute 6.5 - 9.0 g/L) acute TVS 0.019 0.005 10 0.05	MWA1 WL chronic 5.0 20* 205 chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese	acure 340 TVS 5.0 TVS TVS TVS TVS 50 TVS	chronic 0.02 TVS TVS 100 TVS WS 1000 TVS 1000 TVS TVS TVS
UP Qualifiers: Other: *chlorophyll a and reservoirs *Classification: only. *Phosphorus(c reservoirs-larg	Aq Life Warm 2 Recreation P Water Supply DUWS* (ug/L)(chronic) = applies only to lakes a larger than 25 acres surface area. : DUWS applies to Fairview Reservoir hronic) = applies only to lakes and ger than 25 acres surface area.	Temperature °C D.O. (mg/L) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	WL acute 6.5 - 9.0 g/L) acute TVS 0.019 0.005 10 0.05	MWA1 WL chronic 5.0 20* 205 chronic TVS 0.75 250 0.011 0.083*	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury	acure acure 340 TVS 5.0 TVS TVS TVS 50 TVS 50 TVS	chronic 0.02 TVS 100 TVS 100 TVS 100 TVS TVS TVS TVS TVS TVS TVS 0.00 TVS 0.00 TVS 0.01(t)
UP Qualifiers: Other: *chlorophyll a and reservoirs *Classification: only. *Phosphorus(c reservoirs-larg	Aq Life Warm 2 Recreation P Water Supply DUWS* (ug/L)(chronic) = applies only to lakes s larger than 25 acres surface area. : DUWS applies to Fairview Reservoir hronic) = applies only to lakes and ger than 25 acres surface area.	Temperature °C D.O. (mg/L) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	WL acute 6.5 - 9.0 g/L) acute TVS 0.019 0.005 10 0.05 	MWA1 WL chronic 5.0 20* 205 chronic TVS 0.75 250 0.011 0.083* WS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T)	acure 340 TVS 5.0 TVS TVS TVS TVS 50 TVS 50 TVS 	chronic 0.02 TVS 100 TVS 100 TVS 100 TVS 100 TVS TVS 1000 TVS 1000 TVS 0.01(t) 150
UP Qualifiers: Other: *chlorophyll a and reservoirs *Classification: only. *Phosphorus(e recervoirs larg	Aq Life Warm 2 Recreation P Water Supply DUWS* (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area. : DUWS applies to Fairview Reservoir thronic) = applies only to lakes and ger than 25 acres surface area.	Temperature °C D.O. (mg/L) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	WL acute 6.5 - 9.0 g/L) acute TVS 0.019 0.005 10 0.05 10 0.05 	MWA1 WL chronic 5.0 20* 205 chronic TVS 0.75 250 0.011 0.083* WS 0.002	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel	acure acure 340 TVS 5.0 TVS TVS TVS TVS 50 TVS 50 TVS TVS 50 TVS	chronic 0.02 TVS 100 TVS 100 TVS 100 TVS TVS TVS 0.01(t) 150 TVS
UP Qualifiers: Other: *chlorophyll a and reservoirs *Classification: only. *Phosphorus(e reservoirs larg	Aq Life Warm 2 Recreation P Water Supply DUWS* (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area. : DUWS applies to Fairview Reservoir hronic) = applies only to lakes and yer than 25 acres surface area.	Temperature °C D.O. (mg/L) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	WL acute 6.5 - 9.0 6.5 g/L) acute TVS 0.019 0.005 10 0.05	MWA1 WL chronic 5.0 20* 205 chronic TVS 0.75 250 0.011 0.083* WS 0.002	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel	active active 340 TVS 5.0 TVS TVS TVS TVS 50 TVS 50 TVS TVS 50 TVS TVS	chronic 0.02 TVS 100 TVS 100 TVS 100 TVS TVS TVS 0.01(t) 150 TVS 100
UP Qualifiers: Other: *chlorophyll a and reservoirs *Classification: only. =Phosphorus(e reservoirs larg	Aq Life Warm 2 Recreation P Water Supply DUWS* (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area. : DUWS applies to Fairview Reservoir hronic) = applies only to lakes and ger than 25 acres surface area.	Temperature °C D.O. (mg/L) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	WL acute 6.5 - 9.0 6.7 - 9.0 g/L) acute TVS 0.019 0.005 10 0.05	MWA1 WL chronic 5.0 20* 205 Chronic TVS 0.75 250 0.011 0.083* WS 0.002	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	acure acure 340 TVS 5.0 TVS TVS TVS 50 TVS 50 TVS TVS TVS TVS	chronic 0.02 TVS 100 TVS 100 TVS 100 TVS 100 TVS 0.01(t) 150 TVS 100
UP Qualifiers: Other: *chlorophyll a and reservoirs *Classification: only. Phosphorus(c reservoirs larg	Aq Life Warm 2 Recreation P Water Supply DUWS* (ug/L)(chronic) = applies only to lakes a larger than 25 acres surface area. : DUWS applies to Fairview Reservoir hronic) = applies only to lakes and ger than 25 acres surface area.	Temperature °C D.O. (mg/L) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	WL acute 6.5 - 9.0 6.7 - 9.0 g/L) acute TVS 0.019 0.005 10 0.05	MWA1 WL chronic 5.0 20* 205 Chronic TVS 0.75 250 0.011 0.083* WS 0.002	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium Silver	acure acure 340 TVS 5.0 TVS TVS TVS 50 TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS -	chronic 0.02 TVS TVS 100 TVS 100 TVS 100 TVS 0.01(t) 150 TVS 100 TVS
UP Qualifiers: Other: *chlorophyll a and reservoirs *Classification: only. *Phosphorus(c reservoirs-larg	Aq Life Warm 2 Recreation P Water Supply DUWS* (ug/L)(chronic) = applies only to lakes s larger than 25 acres surface area. : DUWS applies to Fairview Reservoir hronic) = applies only to lakes and ger than 25 acres surface area.	Temperature °C D.O. (mg/L) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	UNL acute 6.5 - 9.0 6.7 g/L) acute TVS 0.019 0.005 10 0.05	MWA1 WL chronic 5.0 20* 205 Chronic TVS 0.75 250 0.011 0.083* WS 0.002	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium Silver Uranium	acure	chronic 0.02 TVS TVS 100 TVS 100 TVS 100 TVS 0.02 TVS 0.01(t) 150 TVS 100 TVS 0.01(t) 150 TVS 100 TVS 100 TVS 100 TVS TVS
UP Qualifiers: Other: *chlorophyll a and reservoirs *Classification: only. *Phosphorus(e reservoirs-larg	Aq Life Warm 2 Recreation P Water Supply DUWS* (ug/L)(chronic) = applies only to lakes a larger than 25 acres surface area. : DUWS applies to Fairview Reservoir hronic) = applies only to lakes and ger than 25 acres surface area.	Temperature °C D.O. (mg/L) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfate Sulfide	UNL acute 6.5 - 9.0 6.5 - 9.0 g/L) acute TVS 0.019 0.005 10 0.05	MWA1 WL chronic 5.0 20* 205 Chronic TVS 0.75 250 0.011 0.083* WS 0.002	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium Silver Uranium	acure ac	chronic 0.02 TVS 100 TVS 100 TVS 100 TVS 0.02 TVS 100 TVS 0.01(t) 150 TVS 100 TVS 100 TVS 0.01(t) 150 TVS 100 TVS 100 TVS 100 TVS TVS

All metals are dissolved unless otherwise noted. T = total recoverable t = total tr = trout sc = sculpin

1. Mainstem o	of the Gunnison River from the outl	et of Crystal Reservoir to Highway 65	(38.772574, -108.00	2634).			
COGULG01	Classifications	Physical and	Biological		M	letals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CS-II	CS-II	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02
Qualifiers:		D.O. (spawning)		7.0	Beryllium		
Other:		рН	6.5 - 9.0		Cadmium	TVS	TVS
Temporary Mo	odification(s):	chlorophyll a (mg/m ²)			Cadmium(T)	5.0	
Arsenic(chroni	c) = hybrid	E. Coli (per 100 mL)		126	Chromium III		TVS
Expiration Date	te of 12/31/2024				Chromium III(T)	50	
		Inorgani	c (mg/L)		Chromium VI	TVS	TVS
			acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron		WS
		Boron		0.75	Iron(T)		1000
		Chloride		250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	
		Cyanide	0.005		Manganese	TVS	TVS/WS
		Nitrate	10		Mercury		0.01(t)
		Nitrite	0.05		Molybdenum(T)		150
		Phosphorus			Nickel	TVS	TVS
		Sulfate		WS	Nickel(T)		100
		Sulfide		0.002	Selenium	TVS	TVS
					Silver	TVS	TVS(tr)
					Uranium		
					Zinc	TVS	TVS/TVS(sc)
							()
2. Mainstem o	of the Gunnison River from Highwa	ay 65 (38.772574, -108.002634) to the	confluence with the	Colorado Ri	ver.		
2. Mainstem of COGULG02	of the Gunnison River from Highwa	ay 65 (38.772574, -108.002634) to the Physical and I	confluence with the Biological	Colorado Ri	ver.	letals (ug/L)	
2. Mainstem of COGULG02 Designation	of the Gunnison River from Highwa Classifications Agriculture	ay 65 (38.772574, -108.002634) to the Physical and I	confluence with the Biological DM	Colorado Ri MWAT	ver.	letals (ug/L) acute	chronic
2. Mainstem of COGULG02 Designation Reviewable	of the Gunnison River from Highwa Classifications Agriculture Aq Life Warm 1	ay 65 (38.772574, -108.002634) to the Physical and I Temperature °C	confluence with the Biological DM WS-II	Colorado Ri MWAT WS-II	Aluminum	letals (ug/L) acute 	chronic
2. Mainstem of COGULG02 Designation Reviewable	of the Gunnison River from Highwa Classifications Agriculture Aq Life Warm 1 Recreation E Water Surply	ay 65 (38.772574, -108.002634) to the Physical and I Temperature °C	confluence with the Biological DM WS-II acute	Colorado Ri MWAT WS-II chronic	Aluminum Arsenic	letals (ug/L) acute 340	chronic
2. Mainstern o COGULG02 Designation Reviewable	of the Gunnison River from Highwa Classifications Agriculture Aq Life Warm 1 Recreation E Water Supply	ay 65 (38.772574, -108.002634) to the Physical and I Temperature °C D.O. (mg/L)	confluence with the Biological DM WS-II acute 	MWAT WS-II chronic 5.0	Aluminum Arsenic Arsenic(T)	letals (ug/L) acute 340 	chronic 0.02
2. Mainstem of COGULG02 Designation Reviewable Qualifiers:	of the Gunnison River from Highwa Classifications Agriculture Aq Life Warm 1 Recreation E Water Supply	ay 65 (38.772574, -108.002634) to the Physical and I Temperature °C D.O. (mg/L) pH	confluence with the Biological DM WS-II acute 6.5 - 9.0	MWAT WS-II chronic 5.0	Aluminum Aluminum Arsenic Arsenic(T) Beryllium	letals (ug/L) acute 340 	chronic 0.02
2. Mainstern of COGULG02 Designation Reviewable Qualifiers: Other:	of the Gunnison River from Highwa Classifications Agriculture Aq Life Warm 1 Recreation E Water Supply	ay 65 (38.772574, -108.002634) to the Physical and I Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m²)	confluence with the Biological DM WS-II acute 6.5 - 9.0 	MWAT WS-II chronic 5.0 	Aluminum Aluminum Arsenic Arsenic(T) Beryllium Cadmium	letals (ug/L) acute 340 TVS	chronic 0.02 TVS
2. Mainstern o COGULG02 Designation Reviewable Qualifiers: Other: Temporary Mo	of the Gunnison River from Highwa Classifications Agriculture Aq Life Warm 1 Recreation E Water Supply odification(s):	ay 65 (38.772574, -108.002634) to the Physical and I Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL)	confluence with the Biological WS-II acute 6.5 - 9.0 	MWAT WS-II chronic 5.0 126	Aluminum Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium	letals (ug/L) acute 340 TVS 5.0	chronic 0.02 TVS
2. Mainstem o COGULG02 Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chroni	of the Gunnison River from Highwa Classifications Agriculture Aq Life Warm 1 Recreation E Water Supply odification(s): c) = hybrid	ay 65 (38.772574, -108.002634) to the Physical and I Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorgani	confluence with the Biological WS-II acute 6.5 - 9.0 c (mg/L)	Colorado Ri MWAT WS-II chronic 5.0 126	Aluminum Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III	letals (ug/L) acute 340 TVS 5.0 	chronic 0.02 TVS TVS
2. Mainstem o COGULG02 Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Dat	of the Gunnison River from Highwa Classifications Agriculture Aq Life Warm 1 Recreation E Water Supply odification(s): c) = hybrid te of 12/31/2024	ay 65 (38.772574, -108.002634) to the Physical and I Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorgani	confluence with the Biological WS-II acute 6.5 - 9.0 c (mg/L) acute	Colorado Ri MWAT WS-II chronic 5.0 126 chronic	Aluminum Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III	letals (ug/L) acute 340 TVS 5.0 50	chronic 0.02 TVS TVS TVS
2. Mainstem of COGULG02 Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Dat Selenium(chro	of the Gunnison River from Highwa Classifications Agriculture Aq Life Warm 1 Recreation E Water Supply odification(s): c) = hybrid te of 12/31/2024 nic) = current conditions	ay 65 (38.772574, -108.002634) to the Physical and I Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorgani Ammonia	confluence with the Biological DM WS-II acute 6.5 - 9.0 c (mg/L) acute TVS	Colorado Ri MWAT WS-II chronic 5.0 126 126 chronic TVS	Ver. M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium Cadmium(T) Chromium III Chromium III Chromium VI	letals (ug/L) acute 340 TVS 5.0 50 TVS	chronic 0.02 TVS TVS TVS TVS
2. Mainstem of COGULG02 Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Dat Selenium(chro Expiration Dat	of the Gunnison River from Highwa Classifications Agriculture Aq Life Warm 1 Recreation E Water Supply odification(s): c) = hybrid le of 12/31/2024 nic) = current conditions le of 12/31/2022	ay 65 (38.772574, -108.002634) to the Physical and I Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorgani Ammonia Boron	confluence with the Biological DM WS-II ws-II acute 6.5 - 9.0 6.5 - 10.0	Colorado Ri MWAT WS-II chronic 5.0 126 126 chronic TVS 0.75	Ver. M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium Cadmium(T) Chromium III Chromium III Chromium VI Copper	letals (ug/L) acute 340 TVS 5.0 50 TVS TVS	chronic 0.02 TVS TVS TVS TVS TVS
2. Mainstern o COGULG02 Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Dat Selenium(chro Expiration Dat	of the Gunnison River from Highwa Classifications Agriculture Aq Life Warm 1 Recreation E Water Supply odification(s): c) = hybrid te of 12/31/2024 nic) = current conditions te of 12/31/2022	ay 65 (38.772574, -108.002634) to the Physical and I Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorgani Ammonia Boron Chloride	confluence with the Biological DM WS-II ws-II acute 6.5 - 9.0 6.5 - 9.0 c (mg/L) TVS	Colorado Ri MWAT WS-II chronic 5.0 126 Chronic TVS 0.75 250 0.011	Aluminum Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron	letals (ug/L) acute 340 TVS 5.0 50 TVS 50 TVS TVS	chronic 0.02 TVS TVS TVS TVS TVS S S S S S S
2. Mainstern o COGULG02 Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Dat Selenium(chro Expiration Dat	of the Gunnison River from Highwa Classifications Agriculture Aq Life Warm 1 Recreation E Water Supply odification(s): c) = hybrid te of 12/31/2024 nic) = current conditions te of 12/31/2022	ay 65 (38.772574, -108.002634) to the Physical and I Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorgani Ammonia Boron Chloride Chlorine	confluence with the Biological DM WS-II wwwwwwwwwwwwwwwwwwwwwwwwwwwwwwwwwwww	Colorado Ri MWAT WS-II chronic 5.0 126 Chronic TVS 0.75 250 0.011	Ver. M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T)	letals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS	chronic 0.02 TVS TVS TVS TVS S VS 1000
2. Mainstem of COGULG02 Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Dat Selenium(chro Expiration Dat	of the Gunnison River from Highwa Classifications Agriculture Aq Life Warm 1 Recreation E Water Supply odification(s): c) = hybrid te of 12/31/2024 mic) = current conditions te of 12/31/2022	ay 65 (38.772574, -108.002634) to the Physical and I Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorgani Ammonia Boron Chloride Chlorine Cyanide	confluence with the Biological DM WS-II wwwwwwwwwwwwwwwwwwwwwwwwwwwwwwwwwwww	Colorado Ri WS-II Chronic 5.0 126 Chronic TVS 0.75 250 0.011 	Ver. M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium Cadmium(T) Chromium III Chromium III Chromium III Chromium VI Copper Iron Iron(T) Lead	letals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS	chronic 0.02 TVS TVS TVS TVS TVS WS 1000 TVS
2. Mainstem of COGULG02 Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Dat Selenium(chro Expiration Dat	of the Gunnison River from Highwa Classifications Agriculture Aq Life Warm 1 Recreation E Water Supply odification(s): c) = hybrid te of 12/31/2024 nic) = current conditions te of 12/31/2022	ay 65 (38.772574, -108.002634) to the Physical and I Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorgani Ammonia Boron Chloride Chlorine Cyanide Nitrate	confluence with the Biological DM WS-II ws-II acute 6.5 - 9.0 6.5 - 9.0 6.5 - 9.0 7.0 8.0 9.0 0.019 0.005 10	Colorado Ri WWAT WS-II chronic 5.0 126 Chronic TVS 0.75 250 0.011 125	Ver. M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T)	letals (ug/L) acute 340 TVS 5.0 50 TVS TVS CVS 50 TVS 50 TVS	chronic 0.02 TVS TVS TVS TVS WS 1000 TVS
2. Mainstem of COGULG02 Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Dat Selenium(chro Expiration Dat	of the Gunnison River from Highwa Classifications Agriculture Aq Life Warm 1 Recreation E Water Supply odification(s): c) = hybrid le of 12/31/2024 nic) = current conditions le of 12/31/2022	ay 65 (38.772574, -108.002634) to the Physical and I Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorgani Ammonia Boron Chloride Chloride Chlorine Cyanide Nitrate Nitrite	confluence with the Biological DM WS-II wwwwwwwwwwwwwwwwwwwwwwwwwwwwwwwwwwww	Colorado Ri MWAT WS-II chronic 5.0 126 Chronic TVS 0.75 250 0.011 250 0.011	Ver. Ver. Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese	letals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS 50 TVS 50 TVS	chronic 0.02 TVS TVS TVS WS 1000 TVS TVSWS
2. Mainstern o COGULG02 Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Dat Selenium(chro Expiration Dat	of the Gunnison River from Highwa Classifications Agriculture Aq Life Warm 1 Recreation E Water Supply odification(s): c) = hybrid te of 12/31/2024 nic) = current conditions te of 12/31/2022	ay 65 (38.772574, -108.002634) to the Physical and I Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorgani Ammonia Boron Chloride Chloride Chloride Chloride Nitrate Nitrate Nitrite Phosphorus O. "r."	confluence with the Biological DM WS-II wwwwwwwwwwwwwwwwwwwwwwwwwwwwwwwwwwww	Colorado Ri MWAT WS-II chronic 5.0 126 Chronic TVS 0.75 250 0.011 	Ver. M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury	letals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS 50 TVS 50 TVS 50 TVS	chronic 0.02 TVS TVS TVS WS 1000 TVS TVS/WS 0.01(t)
2. Mainstern o COGULG02 Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Dat Selenium(chro Expiration Dat	of the Gunnison River from Highwa Classifications Agriculture Aq Life Warm 1 Recreation E Water Supply odification(s): c) = hybrid te of 12/31/2024 nic) = current conditions te of 12/31/2022	ay 65 (38.772574, -108.002634) to the Physical and I Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorgani Ammonia Boron Chloride Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfate	confluence with the Biological DM WS-II acute acute 6.5 - 9.0 6.5 - 9.0 6.5 - 9.0 6.5 - 9.0 6.5 - 9.0 6.5 - 9.0 6.5 - 9.0 6.5 - 9.0 6.5 - 9.0 6.5 - 9.0 6.5 - 9.0 6.5 - 9.0 7.0 0.019 0.005 10 0.05	Colorado Ri MWAT WS-II chronic 5.0 126 Chronic TVS 0.75 250 0.011 250 0.011 480	Ver. Ver. Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T)	letals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS 50 TVS 50 TVS 50 TVS TVS 50 TVS	chronic 0.02 TVS TVS TVS WS 1000 TVS WS 1000 TVS WS 0.01(t) 150
2. Mainstern o COGULG02 Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Dat Selenium(chro Expiration Dat	of the Gunnison River from Highwa Classifications Agriculture Aq Life Warm 1 Recreation E Water Supply odification(s): c) = hybrid te of 12/31/2024 nic) = current conditions te of 12/31/2022	ay 65 (38.772574, -108.002634) to the Physical and I Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorgani Ammonia Boron Chloride Chloride Chloride Chloride Nitrate Nitrate Nitrate Nitrite Phosphorus Sulfate Sulfate	confluence with the Biological DM WS-II acute acute 6.5 - 9.0 6.5 - 9.0 6.5 - 9.0 6.5 - 9.0 6.5 - 9.0 6.5 - 9.0 6.5 - 9.0 6.5 - 9.0 6.5 - 9.0 6.5 - 9.0 6.5 - 9.0 6.5 - 9.0 7 6.5 - 9.0 6.5 - 9.0 6.0 7 0.019 0.005 10 0.05	Colorado Ri MWAT WS-II Chronic 5.0 126 126 Chronic TVS 0.75 250 0.011 0.011 0.011 480 0.002	Ver. Ver. Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel	letals (ug/L) acute 340 TVS 5.0 TVS 5.0 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS	chronic 0.02 TVS TVS TVS WS 1000 TVS TVS/WS 0.01(t) 150 TVS
2. Mainstem of COGULG02 Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Dat Selenium(chro Expiration Dat	of the Gunnison River from Highwa Classifications Agriculture Aq Life Warm 1 Recreation E Water Supply odification(s): c) = hybrid te of 12/31/2024 nic) = current conditions te of 12/31/2022	ay 65 (38.772574, -108.002634) to the Physical and I Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorgani Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrate Nitrate Sulfate Sulfide	confluence with the Biological DM WS-II wwwwwwwwwwwwwwwwwwwwwwwwwwwwwwwwwwww	Colorado Ri WWS-II WVS-II chronic 5.0 126 126 0.75 250 0.011 125 0.011 480 0.002	ver. Ver. Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Columitation	letals (ug/L) acute 340 TVS 5.0 50 TVS TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS	chronic 0.02 TVS TVS TVS WS 1000 TVS WS 1000 TVS TVSWS 0.01(t) 150 TVS 100
2. Mainstem of COGULG02 Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Dat Selenium(chro Expiration Dat	of the Gunnison River from Highwa Classifications Agriculture Aq Life Warm 1 Recreation E Water Supply odification(s): c) = hybrid ie of 12/31/2024 nic) = current conditions ie of 12/31/2022	ay 65 (38.772574, -108.002634) to the Physical and I Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorgani Ammonia Boron Chloride Chloride Chlorine Cyanide Nitrate Nitrate Nitrite Phosphorus Sulfate Sulfide	confluence with the Biological DM WS-II wwwwwwwwwwwwwwwwwwwwwwwwwwwwwwwwwwww	Colorado Ri MWAT WS-II chronic 5.0 126 Chronic TVS 0.75 250 0.011 250 0.011 480 0.002	ver. Ver. M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium Cadmium(T) Chromium III Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	letals (ug/L) acute 340 TVS 50 50 TVS 50 TVS TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS	chronic 0.02 TVS TVS TVS WS 1000 TVS TVS/WS 0.01(t) 150 TVS 100 TVS
2. Mainstern o COGULG02 Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Dat Selenium(chro Expiration Dat	of the Gunnison River from Highwa Classifications Agriculture Aq Life Warm 1 Recreation E Water Supply odification(s): c) = hybrid le of 12/31/2024 nic) = current conditions le of 12/31/2022	ay 65 (38.772574, -108.002634) to the Physical and I Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorgani Ammonia Boron Chloride Chloride Chloride Chloride Chloride Nitrate Nitrate Nitrite Phosphorus Sulfate Sulfide	confluence with the Biological DM WS-II acute acute 6.5 - 9.0 6.5 - 9.0 6.5 - 9.0 6.5 - 9.0 6.5 - 9.0 6.5 - 9.0 6.5 - 9.0 6.5 - 9.0 0.01 0.019 0.005 10 0.05	Colorado Ri MWAT WS-II chronic 5.0 126 Chronic TVS 0.75 250 0.011 250 0.011 480 0.002	ver. Ver. Ver. Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium Silver Luropium	letals (ug/L) acute 340 TVS 5.0 50 TVS 50 TVS TVS 50 TVS 50 TVS TVS 50 TVS 50 TVS 50 TVS	chronic 0.02 TVS TVS TVS WS 1000 TVS TVS/WS 0.01(t) 150 TVS 100 TVS 100 TVS
2. Mainstern o COGULG02 Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Dat Selenium(chro Expiration Dat	of the Gunnison River from Highwa Classifications Agriculture Aq Life Warm 1 Recreation E Water Supply odification(s): c) = hybrid te of 12/31/2024 nic) = current conditions te of 12/31/2022	ay 65 (38.772574, -108.002634) to the Physical and I Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorgani Ammonia Boron Chloride Chloride Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	confluence with the Biological DM WS-II with the acute 6.5 - 9.0 6.5 - 9.0 6.5 - 9.0 6.5 - 9.0 6.5 - 9.0 6.5 - 9.0 6.5 - 9.0 6.5 - 9.0 0.01 0.019 0.005 10 0.05	Colorado Ri MWAT WS-II chronic 5.0 126 Chronic TVS 0.75 250 0.011 480 0.002	ver. Ver. Ver. Ver. Ver. Ver. Ver. Ver. V	letals (ug/L) acute 340 TVS 5.0 TVS 5.0 TVS TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS	chronic 0.02 TVS TVS TVS WS 1000 TVS TVSWS 0.01(t) 150 TVS 100 TVS 100 TVS TVS

All metals are dissolved unless otherwise noted. T = total recoverable t = total tr = trout sc = sculpin D.O. = dissolved oxygen

DM = daily maximum

3. All tributaries to the Gunnison River, including all wetlands, which are within national forest boundaries, from the outlet of Crystal Reservoir to the confluence with the Colorado River, except for specific listings in the North Fork Gunnison River sub-basin, Uncompanying River sub-basins, and Segments 10, 11a, 11b, and 12.								
COGULG03	Classifications	Physical and Biolog	jical		Metals (ug/L)			
Designation	Agriculture		DM	MWAT		acute	chronic	
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Aluminum			
	Recreation E		acute	chronic	Arsenic	340		
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02	
Qualifiers:		D.O. (spawning)		7.0	Beryllium			
Other:		рН	6.5 - 9.0		Cadmium	TVS	TVS	
Temporary M	odification(s):	chlorophyll a (mg/m ²)		150	Cadmium(T)	5.0		
Arsenic(chroni	c) = hybrid	E. Coli (per 100 mL)		126	Chromium III		TVS	
Expiration Dat	te of 12/31/2024				Chromium III(T)	50		
		Inorganic (mg	/L)		Chromium VI	TVS	TVS	
			acute	chronic	Copper	TVS	TVS	
		Ammonia	TVS	TVS	Iron		WS	
		Boron		0.75	Iron(T)		1000	
		Chloride		250	Lead	TVS	TVS	
		Chlorine	0.019	0.011	Lead(T)	50		
		Cyanide	0.005		Manganese	TVS	TVS/WS	
FPA has	s not acted on segment-	Nitrate	10		Mercury		0.01(t)	
Ispecific	total phosphorus (TP)	Nitrite	0.05		Molybdenum(T)		150	
numeric	standards based on	Phosphorus		0.11	Nickel	TVS	TVS	
the inter	im value for river/	Sulfate		WS	Nickel(T)		100	
streams	segments with a cold	Sulfide		0.002	Selenium	TVS	TVS	
water ac	nuatic life classification				Silver	TVS	TVS(tr)	
(0.11 m)	n/L TP)				Uranium			
	gʻ— · · /·				Zinc	TVS	TVS	

4a. All tributaries to the Gunnison River, including all wetlands which are not within national forest boundaries, from the outlet of Crystal Reservoir to the confluence with the Colorado River, except for specific listings in the North Fork of the Gunnison River sub-basin, the Uncompander River sub-basin, and in Segments 3, 4b, 4c, 5a, 5b, 6a, 6b, 6c, 7, 8a, 8b, 10 and 12.

anu iz.							
COGULG04A	Classifications	Physical and Biological	ogical			Metals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
UP	Aq Life Warm 2	Temperature °C	WS-II	WS-II	Aluminum		
	Recreation P		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		5.0	Arsenic(T)		0.02-10 A
Qualifiers:		рН	6.5 - 9.0		Beryllium		
Other:		chlorophyll a (mg/m ²)		150*	Cadmium	TVS	TVS
		E. Coli (per 100 mL)		205	Cadmium(T)	5.0	
the facilities list	(mg/m ²)(chronic) = applies only above sted at 35.5(4).	Inorganic (n	ng/L)		Chromium III		TVS
*Phosphorus(cl	$\frac{hronic}{25.5(4)} = \frac{applies}{25.5(4)}$		acute	chronic	Chromium III(T)	50	
	nlorophyll a (mg/m²)(chronic) = applies only above facilities listed at 35.5(4). hosphorus(chronic) = applies only above the ilities listed at 35.5(4).	Ammonia	TVS	TVS	Chromium VI	TVS	TVS
		Boron		0.75	Copper	TVS	TVS
		Chloride		250	Iron		WS
		Chlorine	0.019	0.011	Iron(T)		1000
		Cyanide	0.005		Lead	TVS	TVS
		Nitrate	10		Lead(T)	50	
		Nitrite	0.5		Manganese	TVS	TVS/WS
EDA bo	s not acted on segment	Phosphorus		0.17*	Mercury		0.01(t)
EFA lia	total phosphorus (TP)	Sulfate		WS	Molybdenum(T)		150
specific	standards based on	Sulfide		0.002	Nickel	TVS	TVS
the inter	rim value for river/				Nickel(T)		100
line inter					Selenium	TVS	TVS
Stream					Silver	TVS	TVS
					Uranium		
(0.17 m	y/∟ (౯).				Zinc	TVS	TVS

4b. All tributari	ies to Reeder, Hollenbeck, and Juniata	Reservoirs, and the mainstem of Kanna	ah Creek belov	v the point o	f diversion for public water sup	oply (38.961321,	-108.229830).
COGULG04B	Classifications	Physical and Biolog	gical		Me	tals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Warm 2	Temperature °C	WS-II	WS-II	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		5.0	Arsenic(T)		0.02-10 ^A
Qualifiers:		рН	6.5 - 9.0		Beryllium		
Other:		chlorophyll a (mg/m ²)		150	Cadmium	TVS	TVS
		E. Coli (per 100 mL)		126	Cadmium(T)	5.0	
		Inorganic (mg	j/L)		Chromium III		TVS
			acute	chronic	Chromium III(T)	50	
		Ammonia	TVS	TVS	Chromium VI	TVS	TVS
		Boron		0.75	Copper	TVS	TVS
		Chloride		250	Iron		WS
		Chlorine	0.019	0.011	Iron(T)		1000
		Cyanide	0.005		Lead	TVS	TVS
		Nitrate	10		Lead(T)	50	
		Nitrite	0.5		Manganese	TVS	TVS/WS
FPA ha	s not acted on segment-	Phosphorus		0.17	Mercury		0.01(t)
specific	total phosphorus (TP)	Sulfate		WS	Molybdenum(T)		150
numoric	standards based on	Sulfide		0.002	Nickel	TVS	TVS
the inter	rim value for river/				Nickel(T)		100
life fille	sogmonts with a warm				Selenium	TVS	TVS
Silean a					Silver	TVS	TVS
(0.17 m)					Uranium		
(0.17 11	g/L TP).				Zinc	TVS	TVS
					2		
4c. Mainstem	of Red Rock Creek from the boundary	of Black Canyon of the Gunnison Nation	hal Park to the	confluence	of the Gunnison River.		
4c. Mainstem COGULG04C	of Red Rock Creek from the boundary Classifications	of Black Canyon of the Gunnison Nation Physical and Biolog	nal Park to the gical	confluence	of the Gunnison River. Me	tals (ug/L)	
4c. Mainstem COGULG04C Designation	of Red Rock Creek from the boundary Classifications Agriculture	of Black Canyon of the Gunnison Nation Physical and Biolog	nal Park to the gical DM	confluence MWAT	of the Gunnison River.	tals (ug/L) acute	chronic
4c. Mainstem COGULG04C Designation Reviewable	of Red Rock Creek from the boundary Classifications Agriculture Aq Life Warm 2	of Black Canyon of the Gunnison Nation Physical and Biolog Temperature °C	nal Park to the gical DM WS-III	MWAT WS-III	of the Gunnison River. Me Aluminum	tals (ug/L) acute 	chronic
4c. Mainstem COGULG04C Designation Reviewable	of Red Rock Creek from the boundary Classifications Agriculture Aq Life Warm 2 Recreation E	of Black Canyon of the Gunnison Nation Physical and Biolog Temperature °C	nal Park to the gical DM WS-III acute	MWAT WS-III chronic	of the Gunnison River. Me Aluminum Arsenic	tals (ug/L) acute 340	chronic
4c. Mainstem COGULG04C Designation Reviewable	of Red Rock Creek from the boundary Classifications Agriculture Aq Life Warm 2 Recreation E Water Supply	of Black Canyon of the Gunnison Nation Physical and Biolog Temperature °C D.O. (mg/L)	nal Park to the gical DM WS-III acute	MWAT WS-III chronic 5.0	of the Gunnison River. Me Aluminum Arsenic Arsenic(T)	tals (ug/L) acute 340 	chronic 0.02-10 ^A
4c. Mainstem COGULG04C Designation Reviewable Qualifiers:	of Red Rock Creek from the boundary Classifications Agriculture Aq Life Warm 2 Recreation E Water Supply	of Black Canyon of the Gunnison Nation Physical and Biolog Temperature °C D.O. (mg/L) pH	nal Park to the gical DM WS-III acute 6.5 - 9.0	MWAT WS-III chronic 5.0	of the Gunnison River. Me Aluminum Arsenic Arsenic(T) Beryllium	tals (ug/L) acute 340 	chronic 0.02-10 ^A
4c. Mainstem COGULG04C Designation Reviewable Qualifiers: Other:	of Red Rock Creek from the boundary Classifications Agriculture Aq Life Warm 2 Recreation E Water Supply	of Black Canyon of the Gunnison Nation Physical and Biolog Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m ²)	nal Park to the gical DM WS-III acute 6.5 - 9.0 	confluence MWAT WS-III chronic 5.0 150	of the Gunnison River. Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium	tals (ug/L) acute 340 TVS	chronic 0.02-10 ^A TVS
4c. Mainstem COGULG04C Designation Reviewable Qualifiers: Other:	of Red Rock Creek from the boundary Classifications Agriculture Aq Life Warm 2 Recreation E Water Supply	of Black Canyon of the Gunnison Nation Physical and Biolog Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL)	nal Park to the gical DM WS-III acute 6.5 - 9.0 	confluence MWAT WS-III chronic 5.0 150 126	of the Gunnison River. Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T)	tals (ug/L) acute 340 TVS 5.0	chronic 0.02-10 ^A TVS
4c. Mainstem COGULG04C Designation Reviewable Qualifiers: Other:	of Red Rock Creek from the boundary Classifications Agriculture Aq Life Warm 2 Recreation E Water Supply	of Black Canyon of the Gunnison Nation Physical and Biolog Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (mg	nal Park to the gical DM WS-III acute 6.5 - 9.0 	Confluence MWAT WS-III Chronic 5.0 150 126	of the Gunnison River. Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium Cadmium(T) Chromium III	tals (ug/L) acute 340 TVS 5.0 	chronic 0.02-10 ^A TVS TVS
4c. Mainstem COGULG04C Designation Reviewable Qualifiers: Other:	of Red Rock Creek from the boundary Classifications Agriculture Aq Life Warm 2 Recreation E Water Supply	of Black Canyon of the Gunnison Nation Physical and Biolog Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (mg	nal Park to the gical DM WS-III acute 6.5 - 9.0 g/L) acute	confluence MWAT WS-III chronic 5.0 150 126 chronic	of the Gunnison River. Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T)	tals (ug/L) acute 340 TVS 5.0 50	chronic 0.02-10 A TVS TVS
4c. Mainstem COGULG04C Designation Reviewable Qualifiers: Other:	of Red Rock Creek from the boundary Classifications Agriculture Aq Life Warm 2 Recreation E Water Supply	of Black Canyon of the Gunnison Nation Physical and Biolog Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (mg Ammonia	nal Park to the gical DM WS-III acute 6.5 - 9.0 g/L) acute TVS	Confluence MWAT WS-III Chronic 5.0 150 126 Chronic TVS	of the Gunnison River. Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium Cadmium(T) Chromium III Chromium III Chromium VI	tals (ug/L) acute 340 TVS 5.0 50 TVS	chronic 0.02-10 A TVS TVS TVS
4c. Mainstem COGULG04C Designation Reviewable Qualifiers: Other:	of Red Rock Creek from the boundary Classifications Agriculture Aq Life Warm 2 Recreation E Water Supply	of Black Canyon of the Gunnison Nation Physical and Biolog Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron	nal Park to the gical DM WS-III acute 6.5 - 9.0 y/L) acute TVS 	Confluence MWAT WS-III Chronic 5.0 150 126 126 Chronic TVS 0.75	of the Gunnison River. Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium Cadmium(T) Chromium III Chromium III Chromium III Chromium VI Copper	tals (ug/L) acute 340 TVS 5.0 50 TVS TVS	chronic 0.02-10 A TVS TVS TVS TVS TVS
4c. Mainstem COGULG04C Designation Reviewable Qualifiers: Other:	of Red Rock Creek from the boundary Classifications Agriculture Aq Life Warm 2 Recreation E Water Supply	of Black Canyon of the Gunnison Nation Physical and Biolog Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride	nal Park to the gical DM WS-III acute 6.5 - 9.0 y/L) acute TVS TVS 	Confluence MWAT WS-III chronic 5.0 150 126 Chronic TVS 0.75 250	of the Gunnison River. Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron	tals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS 	chronic 0.02-10 Å TVS TVS TVS TVS VS
4c. Mainstem COGULG04C Designation Reviewable Qualifiers: Other:	of Red Rock Creek from the boundary Classifications Agriculture Aq Life Warm 2 Recreation E Water Supply	of Black Canyon of the Gunnison Nation Physical and Biolog Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Chlorine	nal Park to the gical DM WS-III acute 6.5 - 9.0 g/L) acute TVS UVS 0.019	Confluence MWAT WS-III chronic 5.0 150 126 Chronic TVS 0.75 250 0.011	of the Gunnison River. Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T)	tals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS 	chronic 0.02-10 Å TVS TVS TVS TVS TVS WS 1000
4c. Mainstem COGULG04C Designation Reviewable Qualifiers: Other:	of Red Rock Creek from the boundary Classifications Agriculture Aq Life Warm 2 Recreation E Water Supply	of Black Canyon of the Gunnison Nation Physical and Biolog Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Chlorine Cvanide	nal Park to the gical DM WS-III acute 6.5 - 9.0 g/L) acute TVS TVS 0.019 0.005	confluence MWAT WS-III chronic 5.0 150 126 126 Chronic TVS 0.75 250 0.011 	of the Gunnison River. Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead	tals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS	chronic 0.02-10 A TVS TVS TVS S TVS WS 1000 TVS
4c. Mainstem COGULG04C Designation Reviewable Qualifiers: Other:	of Red Rock Creek from the boundary Classifications Agriculture Aq Life Warm 2 Recreation E Water Supply	of Black Canyon of the Gunnison Nation Physical and Biolog Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Chlorine Cyanide Nitrate	nal Park to the gical DM WS-III acute 6.5 - 9.0 0.01 0.005 10	Confluence MWAT WS-III Chronic 5.0 150 126 126 Chronic TVS 0.75 250 0.011 	of the Gunnison River. Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T)	tals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS 50	chronic 0.02-10 A TVS TVS TVS TVS S S VS US 1000 TVS
4c. Mainstem COGULG04C Designation Reviewable Qualifiers: Other:	of Red Rock Creek from the boundary Classifications Agriculture Aq Life Warm 2 Recreation E Water Supply	of Black Canyon of the Gunnison Nation Physical and Biolog Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Chloride Cyanide Nitrate Nitrite	nal Park to the gical DM WS-III acute 6.5 - 9.0 0.01 0.005 10 0.5	Confluence MWAT WS-III Chronic 5.0 150 126 126 Chronic TVS 0.75 250 0.011 250 0.011	of the Gunnison River. Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese	tals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS 50 TVS 50 TVS	chronic 0.02-10 A TVS TVS TVS TVS S S S S S S S S S S S S S S S S
4c. Mainstem COGULG04C Designation Reviewable Qualifiers: Other:	of Red Rock Creek from the boundary Classifications Agriculture Aq Life Warm 2 Recreation E Water Supply	of Black Canyon of the Gunnison Nation Physical and Biolog Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Chloride Chlorine Cyanide Nitrate Nitrite Phosohorus	nal Park to the gical DM WS-III acute 6.5 - 9.0 () () () () 0.019 0.005 10 0.5 	Confluence MWAT WS-III Chronic 5.0 150 126 Chronic TVS 0.75 250 0.011 0.17	of the Gunnison River. Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury	tals (ug/L) acute 340 TVS 50 50 TVS TVS TVS TVS 50 TVS 50 TVS 	chronic 0.02-10 Å TVS TVS TVS WS 1000 TVS WS 1000 TVS TVS/WS 0.01(t)
4c. Mainstem COGULG04C Designation Reviewable Qualifiers: Other:	of Red Rock Creek from the boundary Classifications Agriculture Aq Life Warm 2 Recreation E Water Supply	of Black Canyon of the Gunnison Nation Physical and Biolog Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	nal Park to the gical DM WS-III acute 6.5 - 9.0 0.01 y/L) acute TVS 0.019 0.005 10 0.5 	Confluence MWAT WS-III Chronic 5.0 150 126 Chronic TVS 0.75 250 0.011 250 0.011 0.17 WS	of the Gunnison River. Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead Lead(T) Manganese Mercury Molybdenum(T)	tals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS 50 TVS 50 TVS	chronic 0.02-10 Å TVS TVS TVS UVS 1000 TVS TVS/WS 0.01(t) 150
4c. Mainstem COGULG04C Designation Reviewable Qualifiers: Other:	of Red Rock Creek from the boundary Classifications Agriculture Aq Life Warm 2 Recreation E Water Supply	of Black Canyon of the Gunnison Nation Physical and Biolog Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Chloride Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfate	nal Park to the gical DM WS-III acute 6.5 - 9.0 y/L) acute TVS 0.019 0.005 10 0.05 10 0.5 	Confluence MWAT WS-III Chronic 5.0 150 126 Chronic TVS 0.75 250 0.011 0.17 WS 0.002	of the Gunnison River. Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel	tals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS 50 TVS 50 TVS 50 TVS	Chronic 0.02-10 Å TVS TVS TVS WS 1000 TVS TVS/WS 0.01(t) 150 TVS
4c. Mainstem COGULG04C Designation Reviewable Qualifiers: Other:	of Red Rock Creek from the boundary Classifications Agriculture Aq Life Warm 2 Recreation E Water Supply	of Black Canyon of the Gunnison Nation Physical and Biolog Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	nal Park to the gical DM WS-III acute 6.5 - 9.0 y/L) acute TVS 0.019 0.005 10 0.05 10 0.5 	Confluence	of the Gunnison River. Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead Lead Lead Lead Manganese Mercury Molybdenum(T) Nickel Nickel	tals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS 50 TVS 50 TVS TVS 50 TVS	chronic 0.02-10 Å TVS TVS TVS WS 1000 TVS WS 1000 TVS TVSWS 0.01(t) 150 TVS
4c. Mainstem COGULG04C Designation Reviewable Qualifiers: Other:	of Red Rock Creek from the boundary Classifications Agriculture Aq Life Warm 2 Recreation E Water Supply	of Black Canyon of the Gunnison Nation Physical and Biolog Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	al Park to the gical DM WS-III acute 6.5 - 9.0 y/L) acute TVS 0.019 0.005 10 0.05 10 0.5 	Confluence MWAT WS-III Chronic 5.0 150 126 Chronic TVS 0.75 250 0.011 0.17 WS 0.002	of the Gunnison River. Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Seleaium	tals (ug/L) acute	Chronic 0.02-10 A TVS TVS TVS WS 1000 TVS WS 1000 TVS TVS/WS 0.01(t) 150 TVS 100
4c. Mainstem COGULG04C Designation Reviewable Qualifiers: Other:	of Red Rock Creek from the boundary Classifications Agriculture Aq Life Warm 2 Recreation E Water Supply	of Black Canyon of the Gunnison Nation Physical and Biolog Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	nal Park to the gical DM WS-III acute 6.5 - 9.0 0.019 0.005 10 0.05 10 0.5 	confluence MWAT WS-III chronic 5.0 150 126 Chronic TVS 0.75 250 0.011 0.11 0.11 WS 0.002	of the Gunnison River. Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	tals (ug/L) acute 340 TVS 5.0 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS 	Chronic 0.02-10 A TVS TVS TVS WS 1000 TVS TVS/WS 0.01(t) 150 TVS 100 TVS
4c. Mainstem COGULG04C Designation Reviewable Qualifiers: Other:	of Red Rock Creek from the boundary Classifications Agriculture Aq Life Warm 2 Recreation E Water Supply	of Black Canyon of the Gunnison Nation Physical and Biolog Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	nal Park to the gical DM WS-III acute 6.5 - 9.0 0.019 0.005 10 0.05 10 0.5 	confluence MWAT WS-III chronic 5.0 150 126 VS-III 0.01 250 0.011 0.011 0.011 0.011 0.011 0.011 0.02	of the Gunnison River. Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	tals (ug/L) acute 340 TVS 50 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS 	Chronic 0.02-10 Å TVS TVS TVS WS 1000 TVS WS 1000 TVS TVS/WS 0.01(t) 150 TVS 100 TVS 100 TVS
4c. Mainstem COGULG04C Designation Reviewable Qualifiers: Other:	of Red Rock Creek from the boundary Classifications Agriculture Aq Life Warm 2 Recreation E Water Supply	of Black Canyon of the Gunnison Nation Physical and Biolog Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	nal Park to the gical DM WS-III acute 6.5 - 9.0 y/L) acute TVS 0.019 0.005 10 0.05 10 0.5 	confluence MWAT WS-III chronic 5.0 150 126 Chronic 7 0.01 0.011 0.17 0.011 0.012	of the Gunnison River. Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium Silver Uranium	tals (ug/L) acute	chronic 0.02-10 Å TVS TVS TVS WS 1000 TVS WS 1000 TVS 0.01(t) 150 TVS/WS 0.01(t) 150 TVS 100 TVS 100 TVS

All metals are dissolved unless otherwise noted. T = total recoverable

t = total

tr = trout sc = sculpin D.O. = dissolved oxygen

DM = daily maximum

5a. Mainstem	of North Fork Escalante Creek from the	a national forest boundary to the confluence	ce with Esca	lante Creek.			
COGULG05A	Classifications	Physical and Biologi	cal		Met	als (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02
Qualifiers:		D.O. (spawning)		7.0	Beryllium		
Other:		рН	6.5 - 9.0		Cadmium	TVS	TVS
		chlorophyll a (mg/m ²)		150	Cadmium(T)	5.0	
		E. Coli (per 100 mL)		126	Chromium III		TVS
					Chromium III(T)	50	
		Inorganic (mg/	L)		Chromium VI	TVS	TVS
			acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron		WS
		Boron		0.75	Iron(T)		1000
		Chloride		250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	
		Cyanide	0.005		Manganese	TVS	TVS/WS
		Nitrate	10		Mercury		0.01(t)
EPA has	s not acted on segment-	Nitrite	0.05		Molybdenum(T)		150
specific	total phosphorus (TP)	Phosphorus		0.11	Nickel	TVS	TVS
numeric	standards based on	Sulfate		WS	Nickel(T)		100
the inter	im value for river/	Sulfide		0.002	Selenium	TVS	TVS
stream s	segments with a cold				Silver	TVS	TVS(tr)
water ac	quatic life classification				Uranium	TVS	
(0.11 mg	g/L TP).				Uranium(T)		16.8-30 ^A
					Zinc	TVS	TVS

5b. Mainstem confluence with	of Roubideau Creek from the national f th Potter Creek, Potter Creek from Mon	orest boundary to the confluence with P itor Creek to the confluence with Roubid	'otter Creek; r leau Creek.	mainstem of	Monitor Creek from the national for	orest boundary to	o the
COGULG05B	Classifications	Physical and Biolog	jical		Metals	s (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Warm 1	Temperature °C	WS-II	WS-II	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		5.0	Arsenic(T)		0.02
Qualifiers:		рН	6.5 - 9.0		Beryllium		
Other:		chlorophyll a (mg/m ²)		150	Cadmium	TVS	TVS
		E. Coli (per 100 mL)		126	Cadmium(T)	5.0	
		Inorganic (mg	/L)		Chromium III		TVS
			acute	chronic	Chromium III(T)	50	
		Ammonia	TVS	TVS	Chromium VI	TVS	TVS
		Boron		0.75	Copper	TVS	TVS
		Chloride		250	Iron		WS
		Chlorine	0.019	0.011	Iron(T)		1000
		Cyanide	0.005		Lead	TVS	TVS
		Nitrate	10		Lead(T)	50	
		Nitrite	0.05		Manganese	TVS	TVS/WS
	a not acted on compart	Phosphorus		0.17	Mercury		0.01(t)
EPAna	s not acted on segment-	Sulfate		WS	Molybdenum(T)		150
specific	total phosphorus (TP)	Sulfide		0.002	Nickel	TVS	TVS
humence the inter	rim volue for river/				Nickel(T)		100
					Selenium	TVS	TVS
stream					Silver	TVS	TVS
					Uranium	TVS	
(0.17 m	y/∟ (₽).				Uranium(T)		16.8-30 ^A
					Zinc	TVS	TVS

6a. Mainstem	y to Big Dominguez Creek; mainstem c	rest boundary to the Delta/Montrose Co of Big Dominguez from the national fore	ounty line (38.6 st boundary to	68215, -108 the Gunnisc	.328144); mainstem of Little I n River.	Dominguez from the	national																																
COGULG06A	Classifications	Physical and Biolog	gical		Me	etals (ug/L)																																	
Designation	Agriculture		DM	MWAT		acute	chronic																																
Reviewable	Aq Life Cold 1	Temperature °C	CS-II	CS-II	Aluminum																																		
	Recreation E		acute	chronic	Arsenic	340																																	
Qualifiers:		D.O. (mg/L)		6.0	Arsenic(T)		7.6																																
Other:		D.O. (spawning)		7.0	Beryllium																																		
		pH	6.5 - 9.0		Cadmium	TVS	TVS																																
chlorophyll a the facilities lis	(mg/m ²)(chronic) = applies only above sted at 35.5(4).	chlorophyll a (mg/m ²)		150	Chromium III	TVS	TVS																																
*Phosphorus(cl	hronic) = applies only above the $rat 25.5(4)$	E. Coli (per 100 mL)		126	Chromium III(T)		100																																
Idennies Insteu	a 33.5(4).				Chromium VI	TVS	TVS																																
		Inorganic (mg	g/L)		Copper	TVS	TVS																																
			acute	chronic	Iron(T)		1000																																
		Ammonia	TVS	TVS	Lead	TVS	TVS																																
		Boron		0.75	Manganese	TVS	TVS																																
FPA ha	s not acted on segment-	Chloride			Mercury		0.01(t)																																
Ispecific	total phosphorus (TP)	Chlorine	0.019	0.011	Molybdenum(T)		150																																
numeric	standards based on	Cyanide	0.005		Nickel	TVS	TVS																																
the inter	rim value for river/	Nitrate	100		Selenium	TVS	TVS																																
stream	segments with a cold	Nitrite	0.05		Silver	TVS	TVS(tr)																																
water a	quatic life classification	Phosphorus		0.11*	Uranium	TVS																																	
(0.11 m)	a/L TP)	Sulfate			Uranium(T)		16.8-30 ^A																																
(0.111	g/L 11).	Sulfide		0.002	Zinc	TVS	TVS																																
Och Mainstom																																							
UOD. Mainstern	of Roubideau Creek from Potter Creek	to the Gunnison River. Mainstem of E	ast Creek from	n the source	to the Gunnison River.																																		
COGULG06B	of Roubideau Creek from Potter Creek Classifications	to the Gunnison River. Mainstem of E Physical and Biolog	ast Creek from gical	n the source	to the Gunnison River.	etals (ug/L)																																	
COGULG06B Designation	of Roubideau Creek from Potter Creek Classifications Agriculture	to the Gunnison River. Mainstem of E Physical and Biolog	ast Creek from gical DM	m the source	to the Gunnison River. Με	etals (ug/L) acute	chronic																																
COGULG06B Designation Reviewable	of Roubideau Creek from Potter Creek Classifications Agriculture Aq Life Warm 1	to the Gunnison River. Mainstem of E Physical and Biolog Temperature °C	ast Creek from gical DM WS-II	MWAT WS-II	to the Gunnison River. Me Aluminum	etals (ug/L) acute 	chronic																																
COGULG06B Designation Reviewable	of Roubideau Creek from Potter Creek Classifications Agriculture Aq Life Warm 1 Recreation E	to the Gunnison River. Mainstem of E Physical and Biolog Temperature °C	ast Creek from gical DM WS-II acute	MWAT WS-II chronic	to the Gunnison River. Me Aluminum Arsenic	etals (ug/L) acute 340	chronic 																																
COGULG06B Designation Reviewable Qualifiers:	of Roubideau Creek from Potter Creek Classifications Agriculture Aq Life Warm 1 Recreation E	to the Gunnison River. Mainstem of E Physical and Biolog Temperature °C D.O. (mg/L)	ast Creek from gical DM WS-II acute 	MWAT WS-II chronic 5.0	to the Gunnison River. Me Aluminum Arsenic Arsenic(T)	etals (ug/L) acute 340 	chronic 7.6																																
COGULG06B Designation Reviewable Qualifiers: Other:	of Roubideau Creek from Potter Creek Classifications Agriculture Aq Life Warm 1 Recreation E	to the Gunnison River. Mainstem of E Physical and Biolog Temperature °C D.O. (mg/L) pH	ast Creek from gical DM WS-II acute 6.5 - 9.0	MWAT WS-II chronic 5.0	to the Gunnison River. Me Aluminum Arsenic Arsenic(T) Beryllium	etals (ug/L) acute 340 	chronic 7.6 																																
COGULG06B Designation Reviewable Qualifiers: Other:	of Roubideau Creek from Potter Creek Classifications Agriculture Aq Life Warm 1 Recreation E (ma/m ²)/(chronic) – applies only above	to the Gunnison River. Mainstem of E Physical and Biolog Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m ²)	ast Creek fron gical DM WS-II acute 6.5 - 9.0 	MWAT WS-II chronic 5.0 150*	to the Gunnison River. Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium	etals (ug/L) acute 340 TVS	chronic 7.6 TVS																																
COGULG06B Designation Reviewable Qualifiers: Other: *chlorophyll a the facilities lis	of Roubideau Creek from Potter Creek Classifications Agriculture Aq Life Warm 1 Recreation E (mg/m ²)(chronic) = applies only above sted at 35.5(4).	to the Gunnison River. Mainstem of E Physical and Biolog Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL)	ast Creek from gical DM WS-II acute 6.5 - 9.0 	MWAT WS-II chronic 5.0 150* 126	to the Gunnison River. Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III	etals (ug/L) acute 340 TVS TVS	chronic 7.6 TVS TVS																																
COGULG06B Designation Reviewable Qualifiers: Other: *chlorophyll a the facilities lis *Phosphorus(el facilities listed	of Roubideau Creek from Potter Creek Classifications Agriculture Aq Life Warm 1 Recreation E (mg/m ²)(chronic) = applies only above sted at 35.5(4). hronic) = applies only above the at 35.6(4).	to the Gunnison River. Mainstem of E Physical and Biolog Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (mg	ast Creek from gical DM WS-II acute 6.5 - 9.0 g/L)	MWAT WS-II chronic 5.0 150* 126	to the Gunnison River. Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III(T)	etals (ug/L) acute 340 TVS TVS TVS 	chronic 7.6 TVS TVS 100																																
COGULG06B Designation Reviewable Qualifiers: Other: *chlorophyll a the facilities lis *Phosphorus(el facilities listed	of Roubideau Creek from Potter Creek Classifications Agriculture Aq Life Warm 1 Recreation E (mg/m ²)(chronic) = applies only above sted at 35.5(4). hronic) = applies only above the at 35.5(4).	to the Gunnison River. Mainstem of E Physical and Biolog Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (mg	ast Creek from gical DM WS-II acute 6.5 - 9.0 g/L) acute	MWAT WS-II chronic 5.0 150* 126 chronic	to the Gunnison River. Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III Chromium III(T) Chromium VI	etals (ug/L) acute 340 TVS TVS TVS TVS	chronic 7.6 TVS TVS 100 TVS																																
COGULG06B Designation Reviewable Qualifiers: Other: *chlorophyll a the facilities list *Pheephorus(ef facilities listed	of Roubideau Creek from Potter Creek Classifications Agriculture Aq Life Warm 1 Recreation E (mg/m ²)(chronic) = applies only above sted at 35.5(4). hronic) = applies only above the at 35.5(4).	to the Gunnison River. Mainstem of E. Physical and Biolog Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (mg Ammonia	ast Creek from gical DM WS-II acute 6.5 - 9.0 g/L) acute TVS	MWAT WS-II chronic 5.0 150* 126 chronic TVS	to the Gunnison River. Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III Chromium III(T) Chromium VI Copper	etals (ug/L) acute 340 TVS TVS TVS TVS TVS TVS	chronic 7.6 TVS TVS 100 TVS TVS TVS																																
COGULG06B Designation Reviewable Qualifiers: Other: *chlorophyll a the facilities lis *Phosphorus(el facilities listed	of Roubideau Creek from Potter Creek Classifications Agriculture Aq Life Warm 1 Recreation E (mg/m ²)(chronic) = applies only above sted at 35.5(4). hronic) = applies only above the at 35.5(4).	to the Gunnison River. Mainstem of E Physical and Biolog Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (mg/ Ammonia Boron	ast Creek from gical DM WS-II acute 6.5 - 9.0 g/L) acute TVS 	MWAT WS-II chronic 5.0 150* 126 chronic TVS 0.75	to the Gunnison River. Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III Chromium III Chromium VI Copper Iron(T)	etals (ug/L) acute 340 TVS TVS TVS TVS TVS TVS	chronic 7.6 TVS TVS 100 TVS TVS TVS 1000																																
COGULG06B Designation Reviewable Qualifiers: Other: *chlorophyll a the facilities lis *Phosphorus(el facilities listed	of Roubideau Creek from Potter Creek Classifications Agriculture Aq Life Warm 1 Recreation E (mg/m ²)(chronic) = applies only above sted at 35.5(4). hronic) = applies only above the at 35.5(4).	to the Gunnison River. Mainstem of E Physical and Biolog Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride	ast Creek from gical DM WS-II acute 6.5 - 9.0 g/L) acute TVS TVS 	MWAT WS-II chronic 5.0 150* 126 chronic TVS 0.75 	to the Gunnison River. Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III Chromium III Chromium VI Copper Iron(T) Lead	etals (ug/L) acute 340 TVS TVS TVS TVS TVS TVS TVS	chronic 7.6 TVS TVS 100 TVS TVS 100 TVS TVS TVS																																
COGULG06B Designation Reviewable Qualifiers: Other: *chlorophyll a the facilities lis #Phoephorue(ef facilities listed	of Roubideau Creek from Potter Creek Classifications Agriculture Aq Life Warm 1 Recreation E (mg/m ²)(chronic) = applies only above sted at 35.5(4). hronic) = applies only above the at 35.5(4).	to the Gunnison River. Mainstem of E Physical and Biolog Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Chlorine	ast Creek from gical DM WS-II acute 6.5 - 9.0 (5.5 - 9.0 0.019	MWAT WS-II chronic 5.0 150* 126 chronic TVS 0.75 0.011	to the Gunnison River. Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese	etals (ug/L) acute 340 TVS TVS TVS TVS TVS TVS TVS TVS	chronic 7.6 TVS TVS 100 TVS 1000 TVS 1000 TVS 1000 TVS 1000 TVS 1000 TVS																																
COGULGO6B Designation Reviewable Qualifiers: Other: *chlorophyll a the facilities lis *Phosphorus(ef facilities listed	of Roubideau Creek from Potter Creek Classifications Agriculture Aq Life Warm 1 Recreation E (mg/m ²)(chronic) = applies only above sted at 35.5(4). hronic) = applies only above the at 35.5(4).	to the Gunnison River. Mainstem of E Physical and Biolog Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Chlorine Cyanide	ast Creek from gical DM WS-II acute 6.5 - 9.0 0.01 0.005	MWAT WS-II chronic 5.0 150* 126 chronic TVS 0.75 0.011 	to the Gunnison River. Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury	etals (ug/L) acute 340 TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS	chronic 7.6 TVS TVS 100 TVS 100 TVS TVS TVS 100 TVS TVS 1000 TVS 1000 TVS 0.001(t)																																
COGULGO6B Designation Reviewable Qualifiers: Other: *chlorophyll a the facilities list *Phosphorus(ef facilities listed EPA has specific	of Roubideau Creek from Potter Creek Classifications Agriculture Aq Life Warm 1 Recreation E (mg/m ²)(chronic) = applies only above sted at 35.5(4). hronic) = applies only above the at 35.5(4).	to the Gunnison River. Mainstem of E Physical and Biolog Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Chlorine Cyanide Nitrate	ast Creek from gical DM WS-II acute 6.5 - 9.0 g/L) acute TVS UVS 0.019 0.005 100	MWAT WS-II chronic 5.0 150* 126 chronic TVS 0.75 0.011 	to the Gunnison River. Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T)	acute 340 TVS TVS <td< td=""><td>chronic 7.6 TVS TVS 100 TVS 100 TVS TVS 100 TVS TVS 1000 TVS 1000 TVS 1000 TVS 1000 TVS 1000 TVS 0.01(t) 150</td></td<>	chronic 7.6 TVS TVS 100 TVS 100 TVS TVS 100 TVS TVS 1000 TVS 1000 TVS 1000 TVS 1000 TVS 1000 TVS 0.01(t) 150																																
COGULGO6B Designation Reviewable Qualifiers: Other: *chlorophyll a the facilities lis *Phosphorus(ef facilities listed- facilities listed- EPA has specific numeric	of Roubideau Creek from Potter Creek Classifications Agriculture Aq Life Warm 1 Recreation E (mg/m ²)(chronic) = applies only above sted at 35.5(4). hronic) = applies only above the at 35.5(4). s not acted on segment- total phosphorus (TP) standards based on	to the Gunnison River. Mainstem of E Physical and Biolog Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite	ast Creek from gical DM WS-II acute 6.5 - 9.0 y/L) acute TVS 0.019 0.005 100 0.05	MWAT WS-II chronic 5.0 150* 126 chronic TVS 0.75 0.011 0.011	to the Gunnison River. Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel	acute 340 TVS TVS <tr td=""> <tr td=""> <tr td="" td<=""><td>chronic 7.6 TVS TVS 100 TVS 100 TVS 100 TVS 100 TVS 1000 TVS 1000 TVS 0.01(t) 150 TVS</td></tr><tr><td>COGULGO6B Designation Reviewable Qualifiers: Other: *chlorophyll a the facilities lis *Phosphorus(cl facilities listed facilities listed facilities listed facilities listed facilities listed</td><td>of Roubideau Creek from Potter Creek Classifications Agriculture Aq Life Warm 1 Recreation E (mg/m²)(chronic) = applies only above sted at 35.5(4). hronic) = applies only above the at 35.5(4). S not acted on segment- total phosphorus (TP) standards based on im value for river/</td><td>to the Gunnison River. Mainstem of E Physical and Biolog Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus</td><td>ast Creek from gical DM WS-II acute 6.5 - 9.0 0.01 TVS 0.019 0.005 100 0.05 </td><td>MWAT WS-II chronic 5.0 150* 126 chronic TVS 0.75 0.011 0.011 0.011 0.017</td><td>to the Gunnison River. Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel Selenium</td><td>acute 340 TVS <td< td=""><td>chronic 7.6 TVS TVS 100 TVS 1000 TVS 1000 TVS 0.001(t) 150 TVS TVS</td></td<></td></tr><tr><td>COGULGO6B Designation Reviewable Qualifiers: Other: *chlorophyll a the facilities lis *Phosphorus(ef facilities listed facilities listed facilities listed facilities listed</td><td>of Roubideau Creek from Potter Creek Classifications Agriculture Aq Life Warm 1 Recreation E (mg/m²)(chronic) = applies only above sted at 35.5(4). hronic) = applies only above the at 35.5(4). s not acted on segment- total phosphorus (TP) standards based on im value for river/ segments with a warm</td><td>to the Gunnison River. Mainstem of E Physical and Biolog Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate</td><td>ast Creek from gical DM WS-II acute 6.5 - 9.0 0.5 - 9.0 0.019 0.005 100 0.005 100 0.05 </td><td>MWAT WS-II chronic 5.0 150* 126 126 chronic TVS 0.75 0.011 0.011 0.17* </td><td>to the Gunnison River. Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel Selenium Silver</td><td>acute acute 340 TVS TVS <tr td=""> <tr td=""> <tr td="" td<=""><td>chronic 7.6 TVS TVS 100 TVS 1000 TVS 1000 TVS 0.01(t) 150 TVS TVS TVS TVS 0.01(t) 150 TVS TVS TVS TVS</td></tr><tr><td>COGULGO6B Designation Reviewable Qualifiers: Other: *chlorophyll a the facilities lis *Phosphorus(ef facilities listed facilities listed EPA has specific f numeric the inter stream s water ac</td><td>of Roubideau Creek from Potter Creek Classifications Agriculture Aq Life Warm 1 Recreation E (mg/m²)(chronic) = applies only above sted at 35.5(4). hronic) = applies only above the at 35.5(4). S not acted on segment- total phosphorus (TP) standards based on im value for river/ segments with a warm puatic life classification</td><td>to the Gunnison River. Mainstem of E Physical and Biolog Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide</td><td>ast Creek from gical DM WS-II acute 6.5 - 9.0 0.5 - 9.0 () 0.019 0.005 100 0.005 100 0.05 </td><td>MWAT WS-II chronic 5.0 150* 126 126 Chronic TVS 0.75 0.011 0.011 0.17* 0.002</td><td>to the Gunnison River. Aluminum Arsenic Arsenic (T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel Selenium Silver Uranium</td><td>acute 340 TVS TVS <tr td=""> <tr td=""> <tr td="" td<=""><td>chronic 7.6 TVS TVS 100 TVS 1000 TVS 1000 TVS 0.01(t) 150 TVS TVS TVS TVS 0.01(t) TVS TVS TVS TVS</td></tr><tr><td>COGULGO6B Designation Reviewable Qualifiers: Other: *chlorophyll a the facilities lis *Pheephorus(ef facilities listed facilities listed EPA has specific numeric the inter stream s water ac (0.17 mg</td><td>of Roubideau Creek from Potter Creek Classifications Agriculture Aq Life Warm 1 Recreation E (mg/m²)(chronic) = applies only above sted at 35.5(4). hronic) = applies only above the at 35.5(4). s not acted on segment- total phosphorus (TP) standards based on im value for river/ segments with a warm guatic life classification g/L TP).</td><td>cto the Gunnison River. Mainstem of E Physical and Biolog Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide</td><td>ast Creek from gical DM WS-II acute 6.5 - 9.0 () y/L) acute TVS 0.019 0.005 100 0.05 100 0.05 </td><td>MWAT WS-II chronic 5.0 150* 126 chronic TVS 0.75 0.011 0.011 0.47* 0.002</td><td>to the Gunnison River. Me Aluminum Arsenic Arsenic (T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel Selenium Silver Uranium</td><td>acute acute 340 TVS TVS <tr td=""></tr></td><td>chronic 7.6 TVS TVS 100 TVS 100 TVS 1000 TVS 1000 TVS 0.01(t) 150 TVS 0.01(t) 150 TVS TVS 0.01(t) 150 TVS 150 TVS</td></tr></tr></tr></td></tr></tr></tr></td></tr></tr></tr>	chronic 7.6 TVS TVS 100 TVS 100 TVS 100 TVS 100 TVS 1000 TVS 1000 TVS 0.01(t) 150 TVS	COGULGO6B Designation Reviewable Qualifiers: Other: *chlorophyll a the facilities lis *Phosphorus(cl facilities listed facilities listed facilities listed facilities listed facilities listed	of Roubideau Creek from Potter Creek Classifications Agriculture Aq Life Warm 1 Recreation E (mg/m ²)(chronic) = applies only above sted at 35.5(4). hronic) = applies only above the at 35.5(4). S not acted on segment- total phosphorus (TP) standards based on im value for river/	to the Gunnison River. Mainstem of E Physical and Biolog Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	ast Creek from gical DM WS-II acute 6.5 - 9.0 0.01 TVS 0.019 0.005 100 0.05 	MWAT WS-II chronic 5.0 150* 126 chronic TVS 0.75 0.011 0.011 0.011 0.017	to the Gunnison River. Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel Selenium	acute 340 TVS TVS <td< td=""><td>chronic 7.6 TVS TVS 100 TVS 1000 TVS 1000 TVS 0.001(t) 150 TVS TVS</td></td<>	chronic 7.6 TVS TVS 100 TVS 1000 TVS 1000 TVS 0.001(t) 150 TVS TVS	COGULGO6B Designation Reviewable Qualifiers: Other: *chlorophyll a the facilities lis *Phosphorus(ef facilities listed facilities listed facilities listed facilities listed	of Roubideau Creek from Potter Creek Classifications Agriculture Aq Life Warm 1 Recreation E (mg/m ²)(chronic) = applies only above sted at 35.5(4). hronic) = applies only above the at 35.5(4). s not acted on segment- total phosphorus (TP) standards based on im value for river/ segments with a warm	to the Gunnison River. Mainstem of E Physical and Biolog Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	ast Creek from gical DM WS-II acute 6.5 - 9.0 0.5 - 9.0 0.019 0.005 100 0.005 100 0.05 	MWAT WS-II chronic 5.0 150* 126 126 chronic TVS 0.75 0.011 0.011 0.17* 	to the Gunnison River. Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel Selenium Silver	acute acute 340 TVS TVS <tr td=""> <tr td=""> <tr td="" td<=""><td>chronic 7.6 TVS TVS 100 TVS 1000 TVS 1000 TVS 0.01(t) 150 TVS TVS TVS TVS 0.01(t) 150 TVS TVS TVS TVS</td></tr><tr><td>COGULGO6B Designation Reviewable Qualifiers: Other: *chlorophyll a the facilities lis *Phosphorus(ef facilities listed facilities listed EPA has specific f numeric the inter stream s water ac</td><td>of Roubideau Creek from Potter Creek Classifications Agriculture Aq Life Warm 1 Recreation E (mg/m²)(chronic) = applies only above sted at 35.5(4). hronic) = applies only above the at 35.5(4). S not acted on segment- total phosphorus (TP) standards based on im value for river/ segments with a warm puatic life classification</td><td>to the Gunnison River. Mainstem of E Physical and Biolog Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide</td><td>ast Creek from gical DM WS-II acute 6.5 - 9.0 0.5 - 9.0 () 0.019 0.005 100 0.005 100 0.05 </td><td>MWAT WS-II chronic 5.0 150* 126 126 Chronic TVS 0.75 0.011 0.011 0.17* 0.002</td><td>to the Gunnison River. Aluminum Arsenic Arsenic (T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel Selenium Silver Uranium</td><td>acute 340 TVS TVS <tr td=""> <tr td=""> <tr td="" td<=""><td>chronic 7.6 TVS TVS 100 TVS 1000 TVS 1000 TVS 0.01(t) 150 TVS TVS TVS TVS 0.01(t) TVS TVS TVS TVS</td></tr><tr><td>COGULGO6B Designation Reviewable Qualifiers: Other: *chlorophyll a the facilities lis *Pheephorus(ef facilities listed facilities listed EPA has specific numeric the inter stream s water ac (0.17 mg</td><td>of Roubideau Creek from Potter Creek Classifications Agriculture Aq Life Warm 1 Recreation E (mg/m²)(chronic) = applies only above sted at 35.5(4). hronic) = applies only above the at 35.5(4). s not acted on segment- total phosphorus (TP) standards based on im value for river/ segments with a warm guatic life classification g/L TP).</td><td>cto the Gunnison River. Mainstem of E Physical and Biolog Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide</td><td>ast Creek from gical DM WS-II acute 6.5 - 9.0 () y/L) acute TVS 0.019 0.005 100 0.05 100 0.05 </td><td>MWAT WS-II chronic 5.0 150* 126 chronic TVS 0.75 0.011 0.011 0.47* 0.002</td><td>to the Gunnison River. Me Aluminum Arsenic Arsenic (T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel Selenium Silver Uranium</td><td>acute acute 340 TVS TVS <tr td=""></tr></td><td>chronic 7.6 TVS TVS 100 TVS 100 TVS 1000 TVS 1000 TVS 0.01(t) 150 TVS 0.01(t) 150 TVS TVS 0.01(t) 150 TVS 150 TVS</td></tr></tr></tr></td></tr></tr></tr>	chronic 7.6 TVS TVS 100 TVS 1000 TVS 1000 TVS 0.01(t) 150 TVS TVS TVS TVS 0.01(t) 150 TVS TVS TVS TVS	COGULGO6B Designation Reviewable Qualifiers: Other: *chlorophyll a the facilities lis *Phosphorus(ef facilities listed facilities listed EPA has specific f numeric the inter stream s water ac	of Roubideau Creek from Potter Creek Classifications Agriculture Aq Life Warm 1 Recreation E (mg/m ²)(chronic) = applies only above sted at 35.5(4). hronic) = applies only above the at 35.5(4). S not acted on segment- total phosphorus (TP) standards based on im value for river/ segments with a warm puatic life classification	to the Gunnison River. Mainstem of E Physical and Biolog Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	ast Creek from gical DM WS-II acute 6.5 - 9.0 0.5 - 9.0 () 0.019 0.005 100 0.005 100 0.05 	MWAT WS-II chronic 5.0 150* 126 126 Chronic TVS 0.75 0.011 0.011 0.17* 0.002	to the Gunnison River. Aluminum Arsenic Arsenic (T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel Selenium Silver Uranium	acute 340 TVS TVS <tr td=""> <tr td=""> <tr td="" td<=""><td>chronic 7.6 TVS TVS 100 TVS 1000 TVS 1000 TVS 0.01(t) 150 TVS TVS TVS TVS 0.01(t) TVS TVS TVS TVS</td></tr><tr><td>COGULGO6B Designation Reviewable Qualifiers: Other: *chlorophyll a the facilities lis *Pheephorus(ef facilities listed facilities listed EPA has specific numeric the inter stream s water ac (0.17 mg</td><td>of Roubideau Creek from Potter Creek Classifications Agriculture Aq Life Warm 1 Recreation E (mg/m²)(chronic) = applies only above sted at 35.5(4). hronic) = applies only above the at 35.5(4). s not acted on segment- total phosphorus (TP) standards based on im value for river/ segments with a warm guatic life classification g/L TP).</td><td>cto the Gunnison River. Mainstem of E Physical and Biolog Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide</td><td>ast Creek from gical DM WS-II acute 6.5 - 9.0 () y/L) acute TVS 0.019 0.005 100 0.05 100 0.05 </td><td>MWAT WS-II chronic 5.0 150* 126 chronic TVS 0.75 0.011 0.011 0.47* 0.002</td><td>to the Gunnison River. Me Aluminum Arsenic Arsenic (T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel Selenium Silver Uranium</td><td>acute acute 340 TVS TVS <tr td=""></tr></td><td>chronic 7.6 TVS TVS 100 TVS 100 TVS 1000 TVS 1000 TVS 0.01(t) 150 TVS 0.01(t) 150 TVS TVS 0.01(t) 150 TVS 150 TVS</td></tr></tr></tr>	chronic 7.6 TVS TVS 100 TVS 1000 TVS 1000 TVS 0.01(t) 150 TVS TVS TVS TVS 0.01(t) TVS TVS TVS TVS	COGULGO6B Designation Reviewable Qualifiers: Other: *chlorophyll a the facilities lis *Pheephorus(ef facilities listed facilities listed EPA has specific numeric the inter stream s water ac (0.17 mg	of Roubideau Creek from Potter Creek Classifications Agriculture Aq Life Warm 1 Recreation E (mg/m ²)(chronic) = applies only above sted at 35.5(4). hronic) = applies only above the at 35.5(4). s not acted on segment- total phosphorus (TP) standards based on im value for river/ segments with a warm guatic life classification g/L TP).	cto the Gunnison River. Mainstem of E Physical and Biolog Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	ast Creek from gical DM WS-II acute 6.5 - 9.0 () y/L) acute TVS 0.019 0.005 100 0.05 100 0.05 	MWAT WS-II chronic 5.0 150* 126 chronic TVS 0.75 0.011 0.011 0.47* 0.002	to the Gunnison River. Me Aluminum Arsenic Arsenic (T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel Selenium Silver Uranium	acute acute 340 TVS TVS <tr td=""></tr>	chronic 7.6 TVS TVS 100 TVS 100 TVS 1000 TVS 1000 TVS 0.01(t) 150 TVS 0.01(t) 150 TVS TVS 0.01(t) 150 TVS 150 TVS
chronic 7.6 TVS TVS 100 TVS 100 TVS 100 TVS 100 TVS 1000 TVS 1000 TVS 0.01(t) 150 TVS	COGULGO6B Designation Reviewable Qualifiers: Other: *chlorophyll a the facilities lis *Phosphorus(cl facilities listed facilities listed facilities listed facilities listed facilities listed	of Roubideau Creek from Potter Creek Classifications Agriculture Aq Life Warm 1 Recreation E (mg/m ²)(chronic) = applies only above sted at 35.5(4). hronic) = applies only above the at 35.5(4). S not acted on segment- total phosphorus (TP) standards based on im value for river/	to the Gunnison River. Mainstem of E Physical and Biolog Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	ast Creek from gical DM WS-II acute 6.5 - 9.0 0.01 TVS 0.019 0.005 100 0.05 	MWAT WS-II chronic 5.0 150* 126 chronic TVS 0.75 0.011 0.011 0.011 0.017	to the Gunnison River. Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel Selenium	acute 340 TVS TVS <td< td=""><td>chronic 7.6 TVS TVS 100 TVS 1000 TVS 1000 TVS 0.001(t) 150 TVS TVS</td></td<>	chronic 7.6 TVS TVS 100 TVS 1000 TVS 1000 TVS 0.001(t) 150 TVS TVS	COGULGO6B Designation Reviewable Qualifiers: Other: *chlorophyll a the facilities lis *Phosphorus(ef facilities listed facilities listed facilities listed facilities listed	of Roubideau Creek from Potter Creek Classifications Agriculture Aq Life Warm 1 Recreation E (mg/m ²)(chronic) = applies only above sted at 35.5(4). hronic) = applies only above the at 35.5(4). s not acted on segment- total phosphorus (TP) standards based on im value for river/ segments with a warm	to the Gunnison River. Mainstem of E Physical and Biolog Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	ast Creek from gical DM WS-II acute 6.5 - 9.0 0.5 - 9.0 0.019 0.005 100 0.005 100 0.05 	MWAT WS-II chronic 5.0 150* 126 126 chronic TVS 0.75 0.011 0.011 0.17* 	to the Gunnison River. Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel Selenium Silver	acute acute 340 TVS TVS <tr td=""> <tr td=""> <tr td="" td<=""><td>chronic 7.6 TVS TVS 100 TVS 1000 TVS 1000 TVS 0.01(t) 150 TVS TVS TVS TVS 0.01(t) 150 TVS TVS TVS TVS</td></tr><tr><td>COGULGO6B Designation Reviewable Qualifiers: Other: *chlorophyll a the facilities lis *Phosphorus(ef facilities listed facilities listed EPA has specific f numeric the inter stream s water ac</td><td>of Roubideau Creek from Potter Creek Classifications Agriculture Aq Life Warm 1 Recreation E (mg/m²)(chronic) = applies only above sted at 35.5(4). hronic) = applies only above the at 35.5(4). S not acted on segment- total phosphorus (TP) standards based on im value for river/ segments with a warm puatic life classification</td><td>to the Gunnison River. Mainstem of E Physical and Biolog Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide</td><td>ast Creek from gical DM WS-II acute 6.5 - 9.0 0.5 - 9.0 () 0.019 0.005 100 0.005 100 0.05 </td><td>MWAT WS-II chronic 5.0 150* 126 126 Chronic TVS 0.75 0.011 0.011 0.17* 0.002</td><td>to the Gunnison River. Aluminum Arsenic Arsenic (T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel Selenium Silver Uranium</td><td>acute 340 TVS TVS <tr td=""> <tr td=""> <tr td="" td<=""><td>chronic 7.6 TVS TVS 100 TVS 1000 TVS 1000 TVS 0.01(t) 150 TVS TVS TVS TVS 0.01(t) TVS TVS TVS TVS</td></tr><tr><td>COGULGO6B Designation Reviewable Qualifiers: Other: *chlorophyll a the facilities lis *Pheephorus(ef facilities listed facilities listed EPA has specific numeric the inter stream s water ac (0.17 mg</td><td>of Roubideau Creek from Potter Creek Classifications Agriculture Aq Life Warm 1 Recreation E (mg/m²)(chronic) = applies only above sted at 35.5(4). hronic) = applies only above the at 35.5(4). s not acted on segment- total phosphorus (TP) standards based on im value for river/ segments with a warm guatic life classification g/L TP).</td><td>cto the Gunnison River. Mainstem of E Physical and Biolog Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide</td><td>ast Creek from gical DM WS-II acute 6.5 - 9.0 () y/L) acute TVS 0.019 0.005 100 0.05 100 0.05 </td><td>MWAT WS-II chronic 5.0 150* 126 chronic TVS 0.75 0.011 0.011 0.47* 0.002</td><td>to the Gunnison River. Me Aluminum Arsenic Arsenic (T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel Selenium Silver Uranium</td><td>acute acute 340 TVS TVS <tr td=""></tr></td><td>chronic 7.6 TVS TVS 100 TVS 100 TVS 1000 TVS 1000 TVS 0.01(t) 150 TVS 0.01(t) 150 TVS TVS 0.01(t) 150 TVS 150 TVS</td></tr></tr></tr></td></tr></tr></tr>	chronic 7.6 TVS TVS 100 TVS 1000 TVS 1000 TVS 0.01(t) 150 TVS TVS TVS TVS 0.01(t) 150 TVS TVS TVS TVS	COGULGO6B Designation Reviewable Qualifiers: Other: *chlorophyll a the facilities lis *Phosphorus(ef facilities listed facilities listed EPA has specific f numeric the inter stream s water ac	of Roubideau Creek from Potter Creek Classifications Agriculture Aq Life Warm 1 Recreation E (mg/m ²)(chronic) = applies only above sted at 35.5(4). hronic) = applies only above the at 35.5(4). S not acted on segment- total phosphorus (TP) standards based on im value for river/ segments with a warm puatic life classification	to the Gunnison River. Mainstem of E Physical and Biolog Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	ast Creek from gical DM WS-II acute 6.5 - 9.0 0.5 - 9.0 () 0.019 0.005 100 0.005 100 0.05 	MWAT WS-II chronic 5.0 150* 126 126 Chronic TVS 0.75 0.011 0.011 0.17* 0.002	to the Gunnison River. Aluminum Arsenic Arsenic (T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel Selenium Silver Uranium	acute 340 TVS TVS <tr td=""> <tr td=""> <tr td="" td<=""><td>chronic 7.6 TVS TVS 100 TVS 1000 TVS 1000 TVS 0.01(t) 150 TVS TVS TVS TVS 0.01(t) TVS TVS TVS TVS</td></tr><tr><td>COGULGO6B Designation Reviewable Qualifiers: Other: *chlorophyll a the facilities lis *Pheephorus(ef facilities listed facilities listed EPA has specific numeric the inter stream s water ac (0.17 mg</td><td>of Roubideau Creek from Potter Creek Classifications Agriculture Aq Life Warm 1 Recreation E (mg/m²)(chronic) = applies only above sted at 35.5(4). hronic) = applies only above the at 35.5(4). s not acted on segment- total phosphorus (TP) standards based on im value for river/ segments with a warm guatic life classification g/L TP).</td><td>cto the Gunnison River. Mainstem of E Physical and Biolog Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide</td><td>ast Creek from gical DM WS-II acute 6.5 - 9.0 () y/L) acute TVS 0.019 0.005 100 0.05 100 0.05 </td><td>MWAT WS-II chronic 5.0 150* 126 chronic TVS 0.75 0.011 0.011 0.47* 0.002</td><td>to the Gunnison River. Me Aluminum Arsenic Arsenic (T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel Selenium Silver Uranium</td><td>acute acute 340 TVS TVS <tr td=""></tr></td><td>chronic 7.6 TVS TVS 100 TVS 100 TVS 1000 TVS 1000 TVS 0.01(t) 150 TVS 0.01(t) 150 TVS TVS 0.01(t) 150 TVS 150 TVS</td></tr></tr></tr>	chronic 7.6 TVS TVS 100 TVS 1000 TVS 1000 TVS 0.01(t) 150 TVS TVS TVS TVS 0.01(t) TVS TVS TVS TVS	COGULGO6B Designation Reviewable Qualifiers: Other: *chlorophyll a the facilities lis *Pheephorus(ef facilities listed facilities listed EPA has specific numeric the inter stream s water ac (0.17 mg	of Roubideau Creek from Potter Creek Classifications Agriculture Aq Life Warm 1 Recreation E (mg/m ²)(chronic) = applies only above sted at 35.5(4). hronic) = applies only above the at 35.5(4). s not acted on segment- total phosphorus (TP) standards based on im value for river/ segments with a warm guatic life classification g/L TP).	cto the Gunnison River. Mainstem of E Physical and Biolog Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	ast Creek from gical DM WS-II acute 6.5 - 9.0 () y/L) acute TVS 0.019 0.005 100 0.05 100 0.05 	MWAT WS-II chronic 5.0 150* 126 chronic TVS 0.75 0.011 0.011 0.47* 0.002	to the Gunnison River. Me Aluminum Arsenic Arsenic (T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel Selenium Silver Uranium	acute acute 340 TVS TVS <tr td=""></tr>	chronic 7.6 TVS TVS 100 TVS 100 TVS 1000 TVS 1000 TVS 0.01(t) 150 TVS 0.01(t) 150 TVS TVS 0.01(t) 150 TVS 150 TVS							
chronic 7.6 TVS TVS 100 TVS 100 TVS 100 TVS 100 TVS 1000 TVS 1000 TVS 0.01(t) 150 TVS	COGULGO6B Designation Reviewable Qualifiers: Other: *chlorophyll a the facilities lis *Phosphorus(cl facilities listed facilities listed facilities listed facilities listed facilities listed	of Roubideau Creek from Potter Creek Classifications Agriculture Aq Life Warm 1 Recreation E (mg/m ²)(chronic) = applies only above sted at 35.5(4). hronic) = applies only above the at 35.5(4). S not acted on segment- total phosphorus (TP) standards based on im value for river/	to the Gunnison River. Mainstem of E Physical and Biolog Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	ast Creek from gical DM WS-II acute 6.5 - 9.0 0.01 TVS 0.019 0.005 100 0.05 	MWAT WS-II chronic 5.0 150* 126 chronic TVS 0.75 0.011 0.011 0.011 0.017	to the Gunnison River. Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel Selenium	acute 340 TVS TVS <td< td=""><td>chronic 7.6 TVS TVS 100 TVS 1000 TVS 1000 TVS 0.001(t) 150 TVS TVS</td></td<>	chronic 7.6 TVS TVS 100 TVS 1000 TVS 1000 TVS 0.001(t) 150 TVS TVS	COGULGO6B Designation Reviewable Qualifiers: Other: *chlorophyll a the facilities lis *Phosphorus(ef facilities listed facilities listed facilities listed facilities listed	of Roubideau Creek from Potter Creek Classifications Agriculture Aq Life Warm 1 Recreation E (mg/m ²)(chronic) = applies only above sted at 35.5(4). hronic) = applies only above the at 35.5(4). s not acted on segment- total phosphorus (TP) standards based on im value for river/ segments with a warm	to the Gunnison River. Mainstem of E Physical and Biolog Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	ast Creek from gical DM WS-II acute 6.5 - 9.0 0.5 - 9.0 0.019 0.005 100 0.005 100 0.05 	MWAT WS-II chronic 5.0 150* 126 126 chronic TVS 0.75 0.011 0.011 0.17* 	to the Gunnison River. Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel Selenium Silver	acute acute 340 TVS TVS <tr td=""> <tr td=""> <tr td="" td<=""><td>chronic 7.6 TVS TVS 100 TVS 1000 TVS 1000 TVS 0.01(t) 150 TVS TVS TVS TVS 0.01(t) 150 TVS TVS TVS TVS</td></tr><tr><td>COGULGO6B Designation Reviewable Qualifiers: Other: *chlorophyll a the facilities lis *Phosphorus(ef facilities listed facilities listed EPA has specific f numeric the inter stream s water ac</td><td>of Roubideau Creek from Potter Creek Classifications Agriculture Aq Life Warm 1 Recreation E (mg/m²)(chronic) = applies only above sted at 35.5(4). hronic) = applies only above the at 35.5(4). S not acted on segment- total phosphorus (TP) standards based on im value for river/ segments with a warm puatic life classification</td><td>to the Gunnison River. Mainstem of E Physical and Biolog Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide</td><td>ast Creek from gical DM WS-II acute 6.5 - 9.0 0.5 - 9.0 () 0.019 0.005 100 0.005 100 0.05 </td><td>MWAT WS-II chronic 5.0 150* 126 126 Chronic TVS 0.75 0.011 0.011 0.17* 0.002</td><td>to the Gunnison River. Aluminum Arsenic Arsenic (T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel Selenium Silver Uranium</td><td>acute 340 TVS TVS <tr td=""> <tr td=""> <tr td="" td<=""><td>chronic 7.6 TVS TVS 100 TVS 1000 TVS 1000 TVS 0.01(t) 150 TVS TVS TVS TVS 0.01(t) TVS TVS TVS TVS</td></tr><tr><td>COGULGO6B Designation Reviewable Qualifiers: Other: *chlorophyll a the facilities lis *Pheephorus(ef facilities listed facilities listed EPA has specific numeric the inter stream s water ac (0.17 mg</td><td>of Roubideau Creek from Potter Creek Classifications Agriculture Aq Life Warm 1 Recreation E (mg/m²)(chronic) = applies only above sted at 35.5(4). hronic) = applies only above the at 35.5(4). s not acted on segment- total phosphorus (TP) standards based on im value for river/ segments with a warm guatic life classification g/L TP).</td><td>cto the Gunnison River. Mainstem of E Physical and Biolog Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide</td><td>ast Creek from gical DM WS-II acute 6.5 - 9.0 () y/L) acute TVS 0.019 0.005 100 0.05 100 0.05 </td><td>MWAT WS-II chronic 5.0 150* 126 chronic TVS 0.75 0.011 0.011 0.47* 0.002</td><td>to the Gunnison River. Me Aluminum Arsenic Arsenic (T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel Selenium Silver Uranium</td><td>acute acute 340 TVS TVS <tr td=""></tr></td><td>chronic 7.6 TVS TVS 100 TVS 100 TVS 1000 TVS 1000 TVS 0.01(t) 150 TVS 0.01(t) 150 TVS TVS 0.01(t) 150 TVS 150 TVS</td></tr></tr></tr></td></tr></tr></tr>	chronic 7.6 TVS TVS 100 TVS 1000 TVS 1000 TVS 0.01(t) 150 TVS TVS TVS TVS 0.01(t) 150 TVS TVS TVS TVS	COGULGO6B Designation Reviewable Qualifiers: Other: *chlorophyll a the facilities lis *Phosphorus(ef facilities listed facilities listed EPA has specific f numeric the inter stream s water ac	of Roubideau Creek from Potter Creek Classifications Agriculture Aq Life Warm 1 Recreation E (mg/m ²)(chronic) = applies only above sted at 35.5(4). hronic) = applies only above the at 35.5(4). S not acted on segment- total phosphorus (TP) standards based on im value for river/ segments with a warm puatic life classification	to the Gunnison River. Mainstem of E Physical and Biolog Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	ast Creek from gical DM WS-II acute 6.5 - 9.0 0.5 - 9.0 () 0.019 0.005 100 0.005 100 0.05 	MWAT WS-II chronic 5.0 150* 126 126 Chronic TVS 0.75 0.011 0.011 0.17* 0.002	to the Gunnison River. Aluminum Arsenic Arsenic (T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel Selenium Silver Uranium	acute 340 TVS TVS <tr td=""> <tr td=""> <tr td="" td<=""><td>chronic 7.6 TVS TVS 100 TVS 1000 TVS 1000 TVS 0.01(t) 150 TVS TVS TVS TVS 0.01(t) TVS TVS TVS TVS</td></tr><tr><td>COGULGO6B Designation Reviewable Qualifiers: Other: *chlorophyll a the facilities lis *Pheephorus(ef facilities listed facilities listed EPA has specific numeric the inter stream s water ac (0.17 mg</td><td>of Roubideau Creek from Potter Creek Classifications Agriculture Aq Life Warm 1 Recreation E (mg/m²)(chronic) = applies only above sted at 35.5(4). hronic) = applies only above the at 35.5(4). s not acted on segment- total phosphorus (TP) standards based on im value for river/ segments with a warm guatic life classification g/L TP).</td><td>cto the Gunnison River. Mainstem of E Physical and Biolog Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide</td><td>ast Creek from gical DM WS-II acute 6.5 - 9.0 () y/L) acute TVS 0.019 0.005 100 0.05 100 0.05 </td><td>MWAT WS-II chronic 5.0 150* 126 chronic TVS 0.75 0.011 0.011 0.47* 0.002</td><td>to the Gunnison River. Me Aluminum Arsenic Arsenic (T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel Selenium Silver Uranium</td><td>acute acute 340 TVS TVS <tr td=""></tr></td><td>chronic 7.6 TVS TVS 100 TVS 100 TVS 1000 TVS 1000 TVS 0.01(t) 150 TVS 0.01(t) 150 TVS TVS 0.01(t) 150 TVS 150 TVS</td></tr></tr></tr>	chronic 7.6 TVS TVS 100 TVS 1000 TVS 1000 TVS 0.01(t) 150 TVS TVS TVS TVS 0.01(t) TVS TVS TVS TVS	COGULGO6B Designation Reviewable Qualifiers: Other: *chlorophyll a the facilities lis *Pheephorus(ef facilities listed facilities listed EPA has specific numeric the inter stream s water ac (0.17 mg	of Roubideau Creek from Potter Creek Classifications Agriculture Aq Life Warm 1 Recreation E (mg/m ²)(chronic) = applies only above sted at 35.5(4). hronic) = applies only above the at 35.5(4). s not acted on segment- total phosphorus (TP) standards based on im value for river/ segments with a warm guatic life classification g/L TP).	cto the Gunnison River. Mainstem of E Physical and Biolog Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	ast Creek from gical DM WS-II acute 6.5 - 9.0 () y/L) acute TVS 0.019 0.005 100 0.05 100 0.05 	MWAT WS-II chronic 5.0 150* 126 chronic TVS 0.75 0.011 0.011 0.47* 0.002	to the Gunnison River. Me Aluminum Arsenic Arsenic (T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel Selenium Silver Uranium	acute acute 340 TVS TVS <tr td=""></tr>	chronic 7.6 TVS TVS 100 TVS 100 TVS 1000 TVS 1000 TVS 0.01(t) 150 TVS 0.01(t) 150 TVS TVS 0.01(t) 150 TVS 150 TVS							
chronic 7.6 TVS TVS 100 TVS 100 TVS 100 TVS 100 TVS 1000 TVS 1000 TVS 0.01(t) 150 TVS																																							
COGULGO6B Designation Reviewable Qualifiers: Other: *chlorophyll a the facilities lis *Phosphorus(cl facilities listed facilities listed facilities listed facilities listed facilities listed	of Roubideau Creek from Potter Creek Classifications Agriculture Aq Life Warm 1 Recreation E (mg/m ²)(chronic) = applies only above sted at 35.5(4). hronic) = applies only above the at 35.5(4). S not acted on segment- total phosphorus (TP) standards based on im value for river/	to the Gunnison River. Mainstem of E Physical and Biolog Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	ast Creek from gical DM WS-II acute 6.5 - 9.0 0.01 TVS 0.019 0.005 100 0.05 	MWAT WS-II chronic 5.0 150* 126 chronic TVS 0.75 0.011 0.011 0.011 0.017	to the Gunnison River. Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel Selenium	acute 340 TVS TVS <td< td=""><td>chronic 7.6 TVS TVS 100 TVS 1000 TVS 1000 TVS 0.001(t) 150 TVS TVS</td></td<>	chronic 7.6 TVS TVS 100 TVS 1000 TVS 1000 TVS 0.001(t) 150 TVS TVS																																
COGULGO6B Designation Reviewable Qualifiers: Other: *chlorophyll a the facilities lis *Phosphorus(ef facilities listed facilities listed facilities listed facilities listed	of Roubideau Creek from Potter Creek Classifications Agriculture Aq Life Warm 1 Recreation E (mg/m ²)(chronic) = applies only above sted at 35.5(4). hronic) = applies only above the at 35.5(4). s not acted on segment- total phosphorus (TP) standards based on im value for river/ segments with a warm	to the Gunnison River. Mainstem of E Physical and Biolog Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	ast Creek from gical DM WS-II acute 6.5 - 9.0 0.5 - 9.0 0.019 0.005 100 0.005 100 0.05 	MWAT WS-II chronic 5.0 150* 126 126 chronic TVS 0.75 0.011 0.011 0.17* 	to the Gunnison River. Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel Selenium Silver	acute acute 340 TVS TVS <tr td=""> <tr td=""> <tr td="" td<=""><td>chronic 7.6 TVS TVS 100 TVS 1000 TVS 1000 TVS 0.01(t) 150 TVS TVS TVS TVS 0.01(t) 150 TVS TVS TVS TVS</td></tr><tr><td>COGULGO6B Designation Reviewable Qualifiers: Other: *chlorophyll a the facilities lis *Phosphorus(ef facilities listed facilities listed EPA has specific f numeric the inter stream s water ac</td><td>of Roubideau Creek from Potter Creek Classifications Agriculture Aq Life Warm 1 Recreation E (mg/m²)(chronic) = applies only above sted at 35.5(4). hronic) = applies only above the at 35.5(4). S not acted on segment- total phosphorus (TP) standards based on im value for river/ segments with a warm puatic life classification</td><td>to the Gunnison River. Mainstem of E Physical and Biolog Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide</td><td>ast Creek from gical DM WS-II acute 6.5 - 9.0 0.5 - 9.0 () 0.019 0.005 100 0.005 100 0.05 </td><td>MWAT WS-II chronic 5.0 150* 126 126 Chronic TVS 0.75 0.011 0.011 0.17* 0.002</td><td>to the Gunnison River. Aluminum Arsenic Arsenic (T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel Selenium Silver Uranium</td><td>acute 340 TVS TVS <tr td=""> <tr td=""> <tr td="" td<=""><td>chronic 7.6 TVS TVS 100 TVS 1000 TVS 1000 TVS 0.01(t) 150 TVS TVS TVS TVS 0.01(t) TVS TVS TVS TVS</td></tr><tr><td>COGULGO6B Designation Reviewable Qualifiers: Other: *chlorophyll a the facilities lis *Pheephorus(ef facilities listed facilities listed EPA has specific numeric the inter stream s water ac (0.17 mg</td><td>of Roubideau Creek from Potter Creek Classifications Agriculture Aq Life Warm 1 Recreation E (mg/m²)(chronic) = applies only above sted at 35.5(4). hronic) = applies only above the at 35.5(4). s not acted on segment- total phosphorus (TP) standards based on im value for river/ segments with a warm guatic life classification g/L TP).</td><td>cto the Gunnison River. Mainstem of E Physical and Biolog Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide</td><td>ast Creek from gical DM WS-II acute 6.5 - 9.0 () y/L) acute TVS 0.019 0.005 100 0.05 100 0.05 </td><td>MWAT WS-II chronic 5.0 150* 126 chronic TVS 0.75 0.011 0.011 0.47* 0.002</td><td>to the Gunnison River. Me Aluminum Arsenic Arsenic (T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel Selenium Silver Uranium</td><td>acute acute 340 TVS TVS <tr td=""></tr></td><td>chronic 7.6 TVS TVS 100 TVS 100 TVS 1000 TVS 1000 TVS 0.01(t) 150 TVS 0.01(t) 150 TVS TVS 0.01(t) 150 TVS 150 TVS</td></tr></tr></tr></td></tr></tr></tr>	chronic 7.6 TVS TVS 100 TVS 1000 TVS 1000 TVS 0.01(t) 150 TVS TVS TVS TVS 0.01(t) 150 TVS TVS TVS TVS	COGULGO6B Designation Reviewable Qualifiers: Other: *chlorophyll a the facilities lis *Phosphorus(ef facilities listed facilities listed EPA has specific f numeric the inter stream s water ac	of Roubideau Creek from Potter Creek Classifications Agriculture Aq Life Warm 1 Recreation E (mg/m ²)(chronic) = applies only above sted at 35.5(4). hronic) = applies only above the at 35.5(4). S not acted on segment- total phosphorus (TP) standards based on im value for river/ segments with a warm puatic life classification	to the Gunnison River. Mainstem of E Physical and Biolog Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	ast Creek from gical DM WS-II acute 6.5 - 9.0 0.5 - 9.0 () 0.019 0.005 100 0.005 100 0.05 	MWAT WS-II chronic 5.0 150* 126 126 Chronic TVS 0.75 0.011 0.011 0.17* 0.002	to the Gunnison River. Aluminum Arsenic Arsenic (T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel Selenium Silver Uranium	acute 340 TVS TVS <tr td=""> <tr td=""> <tr td="" td<=""><td>chronic 7.6 TVS TVS 100 TVS 1000 TVS 1000 TVS 0.01(t) 150 TVS TVS TVS TVS 0.01(t) TVS TVS TVS TVS</td></tr><tr><td>COGULGO6B Designation Reviewable Qualifiers: Other: *chlorophyll a the facilities lis *Pheephorus(ef facilities listed facilities listed EPA has specific numeric the inter stream s water ac (0.17 mg</td><td>of Roubideau Creek from Potter Creek Classifications Agriculture Aq Life Warm 1 Recreation E (mg/m²)(chronic) = applies only above sted at 35.5(4). hronic) = applies only above the at 35.5(4). s not acted on segment- total phosphorus (TP) standards based on im value for river/ segments with a warm guatic life classification g/L TP).</td><td>cto the Gunnison River. Mainstem of E Physical and Biolog Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide</td><td>ast Creek from gical DM WS-II acute 6.5 - 9.0 () y/L) acute TVS 0.019 0.005 100 0.05 100 0.05 </td><td>MWAT WS-II chronic 5.0 150* 126 chronic TVS 0.75 0.011 0.011 0.47* 0.002</td><td>to the Gunnison River. Me Aluminum Arsenic Arsenic (T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel Selenium Silver Uranium</td><td>acute acute 340 TVS TVS <tr td=""></tr></td><td>chronic 7.6 TVS TVS 100 TVS 100 TVS 1000 TVS 1000 TVS 0.01(t) 150 TVS 0.01(t) 150 TVS TVS 0.01(t) 150 TVS 150 TVS</td></tr></tr></tr>	chronic 7.6 TVS TVS 100 TVS 1000 TVS 1000 TVS 0.01(t) 150 TVS TVS TVS TVS 0.01(t) TVS TVS TVS TVS	COGULGO6B Designation Reviewable Qualifiers: Other: *chlorophyll a the facilities lis *Pheephorus(ef facilities listed facilities listed EPA has specific numeric the inter stream s water ac (0.17 mg	of Roubideau Creek from Potter Creek Classifications Agriculture Aq Life Warm 1 Recreation E (mg/m ²)(chronic) = applies only above sted at 35.5(4). hronic) = applies only above the at 35.5(4). s not acted on segment- total phosphorus (TP) standards based on im value for river/ segments with a warm guatic life classification g/L TP).	cto the Gunnison River. Mainstem of E Physical and Biolog Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	ast Creek from gical DM WS-II acute 6.5 - 9.0 () y/L) acute TVS 0.019 0.005 100 0.05 100 0.05 	MWAT WS-II chronic 5.0 150* 126 chronic TVS 0.75 0.011 0.011 0.47* 0.002	to the Gunnison River. Me Aluminum Arsenic Arsenic (T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel Selenium Silver Uranium	acute acute 340 TVS TVS <tr td=""></tr>	chronic 7.6 TVS TVS 100 TVS 100 TVS 1000 TVS 1000 TVS 0.01(t) 150 TVS 0.01(t) 150 TVS TVS 0.01(t) 150 TVS 150 TVS																
chronic 7.6 TVS TVS 100 TVS 1000 TVS 1000 TVS 0.01(t) 150 TVS TVS TVS TVS 0.01(t) 150 TVS TVS TVS TVS	COGULGO6B Designation Reviewable Qualifiers: Other: *chlorophyll a the facilities lis *Phosphorus(ef facilities listed facilities listed EPA has specific f numeric the inter stream s water ac	of Roubideau Creek from Potter Creek Classifications Agriculture Aq Life Warm 1 Recreation E (mg/m ²)(chronic) = applies only above sted at 35.5(4). hronic) = applies only above the at 35.5(4). S not acted on segment- total phosphorus (TP) standards based on im value for river/ segments with a warm puatic life classification	to the Gunnison River. Mainstem of E Physical and Biolog Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	ast Creek from gical DM WS-II acute 6.5 - 9.0 0.5 - 9.0 () 0.019 0.005 100 0.005 100 0.05 	MWAT WS-II chronic 5.0 150* 126 126 Chronic TVS 0.75 0.011 0.011 0.17* 0.002	to the Gunnison River. Aluminum Arsenic Arsenic (T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel Selenium Silver Uranium	acute 340 TVS TVS <tr td=""> <tr td=""> <tr td="" td<=""><td>chronic 7.6 TVS TVS 100 TVS 1000 TVS 1000 TVS 0.01(t) 150 TVS TVS TVS TVS 0.01(t) TVS TVS TVS TVS</td></tr><tr><td>COGULGO6B Designation Reviewable Qualifiers: Other: *chlorophyll a the facilities lis *Pheephorus(ef facilities listed facilities listed EPA has specific numeric the inter stream s water ac (0.17 mg</td><td>of Roubideau Creek from Potter Creek Classifications Agriculture Aq Life Warm 1 Recreation E (mg/m²)(chronic) = applies only above sted at 35.5(4). hronic) = applies only above the at 35.5(4). s not acted on segment- total phosphorus (TP) standards based on im value for river/ segments with a warm guatic life classification g/L TP).</td><td>cto the Gunnison River. Mainstem of E Physical and Biolog Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide</td><td>ast Creek from gical DM WS-II acute 6.5 - 9.0 () y/L) acute TVS 0.019 0.005 100 0.05 100 0.05 </td><td>MWAT WS-II chronic 5.0 150* 126 chronic TVS 0.75 0.011 0.011 0.47* 0.002</td><td>to the Gunnison River. Me Aluminum Arsenic Arsenic (T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel Selenium Silver Uranium</td><td>acute acute 340 TVS TVS <tr td=""></tr></td><td>chronic 7.6 TVS TVS 100 TVS 100 TVS 1000 TVS 1000 TVS 0.01(t) 150 TVS 0.01(t) 150 TVS TVS 0.01(t) 150 TVS 150 TVS</td></tr></tr></tr>	chronic 7.6 TVS TVS 100 TVS 1000 TVS 1000 TVS 0.01(t) 150 TVS TVS TVS TVS 0.01(t) TVS TVS TVS TVS	COGULGO6B Designation Reviewable Qualifiers: Other: *chlorophyll a the facilities lis *Pheephorus(ef facilities listed facilities listed EPA has specific numeric the inter stream s water ac (0.17 mg	of Roubideau Creek from Potter Creek Classifications Agriculture Aq Life Warm 1 Recreation E (mg/m ²)(chronic) = applies only above sted at 35.5(4). hronic) = applies only above the at 35.5(4). s not acted on segment- total phosphorus (TP) standards based on im value for river/ segments with a warm guatic life classification g/L TP).	cto the Gunnison River. Mainstem of E Physical and Biolog Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	ast Creek from gical DM WS-II acute 6.5 - 9.0 () y/L) acute TVS 0.019 0.005 100 0.05 100 0.05 	MWAT WS-II chronic 5.0 150* 126 chronic TVS 0.75 0.011 0.011 0.47* 0.002	to the Gunnison River. Me Aluminum Arsenic Arsenic (T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel Selenium Silver Uranium	acute acute 340 TVS TVS <tr td=""></tr>	chronic 7.6 TVS TVS 100 TVS 100 TVS 1000 TVS 1000 TVS 0.01(t) 150 TVS 0.01(t) 150 TVS TVS 0.01(t) 150 TVS 150 TVS																							
chronic 7.6 TVS TVS 100 TVS 1000 TVS 1000 TVS 0.01(t) 150 TVS TVS TVS TVS 0.01(t) 150 TVS TVS TVS TVS	COGULGO6B Designation Reviewable Qualifiers: Other: *chlorophyll a the facilities lis *Phosphorus(ef facilities listed facilities listed EPA has specific f numeric the inter stream s water ac	of Roubideau Creek from Potter Creek Classifications Agriculture Aq Life Warm 1 Recreation E (mg/m ²)(chronic) = applies only above sted at 35.5(4). hronic) = applies only above the at 35.5(4). S not acted on segment- total phosphorus (TP) standards based on im value for river/ segments with a warm puatic life classification	to the Gunnison River. Mainstem of E Physical and Biolog Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	ast Creek from gical DM WS-II acute 6.5 - 9.0 0.5 - 9.0 () 0.019 0.005 100 0.005 100 0.05 	MWAT WS-II chronic 5.0 150* 126 126 Chronic TVS 0.75 0.011 0.011 0.17* 0.002	to the Gunnison River. Aluminum Arsenic Arsenic (T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel Selenium Silver Uranium	acute 340 TVS TVS <tr td=""> <tr td=""> <tr td="" td<=""><td>chronic 7.6 TVS TVS 100 TVS 1000 TVS 1000 TVS 0.01(t) 150 TVS TVS TVS TVS 0.01(t) TVS TVS TVS TVS</td></tr><tr><td>COGULGO6B Designation Reviewable Qualifiers: Other: *chlorophyll a the facilities lis *Pheephorus(ef facilities listed facilities listed EPA has specific numeric the inter stream s water ac (0.17 mg</td><td>of Roubideau Creek from Potter Creek Classifications Agriculture Aq Life Warm 1 Recreation E (mg/m²)(chronic) = applies only above sted at 35.5(4). hronic) = applies only above the at 35.5(4). s not acted on segment- total phosphorus (TP) standards based on im value for river/ segments with a warm guatic life classification g/L TP).</td><td>cto the Gunnison River. Mainstem of E Physical and Biolog Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide</td><td>ast Creek from gical DM WS-II acute 6.5 - 9.0 () y/L) acute TVS 0.019 0.005 100 0.05 100 0.05 </td><td>MWAT WS-II chronic 5.0 150* 126 chronic TVS 0.75 0.011 0.011 0.47* 0.002</td><td>to the Gunnison River. Me Aluminum Arsenic Arsenic (T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel Selenium Silver Uranium</td><td>acute acute 340 TVS TVS <tr td=""></tr></td><td>chronic 7.6 TVS TVS 100 TVS 100 TVS 1000 TVS 1000 TVS 0.01(t) 150 TVS 0.01(t) 150 TVS TVS 0.01(t) 150 TVS 150 TVS</td></tr></tr></tr>	chronic 7.6 TVS TVS 100 TVS 1000 TVS 1000 TVS 0.01(t) 150 TVS TVS TVS TVS 0.01(t) TVS TVS TVS TVS	COGULGO6B Designation Reviewable Qualifiers: Other: *chlorophyll a the facilities lis *Pheephorus(ef facilities listed facilities listed EPA has specific numeric the inter stream s water ac (0.17 mg	of Roubideau Creek from Potter Creek Classifications Agriculture Aq Life Warm 1 Recreation E (mg/m ²)(chronic) = applies only above sted at 35.5(4). hronic) = applies only above the at 35.5(4). s not acted on segment- total phosphorus (TP) standards based on im value for river/ segments with a warm guatic life classification g/L TP).	cto the Gunnison River. Mainstem of E Physical and Biolog Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	ast Creek from gical DM WS-II acute 6.5 - 9.0 () y/L) acute TVS 0.019 0.005 100 0.05 100 0.05 	MWAT WS-II chronic 5.0 150* 126 chronic TVS 0.75 0.011 0.011 0.47* 0.002	to the Gunnison River. Me Aluminum Arsenic Arsenic (T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel Selenium Silver Uranium	acute acute 340 TVS TVS <tr td=""></tr>	chronic 7.6 TVS TVS 100 TVS 100 TVS 1000 TVS 1000 TVS 0.01(t) 150 TVS 0.01(t) 150 TVS TVS 0.01(t) 150 TVS 150 TVS																							
chronic 7.6 TVS TVS 100 TVS 1000 TVS 1000 TVS 0.01(t) 150 TVS TVS TVS TVS 0.01(t) 150 TVS TVS TVS TVS																																							
COGULGO6B Designation Reviewable Qualifiers: Other: *chlorophyll a the facilities lis *Phosphorus(ef facilities listed facilities listed EPA has specific f numeric the inter stream s water ac	of Roubideau Creek from Potter Creek Classifications Agriculture Aq Life Warm 1 Recreation E (mg/m ²)(chronic) = applies only above sted at 35.5(4). hronic) = applies only above the at 35.5(4). S not acted on segment- total phosphorus (TP) standards based on im value for river/ segments with a warm puatic life classification	to the Gunnison River. Mainstem of E Physical and Biolog Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	ast Creek from gical DM WS-II acute 6.5 - 9.0 0.5 - 9.0 () 0.019 0.005 100 0.005 100 0.05 	MWAT WS-II chronic 5.0 150* 126 126 Chronic TVS 0.75 0.011 0.011 0.17* 0.002	to the Gunnison River. Aluminum Arsenic Arsenic (T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel Selenium Silver Uranium	acute 340 TVS TVS <tr td=""> <tr td=""> <tr td="" td<=""><td>chronic 7.6 TVS TVS 100 TVS 1000 TVS 1000 TVS 0.01(t) 150 TVS TVS TVS TVS 0.01(t) TVS TVS TVS TVS</td></tr><tr><td>COGULGO6B Designation Reviewable Qualifiers: Other: *chlorophyll a the facilities lis *Pheephorus(ef facilities listed facilities listed EPA has specific numeric the inter stream s water ac (0.17 mg</td><td>of Roubideau Creek from Potter Creek Classifications Agriculture Aq Life Warm 1 Recreation E (mg/m²)(chronic) = applies only above sted at 35.5(4). hronic) = applies only above the at 35.5(4). s not acted on segment- total phosphorus (TP) standards based on im value for river/ segments with a warm guatic life classification g/L TP).</td><td>cto the Gunnison River. Mainstem of E Physical and Biolog Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide</td><td>ast Creek from gical DM WS-II acute 6.5 - 9.0 () y/L) acute TVS 0.019 0.005 100 0.05 100 0.05 </td><td>MWAT WS-II chronic 5.0 150* 126 chronic TVS 0.75 0.011 0.011 0.47* 0.002</td><td>to the Gunnison River. Me Aluminum Arsenic Arsenic (T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel Selenium Silver Uranium</td><td>acute acute 340 TVS TVS <tr td=""></tr></td><td>chronic 7.6 TVS TVS 100 TVS 100 TVS 1000 TVS 1000 TVS 0.01(t) 150 TVS 0.01(t) 150 TVS TVS 0.01(t) 150 TVS 150 TVS</td></tr></tr></tr>	chronic 7.6 TVS TVS 100 TVS 1000 TVS 1000 TVS 0.01(t) 150 TVS TVS TVS TVS 0.01(t) TVS TVS TVS TVS	COGULGO6B Designation Reviewable Qualifiers: Other: *chlorophyll a the facilities lis *Pheephorus(ef facilities listed facilities listed EPA has specific numeric the inter stream s water ac (0.17 mg	of Roubideau Creek from Potter Creek Classifications Agriculture Aq Life Warm 1 Recreation E (mg/m ²)(chronic) = applies only above sted at 35.5(4). hronic) = applies only above the at 35.5(4). s not acted on segment- total phosphorus (TP) standards based on im value for river/ segments with a warm guatic life classification g/L TP).	cto the Gunnison River. Mainstem of E Physical and Biolog Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	ast Creek from gical DM WS-II acute 6.5 - 9.0 () y/L) acute TVS 0.019 0.005 100 0.05 100 0.05 	MWAT WS-II chronic 5.0 150* 126 chronic TVS 0.75 0.011 0.011 0.47* 0.002	to the Gunnison River. Me Aluminum Arsenic Arsenic (T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel Selenium Silver Uranium	acute acute 340 TVS TVS <tr td=""></tr>	chronic 7.6 TVS TVS 100 TVS 100 TVS 1000 TVS 1000 TVS 0.01(t) 150 TVS 0.01(t) 150 TVS TVS 0.01(t) 150 TVS 150 TVS																								
chronic 7.6 TVS TVS 100 TVS 1000 TVS 1000 TVS 0.01(t) 150 TVS TVS TVS TVS 0.01(t) TVS TVS TVS TVS	COGULGO6B Designation Reviewable Qualifiers: Other: *chlorophyll a the facilities lis *Pheephorus(ef facilities listed facilities listed EPA has specific numeric the inter stream s water ac (0.17 mg	of Roubideau Creek from Potter Creek Classifications Agriculture Aq Life Warm 1 Recreation E (mg/m ²)(chronic) = applies only above sted at 35.5(4). hronic) = applies only above the at 35.5(4). s not acted on segment- total phosphorus (TP) standards based on im value for river/ segments with a warm guatic life classification g/L TP).	cto the Gunnison River. Mainstem of E Physical and Biolog Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	ast Creek from gical DM WS-II acute 6.5 - 9.0 () y/L) acute TVS 0.019 0.005 100 0.05 100 0.05 	MWAT WS-II chronic 5.0 150* 126 chronic TVS 0.75 0.011 0.011 0.47* 0.002	to the Gunnison River. Me Aluminum Arsenic Arsenic (T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel Selenium Silver Uranium	acute acute 340 TVS TVS <tr td=""></tr>	chronic 7.6 TVS TVS 100 TVS 100 TVS 1000 TVS 1000 TVS 0.01(t) 150 TVS 0.01(t) 150 TVS TVS 0.01(t) 150 TVS 150 TVS																															
chronic 7.6 TVS TVS 100 TVS 1000 TVS 1000 TVS 0.01(t) 150 TVS TVS TVS TVS 0.01(t) TVS TVS TVS TVS	COGULGO6B Designation Reviewable Qualifiers: Other: *chlorophyll a the facilities lis *Pheephorus(ef facilities listed facilities listed EPA has specific numeric the inter stream s water ac (0.17 mg	of Roubideau Creek from Potter Creek Classifications Agriculture Aq Life Warm 1 Recreation E (mg/m ²)(chronic) = applies only above sted at 35.5(4). hronic) = applies only above the at 35.5(4). s not acted on segment- total phosphorus (TP) standards based on im value for river/ segments with a warm guatic life classification g/L TP).	cto the Gunnison River. Mainstem of E Physical and Biolog Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	ast Creek from gical DM WS-II acute 6.5 - 9.0 () y/L) acute TVS 0.019 0.005 100 0.05 100 0.05 	MWAT WS-II chronic 5.0 150* 126 chronic TVS 0.75 0.011 0.011 0.47* 0.002	to the Gunnison River. Me Aluminum Arsenic Arsenic (T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel Selenium Silver Uranium	acute acute 340 TVS TVS <tr td=""></tr>	chronic 7.6 TVS TVS 100 TVS 100 TVS 1000 TVS 1000 TVS 0.01(t) 150 TVS 0.01(t) 150 TVS TVS 0.01(t) 150 TVS 150 TVS																															
chronic 7.6 TVS TVS 100 TVS 1000 TVS 1000 TVS 0.01(t) 150 TVS TVS TVS TVS 0.01(t) TVS TVS TVS TVS																																							
COGULGO6B Designation Reviewable Qualifiers: Other: *chlorophyll a the facilities lis *Pheephorus(ef facilities listed facilities listed EPA has specific numeric the inter stream s water ac (0.17 mg	of Roubideau Creek from Potter Creek Classifications Agriculture Aq Life Warm 1 Recreation E (mg/m ²)(chronic) = applies only above sted at 35.5(4). hronic) = applies only above the at 35.5(4). s not acted on segment- total phosphorus (TP) standards based on im value for river/ segments with a warm guatic life classification g/L TP).	cto the Gunnison River. Mainstem of E Physical and Biolog Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	ast Creek from gical DM WS-II acute 6.5 - 9.0 () y/L) acute TVS 0.019 0.005 100 0.05 100 0.05 	MWAT WS-II chronic 5.0 150* 126 chronic TVS 0.75 0.011 0.011 0.47* 0.002	to the Gunnison River. Me Aluminum Arsenic Arsenic (T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel Selenium Silver Uranium	acute acute 340 TVS TVS <tr td=""></tr>	chronic 7.6 TVS TVS 100 TVS 100 TVS 1000 TVS 1000 TVS 0.01(t) 150 TVS 0.01(t) 150 TVS TVS 0.01(t) 150 TVS 150 TVS																																

All metals are dissolved unless otherwise noted. T = total recoverable t = total tr = trout sc = sculpin D.O. = dissolved oxygen DM = daily maximum MWAT = maximum weekly average temperature

06c. Mainstem	of Escalante Creek from the Delta/	Iontrose County line (38.668215, -1	08.328144) to the G	Sunnison Riv	er.		
COGULG06C	Classifications	Physical and	Biological		M	etals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Warm 1	Temperature °C	WS-II	WS-II	Aluminum		
	Recreation E	-	acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		5.0	Arsenic(T)		0.02
Qualifiers:	•	рН	6.5 - 9.0		Beryllium		
Other:		chlorophyll a (mg/m ²)		150	Cadmium	TVS	TVS
		E. Coli (per 100 mL)		126	Cadmium(T)	5.0	
		Inorgani	c (mg/L)		Chromium III	TVS	TVS
			acute	chronic	Chromium III(T)		100
		Ammonia	TVS	TVS	Chromium VI	TVS	TVS
		Boron		0.75	Copper	TVS	TVS
		Chloride		250	Iron		WS
		Chlorine	0.019	0.011	Iron(T)		1000
		Cvanide	0.005		Lead	TVS	TVS
		Nitrate	10		Lead(T)	50	
		Nitrite	0.05		Manganese	TVS	TVSM/S
		Phosphorus	0.05	0.17	Mercury		0.01(t)
	a not acted on commont	Sulfate		WS	Molybdenum(T)		150
EPAnas	s not acted on segment-	Cultido		0.002	Nickel	T\/S	TV/S
specific	total phosphorus (TP)	Sumae		0.002		103	100
numeric	standards based on				Nickel(T)	 T\/S	100
the inter	Im value for river/				Selection	173	175
stream s	segments with a warm				Silver	172	172
water ac	quatic life classification				Uranium	IVS	
(0.17 mg	g/L TP).				Uranium(T)		16.8-30
Za Mainatan	of Wood Coools from the actional for		Dist. Coord Coord		Zinc	TVS	TVS
7a. Mainstem	of Ward Creek, from the national for	est boundary to the confluence with	Dirty George Creek.		Zinc	TVS	TVS
7a. Mainstem	of Ward Creek, from the national for Classifications	est boundary to the confluence with Physical and	Dirty George Creek. Biological	MWAT	Zinc	TVS etals (ug/L)	TVS
7a. Mainstem COGULG07A Designation Reviewable	of Ward Creek, from the national for Classifications Agriculture	Temperature °C	Dirty George Creek. Biological DM	MWAT	Zinc M	TVS etals (ug/L) acute	TVS chronic
7a. Mainstem COGULG07A Designation Reviewable	of Ward Creek, from the national for Classifications Agriculture Aq Life Cold 2 Recreation P	est boundary to the confluence with Physical and Temperature °C	Dirty George Creek. Biological DM CS-I	MWAT CS-I	Zinc M Aluminum	etals (ug/L) acute 240	TVS chronic
7a. Mainstem COGULG07A Designation Reviewable	of Ward Creek, from the national for Classifications Agriculture Aq Life Cold 2 Recreation P Water Supply	Temperature °C	Dirty George Creek. Biological DM CS-I acute	MWAT CS-I chronic	Zinc M Aluminum Arsenic	tvs etals (ug/L) acute 340	TVS chronic
7a. Mainstem COGULG07A Designation Reviewable Qualifiers:	of Ward Creek, from the national for Classifications Agriculture Aq Life Cold 2 Recreation P Water Supply	Temperature °C	Dirty George Creek. Biological DM CS-I acute 	MWAT CS-I chronic 6.0	Zinc M Aluminum Arsenic Arsenic(T) Basellium	TVS etals (ug/L) acute 340 	TVS chronic 0.02-10 ^A
7a. Mainstem COGULG07A Designation Reviewable Qualifiers:	of Ward Creek, from the national for Classifications Agriculture Aq Life Cold 2 Recreation P Water Supply	Temperature °C D.O. (mg/L) D.O. (spawning)	Dirty George Creek. Biological DM CS-1 acute 	MWAT CS-I chronic 6.0 7.0	Zinc M Aluminum Arsenic Arsenic(T) Beryllium	TVS etals (ug/L) 340 TV0	TVS chronic 0.02-10 A
7a. Mainstem COGULG07A Designation Reviewable Qualifiers: Other:	of Ward Creek, from the national for Classifications Agriculture Aq Life Cold 2 Recreation P Water Supply	to the confluence with Physical and Temperature °C D.O. (mg/L) D.O. (spawning) pH pH	Dirty George Creek. Biological DM CS-1 acute 6.5 - 9.0	MWAT CS-I chronic 6.0 7.0 	Zinc M Aluminum Arsenic Arsenic(T) Beryllium Cadmium	TVS etals (ug/L) 340 TVS	TVS chronic 0.02-10 A TVS
7a. Mainstem COGULG07A Designation Reviewable Qualifiers: Other:	of Ward Creek, from the national for Classifications Agriculture Aq Life Cold 2 Recreation P Water Supply	ast boundary to the confluence with Physical and Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) D.O. (c) (con d00 ml)	Dirty George Creek. Biological DM CS-1 acute 6.5 - 9.0 	MWAT CS-I chronic 6.0 7.0 150	Zinc M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T)	TVS etals (ug/L) 340 TVS 5.0	TVS chronic 0.02-10 Å TVS
7a. Mainstem COGULG07A Designation Reviewable Qualifiers: Other:	of Ward Creek, from the national for Classifications Agriculture Aq Life Cold 2 Recreation P Water Supply	to the confluence with Physical and Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)	Dirty George Creek. Biological CS-1 acute 6.5 - 9.0 	MWAT CS-I chronic 6.0 7.0 150 205	Zinc M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium Cadmium(T) Chromium III	TVS etals (ug/L) acute 340 TVS 5.0 50	TVS chronic 0.02-10 A TVS TVS
7a. Mainstem COGULG07A Designation Reviewable Qualifiers: Other:	of Ward Creek, from the national for Classifications Agriculture Aq Life Cold 2 Recreation P Water Supply	A set boundary to the confluence with Physical and I Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)	Dirty George Creek. Biological CS-1 acute 6.5 - 9.0 	MWAT CS-I chronic 6.0 7.0 150 205	Zinc M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T)	TVS etals (ug/L) acute 340 TVS 5.0 50	TVS chronic 0.02-10 A TVS TVS TVS
7a. Mainstem COGULG07A Designation Reviewable Qualifiers: Other:	of Ward Creek, from the national for Classifications Agriculture Aq Life Cold 2 Recreation P Water Supply	to the confluence with Physical and Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorgani	Dirty George Creek. Biological DM CS-1 acute 6.5 - 9.0 c (mg/L)	MWAT CS-I chronic 6.0 7.0 150 205	Zinc M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium Cadmium(T) Chromium III Chromium III Chromium VI	TVS etals (ug/L) 340 TVS 5.0 50 TVS	TVS chronic 0.02-10 A TVS TVS TVS TVS
7a. Mainstem COGULG07A Designation Reviewable Qualifiers: Other:	of Ward Creek, from the national for Classifications Agriculture Aq Life Cold 2 Recreation P Water Supply	est boundary to the confluence with Physical and Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorgani	Dirty George Creek. Biological DM CS-1 acute 6.5 - 9.0 c (mg/L) acute	MWAT CS-I chronic 6.0 7.0 150 205 chronic	Zinc M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium Cadmium(T) Chromium III Chromium III Chromium VI Copper	TVS etals (ug/L) 340 TVS 5.0 50 TVS TVS TVS	TVS chronic 0.02-10 A TVS TVS TVS TVS
7a. Mainstem COGULG07A Designation Reviewable Qualifiers: Other:	of Ward Creek, from the national for Classifications Agriculture Aq Life Cold 2 Recreation P Water Supply	st boundary to the confluence with Physical and Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorgani Ammonia	Dirty George Creek. Biological DM CS-1 acute 6.5 - 9.0 c (mg/L) acute TVS	MWAT CS-I chronic 6.0 7.0 150 205 205 chronic	Zinc M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium Cadmium(T) Chromium III Chromium III Chromium VI Copper Iron	TVS etals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS	TVS chronic 0.02-10 Å TVS TVS TVS TVS TVS WS
7a. Mainstem COGULG07A Designation Reviewable Qualifiers: Other:	of Ward Creek, from the national for Classifications Agriculture Aq Life Cold 2 Recreation P Water Supply	st boundary to the confluence with Physical and Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorgani Ammonia Boron	Dirty George Creek. Biological DM CS-1 acute 6.5 - 9.0 c (mg/L) acute TVS 	MWAT CS-I chronic 6.0 7.0 150 205 205 chronic TVS 0.75	Zinc M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium Cadmium(T) Chromium III Chromium III Chromium III Chromium VI Copper Iron Iron(T)	TVS etals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS 	TVS chronic 0.02-10 Å TVS TVS TVS TVS TVS TVS TVS
7a. Mainstem COGULG07A Designation Reviewable Qualifiers: Other:	of Ward Creek, from the national for Classifications Agriculture Aq Life Cold 2 Recreation P Water Supply	ast boundary to the confluence with Physical and Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorgani Ammonia Boron Chloride	Dirty George Creek. Biological DM CS-1 acute 6.5 - 9.0 c (mg/L) acute TVS 	MWAT CS-I chronic 6.0 7.0 150 205 chronic TVS 0.75 250	Zinc M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III Chromium VI Copper Iron Iron(T) Lead	TVS etals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS	TVS chronic 0.02-10 Å TVS TVS TVS TVS WS 1000 TVS
7a. Mainstem COGULG07A Designation Reviewable Qualifiers: Other:	of Ward Creek, from the national for Classifications Agriculture Aq Life Cold 2 Recreation P Water Supply	to the confluence with Physical and Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorgani Ammonia Boron Chloride Chlorine	Dirty George Creek. Biological DM CS-1 acute 6.5 - 9.0 c (mg/L) acute TVS 0.019	MWAT CS-I chronic 6.0 7.0 150 205 chronic TVS 0.75 250 0.011	Zinc M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T)	TVS etals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS TVS 50 50 TVS 50 50 50 50 50 50 50 50 50 50	TVS chronic 0.02-10 Å TVS TVS TVS TVS WS 1000 TVS
7a. Mainstem COGULG07A Designation Reviewable Qualifiers: Other:	of Ward Creek, from the national for Classifications Agriculture Aq Life Cold 2 Recreation P Water Supply	Ammonia Boron Chloride Cyanide Cyanide	Dirty George Creek. Biological DM CS-1 acute 6.5 - 9.0 6.5 - 9.0 c (mg/L) acute TVS 0.019 0.005	MWAT CS-I chronic 6.0 7.0 205 205 chronic TVS 0.75 250 0.011 	Zinc M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese	TVS etals (ug/L) acute 340 TVS 5.0 TVS 5.0 TVS TVS TVS TVS TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS	TVS chronic 0.02-10 A TVS TVS TVS WS 1000 TVS TVS WS 1000 TVS
7a. Mainstem COGULG07A Designation Reviewable Qualifiers: Other:	of Ward Creek, from the national for Classifications Agriculture Aq Life Cold 2 Recreation P Water Supply S not acted on segment	Ammonia Boron Chloride Cyanide Nitrate	Dirty George Creek. Biological CS-I acute 6.5 - 9.0 6.5 - 9.0 c (mg/L) acute TVS 0.019 0.005 10	MWAT CS-I chronic 6.0 7.0 150 205 205 Chronic TVS 0.75 250 0.011 	Zinc M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury	TVS etals (ug/L) acute 340 340 TVS 5.0 50 TVS 50 TVS TVS 50	TVS chronic 0.02-10 A TVS TVS TVS TVS WS 1000 TVS TVS WS 1000 TVS TVS WS 0.001(t)
7a. Mainstem COGULG07A Designation Reviewable Qualifiers: Other: EPA ha specific	of Ward Creek, from the national for Classifications Agriculture Aq Life Cold 2 Recreation P Water Supply s not acted on segment total phosphorus (TP)	ast boundary to the confluence with	Dirty George Creek. Biological DM CS-1 acute 6.5 - 9.0 6.5 - 9.0 c (mg/L) acute TVS 0.019 0.005 10 0.05	MWAT CS-I chronic 6.0 7.0 150 205 205 Chronic TVS 0.75 250 0.011 	Zinc M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T)	TVS etals (ug/L) etals (ug/L) acute 340 TVS 5.0 TVS 5.0 TVS TVS TVS 50 TVS	TVS chronic 0.02-10 Å TVS TVS TVS WS 1000 TVS WS 1000 TVS TVS WS 1000 TVS 1000 TVS 1000 TVS 1000 1000 1000 1000
7a. Mainstem COGULG07A Designation Reviewable Qualifiers: Other: EPA ha specific numerio	of Ward Creek, from the national for Classifications Agriculture Aq Life Cold 2 Recreation P Water Supply s not acted on segment total phosphorus (TP) s standards based on	ast boundary to the confluence with Physical and Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorgani Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	Dirty George Creek. Biological DM CS-1 acute 6.5 - 9.0 6.5 - 9.0 c (mg/L) acute TVS 0.019 0.005 10 0.05 	MWAT CS-I chronic 6.0 7.0 150 205 205 0.01 TVS 0.75 250 0.011 250 0.011	Zinc M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel	TVS etals (ug/L) etals (ug/L) acute 340 TVS 50 TVS 50 TVS TVS 50 TVS	TVS chronic 0.02-10 Å TVS TVS TVS WS 1000 TVS WS 1000 TVS WS 1000 TVS WS 1000 TVS 1000 TVS TVS WS 1000 TVS TVS WS 1000 TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS
7a. Mainstem COGULG07A Designation Reviewable Qualifiers: Other: EPA ha specific numeric the intel	of Ward Creek, from the national for Classifications Agriculture Aq Life Cold 2 Recreation P Water Supply s not acted on segment total phosphorus (TP) c standards based on rim value for river/	Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	Dirty George Creek. Biological DM CS-I acute 6.5 - 9.0 6.5 - 9.0 6.5 - 9.0 0.019 0.005 10 0.05 	MWAT CS-I chronic 6.0 7.0 150 205 Chronic TVS 0.75 250 0.011 250 0.011 0.14 WS	Zinc M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T)	TVS etals (ug/L) etals (ug/L) acute	TVS chronic 0.02-10 A TVS TVS TVS TVS TVS TVS TVS TVS
7a. Mainstem COGULG07A Designation Reviewable Qualifiers: Other: Other:	of Ward Creek, from the national for Classifications Agriculture Aq Life Cold 2 Recreation P Water Supply s not acted on segment total phosphorus (TP) c standards based on rim value for river/ segments with a cold	ast boundary to the confluence with Physical and Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorgani Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfate	Dirty George Creek. Biological DM CS-I acute 6.5 - 9.0 c (mg/L) acute TVS 0.019 0.005 10 0.005 10 0.005 	MWAT CS-I chronic 6.0 7.0 150 205 Chronic TVS 0.75 250 0.011 250 0.011 WS 0.02	Zinc M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	TVS etals (ug/L) etals (ug/L) acute 340 340 TVS 50	TVS chronic
7a. Mainstem COGULG07A Designation Reviewable Qualifiers: Other: Other: EPA has specific numeric the intel stream is water ad	of Ward Creek, from the national for Classifications Agriculture Aq Life Cold 2 Recreation P Water Supply S not acted on segment total phosphorus (TP) c standards based on rim value for river/ segments with a cold quatic life classification	Ammonia Boron Chloride Chloride Chloride Chloride Chloride Chloride Chloride Chloride Chloride Chloride Sulfide	Dirty George Creek. Biological DM CS-I acute 6.5 - 9.0 6.5 - 9.0 c (mg/L) c (mg/L) acute TVS 0.019 0.005 10 0.005 10 0.05 	MWAT CS-I chronic 6.0 7.0 205 0.01 Chronic TVS 0.75 250 0.011 0.01 	Zinc M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	TVS etals (ug/L) etals (ug/L) acute 340 340 TVS 5.0 50 TVS TVS TVS TVS 50 T	TVS chronic
7a. Mainstem COGULG07A Designation Reviewable Qualifiers: Other: Other: EPA ha specific numeric the intel stream i water ac (0.11 m)	of Ward Creek, from the national for Classifications Agriculture Aq Life Cold 2 Recreation P Water Supply s not acted on segment total phosphorus (TP) c standards based on rim value for river/ segments with a cold quatic life classification g/L TP).	Ammonia Boron Chloride Chloride Chloride Chloride Sulfide Sulfide	Dirty George Creek. Biological DM CS-I acute 6.5 - 9.0 6.5 - 9.0 6.5 - 9.0 0.019 0.005 10 0.005 10 0.05 0.019 0.005 10 	MWAT CS-I chronic 6.0 7.0 2.0 0.01 Chronic TVS 0.75 250 0.011 0.011 0.01 0.011 0.01 0.01 0.00 0.002	Zinc M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium Silver Uranium	TVS etals (ug/L) etals (ug/L) acute	TVS chronic

All metals are dissolved unless otherwise noted.

T = total recoverable

overable

t = total

tr = trout sc = sculpin D.O. = dissolved oxygen

DM = daily maximum

MWAT = maximum weekly average temperature

See 35.6 for further details on applied standards.

7b. Mainstem inception at the confluence with	of Surface Creek from the point of diver e confluence of Ward Creek and Dirty (th Kiser Creek; mainstem of Kiser Creek	sion of water supply (38.965216, George Creek to the confluence from the national forest bounda	, -107.876031) to the with the Gunnison Ri ary to the confluence	confluence ver; mainste with Ward C	with Tongue Creek; mainste m of Youngs Creek from the creek.	em of Tongue Creek national forest bou	from its ndary to the
COGULG07B	Classifications	Physical and	Biological		Ν	/letals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CS-II	CS-II	Aluminum		
	Recreation P		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02
Qualifiers:		D.O. (spawning)		7.0	Beryllium		
Other:		рН	6.5 - 9.0		Cadmium	TVS	TVS
Tomporary M	adification(c):	chlorophyll a (mg/m ²)		150*	Cadmium(T)	5.0	
	c) = hybrid	E. Coli (per 100 mL)		205	Chromium III		TVS
Expiration Date	e of 12/31/2024				Chromium III(T)	50	
• · · · · · · · · ·		Inorgar	nic (mg/L)		Chromium VI	TVS	TVS
the facilities list	(mg/m ²)(chronic) = applies only above sted at 35.5(4).		acute	chronic	Copper	TVS	TVS
*Phosphorus(c	hronic) = applies only above the $at 35.5(4)$	Ammonia	TVS	TVS	Iron		WS
lacintics listed	ut 00.0(4).	Boron		0.75	Iron(T)		1000
		Chloride		250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	
		Cvanide	0.005		Manganese	TVS	TVS/WS
EDA bos	a not acted on sogment-	Nitrate	10		Mercury		0.01(t)
Ispecific	total phosphorus (TP)	Nitrite	0.05		Molybdenum(T)		150
numeric	standards based on	Phosphorus		0.11*	Nickel	TVS	TVS
the inter	im value for river/	Sulfate		WS	Nickel(T)		100
etroam o	segments with a cold	Sulfide		0.002	Selenium	TVS	TVS
Sucar of	subtic life classification	Cumuo		0.002	Silver	TVS	TVS(tr)
(0.11 m)					Uranium		
(0.1111)	g/L TF).				Zinc	T\/S	TV/S/TV/S(sc)
8a. Mainstem	of Surface Creek, including all tributarie	s, from the national forest bound	dary to the point of di	version for p	ublic water supply (38.96521)	6, -107.876031).	110,110(00)
COGULG08A	Classifications	Physical and	Biological		Ν	/letals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02
Qualifiers:	•	D.O. (spawning)		7.0	Beryllium		
Other:		рН	6.5 - 9.0		Cadmium	TVS	TVS
T M	- Ff:(-)-	chlorophyll a (mg/m ²)		150	Cadmium(T)	5.0	
Arcopia(obropi	ouncation(s):	E. Coli (per 100 mL)		126	Chromium III		TVS
Expiration Date	e of 12/31/2024				Chromium III(T)	50	
Expiration Dat		Inorgar	nic (mg/L)		Chromium VI	TVS	TVS
*Manganese(c	hronic) = WS, TVS and 1000 ug/L		acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron		WS
		Boron		0.75	Iron(T)		1000
		Chloride		250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	
		Cvanide	0.005		Manganese	TVS	varies*
		Nitrate	10		Mercury		0.01(t)
		Nitrite	0.05		Molvbdenum(T)		150
		Phosphorus		0.11	Nickel	TVS	TVS
		Sulfate		W/S	Nickel(T)		100
		Sulfido		0.002	Selenium	 T\/S	TV/9
		Sullide		0.002	Silver		T\(\$(+r)
						1 1 3	1 v3(d)
					Zinc		
		1			ZINC	172	1 v 5/1 v 5(SC)

All metals are dissolved unless otherwise noted.

T = total recoverable

D.O. = dissolved oxygen

t = total

DM = daily maximum

MWAT = maximum weekly average temperature See 35.6 for further details on applied standards.

tr = trout sc = sculpin

8b. Mainstem	of Kannah Creek, inc	luding all tributari	es, from the national fores	t boundary to th	ne point of di	version for p	ublic water supply (38.96132	1, -108.229830).	
COGULG08B	Classifications	-	Physic	al and Biologi	cal		N	letals (ug/L)	
Designation	Agriculture				DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1		Temperature °C		CS-II	CS-II	Aluminum		
	Recreation E				acute	chronic	Arsenic	340	
	Water Supply		D.O. (mg/L)			6.0	Arsenic(T)		0.02
Qualifiers:			D.O. (spawning)			7.0	Beryllium		
Other:			pН		6.5 - 9.0		Cadmium	TVS	TVS
			chlorophyll a (mg/m ²)			150	Cadmium(T)	5.0	
*Manganese(c	hronic) = WS, TVS a	nd 1000 ug/L	E. Coli (per 100 mL)			126	Chromium III		TVS
							Chromium III(T)	50	
			h	norganic (mg/l	L)		Chromium VI	TVS	TVS
					acute	chronic	Copper	TVS	TVS
			Ammonia		TVS	TVS	Iron		WS
			Boron			0.75	Iron(T)		1000
			Chloride			250	Lead	TVS	TVS
			Chlorine		0.019	0.011	Lead(T)	50	
			Cyanide		0.005		Manganese	TVS	varies*
EPA has	not acted on	seament-	Nitrate		10		Mercury		0.01(t)
specific t	total phosphor	us (TP)	Nitrite		0.05		Molybdenum(T)		150
numeric	standards bas	ed on	Phosphorus			0.11	Nickel	TVS	TVS
the interi	im value for riv	ver/	Sulfate			WS	Nickel(T)		100
stream s	eaments with	a cold	Sulfide			0.002	Selenium	TVS	TVS
water ag	uatic life class	ification					Silver	TVS	TVS(tr)
(0.11 mg	μ/L TP).						Uranium		
(0.11 mg	g/L TP).						Uranium Zinc	TVS	 TVS/TVS(sc)
(0.11 mg 9. Fruitgrower	g/L TP).						Uranium Zinc	TVS	 TVS/TVS(sc)
(0.11 mg 9. Fruitgrower COGULG09	y/L TP). rs Reservoir. Classifications		Physic	al and Biologi	cal		Uranium Zinc	 TVS letals (ug/L)	 TVS/TVS(sc)
9. Fruitgrower COGULG09 Designation	s Reservoir. Classifications Agriculture		Physic	al and Biologi	cal DM	MWAT	Uranium Zinc N	 TVS letals (ug/L) acute	 TVS/TVS(sc) chronic
(0.11 mg 9. Fruitgrower COGULG09 Designation UP	s Reservoir. Classifications Agriculture Aq Life Warm 2		Physic: Temperature °C	al and Biologi	cal DM WL	MWAT WL	Uranium Zinc N Aluminum	 TVS letals (ug/L) acute 	 TVS/TVS(sc) chronic
(0.11 mg 9. Fruitgrower COGULG09 Designation UP	y/L TP). s Reservoir. Classifications Agriculture Aq Life Warm 2 Recreation E	4/1 - 10/31	Physic Temperature °C	al and Biologia	cal DM WL acute	MWAT WL chronic	Uranium Zinc N Aluminum Arsenic	 TVS letals (ug/L) acute 340	TVS/TVS(sc) chronic
(0.11 mg 9. Fruitgrower COGULG09 Designation UP	Arriculture Aq Life Warm 2 Recreation P	4/1 - 10/31 11/1 - 3/31	Physica Temperature °C D.O. (mg/L)	al and Biologi	cal DM WL acute 	MWAT WL chronic 5.0	Uranium Zinc N Aluminum Arsenic Arsenic(T)	 TVS letals (ug/L) 340 	 TVS/TVS(sc) chronic 7.6
(0.11 mg 9. Fruitgrower COGULG09 Designation UP Qualifiers:	A/L TP). Tes Reservoir. Classifications Agriculture Aq Life Warm 2 Recreation E Recreation P	4/1 - 10/31 11/1 - 3/31	Physic Temperature °C D.O. (mg/L) pH	al and Biologi	cal DM WL acute 6.5 - 9.0	MWAT WL chronic 5.0 	Uranium Zinc N Aluminum Arsenic Arsenic(T) Beryllium	 TVS letals (ug/L) 340 	 TVS/TVS(sc) chronic 7.6
(0.11 mg 9. Fruitgrower COGULG09 Designation UP Qualifiers: Fish Ingestion	x/L TP). s Reservoir. Classifications Agriculture Aq Life Warm 2 Recreation E Recreation P n	4/1 - 10/31 11/1 - 3/31	Physic Temperature °C D.O. (mg/L) pH chlorophyll a (ug/L)	al and Biologi	cal DM WL acute 6.5 - 9.0	MWAT WL chronic 5.0 	Uranium Zinc N Aluminum Arsenic Arsenic(T) Beryllium Cadmium	 TVS letals (ug/L) 340 TVS	 TVS/TVS(sc) 7.6 TVS
(0.11 mg 9. Fruitgrower COGULG09 Designation UP Qualifiers: Fish Ingestion Other:	A/L TP). The second se	4/1 - 10/31 11/1 - 3/31	Physica Temperature °C D.O. (mg/L) pH chlorophyll a (ug/L) E. Coli (per 100 mL)	al and Biologi 11/1 - 3/31	cal DM WL acute 6.5 - 9.0 	MWAT WL chronic 5.0 205	Uranium Zinc Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III	 TVS letals (ug/L) 340 TVS TVS	 TVS/TVS(sc) chronic 7.6 TVS TVS
(0.11 mg 9. Fruitgrower COGULG09 Designation UP Qualifiers: Fish Ingestion Other:	y/L TP). s Reservoir. Classifications Agriculture Aq Life Warm 2 Recreation E Recreation P n	4/1 - 10/31 11/1 - 3/31	Physica Temperature °C D.O. (mg/L) pH chlorophyll a (ug/L) E. Coli (per 100 mL) E. Coli (per 100 mL)	al and Biologi 11/1 - 3/31 4/1 - 10/31	cal DM WL acute 6.5 - 9.0 	MWAT WL chronic 5.0 205 126	Uranium Zinc N Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III	 TVS letals (ug/L) 340 TVS TVS TVS	 TVS/TVS(sc) 7.6 TVS TVS 100
(0.11 mg 9. Fruitgrower COGULG09 Designation UP Qualifiers: Fish Ingestion Other:	y/L TP). s Reservoir. Classifications Agriculture Aq Life Warm 2 Recreation E Recreation P n	4/1 - 10/31 11/1 - 3/31	Physic Temperature °C D.O. (mg/L) pH chlorophyll a (ug/L) E. Coli (per 100 mL) E. Coli (per 100 mL)	al and Biologi 11/1 - 3/31 4/1 - 10/31	cal DM WL acute 6.5 - 9.0 	MWAT WL chronic 5.0 205 126	Uranium Zinc N Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III Chromium III(T)	 TVS letals (ug/L) 340 TVS TVS TVS	 TVS/TVS(sc) 7.6 TVS TVS 100 TVS
(0.11 mg 9. Fruitgrower COGULG09 Designation UP Qualifiers: Fish Ingestion Other:	A/L TP). The second se	4/1 - 10/31 11/1 - 3/31	Physic Temperature °C D.O. (mg/L) pH chlorophyll a (ug/L) E. Coli (per 100 mL) E. Coli (per 100 mL)	al and Biologi 11/1 - 3/31 4/1 - 10/31 norganic (mg/I	cal DM WL acute 6.5 - 9.0 	MWAT WL chronic 5.0 205 126	Uranium Zinc N Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III Chromium III Chromium VI Copper	 TVS letals (ug/L) 340 TVS TVS TVS TVS TVS	TVS/TVS(sc) Chronic Chr
(0.11 mg 9. Fruitgrower COGULG09 Designation UP Qualifiers: Fish Ingestion Other:	A/L TP). The second se	4/1 - 10/31 11/1 - 3/31	Physics Temperature °C D.O. (mg/L) pH chlorophyll a (ug/L) E. Coli (per 100 mL) E. Coli (per 100 mL)	al and Biologi 11/1 - 3/31 4/1 - 10/31 norganic (mg/	cal DM WL acute 6.5 - 9.0 L) acute	MWAT WL chronic 5.0 205 126 chronic	Uranium Zinc N Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron(T)	 TVS letals (ug/L) 340 TVS TVS TVS TVS TVS 	 TVS/TVS(sc) chronic 7.6 7.6 100 TVS 100 TVS 100
(0.11 mg 9. Fruitgrower COGULG09 Designation UP Qualifiers: Fish Ingestion Other:	Arriculture Agriculture Aq Life Warm 2 Recreation E Recreation P	4/1 - 10/31 11/1 - 3/31	Physica Temperature °C D.O. (mg/L) pH chlorophyll a (ug/L) E. Coli (per 100 mL) E. Coli (per 100 mL)	al and Biologi 11/1 - 3/31 4/1 - 10/31 norganic (mg/l	cal DM WL acute 6.5 - 9.0 -	MWAT WL chronic 5.0 205 126 126 chronic	Uranium Zinc Aluminum Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead	 TVS letals (ug/L) 340 TVS TVS TVS TVS TVS TVS	 TVS/TVS(sc) chronic 7.6 7.6 100 TVS 100 TVS 1000 TVS 1000 TVS
(0.11 mg 9. Fruitgrower COGULG09 Designation UP Qualifiers: Fish Ingestion Other:	y/L TP). s Reservoir. Classifications Agriculture Aq Life Warm 2 Recreation E Recreation P n	4/1 - 10/31 11/1 - 3/31	Physic: Temperature °C D.O. (mg/L) pH chlorophyll a (ug/L) E. Coli (per 100 mL) E. Coli (per 100 mL) In Ammonia Boron	al and Biologi 11/1 - 3/31 4/1 - 10/31 norganic (mg/I	cal DM WL acute 6.5 - 9.0 TVS 	MWAT WL chronic 5.0 205 126 126 chronic TVS 0.75	Uranium Zinc Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese	 TVS letals (ug/L) 340 340 TVS TVS TVS TVS TVS TVS TVS TVS	 TVS/TVS(sc) chronic
(0.11 mg 9. Fruitgrower COGULG09 Designation UP Qualifiers: Fish Ingestion Other:	y/L TP). s Reservoir. Classifications Agriculture Aq Life Warm 2 Recreation E Recreation P n	4/1 - 10/31 11/1 - 3/31	Physica Temperature °C D.O. (mg/L) pH chlorophyll a (ug/L) E. Coli (per 100 mL) E. Coli (per 100 mL) Mmmonia Boron Chloride	al and Biologi 11/1 - 3/31 4/1 - 10/31 norganic (mg/	cal DM WL acute 6.5 - 9.0 L) acute TVS TVS	MWAT WL chronic 5.0 205 126 126 chronic TVS 0.75 	Uranium Zinc Aluminum Arsenic Arsenic(T) Beryllium Chromium III Chromium III Chromium III Chromium III Chromium VI Copper Iron(T) Lead Manganese Mercury	 TVS letals (ug/L) 340 340 TVS TVS TVS TVS TVS 	 TVS/TVS(sc)
(0.11 mg 9. Fruitgrower COGULG09 Designation UP Qualifiers: Fish Ingestion Other:	y/L TP). s Reservoir. Classifications Agriculture Aq Life Warm 2 Recreation E Recreation P n	4/1 - 10/31 11/1 - 3/31	Physica Temperature °C D.O. (mg/L) pH chlorophyll a (ug/L) E. Coli (per 100 mL) E. Coli (per 100 mL) Mmmonia Boron Chloride Chlorine	al and Biologi 11/1 - 3/31 4/1 - 10/31 norganic (mg/I	cal DM WL acute 6.5 - 9.0 	MWAT WL chronic 5.0 205 126 126 chronic TVS 0.75 0.011	Uranium Zinc Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T)	 TVS letals (ug/L) 340 340 TVS TVS TVS TVS TVS TVS TVS 	 TVS/TVS(sc)
(0.11 mg 9. Fruitgrower COGULG09 Designation UP Qualifiers: Fish Ingestion Other:	A/L TP). The second se	4/1 - 10/31 11/1 - 3/31	Physica Temperature °C D.O. (mg/L) pH chlorophyll a (ug/L) E. Coli (per 100 mL) E. Coli (per 100 mL) E. Coli (per 100 mL) Mammonia Boron Chloride Chlorine Cyanide	al and Biologi 11/1 - 3/31 4/1 - 10/31 norganic (mg/	cal DM WL acute 6.5 - 9.0 0.019 0.005	MWAT WL chronic 5.0 205 126 126 chronic TVS 0.75 0.75 0.011	Uranium Zinc N Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel	 TVS letals (ug/L) 340 340 TVS TVS TVS TVS TVS TVS TVS TVS	TVS/TVS(sc) TVS/TVS(sc) chronic chronic
(0.11 mg 9. Fruitgrower COGULG09 Designation UP Qualifiers: Fish Ingestion Other:	A/L TP).	4/1 - 10/31 11/1 - 3/31	Physica Temperature °C D.O. (mg/L) pH chlorophyll a (ug/L) E. Coli (per 100 mL) E. Coli (per 100 mL) Martine Chloride Chloride Chlorine Cyanide Nitrate	al and Biologi 11/1 - 3/31 4/1 - 10/31 norganic (mg/l	cal DM WL acute 6.5 - 9.0 CU 0.019 0.005 100	MWAT WL chronic 5.0 205 126 126 Chronic TVS 0.75 0.011 	Uranium Zinc Aluminum Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel Selenium	 TVS letals (ug/L) 340 340 TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS	TVS/TVS(sc) TVS(sc) Chronic Chronic
(0.11 mg 9. Fruitgrower COGULG09 Designation UP Qualifiers: Fish Ingestion Other:	s Reservoir. Classifications Agriculture Aq Life Warm 2 Recreation E Recreation P n	4/1 - 10/31 11/1 - 3/31	Physica Temperature °C D.O. (mg/L) pH chlorophyll a (ug/L) E. Coli (per 100 mL) E. Coli (per 100 mL) E. Coli (per 100 mL) Chloride Chloride Chlorine Cyanide Nitrate Nitrite	al and Biologi 11/1 - 3/31 4/1 - 10/31 norganic (mg/l	cal DM WL acute 6.5 - 9.0 TVS TVS 0.019 0.005 100 0.05	MWAT WL chronic 5.0 205 126 126 0.25 126 0.01 1 VS 0.75 0.75 0.011	Uranium Zinc Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel Selenium Silver	 TVS letals (ug/L) 340 340 TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS 	TVS/TVS(sc) TVS/TVS(sc) Chronic Chronic
(0.11 mg 9. Fruitgrower COGULG09 Designation UP Qualifiers: Fish Ingestion Other:	y/L TP). s Reservoir. Classifications Agriculture Aq Life Warm 2 Recreation E Recreation P n	4/1 - 10/31 11/1 - 3/31	Physica Temperature °C D.O. (mg/L) pH chlorophyll a (ug/L) E. Coli (per 100 mL) E. Coli (per 100 mL) E. Coli (per 100 mL) Coli (per 100 mL	al and Biologi 11/1 - 3/31 4/1 - 10/31 norganic (mg/l	cal DM WL acute 6.5 - 9.0 TVS TVS 0.019 0.005 100 0.05 100	MWAT WL chronic 5.0 205 126 126 Chronic Chronic 0.011 0.011 	Uranium Zinc Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel Selenium Silver Uranium	 TVS letals (ug/L) 340 340 TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS	 TVS/TVS(sc) chronic
(0.11 mg 9. Fruitgrower COGULG09 Designation UP Qualifiers: Fish Ingestion Other:	y/L TP). s Reservoir. Classifications Agriculture Aq Life Warm 2 Recreation E Recreation P n	4/1 - 10/31 11/1 - 3/31	Physica Temperature °C D.O. (mg/L) pH chlorophyll a (ug/L) E. Coli (per 100 mL) E. Coli (per 100 mL) E. Coli (per 100 mL) Chloride Chloride Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	al and Biologi 11/1 - 3/31 4/1 - 10/31 norganic (mg/	cal DM WL acute 6.5 - 9.0 VS 100 0.019 0.005 100 0.005 100 0.05	MWAT WL Chronic 5.0 205 126 126 0.01 0.011 0.011 0.01 	Uranium Zinc Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III Chromium III Chromium III Chromium III Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel Selenium Silver Uranium Zinc	 TVS letals (ug/L) 340 340 TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS	 TVS/TVS(sc) chronic

All metals are dissolved unless otherwise noted. T = total recoverable t = total tr = trout sc = sculpin

DM = daily maximum MWAT = maximum weekly average temperature See 35.6 for further details on applied standards.

D.O. = dissolved oxygen

10. Mainstem	of the Smith Fork from the confluence	of the North Smith Fork and South Sn	nith Fork to the c	confluence w	ith the Gunnison River.		
COGULG10	Classifications	Physical and Biol	ogical		Meta	ls (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CS-II	CS-II	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02
Qualifiers:		D.O. (spawning)		7.0	Beryllium		
Other:		рН	6.5 - 9.0		Cadmium	TVS	TVS
		chlorophyll a (mg/m ²)		150	Cadmium(T)	5.0	
		E. Coli (per 100 mL)		126	Chromium III		TVS
					Chromium III(T)	50	
		Inorganic (I	mg/L)		Chromium VI	TVS	TVS
			acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron		WS
		Boron		0.75	Iron(T)		1000
		Chloride		250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	
		Cyanide	0.005		Manganese	TVS	TVS/WS
EPA has	s not acted on segment-	Nitrate	10		Mercury		0.01(t)
specific	total phosphorus (TP)	Nitrite	0.05		Molybdenum(T)		150
numeric	standards based on	Phosphorus		0.11	Nickel	TVS	TVS
the inter	im value for river/	Sulfate		WS	Nickel(T)		100
streams	segments with a cold	Sulfide		0.002	Selenium	TVS	TVS
water ac	nuatic life classification				Silver	TVS	TVS(tr)
(0.11 m)	n/L TP)				Uranium		
(0.1111)	g/L 11 /.				Zinc	TVS	TVS/TVS(sc)
11a. All tributa	ries to the Smith Fork, including all we	l tlands. which are within national fores	t houndaries exc	ant for anoa	ific listings in Segment 11b. Do	n Creek from th	
	, 0		i boundarioo oxa	ception spec	me naunga m oogmone ma, boe	ig orcer nom ur	
confluence with	th Muddy Creek.	District on LD'id		cept for spec			
confluence with COGULG11A	th Muddy Creek.	Physical and Biol			Meta	ls (ug/L)	
confluence with COGULG11A Designation	th Muddy Creek. Classifications Agriculture	Physical and Biol	logical DM	MWAT	Meta	ls (ug/L) acute	chronic
confluence with COGULG11A Designation Reviewable	th Muddy Creek. Classifications Agriculture Aq Life Cold 1 Becreation E	Physical and Biol	logical DM CS-I	MWAT CS-I	Meta	Ils (ug/L) acute	chronic
confluence with COGULG11A Designation Reviewable	th Muddy Creek. Classifications Agriculture Aq Life Cold 1 Recreation E Water Surply	Physical and Biol	logical DM CS-I acute	MWAT CS-I chronic	Aluminum Arsenic	acute 340	chronic
confluence with COGULG11A Designation Reviewable	th Muddy Creek. Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Physical and Biol Temperature °C D.O. (mg/L)	ogical DM CS-I acute	MWAT CS-I chronic 6.0	Meta Aluminum Arsenic Arsenic(T)	Is (ug/L) acute 340 	chronic 0.02
confluence with COGULG11A Designation Reviewable Qualifiers:	th Muddy Creek. Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning)	ogical DM CS-I acute 	MWAT CS-I chronic 6.0 7.0	Meta Aluminum Arsenic Arsenic(T) Beryllium	Is (ug/L) acute 340 	chronic 0.02
Confluence with COGULG11A Designation Reviewable Qualifiers: Other:	th Muddy Creek. Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH	ogical DM CS-I acute 6.5 - 9.0	MWAT CS-I chronic 6.0 7.0 	Meta Aluminum Arsenic Arsenic(T) Beryllium Cadmium	Is (ug/L) acute 340 TVS	chronic 0.02 TVS
confluence with COGULG11A Designation Reviewable Qualifiers: Other:	th Muddy Creek. Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²)	logical DM CS-I acute 6.5 - 9.0 	MWAT CS-I chronic 6.0 7.0 150	Meta Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T)	Ils (ug/L) acute 340 TVS 5.0	chronic 0.02 TVS
confluence with COGULG11A Designation Reviewable Qualifiers: Other:	th Muddy Creek. Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL)	logical DM CS-1 acute 6.5 - 9.0 	MWAT CS-I chronic 6.0 7.0 150 126	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III	Ils (ug/L) acute 340 TVS 5.0 	chronic 0.02 TVS
confluence wit COGULG11A Designation Reviewable Qualifiers: Other:	th Muddy Creek. Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)	logical DM CS-1 acute 6.5 - 9.0 	MWAT CS-I chronic 6.0 7.0 150 126	Meta Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T)	acute 340 TVS 5.0 50	chronic 0.02 TVS TVS
confluence wit COGULG11A Designation Reviewable Qualifiers: Other:	th Muddy Creek. Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (n	ogical DM CS-I acute 6.5 - 9.0 mg/L)	MWAT CS-I chronic 6.0 7.0 150 126	Meta Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI	Is (ug/L) acute 340 TVS 5.0 50 TVS	chronic 0.02 TVS TVS TVS
confluence wit COGULG11A Designation Reviewable Qualifiers: Other:	th Muddy Creek. Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (mg/m ²)	ogical DM CS-I acute 6.5 - 9.0 mg/L) acute	MWAT CS-I chronic 6.0 7.0 150 126 chronic	Meta Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium VI Copper	Is (ug/L) acute 340 TVS 5.0 50 TVS TVS	chronic 0.02 TVS TVS TVS TVS TVS
confluence with COGULG11A Designation Reviewable Qualifiers: Other:	th Muddy Creek. Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (mg/ma)	ogical DM CS-I acute 6.5 - 9.0 mg/L) acute TVS	MWAT CS-I chronic 6.0 7.0 150 126 chronic TVS	Meta Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron	Is (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS 	chronic 0.02 TVS TVS TVS WS
confluence with COGULG11A Designation Reviewable Qualifiers: Other:	th Muddy Creek. Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (n Ammonia Boron	logical DM CS-I acute 6.5 - 9.0 mg/L) acute TVS 	MWAT CS-I chronic 6.0 7.0 150 126 chronic TVS 0.75	Meta Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T)	Is (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS 	chronic 0.02 TVS TVS TVS US
confluence with COGULG11A Designation Reviewable Qualifiers: Other:	th Muddy Creek. Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (n Ammonia Boron Chloride	logical DM CS-1 acute 6.5 - 9.0 mg/L) acute TVS TVS 	MWAT CS-I chronic 6.0 7.0 150 126 chronic TVS 0.75 250	Meta Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead	Is (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS TVS TVS	chronic 0.02 TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS WS 1000 TVS
confluence wit COGULG11A Designation Reviewable Qualifiers: Other:	th Muddy Creek. Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (n Ammonia Boron Chloride Chlorine	iogical DM CS-1 acute 6.5 - 9.0 mg/L) acute TVS UVS 0.019	MWAT CS-I chronic 6.0 7.0 150 126 chronic TVS 0.75 250 0.011	Meta Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T)	Is (ug/L) acute 340 TVS 50 TVS TVS TVS TVS TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 50 TVS 50 TVS 50 50 TVS 50 50 TVS 50 50 50 50 TVS 50 50 50 50 50 50 50 50 50 50	chronic 0.02 TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS
confluence wit COGULG11A Designation Reviewable Qualifiers: Other:	th Muddy Creek. Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (mg/m²) Chloride Chloride Chlorine Cyanide	iogical DM CS-I acute 6.5 - 9.0 mg/L) acute TVS C.019 0.005	MWAT CS-I chronic 6.0 7.0 150 126 chronic TVS 0.75 250 0.011 	Meta Aluminum Arsenic Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese	Is (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS 50 TVS TVS 	chronic 0.02 TVS
confluence wit COGULG11A Designation Reviewable Qualifiers: Other:	th Muddy Creek. Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (mg/m²) Chloride Chloride Chlorine Cyanide Nitrate	togical DM CS-1 acute 6.5 - 9.0 6.5 - 9.0 mg/L) acute TVS 0.019 0.005 10	MWAT CS-I chronic 6.0 7.0 150 126 chronic TVS 0.75 250 0.011 250	Meta Aluminum Arsenic Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury	Is (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS 	chronic 0.02 TVS TVS TVS TVS TVS TVS TVS TVS TVS US 1000 TVS TVS/WS 0.01(t)
confluence wit COGULG11A Designation Reviewable Qualifiers: Other:	th Muddy Creek. Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (n Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite	iogical DM CS-I acute 6.5 - 9.0 mg/L) acute TVS 0.019 0.005 10 0.05	MWAT CS-I chronic 6.0 7.0 150 126 Chronic TVS 0.75 250 0.011 	Meta Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T)	Is (ug/L) acute acute 340 TVS 5.0 50 TVS 50 TVS TVS 50 TVS 50 TVS 50 TVS TVS 50 TVS 	chronic 0.02 TVS TVS TVS TVS TVS TVS TVS TVS US 1000 TVS TVS/WS 0.01(t) 150
confluence wit COGULG11A Designation Reviewable Qualifiers: Other:	th Muddy Creek. Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (n Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	iogical DM CS-I acute 6.5 - 9.0 mg/L) acute TVS 0.019 0.005 10 0.05 	MWAT CS-I chronic 6.0 7.0 150 126 0.126 Chronic TVS 0.75 250 0.011 0.011 0.41	Meta Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel	Is (ug/L) acute acute 340 TVS 5.0 TVS 50 TVS TVS 50 TVS TVS	chronic 0.02 TVS TVS TVS TVS TVS TVS TVS TVS 0.00 TVS 0.001(t) 150 TVS
confluence with COGULG11A Designation Reviewable Qualifiers: Other:	th Muddy Creek. Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Physical and Biol	iogical DM CS-I acute 6.5 - 9.0 6.5 - 9.0 mg/L) acute TVS 0.019 0.005 10 0.05 	MWAT CS-I chronic 6.0 7.0 150 126 chronic TVS 0.75 250 0.011 0.11 0.11 WS	Meta Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T)	Is (ug/L) acute 340 TVS 5.0 50 TVS 50 TVS TVS 50 TVS 50 TVS 50 TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS 	chronic 0.02 TVS U00 TVS/WS 0.01(t) 150 TVS 100
confluence wit COGULG11A Designation Reviewable Qualifiers: Other:	th Muddy Creek.	Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (n Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	iogical DM CS-1 acute 6.5 - 9.0 6.5 - 9.0 mg/L) acute TVS 0.019 0.005 10 0.005 10 0.05 	MWAT CS-I chronic 6.0 7.0 150 126 chronic TVS 0.75 250 0.011 0.11 0.411 WS 0.002	Meta Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III Chromium III Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	Is (ug/L) acute 340 TVS 5.0 TVS 5.0 TVS TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS TVS	chronic 0.02 TVS TVS TVS TVS TVS TVS TVS 0.00100 TVS 0.01(t) 150 TVS 1000 TVS 1000 TVS 1000 TVS 1000 TVS
confluence wit COGULG11A Designation Reviewable Qualifiers: Other:	th Muddy Creek.	Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (n Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	iogical DM CS-1 acute 6.5 - 9.0 6.5 - 9.0 mg/L) acute TVS 0.019 0.005 10 0.005 10 0.05 	MWAT CS-I chronic 6.0 7.0 150 126 chronic TVS 0.75 250 0.011 250 0.011 0.11 WS 0.002	Meta Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium III(T) Chromium III(T) Chromium III(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium Silver	Is (ug/L) acute 340 TVS 50 TVS TVS TVS 50 TVS TVS 50 TVS 50 TVS TVS 	chronic 0.02 TVS TVS TVS TVS TVS TVS TVS TVS TVS US 1000 TVS US 0.01(t) 150 TVS 1000 TVS 100 TVS 100 TVS YS
confluence wit COGULG11A Designation Reviewable Qualifiers: Other:	th Muddy Creek.	Physical and Biol	iogical DM CS-1 acute 6.5 - 9.0 (0.5 - 9.0 mg/L) acute TVS 0.019 0.005 10 0.005 0.019	MWAT CS-I chronic 6.0 7.0 150 126 chronic TVS 0.75 250 0.011 250 0.011 0.411 WS 0.002	Meta Aluminum Arsenic Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium Silver Uranium	Is (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS 	chronic 0.02 TVS TVS TVS TVS TVS TVS TVS TVS TVS 1000 TVS O.01(t) 150 TVS 1000 TVS TVS/WS 0.01(t) 150 TVS TVS TVS 100 TVS TVS(tr)
confluence wit COGULG11A Designation Reviewable Qualifiers: Other:	th Muddy Creek.	Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (n Ammonia Boron Chloride Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	iogical DM CS-1 acute 6.5 - 9.0 6.5 - 9.0 0.019 0.005 10 0.005 10 0.05 -	MWAT CS-I chronic 6.0 7.0 150 126 0.126 Chronic TVS 0.75 250 0.011 0.011 0.011 0.011 0.011 0.002	Meta Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III(T) Nichol (T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium Silver Uranium Zinc	Is (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS TVS	chronic 0.02 TVS 1000 TVS 0.01(t) 150 TVS 1000 TVS 0.01(t) 150 TVS 100 TVS 100 TVS TVS(tr) TVS(tr)

All metals are dissolved unless otherwise noted.

T = total recoverable

D.O. = dissolved oxygen DM = daily maximum

MWAT = maximum weekly average temperature

See 35.6 for further details on applied standards.

tr = trout sc = sculpin

t = total

11b. All tributa	ries to the Smith Fork, including all we	tlands, which are within the West Elk	Wilderness Area.				
COGULG11B	Classifications	Physical and Bio	logical		Met	als (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
OW	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02
Qualifiers:		D.O. (spawning)		7.0	Beryllium		
Other:		рН	6.5 - 9.0		Cadmium	TVS	TVS
		chlorophyll a (mg/m ²)		150	Cadmium(T)	5.0	
		E. Coli (per 100 mL)		126	Chromium III		TVS
					Chromium III(T)	50	
		Inorganic (mg/L)		Chromium VI	TVS	TVS
			acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron		WS
		Boron		0.75	Iron(T)		1000
		Chloride		250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	
		Cyanide	0.005		Manganese	TVS	TVS/WS
FPA has	s not acted on segment-	Nitrate	10		Mercury		0.01(t)
specific	total phosphorus (TP)	Nitrite	0.05		Molybdenum(T)		150
numeric	standards based on	Phosphorus		0.11	Nickel	TVS	TVS
the inter	im value for river/	Sulfate		WS	Nickel(T)		100
streams	segments with a cold	Sulfide		0.002	Selenium	TVS	TVS
water ac	nuatic life classification				Silver	TVS	TVS(tr)
(0.11 m)	n/L TP)				Uranium		
(01111)	9, ,.				Zinc	TVS	TVS
12. All tributari	ies to the Smith Fork, including all wetl	ands, which are not within national for	est boundaries,	except for th	e specific listing in Segment 1 ²	1a.	
12. All tributari COGULG12	ies to the Smith Fork, including all weth Classifications	ands, which are not within national for Physical and Bio	rest boundaries, logical	except for th	e specific listing in Segment 1 [°] Met	1a. :als (ug/L)	
12. All tributari COGULG12 Designation	ies to the Smith Fork, including all weth Classifications Agriculture	ands, which are not within national for Physical and Bio	est boundaries, logical DM	except for th	e specific listing in Segment 1 [*] Met	la. :als (ug/L) acute	chronic
12. All tributari COGULG12 Designation Reviewable	ies to the Smith Fork, including all weth Classifications Agriculture Aq Life Warm 2	ands, which are not within national for Physical and Bio Temperature °C	rest boundaries, logical DM WS-III	MWAT WS-III	e specific listing in Segment 1 [*] Met Aluminum	la. als (ug/L) acute 	chronic
12. All tributari COGULG12 Designation Reviewable	ies to the Smith Fork, including all weth Classifications Agriculture Aq Life Warm 2 Recreation P	nds, which are not within national for Physical and Bio Temperature °C	rest boundaries, logical DM WS-III acute	MWAT WS-III chronic	e specific listing in Segment 1* Met Aluminum Arsenic	ta. :als (ug/L) acute 340	chronic
12. All tributari COGULG12 Designation Reviewable	ies to the Smith Fork, including all weth Classifications Agriculture Aq Life Warm 2 Recreation P Water Supply	ands, which are not within national for Physical and Bio Temperature °C D.O. (mg/L)	rest boundaries, logical DM WS-III acute 	MWAT WS-III chronic 5.0	e specific listing in Segment 1 [*] Met Aluminum Arsenic Arsenic(T)	ta. als (ug/L) acute 340 	chronic 0.02-10 ^A
12. All tributari COGULG12 Designation Reviewable Qualifiers:	ies to the Smith Fork, including all weth Classifications Agriculture Aq Life Warm 2 Recreation P Water Supply	nds, which are not within national for Physical and Bio Temperature °C D.O. (mg/L) pH	rest boundaries, logical DM WS-III acute 6.5 - 9.0	MWAT WS-III chronic 5.0	e specific listing in Segment 1 ^r Met Aluminum Arsenic Arsenic(T) Beryllium	ta. als (ug/L) acute 340 	chronic 0.02-10 ^A
12. All tributari COGULG12 Designation Reviewable Qualifiers: Other:	ies to the Smith Fork, including all weth Classifications Agriculture Aq Life Warm 2 Recreation P Water Supply	nds, which are not within national for Physical and Bio Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m²)	rest boundaries, logical DM WS-III acute 6.5 - 9.0 	MWAT WS-III chronic 5.0 150	e specific listing in Segment 17 Met Aluminum Arsenic Arsenic(T) Beryllium Cadmium	ta. aats (ug/L) acute 340 TVS	chronic 0.02-10 ^A TVS
12. All tributari COGULG12 Designation Reviewable Qualifiers: Other:	ies to the Smith Fork, including all weth Classifications Agriculture Aq Life Warm 2 Recreation P Water Supply	Ands, which are not within national for Physical and Bio Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)	rest boundaries, logical DM WS-III acute 6.5 - 9.0 	wS-III wS-III chronic 5.0 150 205	e specific listing in Segment 1* Met Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T)	ta. als (ug/L) acute 340 TVS 5.0	chronic 0.02-10 A TVS
12. All tributari COGULG12 Designation Reviewable Qualifiers: Other:	ies to the Smith Fork, including all weth Classifications Agriculture Aq Life Warm 2 Recreation P Water Supply	Ands, which are not within national for Physical and Bio Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (mg/m ²)	rest boundaries, logical DM WS-III acute 6.5 - 9.0 mg/L)	wS-III wS-III chronic 5.0 150 205	e specific listing in Segment 17 Met Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III	ta. aats (ug/L) acute 340 TVS 5.0 	chronic 0.02-10 ^A TVS TVS
12. All tributari COGULG12 Designation Reviewable Qualifiers: Other:	ies to the Smith Fork, including all weth Classifications Agriculture Aq Life Warm 2 Recreation P Water Supply	Ands, which are not within national for Physical and Bio Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (mg/m²)	rest boundaries, logical DM WS-III acute 6.5 - 9.0 mg/L) acute	except for th MWAT WS-III chronic 5.0 150 205 chronic	e specific listing in Segment 1* Met Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T)	ta. aats (ug/L) acute 340 TVS 5.0 50	chronic 0.02-10 ^A TVS TVS
12. All tributari COGULG12 Designation Reviewable Qualifiers: Other:	ies to the Smith Fork, including all weth Classifications Agriculture Aq Life Warm 2 Recreation P Water Supply	Ammonia	rest boundaries, logical DM WS-III acute 6.5 - 9.0 mg/L) acute TVS	except for th MWAT WS-III chronic 5.0 150 205 chronic TVS	e specific listing in Segment 17 Met Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium Cadmium(T) Chromium III Chromium III Chromium VI	ta. als (ug/L) acute 340 TVS 5.0 50 TVS	chronic 0.02-10 ^A TVS TVS TVS
12. All tributari COGULG12 Designation Reviewable Qualifiers: Other:	ies to the Smith Fork, including all weth Classifications Agriculture Aq Life Warm 2 Recreation P Water Supply	Ammonia Boron	rest boundaries, logical DM WS-III acute 6.5 - 9.0 mg/L) acute TVS 	except for th MWAT WS-III chronic 5.0 150 205 chronic TVS 0.75	e specific listing in Segment 1* Met Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper	ta. acute 340 TVS 5.0 50 TVS TVS TVS	chronic 0.02-10 A TVS TVS TVS TVS TVS
12. All tributari COGULG12 Designation Reviewable Qualifiers: Other:	ies to the Smith Fork, including all weth Classifications Agriculture Aq Life Warm 2 Recreation P Water Supply	Ammonia Boron Chloride	rest boundaries, logical DM WS-III acute 6.5 - 9.0 mg/L) acute TVS TVS	except for th MWAT WS-III chronic 5.0 150 205 chronic TVS 0.75 250	e specific listing in Segment 1* Met Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium Cadmium(T) Chromium III Chromium III Chromium VI Copper Iron	ta. aats (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS 	chronic 0.02-10 A TVS TVS TVS TVS TVS WS
12. All tributari COGULG12 Designation Reviewable Qualifiers: Other:	ies to the Smith Fork, including all weth Classifications Agriculture Aq Life Warm 2 Recreation P Water Supply	Ammonia Boron Chlorine	rest boundaries, logical DM WS-III acute 6.5 - 9.0 mg/L) acute TVS TVS 0.019	except for th MWAT WS-III chronic 5.0 150 205 chronic TVS 0.75 250 0.011	e specific listing in Segment 1* Met Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T)	ta. aats (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS 	chronic 0.02-10 ^A TVS TVS TVS TVS TVS TVS WS 1000
12. All tributari COGULG12 Designation Reviewable Qualifiers: Other:	ies to the Smith Fork, including all weth Classifications Agriculture Aq Life Warm 2 Recreation P Water Supply	Ammonia Boron Chloride Cyanide	rest boundaries, logical DM WS-III acute 6.5 - 9.0 mg/L) acute TVS 0.019 0.005	except for th MWAT WS-III chronic 5.0 150 205 chronic TVS 0.75 250 0.011 	e specific listing in Segment 17 Met Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead	ta. aats (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS	chronic 0.02-10 ^A TVS TVS TVS TVS TVS TVS WS 1000 TVS
12. All tributari COGULG12 Designation Reviewable Qualifiers: Other:	ies to the Smith Fork, including all weth Classifications Agriculture Aq Life Warm 2 Recreation P Water Supply	Ammonia Boron Chloride Cyanide Nitrate	rest boundaries, logical DM WS-III acute 6.5 - 9.0 mg/L) acute TVS 0.019 0.005 10	except for th MWAT WS-III chronic 5.0 150 205 chronic TVS 0.75 250 0.011 	e specific listing in Segment 1* Met Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T)	ta. aals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 50 TVS 50 50 TVS 50 50 50 50 50 50 50 50 50 50	chronic 0.02-10 A TVS TVS TVS TVS WS 1000 TVS
12. All tributari COGULG12 Designation Reviewable Qualifiers: Other:	ies to the Smith Fork, including all weth Classifications Agriculture Aq Life Warm 2 Recreation P Water Supply	Ammonia Boron Chloride Cyanide Nitrate Nitrite	rest boundaries, logical DM WS-III acute 6.5 - 9.0 mg/L) acute TVS 0.019 0.005 10 0.05	except for th MWAT WS-III chronic 5.0 150 205 chronic TVS 0.75 250 0.011 	e specific listing in Segment 1* Met Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese	ta. acute acute 340 TVS 5.0 TVS 50 TVS TVS TVS TVS 50 TVS	chronic 0.02-10 A TVS TVS TVS WS 1000 TVS TVSWS
12. All tributari COGULG12 Designation Reviewable Qualifiers: Other:	ies to the Smith Fork, including all weth Classifications Agriculture Aq Life Warm 2 Recreation P Water Supply S not acted on segment-	Ammonia Boron Chloride Cyanide Nitrite Phosphorus	rest boundaries, logical DM WS-III acute 6.5 - 9.0 () mg/L) acute TVS 0.019 0.005 10 0.05 10	except for th MWAT WS-III chronic 5.0 150 205 chronic TVS 0.75 250 0.011 250 0.011 0.17	e specific listing in Segment 1* Met Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury	ta. atals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS 50 TVS TVS 50 TVS 	chronic 0.02-10 A TVS TVS TVS WS 1000 TVS WS 1000 TVS TVS/WS 0.01(t)
12. All tributari COGULG12 Designation Reviewable Qualifiers: Other:	ies to the Smith Fork, including all weth Classifications Agriculture Aq Life Warm 2 Recreation P Water Supply S not acted on segment- total phosphorus (TP)	Ammonia Boron Chloride Chlorine Cyanide Nitrite Phosphorus Sulfate	rest boundaries, logical DM WS-III acute 6.5 - 9.0 mg/L) acute TVS 0.019 0.005 10 0.05 10 0.05	except for th MWAT WS-III chronic 5.0 150 205 chronic TVS 0.75 250 0.011 250 0.011 0.47 WS	e specific listing in Segment 17 Met Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T)	ta. aats (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS 50 TVS TVS 50 TVS TVS 	chronic 0.02-10 A TVS TVS TVS TVS WS 1000 TVS WS 1000 TVS S US 1000 TVS
12. All tributari COGULG12 Designation Reviewable Qualifiers: Other: EPA ha specific numeric	ies to the Smith Fork, including all wett Classifications Agriculture Aq Life Warm 2 Recreation P Water Supply S not acted on segment- total phosphorus (TP) c standards based on	Ammonia Boron Chloride Chloride Chloride Nitrate Nitrite Phosphorus Sulfate Sulfide	rest boundaries, logical DM WS-III acute 6.5 - 9.0 mg/L) acute TVS 0.019 0.005 10 0.005 10 0.05 10 0.05 	except for th MWAT WS-III chronic 5.0 150 205 Chronic TVS 0.75 250 0.011 0.011 0.17 WS 0.002	e specific listing in Segment 17 Met Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel	ta. aats (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS	chronic 0.02-10 A TVS TVS TVS WS 1000 TVS WS 1000 TVS S US 1000 TVS 1000 TVS
12. All tributari COGULG12 Designation Reviewable Qualifiers: Other: EPA ha specific numeric the inter	ies to the Smith Fork, including all wett Classifications Agriculture Aq Life Warm 2 Recreation P Water Supply S not acted on segment- total phosphorus (TP) c standards based on rim value for river/	Ammonia Boron Chloride Chloride Chloride Chloride Chloride Chloride Nitrate Nitrite Phosphorus Sulfate Sulfide	rest boundaries, logical DM WS-III acute 6.5 - 9.0 mg/L) acute TVS 0.019 0.005 10 0.005 10 0.05 	except for th MWAT WS-III chronic 5.0 150 205 Chronic TVS 0.75 250 0.011 0.17 0.17 WS 0.002	e specific listing in Segment 1* Met Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T)	ta. atals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 	chronic 0.02-10 A TVS TVS TVS WS 1000 TVS WS 1000 TVS S US 0.01(t) 150 TVS 100
12. All tributari COGULG12 Designation Reviewable Qualifiers: Other: Other: EPA ha specific numeric the inter stream	ies to the Smith Fork, including all wett Classifications Agriculture Aq Life Warm 2 Recreation P Water Supply S not acted on segment- total phosphorus (TP) c standards based on rim value for river/ segments with a warm	Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfate Sulfate	rest boundaries, logical DM WS-III acute 6.5 - 9.0 () mg/L) acute TVS 0.019 0.005 10 0.005 10 0.05 	except for th MWAT WS-III chronic 5.0 150 205 Chronic TVS 0.75 250 0.011 0.17 WS 0.002	e specific listing in Segment 1* Met Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	ta. aats (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS	chronic 0.02-10 A TVS TVS TVS TVS WS 1000 TVS WS 1000 TVS TVS/WS 0.01(t) 150 TVS 100 TVS
12. All tributari COGULG12 Designation Reviewable Qualifiers: Other: Other: EPA ha specific numeric the intel stream i water au	ies to the Smith Fork, including all wett Classifications Agriculture Aq Life Warm 2 Recreation P Water Supply s not acted on segment- total phosphorus (TP) c standards based on rim value for river/ segments with a warm quatic life classification	Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	rest boundaries, logical DM WS-III acute 6.5 - 9.0 mg/L) acute TVS 0.019 0.005 10 0.005 10 0.05 	except for th MWAT WS-III chronic 5.0 150 205 Chronic TVS 0.75 250 0.011 0.011 0.417 WS 0.002	e specific listing in Segment 1* Met Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium Silver	ta. als (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS 50 TVS 50 TVS TVS 50 TVS TVS 50 TVS 50 TVS 50 TVS TVS 50 TVS TVS TVS	Chronic 0.02-10 Å TVS TVS TVS WS 1000 TVS WS 1000 TVS TVS/WS 0.01(t) 150 TVS 100 TVS 100 TVS
12. All tributari COGULG12 Designation Reviewable Qualifiers: Other: Other: EPA ha specific numeric the intel stream water au (0.17 m	ies to the Smith Fork, including all wett Classifications Agriculture Aq Life Warm 2 Recreation P Water Supply S not acted on segment- total phosphorus (TP) c standards based on rim value for river/ segments with a warm quatic life classification g/L TP).	Ammonia Boron Chloride Chlorine Cyanide Nitrite Phosphorus Sulfate Sulfide	rest boundaries, logical DM WS-III acute 6.5 - 9.0 mg/L) acute TVS 0.019 0.005 10 0.005 10 0.05 	except for th MWAT WS-III chronic 5.0 150 205 chronic TVS 0.75 250 0.011 0.011 0.011 WS 0.002	e specific listing in Segment 1* Met Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium Silver Uranium	1a. acute 340 340 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS <tr td=""></tr>	chronic 0.02-10 A TVS TVS TVS WS 1000 TVS WS 1000 TVS 0.01(t) 150 TVS 0.01(t) 150 TVS 100 TVS 0.01(t) 150 TVS

All metals are dissolved unless otherwise noted.

T = total recoverable

t = total

tr = trout

sc = sculpin

D.O. = dissolved oxygen

DM = daily maximum

13. Crawford	Reservoir.						
COGULG13	Classifications	Physical and Biolog	ical			Metals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Warm 1	Temperature °C	WL	WL	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
Qualifiers:		D.O. (mg/L)		5.0	Arsenic(T)		7.6
Other:		рН	6.5 - 9.0		Beryllium		
		chlorophyll a (ug/L)		20*	Cadmium	TVS	TVS
*chlorophyll a and reservoirs	(ug/L)(chronic) = applies only to lakes a larger than 25 acres surface area.	E. Coli (per 100 mL)		126	Chromium III	TVS	TVS
*Phosphorus(c	hronic) = applies only to lakes and	Inorganic (mg/	/L)		Chromium III(T)		100
reservoirs larg	jer inan 25 acres sunace area.		acute	chronic	Chromium VI	TVS	TVS
		Ammonia	TVS	TVS	Copper	TVS	TVS
		Boron		0.75	Iron(T)		1000
		Chloride			Lead	TVS	TVS
	a not acted on comment	Chlorine	0.019	0.011	Manganese	TVS	TVS
	total phoephorus (TD)	Cyanide	0.005		Mercury		0.01(t)
specific	standarda basad an	Nitrate	100		Molybdenum(T)		150
the inter	im volue for loke/	Nitrite	0.05		Nickel	TVS	TVS
	r comporte with a cold	Phosphorus		0.083*	Selenium	TVS	TVS
water a	ruatic life classification	Sulfate			Silver	TVS	TVS
(0 083 n	na/L TP)	Sulfide		0.002	Uranium		
(0.003 1	ng/ב דד).				Zinc	TVS	TVS

14. All lakes and reservoirs tributary to the Gunnison River, from the outlet of Crystal Reservoir to the confluence with the Colorado River, and within national forest boundaries, excluding listings in the North Fork of the Gunnison River sub-basin, the Uncompangre River sub-basin, and Segments 15, 17 and 18. This segment includes Trickle Reservoir, Hale Reservoir, Marcott Park Reservoir, Cherry Lane Reservoir, Cole Reservoirs, Cedar Mesa Reservoir, Kehmeier Reservoir, Weir and Johnson Reservoir, Bonita Reservoir, Blanche Park Reservoir, Vela Reservoir, Kox Reservoir, Baron Lake, Upper Eggleston Lake, Upper Hotel Lake, Arch Slough, Alexander Lake, Granby Reservoir, Bounder Lake, Kennicott Slough Reservoir, Baron Lake, Upper Eggleston Lake, Upper Hotel Lake, Hotel Lake, Arch Slough, Alexander Lake, Granby Reservoir, Deep Ward Lake, Kennicott Slough Reservoir, Carson Lake, Crane Lake, Flowing Park, Blue Lake, Chambers Reservoir, Scales Lakes, Grand Mesa Reservoir, Anderson Reservoirs, Bolen Reservoir, Bolen Anderson-Jacobs Reservoir 2, Hollenbeck Reservoir 2, Cliff Lake Reservoirs, Lee Reservoirs, Lone Pine Reservoirs, Bullfrog Reservoir, Twin Lake, Harry White Reservoirs, Beaver Dam Reservoir, and Fruita Reservoirs 1 and 2.

COGULG14	Classifications	Physical and Biolog	gical			Metals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CL	CL	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02
Qualifiers:		D.O. (spawning)		7.0	Beryllium		
Other:		рН	6.5-9.0		Cadmium	TVS	TVS
		chlorophyll a (ug/L)		8*	Cadmium(T)	5.0	
*chlorophyll a and reservoirs	(ug/L)(chronic) = applies only to lakes larger than 25 acres surface area.	E. Coli (per 100 mL)		126	Chromium III		TVS
*Phosphorus(c	hronic) = applies only to lakes and				Chromium III(T)	50	
Teser voirs laig	jei liidii 25 acies suilace alea.	Inorganic (mg	j/L)		Chromium VI	TVS	TVS
			acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron		WS
		Boron		0.75	Iron(T)		1000
		Chloride		250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	
		Cyanide	0.005		Manganese	TVS	TVS/WS
		Nitrate	10		Mercury		0.01(t)
		Nitrite	0.05		Molybdenum(T)		150
		Phosphorus		0.025*	Nickel	TVS	TVS
		Sulfate		WS	Nickel(T)		100
		Sulfide		0.002	Selenium	TVS	TVS
					Silver	TVS	TVS(tr)
					Uranium		
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted.

T = total recoverable

D.O. = dissolved oxygen

t = total

tr = troutsc = sculpin

DM = daily maximum MWAT = maximum weekly average temperature

See 35.6 for further details on applied standards.

15. Island Lak	e, Eggleston Lake, and Trickle Park Re	servoir (aka Park Reservoir).					
COGULG15	Classifications	Physical and Biologic	al		Me	atals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CLL	CLL	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02
Qualifiers:		D.O. (spawning)		7.0	Beryllium		
Other:		рН	6.5-9.0		Cadmium	TVS	TVS
		chlorophyll a (ug/L)		8*	Cadmium(T)	5.0	
*chlorophyll a and reservoirs	(ug/L)(chronic) = applies only to lakes s larger than 25 acres surface area.	E. Coli (per 100 mL)		126	Chromium III		TVS
*Phosphorus(c	thronic) = applies only to lakes and				Chromium III(T)	50	
	yei inan 20 acres surrace area.	Inorganic (mg/L	.)		Chromium VI	TVS	TVS
			acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron		WS
		Boron		0.75	Iron(T)		1000
		Chloride		250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	
		Cyanide	0.005		Manganese	TVS	TVS/WS
		Nitrate	10		Mercury		0.01(t)
		Nitrite	0.05		Molybdenum(T)		150
		Phosphorus		0.025*	Nickel	TVS	TVS
		Sulfate		WS	Nickel(T)		100
		Sulfide		0.002	Selenium	TVS	TVS
					Silver	TVS	TVS(tr)
					Uranium		
					Zinc	TVS	TVS

16. All lakes a boundaries, ex Springs Reser Reservoir, End	6. All lakes and reservoirs that are tributary to the Gunnison River, from the outlet of Crystal Reservoir to the confluence with the Colorado River, and not within national forest oundaries, excluding the listings in the North Fork of the Gunnison sub-basin, the Uncompander River sub-basin, and Segments 9, 13, and 19. This segment includes Poison Springs Reservoir, Dry Fork Reservoir, Delta Reservoir, Winkler Reservoir, Desert Reservoir, Alkali Reservoir, Cheney Reservoir, Juniata Reservoir, Hallenbeck Reservoir, Reeder Reservoir, Enochs Lake, Gobbo Reservoir, Schrader Reservoir, and King Reservoir.									
COGULG16	Classifications	Physical and Biolog	gical		Me	etals (ug/L)				
Designation	Agriculture		DM	MWAT		acute	chronic			
Reviewable	Aq Life Warm 1	Temperature °C	WL	WL	Aluminum					
	Recreation E		acute	chronic	Arsenic	340				
	Water Supply	D.O. (mg/L)		5.0	Arsenic(T)		0.02			
	DUWS*	pН	6.5 - 9.0		Beryllium					
Qualifiers:		chlorophyll a (ug/L)		20*	Cadmium	TVS	TVS			
Other:		E. Coli (per 100 mL)		126	Cadmium(T)	5.0				
*ablaraphull a		Inorganic (mg	g/L)		Chromium III		TVS			
and reservoirs	(ug/L)(chronic) = applies only to takeslarger than 25 acres surface area.		acute	chronic	Chromium III(T)	50				
*Classification:	DUWS applies to Hallenbeck and	Ammonia	TVS	TVS	Chromium VI	TVS	TVS			
*Phosphorus(c	hronic) = applies only to lakes and	Boron		0.75	Copper	TVS	TVS			
reservoirs larg	er than 25 acres surface area.	Chloride		250	Iron		WS			
		Chlorine	0.019	0.011	Iron(T)		1000			
		Cyanide	0.005		Lead	TVS	TVS			
		Nitrate	10		Lead(T)	50				
		Nitrite	0.5		Manganese	TVS	TVS/WS			
EPA has	s not acted on segment-	Phosphorus		0.083*	Mercury		0.01(t)			
specific	total phosphorus (TP)	Sulfate		WS	Molybdenum(T)		150			
numeric	standards based on	Sulfide		0.002	Nickel	TVS	TVS			
the inter	im value for lake/				Nickel(T)		100			
reservoi	r segments with a cold				Selenium	TVS	TVS			
water ad	quatic life classification				Silver	TVS	TVS			
(0.083 n	ng/L TP).				Uranium					
<u> </u>	o ,				Zinc	TVS	TVS			

17. All lakes a	nd reservoirs tributary to the Smith For	and within national forest boundaries	excluding the	listings in Se	ament 18. All lakes and reserv	oirs tributary to Dou	ja Creek.
COGULG17	Classifications	Physical and Biolog	gical	inetinge in ee	Met	als (ug/L)	.g 010014
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Ag Life Cold 1	Temperature °C	CL	CL	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02
Qualifiers:		D.O. (spawning)		7.0	Bervllium		
Other:		PH	6.5 - 9.0		Cadmium	TVS	TVS
other.		, chlorophyll, a (ug/L)		8*	Cadmium(T)	50	
*chlorophyll a	(ug/L)(chronic) = applies only to lakes	E Coli (per 100 ml.)		126	Chromium III	0.0	TVS
*Phosphorus(c	hronic) = applies only to lakes and			120		50	
reservoirs larg	ger than 25 acres surface area.	In example (me	m/l)			TVS	TVS
			J/L)	chronic	Copper	TVS	TVS
		A	acute	TVO	Irop	103	103
		Ammonia	172	0.75	Iron		1000
		Boron		0.75			1000
		Chloride		250	Lead	IVS	IVS
		Chlorine	0.019	0.011	Lead(T)	50	
		Cyanide	0.005		Manganese	TVS	TVS/WS
		Nitrate	10		Mercury		0.01(t)
		Nitrite	0.05		Molybdenum(T)		150
		Phosphorus		0.025*	Nickel	TVS	TVS
		Sulfate		WS	Nickel(T)		100
		Sulfide		0.002	Selenium	TVS	TVS
					Silver	TVS	TVS(tr)
					Uranium		
					Zinc	TVS	TVS
18. All lakes a	nd reservoirs tributary to the Smith Fork	k, and are within the West Elk Wilderner	ss Area.				
18. All lakes a COGULG18	nd reservoirs tributary to the Smith Fork Classifications	k, and are within the West Elk Wilderner Physical and Biolog	ss Area. gical		Met	als (ug/L)	
18. All lakes an COGULG18 Designation	nd reservoirs tributary to the Smith Fork Classifications Agriculture	, and are within the West Elk Wilderne Physical and Biolog	ss Area. gical DM	MWAT	Met	als (ug/L) acute	chronic
18. All lakes a COGULG18 Designation OW	nd reservoirs tributary to the Smith Fork Classifications Agriculture Aq Life Cold 1	c, and are within the West Elk Wilderner Physical and Biolog Temperature °C	ss Area. gical DM CL	MWAT CL	Met	als (ug/L) acute 	chronic
18. All lakes a COGULG18 Designation OW	nd reservoirs tributary to the Smith Fork Classifications Agriculture Aq Life Cold 1 Recreation E	c, and are within the West Elk Wilderne Physical and Biolog Temperature °C	ss Area. gical DM CL acute	MWAT CL chronic	Met Aluminum Arsenic	als (ug/L) acute 340	chronic
18. All lakes a COGULG18 Designation OW	nd reservoirs tributary to the Smith Fork Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	c, and are within the West Elk Wilderner Physical and Biolog Temperature °C D.O. (mg/L)	ss Area. gical DM CL acute 	MWAT CL chronic 6.0	Met Aluminum Arsenic Arsenic(T)	als (ug/L) acute 340 	chronic 0.02
18. All lakes a COGULG18 Designation OW Qualifiers:	nd reservoirs tributary to the Smith Fork Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	c, and are within the West Elk Wilderner Physical and Biolog Temperature °C D.O. (mg/L) D.O. (spawning)	ss Area. gical DM CL acute 	MWAT CL chronic 6.0 7.0	Met Aluminum Arsenic Arsenic(T) Beryllium	als (ug/L) acute 340 	chronic 0.02
18. All lakes a COGULG18 Designation OW Qualifiers: Other:	nd reservoirs tributary to the Smith Fork Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	c, and are within the West Elk Wilderner Physical and Biolog Temperature °C D.O. (mg/L) D.O. (spawning) pH	ss Area. gical DM CL acute 6.5 - 9.0	MWAT CL chronic 6.0 7.0 	Met Aluminum Arsenic Arsenic(T) Beryllium Cadmium	als (ug/L) acute 340 TVS	chronic 0.02 TVS
18. All lakes a COGULG18 Designation OW Qualifiers: Other:	nd reservoirs tributary to the Smith Fork Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply (co.f) (cleanic) and in a solute labor	c, and are within the West Elk Wilderner Physical and Biolog Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L)	ss Area. gical DM CL acute 6.5 - 9.0 	MWAT CL chronic 6.0 7.0 8*	Met Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T)	als (ug/L) acute 340 TVS 5.0	chronic 0.02 TVS
18. All lakes a COGULG18 Designation OW Qualifiers: Other: *chlorophyll a and reservoirs	nd reservoirs tributary to the Smith Fork Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area.	c, and are within the West Elk Wilderner Physical and Biolog Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)	ss Area. gical DM CL acute 6.5 - 9.0 	MWAT CL chronic 6.0 7.0 8* 126	Met Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III	als (ug/L) acute 340 TVS 5.0 	chronic 0.02 TVS TVS
18. All lakes a COGULG18 Designation OW Qualifiers: Other: *chlorophyll a and reservoirs *Phosphorus(cl	nd reservoirs tributary to the Smith For- Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply (ug/L)(chronic) = applies only to lakes arger than 25 acres surface area. hronic) = applies only to lakes and ur then 25 acres ourface area.	c, and are within the West Elk Wilderner Physical and Biolog Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)	ss Area. gical DM CL acute 6.5 - 9.0 	MWAT CL chronic 6.0 7.0 8* 126	Met Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium Cadmium(T) Chromium III Chromium III(T)	als (ug/L) acute 340 TVS 5.0 50	chronic 0.02 TVS TVS
18. All lakes a COGULG18 Designation OW Qualifiers: Other: *chlorophyll a and reservoirs *Phosphorus(cl reservoirs larg	nd reservoirs tributary to the Smith Fork Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply (ug/L)(chronic) = applies only to lakes a larger than 25 acres surface area. hronic) = applies only to lakes and ger than 25 acres surface area.	c, and are within the West Elk Wilderner Physical and Biolog Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic (mg	ss Area. gical DM CL acute 6.5 - 9.0 g/L)	MWAT CL chronic 6.0 7.0 8* 126	Met Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III(T)	als (ug/L) acute 340 TVS 5.0 50 TVS	chronic 0.02 TVS TVS TVS
18. All lakes a COGULG18 Designation OW Qualifiers: Other: *chlorophyll a and reservoirs *Phosphorus(cl reservoirs larg	nd reservoirs tributary to the Smith Fork Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply (ug/L)(chronic) = applies only to lakes Is larger than 25 acres surface area. hronic) = applies only to lakes and ger than 25 acres surface area.	c, and are within the West Elk Wilderner Physical and Biolog Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic (mg	ss Area. gical DM CL acute 6.5 - 9.0 6.5 - 9.0 (JL) acute	MWAT CL chronic 6.0 7.0 8* 126 chronic	Met Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III(T) Chromium VI Copper	als (ug/L) acute 340 TVS 5.0 50 TVS TVS	Chronic 0.02 TVS TVS TVS TVS TVS
18. All lakes a COGULG18 Designation OW Qualifiers: Other: *chlorophyll a and reservoirs *Phosphorus(cl reservoirs larg	nd reservoirs tributary to the Smith Fork Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply (ug/L)(chronic) = applies only to lakes a larger than 25 acres surface area. hronic) = applies only to lakes and ger than 25 acres surface area.	c, and are within the West Elk Wilderner Physical and Biolog Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic (mg Ammonia	ss Area. gical DM CL acute 6.5 - 9.0 6.5 - 9.0 g/L) acute TVS	MWAT CL chronic 6.0 7.0 8* 126 chronic TVS	Met Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron	als (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS 	chronic 0.02 TVS TVS TVS TVS TVS TVS WS
18. All lakes a COGULG18 Designation OW Qualifiers: Other: *chlorophyll a and reservoirs *Phosphorus(cl reservoirs larg	nd reservoirs tributary to the Smith Fork Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply (ug/L)(chronic) = applies only to lakes arger than 25 acres surface area. hronic) = applies only to lakes and ger than 25 acres surface area.	c, and are within the West Elk Wilderner Physical and Biolog Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron	ss Area. gical DM CL acute 6.5 - 9.0 6.5 - 9.0 g/L) acute TVS 	MWAT CL chronic 6.0 7.0 8* 126 t26 t25	Met Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T)	als (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS 	chronic 0.02 TVS TVS TVS TVS WS 1000
18. All lakes a COGULG18 Designation OW Qualifiers: Other: *chlorophyll a and reservoirs *Phosphorus(cl reservoirs larg	nd reservoirs tributary to the Smith Fork Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area. hronic) = applies only to lakes and ger than 25 acres surface area.	 and are within the West Elk Wilderner Physical and Biolog Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride 	ss Area. gical DM CL acute 6.5 - 9.0 6.5 - 9.0 acute TVS 	MWAT CL chronic 6.0 7.0 8* 126 126 Chronic TVS 0.75 250	Met Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III Chromium VI Copper Iron Iron(T) Lead	als (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS	chronic 0.02 TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS
18. All lakes a COGULG18 Designation OW Qualifiers: Other: *chlorophyll a and reservoirs *Phosphorus(cl reservoirs larg	nd reservoirs tributary to the Smith Fork Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area. hronic) = applies only to lakes and ger than 25 acres surface area.	 and are within the West Elk Wilderner Physical and Biolog Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Chlorine 	ss Area. gical DM CL acute 6.5 - 9.0 6.5 - 9.0 g/L) acute TVS 0.019	MWAT CL chronic 6.0 7.0 8* 126 126 chronic TVS 0.75 250 0.011	Met Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T)	als (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS 50	chronic 0.02 TVS TVS TVS TVS TVS WS 1000 TVS
18. All lakes a COGULG18 Designation OW Qualifiers: Other: *chlorophyll a and reservoirs *Phosphorus(cl reservoirs larg	nd reservoirs tributary to the Smith Fork Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply (ug/L)(chronic) = applies only to lakes a larger than 25 acres surface area. hronic) = applies only to lakes and ger than 25 acres surface area.	c, and are within the West Elk Wilderner Physical and Biolog Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Chlorine Cvanide	ss Area. gical DM CL acute 6.5 - 9.0 6.5 - 9.0 6.5 - 9.0 0.019 0.005	MWAT CL chronic 6.0 7.0 8* 126 Chronic TVS 0.75 250 0.011	Met Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium Cadmium(T) Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese	als (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS 50 TVS 50 TVS TVS 50 TVS	chronic 0.02 TVS TVS TVS TVS WS 1000 TVS TVSWS
18. All lakes a COGULG18 Designation OW Qualifiers: Other: *chlorophyll a and reservoirs *Phosphorus(cl reservoirs larg	nd reservoirs tributary to the Smith Fork Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply (ug/L)(chronic) = applies only to lakes a larger than 25 acres surface area. hronic) = applies only to lakes and ger than 25 acres surface area.	c, and are within the West Elk Wilderner Physical and Biolog Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Chlorine Cyanide Nitrate	ss Area. gical DM CL acute 6.5 - 9.0 6.5 - 9.0 7 6.5 - 9.0 0.019 0.005 10	MWAT CL chronic 6.0 7.0 8* 126 250 0.011 	Met Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury	als (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS 50 TVS 50 TVS TVS 50 TVS	Chronic 0.02 TVS TVS TVS TVS WS 1000 TVS TVS/WS 0.01(t)
18. All lakes a COGULG18 Designation OW Qualifiers: Other: *chlorophyll a and reservoirs *Phosphorus(cl reservoirs larg	nd reservoirs tributary to the Smith Fork Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply (ug/L)(chronic) = applies only to lakes is larger than 25 acres surface area. hronic) = applies only to lakes and ger than 25 acres surface area.	c, and are within the West Elk Wilderner Physical and Biolog Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite	ss Area. gical DM CL acute 6.5 - 9.0 6.5 - 9.0 0.019 0.005 10 0.05	MWAT CL chronic 6.0 7.0 8* 126 Chronic TVS 0.75 250 0.011 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T)	als (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS 50 TVS 50 TVS 50 TVS TVS 50 TVS TVS 50 TVS 	Chronic 0.02 TVS TVS TVS TVS WS 1000 TVS TVS/WS 0.01(t) 150
18. All lakes a COGULG18 Designation OW Qualifiers: Other: *chlorophyll a and reservoirs *Phosphorus(cl reservoirs larg	nd reservoirs tributary to the Smith Fork Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply (ug/L)(chronic) = applies only to lakes I arger than 25 acres surface area. hronic) = applies only to lakes and ger than 25 acres surface area.	c, and are within the West Elk Wilderner Physical and Biolog Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	ss Area. gical DM CL acute 6.5 - 9.0 6.5 - 9.0 0.5 0.01 0.005 10 0.05 	MWAT CL chronic 6.0 7.0 4.1 2.0 0.0 0.011 0.011 0.025*	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel	als (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS	chronic 0.02 TVS TVS TVS S S S S S S S S S S S S S S S S
18. All lakes a COGULG18 Designation OW Qualifiers: Other: *chlorophyll a and reservoirs *Phosphorus(cl reservoirs larg	nd reservoirs tributary to the Smith Fork Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area. hronic) = applies only to lakes and ger than 25 acres surface area.	c, and are within the West Elk Wilderner Physical and Biolog Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	ss Area. gical DM CL acute 6.5 - 9.0 6.5 - 9.0 0.5 - 9.0 0.5 - 9.0 0.01 0.005 10 0.005 10 0.05 	MWAT CL chronic 6.0 7.0 8* 126 0.01 TVS 0.75 250 0.011 1 0.025* WS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T)	als (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS TVS 	Chronic 0.02 TVS TVS TVS S WS 1000 TVS 4000 TVS TVS/WS 0.01(t) 150 TVS
18. All lakes a COGULG18 Designation OW Qualifiers: Other: *chlorophyll a and reservoirs *Phosphorus(cl reservoirs larg	nd reservoirs tributary to the Smith Fork Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply (ug/L)(chronic) = applies only to lakes is larger than 25 acres surface area. hronic) = applies only to lakes and ger than 25 acres surface area.	c, and are within the West Elk Wilderner Physical and Biolog Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfate Sulfate	ss Area. gical DM CL acute 6.5 - 9.0 6.5 - 9.0 0.01 0.019 0.005 10 0.05 10 0.05 	MWAT CL chronic 6.0 7.0 4.2 2.0 0.0 0.0 0.0 0.0 0.0 0.0 0	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	als (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS 	Chronic 0.02 TVS TVS TVS TVS TVS TVS TVS TVS TVS 1000 TVS TVS.WS 0.01(t) 150 TVS 100 TV
18. All lakes a COGULG18 Designation OW Qualifiers: Other: *chlorophyll a and reservoirs *Phosphorus(cl reservoirs larg	nd reservoirs tributary to the Smith Fork Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply (ug/L)(chronic) = applies only to lakes arger than 25 acres surface area. htronic) = applies only to lakes and ger than 25 acres surface area.	c, and are within the West Elk Wilderner Physical and Biolog Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrate Nitrite Phosphorus Sulfate Sulfide	ss Area. gical DM CL acute 6.5 - 9.0 6.5 - 9.0 0.01 0.005 10 0.005 10 0.005 10 0.005 	MWAT CL chronic 6.0 7.0 7.0 126 0.70 0.011 0.011 0.025* 0.002	Met Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	als (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS 	Chronic 0.02 TVS TVS TVS WS 1000 TVS WS 1000 TVS 0.01(t) 150 TVS 100 TVS 100 TVS
18. All lakes a COGULG18 Designation OW Qualifiers: Other: *chlorophyll a and reservoirs *Phosphorus(cl reservoirs larg	nd reservoirs tributary to the Smith Fork Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply (ug/L)(chronic) = applies only to lakes arger than 25 acres surface area. hronic) = applies only to lakes and ger than 25 acres surface area.	c, and are within the West Elk Wilderner Physical and Biolog Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	ss Area. gical DM CL acute 6.5 - 9.0 6.5 - 9.0 0.01 0.005 10 0.005 10 0.005 10 0.005 	MWAT CL chronic 6.0 7.0 126 0.70 0.011 0.011 0.025* 0.002	Met Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	als (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS 50 TVS 50 	Chronic 0.02 TVS TVS TVS WS 1000 TVS WS 1000 TVS 0.01(t) 150 TVS 100 TVS 100 TVS 100 TVS
18. All lakes a COGULG18 Designation OW Qualifiers: Other: *chlorophyll a and reservoirs *Phosphorus(cl reservoirs larg	nd reservoirs tributary to the Smith Fork Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply (ug/L)(chronic) = applies only to lakes a larger than 25 acres surface area. hronic) = applies only to lakes and ger than 25 acres surface area.	c, and are within the West Elk Wilderner Physical and Biolog Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	ss Area. gical DM CL acute 6.5 - 9.0 6.5 - 9.0 0.01 0.005 10 0.005 10 0.05 0.01 0.005 	MWAT CL chronic 6.0 7.0 126 0.126 Chronic 0.75 250 0.011 0.025* 0.002	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium Cadmium Cadmium Cadmium Chromium III Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium Silver Uranium	als (ug/L) acute 340 TVS 50 TVS 50 TVS 50 TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS 	Chronic 0.02 TVS TVS TVS WS 1000 TVS WS 1000 TVS 0.01(t) 150 TVS 0.01(t) 150 TVS 100 TVS 100 TVS 100 TVS

All metals are dissolved unless otherwise noted. T = total recoverable t = total

D.O. = dissolved oxygen

DM = daily maximum

MWAT = maximum weekly average temperature

tr = trout sc = sculpin See 35.6 for further details on applied standards.

19. All lakes a	and reservoirs tributary to the Smith Forl	k, which are not within national forest books and the second sec second second sec	oundaries, exc	luding the lis	stings in Segment 17. This se	gment includes Gould	d Reservoir.
COGULG19	Classifications	Physical and Biolog	gical		N	letals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Warm 2	Temperature °C	WL	WL	Aluminum		
	Recreation P		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		5.0	Arsenic(T)		0.02
Qualifiers:		рН	6.5 - 9.0		Beryllium		
Other:		chlorophyll a (ug/L)		20*	Cadmium	TVS	TVS
		E. Coli (per 100 mL)		205	Cadmium(T)	5.0	
*chlorophyll a and reservoirs	(ug/L)(chronic) = applies only to lakes s larger than 25 acres surface area.	Inorganic (mg	ı/L)		Chromium III		TVS
*Phosphorus(c	hronic) = applies only to lakes and		acute	chronic	Chromium III(T)	50	
rooor voiro rary		Ammonia	TVS	TVS	Chromium VI	TVS	TVS
		Boron		0.75	Copper	TVS	TVS
		Chloride		250	Iron		WS
		Chlorine	0.019	0.011	Iron(T)		1000
		Cyanide	0.005		Lead	TVS	TVS
		Nitrate	10		Lead(T)	50	
		Nitrite	0.5		Manganese	TVS	TVS/WS
EPA ha	s not acted on segment-	Phosphorus		0.083*	Mercury		0.01(t)
specific	total phosphorus (TP)	Sulfate		WS	Molybdenum(T)		150
numeric	standards based on	Sulfide		0.002	Nickel	TVS	TVS
the inter	im value for lake/				Nickel(T)		100
reservoi	r segments with a cold				Selenium	TVS	TVS
water ad	quatic life classification				Silver	TVS	TVS
(0.083 r	ng/L TP).				Uranium		
	J / .				Zinc	TVS	TVS

1. All tributarie	es, including wetlands, to the San Mig	uel River that are within the boundarie	es of the Lizard H	lead or Mount	t Sneffels Wilderness Areas.			
COGUSM01	Classifications	Physical and Bio	ological		Me	etals (ug/L)		
Designation	Agriculture		DM	MWAT		acute	chronic	
OW	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Aluminum			
	Recreation E		acute	chronic	Arsenic	340		
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02	
Qualifiers:		D.O. (spawning)		7.0	Bervllium			
Other:		pH	6.5 - 9.0		Cadmium	TVS	TVS	
		chlorophyll a (mg/m ²)		150	Cadmium(T)	5.0		
		E. Coli (per 100 mL)		126	Chromium III		TVS	
		(i)				50		
		Inorgania	(ma/l)			30 TVS	TV/P	
		inorganic	(iiig/L)	ohronio	Connor	1.43	173	
			acute	chronic		105	1 1 2	
		Ammonia	IVS	178	Iron		WS	
		Boron		0.75	Iron(1)		1000	
		Chloride		250	Lead	178	IVS	
		Chlorine	0.019	0.011	Lead(T)	50		
		Cyanide	0.005		Manganese	TVS	TVS/WS	
EPA has	not acted on segment-	Nitrate	10		Mercury		0.01(t)	
specific t	total phosphorus (TP)	Nitrite	0.05		Molybdenum(T)		150	
numeric	standards based on	Phosphorus		0.11	Nickel	TVS	TVS	
the interi	im value for river/	Sulfate		WS	Nickel(T)		100	
stream s	egments with a cold	Sulfide		0.002	Selenium	TVS	TVS	
water aq	uatic life classification				Silver	TVS	TVS(tr)	
(0.11 mo	a/L TP).				Uranium			
(* 0	, , ,				Zinc	TVS	TVS/TVS(sc)	
2. All tributarie	and wetlands, to the San Miguel Riv	ver from its source to a point immedia			anneal Creat average for and	sifis listings in Co		
0 7 0			ately below the co	nfluence of L	eopard Creek, except for spe	citic listings in Se	gments 1, 6a,	
6b, 7 and 8.	Classifications		ately below the co	nfluence of L	eopard Creek, except for spe	etele (ug/l)	gments 1, 6a,	
6b, 7 and 8.	Classifications	Physical and Bio	blogical	ntluence of L	еорага Стеек, ехсерт for spe Мо	etals (ug/L)	gments 1, 6a,	
6b, 7 and 8. COGUSM02 Designation	Classifications Agriculture	Physical and Bio	blogical DM	MWAT	Austicust	etals (ug/L) acute	gments 1, 6a, chronic	
6b, 7 and 8. COGUSM02 Designation Reviewable	Classifications Agriculture Aq Life Cold 1	Physical and Bio	blogical DM CS-I	MWAT CS-I	Aluminum	etals (ug/L) acute	gments 1, 6a, chronic 	
6b, 7 and 8. COGUSM02 Designation Reviewable	Classifications Agriculture Aq Life Cold 1 Recreation E Water Surply	Physical and Bio	Dological DM CS-I acute	MWAT CS-I chronic	Aluminum Arsenic	etals (ug/L) acute 340	gments 1, 6a, chronic 	
6b, 7 and 8. COGUSM02 Designation Reviewable	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Physical and Bio Temperature °C D.O. (mg/L)	Dological DM CS-1 acute	MWAT CS-I chronic 6.0	Aluminum Arsenic Arsenic(T)	etals (ug/L) acute 340 	gments 1, 6a, chronic 0.02	
6b, 7 and 8. COGUSM02 Designation Reviewable Qualifiers:	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Physical and Bio Temperature °C D.O. (mg/L) D.O. (spawning)	Dological DM CS-I acute	MWAT CS-1 chronic 6.0 7.0	Aluminum Arsenic Arsenic(T) Beryllium	etals (ug/L) acute 340 	gments 1, 6a, 0.02 	
6b, 7 and 8. COGUSM02 Designation Reviewable Qualifiers: Other:	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Physical and Bio Temperature °C D.O. (mg/L) D.O. (spawning)	blogical DM CS-I acute 6.5 - 9.0	MWAT CS-I chronic 6.0 7.0 	Aluminum Aluminum Arsenic Arsenic(T) Beryllium Cadmium	etals (ug/L) acute 340 TVS	gments 1, 6a, 0.02 TVS	
6b, 7 and 8. COGUSM02 Designation Reviewable Qualifiers: Other: Temporary Mo	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s):	Physical and Bio Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²)	blogical DM CS-I acute 6.5 - 9.0 	MWAT CS-I chronic 6.0 7.0 150	Aluminum Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T)	etals (ug/L) acute 340 TVS 5.0	gments 1, 6a, 0.02 TVS 	
6b, 7 and 8. COGUSM02 Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chroni	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): ic) = hybrid	Physical and Bio Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)	blogical DM CS-1 acute 6.5 - 9.0 	MWAT CS-I chronic 6.0 7.0 150 126	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III	etals (ug/L) acute 340 TVS 5.0 	gments 1, 6a, 0.02 TVS TVS	
6b, 7 and 8. COGUSM02 Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Dat	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): ic) = hybrid te of 12/31/2024	Physical and Bio Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)	blogical DM CS-I acute 6.5 - 9.0 	MWAT CS-I chronic 6.0 7.0 150 126	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T)	etals (ug/L) acute 340 TVS 5.0 50	gments 1, 6a, 0.02 TVS TVS 	
6b, 7 and 8. COGUSM02 Designation Reviewable Qualifiers: Other: Temporary Me Arsenic(chroni Expiration Dat	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): ic) = hybrid te of 12/31/2024	Physical and Bid Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic	blogical DM CS-I acute 6.5 - 9.0 (mg/L)	MWAT CS-I chronic 6.0 7.0 150 126	Aluminum Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI	etals (ug/L) acute 340 TVS 5.0 50 TVS	gments 1, 6a, 0.02 TVS TVS TVS	
6b, 7 and 8. COGUSM02 Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Dat	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): ic) = hybrid te of 12/31/2024	Physical and Bio Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)	blogical DM CS-I acute 6.5 - 9.0 (mg/L) acute	MWAT CS-1 chronic 6.0 7.0 150 126 chronic	Aluminum Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III(T) Chromium VI Copper	etals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS	gments 1, 6a, 0.02 TVS TVS TVS TVS TVS TVS	
6b, 7 and 8. COGUSM02 Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Dat	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): ic) = hybrid te of 12/31/2024	Physical and Bid Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic Ammonia	blogical DM CS-I acute 6.5 - 9.0 (mg/L) acute TVS	MWAT CS-1 chronic 6.0 7.0 150 126 chronic TVS	Aluminum Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron	etals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS 	gments 1, 6a, 0.02 TVS TVS TVS TVS WS	
6b, 7 and 8. COGUSM02 Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Dat	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): ic) = hybrid te of 12/31/2024	Physical and Bio Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic Ammonia Boron	below the co Dlogical DM CS-I acute 6.5 - 9.0 (mg/L) acute TVS	MWAT CS-I chronic 6.0 7.0 150 126 chronic TVS 0.75	Aluminum Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T)	etals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS 	gments 1, 6a, 0.02 TVS TVS TVS TVS WS 1000	
6b, 7 and 8. COGUSM02 Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Dat	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): ic) = hybrid te of 12/31/2024	Physical and Bio Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic Ammonia Boron Chloride	acute CS-I acute 6.5 - 9.0 (mg/L) acute	MWAT CS-I chronic 6.0 7.0 150 126 chronic TVS 0.75 250	Aluminum Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III Chromium VI Copper Iron Iron(T) Lead	etals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS	gments 1, 6a, 0.02 TVS TVS TVS TVS TVS TVS TVS TVS 	
6b, 7 and 8. COGUSM02 Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Dat	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): ic) = hybrid te of 12/31/2024	Physical and Bio Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic Ammonia Boron Chloride Chlorine	acute CS-I acute 6.5 - 9.0 (mg/L) acute TVS 0.019	MWAT CS-I chronic 6.0 7.0 150 126 chronic TVS 0.75 250 0.011	Aluminum Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T)	etals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 50 TVS 50 50 50 TVS 50 50 50 50 50 50 50 50 50 50	gments 1, 6a, 0.02 TVS TVS TVS TVS VS WS 1000 TVS 	
6b, 7 and 8. COGUSM02 Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Dat	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): ic) = hybrid te of 12/31/2024	Physical and Bio Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic Ammonia Boron Chloride Chlorine Cyanide	tely below the co blogical DM CS-1 acute 6.5 - 9.0 (mg/L) acute TVS 0.019 0.005	MWAT CS-I chronic 6.0 7.0 150 126 chronic TVS 0.75 250 0.011 	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese	etals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS 50 TVS	gments 1, 6a, 0.02 TVS TVS TVS TVS WS 1000 TVS TVS S	
6b, 7 and 8. COGUSM02 Designation Reviewable Qualifiers: Other: Temporary Mu Arsenic(chroni Expiration Dat	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): ic) = hybrid te of 12/31/2024	Physical and Bic Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic Ammonia Boron Chloride Chlorine Cyanide Nitrate	acute CS-I acute 6.5 - 9.0 (mg/L) acute TVS 0.019 0.005 10	MWAT CS-I chronic 6.0 7.0 150 126 chronic TVS 0.75 250 0.011 	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury	etals (ug/L) acute 340 TVS 5.0 TVS TVS TVS TVS 50 TVS 50 TVS TVS 50 TVS TVS 	gments 1, 6a, 0.02 TVS TVS TVS WS 1000 TVS WS 1000 TVS TVSWS 0.01(t)	
6b, 7 and 8. COGUSM02 Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Dat	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): ic) = hybrid te of 12/31/2024	<th colsepa<="" td=""><td>cological DM CS-I acute 6.5 - 9.0 (mg/L) acute TVS 0.019 0.005 10 0.05</td><td>MWAT CS-I chronic 6.0 7.0 150 126 chronic TVS 0.75 250 0.011 250</td><td>Aluminum Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T)</td><td>etals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS 50 TVS 50 TVS 50 TVS</td><td>gments 1, 6a, 0.02 TVS TVS TVS WS 1000 TVS WS 1000 TVS TVSWS 0.01(t) 150</td></th>	<td>cological DM CS-I acute 6.5 - 9.0 (mg/L) acute TVS 0.019 0.005 10 0.05</td> <td>MWAT CS-I chronic 6.0 7.0 150 126 chronic TVS 0.75 250 0.011 250</td> <td>Aluminum Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T)</td> <td>etals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS 50 TVS 50 TVS 50 TVS</td> <td>gments 1, 6a, 0.02 TVS TVS TVS WS 1000 TVS WS 1000 TVS TVSWS 0.01(t) 150</td>	cological DM CS-I acute 6.5 - 9.0 (mg/L) acute TVS 0.019 0.005 10 0.05	MWAT CS-I chronic 6.0 7.0 150 126 chronic TVS 0.75 250 0.011 250	Aluminum Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T)	etals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS 50 TVS 50 TVS 50 TVS	gments 1, 6a, 0.02 TVS TVS TVS WS 1000 TVS WS 1000 TVS TVSWS 0.01(t) 150
6b, 7 and 8. COGUSM02 Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Dat	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): ic) = hybrid te of 12/31/2024	Physical and Bid Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic Ammonia Boron Chloride Chloride Nitrate Nitrite Phosphorus	blogical DM CS-I acute 6.5 - 9.0 (mg/L) acute T√S 0.019 0.005 10 0.05	MWAT CS-I chronic 6.0 7.0 150 126 chronic TVS 0.75 250 0.011 250 0.011 0.41	Aluminum Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel	etals (ug/L) acute 340 TVS 5.0 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS TVS 	gments 1, 6a, 0.02 TVS TVS TVS WS 1000 TVS WS 1000 TVS TVS/WS 0.01(t) 150 TVS	
6b, 7 and 8. COGUSM02 Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Dat	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): ic) = hybrid te of 12/31/2024	Physical and Bio Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	blogical DM CS-I acute 6.5 - 9.0 (mg/L) acute TVS 0.019 0.005 10 0.05 	MWAT CS-I CS-I Chronic 6.0 7.0 150 126 Chronic TVS 0.75 250 0.011 0.11 WS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T)	etals (ug/L) acute 340 TVS 5.0 TVS 5.0 TVS	gments 1, 6a, 0.02 TVS TVS TVS TVS WS 1000 TVS TVS WS 1000 TVS TVS/WS 0.01(t) 150 TVS 100	
6b, 7 and 8. COGUSM02 Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Dat	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): ic) = hybrid te of 12/31/2024	Physical and Bio Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	cological DM CS-I acute 6.5 - 9.0 (mg/L) acute 0.019 0.005 10 0.05	MWAT CS-I Chronic 6.0 7.0 150 126 Chronic TVS 0.75 250 0.011 UNS 0.75 250 0.011 UNS 0.75 250 0.011 UNS 0.75 250 0.011 UNS 0.75 250 0.011 UNS 0.75 250 0.011 UNS 0.02 0.011 UNS 0.021 0.021 0.021 0.021 0.021 0.021 0.021 0.021 0.021 0.021 0.021 0.021 0.021 0.021 0.021 0.021 0.021 0.021 0.021 	Aluminum Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	etals (ug/L) acute 340 TVS 5.0 TVS 5.0 TVS 50 TVS 50 TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS 	gments 1, 6a, 0.02 TVS TVS TVS WS 1000 TVS TVS/WS 0.01(t) 150 TVS 1000 TVS	
6b, 7 and 8. COGUSM02 Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Dat	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): ic) = hybrid te of 12/31/2024	Physical and Bio Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	tely below the co blogical DM CS-1 acute 6.5 - 9.0 (mg/L) acute TVS 0.019 0.005 10 0.05 10 0.05	MWAT CS-I CS-I Chronic 6.0 7.0 7.0 7.0 126 126 Chronic TVS 0.75 250 0.011 0.011 0.11 WS 0.002	Aluminum Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	etals (ug/L) acute 340 TVS 5.0 TVS 50 TVS TVS 50 TVS TVS TVS TVS 50 TVS TVS TVS TVS TVS TVS 	gments 1, 6a, 0.02 TVS TVS TVS WS 1000 TVS TVS/WS 0.01(t) 150 TVS 1000 TVS 	
6b, 7 and 8. COGUSM02 Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Dat	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): ic) = hybrid te of 12/31/2024	Physical and Bio Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfate	tely below the co blogical DM CS-I acute 6.5 - 9.0 (mg/L) acute TVS 0.019 0.005 10 0.005 0.019	MWAT CS-I CS-I Chronic 6.0 7.0 7.0 150 126 0.126 Chronic TVS 0.75 250 0.011 0.011 0.11 WS 0.002	Aluminum Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	etals (ug/L) acute 340 TVS 5.0 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS 	gments 1, 6a, 0.02 TVS TVS TVS WS 1000 TVS TVS/WS 0.01(t) 150 TVS 1000 TVS 1000 TVS 1000 TVS	
6b, 7 and 8. COGUSM02 Designation Reviewable Qualifiers: Other: Temporary Mu Arsenic(chroni Expiration Dat	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply codification(s): ic) = hybrid te of 12/31/2024	Physical and Bid Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic Ammonia Boron Chloride Chlorine Cyanide Nitrite Phosphorus Sulfate Sulfide	tely below the co blogical DM CS-1 acute 6.5 - 9.0 (mg/L) acute TVS 0.019 0.005 10 0.005 10 0.05 0.19	MWAT CS-I chronic 6.0 7.0 150 126 chronic TVS 0.75 250 0.011 0.11 0.11 0.11 0.011 0.11 0.11	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium Silver Uranium	etals (ug/L) etals (ug/L) acute 340 TVS 5.0 TVS 5.0 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS 	gments 1, 6a, chronic 0.02 TVS TVS TVS TVS TVS TVS 1000 TVS 0.01(t) 150 TVS 100 TVS 100 TVS 100 TVS	

All metals are dissolved unless otherwise noted. T = total recoverable t = total tr = trout

sc = sculpin

D.O. = dissolved oxygen

DM = daily maximum

3a. Mainstem	of the San Miguel River from its inception	n at the confluence of Bridal Veil and	Ingram Creeks	to a point in	mediately above the confluer	nce of Marshall Creek	κ.
COGUSM03A	Classifications	Physical and Biol	ogical		М	etals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
Qualifiers:		D.O. (mg/L)		6.0	Arsenic(T)		7.6
Other:		D.O. (spawning)		7.0	Beryllium		
		pН	6.5 - 9.0		Cadmium	TVS	TVS
		chlorophyll a (mg/m ²)		150	Chromium III	TVS	TVS
		E. Coli (per 100 mL)		126	Chromium III(T)		100
					Chromium VI	TVS	TVS
		Inorganic (n	ng/L)		Copper	TVS	TVS
			acute	chronic	Iron(T)		1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron		0.75	Manganese	TVS	TVS
	t t . t	Chloride			Mercury		0.01(t)
EPA nas	s not acted on segment-	Chlorine	0.019	0.011	Molybdenum(T)		150
specific	total phosphorus (TP)	Cyanide	0.005		Nickel	TVS	TVS
numeric	standards based on	Nitrate	100		Selenium	TVS	TVS
the inter	Im value for river/	Nitrite	0.05		Silver	TVS	
stream s	segments with a cold	Phosphorus		0.11	Uranium		
water ad		Sulfate			Zinc		190
(0.11 mg	J/L TP).	Sulfide		0.002			
3b. Mainstem	of the San Miguel River from a point im	mediately above the confluence of Ma	arshall Creek to	a point imm	ediately above the confluence	of the South Fork Sa	an Miguel
COGUSM03B	Classifications	Physical and Biol	ogical		м	etals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	varies*	varies*	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02
Qualifiers:		D.O. (spawning)		7.0	Beryllium		
Other:		pH	6.5 - 9.0		Cadmium	TVS	TVS
T M-		chlorophyll a (mg/m ²)		150*	Cadmium(T)	5.0	
Arsepic(chropic	ancation(s):	E. Coli (per 100 mL)		126	Chromium III		TVS
Expiration Date	a of 12/31/2024				Chromium III(T)	50	
		Inorganic (n	ng/L)		Chromium VI	TVS	TVS
the facilities lis	$(mg/m^2)(chronic) = applies only above sted at 35.5(4).$		acute	chronic	Copper		
*Phosphorus(ch facilities listed	nronic) = applies only above the at 35.5(4).	Ammonia	TVS	TVS	Copper		TVS
		Boron		0.75	Iron		WS
*Temperature	= DM=13.9 and MWAT=9 from 10/1-	Chloride		250	Iron(T)		1000
DM=13 and M	WAT=9 from 11/1-3/31	Chlorine	0.019	0.011	Lead	TVS	TVS
DM=14 and M DM=217 and	WAT=9 from 4/1-5/31 MW/AT=17 from 6/1-9/30	Cyanide	0.005		Lead(T)	50	
		Nitrate	10		Manganese	TVS	TVS/WS
		Nitrite	0.5		Mercury		0.01(t)
		Phosphorus		0.11*	Molybdenum(T)		150
		Sulfate		WS	Nickel	TVS	TVS
		Sulfide		0.002	Nickel(T)		100
					Selenium	TVS	TVS
					Silver	TVS	TVS(tr)
					Uranium		
					Zinc		190

All metals are dissolved unless otherwise noted. T = total recoverable t = total tr = trout sc = sculpin

DM = daily maximum MWAT = maximum weekly average temperature See 35.6 for further details on applied standards.

D.O. = dissolved oxygen

4a. Mainstem	of the San Miguel River from a point in	mmediately above the confluence	ence of the South	Fork of	the San Mig	uel River to a point immedia	tely below the CC ditc	h.
COGUSM04A	Classifications	Physical	and Biological			r	Metals (ug/L)	
Designation	Agriculture			DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	(CS-II	CS-II	Aluminum		
	Recreation E		а	cute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)			6.0	Arsenic(T)		0.02
Qualifiers:		D.O. (spawning)			7.0	Beryllium		
Other:		рН	6.5	5 - 9.0		Cadmium	TVS	TVS
		chlorophyll a (mg/m ²)				Cadmium(T)	5.0	
		E. Coli (per 100 mL)			126	Chromium III		TVS
						Chromium III(T)	50	
		In	organic (mg/L)			Chromium VI	TVS	TVS
			а	cute	chronic	Copper	TVS	TVS
		Ammonia	т	-VS	TVS	Iron		WS
		Boron			0.75	Iron(T)		1000
		Chloride			250	Lead	TVS	TVS
		Chlorine	0.0	019	0.011	Lead(T)	50	
		Cyanide	0.0	005		Manganese	TVS	TVS/WS
		Nitrate		10		Mercury		0.01(t)
		Nitrite	0	0.05		Molybdenum(T)		150
		Phosphorus				Nickel	TVS	TVS
		Sulfate			WS	Nickel(T)		100
		Sulfide			0.002	Selenium	TVS	TVS
		Camao			0.002	Silver	TVS	TVS(tr)
						Uranium		
						Zinc	TVS	TVS
						-		
4b. Mainstem	of the San Miguel River from a point i	mmediately below the CC di	tch to a point imme	ediately I	below the cor	nfluence of Naturita Creek.		
4b. Mainstem	of the San Miguel River from a point in Classifications	mmediately below the CC div Physical	tch to a point imme I and Biological	ediately I	below the cor	nfluence of Naturita Creek.	Metals (ug/L)	
4b. Mainstem COGUSM04B Designation	of the San Miguel River from a point i Classifications Agriculture	mmediately below the CC di Physica	tch to a point imme I and Biological	DM	below the con	nfluence of Naturita Creek.	Metals (ug/L) acute	chronic
4b. Mainstem COGUSM04B Designation Reviewable	of the San Miguel River from a point i Classifications Agriculture Aq Life Warm 1	Temperature °C	tch to a point imme and Biological 11/1 - 2/29	DM 13	MWAT 9	fluence of Naturita Creek.	Netals (ug/L) acute 	chronic
4b. Mainstem COGUSM04B Designation Reviewable	of the San Miguel River from a point i Classifications Agriculture Aq Life Warm 1 Recreation E	mmediately below the CC di Physical Temperature °C Temperature °C	tch to a point imme and Biological 11/1 - 2/29 3/1 - 10/31	DM 13 30.9	MWAT 9 23.3	fluence of Naturita Creek.	Metals (ug/L) acute 340	chronic
4b. Mainstem COGUSM04B Designation Reviewable	of the San Miguel River from a point i Classifications Agriculture Aq Life Warm 1 Recreation E Water Supply	mmediately below the CC di Physica Temperature °C Temperature °C	tch to a point imme and Biological 11/1 - 2/29 3/1 - 10/31	DM 13 30.9	MWAT 9 23.3	fluence of Naturita Creek. Aluminum Arsenic Arsenic(T)	Metals (ug/L) acute 340 	chronic 0.02
4b. Mainstem COGUSM04B Designation Reviewable Qualifiers:	of the San Miguel River from a point i Classifications Agriculture Aq Life Warm 1 Recreation E Water Supply	nmediately below the CC di Physica Temperature °C Temperature °C	Ich to a point imme and Biological 11/1 - 2/29 3/1 - 10/31 a	DM 13 30.9	MWAT 9 23.3 chronic	fluence of Naturita Creek. Aluminum Arsenic Arsenic(T) Beryllium	Metals (ug/L) acute 340 	chronic 0.02
4b. Mainstem COGUSM04B Designation Reviewable Qualifiers: Other:	of the San Miguel River from a point i Classifications Agriculture Aq Life Warm 1 Recreation E Water Supply	Temperature °C Temperature °C Temperature °C	tch to a point imme and Biological 11/1 - 2/29 3/1 - 10/31 a	DM 13 30.9 cute 	MWAT 9 23.3 chronic 5.0	fluence of Naturita Creek.	Metals (ug/L) acute 340 T√S	chronic 0.02 TVS
4b. Mainstem COGUSM04B Designation Reviewable Qualifiers: Other:	of the San Miguel River from a point i Classifications Agriculture Aq Life Warm 1 Recreation E Water Supply petification(a):	Temperature °C Temperature °C D.O. (mg/L)	tch to a point imme and Biological 11/1 - 2/29 3/1 - 10/31 a 6.5	DM 13 30.9 5 - 9.0	MWAT 9 23.3 chronic 5.0	fluence of Naturita Creek.	Metals (ug/L) acute 340 TVS 5.0	chronic 0.02 TVS
4b. Mainstem COGUSM04B Designation Reviewable Qualifiers: Other: Temporary Mo	of the San Miguel River from a point i Classifications Agriculture Aq Life Warm 1 Recreation E Water Supply codification(s): c) = hybrid	Temperature °C Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m²)	tch to a point imme and Biological 11/1 - 2/29 3/1 - 10/31 a 6.5	ediately DM 13 30.9 cute 5 - 9.0 	Decision the control MWAT 9 23.3 5.0	fluence of Naturita Creek. Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III	Metals (ug/L) acute 340 TVS 5.0 	chronic 0.02 TVS TVS
4b. Mainstem COGUSM04B Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date	of the San Miguel River from a point i Classifications Agriculture Aq Life Warm 1 Recreation E Water Supply codification(s): c) = hybrid e of 12/31/2024	Temperature °C Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)	tch to a point imme and Biological 11/1 - 2/29 3/1 - 10/31 a 6.5	ediately DM 13 30.9 cute 5 - 9.0 	Decision the control MWAT 9 23.3 23.3 chronic 5.0 126	fluence of Naturita Creek.	Metals (ug/L) acute 340 TVS 5.0 50	chronic 0.02 TVS TVS
4b. Mainstem COGUSM04B Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date	of the San Miguel River from a point i Classifications Agriculture Aq Life Warm 1 Recreation E Water Supply odification(s): c) = hybrid e of 12/31/2024	Temperature °C Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)	tch to a point imme and Biological 11/1 - 2/29 3/1 - 10/31 a 6.5 organic (mg/L)	DM 13 30.9 cute 5 - 9.0 	below the corr 9 23.3 23.3 chronic 5.0 126 126	fluence of Naturita Creek. Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI	Metals (ug/L) acute 340 TVS 5.0 50 TVS	chronic 0.02 TVS TVS TVS
4b. Mainstem COGUSM04B Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date	of the San Miguel River from a point i Classifications Agriculture Aq Life Warm 1 Recreation E Water Supply codification(s): c) = hybrid e of 12/31/2024	Temperature °C Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)	tch to a point imme and Biological 11/1 - 2/29 3/1 - 10/31 a 6.5 organic (mg/L) a	ediately DM 13 30.9 cute 5 - 9.0 cute	MWAT 9 23.3 chronic 5.0 126 chronic	fluence of Naturita Creek.	Metals (ug/L) acute 340 TVS 5.0 50 TVS TVS	chronic 0.02 TVS TVS TVS TVS
4b. Mainstem COGUSM04B Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date	of the San Miguel River from a point i Classifications Agriculture Aq Life Warm 1 Recreation E Water Supply codification(s): c) = hybrid e of 12/31/2024	Temperature °C Temperature °C Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) In Ammonia	tch to a point imme and Biological 11/1 - 2/29 3/1 - 10/31 a 6.5 organic (mg/L) a T	ediately DM 13 30.9 cute 5 - 9.0 icute ∨S	MWAT 9 23.3 chronic 5.0 126 chronic TVS	filuence of Naturita Creek.	Metals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS	Chronic 0.02 TVS TVS TVS TVS TVS TVS
4b. Mainstem COGUSM04B Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date	of the San Miguel River from a point i Classifications Agriculture Aq Life Warm 1 Recreation E Water Supply	Temperature °C Temperature °C Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) In Ammonia Boron	tch to a point imme and Biological 11/1 - 2/29 3/1 - 10/31 a 6.5 organic (mg/L) a T	ediately DM 13 30.9 icute 5 - 9.0 icute 	Declow the correlation MWAT 9 23.3 chronic 5.0 126 chronic TVS 0.75	fluence of Naturita Creek. Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III Chromium VI Copper Iron Iron(T)	Metals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS 	chronic 0.02 TVS TVS TVS TVS WS 1000
4b. Mainstem COGUSM04B Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronio Expiration Date	of the San Miguel River from a point i Classifications Agriculture Aq Life Warm 1 Recreation E Water Supply	mediately below the CC di Physica Temperature °C Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) In Ammonia Boron Chloride	tch to a point imme and Biological 11/1 - 2/29 3/1 - 10/31 a 6.5 organic (mg/L) a T	ediately DM 13 30.9 icute 5 - 9.0 icute 	celow the corr MWAT 9 23.3 chronic 5.0 126 126 chronic TVS 0.75 250 1250	fluence of Naturita Creek. Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III Chromium VI Copper Iron Iron(T) Lead	Metals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS 	chronic 0.02 TVS TVS TVS TVS WS 1000 TVS
4b. Mainstem COGUSM04B Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronio Expiration Date	of the San Miguel River from a point i Classifications Agriculture Aq Life Warm 1 Recreation E Water Supply odification(s): c) = hybrid e of 12/31/2024	mediately below the CC di Physica Temperature °C Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) In Ammonia Boron Chloride Chloride Chlorine	tch to a point imme and Biological 11/1 - 2/29 3/1 - 10/31 a 6.5 organic (mg/L) a T 0.0	ediately DM 13 30.9 cute 5 - 9.0 -	celow the corr MWAT 9 23.3 chronic 5.0 126 chronic TVS 0.75 250 0.011	fluence of Naturita Creek.	Metals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS 50	chronic 0.02 TVS TVS TVS TVS WS 1000 TVS
4b. Mainstem COGUSM04B Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date	of the San Miguel River from a point i Classifications Agriculture Aq Life Warm 1 Recreation E Water Supply codification(s): c) = hybrid e of 12/31/2024	mediately below the CC di Physica Temperature °C Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) In Ammonia Boron Chloride Chloride Chlorine Cvanide	Ich to a point imme and Biological 11/1 - 2/29 3/1 - 10/31 a 6.5 organic (mg/L) a T 0.0	ediately DM 13 30.9 cute 5 - 9.0 cute 019 005	below the corr MWAT 9 23.3 chronic 5.0 5.0 126 Chronic TVS 0.75 250 0.011	fluence of Naturita Creek.	Metals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS 50 TVS 50 TVS 50 TVS 50 TVS	chronic 0.02 TVS TVS TVS WS 1000 TVS TVSWS
4b. Mainstem COGUSM04B Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date	of the San Miguel River from a point i Classifications Agriculture Aq Life Warm 1 Recreation E Water Supply codification(s): c) = hybrid e of 12/31/2024	Temperature °C Temperature °C Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) In Ammonia Boron Chloride Chlorine Cyanide Nitrate	tch to a point imme and Biological 11/1 - 2/29 3/1 - 10/31 a 6.5 organic (mg/L) a T 0.0 0.0	ediately DM 13 30.9 cute 5 - 9.0 cute cute -	celow the corr MWAT 9 23.3 chronic 5.0 126 chronic TVS 0.75 250 0.011	fluence of Naturita Creek.	Metals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS 50 TVS 50 TVS TVS 50 TVS TVS 	Chronic 0.02 TVS TVS TVS TVS WS 1000 TVS TVSWS 0.01(t)
4b. Mainstem COGUSM04B Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date	of the San Miguel River from a point i Classifications Agriculture Aq Life Warm 1 Recreation E Water Supply codification(s): c) = hybrid e of 12/31/2024	Temperature °C Temperature °C Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) In Ammonia Boron Chloride Chloride Chlorine Cyanide Nitrate	Itch to a point immediate in the immedia	ediately DM 13 30.9 cute 5 - 9.0 5 - 9.0 -	color the corr MWAT 9 23.3 Chronic 126 Chronic 126 0.75 250 0.011	filuence of Naturita Creek.	Metals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS 50 TVS 50 TVS 50 TVS TVS 50 TVS 	Chronic 0.02 TVS TVS TVS TVS WS 1000 TVS TVSWS 0.01(t) 150
4b. Mainstem COGUSM04B Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date	of the San Miguel River from a point i Classifications Agriculture Aq Life Warm 1 Recreation E Water Supply codification(s): c) = hybrid e of 12/31/2024	Temperature °C Temperature °C Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) In Ammonia Boron Chloride Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	Itch to a point imme and Biological 11/1 - 2/29 3/1 - 10/31 a 6.5 organic (mg/L) a T 0.0 0.0	ediately DM 13 30.9 icute 5 - 9.0 5 - 9.0 icute 019 005 10 0.5 	color the color MWAT 9 23.3 Chronic 126 Chronic TVS 0.75 250 0.011	filuence of Naturita Creek.	Metals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS 50 TVS 50 TVS TVS 50 TVS TVS	Chronic 0.02 TVS TVS TVS TVS WS 1000 TVS TVSWS 0.01(t) 150 TVS
4b. Mainstem COGUSM04B Designation Reviewable Qualifiers: Other: Temporary Mc Arsenic(chronic Expiration Date	of the San Miguel River from a point i Classifications Agriculture Aq Life Warm 1 Recreation E Water Supply	mediately below the CC di Physica Temperature °C Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) In Ammonia Boron Chloride Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	Itch to a point immediate in the immedia	ediately DM 13 30.9 cute 5 - 9.0 -	celow the corr MWAT 9 23.3 chronic 5.0 126 chronic TVS 0.75 250 0.011 WS	fluence of Naturita Creek.	Metals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS 50 TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS TVS -	chronic 0.02 TVS TVS TVS WS 1000 TVS 1000 TVS TVSWS 0.01(t) 150 TVS
4b. Mainstem COGUSM04B Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronio Expiration Date	of the San Miguel River from a point i Classifications Agriculture Aq Life Warm 1 Recreation E Water Supply	Temperature °C Temperature °C Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) E. Coli (per 100 mL) In Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	Ich to a point imme and Biological 11/1 - 2/29 3/1 - 10/31 a 6.5 organic (mg/L) a T 0.0	ediately DM 13 30.9 cute 5 - 9.0 019 005 10 0.5 	celow the corr MWAT 9 23.3 chronic 5.0 126 chronic TVS 0.75 250 0.011 WS 0.002	filuence of Naturita Creek.	Metals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS 	chronic 0.02 TVS TVS TVS WS 1000 TVS WS 1000 TVS TVSWS 0.01(t) 150 TVS 1000 TVS
4b. Mainstem COGUSM04B Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronio Expiration Date	of the San Miguel River from a point i Classifications Agriculture Aq Life Warm 1 Recreation E Water Supply codification(s): c) = hybrid e of 12/31/2024	mediately below the CC di Physica Temperature °C Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) In Ammonia Boron Chloride Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	Ich to a point imme and Biological 11/1 - 2/29 3/1 - 10/31 a 6.5 organic (mg/L) a T 0.0	ediately DM 13 30.9 cute 5 - 9.0 cute 019 005 10 0.5 	Declow the control MWAT 9 23.3 chronic 5.0 5.0 126 TVS 0.75 250 0.011 WS 0.002	fluence of Naturita Creek.	Metals (ug/L) acute 340 340 TVS 50 TVS 50 TVS 50 TVS S0 TVS TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS TVS TVS	chronic 0.02 TVS TVS TVS WS 1000 TVS WS 1000 TVS 0.01(t) 150 TVS 100 TVS 100 TVS
4b. Mainstem COGUSM04B Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date	of the San Miguel River from a point i Classifications Agriculture Aq Life Warm 1 Recreation E Water Supply codification(s): c) = hybrid e of 12/31/2024	Temperature °C Temperature °C Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) E. Coli (per 100 mL) In Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	Itch to a point imme and Biological 11/1 - 2/29 3/1 - 10/31 a 6.5 organic (mg/L) a T 0.0	ediately DM 13 30.9 cute 5 - 9.0 CUS 019 005 10 0.5 -	Delow the control MWAT 9 23.3 chronic 5.0 5.0 126 Chronic 126 0.75 250 0.011 0.011 WS 0.002	filuence of Naturita Creek.	Metals (ug/L) acute 340 340 TVS 50 TVS 50 TVS 50 TVS 50 TVS TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS	chronic 0.02 TVS TVS TVS WS 1000 TVS TVSWS 0.01(t) 150 TVS 0.01(t) 150 TVS 100 TVS 150 150 150
4b. Mainstem COGUSM04B Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chronic Expiration Date	of the San Miguel River from a point i Classifications Agriculture Aq Life Warm 1 Recreation E Water Supply codification(s): c) = hybrid e of 12/31/2024	Temperature °C Temperature °C Temperature °C D.O. (mg/L) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) In Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	Itch to a point imme and Biological 11/1 - 2/29 3/1 - 10/31 a 6.5 organic (mg/L) a T 0.0	ediately DM 13 30.9 cute 5 - 9.0 cute 019 005 10 0.5 -	celow the corr MWAT 9 23.3 chronic 5.0 126 chronic TVS 0.75 250 0.011 WS 0.002	filuence of Naturita Creek.	Metals (ug/L) acute 340 340 TVS 50 TVS 50 TVS 50 TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS <td>Chronic 0.02 TVS TVS TVS WS 1000 TVS TVSWS 0.01(t) 150 TVS 100 TVS TVS TVS TVS TVS </td>	Chronic 0.02 TVS TVS TVS WS 1000 TVS TVSWS 0.01(t) 150 TVS 100 TVS TVS TVS TVS TVS

All metals are dissolved unless otherwise noted. T = total recoverable t = total tr = trout sc = sculpin D.O. = dissolved oxygen

DM = daily maximum

5a. Mainstem	of the San Miguel River from a point im	mediately below the confluence of Naturi	ita Creek to a	a point imme	diately below the confluence of Co	oal Canyon.	
COGUSM05A	Classifications	Physical and Biologi	ical		Metals	(ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Warm 1	Temperature °C	WS-II	WS-II	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		5.0	Arsenic(T)		0.02
Qualifiers:		рН	6.5 - 9.0		Beryllium		
Other:		chlorophyll a (mg/m ²)			Cadmium	TVS	TVS
		E. Coli (per 100 mL)		126	Cadmium(T)	5.0	
		Inorganic (mg/	L)		Chromium III	TVS	TVS
			acute	chronic	Chromium III(T)		100
		Ammonia	TVS	TVS	Chromium VI	TVS	TVS
		Boron		0.75	Copper	TVS	TVS
		Chloride		250	Iron		WS
		Chlorine	0.019	0.011	Iron(T)		1000
		Cyanide	0.005		Lead	TVS	TVS
		Nitrate	10		Lead(T)	50	
		Nitrite	0.5		Manganese	TVS	TVS/WS
		Phosphorus			Mercury		0.01(t)
		Sulfate		WS	Molybdenum(T)		150
		Sulfide		0.002	Nickel	TVS	TVS
					Nickel(T)		100
					Selenium	TVS	TVS
					Silver	TVS	TVS
					Uranium	TVS	
					Uranium(T)		16.8-30 ^A
					Zinc	TVS	TVS
5b. Mainstem	of the San Miguel River from a point in	mediately below the confluence of Coal (Canyon to its	confluence	with the Dolores River.		
COGUSM05B	Classifications	Physical and Biologi	ical		Metals	(ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Warm 1	Temperature °C	WS-II	WS-II	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
Qualifiers:		D.O. (mg/L)		5.0	Arsenic(T)		7.6
Other:		рН	6.5 - 9.0		Beryllium		
		chlorophyll a (mg/m ²)			Cadmium	TVS	TVS
		E. Coli (per 100 mL)		126	Chromium III	TVS	TVS
		Inorganic (mg/	'L)		Chromium III(T)		100
			acute	chronic	Chromium VI	TVS	TVS
		Ammonia	TVS	TVS	Copper	TVS	TVS
		Boron		0.75	Iron(T)		1000
		Chloride			Lead	TVS	TVS
		Chlorine	0.019	0.011	Manganese	TVS	TVS
		Cyanide	0.005		Mercury		0.01(t)
		Nitrate	100		Molybdenum(T)		150
		Nitrite	0.5		Nickel	TVS	TVS
		Phosphorus			Selenium	TVS	TVS
		Sulfate			Silver	TVS	TVS
		Sulfide		0.002	Uranium	TVS	
					Uranium(T)		16.8-30 A
					Zinc	TVS	TVS

DM = daily maximum MWAT = maximum weekly average temperature See 35.6 for further details on applied standards.

D.O. = dissolved oxygen

6a. Mainstem	of Ingram Creek including, all tributaries	s and wetlands, from the source to the	he confluence wit	h the San Mi	iguel River.		
COGUSM06A	Classifications	Physical and Bio	ological		Me	tals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 2	Temperature °C	CS-I	CS-I	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
Qualifiers:		D.O. (mg/L)		6.0	Arsenic(T)		100
Other:		D.O. (spawning)		7.0	Beryllium		
		рН	6.5 - 9.0		Cadmium	TVS	TVS
		chlorophyll a (mg/m ²)		150	Chromium III	TVS	TVS
		E. Coli (per 100 mL)		126	Chromium III(T)		100
					Chromium VI	TVS	TVS
		Inorganic ((mg/L)		Copper	TVS	TVS
			acute	chronic	Iron(T)		1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron		0.75	Manganese	TVS	TVS
FPA has	s not acted on segment-	Chloride			Mercury		0.01(t)
Ispecific	total phosphorus (TP)	Chlorine	0.019	0.011	Molybdenum(T)		150
numeric	standards based on	Cyanide	0.005		Nickel	TVS	TVS
the inter	rim value for river/	Nitrate	100		Selenium	TVS	TVS
letroom	sogments with a cold	Nitrite	0.05		Silver	TVS	TVS
water ac	subjection life classification	Phosphorus		0.11	Uranium		
1000000000000000000000000000000000000		Sulfate			Zinc		190
(0.11 m	y/L T₽).	Sulfide		0.002			
6b. Mainstem	of Marshall Creek, including all tributari	es and wetlands, from the source to	the confluence w	ith the San M	liquel River.		
6b. Mainstem	of Marshall Creek, including all tributari	es and wetlands, from the source to Physical and Bio	the confluence w	ith the San M	∕liguel River. Me	tals (ug/L)	
6b. Mainstem COGUSM06B Designation	of Marshall Creek, including all tributari Classifications Agriculture	es and wetlands, from the source to Physical and Bio	the confluence w blogical DM	ith the San M	Aiguel River.	tals (ug/L) acute	chronic
6b. Mainstem COGUSM06B Designation Reviewable	of Marshall Creek, including all tributari Classifications Agriculture Aq Life Cold 2	es and wetlands, from the source to Physical and Bio Temperature °C	the confluence w blogical DM CS-I	ith the San M MWAT CS-I	/iguel River. Me Aluminum	tals (ug/L) acute 	chronic
6b. Mainstem COGUSM06B Designation Reviewable	of Marshall Creek, including all tributari Classifications Agriculture Aq Life Cold 2 Recreation E	es and wetlands, from the source to Physical and Bio Temperature °C	the confluence w blogical DM CS-I acute	ith the San M MWAT CS-I chronic	Alguel River. Me Aluminum Arsenic	tals (ug/L) acute 340	chronic
6b. Mainstem COGUSM06B Designation Reviewable Qualifiers:	of Marshall Creek, including all tributari Classifications Agriculture Aq Life Cold 2 Recreation E	es and wetlands, from the source to Physical and Bic Temperature °C D.O. (mg/L)	the confluence w blogical DM CS-I acute 	MWAT CS-I chronic 6.0	Aluminum Aluminum Arsenic Arsenic(T)	tals (ug/L) acute 340 	chronic 100
6b. Mainstem COGUSM06B Designation Reviewable Qualifiers: Other:	of Marshall Creek, including all tributari Classifications Agriculture Aq Life Cold 2 Recreation E	es and wetlands, from the source to Physical and Bid Temperature °C D.O. (mg/L) D.O. (spawning)	the confluence w ological DM CS-1 acute 	MWAT CS-I chronic 6.0 7.0	Aluminum Aluminum Arsenic Arsenic(T) Beryllium	tals (ug/L) acute 340 	chronic 100
6b. Mainstem of COGUSM06B Designation Reviewable Qualifiers: Other:	of Marshall Creek, including all tributari Classifications Agriculture Aq Life Cold 2 Recreation E	es and wetlands, from the source to Physical and Bic Temperature °C D.O. (mg/L) D.O. (spawning) pH	the confluence w ological DM CS-1 acute 6.5 - 9.0	MWAT CS-1 chronic 6.0 7.0 	Aluminum Aluminum Arsenic Arsenic(T) Beryllium Cadmium	tals (ug/L) acute 340 TVS	chronic 100 TVS
6b. Mainstem COGUSM06B Designation Reviewable Qualifiers: Other:	of Marshall Creek, including all tributari Classifications Agriculture Aq Life Cold 2 Recreation E	es and wetlands, from the source to Physical and Bic Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²)	the confluence w ological DM CS-1 acute 6.5 - 9.0 	MWAT CS-I chronic 6.0 7.0 150	Aluminum Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III	tals (ug/L) acute 340 TVS TVS	chronic 100 TVS TVS
6b. Mainstem COGUSM06B Designation Reviewable Qualifiers: Other:	of Marshall Creek, including all tributari Classifications Agriculture Aq Life Cold 2 Recreation E	es and wetlands, from the source to Physical and Bic Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL)	the confluence w ological DM CS-1 acute 6.5 - 9.0 	ith the San M MWAT CS-1 chronic 6.0 7.0 150 126	Alguel River. Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III(T)	tals (ug/L) acute 340 TVS TVS TVS 	chronic 100 TVS TVS 100
6b. Mainstem COGUSM06B Designation Reviewable Qualifiers: Other:	of Marshall Creek, including all tributari Classifications Agriculture Aq Life Cold 2 Recreation E	es and wetlands, from the source to Physical and Bic Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL)	the confluence w ological DM CS-1 acute 6.5 - 9.0 	ith the San M MWAT CS-I chronic 6.0 7.0 150 126	Alguel River. Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III Chromium III(T) Chromium VI	tals (ug/L) acute 340 TVS TVS TVS TVS	chronic 100 TVS TVS 100 TVS
6b. Mainstem (COGUSM06B Designation Reviewable Qualifiers: Other:	of Marshall Creek, including all tributari Classifications Agriculture Aq Life Cold 2 Recreation E	es and wetlands, from the source to Physical and Bic Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL)	the confluence w ological DM CS-1 acute 6.5 - 9.0 	ith the San M MWAT CS-I chronic 6.0 7.0 150 126	Aluminum Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III Chromium III(T) Chromium VI Copper	tals (ug/L) acute 340 TVS TVS TVS TVS TVS	chronic 100 TVS TVS 100 TVS 100 TVS
6b. Mainstem of COGUSM06B Designation Reviewable Qualifiers: Other:	of Marshall Creek, including all tributari Classifications Agriculture Aq Life Cold 2 Recreation E	es and wetlands, from the source to Physical and Bic Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (the confluence w ological DM CS-1 acute 6.5 - 9.0 (mg/L) acute	MWAT CS-I Chronic 6.0 7.0 150 126 chronic	Aluminum Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T)	tals (ug/L) acute 340 TVS TVS TVS TVS TVS TVS TVS	chronic 100 TVS TVS 100 TVS TVS 100 TVS 1000
6b. Mainstem of COGUSM06B Designation Reviewable Qualifiers: Other:	of Marshall Creek, including all tributari Classifications Agriculture Aq Life Cold 2 Recreation E	es and wetlands, from the source to Physical and Bic Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (Ammonia	the confluence w ological DM CS-1 acute 6.5 - 9.0 (mg/L) acute TVS	MWAT CS-I chronic 6.0 7.0 150 126 chronic TVS	Alguel River. Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead	tals (ug/L) acute 340 TVS TVS TVS TVS TVS TVS TVS 	chronic 100 TVS TVS 100 TVS 100 TVS 100 TVS 100 TVS 100 TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS
6b. Mainstem of COGUSM06B Designation Reviewable Qualifiers: Other:	of Marshall Creek, including all tributari Classifications Agriculture Aq Life Cold 2 Recreation E	es and wetlands, from the source to Physical and Bic Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (Ammonia Boron	the confluence w ological DM CS-1 acute 6.5 - 9.0 (mg/L) acute TVS 	ith the San M MWAT CS-I chronic 6.0 7.0 150 126 thronic TVS 0.75	Alguel River. Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese	tals (ug/L) acute 340 TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS	chronic 100 TVS TVS 100 TVS 1000 TVS 1000 TVS
6b. Mainstem (COGUSM06B Designation Reviewable Qualifiers: Other:	of Marshall Creek, including all tributari Classifications Agriculture Aq Life Cold 2 Recreation E	es and wetlands, from the source to Physical and Bio Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (Ammonia Boron Chloride	the confluence w ological DM CS-1 acute 6.5 - 9.0 (mg/L) acute TVS 	ith the San M MWAT CS-1 chronic 6.0 7.0 150 126 chronic TVS 0.75 	Alguel River. Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury	tals (ug/L) acute 340 TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS	chronic 100 TVS TVS 100 TVS 1000 TVS 1000 TVS 1000 TVS 1000
6b. Mainstem (COGUSM06B Designation Reviewable Qualifiers: Other:	of Marshall Creek, including all tributari Classifications Agriculture Aq Life Cold 2 Recreation E	es and wetlands, from the source to Physical and Bic Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (Ammonia Boron Chloride Chlorine	the confluence w ological DM CS-1 acute 6.5 - 9.0 (mg/L) acute TVS TVS 0.019	ith the San M MWAT CS-I chronic 6.0 7.0 150 126 Chronic TVS 0.75 0.011	Alguel River. Mei Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T)	tals (ug/L) acute 340 TVS TVS TVS TVS TVS TVS TVS TVS 	chronic 100 TVS TVS 100 TVS TVS 1000 TVS TVS 1000 TVS TVS 0.01(t) 150
6b. Mainstem (COGUSM06B Designation Reviewable Qualifiers: Other:	of Marshall Creek, including all tributari Classifications Agriculture Aq Life Cold 2 Recreation E	es and wetlands, from the source to Physical and Bic Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (Ammonia Boron Chloride Chlorine Cvanide	the confluence w ological DM CS-1 acute 6.5 - 9.0 (mg/L) acute TVS 0.019 0.005	ith the San M MWAT CS-I chronic 6.0 7.0 150 126 chronic TVS 0.75 0.011 	Aluminum Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel	tals (ug/L) acute 340 TVS TVS TVS TVS TVS TVS TVS TVS TVS 	chronic 100 TVS TVS 100 TVS 1000 TVS 1000 TVS 0.01(t) 150 TVS
6b. Mainstem of COGUSM06B Designation Reviewable Qualifiers: Other:	of Marshall Creek, including all tributari Classifications Agriculture Aq Life Cold 2 Recreation E	es and wetlands, from the source to Physical and Bic Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (Ammonia Boron Chloride Chlorine Cyanide Nitrate	the confluence w ological DM CS-1 acute 6.5 - 9.0 (mg/L) acute TVS 0.019 0.005 100	ith the San M MWAT CS-I chronic 6.0 7.0 7.0 126 126 Chronic TVS 0.75 0.011 	Aluminum Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel Selenium	tals (ug/L) acute 340 TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS	chronic 100 TVS TVS 100 TVS 100 TVS 1000 TVS 1000 TVS 0.01(t) 150 TVS
6b. Mainstem of COGUSM06B Designation Reviewable Qualifiers: Other:	of Marshall Creek, including all tributari Classifications Agriculture Aq Life Cold 2 Recreation E	es and wetlands, from the source to Physical and Bic Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (Ammonia Boron Chloride Chlorine Cyanide Nitrate	the confluence w ological DM CS-1 acute 6.5 - 9.0 (mg/L) acute TVS 0.019 0.005 100	ith the San M MWAT CS-I chronic 6.0 7.0 7.0 126 126 chronic TVS 0.75 0.011 0.011	Alguel River. Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel Selenium	tals (ug/L) acute 340 TVS TVS TVS TVS TVS TVS TVS TVS	chronic 100 TVS TVS 100 TVS 100 TVS 1000 TVS 1000 TVS 0.01(t) 150 TVS 0.01(t)
6b. Mainstem of COGUSM06B Designation Reviewable Qualifiers: Other:	of Marshall Creek, including all tributari Classifications Agriculture Aq Life Cold 2 Recreation E	es and wetlands, from the source to Physical and Bio Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Physical and Bio Chlorine	the confluence w ological DM CS-1 acute 6.5 - 9.0 (mg/L) acute TVS 0.019 0.005 100 0.05	ith the San N MWAT CS-I chronic 6.0 7.0 150 126 Chronic TVS 0.75 0.011 0.011	Alguel River. Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel Selenium Silver	tals (ug/L) acute	chronic 100 TVS TVS 100 TVS 1000 TVS 1000 TVS 0.01(t) 150 TVS 0.01(t) 150 TVS
6b. Mainstem of COGUSM06B Designation Reviewable Qualifiers: Other:	of Marshall Creek, including all tributari Classifications Agriculture Aq Life Cold 2 Recreation E	es and wetlands, from the source to Physical and Bio Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus O. ""	the confluence w ological DM CS-1 acute 6.5 - 9.0 (mg/L) acute TVS (mg/L) 0.019 0.005 100 0.05 	ith the San M MWAT CS-I chronic 6.0 7.0 150 126 chronic TVS 0.75 0.011 0.011 0.011 0.011	Alguel River. Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel Selenium Silver Uranium Zino	tals (ug/L) acute	chronic 100 TVS TVS 100 TVS 1000 TVS 1000 TVS 1000 TVS 1000 TVS 1000 TVS 1000 TVS 1000 TVS TVS 0.01(t) 150 TVS TVS
6b. Mainstem of COGUSM06B Designation Reviewable Qualifiers: Other:	of Marshall Creek, including all tributari Classifications Agriculture Aq Life Cold 2 Recreation E	es and wetlands, from the source to Physical and Bio Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (Ammonia Boron Chloride Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	the confluence w ological DM CS-1 acute 6.5 - 9.0 (mg/L) acute TVS (mg/L) 100 0.005 100 0.05 	ith the San M MWAT CS-I chronic 6.0 7.0 150 126 Chronic TVS 0.75 0.011 0.011 0.011 0.011 0.011 0.011	Aiguel River. Me Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel Selenium Silver Uranium Zinc	tals (ug/L) acute 340 TVS	chronic 100 TVS TVS 100 TVS 1000 TVS 1000 TVS 1000 TVS 1000 TVS 1000 TVS 1000 TVS TVS 0.01(t) 150 TVS 150 TVS 150 150 150 150 150 150

All metals are dissolved unless otherwise noted. T = total recoverable t = total tr = trout sc = sculpin

7. Mainstem c Miguel River.	of Howard Fork and including tributaries	and wetlands, from a point immed	lialely below the col				k of the San
COGUSM07	Classifications	Physical and E	Biological		м	letals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02
Qualifiers:	•	D.O. (spawning)		7.0	Beryllium		
Other:		рН	6.5 - 9.0		Cadmium	TVS	TVS
Temporary M	odification(s).	chlorophyll a (mg/m ²)		150	Cadmium(T)	5.0	
Arsenic(chroni	ic) = bybrid	E. Coli (per 100 mL)		126	Chromium III		TVS
Expiration Dat	te of 12/31/2024				Chromium III(T)	50	
		Inorganio	; (mg/L)		Chromium VI	TVS	TVS
			acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron		WS
		Boron		0.75	Iron(T)		1000
		Chloride		250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	
		Cvanide	0.005		Manganese	TVS	TVS/WS
EDA ba	s not acted on segment-	Nitrate	10		Mercury		0.01(t)
	total phosphorus (TP)	Nitrite	0.05		Molybdenum(T)		150
pumoric	standards based on	Phosphorus		0.11	Nickel	TVS	TVS
the interio	rim value for river/	Sulfate		WS	Nickel(T)		100
stream	segments with a cold	Sulfide		0.002	Selenium	TVS	TVS
water a	quatic life classification	Canado		0.002	Silver	TVS	TVS(tr)
(0.11 m)					Uranium		
(0.1111	g/L 11).				Zinc	TVS	TVS
8. Mainstem c	of the South Fork of the San Miguel Rive	er from its inception at the confluen	ce of the Howard a	nd Lake For	ks to its confluence with the	San Miguel River.	
8. Mainstem c	of the South Fork of the San Miguel Rive Classifications	er from its inception at the confluen Physical and E	ce of the Howard a Biological	nd Lake For	ks to its confluence with the M	San Miguel River. Ietals (ug/L)	
8. Mainstem c COGUSM08 Designation	of the South Fork of the San Miguel Rive Classifications Agriculture	er from its inception at the confluen Physical and E	ce of the Howard a Biological DM	nd Lake For	ks to its confluence with the M	San Miguel River. Ietals (ug/L) acute	chronic
8. Mainstem of COGUSM08 Designation Reviewable	of the South Fork of the San Miguel River Classifications Agriculture Aq Life Cold 1	er from its inception at the confluen Physical and E Temperature °C	ce of the Howard a Biological DM CS-II	MWAT	ks to its confluence with the M	San Miguel River. letals (ug/L) acute 	chronic
8. Mainstem of COGUSM08 Designation Reviewable	of the South Fork of the San Miguel Riv Classifications Agriculture Aq Life Cold 1 Recreation E	er from its inception at the confluen Physical and E Temperature °C	ce of the Howard a Biological DM CS-II acute	nd Lake For MWAT CS-II chronic	ks to its confluence with the M M Aluminum Arsenic	San Miguel River. letals (ug/L) acute 340	chronic
8. Mainstern c COGUSM08 Designation Reviewable	of the South Fork of the San Miguel Riv Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	er from its inception at the confluen Physical and E Temperature °C D.O. (mg/L)	ce of the Howard a Biological DM CS-II acute 	MWAT CS-II chronic 6.0	ks to its confluence with the M Aluminum Arsenic Arsenic(T)	San Miguel River. letals (ug/L) acute 340 	chronic 0.02
8. Mainstem c COGUSM08 Designation Reviewable Qualifiers:	of the South Fork of the San Miguel Rive Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	er from its inception at the confluen Physical and E Temperature °C D.O. (mg/L) D.O. (spawning)	ce of the Howard a Biological DM CS-II acute 	MWAT CS-II chronic 6.0 7.0	ks to its confluence with the M Aluminum Arsenic Arsenic(T) Beryllium	San Miguel River. Ietals (ug/L) acute 340 	chronic 0.02
8. Mainstem c COGUSM08 Designation Reviewable Qualifiers: Other:	of the South Fork of the San Miguel Rive Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	er from its inception at the confluen Physical and E Temperature °C D.O. (mg/L) D.O. (spawning) pH	ce of the Howard a Biological DM CS-II acute 6.5 - 9.0	MWAT CS-II chronic 6.0 7.0	ks to its confluence with the M Aluminum Arsenic Arsenic(T) Beryllium Cadmium	San Miguel River. letals (ug/L) acute 340 TVS	chronic 0.02 TVS
8. Mainstem of COGUSM08 Designation Reviewable Qualifiers: Other:	of the South Fork of the San Miguel Riv Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply colification(a):	r from its inception at the confluen Physical and E Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²)	ce of the Howard a Biological CS-II acute 6.5 - 9.0 	MWAT CS-II chronic 6.0 7.0 150*	ks to its confluence with the M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T)	San Miguel River. letals (ug/L) acute 340 TVS 5.0	chronic 0.02 TVS
8. Mainstem c COGUSM08 Designation Reviewable Qualifiers: Other: Temporary Mo	of the South Fork of the San Miguel Riv Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): (c) = bydxid	er from its inception at the confluen Physical and E Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL)	ce of the Howard a Biological DM CS-II acute 6.5 - 9.0 	nd Lake For MWAT CS-II chronic 6.0 7.0 150* 126	ks to its confluence with the M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III	San Miguel River. letals (ug/L) acute 340 TVS 5.0 	chronic 0.02 TVS TVS
8. Mainstem c COGUSM08 Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Dat	of the South Fork of the San Miguel Riv Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): ic) = hybrid te of 12/31/2024	er from its inception at the confluen Physical and E Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)	ce of the Howard a Biological CS-II acute 6.5 - 9.0 	nd Lake For MWAT CS-II chronic 6.0 7.0 150* 126	ks to its confluence with the solution Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium Cadmium(T) Chromium III Chromium III(T)	San Miguel River. letals (ug/L) acute 340 TVS 5.0 50	chronic 0.02 TVS TVS
8. Mainstem c COGUSM08 Designation Reviewable Qualifiers: Other: Temporary Ma Arsenic(chroni Expiration Dat	of the South Fork of the San Miguel Riv Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): ic) = hybrid te of 12/31/2024 (application and application and application)	er from its inception at the confluen Physical and E Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorgania	ce of the Howard a Biological DM CS-II acute 6.5 - 9.0 c c c	nd Lake For MWAT CS-II chronic 6.0 7.0 150° 126	ks to its confluence with the A	San Miguel River. letals (ug/L) acute 340 TVS 5.0 50 TVS	chronic 0.02 TVS TVS TVS
8. Mainstem c COGUSM08 Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Dat *chlorophyll a the facilities lis	of the South Fork of the San Miguel Riv Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): ic) = hybrid te of 12/31/2024 (mg/m ²)(chronic) = applies only above sted at 35.5(4).	er from its inception at the confluen Physical and E Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganie	ce of the Howard a Biological DM CS-II acute 6.5 - 9.0 c (mg/L) acute	nd Lake For MWAT CS-II chronic 6.0 7.0 150* 126 chronic	ks to its confluence with the A M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III(T) Chromium VI Copper	San Miguel River. letals (ug/L) 340 TVS 5.0 50 TVS TVS	chronic 0.02 TVS TVS TVS TVS
8. Mainstem c COGUSM08 Designation Reviewable Qualifiers: Other: Temporary Me Arsenic(chroni Expiration Dat *chlorophyll a the facilities list Phosphorus(c	of the South Fork of the San Miguel Riv Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply codification(s): ic) = hybrid te of 12/31/2024 (mg/m²)(chronic) = applies only above sted at 35.5(4). hronic) = applies only above the is 25.6(4).	er from its inception at the confluen Physical and E Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic Ammonia	ce of the Howard a Biological DM CS-II acute 6.5 - 9.0 c (mg/L) acute TVS	MWAT CS-II chronic 6.0 7.0 150* 126 chronic TVS	ks to its confluence with the M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron	San Miguel River. letals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS 	chronic 0.02 TVS TVS TVS TVS TVS TVS
8. Mainstem c COGUSM08 Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Dat *chlorophyll a the facilities listed	of the South Fork of the San Miguel Riv Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): ic) = hybrid te of 12/31/2024 (mg/m ²)(chronic) = applies only above sted at 35.5(4). shronic) = applies only above the at 35.5(4).	er from its inception at the confluen Physical and E Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic Ammonia Boron	ce of the Howard a Biological DM CS-II acute 6.5 - 9.0 c (mg/L) acute TVS 	nd Lake For MWAT CS-II chronic 6.0 7.0 150* 126 chronic TVS 0.75	ks to its confluence with the M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III Chromium VI Copper Iron Iron(T)	San Miguel River. letals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS 	chronic 0.02 TVS TVS TVS TVS TVS WS 1000
8. Mainstem c COGUSM08 Designation Reviewable Qualifiers: Other: Temporary Mu Arsenic(chroni Expiration Dat *chlorophyll a the facilities listed	of the South Fork of the San Miguel Riv Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): ic) = hybrid te of 12/31/2024 (mg/m²)(chronic) = applies only above sted at 35.5(4). Horizon San San San San San San San San San Sa	er from its inception at the confluen Physical and E Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic Ammonia Boron Chloride	ce of the Howard a 3iological DM CS-II acute 6.5 - 9.0 c (mg/L) acute TVS 	nd Lake For MWAT CS-II chronic 6.0 7.0 150* 126 chronic TVS 0.75 250	ks to its confluence with the M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III Chromium VI Copper Iron Iron(T) Lead	San Miguel River. letals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS	chronic 0.02 TVS TVS TVS TVS WS 1000 TVS
8. Mainstem c COGUSM08 Designation Reviewable Qualifiers: Other: Temporary Ma Arsenic(chroni Expiration Dat *chlorophyll a the facilities lis Phoephorus(c facilities listed	of the South Fork of the San Miguel Riv Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): ic) = hybrid te of 12/31/2024 (mg/m²)(chronic) = applies only above sted at 35.5(4). Agriculture at 35.5(4).	er from its inception at the confluen Physical and E Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic Ammonia Boron Chloride Chlorine	ce of the Howard a 3iological DM CS-II acute 6.5 - 9.0 c (mg/L) acute TVS 0.019	nd Lake For MWAT CS-II chronic 6.0 7.0 150* 126 chronic TVS 0.75 250 0.011	ks to its confluence with the interval and the interval a	San Miguel River. letals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS TVS 50	chronic 0.02 TVS TVS TVS TVS WS 1000 TVS
8. Mainstem c COGUSM08 Designation Reviewable Qualifiers: Other: Temporary Ma Arsenic(chroni Expiration Dat *chlorophyll a the facilities listed	of the South Fork of the San Miguel Riv Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): ic) = hybrid te of 12/31/2024 (mg/m ²)(chronic) = applies only above sted at 35.5(4). chronic) = applies only above the at 35.5(4).	er from its inception at the confluen Physical and E Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic Ammonia Boron Chloride Chlorine Cyanide	ce of the Howard a 3iological DM CS-II acute 6.5 - 9.0 c (mg/L) acute TVS 0.019 0.005	nd Lake For MWAT CS-II chronic 6.0 7.0 150° 126 Chronic Chronic TVS 0.75 250 0.011	ks to its confluence with the : Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese	San Miguel River. letals (ug/L) acute 340 TVS 50 TVS TVS TVS TVS TVS TVS 50 TVS TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS 50 TVS TVS TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS TVS	chronic 0.02 TVS TVS TVS TVS WS 1000 TVS TVS/80
8. Mainstem c COGUSM08 Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Dat *chlorophyll a the facilities lis *Phosphorus(c facilities listed	of the South Fork of the San Miguel Riv Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): ic) = hybrid te of 12/31/2024 (mg/m ²)(chronic) = applies only above sted at 35.5(4). shronic) = applies only above the -at 35.5(4).	er from its inception at the confluen Physical and E Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic Ammonia Boron Chloride Chlorine Cyanide Nitrate	ce of the Howard a 3iological DM CS-II acute 6.5 - 9.0 c (mg/L) acute TVS 0.019 0.005 10	nd Lake For MWAT CS-II chronic 6.0 7.0 126 126 chronic TVS 0.75 250 0.011 	ks to its confluence with the : Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury	San Miguel River. letals (ug/L) acute 340 TVS 50 TVS TVS TVS TVS TVS 50 TVS 50 TVS 50 TVS 50 TVS 	chronic 0.02 TVS TVS TVS TVS WS 1000 TVS TVS/80 0.01(t)
8. Mainstem c COGUSM08 Designation Reviewable Qualifiers: Other: Temporary Me Arsenic(chroni Expiration Dat *chlorophyll a the facilities lis Phoephorus(o facilities listed	of the South Fork of the San Miguel Riv Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply codification(s): ic) = hybrid te of 12/31/2024 (mg/m²)(chronic) = applies only above sted at 35.5(4). stronic) = applies only above the Lat 35.5(4).	er from its inception at the confluen Physical and E Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite	ce of the Howard a Biological DM CS-II acute 6.5 - 9.0 (.5 - 9.0) (.5 - 9.0) (.5 - 9.0)	nd Lake For MWAT CS-II chronic 6.0 7.0 126 Chronic TVS 0.75 250 0.011 	ks to its confluence with the S M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T)	San Miguel River. letals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS 50 TVS 50 TVS 50 TVS TVS 50 TVS 	chronic 0.02 TVS TVS TVS WS 1000 TVS TVS/80 0.01(t) 150
8. Mainstem c COGUSM08 Designation Reviewable Qualifiers: Other: Temporary Mu Arsenic(chroni Expiration Dat *chlorophyll a the facilities listed	of the South Fork of the San Miguel Riv Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply codification(s): ic) = hybrid te of 12/31/2024 (mg/m ²)(chronic) = applies only above sted at 35.5(4). https://www.above.the -at 35.5(4).	er from its inception at the confluen Physical and E Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	ce of the Howard a 3iological DM CS-II acute 6.5 - 9.0 6.5 - 9.0 () (mg/L) 2 (mg/L) 2 (mg/L) 10 0.005 10 0.05 	nd Lake For MWAT CS-II chronic 6.0 7.0 150* 126 chronic TVS 0.75 250 0.011 250 0.011 0.11*	ks to its confluence with the S M Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Nolybdenum(T) Nickel	San Miguel River. letals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS	chronic 0.02 TVS TVS TVS TVS WS 1000 TVS TVS/80 0.01(t) 150 TVS
8. Mainstem c COGUSM08 Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Dat *chlorophyll a the facilities lis *Phoephorus(c facilities listed	of the South Fork of the San Miguel Riv Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): ic) = hybrid te of 12/31/2024 (mg/m ²)(chronic) = applies only above sted at 35.5(4). hronic) = applies only above the at 35.5(4):	er from its inception at the confluen Physical and E Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic Ammonia Boron Chloride Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	ce of the Howard a 3iological DM CS-II acute 6.5 - 9.0 c (mg/L) 2 (mg/L) 2 (mg/L) 10 0.005 10 0.005 	nd Lake For MWAT CS-II chronic 6.0 7.0 150* 126 Chronic TVS 0.75 250 0.011 0.011 0.11* WS	ks to its confluence with the M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T)	San Miguel River. letals (ug/L) acute 340 TVS 50 TVS 50 TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS TVS	chronic 0.02 TVS TVS TVS WS 1000 TVS WS 1000 TVS 0.01(t) 150 TVS
8. Mainstem c COGUSM08 Designation Reviewable Qualifiers: Other: Temporary Mo Arsenic(chroni Expiration Dat *chlorophyll a the facilities listed	of the South Fork of the San Miguel Riv Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): ic) = hybrid te of 12/31/2024 (mg/m²)(chronic) = applies only above sted at 35.5(4). shronic) = applies only above the at 35.5(4).	er from its inception at the confluen Physical and E Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfate	ce of the Howard a Biological DM CS-II acute acute 6.5 - 9.0 6.5 - 9.0 0.019 0.005 10 0.05	nd Lake For MWAT CS-II chronic 6.0 7.0 150* 126 Chronic TVS 0.75 250 0.011 0.011 0.11* WS 0.000	ks to its confluence with the A	San Miguel River. letals (ug/L) acute 340 TVS 50 TVS 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS 	chronic 0.02 TVS TVS TVS TVS 1000 TVS 1000 TVS 0.01(t) 150 TVS 1000 TVS
8. Mainstem c COGUSM08 Designation Reviewable Qualifiers: Other: Temporary Mu Arsenic(chroni Expiration Dat *chlorophyll a the facilities listed	of the South Fork of the San Miguel Riv Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply odification(s): ic) = hybrid te of 12/31/2024 (mg/m ²)(chronic) = applies only above sted at 35.5(4). chronic) = applies only above the at 35.5(4).	er from its inception at the confluen Physical and E Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic Ammonia Boron Chloride Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	ce of the Howard a Biological DM CS-II acute 6.5 - 9.0 6.5 - 9.0 6.5 - 9.0 CS-II acute 0.019 0.005 10 0.05 <td>Lake For MWAT CS-II chronic 6.0 7.0 126 150* 126 Chronic 0.70 0.70 0.70 0.70 0.011 0.11* 0.250 0.011 0.41* WS 0.002</td> <td>ks to its confluence with the Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium</td> <td>San Miguel River. letals (ug/L) acute 340 TVS 50 TVS 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS</td> <td>chronic 0.02 TVS TVS TVS WS 1000 TVS WS 1000 TVS TVS/80 0.01(t) 150 TVS 100 TVS</td>	Lake For MWAT CS-II chronic 6.0 7.0 126 150* 126 Chronic 0.70 0.70 0.70 0.70 0.011 0.11* 0.250 0.011 0.41* WS 0.002	ks to its confluence with the Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	San Miguel River. letals (ug/L) acute 340 TVS 50 TVS 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS	chronic 0.02 TVS TVS TVS WS 1000 TVS WS 1000 TVS TVS/80 0.01(t) 150 TVS 100 TVS
8. Mainstem c COGUSM08 Designation Reviewable Qualifiers: Other: Temporary Mu Arsenic(chroni Expiration Dat *chlorophyll a the facilities lis *Phosphorus(c facilities listed	of the South Fork of the San Miguel Riv Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply codification(s): ic) = hybrid te of 12/31/2024 (mg/m ²)(chronic) = applies only above sted at 35.5(4). ihronic) = applies only above the at 35.5(4).	er from its inception at the confluen Physical and E Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	ce of the Howard a Biological DM CS-II acute 6.5 - 9.0 6.5 - 9.0 6.5 - 9.0 0.01 0.019 0.005 10 0.05 0.05 0.05	Lake For MWAT CS-II chronic 6.0 7.0 126 chronic Chronic 0.70 0.011 0.011 0.41* WS 0.002	ks to its confluence with the Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium Silver Llrapium	San Miguel River. letals (ug/L) acute 340 TVS 50 TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS TVS 	chronic 0.02 TVS TVS TVS WS 1000 TVS WS 1000 TVS 0.01(t) 150 TVS/80 0.01(t) 150 TVS 100 TVS
8. Mainstem c COGUSM08 Designation Reviewable Qualifiers: Other: Temporary Mu Arsenic(chroni Expiration Dat *chlorophyll a the facilities listed	of the South Fork of the San Miguel Riv Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply codification(s): ic) = hybrid te of 12/31/2024 (mg/m²)(chronic) = applies only above sted at 35.5(4). thronic) = applies only above the at 35.5(4).	er from its inception at the confluen Physical and E Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	ce of the Howard a 3iological DM CS-II acute 6.5 - 9.0 6.5 - 9.0 6.5 - 9.0 0.01 CC 0.019 0.005 10 0.05	nd Lake For MWAT CS-II chronic 6.0 7.0 126 126 Chronic TVS 0.75 250 0.011 0.11* WS 0.002	ks to its confluence with the SM Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium Silver Uranium	San Miguel River. letals (ug/L) acute 340 TVS 5.0 TVS 50 TVS TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS 50 TVS 	chronic 0.02 TVS TVS TVS WS 1000 TVS TVS/80 0.01(t) 150 TVS 100 TVS TVS TVS TVS TVS TVS TVS TVS

All metals are dissolved unless otherwise noted. T = total recoverable

D.O. = dissolved oxygen

DM = daily maximum

tr = trout sc = sculpin

t = total

of the Uncomp	bahgre National Forest, except for the I	istings in Segment 10a.		.00 0. <u>2</u> 00pu			boundaries
COGUSM09	Classifications	Physical and Biolo	gical		N	letals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02
Qualifiers:		D.O. (spawning)		7.0	Beryllium		
Other:		рН	6.5 - 9.0		Cadmium	TVS	TVS
Temporary Mo	odification(s).	chlorophyll a (mg/m ²)		150	Cadmium(T)	5.0	
Arsenic(chronic	c) = hvbrid	E. Coli (per 100 mL)		126	Chromium III		TVS
Expiration Date	e of 12/31/2024				Chromium III(T)	50	
		Inorganic (m	g/L)		Chromium VI	TVS	TVS
			acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron		WS
		Boron		0.75	Iron(T)		1000
		Chloride		250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	
		Cyanide	0.005		Manganese	TVS	TVS/WS
EPA has	s not acted on segment-	Nitrate	10		Mercury		0.01(t)
specific	total phosphorus (TP)	Nitrite	0.05		Molybdenum(T)		150
numeric	standards based on	Phosphorus		0.11	Nickel	TVS	TVS
the inter	im value for river/	Sulfate		WS	Nickel(T)		100
stream s	segments with a cold	Sulfide		0.002	Selenium	TVS	TVS
water ac	uatic life classification				Silver	TVS	TVS(tr)
(0.11 mg	g/L TP).				Uranium		
					Zinc	TVS	TVS
					200	1.00	
10a. Mainstem	of Tabeguache Creek from its source	to the Uncompangre National Forest b	oundary.		2110	140	
10a. Mainstem COGUSM10A	of Tabeguache Creek from its source Classifications	to the Uncompangre National Forest b Physical and Biolo	ooundary. Ogical		N	letals (ug/L)	
10a. Mainstem COGUSM10A Designation	of Tabeguache Creek from its source Classifications Agriculture	to the Uncompangre National Forest b Physical and Biolo	oundary. ogical DM	MWAT	N	letals (ug/L) acute	chronic
10a. Mainstem COGUSM10A Designation Reviewable	of Tabeguache Creek from its source Classifications Agriculture Aq Life Cold 1	to the Uncompany re National Forest b Physical and Biolo Temperature °C	ooundary. ogical DM CS-II	MWAT CS-II	Aluminum	letals (ug/L) acute 	chronic
10a. Mainstem COGUSM10A Designation Reviewable	of Tabeguache Creek from its source Classifications Agriculture Aq Life Cold 1 Recreation E	to the Uncompany re National Forest b Physical and Biolo Temperature °C	oundary. ogical DM CS-II acute	MWAT CS-II chronic	Aluminum Arsenic	letals (ug/L) acute 340	chronic
10a. Mainstem COGUSM10A Designation Reviewable	of Tabeguache Creek from its source Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	to the Uncompany re National Forest b Physical and Biolo Temperature °C D.O. (mg/L)	poundary. pgical DM CS-II acute 	MWAT CS-II chronic 6.0	Aluminum Arsenic Arsenic(T)	Ietals (ug/L) acute 340 	chronic 0.02
10a. Mainstem COGUSM10A Designation Reviewable Qualifiers:	of Tabeguache Creek from its source Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	to the Uncompany re National Forest b Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning)	ooundary. ogical DM CS-II acute 	MWAT CS-II chronic 6.0 7.0	Aluminum Arsenic Arsenic(T) Beryllium	letals (ug/L) acute 340 	chronic 0.02
10a. Mainstem COGUSM10A Designation Reviewable Qualifiers: Other:	of Tabeguache Creek from its source Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	to the Uncompany re National Forest to Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH	oundary. ogical DM CS-II acute 6.5 - 9.0	MWAT CS-II chronic 6.0 7.0	Aluminum Arsenic Arsenic(T) Beryllium Cadmium	letals (ug/L) acute 340 TVS	chronic 0.02 TVS
10a. Mainstem COGUSM10A Designation Reviewable Qualifiers: Other:	of Tabeguache Creek from its source Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	to the Uncompany National Forest E Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²)	ooundary. ogical DM CS-II acute 6.5 - 9.0 	MWAT CS-II chronic 6.0 7.0 150	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T)	Ietals (ug/L) acute 340 TVS 5.0	chronic 0.02 TVS
10a. Mainstem COGUSM10A Designation Reviewable Qualifiers: Other:	of Tabeguache Creek from its source Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	to the Uncompahgre National Forest b Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL)	ooundary. ogical DM CS-II acute 6.5 - 9.0 	MWAT CS-II 6.0 7.0 150 126	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III	Itetals (ug/L) acute 340 TVS 5.0	chronic 0.02 TVS TVS
10a. Mainstem COGUSM10A Designation Reviewable Qualifiers: Other:	of Tabeguache Creek from its source Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	to the Uncompahyre National Forest E Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL)	ooundary. ggical DM CS-II acute 6.5 - 9.0 	MWAT CS-II chronic 6.0 7.0 150 126	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T)	Itetals (ug/L) acute 340 TVS 5.0 50	Chronic 0.02 TVS TVS
10a. Mainstem COGUSM10A Designation Reviewable Qualifiers: Other:	of Tabeguache Creek from its source Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	to the Uncompahyre National Forest b Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (m	ooundary. ggical DM CS-II acute 6.5 - 9.0 g/L)	MWAT CS-II chronic 6.0 7.0 150 126	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI	Itetals (ug/L) acute 340 TVS 50 50 TVS	Chronic 0.02 TVS TVS TVS TVS
10a. Mainstem COGUSM10A Designation Reviewable Qualifiers: Other:	of Tabeguache Creek from its source Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	to the Uncompany re National Forest b Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (mg/m²)	cs-II CS-II CS-II acute 6.5 - 9.0 g/L) acute	MWAT CS-II chronic 6.0 7.0 150 126 chronic	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper	Itetals (ug/L) acute 340 TVS 5.0 50 TVS 50 TVS	Chronic 0.02 TVS TVS TVS TVS
10a. Mainstem COGUSM10A Designation Reviewable Qualifiers: Other:	of Tabeguache Creek from its source Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	to the Uncompahyre National Forest E Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (m Ammonia	coundary. ggical DM CS-II acute 6.5 - 9.0 (g/L) acute TVS	MWAT CS-II chronic 6.0 7.0 150 126 thronic TVS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron	Iteals (ug/L) acute 340 TVS 5.0 50 TVS 50 TVS	Chronic 0.02 TVS TVS TVS TVS S TVS WS
10a. Mainstem COGUSM10A Designation Reviewable Qualifiers: Other:	of Tabeguache Creek from its source Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	to the Uncompany National Forest E Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (m Ammonia Boron	ooundary. ggical DM CS-II acute 6.5 - 9.0 g/L) acute T√S 	MWAT CS-II chronic 6.0 7.0 7.0 150 126 126 chronic TVS 0.75	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T)	Iteals (ug/L) acute 340 TVS 5.0 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS TVS TVS TVS	chronic 0.02 TVS TVS TVS TVS S TVS S S S S 1000
10a. Mainstem COGUSM10A Designation Reviewable Qualifiers: Other:	of Tabeguache Creek from its source Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	to the Uncompanyre National Forest b Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride	ooundary. pgical DM CS-II acute 6.5 - 9.0 (g/L) acute TVS TVS 	MWAT CS-II chronic 6.0 7.0 150 126 126 chronic TVS 0.75 250	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead	Iteals (ug/L) acute 340 TVS 50 50 TVS TVS Son TVS	chronic 0.02 TVS TVS TVS TVS TVS WS 1000 TVS
10a. Mainstem COGUSM10A Designation Reviewable Qualifiers: Other:	of Tabeguache Creek from its source Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	to the Uncompahyre National Forest b Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chlorine	boundary. ggical DM CS-II acute 6.5 - 9.0 6.5 - 9.0 () g/L) acute TVS 0.019	MWAT CS-II chronic 6.0 7.0 150 126 126 Chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T)	Itetals (ug/L) acute 340 TVS 50 TVS 50 TVS TVS TVS TVS 50 TVS TVS 50 TVS 50 TVS 50	Chronic 0.02 TVS TVS TVS TVS TVS WS 1000 TVS
10a. Mainstem COGUSM10A Designation Reviewable Qualifiers: Other:	of Tabeguache Creek from its source Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	to the Uncompahgre National Forest b Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chlorine Cyanide	boundary. ggical DM CS-II acute 6.5 - 9.0 6.5 - 9.0 6.5 - 9.0 0.5 0.019 0.005	MWAT CS-II chronic 6.0 7.0 150 126 126 chronic TVS 0.75 250 0.011 	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese	Itelais (ug/L) acute 340 TVS 5.0 500 TVS	Chronic 0.02 TVS TVS TVS S TVS WS 1000 TVS TVS/75
10a. Mainstem COGUSM10A Designation Reviewable Qualifiers: Other:	of Tabeguache Creek from its source Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	to the Uncompahyre National Forest b Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chlorine Cyanide Nitrate	boundary. ggical DM CS-II acute 6.5 - 9.0 6.5 - 9.0 (0.5 0.019 0.005 10	MWAT CS-II chronic 6.0 7.0 120 120 126 Chronic TVS 0.75 250 0.011 250	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury	Ietals (ug/L) acute 340 TVS 50 TVS TVS TVS	Chronic 0.02 TVS TVS TVS TVS WS 1000 TVS TVS/75 0.01(t)
10a. Mainstem COGUSM10A Designation Reviewable Qualifiers: Other:	of Tabeguache Creek from its source Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	to the Uncompahgre National Forest E Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite	soundary. ggical DM CS-II acute 6.5 - 9.0 6.5 - 9.0 100 100 0.019 0.005 10 0.05	MWAT CS-II chronic 6.0 7.0 150 126 126 Chronic TVS 0.75 250 0.011 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T)	Itetals (ug/L) acute 340 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS S0 TVS TVS S0 TVS S0 TVS	Chronic 0.02 TVS TVS TVS WS 1000 TVS TVS/75 0.01(t) 150
10a. Mainstem COGUSM10A Designation Reviewable Qualifiers: Other:	of Tabeguache Creek from its source Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	to the Uncompahgre National Forest E Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	acute acute acute acute acute acute acute acute acute acute 1//S 0.019 0.005 10 0.05 	MWAT CS-II chronic 6.0 7.0 150 126 126 Chronic TVS 0.75 250 0.011 250 0.011 1.50 0.011 0.01 0.01 0.01 	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel	Itetals (ug/L) acute 340 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS TVS S0 TVS S0 TVS S0 TVS TVS S0 TVS TVS	Chronic 0.02 TVS TVS TVS WS 1000 TVS TVS/75 0.01(t) 150 TVS
10a. Mainstem COGUSM10A Designation Reviewable Qualifiers: Other:	of Tabeguache Creek from its source Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	to the Uncompahgre National Forest b Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	ooundary. ggical DM CS-II acute 6.5 - 9.0 (CS) (CS) (CS) (CS) 	MWAT CS-II chronic 6.0 7.0 126 126 Chronic 7.0 126 0.011 0.011 0.414	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T)	Ietals (ug/L) acute 340 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS TVS 50 TVS TVS 50 TVS 50 TVS 50 TVS 50 TVS	Chronic 0.02 TVS TVS TVS TVS 1000 TVS TVS/75 0.01(t) 150 TVS 100
10a. Mainstem COGUSM10A Designation Reviewable Qualifiers: Other:	of Tabeguache Creek from its source Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	to the Uncompahgre National Forest b Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	boundary. ggical DM CS-II acute 6.5 - 9.0 6.5 - 9.0 6.5 - 9.0 0.01 0.005 10 0.005 10 0.05 0.01 0.005 	MWAT CS-II chronic 6.0 7.0 126 126 Chronic 126 0.011 0.011 0.11 0.11 0.11 0.11 0.11 0.11	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	Iteals (ug/L) acute 340 TVS 50 TVS TVS TVS TVS TVS TVS	chronic 0.02 TVS TVS TVS TVS TVS TVS TVS TVS TVS 1000 TVS TVS TVS TVS TVS TVS TVS TVS 1000 TVS 100 TVS 100 TVS
10a. Mainstem COGUSM10A Designation Reviewable Qualifiers: Other:	of Tabeguache Creek from its source Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	to the Uncompahgre National Forest b Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	boundary. ggical DM CS-II acute 6.5 - 9.0 6.5 - 9.0 0.01 acute TVS 0.019 0.005 10 0.005 10 0.05 	MWAT CS-II chronic 6.0 7.0 150 126 Chronic TVS 0.75 250 0.011 250 0.011 0.11 WS 0.002	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium Silver	Itelais (ug/L) acute 340 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS TVS 50 TVS TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS	Chronic 0.02 TVS TVS TVS WS 1000 TVS TVS/75 0.01(t) 150 TVS 1000 TVS
10a. Mainstem COGUSM10A Designation Reviewable Qualifiers: Other:	of Tabeguache Creek from its source Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	to the Uncompahgre National Forest b Physical and Biolo Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfate	soundary. ggical DM CS-II acute 6.5 - 9.0 6.5 - 9.0 0.01 0.05 10 0.005 10 0.05 10 0.05 	MWAT CS-II chronic 6.0 7.0 126 126 chronic TVS 0.75 250 0.011 0.11 0.11 0.11 0.11 0.11 WS 0.002	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium Silver Uranium	Ites acute 340 350 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS <tr td=""></tr>	Chronic 0.02 TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS

All metals are dissolved unless otherwise noted. T = total recoverable D.O. = dissolved oxygen

DM = daily maximum

MWAT = maximum weekly average temperature See 35.6 for further details on applied standards.

tr = trout sc = sculpin

t = total

Miguel River.		eek from the point it exits the Uncompa	hgre National	Forest at the	most downstream boundary	to the confluence wi	th the San
COGUSM10B	Classifications	Physical and Biolo	gical		Me	etals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Warm 1	Temperature °C	WS-II	WS-II	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		5.0	Arsenic(T)		0.02
Qualifiers:		рН	6.5 - 9.0		Beryllium		
Other:		chlorophyll a (mg/m ²)		150	Cadmium	TVS	TVS
Temporary Mo	dification(s).	E. Coli (per 100 mL)		126	Cadmium(T)	5.0	
Arsenic(chronic	$r_{\rm chi} = hybrid$	Inorganic (m	g/L)		Chromium III		TVS
Expiration Date	e of 12/31/2024		acute	chronic	Chromium III(T)	50	
		Ammonia	TVS	TVS	Chromium VI	TVS	TVS
		Boron		0.75	Copper	TVS	TVS
		Chloride		250	Iron		WS
		Chlorine	0.019	0.011	Iron(T)		1000
		Cvanide	0.005		Lead	TVS	TVS
		Nitrate	10		Lead(T)	50	
		Nitrito	0.05		Manganese	TVS	T\/S/75
	a not acted on accoment	Phosphorus	0.05	0.17	Manganoso		0.01(t)
	total phoophorus (TD)	Sulfata		W.C	Molybdenum(T)		150
specific	total prosphorus (TP)	Sunate		0.000	Niekol	 T\/S	130
the inter	standards based on	Suifide		0.002		105	100
							100
streams	segments with a warm				Selenium	172	TVS
water ad					Silver	172	172
(0.17 m	g/L TP).				Uranium 		
44 - All 121 - 14				Nuclear E	Zinc	TVS	TVS
Beaver and Ho	prsefly Creeks from the Uncompangre	National Forest boundary to their conflu	ences with the	San Miguel	River.	onte Reservoir. The n	nainstems or
COGUSM11A	Classifications	Physical and Biolo	gical		Με	etals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CS-II	CS-II	Aluminum		
	Recreation E		acute				
Qualifiers:			acure	chronic	Arsenic	 340	
		D.O. (mg/L)		chronic 6.0	Arsenic Arsenic(T)	 340 	 7.6
Other:		D.O. (mg/L) D.O. (spawning)		chronic 6.0 7.0	Arsenic Arsenic(T) Beryllium	 340 	 7.6
Other:		D.O. (mg/L) D.O. (spawning) pH	 6.5 - 9.0	chronic 6.0 7.0	Arsenic Arsenic(T) Beryllium Cadmium	 340 TVS	 7.6 TVS
Other:		D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²)	 6.5 - 9.0 	chronic 6.0 7.0 150	Arsenic Arsenic(T) Beryllium Cadmium Chromium III	 340 TVS TVS	 7.6 TVS TVS
Other:		D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)	6.5 - 9.0 	chronic 6.0 7.0 150 126	Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III(T)	 340 TVS TVS 	 7.6 TVS TVS 100
Other:		D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)	6.5 - 9.0 	chronic 6.0 7.0 150 126	Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI	 340 TVS TVS TVS	 7.6 TVS TVS 100 TVS
Other:		D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL)	6.5 - 9.0 g/L)	chronic 6.0 7.0 150 126	Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper	 340 TVS TVS TVS TVS TVS	 7.6 TVS TVS 100 TVS TVS
Other:		D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (mg	6.5 - 9.0 g/L) acute	chronic 6.0 7.0 150 126 chronic	Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T)	 340 TVS TVS TVS TVS TVS	 7.6 TVS TVS 100 TVS TVS TVS 1000
Other:		D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (mg/Mmonia	6.5 - 9.0 g/L) acute TVS	chronic 6.0 7.0 150 126 chronic TVS	Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead	 340 TVS TVS TVS TVS TVS TVS	 7.6 TVS TVS 100 TVS TVS 1000 TVS
Other:		D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron	acute 6.5 - 9.0 g/L) acute TVS 	chronic 6.0 7.0 150 126 chronic TVS 0.75	Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese	 340 TVS TVS TVS TVS TVS TVS TVS	 7.6 TVS TVS 100 TVS TVS 1000 TVS 1000 TVS
Other:		D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride	acute 6.5 - 9.0 g/L) acute TVS 	chronic 6.0 7.0 150 126 chronic TVS 0.75	Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury	 340 TVS TVS TVS TVS TVS TVS TVS TVS	 7.6 TVS TVS 100 TVS 1000 TVS 1000 TVS TVS 0.01(t)
EPA has	s not acted on segment-	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Chlorine	acute 6.5 - 9.0 g/L) acute T∨S 0.019	chronic 6.0 7.0 150 126 chronic TVS 0.75 0.011	Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T)	 340 TVS TVS TVS TVS TVS TVS TVS 	 7.6 TVS TVS 100 TVS 1000 TVS 1000 TVS 0.01(t) 150
EPA has specific	s not acted on segment- total phosphorus (TP)	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Chlorine Cyanide	acute 6.5 - 9.0 g/L) acute T∨S 0.019 0.005	chronic 6.0 7.0 150 126 chronic TVS 0.75 0.011	Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel	 340 TVS TVS TVS TVS TVS TVS TVS TVS	 7.6 TVS TVS 100 TVS 1000 TVS 1000 TVS 0.01(t) 150 TVS
EPA has specific numeric	s not acted on segment- total phosphorus (TP) standards based on	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Chlorine Cyanide Nitrate	acute 6.5 - 9.0 g/L) acute TVS 0.019 0.005 100	chronic 6.0 7.0 150 126 chronic TVS 0.75 0.011	Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Mang anese Mercury Molybdenum(T) Nickel Selenium	 340 TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS	 7.6 TVS TVS 100 TVS 1000 TVS 1000 TVS 0.01(t) 150 TVS TVS
EPA has specific numeric the inter	s not acted on segment- total phosphorus (TP) standards based on rim value for river/	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m ²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite	acute 6.5 - 9.0 acute TVS 0.019 0.005 100 0.05	chronic 6.0 7.0 150 126 126 chronic TVS 0.75 0.011 	Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel Selenium	 340 TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS 	 7.6 TVS TVS 100 TVS TVS 1000 TVS TVS 0.01(t) 150 TVS TVS TVS TVS
EPA has specific numeric the inter stream s	s not acted on segment- total phosphorus (TP) standards based on rim value for river/ segments with a cold	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	acute 6.5 - 9.0 acute TVS 0.019 0.005 100 0.05 	chronic 6.0 7.0 150 126 chronic TVS 0.75 0.011 0.011 0.11	Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Mang anese Mercury Molybdenum(T) Nickel Selenium Silver Uranium	 340 TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS	 7.6 TVS TVS 100 TVS TVS 1000 TVS TVS 0.01(t) 150 TVS TVS TVS TVS
EPA has specific numeric the inter stream s water a	s not acted on segment- total phosphorus (TP) standards based on rim value for river/ segments with a cold quatic life classification	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Chloride Chlorine Cyanide Nitrite Phosphorus Sulfate	acute 6.5 - 9.0 g/L) acute TVS 0.019 0.005 100 0.05 	chronic 6.0 7.0 150 126 chronic TVS 0.75 0.011 0.11 0.11 0.11	Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel Selenium Silver Uranium	 340 TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS	 7.6 TVS TVS 100 TVS 1000 TVS 1000 TVS 1000 TVS TVS 0.01(t) 150 TVS TVS TVS TVS TVS
EPA has specific numeric the inter stream s water ac (0.11 m	s not acted on segment- total phosphorus (TP) standards based on rim value for river/ segments with a cold quatic life classification g/L TP).	D.O. (mg/L) D.O. (spawning) pH chlorophyll a (mg/m²) E. Coli (per 100 mL) Inorganic (mg Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrate Nitrite Phosphorus Sulfate Sulfide	acute 6.5 - 9.0 g/L) acute T∨S 0.019 0.005 100 0.05 	chronic 6.0 7.0 150 126 chronic TVS 0.75 0.011 0.411 0.411	Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel Selenium Silver Uranium Zinc	 340 TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS	 7.6 TVS TVS 100 TVS 1000 TVS 1000 TVS 0.01(t) 150 TVS TVS TVS TVS TVS TVS

All metals are dissolved unless otherwise noted. T = total recoverable

D.O. = dissolved oxygen

DM = daily maximum

tr = trout sc = sculpin

t = total

COGUSM11B Classifications Physical and Biological Metals (ug/L) Designation Agriculture Agriculture CS-I MWAT Acute A	hronic 7.6 TVS TVS
Designation Agriculture Agriculture Temperature °C CS-I CS-I Aluminum Acute Reviewable Aq Life Cold 1 Temperature °C CS-I CS-I Aluminum Recreation E D.0. (mg/L) 6.0 Arsenic(T) Other: D.0. (spawning) 7.0 Beryllium	hronic 7.6 TVS TVS
Reviewable Aq Life Cold 1 Recreation E Temperature °C CS-I CS-I Aluminum Qualifiers: D.O. (mg/L) 6.0 Arsenic(T) Other: D.O. (spawning) 7.0 Beryllium	 7.6 TVS TVS
Recreation E acute chronic Arsenic 340 Qualifiers: D.O. (mg/L) 6.0 Arsenic(T) Other: D.O. (spawning) 7.0 Beryllium	7.6 TVS TVS
Qualifiers: D.O. (mg/L) 6.0 Arsenic(T) Other: D.O. (spawning) 7.0 Beryllium	7.6 TVS TVS
Other: D.O. (spawning) 7.0 Beryllium	TVS TVS
	TVS TVS
pH 6.5 - 9.0 Cadmium TVS	TVS
chlorophyll a (mg/m ²) 150 Chromium III TVS	
E. Coli (per 100 mL) 126 Chromium III(T)	100
Chromium VI TVS	TVS
Inorganic (mg/L) Copper TVS	TVS
acute chronic Iron(T)	1000
Ammonia TVS TVS Lead TVS	TVS
Boron 0.75 Manganese TVS	TVS
EPA has not acted on segment-	0.01(t)
specific total phosphorus (TP) Chlorine 0.019 0.011 Molybdenum(T)	150
numeric standards based on Cyanide 0.005 Nickel TVS	TVS
the interim value for river/ Nitrate 100 Selenium TVS	TVS
stream segments with a cold Nitrite 0.05 Silver TVS	VS(tr)
water aquatic life classification Phosphorus 0.11 Uranium	
(0.11 mg/L TP) Zinc Zinc	TVS
Sulfide 0.002	
12a. All tributaries and wetlands to Naturita Creek. All tributaries and wetlands to the San Miguel River from a point immediately below the confluence with Leopard Creek to	point
immediately above Horsefly Creek. This segment excludes the listings in Segments 9, 11a, 11b, 12b, and 12c.	
COGUSM12A Classifications Physical and Biological Metals (ug/L)	
Designation Agriculture DM MWAT acute of	nronic
Reviewable Aq Life Cold 2 Temperature °C CS-II CS-II Aluminum	
Recreation E acute chronic Arsenic 340	
Water Supply D.O. (mg/L) 6.0 Arsenic(T)	0.02
Udaimers: D.O. (spawning) 7.0 Beryllium	
pH 6.5 - 9.0 Cadmium TVS	TVS
Other: chlorophyll a (mg/m ²) 150 Cadmium(T) 5.0	
Temporary Modification(s): 126 Chromium III	TVS
Arsenic(chronic) = hybrid Chromium III(T) 50	
Expiration Date of 12/31/2024 Inorganic (mg/L) Chromium VI TVS	TVS
acute chronic Copper TVS	TVS
Ammonia TVS TVS Iron	WS
Boron 0.75 Iron(T)	1000
Chloride 250 Lead TVS	TVS
Chlorine 0.019 0.011 Lead(T) 50	
Cyanide 0.005 Manganese TVS TV	S/WS
Nitrate 10 Mercury	0.01(t)
Nitrite 0.05 Molybdenum(T)	150
Phosphorus 0.11 Nickel TVS	TVS
Sulfate WS Nickel(T)	100
Sulfide 0.002 Selenium TVS	TVS
Silver TVS	VS(tr)
Uranium TVS	
Uranium(T) 1	6.8-30 ^A
Zinc TVS	TVS

All metals are dissolved unless otherwise noted. T = total recoverable t = total tr = trout sc = sculpin

DM = daily maximum MWAT = maximum weekly average temperature See 35.6 for further details on applied standards.

D.O. = dissolved oxygen

12b. All tributar 9 11a 12a ar	ries and wetlands to the San Miguel Ri	ver from a point immediately above H	lorsefly Creek to	the confluer	ice with the Dolores River, excl	uding the listings i	n Segments
COGUSM12B Classifications		Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT		acute	chronic
UP	Aq Life Warm 2	Temperature °C	WS-II	WS-II	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		5.0	Arsenic(T)		0.02
Qualifiers:		pН	6.5 - 9.0		Beryllium		
Water + Fish Standards		chlorophyll a (mg/m ²)		150*	Cadmium	TVS	TVS
Other:		E. Coli (per 100 mL)		126	Cadmium(T)	5.0	
Temporary Modification(s):		Inorganic (r	ng/L)		Chromium III		TVS
Arsenic(chronic) = hybrid			acute	chronic	Chromium III(T)	50	
Expiration Date of 12/31/2024		Ammonia	TVS	TVS	Chromium VI	TVS	TVS
*chlorophyll a (mg/m ²)(chronic) = applies only above the facilities listed at 35.5(4). *Phosphorus(chronic) = applies only above the facilities listed at 35.5(4).		Boron		0.75	Copper	TVS	TVS
		Chloride		250	Iron		WS
		Chlorine	0.019	0.011	Iron(T)		1000
		Cvanide	0.005		Lead	TVS	TVS
		Nitrate	10		Lead(T)	50	
		Nitrite	0.05		Manganese	TVS	TVS/WS
		Phosphorus		0.17*	Mercury		0.01(t)
FPA has not acted on segment-		Sulfate		WS	Molybdenum(T)		150
specific total phosphorus (TP)		Sulfide		0.002	Nickel	TVS	TVS
numeric standards based on		Guinde		0.002	Nickel(T)		100
the interim value for river/					Selenium	TVS	TVS
stream segments with a warm					Silver	TVS	TVS
water aquatic life classification					Uranium	TVS	1.40
(0.17 mg/L TP)						175	16.8-30 A
	g/∟ 11).				Zinc	 T\/S	TVS
12c Mainstem	of Calamity Draw from Lincoln Street	n Nucla (38 264075 -108 555087) to	the confluence	with the San	Miguel River	100	100
COGUSM12C Classifications		Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT		acute	chronic
UP	Aq Life Warm 2	Temperature °C	WS-II	WS-II	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
Qualifiers:		D.O. (mg/L)		5.0	Arsenic(T)		7.6
Fish Ingestion		pН	6.5 - 9.0		Beryllium		
Other:		chlorophyll a (mg/m ²)		150*	Cadmium	TVS	TVS
		E. Coli (per 100 mL)		126	Chromium III		TVS
Discharger Specific Variance(s):		Inorganic (r	ng/L)		Chromium III(T)	50	
Ammonia(acute) = 1VS:10 Infinit $Ammonia(chronic) = TVS:13.8 mg/l$ $11/1 - 4/30$			acute	chronic	Chromium VI	TVS	TVS
Ammonia(chronic) = $TVS:8.3 \text{ mg/l}$ 5/1 - 10/31		Ammonia	TVS	TVS	Copper	TVS	TVS
Expiration Date of 12/31/2026		Boron		0.75	Iron(T)		1000
*chlorophyll a (mq/m^2) (chronic) = applies only above		Chloride		250	Lead	TVS	TVS
the facilities listed at 35.5(4).		Chlorine	0.019	0.011	Manganese	TVS	TVS
"Phosphorus(chronic) = applies only above the facilities listed at 35.5(4).		Cvanide	0.005		Mercury		0.01(t)
*Variance: Ammonia = see 35.6(4) for details.		Nitrate	100		Molybdenum(T)		150
		Nitrite	0.05		Nickel	TVS	TVS
		Phosphorus		0.17*	Selenium	TVS	TVS
		Sulfate			Silver	TVS	TVS
		Sulfide		0.002	Uranium	TVS	
		Culluc		0.002	Uranium(T)		16.8-30 A
		1					
					Zinc	TVS	TVS

All metals are dissolved unless otherwise noted. T = total recoverable t = total tr = trout sc = sculpin

DM = daily maximum MWAT = maximum weekly average temperature See 35.6 for further details on applied standards.

D.O. = dissolved oxygen
13. All lakes a	nd reservoirs tributary to the San Migue	River that are within the boundaries	of the Lizard H	ead or Mount	Sneffels Wilderness Areas.		
COGUSM13	Classifications	Physical and Biol	logical		Με	tals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
OW	Aq Life Cold 1	Temperature °C	CL	CL	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02
Qualifiers:		D.O. (spawning)		7.0	Beryllium		
Other:		рН	6.5 - 9.0		Cadmium	TVS	TVS
ablaranbull a		chlorophyll a (ug/L)		8	Cadmium(T)	5.0	
and reservoirs	(ug/L)(chronic) = applies only to lakesa larger than 25 acres surface area.	E. Coli (per 100 mL)		126	Chromium III		TVS
*Phosphorus(cl reservoirs larg	hronic) = applies only to lakes and uer than 25 acres surface area				Chromium III(T)	50	
rocorrono larg		Inorganic (n	ng/L)		Chromium VI	TVS	TVS
			acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron		WS
		Boron		0.75	Iron(T)		1000
		Chloride		250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	
		Cyanide	0.005		Manganese	TVS	TVS/WS
		Nitrate	10		Mercury		0.01(t)
		Nitrite	0.05		Molybdenum(T)		150
		Phosphorus		0.025*	Nickel	TVS	TVS
		Sulfate		WS	Nickel(T)		100
		Sulfide		0.002	Selenium	TVS	TVS
					Silver	TVS	TVS(tr)
					Uranium		
					Zinc	TVS	TVS
14. All lakes a	nd reservoirs tributary to the San Migue	el River from its source to a point imm	ediately below t	he confluence	of Leonard Creek excent fo	r the specific listings	in
Commercial 40			ioulatory bolow a		or Leopard Oreen, except to	i ule specific fistiliga	5 11 1
Segments 13,	15, 16, 17 and 20. This segment includ	es Lake Hope, Cushman Lake, Alta I	Lakes, Blue Lake	e, Mud Lake,	and Woods Lake.		5 11 1
COGUSM14	15, 16, 17 and 20. This segment includ	es Lake Hope, Cushman Lake, Alta L Physical and Biol	Lakes, Blue Lake	e, Mud Lake,	and Woods Lake.	tals (ug/L)	5 111
COGUSM14 Designation	15, 16, 17 and 20. This segment includ Classifications Agriculture	es Lake Hope, Cushman Lake, Alta I Physical and Biol	Lakes, Blue Lake logical	MWAT	and Woods Lake.	acute	chronic
DesignationReviewable	15, 16, 17 and 20. This segment includ Classifications Agriculture Aq Life Cold 1	es Lake Hope, Cushman Lake, Alta l Physical and Biol Temperature °C	lakes, Blue Lake logical DM CL	MWAT CL	Aluminum	tals (ug/L) acute	chronic
COGUSM14 Designation Reviewable	15, 16, 17 and 20. This segment includ Classifications Agriculture Aq Life Cold 1 Recreation E Water Surply	es Lake Hope, Cushman Lake, Alta I Physical and Biol Temperature °C	logical DM CL acute	MWAT CL chronic	Aluminum Arsenic	tals (ug/L) acute 340	chronic
Designation Reviewable	15, 16, 17 and 20. This segment includ Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	es Lake Hope, Cushman Lake, Alta l Physical and Biol Temperature °C D.O. (mg/L)	logical DM CL acute 	MWAT CL chronic 6.0	Aluminum Arsenic Arsenic(T)	tals (ug/L) acute 340 	chronic 0.02
COGUSM14 Designation Reviewable Qualifiers:	15, 16, 17 and 20. This segment includ Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	es Lake Hope, Cushman Lake, Alta I Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning)	logical DM CL acute 	MWAT CL chronic 6.0 7.0	Aluminum Arsenic Arsenic(T) Beryllium	tals (ug/L) acute 340 	chronic 0.02
COGUSM14 Designation Reviewable Qualifiers: Other:	15, 16, 17 and 20. This segment includ Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	es Lake Hope, Cushman Lake, Alta I Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH	logical DM CL acute 6.5 - 9.0	MWAT CL chronic 6.0 7.0	Aluminum Arsenic Arsenic(T) Beryllium Cadmium	tals (ug/L) acute 340 TVS	chronic 0.02 TVS
COGUSM14 Designation Reviewable Qualifiers: Other: *chlorophyll a	15, 16, 17 and 20. This segment includ Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply (ug/L)(chronic) = applies only to lakes	es Lake Hope, Cushman Lake, Alta L Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L)	locates, Blue Lake logical DM CL acute 6.5 - 9.0 	MWAT CL chronic 6.0 7.0 8*	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T)	tals (ug/L) acute 340 TVS 5.0	chronic 0.02 TVS
COGUSM14 Designation Reviewable Qualifiers: Other: *chlorophyll a and reservoirs	15, 16, 17 and 20. This segment includ Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area.	es Lake Hope, Cushman Lake, Alta L Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)	iodakes, Blue Lake iogical DM CL acute 6.5 - 9.0 	MWAT CL chronic 6.0 7.0 8* 126	and Woods Lake. Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III	tals (ug/L) acute 340 TVS 5.0 	chronic 0.02 TVS TVS
COGUSM14 Designation Reviewable Qualifiers: Other: *chlorophyll a and reservoirs *Phosphorus(cl reservoirs larg	15, 16, 17 and 20. This segment includ Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area. hronic) = applies only to lakes and er than 25 acres surface area.	es Lake Hope, Cushman Lake, Alta I Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)	iodakes, Blue Lake iogical DM CL acute 6.5 - 9.0 	MWAT CL chronic 6.0 7.0 8* 126	and Woods Lake. Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T)	tals (ug/L) acute 340 TVS 5.0 50	chronic 0.02 TVS TVS
COGUSM14 Designation Reviewable Qualifiers: Other: *chlorophyll a and reservoirs *Phosphorus(cl reservoirs larg	15, 16, 17 and 20. This segment includ Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area. Inronic) = applies only to lakes and ler than 25 acres surface area.	es Lake Hope, Cushman Lake, Alta L Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic (n	Indiates, Blue Lake Indiates, Blue Lake Indiates, Blue Lake DM CL acute 6.5 - 9.0 ng/L)	MWAT CL chronic 6.0 7.0 8* 126	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI	tals (ug/L) acute 340 TVS 5.0 50 TVS	chronic 0.02 TVS TVS TVS TVS
COGUSM14 Designation Reviewable Qualifiers: Other: *chlorophyll a and reservoirs *Phosphorus(cl reservoirs larg	15, 16, 17 and 20. This segment includ Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area. hronic) = applies only to lakes and ler than 25 acres surface area.	es Lake Hope, Cushman Lake, Alta I Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic (n	ng/L)	MWAT CL chronic 6.0 7.0 8* 126 chronic	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III Chromium III(T)	tals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS	chronic 0.02 TVS TVS TVS TVS
COGUSM14 Designation Reviewable Qualifiers: Other: *chlorophyll a and reservoirs *Phosphorus(cl reservoirs larg	15, 16, 17 and 20. This segment includ Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area. hronic) = applies only to lakes and ler than 25 acres surface area.	es Lake Hope, Cushman Lake, Alta L Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic (r Ammonia	Indiakes, Blue Lake Iogical DM CL acute 6.5 - 9.0 ng/L) acute TVS	MWAT CL Chronic 6.0 7.0 8* 126 chronic TVS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron	tals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS 	chronic 0.02 TVS TVS TVS WS
COGUSM14 Designation Reviewable Qualifiers: Other: *chlorophyll a and reservoirs *Phosphorus(cl reservoirs larg	 15, 16, 17 and 20. This segment includ Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area. hronic) = applies only to lakes and the term of the surface area. 	es Lake Hope, Cushman Lake, Alta L Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic (m Ammonia Boron	Indiakes, Blue Lake Indiakes,	MWAT CL chronic 6.0 7.0 8* 126 chronic TVS 0.75	and Woods Lake. Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium Cadmium(T) Chromium III Chromium III Chromium VI Copper Iron Iron(T)	tals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS 	chronic 0.02 TVS TVS TVS TVS TVS S TVS S S S S S S S S S S S
COGUSM14 Designation Reviewable Qualifiers: Other: *chlorophyll a and reservoirs *Phosphorus(cl reservoirs larg	15, 16, 17 and 20. This segment includ Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area. hronic) = applies only to lakes and ler than 25 acres surface area.	es Lake Hope, Cushman Lake, Alta L Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic (r Ammonia Boron Chloride	Indiakes, Blue Lake Indiakes,	MWAT CL Chronic 6.0 7.0 8* 126 chronic TVS 0.75 250	and Woods Lake. Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead	tals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS 50 TVS TVS TVS TVS	chronic 0.02 TVS TVS TVS WS 1000 TVS
COGUSM14 Designation Reviewable Qualifiers: Other: *chlorophyll a and reservoirs Phosphorus(cl reservoirs larg	15, 16, 17 and 20. This segment includ Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area. hronic) = applies only to lakes and ler than 25 acres surface area.	es Lake Hope, Cushman Lake, Alta I Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic (n Ammonia Boron Chloride Chlorine	Indiakes, Blue Lake Indiakes, Indiake Indiakes, Indiake Indiake, Indiake Indida Indiake	MWAT CL Chronic 6.0 7.0 8* 126 chronic TVS 0.75 250 0.011	and Woods Lake. Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T)	tals (ug/L) acute 340 TVS 50 TVS STVS TVS SUBJECTION Acute SUBJECTION SUBJECTION TVS TVS SUBJECTION SUBJECTION SUBJECTION	chronic 0.02 TVS TVS TVS UVS 1000 TVS
COGUSM14 Designation Reviewable Qualifiers: Other: *chlorophyll a and reservoirs Phosphorus(cl reservoirs larg	15, 16, 17 and 20. This segment includ Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area. hronic) = applies only to lakes and ler than 25 acres surface area.	es Lake Hope, Cushman Lake, Alta L Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic (r Ammonia Boron Chloride Chlorine Cyanide	CLARES, Blue Lake logical DM CL acute 6.5 - 9.0 mg/L) acute TVS 0.019 0.005	MWAT CL chronic 6.0 7.0 8* 126 chronic TVS 0.75 250 0.011 	and Woods Lake. Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese	tals (ug/L) acute 340 TVS 50 TVS STVS TVS 50 TVS 50 TVS 50 TVS 50 TVS TVS TVS TVS TVS TVS TVS S0 TVS S0 TVS	chronic 0.02 TVS
COGUSM14 Designation Reviewable Qualifiers: Other: *chlorophyll a and reservoirs *Phosphorus(cl reservoirs larg	15, 16, 17 and 20. This segment includ Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area. ler than 25 acres surface area.	es Lake Hope, Cushman Lake, Alta L Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic (r Ammonia Boron Chloride Chlorine Cyanide Nitrate	Lakes, Blue Lake logical DM CL acute 6.5 - 9.0 6.5 - 9.0 0.5 - 9.0 0.5 - 9.0 0.5 - 9.0 0.5 - 9.0 0.5 - 9.0 0.01 0.019 0.005 10	MWAT CL Chronic 6.0 7.0 8* 126 chronic TVS 0.75 250 0.011 	Aluminum Arsenic Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury	tals (ug/L) acute 340 TVS 50 TVS S0 TVS 50 TVS 50 TVS 50 TVS 50 TVS TVS TVS TVS TVS TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS	chronic 0.02 TVS 0.00 TVS 0.00 TVS/WS 0.01(t)
COGUSM14 Designation Reviewable Qualifiers: Other: *chlorophyll a and reservoirs *Phosphorus(cl reservoirs larg	15, 16, 17 and 20. This segment includ Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area. hronic) = applies only to lakes and ler than 25 acres surface area.	es Lake Hope, Cushman Lake, Alta I Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite	Indiakes, Blue Lake Indiakes, Indiake Indiakes, Indiake Indiakes, Indiake Indiakes, Indiake Indiakes, Indiake Indiakes, Indiake Indiakes, Indiake India	MWAT CL Chronic 6.0 7.0 8* 126 Chronic TVS 0.75 250 0.011 	and Woods Lake. Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T)	tals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS 50 TVS TVS 50 TVS TVS 	chronic 0.02 TVS 0.000 TVS 0.000 TVS 0.001(t) 150
COGUSM14 Designation Reviewable Qualifiers: Other: *chlorophyll a and reservoirs *Phosphorus(cl reservoirs larg	15, 16, 17 and 20. This segment includ Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area. hronic) = applies only to lakes and ler than 25 acres surface area.	es Lake Hope, Cushman Lake, Alta L Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic (r Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	Indiakes, Blue Lake Indiakes, Indiake Indiakes, Indiake Indiakes, Indiake Indiakes, Indiake Indiakes, Indiake Indiakes, Indiake Indiakes, Indiake India	MWAT CL Chronic 6.0 7.0 8* 126 Chronic TVS 0.75 250 0.011 0.025*	and Woods Lake. Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel	tals (ug/L) acute 340 340 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS TVS TVS TVS 50 TVS 50 TVS 50 TVS TVS	chronic 0.02 TVS 1000 TVS 0.01(t) 150 TVS
COGUSM14 Designation Reviewable Qualifiers: Other: *chlorophyll a and reservoirs *Phosphorus(cl reservoirs larg	15, 16, 17 and 20. This segment includ Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area. hronic) = applies only to lakes and ler than 25 acres surface area.	es Lake Hope, Cushman Lake, Alta I Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic (r Ammonia Boron Chloride Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	Indiakes, Blue Lake Indiakes, Indiake Indiakes, Indiake Indiakes, Indiake Indiakes, Indiake Indiakes, Indiake Indiakes, Indiake Indiake, Indiake Indiakes, Indiake Indiake, Indiake Indiake Indiake, India	MWAT CL Chronic 6.0 7.0 8* 126 chronic TVS 0.75 250 0.011 0.025* WS	and Woods Lake. Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T)	tals (ug/L) acute 340 340 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS TVS TVS TVS 50 TVS 50 TVS 50 TVS 50 TVS TVS TVS TVS <td>chronic 0.02 TVS 0.01(t) 150 TVS 100</td>	chronic 0.02 TVS 0.01(t) 150 TVS 100
COGUSM14 Designation Reviewable Qualifiers: Other: *chlorophyll a and reservoirs Phosphorus(cl reservoirs larg	15, 16, 17 and 20. This segment includ Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area. hronic) = applies only to lakes and ler than 25 acres surface area.	es Lake Hope, Cushman Lake, Alta I Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic (n Ammonia Boron Chloride Chloride Chlorine Cyanide Nitrate Nitrate Nitrate Sulfate Sulfate	Lakes, Blue Lake logical DM CL acute 6.5 - 9.0 6.5 - 9.0 (0.17) acute TVS 0.019 0.005 10 0.005 10 0.005 	MWAT CL Chronic 6.0 7.0 8* 126 chronic TVS 0.75 250 0.011 0.025* WS 0.002	and Woods Lake. Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	tals (ug/L) acute 340 340 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS TVS 50 TVS TVS 50 TVS TVS	chronic 0.02 TVS 1000 TVS/WS 0.01(t) 150 TVS 1000 TVS
COGUSM14 Designation Reviewable Qualifiers: Other: *chlorophyll a and reservoirs *Phosphorus(cl reservoirs larg	15, 16, 17 and 20. This segment includ Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area. hronic) = applies only to lakes and ler than 25 acres surface area.	es Lake Hope, Cushman Lake, Alta I Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic (n Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	Lakes, Blue Lake logical DM CL acute 6.5 - 9.0 6.5 - 9.0 (0.5 0.019 0.005 10 0.005 10 0.005 0.019 0.005 	MWAT CL Chronic 6.0 7.0 8* 126 chronic TVS 0.75 250 0.011 0.025* WS 0.002	and Woods Lake. Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	tals (ug/L) acute 340 340 50 TVS 50 TVS 50 TVS 50 TVS TVS 50 TVS TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS TVS TVS TVS TVS	chronic 0.02 TVS TVS TVS TVS TVS TVS TVS TVS TVS US 1000 TVS/WS 0.01(t) 150 TVS 100 TVS TVS
COGUSM14 Designation Reviewable Qualifiers: Other: *chlorophyll a and reservoirs *Phosphorus(cl reservoirs larg	15, 16, 17 and 20. This segment includ Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area. Inronic) = applies only to lakes and ler than 25 acres surface area.	es Lake Hope, Cushman Lake, Alta I Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic (r Ammonia Boron Chloride Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	Lakes, Blue Lake logical DM CL acute 6.5 - 9.0 6.5 - 9.0 (0.5 0.019 0.005 10 0.005 10 0.005 	MWAT CL Chronic 6.0 7.0 8* 126 chronic TVS 0.75 250 0.011 0.025* WS 0.002	and Woods Lake. Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium Silver Uranium	tals (ug/L) acute 340 340 5.0 50 TVS TVS <tr< td=""><td>chronic 0.02 TVS TVS TVS TVS TVS TVS TVS TVS TVS 1000 TVS 0.01(t) 150 TVS 100 TVS 100 TVS TVS</td></tr<>	chronic 0.02 TVS TVS TVS TVS TVS TVS TVS TVS TVS 1000 TVS 0.01(t) 150 TVS 100 TVS 100 TVS TVS
COGUSM14 Designation Reviewable Qualifiers: Other: *chlorophyll a and reservoirs *Phosphorus(cl reservoirs larg	15, 16, 17 and 20. This segment includ Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area. ler than 25 acres surface area.	es Lake Hope, Cushman Lake, Alta I Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic (r Ammonia Boron Chloride Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	Lakes, Blue Lake logical DM CL acute 6.5 - 9.0 6.5 - 9.0 6.5 - 9.0 0.01 0.005 10 0.005 10 0.005 	MWAT CL Chronic 6.0 7.0 8* 126 Chronic TVS 0.75 250 0.011 0.025* WS 0.002	and Woods Lake. Aluminum Arsenic Arsenic(T) Beryllium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead Lead Lead Lead Lead Lead Lead Silver Uranium Silver Uranium Zinc	tals (ug/L) acute 340 340 50 TVS TVS TVS	chronic 0.02 TVS 1000 TVS 0.01(t) 150 TVS 1000 TVS 100 TVS 100 TVS TVS(tr) TVS

All metals are dissolved unless otherwise noted.

T = total recoverable

D.O. = dissolved oxygen

DM = daily maximum

tr = trout sc = sculpin

t = total

MWAT = maximum weekly average temperature See 35.6 for further details on applied standards.

15. All lakes a	and reservoirs tributary to Ingram Creek	from the source to the confluence	with the San Migu	el River. This	segment includes Ingram La	ike.	
COGUSM15	Classifications	Physical and E	Biological		м	etals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 2	Temperature °C	CL	CL	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
Qualifiers:		D.O. (mg/L)		6.0	Arsenic(T)		100
Other:		D.O. (spawning)		7.0	Beryllium		
		рН	6.5 - 9.0		Cadmium	TVS	TVS
chlorophyll a and reservoirs	(ug/L)(chronic) = applies only to lakes s larger than 25 acres surface area.	chlorophyll a (ug/L)		8	Chromium III	TVS	TVS
*Phosphorus(c	chronic) = applies only to lakes and	E. Coli (per 100 mL)		126	Chromium III(T)		100
reservoirs larg	jei man 25 acres sunace area.				Chromium VI	TVS	TVS
		Inorganio	c (mg/L)		Copper	TVS	TVS
			acute	chronic	Iron(T)		1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron		0.75	Manganese	TVS	TVS
		Chloride			Mercury		0.01(t)
		Chlorine	0.019	0.011	Molybdenum(T)		150
		Cyanide	0.005		Nickel	TVS	TVS
		Nitrate	100		Selenium	TVS	TVS
		Nitrite	0.05		Silver	TVS	TVS
		Phosphorus		0.025*	Uranium		
		Sulfate			Zinc	TVS	TVS
		Sulfide		0.002			
16 All lakes a	and reconvoire tributory to Marchall Crea	from the course to the coefficience	with the Con Min				
16. All lakes and reservoirs tributary to Marshall Cree		k from the source to the confluence	Physical and Biological			Lake.	
COGUSM16	Classifications	Physical and E	Biological	uel River. Th	is segment includes Thorne I M	Lake. letals (ug/L)	
COGUSM16 Designation	Classifications Agriculture	Physical and E	Biological DM	MWAT	s segment includes Thorne I M	Lake. etals (ug/L) acute	chronic
COGUSM16 Designation Reviewable	Classifications Agriculture Aq Life Cold 2	Physical and E	Biological DM CL	MWAT	s segment includes Thorne I M Aluminum	Lake. etals (ug/L) acute 	chronic
COGUSM16 Designation Reviewable	Classifications Agriculture Aq Life Cold 2 Recreation E	Physical and E	Biological DM CL acute	MWAT CL chronic	s segment includes Thorne I M Aluminum Arsenic	Lake. etals (ug/L) acute 340	chronic
COGUSM16 Designation Reviewable Qualifiers:	Classifications Agriculture Aq Life Cold 2 Recreation E	Temperature °C	Biological CL acute	MWAT CL chronic 6.0	s segment includes Thorne I M Aluminum Arsenic Arsenic(T)	Lake. etals (ug/L) acute 340 	chronic 100
COGUSM16 Designation Reviewable Qualifiers: Other:	Classifications Agriculture Aq Life Cold 2 Recreation E	Physical and E Temperature °C D.O. (mg/L) D.O. (spawning)	Biological DM CL acute 	MWAT CL chronic 6.0 7.0	s segment includes Thorne M M Aluminum Arsenic Arsenic(T) Beryllium	Lake. etals (ug/L) acute 340 	chronic 100
COGUSM16 Designation Reviewable Qualifiers: Other:	Classifications Agriculture Aq Life Cold 2 Recreation E	Physical and E Temperature °C D.O. (mg/L) D.O. (spawning) pH	Biological CL acute 6.5 - 9.0	MWAT CL chronic 6.0 7.0 	s segment includes Thorne M M Aluminum Arsenic Arsenic(T) Beryllium Cadmium	Lake. etals (ug/L) acute 340 TVS	chronic 100 TVS
COGUSM16 Designation Reviewable Qualifiers: Other: *chlorophyll a and reservoirs	Classifications Agriculture Aq Life Cold 2 Recreation E (ug/L)(chronic) = applies only to lakes a larger than 25 acres surface area.	Physical and E Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L)	Biological CL CL acute 6.5 - 9.0 	Uel River. Th MWAT CL chronic 6.0 7.0 8*	s segment includes Thorne M M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III	Lake. etals (ug/L) acute 340 TVS TVS TVS	chronic 100 TVS TVS
COGUSM16 Designation Reviewable Qualifiers: Other: *chlorophyll a and reservoirs *Phosphorus(c	Classifications Agriculture Aq Life Cold 2 Recreation E (ug/L)(chronic) = applies only to lakes s larger than 25 acres surface area. stronic) = applies only to lakes and provide acres surface area.	Physical and E Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)	Biological CL CL acute 6.5 - 9.0 	uel River. Th MWAT CL chronic 6.0 7.0 8* 126	s segment includes Thorne I M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III	Lake. etals (ug/L) acute 340 TVS TVS TVS 	chronic 100 TVS TVS 100
COGUSM16 Designation Reviewable Qualifiers: Other: *chlorophyll a and reservoirs *Phosphorus(c reservoirs larg	Classifications Agriculture Aq Life Cold 2 Recreation E (ug/L)(chronic) = applies only to lakes a larger than 25 acres surface area. thronic) = applies only to lakes and ger than 25 acres surface area.	Physical and E Physical and E Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)	a with the San Mig Biological DM CL acute 6.5 - 9.0	Uel River. Th MWAT CL Chronic 6.0 7.0 8* 126	s segment includes Thorne I M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III Chromium III(T) Chromium VI	Lake. etals (ug/L) acute 340 TVS TVS TVS TVS	chronic 100 TVS 100 TVS 100
COGUSM16 Designation Reviewable Qualifiers: Other: *chlorophyll a and reservoirs *Phosphorus(c reservoirs larg	Classifications Agriculture Aq Life Cold 2 Recreation E (ug/L)(chronic) = applies only to lakes s larger than 25 acres surface area. shronic) = applies only to lakes and ger than 25 acres surface area.	Physical and E Physical and E Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic	Biological DM CL acute 6.5 - 9.0 c: (mg/L)	WWAT CL chronic 6.0 7.0 8* 126	s segment includes Thorne I M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III Chromium III(T) Chromium VI Copper	Lake. etals (ug/L) acute 340 TVS TVS TVS TVS TVS TVS	chronic 100 TVS TVS 100 TVS TVS TVS TVS
COGUSM16 Designation Reviewable Qualifiers: Other: *chlorophyll a and reservoirs *Phosphorus(c reservoirs larg	Classifications Agriculture Aq Life Cold 2 Recreation E (ug/L)(chronic) = applies only to lakes s larger than 25 acres surface area. shronic) = applies only to lakes and ger than 25 acres surface area.	Physical and E Physical and E Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic	3iological DM CL acute 6.5 - 9.0 (mg/L) acute	MWAT CL chronic 6.0 7.0 8* 126 chronic	s segment includes Thorne I M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron(T)	Lake. etals (ug/L) acute 340 TVS TVS TVS TVS TVS TVS TVS	chronic 100 TVS TVS 100 TVS
COGUSM16 Designation Reviewable Qualifiers: Other: *chlorophyll a and reservoirs *Phosphorus(c reservoirs larg	Classifications Agriculture Aq Life Cold 2 Recreation E (ug/L)(chronic) = applies only to lakes a larger than 25 acres surface area. chronic) = applies only to lakes and ger than 25 acres surface area.	Physical and E Physical and E Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic Ammonia	3iological DM CL acute 6.5 - 9.0 c (mg/L) acute TVS	MWAT CL chronic 6.0 7.0 8* 126 chronic TVS	s segment includes Thorne I M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III Chromium III Chromium VI Copper Iron(T) Lead	Lake. etais (ug/L) acute 340 TVS TVS TVS TVS TVS TVS TVS TVS	chronic 100 TVS TVS 100 TVS 100 TVS 100 TVS 100 TVS 100 TVS TVS TVS TVS TVS TVS TVS TVS TVS
COGUSM16 Designation Reviewable Qualifiers: Other: *chlorophyll a and reservoirs *Phosphorus(c reservoirs larg	Classifications Agriculture Aq Life Cold 2 Recreation E (ug/L)(chronic) = applies only to lakes s larger than 25 acres surface area. shronic) = applies only to lakes and ger than 25 acres surface area.	Physical and E Physical and E Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic Ammonia Boron	3iological DM CL acute 6.5 - 9.0 c (mg/L) acute TVS 	Uel River. Th CL Chronic 6.0 7.0 8* 126 Chronic TVS 0.75	s segment includes Thorne I M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese	etais (ug/L) etais (ug/L) acute 340 TVS TVS TVS TVS TVS TVS TVS TVS 	chronic 100 TVS TVS 100 TVS 100 TVS 100 TVS 100 TVS 100 TVS TVS 1000 TVS TVS 1000 TVS TVS
COGUSM16 Designation Reviewable Qualifiers: Other: *chlorophyll a and reservoirs *Phosphorus(c reservoirs larg	Classifications Agriculture Aq Life Cold 2 Recreation E (ug/L)(chronic) = applies only to lakes is larger than 25 acres surface area. chronic) = applies only to lakes and ger than 25 acres surface area.	Physical and E Physical and E Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic Ammonia Boron Chloride	3iological DM CL acute 6.5 - 9.0 c (mg/L) acute TVS 	Uel River. Th CL Chronic 6.0 7.0 8* 126 Chronic TVS 0.75 	s segment includes Thorne M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury	etais (ug/L) acute 340 TVS TVS TVS TVS TVS TVS TVS TVS TVS 	chronic 100 TVS TVS 100 TVS 100 TVS 100 TVS 100 TVS TVS TVS 1000 TVS TVS 0.01(t)
COGUSM16 Designation Reviewable Qualifiers: Other: *chlorophyll a and reservoirs *Phosphorus(c reservoirs larg	Classifications Agriculture Aq Life Cold 2 Recreation E (ug/L)(chronic) = applies only to lakes is larger than 25 acres surface area. thronic) = applies only to lakes and ger than 25 acres surface area.	Physical and E Physical and E Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic Ammonia Boron Chloride Chlorine	3iological CL CL CL CL CL CL CL CL CL CL	Uel River. Th MWAT CL chronic 6.0 7.0 8* 126 chronic TVS 0.75 0.011	s segment includes Thorne M M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T)	etals (ug/L) etals (ug/L) acute 340 TVS TVS TVS TVS TVS TVS TVS 	chronic 100 TVS TVS 100 TVS 100 TVS 100 TVS 100 TVS 100 TVS 0.01(t) 150
COGUSM16 Designation Reviewable Qualifiers: Other: *chlorophyll a and reservoirs *Phosphorus(c reservoirs larg	Classifications Agriculture Aq Life Cold 2 Recreation E (ug/L)(chronic) = applies only to lakes a larger than 25 acres surface area. hronic) = applies only to lakes and ger than 25 acres surface area.	Physical and E Physical and E Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic Ammonia Boron Chloride Chlorine Cyanide	s with the San Mig Biological DM CL acute 6.5 - 9.0 c (mg/L) acute TVS 0.019 0.005	Uel River. Th MWAT CL chronic 6.0 7.0 8* 126 Chronic TVS 0.75 0.011 	s segment includes Thorne M M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III Chromium III Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel	etais (ug/L) etais (ug/L) acute 340 TVS TVS TVS TVS TVS TVS TVS TVS TVS	chronic 100 TVS TVS 100 TVS 100 TVS 100 TVS 100 TVS 0.01(t) 150 TVS
COGUSM16 Designation Reviewable Qualifiers: Other: *chlorophyll a and reservoirs *Phosphorus(c reservoirs larg	Classifications Agriculture Aq Life Cold 2 Recreation E (ug/L)(chronic) = applies only to lakes a larger than 25 acres surface area. chronic) = applies only to lakes and ger than 25 acres surface area.	Physical and E Physical and E Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic Ammonia Boron Chloride Chlorine Cyanide Nitrate	3 with the San Mig 3iological DM CL acute 6.5 - 9.0 6.5 - 9.0 c (mg/L) acute TVS 0.019 0.005 100	Uel River. Th MWAT CL chronic 6.0 7.0 8* 126 chronic TVS 0.75 0.011 	s segment includes Thorne M M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel Selenium	etais (ug/L) etais (ug/L) acute 340 TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS	chronic 100 TVS TVS 100 TVS 100 TVS 100 TVS 0.01(t) 150 TVS TVS
COGUSM16 Designation Reviewable Qualifiers: Other: *chlorophyll a and reservoirs *Phosphorus(c reservoirs larg	Classifications Agriculture Aq Life Cold 2 Recreation E (ug/L)(chronic) = applies only to lakes a larger than 25 acres surface area. shronic) = applies only to lakes and ger than 25 acres surface area.	Physical and E Physical and E Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite	a with the San Mig Biological DM CL acute 6.5 - 9.0 c (mg/L) acute TVS 0.019 0.005 100 0.05	Uel River. Th CL Chronic 6.0 7.0 8* 126 Chronic TVS 0.75 0.011 0.011 	s segment includes Thorne M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel Selenium	etais (ug/L) etais (ug/L) acute acut	chronic 100 TVS TVS 100 TVS 100 TVS 100 TVS 0.01(t) 150 TVS TVS TVS
COGUSM16 Designation Reviewable Qualifiers: Other: *chlorophyll a and reservoirs *Phosphorus(c reservoirs larg	Classifications Agriculture Aq Life Cold 2 Recreation E (ug/L)(chronic) = applies only to lakes is larger than 25 acres surface area. shronic) = applies only to lakes and ger than 25 acres surface area.	Physical and E Physical and E Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	a with the San Mig Biological DM CL acute 6.5 - 9.0 c (mg/L) acute TVS 0.019 0.005 100 0.05 	uel River. Th CL chronic 6.0 7.0 8* 126 Chronic TVS 0.75 0.011 0.011 0.025*	s segment includes Thorne M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel Selenium Silver Uranium	etais (ug/L) etais (ug/L) acute acut	chronic 100 TVS TVS 100 TVS 1000 TVS 1000 TVS 1000 TVS 1000 TVS 1000 TVS 1000 TVS 1000 TVS TVS
COGUSM16 Designation Reviewable Qualifiers: Other: *chlorophyll a and reservoirs *Phosphorus(c reservoirs larg	Classifications Agriculture Aq Life Cold 2 Recreation E (ug/L)(chronic) = applies only to lakes s larger than 25 acres surface area. hronic) = applies only to lakes and ger than 25 acres surface area.	Physical and E Physical and E Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	s with the San Mig Biological DM CL acute 6.5 - 9.0 c (mg/L) c (mg/L) CL 0.019 0.005 100 0.05 	Uel River. Th MWAT CL chronic 6.0 7.0 8* 126 0.011 0.011 0.025* 	s segment includes Thorne M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel Selenium Silver Uranium	etais (ug/L) etais (ug/L) acute acut	chronic 100 100 TVS 100 TVS 100 TVS 100 TVS 1000 TVS 0.01(t) 150 TVS TVS TVS 150 TVS TVS TVS TVS 150 TVS TVS TVS 150 TVS
COGUSM16 Designation Reviewable Qualifiers: Other: *chlorophyll a and reservoirs *Phosphorus(c reservoirs larg	Classifications Agriculture Aq Life Cold 2 Recreation E (ug/L)(chronic) = applies only to lakes is larger than 25 acres surface area. thronic) = applies only to lakes and ger than 25 acres surface area.	Physical and E Physical and E Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	s with the San Mig Biological DM CL acute 6.5 - 9.0 c (mg/L) acute TVS 0.019 0.005 100 0.05 	Uel River. Th MWAT CL chronic 6.0 7.0 8* 126 * 126 Chronic TVS 0.75 0.011 0.011 0.025* 0.002	s segment includes Thorne I M Aluminum Arsenic Arsenic(T) Beryllium Cadmium Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron(T) Lead Manganese Mercury Molybdenum(T) Nickel Selenium Silver Uranium	etals (ug/L) acute 340 TVS TVS T	chronic 100 100 TVS 100 TVS 100 TVS 100 TVS 1000 TVS 0.001(t) 150 TVS TVS TVS TVS 150 TVS TVS TVS 150 TVS TVS TVS 150 TVS TVS

All metals are dissolved unless otherwise noted. T = total recoverable t = total tr = trout sc = sculpin

COGUSM17	Classifications	Physical and	Biological		N	/letals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CL	CL	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
Qualifiers:		D.O. (mg/L)		6.0	Arsenic(T)		7.6
Other:		D.O. (spawning)		7.0	Beryllium		
		рН	6.5 - 9.0		Cadmium	TVS	TVS
nd reservoir	s larger than 25 acres surface area.	chlorophyll a (ug/L)		8*	Chromium III	TVS	TVS
Phosphorus(c	chronic) = applies only to lakes and	E. Coli (per 100 mL)		126	Chromium III(T)		100
	yei than 25 acres surface area.				Chromium VI	TVS	TVS
		Inorgan	ic (mg/L)		Copper	TVS	TVS
			acute	chronic	Iron(T)		1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron		0.75	Manganese	TVS	TVS
		Chloride			Mercury		0.01(t)
		Chlorine	0.019	0.011	Molybdenum(T)		150
		Cyanide	0.005		Nickel	TVS	TVS
		Nitrate	100		Selenium	TVS	TVS
		Nitrite	0.05		Silver	TVS	TVS(tr)
		Phosphorus		0.025*	Uranium		
		Sulfate			Zinc	TVS	TVS
		Sulfide		0.002			
	Classifications	Dhysical and	Piological		N	(uall)	
esignation		Physical and	Biological	MWAT	N	Aetals (ug/L)	chronic
esignation	Classifications Agriculture Ag Life Cold 1	Physical and	Biological DM	MWAT	Aluminum	Netals (ug/L) acute	chronic
Designation Reviewable	Classifications Agriculture Aq Life Cold 1 Recreation E	Physical and Temperature °C	Biological DM CL acute	MWAT CL chronic	N Aluminum Arsenic	Netals (ug/L) acute 340	chronic
Designation Reviewable	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Physical and Temperature °C D.O. (mg/L)	Biological DM CL acute	MWAT CL chronic 6.0	Aluminum Arsenic Arsenic(T)	Netals (ug/L) acute 340 	chronic 0.02
Designation Reviewable Qualifiers:	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Physical and Temperature °C D.O. (mg/L) D.O. (spawning)	Biological DM CL acute	MWAT CL chronic 6.0 7.0	Aluminum Arsenic Arsenic(T) Beryllium	Netals (ug/L) acute 340 	chronic 0.02
Designation Reviewable Qualifiers:	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Physical and Temperature °C D.O. (mg/L) D.O. (spawning) pH	Biological DM CL acute 6.5 - 9.0	MWAT CL chronic 6.0 7.0	Aluminum Arsenic Arsenic(T) Beryllium Cadmium	Vetals (ug/L) acute 340 TVS	chronic 0.02 TVS
Designation Reviewable Qualifiers: Dther:	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	Physical and Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L)	Biological DM CL acute 6.5 - 9.0 	MWAT CL chronic 6.0 7.0 8*	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T)	Metals (ug/L) acute 340 TVS 5.0	chronic 0.02 TVS
esignation eviewable tualifiers: ther: chlorophyll a	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply (ug/L)(chronic) = applies only to lakes a larger than 25 ares surface area	Physical and Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)	Biological DM CL acute 6.5 - 9.0 	MWAT CL chronic 6.0 7.0 8* 126	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III	Aetals (ug/L) acute 340 TVS 5.0 	chronic 0.02 TVS TVS
Designation Reviewable Qualifiers: Dther: chlorophyll a nd reservoirs Phosphorus(c	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply (ug/L)(chronic) = applies only to lakes s larger than 25 acres surface area. chronic) = applies only to lakes and	Physical and Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)	Biological DM CL acute CL	MWAT CL chronic 6.0 7.0 8* 126	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T)	Aetals (ug/L) acute 340 TVS 5.0 50	chronic 0.02 TVS TVS
Designation Reviewable Qualifiers: Dther: Chlorophyll a nd reservoirs Phosphorus(c eservoirs large	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply (ug/L)(chronic) = applies only to lakes s larger than 25 acres surface area. chronic) = applies only to lakes and ger than 25 acres surface area.	Physical and Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)	Biological DM CL CL acute 6.5 - 9.0 c.(mg/L)	MWAT CL chronic 6.0 7.0 8* 126	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI	Aetals (ug/L) acute 340 TVS 5.0 50 TVS	chronic 0.02 TVS TVS TVS
Designation Reviewable Qualifiers: Dther: Chlorophyll a nd reservoirs Phosphorus(c eservoirs larg	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply (ug/L)(chronic) = applies only to lakes s larger than 25 acres surface area. chronic) = applies only to lakes and ger than 25 acres surface area.	Physical and Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)	Biological DM CL CL acute CL CL c c c c c c c c c c c c c c c c c	MWAT CL chronic 6.0 7.0 8* 126 chronic	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III(T) Chromium VI Copper	Aetals (ug/L) acute 340 TVS 5.0 50 TVS TVS	chronic 0.02 TVS TVS TVS TVS
Designation Reviewable Rualifiers: Dther: Chlorophyll a nd reservoirs Phosphorus(c eservoirs larg	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply (ug/L)(chronic) = applies only to lakes s larger than 25 acres surface area. chronic) = applies only to lakes and ger than 25 acres surface area.	Physical and Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorgan	Biological DM CL CL CL CL CL CL CL CL CL CL CL CL CL CL CL CL	MWAT CL chronic 6.0 7.0 8* 126 chronic TVS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron	Aetals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS 	chronic 0.02 TVS TVS TVS TVS TVS WS
Designation Reviewable Qualifiers: Dther: Chlorophyll a Ind reservoirs Phosphorus(o eservoirs larg	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply (ug/L)(chronic) = applies only to lakes s larger than 25 acres surface area. chronic) = applies only to lakes and ger than 25 acres surface area.	Physical and Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorgan Ammonia Boron	Biological DM CL CL CL CL CL CL CL CL CL CL CL CL CL	MWAT CL chronic 6.0 7.0 8* 126	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T)	Aetals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS 	chronic 0.02 TVS TVS TVS TVS TVS WS 1000
Designation Reviewable Qualifiers: Dther: Dther: Chlorophyll a nd reservoirs Phosphorus(o eservoirs larg	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply (ug/L)(chronic) = applies only to lakes s larger than 25 acres surface area. chronic) = applies only to lakes and ger than 25 acres surface area.	Physical and Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorgan Ammonia Boron Chloride	Biological DM CL CL acute	MWAT CL chronic 6.0 7.0 8* 126 126 Chronic TVS 0.75 250	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead	Aetals (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS TVS	chronic 0.02 TVS TVS TVS TVS TVS S UVS 1000 TVS
Designation Reviewable Qualifiers: Dther: Dther: Chlorophyll a nd reservoirs Phosphorus(c eservoirs larg	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply (ug/L)(chronic) = applies only to lakes s larger than 25 acres surface area. chronic) = applies only to lakes and ger than 25 acres surface area.	Physical and Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorgan Ammonia Boron Chloride Chlorine	Biological DM CL CL acute	MWAT CL chronic 6.0 7.0 8* 126 	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T)	Aetals (ug/L) acute 340 TVS 50 TVS S0 TVS S0 TVS S0 TVS TVS TVS S0 TVS S0 TVS S0 TVS S0	chronic 0.02 TVS TVS TVS TVS S TVS WS 1000 TVS
Designation Reviewable Qualifiers: Dther: Chlorophyll a nd reservoirs Phosphorus(c eservoirs larg	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply (ug/L)(chronic) = applies only to lakes is larger than 25 acres surface area. chronic) = applies only to lakes and ger than 25 acres surface area.	Physical and Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorgan Ammonia Boron Chloride Chlorine Cyanide	Biological DM CL CL CL CL CL CL CL CL CL C	MWAT CL chronic 6.0 7.0 8* 126 	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese	Aetals (ug/L) acute 340 TVS 5.0 50 TVS SUPERATION TVS	chronic 0.02 TVS TVS TVS WS 1000 TVS TVSWS
teviewable tualifiers: tther: chlorophyll a nd reservoirs Phosphorus(o eservoirs larg	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply (ug/L)(chronic) = applies only to lakes s larger than 25 acres surface area. chronic) = applies only to lakes and ger than 25 acres surface area.	Physical and Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorgan Ammonia Boron Chloride Chlorine Cyanide Nitrate	Biological DM CL CL CL CL CL CL CL CL CL C	MWAT CL chronic 6.0 7.0 8* 126 250 0.011 	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury	Aetals (ug/L) acute 340 TVS 5.0 50 TVS TVS 50 TVS S0 TVS 50 TVS S0 TVS TVS TVS TVS TVS S0 TVS S0 TVS	chronic 0.02 TVS TVS TVS WS 1000 TVS TVSWS 0.01(t)
Reviewable Rualifiers: hther: hther: Phosphorus(of eservoirs large	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply (ug/L)(chronic) = applies only to lakes s larger than 25 acres surface area. chronic) = applies only to lakes and ger than 25 acres surface area.	Physical and Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorgan Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite	Biological DM CL CL CL CL CL CL CL CL CL C	MWAT CL chronic 6.0 7.0 8* 126 0.0 126 250 0.011 	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T)	Aetals (ug/L) acute 340 TVS 50 TVS	chronic 0.02 TVS TVS TVS WS 1000 TVS WS 1000 TVS TVS/WS 0.01(t) 150
Reviewable Rualifiers: Wher: Chlorophyll a nd reservoirs Phosphorus(c eservoirs larg	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply (ug/L)(chronic) = applies only to lakes s larger than 25 acres surface area. chronic) = applies only to lakes and ger than 25 acres surface area.	Physical and Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorgan Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus	Biological DM CL CL CL CL CL CL CL CL CL C	MWAT CL chronic 6.0 7.0 8* 126 0.75 250 0.011 250 0.011 0.025*	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel	Aetals (ug/L) acute 340 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS TVS	chronic 0.02 TVS TVS TVS 1000 TVS 1000 TVS TVSWS 0.01(t) 150 TVS
Pesignation Reviewable Rualifiers: hther: hther: Phosphorus(c eservoirs larg	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply (ug/L)(chronic) = applies only to lakes is larger than 25 acres surface area. chronic) = applies only to lakes and ger than 25 acres surface area.	Physical and Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorgan Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate	Biological DM CL CL CL CL CL CL CL CL CL C	MWAT CL chronic 6.0 7.0 8* 126 chronic TVS 0.75 250 0.011 250 0.011 0.025* WS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T)	Aetals (ug/L) acute 340 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS TVS TVS TVS 50 TVS 50 TVS 50 TVS 50 TVS TVS TVS	chronic 0.02 TVS TVS TVS WS 1000 TVS TVSWS 0.01(t) 150 TVS 100
Pesignation Reviewable Rualifiers: hther: chlorophyll a nd reservoirs Phosphorus(eservoirs larg	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply (ug/L)(chronic) = applies only to lakes is larger than 25 acres surface area. chronic) = applies only to lakes and ger than 25 acres surface area.	Physical and Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorgan Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfate	Biological DM CL CL CL CL CL CL CL CL CL C	MWAT CL chronic 6.0 7.0 8* 126 Chronic TVS 0.75 250 0.011 250 0.011 0.025* WS 0.002	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	Aetals (ug/L) acute 340 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS TVS TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS TVS TVS	chronic 0.02 TVS TVS WS 1000 TVS TVSWS 0.01(t) 150 TVS 1000 TVS
Designation Reviewable Qualifiers: Other: Chlorophyll a nd reservoirs Phosphorus(c eservoirs larg	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply (ug/L)(chronic) = applies only to lakes s larger than 25 acres surface area. chronic) = applies only to lakes and ger than 25 acres surface area.	Physical and Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorgan Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	Biological DM CL CL CL CL CL CL CL CL CL C	MWAT CL chronic 6.0 7.0 8* 126 Chronic TVS 0.75 250 0.011 250 0.011 0.025* WS 0.002	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	Aetals (ug/L) acute 340 340 340 50 TVS TVS TVS	chronic 0.02 TVS TVS TVS TVS TVS TVS TVS TVS 0.00 TVS 0.01(t) 150 TVS 100 TVS 100 TVS TVS 100 TVS TVS
Designation Reviewable Qualifiers: Other: Chlorophyll a and reservoirs Phosphorus(c eservoirs larg	Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply (ug/L)(chronic) = applies only to lakes is larger than 25 acres surface area. thronic) = applies only to lakes and ger than 25 acres surface area.	Physical and Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorgan Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfate	Biological DM CL CL CL CL CL CL CL CL CL C	MWAT CL chronic 6.0 7.0 8* 126 Chronic TVS 0.75 250 0.011 0.025* WS 0.002	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium Silver Uranium	Aetals (ug/L) acute 340 340 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS <tr tr=""> <tr tr=""></tr></tr>	chronic 0.02 TVS TVS TVS 1000 TVS 0.01(t) 150 TVS 1000 TVS 1000 TVS 0.01(t) 150 TVS

DM = daily maximum MWAT = maximum weekly average temperature See 35.6 for further details on applied standards.

D.O. = dissolved oxygen

19. All lakes a National Fores Reservoir.	st boundaries, excluding the listings in S	Segment 20. This segment includes P	onte recoci von, i	Palmers Lake	e, Williams Reservoir, Iown R	Reservoir, and Lilylan	ds
COGUSM19	Classifications	Physical and Biol	logical		Ме	etals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CL	CL	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02
	DUWS*	D.O. (spawning)		7.0	Beryllium		
Qualifiers:		рН	6.5 - 9.0		Cadmium	TVS	TVS
Other:		chlorophyll a (ug/L)		8*	Cadmium(T)	5.0	
		E. Coli (per 100 mL)		126	Chromium III	TVS	TVS
*chlorophyll a and reservoirs	(ug/L)(chronic) = applies only to lakes a larger than 25 acres surface area.				Chromium III(T)	50	
*Classification:	DUWS applies to Town Reservoir	Inorganic (n	ng/L)		Chromium VI	TVS	TVS
only. *Phosphorus(c	hronic) = applies only to lakes and		acute	chronic	Copper	TVS	TVS
reservoirs larg	ger than 25 acres surface area.	Ammonia	TVS	TVS	Iron		WS
		Boron		0.75	Iron(T)		1000
		Chloride		250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	
		Cyapida	0.005	0.011	Manganese	TVS	TVS/WS
		Nitrate	10		Mercury		0.01(t)
		Nitrito	0.05		Molybdenum (T)		150
		Phosphorus	0.05		Nickel	TVS	TVS
				0.025		1.43	100
		Suitate		0.000	Selenium	TVS	TVS
		Suitide		0.002	Silver	TVS	T\/S(tr)
						1 1 2 3	1 v S(u)
					Zino	TVS	TVC
						1 1/ 3	
20. Trout Lake	e. Gurlev Reservoir. Cone Reservoir. an	d Miramonte Reservoir.				1 1 3	105
20. Trout Lake	e, Gurley Reservoir, Cone Reservoir, an Classifications	d Miramonte Reservoir. Physical and Biol	logical		Me	etals (ug/L)	170
20. Trout Lake COGUSM20 Designation	e, Gurley Reservoir, Cone Reservoir, an Classifications Agriculture	d Miramonte Reservoir. Physical and Biol	logical DM	MWAT	Ме	etals (ug/L) acute	chronic
20. Trout Lake COGUSM20 Designation Reviewable	e, Gurley Reservoir, Cone Reservoir, an Classifications Agriculture Aq Life Cold 1	d Miramonte Reservoir. Physical and Biol	logical DM CLL	MWAT CLL	Aluminum	etals (ug/L) acute	chronic
20. Trout Lake COGUSM20 Designation Reviewable	e, Gurley Reservoir, Cone Reservoir, an Classifications Agriculture Aq Life Cold 1 Recreation E	d Miramonte Reservoir. Physical and Biol Temperature °C	logical DM CLL acute	MWAT CLL chronic	Aluminum Arsenic	tals (ug/L) acute 340	chronic
20. Trout Lake COGUSM20 Designation Reviewable	e, Gurley Reservoir, Cone Reservoir, an Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply	d Miramonte Reservoir. Physical and Biol Temperature °C D.O. (mg/L)	logical DM CLL acute	MWAT CLL chronic 6.0	Aluminum Arsenic Arsenic(T)	tals (ug/L) acute 340 	chronic 0.02
20. Trout Lake COGUSM20 Designation Reviewable	e, Gurley Reservoir, Cone Reservoir, an Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply DUWS*	d Miramonte Reservoir. Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning)	logical DM CLL acute 	MWAT CLL chronic 6.0 7.0	Aluminum Arsenic Arsenic(T) Beryllium	etals (ug/L) acute 340 	chronic 0.02
20. Trout Lake COGUSM20 Designation Reviewable Qualifiers:	e, Gurley Reservoir, Cone Reservoir, an Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply DUWS*	d Miramonte Reservoir. Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH	logical DM CLL acute 6.5 - 9.0	MWAT CLL chronic 6.0 7.0	Aluminum Arsenic Arsenic(T) Beryllium Cadmium	rvs etals (ug/L) acute 340 TVS	chronic 0.02 TVS
20. Trout Lake COGUSM20 Designation Reviewable Qualifiers: Other:	e, Gurley Reservoir, Cone Reservoir, an Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply DUWS*	d Miramonte Reservoir. Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L)	logical DM CLL acute 6.5 - 9.0 	MWAT CLL chronic 6.0 7.0 8*	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T)	tals (ug/L) acute 340 TVS 5.0	Chronic 0.02 TVS
20. Trout Lake COGUSM20 Designation Reviewable Qualifiers: Other:	e, Gurley Reservoir, Cone Reservoir, an Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply DUWS*	d Miramonte Reservoir. Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)	logical DM CLL acute 6.5 - 9.0 	MWAT CLL chronic 6.0 7.0 8* 126	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III	tals (ug/L) acute 340 TVS 5.0 	Chronic 0.02 TVS TVS
20. Trout Lake COGUSM20 Designation Reviewable Qualifiers: Other: *chlorophyll a and reservoirs	e, Gurley Reservoir, Cone Reservoir, an Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply DUWS* (ug/L)(chronic) = applies only to lakes arger than 25 acres surface area	d Miramonte Reservoir. Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)	logical DM CLL acute 6.5 - 9.0 	MWAT CLL chronic 6.0 7.0 8* 126	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III	tals (ug/L) acute 340 TVS 5.0 50	Chronic 0.02 TVS TVS
20. Trout Lake COGUSM20 Designation Reviewable Qualifiers: Other: *chlorophyll a and reservoirs *Classification:	 Gurley Reservoir, Cone Reservoir, an Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply DUWS* (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area. DUWS applies to Gurley Reservoir 	d Miramonte Reservoir. Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL)	logical DM CLL acute 6.5 - 9.0 ng/L)	MWAT CLL chronic 6.0 7.0 8* 126	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T)	tals (ug/L) acute 340 TVS 5.0 50 TVS	Chronic 0.02 TVS TVS TVS
20. Trout Lake COGUSM20 Designation Reviewable Qualifiers: Other: *chlorophyll a and reservoirs *Classification: only. *Phosoborus(c	 Gurley Reservoir, Cone Reservoir, an Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply DUWS* (ug/L)(chronic) = applies only to lakes arger than 25 acres surface area. DUWS applies to Gurley Reservoir hronic) = applies only to lakes and 	d Miramonte Reservoir. Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic (m	logical DM CLL acute 6.5 - 9.0 mg/L) acute	MWAT CLL chronic 6.0 7.0 8* 126 chronic	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III Chromium VI Copper	tals (ug/L) acute 340 TVS 5.0 50 TVS TVS	chronic 0.02 TVS TVS TVS TVS TVS TVS TVS
20. Trout Lake COGUSM20 Designation Reviewable Qualifiers: Other: *chlorophyll a and reservoirs *Classification: only. *Phosphorus(c reservoirs larg	 Gurley Reservoir, Cone Reservoir, an Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply DUWS* (ug/L)(chronic) = applies only to lakes arger than 25 acres surface area. DUWS applies only to lakes and ger than 25 acres surface area. 	d Miramonte Reservoir. Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic (m Ammonia	logical DM CLL acute 6.5 - 9.0 mg/L) acute TV/S	MWAT CLL chronic 6.0 7.0 8* 126 chronic	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron	TVS acute 340 TVS 5.0 50 TVS 50 TVS SUBLE 340	Chronic 0.02 TVS TVS TVS TVS TVS WS
20. Trout Lake COGUSM20 Designation Reviewable Qualifiers: Other: *chlorophyll a and reservoirs *Classification: only. *Phosphorus(c reservoirs larg	a, Gurley Reservoir, Cone Reservoir, an Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply DUWS* (ug/L)(chronic) = applies only to lakes arger than 25 acres surface area. DUWS applies to Gurley Reservoir hronic) = applies only to lakes and ger than 25 acres surface area.	d Miramonte Reservoir. Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic (m Ammonia Boron	logical DM CLL acute 6.5 - 9.0 6.5 - 9.0 mg/L) acute TVS 	MWAT CLL chronic 6.0 7.0 8* 126 chronic TVS 0.75	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron	TVS acute 340 TVS 5.0 50 TVS S0 TVS	Chronic 0.02 TVS TVS TVS TVS TVS TVS WS 1000
20. Trout Lake COGUSM20 Designation Reviewable Qualifiers: Other: *chlorophyll a and reservoirs *Classification: only. *Phosphorus(c reservoirs larg	a, Gurley Reservoir, Cone Reservoir, an Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply DUWS* (ug/L)(chronic) = applies only to lakes arger than 25 acres surface area. : DUWS applies to Gurley Reservoir hronic) = applies only to lakes and ger than 25 acres surface area.	d Miramonte Reservoir. Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride	logical DM CLL acute 6.5 - 9.0 6.5 - 9.0 mg/L) acute TVS 	MWAT CLL chronic 6.0 7.0 8* 126	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T) I ead	TVS acute 340 TVS 50 TVS 50 TVS TVS TVS TVS TVS TVS TVS TVS TVS	Chronic 0.02 TVS TVS TVS TVS WS 1000 TVS
20. Trout Lake COGUSM20 Designation Reviewable Qualifiers: Other: *chlorophyll a and reservoirs *Classification: only. *Phosphorus(classervoirs larger)	a, Gurley Reservoir, Cone Reservoir, an Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply DUWS* (ug/L)(chronic) = applies only to lakes arger than 25 acres surface area. DUWS applies to Gurley Reservoir hronic) = applies only to lakes and ger than 25 acres surface area.	d Miramonte Reservoir. Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chloride Chloride	logical DM CLL acute 6.5 - 9.0 mg/L) acute TVS 0.019	MWAT CLL chronic 6.0 7.0 8* 126 chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead	Ites (ug/L) acute 340 TVS 5.0 50 TVS TVS TVS 5.0 50 TVS TVS TVS 5.0 5.0 50 TVS TVS 5.0 TVS 5.0 TVS 5.0 5.0 5.0 TVS 5.0 TVS 5.0 5.0 5.0 TVS 5.0 5.0 5.0	Chronic 0.02 TVS TVS TVS TVS WS 1000 TVS
20. Trout Lake COGUSM20 Designation Reviewable Qualifiers: Other: *chlorophyll a and reservoirs *Classification: only. *Phosphorus(classervoirs larger)	a, Gurley Reservoir, Cone Reservoir, an Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply DUWS* (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area. DUWS applies to Gurley Reservoir hronic) = applies only to lakes and yer than 25 acres surface area.	d Miramonte Reservoir. Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chlorine	logical DM CLL acute 6.5 - 9.0 ng/L) acute TVS 0.019 0.005	MWAT CLL chronic 6.0 7.0 8* 126 chronic TVS 0.75 250 0.011	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T)	Itsi (ug/L) acute 340 TVS 5.0 50 TVS 50 TVS TVS 5.0 50 TVS 50 TVS TVS 50 TVS 50 TVS 50	Chronic 0.02 TVS TVS TVS TVS WS 1000 TVS TVS
20. Trout Lake COGUSM20 Designation Reviewable Qualifiers: Other: *chlorophyll a and reservoirs *Classification: only. *Phosphorus(c) reservoirs larg	a, Gurley Reservoir, Cone Reservoir, an Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply DUWS* (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area. : DUWS applies to Gurley Reservoir hronic) = applies only to lakes and yer than 25 acres surface area.	d Miramonte Reservoir. Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chlorine Cyanide Nitrate	logical DM CLL acute 6.5 - 9.0 ng/L) acute TVS 0.019 0.005 10	MWAT CLL chronic 6.0 7.0 8* 126	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Marciury	Itsi Itsi acute 340 TVS 5.0 TVS 50	chronic 0.02 TVS 0.00 TVS TVSWS 0.01(b)
20. Trout Lake COGUSM20 Designation Reviewable Qualifiers: Other: *chlorophyll a and reservoirs *Classification: only. *Phosphorus(c reservoirs larg	a, Gurley Reservoir, Cone Reservoir, an Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply DUWS* (ug/L)(chronic) = applies only to lakes a larger than 25 acres surface area. : DUWS applies to Gurley Reservoir hronic) = applies only to lakes and ger than 25 acres surface area.	d Miramonte Reservoir. Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chlorine Cyanide Nitrate	logical DM CLL acute 6.5 - 9.0 6.5 - 9.0 1 0.01 0.005 10 0.005	MWAT CLL chronic 6.0 7.0 8* 126 Chronic TVS 0.75 250 0.011 250	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molydodeum(T)	ivid acute 340 TVS 50 TVS S0 TVS 50 TVS 50 TVS 50 TVS 50 TVS TVS TVS TVS TVS TVS TVS 50 TVS T	Chronic 0.02 TVS TVS TVS TVS WS 1000 TVS WS 1000 TVS TVSWS 0.01(t) 150
20. Trout Lake COGUSM20 Designation Reviewable Qualifiers: Other: *chlorophyll a and reservoirs *Classification: only. *Phosphorus(classification: reservoirs larg	a, Gurley Reservoir, Cone Reservoir, an Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply DUWS* (ug/L)(chronic) = applies only to lakes arger than 25 acres surface area. DUWS applies to Gurley Reservoir hronic) = applies only to lakes and ger than 25 acres surface area.	d Miramonte Reservoir. Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chlorine Cyanide Nitrite Phosoborus	logical DM CLL acute 6.5 - 9.0 6.5 - 9.0 0.01 mg/L) acute TVS 0.019 0.005 10 0.005	MWAT CLL chronic 6.0 7.0 8* 126 Chronic TVS 0.75 250 0.011 0.025*	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T)	TVS acute 340 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS TVS TVS TVS TVS TVS TVS TVS 50 TVS <tr tr=""> </tr>	Chronic 0.02 TVS TVS TVS WS 1000 TVS WS 1000 TVS TVS/WS 0.01(t) 150 TVS
20. Trout Lake COGUSM20 Designation Reviewable Qualifiers: Other: *chlorophyll a and reservoirs *Classification: only. *Phosphorus(cl reservoirs larg	a, Gurley Reservoir, Cone Reservoir, an Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply DUWS* (ug/L)(chronic) = applies only to lakes arger than 25 acres surface area. DUWS applies to Gurley Reservoir hronic) = applies only to lakes and ger than 25 acres surface area.	d Miramonte Reservoir. Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus O.there	logical DM CLL acute 6.5 - 9.0 6.5 - 9.0 0.01 0.019 0.005 10 0.05 10	MWAT CLL chronic 6.0 7.0 4.1 2.1 2.1 0.1 1.2 0.0 1.2 0.2 1.2 0.2 1.2 0.2 1.2 0.2 1.2 0.2 1.2 0.2 1.2 0.2 1.2 0.2 1.2 0.2 1.2 0.2 1.2 0.2 1.2 0.2 1.2 1.2 1.2 1.2 1.2 1.2 1.2 1	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel	Itals (ug/L) acute 340 TVS 50 TVS S0 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS S0 TVS TVS	Chronic 0.02 TVS TVS TVS WS 1000 TVS WS 1000 TVS TVS WS 1000 TVS TVS TVS TVS TVS
20. Trout Lake COGUSM20 Designation Reviewable Qualifiers: Other: *chlorophyll a and reservoirs *Classification: only. *Phosphorus(c reservoirs larg	a, Gurley Reservoir, Cone Reservoir, an Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply DUWS* (ug/L)(chronic) = applies only to lakes arger than 25 acres surface area. DUWS applies to Gurley Reservoir hronic) = applies only to lakes and ger than 25 acres surface area.	d Miramonte Reservoir. Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate O. If the second seco	logical DM CLL acute 6.5 - 9.0 6.5 - 9.0 0.01 TVS 0.019 0.005 10 0.005 10 0.005 10	MWAT CLL chronic 6.0 7.0 4.1 2.5 0.0 0.011 0.011 0.011 0.025 WS	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	Ites (ug/L) acute 340 340 TVS 50 TVS 50 TVS 50 TVS TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS TVS TVS TVS TVS TVS TVS TVS	IVS chronic 0.02 TVS 1000 TVS TVS TVS 1000 TVS 100 TVS
20. Trout Lake COGUSM20 Designation Reviewable Qualifiers: Other: *chlorophyll a and reservoirs *Classification: only. *Phosphorus(cl reservoirs largent)	a, Gurley Reservoir, Cone Reservoir, an Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply DUWS* (ug/L)(chronic) = applies only to lakes arger than 25 acres surface area. DUWS applies to Gurley Reservoir hronic) = applies only to lakes and yer than 25 acres surface area.	d Miramonte Reservoir. Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	logical DM CLL acute 6.5 - 9.0 6.5 - 9.0 0.01 0.00 10 0.005 10 0.05 10 0.05 10 0.05	MWAT CLL chronic 6.0 7.0 8* 126 Chronic 7.0 0.011 0.011 0.011 0.025* WS 0.0022	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium	ivid acute 340 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS TVS 50 TVS TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS TVS TVS TVS TVS TVS TVS TVS	Chronic TVS TVS TVS TVS WS 1000 TVS WS 1000 TVS TVSWS 0.01(t) 150 TVS 100 TVS 100 TVS
20. Trout Lake COGUSM20 Designation Reviewable Qualifiers: Other: *Chlorophyll a and reservoirs *Classification: only. *Phosphorus(cl reservoirs larg	a, Gurley Reservoir, Cone Reservoir, an Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply DUWS* (ug/L)(chronic) = applies only to lakes larger than 25 acres surface area. DUWS applies to Gurley Reservoir hronic) = applies only to lakes and yer than 25 acres surface area.	d Miramonte Reservoir. Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	logical DM CLL acute 6.5 - 9.0 6.5 - 9.0 0.01 0.01 0.005 10 0.005 10 0.005 10 0.05 	MWAT CLL chronic 6.0 7.0 4.2 126 0.1 Chronic 126 0.0 0.011 0.025 0.025 WS 0.002	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium Silver Uranium	rvs acute 340 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS TVS 50 TVS TVS TVS TVS TVS TVS TVS TVS TVS TVS	Chronic 0.02 TVS TVS TVS WS 1000 TVS TVS/WS 0.01(i) 150 TVS 1000 TVS 1000 TVS 1000 TVS
20. Trout Lake COGUSM20 Designation Reviewable Qualifiers: Other: *chlorophyll a and reservoirs *Classification: only. *Phosphorus(c reservoirs larg	a, Gurley Reservoir, Cone Reservoir, an Classifications Agriculture Aq Life Cold 1 Recreation E Water Supply DUWS* (ug/L)(chronic) = applies only to lakes a larger than 25 acres surface area. : DUWS applies to Gurley Reservoir thronic) = applies only to lakes and ger than 25 acres surface area.	d Miramonte Reservoir. Physical and Biol Temperature °C D.O. (mg/L) D.O. (spawning) pH chlorophyll a (ug/L) E. Coli (per 100 mL) Inorganic (m Ammonia Boron Chloride Chloride Chlorine Cyanide Nitrate Nitrite Phosphorus Sulfate Sulfide	logical DM CLL acute 6.5 - 9.0 0.01 0.005 10 0.005 10 0.005 10 0.05 	MWAT CLL chronic 6.0 7.0 4.1 2.1 2.5 0.1 0.0 0.0 1.1 0.0 1.1 0.0 0.0	Aluminum Arsenic Arsenic(T) Beryllium Cadmium Cadmium Cadmium(T) Chromium III Chromium III(T) Chromium VI Copper Iron Iron(T) Lead Lead(T) Manganese Mercury Molybdenum(T) Nickel Nickel(T) Selenium Silver Uranium	rvs acute 340 TVS 5.0 TVS 50 TVS 50 TVS 50 TVS 50 TVS TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS 50 TVS TV	IVS chronic 0.02 TVS 1000 TVS 0.01(t) 150 TVS 100 TVS 100 TVS TVS(tr) TVS

All metals are dissolved unless otherwise noted. T = total recoverable t = total tr = trout

D.O. = dissolved oxygen

DM = daily maximum

MWAT = maximum weekly average temperature

See 35.6 for further details on applied standards.

sc = sculpin

218

1a. Mainstem Canyon Creek	of the Dolores River from the bridge a near Dove Creek.	at Bradfield Ranch (Forest F	Route 505, near	Montezuma	Dolores Co	unty Line) to a point immed	iately above the conflu	ence with Big
COGULD01A	Classifications	Physic	al and Biologi	cal			Metals (ug/L)	
Designation	Agriculture			DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	11/1 - 3/22	CS-II	CS-II	Aluminum		
	Recreation E	Temperature °C	3/23 - 10/31	26.6	23.8	Arsenic	340	
	Water Supply					Arsenic(T)		0.02
Qualifiers:				acute	chronic	Beryllium		
Other:		D.O. (mg/L)			6.0	Cadmium	TVS	TVS
Temporary Mo	odification(s):	D.O. (spawning)			7.0	Cadmium(T)	5.0	
Arsenic(chroni	c) = hybrid	pН		6.5 - 9.0		Chromium III		TVS
Expiration Date	e of 12/31/2024	chlorophyll a (mg/m ²)				Chromium III(T)	50	
		E. Coli (per 100 mL)			126	Chromium VI	TVS	TVS
						Copper	TVS	TVS
		1	Inorganic (mg/L)			Iron		WS
				acute	chronic	Iron(T)		1000
		Ammonia		TVS	TVS	Lead	TVS	TVS
		Boron			0.75	Lead(T)	50	
		Chloride			250	Manganese	TVS	TVS/WS
		Chlorine		0.019	0.011	Mercury		0.01(t)
		Cyanide		0.005		Molybdenum(T)		150
		Nitrate		10		Nickel	TVS	TVS
		Nitrite		0.05		Nickel(T)		100
		Phosphorus				Selenium	TVS	TVS
		Sulfate			WS	Silver	TVS	TVS(tr)
		Sulfide			0.002	Uranium	TVS	
						Uranium(T)		16.8-30 ^A
						Zinc	TVS	TVS

1b. Mainstem crossing near	of the Dolores River from a p Slick Rock.	point immediately above the confluen	nce with Big Car	nyon Creek i	near Dove C	reek to a point immediately a	above the Highway 14	11 road
COGULD01B	Classifications	Physic	al and Biologic	al		Ν	Vietals (ug/L)	
Designation	Agriculture			DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	11/1 - 3/22	CS-II	9.1	Aluminum		
	Recreation E	Temperature °C	11/1 - 3/22	CS-II	9.1	Arsenic	340	
	Water Supply					Arsenic(T)		0.02
Qualifiers:				acute	chronic	Beryllium		
Other:		D.O. (mg/L)			6.0	Cadmium	TVS	TVS
Temporary Modification(s):		D.O. (spawning)			7.0	Cadmium(T)	5.0	
Arsenic(chronic) = hybrid	pН		6.5 - 9.0		Chromium III		TVS	
Expiration Date	Arsenic(chronic) = hybrid Expiration Date of 12/31/2024	chlorophyll a (mg/m ²)				Chromium III(T)	50	
		E. Coli (per 100 mL)			126	Chromium VI	TVS	TVS
						Copper	TVS	TVS
			Inorganic (mg/L) Iron					WS
				acute	chronic	Iron(T)		1000
		Ammonia		TVS	TVS	Lead	TVS	TVS
		Boron			0.75	Lead(T)	50	
		Chloride			250	Manganese	TVS	TVS/WS
		Chlorine		0.019	0.011	Mercury		0.01(t)
		Cyanide		0.005		Molybdenum(T)		150
		Nitrate		10		Nickel	TVS	TVS
		Nitrite		0.05		Nickel(T)		100
		Phosphorus				Selenium	TVS	TVS
		Sulfate			WS	Silver	TVS	TVS(tr)
		Sulfide			0.002	Uranium	TVS	
						Uranium(T)		16.8-30 ^A
						Zinc	TVS	TVS

2. Mainstem	of the Dolores River from the Highway	41 road crossing near Slick Rock to the	Colorado/Utal	h border.			
COGULD02	Classifications	Physical and Biolog	ical		Meta	als (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Warm 1	Temperature °C	WS-II	WS-II	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		5.0	Arsenic(T)		0.02
Qualifiers:		рН	6.5 - 9.0		Beryllium		
Other:		chlorophyll a (mg/m ²)			Cadmium	TVS	TVS
Temporary M	odification(s):	E. Coli (per 100 mL)		126	Cadmium(T)	5.0	
Arsenic(chroni	ic) = hybrid	Inorganic (mg/	′L)		Chromium III		TVS
Expiration Dat	te of 12/31/2024		acute	chronic	Chromium III(T)	50	
		Ammonia	TVS	TVS	Chromium VI	TVS	TVS
		Boron		0.75	Copper	TVS	TVS
		Chloride		250	Iron		WS
		Chlorine	0.019	0.011	Iron(T)		1000
		Cyanide	0.005		Lead	TVS	TVS
		Nitrate	10		Lead(T)	50	
		Nitrite	0.5		Manganese	TVS	TVS/WS
		Phosphorus			Mercury		0.01(t)
		Sulfate		WS	Molybdenum(T)		150
		Sulfide		0.002	Nickel	TVS	TVS
					Nickel(T)		100
					Selenium	TVS	TVS
					Silver	TVS	TVS
					Uranium	TVS	
					Uranium(T)		16.8-30 ^A
					Zinc	TVS	TVS

3a. All tributari border, except	es to the Dolores River, including all w for specific listings in Segments 3b, 3c	etlands, from the bridge at Bradfield Rar , 4, 5, and 6.	nch (Forest Ro	oute 505, nea	ar Montezuma/Dolores County	Line) to the Colora	ado/Utah
COGULD03A	Classifications	Physical and Biolog	ical		Metals (ug/L) acute chron Aluminum - Arsenic 340 - Arsenic(T) 0.02- Beryllium - Cadmium(T) 5.0 -		
Designation	Agriculture		DM	MWAT		acute	chronic
UP	Aq Life Warm 2	Temperature °C	WS-II	WS-II	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		5.0	Arsenic(T)		0.02-10 A
Qualifiers:		рН	6.5 - 9.0		Beryllium		
Other:		chlorophyll a (mg/m ²)		150	Cadmium	TVS	TVS
		E. Coli (per 100 mL)		126	Cadmium(T)	5.0	
		Inorganic (mg	/L)		Chromium III		TVS
			acute	chronic	Chromium III(T)	50	
		Ammonia	TVS	TVS	Chromium VI	TVS	TVS
		Boron		0.75	Copper	TVS	TVS
		Chloride		250	Iron		WS
		Chlorine	0.019	0.011	Iron(T)		1000
		Cyanide	0.005		Lead	TVS	TVS
		Nitrate	10		Lead(T)	50	
	a not acted on comment	Nitrite	0.5		Manganese	TVS	TVS/WS
EPAnas	total phoophorus (TD)	Phosphorus		0.17	Mercury		0.01(t)
specific	standards based on	Sulfate		WS	Molybdenum(T)		150
the inter	im value for river/	Sulfide		0.002	Nickel	TVS	TVS
life inter	and value for fiver/				Nickel(T)		100
Silean s					Selenium	TVS	TVS
10.17 m					Silver	TVS	TVS
	y/⊑ +r).				Uranium		
					Zinc	TVS	TVS

3b. All tributari Montezuma/Do Segments 3c	ies to the Dolores River, including wetla olores County Line) to the Colorado/Uta and 5. Disappointment Creek, including	ands, that are within national forest ah border, excluding the small area all tributaries and wetlands, from	boundaries, from t a of Uncompahgre the source to a poir	he bridge at National For nt immediate	Bradfield Ranch (Forest Rou est within the Disappointment ly below the confluence with	te 505, near the Valley and the listi Morrison Creek.	ngs in
COGULD03B	Classifications	Physical and E	liological		M	letals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
Qualifiers:		D.O. (mg/L)		6.0	Arsenic(T)		7.6
Other:		D.O. (spawning)		7.0	Beryllium		
		pН	6.5 - 9.0		Cadmium	TVS	TVS
		chlorophyll a (mg/m ²)		150	Chromium III	TVS	TVS
		E. Coli (per 100 mL)		126	Chromium III(T)		100
					Chromium VI	TVS	TVS
		Inorgani	: (mg/L)		Copper	TVS	TVS
			acute	chronic	Iron(T)		1000
		Ammonia	TVS	TVS	Lead	TVS	TVS
		Boron		0.75	Manganese	TVS	TVS
FPA has	s not acted on segment-	Chloride			Mercury		0.01(t)
specific	total phosphorus (TP)	Chlorine	0.019	0.011	Molvbdenum(T)		150
numeric	standards based on	Cvanide	0.005		Nickel	TVS	TVS
the inter	im value for river/	Nitrate	100		Selenium	TVS	TVS
stream s	segments with a cold	Nitrite	0.05		Silver	TVS	TVS(tr)
water ac	nuatic life classification	Phosphorus	0.00	0.11	Uranium	TVS	TVS
(0.11 m)	n/L TP)	Cultate		0.11	Zinc	TVS	
(0.1111)	g/L 11).	Suitate			Zinc	105	100/100(30)
20 Mainstom	and all tributarias to Salt Crook including	Sullice	thin the Sinhad Vall	0.002	fluonce, with the Delerce Riv		
COGUL D03C	Classifications	Physical and P	nin ne Sindad Van Biological	ey to the con	Muence with the Dolores Riv	er. Letals (un/l)	
Designation			DM				abronia
Reviewable	Ag Life Warm 2	Tomporatura °C			Aluminum	acute	chronic
Reviewable	Recreation F		acute	chronic	Arsenic	340	
Qualifiers:		DO(mal)	acute	5.0		5-10	100
		D.O. (mg/L)		5.0	Arsenic(1)		100
Other:		p⊓ shlananhull a (man(m²)	6.5 - 9.0	450			
		Chlorophyll a (mg/m ⁻)		150	Cadmium	TVS	TVS
		E. Coll (per 100 mL)		126		TVS	TVS
		Inorgani	: (mg/L)				100
			acute	chronic	Chromium VI	TVS	TVS
		Ammonia	TVS	TVS	Copper	TVS	TVS
		Boron		0.75	Iron(T)		1000
		Chloride			Lead	TVS	TVS
		Chlorine	0.019	0.011	Manganese	TVS	TVS
EPA has	s not acted on segment-	Cyanide	0.005		Mercury		0.01(t)
specific	total phosphorus (TP)	Nitrate	100		Molybdenum(T)		150
numeric	standards based on	Nitrite	0.5		Nickel	TVS	TVS
the inter	im value for river/	Phosphorus		0.17	Selenium	TVS	6.6
	a a monto with a warm	Sulfate			Silver	TVS	TVS
stream s	segments with a warm				-		
stream s water ac	quatic life classification	Sulfide		0.002	Uranium	TVS	
stream s water ac (0.17 m	quatic life classification g/L TP).	Sulfide		0.002	Uranium Uranium(T)	TVS	 16.8-30 ^A

tr = trout sc = sculpin D.O. = dissolved oxygen

DM = daily maximum

MWAT = maximum weekly average temperature See 35.6 for further details on applied standards.

4. Mainstem o Uncompangre	of West Paradox Creek from the Manti- National Forest boundary to the conflu	a Sal National Forest boundary to t ence with the Dolores River.	he confluence wit	h the Dolore	s River. Mainstem and all tri	butaries to Blue Creek	from the
COGULD04	Classifications	Physical and Bi	ological		Π	Metals (ug/L)	
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Warm 1	Temperature °C	WS-II	WS-II	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		5.0	Arsenic(T)		0.02
Qualifiers:		рН	6.5 - 9.0		Beryllium	Beryllium	
Other:		chlorophyll a (mg/m ²)		150	Cadmium	TVS	TVS
		E. Coli (per 100 mL)		126	Cadmium(T)	5.0	
		Inorganic	(mg/L)		Chromium III		TVS
			acute	chronic	Chromium III(T)	50	
		Ammonia	TVS	TVS	Chromium VI	TVS	TVS
		Boron		0.75	Copper	TVS	TVS
		Chloride		250	Iron		WS
		Chlorine	0.019	0.011	Iron(T)		1000
		Cyanide	0.005		Lead	TVS	TVS
		Nitrate	10		Lead(T)	50	
		Nitrite	0.5		Manganese	TVS	TVS/WS
		Phosphorus		0.17	Mercury		0.01(t)
EPA has	s not acted on segment-	Sulfate		WS	Molybdenum(T)		150
specific	total phosphorus (TP)	Sulfide		0.002	Nickel	TVS	TVS
numeric	standards based on				Nickel(T)		100
the inter	im value for river/				Selenium	TVS	TVS
stream s	segments with a warm				Silver	TVS	TVS
water ac	uatic life classification				Uranium	TVS	
(0.17 mg	, g/L TP).				Uranium(T)		16.8-30 A
					Zinc	TVS	TVS

5. Mainstem of to the confluent including all tr	of West Creek from the source to the counce with the Dolores River. La Sal Creek ibutaries and wetlands, from the Uncom	fluence with the Dolores River. Roc Cro , including all tributaries and wetlands, pahgre National Forest boundary to the	eek including from the Utał confluence v	all tributaries /Colorado b vith the Dolor	and wetlands from the Manti- order to the confluence with the res River.	La Sal National For e Dolores River. M	est boundary esa Creek,		
COGULD05	Classifications	Physical and Biolog	ical		Met	Metals (ug/L)			
Designation	Agriculture		DM	MWAT		acute	chronic		
Reviewable	Aq Life Cold 1	Temperature °C	CS-II	CS-II	Aluminum				
	Recreation E		acute	chronic	Arsenic	340			
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02		
Qualifiers:		D.O. (spawning)		7.0	Beryllium				
Other:		рН	6.5 - 9.0		Cadmium	TVS	TVS		
Temporary M	odification(s):	chlorophyll a (mg/m ²)		150	Cadmium(T)	5.0			
Arsenic(chroni	c) = hvbrid	E. Coli (per 100 mL)		126	Chromium III		TVS		
Expiration Dat	e of 12/31/2024				Chromium III(T)	50			
		Inorganic (mg/	′L)		Chromium VI	TVS			
			acute	chronic	Copper	TVS	TVS		
		Ammonia	TVS	TVS	Iron		WS		
		Boron		0.75	Iron(T)		1000		
		Chloride		250	Lead	TVS	TVS		
		Chlorine	0.019	0.011	Lead(T)	50			
		Cyanide	0.005		Manganese	TVS	TVS/WS		
		Nitrate	10		Mercury		0.01(t)		
EPA ha	s not acted on segment-	Nitrite	0.05		Molybdenum(T)		150		
specific	total phosphorus (TP)	Phosphorus		0.11	Nickel	TVS	TVS		
numeric	standards based on	Sulfate		WS	Nickel(T)		100		
the inter	im value for river/	Sulfide		0.002	Selenium	TVS	TVS		
stream	segments with a cold				Silver	TVS	TVS(tr)		
water ad	quatic life classification				Uranium	TVS			
(0.11 m	g/L TP).				Uranium(T)		16.8-30 ^A		
					Zinc	TVS	TVS		

6. North Fork source the Co	of West Creek, including all tributaries olorado/Utah border.	and wetlands, from the source to the con	fluence with	West Creek.	Granite Creek, including all tri	butaries and wetlan	ds, from the	
COGULD06	Classifications	Physical and Biolog	ical		Metals (ug/L) acute chron			
Designation	Agriculture		DM	MWAT		acute	chronic	
Reviewable	Aq Life Cold 1	Temperature °C	CS-I	CS-I	Aluminum			
	Recreation E		acute	chronic	Arsenic	340		
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02	
Qualifiers:		D.O. (spawning)		7.0	Beryllium			
Other:		рН	6.5 - 9.0		Beryllium(T)		100	
		chlorophyll a (mg/m ²)		150	Cadmium	TVS	TVS	
		E. Coli (per 100 mL)		126	Cadmium(T)	5.0		
					Chromium III		TVS	
		Inorganic (mg	/L)		Chromium III(T)	50		
			acute	chronic	Chromium VI	TVS	TVS	
		Ammonia	TVS	TVS	Copper	TVS	TVS	
		Boron		0.75	Iron		WS	
		Chloride		250	Iron(T)		1000	
		Chlorine	0.019	0.011	Lead	TVS	TVS	
		Cyanide	0.005		Lead(T)	50		
		Nitrate	10		Manganese	TVS	TVS/WS	
EPA has	s not acted on segment-	Nitrite	0.05		Mercury		0.01(t)	
specific	total phosphorus (TP)	Phosphorus		0.11	Molybdenum(T)		150	
numeric	standards based on	Sulfate		WS	Nickel	TVS	TVS	
the inter	im value for river/	Sulfide		0.002	Nickel(T)		100	
stream s	egments with a cold				Selenium	TVS	TVS	
water ag	uatic life classification				Silver	TVS	TVS(tr)	
(0.11 mc	g/L TP).				Uranium			
	· ·				Zinc	TVS	TVS	

7. All lakes ar and within nat Lake, Buckeye	nd reservoirs tributary to the Dolores Ri tional forest boundaries. This segment e Reservoir, Black Pine Reservoir, Cast	ver, from the bridge at Bradfield Ranch includes Long Park Reservoir, Cabin R o Reservoir, and Big Creek Reservoir.	(Forest Rout eservoir, Bee	e 505, near ef Trail Reser	Montez uma/Dolores Cour rvoir, Dry Lake, Glade Lak	nty Line) to the Colorad ce, Glade Point Reserv	do/Utah border, voir, Arrowhead
COGULD07	Classifications	Physical and Biological			Metals (ug/L)		
Designation	Agriculture		DM	MWAT		acute	chronic
Reviewable	Aq Life Cold 1	Temperature °C	CL	CL	Aluminum		
	Recreation E		acute	chronic	Arsenic	340	
	Water Supply	D.O. (mg/L)		6.0	Arsenic(T)		0.02
Qualifiers:		D.O. (spawning)		7.0	Beryllium		
Other:		рН	6.5 - 9.0		Cadmium	TVS	TVS
*chlorophyll a (ug/L)(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area. *Phosphorus(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.		chlorophyll a (ug/L)		8*	Cadmium(T)	5.0	
		E. Coli (per 100 mL)		126	Chromium III		TVS
					Chromium III(T)	50	
		Inorganic (mg/L)			Chromium VI	TVS	TVS
			acute	chronic	Copper	TVS	TVS
		Ammonia	TVS	TVS	Iron		WS
		Boron		0.75	Iron(T)		1000
		Chloride		250	Lead	TVS	TVS
		Chlorine	0.019	0.011	Lead(T)	50	
		Cyanide	0.005		Manganese	TVS	TVS/WS
		Nitrate	10		Mercury		0.01(t)
		Nitrite	0.05		Molybdenum(T)		150
		Phosphorus		0.025*	Nickel	TVS	TVS
		Sulfate		WS	Nickel(T)		100
		Sulfide		0.002	Selenium	TVS	TVS
					Silver	TVS	TVS(tr)
					Uranium		
					Zinc	TVS	TVS

8. All lakes and reservoirs tributary to the Dolores River, from the bridge at Bradfield Ranch (Forest Route 505, near Montezuma/Dolores County Line) to the Colorado/Utah border, and not within national forest boundaries.										
COGULD08	Classifications	Physical and Biological Metals (ug/L)								
Designation	Agriculture		DM	MWAT		acute	chronic			
UP	Aq Life Warm 2	Temperature °C	WL	WL	Aluminum					
	Recreation E		acute	chronic	Arsenic	340				
Qualifiers:		D.O. (mg/L)		5.0	Arsenic(T)		100			
Other: *chlorophyll a (ug/L)(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area. *Phosphorus(chronic) = applies only to lakes and reservoirs larger than 25 acres surface area.		pН	6.5 - 9.0		Beryllium					
		chlorophyll a (ug/L)		20*	Cadmium	TVS	TVS			
		E. Coli (per 100 mL)		126	Chromium III	TVS	TVS			
		Inorganic (mg/L)			Chromium III(T)		100			
			acute	chronic	Chromium VI	TVS	TVS			
		Ammonia	TVS	TVS	Copper	TVS	TVS			
		Boron		0.75	Iron(T)		1000			
		Chloride			Lead	TVS	TVS			
		Chlorine	0.019	0.011	Manganese	TVS	TVS			
EPA N	s not acted on segment-	Cyanide	0.005		Mercury		0.01(t)			
numeric standards based on		Nitrate	100		Molybdenum(T)		150			
		Nitrite	0.5		Nickel	TVS	TVS			
	pir segments with a cold aquatic life classification	Phosphorus		0.083*	Selenium	TVS	TVS			
water a		Sulfate			Silver	TVS	TVS			
10 083		Sulfide		0.002	Uranium					
					Zinc	TVS	TVS			

STREAM CLASSIFICATIONS and WATER QUALITY STANDARDS – FOOTNOTES

- (A) Whenever a range of standards is listed and referenced to this footnote, the first number in the range is a strictly health-based value, based on the Commission's established methodology for human health-based standards. The second number in the range is a maximum contaminant level, established under the federal Safe Drinking Water Act that has been determined to be an acceptable level of this chemical in public water supplies, taking treatability and laboratory detection limits into account. Control requirements, such as discharge permit effluent limitations, shall be established using the first number in the range as the ambient water quality target, provided that no effluent limitation shall require an "end-of-pipe" discharge level more restrictive than the second number in the range. Water bodies will be considered in attainment of this standard, and not included on the Section 303(d) List, so long as the existing ambient quality does not exceed the second number in the range.
- (B) Reserved.
- (C) For certain site-specific temperature standards, the temperature excursions listed in Table I -Footnote 5(c) of 31.16 do not apply. Assessment of ambient-based temperature standards should be conducted in a way that represents similar conditions to those under which the criteria were developed (i.e., air, low flow, and warming event excursions should not apply). Similarly, where site-specific adjustments to the winter shoulder season have been adopted, the winter shoulder season excursion does not apply.

Editor's Notes

History

Rules 35.5, 35.30 eff. 07/01/2007. Rules 35.6 (Tables 1-13), 35.31 eff. 06/30/2010 Rules 35.6 (Tables 1-13), 35.32 eff. 06/30/2011. Rules 35.6 (Tables pgs. 1, 2, 5-7, 9-11), 35.33 eff. 01/01/2012. Rules 35.5(1), 35.5(3), 35.6(2)-35.6(3), 35.34 eff. 03/30/2013. Rules 35.6 (Table pg. 2), 35.35 eff. 06/30/2013. Rules 35.6(2)(d), 35.6(3), 35.6 (Tables pgs. 1-5, 7-9, 13-14, 17-19, 21), 35.36-35.37 eff. 09/30/2013. Rule 35.38 eff. 06/30/2014. Rules 35.6 San Miguel River segment 3b, Uncompany River segment 3b, Upper Gunnison River segment 13, 35.39, 35.40 eff. 06/30/2015. Rules 35.6, 35.41, Appendix 35-1 eff. 03/01/2016. Rule 35.42, Appendix 35-1 eff. 06/30/2016. Rules 35.6(4), 35.43, Appendix 35-1 eff. 03/01/2017. Rule 35.44, Appendix 35-1 eff. 06/30/2017. Rules 35.2-35.6, 35.45, Appendix 35-1 eff. 12/31/2017. Rule 35.46, Appendix 35-1 eff. 06/30/2019. Rules 35.6, 35.47, 35.48, Appendix 35-1 eff. 06/30/2020.