

ENVIRONMENTAL PROTECTION AGENCY

[40 CFR Part 408]

[FRL 328-5]

CANNED AND PRESERVED SEAFOOD PROCESSING POINT SOURCE CATEGORY

Standards of Performance for New Sources and Pretreatment Standards for Existing and for New Sources

Notice is hereby given that standards of performance and pretreatment standards for new sources and pretreatment standards for existing sources set forth in tentative form below are proposed by the Environmental Protection Agency (EPA). On June 26, 1974, EPA promulgated a regulation adding Part 408 to Title 40 of the Code of Federal Regulations (39 FR 23134). That regulation with subsequent amendments established effluent limitations and guidelines for existing sources and standards of performance and pretreatment standards for new sources for the canned and preserved seafood processing point source category. The regulation proposed below will amend 40 CFR 408—canned and preserved seafood processing point source category by revising § 408.55 of the remote Alaskan crab meat processing subcategory (Subpart E), § 408.75 of the remote Alaskan whole crab and crab section processing subcategory (Subpart G), and § 408.105 of the remote Alaskan shrimp processing subcategory (Subpart J) to change the standards of performance for new sources based on screening to standards based on comminutors or grinders; and by adding thereto §§ 408.154, 408.155 and 408.156 to the fish meal processing subcategory (Subpart O), §§ 408.164, 408.165 and 408.166 to the Alaskan hand-butchered salmon processing subcategory (Subpart P), §§ 408.174, 408.175 and 408.176 to the Alaskan mechanized salmon processing subcategory (Subpart Q), §§ 408.184, 408.185 and 408.186 to the West Coast hand-butchered salmon processing subcategory (Subpart R), §§ 408.194, 408.195 and 408.196 to the West Coast mechanized salmon processing subcategory (Subpart S), §§ 408.204, 408.205 and 408.206 to the Alaskan bottom fish processing subcategory (Subpart T), §§ 408.214, 408.215 and 408.216 to the non-Alaskan conventional bottom fish processing subcategory (Subpart U), §§ 408.224, 408.225 and 408.226 to the non-Alaskan mechanized bottom fish processing subcategory (Subpart V), §§ 408.234, 408.235 and 408.236 to the hand-shucked clam processing subcategory (Subpart W), §§ 408.244, 408.245 and 408.246 to the mechanized clam processing subcategory (Subpart X), §§ 408.254, 408.255 and 408.256 to the Pacific Coast hand-shucked oyster processing subcategory (Subpart Y), §§ 408.264, 408.265 and 408.266 to the Atlantic and Gulf Coast hand-shucked oyster processing subcategory (Subpart Z), §§ 408.274, 408.275 and 408.276 to the steamed/canned oyster processing subcategory (Subpart AA), §§ 408.284, 408.285 and 408.286 to the sardine proc-

essing subcategory (Subpart AB), §§ 408.294, 408.295 and 408.296 to the Alaskan scallop processing subcategory (Subpart AC), §§ 408.304, 408.305 and 408.306 to the non-Alaskan scallop processing subcategory (Subpart AD), §§ 408.314, 408.315 and 408.316 to the Alaskan herring fillet processing subcategory (Subpart AE), §§ 408.324, 408.325 and 408.326 to the non-Alaskan herring fillet processing subcategory (Subpart AC), §§ 408.304, 408.305 and 408.336 to the abalone processing subcategory (Subpart AG) pursuant to sections 306(b) and 307(b) and (c) of the Federal Water Pollution Control Act, as amended (33 U.S.C. 1251, 1316(b) and 1317(b) and (c), 86 Stat. 816 et seq.; P.L. 92-500) (the Act). Simultaneously with this proposed rule making EPA is promulgating interim final regulations which establish the above listed subparts.

(a) *Legal Authority.* Section 306 of the Act requires the achievement by new sources of a Federal standard of performance providing for the control of the discharge of pollutants which reflects the greatest degree of effluent reduction which the Administrator determines to be achievable through application of the best available demonstrated control technology, processes, operating methods, or other alternatives, including, where practicable, a standard permitting no discharge of pollutants.

Section 306(b) (1) (B) of the Act requires the Administrator to propose regulations establishing Federal standards of performance for categories of new sources included in a list published pursuant to section 306(b) (1) (A) of the Act. The Administrator published in the FEDERAL REGISTER of January 16, 1973 (38 FR 1624) a list of 27 source categories, including the canned and preserved seafood processing category. The regulations proposed herein set forth the standards of performance applicable to new sources for fish meal processing subcategory (Subpart O), Alaskan hand-butchered salmon processing subcategory (Subpart P), Alaskan mechanized salmon processing subcategory (Subpart Q), West Coast hand-butchered salmon processing subcategory (Subpart R), West Coast mechanized salmon processing subcategory (Subpart S), Alaskan bottom fish processing subcategory (Subpart T), non-Alaskan conventional bottom fish processing subcategory (Subpart U), non-Alaskan mechanized bottom fish processing subcategory (Subpart V), hand-shucked clam processing subcategory (Subpart W), mechanized clam processing subcategory (Subpart X), Pacific Coast hand-shucked oyster processing subcategory (Subpart Y), Atlantic and Gulf Coast hand-shucked oyster processing subcategory (Subpart Z), steamed/canned oyster processing subcategory (Subpart AA), sardine processing subcategory (Subpart AB), Alaskan scallop processing subcategory (Subpart AC), non-Alaskan scallop processing subcategory (Subpart AD), Alaskan herring fillet processing subcategory (Subpart AE), non-Alaskan herring fillet processing subcategory

(Subpart AF), and abalone processing subcategory (Subpart AG) of the canned and preserved seafood processing point source category.

Section 307(c) of the Act requires the Administrator to promulgate pretreatment standards for new sources at the same time that standards of performance for new sources are promulgated pursuant to section 306. Sections 408.156, 408.166, 408.176, 408.186, 408.196, 408.206, 408.216, 408.226, 408.236, 408.246, 408.256, 408.266, 408.276, 408.286, 408.296, 408.306, 408.316, 408.326, and 408.336 proposed below, provide pretreatment standards for new sources within the fish meal processing subcategory (Subpart O), Alaskan hand-butchered salmon processing subcategory (Subpart P), Alaskan mechanized salmon processing subcategory (Subpart Q), West Coast hand-butchered salmon processing subcategory (Subpart R), West Coast mechanized salmon processing subcategory (Subpart S), Alaskan bottom fish processing subcategory (Subpart T), non-Alaskan conventional bottom fish processing subcategory (Subpart U), non-Alaskan mechanized bottom fish processing subcategory (Subpart V), hand-shucked clam processing subcategory (Subpart W), mechanized clam processing subcategory (Subpart X), Pacific Coast hand-shucked oyster processing subcategory (Subpart Y), Atlantic and Gulf Coast hand-shucked oyster processing subcategory (Subpart Z), steamed/canned oyster processing subcategory (Subpart AA), sardine processing subcategory (Subpart AB), Alaskan scallop processing subcategory (Subpart AC), non-Alaskan scallop processing subcategory (Subpart AD), Alaskan herring fillet processing subcategory (Subpart AE), non-Alaskan herring fillet processing subcategory (Subpart AF), and abalone processing subcategory (Subpart AG) of the canned and preserved seafood processing point source category. Section 307(b) of the Act requires the establishment of pretreatment standards for pollutants introduced into publicly owned treatment works and 40 CFR 128 establishes that the Agency will propose specific pretreatment standards at the time effluent limitations are established for point source discharges. Sections 408.154, 408.164, 408.174, 408.184, 408.194, 408.204, 408.214, 408.224, 408.234, 408.244, 408.254, 408.264, 408.274, 408.284, 408.294, 408.304, 408.314, 408.324, and 408.334 proposed below provide pretreatment standards for existing sources within the fish meal processing subcategory (Subpart O), Alaskan hand-butchered salmon processing subcategory (Subpart P), Alaskan mechanized salmon processing subcategory (Subpart Q), West Coast hand-butchered salmon processing subcategory (Subpart R), West Coast mechanized salmon processing subcategory (Subpart S), Alaskan bottom fish processing subcategory (Subpart T), non-Alaskan conventional bottom fish processing subcategory (Subpart U), non-Alaskan mechanized bottom fish processing subcategory (Subpart V),

hand-shucked clam processing subcategory (Subpart W), mechanized clam processing subcategory (Subpart X), Pacific Coast hand-shucked oyster processing subcategory (Subpart Y), Atlantic and Gulf Coast hand-shucked oyster processing subcategory (Subpart Z), steamed/canned oyster processing subcategory (Subpart AA), sardine processing subcategory (Subpart AB), Alaskan scallop processing subcategory (Subpart AC), non-Alaskan scallop processing subcategory (Subpart AD), Alaskan herring fillet processing subcategory (Subpart AE), non-Alaskan herring fillet processing subcategory (Subpart AF), and abalone processing subcategory (Subpart AG) of the canned and preserved seafood processing point source category.

(b) *Summary and Basis of Proposed Standards of Performance and Pretreatment Standards for New Sources and Pretreatment Standards for Existing Sources.* The general methodology and summary of conclusions are discussed in considerable detail in the preamble of the interim final regulations for the fish meal processing subcategory (Subpart O), Alaskan hand-butchered salmon processing subcategory (Subpart P), Alaskan mechanized salmon processing subcategory (Subpart Q), West Coast hand-butchered salmon processing subcategory (Subpart R), West Coast mechanized salmon processing subcategory (Subpart S), Alaskan bottom fish processing subcategory (Subpart T), non-Alaskan conventional bottom fish processing subcategory (Subpart U), non-Alaskan mechanized bottom fish processing subcategory (Subpart V), hand-shucked clam processing subcategory (Subpart W), mechanized clam processing subcategory (Subpart X), Pacific Coast hand-shucked oyster processing subcategory (Subpart Y), Atlantic and Gulf Coast hand-shucked oyster processing subcategory (Subpart Z), steamed/canned oyster processing subcategory (Subpart AA), sardine processing subcategory (Subpart AB), Alaskan scallop processing subcategory (Subpart AC), non-Alaskan scallop processing subcategory (Subpart AD), Alaskan herring fillet processing subcategory (Subpart AE), non-Alaskan herring fillet processing subcategory (Subpart AF), and abalone processing subcategory (Subpart AG) of the canned and preserved seafood processing point source category which are being promulgated by EPA simultaneously with publication of this proposed regulation. The information contained in the preamble to the interim final regulation is incorporated herein by reference. The proposed regulation set forth below proposes pretreatment standards for pollutants introduced into publicly owned treatment works. The proposal will establish for each subpart the extent of application of effluent limitations to existing sources and to new sources which discharge to publicly owned treatment works. The regulation is intended to be complementary to the general regulation for pretreatment standards for existing sources set forth

at 40 CFR Part 128. The general regulation was proposed July 19, 1973 (38 FR 19236), and published in final form on November 8, 1973 (38 FR 30982). The regulation proposed below applies to users of publicly owned treatment works which fall within the description of the point source category to which the limitations and standards apply. However, the proposed pretreatment regulation applies to the introduction of pollutants which are directed into a publicly owned treatment works, rather than to discharges of pollutants to navigable waters.

The general pretreatment standard divides pollutants discharged by users of publicly owned treatment works into two broad categories; "compatible" and "incompatible." Compatible pollutants are generally not subject to pretreatment standards. However, 40 CFR 128.131 (prohibited wastes) may be applicable to compatible pollutants. Additionally, local pretreatment requirements may apply (See 40 CFR 128.110). Incompatible pollutants are subject generally to pretreatment standards as provided in 40 CFR 128.133. Sections 408.154, 408.164, 408.174, 408.184, 408.194, 408.204, 408.214, 408.224, 408.234, 408.244, 408.254, 408.264, 408.274, 408.284, 408.294, 408.304, 408.314, 408.324, and 408.334 of the regulation proposed below are intended to implement that portion of § 128.133, above, requiring that a separate provision be made stating the application to pretreatment standards of effluent limitations based upon best practicable control technology currently available.

Questions were raised during the public comment period on the proposed general pretreatment standard (40 CFR 128) about the propriety of applying a standard based upon best practicable control technology currently available to all plants subject to pretreatment standards. In general, EPA believes the analysis supporting the effluent limitations and guidelines is adequate to make a determination regarding the application of those standards to users of publicly owned treatment works. However, to ensure that those standards are appropriate in all cases, EPA now seeks additional comments focusing upon the application of effluent limitations guidelines to users of publicly owned treatment works.

The report entitled "Development Document for Interim Final Effluent Limitations Guidelines and Proposed New Source Performance Standards for the Fish Meal, Salmon, Bottom Fish, Clam, Oyster, Sardine, Scallop, Herring and Abalone Segment of the Canned and Preserved Seafood Processing Point Source Category" details the analysis undertaken in support of the regulation being proposed herein and is available for inspection in the EPA Freedom of Information Center, Room 204, West Tower, Waterside Mall, Washington, D.C., at all EPA regional offices, and at State water pollution control offices. A supplementary analysis prepared for EPA of the possible economic effects of the proposed regulation is also available for inspection at these locations. Copies

of both of these documents are being sent to persons or institutions affected by the proposed regulation or who have placed themselves on a mailing list for this purpose (see EPA's Advance Notice of Public Review Procedures, 38 F.R. 21202, August 6, 1973). An additional limited number of copies of both reports are available. Persons wishing to obtain a copy may write the EPA Freedom of Information Center, Environmental Protection Agency, Washington, D.C. 20460, Attention: Ms. Ruth Brown.

When this regulation is promulgated, revised copies of the Development Document will be available from the Superintendent of Documents, Government Printing Office, Washington, D.C. 20402. Copies of the Economic Analysis will be available through the National Technical Information Service, Springfield, Virginia 22151.

(c) *Summary of public participation.* A full listing of participants and discussion of comments and responses is included in the preamble of the interim final regulation for the fish meal processing subcategory (Subpart O), Alaskan hand-butchered salmon processing subcategory (Subpart P), Alaskan mechanized salmon processing subcategory (Subpart Q), West Coast hand-butchered salmon processing subcategory (Subpart R), West Coast mechanized salmon processing subcategory (Subpart S), Alaskan bottom fish processing subcategory (Subpart T), non-Alaskan conventional bottom fish processing subcategory (Subpart U), non-Alaskan mechanized bottom fish processing subcategory (Subpart V), hand-shucked clam processing subcategory (Subpart W), mechanized clam processing subcategory (Subpart X), Pacific Coast hand-shucked oyster processing subcategory (Subpart Y), Atlantic and Gulf Coast hand-shucked oyster processing subcategory (Subpart Z), steamed/canned oyster processing subcategory (Subpart AA), sardine processing subcategory (Subpart AB), Alaskan scallop processing subcategory (Subpart AC), non-Alaskan scallop processing subcategory (Subpart AD), Alaskan herring fillet processing subcategory (Subpart AE), non-Alaskan herring fillet processing subcategory (Subpart AF), and abalone processing subcategory (Subpart AG) of the canned and preserved seafood processing point source category being simultaneously promulgated by EPA and are incorporated herein by reference.

Interested persons may participate in this rulemaking by submitting written comments in triplicate to the EPA Office of Public Affairs, Environmental Protection Agency, Washington, D.C. 20460, Attention: Ms. Ruth Brown, A-107. Comments on all aspects of the proposed regulation are solicited. In the event comments are in the nature of criticisms as to the adequacy of data which are available, or which may be relied upon by the Agency, comments should identify and, if possible, provide any additional data which may be available and should indicate why such data are essential to the development of the regulations. In the event comments address the approach taken by the Agency in establishing a

standard of performance or pretreatment standard, EPA solicits suggestions as to what alternative approach should be taken and why and how this alternative better satisfies the detailed requirements of sections 306 and 307 (b) and (c) of the Act.

A copy of all public comments will be available for inspection and copying at the EPA Freedom of Information Center, Room 204, West Tower, Waterside Mall, 401 M Street SW., Washington, D.C. A copy of preliminary draft contractor reports, the Development Document and economic study referred to above, and certain supplementary materials supporting the study of the industry concerned will also be maintained at this location for public review and copying. The EPA information regulation, 40 CFR Part 2, provides that a reasonable fee may be charged for copying.

All comments received on or before March 3, 1975 will be considered. Steps previously taken by the Environmental Protection Agency to facilitate public response within this time period are outlined in the advance notice concerning public review procedures published on August 6, 1973 (38 FR 21202).

Dated January 17, 1975.

RUSSELL E. TRAIN,
Administrator.

It is proposed to amend 40 CFR Part 408 as set forth below:

Subpart E—the remote Alaskan crab meat processing subcategory is amended by revising § 408.55 to read as follows:

§ 408.55 Standards of performance for new sources.

The following standards of performance establish the quantity or quality of pollutants of pollutant properties, controlled by this section, which may be discharged by a new source subject to the provisions of this subpart: No pollutants may be discharged which exceed 1.27 cm (0.5 inch) in any dimension.

Subpart G—the remote Alaskan whole crab and crab section processing subcategory is amended by revising § 408.75 to read as follows:

§ 408.75 Standards of performance for new sources.

The following standards of performance establish the quantity or quality of pollutants or pollutant properties, controlled by this section, which may be discharged by a new source subject to the provisions of this subpart: No pollutants may be discharged which exceed 1.27 cm (0.5 inch) in any dimension.

Subpart J—the remote Alaskan shrimp processing subcategory is amended by revising § 408.105 to read as follows:

§ 408.105 Standards of performance for new sources.

The following standards of performance establish the quantity or quality of pollutants or pollutant properties, controlled by this section, which may be

discharged by a new source subject to the provisions of this subpart: No pollutants may be discharged which exceed 1.27 cm (0.5 inch) in any dimension.

The table of contents to 40 CFR Part 408 is amended by adding the following sections to the indicated subparts:

Subpart O—Fish Meal Processing Subcategory

- Sec.
408.154 Pretreatment standards for existing sources.
408.155 Standards of performance for new sources.
408.156 Pretreatment standards for new sources.

Subpart P—Alaskan Hand-Butchered Salmon Processing Subcategory

- 408.164 Pretreatment standards for existing sources.
408.165 Standards of performance for new sources.
408.166 Pretreatment standards for new sources.

Subpart Q—Alaskan Mechanized Salmon Processing Subcategory

- 408.174 Pretreatment standards for existing sources.
408.175 Standards of performance for new sources.
408.176 Pretreatment standards for new sources.

Subpart R—West Coast Hand-Butchered Salmon Processing Subcategory

- 408.184 Pretreatment standards for existing sources.
408.185 Standards of performance for new sources.
408.186 Pretreatment standards for new sources.

Subpart S—West Coast Mechanized Salmon Processing Subcategory

- 408.194 Pretreatment standards for existing sources.
408.195 Standards of performance for new sources.
408.196 Pretreatment standards for new sources.

Subpart T—Alaska Bottom Fish Processing Subcategory

- 408.204 Pretreatment standards for existing sources.
408.205 Standards of performance for new sources.
408.206 Pretreatment standards for new sources.

Subpart U—Non-Alaskan Conventional Bottom Fish Processing Subcategory

- 408.214 Pretreatment standards for existing sources.
408.215 Standards of performance for new sources.
408.216 Pretreatment standards for new sources.

Subpart V—Non-Alaskan Mechanized Bottom Fish Processing Subcategory

- 408.224 Pretreatment standards for existing sources.
408.225 Standards of performance for new sources.
408.226 Pretreatment standards for new sources.

Subpart W—Hand-Shucked Clam Processing Subcategory

- 408.234 Pretreatment standards for existing sources.
408.235 Standards of performance for new sources.
408.236 Pretreatment standards for new sources.

Subpart X—Mechanized Clam Processing Subcategory

- Sec.
408.244 Pretreatment standards for existing sources.
408.245 Standards of performance for new sources.
408.246 Pretreatment standards for new sources.

Subpart Y—Pacific Coast Hand Shucked Oyster Processing Subcategory

- 408.254 Pretreatment standards for existing sources.
408.255 Standards of performance for new sources.
408.256 Pretreatment standards for new sources.

Subpart Z—Atlantic and Gulf Coast Hand-Shucked Oyster Processing Subcategory

- 408.264 Pretreatment standards for existing sources.
408.265 Standards of performance for new sources.
408.266 Pretreatment standards for new sources.
408.275 Standards of performance for new sources.
408.276 Pretreatment standards for new sources.

Subpart AB—Sardine Processing Subcategory

- 408.284 Pretreatment standards for existing sources.
408.285 Standards of performance for new sources.
408.286 Pretreatment standards for new sources.

Subpart AC—Alaskan Scallop Processing Subcategory

- 408.294 Pretreatment standards for existing sources.
408.295 Standards of performance for new sources.
408.296 Pretreatment standards for new sources.

Subpart AD—Non-Alaskan Scallop Processing Subcategory

- 408.304 Pretreatment standards for existing sources.
408.305 Standards of performance for new sources.
408.306 Pretreatment standards for new sources.

Subpart AE—Alaskan Herring Fillet Processing Subcategory

- 408.314 Pretreatment standards for existing sources.
408.315 Standards of performance for new sources.
408.316 Pretreatment standards for new sources.

Subpart AF—Non-Alaskan Herring Fillet Processing Subcategory

- 408.324 Pretreatment standards for existing sources.
408.325 Standards of performance for new sources.
408.326 Pretreatment standards for new sources.

Subpart AG—Abalone Processing Subcategory

- 408.334 Pretreatment standards for existing sources.
408.335 Standards of performance for new sources.
408.336 Pretreatment standards for new sources.

The following new sections are added to Subpart O—Fish Meal Processing Subcategory:

§ 408.154 Pretreatment standards for existing sources.

The pretreatment standard under section 307(b) of the Act for a source within the fish meal processing subcategory which is a user of a publicly owned treatment works and a major contributing industry as defined in 40 CFR Part 128 (and which would be an existing point source subject to section 301 of the Act, if it were to discharge pollutants to the navigable waters), shall be the standard set forth in 40 CFR Part 128, except that, for the purpose of this section, 40 CFR 128.121, 128.122, 128.132 and 128.133 shall not apply. The following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

Pollutant or Pollutant Property:	Pretreatment Standard
BOD5	No limitation.
TSS	No limitation.
pH	No limitation.
Oil and grease	No limitation.

§ 408.155 Standards of performance for new sources.

The following standards of performance establish the quantity or quality of pollutants or pollutant properties, controlled by this section, which may be discharged by a new source subject to the provisions of this subpart:

Effluent characteristic	Effluent limitations	
	Maximum for any one day	Average of daily values for thirty consecutive days shall not exceed—
(Metric units) kg/kg of seafood		
BOD5	4.0	2.9
TSS	2.3	1.3
Oil and grease	0.80	0.63
pH	Within the range 6.0 to 9.0.	
(English units) lb/1000 lb of seafood		
BOD5	4.0	2.9
TSS	2.3	1.3
Oil and grease	0.80	0.63
pH	Within the range 6.0 to 9.0.	

§ 408.156 Pretreatment standards for new sources.

The pretreatment standard under section 307(c) of the Act for a new source within the fish meal processing subcategory which is a user of a publicly owned treatment works and a major contributing industry as defined in 40 CFR Part 128 (and which would be a new source subject to section 306 of the Act, if it were to discharge pollutants to the navigable waters), shall be the same standard as set forth in 40 CFR Part 128, for existing sources, except that, for the purpose of this section, 40 CFR 128.121, 128.122, 128.132 and 128.133 shall not apply. The following pretreat-

ment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a new source subject to the provisions of this subpart:

Pollutant or Pollutant Property:	Pretreatment Standard
BOD5	No limitation.
TSS	No limitation.
pH	No limitation.
Oil and grease	No limitation.

The following new sections are added to Subpart P—Alaskan Hand-Butchered Salmon Processing Subcategory.

§ 408.164 Pretreatment standards for existing sources.

The pretreatment standard under section 307(b) of the Act for a source within the Alaskan hand-butchered salmon processing subcategory which is a user of a publicly owned treatment works and a major contributing industry as defined in 40 CFR Part 128 (and which would be an existing point source subject to section 301 of the Act, if it were to discharge pollutants to the navigable waters), shall be the standard set forth in 40 CFR Part 128, except that, for the purpose of this section, 40 CFR 128.121, 128.122, 128.132, and 128.133 shall not apply. The following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

Pollutant or Pollutant Property:	Pretreatment Standard
BOD5	No limitation.
TSS	No limitation.
pH	No limitation.
Oil and grease	No limitation.

§ 408.165 Standards of performance for new sources.

(a) The following standards of performance establish the quantity or quality of pollutants or pollutant properties, controlled by this section, which may be discharged by a new source subject to the provisions of this subpart:

(1) Any hand-butchered salmon processing facility located in population or processing centers including but not limited to Anchorage, Cordova, Juneau, Ketchikan, Kodiak, and Petersburg shall meet the following limitations:

Effluent characteristic	Effluent limitations	
	Maximum for any one day	Average of daily values for thirty consecutive days shall not exceed—
(Metric units) kg/kg of seafood		
TSS	1.5	1.2
Oil and grease	0.18	0.15
pH	Within the range 6.0 to 9.0.	
(English units) lb/1000 lb of seafood		
TSS	1.5	1.2
Oil and grease	0.18	0.15
pH	Within the range 6.0 to 9.0.	

(2) Any hand-butchered salmon processing facility not covered under Sec. 408.165(a) (1) shall meet the following limitations: No pollutants may be discharged which exceed 1.27 cm (0.5 inch) in any dimension.

§ 408.166 Pretreatment standards for new sources.

The pretreatment standard under section 307(c) of the Act for a new source within the Alaskan hand-butchered salmon processing subcategory which is a user of a publicly owned treatment works and a major contributing industry as defined in 40 CFR Part 128 (and which would be a new source subject to section 306 of the Act, if it were to discharge pollutants to the navigable waters), shall be the same standard as set forth in 40 CFR Part 128, for existing sources, except that, for the purpose of this section, 40 CFR 128.121, 128.122, 128.132, and 128.133 shall not apply. The following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a new source subject to the provisions of this subpart:

Pollutant or Pollutant Property:	Pretreatment Standard
BOD5	No limitation.
TSS	No limitation.
pH	No limitation.
Oil and grease	No limitation.

The following new sections are added to Subpart Q—Alaskan Mechanized Salmon Processing Subcategory.

§ 408.174 Pretreatment standards for existing sources.

The pretreatment standard under section 307(b) of the Act for a source within the Alaskan mechanized salmon processing subcategory which is a user of a publicly owned treatment works and a major contributing industry as defined in 40 CFR Part 128 (and which would be an existing point source subject to section 301 of the Act, if it were to discharge pollutants to the navigable waters), shall be the standard set forth in 40 CFR Part 128, except that, for the purpose of this section, 40 CFR 128.121, 128.122, 128.132, and 128.133 shall not apply. The following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

Pollutant or Pollutant Property:	Pretreatment Standard
BOD5	No limitation.
TSS	No limitation.
pH	No limitation.
Oil and grease	No limitation.

§ 408.175 Standards of performance for new sources.

(a) The following standards of performance establish the quantity or quality of pollutants or pollutant properties, controlled by this section, which may be discharged by a new source subject to the provisions of this subpart:

(1) Any mechanized salmon processing facility located in population or processing centers including but not limited to Anchorage, Cordova, Juneau, Ketchikan, Kodiak, and Petersburg shall meet the following limitations:

Effluent characteristic	Effluent limitations	
	Maximum for any one day	Average of daily values for thirty consecutive days shall not exceed—
(Metric units) kg/kg of seafood		
TSS.....	20	21
Oil and grease.....	20	10
pH.....	Within the range 6.0 to 9.0.	
(English units) lb/1000 lb of seafood		
TSS.....	20	21
Oil and grease.....	20	10
pH.....	Within the range 6.0 to 9.0.	

(2) Any mechanized salmon processing facility not covered under § 408.175 (a) (1) shall meet the following limitations: No pollutants may be discharged which exceed 1.27 cm (0.5 inch) in any dimension.

§ 408.176 Pretreatment standards for new sources.

The pretreatment standard under section 307(c) of the Act for a new source within the Alaskan mechanized salmon processing subcategory which is a user of a publicly owned treatment works and a major contributing industry as defined in 40 CFR Part 128 (and which would be a new source subject to section 306 of the Act, if it were to discharge pollutants to the navigable waters), shall be the same standard as set forth in 40 CFR Part 128, for existing sources, except that, for the purpose of this section, 40 CFR 128.121, 128.122, 128.132, and 128.133 shall not apply. The following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a new source subject to the provisions of this subpart:

Pollutant or Pollutant Property:	Pretreatment Standard
BOD5	No limitation.
TSS	No limitation.
pH	No limitation.
Oil and grease.....	No limitation.

The following new sections are added to Subpart R—West Coast Hand-Butchered Salmon Processing Subcategory.

§ 408.184 Pretreatment standards for existing sources.

The pretreatment standard under section 307(b) of the Act for a source within the West Coast hand-butchered salmon processing subcategory which is a user of a publicly owned treatment works and a major contributing industry as defined

in 40 CFR Part 128 (and which would be an existing point source subject to section 301 of the Act, if it were to discharge pollutants to the navigable waters), shall be the standard set forth in 40 CFR Part 128, except that, for the purpose of this section, 40 CFR 128.121, 128.122, 128.132, and 128.133 shall not apply. The following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

Pollutant or Pollutant Property:	Pretreatment Standard
BOD5	No limitation.
TSS	No limitation.
pH	No limitation.
Oil and grease.....	No limitation.

§ 408.185 Standards of performance for new sources.

The following standards of performance establish the quantity or quality of pollutants or pollutant properties, controlled by this section, which may be discharged by a new source subject to the provisions of this subpart:

Effluent characteristic	Effluent limitations	
	Maximum for any one day	Average of daily values for thirty consecutive days shall not exceed—
(Metric units) kg/kg of seafood		
BOD5.....	1.7	1.4
TSS.....	0.46	0.37
Oil and grease.....	0.03	0.02
pH.....	Within the range 6.0 to 9.0.	
(English units) lb/1000 lb of seafood		
BOD5.....	1.7	1.4
TSS.....	0.46	0.37
Oil and grease.....	0.03	0.02
pH.....	Within the range 6.0 to 9.0.	

§ 408.186 Pretreatment standards for new sources.

The pretreatment standard under section 307(c) of the Act for a new source within the West Coast hand-butchered salmon processing subcategory which is a user of a publicly owned treatment works and a major contributing industry as defined in 40 CFR 128 (and which would be a new source subject to section 306 of the Act, if it were to discharge pollutants to the navigable waters), shall be the same standard as set forth in 40 CFR 128, for existing sources, except that, for the purpose of this section, 40 CFR 128.121, 128.122, 128.132, and 128.133 shall not apply. The following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a new source subject to the provisions of this subpart:

Pollutant or Pollutant Property:	Pretreatment Standard
BOD5	No limitation.
TSS	No limitation.
pH	No limitation.
Oil and grease.....	No limitation.

The following new sections are added to Subpart S—West Coast Mechanized Salmon Processing Subcategory.

§ 408.194 Pretreatment standards for existing sources.

The pretreatment standard under section 307(b) of the Act for a source within the West Coast mechanized salmon processing subcategory which is a user of a publicly owned treatment works and a major contributing industry as defined in 40 CFR Part 128 (and which would be an existing point source subject to section 301 of the Act, if it were to discharge pollutants to the navigable waters), shall be the standard set forth in 40 CFR Part 128, except that, for the purpose of this section, 40 CFR 128.121, 128.122, 128.132, and 128.133 shall not apply. The following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

Pollutant or Pollutant Property:	Pretreatment Standard
BOD5	No limitation.
TSS	No limitation.
pH	No limitation.
Oil and grease.....	No limitation.

§ 408.195 Standards of performance for new sources.

The following standards of performance establish the quantity or quality of pollutants or pollutant properties, controlled by this section, which may be discharged by a new source subject to the provisions of this subpart:

Effluent characteristic	Effluent limitations	
	Maximum for any one day	Average of daily values for thirty consecutive days shall not exceed—
(Metric units) kg/kg of seafood		
BOD5.....	3.0	3.2
TSS.....	7.0	0.6
Oil and grease.....	3.8	1.6
pH.....	Within the range 6.0 to 9.0.	
(English units) lb/1000 lb of seafood		
BOD5.....	3.0	3.2
TSS.....	7.0	0.6
Oil and grease.....	3.8	1.6
pH.....	Within the range 6.0 to 9.0.	

§ 408.196 Pretreatment standards for new sources.

The pretreatment standard under section 307(c) of the Act for a new source within the West Coast mechanized salmon processing subcategory which is a user of a publicly owned treatment works

and a major contributing industry as defined in 40 CFR Part 128 (and which would be a new source subject to section 306 of the Act, if it were to discharge pollutants to the navigable waters), shall be the same standard as set forth in 40 CFR Part 128, for existing sources, except that, for the purpose of this section, 40 CFR 128.121, 128.122, 128.132, and 128.133 shall not apply. The following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a new source subject to the provisions of this subpart:

Pollutant or Pollutant Property:	Pretreatment Standard
BOD5	No limitation.
TSS	No limitation.
pH	No limitation.
Oil and grease	No limitation.

The following new sections are added to Subpart T—Alaskan Bottom Fish Processing Subcategory.

§ 408.204 Pretreatment standards for existing sources.

The pretreatment standard under section 307(b) of the Act for a source within the Alaskan bottom fish processing subcategory which is a user of a publicly owned treatment works and a major contributing industry as defined in 40 CFR Part 128 (and which would be an existing point source subject to section 301 of the Act, if it were to discharge pollutants to the navigable waters), shall be the standard set forth in 40 CFR Part 128, except that, for the purpose of this section, 40 CFR 128.121, 128.122, 128.132, and 128.133 shall not apply. The following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

Pollutant or Pollutant Property:	Pretreatment Standard
BOD5	No limitation.
TSS	No limitation.
pH	No limitation.
Oil and grease	No limitation.

§ 408.205 Standards of performance for new sources.

(a) The following standards of performance establish the quantity or quality of pollutants or pollutant properties, controlled by this section, which may be discharged by a new source subject to the provisions of this subpart:

(1) Any Alaskan bottom fish processing facility located in population or processing centers including but not limited to Anchorage, Cordova, Juneau, Ketchikan, Kodiak, and Petersburg shall meet the following limitations:

Effluent characteristic	Effluent Limitations	
	Maximum for any one day	Average of daily values for thirty consecutive days shall not exceed—
(Metric units) kg/kg of seafood		
TSS	1.1	1.0
Oil and grease	0.07	0.06
pH	Within the range 6.0 to 9.0.	
(English units) lb/1000 lb of seafood		
TSS	1.1	1.0
Oil and grease	0.07	0.06
pH	Within the range 6.0 to 9.0.	

(2) Any Alaskan bottom-fish processing facility not covered under § 408.205 (a) (1) shall meet the following limitations: No pollutants may be discharged which exceed 1.27 cm (0.5 inch) in any dimension.

§ 408.206 Pretreatment standards for new sources.

The pretreatment standard under section 307(c) of the Act for a new source within the Alaskan bottom fish processing subcategory which is a user of a publicly owned treatment works and a major contributing industry as defined in 40 CFR Part 128 (and which would be a new source subject to section 306 of the Act, if it were to discharge pollutants to the navigable waters), shall be the same standard as set forth in 40 CFR Part 128, for existing sources, except that, for the purpose of this section, 40 CFR 128.121, 128.122, 128.132, and 128.133 shall not apply. The following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a new source subject to the provisions of this subpart:

Pollutant or Pollutant Property:	Pretreatment Standard
BOD5	No limitation.
TSS	No limitation.
pH	No limitation.
Oil and grease	No limitation.

The following new sections are added to Subpart U—Non-Alaskan Conventional Bottom Fish Processing Subcategory.

§ 408.214 Pretreatment standards for existing sources.

The pretreatment standard under section 307(b) of the Act for a source within the non-Alaskan conventional bottom fish processing subcategory which is a user of a publicly owned treatment works and a major contributing industry as defined in 40 CFR Part 128 (and which would be an existing point source

subject to section 301 of the Act, if it were to discharge pollutants to the navigable waters), shall be the standard set forth in 40 CFR Part 128, except that, for the purpose of this section, 40 CFR 128.121, 128.122, 128.132, and 128.133 shall not apply. The following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

Pollutant or Pollutant Property:	Pretreatment Standard
BOD5	No limitation.
TSS	No limitation.
pH	No limitation.
Oil and grease	No limitation.

§ 408.215 Standards of performance for new sources.

The following standards of performance establish the quantity or quality of pollutants or pollutant properties, controlled by this section, which may be discharged by a new source subject to the provisions of this subpart:

Effluent characteristic	Effluent Limitations	
	Maximum for any one day	Average of daily values for thirty consecutive days shall not exceed—
(Metric units) kg/kg of seafood		
BOD5	0.73	0.53
TSS	1.5	0.73
Oil and grease	0.04	0.03
pH	Within the range 6.0 to 9.0.	
(English units) lb/1000 lb of seafood		
BOD5	0.73	0.53
TSS	1.5	0.73
Oil and grease	0.04	0.03
pH	Within the range 6.0 to 9.0.	

§ 408.216 Pretreatment standards for new sources.

The pretreatment standard under section 307(c) of the Act for a new source within the non-Alaskan conventional bottom fish processing subcategory which is a user of a publicly owned treatment works and a major contributing industry as defined in 40 CFR Part 128 (and which would be a new source subject to section 306 of the Act, if it were to discharge pollutants to the navigable waters), shall be the same standard as set forth in 40 CFR Part 128, for existing sources, except that, for the purpose of this section, 40 CFR 128.121, 128.122, 128.132, and 128.133 shall not apply. The following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned

treatment works by a source subject to the provisions of this subpart:

Pollutant or Pollutant Property:	Pretreatment Standard
BOD ₅	No limitation.
TSS.....	No limitation.
pH.....	No limitation.
Oil and grease.....	No limitation.

The following new sections are added to Subpart V—Non-Alaskan Mechanized Bottom Fish Processing Subcategory.

§ 408.224 Pretreatment standards for existing sources.

The pretreatment standard under section 307(b) of the Act for a source within the non-Alaskan mechanized bottom fish processing subcategory which is a user of a publicly owned treatment works and a major contributing industry as defined in 40 CFR Part 128 (and which would be an existing point source subject to section 301 of the Act, if it were to discharge pollutants to the navigable waters), shall be the standard set forth in 40 CFR Part 128, except that, for the purpose of this section, 40 CFR 128.121, 128.122, 128.132, and 128.133 shall not apply. The following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

Pollutant or Pollutant Property:	Pretreatment Standard
BOD ₅	No limitation.
TSS.....	No limitation.
pH.....	No limitation.
Oil and grease.....	No limitation.

§ 408.225 Standards of performance for new sources.

The following standards of performance establish the quantity or quality of pollutants or pollutant properties, controlled by this section, which may be discharged by a new source subject to the provisions of this subpart:

Effluent characteristic	Effluent limitations	
	Maximum for any one day	Average of daily values for thirty consecutive days shall not exceed—
(Metric units) kg/kg of seafood		
BOD ₅	9.1.....	7.4
TSS.....	3.3.....	2.5
Oil and grease.....	0.63.....	0.39
pH.....	Within the range 6.0 to 9.0.....	
(English units) lb/1000 lb of seafood		
BOD ₅	9.1.....	7.4
TSS.....	3.3.....	2.5
Oil and grease.....	0.63.....	0.39
pH.....	Within the range 6.0 to 9.0.....	

§ 408.226 Pretreatment standards for new sources.

The pretreatment standard under section 307(c) of the Act for a new source within the non-Alaskan mechanized bottom fish processing subcategory which is a user of a publicly owned treatment works and a major contributing industry as defined in 40 CFR Part 128 (and which would be a new source subject to section 306 of the Act, if it were to discharge pollutants to the navigable waters), shall be the same standard as set forth in 40 CFR Part 128, for existing sources, except that, for the purpose of this section, 40 CFR 128.121, 128.122, 128.132, and 128.133 shall not apply. The following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a new source subject to the provisions of this subpart:

Pollutant or Pollutant Property:	Pretreatment Standard
BOD ₅	No limitation.
TSS.....	No limitation.
pH.....	No limitation.
Oil and grease.....	No limitation.

The following new sections are added to Subpart W—Hand-Shucked Clam Processing Subcategory.

§ 408.234 Pretreatment standards for existing sources.

The pretreatment standard under section 307(b) of the Act for a source within the hand-shucked clam processing subcategory which is a user of a publicly owned treatment works and a major contributing industry as defined in 40 CFR Part 128 (and which would be an existing point source subject to section 301 of the Act, if it were to discharge pollutants to the navigable waters), shall be the standard set forth in 40 CFR Part 128, except that, for the purpose of this section, 40 CFR 128.121, 128.122, 128.132, and 128.133 shall not apply. The following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

Pollutant or Pollutant Property:	Pretreatment Standard
BOD ₅	No limitation.
TSS.....	No limitation.
pH.....	No limitation.
Oil and grease.....	No limitation.

§ 408.235 Standards of performance for new sources.

The following standards of performance establish the quantity or quality of pollutants or pollutant properties, controlled by this section, which may be discharged by a new source subject to the provisions of this subpart:

Effluent characteristic	Effluent limitations	
	Maximum for any one day	Average of daily values for thirty consecutive days shall not exceed—
(Metric units) kg/kg of seafood		
TSS.....	29.....	18
Oil and grease.....	0.23.....	0.18
pH.....	Within the range 6.0 to 9.0.....	
(English units) lb/1000 lb of seafood		
TSS.....	29.....	18
Oil and grease.....	0.23.....	0.18
pH.....	Within the range 6.0 to 9.0.....	

§ 408.236 Pretreatment standards for new sources.

The pretreatment standard under section 307(c) of the Act for a new source within the hand-shucked clam processing subcategory which is a user of a publicly owned treatment works and a major contributing industry as defined in 40 CFR Part 128 (and which would be a new source subject to section 306 of the Act, if it were to discharge pollutants to the navigable waters), shall be the same standard as set forth in 40 CFR Part 128, for existing sources, except that, for the purpose of this section, 40 CFR 128.121, 128.122, 128.132, and 128.133 shall not apply. The following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a new source subject to the provisions of this subpart:

Pollutant or Pollutant Property:	Pretreatment Standard
BOD ₅	No limitation.
TSS.....	No limitation.
pH.....	No limitation.
Oil and grease.....	No limitation.

The following new sections are added to Subpart X—Mechanized Clam Processing Subcategory.

§ 408.244 Pretreatment standards for existing sources.

The pretreatment standard under section 307(b) of the Act for a source within the mechanized clam processing subcategory which is a user of a publicly owned treatment works and a major contributing industry as defined in 40 CFR Part 128 (and which would be an existing point source subject to section 301 of the Act, if it were to discharge pollutants to the navigable waters), shall be the standard set forth in 40 CFR Part 128, except that, for the purpose of this section, 40 CFR 128.121, 128.122, 128.132, and 128.133 shall not apply. The following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart:

trolled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

Pollutant or Pollutant Property:	Pretreatment Standard
BOD5	No limitation.
TSS	No limitation.
pH	No limitation.
Oil and grease	No limitation.

§ 408.245 Standards of performance for new sources.

The following standards of performance establish the quantity or quality of pollutants or pollutant properties controlled by this section, which may be discharged by a new source subject to the provisions of this subpart:

Effluent characteristic	Effluent limitations	
	Maximum for any one day	Average of daily values for thirty consecutive days shall not exceed—
(Metric units) kg/kg of seafood		
BOD5	2.9	2.7
TSS	7.4	3.7
Oil and grease	0.18	0.09
pH	Within the range 6.0 to 9.0.	
(English units) lb/1000 lb of seafood		
BOD5	2.9	2.7
TSS	7.4	3.7
Oil and grease	0.18	0.09
pH	Within the range 6.0 to 9.0.	

§ 408.246 Pretreatment standards for new sources.

The pretreatment standard under section 307(c) of the Act for a new source within the mechanized clam processing subcategory which is a user of a publicly owned treatment works and a major contributing industry as defined in 40 CFR Part 128 (and which would be a new source subject to section 306 of the Act, if it were to discharge pollutants to the navigable waters), shall be the same standard as set forth in 40 CFR Part 128, for existing sources, except that, for the purpose of this section, 40 CFR 128.121, 128.122, 128.132, and 128.133 shall not apply. The following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a new source subject to the provisions of this subpart:

Pollutant or Pollutant Property:	Pretreatment Standard
BOD5	No limitation.
TSS	No limitation.
pH	No limitation.
Oil and grease	No limitation.

The following new sections are added to Subpart Y—Pacific Coast Hand Shucked Oyster Processing Subcategory.

§ 408.254 Pretreatment standards for existing sources.

The pretreatment standard under section 307(b) of the Act for a source within

the Pacific Coast hand-shucked oyster processing subcategory which is a user of a publicly owned treatment works and a major contributing industry as defined in 40 CFR Part 128 (and which would be an existing point source subject to section 301 of the Act, if it were to discharge pollutants to the navigable waters), shall be the standard set forth in 40 CFR Part 128, except that, for the purpose of this section, 40 CFR 128.121, 128.122, 128.132, and 128.133 shall not apply. The following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

Pollutant or Pollutant Property:	Pretreatment Standard
BOD5	No limitation.
TSS	No limitation.
pH	No limitation.
Oil and grease	No limitation.

§ 408.255 Standards of performance for new sources.

The following standards of performance establish the quantity or quality of pollutants or pollutant properties, controlled by this section, which may be discharged by a new source subject to the provisions of this subpart:

Effluent characteristic	Effluent limitations	
	Maximum for any one day	Average of daily values for thirty consecutive days shall not exceed—
(Metric units) kg/kg of product		
BOD5	3.0	3.5
TSS	8.7	8.3
Oil and grease	0.78	0.23
pH	Within the range 6.0 to 9.0.	
(English units) lb/1000 lb of product		
BOD5	3.0	3.5
TSS	8.7	8.3
Oil and grease	0.78	0.23
pH	Within the range 6.0 to 9.0.	

§ 408.256 Pretreatment standards for new sources.

The pretreatment standard under section 307(c) of the Act for a new source within the Pacific Coast hand-shucked oyster processing subcategory which is a user of a publicly owned treatment works and a major contributing industry as defined in 40 CFR Part 128 (and which would be a new source subject to section 306 of the Act, if it were to discharge pollutants to the navigable waters), shall be the same standard as set forth in 40 CFR Part 128, for existing sources, except that, for the purpose of this section, 40 CFR 128.121, 128.122, 128.132, and 128.133 shall not apply. The following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a pub-

licly owned treatment works by a new source subject to the provisions of this subpart:

Pollutant or Pollutant Property:	Pretreatment Standard
BOD5	No limitation.
TSS	No limitation.
pH	No limitation.
Oil and grease	No limitation.

The following new sections are added to Subpart Z—Atlantic and Gulf Coast Hand-Shucked Oyster Processing Subcategory.

§ 408.264 Pretreatment standards for existing sources.

The pretreatment standard under section 307(b) of the Act for a source within the Atlantic and Gulf Coast hand-shucked oyster processing subcategory which is a user of a publicly owned treatment works and a major contributing industry as defined in 40 CFR Part 128 (and which would be an existing point source subject to section 301 of the Act, if it were to discharge pollutants to the navigable waters), shall be the standard set forth in 40 CFR Part 128, except that, for the purpose of this section, 40 CFR 128.121, 128.122, 128.132, and 128.133 shall not apply. The following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

Pollutant or Pollutant Property:	Pretreatment Standard
BOD5	No limitation.
TSS	No limitation.
pH	No limitation.
Oil and grease	No limitation.

§ 408.265 Standards of performance for new sources.

The following standards of performance establish the quantity or quality of pollutants or pollutant properties, controlled by this section, which may be discharged by a new source subject to the provisions of this subpart:

Effluent characteristic	Effluent limitations	
	Maximum for any one day	Average of daily values for thirty consecutive days shall not exceed—
(Metric units) kg/kg of product		
BOD5	2.5	2.3
TSS	4.5	3.6
Oil and grease	0.45	0.15
pH	Within the range 6.0 to 9.0.	
(English units) lb/1000 lb of product		
BOD5	2.5	2.3
TSS	4.5	3.6
Oil and grease	0.45	0.15
pH	Within the range 6.0 to 9.0.	

§ 408.266 Pretreatment standards for new sources.

The pretreatment standard under section 307(c) of the Act for a new source within the Atlantic and Gulf Coast

PROPOSED RULES

hand-shucked oyster processing subcategory which is a user of a publicly owned treatment works and a major contributing industry as defined in 40 CFR Part 128 (and which would be a new source subject to section 306 of the Act, if it were to discharge pollutants to the navigable waters), shall be the same standard as set forth in 40 CFR Part 128, for existing sources, except that, for the purpose of this section, 40 CFR 128.121, 128.122, 128.132, and 128.133 shall not apply. The following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a new source subject to the provisions of this subpart:

Pollutant or Pollutant Property:	Pretreatment Standard
BOD5	No limitation.
TSS	No limitation.
pH	No limitation.
Oil and grease	No limitation.

The following new sections are added to Subpart AA—Steamed/Canned Oyster Processing Subcategory.

§ 408.274 Pretreatment standards for existing sources.

The pretreatment standard under section 307(b) of the Act for a source within the steamed/canned oyster processing subcategory which is a user of a publicly owned treatment works and a major contributing industry as defined in 40 CFR Part 128 (and which would be an existing point source subject to section 301 of the Act, if it were to discharge pollutants to the navigable waters), shall be the standard set forth in 40 CFR Part 128, except that, for the purpose of this section, 40 CFR 128.121, 128.122, 128.132, and 128.133 shall not apply. The following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

Pollutant or Pollutant Property:	Pretreatment Standard
BOD5	No limitation.
TSS	No limitation.
pH	No limitation.
Oil and grease	No limitation.

§ 408.275 Standards of performance for new sources.

The following standards of performance establish the quantity or quality of pollutants or pollutant properties, controlled by this section, which may be discharged by a new source subject to the provisions of this subpart:

Effluent characteristic	Effluent limitations	
	Maximum for any one day	Average of daily values for thirty consecutive days shall not exceed—
(Metric units) kg/kg of product		
BOD5	7.4	5.2
TSS	22	11
Oil and grease	0.56	0.28
pH	Within the range 6.0 to 9.0.	
(English units) lb/1000 lb of product		
BOD5	7.4	5.2
TSS	22	11
Oil and grease	0.56	0.28
pH	Within the range 6.0 to 9.0.	

§ 408.276 Pretreatment standards for new sources.

The pretreatment standard under section 307(c) of the Act for a new source within the steamed/canned oyster processing subcategory which is a user of a publicly owned treatment works and a major contributing industry as defined in 40 CFR Part 128 (and which would be a new source subject to section 306 of the Act, if it were to discharge pollutants to the navigable waters), shall be the same standard as set forth in 40 CFR Part 128, for existing sources, except that, for the purpose of this section, 40 CFR 128.121, 128.122, 128.132, and 128.133 shall not apply. The following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a new source subject to the provisions of this subpart:

Pollutant or Pollutant Property:	Pretreatment Standard
BOD5	No limitation.
TSS	No limitation.
pH	No limitation.
Oil and grease	No limitation.

The following new sections are added to Subpart AB—Sardine Processing Subcategory.

§ 408.284 Pretreatment standards for existing sources.

The pretreatment standard under section 307(b) of the Act for a source within the sardine processing subcategory which is a user of a publicly owned treatment works and a major contributing industry as defined in 40 CFR Part 128 (and which would be an existing point source subject to section 301 of the Act, if it were to discharge pollutants to the navigable waters), shall be the standard set forth in 40 CFR Part 128, except that,

for the purpose of this section, 40 CFR 128.121, 128.122, 128.132, and 128.133 shall not apply. The following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

Pollutant or Pollutant Property:	Pretreatment Standard
BOD5	No limitation.
TSS	No limitation.
pH	No limitation.
Oil and grease	No limitation.

§ 408.285 Standards of performance for new sources.

The following standards of performance establish the quantity or quality of pollutants or pollutant properties, controlled by this section, which may be discharged by a new source subject to the provisions of this subpart:

Effluent characteristic	Effluent limitations	
	Maximum for any one day	Average of daily values for thirty consecutive days shall not exceed—
(Metric units) kg/kg of seafood		
BOD5	7.1	0.3
TSS	2.9	2.1
Oil and grease	1.8	0.07
pH	Within the range 6.0 to 9.0.	
(English units) lb/1000 lb of seafood		
BOD5	7.1	0.3
TSS	2.9	2.1
Oil and grease	1.8	0.07
pH	Within the range 6.0 to 9.0.	

§ 408.286 Pretreatment standards for new sources.

The pretreatment standard under section 307(c) of the Act for a new source within the sardine processing subcategory which is a user of a publicly owned treatment works and a major contributing industry as defined in 40 CFR Part 128 (and which would be a new source subject to section 306 of the Act, if it were to discharge pollutants to the navigable waters), shall be the same standard as set forth in 40 CFR Part 128, for existing sources, except that, for the purpose of this section, 40 CFR 128.121, 128.122, 128.132, and 128.133 shall not apply. The following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a new source subject to the provisions of this subpart:

Pollutant or Pollutant Property:	<i>Pretreatment Standard</i>
BOD5	No limitation.
TSS	No limitation.
pH	No limitation.
Oil and grease	No limitation.

The following new sections are added to Subpart AC—Alaskan Scallop Processing Subcategory.

§ 408.294 Pretreatment standards for existing sources.

The pretreatment standard under section 307(b) of the Act for a source within the Alaskan scallop processing subcategory which is a user of a publicly owned treatment works and a major contributing industry as defined in 40 CFR Part 128 (and which would be an existing point source subject to section 301 of the Act, if it were to discharge pollutants to the navigable waters), shall be the standard set forth in 40 CFR Part 128, except that, for the purpose of this section, 40 CFR 128.121, 128.122, 128.132, and 128.133 shall not apply. The following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

Pollutant or Pollutant Property:	<i>Pretreatment Standard</i>
BOD5	No limitation.
TSS	No limitation.
pH	No limitation.
Oil and grease	No limitation.

§ 408.295 Standards of performance for new sources.

(a) The following standards of performance establish the quantity or quality of pollutants or pollutant properties, controlled by this section, which may be discharged by a new source subject to the provisions of this subpart:

(1) any Alaskan scallop processing facility located in population or processing centers including but not limited to Anchorage, Cordova, Juneau, Ketchikan, Kodiak, and Petersburg shall meet the following limitations:

Effluent characteristic	Effluent limitations	
	Maximum for any one day	Average of daily values for thirty consecutive days shall not exceed—
(Metric units) kg/kg of product		
TSS	0.50	0.60
Oil and grease	0.62	0.31
pH	Within the range 6.0 to 9.0.	
(English units) lb/1000 lb of product		
TSS	0.50	0.60
Oil and grease	0.62	0.31
pH	Within the range 6.0 to 9.0.	

(2) Any Alaskan scallop processing facility not covered under § 408.295(a)

(1) shall meet the following limitations: No pollutants may be discharged which exceed 1.27 cm (0.5 inch) in any dimension.

§ 408.296 Pretreatment standards for new sources.

The pretreatment standard under section 307(c) of the Act for a new source within the Alaskan scallop processing subcategory which is a user of a publicly owned treatment works and a major contributing industry as defined in 40 CFR Part 128 (and which would be a new source subject to section 306 of the Act, if it were to discharge pollutants to the navigable waters), shall be the same standard as set forth in 40 CFR Part 128, for existing sources, except that, for the purpose of this section, 40 CFR 128.121, 128.122, 128.132, and 128.133 shall not apply. The following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a new source subject to the provisions of this subpart:

Pollutant or Pollutant Property:	<i>Pretreatment Standard</i>
BOD5	No limitation.
TSS	No limitation.
pH	No limitation.
Oil and grease	No limitation.

The following new sections are added to Subpart AD—Non-Alaskan Scallop Processing Subcategory:

§ 408.304 Pretreatment standards for existing sources.

The pretreatment standard under section 307(b) of the Act for a source within the non-Alaskan scallop processing subcategory which is a user of a publicly owned treatment works and a major contributing industry as defined in 40 CFR Part 128 (and which would be an existing point source subject to section 301 of the Act, if it were to discharge pollutants to the navigable waters), shall be the standard set forth in 40 CFR Part 128, except that, for the purpose of this section, 40 CFR 128.121, 128.122, 128.132, and 128.133 shall not apply. The following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

Pollutant or Pollutant Property:	<i>Pretreatment Standard</i>
BOD5	No limitation.
TSS	No limitation.
pH	No limitation.
Oil and grease	No limitation.

§ 408.305 Standards of performance for new sources.

The following standards of performance establish the quantity or quality of pollutants or pollutant properties, controlled by this section, which may be discharged by a new source subject to the provisions of this subpart:

Effluent characteristic	Effluent limitations	
	Maximum for any one day	Average of daily values for thirty consecutive days shall not exceed—
(Metric units) kg/kg of product		
TSS	0.50	0.60
Oil and grease	0.62	0.31
pH	Within the range 6.0 to 9.0.	
(English units) lb/1000 lb of product		
TSS	0.50	0.60
Oil and grease	0.62	0.31
pH	Within the range 6.0 to 9.0.	

§ 408.306 Pretreatment standards for new sources.

The pretreatment standard under section 307(c) of the Act for a new source within the non-Alaskan scallop processing subcategory which is a user of a publicly owned treatment works and a major contributing industry as defined in 40 CFR Part 128 (and which would be a new source subject to section 306 of the Act, if it were to discharge pollutants to the navigable waters), shall be the same standard as set forth in 40 CFR Part 128, for existing sources, except that, for the purpose of this section, 40 CFR 128.121, 128.122, 128.132, and 128.133 shall not apply. The following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a new source subject to the provisions of this subpart:

Pollutant or Pollutant Property:	<i>Pretreatment Standard</i>
BOD5	No limitation.
TSS	No limitation.
pH	No limitation.
Oil and grease	No limitation.

The following new sections are added to Subpart AE—Alaskan Herring Fillet Processing Subcategory.

§ 408.314 Pretreatment standards for existing sources.

The pretreatment standard under section 307(b) of the Act for a source within the Alaskan herring fillet processing subcategory which is a user of a publicly owned treatment works and a major contributing industry as defined in 40 CFR Part 128 (and which would be an existing point source subject to section 301 of the Act, if it were to discharge pollutants to the navigable waters), shall be the standard set forth in 40 CFR Part 128, except that, for the purpose of this section, 40 CFR 128.121, 128.122, 128.132, and 128.133 shall not apply. The following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

Pollutant or Pollutant Property:	Pretreatment Standard
BOD5	No limitation.
TSS	No limitation.
pH	No limitation.
Oil and grease.....	No limitation.

§ 408.315 Standards of performance for new sources.

(a) The following standards of performance establish the quantity or quality of pollutants or pollutant properties, controlled by this section, which may be discharged by a new source subject to the provisions of this subpart:

(1) any herring fillet processing facility located in population or processing centers including but not limited to Anchorage, Cordova, Juneau, Ketchikan, Kodiak and Petersburg shall meet the following limitations:

Effluent characteristic	Effluent limitations	
	Maximum for any one day	Average of daily values for thirty consecutive days shall not exceed—
(Metric units) kg/kg of seafood		
TSS.....	19.....	17
Oil and grease.....	6.7.....	5.2
pH.....	Within the range 6.0 to 9.0.....	
(English units) lb/1000 lb of seafood		
TSS.....	19.....	17
Oil and grease.....	6.7.....	5.2
pH.....	Within the range 6.0 to 9.0.....	

(2) Any Alaskan herring fillet processing facility not covered under § 408.315 (a) (1) shall meet the following limitations: No pollutants may be discharged which exceed 1.27 cm (0.5 inch) in any dimension.

§ 408.316 Pretreatment standards for new sources.

The pretreatment standard under section 307(c) of the Act for a new source within the Alaskan herring fillet processing subcategory which is a user of a publicly owned treatment works and a major contributing industry as defined in 40 CFR Part 128 (and which would be a new source subject to section 306 of the Act, if it were to discharge pollutants to the navigable waters), shall be the same standard as set forth in 40 CFR Part 128, for existing sources, except that, for the purpose of this section, 40 CFR 128.121, 128.122, 128.132, and 128.133 shall not apply. The following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a new source subject to the provisions of this subpart:

Pollutant or Pollutant Property:	Pretreatment Standard
BOD5	No limitation.
TSS	No limitation.
pH	No limitation.
Oil and grease.....	No limitation.

The following new sections are added to Subpart AF—Non-Alaskan Herring Fillet Processing Subcategory.

§ 408.324 Pretreatment standards for existing sources.

The pretreatment standard under section 307(b) of the Act for a source within the non-Alaskan herring fillet processing subcategory which is a user of a publicly owned treatment works and a major contributing industry as defined in 40 CFR Part 128 (and which would be an existing point source subject to section 301 of the Act, if it were to discharge pollutants to the navigable waters), shall be the standard set forth in 40 CFR Part 128, except that, for the purpose of this section, 40 CFR 128.121, 128.122, 128.132, and 128.133 shall not apply. The following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

Pollutant or Pollutant Property:	Pretreatment Standard
BOD5	No limitation.
TSS	No limitation.
pH	No limitation.
Oil and grease.....	No limitation.

§ 408.325 Standards of performance for new sources.

The following standards of performance establish the quantity or quality of pollutants or pollutant properties, controlled by this section, which may be discharged by a new source subject to the provisions of this subpart:

Effluent characteristic	Effluent limitations	
	Maximum for any one day	Average of daily values for thirty consecutive days shall not exceed—
(Metric units) kg/kg of seafood		
BOD5.....	21.....	16
TSS.....	5.6.....	5.2
Oil and grease.....	3.3.....	1.4
pH.....	Within the range 6.0 to 9.0.....	
(English units) lb/1000 lb of seafood		
BOD5.....	21.....	16
TSS.....	5.6.....	5.2
Oil and grease.....	3.3.....	1.4
pH.....	Within the range 6.0 to 9.0.....	

§ 408.326 Pretreatment standards for new sources.

The pretreatment standard under section 307(c) of the Act for a new source within the non-Alaskan herring fillet processing subcategory which is a user of a publicly owned treatment works and a major contributing industry as defined in 40 CFR Part 128 (and which would be a new source subject to section 306 of the Act, if it were to discharge pollutants to the navigable waters), shall be the same standard as set forth in 40 CFR Part 128, for existing sources, except

that, for the purpose of this section, 40 CFR 128.121, 128.122, 128.132, and 128.133 shall not apply. The following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a new source subject to the provisions of this subpart:

Pollutant or Pollutant Property:	Pretreatment Standard
BOD5	No limitation.
TSS	No limitation.
pH	No limitation.
Oil and grease.....	No limitation.

The following new sections are added to Subpart AG—Abalone Processing Subcategory.

§ 408.334 Pretreatment standards for existing sources.

The pretreatment standard under section 307(b) of the Act for a source within the abalone processing subcategory which is a user of a publicly owned treatment works and a major contributing industry as defined in 40 CFR Part 128 (and which would be an existing point source subject to section 301 of the Act, if it were to discharge pollutants to the navigable waters), shall be the standard set forth in 40 CFR Part 128, except that, for the purpose of this section, 40 CFR 128.121, 128.122, 128.132, and 128.133 shall not apply. The following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a point source subject to the provisions of this subpart.

Pollutant or Pollutant Property:	Pretreatment Standard
BOD5	No limitation.
TSS	No limitation.
pH	No limitation.
Oil and grease.....	No limitation.

§ 408.335 Standards of performance for new sources.

The following standards of performance establish the quantity or quality of pollutants or pollutant properties, controlled by this section, which may be discharged by a new source subject to the provisions of this subpart:

Effluent characteristic	Effluent limitations	
	Maximum for any one day	Average of daily values for thirty consecutive days shall not exceed—
(Metric units) kg/kg of seafood		
TSS.....	10.....	8.7
Oil and grease.....	1.1.....	0.93
pH.....	Within the range 6.0 to 9.0.....	
(English units) lb/1000 lb of seafood		
TSS.....	10.....	8.7
Oil and grease.....	1.1.....	0.93
pH.....	Within the range 6.0 to 9.0.....	

§ 408.336 Pretreatment standards for new sources.

The pretreatment standard under section 307(c) of the Act for a new source within the abalone processing subcategory which is a user of a publicly owned treatment works and a major contributing industry as defined in 40 CFR Part 128 (and which would be a new source subject to section 306 of the Act, if it were to discharge pollutants to the navigable waters), shall be the same standard as set forth in 40 CFR Part 128, for existing sources, except that, for the purpose of this section, 40 CFR 128.121, 128.122, 128.132, and 128.133 shall not apply. The following pretreatment standard establishes the quantity or quality of pollutants or pollutant properties controlled by this section which may be discharged to a publicly owned treatment works by a new source subject to the provisions of this subpart:

Pollutant or Pollutant Property:	<i>Pretreatment Standard</i>
BOD5 -----	No limitation.
TSS -----	No limitation.
pH -----	No limitation.
Oil and grease-----	No limitation.

[FR Doc.75-2726 Filed 1-29-75;8:45 am]