

January-June 2013

No. 2013-1

#### **Table of Contents**

Protecting Aquatic Life and Human Health from Chemicals and Microbes in Water	1
Sidebar: EPA SAB and BOSC joint recommendations on Implementation of ORD Strategic Research Plans	1
Innovative and Affordable Tools and Technologies for Sustainable Public Health Protection	5
Ecological Systems Approach to Protect and Restore Sustainable Water Quality and Water Quantity on a Watershed Basis	8
Sidebar: The President's Climate Action Plan	
Sidebar: STREAMER Tool from USGS Lets You Navigate America's Major Rivers Without Getting Wet	<u> 9</u>

## Protecting Aquatic Life and Human Health from Chemicals and Microbes in Water

#### From EPA

SAB Advice on Approaches to Derive a Maximum Contaminant Level Goal for Perchlorate. Allen, D.T. and S.M. Roberts, 2013. EPA SAB-13-004. SAB finds sufficient information to derive an MCLG for perchlorate; recommends EPA use a mode of action approach and PBPK/PD-IUI modeling.

Go to Report or www.epa.gov

2013 Biological Assessment Program Review: Assessing Level of Technical Rigor to Support Water Quality Management. 2013. EPA 820-R-13-001. With the program review process that is described, states and tribes can develop a plan to build on their program strengths and address the limitations.

Go to Report or www.epa.gov

#### EPA SAB and BOSC joint recommendations on Implementation of ORD Strategic Research Plans

The EPA's Science Advisory Board (SAB) and the Executive Committee of the Office of Research and Development's (ORD) Board of Scientific Counselors (BOSC) jointly offered comments and recommendations to the EPA Administrator on ORD's new strategic research plans. ORD has realigned its research into six new program areas: Air, Climate and Energy; Safe and Sustainable Water Resources (SSWR); Sustainable and Healthy Communities; Chemical Safety for Sustainability; Human Health Risk Assessment; and Homeland Security Research.

SAB and BOSC were supportive of the consolidation of EPA's research programs as part of an integrated transdisciplinary approach to research that takes a systems approach to sustainability. They noted that ORD's Strategic Research Action Plans for its 6 research programs are important achievements that should help to clearly communicate ORD's new mission approach. The report's summary points for SSWR were:

**The Safe and Sustainable Waters program should** identify and seek opportunities for leveraging research of other federal agencies and engage with communities in setting the program's research priorities and research development. Program linkages with sustainability, nutrient management and green infrastructure are critical to the success of this program.

The report provides further recommendations for all 6 research programs; many suggestions for other program areas (e.g., Chemical Safety for Sustainability) are also pertinent to OW's research and program needs. See the full report: *Implementation of ORD Strategic Research Plans: A Joint Report of the Science Advisory Board and ORD Board of Scientific Counselors.* EPA-SAB-12-012, 2012.

#### From Collaborators

WaterRF - Nitrosamine Occurrence Survey-4461.

Targeted completion 2015. Treatment plant survey to improve understanding of why nitrosamines occur and factors that impact formation.

Go to **Upcoming report** 

Water and Hydraulic Fracturing. Carpenter, A.T., et al., 2013. *Journal American Water Works Association*, 105(3), 56-59. AWWA white paper to address increasing oil and natural gas development.

Go to Article

Acceptable Microbial Risk: Cost-benefit Analysis of a Boil-water Order for *Cryptosporidium*. Ryan, M.O., et al., 2013. *Journal American Water Works Association*, 105(4), E189-E194. Results suggest a daily risk of nine illnesses out of 10,000 people exposed would justify a BWO (finished water concentration of 0.046 oocysts/L).

Go to Article

USGS – California Groundwater Ambient Monitoring and Assessment (GAMA) Program Priority Basin Project: Shallow Aquifer

**Assessment.** 2013. 2012-3136. In 2012, the GAMA Priority Basin Project began assessing shallow aquifers because shallow groundwaters may be more susceptible to contamination than deeper aquifers.

Go to Report

Total Chromium and Hexavalent Chromium Occurrence Analysis. Seidel, C.J. and C.J. Corwin, 2013. *Journal American Water Works Association*, 105(6), E310-E319. Occurrence was analyzed using: The National Chromium and Boron Occurrence Survey; the USEPA database of chromium from the Second Six-Year Review; and California Department of Public Health water quality analysis data. Results indicate that surface water speciation is dominated by trivalent chromium, whereas groundwater speciation is dominated by hexavalent chromium.

Go to Article

USGS – Landscape Consequences of Natural Gas Extraction in Somerset and Westmoreland Counties, Pennsylvania, 2004–2010. Milheim, L.E., et al., 2013. 2013-1126. Quantifies the landscape changes and consequences of natural gas extraction for 2 sites in Pennsylvania between 2004 and 2010.

Go to Report

**Evaluating Violations of Drinking Water Regulations.** Rubin, S.J., 2013. *Journal American Water Works Association*, 105(3), E137-E147. Evaluates
USEPA data for violations by CWSs; summarizes
violation types and differences in violations across
system size, water source.

Go to Article

USGS – Geochemical Evidence of Groundwater Flow Paths and the Fate and Transport of Constituents of Concern in the Alluvial Aquifer at Fort Wingate Depot Activity, New Mexico, 2009. Robertson, A.J., et al., 2013. 2013-5098. Report examines plume of contaminants (e.g., perchlorate).

Go to Report

### From Journals

NDMA Formation from Amine-based Pharmaceuticals – Impact from Prechlorination and Water Matrix. Shen R. and S.A. Andrews, 2013. *Water Research*, 47(7), 2446-2457.

Go to Article

Perfluorooctanoic Acid Exposure and Cancer Outcomes in a Contaminated Community: A Geographic Analysis. Vieira V.M., et al., 2013. Environmental Health Perspectives, 121, 318-323.

Go to Article

Arsenic Exposure from Drinking Water and QT-Interval Prolongation: Results from the Health Effects of Arsenic Longitudinal Study. Chen Y., et al., 2013. Environmental Health Perspectives, 121, 427-432.

Source and Transport of Human Enteric Viruses in Deep Municipal Water Supply Wells. Bradbury, K.R., et al., 2013. *Environmental Science & Technology*, 47(9), 4096-4103.

Go to Article

Perfluorooctane Sulfonate (PFOS) Affects Hormone Receptor Activity, Steroidogenesis, and Expression of Endocrine-related Genes *In Vitro* and *In Vivo*. Guizhen, D., et al., 2013. *Environmental Toxicology and Chemistry*, 32(2), 353-360.

Go to Article

Selective Chlorination of Natural Organic Matter: Identification of Previously Unknown Disinfection Byproducts. Lavonen, E.E., et al., 2013. *Environmental Science & Technology*, 47(5), 2264-2271.

Go to Article

Engineered Nanomaterials in Water and soils: A Risk Quantification Based on Probabilistic Exposure and Effect Modeling. Gottschalk, F., et al., 2013. *Environmental Toxicology and Chemistry*, 32(6), 1278-1287.

Go to Article

Environmental Factors That Influence *Cyanobacteria* and *Geosmin* Occurrence in Reservoirs. Journey, C.A., et al., 2013. *Current Perspectives in Contaminant Hydrology and Water Resources Sustainability*, Chapter 2.

Go to Article

**A Method for Deriving Water-quality Benchmarks Using Field Data.** Cormier, S.M. and G.W., II. Suter, 2013. *Environmental Toxicology and Chemistry*, 32(2), 255-262.

Go to Article

Managing the Effects of Endocrine Disrupting Chemicals in Wastewater-impacted Streams. Bradley, P.M. and D.W. Kolpin, 2013. *Current Perspectives in Contaminant Hydrology and Water Resources Sustainability*, Chapter 1.

Go to Article

Scientists Develop Microarray-based Assay to Detect Waterborne Pathogens. Brinkman, N.E., R. Francisco, T.L. Nichols, D. Robinson, F.W. Schaefer 3rd, R.P. Schaudies, and, E.N. Villegas, 2013. *Journal of Applied Microbiology*, 114(2), 564-573.

Go to Article

Influence of Exposure and Toxicokinetics on Measures of Aquatic Toxicity for Organic Contaminants: A Case Study Review. Landrum, P.F., et al., 2013. Integrated Environmental Assessment and Management, 9(2), 196-210.

Go to Article

Integrated Water Quality –Water Supply Modeling to Support Long-term Planning. Weiss, W. J., et al., 2013. Journal American Water Works Association, 105(4), E217-E228.

Go to Article

Spatio-temporal Variability of Non-regulated Disinfection By-products within a Drinking Water Distribution Network. Mercier, S.C., et al., 2013. *Water Research*, 47(9), 3231-3243.

Go to Article

LT2 Cryptosporidium Data: What Do They Tell Us about Cryptosporidium in Surface Water in the United States? Ongerth, J.E., 2013. Environmental Science & Technology, 47(9), 4029-4038.

Go to Article

The Broad Scope of Health Effects from Chronic Arsenic Exposure: Update on a Worldwide Public Health Problem. Naujokas, M.F. et al., 2013. Environmental Health Perspectives, 121, 295-302.

Go to Article

An Assessment of Fecal Indicator and Other Bacteria from an Urbanized Coastal Lagoon in the City of Los Angeles, California, USA. Dorsey, J.H., et al., 2013. *Environmental Monitoring and Assessment*, 185(3), 2647-2669.

Health Implications of PAH Release from Coated Cast Iron Drinking Water Distribution Systems in the Netherlands. Blokker, E.J., et al., 2013. *Environmental Health Perspectives*, 121, 600-606.

Go to Article

Modeling the Long-term Rate of Agricultural Nitrate in Groundwater in the San Joaquin Valley, California. Chapelle, F.H., et al., 2013. *Current Perspectives in Contaminant Hydrology and Water Resources Sustainability*, Chapter 6.

Go to Article

Arsenic in Groundwater: A Summary of Sources and the Biogeochemical and Hydrogeologic Factors Affecting Arsenic Occurrence and Mobility. Barringer, J.L. and P.A. Reilly, 2013. Current Perspectives in Contaminant Hydrology and Water Resources Sustainability, Chapter 4.

Go to Article

### Recent and Upcoming Meetings

**2012** Gordon Research Conference on Drinking Water Disinfection By-products. August 5-10, 2012 in South Hadley, MA.

Go to Meeting Page

Inorganic Contaminants Symposium -- CA-NV AWWA. February 5, 2013 in Sacramento, CA.

Go to Meeting Page

**Disinfection and Public Health Conference 2013.** February 24-26, 2013 in Indianapolis, IN.

Go to Meeting Page

**86th Annual Water Environment Federation Technical Exhibition and Conference.** October 5-9, 2013 in Chicago, IL.

Go to Meeting Page

**2013 NAWC Water Summit.** October 6-9, 2013 in San Diego, CA.

Go to Meeting Page

**AMWA 2013 Annual Meeting.** October 27-30, 2013 in St. Petersburg, FL.

Go to Meeting Page

**ASDWA 2013 Annual Conference.** October 27-31, 2013 in Long Beach, CA.

Go to Meeting Page

APHA 141th Annual Meeting and Exposition.

November 2-6, 2013 in Boston, MA.

Go to Meeting Page

**2013** Water Quality Technology Conference and Exposition (WQTC). November 3-7, 2013 in Long Beach, CA.

Go to Meeting Page

SETAC North America 34th Annual Meeting.

November 17-21, 2013 in Nashville, TN.

Go to Meeting Page

Climate Leadership Conference. February 24-26, 2014 in San Diego, CA.

Go to Meeting Page

**53rd SOT Annual Meeting & ToxExpo.** March 23-27, 2014 in Phoenix, AZ.

Go to Meeting Page

ACE14 – AWWA Annual Conference and Exposition 2014. June 8-12, 2014 in Boston, MA.

# Innovative and Affordable Tools and Technologies for Sustainable Public Health Protection

#### From EPA

Emerging Technologies for Wastewater Treatment and In-plant Wet Weather Management. 2013. EPA 832-R-12-011. Technical and cost information to assist users in considering more efficient, sustainable, and cost-effective technologies.

Go to Report or www.epa.gov

#### From Collaborators

**Hexavalent Chromium Removal Research Project Report.** Hazen and Sawyer Arcadis U.S./Malcolm Pirnie, 2013. Glendale, CA research identifies technologies for removing Cr(VI) from drinking water supplies.

Go to Report

Security and Preparedness – Inactivation of Bacterial Bioterrorism Agents in Water: A Summary of Seven USEPA and CDC Research Studies. Minamyer, S. and C.L. Menefee, 2013. *Journal American Water Works Association*, 105(4), 26-29. Past use of weaponized *Bacillus anthracis* spores has prompted study of inactivation of potential bacterial bioterrorism agents in drinking water.

Go to Article or www.awwa.org

MIEX and PAC for Removal of Hydrophilic DBP Precursors. Hanigan, D., et al., 2013. *Journal American Water Works Association*, 105(3), E84-E92. Investigation of materials for potential reduction of disinfection byproduct (DBP) formation resulting from reactions with hydrophilic natural organic matter (NOM).

Go to Article

Water-Energy Nexus Research - Recommendations for Future Opportunities.

Alliance for Water Efficiency, 2013. Project No. 130240. The Alliance for Water Efficiency (AWE) and the American Council for an Energy-Efficient

Economy (ACEEE) investigated existing studies; report provides a summary of the major findings and additional research needs.

Go to Report or www.allianceforwaterefficiency.org

Green Infrastructure (PAS 571) a Landscape Approach. Rouse, D.C., and I.F. Bunster-Ossa, 2013. Published by APA Planning Advisory Service, 2013. Report from American Planning Association demonstrates how green infrastructure cleans the air and water, replenishes aquifers, reduces flooding, and moderates climate.

Go to Report or www.planning.org

USGS – National Assessment of Geologic Carbon Dioxide Storage Resources—Summary. 2013. 2013-3020. Examination of all sedimentary basins that contain storage assessment units (SAUs) that could be defined according to geologic and hydrologic characteristics.

Go to Report or energy.usgs.gov

Updated Principles and Guidelines for Federal Investments in Water Resources. Council on Environmental Quality, 2013. Obama Administration's updated guide for investments in water resources to accelerate project approvals, reduce costs, and support water infrastructure projects.

Go to Report or www.whitehouse.gov

#### From Journals

Comparative Assessment of the Environmental Sustainability of Existing and Emerging Perchlorate Treatment Technologies for Drinking Water. Choe, J.K., et al., 2013. *Environmental Science & Technology*, 47(9), 4644-4652.

Chlorate, Perchlorate, and Bromate in Onsite-generated Hypochlorite Systems. Stanford, B.D., et al., 2013. *Journal American Water Works Association*, 105(3), E93-E102.

Go to Article

Optimal Expansion of a Drinking Water Infrastructure System with Respect to Carbon Footprint, Cost-effectiveness and water Demand. Chang, N-B., et al., 2012. *Journal of Environmental Management*, 110(15), 194-206.

Go to Article

Review of Selected Inorganic Surface Water Quality-monitoring Practices: Are We Really Measuring What We Think, and If So, Are We Doing It Right? Horowitz, A.J., 2013. Environmental Science & Technology, 47(6), 2471-2486.

Go to Article

Detection of Multiple Waterborne Pathogens Using Microsequencing Arrays. Brinkman N.E., et al., 2013. Journal of Applied Microbiology, 114(2), 564-573. A microarray was developed to simultaneously detect Cryptosporidium parvum, Cryptosporidium hominis, Enterococcus faecium, Bacillus anthracis and Francisella tularensis in water.

Go to Article

Methods and Approaches Used for Detection of Cyanotoxins in Environmental Samples: A Review. Kaushik, R., and R. Balasubramanian, 2013. *Critical Reviews in Environmental Science and Technology*, 43(13), 1349-1383.

Go to Article

Automated Online Optical Biosensing System for Continuous Real-time Determination of Microcystin-LR with High Sensitivity and Specificity: Early Warning for Cyanotoxin Risk in Drinking Water Sources. Shi, H-C., et al., 2013. Environmental Science & Technology, 47(9), 4434-4441.

Go to Article

Field Treatment of MTBE-contaminated Groundwater Using Ozone/UV Oxidation.

Patterson, C.L., et al., 2013. Groundwater Monitoring & Remediation, 33(2), 44-52.

Go to Article

Arsenic Removal from Natural Groundwater Using Cupric Oxide. Reddy, K.J., and T.R. Roth, 2013. *Groundwater*, 51(1), 83-91.

Go to Article

A New, Sensitive Marine Microalgal Recombinant Biosensor Using Luminescence Monitoring for Toxicity Testing of Antifouling Biocides. Sanchez-Ferandin, S., et al., 2013. *Applied and Environmental Microbiology*, 79(2), 631-638.

Go to Article

Evaluation of Whole Effluent Toxicity Data Characteristics and Use of Welch's T-test in the Test of Significant Toxicity Analysis. Zheng, L., et al., 2013. *Environmental Toxicology and Chemistry*, 32(2), 468-474.

Go to Article

## Recent and Upcoming Meetings

Water Reuse Tech Summit. January 28-30, 2013 in San Diego, CA.

Go to Meeting Page

**16th Annual Groundwater Industry Legislative Conference.** February 25-26, 2013 in Washington, DC.

Go to Meeting Page

**1st International Conference on Desalination Using Membrane Technology.** April 7-10, 2013 in Barcelona, Spain.

17th Annual Water Reuse & Desalination Research Conference. May 6-7, 2013 in Phoenix, AZ.

Go to Meeting Page

**28th Annual WateReuse Symposium.** September 15-18, 2013 in Denver, CO.

Go to Meeting Page

**ASCE 143rd Annual Civil Engineering Conference.** October 9-12, 2013 in Charlotte, NC.

Go to Meeting Page

**2013 SRF Workshop.** November 3-5, 2013 in Minneapolis, MN.

Go to Meeting Page

**2013** Water Quality Technology Conference and Exposition (WQTC). November 3-7, 2013 in Long Beach, CA.

Go to Meeting Page

9th Annual WERF Research Forum. January 28-29, 2014 in New Orleans, LA.

Go to Meeting Page

14th National Conference Disasters and Environment - Science, Preparedness, and Resilience. January 28-30, 2014 in Washington, DC.

Go to Meeting Page

**WEF Midyear Meeting.** January 29-February 1, 2014 in New Orleans, LA.

Go to Meeting Page

**AWWA/AMTA Membrane Technology Conference & Exposition.** March 10-13, 2014 in Las Vegas, NV.

Go to Meeting Page

WaterPro Conference. October 6-8, 2014 in Seattle, WA.

Go to Meeting Page

**NWRA Annual Conference.** November 12-14, 2014 in Coronado, CA.

# Ecological Systems Approach to Protect and Restore Sustainable Water Quality and Water Quantity on a Watershed Basis

#### The President's Climate Action Plan

In June of this year, President Obama released his Climate Action Plan for the United States to:

<u>Establish new rules and incentives to cut carbon pollution</u>, including: directives to EPA to establish carbon pollution standards for power plants; directives and goals for the Department of the Interior to provide renewables permits (wind, solar, hydropower); expanded incentives and goals for development of innovative technologies and energy efficiency in appliances, motor vehicles, and buildings; and other goals for reduction of greenhouse gases, including through protection of forests and critical landscapes.

<u>Prepare for the impacts of climate change by</u>: directing agencies to support local climate-resilience; piloting innovative strategies in the Hurricane Sandy-affected region to strengthen communities against future extreme weather and other climate impacts; launching efforts to create sustainable and resilient hospitals; providing information and tools to state and local leaders for climate preparedness, including drought and wildfire preparedness.

<u>Lead international efforts to address global climate change</u>; to galvanize international action toward emission reductions, climate impact preparedness, the plan: commits us to expanding new and existing international initiatives, especially with other major emitting countries; calls for ending U.S. support for financing of new coal-fired powers plants overseas (with exceptions for efficient technologies for the world's poorest countries, and for carbon capture and sequestration technologies); and expanding government and local community planning and response capacities.

#### From EPA

ORD Nitrogen Newsletter. Prepared by O'Brien, M. and J. Compton. ORD compilation of links to recent publications, news and reports related to the cycling, effects and management of nitrogen.

**Draft National Rivers and Stream Assessment 2008-2009.** 2013. EPA 841-D-13-001. Comprehensive survey of thousands of stream and river miles; more than half in poor condition for aquatic life.

Go to Report

Watershed Modeling to Assess the Sensitivity of Streamflow, Nutrient and Sediment Loads to Potential Climate Change and Urban Development in 20 U.S. Watersheds. 2013. EPA-600-R-12-058F. Report includes methods, models, scenarios, results.

Go to Report or www.epa.gov

**EPA Releases Interactive Map of Results from National Estuary Program Projects.** 2013. Mapper provides information in context with National Estuary Program Study Areas.

Go to Tool or www.epa.gov

2012 Highlights of Progress: Responses to Climate Change by the National Water Program.

2013. EPA 850-R-13-001. Major climate changerelated accomplishments of EPA's national and regional water programs in 2012.

Go to Report or www.epa.gov/water/climatechange

A Quick Guide to Developing Watershed Plans to Restore and Protect Our Waters. 2013. EPA 841-R-13-003. Streamlined summary of 2008 Handbook for Developing Watershed Plans to Restore and Protect our Waters.

Go to Report or www.epa.gov

Water Quality Index Aggregation and Cost Benefit Analysis. Walsh, P.J. and W. Wheeler, 2012. Working Paper #12-05. With data from 2003 EPA CAFO rule, paper examines impact of aggregation functions on estimated benefits; results show aggregation method can have profound effect on benefits.

Go to Report

#### From Collaborators

National Climate Assessment Draft Report Released. National Climate Assessment Development Advisory Committee, 2013. Assesses current state of adaptation, mitigation, and decision support activities in different U.S. Regions. Draft for public comment January 2013.

Go to Report

USGS – Tracking and Forecasting the Nation's Water Quality - Priorities and Strategies for 2013-2023. Rowe, G.L., et al., 2013. 2013-3008. Plans for: trend assessments; maps/models of contaminant distribution (e.g., atrazine, nitrate, and arsenic); tools for evaluating water quality changes.

Go to Report or water.usgs.gov/nawqa

USGS – Concentration, Flux, and the Analysis of Trends of Total and Dissolved Phosphorus, Total Nitrogen, and Chloride in 18 Tributaries to Lake Champlain, Vermont and New York, 1990–2011. Medalie, L., 2013. 2013-5021. Suggests BMPs may be effective tools, along with point-source reductions, in making progress towards management goals for phosphorus reductions.

Go to Report

Water Resources Utility of the Future... A
Blueprint for Action. National Association of Clean
Water Agencies, the Water Environment Research
Foundation, and the Water Environment Federation,
2013. Report presents the clean water industry's vision
for the future as well as a series of suggested actions.

Go to Report or www.wef.org

USGS – Nutrient Concentrations in Surface Water and Groundwater, and Nitrate Source Identification Using Stable Isotope Analysis, in the Barnegat Bay-Little Egg Harbor Watershed, New Jersey, 2010–11. Wieben, C.M. et al., 2013. 2012-5287. Results indicate: total nitrogen related to land use; multiple subsurface sources likely contribute to nitrogen load; atmospheric deposition of nitrate has greater influence in less developed subbasins.

Go to Report

#### STREAMER Tool from USGS Lets You Navigate America's Major Rivers Without Getting Wet

<u>STREAMER</u> is a cool new on-line service from the USGS' National Atlas of the United States® that maps the routes of America's major rivers and streams. The tool lets you pick a point on a stream and trace it downstream or upstream. With STREAMER you can also:

- locate your area of interest with stream or place names, latitude and longitude coordinates, or ID number for a USGS streamflow gaging station;
- find names of streams and waterbodies by clicking on them;
- print maps and create reports for your upstream and downstream traces;
- learn about streamflow at thousands of locations along America's streams, with just a few mouse clicks.

The National Atlas of the United States of America® is a cooperative effort to make geographic information collected by the United States government easier to find, get, and use. Its development is led by the National Geospatial Program of the USGS.

#### From Journals

Nutrient Enrichment and Fish Nutrient Tolerance: Assessing Biologically Relevant Nutrient Criteria. Meador, M.R., 2013. *Journal of the American Water Resources Association*, 49(2), 253-263.

Go to Article

Ecosystem Services and the Protection, Restoration, and Management of Ecosystems Exposed to Chemical Stressors. Maltby, L., 2013. Environmental Toxicology and Chemistry, 32(5), 974-983.

Go to Article

Vulnerability of Streams to Legacy Nitrate Sources. Tesoriero, A.J., et al., 2013. Environmental Science & Technology, 47(8), 3623-3629.

Go to Article

Ecological Indicators for Stream Restoration Success. Pander, J., and J. Geist, 2013. *Ecological Indicators*, 30, 106-118.

Go to Article

Approaches to Setting Organism-based Ballast Water Discharge Standards. Lee, H., II., et al., 2013. *Ecological Applications*, 23(2), 301-310.

Go to Article

Regional Nutrient Thresholds in Wadeable Streams of New York State Protective of Aquatic Life. Smith, A.J., et al., 2013. *Ecological Indicators*, 29, 455-467.

Go to Article

Record-setting Algal Bloom in Lake Eric Caused by Agricultural and Meteorological Trends Consistent with Expected Future Conditions.

Michalak A.M., et al., 2013. Proceedings of the National Academy of Sciences, 110(16), 6448-6452.

Go to Article

Record 2011 Spring Flood of the Mississippi River: How Much Nitrate Was Exported from Its Largest Distributary, the Atchafalaya River, into the Gulf of Mexico? Bryant M.A., and J. Jun Xu, 2013. *Journal of Hydrologic Engineering*, 18(5), 590-594.

Go to Article

Linking Science and Policy to Prevent the Spread of Invasive Species from the Ballast Water Discharge of Ships. Frazier, M., et al., 2013. *Ecological Applications*, 23(2), 287-288.

Go to Article

Macroinvertebrate Community Structure, Secondary Production and Trophic-level Dynamics in Urban Streams Affected by Nonpoint-source Pollution. Johnson, R.C., et al., 2013. Freshwater Biology, 58(5), 843-857.

Go to Article

Salmon-mediated Nutrient Flux in Selected Streams of the Columbia River basin, USA. Kohler, A.E., et al., 2013. *Canadian Journal of Fisheries* 

and Aquatic Sciences, 70(3), 502-512.

Go to Article

Estimating Reference Nutrient Criteria for Maryland Ecoregions. Morgan, R.P., et al., 2013. Environmental Monitoring and Assessment, 185(3), 2123-2137.

Go to Article

The Effect of Changes in Land Use on Nitrate Concentration in Water Supply Wells in Southern Chester County, Pennsylvania. White, P., et al., 2013. Environmental Monitoring and Assessment, 185(1), 643-651.

Go to Article

Nitrate in Watersheds: Straight from Soils to Streams? Sudduth E.B., et al., 2013. *Journal of Geophysical Research: Biogeosciences*, 118(1), 291-302.

Ballast Water Regulations and the Move Toward Concentration-based Numeric Discharge Limits. Albert, R.J., et al., 2013. *Ecological Applications*, 23(2), 289-300.

Go to Article

Wetland Management Reduces Sediment and Nutrient Loading to the Upper Mississippi River. Kreiling, R.M., et al., 2013. *Journal of Environmental Quality*, 42(2), 573-583.

Go to Article

Diversity, Occurrence and Feeding Traits of Caddisfly Larvae as Indicators for Ecological Integrity of River-floodplain Habitats Along a Connectivity Gradient. Van den Brink, F.W.B., et al., 2013. *Ecological Indicators*, 25, 92-98.

Go to Article

Reactive Nitrogen Inputs to US lands and Waterways: How Certain are We about Sources and Fluxes? Sobota, D.J., et al., 2013. Frontiers in Ecology and the Environment, 11(2), 82-90.

Go to Article

Dry-season Changes in Macroinvertebrate Assemblages of Highly Seasonal Rivers: Responses to Low Flow, No Flow and Antecedent Hydrology. Leigh, C., 2013. Hydrobiologia, 703(1), 95-112.

Go to Article

An Integrated Assessment of Sediment Remediation in a Midwestern US Stream Using Sediment Chemistry, Water Quality, Bioassessment, and Fish Biomarkers. Meier, J.R., et al., 2013. Environmental Toxicology and Chemistry, 32(3), 653-661.

Go to Article

Optimizing Stream Bioassessment: Habitat, Season, and the Impacts of Land Use on Benthic Macroinvertebrates. Carlson, P.E., et al., 2013. *Hydrobiologia*, 704(1), 363-373.

Go to Article

Strength and Uncertainty of Phytoplankton Metrics for Assessing Eutrophication Impacts in Lakes. Carvalho, L., et al., 2013. *Hydrobiologia*, 704(1), 127-140.

Go to Article

Reference Diatom Assemblage Response to Restoration of an Acid Mine Drainage Stream. Gray, J.B., and M.L. Vis, 2013. *Ecological Indicators*, 29, 234-245.

Go to Article

Atmospheric Influences on Water Quality: A Simulation of Nutrient Loading for the Pearl River Basin, USA. Joyner, T.A., and R.V. Rohli, 2013. *Emironmental Monitoring and Assessment*, 185(4), 3467-3476.

Go to Article

**Diatom Community Response to an Acid Mine Drainage Gradient.** Schowe, K.A., et al., 2013. *Hydrobiologia*, 705(1), 147-158.

Go to Article

Quantitative Microbial Risk Assessment of Pathogenic *Vibrios* in Marine Recreational Waters of Southern California. Dickinson, G., et al., 2013. *Applied and Environmental Microbiology*, 79(1), 294-302.

Go to Article

Calibration and Validation of a Regionally and Seasonally Stratified Macroinvertebrate Index for West Virginia Wadeable Streams. Pond, G.J., et al., 2013. Environmental Monitoring and Assessment, 185(2), 1515-1540.

Climate-induced Changes in the Distribution of Freshwater Fish: Observed and Predicted Trends. Comte, L., et al., 2013. Freshwater Biology, 58(4), 625-639.

Go to Article

Stressor Prioritisation in Riverine Ecosystems: Which Environmental Factors Shape Benthic Invertebrate Assemblage Metrics? Sundermann, A., et al., 2013. *Ecological Indicators*, 27, 83-96.

Go to Article

**Tidal Freshwater Wetlands: Variation and Changes.** Barendregt, A., and C.W. Swarth, 2013. *Estuaries and Coasts*, 36(3), 445-456.

Go to Article

Environmental Fate of Three Novel Brominated Flame Retardants in Aquatic Mesocosms. de Jourdan, B. P., et al., 2013. *Environmental Toxicology and Chemistry*, 32(5), 1060-1068.

Go to Article

Hydrologic Versus Biogeochemical Controls of Denitrification in Tidal Freshwater Wetlands. Ensign, S., et al., 2013. *Estuaries and Coasts*, 36(3), 519-532.

Go to Article

Phosphorus Retention in a Newly Constructed Wetland Receiving Agricultural Tile Drainage Water. Kynkäänniemi, P., et al., 2013. *Journal of Environmental Quality*, 42(2), 596-605.

Go to Article

Geographic Variation in Marine Invasions Among Large Estuaries: Effects of Ships and Time. Ruiz, G.M., et al., 2013. *Ecological Applications*, 23(2), 311-320.

Go to Article

A Refined Aquatic Ecological Risk Assessment for a Pyrethroid Insecticide Used for Adult Mosquito Management. Schleier, J. J., III. and R.K.D. Peterson, 2013. Environmental Toxicology and Chemistry, 32(4), 948-953.

Go to Article

Nitrate Concentrations in Springs Flowing into the Lower Flint River Basin, Georgia USA. Allums, S.E., et al., 2012. *Journal of the American Water Resources Association*, 48(3), 423-438.

Go to Article

Pharmaceuticals Suppress Algal Growth and Microbial Respiration and Alter Bacterial Communities in Stream Biofilms. Rosi-Marshall, E.J., et al., 2013. *Ecological Applications*, 23(3), 583-593.

Go to Article

Response of Phytoplankton and Zooplankton Communities in Six Reservoirs of the Middle Missouri River (USA) to Drought Conditions and a Major Flood Event. Beaver, J. R., et al., 2013. Hydrobiologia, 705(1), 173-189.

Go to Article

A Non-phylogenetic Alpha Diversity Approach on Prokaryotic Community Structure in Aquatic Systems. Smeti, E., et al., 2013. *Ecological Indicators*, 29, 361-366.

Go to Article

Proposed Nutrient Criteria for Water Supply Lakes and Reservoirs. Callinan, C.W., et al., 2013. *Journal American Water Works Association*, 105(4), E157-E172. Numeric criteria (state of New York) for surface water PWS sources; establishing relationships between total phosphorus, algal biomass, dissolved organic carbon, and trihalomethanes (THMs), and tying criteria to existing regulatory endpoints for total THMs.

Go to Article

Sources of Data for Water Quality Criteria.

Cormier, S.M., and G.W., II. Suter, 2013. *Environmental Toxicology and Chemistry*, 32(2), 254.

### Recent and Upcoming Meetings

2013 AWRA Spring Specialty Conference: Agricultural Hydrology and Water Quality II. March 25-27, 2013 in St Louis, MO.

Go to Meeting Page

From Theory to Practice; Restoring the Future of the Great Lakes. July 16, 2013 (Online).

Go to Meeting Page

The National Environmental Monitoring Conference (NEMC). August 5-9, 2013 in San Antonio, TX.

Go to Meeting Page

Online Animal Agriculture & Climate Change Course. September 3, 2013 (Online).

Go to Meeting Page or www.epa.gov/agriculture/news/index.html

**Great Lakes Public Forum.** September 9-10, 2013 in Milwaukee, WI.
Go to Meeting Page

2013 AWRA Annual Water Resources Conference.

November 4-7, 2013 in Portland, OR.

Go to Meeting Page

**NGWA Expo 2013.** December 3-6, 2013 in Nashville, TN.

Go to Meeting Page

**WEF Midyear Meeting.** January 29-February 1, 2014 in New Orleans, LA.

Go to Meeting Page

Conference on Stormwater and Urban Water Systems Modeling. February 26-27, 2014 in Toronto, Ontario, CANADA.

Go to Meeting Page

**Federal Water Issues Conference.** March 31-April 2, 2014 in Washington, DC.

Go to Meeting Page

Working Together for Clean Water, the National Water Quality Monitoring Council's (NWQMC) 9th National Monitoring Conference. April 28 - May 2, 2014 in Cincinnati, OH.

Go to Meeting Page or www.epa.gov

NGWA Groundwater Summit 2014 – 10 Years of Moving Research to Solutions. May 4-7, 2014 in Denver, CO.

Go to Meeting Page

**NWRA Annual Conference.** November 12-14, 2014 in Coronado, CA.