




## TIER II ACUTE AND CHRONIC AQUATIC LIFE VALUES

### XYLENE

CAS RN: 1330-20-7  
Water Solubility: 0.0175 g/100 mL  
Log  $K_{ow}$ : 3.17



### Standard

The procedures described in the Tier II methodology indicate that, except possibly where a locally important species is very sensitive, aquatic organisms should not be affected unacceptably if the four (4) day average concentration of xylene does not exceed 35  $\mu\text{g/L}$  more than once every three (3) years on the average and if the one (1) hour average concentration does not exceed 310  $\mu\text{g/L}$  more than once every three (3) years on the average.

### Calculations

#### Acute Aquatic Life:

$$\text{SAV} = \text{lowest GMAV}/\text{SAF}$$

$$\text{Lowest GMAV} = 3820 \mu\text{g/L}$$

$$\text{SAF} = 6.1$$

$$\text{SAV} = 3820/6.1 = 626.2 \mu\text{g/L}$$

$$\text{SMC} = \text{SAV}/2 = 626.2/2 = \mathbf{310 \mu\text{g/L}}$$

Chronic Aquatic Life:

$$\text{SCV} = \text{SAV}/\text{SACR}$$

$$\text{SACR} = 18$$

$$\text{SCV} = 626.2/18 = \mathbf{35 \mu\text{g/L}}$$

**Data**

Table 1. GMAVs for xylene

<u>Genus Mean Acute Value (<math>\mu\text{g/L}</math>)</u>	<u>Species</u>	<u>Species Acute Value (<math>\mu\text{g/L}</math>)</u>	<u>Reference Number</u>
22,400	Snail <u>Aplexa hypnorum</u>	22,400	1
24,344	Goldfish <u>Carassius auratus</u>	16,100	1
	Goldfish <u>Carassius auratus</u>	36,810	2
16,100	White Sucker <u>Pimephales promelas</u>	16,100	1
3,820	Cladoceran <u>Daphnia magna</u>	3,820	1
17,408	Bluegill <u>Lepomis macrochirus</u>	15,700	3
	Bluegill <u>Lepomis macrochirus</u>	16,100	1

	Bluegill <u>Lepomis macrochirus</u>	20,870	2
8,050	Rainbow trout <u>Oncorhynchus mykiss</u>	8,050	1
18,417	Fathead minnow <u>Pimephales promelas</u>	28,770	2
	Fathead minnow <u>Pimephales promelas</u>	42,000	4
	Fathead minnow <u>Pimephales promelas</u>	16,100	1
	Fathead minnow <u>Pimephales promelas</u>	8,870	5
	Fathead minnow <u>Pimephales promelas</u>	16,400	6
	Fathead minnow <u>Pimephales promelas</u>	26,700	2
	Fathead minnow <u>Pimephales promelas</u>	14,800	6
	Fathead minnow <u>Pimephales promelas</u>	16,000	6
	Fathead minnow <u>Pimephales promelas</u>	16,400	6
	Fathead minnow <u>Pimephales promelas</u>	15,300	6
34,730	Guppy <u>Poecilia reticulata</u>	34,730	2

## References

1. Holcombe, G.W., G.L. Phipps, A.H. Sulaiman, and A.D. Hoffman. 1987. Simultaneous multiple species testing: Acute toxicity of 13 chemicals to 12 diverse freshwater amphibians, fish and invertebrate families. Arch. Environ. Contam. Toxicol. 16: 697-710.
2. Pickering, Q.H. and C. Henderson 1966. Acute toxicity of some important petrochemicals to fish. J. Water Pollut. Fed. 37(9): 1308-1316.
3. Bailey, H.C., D.H.W. Liu, and H.A. Javitz 1985. Time/toxicity relationships in short-term static, dynamic, and plug-flow bioassays. In: R.C. Bahner and D.J. Hansen (Eds.), Aquatic Toxicology and Hazard Assessment, 8<sup>th</sup> Symposium, ASTM STP 891, Philadelphia, PA: 193-212.
4. Mattson, V.R., J.W. Arthur, and C.T. Walbridge 1976. Acute toxicity of selected organic to fathead minnows. Ecol. Res. Ser. EPA-600/3-76-097, Environ. Res. Lab., U.S. EPA, Duluth, MN: 12 p.
5. Geiger, D.L. 1986. Center for Lake Superior Environmental Studies, University of Wisconsin - Superior
6. Geiger, D.L., L.T. Brooke, and D.J. Call 1990. Acute toxicities of organic chemicals to fathead minnows (*Pimephales promelas*), Vol. 5. Center for Lake Superior Environmental Studies, University of Wisconsin, Superior, WI: 332 pp.

### Acronyms/Abbreviations

CAS RN	Chemical Abstract Service Registry Number
K <sub>ow</sub>	Octanol-Water Partition Coefficient
P (superscript)	Predicted value
SAV	Secondary Acute Value
GMAV	Genus Mean Acute Value
SAF	Secondary Acute Factor
SMC	Secondary Maximum Concentration
SCC	Secondary Continuous Concentration

SACR	Secondary Acute-Chronic Ratio
FT	Flow-through
S	Static
U	Unmeasured
M	Measured
EVISTRA	Evaluation and Interpretation of Suitable Test Results in AQUIRE (EPA quality checking method/database)

## Revision History

June 19, 1998            Values first developed  
September 21, 2001    New search for data. No studies added.

## Contact Information

David B. Kallander  
Water Quality Standards Section  
Indiana Department of Environmental Management  
100 North Senate Ave., P.O. Box 6015  
Indianapolis, IN 46206-6015  
(317) 233-2472  
Email: [dkalland@dem.state.in.us](mailto:dkalland@dem.state.in.us)