




TIER II ACUTE AND CHRONIC AQUATIC LIFE VALUES

2,4,6-TRICHLOROPHENOL

CAS RN: 88-06-2
Water Solubility: 0.08 g/100 mL
Log K_{ow} : 3.37^P



Standard

The procedures described in the Tier II methodology indicate that, except possibly where a locally important species is very sensitive, aquatic organisms should not be affected unacceptably if the four (4) day average concentration of 2,4,6-trichlorophenol does not exceed 1.4 $\mu\text{g/L}$ more than once every three (3) years on the average and if the one (1) hour average concentration does not exceed 12 $\mu\text{g/L}$ more than once every three (3) years on the average.

Calculations

Acute Aquatic Life:

$$\text{SAV} = \text{lowest GMAV}/\text{SAF}$$

$$\text{Lowest GMAV} = 320 \mu\text{g/L}$$

$$\text{SAF} = 13.0$$

$$\text{SAV} = 450/13.0 = 24.62 \mu\text{g/L}$$

$$\text{SMC} = \text{SAV}/2 = 24.62/2 = \mathbf{12 \mu\text{g/L}}$$

Chronic Aquatic Life:

$$SCV = SAV/SACR$$

$$SACR = 18$$

$$SCV = 24.62/18 = 1.4 \mu\text{g/L}$$

Data

Table 1. GMAVs and SMAVs for 2,4,6-trichlorophenol

<u>Genus Mean Acute Value ($\mu\text{g/L}$)</u>	<u>Species</u>	<u>Species Mean Acute Value ($\mu\text{g/L}$)</u>	<u>Acute- Chronic Ratio</u>	<u>Reference Number</u>
3,633	Cladoceran <u>Daphnia magna</u>	2,200		1
	Cladoceran <u>Daphnia cucullata</u>	6,000		2
320	Bluegill <u>Lepomis macrochirus</u>	320		3

References

1. Kuhn, R.M., Pattard, K.D. Pernak, et al. 1989. Results of the harmful effects of selected water pollutants (anilines, phenols, aliphatic compounds) to Daphnia magna. Water Res. 23(4): 495-499.
2. LeBlanc, G.A. 1980. Acute toxicity of priority pollutants to water flea (Daphnia magna). Bull. Environ. Contam. Toxicol. 24(5): 684-691.
3. Buccafusco, R.J., S.J. Ells and G.A. Blanc 1981. Acute toxicity of priority pollutants to bluegill (Lepomis macrochirus). Bull. Environ. Contam. Toxicol. 26(4): 446-452.

Acronyms/Abbreviations

CAS RN	Chemical Abstract Service Registry Number
K_{ow}	Octanol-Water Partition Coefficient
P (superscript)	Predicted value
SAV	Secondary Acute Value
GMAV	Genus Mean Acute Value
SAF	Secondary Acute Factor
SMC	Secondary Maximum Concentration
SCC	Secondary Continuous Concentration
SACR	Secondary Acute-Chronic Ratio
FT	Flow-through
S	Static
U	Unmeasured
M	Measured
EVISTRA	Evaluation and Interpretation of Suitable Test Results in AQUIRE (EPA quality checking method/database)

Revision History

September 25, 2001 Values first developed

Contact Information

David B. Kallander
Water Quality Standards Section
Indiana Department of Environmental Management
100 North Senate Ave., P.O. Box 6015
Indianapolis, IN 46206-6015
(317) 233-2472
Email: dkalland@dem.state.in.us