




TIER I HUMAN HEALTH NONCANCER CRITERIA

BROMOFORM

CAS RN: 75-25-2
Water Solubility: 3,010 mg/L
Log K_{ow} : 2.372^P
Reference Dose: 0.018 mg/kg/day
Carcinogenicity Weight-of-Evidence Classification: Class B2; Probable Human Carcinogen



Standard

The human health noncancer bromoform criterion for drinking water sources is 470 $\mu\text{g/L}$. The human health noncancer criterion for nondrinking water sources is 8,100 $\mu\text{g/L}$.

Calculations

Bioaccumulation Factor:

BAF predicted based on Log K_{ow}

Log K_{ow} = 2.372 (CLOGP program), K_{ow} = 235.50

Trophic level 3 FCM = 1.010; trophic level 4 FCM = 1.002

$$f_{fd} = 1/(1+(0.00000024 \text{ kg/L})(K_{ow})) = 1.00$$

$$\text{Baseline BAF}_{T3} = (\text{FCM})(K_{ow}) = (1.010)(235.50) = 237.86$$

$$\text{Baseline BAF}_{T4} = (1.002)(235.50) = 235.98$$

$$\text{Human health BAF}_{T3} = [(237.86)(0.0182)+1](1.00) = 5.329$$

$$\text{Human health BAF}_{T4} = [(235.98)(0.0310)+1](1.00) = 8.315$$

Acceptable Daily Exposure:

From the IRIS database:

Critical Effect: Hepatic lesions

$$\text{ADE} = \frac{\text{NOAEL}}{\text{UF}} = \frac{17.9 \text{ mg/kg-day}}{1000} = 0.0179 \text{ mg/kg/d}$$

Calculation of Criteria:

$$\begin{aligned} \text{Non Drinking Water HNC} &= [(0.0179)(70)(0.8)]/0.01+[(0.0036)(5.329)+(0.0114)(8.315)] \\ &= \mathbf{8,100 \text{ } \mu\text{g/L}} \end{aligned}$$

$$\begin{aligned} \text{Drinking Water HNC} &= [(0.0179)(70)(0.8)]/2+[(0.0036)(5.329)+(0.0114)(8.315)] \\ &= \mathbf{470 \text{ } \mu\text{g/L}} \end{aligned}$$

References

1. USEPA 1991. Integrated Risk Information System (IRIS database) chemical file for bromoform (CAS # 75-25-2).
2. Leo, A. and D. Weininger 1997. Daylight Software CLogP Version 3.15+ for Unix Pomona Medical Chemistry Project, Pomona College, Claremont, CA. Distributed by Daylight Chemical Information Systems, Inc., 3952 Claremont St., Irving, CA 92714 (Reference for the Log K_{ow})

Acronyms

ADE	Acceptable Daily Exposure
BAF	Bioaccumulation Factor
CAS RN	Chemical Abstract Service Registry Number
FCM	Food Chain Multiplier
IRIS	Integrated Risk Information System
K _{ow}	Octanol-Water Partition Coefficient
LOAEL	Lowest observed adverse effect level
NOAEL	No observed adverse effect level
P (superscript)	Predicted value
RPLC	Reverse-phase Liquid Chromatography
UF	Uncertainty factor

Revision History

October 19, 1998 - Criteria first developed

April 7, 2000 – Criteria fact sheet updated. No modifications to criteria.

Contact Information

David B. Kallander
Water Quality Standards Section
Indiana Department of Environmental Management
100 North Senate Ave., P.O. Box 6015
Indianapolis, IN 46206-6015
(317) 233-2472
Email: dkalland@dem.state.in.us