

OHIO EPA SURFACE WATER QUALITY CRITERION FACT SHEET

Page 1 of 2

Chemical Name: 2-amino-4,6-Dinitrotoluene Developed by: Chris J. SkalskiCAS # 35572-78-2 Data Retrieval Date: 10-11-01Internal Code # --- Fact Sheet Preparation Date: 3-01-06ACUTE DATA

<u>SPECIES</u>	<u>EC₅₀/LC₅₀</u> (<u>µg/l</u>)	<u>TEST TYPE^a</u>	<u>DURATION</u> (<u>HOURS</u>)	<u>SMAV^b</u> (<u>µg/l</u>)	<u>GMAV^b</u> (<u>µg/l</u>)	<u>REFERENCE</u> <u>NUMBER</u>
Cladoceran <i>Daphnia magna</i>	4,500	S,U	48	4,500	4,500	1
Flatworm <i>Dugesia dorotocephala</i>	2,570	R,M	96	2,570	2,570	2
Fathead Minnow <i>Pimephales promelas</i>	14,800 15,100	S,U S,U	96 96	14,949	14,949	1 3

^a S = static; F= flow through; U = unmeasured; M = measured; R = renewal.^b SMAV = Species Mean Acute Value; GMAV = Genus Mean Acute Value.CHRONIC DATA

<u>SPECIES</u>	<u>CHRONIC VALUE</u> (<u>µg/l</u>)	<u>METHOD</u>	<u>SMCV^a</u> (<u>µg/l</u>)	<u>GMCV^a</u> (<u>µg/l</u>)	<u>REFERENCE</u> <u>NUMBER</u>
----------------	---	---------------	--	--	-----------------------------------

None Available

^a SMCV = Species Mean Chronic Value; GMCV = Genus Mean Chronic Value.REFERENCES

- Pearson, J.G., J.P. Glennon, J.J. Barkley and J.W. Highfill. 1979. An Approach to the Toxicological Evaluation of a Complex Industrial Wastewater. In: L.L. Marking and R.A. Kimerle (Eds.), Aquatic Toxicology and Hazard Assessment, 2nd Symposium, ASTM STP 667, Philadelphia, PA:284-301.
- Johnson, L.R., R. Davenport, H. Balbach and D.J. Schaeffer. 1994. Phototoxicology. III. Comparative Toxicity of Trinitrotoluene and Aminodinitrotoluenes to *Daphnia magna*, *Dugesia dorotocephala*, and Sheep Erythrocytes. Ecotoxicol. Environ. Saf. 27(1):34-49.
- Bailey, H.C. and R.J. Spanggard. 1983. The Relationship Between the Toxicity and Structure of Nitroaromatic Chemicals. In: W.E. Bishop, R.D. Cardwell and B.B. Heidolph (Eds.), Aquatic Toxicology and Hazard Assessment, 6th Symposium, ASTM STP 802, Philadelphia, PA:98-107.

OHIO EPA SURFACE WATER QUALITY CRITERION FACT SHEET

Page 2 of 2

Chemical Name: 2-amino-4,6-Dinitrotoluene Developed by: Chris J. SkalskiCAS # 35572-78-2 Data Retrieval Date: 10-11-01Internal Code # --- Fact Sheet Preparation Date: 3-01-06CALCULATION OF ACUTE AQUATIC VALUE (AAV)^a

Data Requirement OAC 3745-1-36(A)(1)	SPECIES	GMAV ($\mu\text{g/l}$)
(c)	Fathead Minnow	14,949
(d)	<i>Daphnia magna</i>	4,500
(g)	Flatworm	2,570

Secondary Acute Factor (SAF) = 8.0

Secondary Acute Value (SAV) = Lowest GMAV \div SAF
 $= 2,570 \div 8.0$
 $= 321 = 320 \mu\text{g/l}$

Tier II Acute Aquatic Value (AAV) = SAV \div 2
 $= 562.5 \div 2$
 $= 160 \mu\text{g/l}$

CALCULATION OF CHRONIC AQUATIC VALUE (CAV)^a

Experimentally determined Acute-Chronic Ratios (ACRs):

SPECIES	ACUTE VALUE ($\mu\text{g/l}$)	CHRONIC VALUE ($\mu\text{g/l}$)	ACUTE-CHRONIC RATIO	SPECIES MEAN ACR
---------	------------------------------------	--------------------------------------	------------------------	---------------------

None Available

Secondary Acute-Chronic Ratio (SACR) = $\sqrt[3]{(18)(18)(18)} = 18$

Chronic Aquatic Value (CAV) = SAV \div SACR
 $= 321 \div 18$
 $= 17.8 = 18 \mu\text{g/l}$

OHIO EPA SURFACE WATER QUALITY CRITERION FACT SHEET

Page 3 of 2

Chemical Name: 2-amino-4,6-Dinitrotoluene Developed by: Chris J. Skalski

CAS # 35572-78-2 Data Retrieval Date: 10-11-01

Internal Code # --- Fact Sheet Preparation Date: 3-01-06

^aSee Ohio Administrative Code 3745-1-36 effective February 22, 2002.