



Brunswick Wood Preserving Superfund Site

Figure 4-1 PAH Source Areas




Brunswick Wood Preserving Superfund Site

Figure 4-2 Benzo (a) atracene, Surface Soils




Brunswick Wood Preserving Superfund Site

Figure 4-3 Benzo (a) pyrene, Surface Soils




Brunswick Wood Preserving Superfund Site
 Figure 4-4 Benzo (b/k) fluoranthene, Surface Soils




Brunswick Wood Preserving Superfund Site

Figure 4-5 Chrysene, Surface Soils




Brunswick Wood Preserving Superfund Site
 Figure 4-6 Indeno (1,2,3-cd) pyrene, Surface Soils




Brunswick Wood Preserving Superfund Site

Figure 4-7 Calculated BAPE Concentrations, Surface Soils




Brunswick Wood Preserving Superfund Site

Figure 4-8 Pentachlorophenol, Surface Soils




Brunswick Wood Preserving Superfund Site

Figure 4-9 Fluoranthene, Surface Soils




Brunswick Wood Preserving Superfund Site

Figure 4-10 Chromium Concentrations in Surface Soil





Brunswick Wood Preserving Superfund Site
 Figure 4-11 Arsenic Concentrations in Surface Soil



Brunswick Wood Preserving Superfund Site



Figure 4-12 Copper Concentrations in Surface Soil



Brunswick Wood Preserving Superfund Site
 Figure 4-13 Chromium Concentration Pattern,
 Subsurface Soil (24 inches to 30 inches)




Cross-Hatched Patterns Are
 Areas With Chromium Concentrations
 Greater Than 20 mg/kg






- Soil Sample Locations
- Roads
- Streams
- Railroads
- Removed Piles
- Existing Pile
- Driveable Area
- Excavation Ponds
- CCA Excavation
- IM4/5 Pond


Brunswick Wood Preserving Superfund Site
 Figure 4-14 Phase 1 Ground Water Sample Locations
 Temporary and Potable Wells













Brunswick Wood Preserving Superfund Site
 Figure 4-15 Phase 1 Presumed Contaminant Plume Boundaries



Brunswick Wood Preserving Superfund Site
 Figure 4-16 Phase 2 Ground Water Sample Locations
 Hydrocone and Hydroprobe Samples




200 0 200 400 600 Feet

-  Hydrocone Locations
-  Roads
-  Streams
-  Railroads
-  Removed Piles
-  Existing Pile
-  Driveable Area
-  Excavation Ponds
-  CCA Excavation
-  IM4/5 Pond


Brunswick Wood Preserving Superfund Site

Figure 4-17 PAH/BTEX Plume, Shallow Interval



PAH/BTEX Plume Boundary,
Shallow Interval

IM-1/IM-2 and Treating Source Area




- Hydrocone Locations
- Roads
- Streams
- Railroads
- Removed Piles
- Existing Pile
- Driveable Area
- Excavation Ponds
- CCA Excavation
- IM4/5 Pond

Brunswick Wood Preserving Superfund Site

Figure 4-18 PAH/BTEX Plume, Intermediate Interval



Downgradient plume boundaries are speculative.
No data for areas between boundaries and creek.
Plumes may reach Burnett Creek.



PAH/BTEX Plume Boundary, Intermediate Interval

IM-3/IM-4 Source Area

IM-1/IM-2 and Treating Source Area



PAH/BTEX Plume Boundary, Intermediate Interval

- Hydrocone Locations
- Roads
- Streams
- Railroads
- Removed Piles
- Existing Pile
- Driveable Area
- Excavation Ponds
- CCA Excavation
- IM4/5 Pond

200 0 200 400 600 Feet

Brunswick Wood Preserving Superfund Site

Figure 4-19 PAH/BTEX Plume, Deep Interval



- Hydrocone Locations
- Roads
- Streams
- Railroads
- Removed Piles
- Existing Pile
- Driveable Area
- Excavation Ponds
- CCA Excavation
- IM4/5 Pond

Brunswick Wood Preserving Superfund Site
 Figure 4-20 On-Site and Adjacent Area Surface Water
 and Sediment Sample Locations, PAH Concentration Ranges

