




TIER II ACUTE AND CHRONIC AQUATIC LIFE VALUES

N-NITROSODIPHENYLAMINE

CAS RN: 86-30-6
Water Solubility: 0.0035 g/100 mL
Log K_{ow}: 3.16^P



Standard

The procedures described in the Tier II methodology indicate that, except possibly where a locally important species is very sensitive, aquatic organisms should not be affected unacceptably if the four (4) day average concentration of n-nitrosodiphenylamine does not exceed 25 µg/L more than once every three (3) years on the average and if the one (1) hour average concentration does not exceed 220 µg/L more than once every three (3) years on the average.

Calculations

Acute Aquatic Life:

$$\text{SAV} = \text{lowest GMAV/SAF}$$

$$\text{Lowest GMAV} = 5800 \text{ } \mu\text{g/L}$$

$$\text{SAF} = 13.0$$

$$\text{SAV} = 5800/13.0 = 446.2 \text{ } \mu\text{g/L}$$

$$\text{SMC} = \text{SAV}/2 = 446.2/2 = \mathbf{220 \text{ } \mu\text{g/L}}$$

Chronic Aquatic Life:

$$SCV = SAV/SACR$$

$$SACR = 18$$

$$SCV = 446.2/2 = \mathbf{25\ \mu g/L}$$

Data

Table 1. GMAVs and SMAVs for n-nitrosodiphenylamine

<u>Genus Mean Acute Value ($\mu\text{g/L}$)</u>	<u>Species</u>	<u>Species Mean Acute Value ($\mu\text{g/L}$)</u>	<u>Acute- Chronic Ratio</u>	<u>Reference Number</u>
5,800	Bluegill <u>Lepomis macrochirus</u>	5,800		1
7,800	Cladoceran <u>Daphnia magna</u>	7,800		2

References

1. Buccafusco, R.J., S.J. Ells, and G.S. LeBlanc 1981. Acute toxicity of priority pollutants to bluegill (Lepomis macrochirus). Bull. Environ. Contam. Toxicol. 26(4): 446-452.
2. LeBlanc, G.A. 1980. Acute toxicity of priority pollutants to water flea (Daphnia magna). Bull. Environ. Contam. Toxicol. 24: 684-691.

Acronyms/Abbreviations

CAS RN	Chemical Abstract Service Registry Number
K _{ow}	Octanol-Water Partition Coefficient
P (superscript)	Predicted value
SAV	Secondary Acute Value
GMAV	Genus Mean Acute Value
SAF	Secondary Acute Factor
SMC	Secondary Maximum Concentration
SCC	Secondary Continuous Concentration
SACR	Secondary Acute-Chronic Ratio
FT	Flow-through
S	Static
U	Unmeasured
M	Measured
EVISTRA	Evaluation and Interpretation of Suitable Test Results in AQUIRE (EPA quality checking method/database)

Revision History

May 7, 1997 Values first developed
September 19, 2001 New search for data. No studies added.

Contact Information

David B. Kallander
Water Quality Standards Section
Indiana Department of Environmental Management
100 North Senate Ave., P.O. Box 6015
Indianapolis, IN 46206-6015
(317) 233-2472
Email: dkalland@dem.state.in.us