




TIER II HUMAN HEALTH NONCANCER VALUES

BIS(2-ETHYLHEXYL) PHTHALATE (DEHP)

CAS RN: 117-81-7
Water Solubility: 0.34 mg/L
Log K_{ow} : 7.453
Reference Dose: 0.019 mg/kg/day
Carcinogenicity Weight-of-Evidence Classification: Class B2; Probable human Carcinogen



Standard

The human health noncancer bis(2-ethylhexyl) phthalate value for drinking water sources is 54 $\mu\text{g/L}$. The human health noncancer value for nondrinking water sources is 60 $\mu\text{g/L}$.

Calculations

Bioaccumulation Factor:

BAF predicted based on Log K_{ow} and measured BCF (from Stephan 1993)

Log K_{ow} = 7.453 (slow-stir method), K_{ow} = 28,379,190, BCF = 114, Percent lipid = 4.8
Trophic level 3 FCM = 12.517; trophic level 4 FCM = 18.967

$$f_{fd} = 1/(1+(0.00000024 \text{ kg/L})(K_{ow})) = 0.128$$

$$\text{Baseline BAF}_{T3} = (12.517)[(114/0.128)-1](1/0.048) = 231,988$$

$$\text{Baseline BAF}_{T4} = (18.967)[(114/0.128)-1](1/0.048) = 351,532$$

$$\text{Human health BAF}_{T3} = [(231,988)(0.0182)+1](0.128) = 540.6$$

$$\text{Human health BAF}_{T4} = [(351,532)(0.0310)+1](0.128) = 1,395$$

Acceptable Daily Exposure:

From the IRIS database:

$$\text{ADE} = \frac{\text{NOAEL}}{\text{UF}} = \frac{19 \text{ mg/kg-day}}{1000} = 0.019 \text{ mg/kg/d}$$

Calculation of Criteria:

$$\begin{aligned} \text{Non Drinking Water HNV} &= [(0.019)(70)(0.8)]/0.01 + [(0.0036)(540.6) + (0.0114)(1,395)] \\ &= 60 \mu\text{g/L} \end{aligned}$$

$$\begin{aligned} \text{Drinking Water HNV} &= [(0.019)(70)(0.8)]/2 + [(0.0036)(540.6) + (0.0114)(1,395)] \\ &= 54 \mu\text{g/L} \end{aligned}$$

References

1. Stephen, C.E. 1993. Derivation of Proposed Human Health and Wildlife Bioaccumulation Factors for the Great Lakes Initiative. Environmental Research Laboratory, Office of Research and Development, U.S. EPA, Duluth, MN.
2. USEPA 1991. Integrated Risk Information System (IRIS database) chemical file for DEHP (117-81-7).
3. de Bruijn, J., F. Busser, W. Seinen, and J. Hemens 1989. Determination of octanol/water partition coefficients for hydrophobic organic chemicals with the "slow-stirring" method. Environ. Toxicol. Chem. 8: 449-512. (Reference for the Log K_{ow} value)

Acronyms

ADE	Acceptable Daily Exposure
BAF	Bioaccumulation Factor
CAS RN	Chemical Abstract Service Registry Number
FCM	Food Chain Multiplier
IRIS	Integrated Risk Information System
K _{ow}	Octanol-Water Partition Coefficient
LOAEL	Lowest observed adverse effect level
NOAEL	No observed adverse effect level
P (superscript)	Predicted value
UF	Uncertainty factor

Revision History

April 3, 2000 - Values first developed

Contact Information

David B. Kallander
Water Quality Standards Section
Indiana Department of Environmental Management
100 North Senate Ave., P.O. Box 6015
Indianapolis, IN 46206-6015
(317) 233-2472
Email: dkalland@dem.state.in.us