Fact Sheet Date: March 12, 1998

# NEW YORK STATE - HUMAN HEALTH FACT SHEET -

## Ambient Water Quality Value for Protection of Sources of Potable Water

SUBSTANCE: alpha,2,4-Trichlorotoluene CAS REGISTRY NUMBER: 94-99-5

AMBIENT WATER QUALITY VALUE: 5 ug/L

**BASIS:** Surface Water: Principal Organic Contaminant Classes

Groundwater: Former Reference to 10 NYCRR Subpart 5-1 Principal

Organic Contaminant (POC) General Maximum

Contaminant Level (MCL)

### **SUMMARY OF INFORMATION**

A search of relevant databases revealed very little information on alpha-2,4-trichlorotoluene. The substance does not appear on IRIS. There is insufficient information with which to determine its carcinogenicity or to derive an Acceptable Daily Intake for non-carcinogenic effects.

alpha,2,4-Trichlorotoluene is in a principal organic contaminant class (class 3, halobenzenes and substituted halobenzenes) as defined in 6 NYCRR 700.1.

#### **DERIVATION OF VALUE**

#### Surface Water

Regulations [6 NYCRR 702.2(b)] require that the value be the most stringent of the values derived using the procedures found in sections 702.3 through 702.7. The principal organic contaminant class value of 5 ug/L (702.3(b)) represents the most stringent value that can be derived for alpha,2,4-trichlorotoluene. Therefore, the ambient surface water quality value for alpha,2,4-trichlorotoluene is 5 ug/L.

## Groundwater

The principal organic contaminant (POC) groundwater standard of 5 ug/L (6 NYCRR 703.5) applies to alpha,2,4-trichlorotoluene. This standard became effective on January 9, 1989 by inclusion by reference to 10 NYCRR Subpart 5-1 standards. The basis and derivation of the POC standard are described in a separate fact sheet.

### **REFERENCES**

NYSDEC. 1991. 6 NYCRR, Chapter X, Parts 700-705. Water Quality Regulations for Surface Waters and Groundwaters.

### **SEARCH STRATEGY**

IRIS
RTECS
CCRIS
Database on Toxline and NTIS searches up to April 1993

New York State Department of Environmental Conservation Division of Water AS October 23, 1993