Page 1 of 2

Chemical Name: <u>4-Methyl-2-pentanone</u> Developed by: <u>Chris J. Skalski</u>

CAS # <u>108-10-1</u> Data Retrieval Date: <u>4-17-01</u>

Internal Code # --- Fact Sheet Preparation Date: 5-16-06

Reviewed by: Bob Heitzman

ACUTE DATA

SPECIES	EC ₅₀ /LC ₅₀ (μg/l)	TEST TYPEª	DURATION (HOURS)	SMAV ^b (μg/I)	GMAV ^b (μg/l)	REFERENCE NUMBER
Cladoceran	3,682,000°	S,U	24			1
Daphnia magna	4,280,000 ^c	S,U	24			2
Goldfish Carassius auratus	460,000°	S,U	24			3
Fathead Minnow Pimephales promelas	505,000 509,000 540,000	F,M F,M F,M	96 96 96	517,767	517,767	4 5 4

^a S = static; U = unmeasured; F = Flow-through; M = Measured.

CHRONIC DATA

	CHRONIC VALUE		SMCV ^a	GMCV ^a	REFERENCE				
SPECIES	(μg/l)	METHOD	(μg/l)	(μg/l)	NUMBER_				
No Chronic Data Available									

^a SMCV = Species Mean Chronic Value; GMCV = Genus Mean Chronic Value.

REFERENCES

- 1. Kuhn, R., M. Pattard, K. Pernak and A. Winter. 1989. Results of the Harmful Effects of Water Pollutants to *Daphnia magna* in the 21 Day Reproduction Test. Water Res. 23(4):501-510.
- 2. Bringmann, G. and R. Kuhn. 1977. The Effects of Water Pollutants on *Daphnia magna*. Z. Wasser-Abwasser-Forsch 10(5):161-166; T.R.-79-1204, English Translation, Literature Research Company:13p.
- 3. Applegate, V.C., J.H. Howell, A.E. Hall and M.A. Smith. 1957. Toxicity of 4,346 Chemicals to Larval Lampreys and Fishes. Spec. Sci. Rep. Fish. No. 207, Fish Wildlife Service, U.S. Dept. of Interior, Washington, D.C.:157 p.
- 4. Brooke, L.T., D.J. Call, D.L. Geiger and C.E. Northcott. 1984. Acute Toxicities of Organic Chemicals to Fathead Minnows (*Pimephales promelas*) Vol. 1. Center for Lake Superior Environmental Studies, Univ. of Wisconsin, Superior, WI: 414 p.

b SMAV = Species Mean Acute Value; GMAV = Genus Mean Acute Value.

^c Data not used to calculate a SMAV because the exposure duration was inadequate.

Page 2 of 2

Chemical Name: <u>4-Methyl-2-pentanone</u> Developed by: <u>Chris J. Skalski</u>

CAS # <u>108-10-1</u> Data Retrieval Date: <u>4-17-01</u>

Internal Code #_--- Fact Sheet Preparation Date: <u>5-16-06</u>

Reviewed by: Bob Heitzman

5. Veith, G.D., D.J. Call and L.T. Brooke. 1983. Estimating the Acute Toxicity of Narcotic Industrial Chemicals to Fathead Minnows. In: W.E. Bishop, R.D. Cardwell and B.B. Heidolph (Eds.), Aquatic Toxicol. and Hazard Assess: 6th Symposium, ASTM STP 802. Philadelphia, PA: 90-97.

Page 3 of 2

Chemical Name: 4-Methyl-2-pentanone Developed by: Chris J. Skalski

CAS # <u>108-10-1</u> Data Retrieval Date: <u>4-17-01</u>

Internal Code # --- Fact Sheet Preparation Date: 5-16-06

Reviewed by: Bob Heitzman

CALCULATION OF ACUTE AQUATIC VALUE (AAV)^a

Data Requirement
OAC 3745-1-36(A)(1)

(c)
Fathead Minnow

GMAV
(μg/l)

517,767

Secondary Acute Factor (SAF) =

Secondary Acute Value (SAV) = Lowest GMAV \div SAF

Insufficient data available

Tier II Acute Aquatic Value $(AAV) = SAV \div 2$

=

= Insufficient data available

CALCULATION OF CHRONIC AQUATIC VALUE (CAV)²

Experimentally determined Acute-Chronic Ratios (ACRs):

No Experimentally-Derived ACRs Available

Secondary Acute-Chronic Ratio (SACR) = $\sqrt[3]{(18)(18)(18)} = 18$

Chronic Aquatic Value (CAV) = SAV ÷ SACR

= Insufficient data available

Page 4 of 2

Chemical Name: <u>4-Methyl-2-pentanone</u> Developed by: <u>Chris J. Skalski</u>

CAS # <u>108-10-1</u> Data Retrieval Date: <u>4-17-01</u>

Internal Code # --- Fact Sheet Preparation Date: 5-16-06

Reviewed by: Bob Heitzman

^aSee Ohio Administrative Code 3745-1-36 effective February 22, 2006.