

CRITERIA SUMMARY

Lake Erie Basin			
Tier I HNC ($\mu\text{g/l}$)		Tier I HCC ($\mu\text{g/l}$)	
Drinking	Nondrinking	Drinking	Nondrinking
140	14,000	ID	ID

EXPOSURE AND TOXICITY DATA

Human health trophic level 3 bioaccumulation factor ($\text{BAFHH}_{\text{TL3}}$) = 0.61 l/kg (MDEQ)
Human health trophic level 4 bioaccumulation factor ($\text{BAFHH}_{\text{TL4}}$) = 0.61 l/kg (MDEQ)
Acceptable daily exposure (ADE) = $4.9\text{E-}3$ mg/kg/day (IRIS RfD, last revised 12/01/96)
Carcinogen assessment: Class A; human carcinogen (IRIS, last revised 03/01/91)
Cancer slope factor (q_1^*) = Not available (IRIS, last revised 03/01/91)
Body weight of average human (BW) = 70 kg (OAC 3745-1-38)
Relative source contribution factor (RSC) = 0.8 (OAC 3745-1-38)
Per capita water consumption (WC) = 2.0 l/day for drinking water criteria (OAC 3745-1-38)
= 0.01 l/day for nondrinking water criteria (OAC 3745-1-38)
Mean consumption of trophic level three fish (FC_{TL3}) = 0.0036 kg/day (OAC 3745-1-38)
Mean consumption of trophic level four fish (FC_{TL4}) = 0.0114 kg/day (OAC 3745-1-38)

REFERENCES

Integrated Risk Information System. USEPA Office of Research and Development, National Center for Environmental Assessment.

Michigan Department of Environmental Quality, Surface Water Quality Division. 1997. Bioaccumulation Factor Worksheet for Chromium (as Cr^6). Verification Date: 6/97.

Ohio Administrative Code rule 3745-1-38: Methodologies for Development of Human Health Criteria and Values for the Lake Erie Drainage Basin. Effective 10/31/97.

CALCULATION OF HUMAN NONCARCINOGENIC CRITERION (HNC) ^a

$$\text{HNC} = \frac{\text{ADE} \times \text{BW} \times \text{RSC}}{\text{WC} + [(\text{FC}_{\text{TL3}} \times \text{BAFH}_{\text{TL3}}) + (\text{FC}_{\text{TL4}} \times \text{BAFH}_{\text{TL4}})]}$$

$$\begin{aligned}\text{Drinking Water HNC} &= \frac{4.9\text{E-}3 \text{ mg/kg/day} \times 70 \text{ kg} \times 0.8}{2.0 \text{ l/day} + [(0.0036 \text{ kg/day} \times 0.61 \text{ l/kg}) + (0.0114 \text{ kg/day} \times 0.61 \text{ l/kg})]} \\ &= 0.14 \text{ mg/l} = 140 \text{ }\mu\text{g/l}\end{aligned}$$

$$\begin{aligned}\text{Nondrinking Water HNC} &= \frac{4.9\text{E-}3 \text{ mg/kg/day} \times 70 \text{ kg} \times 0.8}{0.01 \text{ l/day} + [(0.0036 \text{ kg/day} \times 0.61 \text{ l/kg}) + (0.0114 \text{ kg/day} \times 0.61 \text{ l/kg})]} \\ &= 14 \text{ mg/l} = 14,000 \text{ }\mu\text{g/l}\end{aligned}$$

CALCULATION OF HUMAN CARCINOGENIC CRITERION (HCC) ^a

$$\text{HCC} = \frac{\text{RAD} \times \text{BW}}{\text{WC} + [(\text{FC}_{\text{TL3}} \times \text{BAFH}_{\text{TL3}}) + (\text{FC}_{\text{TL4}} \times \text{BAFH}_{\text{TL4}})]}$$

Insufficient data (no q_1^*).

^aSee Ohio Administrative Code 3745-1-38 effective October 31, 1997.