



JuanB Perez/DC/USEPA/US  
11/29/2006 08:24 AM

To NCIC HPV@EPA  
cc  
bcc

RECEIVED  
OPPT CBIC

2006 DEC 22 AM 9:36

Subject Fw: CRA Submission of HPV Challenge program documents

--- Forwarded by JuanB Perez/DC/USEPA/US on 11/29/2006 08:24 AM ----



"Kent, David"  
<Kent@khlaw.com>  
11/28/2006 01:21 PM

To NCIC OPPT@EPA, Rtk Chem@EPA, Diane Sheridan/DC/USEPA/US@EPA, Mark Townsend/DC/USEPA/US@EPA  
Jeffrey Taylor/DC/USEPA/US@EPA, "Estreicher, Herb"  
cc <estreicher@khlaw.com>, Jennifer Snyder <jsnyder@corn.org>  
Subject CRA Submission of HPV Challenge program documents

Dear Administrator Johnson et al.

<<Corn Steep Liquor.pdf>> <<Final CSL Assessment Plan 11-28-06.pdf>> <<Final CSL Robust Summaries 11-28-06.pdf>>

Attached are three documents to support the Corn Refiners Association (CRA) voluntary commitment to provide the available health and safety data for corn steep liquor (CAS #66071-94-1). The three documents, all in PDF format, are:

1. A cover letter
- 2) An assessment plan document for CAS #66071-94-1
- 3) A robust summary document for CAS #66071-94-1

These documents summarize the available data and demonstrate the low hazard potential for corn steep liquor.

Please contact me should you have any questions or comments on the attached documents. Also, please confirm receipt and provide an estimated time frame that you expect the documents to be posted on EPA's HPV Challenge web site.

Thank you for the opportunity to provide this information.

Regards,

David J. Kent

Staff Scientist

tel: 202.434.4221 | fax: 202.434.4646 | kent@khlaw.com

1001 G Street, N.W., Suite 500 West | Washington, D.C. 20001

## **Keller and Heckman LLP**

*Serving Business through Law and Science<sup>®</sup>*

**Washington, D.C. | Brussels | San Francisco | Shanghai**

Visit our websites at [www.khlaw.com](http://www.khlaw.com) or [www.packaginglaw.com](http://www.packaginglaw.com) for additional information on Keller and Heckman.

---

This message and any attachments may be confidential and/or subject to the attorney/client privilege or otherwise protected from disclosure.

If you are not a designated addressee (or an authorized agent), you have received this e-mail in error, and any further use by you, including review, dissemination, distribution, copying, or disclosure, is strictly prohibited. If you are not a designated addressee (or an authorized agent), we request that you immediately notify us of this error by reply



e-mail and then delete it from your system. Corn Steep Liquor.pdf Final CSL Assessment Plan 11-28-06.pdf



Final CSL Robust Summaries 11-28-06.pdf

RECEIVED  
OPPT CBIC

2006 DEC 22 AM 9:36

November 28, 2006

Honorable Stephen Johnson, Administrator  
US Environmental Protection Agency  
P.O. Box 1473  
Merrifield, VA 22116  
ATTN: Chemical Right-to-Know Program (AR-201)

**Re: HPV Chemical Challenge Program for Corn Steep Liquor (CAS #66071-94-1)**

The Corn Refiners Association (CRA), on behalf of its members, is pleased to submit the accompanying assessment plan and robust summary document for CAS# 66071-94-1, known as "corn, steep liquor." CRA has sponsored corn steep liquor under the voluntary HPV program in accordance with EPA's Policy Regarding Acceptance of New Commitments to the High Production Volume (HPV) Challenge Program, as Amended August 2006.

These documents (in PDF format) have been sent electronically to the following email addresses:

[Optt.ncic@epa.gov](mailto:Optt.ncic@epa.gov)  
[Chem.rtk@epa.gov](mailto:Chem.rtk@epa.gov)  
[Sheridan.Diane@epa.gov](mailto:Sheridan.Diane@epa.gov)  
[Townsend.Mark@epa.gov](mailto:Townsend.Mark@epa.gov)

All comments and questions should be sent to me as the technical contact for the Corn Refiners Association. I can be reached at (202) 331-1634 or [jsnyder@corn.org](mailto:jsnyder@corn.org).

Regards,

~~Jennifer Snyder~~  
Senior Director of Regulatory Affairs  
Corn Refiners Association

Cc: A. Erickson, Corn Refiners Association  
H. Estreicher, Keller and Heckman LLP  
D. Kent, Keller and Heckman LLP

RECEIVED  
OPPT CBIC

2006 DEC 22 AM 9: 36

**Assessment Plan for Corn Steep Liquor  
(CAS #66071-94-1)  
in Accordance with the USEPA High Production  
Volume Chemical Challenge Program**

**Prepared for:**

**The Corn Refiners Association**

**November 28, 2006**

**Keller and Heckman LLP**

1001 G Street, NW  
Washington, DC 20001  
[www.khlaw.com](http://www.khlaw.com)

## TABLE OF CONTENTS

EXECUTIVE SUMMARY .....	2
INTRODUCTION .....	3
IDENTIFICATION OF SPONSORED CHEMICAL .....	4
A. Chemical Structure	
B. Production Process	
C. Use Patterns and Exposure Potential	
COLLECTION OF UNPUBLISHED AND PUBLISHED DATA.....	6
EVALUATION OF DATA FOR QUALITY AND ACCEPTABILITY.....	6
SUMMARY OF AVAILABLE DATA.....	6
Physical-Chemical Properties .....	7
Environmental Fate and Transport.....	8
Ecotoxicity .....	8
Toxicity .....	8
Evaluation of Data Completeness .....	9
SUMMARY OF CORN STEEP LIQUOR PROPERTIES .....	9
CONCLUSIONS.....	9
REFERENCES .....	10

## LIST OF TABLES

Table 1.	Corn Steep Liquor Composition
Table 2.	Physical-Chemical Properties

## LIST OF APPENDICES

Appendix A.	Summary of Literature and Database Searches
Appendix B.	2006 IUCLID Data Set

## **EXECUTIVE SUMMARY**

The Corn Refiners Association (CRA) is sponsoring Corn Steep Liquor (CSL) in the US High Production Volume (HPV) Challenge program. The primary use of CSL is as a nutrient for ruminant animals. CSL provides proteins, amino acids, minerals, vitamins, reducing sugars (such as dextrose), organic acids (in particular, lactic acid), enzymes, and elemental nutrients (such as nitrogen). CRA assembled and reviewed the available public and private toxicological data, and developed an assessment plan for the sponsored chemical.

CSL is a viscous liquid mixture consisting entirely of the water soluble components of corn steeped in water. All constituents are naturally occurring nutritive materials such as crude proteins, amino acids, vitamins, reducing sugars (e.g., dextrose), organic acids (e.g., lactic acid), minerals, and other elemental nutrients. CSL will transport mainly in the water, and its constituents are easily assimilated into normal cell metabolism. No ecological, mammalian or human toxicity would be expected from these natural nutritive materials.

Worker exposure to CSL during its manufacturing is limited by the automation of the steeping process, use of standard personal protective equipment, and other engineering controls. Exposure during consumer use could occur when giving animals pre-mixed feeds or supplements containing CSL, or during pouring of liquid feed supplements into feed mixers for subsequent distribution to animals. Adequate protective equipment is recommended during these uses. In any case, exposure is not likely result in adverse effects since all CSL components are natural to the corn except for the small amount of sulfur dioxide. Sources of aqueous sodium dioxide (e.g., sulfur dioxide, sodium bisulfite) are approved preservatives for food and are unlikely to cause any adverse effects. Other user exposures could occur when CSL is used in the manufacturing of chemicals and drugs. Exposure during these uses would be mitigated by automation and normal laboratory personal protective equipment.

Based on the long and established history of safe use as a nutrition source in animal feed, the Corn Refiners Association is not proposing to conduct additional testing on this natural water soluble extract of corn.

## INTRODUCTION

The High Production Volume (HPV) Challenge Program is a voluntary initiative of the US chemical industry to complete hazard data profiles for approximately 2800 HPV chemicals as identified on the US Environmental Protection Agency's (USEPA) 1990 Toxic Substances Control Act (TSCA) Inventory Update Rule (IUR). In the US, HPV chemicals are those that are manufactured or imported in quantities greater than 1 million pounds per year. The hazard data to be provided in the program are those that meet the requirements of the Screening Information Data Set (SIDS) Program (OECD 1997). SIDS, which has been internationally agreed to by member countries of the Organization for Economic Cooperation and Development (OECD), provides the basic screening data needed for an initial assessment of the physical-chemical properties, environmental fate, and adverse human and environmental effects of chemicals. The information for completing the SIDS can come from existing data or may be generated as part of the HPV Challenge Program. Once the available studies are identified or conducted, "robust summaries" are prepared.

The USEPA, industry, and non-governmental organizations (NGOs) are unified in their commitment to minimize the numbers of animals tested in the HPV Challenge Program whenever it is scientifically justifiable (USEPA 1999a, 2000). Therefore, this test plan evaluates all of the existing data for the sponsored chemical in an effort to adequately characterize the health and environmental hazard while reducing the number of animals required for testing.

The Corn Refiners Association (CRA) has agreed to assemble and review available public and private toxicological data, develop and provide an assessment plan for the sponsored chemical and conduct additional research, including testing when necessary, for corn steep liquor (CSL). CSL is primarily used as a nutrient in animal feed. The participating member companies of the Corn Refiners Association are:

Archer Daniels Midland Company  
Cargill, Inc.  
Corn Products International, Inc.  
National Starch and Chemical Company  
Penford Products Company  
Roquette America, Inc.  
Tate & Lyle Ingredients Americas, Inc.

This assessment plan is the result of the CRA's efforts and provides a summary and analysis of the available data, and identifies any data gaps in the SIDS data profile. The first section of this assessment plan provides an identification of the sponsored chemical, including its structure, production process, and use pattern. Following that are sections on the process used to collect the unpublished and published data, and how those data were evaluated for quality and acceptability. This is followed by a discussion of the physical-chemical properties, environmental fate and transport, ecotoxicity, and mammalian toxicity data as summarized in the accompanying robust summary document. Finally, conclusions regarding data availability and identification of data gaps in the SIDS profiles for the sponsored chemical are presented.

## IDENTIFICATION OF SPONSORED CHEMICAL

### A. Chemical Structure

The chemical being sponsored is corn steep liquor (CAS #66071-94-1). Corn steep liquor (CSL) is also known by several synonyms including corn steepwater, light steepwater, and heavy steepwater. CSL is a mixture consisting of the water soluble extracts of corn soaked (steeped) in water. In fact, approximately 50% of CSL is water, with the remainder composed entirely of natural nutritive "building blocks" such as crude proteins, amino acids, minerals, vitamins, reducing sugars, organic acids, enzymes and other elemental nutrients. While the actual percent composition varies slightly between member companies, Table 1 lists the average composition of the major constituents of CSL (White and Johnson 2003).

**Table 1. Corn Steep Liquor Composition**

Major Component	Percent Composition
Ash (oxide)	17
Crude Protein	47
Fat	0.4
Lactic Acid	26
Nitrogen	7.5
Phytic Acid	7.8
Reducing Sugars (as dextrose)	2.5
Water	46

CSL is very low in fat and fiber, which makes it an excellent nutritive source for animal feed. Constituents of ash include magnesium, phosphorus, potassium, calcium, chlorine, sodium and sulfur. CSL is also a good source for all amino acids, important vitamins and nitrogen compounds, and essential trace elements such as iron, manganese, boron, copper, and zinc. All of these constituents provide natural nutrition for normal cell metabolism and are not a cause for concern.

### B. Production Process

Corn steep liquor is a byproduct of the initial stages of wet milling of corn. Steeping of corn (i.e., soaking in water) aids in the separation the various components of corn such as starch and nutrients. Corn is normally steeped in stainless steel drums holding from 3,000-25,000 bushels of corn (CRA 2002; White and Johnson 2003). Approximately 5-9 gallons of water per bushel of corn is added to the tank (Liggett and Koffler 1948; White and Johnson 2003). The water originates elsewhere in the wet milling process where it has already obtained some soluble corn matter. The temperature of the water is maintained at 45-54°C by heating the water as it is recirculated or by using a heat exchanger (Liggett and Koffler 1948; CRA 2006a; White and Johnson 2003). Immediately before adding the water to drums, an aqueous source of sodium dioxide is added to the water to a concentration of 0.1-0.2% (Liggett and Koffler 1948; White and Johnson 2003). In water, these sources of sodium dioxide form sulfurous acid, which

controls fermentation and softens the corn kernel to aid in the separation of the corn products. Most of the sulfurous acid is absorbed by the corn kernels so that after ten hours the concentration of sulfurous acid in the steepwater is lowered to 0.01% (Liggett and Koffler 1948).

The corn is steeped for anywhere between 22-50 hours, while the CSL is moved through six to twelve successive steeping tanks. The CSL is initially added to the tank with the oldest corn so that it is in contact with the highest concentration of the sulfurous acid. The water is then moved to fresher corn so that the oldest CSL is in contact with the freshest corn. Approximately one-third of the water is absorbed by the corn during the steeping, and the other two-thirds is withdrawn from the steeping system as light steepwater that contains between 6-9% solids by weight. The light steepwater is then evaporated until it contains 40-60% solids. The resulting CSL may be further processed by downstream users to meet their own specifications (White and Johnson 2003; Budavari 1996).

### **C. Use Patterns and Exposure Potential**

The primary use of CSL is as a nutrient for ruminant animals. CSL provides proteins, amino acids, minerals, vitamins, reducing sugars (such as dextrose), organic acids (in particular lactic acid), enzymes, and elemental nutrients such as nitrogen. The majority of CSL produced is immediately added to corn gluten and fibrous materials for use as animal feed. The remaining CSL has several uses. It is mostly used as a liquid feed supplement for cattle, dairy cows, sheep, goats, and swine (White and Johnson 2003; Liggett and Koffler 1948; CRA 2006b). In the chemical industry, corn steep liquor is used in the production of acetic acid, food acids, and in fermentation processes. CSL is also used by the pharmaceuticals industry in the production of intravenous solutions and drugs, most notably antibiotics (CRA 2006b). In fact, CSL was instrumental to the large-scale production of penicillin in the 1940s (USDA 2006). In 2005, a total of 1,282,614,000 lbs of CSL was shipped in the United States, representing 2.3% of wet milled corn products (CRA 2006c).

Worker exposure to CSL during its manufacturing is limited by the automation of the steeping process. The water is piped into the steeping tanks and from one tank to another. While small amounts of inhalation are possible during the evaporation of water from the CSL, the vapor would contain mostly water as the solid fraction of the CSL would remain in the evaporation tanks. The low amount of sulfurous acid (0.01% or less) would not be a concern. Local exhaust ventilation is used to control mists. Further exposure to CSL could occur during the mixing of the CSL with corn gluten to make animal feed, and during the packaging of corn steep liquor for uses. Exposure during the mixing or packaging of CSL is mitigated by automation, and the resulting animal feed may, in fact, be introduced directly into trucks for delivery to farms where it may be fed to animals immediately or placed in storage (Linton and Hussar 1989; Westburg 2006). Exposure might also be possible during the cleaning of equipment used in the manufacturing process.

Exposure during consumer use could occur when giving animals pre-mixed feeds or supplements containing CSL, or during pouring of liquid feed supplements into feed mixers for subsequent distribution to animals (Linton and Hussar 1989). Exposure is not likely to cause adverse

effects, since all components of corn steep liquor are natural to the corn except for the small amount of sulfurous acid. This small amount is unlikely to cause any adverse effects as it is an approved preservative for food (FDA 2002). Other user exposures could occur when corn steep liquor is used in the manufacturing of chemicals and drugs. Exposure during these uses would be mitigated by automation and normal laboratory personal protective equipment, such as gloves and safety glasses, and good industrial hygiene practices (MSDS sheets).

## COLLECTION OF UNPUBLISHED AND PUBLISHED DATA

Corn Refiners Association member companies contributed available in-house information related to physical-chemical properties, environmental fate and transport, ecotoxicity, and mammalian toxicity for CSL. CRA member companies also provided information related to the use patterns and composition of the CSL mixture. To supplement the industry data, literature searches were conducted of on-line databases (*e.g.*, Hazardous Substances Databank [HSDB], Registry of Toxic Effects of Chemical Substances [RTECS], and the USEPA's ECOTOX database), standard scientific data compendia (*e.g.*, *CRC Handbook of Chemistry and Physics* and *The Merck Index*), and other published sources (*e.g.*, International Uniform Chemical Information Database [IUCLID]). A summary of the literature and database sources searched can be found in Appendix A.

## EVALUATION OF DATA FOR QUALITY AND ACCEPTABILITY

The collected data were reviewed for quality and acceptability following the USEPA and OECD SIDS guidance (USEPA 1999b; OECD 1997) and the systematic approach described by Klimisch et al. (1997). These methods include consideration of the reliability, relevance, and adequacy of the data in evaluating their usefulness for hazard assessment purposes. The Klimisch et al. (1997) approach specifies four categories of reliability for describing data adequacy. These are:

1. **Reliable without Restriction:** Includes studies or data complying with Good Laboratory Practice (GLP) procedures, or with valid and/or internationally accepted testing guidelines, or in which the test parameters are documented and comparable to these guidelines.
2. **Reliable with Restrictions:** Includes studies or data in which test parameters are documented but vary slightly from testing guidelines.
3. **Not Reliable:** Includes studies or data in which there are interferences, or that use non-relevant organisms or exposure routes, or which were carried out using unacceptable methods, or where documentation is insufficient.
4. **Not Assignable:** Includes studies or data in which insufficient detail is reported to assign a rating, *e.g.*, listed in abstracts or secondary literature.

Common practice is that only those studies which are deemed reliable for the current HPV Challenge Program purposes are included in the data set. In general, reliable studies include both categories rated 1 (reliable without restriction) and 2 (reliable with restrictions). Studies rated 3 (not reliable) were not used. Studies rated 4 (not assignable) were used when professional judgment deemed it appropriate as part of a weight-of-evidence approach.

Because CSL is a mixture consisting of the water soluble crude proteins, amino acids, reducing sugars and other natural nutrients used in animal feed, and therefore, is of very low concern, formal guideline-based toxicity studies are not available. Therefore, the robust summary dossier (IUCLID Data Set) for CSL primarily summarizes information related to the long history of safe nutritional supplement use of CSL. A previous IUCLID Data Set for CSL was prepared by one of the member companies in 2000; this data set was updated and additional information added for the current HPV Challenge submission. The robust summary dossier for corn steep liquor is attached as Appendix B and should be used in conjunction with this assessment plan.

## SUMMARY OF AVAILABLE DATA

The following discussion reviews the available data identified for each of the four major data areas: physical-chemical properties, environmental fate and transport, ecotoxicity, and mammalian toxicity.

### Physical-Chemical Properties

Physical-chemical property data are available primarily from the IUCLID 2000 data set for CSL and from member company MSDS and other technical data sheets. Data were collected from all six member companies and the ranges are summarized in Table 2. All physical-chemical properties have a reliability of 4 (not assignable) because the original reports were not available for review.

**Table 2. Physical-Chemical Properties**

<b>Endpoint</b>	<b>Value</b>	<b>Comment</b>
Form	Liquid	Viscous
Color	Tan to brown	
Odor	Sharp	
Melting Point	Not applicable	Liquid at room temperature
Boiling Point	100-101°C	
Conductivity	2.5 µmoh	
Specific Gravity	1.15-1.25	
Density	1.2-1.4 g/cm <sup>3</sup>	
Vapor Pressure	17.5 mm Hg at 25°C	Equal to 23.3 hPa
Partition Coefficient (Log K <sub>ow</sub> )	Not available	
Water Solubility	Soluble	

CSL is a viscous liquid with a boiling point essentially that of water. Because CSL results from the steeping (soaking) of corn in water, all of the individual constituents of the mixture are highly water soluble nutrients. Because of this high solubility, no bioaccumulation is expected, though CSL does provide valuable nutrients that are naturally used by organisms for normal cellular subsistence and metabolism.

### **Environmental Fate and Transport**

Traditional environmental fate data are important for demonstrating the primary mechanism or mechanisms of degradation and how a material's properties affect its transport in the environment. For organic chemicals, fate is generally a function of the breakdown of compounds into smaller constituents by biological degradation. Other breakdown mechanisms that may be important are photolysis and hydrolysis. These breakdown mechanisms are necessarily dependent on what environmental compartment (air, water, soil, sediment) to which the chemicals are distributed. Fugacity modeling is normally used to estimate the relative percentage of chemicals that will partition to various compartments at steady state. However, because CSL consists only of water soluble nutrients, it would be expected that it would be present largely in the water compartment. In addition, the individual components of the mixture are natural nutrients, so would rapidly be assimilated as an energy source in normal cellular processes. No additional environmental fate studies are warranted.

### **Ecotoxicity**

Because of the natural derivation of CSL, specific guideline ecotoxicity studies are not available, nor are they necessary. CSL is not expected to exhibit toxicity to fish or other aquatic organisms. CSL consists of the water soluble components of corn that has been soaked in water. These all-natural constituents are primarily crude proteins, amino acids, vitamins, reducing sugars, organic acids (e.g., lactic acid), and other trace elemental nutrients. The primary use of CSL is as a nutrient source additive in animal feeds, and has a long history of safe use. It should be noted that the available data for one component (lactic acid, which may make up 10-25% of the CSL) have been summarized for the HPV Challenge program. These data indicate very low aquatic toxicity for this component, and provide supporting evidence for the overall toxicity of the CSL mixture.

In addition, CSL is used in the production of acetic acid, other food acids, and in fermentation processes. Therefore, the material would not inhibit microorganism growth, and in fact, would serve as a nutrient source.

No further ecological toxicity studies are being proposed.

### **Toxicity**

While standard guideline mammalian toxicity studies are not available, many nutrition-related studies have been conducted over the years to show the safety of CSL in animals. CSL is used as a nutritive additive in a wide range of animal feeds for cattle, sheep, swine, dairy cows, and

poultry. CSL has also been used to supplement feed used for pets, catfish farming, and honey bee production (Pressick 1985). No adverse effects have been observed in any of these studies. No further mammalian toxicity studies are necessary.

### **Evaluation of Data Completeness**

CSL has a long history (over 100 years) of safe use as a nutrient additive in animal feed and as a nutrient source in fermentation processes. Because of the lack of toxicity concerns and the nutritional benefits of CSL, standard guideline studies have not been completed. The safe use of CSL has been adequately established and therefore the CRA is not proposing to conduct additional guideline studies at this time.

### **SUMMARY OF CORN STEEP LIQUOR PROPERTIES**

Corn steep liquor is a viscous liquid mixture consisting entirely of the water soluble components of corn steeped in water, along with a small amount of sulfurous acid (<0.01%). All constituents are naturally occurring nutritive materials such as crude proteins, amino acids, vitamins, reducing sugars (e.g., dextrose), organic acids (e.g., lactic acid), minerals, and other elemental nutrients. CSL will transport mainly in the water, and its constituents are easily assimilated into normal cell metabolism. No ecological, mammalian, or human toxicity would be expected from these natural nutritive materials.

### **CONCLUSIONS**

CSL has a long history of safe use as an added source of nutrition in animal feed, in fermentation processes, and in antibiotic production. Because CSL consists of natural nutritive materials, there is very low toxicity concern. The CRA is not proposing to conduct additional testing on this natural water soluble extract of corn.

## REFERENCES

- ADM. 2002. Material Safety Data Sheet: Corn Steepwater. Archer Daniels Midland Company, Decatur, IL. August 2002.
- Budavari, S. (ed.). 1996. Merck Index (12<sup>th</sup> edition), Merck Research Laboratories, Whitehouse Station, NJ.
- Butzen, S., and Hobbs, T. 2002. Corn processing III: wet milling. *Crop Insights*, 12(15): 1-6.
- Cargill Corn Milling. 1997. Material Information Sheet: Steepwater. Cargill Corn Milling, Blair, NE.
- Corn Products U.S. 2004. Material Safety Data Sheet: Corn Steepwater. Corn Products U.S., Westchester, IL.
- CRA. 2002. The Process (Step-by-step): Steeping. Corn Refiners Association. Available at <http://www.corn.org/web/steep.htm>.
- CRA. 2006a. Corn Wet Milled Feed Products (4<sup>th</sup> edition), Corn Refiners Association, Washington, DC.
- CRA. 2006b. Tapping the Treasure. Corn Refiners Association. Available at <http://www.corn.org/Tapping2006.pdf>.
- CRA. 2006c. Shipment of Products of the Corn Refining Industry – 2005. Corn Refiners Association. Available at <http://www.corn.org/web/shipprod.htm>.
- FDA. 2002. Food Additives – Alphabetical List. Food and Drug Administration. Available at [http://www.foodstandards.gov.au/\\_srcfiles/new\\_alpha\\_list\\_0902.pdf](http://www.foodstandards.gov.au/_srcfiles/new_alpha_list_0902.pdf).
- IUCLID Data Set. CAS No. 66071-94-1. Corn Steep Liquor. February 2000. Year 2000 CD-ROM Edition.
- Klimisch, H.-J., Andreae, M., and Tillmann, U. 1997. A systematic approach for evaluating the quality of experimental toxicological and ecotoxicological data. *Regul. Toxicol. Pharmacol.* 25:1-5.
- Liggett, W.R., and Koffler, H. Corn Steep Liquor in Microbiology. *Bacteriol. Rev.*, 12(4): 297-311.
- Linton, J.H., and Hussar, N. 1989. Animal Feed Supplement Prepared from Wet Corn Bran and Corn Steep Liquor. United States Patent 4,859,485. Aug. 22, 1989.

- National Starch and Chemical. 2005. Material Safety Data Sheet: Heavy Steep Water. National Starch and Chemical Company, Bridgewater, NJ.
- OECD. 1997. SIDS Manual (third revision). Organization for Economic Cooperation and Development. July 1997.
- Penford Products Co. 2005. Material Safety Data Sheet: Heavy Steepwater. Penford Products Co., Cedar Rapids, IA.
- Pressick, J.C. 1985. To Prepare a Review on Corn Steepwater in Animal Feeding Showing its Long, Successful Feeding History, Safety and Efficacy. Internal report to the Corn Products Unit, Report No. 11337-7118,, July-August 1985, pp. 1-26.
- Staley. 1991. Material Safety Data Sheet: Corn Steep Liquor. A. E. Staley Manufacturing Co, Decatur, IL.
- USDA. 2006. AES Timeline: The Rescue of Penicillin. United States Department of Agriculture. Available at <http://www.ars.usda.gov/is/timeline/penicillin.htm>.
- USEPA. 1999a. HPV Chemical Human Health Testing: Animal Welfare Issues and Approaches. Guidance document dated February 1999.
- USEPA. 1999b. Determining the Adequacy of Existing Data. Draft guidance document dated February 10, 1999.
- USEPA. 1999c. Draft Guidance on Developing Robust Summaries. October 22, 1999.
- USEPA. 2000. Chemical Right to Know High Production Volume Challenge Program: Fact Sheet on Animal Welfare. July 2000. EPA 745-F-99-003.
- Westburg, J.A. 2006. Process for Manufacturing Animal Feed Supplements. United States Patent 7,045,165 B2. May 16, 2006.
- White, P. and Johnson, L.A., (eds.). 2003. Corn: Chemistry and Technology (2<sup>nd</sup> Edition), American Association of Cereal Chemists.

## Appendix A: Summary of Literature and Database Searches

### Sites Searched:

1. STN
  - a. CAPLUS
    - i. “corn steep liquor” – over 4295 hits
    - ii. “corn steep liquor” and “composition” – 57 hits, several good, however, these were in foreign languages. Some abstracts of studies of using corn steep liquor to grow antibiotics.
    - iii. “corn steep liquor” and “environment” – 44 hits, a few references to using corn steep liquor in environmentally benign de-icing formulas.
    - iv. “corn steep liquor” and “human health” – 0 hits
    - v. “corn steep liquor” and “toxic?” – 70 hits, no relevant information
  - b. ToxCenter – 3 records retrieved. No relevant information.
  - c. Registry – Registry entry for corn steep liquor provides no useful property data.
2. PUBMED
  - a. “corn steep liquor” – 171 hits. 13 useful articles mostly pertaining to studies of feeding corn steep liquor to lactating cows, or use of CSL to biodegrade TNT, or as a medium to grow antibiotics.
  - b. “condensed fermented corn extractives” – 0 hits.
3. FDA GRAS – FDA GRAS Notice GRN 000065 – Corn steep liquor used as a fermentation medium to make nisin which is used in food.
4. Toxnet – Includes CCRIS, DART, GENE-TOX, HSDB, IRIS, TOXLINE, LacMed. No relevant results. CSL is used as a medium for introducing chemicals into lab animals for oral toxicity studies. Results for “corn steep liquor” in Toxnet link to toxicity studies for other chemicals, not actual toxicity studies of corn steep liquor. Results for “condensed fermented corn extractives” gives 2 hits for nutritional value and chemical component of condensed fermented corn extractives.
5. Canadian Feed Act – Condensed fermented corn extractives is an approved feed additive in Canada.
6. HPV – High Production Volume – No relevant information.
7. NTP – National Toxicology Program – No relevant information.
8. SIDS – Screening Information Data Set - A SIDS is available for corn steep liquor, however, it contains limited useful information.
9. IARC – International Agency for Research on Cancer – No relevant information.

## Appendix B (cont.)

10. MHLW – Chemical Toxicity Database (Japan) – No relevant information.
11. SIRI MSDS – MSDSs available for corn steep liquor.
12. SRC – Syracuse Research Corporation – Includes TSCATS, EFDB, Ozone Depletion/Global Warming, Kow, PhysProp, ISE Model – No relevant information.
13. TRACE – BIBRA – No BIBRA document on corn steep liquor.
14. CANCERLINE – No relevant information.
15. NICNAS – National Industrial Chemicals Notification and Assessment Scheme (Australia) – No relevant information.
16. US Agency for Toxic Substances and Disease Registry – No relevant information.
17. ECETOC JACC – Reports and inventories of critical reviews – No relevant information.
18. ECB – European Chemicals Bureau – No relevant information.
19. IPCS – Includes CICAD, EHC, HSG, ICSC, IPCS/CEC, JECFA, JMPR, PD, PIM, SIDS – No relevant information.
20. The Carcinogenic Potency Project – No relevant information.
21. Ecotox – No relevant information.
22. ChemFinder – No entry for corn steep liquor.
23. NCEA – US National Center for Environmental Assessment – No relevant information
24. RIVM – Netherlands – No relevant information
25. FERA – Fate, Exposure and Risk Analysis – No relevant information
26. EFAST – No relevant information
27. Merck Index – Entry for corn steep liquor obtained.
28. Modeling – Modeling (ChemSTEER, EPISUITE) cannot be done on CSL because it is not a discreet chemical substance.

## **Appendix B: 2006 IUCLID Data Set**



### 1.0.1 OECD and Company Information

**Name:** The Corn Refiners Association (CRA)

**Remark:** The member companies are:

Archer Daniels Midland Company  
Cargill, Inc.  
Corn Products International, Inc.  
National Starch and Chemical Company  
Penford Products Company  
Roquette America, Inc.  
Tate & Lyle Ingredients Americas, Inc.

### 1.0.2 Location of Production Site

**Remark:** Not an HPV Challenge endpoint.

### 1.0.3 Identity of Recipients

**Remark:** Not an HPV Challenge endpoint.

## 1.1 General Substance Information

**Substance type:** organic  
**Physical status:** liquid  
**Test substance:** Corn Steep Liquor (CAS#66071-94-1)

### 1.1.1 Spectra

**Remark:** Not an HPV Challenge endpoint.

## 1.2 Synonyms

Corn steepwater  
Light steepwater  
Heavy steepwater  
Condensed fermented corn extractives

## 1.3 Impurities

**Remark:** None identified

## 1.4 Additives

**Remark:** None identified

## 1.5 Quantity

**Quantity** >500,000 tons. The vast majority of production is for Non-TSCA regulated uses.

**1.6.1 Labelling**

**Remark:** No specific labeling required.

**1.6.2 Classification**

**Remark:** No specific classification.

**1.7 Use Pattern**

**Remark:** The primary use of corn steep liquor is as a nutrient additive in the feed for ruminant animals in which it provides a natural source of proteins, amino acids, vitamins, reducing sugars (e.g., dextrose), organic acids (e.g., lactic acid), minerals, and other elemental nutrients. Some corn steep liquor is used in the production of acetic acids, food acids, and fermentation processes. Some corn steep liquor has been used in the pharmaceutical industry in the production of intravenous solutions and drugs, most notably antibiotics (penicillin).

**1.7.1 Technology Production/Use**

**Remark:** Not an HPV Challenge endpoint.

**1.8 Occupational Exposure Limit Values**

**Remark:** No TLV has been established

**1.9 Source of Exposure**

**Remark:** See discussion in accompanying corn steep liquor assessment plan.

**1.10.1 Recommendations/Precautionary Measures**

**Remark:** See corn steep liquor assessment plan.

**1.10.2 Emergency Measures**

**Remark:** See corn steep liquor assessment plan.

**1.11 Packaging**

**Remark:** Bulk, small and large packaging

### **1.12 Possib. of Rendering Subst. Harmless**

Remark: Not applicable

### **1.13 Statements Concerning Waste**

Remark: See corn steep liquor assessment plan.

#### **1.14.1 Water Pollution**

Remark: Not a significant source of water pollution.

#### **1.14.2 Major Accident Hazards**

Remark: None

#### **1.14.3 Air Pollution**

Remark: Not a significant source of air pollution.

### **1.15 Additional Remarks**

Remark: None

### **1.16 Last Literature Search**

Date of Search: 31-OCT-2006

### **1.17 Reviews**

Remark: None

### **1.18 Listings e.g. Chemical Inventories**

Remark: TSCA inventory (USA)  
Domestic Substances List (DSL) - Canada  
EINECS (Europe)

### 2.1 Melting Point

Remark: Not applicable. Corn steep liquor is a liquid.

### 2.2 Boiling Point

(a)

**Value:** 100-104°C  
**GLP:** Not reported  
**Remark:** Range reported in Material Safety Data Sheets. All values were similar across companies.  
**Test substance:** Corn steep liquor (66071-94-1)  
**Source:** Material Safety Data Sheets from from all six member companies.  
**Reliability:** (4) Not assignable. As reported in MSDS. Original study reports not available.

### 2.3 Density

**Value:** 1.2-1.4 g/cm<sup>3</sup>  
**GLP:** Not reported  
**Remark:** Range reported in Material Safety Data Sheets.  
**Test substance:** Corn steep liquor (66071-94-1)  
**Source:** Material Safety Data Sheets from from two member companies.  
**Reliability:** (4) Not assignable. As reported in MSDS. Original study report not available.

#### 2.3.1 Granulometry

Remark: Not an HPV Challenge endpoint.

### 2.4 Vapor Pressure

**Value:** 17.5 mm Hg at 20°C  
**GLP:** Not reported  
**Remark:** Range reported in Material Safety Data Sheets.  
**Test substance:** Corn steep liquor (66071-94-1)  
**Source:** Material Safety Data Sheets from from three member companies.  
**Reliability:** (4) Not assignable. As reported in MSDS. Original study report not available.

### 2.5 Partition Coefficient

Remark: No data available

---

### **2.6.1 Water Solubility**

**Value:** Soluble  
**GLP:** Not reported  
**Remark:** Reported in Material Safety Data Sheets.  
**Test substance:** Corn steep liquor (66071-94-1)  
**Source:** Material Safety Data Sheets from from five member companies.  
**Reliability:** (4) Not assignable. As reported in MSDS. Original study report not available.

### **2.6.2 Surface Tension**

**Remark:** Not an HPV Challenge endpoint.

### **2.7 Flash Point**

**Remark:** Not flammable.

### **2.8 Auto Flammability**

**Value:**  
**Remark:** Not flammable.

### **2.9 Flammability**

**Result:**  
**Remark:** Not flammable.

### **2.10 Explosive Properties**

**Result:**  
**Remark:** Not explosive.

### **2.11 Oxidizing Properties**

**Result:**  
**Remark:** Not an oxidizer.

### **2.12 Additional Remarks**

**Memo:** None

### **3.1.1 Photodegradation**

**Remark:** Photodegradation is not expected to be a significant source of degradation.

### **3.1.2 Stability in Water**

**Remark:** Corn steep liquor is approximately 50% water with the rest made up of water soluble proteins, free amino acids, minerals, vitamins, reducing sugars (such as dextrose), and other natural organic acids (such as lactic acid).

### **3.1.3 Stability in Soil**

**Remark:** Not an HPV Challenge endpoint.

## **3.2 Monitoring Data (Environment)**

**Remark:** No data available

### **3.3.1 Transport between Environmental Compartments**

**Remark:** Not an HPV Challenge endpoint.

### **3.3.2 Distribution**

**Remark:** Corn steep liquor consists of natural water soluble materials, and, therefore, will be largely found in the water.

## **3.4 Mode of Degradation in Actual Use**

**Memo:** Corn steep liquor is readily degraded by biological means.

## **3.5 Biodegradation**

**Remarks:** Corn steep liquor is made up of natural constituents such as proteins, reducing sugars, and organic acids, and therefore, is readily degraded by biological means.

### **3.6 BOD5, COD or BOD5/COD Ratio**

**Remarks:** No data available

### **3.7 Bioaccumulation**

**Remark:** Corn steep liquor is made up of water soluble components from soaking corn in water and is, therefore, not expected to bioaccumulate.

### **3.8 Additional Remarks**

**Memo:** None

---

## AQUATIC ORGANISMS

### 4.1 Acute/Prolonged Toxicity to Fish

**Remark:** Corn steep liquor is not expected to exhibit toxicity to fish or other aquatic organisms. Corn steep liquor consists of the water soluble components of corn that has been soaked in water. These all-natural constituents are primarily crude proteins, amino acids, vitamins, reducing sugars, organic acids (e.g., lactic acid), and other trace elemental nutrients. The primary use of corn steep liquor is as a nutrient source additive in animal feeds, and has a long history of safe use. It should be noted that the available data for one component (lactic acid, which may make up 10-25% of the corn steep liquor) have been summarized for the HPV Challenge program. These data indicate very low aquatic toxicity for this component.

### 4.2 Acute Toxicity to Aquatic Invertebrates

**Remark:** As noted in the fish section above, corn steep liquor consists of all-natural, water soluble constituents of corn that has been soaked in water. No toxicity to aquatic invertebrates is expected.

### 4.3 Toxicity to Aquatic Plants e.g. Algae

**Remarks:** As above, no toxicity to aquatic plants is expected. Because corn steep liquor is a nutrient source, some enhancement of algal growth is possible if corn steep liquor reaches water bodies in concentrated form. However, this is unlikely since manufacture of corn steep liquor is controlled and its primary use as an additive in animal feed would result in only very dilute material potentially reaching water bodies.

### 4.4 Toxicity to Microorganisms e.g. Bacteria

**Remarks:** Corn steep liquor is used in the production of acetic acid, other food acids, and in fermentation processes. Therefore, the material would not inhibit microorganism growth, and in fact, would act as a nutrient source.

## 4.5 Chronic Toxicity to Aquatic Organisms

### 4.5.1 Chronic Toxicity to Fish

**Remark:** Corn steep liquor is a nutrient source and is not expected to have any adverse chronic effects on fish.

### 4.5.2 Chronic Toxicity to Aquatic Invertebrates

**Remark:** Corn steep liquor is a nutrient source and is not expected to have any adverse chronic effects on aquatic invertebrates.

## **TERRESTRIAL ORGANISMS**

### **4.6.1 Toxicity to Soil Dwelling Organisms**

**Remark:** As with the aquatic systems, corn steep liquor is primarily used as a nutrient source in animal feed and, therefore, would not be expected to elicit any adverse effects on terrestrial organisms.

### **4.6.2 Toxicity to Terrestrial Plants**

**Remark:** Not an HPV Challenge endpoint.

### **4.6.3 Toxicity to other Non-Mamm. Terrestrial Species**

**Remark:** Not an HPV Challenge endpoint.

## **4.7 Biological Effects Monitoring**

**Memo:** Not an HPV Challenge endpoint.

## **4.8 Biotransformation and Kinetics**

**Remark:** Not an HPV Challenge endpoint.

## **4.9 Additional Remarks**

**Memo:** None

---

## **5.1 Acute Toxicity**

### **5.1.1 Acute Oral Toxicity**

**Remarks:** The safety of corn steep liquor to animals has been well established in numerous studies evaluating its use as a natural protein and nutrient source in animal feed. See Section 5.10 of this robust summary document for a summary of the safety of corn steep liquor.

### **5.1.2 Acute Inhalation Toxicity**

**Remark:** Specific data on inhalation toxicity are not available. Since corn steep liquor is a viscous liquid used as a supplement in animal feeds and as a nutrient source in fermentation reactions, no inhalation exposure is expected.

### **5.1.3 Acute Dermal Toxicity**

**Remark:** Specific data on dermal toxicity are not available. Since corn steep liquor is a viscous liquid used as a supplement in animal feeds and as a nutrient source in fermentation reactions, no dermal exposure is expected.

### **5.1.4 Acute Toxicity, other Routes**

**Remark:** Not a required HPV endpoint.

## **5.2 Corrosiveness and Irritation**

### **5.2.1 Skin Irritation**

**Remark:** Specific skin irritation data are not available.

### **5.2.2 Eye Irritation**

**Remark:** Specific eye irritation data are not available.

## **5.3 Sensitization**

**Remark:** No specific animal studies are available.

---

#### **5.4 Repeated Dose Toxicity**

**Remark:** The majority of safety studies conducted with corn steep liquor for its use in animal feed have been repeated dose feeding studies. No adverse effects were observed. See Section 5.10 for a summary of the safety of corn steep liquor.

#### **5.5 Genetic Toxicity 'in Vitro'**

**Remark:** Specific in vitro genetic toxicity data are not available.

#### **5.6 Genetic Toxicity 'in Vivo'**

**Remark:** Not required.

#### **5.7 Carcinogenicity**

**Remark:** Not an HPV endpoint.

#### **5.8 Toxicity to Reproduction**

**Remarks:** Specific studies addressing the reproductive toxicity endpoint were not available, however, feeding studies on several animal species indicate that corn steep liquor does not present a reproductive toxicity concern.

#### **5.9 Developmental Toxicity/Teratogenicity**

**Remark:** Specific studies addressing the developmental toxicity endpoint were not available, however, feeding studies on several animal species indicate that corn steep liquor does not present a developmental toxicity concern.

#### **5.10 Other Relevant Information**

**Remark:** The safety and efficacy of corn steep liquor has been well established in numerous tests and has a long history of safe use as a nutrient in animal feed. Beginning in the 1880s, corn steep liquor has had steadily increasing production for animal feeds as ranchers have valued its safety and efficacy.

##### Beef cattle and sheep

Corn steep liquor is a staple item in ruminant feeding both as an ingredient in corn gluten feed and directly as a liquid feed supplement. Extensive feeding studies have demonstrated the safe use of this natural source of protein and other nutrients and vitamins.

##### Poultry feed

Corn steep liquor has long been used in the poultry industry for all types of birds (chicks, broilers, layers, and turkeys). A survey of the published data and reviews of unpublished chick

---

feeding test data showed that even low levels of corn steep liquor stimulated the growth of young chickens.

Dairy feeding

Corn gluten feed containing corn steep liquor has been used in dairy rations for over 75 years. It provides a nutritional source that naturally enhances milk production.

Swine rations

Corn gluten feed containing 20-30% corn steep liquor or more has been used for many years for growing and finishing pigs. Gluten feed is usually palletized with other ingredients and supplemented with amino acids from corn steep liquor for feeding.

Pet foods

Corn gluten feed containing corn steep liquor has been included in some pet food formulations because it provides the required nutrients without the excessive calories of other feeds (corn steep liquor has virtually no fat).

Catfish feeding

Feeding trials showed that corn gluten feed containing 20-30% corn steep liquor in the diet can be used to provide nutrients in catfish farms without reduction of growth rate or feed efficiency.

Honey Bees

Corn steep liquor (1%) has been shown to significantly increase the life span of honey bees, which acts as a source of proteins, amino acids, vitamins and minerals.

**Source:**

In summary, corn steep liquor has been safely used for over a hundred years as a natural source of nutrients in animal feeds. No adverse toxicity has been observed in any of these studies. Pressick, J.C. 1985. To Prepare a Review on Corn Steepwater in Animal Feeding Showing its Long, Successful Feeding History, Safety and Efficacy. Internal report to the Corn Products Unit, Report No. 11337-7118,, July-August 1985, pp. 1-26.

**Reliability:**

(4) Not assignable. Information as summarized in Pressick 1985. Original studies not available for review.

### **5.11 Experience with Human Exposure**

**Memo:**

Corn steep liquor has been used as a supplement in animal feed for many years without reported human incident. Corn steep liquor consists only of all-natural water soluble constituents of corn soaked in water, along with a very small amount of sulfurous acid (<0.01%), so no adverse effects to humans would be expected.

## 6. References

---

ADM. 2002. Material Safety Data Sheet: Corn Steepwater. Archer Daniels Midland Company, Decatur, IL. August 2002.

Budavari, S. (ed.). 1996. Merck Index (12<sup>th</sup> edition), Merck Research Laboratories, Whitehouse Station, NJ.

Butzen, S., and Hobbs, T. 2002. Corn processing III: wet milling. Crop Insights, 12(15): 1-6.

Cargill Corn Milling. 1997. Material Information Sheet: Steepwater. Cargill Corn Milling, Blair, NE.

Corn Products U.S. 2004. Material Safety Data Sheet: Corn Steepwater. Corn Products U.S., Westchester, IL.

CRA. 2002. The Process (Step-by-step): Steeping. Corn Refiners Association. Available at <http://www.corn.org/web/steep.htm>.

CRA. 2006a. Corn Wet Milled Feed Products (4<sup>th</sup> edition), Corn Refiners Association, Washington, DC.

CRA. 2006b. Tapping the Treasure. Corn Refiners Association. Available at <http://www.corn.org/Tapping2006.pdf>.

CRA. 2006c. Shipment of Products of the Corn Refining Industry - 2005. Corn Refiners Association. Available at <http://www.corn.org/web/shipprod.htm>.

FDA. 2002. Food Additives - Alphabetical List. Food and Drug Administration. Available at [http://www.foodstandards.gov.au/\\_srcfiles/new\\_alpha\\_list\\_0902.pdf](http://www.foodstandards.gov.au/_srcfiles/new_alpha_list_0902.pdf).

IUCLID Data Set. CAS No. 66071-94-1. Corn Steep Liquor. February 2000. Year 2000 CD-ROM Edition.

Liggett, W.R., and Koffler, H. Corn Steep Liquor in Microbiology. Bacteriol. Rev., 12(4): 297-311.

Linton, J.H., and Hussar, N. 1989. Animal Feed Supplement Prepared from Wet Corn Bran and Corn Steep Liquor. United States Patent 4,859,485. Aug. 22, 1989.

National Starch and Chemical. 2005. Material Safety Data Sheet: Heavy Steep Water. National Starch and Chemical Company, Bridgewater, NJ.

Penford Products Co. 2005. Material Safety Data Sheet: Heavy Steepwater. Penford Products Co., Cedar Rapids, IA.

Pressick, J.C. 1985. To Prepare a Review on Corn Steepwater in Animal Feeding Showing its Long, Successful Feeding History, Safety and Efficacy. Internal report to the Corn Products Unit, Report No. 11337-7118,, July-August 1985, pp. 1-26.

Staley. 1991. Material Safety Data Sheet: Corn Steep Liquor. A. E. Staley Manufacturing Co, Decatur, IL.

USDA. 2006. AES Timeline: The Rescue of Penicillin. United States Department of Agriculture. Available at <http://www.ars.usda.gov/is/timeline/penicillin.htm>.

Westburg, J.A. 2006. Process for Manufacturing Animal Feed Supplements. United States Patent 7,045,165 B2. May 16, 2006.

White, P. and Johnson, L.A., (eds.). 2003. Corn: Chemistry and Technology (2<sup>nd</sup> Edition), American Association of Cereal Chemists.

### **7.1 Risk Assessment**

**Memo:** See the assessment plan for corn steep liquor. Based on the fact that corn steep liquor consists only of all-natural nutrients resulting from soaking corn in water, along with a very small amount of sulfurous acid (<0.01%), no adverse effects would be expected.