

DOCUMENTATION OF ENVIRONMENTAL INDICATOR DETERMINATION

Interim Final 2/5/99

**RCRA Corrective Action  
Environmental Indicator ("EI") RCRIS Code (CA750)**

**Migration of Contaminated Groundwater Under Control**

**Facility Name:** Wayne Division Dresser Equipment Group  
**Facility Address:** 124 West College Avenue, Salisbury, Maryland 21804  
**Facility EPA ID #:** MDD044147098

1. Has **all** available relevant/significant information on known and reasonably suspected releases to the groundwater media, subject to RCRA Corrective Action (e.g., from Solid Waste Management Units (SWMU), Regulated Units (RU), and Areas of Concern (AOC)), been **considered** in this EI determination?

X  If yes - check here and continue with #2 below.

If no - re-evaluate existing data, or

if data are not available, skip to #8 and enter "IN" (more information needed) status code.

**BACKGROUND**

**Definition of Environmental Indicators (for the RCRA Corrective Action)**

Environmental Indicators (EIs) are measures being used by the RCRA Corrective Action program to go beyond programmatic activity measures (e.g., reports received and approved, etc.) to track changes in the quality of the environment. The two EIs developed to-date indicate the quality of the environment in relation to current human exposures to contamination and the migration of contaminated groundwater. An EI for non-human (ecological) receptors is intended to be developed in the future.

**Definition of "Migration of Contaminated Groundwater Under Control" EI**

A positive "Migration of Contaminated Groundwater Under Control" EI determination ("YE" status code) indicates that the migration of "contaminated" groundwater has stabilized, and that monitoring will be conducted to confirm that contaminated groundwater remains within the original "area of contaminated groundwater" (for all groundwater "contamination" subject to RCRA corrective action at or from the identified facility (i.e., site-wide)).

**Relationship of EI to Final Remedies**

While final remedies remain the long-term objective of the RCRA Corrective Action program, the EIs are near-term objectives which are currently being used as Program measures for the Government Performance and Results Act of 1993, GPRA). The "Migration of Contaminated Groundwater Under Control" EI pertains ONLY to the physical migration (i.e., further spread) of contaminated groundwater and contaminants within groundwater (e.g., non-aqueous phase liquids or NAPLs). Achieving this EI does not substitute for achieving other stabilization or final remedy requirements and expectations associated with sources of contamination and the need to restore, wherever practicable, contaminated groundwater to be suitable for its designated current and future uses.

**Duration / Applicability of EI Determinations**

EI Determinations status codes should remain in RCRIS national database ONLY as long as they remain true (i.e., RCRIS status codes must be changed when the regulatory authorities become aware of contrary information).

**Migration of Contaminated Groundwater Under Control  
Environmental Indicator (EI) RCRIS Code (CA750)  
Page 2**

2. Is **groundwater** known or reasonably suspected to be “contaminated”<sup>1</sup> above appropriately protective “levels” (i.e., applicable promulgated standards, as well as other appropriate standards, guidelines, guidance, or criteria) from releases subject to RCRA Corrective Action, anywhere at, or from, the facility?

  X   If yes - continue after identifying key contaminants, citing appropriate “levels,” and referencing supporting documentation.

       If no - skip to #8 and enter “YE” status code, after citing appropriate “levels,” and referencing supporting documentation to demonstrate that groundwater is not “contaminated.”

       If unknown - skip to #8 and enter “IN” status code.

Rationale:

DII Industries, LLC (“DII”) is engaged in implementing the corrective action process pursuant to the Resource Conservation and Recovery Act (“RCRA”) at a former manufacturing facility located at 124 West College Avenue in Salisbury, Maryland commonly known as the Former Salisbury Facility. The Former Salisbury Facility is referred to hereinafter as the “Site” and the location of the Site is shown on Attachment 1, Figure 1. Dresser RE, LLC, a subsidiary of Dresser, Inc. (“Dresser”), is the current owner of the Site. The Site was an active manufacturing facility until 2001 when manufacturing operations ceased. Between 2009 and 2011, Dresser completed demolition activities at the Site, including the removal of all equipment, buildings and structures at the Site. The Site is now vacant and secured by a chain-linked fence with locking gates. Groundwater is not currently used for potable purposes at or downgradient of the Site. Groundwater is prohibited from being used as a source of drinking water by an existing municipal ordinance adopted by the City of Salisbury which requires the use of public water supplies for potable purposes. The public water supply system provides service to both the Site and to areas downgradient of the Site.

DII has identified the presence of certain constituents of concern (“COCs”) in groundwater beneath the Site and has found that certain of these COCs are present at concentrations above appropriately protective levels. DII has determined that the COCs present in groundwater beneath the Site at concentrations above appropriately protective levels are limited to localized areas that are well defined by the on-site groundwater monitoring well network with the exception of two distinct plumes that extend off-site.

One of the plumes that extends off-site contains chlorinated volatile organic compounds (“CVOCs”) and originates in the northwestern portion of the Site. The primary constituent of concern associated with the CVOC plume is tetrachloroethylene (“PCE”). Since 2004, PCE has been the only CVOC that has been detected consistently in groundwater monitoring wells at concentrations that exceed relevant screening values.

The other plume that extends off-site contains petroleum-related volatile organic compounds (“PVOCs”) and originates in the northeastern portion of the Site where residual light non-aqueous phase liquid (“LNAPL”) has been detected near the water table. The LNAPL is associated with historical releases of mineral spirits, and its horizontal and vertical extent has been delineated. The results of extensive assessment activities relating to the LNAPL indicate that the LNAPL is stable (i.e., it is not migrating and has negligible transmissivity). The primary

**Migration of Contaminated Groundwater Under Control**  
**Environmental Indicator (EI) RCRIS Code (CA750)**  
**Page 3**

COCs associated with the PVOC plume are naphthalene, 1,2,4-trimethylbenzene (“1,2,4-TMB”) and 1,3,5-trimethylbenzene (“1,3,5-TMB”), which have been detected in groundwater at concentrations above relevant screening values.

The extent of both the CVOC plume and the PVOC plume have been delineated through the installation of vertical delineation borings and monitoring wells. The extensive investigative activities that support the foregoing summary of groundwater conditions are detailed below.

Since 2002, DII has performed extensive investigation and remediation activities at the Site. DII has performed the work on a voluntary basis in accordance with the corrective action process pursuant to RCRA, and under the oversight of the U.S. Environmental Protection Agency (“EPA”) with assistance from the Maryland Department of the Environment (“MDE”).

Groundwater conditions beneath the Site and downgradient of the Site have been thoroughly investigated and characterized. Since 2002, 26 synoptic rounds of groundwater elevation measurements have been obtained to confirm the direction of groundwater flow beneath the Site and beyond the downgradient boundary of the Site, more than 1,000 groundwater samples have been submitted for laboratory analyses to assess groundwater quality, additional data regarding hydrogeology and subsurface conditions have been collected, and extensive remediation activities have been performed to address conditions at the Site that either were impacting groundwater or had the potential to impact groundwater.

Synoptic groundwater elevation measurements have been used to calculate the direction and magnitude of hydraulic gradients, which indicate that the prevailing groundwater flow direction beneath the Site is consistently to the northwest. The data from the 26 synoptic rounds of groundwater elevation measurements that have been collected at the Site are summarized in Attachment 2, Table 1. In addition, the prevailing groundwater flow direction is observed at all monitored depth intervals in groundwater beneath the Site as shown on Attachment 1, Figures 2 through 4.

Groundwater samples have been collected at the Site from 78 monitoring wells, eight injection wells that were used during remediation of hexavalent chromium-impacted groundwater by in-situ chemical reduction (“ISCR”), and a single piezometer. Sixteen of the on-site groundwater monitoring wells, the eight injection wells, and the piezometer have been abandoned. In March 2016, DII installed 26 additional groundwater monitoring wells at the Site to augment the then existing network of 36 monitoring wells. The current network of 62 monitoring wells provides comprehensive three-dimensional monitoring of groundwater beneath the Site and consists of 44 shallow monitoring wells screened across or just below the water table, three deep monitoring wells screened above a regional clay aquitard, and 15 intermediate monitoring wells screened at various depth intervals between the bottoms of the screened intervals of the shallow wells and the tops of the screened intervals for the deep wells. In addition, groundwater samples have been collected from three intermediate-depth groundwater monitoring wells and an irrigation well that are located beyond the downgradient boundary of the Site. The locations of the 86 wells and piezometer that either are or were present at the Site and the three groundwater monitoring wells and the irrigation well that are located beyond the downgradient boundary of the Site from which groundwater samples have been collected are shown on Attachment 1, Figure 5 and Attachment 1, Figure 6, respectively.

Groundwater conditions beneath the Site and downgradient of the Site have been further investigated through the collection of grab groundwater samples from 112 temporary soil boring locations. These soil boring locations included 71 vertical delineation borings (“VDBs”) at which grab groundwater samples were collected from multiple depth intervals to assess the

**Migration of Contaminated Groundwater Under Control**  
**Environmental Indicator (EI) RCRIS Code (CA750)**  
**Page 4**

vertical distribution of target analytes. Eight of the VDBs were advanced at locations beyond the downgradient boundary of the Site. Grab groundwater samples were also collected at different depth intervals during the installation of certain monitoring wells in March 2016. The results from these groundwater sampling activities were used to further refine the understanding of the horizontal and vertical nature and extent of potential impacts to groundwater beneath the Site and at locations beyond the downgradient boundary of the Site. The locations of the 104 temporary soil borings that were located at the Site and the eight temporary soil borings that were located beyond the downgradient boundary of the Site from which grab groundwater samples were collected are shown on Attachment 1, Figure 5 and Attachment 1, Figure 6, respectively.

The groundwater samples that have been collected to characterize groundwater conditions have been analyzed for one or more of the following constituents:

- Volatile organic compounds (“VOCs”), including tentatively identified compounds (“TICs”);
- Semi-volatile organic compounds (“SVOCs”), including TICs;
- Total petroleum hydrocarbons (“TPH”);
- Polychlorinated biphenyls (“PCBs”);
- Metals, including hexavalent chromium; and
- Groundwater attenuation and field parameters.

The analytical results for the groundwater samples that have been collected on behalf of DII since 2002 are summarized in Attachment 2, Tables 2 through 12. The results for each constituent have been screened according to the following hierarchy: (i) federal maximum contaminant levels (“MCLs”) established by EPA under the Safe Drinking Water Act; (ii) in the absence of MCLs, the regional screening levels (“RSLs”) for tap water taken from the EPA RSL Summary Tables (May 2018) for hazard quotients (“HQs”) of 0.1 and 1; or (iii) in the absence of MCLs or RSLs, secondary MCLs established by EPA under the Safe Drinking Water Act (if available) or screening criteria for surrogate compounds.

Groundwater samples were collected from the current network of 62 groundwater monitoring wells as part of three site-wide groundwater monitoring events performed in April and May 2016, October and November 2016, and March 2018 and two focused groundwater monitoring events performed in August 2016 and February 2017. Data validation reports (“DVRs”) for the analytical results from these groundwater samples are provided in Attachment 3. Analytical results obtained from the groundwater samples collected during the 2016 and 2017 monitoring events have been used to develop site-specific preliminary remediation goals (“PRGs”) for groundwater and to confirm the universe of COCs in groundwater in coordination with EPA. The resulting list of COCs to be addressed for groundwater are summarized in Attachment 2, Table 13. The groundwater sampling results from the March 2018 groundwater monitoring event were consistent with and further corroborated the results from the groundwater monitoring events that took place in 2016 and 2017.

With respect to delineation of the two plumes that extend off-site, EPA required that DII delineate (1) the downgradient extent of the CVOC plume based on a concentration of PCE of 5 micrograms per liter (“µg/L”) (i.e., the MCL for PCE) and (2) the downgradient extent of the PVOC plume based on a concentration of naphthalene of 17 µg/L. These requirements have been achieved through off-site groundwater investigation activities completed between October 2016 and July 2018, which are summarized below. Groundwater flow and transport calculations completed using the extensive available information describing the distribution of CVOCs and PVOCs in on-site areas and transport properties determined from prior groundwater

**Migration of Contaminated Groundwater Under Control**  
**Environmental Indicator (EI) RCRIS Code (CA750)**  
**Page 5**

investigations at the Site were used to assist with identifying appropriate off-site locations to collect groundwater samples. Attachment 3 contains DVRs for the analytical results associated with the off-site groundwater investigation activities completed between October 2016 and July 2018.

The off-site extent of the CVOC plume has been investigated by advancing and sampling four VDBs (VDB-OS-1, VDB-OS-2, VDB-OS-02-1, and VDB-OS-3), and installing and sampling a groundwater monitoring well (MW-OS-02) at the locations shown on Attachment 1, Figure 6. The downgradient extent of the CVOC plume is delineated by the sampling results obtained from groundwater monitoring well MW-OS-2, which is located in a public park owned by the City of Salisbury along Lorecrop Drive. Monitoring well MW-OS-2 was installed and sampled in April 2018. The groundwater sample and its duplicate collected from monitoring well MW-OS-2 were analyzed for CVOCs, including PCE. PCE was the only CVOC detected in the duplicate groundwater samples. PCE was detected at concentrations of 4.2 µg/L and 4.3 µg/L, both of which are below the MCL for PCE of 5 µg/L.

The off-site extent of the PVOC plume has been investigated through the sampling of the existing off-site irrigation well located north of the Site, the advancement and sampling of four off-site VDBs (VDB-OS-7, VDB-OS-8, VDB-OS-9, and VDB-OS-10) and the installation and sampling of two off-site groundwater monitoring wells (MW-OS-01 and MW-OS-03) at the locations shown on Attachment 1, Figure 6. The downgradient extent of the PVOC plume is delineated by the sampling results from off-site groundwater monitoring well MW-OS-3, which is located in the City of Salisbury right-of-way on the west side of South Tower Drive. Monitoring well MW-OS-3 was installed and sampled in July 2018. The groundwater sample and its duplicate collected from monitoring well MW-OS-3 were analyzed for PVOCs, including naphthalene and trimethylbenzenes. No PVOCs were detected in either groundwater sample.

**References:**

A list of primary references that have been submitted to EPA and support the rationale provided above are as follows:

1. Presentation materials from meetings between DII and EPA on 28 June 2018, 10 April 2018, 27 July 2017, 26 April 2017, 29 June 2016 and 18 February 2016.
2. Report and Work Plan for Off-Site Groundwater Investigation Activities, Salisbury, Maryland, Environmental Resources Management (“ERM”), June 2018.
3. Periodic Project Status Reports Nos. 1 – 70, E-mails to United States Environmental Protection Agency Re: Salisbury Facility, 124 West College Avenue, Salisbury, Maryland – Project Status Report Nos. 1 - 70, Applied Environmental Management, Inc. (“AEM”), 4 April 2011 - 9 January 2018.
4. Supplemental Work Plan for Off-Site Groundwater Investigation Activities, Salisbury, Maryland, ERM, January 2018.
5. Report and Work Plan for Off-Site Groundwater Investigation Activities, Salisbury, Maryland, ERM, November 2017.
6. Salisbury Facility, Description of Groundwater Sampling Activities to Complete Off-Site Groundwater Characterization, ERM, June 2017.
7. E-mail to United States Environmental Protection Agency (“EPA”) Re: Salisbury Facility, 124 West College Avenue, Salisbury, Maryland -- Off-Site Groundwater Sampling Plan, AEM, 12 June 2017.

**Migration of Contaminated Groundwater Under Control**  
**Environmental Indicator (EI) RCRIS Code (CA750)**  
**Page 6**

8. Salisbury Facility – Assessment of Tentatively Identified Compounds in Groundwater, DII Industries, LLC, 21 April 2017. E-mail to United States Environmental Protection Agency Re: Salisbury Facility, 124 West College Avenue, Salisbury, Maryland – TIC Analysis Document, AEM, 23 April 2017.
9. Groundwater Monitoring Report – October and November 2016 Groundwater Sampling Activities, ERM, January 2017. Letter to United States Environmental Protection Agency Re: Salisbury Facility, 124 West College Avenue, Salisbury, Maryland – Groundwater Monitoring Results, AEM, 23 June 2016.
10. Report on Interim Corrective Measures for Soils and Groundwater Impacted by Hexavalent Chromium and Supplemental Monitoring Plan, Dresser, Inc. Facility, 124 West College Avenue, Salisbury, Maryland, ERM, 8 January 2016.
11. Site-Wide Groundwater Characterization Summary Report, ERM, November 2015.
12. LNAPL Source Summary Report, Former Dresser, Inc. Facility, 124 West College Avenue, Salisbury, Wicomico County, Maryland (“Site”), ERM, 5 February 2013.
13. Work Plan to Complete the RCRA Facility Investigation (RFI) at the Dresser, Inc. Facility, 124 W. College Avenue, Salisbury, Maryland, 14 August 2008, prepared by ERM for DII.
14. Final Report of the Soil Gas Survey, Soil and Ground Water Results for the Dresser, Inc. Facility, 124 W. College Avenue, Salisbury, Maryland, ERM, 13 September 2006, as amended 13 February 2007.
15. Interim Report of the Soil Gas Survey Results for the Dresser, Inc. Facility, 124 W. College Avenue, Salisbury, Maryland, ERM, as amended 27 January 2006.
16. Work Plan for a Focused Investigation of Chlorinated VOC Impacts to Groundwater at the Dresser, Inc. Facility, 124 W. College Avenue, Salisbury, Maryland, ERM, December 2004, as amended by DII responses to EPA comments 13 April 2005.
17. Ground Water Sampling Report Dresser, Inc. – Wayne Division Site, 124 West College Ave., Salisbury, MD, 21804 Tetra Tech EM, Inc., August 2004.
18. Expanded Site Investigation, Dresser Industries, Inc., Wayne Division Site, 124 West College Avenue, Salisbury, Maryland, Tetra Tech EM, Inc., January 2003.
19. Additional Investigation Report, Dresser, Inc. – Wayne Division Site, 124 West College Ave., Salisbury, MD, 21804, Tetra Tech EM, Inc., November 2003.
20. Draft Final Environmental Indicator Inspection Report for Dresser Industries, Inc. – Wayne Division, Salisbury, Maryland, United States Army Corps of Engineers, Baltimore District, Environmental Remediation Resident Office, 15 January 2002.
21. Expanded Site Investigation Work Plan Revision 01, Dresser Industries, Inc. – Wayne Division Site, 124 West College Ave., Salisbury, MD, 21804, Tetra Tech EM, Inc., 2 July 2002.
22. Priorities Initiative Preliminary Assessment of Dresser Wayne Industries by Maryland Department of the Environment for EPA Region III.

Footnotes:

<sup>1</sup>“Contamination” and “contaminated” describes media containing contaminants (in any form, NAPL and/or dissolved, vapors, or solids, that are subject to RCRA) in concentrations in excess of appropriate “levels” (appropriate for the protection of the groundwater resource and its beneficial uses).

**Migration of Contaminated Groundwater Under Control**  
**Environmental Indicator (EI) RCRIS Code (CA750)**  
**Page 7**

3. Has the **migration** of contaminated groundwater **stabilized** (such that contaminated groundwater is expected to remain within “existing area of contaminated groundwater”<sup>2</sup> as defined by the monitoring locations designated at the time of this determination)?

  X   If yes - continue, after presenting or referencing the physical evidence (e.g., groundwater sampling/measurement/migration barrier data) and rationale why contaminated groundwater is expected to remain within the (horizontal or vertical) dimensions of the “existing area of groundwater contamination”<sup>2</sup>).

\_\_\_\_\_ If no (contaminated groundwater is observed or expected to migrate beyond the designated locations defining the “existing area of groundwater contamination”<sup>2</sup>) - skip to #8 and enter “NO” status code, after providing an explanation.

\_\_\_\_\_ If unknown - skip to #8 and enter “IN” status code.

**Rationale:**

As described in the response to Question 2 above, COCs that were determined to be present above appropriately protective levels in groundwater beneath the Site are limited to localized areas that are well-defined by the on-site groundwater monitoring well network with the exception of two distinct plumes that extend off-site. The stability of the localized areas of impacted groundwater that are defined by the on-site groundwater monitoring well network has been confirmed through evaluation of the extensive groundwater monitoring data set. Additional off-site investigation activities were performed in 2016, 2017 and 2018 to assess the stability of and complete the delineation of the two plumes that extend off-site. The results of the groundwater investigation and analyses process demonstrate that both the CVOC plume and the PVOC plume that extend off-site have been delineated. Furthermore, there are multiple lines of evidence, which are described below, that indicate that the CVOC and PVOC plumes are stable. As such, it is anticipated that both the CVOC plume and the PVOC plume will not expand significantly beyond the existing area of contaminated groundwater, making reasonable allowances for the proximity of the monitoring locations and variations in concentrations in COCs in response to environmental conditions.

The off-site investigation activities were undertaken in an iterative manner whereby available groundwater elevation data, groundwater sampling results, and other information were used to estimate the extent to which the plumes extend beyond the boundary of the Site and to guide the placement of VDBs and monitoring wells to confirm the extent of the plumes. Information obtained during each step of the iterative groundwater investigation process was analyzed and then used to corroborate or update the approach for further assessing the extent of the plumes. The analyses included the preparation of spatial maps, the evaluation of groundwater sampling results over time (i.e., trend evaluations), the development of a comprehensive conceptual site model (“CSM”), and completion of flow-and-transport calculations. DII apprised EPA of the status and results of the investigation activities and analyses through a series of meetings and submissions to EPA between 2016 and 2018.

The iterative off-site investigation activities resulted in the installation of monitoring wells in proximity to the leading edges of the CVOC plume and the PVOC plume, respectively, to verify that groundwater conditions at these locations remain consistent with expectations over time. The downgradient extent of the CVOC plume has been confirmed through the installation and sampling of monitoring well MW-OS-2, which is located proximal to the leading edge of the CVOC plume. The downgradient extent of the PVOC plume has been confirmed through the installation and sampling of two monitoring wells, MW-OS-1 and MW-OS-3, which are located proximal to the leading edge of the PVOC plume.

Five primary lines of evidence were used to evaluate the stability of the CVOC and PVOC plumes: (1) an assessment of the character of the primary source of COCs for each plume; (2) an assessment of natural source zone depletion (“NSZD”); (3) an analysis of the three-dimensional configuration of the plumes; (4) an

**Migration of Contaminated Groundwater Under Control**  
**Environmental Indicator (EI) RCRIS Code (CA750)**  
**Page 8**

analysis of concentrations of COCs over time (i.e., trend analysis); and (5) other fate-and-transport calculations. Each of these lines of evidence is detailed below.

1. Primary source character. There is strong evidence that the primary sources of COCs associated with the CVOC plume and the PVOC plume were historical releases of COCs that occurred more than 40 years ago, during the time that active manufacturing operations at the Site were occurring. Active manufacturing operations ceased at the Site in 2001. Between 2009 and 2011, Dresser completed demolition activities and related steps at the Site involving the removal of both above grade and below grade structures, including all manufacturing and storage equipment. Accordingly, no structures or equipment remain at the Site that might serve as primary sources of COCs to groundwater. The cessation of manufacturing operations and the subsequent completion of the demolition activities at the Site have eliminated any potential for ongoing primary sources to contribute to either the CVOC plume or the PVOC plume.

2. Natural Source Zone Depletion (“NSZD”). The primary source of the CVOC plume is believed to be a small release of PCE that occurred more than 40 years ago which resulted in localized impacts to soils. This conclusion is supported by the absence of any documented use of PCE at the Site, a fact that is reflected in the CSM. In addition, the mapped three-dimensional extent of the CVOC plume, the groundwater sampling results for CVOCs, and the concentration trend analyses completed for CVOCs suggest that any residual amounts of PCE in soils are depleting at a rate that results in mostly stable or steadily declining concentrations of CVOCs in groundwater. The source of the CVOC plume has not been found in soils despite extensive investigation activities performed for this purpose.

The source of the PVOCs is well understood. The PVOC plume is associated with one or more historical releases of mineral spirits that resulted in the presence of LNAPL in the northeastern portion of the Site. The location and extent of the LNAPL is very well documented and has been delineated using 39 soil borings and over two dozen monitoring wells. The LNAPL has been demonstrated in the field to be immobile (i.e., to exhibit negligible relative transmissivity) using methods prescribed by the Interstate Technology and Regulatory Council (ITRC, 2009a, b) and ASTM (ASTM, 2013). Multi-component LNAPL dissolution calculation results (depicted in Attachment 1, Figure 7) together with analysis of dissolved concentration trends for PVOCs (detailed below) suggests that the LNAPL secondary source zone is depleting and will continue to steadily deplete over time. The LNAPL dissolution calculations consider the dissolution of the LNAPL source as the only process depleting the LNAPL. However, extensive research in the field of NSZD shows that LNAPL source zones can naturally degrade at higher rates due to other degradation processes (e.g., volatilization) that are not accounted for in LNAPL dissolution calculations (see for example ITRC, 2009; McCoy et al. 2015; Palaia, 2016; and Garg et al., 2017).

3. Three-dimensional plume extent. The distribution of CVOCs and PVOCs in groundwater on-site has been mapped and depicted by DII in presentations and reports to EPA for many years. The completion of additional VDBs and monitoring wells at both on-site and off-site locations during 2016, 2017 and 2018 provided definitive information on the vertical distribution of both the CVOCs and PVOCs, and also corroborated previous depictions of the lateral extent of the CVOCs and PVOCs in on-site areas, indicating that the three-dimensional extent of the CVOC plume and PVOC plume have remained substantially unchanged over the period of monitoring. Monitoring wells, including those recently installed in proximity to the leading edges of the CVOC and PVOC plumes, will continue to be sampled to verify that these conditions remain consistent with expectations over time.

4. Concentration time-series (trend analysis). Time-series analyses were completed separately for CVOCs and PVOCs. Concentration trends for the CVOC plume were evaluated on the basis of PCE as the parent compound, along with trichloroethylene (“TCE”), cis-1,2-dichloroethylene (“cis-1,2-DCE”), and vinyl chloride as daughter products from the biological degradation of PCE. Concentration trends for the PVOC plume were evaluated on the basis of the three main constituents present in the plume – naphthalene, 1,2,4-TMB and 1,3,5-TMB. The trend analyses indicate that concentrations of COCs at certain monitoring wells are influenced by changing groundwater elevations, which must be considered at those wells when interpreting concentration trends. Where sufficient sample results are available, concentration trends for both



**Migration of Contaminated Groundwater Under Control**  
**Environmental Indicator (EI) RCRIS Code (CA750)**  
**Page 9**

CVOCs and PVOCs are predominantly stable or decreasing. This result is consistent with NSZD processes acting on the secondary source zones combined with degradation and other attenuation processes that act on the dissolved CVOCs and PVOCs. The detection of TCE and cis-1,2-DCE in certain monitoring wells, particularly near the boundary of the Site, indicates that natural biological degradation of CVOCs is occurring. Although degradation of PVOCs does not produce commonly-sampled daughter compounds, conditions at the Site are favorable for the natural attenuation of the compounds associated with the PVOC plume. Slow but steady declines in the overall concentrations of CVOCs and PVOCs in groundwater are anticipated to continue, through a combination of NSZD and plume attenuation processes. The ongoing groundwater monitoring program, which includes both on-site and off-site monitoring wells, will focus on confirming that these conditions continue to occur.

5. Fate-and-transport calculations. Groundwater flow directions have been established by measuring and mapping groundwater levels for over 15 years from an expanding network of monitoring wells located on, and, more recently, downgradient of the Site. Attachment 2, Table 1 summarizes depth-to-water measurements and groundwater elevations obtained from monitoring wells since 2002. Groundwater elevation contour maps prepared using data obtained during the most recent site-wide groundwater monitoring event in May 2018 are provided in Attachment 1, Figures 3 through 5. The magnitude and direction of the gradients illustrated on these figures is consistent with prior groundwater gauging events and indicates that groundwater beneath the Site consistently flows toward the northwest.

The average linear groundwater velocity at the Site is estimated to range between about 60 and 100 feet per year using values for the hydraulic gradient determined from over 20 groundwater monitoring events and values for properties of the subsurface water-bearing zone determined from and corroborated by multiple site-specific data sets (e.g., grain size analyses and drawdown data). Potential migration rates in groundwater for the CVOCs and PVOCs are substantially slower than groundwater velocities due to attenuation processes. Fate-and-transport calculations suggest that releases of CVOCs and PVOCs to groundwater occurred more than 40 years ago. In the ensuing time period, the net migration distances of the farthest-traveled of the CVOCs (i.e., PCE) and PVOCs (i.e., naphthalene) have been about 1,250 feet and 800 feet, respectively, which was corroborated using the sampling results obtained from both VDBs and monitoring wells during off-site groundwater investigation activities in 2016, 2017 and 2018. The off-site investigation activities also corroborated fate-and-transport calculations that suggested that only one CVOC (i.e., PCE) and only one PVOC (i.e., naphthalene) are present above potentially applicable screening values at distances greater than about 200 feet from the downgradient boundary of the Site, because attenuation processes have prevented other COCs from migrating any farther. The off-site groundwater investigation also corroborated fate-and-transport calculations that suggested that along the boundary of the Site and in off-site areas, both the CVOC and PVOC plumes are located at substantial depths below the water table due to the accrual of recharge causing both the CVOCs and the PVOCs to move into deeper portions of the water-bearing zone with increasing distance from their respective sources. The vertical migration of COCs downward to any deeper water-bearing zones via this process is, however, limited by the presence of a regionally-documented and locally-corroborated clayey aquitard identified during the installation of three deep monitoring wells.

The multiple lines of evidence presented above indicate that the CVOC and PVOC plumes are stable, and that any potential further migration of those plumes will be limited by the various processes described above. Furthermore, based on the distances to the nearest surface water bodies, plume depths, and existing institutional controls that preclude the use of groundwater at and downgradient of the Site for potable purposes, any future limited potential migration would not result in unacceptable receptor exposure. Lastly, future groundwater monitoring activities associated with the Site will include the sampling of on-site and off-site monitoring wells to verify that conditions within both the CVOC plume and PVOC plume remain consistent with the expectations set forth above.

References:

1. ASTM E2856-13, Standard Guide for Estimation of LNAPL Transmissivity, ASTM International, West Conshohocken, PA, 2013

**Migration of Contaminated Groundwater Under Control  
Environmental Indicator (EI) RCRIS Code (CA750)  
Page 10**

2. Garg, S., Newell, C.J., Kulkarni, P.R., King, D.C., Adamson, D.T., Renno, M.I., and Sale, T., 2017. Overview of Natural Source Zone Depletion: Processes, Controlling Factors, and Composition Change. *Groundwater Monitoring & Remediation*, 32(3): 62-81. doi: 10.1111/gwmr.12219. Available at: <http://onlinelibrary.wiley.com/doi/10.1111/gwmr.12219/full>.
3. ITRC (Interstate Technology Regulatory Council), 2009a. Evaluating LNAPL Remedial Technologies for Achieving Project Goals. Washington, D.C.: Interstate Technology Regulatory Council, LNAPLs Team. Available at: <https://www.itrcweb.org/GuidanceDocuments/LNAPL-2.pdf>
4. ITRC (Interstate Technology Regulatory Council), 2009b. Evaluating Natural Source Zone Depletion at Sites with LNAPL. Washington, D.C.: Interstate Technology Regulatory Council, LNAPLs Team. Available at: <http://www.itrcweb.org/GuidanceDocuments/LNAPL-1.pdf>
5. McCoy, K., Zimbron, J., Sale, T. and Lyverse, M., 2015. Measurement of Natural Losses of LNAPL Using CO<sub>2</sub> Traps. *Groundwater*, 53: 658–667. doi:10.1111/gwat.12240. Available at: <http://onlinelibrary.wiley.com/doi/10.1111/gwat.12240/abstract>
6. Palaia, T., 2016. Natural Source Zone Depletion Rate Assessment, *Applied NAPL Science Review* 6.

<sup>2</sup>“existing area of contaminated groundwater” is an area (with horizontal and vertical dimensions) that has been verifiably demonstrated to contain all relevant groundwater contamination for this determination, and is defined by designated (monitoring) locations proximate to the outer perimeter of “contamination” that can and will be sampled/tested in the future to physically verify that all “contaminated” groundwater remains within this area, and that the further migration of “contaminated” groundwater is not occurring. Reasonable allowances in the proximity of the monitoring locations are permissible to incorporate formal remedy decisions (i.e., including public participation) allowing a limited area for natural attenuation.

**Migration of Contaminated Groundwater Under Control**  
**Environmental Indicator (EI) RCRIS Code (CA750)**  
**Page 11**

4. Does “contaminated” groundwater **discharge** into **surface water** bodies?

\_\_\_\_\_ If yes - continue after identifying potentially affected surface water bodies.

  X   If no - skip to #7 (and enter a “YE” status code in #8, if #7 = yes) after providing an explanation and/or referencing documentation supporting that groundwater “contamination” does not enter surface water bodies.

\_\_\_\_\_ If unknown - skip to #8 and enter “IN” status code.

Rationale:

No surface water bodies are present in proximity to the Site. The nearest surface water body in a hydrologic downgradient direction from the Site is the Wicomico River located more than 4,000 feet from the Site. The analytical results for groundwater samples collected from off-site monitoring wells indicate that no COCs are present in monitoring wells that are located approximately 800 feet in a hydrologic downgradient direction from the boundary of the Site at concentrations above relevant screening values.

**Migration of Contaminated Groundwater Under Control**  
**Environmental Indicator (EI) RCRIS Code (CA750)**  
**Page 12**

5. Is the **discharge** of “contaminated” groundwater into surface water likely to be “**insignificant**” (i.e., the maximum concentration<sup>3</sup> of each contaminant discharging into surface water is less than 10 times their appropriate groundwater “level,” and there are no other conditions (e.g., the nature, and number, of discharging contaminants, or environmental setting), which significantly increase the potential for unacceptable impacts to surface water, sediments, or eco-systems at these concentrations)?

\_\_\_\_\_ If yes - skip to #7 (and enter “YE” status code in #8 if #7 = yes), after documenting: 1) the maximum known or reasonably suspected concentration<sup>3</sup> of key contaminants discharged above their groundwater “level,” the value of the appropriate “level(s),” and if there is evidence that the concentrations are increasing; and 2) provide a statement of professional judgment/explanation (or reference documentation) supporting that the discharge of groundwater contaminants into the surface water is not anticipated to have unacceptable impacts to the receiving surface water, sediments, or eco-system.

\_\_\_\_\_ If no - (the discharge of “contaminated” groundwater into surface water is potentially significant) - continue after documenting: 1) the maximum known or reasonably suspected concentration<sup>3</sup> of each contaminant discharged above its groundwater “level,” the value of the appropriate “level(s),” and if there is evidence that the concentrations are increasing; and 2) for any contaminants discharging into surface water in concentrations<sup>3</sup> greater than 100 times their appropriate groundwater “levels,” the estimated total amount (mass in kg/yr) of each of these contaminants that are being discharged (loaded) into the surface water body (at the time of the determination), and identify if there is evidence that the amount of discharging contaminants is increasing.

\_\_\_\_\_ If unknown - enter “IN” status code in #8.

Rationale and Reference(s):

<sup>3</sup> As measured in groundwater prior to entry to the groundwater-surface water/sediment interaction (e.g., hyporheic) zone.

**Migration of Contaminated Groundwater Under Control**  
**Environmental Indicator (EI) RCRIS Code (CA750)**  
**Page 13**

6. Can the **discharge** of “contaminated” groundwater into surface water be shown to be “**currently acceptable**” (i.e., not cause impacts to surface water, sediments or eco-systems that should not be allowed to continue until a final remedy decision can be made and implemented<sup>4</sup>)?

- \_\_\_\_\_ If yes - continue after either: 1) identifying the Final Remedy decision incorporating these conditions, or other site-specific criteria (developed for the protection of the site’s surface water, sediments, and eco-systems), and referencing supporting documentation demonstrating that these criteria are not exceeded by the discharging groundwater; OR
- 2) providing or referencing an interim-assessment,<sup>5</sup> appropriate to the potential for impact, that shows the discharge of groundwater contaminants into the surface water is (in the opinion of a trained specialists, including ecologist) adequately protective of receiving surface water, sediments, and eco-systems, until such time when a full assessment and final remedy decision can be made. Factors which should be considered in the interim-assessment (where appropriate to help identify the impact associated with discharging groundwater) include: surface water body size, flow, use/classification/habitats and contaminant loading limits, other sources of surface water/sediment contamination, surface water and sediment sample results and comparisons to available and appropriate surface water and sediment “levels,” as well as any other factors, such as effects on ecological receptors (e.g., via bio-assays/benthic surveys or site-specific ecological Risk Assessments), that the overseeing regulatory agency would deem appropriate for making the EI determination.
- \_\_\_\_\_ If no - (the discharge of “contaminated” groundwater can not be shown to be “**currently acceptable**”) - skip to #8 and enter “NO” status code, after documenting the currently unacceptable impacts to the surface water body, sediments, and/or eco-systems.
- \_\_\_\_\_ If unknown - skip to 8 and enter “IN” status code.

Rationale and Reference(s):

<sup>4</sup> Note, because areas of inflowing groundwater can be critical habitats (e.g., nurseries or thermal refugia) for many species, appropriate specialist (e.g., ecologist) should be included in management decisions that could eliminate these areas by significantly altering or reversing groundwater flow pathways near surface water bodies.

<sup>5</sup> The understanding of the impacts of contaminated groundwater discharges into surface water bodies is a rapidly developing field and reviewers are encouraged to look to the latest guidance for the appropriate methods and scale of demonstration to be reasonably certain that discharges are not causing currently unacceptable impacts to the surface waters, sediments or eco-systems.

**Migration of Contaminated Groundwater Under Control**  
**Environmental Indicator (EI) RCRIS Code (CA750)**  
**Page 14**

7. Will groundwater **monitoring**/ measurement data (and surface water/sediment/ecological data, as necessary) be collected in the future to verify that contaminated groundwater has remained within the horizontal (or vertical, as necessary) dimensions of the “existing area of contaminated groundwater?”

  X   If yes - continue after providing or citing documentation for planned activities or future sampling/measurement events. Specifically identify the well/measurement locations which will be tested in the future to verify the expectation (identified in #3) that groundwater contamination will not be migrating horizontally (or vertically, as necessary) beyond the “existing area of groundwater contamination.”

       If no - enter “NO” status code in #8.

       If unknown - enter “IN” status code in #8.

**Rationale:**

Future groundwater monitoring associated with the Site will be conducted and is expected to include sampling of on-site and off-site groundwater monitoring wells to verify that conditions within both the CVOC plume and PVOC plume remain as anticipated. The scope and nature of future groundwater monitoring activities will be developed in conjunction with EPA.

**Migration of Contaminated Groundwater Under Control**  
**Environmental Indicator (EI) RCRIS Code (CA750)**  
**Page 15**

8. Check the appropriate RCRIS status codes for the Migration of Contaminated Groundwater Under Control EI (event code CA750), and obtain Supervisor (or appropriate Manager) signature and date on the EI determination below (attach appropriate supporting documentation as well as a map of the facility).

**YE** - Yes, "Migration of Contaminated Groundwater Under Control" has been verified. Based on a review of the information contained in this EI determination, it has been determined that the "Migration of Contaminated Groundwater" is "Under Control" at the Former Salisbury Facility, EPA Identification No. MD0044147098 MDR000525933, located at 124 West College Avenue, Salisbury, Maryland 21804. Specifically, this determination indicates that the migration of "contaminated" groundwater is under control, and that monitoring will be conducted to confirm that contaminated groundwater remains within the "existing area of contaminated groundwater." This determination will be re-evaluated when the Agency becomes aware of significant changes at the facility.

**NO** - Unacceptable migration of contaminated groundwater is observed or expected.

**IN** - More information is needed to make a determination.

Completed by (signature) [Signature] Date 9/12/2018  
(print) DIANE SCHOTT  
(title) RCRA Corrective Action Project Manager

Supervisor (signature) [Signature] Date 9/13/2018  
(print) Luis Yessie  
(title) Associate Director, RCD  
(EPA Region or State) Region 3

Locations where References may be found:


EPA Region III  
RCRA Regional Library

Contact telephone and e-mail numbers

(name) DIANE SCHOTT  
(phone #) 215-814-3430  
(e-mail) Schott.diane@epa.gov


*ATTACHMENT 1*  
*FIGURES*






Environmental Resources Management, Inc.  
 Philadelphia, Pennsylvania  
 484-913-0300  
 August 2018

N



0 300 600 1,200 Feet

**Legend**

Site

Figure 1  
 Site Location  
 Dresser Inc. Facility  
 Salisbury, Maryland

**FIGURE 2  
GROUNDWATER ELEVATION CONTOUR MAP  
SHALLOW MONITORING WELLS  
DRESSER INC. FACILITY  
SALISBURY, MARYLAND  
19 MARCH 2018**



- LEGEND**
- PROPERTY LINE
  - EXISTING FENCE
  - PREVAILING GROUNDWATER FLOW DIRECTION
  - SHALLOW MONITORING WELL
  - GROUNDWATER ELEVATION CONTOUR - FEET ABOVE MEAN SEA LEVEL
  - GROUNDWATER ELEVATION - FEET ABOVE MEAN SEA LEVEL


**NOTE:**

1. DRESSER, INC. PERFORMED DEMOLITION ACTIVITIES AT THE SITE BETWEEN 2009 AND 2011, REMOVING ABOVE GRADE AND BELOW GRADE STRUCTURES AT THE SITE. FORMER SITE FEATURES ARE SHOWN IN GREY SCALE.
2. LIGHT NON-AQUEOUS PHASE LIQUID ("LNAPL") WAS DETECTED IN MONITORING WELL L7; GROUNDWATER ELEVATION WAS ADJUSTED ASSUMING A DENSITY FOR THE LNAPL OF 0.7825.
3. SHALLOW MONITORING WELLS ARE WELLS THAT ARE SCREENED ACROSS THE WATER TABLE OR JUST BELOW THE WATER TABLE.



\\usphism01\Data\Team\DMW\CAD\Drawings\Dresser\0046874\A394 GW Contours - V04.dwg

**FIGURE 3  
GROUNDWATER ELEVATION CONTOUR MAP  
INTERMEDIATE MONITORING WELLS  
DRESSER INC. FACILITY  
SALISBURY, MARYLAND  
19 MARCH 2018**




- LEGEND**
- PROPERTY LINE
  - EXISTING FENCE
  - PREVAILING GROUNDWATER FLOW DIRECTION
  - INTERMEDIATE MONITORING WELL
  - GROUNDWATER ELEVATION CONTOUR - FEET ABOVE MEAN SEA LEVEL
  - GROUNDWATER ELEVATION - FEET ABOVE MEAN SEA LEVEL
  - GROUNDWATER ELEVATION - FEET ABOVE MEAN SEA LEVEL

- NOTE:**
1. DRESSER, INC. PERFORMED DEMOLITION ACTIVITIES AT THE SITE BETWEEN 2009 AND 2011, REMOVING ABOVE GRADE AND BELOW GRADE STRUCTURES AT THE SITE. FORMER SITE FEATURES ARE SHOWN IN GREY SCALE.
  2. INTERMEDIATE MONITORING WELLS ARE WELLS POSITIONED AT VARIOUS DEPTH INTERVALS BELOW SHALLOW MONITORING WELLS AND ABOVE DEEP MONITORING WELLS.



**FIGURE 4  
GROUNDWATER ELEVATION CONTOUR MAP  
DEEP MONITORING WELLS  
DRESSER INC. FACILITY  
SALISBURY, MARYLAND  
19 MARCH 2018**



**LEGEND**

	PROPERTY LINE
	EXISTING FENCE
	PREVAILING GROUNDWATER FLOW DIRECTION
	DEEP MONITORING WELL
	GROUNDWATER ELEVATION - FEET ABOVE MEAN SEA LEVEL (DASHED WHERE INFERRED)
	GROUNDWATER ELEVATION - FEET ABOVE MEAN SEA LEVEL



**NOTE:**

1. DRESSER, INC. PERFORMED DEMOLITION ACTIVITIES AT THE SITE BETWEEN 2009 AND 2011, REMOVING ABOVE GRADE AND BELOW GRADE STRUCTURES AT THE SITE. FORMER SITE FEATURES ARE SHOWN IN GREY SCALE.
2. DEEP MONITORING WELLS ARE WELLS THAT ARE SCREENED IMMEDIATELY ABOVE A REGIONAL CLAY AQUITARD.




\\usphism01\Data\Team\DMW\CAD\Drawings\Dresser\0046874\_A394\_GW\_Contours - V04.dwg

**FIGURE 5**  
**ON-SITE GROUNDWATER SAMPLING LOCATIONS**  
**DRESSER, INC. FACILITY**  
**SALISBURY, MARYLAND**



- LEGEND**
- PROPERTY LINE
  - FENCE
  - FORMER RAILROAD SPUR
  - FORMER SANITARY SEWERS
  - FORMER STORM SEWERS
  - CO FORMER CLEANOUT
  - MH FORMER MANHOLE
  - CB FORMER CATCH BASIN (STORM DRAIN)
  - FD FORMER FLOOR DRAIN
  - SHALLOW MONITORING WELL
  - INTERMEDIATE MONITORING WELL
  - DEEP MONITORING WELL
  - ABANDONED INJECTION WELL
  - ABANDONED MONITORING WELL
  - ABANDONED PIEZOMETER
  - SOIL BORING - GRAB GROUNDWATER SAMPLE (TETRA TECH)
  - SOIL BORING - GRAB GROUNDWATER SAMPLE (ERM)
  - ▲ VERTICAL DELINEATION BORING - GRAB GROUNDWATER SAMPLE (ERM)
  - PREVAILING GROUNDWATER FLOW DIRECTION

NOTES:  
 1. DRESSER PERFORMED SITE DEMOLITION, REMOVING ABOVE GRADE AND BELOW GRADE STRUCTURES. FORMER SITE FEATURES ARE IN GREY SCALE.





Environmental Resources Management, Inc.  
 Philadelphia, Pennsylvania  
 484-913-0300  
 August 2018





Figure 6  
 Off-Site Groundwater Sampling Locations  
 Dresser Inc. Facility  
 Salisbury, Maryland

**FIGURE 7  
 CALCULATION RESULTS FOR THE DISSOLUTION OF  
 LNAPL CONSTITUENTS INTO GROUNDWATER  
 DRESSER INC. FACILITY  
 SALISBURY, MARYLAND**



**NOTES:**

1. GRAPHICS PROVIDED BY S.S. PAPADOPOULOS & ASSOCIATES, INC.
2. DISSOLUTION CALCULATIONS CONSIDER A MULTI-COMPONENT LNAPL COMPRISING MINERAL SPIRITS BASED ON SITE-SPECIFIC SAMPLING AND COMPOSITIONAL ANALYSIS. OTHER NATURAL SOURCE ZONE DEPLETION PROCESSES ARE NOT CONSIDERED IN THESE CALCULATIONS.
3. mg/L - milligrams per liter
4. LNAPL - light non-aqueous phase liquid

*ATTACHMENT 2*  
*TABLES*



**Table 1. Well Construction and Groundwater Elevation Summary**  
**Dresser, Inc. Facility**  
**124 West College Ave., Salisbury Maryland**

Well ID	Date Installed	Installed By	Date Abandoned	TIC Elevation <sup>1</sup> (feet AMSL)	Depth to Bottom of Well <sup>2</sup> (feet BTIC)	Screen Interval (feet BTIC)	Well/ Piezometer Diameter (inches)	DTW <sup>3</sup> (feet BTIC) 11/6/02	Groundwater Elevation (feet AMSL) 11/6/02	DTW <sup>3</sup> (feet BTIC) 7/29/03	Groundwater Elevation (feet AMSL) 7/29/03
MW-1	11/6/1990	Unknown	N/A	31.71	32.4	22.4-32.4	2	22.04	9.67	17.78	13.93
MW-3	3/4/1994	EME	N/A	31.02	29.8	9.8-29.8	4	21.27	9.75	17.03	13.99
MW-4	2/19/1999	TEA	N/A	31.39	28.3	8.3-28.3	4	21.67	9.72	17.41	13.98
MW-5	10/28/2002	TT	4/2/2009	31.79	31.9	16.9-31.9	2	22.1	9.69	17.83	13.96
MW-6	10/29/2002	TT	N/A	31.73	31.9	16.9-31.9	2	22.02	9.71	17.71	14.02
MW-7	10/28/2002	TT	N/A	31.02	31.0	16.0-31.0	2	21.24	9.78	16.98	14.04
MW-8	9/8/2003	TT	N/A	30.32	30.7	15.7-30.7	2	NI	--	NI	--
MW-9	9/8/2003	TT	N/A	30.39	30.8	15.8-30.8	2	NI	--	NI	--
MW-10	9/9/2003	TT	N/A	30.38	30.4	15.4-30.4	2	NI	--	NI	--
MW-11	9/9/2003	TT	N/A	30.25	30.5	15.5-30.5	2	NI	--	NI	--
MW-12	9/10/2003	TT	N/A	30.90	29.7	14.7-29.7	2	NI	--	NI	--
MW-13	9/10/2003	TT	N/A	29.77	30.2	15.2-30.2	2	NI	--	NI	--
MW-14	5/7/2007	ERM	4/2/2009	30.13	27.4	12.4-27.4	1.25	NI	--	NI	--
MW-15	5/7/2007	ERM	4/1/2009	31.90	27.3	12.3-27.3	1.25	NI	--	NI	--
MW-16	5/7/2007	ERM	4/1/2009	31.90	27.7	12.7-27.7	1.25	NI	--	NI	--
MW-17	10/27/2008	ERM	N/A	30.52	28.6	13.6-28.6	2	NI	--	NI	--
MW-18	10/20/2008	ERM	N/A	31.61	29.2	14.2-29.2	2	NI	--	NI	--
MW-19	10/20/2008	ERM	4/2/2009	31.09	28.9	13.9-28.9	2	NI	--	NI	--
MW-20	10/24/2008	ERM	4/2/2009	30.34	28.5	13.5-28.5	2	NI	--	NI	--
MW-21	10/24/2008	ERM	N/A	29.65	28.2	13.2-28.2	2	NI	--	NI	--
MW-22	10/23/2008	ERM	N/A	30.10	28.8	13.8-28.8	2	NI	--	NI	--
MW-23	10/23/2008	ERM	N/A	30.05	27.2	12.2-27.2	2	NI	--	NI	--
MW-24	10/24/2008	ERM	N/A	30.43	27.8	12.8-27.8	2	NI	--	NI	--
MW-25	10/23/2008	ERM	N/A	30.33	28.2	13.2-28.2	2	NI	--	NI	--
MW-26	10/22/2008	ERM	4/1/2009	32.06	27.4	12.4-27.4	2	NI	--	NI	--
MW-27	10/22/2008	ERM	4/1/2009	31.59	26.9	11.9-26.9	2	NI	--	NI	--
MW-28	10/21/2008	ERM	4/1/2009	31.99	26.3	11.3-26.3	2	NI	--	NI	--
MW-29	10/22/2008	ERM	4/1/2009	31.96	29.1	14.1-29.1	2	NI	--	NI	--
MW-30	10/29/2008	ERM	4/1/2009	31.96	24.9	9.9-24.9	2	NI	--	NI	--
MW-31	10/22/2008	ERM	4/1/2009	31.73	28.8	13.8-28.8	2	NI	--	NI	--
MW-32	10/27/2008	ERM	4/1/2009	31.73	29.1	14.1-29.1	2	NI	--	NI	--
MW-33	7/13/2010	ERM	9/10/2014	34.69	27.1	12.1-27.1	2	NI	--	NI	--
MW-34	7/13/2010	ERM	N/A	34.65	26.0	11.0-26.0	2	NI	--	NI	--
MW-35	7/13/2010	ERM	N/A	34.59	26.5	11.5-26.5	2	NI	--	NI	--
MW-36	7/14/2010	ERM	9/9/2014	34.66	26.4	11.4-26.4	2	NI	--	NI	--
MW-37	10/26/2010	ERM	9/10/2014	33.51	29.9	9.9-29.9	4	NI	--	NI	--
MW-38	2/15/2011	ERM	N/A	34.11	37.2	27.2-37.2	4	NI	--	NI	--
MW-39	9/22/2011	ERM	N/A	34.50	45.4	35.4-45.4	2	NI	--	NI	--
MW-40	9/23/2011	ERM	N/A	34.28	36.7	26.7-36.7	2	NI	--	NI	--
MW-41	9/21/2011	ERM	N/A	34.28	35.9	25.9-35.9	2	NI	--	NI	--
MW-42	9/20/2011	ERM	N/A	33.74	35.4	25.4-35.4	2	NI	--	NI	--
MW-43	3/15/2016	ERM	N/A	33.95	31.0	16.0-31.0	2	NI	--	NI	--
MW-44	3/16/2016	ERM	N/A	33.15	41.9	31.9-41.9	2	NI	--	NI	--
MW-45	3/16/2016	ERM	N/A	34.68	31.6	16.6-31.6	2	NI	--	NI	--
MW-46	3/17/2016	ERM	N/A	32.52	46.5	36.5-46.5	2	NI	--	NI	--
MW-47	3/17/2016	ERM	N/A	32.48	31.2	16.2-31.2	2	NI	--	NI	--
MW-48	3/29/2016	ERM	N/A	33.05	45.8	35.8-45.8	2	NI	--	NI	--
MW-49	3/22/2016	ERM	N/A	30.36	73.0	63-73	2	NI	--	NI	--
MW-50	3/31/2016	ERM	N/A	30.45	86.0	76-86	2	NI	--	NI	--
MW-51	4/1/2016	ERM	N/A	30.34	44.8	34.8-44.8	2	NI	--	NI	--
MW-52	3/30/2016	ERM	N/A	33.13	41.0	31.0-41.0	2	NI	--	NI	--
MW-53	3/24/2016	ERM	N/A	32.99	30.1	15.1-30.1	2	NI	--	NI	--
MW-54	5/16/2016	ERM	N/A	34.05	32.1	17.1-32.1	2	NI	--	NI	--
MW-55	3/28/2016	ERM	N/A	32.02	31.4	16.4-31.4	2	NI	--	NI	--
MW-56	3/31/2016	ERM	N/A	30.61	44.2	34.2-44.2	2	NI	--	NI	--
MW-57	4/5/2016	ERM	N/A	30.49	44.7	34.7-44.7	2	NI	--	NI	--
MW-58	3/28/2016	ERM	N/A	30.52	99.1	89.0-99.1	2	NI	--	NI	--
MW-59	3/24/2016	ERM	N/A	33.33	30.0	15.0-30.0	2	NI	--	NI	--
MW-60	4/1/2016	ERM	N/A	33.26	41.4	31.4-41.4	2	NI	--	NI	--
MW-61	3/25/2016	ERM	N/A	33.91	30.0	15.0-30.0	2	NI	--	NI	--
MW-62	3/31/2016	ERM	N/A	30.81	38.1	28.1-38.1	2	NI	--	NI	--
MW-63	4/4/2016	ERM	N/A	33.85	41.1	31.1-41.1	2	NI	--	NI	--
MW-64	4/4/2016	ERM	N/A	33.49	41.0	31.0-41.0	2	NI	--	NI	--
MW-65	3/24/2016	ERM	N/A	32.25	30.8	15.8-30.8	2	NI	--	NI	--
MW-66	3/29/2016	ERM	N/A	31.73	40.5	30.5-40.5	2	NI	--	NI	--
MW-67	3/10/2016	ERM	N/A	32.16	74.2	64.2-74.2	2	NI	--	NI	--
MW-68	4/5/2016	ERM	N/A	30.18	42.6	32.6-42.6	2	NI	--	NI	--
MW-OS-1	3/21/2018	ERM	N/A	31.03	57.0	47.0-57.0	2	NI	--	NI	--
MW-OS-2	3/22/2018	ERM	N/A	25.01	55.4	45.4-55.4	2	NI	--	NI	--
MW-OS-3	7/11/2018	ERM	N/A	29.89	59.4	49.4-59.4	2	NI	--	NI	--
PZ-34 <sup>4</sup>	1/17/2011	ERM	7/10/2018	34.74	32.3	31.3-32.3	1.25	NI	--	NI	--
PZ-37 <sup>4</sup>	10/7/2011	ERM	9/8/2014	34.09	17.0	12.0-17.0	1.25	NI	--	NI	--
IJW-1	9/21/2011	ERM	9/10/2014	34.50	37.3	27.3-37.3	2	NI	--	NI	--
IJW-2	9/22/2011	ERM	9/10/2014	33.73	36.6	26.6-36.6	2	NI	--	NI	--
IJW-3	9/23/2011	ERM	9/10/2014	34.19	37.5	27.5-37.5	2	NI	--	NI	--
IJW-4	9/27/2011	ERM	9/10/2014	34.83	36.8	26.8-36.8	2	NI	--	NI	--
IJW-5	9/27/2011	ERM	9/10/2014	34.20	38.1	28.1-38.1	2	NI	--	NI	--
IJW-6	9/26/2011	ERM	9/10/2014	34.17	46.8	36.8-46.8	2	NI	--	NI	--
IJW-7	9/28/2011	ERM	9/10/2014	34.48	36.3	26.3-36.3	2	NI	--	NI	--
IJW-8	9/29/2011	ERM	9/9/2014	33.99	40.9	31.0-41.0	2	NI	--	NI	--
IJW-9S	9/29/2011	ERM	9/9/2014	34.61	33.1	28.1-33.1	2	NI	--	NI	--
IJW-9D	9/29/2011	ERM	9/9/2014	34.35	36.8	31.8-36.8	2	NI	--	NI	--
IJW-10S	10/3/2011	ERM	9/9/2014	33.69	31.7	26.7-31.7	2	NI	--	NI	--
IJW-10D	10/3/2011	ERM	9/9/2014	33.66	36.5	31.5-36.5	2	NI	--	NI	--
IJW-11S	9/30/2011	ERM	9/9/2014	34.05	32.2	27.2-32.2	2	NI	--	NI	--
IJW-11D	9/30/2011	ERM	9/9/2014	33.99	37.5	32.5-37.5	2	NI	--	NI	--
IJW-12	10/4/2011	ERM	9/8/2014	33.39	28.4	23.4-28.4	2	NI	--	NI	--
IJW-13	10/4/2011	ERM	9/8/2014	34.29	26.7	16.7-26.7	2	NI	--	NI	--
IJW-14	10/10/2011	ERM	9/8/2014	NM	20.8	15.8-20.8	2	NI	--	NI	--
IJW-15	10/10/2011	ERM	9/8/2014	33.24	20.6	15.6-20.6	2	NI	--	NI	--
TBMW-1	1/23/2003	TB	N/A	31.78	27.7	7.7-27.7	2	NI	--	17.20	14.66
TBMW-2	1/23/2003	TB	N/A	31.85	29.9	9.9-29.9	2	NI	--	16.73	15.12
TBMW-3	1/23/2003	TB	N/A	29.84	30.1	10.1-30.1	2	NI	--	15.44	14.40
L7	6/14/2012	ERM	N/A	34.55	27.8	17.8-27.8	2	NI	--	NI	--
L22	6/14/2012	ERM	N/A	34.27	27.7	17.7-27.7	2	NI	--	NI	--
L25	6/14/2012	ERM	N/A	34.51	27.8	17.8-27.8	2	NI	--	NI	--
L28	6/14/2012	ERM	N/A	30.94	24.6	14.6-24.6	2	NI	--	NI	--
L36	11/12/2012	ERM	N/A	31.06	25.0	15.0-25.0	2	NI	--	NI	--
L37	11/12/2012	ERM	N/A	30.91	25.0	15.0-25.0	2	NI	--	NI	--
L38	11/12/2012	ERM	N/A	31.19	25.2	15.2-25.2	2	NI	--	NI	--
L39	11/12/2012	ERM	N/A	30.97	25.1	15.1-25.1	2	NI	--	NI	--

**Table 1. Well Construction and Groundwater Elevation Summary**  
**Dresser, Inc. Facility**  
**124 West College Ave., Salisbury Maryland**

Well ID	DTW <sup>3</sup> (feet BTIC) 8/13/03	Groundwater Elevation (feet AMSL) 8/13/03	DTW <sup>3</sup> (feet BTIC) 9/15/03	Groundwater Elevation (feet AMSL) 9/15/03	DTW <sup>3</sup> (feet BTIC) 8/11/04	Groundwater Elevation (feet AMSL) 8/11/04	DTW <sup>3</sup> (feet BTIC) 3/24/06	Groundwater Elevation (feet AMSL) 3/24/06	DTW <sup>3</sup> (feet BTIC) 5/16/07	Groundwater Elevation (feet AMSL) 5/16/07	DTW <sup>3</sup> (feet BTIC) 11/17/08	Groundwater Elevation (feet AMSL) 11/17/08
MW-1	17.84	13.87	17.54	14.17	18.07	13.64	18.79	12.92	17.60	14.11	21.42	10.29
MW-3	17.07	13.95	16.76	14.26	17.27	13.75	18.03	12.99	16.83	14.19	20.68	10.34
MW-4	17.46	13.93	17.16	14.23	17.68	13.71	18.39	13.00	17.17	14.22	21.03	10.36
MW-5	17.89	13.90	17.61	14.18	18.12	13.67	18.87	12.92	17.63	14.16	21.48	10.31
MW-6	17.79	13.94	17.49	14.24	18.00	13.73	18.72	13.01	17.55	14.18	21.39	10.34
MW-7	17.02	14.00	16.72	14.30	17.22	13.80	17.98	13.04	16.79	14.23	20.63	10.39
MW-8	NI	--	16.39	13.93	16.92	13.40	17.64	12.68	16.46	13.86	20.28	10.04
MW-9	NI	--	16.37	14.02	16.91	13.48	17.68	12.71	16.49	13.90	20.31	10.08
MW-10	NI	--	16.08	14.30	16.63	13.75	17.35	13.03	16.18	14.20	19.98	10.40
MW-11	NI	--	16.20	14.05	16.71	13.54	17.51	12.74	16.24	14.01	20.08	10.17
MW-12	NI	--	16.76	14.14	17.30	13.60	18.08	12.82	16.84	14.06	20.70	10.20
MW-13	NI	--	15.22	14.55	15.78	13.99	16.53	13.24	15.34	14.43	19.06	10.71
MW-14	NI	--	NI	--	NI	--	NI	--	15.69	--	19.54	10.59
MW-15	NI	--	NI	--	NI	--	NI	--	17.43	--	21.33	10.57
MW-16	NI	--	NI	--	NI	--	NI	--	17.25	--	21.17	10.73
MW-17	NI	--	NI	--	NI	--	NI	--	NI	--	20.37	10.15
MW-18	NI	--	NI	--	NI	--	NI	--	NI	--	21.25	10.36
MW-19	NI	--	NI	--	NI	--	NI	--	NI	--	20.67	10.42
MW-20	NI	--	NI	--	NI	--	NI	--	NI	--	20.01	10.33
MW-21	NI	--	NI	--	NI	--	NI	--	NI	--	18.90	10.75
MW-22	NI	--	NI	--	NI	--	NI	--	NI	--	19.26	10.84
MW-23	NI	--	NI	--	NI	--	NI	--	NI	--	19.21	10.84
MW-24	NI	--	NI	--	NI	--	NI	--	NI	--	19.06	11.82
MW-25	NI	--	NI	--	NI	--	NI	--	NI	--	19.38	10.95
MW-26	NI	--	NI	--	NI	--	NI	--	NI	--	21.04	11.02
MW-27	NI	--	NI	--	NI	--	NI	--	NI	--	21.12	10.47
MW-28	NI	--	NI	--	NI	--	NI	--	NI	--	21.55	10.44
MW-29	NI	--	NI	--	NI	--	NI	--	NI	--	21.45	10.51
MW-30	NI	--	NI	--	NI	--	NI	--	NI	--	21.42	10.54
MW-31	NI	--	NI	--	NI	--	NI	--	NI	--	21.17	10.56
MW-32	NI	--	NI	--	NI	--	NI	--	NI	--	21.11	10.62
MW-33	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-34	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-35	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-36	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-37	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-38	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-39	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-40	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-41	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-42	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-43	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-44	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-45	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-46	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-47	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-48	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-49	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-50	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-51	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-52	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-53	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-54	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-55	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-56	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-57	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-58	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-59	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-60	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-61	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-62	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-63	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-64	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-65	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-66	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-67	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-68	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-OS-1	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-OS-2	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-OS-3	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
PZ-34 <sup>4</sup>	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
PZ-37 <sup>4</sup>	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
IJW-1	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
IJW-2	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
IJW-3	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
IJW-4	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
IJW-5	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
IJW-6	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
IJW-7	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
IJW-8	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
IJW-9S	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
IJW-9D	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
IJW-10S	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
IJW-10D	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
IJW-11S	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
IJW-11D	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
IJW-12	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
IJW-13	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
IJW-14	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
IJW-15	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
TBMW-1	17.29	14.57	17.01	14.85	17.56	14.30	18.21	13.65	16.88	14.98	21.00	10.86
TBMW-2	16.79	15.06	16.50	15.35	17.11	14.74	17.68	14.17	16.41	15.44	20.41	11.44
TBMW-3	15.45	14.39	15.14	14.70	15.73	14.11	16.48	13.36	15.26	14.58	18.98	10.86
L7	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
L22	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
L25	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
L28	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
L36	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
L37	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
L38	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
L39	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--

**Table 1. Well Construction and Groundwater Elevation Summary**  
**Dresser, Inc. Facility**  
**124 West College Ave., Salisbury Maryland**

Well ID	DTW <sup>3</sup> (feet BTIC) 3/2/09	Groundwater Elevation (feet AMSL) 3/2/09	DTW <sup>3</sup> (feet BTIC) 3/30/09	Groundwater Elevation (feet AMSL) 3/30/09	DTW <sup>3</sup> (feet BTIC) 8/30/10	Groundwater Elevation (feet AMSL) 8/30/10	DTW <sup>3</sup> (feet BTIC) 9/16/10	Groundwater Elevation (feet AMSL) 9/16/10	DTW <sup>3</sup> (feet BTIC) 10/12/10	Groundwater Elevation (feet AMSL) 10/12/10	DTW <sup>3</sup> (feet BTIC) 1/20/11	Groundwater Elevation (feet AMSL) 1/20/11
MW-1	20.95	10.76	21.08	10.63	NM	--	NM	--	18.34	13.37	19.55	12.16
MW-3	20.15	10.87	20.31	10.71	NM	--	NM	--	17.59	13.43	18.83	12.19
MW-4	20.36	11.03	20.69	10.70	NM	--	NM	--	17.99	13.40	19.18	12.21
MW-5	21.02	10.77	21.16	10.63	ABAN	--	ABAN	--	ABAN	--	ABAN	--
MW-6	20.90	10.83	21.04	10.69	NM	--	NM	--	18.34	13.39	19.53	12.20
MW-7	20.13	10.89	20.29	10.73	NM	--	NM	--	17.57	13.45	18.77	12.25
MW-8	19.84	10.48	19.95	10.37	NM	--	NM	--	17.32	13.00	18.46	11.86
MW-9	19.86	10.53	19.97	10.42	NM	--	NM	--	17.31	13.08	18.47	11.92
MW-10	19.50	10.88	19.64	10.74	NM	--	16.92	13.46	16.95	13.43	18.15	12.23
MW-11	19.63	10.62	19.76	10.49	NM	--	NM	--	17.11	13.14	18.25	12.00
MW-12	20.22	10.68	20.34	10.56	NM	--	NM	--	17.66	13.24	18.86	12.04
MW-13	18.68	11.09	18.80	10.97	NM	--	NM	--	16.01	13.76	17.26	12.51
MW-14	19.07	11.06	19.18	10.95	ABAN	--	ABAN	--	ABAN	--	ABAN	--
MW-15	20.77	11.13	20.97	10.93	ABAN	--	ABAN	--	ABAN	--	ABAN	--
MW-16	20.65	11.25	20.81	11.09	ABAN	--	ABAN	--	ABAN	--	ABAN	--
MW-17	19.91	10.61	20.00	10.52	NM	--	NM	--	17.36	13.16	18.54	11.98
MW-18	20.77	10.84	20.91	10.70	NM	--	NM	--	18.19	13.42	19.36	12.25
MW-19	20.17	10.92	20.32	10.77	ABAN	--	ABAN	--	ABAN	--	ABAN	--
MW-20	19.49	10.85	19.63	10.71	ABAN	--	ABAN	--	ABAN	--	ABAN	--
MW-21	18.45	11.20	18.59	11.06	NM	--	NM	--	15.78	13.87	17.05	12.60
MW-22	18.83	11.27	18.97	11.13	NM	--	NM	--	16.14	13.96	17.44	12.66
MW-23	18.75	11.30	18.90	11.15	NM	--	NM	--	16.23	13.82	NM	--
MW-24	19.54	11.34	19.69	11.19	NM	--	16.86	14.02	16.85	14.03	18.15	12.73
MW-25	18.90	11.43	19.06	11.27	NM	--	NM	--	16.27	14.06	17.52	12.81
MW-26	20.57	11.49	20.71	11.35	ABAN	--	ABAN	--	ABAN	--	ABAN	--
MW-27	20.60	10.99	21.76	9.83	ABAN	--	ABAN	--	ABAN	--	ABAN	--
MW-28	21.04	10.95	21.19	10.80	ABAN	--	ABAN	--	ABAN	--	ABAN	--
MW-29	20.96	11.00	21.13	10.83	ABAN	--	ABAN	--	ABAN	--	ABAN	--
MW-30	20.91	11.05	21.10	10.86	ABAN	--	ABAN	--	ABAN	--	ABAN	--
MW-31	20.68	11.05	20.82	10.91	ABAN	--	ABAN	--	ABAN	--	ABAN	--
MW-32	20.61	11.12	20.79	10.94	ABAN	--	ABAN	--	ABAN	--	ABAN	--
MW-33	NI	--	NI	--	20.12	14.57	20.46	14.23	20.51	14.18	21.78	12.91
MW-34	NI	--	NI	--	20.12	14.53	20.47	14.18	20.54	14.11	21.77	12.88
MW-35	NI	--	NI	--	19.97	14.62	20.32	14.27	20.38	14.21	21.65	12.94
MW-36	NI	--	NI	--	20.06	14.60	20.35	14.31	20.46	14.20	21.70	12.96
MW-37	NI	--	NI	--	NI	--	NI	--	NI	--	20.54	12.97
MW-38	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-39	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-40	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-41	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-42	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-43	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-44	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-45	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-46	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-47	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-48	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-49	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-50	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-51	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-52	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-53	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-54	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-55	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-56	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-57	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-58	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-59	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-60	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-61	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-62	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-63	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-64	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-65	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-66	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-67	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-68	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-OS-1	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-OS-2	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-OS-3	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
PZ-34 <sup>4</sup>	NI	--	NI	--	NI	--	NI	--	NI	--	21.86	12.88
PZ-37 <sup>4</sup>	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
IJW-1	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
IJW-2	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
IJW-3	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
IJW-4	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
IJW-5	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
IJW-6	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
IJW-7	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
IJW-8	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
IJW-9S	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
IJW-9D	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
IJW-10S	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
IJW-10D	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
IJW-11S	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
IJW-11D	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
IJW-12	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
IJW-13	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
IJW-14	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
IJW-15	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
TBMW-1	20.52	11.34	20.69	11.17	NM	--	NM	--	17.86	14.00	19.00	12.86
TBMW-2	19.99	11.86	20.12	11.73	16.84	15.01	17.17	14.68	17.29	14.56	18.49	13.36
TBMW-3	18.61	11.23	18.73	11.11	NM	--	NM	--	15.98	13.86	17.22	12.62
L7	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
L22	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
L25	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
L28	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
L36	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
L37	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
L38	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
L39	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--

**Table 1. Well Construction and Groundwater Elevation Summary**  
**Dresser, Inc. Facility**  
**124 West College Ave., Salisbury Maryland**

Well ID	DTW <sup>3</sup>	Groundwater	DTW <sup>3</sup>	Groundwater	DTW <sup>3</sup>	Groundwater	DTW <sup>3</sup>	Groundwater	DTW <sup>3</sup>	Groundwater	DTW <sup>3</sup>	Groundwater	DTW <sup>3</sup>	Groundwater
	(feet BTIC)	Elevation	(feet BTIC)	Elevation	(feet BTIC)	Elevation	(feet BTIC)	Elevation	(feet BTIC)	Elevation	(feet BTIC)	Elevation	(feet BTIC)	Elevation
	3/1/11	(feet AMSL)	3/23/11	(feet AMSL)	5/2/11	(feet AMSL)	9/13/11	(feet AMSL)	10/31/11	(feet AMSL)	2/6/12	(feet AMSL)	9/17/12	(feet AMSL)
MW-1	NM	--	NM	--	19.56	12.15	20.06	11.65	20.06	11.65	20.48	11.23	20.91	10.80
MW-3	NM	--	NM	--	18.73	12.29	19.21	11.81	19.31	11.71	19.80	11.22	20.16	10.86
MW-4	NM	--	NM	--	19.09	12.30	19.58	11.81	19.67	11.72	20.15	11.24	20.55	10.84
MW-5	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--
MW-6	NM	--	NM	--	19.46	12.27	19.94	11.79	20.02	11.71	20.51	11.22	20.91	10.82
MW-7	NM	--	NM	--	18.69	12.33	19.15	11.87	19.26	11.76	19.75	11.27	20.13	10.89
MW-8	NM	--	NM	--	18.41	11.91	18.91	11.41	19.00	11.32	19.45	10.87	19.81	10.51
MW-9	NM	--	NM	--	18.42	11.97	18.89	11.50	18.99	11.40	19.46	10.93	19.80	10.59
MW-10	NM	--	NM	--	18.06	12.32	18.53	11.85	18.65	11.73	19.13	11.25	19.49	10.89
MW-11	NM	--	NM	--	18.20	12.05	18.70	11.55	19.76	10.49	19.25	11.00	19.63	10.62
MW-12	NM	--	NM	--	18.77	12.13	19.24	11.66	19.34	11.56	19.82	11.08	20.21	10.69
MW-13	NM	--	NM	--	17.17	12.60	17.59	12.18	17.72	12.05	18.24	11.53	18.61	11.16
MW-14	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--
MW-15	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--
MW-16	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--
MW-17	NM	--	NM	--	18.50	12.02	18.97	11.55	19.06	11.46	19.56	10.96	19.91	10.61
MW-18	NM	--	NM	--	19.31	12.30	19.77	11.84	19.87	11.74	20.37	11.24	20.76	10.85
MW-19	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--
MW-20	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--
MW-21	NM	--	NM	--	16.95	12.70	17.35	12.30	17.51	12.14	18.00	11.65	18.36	11.29
MW-22	NM	--	NM	--	17.32	12.78	17.71	12.39	17.90	12.20	18.38	11.72	18.71	11.39
MW-23	NM	--	NM	--	17.40	--	17.78	12.27	18.96	11.09	18.46	11.59	18.79	11.26
MW-24	NM	--	NM	--	18.01	12.87	18.41	12.47	18.57	12.31	19.07	11.81	19.48	11.40
MW-25	NM	--	NM	--	17.42	12.91	17.78	12.55	17.96	12.37	18.46	11.87	18.88	11.45
MW-26	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--
MW-27	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--
MW-28	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--
MW-29	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--
MW-30	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--
MW-31	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--
MW-32	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--
MW-33	21.76	12.93	21.57	13.12	21.67	13.02	22.05	12.64	22.25	12.44	22.71	11.98	23.21	11.48
MW-34	21.52	13.13	21.56	13.09	21.68	12.97	22.05	12.60	22.23	12.42	22.75	11.90	23.21	11.44
MW-35	21.61	12.98	21.44	13.15	21.55	13.04	21.94	12.65	22.11	12.48	22.58	12.01	23.09	11.50
MW-36	21.69	12.97	21.48	13.18	21.61	13.05	22.00	12.66	22.17	12.49	22.64	12.02	23.16	11.50
MW-37	20.54	12.97	20.31	13.20	20.42	13.09	20.81	12.70	20.92	12.59	21.38	12.13	21.94	11.57
MW-38	21.23	12.88	21.09	13.02	NM	--	21.63	12.48	21.41	12.70	22.30	11.81	22.73	11.38
MW-39	NI	--	NI	--	NI	--	NI	--	22.25	12.25	22.72	11.78	23.21	11.29
MW-40	NI	--	NI	--	NI	--	NI	--	22.07	12.21	22.54	11.74	23.03	11.25
MW-41	NI	--	NI	--	NI	--	NI	--	22.05	12.23	22.51	11.77	23.01	11.27
MW-42	NI	--	NI	--	NI	--	NI	--	21.49	12.25	22.04	11.70	22.54	11.20
MW-43	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-44	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-45	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-46	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-47	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-48	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-49	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-50	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-51	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-52	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-53	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-54	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-55	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-56	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-57	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-58	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-59	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-60	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-61	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-62	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-63	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-64	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-65	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-66	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-67	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-68	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-OS-1	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-OS-2	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-OS-3	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
PZ-34 <sup>4</sup>		34.74	21.64	13.10	21.78	12.96	22.17	12.57	22.36	12.38	22.85	11.89	23.31	11.43
PZ-37 <sup>4</sup>	NI	--	NI	--	NI	--	NI	--	Dry	--	16.76	17.33	16.77	17.32
IJW-1	NI	--	NI	--	NI	--	NI	--	22.35	12.15	22.89	11.61	23.39	11.11
IJW-2	NI	--	NI	--	NI	--	NI	--	21.51	12.22	22.09	11.64	22.58	11.15
IJW-3	NI	--	NI	--	NI	--	NI	--	21.92	12.27	22.54	11.65	23.03	11.16
IJW-4	NI	--	NI	--	NI	--	NI	--	22.47	12.36	23.02	11.81	23.52	11.31
IJW-5	NI	--	NI	--	NI	--	NI	--	21.99	12.21	22.57	11.63	23.08	11.12
IJW-6	NI	--	NI	--	NI	--	NI	--	21.90	12.27	22.46	11.71	22.94	11.23
IJW-7	NI	--	NI	--	NI	--	NI	--	22.19	12.29	22.75	11.73	23.25	11.23
IJW-8	NI	--	NI	--	NI	--	NI	--	21.66	12.33	22.24	11.75	22.74	11.25
IJW-9S	NI	--	NI	--	NI	--	NI	--	22.18	12.43	22.75	11.86	23.24	11.37
IJW-9D	NI	--	NI	--	NI	--	NI	--	21.98	12.37	22.53	11.82	23.03	11.32
IJW-10S	NI	--	NI	--	NI	--	NI	--	21.31	12.38	21.93	11.76	22.38	11.31
IJW-10D	NI	--	NI	--	NI	--	NI	--	21.21	12.45	21.84	11.82	22.30	11.36
IJW-11S	NI	--	NI	--	NI	--	NI	--	21.56	12.49	22.15	11.90	22.64	11.41
IJW-11D	NI	--	NI	--	NI	--	NI	--	21.57	12.42	22.20	11.79	22.66	11.33
IJW-12	NI	--	NI	--	NI	--	NI	--	20.95	12.44	21.42	11.97	21.91	11.48
IJW-13	NI	--	NI	--	NI	--	NI	--	21.77	12.52	22.35	11.94	22.87	11.42
IJW-14	NI	--	NI	--	NI	--	NI	--	--	--	Dry	--	Dry	--
IJW-15	NI	--	NI	--	NI	--	NI	--	Dry	--	Dry	--	Dry	--
TBMW-1	NM	--	NM	--	NM	--	19.52	12.34	19.61	12.25	20.13	11.73	20.68	11.18
TBMW-2	NM	--	NM	--	NM	--	18.76	13.09	18.98	12.87	19.52	12.33	20.00	11.85
TBMW-3	NM	--	NM	--	17.11	12.73	17.49	12.35	17.67	12.17	18.19	11.65	18.51	11.33
L7	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--	24.78	10.76 <sup>7</sup>
L22	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--	23.70	10.83 <sup>7</sup>
L25	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--	23.82	11.10 <sup>7</sup>
L28	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--	21.27	10.79 <sup>7</sup>
L36	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
L37	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
L38	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
L39	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--

**Table 1. Well Construction and Groundwater Elevation Summary**  
**Dresser, Inc. Facility**  
**124 West College Ave., Salisbury Maryland**

Well ID	DTW <sup>3</sup> (feet BTIC) 10/1/13	Groundwater Elevation (feet AMSL) 10/1/13	DTW <sup>3</sup> (feet BTIC) 12/9/13	Groundwater Elevation (feet AMSL) 12/9/13	DTW <sup>3</sup> (feet BTIC) 12/8/14	Groundwater Elevation (feet AMSL) 12/8/14	DTW <sup>3</sup> (feet BTIC) 12/7/15	Groundwater Elevation (feet AMSL) 12/7/15	DTW <sup>3</sup> (feet BTIC) 4/25/16	Groundwater Elevation (feet AMSL) 4/25/16	DTW <sup>3</sup> (feet BTIC) 8/8/16	Groundwater Elevation (feet AMSL) 8/8/16
MW-1	17.67	14.04	18.44	13.27	20.90	10.81	19.55	12.16	18.51	13.20	NM	--
MW-3	16.88	14.14	17.74	13.28	20.21	10.81	18.76	12.26	17.67	13.35	NM	--
MW-4	17.25	14.14	17.31	14.08	20.51	10.88	19.13	12.26	18.06	13.33	17.5	13.89
MW-5	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--
MW-6	17.61	14.12	18.42	13.31	20.84	10.89	19.50	12.27 <sup>6</sup>	18.45	13.28	NM	--
MW-7	16.72	14.30	17.68	13.34	20.14	10.88	18.71	12.31	17.69	13.33	17.08	13.94
MW-8	16.54	13.78	17.38	12.94	19.69	10.63	18.44	11.88	17.36	12.96	NM	--
MW-9	16.55	13.84	17.38	13.01	19.73	10.66	18.45	11.94	17.32	13.07	NM	--
MW-10	16.24	14.14	17.05	13.33	19.52	10.86	18.08	12.30	17.05	13.33	16.46	13.92
MW-11	16.31	13.94	17.17	13.08	19.41	10.84	18.22	12.03	17.11	13.14	NM	--
MW-12	16.89	14.01	17.78	13.12	20.14	10.76	18.81	12.09	17.76	13.14	NM	--
MW-13	15.38	14.39	16.21	13.56	18.77	11.00	17.19	12.58	16.19	13.58	NM	--
MW-14	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--
MW-15	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--
MW-16	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--
MW-17	16.61	13.91	17.47	13.05	19.67	10.85	18.51	12.01	17.41	13.11	NM	--
MW-18	17.41	14.20	18.31	13.30	20.63	10.98	19.33	12.28	18.27	13.34	17.7	13.91
MW-19	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--
MW-20	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--
MW-21	15.14	14.51	15.86 <sup>5</sup>	13.79	18.47	11.18	16.96	12.69	15.95	13.70	NM	--
MW-22	15.58	14.52	16.34	13.76	18.89	11.21	17.36	12.74	16.35	13.75	NM	--
MW-23	15.60	14.45	16.28 <sup>6</sup>	13.77	18.94	11.11	17.43	12.62	16.44	13.61	NM	--
MW-24	16.20	14.68	17.01	13.87	19.46	11.42	18.03	12.85	17.04	13.84	NM	--
MW-25	15.68	14.65	16.40	13.93	18.91	11.42	17.45	12.88	16.43	13.90	NM	--
MW-26	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--
MW-27	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--
MW-28	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--
MW-29	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--
MW-30	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--
MW-31	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--
MW-32	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--
MW-33	19.89	14.80	20.66	14.03	ABAN	--	ABAN	--	ABAN	--	ABAN	--
MW-34	19.85	14.80	20.66	13.99	23.02	11.63	21.71	12.94	20.66	13.99	20.09	14.56
MW-35	19.72	14.87	20.54	14.05	22.85	11.74	21.61	12.98	20.5	14.09	19.94	14.65
MW-36	19.79	14.87	20.60	14.06	ABAN	--	ABAN	--	ABAN	--	ABAN	--
MW-37	18.54	14.97	19.39	14.12	ABAN	--	ABAN	--	ABAN	--	ABAN	--
MW-38	19.38	14.73	20.19	13.92	22.55	11.56	21.23	12.88	20.19	13.92	19.61	14.50
MW-39	19.89	14.61	20.71	13.79	23.09	11.41	21.73	12.77	20.7	13.80	20.1	14.40
MW-40	19.60	14.68	20.49	13.79	22.86	11.42	21.52	12.76	20.48	13.80	19.89	14.39
MW-41	19.64	14.64	20.48	13.80	22.84	11.44	21.50	12.78	20.44	13.84	19.87	14.41
MW-42	19.19	14.55	20.02	13.72	22.39	11.35	21.04	12.70	19.99	13.75	19.38	14.36
MW-43	NI	--	NI	--	NI	--	NI	--	19.92	14.03	19.34	14.61
MW-44	NI	--	NI	--	NI	--	NI	--	19.47	13.68	18.89	14.26
MW-45	NI	--	NI	--	NI	--	NI	--	20.44	13.67	19.78	14.33
MW-46	NI	--	NI	--	NI	--	NI	--	19.04	13.48	18.51	14.01
MW-47	NI	--	NI	--	NI	--	NI	--	19.04	13.44	18.41	14.07
MW-48	NI	--	NI	--	NI	--	NI	--	19.8	13.25	19.22	13.83
MW-49	NI	--	NI	--	NI	--	NI	--	17.39	12.97	NM	--
MW-50	NI	--	NI	--	NI	--	NI	--	17.57	12.88	NM	--
MW-51	NI	--	NI	--	NI	--	NI	--	17.3	13.04	NM	--
MW-52	NI	--	NI	--	NI	--	NI	--	19.97	13.16	NM	--
MW-53	NI	--	NI	--	NI	--	NI	--	19.84	13.15	NM	--
MW-54	NI	--	NI	--	NI	--	NI	--	20.57	13.48	NM	--
MW-55	NI	--	NI	--	NI	--	NI	--	18.49	13.53	NM	--
MW-56	NI	--	NI	--	NI	--	NI	--	17.56	13.05	NM	--
MW-57	NI	--	NI	--	NI	--	NI	--	17.45	13.04	NM	--
MW-58	NI	--	NI	--	NI	--	NI	--	17.54	12.98	NM	--
MW-59	NI	--	NI	--	NI	--	NI	--	20.07	13.26	NM	--
MW-60	NI	--	NI	--	NI	--	NI	--	20.03	13.23	NM	--
MW-61	NI	--	NI	--	NI	--	NI	--	20.32	13.59	NM	--
MW-62	NI	--	NI	--	NI	--	NI	--	17.63	13.18	NM	--
MW-63	NI	--	NI	--	NI	--	NI	--	20.57	13.28	NM	--
MW-64	NI	--	NI	--	NI	--	NI	--	20.03	13.46	NM	--
MW-65	NI	--	NI	--	NI	--	NI	--	18.45	13.80	NM	--
MW-66	NI	--	NI	--	NI	--	NI	--	18.15	13.58	NM	--
MW-67	NI	--	NI	--	NI	--	NI	--	18.7	13.46	NM	--
MW-68	NI	--	NI	--	NI	--	NI	--	17.14	13.04	NM	--
MW-OS-1	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-OS-2	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
MW-OS-3	NI	--	NI	--	NI	--	NI	--	NI	--	NI	--
PZ-34 <sup>4</sup>	19.96	14.78	20.47	14.27	23.11	11.63	21.84	12.90	20.76	13.98	NM	--
PZ-37 <sup>4</sup>	Dry	--	Dry	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--
IJW-1	20.04	14.46	20.86	13.64	ABAN	--	ABAN	--	ABAN	--	ABAN	--
IJW-2	19.23	14.50	20.06	13.67	ABAN	--	ABAN	--	ABAN	--	ABAN	--
IJW-3	19.68	14.51	20.51	13.68	ABAN	--	ABAN	--	ABAN	--	ABAN	--
IJW-4	20.17	14.66	20.98	13.85	ABAN	--	ABAN	--	ABAN	--	ABAN	--
IJW-5	19.71	14.49	20.52	13.68	ABAN	--	ABAN	--	ABAN	--	ABAN	--
IJW-6	19.63	14.54	20.42	13.75	ABAN	--	ABAN	--	ABAN	--	ABAN	--
IJW-7	19.90	14.58	20.70	13.78	ABAN	--	ABAN	--	ABAN	--	ABAN	--
IJW-8	19.41	14.58	20.21	13.78	ABAN	--	ABAN	--	ABAN	--	ABAN	--
IJW-9S	19.89	14.72	20.61	14.00	ABAN	--	ABAN	--	ABAN	--	ABAN	--
IJW-9D	19.68	14.67	20.47	13.88	ABAN	--	ABAN	--	ABAN	--	ABAN	--
IJW-10S	19.04	14.65	19.83	13.86	ABAN	--	ABAN	--	ABAN	--	ABAN	--
IJW-10D	18.96	14.70	19.75	13.91	ABAN	--	ABAN	--	ABAN	--	ABAN	--
IJW-11S	19.29	14.76	20.04	14.01	ABAN	--	ABAN	--	ABAN	--	ABAN	--
IJW-11D	19.30	14.69	20.11	13.88	ABAN	--	ABAN	--	ABAN	--	ABAN	--
IJW-12	18.55	14.84	19.36	14.03	ABAN	--	ABAN	--	ABAN	--	ABAN	--
IJW-13	19.49	14.80	20.32	13.97	ABAN	--	ABAN	--	ABAN	--	ABAN	--
IJW-14	19.17	--	20.01	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--
IJW-15	18.52	14.72	19.30	13.94	ABAN	--	ABAN	--	ABAN	--	ABAN	--
TBMW-1	17.01	14.85	17.95	13.91	20.02	11.84	19.10	12.76	17.98	13.88	NM	--
TBMW-2	16.57	15.28	17.41	14.44	19.58	12.27	18.51	13.34	17.39	14.46	NM	--
TBMW-3	15.36	14.48	16.13	13.71	18.75	11.09	17.14	12.70	16.12	13.72	NM	--
L7	20.44	14.12 <sup>7</sup>	21.24	13.33 <sup>7</sup>	23.51	11.11 <sup>7</sup>	22.39	12.23 <sup>7</sup>	21.33	13.26 <sup>7</sup>	NM	--
L22	20.15	14.16 <sup>7</sup>	20.94	13.35 <sup>7</sup>	23.10	11.18 <sup>7</sup>	22.03	12.28 <sup>7</sup>	20.98	13.29	NM	--
L25	19.99	14.52	20.79	13.72	22.97	11.54	21.89	12.62	20.87	13.64	NM	--
L28	16.82	14.12	17.64 <sup>8</sup>	13.30	19.75	11.19	18.72	12.24 <sup>7</sup>	17.67	13.27	NM	--
L36	16.98	14.08	17.81	13.25	19.97	11.09	18.85	12.21	17.84	13.22	NM	--
L37	16.82	14.09	NM	--	19.77	11.14	18.69	12.22	17.67	13.24	NM	--
L38	17.18	14.01	17.99	13.20	20.11	11.08	19.05	12.14	18.03	13.16	NM	--
L39	16.96	14.01	17.75	13.22	19.92	11.05	18.85	12.12	17.84	13.13	NM	--

**Table 1. Well Construction and Groundwater Elevation Summary**  
**Dresser, Inc. Facility**  
**124 West College Ave., Salisbury Maryland**

Well ID	DTW <sup>3</sup> (feet BTIC) 10/31/16	Groundwater Elevation (feet AMSL) 10/31/16	DTW <sup>3</sup> (feet BTIC) 2/7/2017	Groundwater Elevation (feet AMSL) 2/7/17	DTW <sup>3</sup> (feet BTIC) 3/19/2018	Groundwater Elevation (feet AMSL) 3/19/18	DTW <sup>3</sup> (feet BTIC) 6/12/2018	Groundwater Elevation (feet AMSL) 6/12/2018	DTW <sup>3</sup> (feet BTIC) 7/26/2018	Groundwater Elevation (feet AMSL) 7/26/2018
MW-1	16.98	14.73	NM	--	17.73	13.98	NM	--	NM	--
MW-3	16.00	15.02	NM	--	16.91	14.11	NM	--	NM	--
MW-4	16.35	15.04	18.06	13.33	17.31	14.08	NM	--	NM	--
MW-5	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--
MW-6	16.69	15.04	NM	--	17.63	14.10	NM	--	NM	--
MW-7	15.90	15.12	17.69	13.33	16.87	14.15	NM	--	NM	--
MW-8	15.66	14.66	NM	--	16.77	13.55	15.20	15.12	15.66	14.66
MW-9	15.65	14.74	16.90	13.49	16.63	13.76	15.18	15.21	15.68	14.71
MW-10	15.32	15.06	17.05	13.33	16.28	14.10	14.80	15.58	15.31	15.07
MW-11	15.41	14.84	NM	--	16.41	13.84	15.01	15.24	15.43	14.82
MW-12	16.15	14.75	NM	--	16.99	13.91	15.53	15.37	16.02	14.88
MW-13	14.45	15.32	15.67	14.10	15.36	14.41	13.85	15.92	14.41	15.36
MW-14	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--
MW-15	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--
MW-16	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--
MW-17	15.20	15.32	16.98	13.54	16.68	13.84	15.31	15.21	15.76	14.76
MW-18	16.53	15.08	18.27	13.34	17.47	14.14	NM	--	NM	--
MW-19	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--
MW-20	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--
MW-21	14.20	15.45	NM	--	15.15	14.50	NM	--	NM	--
MW-22	14.61	15.49	NM	--	15.54	14.56	NM	--	NM	--
MW-23	14.65	15.40	NM	--	15.62	14.43	NM	--	NM	--
MW-24	15.25	15.63	NM	--	16.19	14.69	NM	--	NM	--
MW-25	14.65	15.68	NM	--	15.61	14.72	NM	--	NM	--
MW-26	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--
MW-27	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--
MW-28	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--
MW-29	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--
MW-30	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--
MW-31	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--
MW-32	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--
MW-33	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--
MW-34	18.88	15.77	20.66	13.99	19.86	14.79	NM	--	NM	--
MW-35	18.74	15.85	20.50	14.09	19.73	14.86	18.18	16.41	18.78	15.81
MW-36	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--
MW-37	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--
MW-38	18.40	15.71	20.19	13.92	19.37	14.74	NM	--	NM	--
MW-39	18.91	15.59	20.70	13.80	19.88	14.62	18.35	16.15	18.92	15.58
MW-40	18.69	15.59	20.48	13.80	19.67	14.61	NM	--	NM	--
MW-41	18.67	15.61	20.44	13.84	19.63	14.65	NM	--	NM	--
MW-42	18.24	15.50	19.99	13.75	19.16	14.58	NM	--	NM	--
MW-43	18.14	15.81	19.92	14.03	19.08	14.87	NM	--	NM	--
MW-44	17.71	15.44	19.47	13.68	18.69	14.46	NM	--	NM	--
MW-45	18.67	15.44	20.44	13.67	19.65	14.46	NM	--	NM	--
MW-46	17.35	15.17	19.04	13.48	18.30 <sup>9</sup>	14.22	NM	--	NM	--
MW-47	17.25	15.23	19.04	13.44	18.22	14.26	NM	--	NM	--
MW-48	18.05	15.00	19.80	13.25	19.01	14.04	17.56	15.49	18.06	14.99
MW-49	15.74	14.62	16.97	13.39	16.71	13.65	NM	--	NM	--
MW-50	15.98	14.47	17.19	13.26	16.90	13.55	NM	--	NM	--
MW-51	15.70	14.64	NM	--	16.64	13.70	15.26	15.08	15.71	14.63
MW-52	18.26	14.87	NM	--	19.21	13.92	17.78	15.35	18.28	14.85
MW-53	18.06	14.93	NM	--	19.01	13.98	NM	--	NM	--
MW-54	18.85	15.20	NM	--	19.80	14.25	18.36	15.69	18.85	15.20
MW-55	16.82	15.20	NM	--	17.80	14.22	NM	--	NM	--
MW-56	15.89	14.72	NM	--	16.87	13.74	15.45	15.16	15.9	14.71
MW-57	15.75	14.74	16.99	13.50	16.71	13.78	15.32	15.17	15.77	14.72
MW-58	15.88	14.64	17.11	13.41	16.84	13.68	NM	--	NM	--
MW-59	18.27	15.06	NM	--	19.25	14.08	17.81	15.52	18.29	15.04
MW-60	18.25	15.01	NM	--	19.19	14.07	17.78	15.48	18.26	15.00
MW-61	18.51	15.40	NM	--	19.48	14.43	NM	--	NM	--
MW-62	15.93	14.88	NM	--	16.88	13.93	15.55	15.26	15.93	14.88
MW-63	18.77	15.08	NM	--	19.74	14.11	18.32	15.53	18.78	15.07
MW-64	18.23	15.26	NM	--	19.20	14.29	17.78	15.71	18.27	15.22
MW-65	16.67	15.58	NM	--	17.62	14.63	NM	--	NM	--
MW-66	16.44	15.29	17.65	14.08	17.36	14.37	15.85	15.88	16.38	15.35
MW-67	17.02	15.14	18.23	13.93	17.96	14.20	NM	--	NM	--
MW-68	15.48	14.70	16.73	13.45	16.44	13.74	15.04	15.14	15.51	14.67
MW-OS-1	NI	--	NI	--	NI	--	16.59	14.44	17	14.03
MW-OS-2	NI	--	NI	--	NI	--	11.08	13.93	11.71	13.30
MW-OS-3	NI	--	NI	--	NI	--	NI	--	16.39	13.50
PZ-34 <sup>4</sup>	18.95	15.79	NM	--	19.96	14.78	NM	--	ABAN	--
PZ-37 <sup>4</sup>	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--
IJW-1	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--
IJW-2	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--
IJW-3	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--
IJW-4	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--
IJW-5	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--
IJW-6	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--
IJW-7	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--
IJW-8	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--
IJW-9S	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--
IJW-9D	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--
IJW-10S	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--
IJW-10D	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--
IJW-11S	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--
IJW-11D	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--
IJW-12	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--
IJW-13	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--
IJW-14	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--
IJW-15	ABAN	--	ABAN	--	ABAN	--	ABAN	--	ABAN	--
TBMW-1	16.20	15.66	NM	--	17.17	14.69	NM	--	16	15.78
TBMW-2	15.57	16.28	NM	--	16.56	15.29	15.05	16.80	15.6	16.25
TBMW-3	14.40	15.44	NM	--	15.34	14.50	13.76	16.08	14.32	15.52
L7	19.50	15.07 <sup>7</sup>	NM	--	20.51	14.09 <sup>7</sup>	NM	--	NM	--
L22	19.19	15.08	NM	--	20.15	14.12	NM	--	NM	--
L25	19.03	15.48	NM	--	20.03	14.48	NM	--	NM	--
L28	15.88	15.06	NM	--	16.88	14.06	NM	--	NM	--
L36	16.05	15.01	NM	--	17.04	14.02	NM	--	NM	--
L37	15.87	15.04	NM	--	16.85	14.06	NM	--	NM	--
L38	16.23	14.96	NM	--	17.22	13.97	15.80	15.39	16.24	14.95
L39	16.03	14.94	NM	--	17.03	13.94	NM	--	NM	--

**Table 1. Well Construction and Groundwater Elevation Summary**  
**August 2018 Groundwater Environmental Indicator**  
**Dresser, Inc. Facility**  
**124 West College Ave., Salisbury Maryland**

**NOTES:**

EME-Environmental Management & Engineering, Inc.

TEA - Tidewater Environmental Associates, Inc.

TT - TetraTech EM, Inc.

ERM-Environmental Resources Management

TIC - Top of inner well casing

N/A - Not applicable

AMSL - Above mean sea level

BTIC- Below top of inner well casing

DTW- Depth to water

ABAN- Well Abandoned

--: Not Measured

NI - Not Installed

<sup>1</sup> Based on the results from the most recent TIC elevation surveys and used to calculate groundwater elevations. TIC elevation surveys were conducted by F. Douglas Jones Surveying Associates in November 2002 and September 2003 and by Davis, Bowen & Friedel, Inc. in March 2009, September 2010, January 2011, February 2011, October 2011, May 2016, April 2018, and July 2018. The TIC elevations for monitoring well TB-MW-1 and monitoring well MW-45 were altered on 1 March 2018 and the TIC elevation for monitoring well MW-24 was altered on 12 July 2018 during well maintenance; the TIC elevations for these three monitoring wells were resurveyed in July 2018.

<sup>2</sup> Depth to bottom of well or piezometer is based on measurements collected in the field by ERM following site demolition and re-grading, except for wells that were abandoned in 2009.

<sup>3</sup> DTW measurements from 2002 to 2004 were collected by TetraTech EM, Inc.; DTW measurements from 2005 to 2018 were collected by ERM.

<sup>4</sup> The groundwater elevations at PZ-34 and PZ-37 were not used in the preparation of groundwater contour maps.

<sup>5</sup> DTW measurement from monitoring well MW-21 was collected on 12 December 2013.

<sup>6</sup> DTW measurement from monitoring well MW-23 was collected on 16 December 2013.

<sup>7</sup> Light non-aqueous phase liquid (LNAPL) was detected in monitoring well; groundwater elevation was adjusted assuming a density for the LNAPL of 0.7825.

<sup>8</sup> DTW measurement from monitoring well L28 was collected on 13 December 2013.

<sup>9</sup> DTW measurement from monitoring well MW-46 was collected on 20 March 2018.





**Table 2. Groundwater Monitoring Well Sample Results**  
**Volatile Organic Compounds**  
**Dresser Inc. Facility**  
**124 W. College Ave, Salisbury, Maryland**

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-1 10/31/2011 MW-1 27.3	MW-1 9/18/2012 MW-1 27.52	MW-1 12/12/2013 MW-1 27.3	MW-1 12/9/2014 MW-1 25.61	MW-1 12/9/2014 MW-1A 25.61 d	MW-1 12/8/2015 MW-1 27	MW-1 5/5/2016 MW-1 27
	MCL	RSL HQ = 0.1 <sup>2</sup>	RSL HQ = 1.0 <sup>2</sup>				
<b>Screening Criteria<sup>1</sup></b>							
<b>Chlorinated Volatile Organic Compounds (µg/L)</b>							
1,1,1,2-Tetrachloroethane	NS	0.57	5.7	---	---	---	---
1,1,1-Trichloroethane	200	NA	NA	5 U	100 U	1 U	10 U
1,1,2,2-Tetrachloroethane	NS	0.076	0.076	5 U	100 U	1 U	10 U
1,1,2-trichloro-1,2,2-trifluoroethane (Freon 113)	NS	1000	10000	5 U	100 U	1 U	10 U
1,1,2-Trichloroethane	5	NA	NA	5 U	100 U	1 U	10 U
1,1-Dichloroethane	NS	2.8	2.8	5 U	100 U	1 U	10 U
1,1-Dichloroethene	7	NA	NA	5 U	100 U	1 U	10 U
1,1-Dichloropropene	NS	NS	NS	---	---	---	---
1,2,3-Trichlorobenzene	NS	0.7	7	5 U	100 U	1 U	10 U
1,2,3-Trichloropropane	NS	0.00075	0.00075	---	---	---	---
1,2,4-Trichlorobenzene	70	NA	NA	5 U	100 U	1 U	10 U
1,2-Dibromo-3-chloropropane	0.2	NA	NA	50 U	1000 U	10 U	100 U
1,2-Dibromoethane	0.005	NA	NA	---	---	---	---
1,2-Dichlorobenzene	600	NA	NA	5 U	100 U	1 U	10 U
1,2-Dichloroethane	5	NA	NA	5 U	100 U	1 U	10 U
1,2-Dichloroethene	70	NA	NA	---	---	---	---
1,2-Dichloropropane	5	NA	NA	5 U	100 U	1 U	10 U
1,3-Dichlorobenzene	NS	NS	NS	5 U	100 U	1 U	10 U
1,3-Dichloropropane	NS	37	370	---	---	---	---
1,4-Dichlorobenzene	75	NA	NA	5 U	100 U	1 U	10 U
2,2-Dichloropropane	NS	NS	NS	---	---	---	---
2-Chloroethyl vinyl ether	NS	NS	NS	---	---	---	---
4-Chlorotoluene	NS	NS	NS	---	---	---	---
Allyl chloride	NS	0.21	2.1	---	---	---	---
beta-Chloroprene	NS	NS	NS	---	---	---	---
Bromobenzene	NS	6.2	62	---	---	---	---
Bromodichloromethane	80	NA	NA	5 U	100 U	1 U	10 U
Bromoform	80	NA	NA	25 U	500 U	5 U	50 U
Carbon tetrachloride	5	NA	NA	5 U	100 U	1 U	10 U
Chlorobenzene	100	NA	NA	5 U	100 U	1 U	10 U
Chlorobromomethane	NS	8.3	83	5 U	100 U	1 U	10 U
Chloroethane	NS	2100	21000	5 U	100 U	1 U	10 U
Chloroform	80	NA	NA	5 U	100 U	1 U	10 U
cis-1,2-Dichloroethene	70	NA	NA	5 U	100 U	1.2	10 U
cis-1,3-Dichloropropene	NS	0.47	0.47	5 U	100 U	1 U	10 U
cis-1,4-Dichloro-2-butene	NS	0.0013	0.00130	---	---	---	---
Dibromochloromethane	80	NA	NA	5 U	100 U	1 U	10 U
Dibromomethane	NS	NS	NS	---	---	---	---
Dichlorodifluoromethane (Freon 12)	NS	20	0.87	5 U	100 U	1 U	10 U
Ethylene dibromide	0.05	NA	NA	5 U	100 U	1 U	10 U
Methyl bromide	NS	0.75	7.5	5 U	100 U	1 U	10 U
Methyl chloride	NS	19	190	5 U	100 U	1 U	10 U
Methyl iodide	NS	NS	NS	---	---	---	---
Methylene chloride	5	NA	NA	5 U	110	1 U	10 U
o-Chlorotoluene (2-chlorotoluene)	NS	NS	NS	---	---	---	---
Tetrachloroethene	5	NA	NA	3 J	100 U	4	10 U
trans-1,2-Dichloroethene	100	NA	NA	5 U	100 U	1 U	10 U
trans-1,3-Dichloropropene	NS	0.47	0.47	5 U	100 U	1 U	10 U
trans-1,4-Dichlorobutene	NS	0.0013	0.013	---	---	---	---
Trichloroethene	5	NA	NA	5 U	100 U	1 U	10 U
Trichlorofluoromethane (Freon 11)	NS	520	5200	25 U	500 U	5 U	50 U
Vinyl chloride	2	NA	NA	5 U	100 U	1 U	10 U
<b>Petroleum Volatile Organic Compounds (µg/L)</b>							
1,2,4-Trimethylbenzene	NS	5.6	56	---	---	2200	2400
1,3,5-Trimethylbenzene	NS	6	60	---	---	1300	1300
1,4-Dioxane	NS	0.46	0.46	---	---	---	1000 U
2-Butanone	NS	560	5600	50 U	1000 U	10 U	100 U
2-Hexanone	NS	3.8	38	50 U	1000 U	10 U	100 U
4-Isopropyltoluene	NS	NS	NS	---	---	---	---
4-Methyl-2-pentanone	NS	630	6300	25 U	500 U	5 U	50 U
Acetone	NS	1400	14000	50 U	1000 U	10 U	100 U
Acetonitrile	NS	13	130	---	---	---	---
Acrolein	NS	0.0042	0.042	---	---	---	---
Acrylonitrile	NS	0.052	0.52	---	---	---	---
Benzene	5	NA	NA	5 U	100 U	0.79 J	10 U
Carbon disulfide	NS	81	810	50 U	1000 U	10 U	100 U
Cyclohexane	NS	1300	13000	50 U	1000 U	24	100 U
Ethyl methacrylate	NS	63	630	---	---	---	---
Ethylbenzene	700	NA	NA	1200	810	950	1000
Isobutyl alcohol	NS	41	410	---	---	---	---
Isopropylbenzene (Cumene)	NS	45	450	170	95 J	150	180
m&p-Xylene <sup>x</sup>	10000	NA	NA	---	---	---	---
Methacrylonitrile	NS	0.19	1.9	---	---	---	---
Methyl acetate	NS	2000	20000	50 U	1000 U	10 U	100 U
Methyl methacrylate	NS	140	1400	---	---	---	---
Methyl tert-butyl ether	NS	14	14	5 U	100 U	1 U	10 U
Methylcyclohexane <sup>c</sup>	NS	1300	13000	42 J	1000 U	44	100 U
m&p-Xylene <sup>x</sup>	10000	NA	NA	1100	570	320	330
Naphthalene	NS	0.17	0.17	580	260	160	250
n-Butylbenzene	NS	100	1000	---	---	---	---
n-Propylbenzene	NS	66	660	---	---	---	---
o-Xylene <sup>x</sup>	10000	NA	NA	25	100 U	12	22
Propionitrile	NS	NS	NS	---	---	---	---
sec-Butylbenzene	NS	200	2000	---	---	---	---
Styrene	100	NA	NA	5 U	100 U	1 U	10 U
tert-Butylbenzene	NS	69	690	---	---	---	---
Toluene	1000	NA	NA	25	100 U	6.9	100
Vinyl acetate	NS	41	410	---	---	---	---
Xylene, Total <sup>x</sup>	10000	NA	NA	---	---	---	---

**Table 2. Groundwater Monitoring Well Sample Results**  
**Volatile Organic Compounds**  
**Dresser Inc. Facility**  
**124 W. College Ave, Salisbury, Maryland**

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-1 11/9/2016 MW-1 27	MW-3 9/7/2002 MW-3 TT	MW-3 9/7/2002 MW-3D4 TT, d	MW-3 9/12/2003 MW-3 TT	MW-3 3/29/2006 MW-3 24.75	MW-3 5/16/2007 MW-3 24.73	MW-3 11/18/2008 MW-3 25.4
	MCL	RSL HQ = 0.1 <sup>2</sup>	RSL HQ = 1.0 <sup>2</sup>				
<b>Screening Criteria<sup>1</sup></b>							
<b>Chlorinated Volatile Organic Compounds (µg/L)</b>							
1,1,1,2-Tetrachloroethane	NS	0.57	5.7	---	2 U	2 U	2 U
1,1,1-Trichloroethane	200	NA	NA	10 U	2 U	2 U	2 U
1,1,2,2-Tetrachloroethane	NS	0.076	0.076	10 U	2 U	2 U	2 U
1,1,2-trichloro-1,2,2-trifluoroethane (Freon 113)	NS	1000	10000	10 U	---	---	---
1,1,2-Trichloroethane	5	NA	NA	10 U	2 U	2 U	2 U
1,1-Dichloroethane	NS	2.8	2.8	10 U	2 U	2 U	2 U
1,1-Dichloroethene	7	NA	NA	10 U	2 U	2 U	2 U
1,1-Dichloropropene	NS	NS	NS	---	2 U	2 U	2 U
1,2,3-Trichlorobenzene	NS	0.7	7	10 U	---	---	---
1,2,3-Trichloropropane	NS	0.00075	0.00075	---	2 U	2 U	2 U
1,2,4-Trichlorobenzene	70	NA	NA	10 U	---	---	2 U
1,2-Dibromo-3-chloropropane	0.2	NA	NA	100 U	2 U	2 U	2 U
1,2-Dibromoethane	0.005	NA	NA	---	2 U	2 U	2 U
1,2-Dichlorobenzene	600	NA	NA	10 U	2 U	2 U	2 U
1,2-Dichloroethane	5	NA	NA	10 U	2 U	2 U	2 U
1,2-Dichloroethene	70	NA	NA	---	2 U	2 U	---
1,2-Dichloropropane	5	NA	NA	10 U	2 U	2 U	2 U
1,3-Dichlorobenzene	NS	NS	NS	10 U	2 U	2 U	2 U
1,3-Dichloropropane	NS	37	370	---	2 U	2 U	2 U
1,4-Dichlorobenzene	75	NA	NA	10 U	2 U	2 U	2 U
2,2-Dichloropropane	NS	NS	NS	---	2 U	2 U	2 U
2-Chloroethyl vinyl ether	NS	NS	NS	---	10 U	10 U	2 U
4-Chlorotoluene	NS	NS	NS	---	---	---	2 U
Allyl chloride	NS	0.21	2.1	---	4 U	4 U	---
beta-Chloroprene	NS	NS	NS	---	2 U	2 U	---
Bromobenzene	NS	6.2	62	---	---	---	2 U
Bromodichloromethane	80	NA	NA	10 U	2 U	2 U	2 U
Bromoform	80	NA	NA	50 U	2 U	2 U	2 U
Carbon tetrachloride	5	NA	NA	10 U	2 U	2 U	2 U
Chlorobenzene	100	NA	NA	10 U	2 U	2 U	2 U
Chlorobromomethane	NS	8.3	83	10 U	2 U	2 U	2 U
Chloroethane	NS	2100	21000	10 U	2 U	2 U	2 U
Chloroform	80	NA	NA	10 U	2 U	2 U	2 U
cis-1,2-Dichloroethene	70	NA	NA	10 U	2 U	2 U	2 U
cis-1,3-Dichloropropene	NS	0.47	0.47	10 U	2 U	2 U	2 U
cis-1,4-Dichloro-2-butene	NS	0.0013	0.00130	---	4 U	4 U	---
Dibromochloromethane	80	NA	NA	10 U	2 U	2 U	2 U
Dibromomethane	NS	NS	NS	---	2 U	2 U	2 U
Dichlorodifluoromethane (Freon 12)	NS	20	0.87	10 U	2 U	2 U	2 U
Ethylene dibromide	0.05	NA	NA	10 U	---	---	---
Methyl bromide	NS	0.75	7.5	10 U	2 U	2 U	2 U
Methyl chloride	NS	19	190	10 U	2 U	2 U	2 U
Methyl iodide	NS	NS	NS	---	2 U	2 U	2 U
Methylene chloride	5	NA	NA	10 U	2 U	2 U	2 U
o-Chlorotoluene (2-chlorotoluene)	NS	NS	NS	---	---	---	2 U
Tetrachloroethane	5	NA	NA	10 U	2 U	2 U	2 U
trans-1,2-Dichloroethene	100	NA	NA	10 U	2 U	2 U	2 U
trans-1,3-Dichloropropene	NS	0.47	0.47	10 U	2 U	2 U	2 U
trans-1,4-Dichlorobutene	NS	0.0013	0.013	---	4 U	4 U	2 U
Trichloroethene	5	NA	NA	10 U	2 U	2 U	2 U
Trichlorofluoromethane (Freon 11)	NS	520	5200	50 U	2 U	2 U	2 U
Vinyl chloride	2	NA	NA	10 U	2 U	2 U	2 U
<b>Petroleum Volatile Organic Compounds (µg/L)</b>							
1,2,4-Trimethylbenzene	NS	5.6	56	2900	---	---	2 U
1,3,5-Trimethylbenzene	NS	6	60	1600	---	---	2 U
1,4-Dioxane	NS	0.46	0.46	1000 U	10 U	10 U	---
2-Butanone	NS	560	5600	100 U	10 U	10 U	10 U
2-Hexanone	NS	3.8	38	100 U	10 U	10 U	10 U
4-Isopropyltoluene	NS	NS	NS	---	---	---	2 U
4-Methyl-2-pentanone	NS	630	6300	50 U	10 U	10 U	10 U
Acetone	NS	1400	14000	100 U	10 U	10 U	10 U
Acetonitrile	NS	13	130	---	10 U	10 U	---
Acrolein	NS	0.0042	0.042	---	10 U	10 U	---
Acrylonitrile	NS	0.052	0.52	---	10 U	10 U	---
Benzene	5	NA	NA	10 U	2 U	2 U	2 U
Carbon disulfide	NS	81	810	100 U	2 U	2 U	2 U
Cyclohexane	NS	1300	13000	100 U	---	---	5 U
Ethyl methacrylate	NS	63	630	---	2 U	2 U	---
Ethylbenzene	700	NA	NA	790	2 U	2 U	2 U
Isobutyl alcohol	NS	41	410	---	20 U	20 U	---
Isopropylbenzene (Cumene)	NS	45	450	190	---	---	1 U
m&p-Xylene <sup>x</sup>	10000	NA	NA	---	1 U	1 U	---
Methacrylonitrile	NS	0.19	1.9	---	10 U	10 U	---
Methyl acetate	NS	2000	20000	100 U	---	---	---
Methyl methacrylate	NS	140	1400	---	2 U	2 U	---
Methyl tert-butyl ether	NS	14	14	10 U	---	---	1 U
Methylcyclohexane <sup>c</sup>	NS	1300	13000	100 U	---	---	5 U
m&p-Xylene <sup>x</sup>	10000	NA	NA	190	---	---	2 U
Naphthalene	NS	0.17	0.17	180	---	---	2 U
n-Butylbenzene	NS	100	1000	---	---	---	2 U
n-Propylbenzene	NS	66	660	---	---	---	2 U
o-Xylene <sup>x</sup>	10000	NA	NA	26	1 U	1 U	2 U
Propionitrile	NS	NS	NS	---	10 U	10 U	---
sec-Butylbenzene	NS	200	2000	---	---	---	6.05
Styrene	100	NA	NA	10 U	2 U	2 U	2 U
tert-Butylbenzene	NS	69	690	---	---	---	2 U
Toluene	1000	NA	NA	18	2 U	2 U	2 U
Vinyl acetate	NS	41	410	---	2 U	2 U	---
Xylene, Total <sup>x</sup>	10000	NA	NA	---	2 U	2 U	6 U

**Table 2. Groundwater Monitoring Well Sample Results**  
**Volatile Organic Compounds**  
**Dresser Inc. Facility**  
**124 W. College Ave, Salisbury, Maryland**

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-3 10/13/2010 MW-3 25.4	MW-3 10/13/2010 MW-300 25.4 d	MW-3 10/31/2011 MW-3 25.4	MW-3 9/18/2012 MW-3 25	MW-3 9/18/2012 MW-3A 25 d	MW-3 12/13/2013 MW-3 20.5	MW-3 12/9/2014 MW-3 25.03
	MCL	RSL HQ = 0.1 <sup>2</sup>	RSL HQ = 1.0 <sup>2</sup>				
<b>Screening Criteria<sup>1</sup></b>							
<b>Chlorinated Volatile Organic Compounds (µg/L)</b>							
1,1,1,2-Tetrachloroethane	NS	0.57	5.7	---	---	---	---
1,1,1-Trichloroethane	200	NA	NA	1 U	1 U	1 U	1 U
1,1,2,2-Tetrachloroethane	NS	0.076	0.076	1 U	1 U	1 U	1 U
1,1,2-trichloro-1,2,2-trifluoroethane (Freon 113)	NS	1000	10000	1 U	1 U	1 U	1 U
1,1,2-Trichloroethane	5	NA	NA	1 U	1 U	1 U	1 U
1,1-Dichloroethane	NS	2.8	2.8	1 U	1 U	1 U	0.66 J
1,1-Dichloroethene	7	NA	NA	1 U	1 U	1 U	1 U
1,1-Dichloropropene	NS	NS	NS	---	---	---	---
1,2,3-Trichlorobenzene	NS	0.7	7	1 U	1 U	1 U	1 U
1,2,3-Trichloropropane	NS	0.00075	0.00075	---	---	---	---
1,2,4-Trichlorobenzene	70	NA	NA	1 U	1 U	1 U	1 U
1,2-Dibromo-3-chloropropane	0.2	NA	NA	10 U	10 U	10 U	10 U
1,2-Dibromoethane	0.005	NA	NA	---	---	---	---
1,2-Dichlorobenzene	600	NA	NA	1 U	1 U	1 U	1 U
1,2-Dichloroethane	5	NA	NA	1 U	1 U	1 U	1 U
1,2-Dichloroethene	70	NA	NA	---	---	---	---
1,2-Dichloropropane	5	NA	NA	1 U	1 U	1 U	1 U
1,3-Dichlorobenzene	NS	NS	NS	1 U	1 U	1 U	1 U
1,3-Dichloropropane	NS	37	370	---	---	---	---
1,4-Dichlorobenzene	75	NA	NA	1 U	1 U	1 U	1 U
2,2-Dichloropropane	NS	NS	NS	---	---	---	---
2-Chloroethyl vinyl ether	NS	NS	NS	---	---	---	---
4-Chlorotoluene	NS	NS	NS	---	---	---	---
Allyl chloride	NS	0.21	2.1	---	---	---	---
beta-Chloroprene	NS	NS	NS	---	---	---	---
Bromobenzene	NS	6.2	62	---	---	---	---
Bromodichloromethane	80	NA	NA	1 U	1 U	1 U	1 U
Bromoform	80	NA	NA	5 U	5 U	5 U	5 U
Carbon tetrachloride	5	NA	NA	1 U	1 U	1 U	1 U
Chlorobenzene	100	NA	NA	1 U	1 U	1 U	1 U
Chlorobromomethane	NS	8.3	83	1 U	1 U	1 U	1 U
Chloroethane	NS	2100	21000	1 U	1 U	1 U	1 U
Chloroform	80	NA	NA	1 U	1 U	1 U	1 U
cis-1,2-Dichloroethene	70	NA	NA	1 U	1 U	0.8 J	2.2
cis-1,3-Dichloropropene	NS	0.47	0.47	1 U	1 U	1 U	1 U
cis-1,4-Dichloro-2-butene	NS	0.0013	0.00130	---	---	---	---
Dibromochloromethane	80	NA	NA	1 U	1 U	1 U	1 U
Dibromomethane	NS	NS	NS	---	---	---	---
Dichlorodifluoromethane (Freon 12)	NS	20	0.87	1 U	1 U	1 U	1 U
Ethylene dibromide	0.05	NA	NA	1 U	1 U	1 U	1 U
Methyl bromide	NS	0.75	7.5	1 U	1 U	1 U	1 U
Methyl chloride	NS	19	190	1 U	1 U	1 U	1 U
Methyl iodide	NS	NS	NS	---	---	---	---
Methylene chloride	5	NA	NA	1 U	1 U	1 U	1 U
o-Chlorotoluene (2-chlorotoluene)	NS	NS	NS	---	---	---	---
Tetrachloroethene	5	NA	NA	2	2	10	9.5
trans-1,2-Dichloroethene	100	NA	NA	1 U	1 U	1 U	1 U
trans-1,3-Dichloropropene	NS	0.47	0.47	1 U	1 U	1 U	1 U
trans-1,4-Dichlorobutene	NS	0.0013	0.013	---	---	---	---
Trichloroethene	5	NA	NA	1 U	1 U	1 U	0.66 J
Trichlorofluoromethane (Freon 11)	NS	520	5200	5 U	5 U	5 U	5 U
Vinyl chloride	2	NA	NA	1 U	1 U	1 U	1.3
<b>Petroleum Volatile Organic Compounds (µg/L)</b>							
1,2,4-Trimethylbenzene	NS	5.6	56	1 U	1 U	---	1 U
1,3,5-Trimethylbenzene	NS	6	60	1 U	1 U	---	1 U
1,4-Dioxane	NS	0.46	0.46	---	---	---	100 U
2-Butanone	NS	560	5600	10 U	10 U	10 U	10 U
2-Hexanone	NS	3.8	38	10 U	10 U	10 U	10 U
4-Isopropyltoluene	NS	NS	NS	---	---	---	---
4-Methyl-2-pentanone	NS	630	6300	5 U	5 U	5 U	5 U
Acetone	NS	1400	14000	10 U	10 U	10 U	10 U
Acetonitrile	NS	13	130	---	---	---	---
Acrolein	NS	0.0042	0.042	---	---	---	---
Acrylonitrile	NS	0.052	0.52	---	---	---	---
Benzene	5	NA	NA	1 U	1 U	1 U	1 U
Carbon disulfide	NS	81	810	10 U	10 U	10 U	10 U
Cyclohexane	NS	1300	13000	10 U	10 U	10 U	10 U
Ethyl methacrylate	NS	63	630	---	---	---	---
Ethylbenzene	700	NA	NA	1 U	1 U	1 U	1 U
Isobutyl alcohol	NS	41	410	---	---	---	---
Isopropylbenzene (Cumene)	NS	45	450	1 U	1 U	1 U	1 U
m&p-Xylene <sup>x</sup>	10000	NA	NA	---	---	---	---
Methacrylonitrile	NS	0.19	1.9	---	---	---	---
Methyl acetate	NS	2000	20000	10 U	10 U	10 U	10 U
Methyl methacrylate	NS	140	1400	---	---	---	---
Methyl tert-butyl ether	NS	14	14	1 U	1 U	1 U	1 U
Methylcyclohexane <sup>c</sup>	NS	1300	13000	10 U	10 U	10 U	10 U
m&p-Xylene <sup>x</sup>	10000	NA	NA	2 U	2 U	2 U	2 U
Naphthalene	NS	0.17	0.17	1 U	1 U	1 U	2.6
n-Butylbenzene	NS	100	1000	---	---	---	---
n-Propylbenzene	NS	66	660	---	---	---	---
o-Xylene <sup>x</sup>	10000	NA	NA	1 U	1 U	1 U	1 U
Propionitrile	NS	NS	NS	---	---	---	---
sec-Butylbenzene	NS	200	2000	---	---	---	---
Styrene	100	NA	NA	1 U	1 U	1 U	1 U
tert-Butylbenzene	NS	69	690	---	---	---	---
Toluene	1000	NA	NA	1 U	1 U	1 U	1 U
Vinyl acetate	NS	41	410	---	---	---	---
Xylene, Total <sup>x</sup>	10000	NA	NA	---	---	---	---

**Table 2. Groundwater Monitoring Well Sample Results**  
**Volatile Organic Compounds**  
**Dresser Inc. Facility**  
**124 W. College Ave, Salisbury, Maryland**

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-3 12/8/2015 MW-3 25	MW-3 12/8/2015 MW-3A 25 d	MW-3 5/4/2016 MW-3 25	MW-3 11/8/2016 MW-3 22.9	MW-3 3/22/2018 MW-3 24.73	MW-4 9/7/2002 MW-4 TT	MW-4 9/12/2003 MW-4 TT	MW-4 3/29/2006 MW-4 24.5
	MCL	RSL HQ = 0.1 <sup>2</sup>	RSL HQ = 1.0 <sup>2</sup>					
<b>Screening Criteria<sup>1</sup></b>								
<b>Chlorinated Volatile Organic Compounds (µg/L)</b>								
1,1,1,2-Tetrachloroethane	NS	0.57	5.7	---	---	---	---	---
1,1,1-Trichloroethane	200	NA	NA	1 U	1 U	1 U	1 U	---
1,1,2,2-Tetrachloroethane	NS	0.076	0.076	1 U	1 U	1 U	1 U	---
1,1,2-trichloro-1,2,2-trifluoroethane (Freon 113)	NS	1000	10000	1 U	1 U	1 U	1 U	---
1,1,2-Trichloroethane	5	NA	NA	1 U	1 U	1 U	1 U	---
1,1-Dichloroethane	NS	2.8	2.8	1 U	1 U	1 U	1 U	---
1,1-Dichloroethene	7	NA	NA	1 U	1 U	1 U	1 U	---
1,1-Dichloropropene	NS	NS	NS	---	---	---	---	---
1,2,3-Trichlorobenzene	NS	0.7	7	1 U	1 U	1 U	1 U	---
1,2,3-Trichloropropane	NS	0.00075	0.00075	---	---	---	---	---
1,2,4-Trichlorobenzene	70	NA	NA	1 U	1 U	1 U	1 U	---
1,2-Dibromo-3-chloropropane	0.2	NA	NA	10 U	10 U	10 U	10 U	---
1,2-Dibromoethane	0.005	NA	NA	---	---	---	---	---
1,2-Dichlorobenzene	600	NA	NA	1 U	1 U	1 U	1 U	---
1,2-Dichloroethane	5	NA	NA	1 U	1 U	1 U	1 U	---
1,2-Dichloroethene	70	NA	NA	---	---	---	---	---
1,2-Dichloropropane	5	NA	NA	1 U	1 U	1 U	1 U	---
1,3-Dichlorobenzene	NS	NS	NS	1 U	1 U	1 U	1 U	---
1,3-Dichloropropane	NS	37	370	---	---	---	---	---
1,4-Dichlorobenzene	75	NA	NA	1 U	1 U	1 U	1 U	---
2,2-Dichloropropane	NS	NS	NS	---	---	---	---	---
2-Chloroethyl vinyl ether	NS	NS	NS	---	---	---	---	---
4-Chlorotoluene	NS	NS	NS	---	---	---	---	---
Allyl chloride	NS	0.21	2.1	---	---	---	---	---
beta-Chloroprene	NS	NS	NS	---	---	---	---	---
Bromobenzene	NS	6.2	62	---	---	---	---	---
Bromodichloromethane	80	NA	NA	1 U	1 U	1 U	1 U	---
Bromoform	80	NA	NA	5 U	5 U	5 U	5 U	---
Carbon tetrachloride	5	NA	NA	1 U	1 U	1 U	1 U	---
Chlorobenzene	100	NA	NA	1 U	1 U	1 U	1 U	---
Chlorobromomethane	NS	8.3	83	1 U	1 U	1 U	1 U	---
Chloroethane	NS	2100	21000	1 U	1 U	1 U	1 U	---
Chloroform	80	NA	NA	1 U	1 U	1 U	1 U	---
cis-1,2-Dichloroethene	70	NA	NA	1 U	1 U	1 U	1 U	---
cis-1,3-Dichloropropene	NS	0.47	0.47	1 U	1 U	1 U	1 U	---
cis-1,4-Dichloro-2-butene	NS	0.0013	0.00130	---	---	---	---	---
Dibromochloromethane	80	NA	NA	1 U	1 U	1 U	1 U	---
Dibromomethane	NS	NS	NS	---	---	---	---	---
Dichlorodifluoromethane (Freon 12)	NS	20	0.87	1 U	1 U	1 U	1 U	---
Ethylene dibromide	0.05	NA	NA	1 U	1 U	1 U	1 U	---
Methyl bromide	NS	0.75	7.5	1 U	1 U	1 U	1 U	---
Methyl chloride	NS	19	190	1 U	1 U	1 U	1 U	---
Methyl iodide	NS	NS	NS	---	---	---	---	---
Methylene chloride	5	NA	NA	1 U	1 U	1 U	1 U	---
o-Chlorotoluene (2-chlorotoluene)	NS	NS	NS	---	---	---	---	---
Tetrachloroethane	5	NA	NA	6.9	6.6	2.7	1.4	1.9
trans-1,2-Dichloroethene	100	NA	NA	1 U	1 U	1 U	1 U	---
trans-1,3-Dichloropropene	NS	0.47	0.47	1 U	1 U	1 U	1 U	---
trans-1,4-Dichlorobutene	NS	0.0013	0.013	---	---	---	---	---
Trichloroethene	5	NA	NA	1 U	1 U	1 U	1 U	---
Trichlorofluoromethane (Freon 11)	NS	520	5200	5 U	5 U	5 U	5 U	---
Vinyl chloride	2	NA	NA	1 U	1 U	1 U	1 U	---
<b>Petroleum Volatile Organic Compounds (µg/L)</b>								
1,2,4-Trimethylbenzene	NS	5.6	56	1 U	1 U	1 U	1 U	---
1,3,5-Trimethylbenzene	NS	6	60	1 U	1 U	1 U	1 U	---
1,4-Dioxane	NS	0.46	0.46	100 U	100 U	100 U	100 U	---
2-Butanone	NS	560	5600	10 U	10 U	10 U	10 U	---
2-Hexanone	NS	3.8	38	10 U	10 U	10 U	10 U	---
4-Isopropyltoluene	NS	NS	NS	---	---	---	---	---
4-Methyl-2-pentanone	NS	630	6300	5 U	5 U	5 U	5 U	---
Acetone	NS	1400	14000	10 U	10 U	10 U	6.9 J	---
Acetonitrile	NS	13	130	---	---	---	---	---
Acrolein	NS	0.0042	0.042	---	---	---	---	---
Acrylonitrile	NS	0.052	0.52	---	---	---	---	---
Benzene	5	NA	NA	1 U	1 U	1 U	1 U	---
Carbon disulfide	NS	81	810	10 U	10 U	10 U	10 U	---
Cyclohexane	NS	1300	13000	10 U	10 U	10 U	10 U	---
Ethyl methacrylate	NS	63	630	---	---	---	---	---
Ethylbenzene	700	NA	NA	1 U	1 U	1 U	1 U	---
Isobutyl alcohol	NS	41	410	---	---	---	---	---
Isopropylbenzene (Cumene)	NS	45	450	1 U	1 U	1 U	1 U	---
m&p-Xylene <sup>x</sup>	10000	NA	NA	---	---	---	---	---
Methacrylonitrile	NS	0.19	1.9	---	---	---	---	---
Methyl acetate	NS	2000	20000	10 U	10 U	10 U	10 U	---
Methyl methacrylate	NS	140	1400	---	---	---	---	---
Methyl tert-butyl ether	NS	14	14	1 U	1 U	1 U	1 U	---
Methylcyclohexane <sup>c</sup>	NS	1300	13000	10 U	10 U	10 U	10 U	---
m&p-Xylene <sup>x</sup>	10000	NA	NA	2 U	2 U	2 U	2 U	---
Naphthalene	NS	0.17	0.17	1 U	1 U	1 U	1 U	---
n-Butylbenzene	NS	100	1000	---	---	---	---	---
n-Propylbenzene	NS	66	660	---	---	---	---	---
o-Xylene <sup>x</sup>	10000	NA	NA	1 U	1 U	1 U	1 U	---
Propionitrile	NS	NS	NS	---	---	---	---	---
sec-Butylbenzene	NS	200	2000	---	---	---	---	---
Styrene	100	NA	NA	1 U	1 U	1 U	1 U	---
tert-Butylbenzene	NS	69	690	---	---	---	---	---
Toluene	1000	NA	NA	1 U	1 U	1 U	1 U	---
Vinyl acetate	NS	41	410	---	---	---	---	---
Xylene, Total <sup>x</sup>	10000	NA	NA	---	---	---	---	---

**Table 2. Groundwater Monitoring Well Sample Results**  
**Volatile Organic Compounds**  
**Dresser Inc. Facility**  
**124 W. College Ave, Salisbury, Maryland**

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-4 5/16/2007 MW-4 24.5	MW-4 11/18/2008 MW-4 25.01	MW-4 11/18/2008 MW-4D 25.01 d	MW-4 10/14/2010 MW-4 23.95	MW-4 10/14/2010 MW-400 23.95 d	MW-4 11/1/2011 MW-4 23.7	MW-4 9/18/2012 MW-4 24.6
	MCL	RSL HQ = 0.1 <sup>2</sup>	RSL HQ = 1.0 <sup>2</sup>				
<b>Screening Criteria<sup>1</sup></b>							
<b>Chlorinated Volatile Organic Compounds (µg/L)</b>							
1,1,1,2-Tetrachloroethane	NS	0.57	5.7	---	---	---	---
1,1,1-Trichloroethane	200	NA	NA	1 U	1 U	1 U	5 U
1,1,2,2-Tetrachloroethane	NS	0.076	0.076	---	1 U	1 U	5 U
1,1,2-trichloro-1,2,2-trifluoroethane (Freon 113)	NS	1000	10000	---	1 U	1 U	5 U
1,1,2-Trichloroethane	5	NA	NA	1 U	1 U	1 U	5 U
1,1-Dichloroethane	NS	2.8	2.8	1 U	1 U	1 U	5 U
1,1-Dichloroethene	7	NA	NA	1 U	1 U	1 U	5 U
1,1-Dichloropropene	NS	NS	NS	---	---	---	---
1,2,3-Trichlorobenzene	NS	0.7	7	---	1 U	1 U	5 U
1,2,3-Trichloropropane	NS	0.00075	0.00075	---	---	---	---
1,2,4-Trichlorobenzene	70	NA	NA	1 U	1 U	1 U	5 U
1,2-Dibromo-3-chloropropane	0.2	NA	NA	---	10 U	10 U	50 U
1,2-Dibromoethane	0.005	NA	NA	---	---	---	---
1,2-Dichlorobenzene	600	NA	NA	---	1 U	1 U	5 U
1,2-Dichloroethane	5	NA	NA	1 U	1 U	1 U	5 U
1,2-Dichloroethene	70	NA	NA	---	---	---	---
1,2-Dichloropropane	5	NA	NA	---	1 U	1 U	5 U
1,3-Dichlorobenzene	NS	NS	NS	1 U	1 U	1 U	5 U
1,3-Dichloropropane	NS	37	370	---	---	---	---
1,4-Dichlorobenzene	75	NA	NA	---	1 U	1 U	5 U
2,2-Dichloropropane	NS	NS	NS	---	---	---	---
2-Chloroethyl vinyl ether	NS	NS	NS	---	---	---	---
4-Chlorotoluene	NS	NS	NS	---	---	---	---
Allyl chloride	NS	0.21	2.1	---	---	---	---
beta-Chloroprene	NS	NS	NS	---	---	---	---
Bromobenzene	NS	6.2	62	---	---	---	---
Bromodichloromethane	80	NA	NA	---	1 U	1 U	5 U
Bromoform	80	NA	NA	---	5 U	5 U	25 U
Carbon tetrachloride	5	NA	NA	---	1 U	1 U	5 U
Chlorobenzene	100	NA	NA	---	1 U	1 U	5 U
Chlorobromomethane	NS	8.3	83	---	1 U	1 U	5 U
Chloroethane	NS	2100	21000	---	1 U	1 U	5 U
Chloroform	80	NA	NA	---	1 U	1 U	5 U
cis-1,2-Dichloroethene	70	NA	NA	1 U	1 U	1 U	5 U
cis-1,3-Dichloropropene	NS	0.47	0.47	---	1 U	1 U	5 U
cis-1,4-Dichloro-2-butene	NS	0.0013	0.00130	---	---	---	---
Dibromochloromethane	80	NA	NA	---	1 U	1 U	5 U
Dibromomethane	NS	NS	NS	---	---	---	---
Dichlorodifluoromethane (Freon 12)	NS	20	0.87	---	1 U	1 U	5 U
Ethylene dibromide	0.05	NA	NA	---	1 U	1 U	5 U
Methyl bromide	NS	0.75	7.5	---	1 U	1 U	5 U
Methyl chloride	NS	19	190	1 U	1 U	1 U	5 U
Methyl iodide	NS	NS	NS	---	---	---	---
Methylene chloride	5	NA	NA	1 U	1 U	1 U	5 U
o-Chlorotoluene (2-chlorotoluene)	NS	NS	NS	---	---	---	---
Tetrachloroethane	5	NA	NA	1 U	1 U	1 U	5 U
trans-1,2-Dichloroethene	100	NA	NA	---	1 U	1 U	5 U
trans-1,3-Dichloropropene	NS	0.47	0.47	---	1 U	1 U	5 U
trans-1,4-Dichlorobutene	NS	0.0013	0.013	---	---	---	---
Trichloroethene	5	NA	NA	1 U	1 U	1 U	5 U
Trichlorofluoromethane (Freon 11)	NS	520	5200	5 U	5 U	5 U	25 U
Vinyl chloride	2	NA	NA	1 U	1 U	1 U	5 U
<b>Petroleum Volatile Organic Compounds (µg/L)</b>							
1,2,4-Trimethylbenzene	NS	5.6	56	---	---	1 U	5 U
1,3,5-Trimethylbenzene	NS	6	60	---	---	1 U	5 U
1,4-Dioxane	NS	0.46	0.46	---	---	---	---
2-Butanone	NS	560	5600	10 U	10 U	10 U	50 U
2-Hexanone	NS	3.8	38	---	10 U	10 U	50 U
4-Isopropyltoluene	NS	NS	NS	---	---	---	---
4-Methyl-2-pentanone	NS	630	6300	5 U	5 U	5 U	25 U
Acetone	NS	1400	14000	10 U	10 U	10 U	50 U
Acetonitrile	NS	13	130	---	---	---	---
Acrolein	NS	0.0042	0.042	---	---	---	---
Acrylonitrile	NS	0.052	0.52	---	---	---	---
Benzene	5	NA	NA	1 U	1 U	1 U	5 U
Carbon disulfide	NS	81	810	10 U	10 U	10 U	50 U
Cyclohexane	NS	1300	13000	10 U	10 U	10 U	50 U
Ethyl methacrylate	NS	63	630	---	---	---	---
Ethylbenzene	700	NA	NA	1 U	1 U	1 U	5 U
Isobutyl alcohol	NS	41	410	---	---	---	---
Isopropylbenzene (Cumene)	NS	45	450	1 U	1 U	1 U	5 U
m&p-Xylene <sup>x</sup>	10000	NA	NA	---	---	---	---
Methacrylonitrile	NS	0.19	1.9	---	---	---	---
Methyl acetate	NS	2000	20000	---	10 U	10 U	50 U
Methyl methacrylate	NS	140	1400	---	---	---	---
Methyl tert-butyl ether	NS	14	14	1 U	1 U	1 U	5 U
Methylcyclohexane <sup>c</sup>	NS	1300	13000	10 U	10 U	10 U	50 U
m&p-Xylene <sup>x</sup>	10000	NA	NA	2 U	2 U	2 U	10 U
Naphthalene	NS	0.17	0.17	1 U	1 U	1 U	5 U
n-Butylbenzene	NS	100	1000	---	---	---	---
n-Propylbenzene	NS	66	660	---	---	---	---
o-Xylene <sup>x</sup>	10000	NA	NA	1 U	1 U	1 U	5 U
Propionitrile	NS	NS	NS	---	---	---	---
sec-Butylbenzene	NS	200	2000	---	---	---	---
Styrene	100	NA	NA	---	1 U	1 U	5 U
tert-Butylbenzene	NS	69	690	---	---	---	---
Toluene	1000	NA	NA	1 U	1 U	1 U	5 U
Vinyl acetate	NS	41	410	---	---	---	---
Xylene, Total <sup>x</sup>	10000	NA	NA	1 U	---	---	---

**Table 2. Groundwater Monitoring Well Sample Results**  
**Volatile Organic Compounds**  
**Dresser Inc. Facility**  
**124 W. College Ave, Salisbury, Maryland**

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-4 12/16/2013 MW-4 23.4	MW-4 12/9/2014 MW-4 24.5	MW-4 12/8/2015 MW-4 23.7	MW-4 5/4/2016 MW-4 23.7	MW-4 11/9/2016 MW-4 22.3	MW-5 11/6/2002 MW-5 TT	MW-5 11/6/2002 MW-5 TT, d			
	MCL	RSL HQ = 0.1 <sup>2</sup>	RSL HQ = 1.0 <sup>2</sup>							
<b>Screening Criteria<sup>1</sup></b>										
<b>Chlorinated Volatile Organic Compounds (µg/L)</b>										
1,1,1,2-Tetrachloroethane	NS	0.57	5.7	---	---	---	2 U			
1,1,1-Trichloroethane	200	NA	NA	1 U	1 U	1 U	2 U			
1,1,2,2-Tetrachloroethane	NS	0.076	0.076	1 U	1 U	1 U	2 U			
1,1,2-trichloro-1,2,2-trifluoroethane (Freon 113)	NS	1000	10000	1 U	1 U	1 U	---			
1,1,2-Trichloroethane	5	NA	NA	1 U	1 U	1 U	2 U			
1,1-Dichloroethane	NS	2.8	2.8	1 U	1 U	1 U	2 U			
1,1-Dichloroethene	7	NA	NA	1 U	1 U	1 U	2 U			
1,1-Dichloropropene	NS	NS	NS	---	---	---	2 U			
1,2,3-Trichlorobenzene	NS	0.7	7	1 U	1 U	1 U	---			
1,2,3-Trichloropropane	NS	0.00075	0.00075	---	---	---	2 U			
1,2,4-Trichlorobenzene	70	NA	NA	1 U	1 U	1 U	---			
1,2-Dibromo-3-chloropropane	0.2	NA	NA	10 U	10 U	10 U	2 U			
1,2-Dibromoethane	0.005	NA	NA	---	---	---	2 U			
1,2-Dichlorobenzene	600	NA	NA	1 U	1 U	1 U	2 U			
1,2-Dichloroethane	5	NA	NA	1 U	1 U	1 U	2 U			
1,2-Dichloroethene	70	NA	NA	---	---	---	2 U			
1,2-Dichloropropane	5	NA	NA	1 U	1 U	1 U	2 U			
1,3-Dichlorobenzene	NS	NS	NS	1 U	1 U	1 U	2 U			
1,3-Dichloropropane	NS	37	370	---	---	---	2 U			
1,4-Dichlorobenzene	75	NA	NA	1 U	1 U	1 U	2 U			
2,2-Dichloropropane	NS	NS	NS	---	---	---	2 U			
2-Chloroethyl vinyl ether	NS	NS	NS	---	---	---	10 U			
4-Chlorotoluene	NS	NS	NS	---	---	---	---			
Allyl chloride	NS	0.21	2.1	---	---	---	4 U			
beta-Chloroprene	NS	NS	NS	---	---	---	2 U			
Bromobenzene	NS	6.2	62	---	---	---	---			
Bromodichloromethane	80	NA	NA	1 U	1 U	1 U	2 U			
Bromoform	80	NA	NA	5 U	5 U	5 U	2 U			
Carbon tetrachloride	5	NA	NA	1 U	1 U	1 U	2 U			
Chlorobenzene	100	NA	NA	1 U	1 U	1 U	2 U			
Chlorobromomethane	NS	8.3	83	1 U	1 U	1 U	2 U			
Chloroethane	NS	2100	21000	1 U	1 U	1 U	2 U			
Chloroform	80	NA	NA	1 U	1 U	1 U	2 U			
cis-1,2-Dichloroethene	70	NA	NA	1 U	1 U	1 U	2 U			
cis-1,3-Dichloropropene	NS	0.47	0.47	1 U	1 U	1 U	2 U			
cis-1,4-Dichloro-2-butene	NS	0.0013	0.00130	---	---	---	4 U			
Dibromochloromethane	80	NA	NA	1 U	1 U	1 U	2 U			
Dibromomethane	NS	NS	NS	---	---	---	2 U			
Dichlorodifluoromethane (Freon 12)	NS	20	0.87	1 U	1 U	1 U	2 U			
Ethylene dibromide	0.05	NA	NA	1 U	1 U	1 U	---			
Methyl bromide	NS	0.75	7.5	1 U	1 U	1 U	2 U			
Methyl chloride	NS	19	190	1 U	1 U	1 U	2 U			
Methyl iodide	NS	NS	NS	---	---	---	2 U			
Methylene chloride	5	NA	NA	1 U	1 U	1 U	2 U			
o-Chlorotoluene (2-chlorotoluene)	NS	NS	NS	---	---	---	---			
Tetrachloroethene	5	NA	NA	1 U	1.6	5.1	2.5	3.6	37.2	36.3
trans-1,2-Dichloroethene	100	NA	NA	1 U	1 U	1 U	1 U	1 U	2 U	2 U
trans-1,3-Dichloropropene	NS	0.47	0.47	1 U	1 U	1 U	1 U	1 U	2 U	2 U
trans-1,4-Dichlorobutene	NS	0.0013	0.013	---	---	---	---	---	4 U	4 U
Trichloroethene	5	NA	NA	1 U	1 U	1 U	1 U	1.4	2 U	2 U
Trichlorofluoromethane (Freon 11)	NS	520	5200	5 U	5 U	5 U	5 U	5 U	2 U	2 U
Vinyl chloride	2	NA	NA	1 U	1 U	1 U	1 U	1 U	2 U	2 U
<b>Petroleum Volatile Organic Compounds (µg/L)</b>										
1,2,4-Trimethylbenzene	NS	5.6	56	1 U	1.2	1 U	1 U	1 U	---	---
1,3,5-Trimethylbenzene	NS	6	60	1 U	1 U	1 U	1 U	1 U	---	---
1,4-Dioxane	NS	0.46	0.46	---	100 U	100 U	100 U	100 U	10 U	10 U
2-Butanone	NS	560	5600	10 U	10 U	10 U	10 U	10 U	10 U	10 U
2-Hexanone	NS	3.8	38	10 U	10 U	10 U	10 U	10 U	10 U	10 U
4-Isopropyltoluene	NS	NS	NS	---	---	---	---	---	---	---
4-Methyl-2-pentanone	NS	630	6300	5 U	5 U	5 U	5 U	5 U	10 U	10 U
Acetone	NS	1400	14000	10 U	10 U	10 U	10 U	10 U	10 U	10 U
Acetonitrile	NS	13	130	---	---	---	---	---	10 U	10 U
Acrolein	NS	0.0042	0.042	---	---	---	---	---	10 U	10 U
Acrylonitrile	NS	0.052	0.52	---	---	---	---	---	10 U	10 U
Benzene	5	NA	NA	1 U	1 U	1 U	1 U	1 U	2 U	2 U
Carbon disulfide	NS	81	810	10 U	10 U	10 U	10 U	10 U	2 U	2 U
Cyclohexane	NS	1300	13000	10 U	10 U	10 U	10 U	10 U	---	---
Ethyl methacrylate	NS	63	630	---	---	---	---	---	2 U	2 U
Ethylbenzene	700	NA	NA	1 U	1 U	1 U	1 U	1 U	2 U	2 U
Isobutyl alcohol	NS	41	410	---	---	---	---	---	20 U	20 U
Isopropylbenzene (Cumene)	NS	45	450	1 U	1 U	1 U	1 U	1 U	---	---
m&p-Xylene <sup>x</sup>	10000	NA	NA	---	---	---	---	---	1 U	1 U
Methacrylonitrile	NS	0.19	1.9	---	---	---	---	---	10 U	10 U
Methyl acetate	NS	2000	20000	10 U	10 U	10 U	10 U	10 U	---	---
Methyl methacrylate	NS	140	1400	---	---	---	---	---	2 U	2 U
Methyl tert-butyl ether	NS	14	14	1 U	1 U	1 U	1 U	1 U	---	---
Methylcyclohexane <sup>c</sup>	NS	1300	13000	10 U	10 U	10 U	10 U	10 U	---	---
m&p-Xylene <sup>x</sup>	10000	NA	NA	2 U	2 U	2 U	2 U	2 U	---	---
Naphthalene	NS	0.17	0.17	1 U	1 U	1 U	1 U	1 U	---	---
n-Butylbenzene	NS	100	1000	---	---	---	---	---	---	---
n-Propylbenzene	NS	66	660	---	---	---	---	---	---	---
o-Xylene <sup>x</sup>	10000	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Propionitrile	NS	NS	NS	---	---	---	---	---	10 U	10 U
sec-Butylbenzene	NS	200	2000	---	---	---	---	---	---	---
Styrene	100	NA	NA	1 U	1 U	1 U	1 U	1 U	2 U	2 U
tert-Butylbenzene	NS	69	690	---	---	---	---	---	---	---
Toluene	1000	NA	NA	1 U	1 U	1 U	1 U	1 U	2 U	2 U
Vinyl acetate	NS	41	410	---	---	---	---	---	2 U	2 U
Xylene, Total <sup>x</sup>	10000	NA	NA	---	---	---	---	---	2 U	2 U

**Table 2. Groundwater Monitoring Well Sample Results**  
**Volatile Organic Compounds**  
**Dresser Inc. Facility**  
**124 W. College Ave, Salisbury, Maryland**

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-5 9/16/2003 MW-5	MW-5 3/30/2006 MW-5 26.55 d	MW-5 3/30/2006 MW-5MS/MSD 26.55	MW-5 5/17/2007 MW-5 26.55	MW-5 5/17/2007 MW-5D4 26.55 d	MW-5 11/18/2008 MW-5 26.6	MW-5 3/4/2009 MW-5 26.9
	TT						
<b>Screening Criteria<sup>1</sup></b>	<b>MCL</b>	<b>RSL HQ = 0.1<sup>2</sup></b>	<b>RSL HQ = 1.0<sup>2</sup></b>				
<b>Chlorinated Volatile Organic Compounds (µg/L)</b>							
1,1,1,2-Tetrachloroethane	NS	0.57	5.7	5 U	---	---	---
1,1,1-Trichloroethane	200	NA	NA	5 U	1 U	1 U	1 U
1,1,2,2-Tetrachloroethane	NS	0.076	0.076	5 U	---	---	1 U
1,1,2-trichloro-1,2,2-trifluoroethane (Freon 113)	NS	1000	10000	---	---	---	1 U
1,1,2-Trichloroethane	5	NA	NA	5 U	1 U	1 U	1 U
1,1-Dichloroethane	NS	2.8	2.8	5 U	1 U	1 U	1 U
1,1-Dichloroethene	7	NA	NA	5 U	1 U	1 U	1 U
1,1-Dichloropropene	NS	NS	NS	5 U	---	---	---
1,2,3-Trichlorobenzene	NS	0.7	7	5 U	---	---	1 U
1,2,3-Trichloropropane	NS	0.00075	0.00075	5 U	---	---	---
1,2,4-Trichlorobenzene	70	NA	NA	5 U	1 U	1 U	1 U
1,2-Dibromo-3-chloropropane	0.2	NA	NA	5 U	---	---	10 U
1,2-Dibromoethane	0.005	NA	NA	5 U	---	---	---
1,2-Dichlorobenzene	600	NA	NA	5 U	---	---	1 U
1,2-Dichloroethane	5	NA	NA	5 U	1 U	1 U	1 U
1,2-Dichloroethene	70	NA	NA	---	---	---	---
1,2-Dichloropropane	5	NA	NA	5 U	---	---	1 U
1,3-Dichlorobenzene	NS	NS	NS	5 U	1 U	1 U	1 U
1,3-Dichloropropane	NS	37	370	5 U	---	---	---
1,4-Dichlorobenzene	75	NA	NA	5 U	---	---	1 U
2,2-Dichloropropane	NS	NS	NS	5 U	---	---	---
2-Chloroethyl vinyl ether	NS	NS	NS	20 U	---	---	---
4-Chlorotoluene	NS	NS	NS	5 U	---	---	---
Allyl chloride	NS	0.21	2.1	---	---	---	---
beta-Chloroprene	NS	NS	NS	---	---	---	---
Bromobenzene	NS	6.2	62	5 U	---	---	---
Bromodichloromethane	80	NA	NA	5 U	---	---	1 U
Bromoform	80	NA	NA	5 U	---	---	5 U
Carbon tetrachloride	5	NA	NA	5 U	---	---	1 U
Chlorobenzene	100	NA	NA	5 U	---	---	1 U
Chlorobromomethane	NS	8.3	83	5 U	---	---	1 U
Chloroethane	NS	2100	21000	5 U	---	---	1 U
Chloroform	80	NA	NA	5 U	---	---	1 U
cis-1,2-Dichloroethene	70	NA	NA	5 U	1 U	1 U	1 U
cis-1,3-Dichloropropene	NS	0.47	0.47	5 U	---	---	1 U
cis-1,4-Dichloro-2-butene	NS	0.0013	0.00130	---	---	---	---
Dibromochloromethane	80	NA	NA	5 U	---	---	1 U
Dibromomethane	NS	NS	NS	5 U	---	---	---
Dichlorodifluoromethane (Freon 12)	NS	20	0.87	5 U	---	---	1 U
Ethylene dibromide	0.05	NA	NA	---	---	---	1 U
Methyl bromide	NS	0.75	7.5	5 U	---	---	1 U
Methyl chloride	NS	19	190	5 U	1 U	1 U	1 U
Methyl iodide	NS	NS	NS	5 U	---	---	---
Methylene chloride	5	NA	NA	5 U	5 U	5 U	1 U
o-Chlorotoluene (2-chlorotoluene)	NS	NS	NS	5 U	---	---	---
Tetrachloroethene	5	NA	NA	34.6	87	85	65
trans-1,2-Dichloroethene	100	NA	NA	5 U	---	---	1 U
trans-1,3-Dichloropropene	NS	0.47	0.47	5 U	---	---	1 U
trans-1,4-Dichlorobutene	NS	0.0013	0.013	5 U	---	---	---
Trichloroethene	5	NA	NA	5 U	1 U	1 U	1 U
Trichlorofluoromethane (Freon 11)	NS	520	5200	5 U	5 U	5 U	5 U
Vinyl chloride	2	NA	NA	5 U	5 U	5 U	1 U
<b>Petroleum Volatile Organic Compounds (µg/L)</b>							
1,2,4-Trimethylbenzene	NS	5.6	56	5 U	---	---	2
1,3,5-Trimethylbenzene	NS	6	60	5 U	---	---	0.6 J
1,4-Dioxane	NS	0.46	0.46	---	---	---	---
2-Butanone	NS	560	5600	10 U	5 U	5 U	10 U
2-Hexanone	NS	3.8	38	10 U	---	---	10 U
4-Isopropyltoluene	NS	NS	NS	5 U	---	---	---
4-Methyl-2-pentanone	NS	630	6300	10 U	5 U	5 U	5 U
Acetone	NS	1400	14000	5.8 J	5 U	5 U	10 U
Acetonitrile	NS	13	130	---	---	---	---
Acrolein	NS	0.0042	0.042	---	---	---	---
Acrylonitrile	NS	0.052	0.52	---	---	---	---
Benzene	5	NA	NA	5 U	1 U	1 U	1 U
Carbon disulfide	NS	81	810	5 U	1 U	10 U	10 U
Cyclohexane	NS	1300	13000	---	5 U	5 U	10 U
Ethyl methacrylate	NS	63	630	---	---	---	---
Ethylbenzene	700	NA	NA	5 U	1 U	1 U	1 U
Isobutyl alcohol	NS	41	410	---	---	---	---
Isopropylbenzene (Cumene)	NS	45	450	---	1 U	1 U	1 U
m&p-Xylene <sup>x</sup>	10000	NA	NA	---	---	---	---
Methacrylonitrile	NS	0.19	1.9	---	---	---	---
Methyl acetate	NS	2000	20000	---	---	---	10 U
Methyl methacrylate	NS	140	1400	---	---	---	---
Methyl tert-butyl ether	NS	14	14	5 U	1 U	1 U	1 U
Methylcyclohexane <sup>c</sup>	NS	1300	13000	---	5 U	5 U	10 U
m&p-Xylene <sup>x</sup>	10000	NA	NA	---	2 U	2 U	2 U
Naphthalene	NS	0.17	0.17	5 U	1 U	1 U	1 U
n-Butylbenzene	NS	100	1000	5 U	---	---	---
n-Propylbenzene	NS	66	660	5 U	---	---	---
o-Xylene <sup>x</sup>	10000	NA	NA	5 U	1 U	1 U	1 U
Propionitrile	NS	NS	NS	---	---	---	---
sec-Butylbenzene	NS	200	2000	5 U	---	---	---
Styrene	100	NA	NA	5 U	---	---	1 U
tert-Butylbenzene	NS	69	690	5 U	---	---	---
Toluene	1000	NA	NA	5 U	1 U	1 U	1 U
Vinyl acetate	NS	41	410	---	---	---	---
Xylene, Total <sup>x</sup>	10000	NA	NA	---	1 U	1 U	1 U

**Table 2. Groundwater Monitoring Well Sample Results**  
**Volatile Organic Compounds**  
**Dresser Inc. Facility**  
**124 W. College Ave, Salisbury, Maryland**

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-6 11/6/2002 MW-6	MW-6 9/16/2003 MW-6	MW-6 3/29/2006 MW-6 24.7	MW-6 5/18/2007 MW-6D4 24.7 d	MW-6 5/18/2007 MW-6MS/MSD 24.7	MW-6 11/18/2008 MW-6 27	MW-6 10/13/2010 MW-6 MS/MSD 27.04
	TT	TT					
<b>Screening Criteria<sup>1</sup></b>	<b>MCL</b>	<b>RSL HQ = 0.1<sup>2</sup></b>	<b>RSL HQ = 1.0<sup>2</sup></b>				
<b>Chlorinated Volatile Organic Compounds (µg/L)</b>							
1,1,1,2-Tetrachloroethane	NS	0.57	5.7	2 U	5 U	---	---
1,1,1-Trichloroethane	200	NA	NA	2 U	5 U	10 U	5 U
1,1,2,2-Tetrachloroethane	NS	0.076	0.076	2 U	5 U	---	---
1,1,2-trichloro-1,2,2-trifluoroethane (Freon 113)	NS	1000	10000	---	---	---	---
1,1,2-Trichloroethane	5	NA	NA	2 U	5 U	10 U	5 U
1,1-Dichloroethane	NS	2.8	2.8	2 U	5 U	10 U	5 U
1,1-Dichloroethene	7	NA	NA	2 U	5 U	10 U	5 U
1,1-Dichloropropene	NS	NS	NS	2 U	5 U	---	---
1,2,3-Trichlorobenzene	NS	0.7	7	---	5 U	---	---
1,2,3-Trichloropropane	NS	0.00075	0.00075	2 U	5 U	---	---
1,2,4-Trichlorobenzene	70	NA	NA	---	5 U	10 U	5 U
1,2-Dibromo-3-chloropropane	0.2	NA	NA	2 U	5 U	---	---
1,2-Dibromoethane	0.005	NA	NA	2 U	5 U	---	---
1,2-Dichlorobenzene	600	NA	NA	2 U	5 U	---	---
1,2-Dichloroethane	5	NA	NA	2 U	5 U	10 U	5 U
1,2-Dichloroethene	70	NA	NA	2 U	---	---	---
1,2-Dichloropropane	5	NA	NA	2 U	5 U	---	---
1,3-Dichlorobenzene	NS	NS	NS	<b>2.39</b>	5 U	10 U	5 U
1,3-Dichloropropane	NS	37	370	2 U	5 U	---	---
1,4-Dichlorobenzene	75	NA	NA	2 U	5 U	---	---
2,2-Dichloropropane	NS	NS	NS	2 U	5 U	---	---
2-Chloroethyl vinyl ether	NS	NS	NS	10 U	20 U	---	---
4-Chlorotoluene	NS	NS	NS	---	5 U	---	---
Allyl chloride	NS	0.21	2.1	4 U	---	---	---
beta-Chloroprene	NS	NS	NS	2 U	---	---	---
Bromobenzene	NS	6.2	62	---	5 U	---	---
Bromodichloromethane	80	NA	NA	2 U	5 U	---	---
Bromoform	80	NA	NA	2 U	5 U	---	---
Carbon tetrachloride	5	NA	NA	2 U	5 U	---	---
Chlorobenzene	100	NA	NA	2 U	5 U	---	---
Chlorobromomethane	NS	8.3	83	2 U	5 U	---	---
Chloroethane	NS	2100	21000	2 U	5 U	---	---
Chloroform	80	NA	NA	2 U	5 U	---	---
cis-1,2-Dichloroethene	70	NA	NA	2 U	<b>1.4 J</b>	10 U	5 U
cis-1,3-Dichloropropene	NS	0.47	0.47	2 U	5 U	---	---
cis-1,4-Dichloro-2-butene	NS	0.0013	0.00130	4 U	---	---	---
Dibromochloromethane	80	NA	NA	2 U	5 U	---	---
Dibromomethane	NS	NS	NS	2 U	5 U	---	---
Dichlorodifluoromethane (Freon 12)	NS	20	0.87	2 U	5 U	---	---
Ethylene dibromide	0.05	NA	NA	---	---	---	---
Methyl bromide	NS	0.75	7.5	5 U	5 U	---	---
Methyl chloride	NS	19	190	5 U	5 U	10 U	5 U
Methyl iodide	NS	NS	NS	5 U	5 U	---	---
Methylene chloride	5	NA	NA	---	5 U	10 U	5 U
o-Chlorotoluene (2-chlorotoluene)	NS	NS	NS	---	5 U	---	---
Tetrachloroethane	5	NA	NA	<b>5.99</b>	<b>13.9</b>	<b>43</b>	<b>33</b>
trans-1,2-Dichloroethene	100	NA	NA	2 U	5 U	---	---
trans-1,3-Dichloropropene	NS	0.47	0.47	2 U	5 U	---	---
trans-1,4-Dichlorobutene	NS	0.0013	0.013	4 U	5 U	---	---
Trichloroethene	5	NA	NA	2 U	5 U	10 U	5 U
Trichlorofluoromethane (Freon 11)	NS	520	5200	2 U	5 U	50 U	25 U
Vinyl chloride	2	NA	NA	2 U	5 U	50 U	5 U
<b>Petroleum Volatile Organic Compounds (µg/L)</b>							
1,2,4-Trimethylbenzene	NS	5.6	56	---	<b>526</b>	---	---
1,3,5-Trimethylbenzene	NS	6	60	---	<b>190</b>	---	---
1,4-Dioxane	NS	0.46	0.46	10 U	---	---	---
2-Butanone	NS	560	5600	10 U	10 U	50 U	50 U
2-Hexanone	NS	3.8	38	10 U	10 U	---	---
4-Isopropyltoluene	NS	NS	NS	---	5 U	---	---
4-Methyl-2-pentanone	NS	630	6300	10 U	10 U	50 U	25 U
Acetone	NS	1400	14000	10 U	<b>39.4</b>	50 U	<b>1100</b>
Acetonitrile	NS	13	130	10 U	---	---	---
Acrolein	NS	0.0042	0.042	10 U	---	---	---
Acrylonitrile	NS	0.052	0.52	10 U	---	---	---
Benzene	5	NA	NA	<b>55.6</b>	<b>63.1</b>	<b>58</b>	<b>180</b>
Carbon disulfide	NS	81	810	2 U	5 U	100 U	50 U
Cyclohexane	NS	1300	13000	---	---	50 U	50 U
Ethyl methacrylate	NS	63	630	2 U	---	---	---
Ethylbenzene	700	NA	NA	<b>695</b>	<b>502</b>	<b>820</b>	<b>760</b>
Isobutyl alcohol	NS	41	410	20 U	---	---	---
Isopropylbenzene (Cumene)	NS	45	450	---	---	<b>33</b>	<b>120</b>
m&p-Xylene <sup>x</sup>	10000	NA	NA	<b>2460</b>	---	---	---
Methacrylonitrile	NS	0.19	1.9	10 U	---	---	---
Methyl acetate	NS	2000	20000	---	---	---	---
Methyl methacrylate	NS	140	1400	---	---	---	---
Methyl tert-butyl ether	NS	14	14	---	<b>6.2</b>	10 U	<b>28</b>
Methylcyclohexane <sup>c</sup>	NS	1300	13000	---	---	50 U	50 U
m&p-Xylene <sup>x</sup>	10000	NA	NA	---	---	<b>2900</b>	<b>2100</b>
Naphthalene	NS	0.17	0.17	---	<b>138</b>	<b>120</b>	<b>520</b>
n-Butylbenzene	NS	100	1000	---	5 U	---	---
n-Propylbenzene	NS	66	660	---	<b>75.4</b>	---	---
o-Xylene <sup>x</sup>	10000	NA	NA	<b>1070</b>	<b>1000</b>	<b>1800</b>	<b>2600</b>
Propionitrile	NS	NS	NS	10 U	---	---	---
sec-Butylbenzene	NS	200	2000	---	5 U	---	---
Styrene	100	NA	NA	2 U	5 U	---	---
tert-Butylbenzene	NS	69	690	---	5 U	---	---
Toluene	1000	NA	NA	<b>14600</b>	<b>8780</b>	<b>16000</b>	<b>16000</b>
Vinyl acetate	NS	41	410	2 U	---	---	---
Xylene, Total <sup>x</sup>	10000	NA	NA	<b>3520</b>	---	<b>4700</b>	<b>4700</b>



**Table 2. Groundwater Monitoring Well Sample Results**  
**Volatile Organic Compounds**  
**Dresser Inc. Facility**  
**124 W. College Ave, Salisbury, Maryland**

Screening Criteria <sup>1</sup>	Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes			MW-6 11/1/2011 MW-6 27	MW-6 9/18/2012 MW-6 27	MW-6 12/12/2013 MW-6 (MS/MSD)-13121214 25	MW-6 5/6/2016 MW-6 26	MW-6 11/10/2016 MW-6 24.33	MW-7 11/6/2002 MW-7 TT
	MCL	RSL HQ = 0.1 <sup>2</sup>	RSL HQ = 1.0 <sup>2</sup>						
<b>Chlorinated Volatile Organic Compounds (µg/L)</b>									
1,1,1,2-Tetrachloroethane	NS	0.57	5.7	---	---	---	---	---	2 U
1,1,1-Trichloroethane	200	NA	NA	100 U	100 U	1 U	10 U	100 U	2 U
1,1,2,2-Tetrachloroethane	NS	0.076	0.076	100 U	100 U	1 U	10 U	100 U	2 U
1,1,2-trichloro-1,2,2-trifluoroethane (Freon 113)	NS	1000	10000	100 U	100 U	1 U	10 U	100 U	---
1,1,2-Trichloroethane	5	NA	NA	100 U	100 U	1 U	10 U	100 U	2 U
1,1-Dichloroethane	NS	2.8	2.8	100 U	100 U	1 U	10 U	100 U	2 U
1,1-Dichloroethene	7	NA	NA	100 U	100 U	1 U	10 U	100 U	2 U
1,1-Dichloropropene	NS	NS	NS	---	---	---	---	---	2 U
1,2,3-Trichlorobenzene	NS	0.7	7	100 U	100 U	1 U	10 U	100 U	---
1,2,3-Trichloropropane	NS	0.00075	0.00075	---	---	---	---	---	2 U
1,2,4-Trichlorobenzene	70	NA	NA	100 U	100 U	1 U	10 U	100 U	---
1,2-Dibromo-3-chloropropane	0.2	NA	NA	1000 U	1000 U	10 U	100 U	1000 U	2 U
1,2-Dibromoethane	0.005	NA	NA	---	---	---	---	---	2 U
1,2-Dichlorobenzene	600	NA	NA	100 U	100 U	1 U	10 U	100 U	2 U
1,2-Dichloroethane	5	NA	NA	100 U	100 U	1 U	10 U	100 U	2 U
1,2-Dichloroethene	70	NA	NA	---	---	---	---	---	2 U
1,2-Dichloropropane	5	NA	NA	100 U	100 U	1 U	10 U	100 U	2 U
1,3-Dichlorobenzene	NS	NS	NS	100 U	100 U	1 U	10 U	100 U	2 U
1,3-Dichloropropane	NS	37	370	---	---	---	---	---	2 U
1,4-Dichlorobenzene	75	NA	NA	100 U	100 U	1 U	10 U	100 U	2 U
2,2-Dichloropropane	NS	NS	NS	---	---	---	---	---	2 U
2-Chloroethyl vinyl ether	NS	NS	NS	---	---	---	---	---	10 U
4-Chlorotoluene	NS	NS	NS	---	---	---	---	---	---
Allyl chloride	NS	0.21	2.1	---	---	---	---	---	4 U
beta-Chloroprene	NS	NS	NS	---	---	---	---	---	2 U
Bromobenzene	NS	6.2	62	---	---	---	---	---	---
Bromodichloromethane	80	NA	NA	100 U	100 U	1 U	10 U	100 U	2 U
Bromoform	80	NA	NA	500 U	500 U	5 U	50 U	500 U	2 U
Carbon tetrachloride	5	NA	NA	100 U	100 U	1 U	10 U	100 U	2 U
Chlorobenzene	100	NA	NA	100 U	100 U	1 U	10 U	100 U	2 U
Chlorobromomethane	NS	8.3	83	100 U	100 U	1 U	10 U	100 U	2 U
Chloroethane	NS	2100	21000	100 U	100 U	1 U	10 U	100 U	2 U
Chloroform	80	NA	NA	100 U	100 U	1 U	10 U	100 U	2 U
cis-1,2-Dichloroethene	70	NA	NA	100 U	100 U	1 U	10 U	100 U	2 U
cis-1,3-Dichloropropene	NS	0.47	0.47	100 U	100 U	1 U	10 U	100 U	2 U
cis-1,4-Dichloro-2-butene	NS	0.0013	0.00130	---	---	---	---	---	14
Dibromochloromethane	80	NA	NA	100 U	100 U	1 U	10 U	100 U	2 U
Dibromomethane	NS	NS	NS	---	---	---	---	---	2 U
Dichlorodifluoromethane (Freon 12)	NS	20	0.87	100 U	100 U	1 U	10 U	100 U	2 U
Ethylene dibromide	0.05	NA	NA	100 U	100 U	1 U	10 U	100 U	---
Methyl bromide	NS	0.75	7.5	100 U	100 U	1 U	10 U	100 U	2 U
Methyl chloride	NS	19	190	100 U	100 U	1 U	10 U	100 U	2 U
Methyl iodide	NS	NS	NS	---	---	---	---	---	2 U
Methylene chloride	5	NA	NA	100 U	140	1 U	10 U	100 U	2 U
o-Chlorotoluene (2-chlorotoluene)	NS	NS	NS	---	---	---	---	---	---
Tetrachloroethene	5	NA	NA	100 U	100 U	48	13	100 U	3.31
trans-1,2-Dichloroethene	100	NA	NA	100 U	100 U	1 U	10 U	100 U	2 U
trans-1,3-Dichloropropene	NS	0.47	0.47	100 U	100 U	1 U	10 U	100 U	2 U
trans-1,4-Dichlorobutene	NS	0.0013	0.013	---	---	---	---	---	4 U
Trichloroethene	5	NA	NA	100 U	100 U	0.99 J	10 U	100 U	2 U
Trichlorofluoromethane (Freon 11)	NS	520	5200	500 U	500 U	5 U	50 U	500 U	2 U
Vinyl chloride	2	NA	NA	100 U	100 U	1 U	10 U	100 U	2 U
<b>Petroleum Volatile Organic Compounds (µg/L)</b>									
1,2,4-Trimethylbenzene	NS	5.6	56	---	---	940	1500	1200	---
1,3,5-Trimethylbenzene	NS	6	60	---	---	250	460	360	---
1,4-Dioxane	NS	0.46	0.46	---	---	---	1000 U	10000 U	10 U
2-Butanone	NS	560	5600	1000 U	1000 U	10 U	100 U	1000 U	10 U
2-Hexanone	NS	3.8	38	1000 U	1000 U	10 U	100 U	1000 U	10 U
4-Isopropyltoluene	NS	NS	NS	---	---	---	---	---	---
4-Methyl-2-pentanone	NS	630	6300	500 U	500 U	5 U	50 U	500 U	10 U
Acetone	NS	1400	14000	1000 U	1000 U	9.5 J	100 U	1000 U	10 U
Acetonitrile	NS	13	130	---	---	---	---	---	10 U
Acrolein	NS	0.0042	0.042	---	---	---	---	---	10 U
Acrylonitrile	NS	0.052	0.52	---	---	---	---	---	10 U
Benzene	5	NA	NA	100 U	100 U	19	19	100 U	2 U
Carbon disulfide	NS	81	810	1000 U	1000 U	10 U	100 U	1000 U	4.76
Cyclohexane	NS	1300	13000	1000 U	1000 U	10 U	100 U	1000 U	---
Ethyl methacrylate	NS	63	630	---	---	---	---	---	2 U
Ethylbenzene	700	NA	NA	490	750	630	720	580	2 U
Isobutyl alcohol	NS	41	410	---	---	---	---	---	20 U
Isopropylbenzene (Cumene)	NS	45	450	100 U	100 U	40	41	100 U	---
m&p-Xylene <sup>x</sup>	10000	NA	NA	---	---	---	---	---	10
Methacrylonitrile	NS	0.19	1.9	---	---	---	---	---	10 U
Methyl acetate	NS	2000	20000	1000 U	1000 U	10 U	100 U	1000 U	---
Methyl methacrylate	NS	140	1400	---	---	---	---	---	2 U
Methyl tert-butyl ether	NS	14	14	100 U	100 U	1 U	10 U	100 U	---
Methylcyclohexane <sup>c</sup>	NS	1300	13000	1000 U	1000 U	9.3 J	100 U	1000 U	---
m&p-Xylene <sup>x</sup>	10000	NA	NA	1900	3200	2600	3800	3700	---
Naphthalene	NS	0.17	0.17	76 J	100	100	180	110	---
n-Butylbenzene	NS	100	1000	---	---	---	---	---	---
n-Propylbenzene	NS	66	660	---	---	---	---	---	---
o-Xylene <sup>x</sup>	10000	NA	NA	1100	1700	1400	2400	2200	2.07
Propionitrile	NS	NS	NS	---	---	---	---	---	10 U
sec-Butylbenzene	NS	200	2000	---	---	---	---	---	---
Styrene	100	NA	NA	100 U	100 U	1 U	10 U	100 U	2 U
tert-Butylbenzene	NS	69	690	---	---	---	---	---	---
Toluene	1000	NA	NA	9900	9000	9100	11000	7800	26.1
Vinyl acetate	NS	41	410	---	---	---	---	---	2 U
Xylene, Total <sup>x</sup>	10000	NA	NA	---	---	---	---	---	12.4

**Table 2. Groundwater Monitoring Well Sample Results**  
**Volatile Organic Compounds**  
**Dresser Inc. Facility**  
**124 W. College Ave, Salisbury, Maryland**

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-7 9/12/2003 MW-7 TT	MW-7 3/29/2006 MW-7 26.15	MW-7 5/17/2007 MW-7 26.15	MW-7 11/18/2008 MW-7 26.2	MW-7 10/14/2010 MW-7 MS/MSD 26.19	MW-7 11/1/2011 MW-7 25.95	MW-7 9/18/2012 MW-7 25.5
	MCL	RSL HQ = 0.1 <sup>2</sup>	RSL HQ = 1.0 <sup>2</sup>				
<b>Screening Criteria<sup>1</sup></b>							
<b>Chlorinated Volatile Organic Compounds (µg/L)</b>							
1,1,1,2-Tetrachloroethane	NS	0.57	5.7	2 U	---	---	---
1,1,1-Trichloroethane	200	NA	NA	2 U	1 U	1 U	1 U
1,1,2,2-Tetrachloroethane	NS	0.076	0.076	2 U	---	---	---
1,1,2-trichloro-1,2,2-trifluoroethane (Freon 113)	NS	1000	10000	---	---	---	---
1,1,2-Trichloroethane	5	NA	NA	2 U	1 U	1 U	1 U
1,1-Dichloroethane	NS	2.8	2.8	2 U	2	1 U	2
1,1-Dichloroethene	7	NA	NA	2 U	1 U	1 U	1 U
1,1-Dichloropropene	NS	NS	NS	2 U	---	---	---
1,2,3-Trichlorobenzene	NS	0.7	7	2 U	---	---	---
1,2,3-Trichloropropane	NS	0.00075	0.00075	2 U	---	---	---
1,2,4-Trichlorobenzene	70	NA	NA	2 U	1 U	1 U	1 U
1,2-Dibromo-3-chloropropane	0.2	NA	NA	2 U	---	---	---
1,2-Dibromoethane	0.005	NA	NA	2 U	---	---	---
1,2-Dichlorobenzene	600	NA	NA	2 U	---	---	---
1,2-Dichloroethane	5	NA	NA	2 U	1 U	1 U	1 U
1,2-Dichloroethene	70	NA	NA	---	---	---	---
1,2-Dichloropropane	5	NA	NA	2 U	---	---	---
1,3-Dichlorobenzene	NS	NS	NS	2 U	1 U	1 U	1 U
1,3-Dichloropropane	NS	37	370	2 U	---	---	---
1,4-Dichlorobenzene	75	NA	NA	2 U	---	---	---
2,2-Dichloropropane	NS	NS	NS	2 U	---	---	---
2-Chloroethyl vinyl ether	NS	NS	NS	2 U	---	---	---
4-Chlorotoluene	NS	NS	NS	2 U	---	---	---
Allyl chloride	NS	0.21	2.1	---	---	---	---
beta-Chloroprene	NS	NS	NS	---	---	---	---
Bromobenzene	NS	6.2	62	2 U	---	---	---
Bromodichloromethane	80	NA	NA	2 U	---	---	---
Bromoform	80	NA	NA	2 U	---	---	---
Carbon tetrachloride	5	NA	NA	2 U	---	---	---
Chlorobenzene	100	NA	NA	2 U	---	---	---
Chlorobromomethane	NS	8.3	83	2 U	---	---	---
Chloroethane	NS	2100	21000	2 U	---	---	---
Chloroform	80	NA	NA	2 U	---	---	---
cis-1,2-Dichloroethene	70	NA	NA	2.16	2	1	27
cis-1,3-Dichloropropene	NS	0.47	0.47	2 U	---	---	---
cis-1,4-Dichloro-2-butene	NS	0.0013	0.00130	---	---	---	---
Dibromochloromethane	80	NA	NA	2 U	---	---	---
Dibromomethane	NS	NS	NS	2 U	---	---	---
Dichlorodifluoromethane (Freon 12)	NS	20	0.87	2 U	---	---	---
Ethylene dibromide	0.05	NA	NA	---	---	---	---
Methyl bromide	NS	0.75	7.5	2 U	---	---	---
Methyl chloride	NS	19	190	2 U	1 U	1 U	1 U
Methyl iodide	NS	NS	NS	2 U	---	---	---
Methylene chloride	5	NA	NA	2 U	5 U	1 U	1 U
o-Chlorotoluene (2-chlorotoluene)	NS	NS	NS	2 U	---	---	---
Tetrachloroethene	5	NA	NA	3.87	15	24	8
trans-1,2-Dichloroethene	100	NA	NA	2 U	---	---	---
trans-1,3-Dichloropropene	NS	0.47	0.47	2 U	---	---	---
trans-1,4-Dichlorobutene	NS	0.0013	0.013	2 U	---	---	---
Trichloroethene	5	NA	NA	2.43	2	1 U	2
Trichlorofluoromethane (Freon 11)	NS	520	5200	2 U	5 U	5 U	5 U
Vinyl chloride	2	NA	NA	2 U	5 U	1 U	1 U
<b>Petroleum Volatile Organic Compounds (µg/L)</b>							
1,2,4-Trimethylbenzene	NS	5.6	56	2 U	---	---	---
1,3,5-Trimethylbenzene	NS	6	60	2 U	---	---	---
1,4-Dioxane	NS	0.46	0.46	---	---	---	---
2-Butanone	NS	560	5600	10 U	5 U	10 U	10 U
2-Hexanone	NS	3.8	38	10 U	---	---	---
4-Isopropyltoluene	NS	NS	NS	2 U	---	---	---
4-Methyl-2-pentanone	NS	630	6300	10 U	5 U	5 U	5 U
Acetone	NS	1400	14000	10 U	5 U	10 U	10 U
Acetonitrile	NS	13	130	---	---	---	---
Acrolein	NS	0.0042	0.042	---	---	---	---
Acrylonitrile	NS	0.052	0.52	---	---	---	---
Benzene	5	NA	NA	2 U	1 U	1 U	1 U
Carbon disulfide	NS	81	810	2 U	10 U	10 U	10 U
Cyclohexane	NS	1300	13000	---	5 U	10 U	10 U
Ethyl methacrylate	NS	63	630	---	---	---	---
Ethylbenzene	700	NA	NA	2 U	1 U	1 U	1 U
Isobutyl alcohol	NS	41	410	---	---	---	---
Isopropylbenzene (Cumene)	NS	45	450	---	1 U	1 U	1
m&p-Xylene <sup>x</sup>	10000	NA	NA	---	---	---	---
Methacrylonitrile	NS	0.19	1.9	---	---	---	---
Methyl acetate	NS	2000	20000	---	---	---	---
Methyl methacrylate	NS	140	1400	---	---	---	---
Methyl tert-butyl ether	NS	14	14	1 U	1 U	1 U	1 U
Methylcyclohexane <sup>c</sup>	NS	1300	13000	---	5 U	10 U	10 U
m&p-Xylene <sup>x</sup>	10000	NA	NA	---	2 U	2 U	2 U
Naphthalene	NS	0.17	0.17	2 U	1 U	1 U	1 U
n-Butylbenzene	NS	100	1000	4.06	---	---	---
n-Propylbenzene	NS	66	660	2 U	---	---	---
o-Xylene <sup>x</sup>	10000	NA	NA	2 U	1 U	1 U	1 U
Propionitrile	NS	NS	NS	---	---	---	---
sec-Butylbenzene	NS	200	2000	8.63	---	---	---
Styrene	100	NA	NA	2 U	---	---	---
tert-Butylbenzene	NS	69	690	2 U	---	---	---
Toluene	1000	NA	NA	2 U	1 U	1 U	1 U
Vinyl acetate	NS	41	410	---	---	---	---
Xylene, Total <sup>x</sup>	10000	NA	NA	6 U	1 U	1 U	---

**Table 2. Groundwater Monitoring Well Sample Results**  
**Volatile Organic Compounds**  
**Dresser Inc. Facility**  
**124 W. College Ave, Salisbury, Maryland**

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-7 12/13/2013 MW-7 24.5	MW-7 12/9/2014 MW-7 25.55	MW-7 12/8/2015 MW-7 24.9	MW-7 5/4/2016 MW-7 24.9	MW-7 11/9/2016 MW-7 23.5	MW-7 3/23/2018 MW-7 MS/MSD 24	MW-7 3/23/2018 MW-7 A 24 d
	MCL	RSL HQ = 0.1 <sup>2</sup>	RSL HQ = 1.0 <sup>2</sup>				
<b>Screening Criteria<sup>1</sup></b>							
<b>Chlorinated Volatile Organic Compounds (µg/L)</b>							
1,1,1,2-Tetrachloroethane	NS	0.57	5.7	---	---	---	---
1,1,1-Trichloroethane	200	NA	NA	0.63 J	0.72 J	0.85 J	0.77 J
1,1,2,2-Tetrachloroethane	NS	0.076	0.076	1 U	1 U	1 U	1 U
1,1,2-trichloro-1,2,2-trifluoroethane (Freon 113)	NS	1000	10000	1 U	1 U	1 U	1 U
1,1,2-Trichloroethane	5	NA	NA	1 U	1 U	1 U	1 U
1,1-Dichloroethane	NS	2.8	2.8	1 U	1 U	1 U	1 U
1,1-Dichloroethene	7	NA	NA	1 U	1 U	1 U	1 U
1,1-Dichloropropene	NS	NS	NS	---	---	---	---
1,2,3-Trichlorobenzene	NS	0.7	7	1 U	1 U	1 U	1 U
1,2,3-Trichloropropane	NS	0.00075	0.00075	---	---	---	---
1,2,4-Trichlorobenzene	70	NA	NA	1 U	1 U	1 U	1 U
1,2-Dibromo-3-chloropropane	0.2	NA	NA	10 U	10 U	10 U	10 U
1,2-Dibromoethane	0.005	NA	NA	---	---	---	---
1,2-Dichlorobenzene	600	NA	NA	1 U	1 U	1 U	1 U
1,2-Dichloroethane	5	NA	NA	1 U	1 U	1 U	1 U
1,2-Dichloroethene	70	NA	NA	---	---	---	---
1,2-Dichloropropane	5	NA	NA	1 U	1 U	1 U	1 U
1,3-Dichlorobenzene	NS	NS	NS	1 U	1 U	1 U	1 U
1,3-Dichloropropane	NS	37	370	---	---	---	---
1,4-Dichlorobenzene	75	NA	NA	1 U	1 U	1 U	1 U
2,2-Dichloropropane	NS	NS	NS	---	---	---	---
2-Chloroethyl vinyl ether	NS	NS	NS	---	---	---	---
4-Chlorotoluene	NS	NS	NS	---	---	---	---
Allyl chloride	NS	0.21	2.1	---	---	---	---
beta-Chloroprene	NS	NS	NS	---	---	---	---
Bromobenzene	NS	6.2	62	---	---	---	---
Bromodichloromethane	80	NA	NA	1 U	1 U	1 U	1 U
Bromoform	80	NA	NA	5 U	5 U	5 U	5 U
Carbon tetrachloride	5	NA	NA	1 U	1 U	1 U	1 U
Chlorobenzene	100	NA	NA	1 U	1 U	1 U	1 U
Chlorobromomethane	NS	8.3	83	1 U	1 U	1 U	1 U
Chloroethane	NS	2100	21000	1 U	1 U	1 U	1 U
Chloroform	80	NA	NA	1 U	1 U	1 U	1 U
cis-1,2-Dichloroethene	70	NA	NA	1 U	1 U	1.2	1.2
cis-1,3-Dichloropropene	NS	0.47	0.47	1 U	1 U	1 U	1 U
cis-1,4-Dichloro-2-butene	NS	0.0013	0.00130	---	---	---	---
Dibromochloromethane	80	NA	NA	1 U	1 U	1 U	1 U
Dibromomethane	NS	NS	NS	---	---	---	---
Dichlorodifluoromethane (Freon 12)	NS	20	0.87	1 U	1 U	1 U	1 U
Ethylene dibromide	0.05	NA	NA	1 U	1 U	1 U	1 U
Methyl bromide	NS	0.75	7.5	1 U	1 U	1 U	1 U
Methyl chloride	NS	19	190	1 U	1 U	1 U	1 U
Methyl iodide	NS	NS	NS	---	---	---	---
Methylene chloride	5	NA	NA	1 U	1 U	1 U	1 U
o-Chlorotoluene (2-chlorotoluene)	NS	NS	NS	---	---	---	---
Tetrachloroethane	5	NA	NA	16	11	27	33
trans-1,2-Dichloroethene	100	NA	NA	1 U	1 U	1 U	1 U
trans-1,3-Dichloropropene	NS	0.47	0.47	1 U	1 U	1 U	1 U
trans-1,4-Dichlorobutene	NS	0.0013	0.013	---	---	---	---
Trichloroethene	5	NA	NA	0.56 J	0.89 J	1.2	1 U
Trichlorofluoromethane (Freon 11)	NS	520	5200	5 U	5 U	5 U	5 U
Vinyl chloride	2	NA	NA	1 U	1 U	0.94 J	1 U
<b>Petroleum Volatile Organic Compounds (µg/L)</b>							
1,2,4-Trimethylbenzene	NS	5.6	56	1 U	1 U	1 U	1 U
1,3,5-Trimethylbenzene	NS	6	60	1 U	1 U	1 U	1 U
1,4-Dioxane	NS	0.46	0.46	---	100 U	100 U	100 U
2-Butanone	NS	560	5600	10 U	10 U	10 U	10 U
2-Hexanone	NS	3.8	38	10 U	10 U	10 U	10 U
4-Isopropyltoluene	NS	NS	NS	---	---	---	---
4-Methyl-2-pentanone	NS	630	6300	5 U	5 U	5 U	5 U
Acetone	NS	1400	14000	10 U	10 U	10 U	10 U
Acetonitrile	NS	13	130	---	---	---	---
Acrolein	NS	0.0042	0.042	---	---	---	---
Acrylonitrile	NS	0.052	0.52	---	---	---	---
Benzene	5	NA	NA	1 U	1 U	1 U	1 U
Carbon disulfide	NS	81	810	10 U	10 U	10 U	10 U
Cyclohexane	NS	1300	13000	10 U	10 U	10 U	10 U
Ethyl methacrylate	NS	63	630	---	---	---	---
Ethylbenzene	700	NA	NA	1 U	1 U	1 U	1 U
Isobutyl alcohol	NS	41	410	---	---	---	---
Isopropylbenzene (Cumene)	NS	45	450	1 U	1 U	1 U	1 U
m&p-Xylene <sup>x</sup>	10000	NA	NA	---	---	---	---
Methacrylonitrile	NS	0.19	1.9	---	---	---	---
Methyl acetate	NS	2000	20000	10 U	10 U	10 U	10 U
Methyl methacrylate	NS	140	1400	---	---	---	---
Methyl tert-butyl ether	NS	14	14	1 U	1 U	1 U	1 U
Methylcyclohexane <sup>c</sup>	NS	1300	13000	10 U	10 U	10 U	10 U
m&p-Xylene <sup>x</sup>	10000	NA	NA	2 U	2 U	2 U	2 U
Naphthalene	NS	0.17	0.17	1 U	1 U	1 U	1 U
n-Butylbenzene	NS	100	1000	---	---	---	---
n-Propylbenzene	NS	66	660	---	---	---	---
o-Xylene <sup>x</sup>	10000	NA	NA	1 U	1 U	1 U	1 U
Propionitrile	NS	NS	NS	---	---	---	---
sec-Butylbenzene	NS	200	2000	---	---	---	---
Styrene	100	NA	NA	1 U	1 U	1 U	1 U
tert-Butylbenzene	NS	69	690	---	---	---	---
Toluene	1000	NA	NA	1 U	1 U	1 U	1 U
Vinyl acetate	NS	41	410	---	---	---	---
Xylene, Total <sup>x</sup>	10000	NA	NA	---	---	---	---

**Table 2. Groundwater Monitoring Well Sample Results**  
**Volatile Organic Compounds**  
**Dresser Inc. Facility**  
**124 W. College Ave, Salisbury, Maryland**

Sample ID	Location Sample Date	MW-8 9/16/2003	MW-8 8/12/2004	MW-8 3/30/2006	MW-8 5/17/2007	MW-8 11/18/2008	MW-8 3/5/2009	MW-8 10/12/2010	Sample Depth (ft. bgs.)			Notes		
									TT	TT	TT	TT	TT	TT
<b>Screening Criteria<sup>1</sup></b>														
	MCL	RSL HQ = 0.1 <sup>2</sup>	RSL HQ = 1.0 <sup>2</sup>											
<b>Chlorinated Volatile Organic Compounds (µg/L)</b>														
1,1,1,2-Tetrachloroethane	NS	0.57	5.7	5 U	---	---	---	---	---	---	---			
1,1,1-Trichloroethane	200	NA	NA	5 U	1 U	---	---	1 U	1 U	1 U	1 U			
1,1,2,2-Tetrachloroethane	NS	0.076	0.076	5 U	1 U	---	---	1 U	1 U	1 U	1 U			
1,1,2-trichloro-1,2,2-trifluoroethane (Freon 113)	NS	1000	10000	---	---	---	---	1 U	1 U	1 U	1 U			
1,1,2-Trichloroethane	5	NA	NA	5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U			
1,1-Dichloroethane	NS	2.8	2.8	5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U			
1,1-Dichloroethene	7	NA	NA	5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U			
1,1-Dichloropropene	NS	NS	NS	5 U	---	---	---	---	---	---	---			
1,2,3-Trichlorobenzene	NS	0.7	7	5 U	---	---	---	1 U	1 U	1 U	1 U			
1,2,3-Trichloropropane	NS	0.00075	0.00075	5 U	---	---	---	---	---	---	---			
1,2,4-Trichlorobenzene	70	NA	NA	2.3 J	---	1 U	1 U	1 U	1 U	1 U	1 U			
1,2-Dibromo-3-chloropropane	0.2	NA	NA	5 U	---	---	---	10 U	10 U	10 U	10 U			
1,2-Dibromoethane	0.005	NA	NA	5 U	---	---	---	---	---	---	---			
1,2-Dichlorobenzene	600	NA	NA	5 U	---	---	---	1 U	1 U	1 U	1 U			
1,2-Dichloroethane	5	NA	NA	5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U			
1,2-Dichloroethene	70	NA	NA	---	---	---	---	---	---	---	---			
1,2-Dichloropropane	5	NA	NA	5 U	1 U	---	---	1 U	1 U	1 U	1 U			
1,3-Dichlorobenzene	NS	NS	NS	5 U	---	1 U	1 U	1 U	1 U	1 U	1 U			
1,3-Dichloropropane	NS	37	370	5 U	---	---	---	---	---	---	---			
1,4-Dichlorobenzene	75	NA	NA	5 U	---	---	---	1 U	1 U	1 U	1 U			
2,2-Dichloropropane	NS	NS	NS	5 U	---	---	---	---	---	---	---			
2-Chloroethyl vinyl ether	NS	NS	NS	20 U	---	---	---	---	---	---	---			
4-Chlorotoluene	NS	NS	NS	5 U	---	---	---	---	---	---	---			
Allyl chloride	NS	0.21	2.1	---	---	---	---	---	---	---	---			
beta-Chloroprene	NS	NS	NS	---	---	---	---	---	---	---	---			
Bromobenzene	NS	6.2	62	5 U	---	---	---	---	---	---	---			
Bromodichloromethane	80	NA	NA	5 U	1 U	---	---	1 U	1 U	1 U	1 U			
Bromoform	80	NA	NA	5 U	1 U	---	---	5 U	5 U	5 U	5 U			
Carbon tetrachloride	5	NA	NA	5 U	1 U	---	---	1 U	1 U	1 U	1 U			
Chlorobenzene	100	NA	NA	5 U	1 U	---	---	1 U	1 U	1 U	1 U			
Chlorobromomethane	NS	8.3	83	5 U	---	---	---	1 U	1 U	1 U	1 U			
Chloroethane	NS	2100	21000	5 U	1 U	---	---	1 U	1 U	1 U	1 U			
Chloroform	80	NA	NA	5 U	1 U	---	---	1 U	1 U	1 U	1 U			
cis-1,2-Dichloroethene	70	NA	NA	38.6	26	2	2	8	4	3	3			
cis-1,3-Dichloropropene	NS	0.47	0.47	5 U	1 U	---	---	1 U	1 U	1 U	1 U			
cis-1,4-Dichloro-2-butene	NS	0.0013	0.00130	---	---	---	---	---	---	---	---			
Dibromochloromethane	80	NA	NA	5 U	1 U	---	---	1 U	1 U	1 U	1 U			
Dibromomethane	NS	NS	NS	5 U	---	---	---	---	---	---	---			
Dichlorodifluoromethane (Freon 12)	NS	20	0.87	5 U	---	---	---	1 U	1 U	1 U	1 U			
Ethylene dibromide	0.05	NA	NA	---	---	---	---	1 U	1 U	1 U	1 U			
Methyl bromide	NS	0.75	7.5	5 U	1 U	---	---	1 U	1 U	1 U	1 U			
Methyl chloride	NS	19	190	5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U			
Methyl iodide	NS	NS	NS	5 U	---	---	---	---	---	---	---			
Methylene chloride	5	NA	NA	5 U	---	5 U	1 U	1 U	1 U	1 U	1 U			
o-Chlorotoluene (2-chlorotoluene)	NS	NS	NS	5 U	---	---	---	---	---	---	---			
Tetrachloroethene	5	NA	NA	43.3	35	5	1 U	31	7	20	20			
trans-1,2-Dichloroethene	100	NA	NA	5 U	1 U	---	---	1 U	1 U	1 U	1 U			
trans-1,3-Dichloropropene	NS	0.47	0.47	5 U	1 U	---	---	1 U	1 U	1 U	1 U			
trans-1,4-Dichlorobutene	NS	0.0013	0.013	5 U	---	---	---	---	---	---	---			
Trichloroethene	5	NA	NA	15	8.7	1 U	1 U	3	2	1	1			
Trichlorofluoromethane (Freon 11)	NS	520	5200	5 U	---	5 U	5 U	5 U	5 U	5 U	5 U			
Vinyl chloride	2	NA	NA	5 U	1 U	5 U	1 U	1 U	1 U	1 U	1 U			
<b>Petroleum Volatile Organic Compounds (µg/L)</b>														
1,2,4-Trimethylbenzene	NS	5.6	56	5 U	---	---	---	---	1 U	1 U	1 U			
1,3,5-Trimethylbenzene	NS	6	60	5 U	---	---	---	---	1 U	1 U	1 U			
1,4-Dioxane	NS	0.46	0.46	---	---	---	---	---	---	---	---			
2-Butanone	NS	560	5600	10 J	5 U	5 U	10 U	10 U	10 U	10 U	10 U			
2-Hexanone	NS	3.8	38	10 U	5 U	---	---	10 U	10 U	10 U	10 U			
4-Isopropyltoluene	NS	NS	NS	1.3 J	---	---	---	---	---	---	---			
4-Methyl-2-pentanone	NS	630	6300	10 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U			
Acetone	NS	1400	14000	44.8 J	5 U	5 U	10 U	10 U	10 U	10 U	10 U			
Acetonitrile	NS	13	130	---	---	---	---	---	---	---	---			
Acrolein	NS	0.0042	0.042	---	---	---	---	---	---	---	---			
Acrylonitrile	NS	0.052	0.52	---	---	---	---	---	---	---	---			
Benzene	5	NA	NA	5 J	1 U	1 U	1 U	1 U	1 U	1 U	1 U			
Carbon disulfide	NS	81	810	5 J	5 U	10 U	10 U	10 U	10 U	10 U	10 U			
Cyclohexane	NS	1300	13000	---	---	5 U	10 U	10 U	10 U	10 U	10 U			
Ethyl methacrylate	NS	63	630	---	---	---	---	---	---	---	---			
Ethylbenzene	700	NA	NA	5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U			
Isobutyl alcohol	NS	41	410	---	---	---	---	---	---	---	---			
Isopropylbenzene (Cumene)	NS	45	450	---	---	1 U	1 U	1 U	1 U	1 U	1 U			
m&p-Xylene <sup>x</sup>	10000	NA	NA	---	---	---	---	---	---	---	---			
Methacrylonitrile	NS	0.19	1.9	---	---	---	---	---	---	---	---			
Methyl acetate	NS	2000	20000	---	---	---	---	10 U	10 U	10 U	10 U			
Methyl methacrylate	NS	140	1400	---	---	---	---	---	---	---	---			
Methyl tert-butyl ether	NS	14	14	1.9 J	---	1 U	1 U	1 U	1 U	1 U	1 U			
Methylcyclohexane <sup>c</sup>	NS	1300	13000	---	---	5 U	10 U	10 U	10 U	10 U	10 U			
m&p-Xylene <sup>x</sup>	10000	NA	NA	---	---	2 U	2 U	2 U	2 U	2 U	2 U			
Naphthalene	NS	0.17	0.17	1.9 J	1 U	1 U	1 U	1 U	1 U	1 U	1 U			
n-Butylbenzene	NS	100	1000	1.6 J	---	---	---	---	---	---	---			
n-Propylbenzene	NS	66	660	5 U	---	---	---	---	---	---	---			
o-Xylene <sup>x</sup>	10000	NA	NA	5 U	---	1 U	1 U	1 U	1 U	1 U	1 U			
Propionitrile	NS	NS	NS	---	---	---	---	---	---	---	---			
sec-Butylbenzene	NS	200	2000	6.8 J	---	---	---	---	---	---	---			
Styrene	100	NA	NA	5 U	1 U	---	---	1 U	1 U	1 U	1 U			
tert-Butylbenzene	NS	69	690	1.3 J	---	---	---	---	---	---	---			
Toluene	1000	NA	NA	5 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U			
Vinyl acetate	NS	41	410	---	---	---	---	---	---	---	---			
Xylene, Total <sup>x</sup>	10000	NA	NA	---	2 U	1 U	1 U	---	---	---	---			

**Table 2. Groundwater Monitoring Well Sample Results**  
**Volatile Organic Compounds**  
**Dresser Inc. Facility**  
**124 W. College Ave, Salisbury, Maryland**

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-8 11/1/2011 MW-8 27	MW-8 9/17/2012 MW-8 26	MW-8 12/10/2013 MW-8 24.5	MW-8 12/8/2014 MW-8 25.28	MW-8 12/7/2015 MW-8 24.6	MW-8 5/3/2016 MW-8 25	MW-8 11/7/2016 MW-8 23
	MCL	RSL HQ = 0.1 <sup>2</sup>	RSL HQ = 1.0 <sup>2</sup>				
<b>Screening Criteria<sup>1</sup></b>							
<b>Chlorinated Volatile Organic Compounds (µg/L)</b>							
1,1,1,2-Tetrachloroethane	NS	0.57	5.7	---	---	---	---
1,1,1-Trichloroethane	200	NA	NA	1 U	1 U	1 U	1 U
1,1,2,2-Tetrachloroethane	NS	0.076	0.076	1 U	1 U	1 U	1 U
1,1,2-trichloro-1,2,2-trifluoroethane (Freon 113)	NS	1000	10000	1 U	1 U	1 U	1 U
1,1,2-Trichloroethane	5	NA	NA	1 U	1 U	1 U	1 U
1,1-Dichloroethane	NS	2.8	2.8	1 U	1 U	1 U	1 U
1,1-Dichloroethene	7	NA	NA	1 U	1 U	1 U	1 U
1,1-Dichloropropene	NS	NS	NS	---	---	---	---
1,2,3-Trichlorobenzene	NS	0.7	7	1 U	1 U	1 U	1 U
1,2,3-Trichloropropane	NS	0.00075	0.00075	---	---	---	---
1,2,4-Trichlorobenzene	70	NA	NA	1 U	1 U	1 U	1 U
1,2-Dibromo-3-chloropropane	0.2	NA	NA	10 U	10 U	10 U	10 U
1,2-Dibromoethane	0.005	NA	NA	---	---	---	---
1,2-Dichlorobenzene	600	NA	NA	1 U	1 U	1 U	1 U
1,2-Dichloroethane	5	NA	NA	1 U	1 U	1 U	1 U
1,2-Dichloroethene	70	NA	NA	---	---	---	---
1,2-Dichloropropane	5	NA	NA	1 U	1 U	1 U	1 U
1,3-Dichlorobenzene	NS	NS	NS	1 U	1 U	1 U	1 U
1,3-Dichloropropane	NS	37	370	---	---	---	---
1,4-Dichlorobenzene	75	NA	NA	1 U	1 U	1 U	1 U
2,2-Dichloropropane	NS	NS	NS	---	---	---	---
2-Chloroethyl vinyl ether	NS	NS	NS	---	---	---	---
4-Chlorotoluene	NS	NS	NS	---	---	---	---
Allyl chloride	NS	0.21	2.1	---	---	---	---
beta-Chloroprene	NS	NS	NS	---	---	---	---
Bromobenzene	NS	6.2	62	---	---	---	---
Bromodichloromethane	80	NA	NA	1 U	1 U	1 U	1 U
Bromoform	80	NA	NA	5 U	5 U	5 U	5 U
Carbon tetrachloride	5	NA	NA	1 U	1 U	1 U	1 U
Chlorobenzene	100	NA	NA	1 U	1 U	1 U	1 U
Chlorobromomethane	NS	8.3	83	1 U	1 U	1 U	1 U
Chloroethane	NS	2100	21000	1 U	1 U	1 U	1 U
Chloroform	80	NA	NA	1 U	1 U	1 U	1 U
cis-1,2-Dichloroethene	70	NA	NA	<b>1</b>	<b>0.82 J</b>	<b>1.9</b>	<b>0.91 J</b>
cis-1,3-Dichloropropene	NS	0.47	0.47	1 U	1 U	1 U	1 U
cis-1,4-Dichloro-2-butene	NS	0.0013	0.00130	---	---	---	---
Dibromochloromethane	80	NA	NA	1 U	1 U	1 U	1 U
Dibromomethane	NS	NS	NS	---	---	---	---
Dichlorodifluoromethane (Freon 12)	NS	20	0.87	1 U	1 U	1 U	1 U
Ethylene dibromide	0.05	NA	NA	1 U	1 U	1 U	1 U
Methyl bromide	NS	0.75	7.5	1 U	1 U	1 U	1 U
Methyl chloride	NS	19	190	1 U	1 U	1 U	1 U
Methyl iodide	NS	NS	NS	---	---	---	---
Methylene chloride	5	NA	NA	1 U	1 U	1 U	<b>0.64 J</b>
o-Chlorotoluene (2-chlorotoluene)	NS	NS	NS	---	---	---	---
Tetrachloroethane	5	NA	NA	<b>25</b>	<b>30</b>	<b>9.1</b>	<b>15</b>
trans-1,2-Dichloroethene	100	NA	NA	1 U	1 U	1 U	1 U
trans-1,3-Dichloropropene	NS	0.47	0.47	1 U	1 U	1 U	1 U
trans-1,4-Dichlorobutene	NS	0.0013	0.013	---	---	---	---
Trichloroethene	5	NA	NA	<b>1 J</b>	<b>1.1</b>	<b>0.79 J</b>	<b>0.58 J</b>
Trichlorofluoromethane (Freon 11)	NS	520	5200	5 U	5 U	5 U	5 U
Vinyl chloride	2	NA	NA	1 U	1 U	1 U	1 U
<b>Petroleum Volatile Organic Compounds (µg/L)</b>							
1,2,4-Trimethylbenzene	NS	5.6	56	---	---	1 U	1 U
1,3,5-Trimethylbenzene	NS	6	60	---	---	1 U	1 U
1,4-Dioxane	NS	0.46	0.46	---	---	---	100 U
2-Butanone	NS	560	5600	10 U	10 U	10 U	10 U
2-Hexanone	NS	3.8	38	10 U	10 U	10 U	10 U
4-Isopropyltoluene	NS	NS	NS	---	---	---	---
4-Methyl-2-pentanone	NS	630	6300	5 U	5 U	5 U	5 U
Acetone	NS	1400	14000	10 U	10 U	10 U	10 U
Acetonitrile	NS	13	130	---	---	---	---
Acrolein	NS	0.0042	0.042	---	---	---	---
Acrylonitrile	NS	0.052	0.52	---	---	---	---
Benzene	5	NA	NA	1 U	1 U	1 U	1 U
Carbon disulfide	NS	81	810	10 U	10 U	10 U	10 U
Cyclohexane	NS	1300	13000	10 U	10 U	10 U	10 U
Ethyl methacrylate	NS	63	630	---	---	---	---
Ethylbenzene	700	NA	NA	1 U	1 U	1 U	1 U
Isobutyl alcohol	NS	41	410	---	---	---	---
Isopropylbenzene (Cumene)	NS	45	450	1 U	1 U	1 U	1 U
m&p-Xylene <sup>x</sup>	10000	NA	NA	---	---	---	---
Methacrylonitrile	NS	0.19	1.9	---	---	---	---
Methyl acetate	NS	2000	20000	10 U	10 U	10 U	10 U
Methyl methacrylate	NS	140	1400	---	---	---	---
Methyl tert-butyl ether	NS	14	14	1 U	1 U	1 U	1 U
Methylcyclohexane <sup>c</sup>	NS	1300	13000	10 U	10 U	10 U	10 U
m&p-Xylene <sup>x</sup>	10000	NA	NA	2 U	2 U	2 U	2 U
Naphthalene	NS	0.17	0.17	1 U	1 U	1 U	1 U
n-Butylbenzene	NS	100	1000	---	---	---	---
n-Propylbenzene	NS	66	660	---	---	---	---
o-Xylene <sup>x</sup>	10000	NA	NA	1 U	1 U	1 U	1 U
Propionitrile	NS	NS	NS	---	---	---	---
sec-Butylbenzene	NS	200	2000	---	---	---	---
Styrene	100	NA	NA	1 U	1 U	1 U	1 U
tert-Butylbenzene	NS	69	690	---	---	---	---
Toluene	1000	NA	NA	1 U	1 U	1 U	1 U
Vinyl acetate	NS	41	410	---	---	---	---
Xylene, Total <sup>x</sup>	10000	NA	NA	---	---	---	---

**Table 2. Groundwater Monitoring Well Sample Results**  
**Volatile Organic Compounds**  
**Dresser Inc. Facility**  
**124 W. College Ave, Salisbury, Maryland**

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-8 3/22/2018 MW-8 25.8	MW-9 9/16/2003 MW-9 TT	MW-9 8/12/2004 MW-9 TT	MW-9 3/30/2006 MW-9 26.2	MW-9 5/17/2007 MW-9 25.35	MW-9 11/19/2008 MW-9 26.18	MW-9 10/12/2010 MW-9 26.18
	MCL	RSL HQ = 0.1 <sup>2</sup>	RSL HQ = 1.0 <sup>2</sup>				
<b>Screening Criteria<sup>1</sup></b>							
<b>Chlorinated Volatile Organic Compounds (µg/L)</b>							
1,1,1,2-Tetrachloroethane	NS	0.57	5.7	---	5 U	---	---
1,1,1-Trichloroethane	200	NA	NA	---	5 U	1 U	1 U
1,1,2,2-Tetrachloroethane	NS	0.076	0.076	---	5 U	1 U	1 U
1,1,2-trichloro-1,2,2-trifluoroethane (Freon 113)	NS	1000	10000	---	---	---	1 U
1,1,2-Trichloroethane	5	NA	NA	---	5 U	1 U	1 U
1,1-Dichloroethane	NS	2.8	2.8	---	5 U	1 U	1 U
1,1-Dichloroethene	7	NA	NA	---	5 U	1 U	1 U
1,1-Dichloropropene	NS	NS	NS	---	5 U	---	---
1,2,3-Trichlorobenzene	NS	0.7	7	---	5 U	---	1 U
1,2,3-Trichloropropane	NS	0.00075	0.00075	---	5 J	---	---
1,2,4-Trichlorobenzene	70	NA	NA	---	5 U	---	1 U
1,2-Dibromo-3-chloropropane	0.2	NA	NA	---	5 U	---	10 U
1,2-Dibromoethane	0.005	NA	NA	---	5 U	---	---
1,2-Dichlorobenzene	600	NA	NA	---	5 U	---	1 U
1,2-Dichloroethane	5	NA	NA	---	5 U	1 U	1 U
1,2-Dichloroethene	70	NA	NA	---	---	---	---
1,2-Dichloropropane	5	NA	NA	---	5 U	1 U	1 U
1,3-Dichlorobenzene	NS	NS	NS	---	5 U	---	1 U
1,3-Dichloropropane	NS	37	370	---	5 U	---	---
1,4-Dichlorobenzene	75	NA	NA	---	5 U	---	1 U
2,2-Dichloropropane	NS	NS	NS	---	5 U	---	---
2-Chloroethyl vinyl ether	NS	NS	NS	---	20 U	---	---
4-Chlorotoluene	NS	NS	NS	---	5 U	---	---
Allyl chloride	NS	0.21	2.1	---	---	---	---
beta-Chloroprene	NS	NS	NS	---	---	---	---
Bromobenzene	NS	6.2	62	---	5 U	---	---
Bromodichloromethane	80	NA	NA	---	5 U	1 U	1 U
Bromoform	80	NA	NA	---	5 U	1 U	5 U
Carbon tetrachloride	5	NA	NA	---	5 U	1 U	1 U
Chlorobenzene	100	NA	NA	---	5 U	1 U	1 U
Chlorobromomethane	NS	8.3	83	---	5 U	---	1 U
Chloroethane	NS	2100	21000	---	5 U	1 U	1 U
Chloroform	80	NA	NA	---	5 U	1 U	1 U
cis-1,2-Dichloroethene	70	NA	NA	1 U	5 U	1 U	1 U
cis-1,3-Dichloropropene	NS	0.47	0.47	---	5 U	1 U	1 U
cis-1,4-Dichloro-2-butene	NS	0.0013	0.00130	---	---	---	---
Dibromochloromethane	80	NA	NA	---	5 U	1 U	1 U
Dibromomethane	NS	NS	NS	---	5 U	---	---
Dichlorodifluoromethane (Freon 12)	NS	20	0.87	---	5 U	---	1 U
Ethylene dibromide	0.05	NA	NA	---	---	---	1 U
Methyl bromide	NS	0.75	7.5	---	5 U	1 U	1 U
Methyl chloride	NS	19	190	---	5 U	1 U	1 U
Methyl iodide	NS	NS	NS	---	5 U	---	---
Methylene chloride	5	NA	NA	---	5 U	5 U	1 U
o-Chlorotoluene (2-chlorotoluene)	NS	NS	NS	---	5 U	---	---
Tetrachloroethane	5	NA	NA	2.1	5 U	1 U	1 U
trans-1,2-Dichloroethene	100	NA	NA	---	5 U	1 U	1 U
trans-1,3-Dichloropropene	NS	0.47	0.47	---	5 U	1 U	1 U
trans-1,4-Dichlorobutene	NS	0.0013	0.013	---	5 U	---	---
Trichloroethene	5	NA	NA	1 U	1.3 J	1 U	1 U
Trichlorofluoromethane (Freon 11)	NS	520	5200	---	5 J	---	5 U
Vinyl chloride	2	NA	NA	1 U	5 J	1 U	1 U
<b>Petroleum Volatile Organic Compounds (µg/L)</b>							
1,2,4-Trimethylbenzene	NS	5.6	56	---	6 J	---	1 U
1,3,5-Trimethylbenzene	NS	6	60	---	2.1 J	---	1 U
1,4-Dioxane	NS	0.46	0.46	---	---	---	---
2-Butanone	NS	560	5600	---	10 U	5 U	10 U
2-Hexanone	NS	3.8	38	---	10 U	5 U	10 U
4-Isopropyltoluene	NS	NS	NS	---	5 U	---	---
4-Methyl-2-pentanone	NS	630	6300	---	10 U	5 U	5 U
Acetone	NS	1400	14000	---	10 U	5 U	10 U
Acetonitrile	NS	13	130	---	---	---	---
Acrolein	NS	0.0042	0.042	---	---	---	---
Acrylonitrile	NS	0.052	0.52	---	---	---	---
Benzene	5	NA	NA	---	5 U	1 U	1 U
Carbon disulfide	NS	81	810	---	5 U	5 U	10 U
Cyclohexane	NS	1300	13000	---	---	5 U	10 U
Ethyl methacrylate	NS	63	630	---	---	---	---
Ethylbenzene	700	NA	NA	---	8.2	3.5	1 U
Isobutyl alcohol	NS	41	410	---	---	---	---
Isopropylbenzene (Cumene)	NS	45	450	---	---	1 U	1 U
m&p-Xylene <sup>x</sup>	10000	NA	NA	---	---	---	---
Methacrylonitrile	NS	0.19	1.9	---	---	---	---
Methyl acetate	NS	2000	20000	---	---	---	10 U
Methyl methacrylate	NS	140	1400	---	---	---	---
Methyl tert-butyl ether	NS	14	14	---	5 U	---	1 U
Methylcyclohexane <sup>c</sup>	NS	1300	13000	---	---	5 U	10 U
m&p-Xylene <sup>x</sup>	10000	NA	NA	---	---	2 U	2 U
Naphthalene	NS	0.17	0.17	---	5 U	1 U	1 U
n-Butylbenzene	NS	100	1000	---	5 U	---	---
n-Propylbenzene	NS	66	660	---	5 U	---	---
o-Xylene <sup>x</sup>	10000	NA	NA	---	10.5 J	---	3
Propionitrile	NS	NS	NS	---	---	---	---
sec-Butylbenzene	NS	200	2000	---	5 U	---	---
Styrene	100	NA	NA	---	5 U	1 U	1 U
tert-Butylbenzene	NS	69	690	---	5 U	---	---
Toluene	1000	NA	NA	---	5 U	1 U	1 U
Vinyl acetate	NS	41	410	---	---	---	---
Xylene, Total <sup>x</sup>	10000	NA	NA	---	14	1 U	1 U

**Table 2. Groundwater Monitoring Well Sample Results**  
**Volatile Organic Compounds**  
**Dresser Inc. Facility**  
**124 W. College Ave, Salisbury, Maryland**

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-9 10/12/2010 MW-90 26.18 d	MW-9 11/1/2011 MW-9 27	MW-9 9/17/2012 MW-9 26	MW-9 12/11/2013 MW-9 24.5	MW-9 12/11/2013 MW-9A 24.5 d	MW-9 12/8/2014 MW-9 25.37	MW-9 12/8/2015 MW-9 24.6
	MCL	RSL HQ = 0.1 <sup>2</sup>	RSL HQ = 1.0 <sup>2</sup>				
<b>Screening Criteria<sup>1</sup></b>							
<b>Chlorinated Volatile Organic Compounds (µg/L)</b>							
1,1,1,2-Tetrachloroethane	NS	0.57	5.7	---	---	---	---
1,1,1-Trichloroethane	200	NA	NA	1 U	1 U	1 U	1 U
1,1,2,2-Tetrachloroethane	NS	0.076	0.076	1 U	1 U	1 U	1 U
1,1,2-trichloro-1,2,2-trifluoroethane (Freon 113)	NS	1000	10000	1 U	1 U	1 U	1 U
1,1,2-Trichloroethane	5	NA	NA	1 U	1 U	1 U	1 U
1,1-Dichloroethane	NS	2.8	2.8	1 U	1 U	1 U	1 U
1,1-Dichloroethene	7	NA	NA	1 U	1 U	1 U	1 U
1,1-Dichloropropene	NS	NS	NS	---	---	---	---
1,2,3-Trichlorobenzene	NS	0.7	7	1 U	1 U	1 U	1 U
1,2,3-Trichloropropane	NS	0.00075	0.00075	---	---	---	---
1,2,4-Trichlorobenzene	70	NA	NA	1 U	1 U	1 U	1 U
1,2-Dibromo-3-chloropropane	0.2	NA	NA	10 U	10 U	10 U	10 U
1,2-Dibromoethane	0.005	NA	NA	---	---	---	---
1,2-Dichlorobenzene	600	NA	NA	1 U	1 U	1 U	1 U
1,2-Dichloroethane	5	NA	NA	1 U	1 U	1 U	1 U
1,2-Dichloroethene	70	NA	NA	---	---	---	---
1,2-Dichloropropane	5	NA	NA	1 U	1 U	1 U	1 U
1,3-Dichlorobenzene	NS	NS	NS	1 U	1 U	1 U	1 U
1,3-Dichloropropane	NS	37	370	---	---	---	---
1,4-Dichlorobenzene	75	NA	NA	1 U	1 U	1 U	1 U
2,2-Dichloropropane	NS	NS	NS	---	---	---	---
2-Chloroethyl vinyl ether	NS	NS	NS	---	---	---	---
4-Chlorotoluene	NS	NS	NS	---	---	---	---
Allyl chloride	NS	0.21	2.1	---	---	---	---
beta-Chloroprene	NS	NS	NS	---	---	---	---
Bromobenzene	NS	6.2	62	---	---	---	---
Bromodichloromethane	80	NA	NA	1 U	1 U	1 U	1 U
Bromoform	80	NA	NA	5 U	5 U	5 U	5 U
Carbon tetrachloride	5	NA	NA	1 U	1 U	1 U	1 U
Chlorobenzene	100	NA	NA	1 U	1 U	1 U	1 U
Chlorobromomethane	NS	8.3	83	1 U	1 U	1 U	1 U
Chloroethane	NS	2100	21000	1 U	1 U	1 U	1 U
Chloroform	80	NA	NA	1 U	1 U	1 U	1 U
cis-1,2-Dichloroethene	70	NA	NA	1 U	1 U	1 U	1 U
cis-1,3-Dichloropropene	NS	0.47	0.47	1 U	1 U	1 U	1 U
cis-1,4-Dichloro-2-butene	NS	0.0013	0.00130	---	---	---	---
Dibromochloromethane	80	NA	NA	1 U	1 U	1 U	1 U
Dibromomethane	NS	NS	NS	---	---	---	---
Dichlorodifluoromethane (Freon 12)	NS	20	0.87	1 U	1 U	1 U	1 U
Ethylene dibromide	0.05	NA	NA	1 U	1 U	1 U	1 U
Methyl bromide	NS	0.75	7.5	1 U	1 U	1 U	1 U
Methyl chloride	NS	19	190	1 U	1 U	1 U	1 U
Methyl iodide	NS	NS	NS	---	---	---	---
Methylene chloride	5	NA	NA	1 U	1 U	1 U	1 U
o-Chlorotoluene (2-chlorotoluene)	NS	NS	NS	---	---	---	---
Tetrachloroethene	5	NA	NA	0.7 J	1	0.61 J	1.1
trans-1,2-Dichloroethene	100	NA	NA	1 U	1 U	1 U	1 U
trans-1,3-Dichloropropene	NS	0.47	0.47	1 U	1 U	1 U	1 U
trans-1,4-Dichlorobutene	NS	0.0013	0.013	---	---	---	---
Trichloroethene	5	NA	NA	1 U	1 U	1 U	1 U
Trichlorofluoromethane (Freon 11)	NS	520	5200	5 U	5 U	5 U	5 U
Vinyl chloride	2	NA	NA	1 U	1 U	1 U	1 U
<b>Petroleum Volatile Organic Compounds (µg/L)</b>							
1,2,4-Trimethylbenzene	NS	5.6	56	1 U	---	---	1 U
1,3,5-Trimethylbenzene	NS	6	60	1 U	---	---	1 U
1,4-Dioxane	NS	0.46	0.46	---	---	---	---
2-Butanone	NS	560	5600	10 U	10 U	10 U	10 U
2-Hexanone	NS	3.8	38	10 U	10 U	10 U	10 U
4-Isopropyltoluene	NS	NS	NS	---	---	---	---
4-Methyl-2-pentanone	NS	630	6300	5 U	5 U	5 U	5 U
Acetone	NS	1400	14000	10 U	10 U	10 U	10 U
Acetonitrile	NS	13	130	---	---	---	---
Acrolein	NS	0.0042	0.042	---	---	---	---
Acrylonitrile	NS	0.052	0.52	---	---	---	---
Benzene	5	NA	NA	1 U	1 U	1 U	1 U
Carbon disulfide	NS	81	810	10 U	10 U	10 U	10 U
Cyclohexane	NS	1300	13000	10 U	10 U	10 U	10 U
Ethyl methacrylate	NS	63	630	---	---	---	---
Ethylbenzene	700	NA	NA	1 U	1	1 U	1 U
Isobutyl alcohol	NS	41	410	---	---	---	---
Isopropylbenzene (Cumene)	NS	45	450	1 U	1 U	1 U	1 U
m&p-Xylene <sup>x</sup>	10000	NA	NA	---	---	---	---
Methacrylonitrile	NS	0.19	1.9	---	---	---	---
Methyl acetate	NS	2000	20000	10 U	10 U	10 U	10 U
Methyl methacrylate	NS	140	1400	---	---	---	---
Methyl tert-butyl ether	NS	14	14	1 U	1 U	1 U	1 U
Methylcyclohexane <sup>c</sup>	NS	1300	13000	10 U	10 U	10 U	10 U
m&p-Xylene <sup>x</sup>	10000	NA	NA	2 U	1 J	2 U	2 U
Naphthalene	NS	0.17	0.17	1 U	1 U	1 U	1 U
n-Butylbenzene	NS	100	1000	---	---	---	---
n-Propylbenzene	NS	66	660	---	---	---	---
o-Xylene <sup>x</sup>	10000	NA	NA	1 U	0.8 J	1 U	1 U
Propionitrile	NS	NS	NS	---	---	---	---
sec-Butylbenzene	NS	200	2000	---	---	---	---
Styrene	100	NA	NA	1 U	1 U	1 U	1 U
tert-Butylbenzene	NS	69	690	---	---	---	---
Toluene	1000	NA	NA	1 U	1 U	1 U	1 U
Vinyl acetate	NS	41	410	---	---	---	---
Xylene, Total <sup>x</sup>	10000	NA	NA	---	---	---	---

**Table 2. Groundwater Monitoring Well Sample Results**  
**Volatile Organic Compounds**  
**Dresser Inc. Facility**  
**124 W. College Ave, Salisbury, Maryland**

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-9 5/3/2016 MW-9 24.6	MW-9 11/7/2016 MW-9 23.29	MW-9 3/22/2018 MW-9 23.6	MW-10 9/17/2003 MW-10	MW-10 9/17/2003 MW-10D4	MW-10 8/11/2004 MW-10	MW-10 3/29/2006 MW-10 25	MW-10 5/17/2007 MW-10 25			
	MCL	RSL HQ = 0.1 <sup>2</sup>	RSL HQ = 1.0 <sup>2</sup>	TT	TT, d	TT					
<b>Screening Criteria<sup>1</sup></b>											
<b>Chlorinated Volatile Organic Compounds (µg/L)</b>											
1,1,1,2-Tetrachloroethane	NS	0.57	5.7	---	5 U	5 U	---	---			
1,1,1-Trichloroethane	200	NA	NA	1 U	5 U	1.1 J	1.6	1 U			
1,1,2,2-Tetrachloroethane	NS	0.076	0.076	1 U	5 U	5 U	1 U	---			
1,1,2-trichloro-1,2,2-trifluoroethane (Freon 113)	NS	1000	10000	1 U	---	---	---	---			
1,1,2-Trichloroethane	5	NA	NA	1 U	5 U	5 U	1 U	1 U			
1,1-Dichloroethane	NS	2.8	2.8	1 U	5 U	5 U	1 U	1 U			
1,1-Dichloroethene	7	NA	NA	1 U	5 U	5 U	1 U	1 U			
1,1-Dichloropropene	NS	NS	NS	---	5 U	5 U	---	---			
1,2,3-Trichlorobenzene	NS	0.7	7	1 U	5 U	5 U	---	---			
1,2,3-Trichloropropane	NS	0.00075	0.00075	---	5 U	5 U	---	---			
1,2,4-Trichlorobenzene	70	NA	NA	1 U	5 U	5 U	---	1 U			
1,2-Dibromo-3-chloropropane	0.2	NA	NA	10 U	5 U	5 U	---	---			
1,2-Dibromoethane	0.005	NA	NA	---	5 U	5 U	---	---			
1,2-Dichlorobenzene	600	NA	NA	1 U	5 U	5 U	---	---			
1,2-Dichloroethane	5	NA	NA	1 U	5 U	5 U	1 U	1 U			
1,2-Dichloroethene	70	NA	NA	---	---	---	---	---			
1,2-Dichloropropane	5	NA	NA	1 U	5 U	5 U	1 U	---			
1,3-Dichlorobenzene	NS	NS	NS	1 U	5 U	5 U	---	1 U			
1,3-Dichloropropane	NS	37	370	---	5 U	5 U	---	---			
1,4-Dichlorobenzene	75	NA	NA	1 U	5 U	5 U	---	---			
2,2-Dichloropropane	NS	NS	NS	---	5 U	5 U	---	---			
2-Chloroethyl vinyl ether	NS	NS	NS	---	20 U	20 U	---	---			
4-Chlorotoluene	NS	NS	NS	---	5 U	5 U	---	---			
Allyl chloride	NS	0.21	2.1	---	---	---	---	---			
beta-Chloroprene	NS	NS	NS	---	---	---	---	---			
Bromobenzene	NS	6.2	62	---	5 U	5 U	---	---			
Bromodichloromethane	80	NA	NA	1 U	5 U	5 U	1 U	---			
Bromoform	80	NA	NA	5 U	5 U	5 U	1 U	---			
Carbon tetrachloride	5	NA	NA	1 U	5 U	5 U	1 U	---			
Chlorobenzene	100	NA	NA	1 U	5 U	5 U	1 U	---			
Chlorobromomethane	NS	8.3	83	1 U	5 U	5 U	---	---			
Chloroethane	NS	2100	21000	1 U	5 U	5 U	1 U	---			
Chloroform	80	NA	NA	1 U	5 U	5 U	1 U	---			
cis-1,2-Dichloroethene	70	NA	NA	1 U	5 U	5 U	1 U	1 U			
cis-1,3-Dichloropropene	NS	0.47	0.47	1 U	5 U	5 U	1 U	---			
cis-1,4-Dichloro-2-butene	NS	0.0013	0.00130	---	---	---	---	---			
Dibromochloromethane	80	NA	NA	1 U	5 U	5 U	1 U	---			
Dibromomethane	NS	NS	NS	---	5 U	5 U	---	---			
Dichlorodifluoromethane (Freon 12)	NS	20	0.87	1 U	5 U	5 U	---	---			
Ethylene dibromide	0.05	NA	NA	1 U	---	---	---	---			
Methyl bromide	NS	0.75	7.5	1 U	5 U	5 U	1 U	---			
Methyl chloride	NS	19	190	1 U	5 U	5 U	1 U	1 U			
Methyl iodide	NS	NS	NS	---	5 U	5 U	---	---			
Methylene chloride	5	NA	NA	1 U	5 U	5 U	---	5 U			
o-Chlorotoluene (2-chlorotoluene)	NS	NS	NS	---	5 U	5 U	---	---			
Tetrachloroethane	5	NA	NA	1.2	0.81 J	1.2	6.2	6.6	9.8	5	8
trans-1,2-Dichloroethene	100	NA	NA	1 U	5 U	5 U	1 U	---	---		
trans-1,3-Dichloropropene	NS	0.47	0.47	1 U	5 U	5 U	1 U	---	---		
trans-1,4-Dichlorobutene	NS	0.0013	0.013	---	5 U	5 U	---	---			
Trichloroethene	5	NA	NA	1 U	5 U	5 U	1 U	1 U	1 U		
Trichlorofluoromethane (Freon 11)	NS	520	5200	5 U	5 U	---	5 U	5 U	5 U	5 U	
Vinyl chloride	2	NA	NA	1 U	5 U	5 U	1 U	5 U	1 U		
<b>Petroleum Volatile Organic Compounds (µg/L)</b>											
1,2,4-Trimethylbenzene	NS	5.6	56	1 U	1 U	1 U	5 U	5 U	---	---	
1,3,5-Trimethylbenzene	NS	6	60	1 U	1 U	1 U	5 U	5 U	---	---	
1,4-Dioxane	NS	0.46	0.46	100 U	100 U	---	---	---	---	---	
2-Butanone	NS	560	5600	10 U	10 U	---	10 U	10 U	5 U	5 U	10 U
2-Hexanone	NS	3.8	38	10 U	10 U	---	10 U	10 U	5 U	---	---
4-Isopropyltoluene	NS	NS	NS	---	---	---	5 U	5 U	---	---	---
4-Methyl-2-pentanone	NS	630	6300	5 U	5 U	---	10 U	10 U	5 U	5 U	5 U
Acetone	NS	1400	14000	10 U	10 U	---	10 U	10 U	5 U	5 U	10 U
Acetonitrile	NS	13	130	---	---	---	---	---	---	---	---
Acrolein	NS	0.0042	0.042	---	---	---	---	---	---	---	---
Acrylonitrile	NS	0.052	0.52	---	---	---	---	---	---	---	---
Benzene	5	NA	NA	1 U	1 U	1 U	5 U	5 U	1 U	1 U	1 U
Carbon disulfide	NS	81	810	10 U	10 U	---	5 U	5 U	5 U	10 U	10 U
Cyclohexane	NS	1300	13000	10 U	10 U	---	---	---	---	5 U	10 U
Ethyl methacrylate	NS	63	630	---	---	---	---	---	---	---	---
Ethylbenzene	700	NA	NA	1 U	1 U	1 U	5 U	5 U	1 U	1 U	1 U
Isobutyl alcohol	NS	41	410	---	---	---	---	---	---	---	---
Isopropylbenzene (Cumene)	NS	45	450	1 U	1 U	1 U	---	---	---	1 U	1 U
m&p-Xylene <sup>x</sup>	10000	NA	NA	---	---	---	---	---	---	---	---
Methacrylonitrile	NS	0.19	1.9	---	---	---	---	---	---	---	---
Methyl acetate	NS	2000	20000	10 U	10 U	---	---	---	---	---	---
Methyl methacrylate	NS	140	1400	---	---	---	---	---	---	---	---
Methyl tert-butyl ether	NS	14	14	1 U	1 U	---	5 U	5 U	---	1 U	1 U
Methylcyclohexane <sup>c</sup>	NS	1300	13000	10 U	10 U	---	---	---	---	5 U	10 U
m&p-Xylene <sup>x</sup>	10000	NA	NA	2 U	2 U	---	---	---	---	2 U	2 U
Naphthalene	NS	0.17	0.17	1 U	1 U	1 U	5 U	5 U	1 U	1 U	1 U
n-Butylbenzene	NS	100	1000	---	---	---	5 U	5 U	---	---	---
n-Propylbenzene	NS	66	660	---	---	---	5 U	5 U	---	---	---
o-Xylene <sup>x</sup>	10000	NA	NA	1 U	1 U	---	5 U	5 U	---	1 U	1 U
Propionitrile	NS	NS	NS	---	---	---	---	---	---	---	---
sec-Butylbenzene	NS	200	2000	---	---	---	5 U	5 U	---	---	---
Styrene	100	NA	NA	1 U	1 U	---	5 U	5 U	1 U	---	---
tert-Butylbenzene	NS	69	690	---	---	---	5 U	5 U	---	---	---
Toluene	1000	NA	NA	1 U	1 U	1 U	5 U	5 U	1 U	1 U	1 U
Vinyl acetate	NS	41	410	---	---	---	---	---	---	---	---
Xylene, Total <sup>x</sup>	10000	NA	NA	---	---	---	---	---	2 U	1 U	1 U



**Table 2. Groundwater Monitoring Well Sample Results**  
**Volatile Organic Compounds**  
**Dresser Inc. Facility**  
**124 W. College Ave, Salisbury, Maryland**

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-10 11/18/2008 MW-10 25	MW-10 10/13/2010 MW-10 26.03	MW-10 11/1/2011 MW-10 25.5	MW-10 9/18/2012 MW-10 25.6	MW-10 9/18/2012 MW-10A 25.6 d	MW-10 12/12/2013 MW-10 24.5	MW-10 12/9/2014 MW-10 25.16
	MCL	RSL HQ = 0.1 <sup>2</sup>	RSL HQ = 1.0 <sup>2</sup>				
<b>Screening Criteria<sup>1</sup></b>							
<b>Chlorinated Volatile Organic Compounds (µg/L)</b>							
1,1,1,2-Tetrachloroethane	NS	0.57	5.7	---	---	---	---
1,1,1-Trichloroethane	200	NA	NA	0.6 J	1	0.9 J	1 U
1,1,2,2-Tetrachloroethane	NS	0.076	0.076	1 U	1 U	1 U	1 U
1,1,2-trichloro-1,2,2-trifluoroethane (Freon 113)	NS	1000	10000	1 U	1 U	1 U	1 U
1,1,2-Trichloroethane	5	NA	NA	1 U	1 U	1 U	1 U
1,1-Dichloroethane	NS	2.8	2.8	1 U	1 U	1 U	1 U
1,1-Dichloroethene	7	NA	NA	1 U	1 U	1 U	1 U
1,1-Dichloropropene	NS	NS	NS	---	---	---	---
1,2,3-Trichlorobenzene	NS	0.7	7	1 U	1 U	1 U	1 U
1,2,3-Trichloropropane	NS	0.00075	0.00075	---	---	---	---
1,2,4-Trichlorobenzene	70	NA	NA	1 U	1 U	1 U	1 U
1,2-Dibromo-3-chloropropane	0.2	NA	NA	10 U	10 U	10 U	10 U
1,2-Dibromoethane	0.005	NA	NA	---	---	---	---
1,2-Dichlorobenzene	600	NA	NA	1 U	1 U	1 U	1 U
1,2-Dichloroethane	5	NA	NA	1 U	1 U	1 U	1 U
1,2-Dichloroethene	70	NA	NA	---	---	---	---
1,2-Dichloropropane	5	NA	NA	1 U	1 U	1 U	1 U
1,3-Dichlorobenzene	NS	NS	NS	1 U	1 U	1 U	1 U
1,3-Dichloropropane	NS	37	370	---	---	---	---
1,4-Dichlorobenzene	75	NA	NA	1 U	1 U	1 U	1 U
2,2-Dichloropropane	NS	NS	NS	---	---	---	---
2-Chloroethyl vinyl ether	NS	NS	NS	---	---	---	---
4-Chlorotoluene	NS	NS	NS	---	---	---	---
Allyl chloride	NS	0.21	2.1	---	---	---	---
beta-Chloroprene	NS	NS	NS	---	---	---	---
Bromobenzene	NS	6.2	62	---	---	---	---
Bromodichloromethane	80	NA	NA	1 U	1 U	1 U	1 U
Bromoform	80	NA	NA	5 U	5 U	5 U	5 U
Carbon tetrachloride	5	NA	NA	1 U	1 U	1 U	1 U
Chlorobenzene	100	NA	NA	1 U	1 U	1 U	1 U
Chlorobromomethane	NS	8.3	83	1 U	1 U	1 U	1 U
Chloroethane	NS	2100	21000	1 U	1 U	1 U	1 U
Chloroform	80	NA	NA	1 U	1 U	1 U	1 U
cis-1,2-Dichloroethene	70	NA	NA	1 U	1 U	1 U	1 U
cis-1,3-Dichloropropene	NS	0.47	0.47	1 U	1 U	1 U	1 U
cis-1,4-Dichloro-2-butene	NS	0.0013	0.00130	---	---	---	---
Dibromochloromethane	80	NA	NA	1 U	1 U	1 U	1 U
Dibromomethane	NS	NS	NS	---	---	---	---
Dichlorodifluoromethane (Freon 12)	NS	20	0.87	1 U	1 U	1 U	1 U
Ethylene dibromide	0.05	NA	NA	1 U	1 U	1 U	1 U
Methyl bromide	NS	0.75	7.5	1 U	1 U	1 U	1 U
Methyl chloride	NS	19	190	1 U	1 U	1 U	1 U
Methyl iodide	NS	NS	NS	---	---	---	---
Methylene chloride	5	NA	NA	1 U	1 U	1 U	1 U
o-Chlorotoluene (2-chlorotoluene)	NS	NS	NS	---	---	---	---
Tetrachloroethene	5	NA	NA	5	7	8	5.6
trans-1,2-Dichloroethene	100	NA	NA	1 U	1 U	1 U	1 U
trans-1,3-Dichloropropene	NS	0.47	0.47	1 U	1 U	1 U	1 U
trans-1,4-Dichlorobutene	NS	0.0013	0.013	---	---	---	---
Trichloroethene	5	NA	NA	1 U	1 U	1 U	1 U
Trichlorofluoromethane (Freon 11)	NS	520	5200	5 U	5 U	5 U	5 U
Vinyl chloride	2	NA	NA	1 U	1 U	1 U	1 U
<b>Petroleum Volatile Organic Compounds (µg/L)</b>							
1,2,4-Trimethylbenzene	NS	5.6	56	---	1 U	---	1 U
1,3,5-Trimethylbenzene	NS	6	60	---	1 U	---	1 U
1,4-Dioxane	NS	0.46	0.46	---	---	---	100 U
2-Butanone	NS	560	5600	10 U	10 U	10 U	10 U
2-Hexanone	NS	3.8	38	10 U	10 U	10 U	10 U
4-Isopropyltoluene	NS	NS	NS	---	---	---	---
4-Methyl-2-pentanone	NS	630	6300	5 U	5 U	5 U	5 U
Acetone	NS	1400	14000	10 U	10 U	10 U	10 U
Acetonitrile	NS	13	130	---	---	---	---
Acrolein	NS	0.0042	0.042	---	---	---	---
Acrylonitrile	NS	0.052	0.52	---	---	---	---
Benzene	5	NA	NA	1 U	1 U	1 U	1 U
Carbon disulfide	NS	81	810	10 U	10 U	10 U	10 U
Cyclohexane	NS	1300	13000	10 U	10 U	10 U	10 U
Ethyl methacrylate	NS	63	630	---	---	---	---
Ethylbenzene	700	NA	NA	1 U	1 U	1 U	1 U
Isobutyl alcohol	NS	41	410	---	---	---	---
Isopropylbenzene (Cumene)	NS	45	450	1 U	1 U	1 U	1 U
m&p-Xylene <sup>x</sup>	10000	NA	NA	---	---	---	---
Methacrylonitrile	NS	0.19	1.9	---	---	---	---
Methyl acetate	NS	2000	20000	10 U	10 U	10 U	10 U
Methyl methacrylate	NS	140	1400	---	---	---	---
Methyl tert-butyl ether	NS	14	14	1 U	1 U	1 U	1 U
Methylcyclohexane <sup>c</sup>	NS	1300	13000	10 U	10 U	10 U	10 U
m&p-Xylene <sup>x</sup>	10000	NA	NA	2 U	2 U	2 U	2 U
Naphthalene	NS	0.17	0.17	1 U	1 U	1 U	1 U
n-Butylbenzene	NS	100	1000	---	---	---	---
n-Propylbenzene	NS	66	660	---	---	---	---
o-Xylene <sup>x</sup>	10000	NA	NA	1 U	1 U	1 U	1 U
Propionitrile	NS	NS	NS	---	---	---	---
sec-Butylbenzene	NS	200	2000	---	---	---	---
Styrene	100	NA	NA	1 U	1 U	1 U	1 U
tert-Butylbenzene	NS	69	690	---	---	---	---
Toluene	1000	NA	NA	1 U	1 U	1 U	1 U
Vinyl acetate	NS	41	410	---	---	---	---
Xylene, Total <sup>x</sup>	10000	NA	NA	---	---	---	---

**Table 2. Groundwater Monitoring Well Sample Results**  
**Volatile Organic Compounds**  
**Dresser Inc. Facility**  
**124 W. College Ave, Salisbury, Maryland**

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-10 12/8/2015 MW-10 25	MW-10 5/4/2016 MW-10 25	MW-10 11/9/2016 MW-10 23	MW-10 3/22/2018 MW-10 23.5	MW-11 9/17/2003 MW-11 TT	MW-11 8/12/2004 MW-11 TT	MW-11 3/30/2006 MW-11 26.5	MW-11 5/17/2007 MW-11 26.5
	MCL	RSL HQ = 0.1 <sup>2</sup>	RSL HQ = 1.0 <sup>2</sup>					
<b>Screening Criteria<sup>1</sup></b>								
<b>Chlorinated Volatile Organic Compounds (µg/L)</b>								
1,1,1,2-Tetrachloroethane	NS	0.57	5.7	---	---	---	---	5 U
1,1,1-Trichloroethane	200	NA	NA	1 U	1 U	<b>0.65 J</b>	---	5 U
1,1,2,2-Tetrachloroethane	NS	0.076	0.076	1 U	1 U	1 U	---	5 U
1,1,2-trichloro-1,2,2-trifluoroethane (Freon 113)	NS	1000	10000	1 U	1 U	1 U	---	---
1,1,2-Trichloroethane	5	NA	NA	1 U	1 U	1 U	---	5 U
1,1-Dichloroethane	NS	2.8	2.8	1 U	1 U	1 U	---	5 U
1,1-Dichloroethene	7	NA	NA	1 U	1 U	1 U	---	5 U
1,1-Dichloropropene	NS	NS	NS	---	---	---	---	5 U
1,2,3-Trichlorobenzene	NS	0.7	7	1 U	1 U	1 U	---	5 U
1,2,3-Trichloropropane	NS	0.00075	0.00075	---	---	---	---	5 U
1,2,4-Trichlorobenzene	70	NA	NA	1 U	1 U	1 U	---	5 U
1,2-Dibromo-3-chloropropane	0.2	NA	NA	10 U	10 U	10 U	---	5 U
1,2-Dibromoethane	0.005	NA	NA	---	---	---	---	5 U
1,2-Dichlorobenzene	600	NA	NA	1 U	1 U	1 U	---	5 U
1,2-Dichloroethane	5	NA	NA	1 U	1 U	1 U	---	5 U
1,2-Dichloroethene	70	NA	NA	---	---	---	---	5 U
1,2-Dichloropropane	5	NA	NA	1 U	1 U	1 U	---	5 U
1,3-Dichlorobenzene	NS	NS	NS	1 U	1 U	1 U	---	5 U
1,3-Dichloropropane	NS	37	370	---	---	---	---	5 U
1,4-Dichlorobenzene	75	NA	NA	1 U	1 U	1 U	---	5 U
2,2-Dichloropropane	NS	NS	NS	---	---	---	---	5 U
2-Chloroethyl vinyl ether	NS	NS	NS	---	---	---	---	20 U
4-Chlorotoluene	NS	NS	NS	---	---	---	---	5 U
Allyl chloride	NS	0.21	2.1	---	---	---	---	---
beta-Chloroprene	NS	NS	NS	---	---	---	---	---
Bromobenzene	NS	6.2	62	---	---	---	---	5 U
Bromodichloromethane	80	NA	NA	1 U	1 U	1 U	---	5 U
Bromoform	80	NA	NA	5 U	5 U	5 U	---	5 U
Carbon tetrachloride	5	NA	NA	1 U	1 U	1 U	---	5 U
Chlorobenzene	100	NA	NA	1 U	1 U	1 U	---	5 U
Chlorobromomethane	NS	8.3	83	1 U	1 U	1 U	---	5 U
Chloroethane	NS	2100	21000	1 U	1 U	1 U	---	5 U
Chloroform	80	NA	NA	1 U	1 U	1 U	---	5 U
cis-1,2-Dichloroethene	70	NA	NA	1 U	1 U	1 U	1 U	5 U
cis-1,3-Dichloropropene	NS	0.47	0.47	1 U	1 U	1 U	---	5 U
cis-1,4-Dichloro-2-butene	NS	0.0013	0.00130	---	---	---	---	---
Dibromochloromethane	80	NA	NA	1 U	1 U	1 U	---	5 U
Dibromomethane	NS	NS	NS	---	---	---	---	5 U
Dichlorodifluoromethane (Freon 12)	NS	20	0.87	1 U	1 U	1 U	---	5 U
Ethylene dibromide	0.05	NA	NA	1 U	1 U	1 U	---	---
Methyl bromide	NS	0.75	7.5	1 U	1 U	1 U	---	5 U
Methyl chloride	NS	19	190	1 U	1 U	1 U	---	<b>1.4 J</b>
Methyl iodide	NS	NS	NS	---	---	---	---	5 U
Methylene chloride	5	NA	NA	1 U	1 U	1 U	---	5 U
o-Chlorotoluene (2-chlorotoluene)	NS	NS	NS	---	---	---	---	5 U
Tetrachloroethene	5	NA	NA	<b>5.4</b>	<b>7.3</b>	<b>6.6</b>	<b>2.7</b>	5 U
trans-1,2-Dichloroethene	100	NA	NA	1 U	1 U	1 U	---	5 U
trans-1,3-Dichloropropene	NS	0.47	0.47	1 U	1 U	1 U	---	5 U
trans-1,4-Dichlorobutene	NS	0.0013	0.013	---	---	---	---	5 U
Trichloroethene	5	NA	NA	1 U	1 U	1 U	1 U	<b>5.5</b>
Trichlorofluoromethane (Freon 11)	NS	520	5200	5 U	5 U	5 U	---	5 U
Vinyl chloride	2	NA	NA	1 U	1 U	1 U	1 U	5 U
<b>Petroleum Volatile Organic Compounds (µg/L)</b>								
1,2,4-Trimethylbenzene	NS	5.6	56	1 U	1 U	1 U	---	5 U
1,3,5-Trimethylbenzene	NS	6	60	1 U	1 U	1 U	---	5 U
1,4-Dioxane	NS	0.46	0.46	100 U	100 U	100 U	---	---
2-Butanone	NS	560	5600	10 U	10 U	10 U	---	10 U
2-Hexanone	NS	3.8	38	10 U	10 U	10 U	---	10 U
4-Isopropyltoluene	NS	NS	NS	---	---	---	---	5 U
4-Methyl-2-pentanone	NS	630	6300	5 U	5 U	5 U	---	10 U
Acetone	NS	1400	14000	10 U	10 U	10 U	---	10 U
Acetonitrile	NS	13	130	---	---	---	---	---
Acrolein	NS	0.0042	0.042	---	---	---	---	---
Acrylonitrile	NS	0.052	0.52	---	---	---	---	---
Benzene	5	NA	NA	1 U	1 U	1 U	---	5 U
Carbon disulfide	NS	81	810	10 U	10 U	10 U	---	5 U
Cyclohexane	NS	1300	13000	10 U	10 U	10 U	---	---
Ethyl methacrylate	NS	63	630	---	---	---	---	---
Ethylbenzene	700	NA	NA	1 U	1 U	1 U	---	5 U
Isobutyl alcohol	NS	41	410	---	---	---	---	---
Isopropylbenzene (Cumene)	NS	45	450	1 U	1 U	1 U	---	---
m&p-Xylene <sup>x</sup>	10000	NA	NA	---	---	---	---	---
Methacrylonitrile	NS	0.19	1.9	---	---	---	---	---
Methyl acetate	NS	2000	20000	10 U	10 U	10 U	---	---
Methyl methacrylate	NS	140	1400	---	---	---	---	---
Methyl tert-butyl ether	NS	14	14	1 U	1 U	1 U	---	5 U
Methylcyclohexane <sup>c</sup>	NS	1300	13000	10 U	10 U	10 U	---	---
m&p-Xylene <sup>x</sup>	10000	NA	NA	2 U	2 U	2 U	---	---
Naphthalene	NS	0.17	0.17	1 U	1 U	1 U	---	5 U
n-Butylbenzene	NS	100	1000	---	---	---	---	5 U
n-Propylbenzene	NS	66	660	---	---	---	---	5 U
o-Xylene <sup>x</sup>	10000	NA	NA	1 U	1 U	1 U	---	5 U
Propionitrile	NS	NS	NS	---	---	---	---	---
sec-Butylbenzene	NS	200	2000	---	---	---	---	5 U
Styrene	100	NA	NA	1 U	1 U	1 U	---	5 U
tert-Butylbenzene	NS	69	690	---	---	---	---	5 U
Toluene	1000	NA	NA	1 U	1 U	1 U	---	5 U
Vinyl acetate	NS	41	410	---	---	---	---	---
Xylene, Total <sup>x</sup>	10000	NA	NA	---	---	---	---	2 U

**Table 2. Groundwater Monitoring Well Sample Results**  
**Volatile Organic Compounds**  
**Dresser Inc. Facility**  
**124 W. College Ave, Salisbury, Maryland**

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-11 11/19/2008 MW-11 26.5	MW-11 3/5/2009 MW-11 26.5	MW-11 10/13/2010 MW-11 26.36	MW-11 11/1/2011 MW-11 27.91	MW-11 10/10/2012 MW-11 25.35	MW-11 12/10/2013 MW-11 24.5	MW-11 12/8/2014 MW-11 25.26
	MCL	RSL HQ = 0.1 <sup>2</sup>	RSL HQ = 1.0 <sup>2</sup>				
<b>Screening Criteria<sup>1</sup></b>							
<b>Chlorinated Volatile Organic Compounds (µg/L)</b>							
1,1,1,2-Tetrachloroethane	NS	0.57	5.7	---	---	---	---
1,1,1-Trichloroethane	200	NA	NA	1 U	1 U	1 U	1 U
1,1,2,2-Tetrachloroethane	NS	0.076	0.076	1 U	1 U	1 U	1 U
1,1,2-trichloro-1,2,2-trifluoroethane (Freon 113)	NS	1000	10000	1 U	1 U	1 U	1 U
1,1,2-Trichloroethane	5	NA	NA	1 U	1 U	1 U	1 U
1,1-Dichloroethane	NS	2.8	2.8	1 U	1 U	1 U	1 U
1,1-Dichloroethene	7	NA	NA	1 U	1 U	1 U	1 U
1,1-Dichloropropene	NS	NS	NS	---	---	---	---
1,2,3-Trichlorobenzene	NS	0.7	7	1 U	1 U	1 U	1 U
1,2,3-Trichloropropane	NS	0.00075	0.00075	---	---	---	---
1,2,4-Trichlorobenzene	70	NA	NA	1 U	1 U	1 U	1 U
1,2-Dibromo-3-chloropropane	0.2	NA	NA	10 U	10 U	10 U	10 U
1,2-Dibromoethane	0.005	NA	NA	---	---	---	---
1,2-Dichlorobenzene	600	NA	NA	1 U	1 U	1 U	1 U
1,2-Dichloroethane	5	NA	NA	1 U	1 U	1 U	1 U
1,2-Dichloroethene	70	NA	NA	---	---	---	---
1,2-Dichloropropane	5	NA	NA	1 U	1 U	1 U	1 U
1,3-Dichlorobenzene	NS	NS	NS	1 U	1 U	1 U	1 U
1,3-Dichloropropane	NS	37	370	---	---	---	---
1,4-Dichlorobenzene	75	NA	NA	1 U	1 U	1 U	1 U
2,2-Dichloropropane	NS	NS	NS	---	---	---	---
2-Chloroethyl vinyl ether	NS	NS	NS	---	---	---	---
4-Chlorotoluene	NS	NS	NS	---	---	---	---
Allyl chloride	NS	0.21	2.1	---	---	---	---
beta-Chloroprene	NS	NS	NS	---	---	---	---
Bromobenzene	NS	6.2	62	---	---	---	---
Bromodichloromethane	80	NA	NA	1 U	1 U	1 U	1 U
Bromoform	80	NA	NA	5 U	5 U	5 U	5 U
Carbon tetrachloride	5	NA	NA	1 U	1 U	1 U	1 U
Chlorobenzene	100	NA	NA	1 U	1 U	1 U	1 U
Chlorobromomethane	NS	8.3	83	1 U	1 U	1 U	1 U
Chloroethane	NS	2100	21000	1 U	1 U	1 U	1 U
Chloroform	80	NA	NA	1 U	1 U	1 U	1 U
cis-1,2-Dichloroethene	70	NA	NA	1 U	1 U	1 U	1 U
cis-1,3-Dichloropropene	NS	0.47	0.47	1 U	1 U	1 U	1 U
cis-1,4-Dichloro-2-butene	NS	0.0013	0.00130	---	---	---	---
Dibromochloromethane	80	NA	NA	1 U	1 U	1 U	1 U
Dibromomethane	NS	NS	NS	---	---	---	---
Dichlorodifluoromethane (Freon 12)	NS	20	0.87	1 U	1 U	1 U	1 U
Ethylene dibromide	0.05	NA	NA	1 U	1 U	1 U	1 U
Methyl bromide	NS	0.75	7.5	1 U	1 U	1 U	1 U
Methyl chloride	NS	19	190	1 U	1 U	1 U	1 U
Methyl iodide	NS	NS	NS	---	---	---	---
Methylene chloride	5	NA	NA	1 U	1 U	1 U	1 U
o-Chlorotoluene (2-chlorotoluene)	NS	NS	NS	---	---	---	---
Tetrachloroethane	5	NA	NA	4	5	1 U	2
trans-1,2-Dichloroethene	100	NA	NA	1 U	1 U	1 U	1 U
trans-1,3-Dichloropropene	NS	0.47	0.47	1 U	1 U	1 U	1 U
trans-1,4-Dichlorobutene	NS	0.0013	0.013	---	---	---	---
Trichloroethene	5	NA	NA	1 U	1 U	1 U	1 U
Trichlorofluoromethane (Freon 11)	NS	520	5200	5 U	5 U	5 U	5 U
Vinyl chloride	2	NA	NA	1 U	1 U	1 U	1 U
<b>Petroleum Volatile Organic Compounds (µg/L)</b>							
1,2,4-Trimethylbenzene	NS	5.6	56	---	1 U	1 U	---
1,3,5-Trimethylbenzene	NS	6	60	---	1 U	1 U	---
1,4-Dioxane	NS	0.46	0.46	---	---	---	100 U
2-Butanone	NS	560	5600	10 U	10 U	10 U	10 U
2-Hexanone	NS	3.8	38	10 U	10 U	10 U	10 U
4-Isopropyltoluene	NS	NS	NS	---	---	---	---
4-Methyl-2-pentanone	NS	630	6300	5 U	5 U	5 U	5 U
Acetone	NS	1400	14000	10 U	10 U	10 U	10 U
Acetonitrile	NS	13	130	---	---	---	---
Acrolein	NS	0.0042	0.042	---	---	---	---
Acrylonitrile	NS	0.052	0.52	---	---	---	---
Benzene	5	NA	NA	1 U	1 U	1 U	1 U
Carbon disulfide	NS	81	810	10 U	10 U	10 U	10 U
Cyclohexane	NS	1300	13000	10 U	10 U	10 U	10 U
Ethyl methacrylate	NS	63	630	---	---	---	---
Ethylbenzene	700	NA	NA	1 U	1 U	1 U	1 U
Isobutyl alcohol	NS	41	410	---	---	---	---
Isopropylbenzene (Cumene)	NS	45	450	1 U	1 U	1 U	1 U
m&p-Xylene <sup>x</sup>	10000	NA	NA	---	---	---	---
Methacrylonitrile	NS	0.19	1.9	---	---	---	---
Methyl acetate	NS	2000	20000	10 U	10 U	10 U	10 U
Methyl methacrylate	NS	140	1400	---	---	---	---
Methyl tert-butyl ether	NS	14	14	1 U	1 U	1 U	1 U
Methylcyclohexane <sup>c</sup>	NS	1300	13000	10 U	10 U	10 U	10 U
m&p-Xylene <sup>x</sup>	10000	NA	NA	1 J	2 U	2 U	2 U
Naphthalene	NS	0.17	0.17	0.8 J	1 U	1 U	1 U
n-Butylbenzene	NS	100	1000	---	---	---	---
n-Propylbenzene	NS	66	660	---	---	---	---
o-Xylene <sup>x</sup>	10000	NA	NA	1 U	1 U	1 U	1 U
Propionitrile	NS	NS	NS	---	---	---	---
sec-Butylbenzene	NS	200	2000	---	---	---	---
Styrene	100	NA	NA	1 U	1 U	1 U	1 U
tert-Butylbenzene	NS	69	690	---	---	---	---
Toluene	1000	NA	NA	2	1 U	1 U	1 U
Vinyl acetate	NS	41	410	---	---	---	---
Xylene, Total <sup>x</sup>	10000	NA	NA	---	---	---	---

**Table 2. Groundwater Monitoring Well Sample Results**  
**Volatile Organic Compounds**  
**Dresser Inc. Facility**  
**124 W. College Ave, Salisbury, Maryland**

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-11 12/7/2015 MW-11 22	MW-11 5/3/2016 MW-11 22	MW-11 11/7/2016 MW-11 22.61	MW-11 3/21/2018 MW-11 22	MW-12 9/17/2003 MW-12 TT	MW-12 8/12/2004 MW-12 TT	MW-12 3/30/2006 MW-12 25.35	MW-12 5/17/2007 MW-12 25.4
	MCL	RSL HQ = 0.1 <sup>2</sup>	RSL HQ = 1.0 <sup>2</sup>					
<b>Screening Criteria<sup>1</sup></b>								
<b>Chlorinated Volatile Organic Compounds (µg/L)</b>								
1,1,1,2-Tetrachloroethane	NS	0.57	5.7	---	---	---	---	---
1,1,1-Trichloroethane	200	NA	NA	1 U	1 U	1 U	1 U	1 U
1,1,2,2-Tetrachloroethane	NS	0.076	0.076	1 U	1 U	1 U	---	---
1,1,2-trichloro-1,2,2-trifluoroethane (Freon 113)	NS	1000	10000	1 U	1 U	1 U	---	---
1,1,2-Trichloroethane	5	NA	NA	1 U	1 U	1 U	5 U	1 U
1,1-Dichloroethane	NS	2.8	2.8	1 U	1 U	1 U	3.8 J	1 U
1,1-Dichloroethene	7	NA	NA	1 U	1 U	1 U	1.8 J	1 U
1,1-Dichloropropene	NS	NS	NS	---	---	---	5 U	---
1,2,3-Trichlorobenzene	NS	0.7	7	1 U	1 U	1 U	5 U	---
1,2,3-Trichloropropane	NS	0.00075	0.00075	---	---	---	5 U	---
1,2,4-Trichlorobenzene	70	NA	NA	1 U	1 U	1 U	5 U	1 U
1,2-Dibromo-3-chloropropane	0.2	NA	NA	10 U	10 U	10 U	5 U	---
1,2-Dibromoethane	0.005	NA	NA	---	---	---	5 U	---
1,2-Dichlorobenzene	600	NA	NA	1 U	1 U	1 U	5 U	---
1,2-Dichloroethane	5	NA	NA	1 U	1 U	1 U	5 U	1 U
1,2-Dichloroethene	70	NA	NA	---	---	---	---	---
1,2-Dichloropropane	5	NA	NA	1 U	1 U	1 U	5 U	1 U
1,3-Dichlorobenzene	NS	NS	NS	1 U	1 U	1 U	5 U	1 U
1,3-Dichloropropane	NS	37	370	---	---	---	5 U	---
1,4-Dichlorobenzene	75	NA	NA	1 U	1 U	1 U	5 U	---
2,2-Dichloropropane	NS	NS	NS	---	---	---	5 U	---
2-Chloroethyl vinyl ether	NS	NS	NS	---	---	---	20 U	---
4-Chlorotoluene	NS	NS	NS	---	---	---	5 U	---
Allyl chloride	NS	0.21	2.1	---	---	---	---	---
beta-Chloroprene	NS	NS	NS	---	---	---	---	---
Bromobenzene	NS	6.2	62	---	---	---	5 U	---
Bromodichloromethane	80	NA	NA	1 U	1 U	1 U	5 U	1 U
Bromoform	80	NA	NA	5 U	5 U	5 U	5 U	1 U
Carbon tetrachloride	5	NA	NA	1 U	1 U	1 U	5 U	1 U
Chlorobenzene	100	NA	NA	1 U	1 U	1 U	5 U	1 U
Chlorobromomethane	NS	8.3	83	1 U	1 U	1 U	5 U	---
Chloroethane	NS	2100	21000	1 U	1 U	1 U	5 U	1 U
Chloroform	80	NA	NA	1 U	1 U	1 U	5 U	1 U
cis-1,2-Dichloroethene	70	NA	NA	1 U	1 U	1 U	2.3 J	1 U
cis-1,3-Dichloropropene	NS	0.47	0.47	1 U	1 U	1 U	5 U	1 U
cis-1,4-Dichloro-2-butene	NS	0.0013	0.00130	---	---	---	---	---
Dibromochloromethane	80	NA	NA	1 U	1 U	1 U	5 U	1 U
Dibromomethane	NS	NS	NS	---	---	---	5 U	---
Dichlorodifluoromethane (Freon 12)	NS	20	0.87	1 U	1 U	1 U	5 U	---
Ethylene dibromide	0.05	NA	NA	1 U	1 U	1 U	---	---
Methyl bromide	NS	0.75	7.5	1 U	1 U	1 U	5 U	1 U
Methyl chloride	NS	19	190	1 U	1 U	1 U	5 U	1 U
Methyl iodide	NS	NS	NS	---	---	---	5 U	---
Methylene chloride	5	NA	NA	1 U	1 U	1 U	5 U	1 U
o-Chlorotoluene (2-chlorotoluene)	NS	NS	NS	---	---	---	5 U	---
Tetrachloroethane	5	NA	NA	0.66 J	1 U	1 U	2.4 J	1.9
trans-1,2-Dichloroethene	100	NA	NA	1 U	1 U	1 U	5 U	1 U
trans-1,3-Dichloropropene	NS	0.47	0.47	1 U	1 U	1 U	5 U	1 U
trans-1,4-Dichlorobutene	NS	0.0013	0.013	---	---	---	5 U	---
Trichloroethene	5	NA	NA	1 U	1 U	1 U	5 U	1 U
Trichlorofluoromethane (Freon 11)	NS	520	5200	5 U	5 U	5 U	5 U	5 U
Vinyl chloride	2	NA	NA	1 U	1 U	1 U	5 U	1 U
<b>Petroleum Volatile Organic Compounds (µg/L)</b>								
1,2,4-Trimethylbenzene	NS	5.6	56	1.1	1 U	1 U	38.2	---
1,3,5-Trimethylbenzene	NS	6	60	1 U	1 U	1 U	17.2	---
1,4-Dioxane	NS	0.46	0.46	100 U	100 U	100 U	---	---
2-Butanone	NS	560	5600	10 U	10 U	10 U	10 U	5 U
2-Hexanone	NS	3.8	38	10 U	10 U	10 U	10 U	5 U
4-Isopropyltoluene	NS	NS	NS	---	---	---	5 U	---
4-Methyl-2-pentanone	NS	630	6300	5 U	5 U	5 U	10 U	5 U
Acetone	NS	1400	14000	10 U	10 U	10 U	10 U	5 U
Acetonitrile	NS	13	130	---	---	---	---	---
Acrolein	NS	0.0042	0.042	---	---	---	---	---
Acrylonitrile	NS	0.052	0.52	---	---	---	---	---
Benzene	5	NA	NA	1 U	1 U	1 U	1.4	1 U
Carbon disulfide	NS	81	810	10 U	10 U	10 U	5 U	5 U
Cyclohexane	NS	1300	13000	10 U	10 U	10 U	---	5 U
Ethyl methacrylate	NS	63	630	---	---	---	---	---
Ethylbenzene	700	NA	NA	1 U	1 U	1 U	57.2	17
Isobutyl alcohol	NS	41	410	---	---	---	---	---
Isopropylbenzene (Cumene)	NS	45	450	1 U	1 U	1 U	---	1 U
m&p-Xylene <sup>x</sup>	10000	NA	NA	---	---	---	---	---
Methacrylonitrile	NS	0.19	1.9	---	---	---	---	---
Methyl acetate	NS	2000	20000	10 U	10 U	10 U	---	---
Methyl methacrylate	NS	140	1400	---	---	---	---	---
Methyl tert-butyl ether	NS	14	14	1 U	1 U	1 U	1.1 J	1 U
Methylcyclohexane <sup>c</sup>	NS	1300	13000	10 U	10 U	10 U	---	5 U
m&p-Xylene <sup>x</sup>	10000	NA	NA	1 J	2 U	2 U	---	2 U
Naphthalene	NS	0.17	0.17	1 U	1 U	1 U	4.4 J	1 U
n-Butylbenzene	NS	100	1000	---	---	---	5 U	---
n-Propylbenzene	NS	66	660	---	---	---	37	---
o-Xylene <sup>x</sup>	10000	NA	NA	0.61 J	1 U	1 U	9.3	1 U
Propionitrile	NS	NS	NS	---	---	---	---	---
sec-Butylbenzene	NS	200	2000	---	---	---	5 U	---
Styrene	100	NA	NA	1 U	1 U	1 U	5 U	1 U
tert-Butylbenzene	NS	69	690	---	---	---	5 U	---
Toluene	1000	NA	NA	1 U	1 U	1 U	1 J	1 U
Vinyl acetate	NS	41	410	---	---	---	---	---
Xylene, Total <sup>x</sup>	10000	NA	NA	---	---	---	6.1	1 U

**Table 2. Groundwater Monitoring Well Sample Results**  
**Volatile Organic Compounds**  
**Dresser Inc. Facility**  
**124 W. College Ave, Salisbury, Maryland**

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-12 11/18/2008 MW-12 25.4	MW-12 3/4/2009 MW-12 25.2	MW-12 10/13/2010 MW-12 25.17	MW-12 11/2/2011 MW-12 24.9	MW-12 9/20/2012 MW-12 25.5	MW-12 12/12/2013 MW-12 24.5	MW-12 12/9/2014 MW-12 26.05			
	MCL	RSL HQ = 0.1 <sup>2</sup>	RSL HQ = 1.0 <sup>2</sup>							
<b>Screening Criteria<sup>1</sup></b>										
<b>Chlorinated Volatile Organic Compounds (µg/L)</b>										
1,1,1,2-Tetrachloroethane	NS	0.57	5.7	---	---	---	---			
1,1,1-Trichloroethane	200	NA	NA	1 U	1 U	1 U	1 U			
1,1,2,2-Tetrachloroethane	NS	0.076	0.076	1 U	1 U	1 U	1 U			
1,1,2-trichloro-1,2,2-trifluoroethane (Freon 113)	NS	1000	10000	1 U	1 U	1 U	1 U			
1,1,2-Trichloroethane	5	NA	NA	1 U	1 U	1 U	1 U			
1,1-Dichloroethane	NS	2.8	2.8	1 U	1 U	1 U	1 U			
1,1-Dichloroethene	7	NA	NA	1 U	1 U	1 U	1 U			
1,1-Dichloropropene	NS	NS	NS	---	---	---	---			
1,2,3-Trichlorobenzene	NS	0.7	7	1 U	1 U	1 U	1 U			
1,2,3-Trichloropropane	NS	0.00075	0.00075	---	---	---	---			
1,2,4-Trichlorobenzene	70	NA	NA	1 U	1 U	1 U	1 U			
1,2-Dibromo-3-chloropropane	0.2	NA	NA	10 U	10 U	10 U	10 U			
1,2-Dibromoethane	0.005	NA	NA	---	---	---	---			
1,2-Dichlorobenzene	600	NA	NA	1 U	1 U	1 U	1 U			
1,2-Dichloroethane	5	NA	NA	1 U	1 U	1 U	1 U			
1,2-Dichloroethene	70	NA	NA	---	---	---	---			
1,2-Dichloropropane	5	NA	NA	1 U	1 U	1 U	1 U			
1,3-Dichlorobenzene	NS	NS	NS	1 U	1 U	1 U	1 U			
1,3-Dichloropropane	NS	37	370	---	---	---	---			
1,4-Dichlorobenzene	75	NA	NA	1 U	1 U	1 U	1 U			
2,2-Dichloropropane	NS	NS	NS	---	---	---	---			
2-Chloroethyl vinyl ether	NS	NS	NS	---	---	---	---			
4-Chlorotoluene	NS	NS	NS	---	---	---	---			
Allyl chloride	NS	0.21	2.1	---	---	---	---			
beta-Chloroprene	NS	NS	NS	---	---	---	---			
Bromobenzene	NS	6.2	62	---	---	---	---			
Bromodichloromethane	80	NA	NA	1 U	1 U	1 U	1 U			
Bromoform	80	NA	NA	5 U	5 U	5 U	5 U			
Carbon tetrachloride	5	NA	NA	1 U	1 U	1 U	1 U			
Chlorobenzene	100	NA	NA	1 U	1 U	1 U	1 U			
Chlorobromomethane	NS	8.3	83	1 U	1 U	1 U	1 U			
Chloroethane	NS	2100	21000	1 U	1 U	1 U	1 U			
Chloroform	80	NA	NA	1 U	1 U	1 U	1 U			
cis-1,2-Dichloroethene	70	NA	NA	1 U	1 U	1 U	1 U			
cis-1,3-Dichloropropene	NS	0.47	0.47	1 U	1 U	1 U	1 U			
cis-1,4-Dichloro-2-butene	NS	0.0013	0.00130	---	---	---	---			
Dibromochloromethane	80	NA	NA	1 U	1 U	1 U	1 U			
Dibromomethane	NS	NS	NS	---	---	---	---			
Dichlorodifluoromethane (Freon 12)	NS	20	0.87	1 U	1 U	1 U	1 U			
Ethylene dibromide	0.05	NA	NA	1 U	1 U	1 U	1 U			
Methyl bromide	NS	0.75	7.5	1 U	1 U	1 U	1 U			
Methyl chloride	NS	19	190	1 U	1 U	1 U	1 U			
Methyl iodide	NS	NS	NS	---	---	---	---			
Methylene chloride	5	NA	NA	1 U	1 U	1 U	1 U			
o-Chlorotoluene (2-chlorotoluene)	NS	NS	NS	---	---	---	---			
Tetrachloroethane	5	NA	NA	1	1 U	2	2	2	2.5	2.1
trans-1,2-Dichloroethene	100	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U
trans-1,3-Dichloropropene	NS	0.47	0.47	1 U	1 U	1 U	1 U	1 U	1 U	1 U
trans-1,4-Dichlorobutene	NS	0.0013	0.013	---	---	---	---	---	---	---
Trichloroethene	5	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Trichlorofluoromethane (Freon 11)	NS	520	5200	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Vinyl chloride	2	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U
<b>Petroleum Volatile Organic Compounds (µg/L)</b>										
1,2,4-Trimethylbenzene	NS	5.6	56	---	5	1 U	---	---	1 U	1.3
1,3,5-Trimethylbenzene	NS	6	60	---	2	1 U	---	---	1 U	1 U
1,4-Dioxane	NS	0.46	0.46	---	---	---	---	---	---	100 U
2-Butanone	NS	560	5600	10 U	10 U	10 U	10 U	10 U	10 U	10 U
2-Hexanone	NS	3.8	38	10 U	10 U	10 U	10 U	10 U	10 U	10 U
4-Isopropyltoluene	NS	NS	NS	---	---	---	---	---	---	---
4-Methyl-2-pentanone	NS	630	6300	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Acetone	NS	1400	14000	10 U	10 U	10 U	10 U	10 U	10 U	10 U
Acetonitrile	NS	13	130	---	---	---	---	---	---	---
Acrolein	NS	0.0042	0.042	---	---	---	---	---	---	---
Acrylonitrile	NS	0.052	0.52	---	---	---	---	---	---	---
Benzene	5	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Carbon disulfide	NS	81	810	10 U	10 U	10 U	10 U	10 U	10 U	10 U
Cyclohexane	NS	1300	13000	10 U	10 U	10 U	10 U	10 U	10 U	10 U
Ethyl methacrylate	NS	63	630	---	---	---	---	---	---	---
Ethylbenzene	700	NA	NA	3	4	1 U	1 U	1 U	1 U	3.9
Isobutyl alcohol	NS	41	410	---	---	---	---	---	---	---
Isopropylbenzene (Cumene)	NS	45	450	0.7 J	1 U	1 U	1 U	1 U	1 U	1 U
m&p-Xylene <sup>x</sup>	10000	NA	NA	---	---	---	---	---	---	---
Methacrylonitrile	NS	0.19	1.9	---	---	---	---	---	---	---
Methyl acetate	NS	2000	20000	10 U	10 U	10 U	10 U	10 U	10 U	10 U
Methyl methacrylate	NS	140	1400	---	---	---	---	---	---	---
Methyl tert-butyl ether	NS	14	14	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Methylcyclohexane <sup>c</sup>	NS	1300	13000	10 U	10 U	10 U	10 U	10 U	10 U	10 U
m&p-Xylene <sup>x</sup>	10000	NA	NA	6	11	2 U	2 U	2 U	2 U	3.9
Naphthalene	NS	0.17	0.17	1 U	0.6 J	1 U	1 U	1 U	1 U	1 U
n-Butylbenzene	NS	100	1000	---	---	---	---	---	---	---
n-Propylbenzene	NS	66	660	---	---	---	---	---	---	---
o-Xylene <sup>x</sup>	10000	NA	NA	2	4	1 U	1 U	1 U	1 U	3
Propionitrile	NS	NS	NS	---	---	---	---	---	---	---
sec-Butylbenzene	NS	200	2000	---	---	---	---	---	---	---
Styrene	100	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U
tert-Butylbenzene	NS	69	690	---	---	---	---	---	---	---
Toluene	1000	NA	NA	13	24	1 U	1 U	1 U	1 U	3.6
Vinyl acetate	NS	41	410	---	---	---	---	---	---	---
Xylene, Total <sup>x</sup>	10000	NA	NA	---	---	---	---	---	---	---

**Table 2. Groundwater Monitoring Well Sample Results**  
**Volatile Organic Compounds**  
**Dresser Inc. Facility**  
**124 W. College Ave, Salisbury, Maryland**

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-12 12/8/2015 MW-12 26	MW-12 5/4/2016 MW-12 26	MW-12 11/8/2016 MW-12 22.9	MW-12 3/22/2018 MW-12 22.5	MW-13 9/17/2003 MW-13	MW-13 8/11/2004 MW-13	MW-13 8/11/2004 MW-13D4	MW-13 3/28/2006 MW-13 23.6
	TT	TT	TT, d					
<b>Screening Criteria<sup>1</sup></b>	<b>MCL</b>	<b>RSL HQ = 0.1<sup>2</sup></b>	<b>RSL HQ = 1.0<sup>2</sup></b>					
<b>Chlorinated Volatile Organic Compounds (µg/L)</b>								
1,1,1,2-Tetrachloroethane	NS	0.57	5.7	---	---	---	5 U	---
1,1,1-Trichloroethane	200	NA	NA	1 U	1 U	1 U	---	5 U
1,1,2,2-Tetrachloroethane	NS	0.076	0.076	1 U	1 U	1 U	---	5 U
1,1,2-trichloro-1,2,2-trifluoroethane (Freon 113)	NS	1000	10000	1 U	1 U	1 U	---	---
1,1,2-Trichloroethane	5	NA	NA	1 U	1 U	1 U	---	5 U
1,1-Dichloroethane	NS	2.8	2.8	1 U	1 U	1 U	---	5 U
1,1-Dichloroethene	7	NA	NA	1 U	1 U	1 U	---	5 U
1,1-Dichloropropene	NS	NS	NS	---	---	---	---	5 U
1,2,3-Trichlorobenzene	NS	0.7	7	1 U	1 U	1 U	---	5 U
1,2,3-Trichloropropane	NS	0.00075	0.00075	---	---	---	---	5 U
1,2,4-Trichlorobenzene	70	NA	NA	1 U	1 U	1 U	---	5 U
1,2-Dibromo-3-chloropropane	0.2	NA	NA	10 U	10 U	10 U	---	5 U
1,2-Dibromoethane	0.005	NA	NA	---	---	---	---	5 U
1,2-Dichlorobenzene	600	NA	NA	1 U	1 U	1 U	---	5 U
1,2-Dichloroethane	5	NA	NA	1 U	1 U	1 U	---	5 U
1,2-Dichloroethene	70	NA	NA	---	---	---	---	---
1,2-Dichloropropane	5	NA	NA	1 U	1 U	1 U	---	5 U
1,3-Dichlorobenzene	NS	NS	NS	1 U	1 U	1 U	---	5 U
1,3-Dichloropropane	NS	37	370	---	---	---	---	5 U
1,4-Dichlorobenzene	75	NA	NA	1 U	1 U	1 U	---	5 U
2,2-Dichloropropane	NS	NS	NS	---	---	---	---	5 U
2-Chloroethyl vinyl ether	NS	NS	NS	---	---	---	---	20 U
4-Chlorotoluene	NS	NS	NS	---	---	---	---	5 U
Allyl chloride	NS	0.21	2.1	---	---	---	---	---
beta-Chloroprene	NS	NS	NS	---	---	---	---	---
Bromobenzene	NS	6.2	62	---	---	---	---	5 U
Bromodichloromethane	80	NA	NA	1 U	1 U	1 U	---	5 U
Bromoform	80	NA	NA	5 U	5 U	5 U	---	5 U
Carbon tetrachloride	5	NA	NA	1 U	1 U	1 U	---	5 U
Chlorobenzene	100	NA	NA	1 U	1 U	1 U	---	5 U
Chlorobromomethane	NS	8.3	83	1 U	1 U	1 U	---	5 U
Chloroethane	NS	2100	21000	1 U	1 U	1 U	---	5 U
Chloroform	80	NA	NA	1 U	1 U	1 U	---	5 U
cis-1,2-Dichloroethene	70	NA	NA	1 U	1 U	1 U	1 U	5 U
cis-1,3-Dichloropropene	NS	0.47	0.47	1 U	1 U	1 U	---	5 U
cis-1,4-Dichloro-2-butene	NS	0.0013	0.00130	---	---	---	---	---
Dibromochloromethane	80	NA	NA	1 U	1 U	1 U	---	5 U
Dibromomethane	NS	NS	NS	---	---	---	---	5 U
Dichlorodifluoromethane (Freon 12)	NS	20	0.87	1 U	1 U	1 U	---	5 U
Ethylene dibromide	0.05	NA	NA	1 U	1 U	1 U	---	---
Methyl bromide	NS	0.75	7.5	1 U	1 U	1 U	---	5 U
Methyl chloride	NS	19	190	1 U	1 U	1 U	---	5 U
Methyl iodide	NS	NS	NS	---	---	---	---	5 U
Methylene chloride	5	NA	NA	1 U	1 U	1 U	---	5 U
o-Chlorotoluene (2-chlorotoluene)	NS	NS	NS	---	---	---	---	5 U
Tetrachloroethane	5	NA	NA	1.7	2.4	2.1	2.2	5 U
trans-1,2-Dichloroethene	100	NA	NA	1 U	1 U	1 U	---	5 U
trans-1,3-Dichloropropene	NS	0.47	0.47	1 U	1 U	1 U	---	5 U
trans-1,4-Dichlorobutene	NS	0.0013	0.013	---	---	---	---	5 U
Trichloroethene	5	NA	NA	1 U	1 U	1 U	1 U	7.1
Trichlorofluoromethane (Freon 11)	NS	520	5200	5 U	5 U	5 U	---	5 U
Vinyl chloride	2	NA	NA	1 U	1 U	1 U	1 U	5 U
<b>Petroleum Volatile Organic Compounds (µg/L)</b>								
1,2,4-Trimethylbenzene	NS	5.6	56	0.93 J	1 U	1 U	1 U	5 U
1,3,5-Trimethylbenzene	NS	6	60	1 U	1 U	1 U	1 U	5 U
1,4-Dioxane	NS	0.46	0.46	100 U	100 U	100 U	---	---
2-Butanone	NS	560	5600	10 U	10 U	10 U	---	10 U
2-Hexanone	NS	3.8	38	10 U	10 U	10 U	---	10 U
4-Isopropyltoluene	NS	NS	NS	---	---	---	---	5 U
4-Methyl-2-pentanone	NS	630	6300	5 U	5 U	5 U	---	10 U
Acetone	NS	1400	14000	10 U	10 U	10 U	---	10 U
Acetonitrile	NS	13	130	---	---	---	---	---
Acrolein	NS	0.0042	0.042	---	---	---	---	---
Acrylonitrile	NS	0.052	0.52	---	---	---	---	---
Benzene	5	NA	NA	1 U	1 U	1 U	1 U	5 U
Carbon disulfide	NS	81	810	10 U	10 U	10 U	---	5 U
Cyclohexane	NS	1300	13000	10 U	10 U	10 U	---	---
Ethyl methacrylate	NS	63	630	---	---	---	---	---
Ethylbenzene	700	NA	NA	1 U	7.5	1 U	1 U	5 U
Isobutyl alcohol	NS	41	410	---	---	---	---	---
Isopropylbenzene (Cumene)	NS	45	450	1 U	1.4	1 U	1 U	---
m&p-Xylene <sup>x</sup>	10000	NA	NA	---	---	---	---	---
Methacrylonitrile	NS	0.19	1.9	---	---	---	---	---
Methyl acetate	NS	2000	20000	10 U	10 U	10 U	---	---
Methyl methacrylate	NS	140	1400	---	---	---	---	---
Methyl tert-butyl ether	NS	14	14	1 U	1 U	1 U	---	5 U
Methylcyclohexane <sup>c</sup>	NS	1300	13000	10 U	10 U	10 U	---	---
m&p-Xylene <sup>x</sup>	10000	NA	NA	1.1 J	2 U	2 U	---	---
Naphthalene	NS	0.17	0.17	1 U	1 U	1 U	1 U	5 U
n-Butylbenzene	NS	100	1000	---	---	---	---	5 U
n-Propylbenzene	NS	66	660	---	---	---	---	5 U
o-Xylene <sup>x</sup>	10000	NA	NA	0.63 J	1 U	1 U	---	5 U
Propionitrile	NS	NS	NS	---	---	---	---	---
sec-Butylbenzene	NS	200	2000	---	---	---	---	5 U
Styrene	100	NA	NA	1 U	1 U	1 U	---	5 U
tert-Butylbenzene	NS	69	690	---	---	---	---	5 U
Toluene	1000	NA	NA	1 U	1 U	1 U	1 U	5 U
Vinyl acetate	NS	41	410	---	---	---	---	---
Xylene, Total <sup>x</sup>	10000	NA	NA	---	---	---	---	2 U

**Table 2. Groundwater Monitoring Well Sample Results**  
**Volatile Organic Compounds**  
**Dresser Inc. Facility**  
**124 W. College Ave, Salisbury, Maryland**

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-13 3/28/2006 MW-13D4 23.6 d	MW-13 5/17/2007 MW-13 23	MW-13 11/20/2008 MW-13 26	MW-13 3/4/2009 MW-13 MS/MSD 26	MW-13 10/14/2010 MW-13 26.01	MW-13 11/3/2011 MW-13 25.8	MW-13 9/20/2012 MW-13 24.7
	MCL	RSL HQ = 0.1 <sup>2</sup>	RSL HQ = 1.0 <sup>2</sup>				
<b>Screening Criteria<sup>1</sup></b>							
<b>Chlorinated Volatile Organic Compounds (µg/L)</b>							
1,1,1,2-Tetrachloroethane	NS	0.57	5.7	---	---	---	---
1,1,1-Trichloroethane	200	NA	NA	1 U	1 U	1 U	1 U
1,1,2,2-Tetrachloroethane	NS	0.076	0.076	---	---	1 U	1 U
1,1,2-trichloro-1,2,2-trifluoroethane (Freon 113)	NS	1000	10000	---	---	1 U	1 U
1,1,2-Trichloroethane	5	NA	NA	1 U	1 U	1 U	1 U
1,1-Dichloroethane	NS	2.8	2.8	1 U	1 U	1 U	1 U
1,1-Dichloroethene	7	NA	NA	1 U	1 U	1 U	1 U
1,1-Dichloropropene	NS	NS	NS	---	---	---	---
1,2,3-Trichlorobenzene	NS	0.7	7	---	---	1 U	1 U
1,2,3-Trichloropropane	NS	0.00075	0.00075	---	---	---	---
1,2,4-Trichlorobenzene	70	NA	NA	1 U	1 U	1 U	1 U
1,2-Dibromo-3-chloropropane	0.2	NA	NA	---	---	10 U	10 U
1,2-Dibromoethane	0.005	NA	NA	---	---	---	---
1,2-Dichlorobenzene	600	NA	NA	---	---	1 U	1 U
1,2-Dichloroethane	5	NA	NA	1 U	1 U	1 U	1 U
1,2-Dichloroethene	70	NA	NA	---	---	---	---
1,2-Dichloropropane	5	NA	NA	---	---	1 U	1 U
1,3-Dichlorobenzene	NS	NS	NS	1 U	1 U	1 U	1 U
1,3-Dichloropropane	NS	37	370	---	---	---	---
1,4-Dichlorobenzene	75	NA	NA	---	---	1 U	1 U
2,2-Dichloropropane	NS	NS	NS	---	---	---	---
2-Chloroethyl vinyl ether	NS	NS	NS	---	---	---	---
4-Chlorotoluene	NS	NS	NS	---	---	---	---
Allyl chloride	NS	0.21	2.1	---	---	---	---
beta-Chloroprene	NS	NS	NS	---	---	---	---
Bromobenzene	NS	6.2	62	---	---	---	---
Bromodichloromethane	80	NA	NA	---	---	1 U	1 U
Bromoform	80	NA	NA	---	---	5 U	5 U
Carbon tetrachloride	5	NA	NA	---	---	1 U	1 U
Chlorobenzene	100	NA	NA	---	---	1 U	1 U
Chlorobromomethane	NS	8.3	83	---	---	1 U	1 U
Chloroethane	NS	2100	21000	---	---	1 U	1 U
Chloroform	80	NA	NA	---	---	1 U	1 U
cis-1,2-Dichloroethene	70	NA	NA	1 U	1 U	1 U	1 U
cis-1,3-Dichloropropene	NS	0.47	0.47	---	---	1 U	1 U
cis-1,4-Dichloro-2-butene	NS	0.0013	0.00130	---	---	---	---
Dibromochloromethane	80	NA	NA	---	---	1 U	1 U
Dibromomethane	NS	NS	NS	---	---	---	---
Dichlorodifluoromethane (Freon 12)	NS	20	0.87	---	---	1 U	1 U
Ethylene dibromide	0.05	NA	NA	---	---	1 U	1 U
Methyl bromide	NS	0.75	7.5	---	---	1 U	1 U
Methyl chloride	NS	19	190	---	1 U	1 U	1 U
Methyl iodide	NS	NS	NS	---	---	---	---
Methylene chloride	5	NA	NA	5 U	1 U	1 U	1 U
o-Chlorotoluene (2-chlorotoluene)	NS	NS	NS	---	---	---	---
Tetrachloroethene	5	NA	NA	1 U	1 U	<b>0.7 J</b>	1 U
trans-1,2-Dichloroethene	100	NA	NA	---	---	1 U	1 U
trans-1,3-Dichloropropene	NS	0.47	0.47	---	---	1 U	1 U
trans-1,4-Dichlorobutene	NS	0.0013	0.013	---	---	---	---
Trichloroethene	5	NA	NA	1 U	1 U	1 U	1 U
Trichlorofluoromethane (Freon 11)	NS	520	5200	5 U	5 U	5 U	5 U
Vinyl chloride	2	NA	NA	5 U	1 U	1 U	1 U
<b>Petroleum Volatile Organic Compounds (µg/L)</b>							
1,2,4-Trimethylbenzene	NS	5.6	56	---	---	1 U	1 U
1,3,5-Trimethylbenzene	NS	6	60	---	---	1 U	1 U
1,4-Dioxane	NS	0.46	0.46	---	---	---	---
2-Butanone	NS	560	5600	5 U	10 U	10 U	10 U
2-Hexanone	NS	3.8	38	---	---	10 U	10 U
4-Isopropyltoluene	NS	NS	NS	---	---	---	---
4-Methyl-2-pentanone	NS	630	6300	5 U	5 U	5 U	5 U
Acetone	NS	1400	14000	5 U	10 U	10 U	10 U
Acetonitrile	NS	13	130	---	---	---	---
Acrolein	NS	0.0042	0.042	---	---	---	---
Acrylonitrile	NS	0.052	0.52	---	---	---	---
Benzene	5	NA	NA	1 U	1 U	1 U	1 U
Carbon disulfide	NS	81	810	10 U	10 U	10 U	10 U
Cyclohexane	NS	1300	13000	5 U	10 U	10 U	10 U
Ethyl methacrylate	NS	63	630	---	---	---	---
Ethylbenzene	700	NA	NA	1 U	1 U	<b>0.6 J</b>	1 U
Isobutyl alcohol	NS	41	410	---	---	---	---
Isopropylbenzene (Cumene)	NS	45	450	1 U	1 U	<b>0.6 J</b>	<b>0.8 J</b>
m&p-Xylene <sup>x</sup>	10000	NA	NA	---	---	---	---
Methacrylonitrile	NS	0.19	1.9	---	---	---	---
Methyl acetate	NS	2000	20000	---	---	10 U	10 U
Methyl methacrylate	NS	140	1400	---	---	---	---
Methyl tert-butyl ether	NS	14	14	1 U	1 U	1 U	1 U
Methylcyclohexane <sup>c</sup>	NS	1300	13000	5 U	10 U	10 U	10 U
m&p-Xylene <sup>x</sup>	10000	NA	NA	2 U	2 U	2 U	2 U
Naphthalene	NS	0.17	0.17	1 U	1 U	<b>3</b>	<b>0.6 J</b>
n-Butylbenzene	NS	100	1000	---	---	---	---
n-Propylbenzene	NS	66	660	---	---	---	---
o-Xylene <sup>x</sup>	10000	NA	NA	1 U	1 U	<b>2</b>	1 U
Propionitrile	NS	NS	NS	---	---	---	---
sec-Butylbenzene	NS	200	2000	---	---	---	---
Styrene	100	NA	NA	---	---	1 U	1 U
tert-Butylbenzene	NS	69	690	---	---	---	---
Toluene	1000	NA	NA	1 U	1 U	1 U	1 U
Vinyl acetate	NS	41	410	---	---	---	---
Xylene, Total <sup>x</sup>	10000	NA	NA	1 U	1 U	---	---

**Table 2. Groundwater Monitoring Well Sample Results**  
**Volatile Organic Compounds**  
**Dresser Inc. Facility**  
**124 W. College Ave, Salisbury, Maryland**

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-13 12/12/2013 MW-13 24.5	MW-13 12/11/2014 MW-13 24.5	MW-13 12/10/2015 MW-13 24	MW-13 5/4/2016 MW-13 24	MW-13 11/8/2016 MW-13 22.7	MW-13 3/22/2018 MW-13 23	MW-14 5/17/2007 MW-14 22 PP
	MCL	RSL HQ = 0.1 <sup>2</sup>	RSL HQ = 1.0 <sup>2</sup>				
<b>Screening Criteria<sup>1</sup></b>							
<b>Chlorinated Volatile Organic Compounds (µg/L)</b>							
1,1,1,2-Tetrachloroethane	NS	0.57	5.7	---	---	---	---
1,1,1-Trichloroethane	200	NA	NA	1 U	1 U	1 U	1 U
1,1,2,2-Tetrachloroethane	NS	0.076	0.076	1 U	1 U	1 U	---
1,1,2-trichloro-1,2,2-trifluoroethane (Freon 113)	NS	1000	10000	1 U	1 U	1 U	---
1,1,2-Trichloroethane	5	NA	NA	1 U	1 U	1 U	1 U
1,1-Dichloroethane	NS	2.8	2.8	1 U	1 U	1 U	1 U
1,1-Dichloroethene	7	NA	NA	1 U	1 U	1 U	1 U
1,1-Dichloropropene	NS	NS	NS	---	---	---	---
1,2,3-Trichlorobenzene	NS	0.7	7	1 U	1 U	1 U	1 U
1,2,3-Trichloropropane	NS	0.00075	0.00075	---	---	---	---
1,2,4-Trichlorobenzene	70	NA	NA	1 U	1 U	1 U	1 U
1,2-Dibromo-3-chloropropane	0.2	NA	NA	10 U	10 U	10 U	10 U
1,2-Dibromoethane	0.005	NA	NA	---	---	---	---
1,2-Dichlorobenzene	600	NA	NA	1 U	1 U	1 U	1 U
1,2-Dichloroethane	5	NA	NA	1 U	1 U	1 U	1 U
1,2-Dichloroethene	70	NA	NA	---	---	---	---
1,2-Dichloropropane	5	NA	NA	1 U	1 U	1 U	1 U
1,3-Dichlorobenzene	NS	NS	NS	1 U	1 U	1 U	1 U
1,3-Dichloropropane	NS	37	370	---	---	---	---
1,4-Dichlorobenzene	75	NA	NA	1 U	1 U	1 U	1 U
2,2-Dichloropropane	NS	NS	NS	---	---	---	---
2-Chloroethyl vinyl ether	NS	NS	NS	---	---	---	---
4-Chlorotoluene	NS	NS	NS	---	---	---	---
Allyl chloride	NS	0.21	2.1	---	---	---	---
beta-Chloroprene	NS	NS	NS	---	---	---	---
Bromobenzene	NS	6.2	62	---	---	---	---
Bromodichloromethane	80	NA	NA	1 U	1 U	1 U	1 U
Bromoform	80	NA	NA	5 U	5 U	5 U	5 U
Carbon tetrachloride	5	NA	NA	1 U	1 U	1 U	1 U
Chlorobenzene	100	NA	NA	1 U	1 U	1 U	1 U
Chlorobromomethane	NS	8.3	83	1 U	1 U	1 U	1 U
Chloroethane	NS	2100	21000	1 U	1 U	1 U	1 U
Chloroform	80	NA	NA	1 U	1 U	1 U	1 U
cis-1,2-Dichloroethene	70	NA	NA	1 U	1 U	1 U	1 U
cis-1,3-Dichloropropene	NS	0.47	0.47	1 U	1 U	1 U	1 U
cis-1,4-Dichloro-2-butene	NS	0.0013	0.00130	---	---	---	---
Dibromochloromethane	80	NA	NA	1 U	1 U	1 U	1 U
Dibromomethane	NS	NS	NS	---	---	---	---
Dichlorodifluoromethane (Freon 12)	NS	20	0.87	1 U	1 U	1 U	1 U
Ethylene dibromide	0.05	NA	NA	1 U	1 U	1 U	1 U
Methyl bromide	NS	0.75	7.5	1 U	1 U	1 U	1 U
Methyl chloride	NS	19	190	1 U	1 U	1 U	1 U
Methyl iodide	NS	NS	NS	---	---	---	---
Methylene chloride	5	NA	NA	1 U	1 U	1 U	1 U
o-Chlorotoluene (2-chlorotoluene)	NS	NS	NS	---	---	---	---
Tetrachloroethene	5	NA	NA	<b>0.66 J</b>	<b>1.3</b>	<b>0.55 J</b>	1 U
trans-1,2-Dichloroethene	100	NA	NA	1 U	1 U	1 U	1 U
trans-1,3-Dichloropropene	NS	0.47	0.47	1 U	1 U	1 U	1 U
trans-1,4-Dichlorobutene	NS	0.0013	0.013	---	---	---	---
Trichloroethene	5	NA	NA	1 U	1 U	1 U	1 U
Trichlorofluoromethane (Freon 11)	NS	520	5200	5 U	5 U	5 U	5 U
Vinyl chloride	2	NA	NA	1 U	1 U	1 U	1 U
<b>Petroleum Volatile Organic Compounds (µg/L)</b>							
1,2,4-Trimethylbenzene	NS	5.6	56	1 U	1 U	1 U	1 U
1,3,5-Trimethylbenzene	NS	6	60	1 U	1 U	1 U	1 U
1,4-Dioxane	NS	0.46	0.46	---	100 U	100 U	100 U
2-Butanone	NS	560	5600	10 U	10 U	10 U	10 U
2-Hexanone	NS	3.8	38	10 U	10 U	10 U	10 U
4-Isopropyltoluene	NS	NS	NS	---	---	---	---
4-Methyl-2-pentanone	NS	630	6300	5 U	5 U	5 U	5 U
Acetone	NS	1400	14000	10 U	10 U	10 U	<b>7.6 J</b>
Acetonitrile	NS	13	130	---	---	---	---
Acrolein	NS	0.0042	0.042	---	---	---	---
Acrylonitrile	NS	0.052	0.52	---	---	---	---
Benzene	5	NA	NA	1 U	1 U	1 U	1 U
Carbon disulfide	NS	81	810	10 U	10 U	10 U	10 U
Cyclohexane	NS	1300	13000	10 U	10 U	10 U	10 U
Ethyl methacrylate	NS	63	630	---	---	---	---
Ethylbenzene	700	NA	NA	1 U	1 U	1 U	1 U
Isobutyl alcohol	NS	41	410	---	---	---	---
Isopropylbenzene (Cumene)	NS	45	450	1 U	1 U	1 U	1 U
m&p-Xylene <sup>x</sup>	10000	NA	NA	---	---	---	---
Methacrylonitrile	NS	0.19	1.9	---	---	---	---
Methyl acetate	NS	2000	20000	10 U	10 U	10 U	10 U
Methyl methacrylate	NS	140	1400	---	---	---	---
Methyl tert-butyl ether	NS	14	14	1 U	1 U	1 U	1 U
Methylcyclohexane <sup>c</sup>	NS	1300	13000	10 U	10 U	10 U	10 U
m&p-Xylene <sup>x</sup>	10000	NA	NA	2 U	2 U	2 U	2 U
Naphthalene	NS	0.17	0.17	1 U	1 U	1 U	1 U
n-Butylbenzene	NS	100	1000	---	---	---	---
n-Propylbenzene	NS	66	660	---	---	---	---
o-Xylene <sup>x</sup>	10000	NA	NA	1 U	1 U	1 U	1 U
Propionitrile	NS	NS	NS	---	---	---	---
sec-Butylbenzene	NS	200	2000	---	---	---	---
Styrene	100	NA	NA	1 U	1 U	1 U	1 U
tert-Butylbenzene	NS	69	690	---	---	---	---
Toluene	1000	NA	NA	1 U	1 U	1 U	1 U
Vinyl acetate	NS	41	410	---	---	---	---
Xylene, Total <sup>x</sup>	10000	NA	NA	---	---	---	1 U



**Table 2. Groundwater Monitoring Well Sample Results**  
**Volatile Organic Compounds**  
**Dresser Inc. Facility**  
**124 W. College Ave, Salisbury, Maryland**

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-14 11/19/2008 MW-14	MW-14 3/5/2009 MW-14 23.2	MW-15 5/18/2007 MW-15 22.7 PP	MW-15 11/19/2008 MW-15	MW-15 3/3/2009 MW-15 24.1	MW-15 3/3/2009 MW-15D 24.1 d	MW-16 5/18/2007 MW-16 22.6 PP
	MB			MB			
<b>Screening Criteria<sup>1</sup></b>	<b>MCL</b>	<b>RSL HQ = 0.1<sup>2</sup></b>	<b>RSL HQ = 1.0<sup>2</sup></b>				
<b>Chlorinated Volatile Organic Compounds (µg/L)</b>							
1,1,1,2-Tetrachloroethane	NS	0.57	5.7	---	---	---	---
1,1,1-Trichloroethane	200	NA	NA	1 U	1 U	5 U	1 U
1,1,2,2-Tetrachloroethane	NS	0.076	0.076	1 U	1 U	---	1 U
1,1,2-trichloro-1,2,2-trifluoroethane (Freon 113)	NS	1000	10000	1 U	1 U	---	1 U
1,1,2-Trichloroethane	5	NA	NA	1 U	1 U	5 U	1 U
1,1-Dichloroethane	NS	2.8	2.8	1 U	1 U	5 U	1 U
1,1-Dichloroethene	7	NA	NA	1 U	1 U	5 U	1 U
1,1-Dichloropropene	NS	NS	NS	---	---	---	---
1,2,3-Trichlorobenzene	NS	0.7	7	1 U	1 U	---	1 U
1,2,3-Trichloropropane	NS	0.00075	0.00075	---	---	---	---
1,2,4-Trichlorobenzene	70	NA	NA	1 U	1 U	5 U	1 U
1,2-Dibromo-3-chloropropane	0.2	NA	NA	10 U	10 U	---	10 U
1,2-Dibromoethane	0.005	NA	NA	---	---	---	---
1,2-Dichlorobenzene	600	NA	NA	1 U	1 U	---	1 U
1,2-Dichloroethane	5	NA	NA	1 U	1 U	5 U	1 U
1,2-Dichloroethene	70	NA	NA	---	---	---	---
1,2-Dichloropropane	5	NA	NA	1 U	1 U	---	1 U
1,3-Dichlorobenzene	NS	NS	NS	1 U	1 U	5 U	1 U
1,3-Dichloropropane	NS	37	370	---	---	---	---
1,4-Dichlorobenzene	75	NA	NA	1 U	1 U	---	1 U
2,2-Dichloropropane	NS	NS	NS	---	---	---	---
2-Chloroethyl vinyl ether	NS	NS	NS	---	---	---	---
4-Chlorotoluene	NS	NS	NS	---	---	---	---
Allyl chloride	NS	0.21	2.1	---	---	---	---
beta-Chloroprene	NS	NS	NS	---	---	---	---
Bromobenzene	NS	6.2	62	---	---	---	---
Bromodichloromethane	80	NA	NA	1 U	1 U	---	1 U
Bromoform	80	NA	NA	5 U	5 U	---	5 U
Carbon tetrachloride	5	NA	NA	1 U	1 U	---	1 U
Chlorobenzene	100	NA	NA	1 U	1 U	---	1 U
Chlorobromomethane	NS	8.3	83	1 U	1 U	---	1 U
Chloroethane	NS	2100	21000	1 U	1 U	---	1 U
Chloroform	80	NA	NA	1 U	1 U	---	1 U
cis-1,2-Dichloroethene	70	NA	NA	1 U	1 U	5 U	1 U
cis-1,3-Dichloropropene	NS	0.47	0.47	1 U	1 U	---	1 U
cis-1,4-Dichloro-2-butene	NS	0.0013	0.00130	---	---	---	---
Dibromochloromethane	80	NA	NA	1 U	1 U	---	1 U
Dibromomethane	NS	NS	NS	---	---	---	---
Dichlorodifluoromethane (Freon 12)	NS	20	0.87	1 U	1 U	---	1 U
Ethylene dibromide	0.05	NA	NA	1 U	1 U	---	1 U
Methyl bromide	NS	0.75	7.5	1 U	1 U	---	1 U
Methyl chloride	NS	19	190	1 U	1 U	5 U	1 U
Methyl iodide	NS	NS	NS	---	---	---	---
Methylene chloride	5	NA	NA	1 U	1 U	5 U	1 U
o-Chlorotoluene (2-chlorotoluene)	NS	NS	NS	---	---	---	---
Tetrachloroethane	5	NA	NA	11	3	93	11
trans-1,2-Dichloroethene	100	NA	NA	1 U	1 U	---	1 U
trans-1,3-Dichloropropene	NS	0.47	0.47	1 U	1 U	---	1 U
trans-1,4-Dichlorobutene	NS	0.0013	0.013	---	---	---	---
Trichloroethene	5	NA	NA	1 U	1 U	5 U	1 U
Trichlorofluoromethane (Freon 11)	NS	520	5200	5 U	5 U	25 U	5 U
Vinyl chloride	2	NA	NA	1 U	1 U	5 U	1 U
<b>Petroleum Volatile Organic Compounds (µg/L)</b>							
1,2,4-Trimethylbenzene	NS	5.6	56	---	1 U	---	1 U
1,3,5-Trimethylbenzene	NS	6	60	---	1 U	---	1 U
1,4-Dioxane	NS	0.46	0.46	---	---	---	---
2-Butanone	NS	560	5600	10 U	10 U	50 U	10 U
2-Hexanone	NS	3.8	38	10 U	10 U	---	10 U
4-Isopropyltoluene	NS	NS	NS	---	---	---	---
4-Methyl-2-pentanone	NS	630	6300	5 U	5 U	25 U	5 U
Acetone	NS	1400	14000	10 U	10 U	50 U	10 U
Acetonitrile	NS	13	130	---	---	---	---
Acrolein	NS	0.0042	0.042	---	---	---	---
Acrylonitrile	NS	0.052	0.52	---	---	---	---
Benzene	5	NA	NA	1 U	1 U	5 U	1 U
Carbon disulfide	NS	81	810	10 U	10 U	50 U	10 U
Cyclohexane	NS	1300	13000	10 U	10 U	50 U	10 U
Ethyl methacrylate	NS	63	630	---	---	---	---
Ethylbenzene	700	NA	NA	1 U	1 U	5 U	1 U
Isobutyl alcohol	NS	41	410	---	---	---	---
Isopropylbenzene (Cumene)	NS	45	450	1 U	1 U	5 U	1 U
m&p-Xylene <sup>x</sup>	10000	NA	NA	---	---	---	---
Methacrylonitrile	NS	0.19	1.9	---	---	---	---
Methyl acetate	NS	2000	20000	10 U	10 U	---	10 U
Methyl methacrylate	NS	140	1400	---	---	---	---
Methyl tert-butyl ether	NS	14	14	1 U	1 U	5 U	1 U
Methylcyclohexane <sup>c</sup>	NS	1300	13000	10 U	10 U	50 U	10 U
m&p-Xylene <sup>x</sup>	10000	NA	NA	2 U	2 U	10 U	2 U
Naphthalene	NS	0.17	0.17	1 U	1 U	5 U	1 U
n-Butylbenzene	NS	100	1000	---	---	---	---
n-Propylbenzene	NS	66	660	---	---	---	---
o-Xylene <sup>x</sup>	10000	NA	NA	1 U	1 U	5 U	1 U
Propionitrile	NS	NS	NS	---	---	---	---
sec-Butylbenzene	NS	200	2000	---	---	---	---
Styrene	100	NA	NA	1 U	1 U	---	1 U
tert-Butylbenzene	NS	69	690	---	---	---	---
Toluene	1000	NA	NA	1 U	1 U	8	1 U
Vinyl acetate	NS	41	410	---	---	---	---
Xylene, Total <sup>x</sup>	10000	NA	NA	---	---	5 U	---

**Table 2. Groundwater Monitoring Well Sample Results**  
**Volatile Organic Compounds**  
**Dresser Inc. Facility**  
**124 W. College Ave, Salisbury, Maryland**

Sample ID	Location Sample Date	MW-16 11/19/2008	MW-16 3/3/2009	MW-17 11/19/2008	MW-17 3/5/2009	MW-17 10/13/2010	MW-17 11/1/2011	MW-17 9/18/2012	Sample Depth (ft. bgs.)			Notes
									Sample ID	Sample ID	Sample ID	
Screening Criteria <sup>1</sup>	MCL	RSL HQ = 0.1 <sup>2</sup>	RSL HQ = 1.0 <sup>2</sup>	MB								
<b>Chlorinated Volatile Organic Compounds (µg/L)</b>												
1,1,1,2-Tetrachloroethane	NS	0.57	5.7	---	---	---	---	---	---	---	---	
1,1,1-Trichloroethane	200	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	
1,1,2,2-Tetrachloroethane	NS	0.076	0.076	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	
1,1,2-trichloro-1,2,2-trifluoroethane (Freon 113)	NS	1000	10000	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	
1,1,2-Trichloroethane	5	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	
1,1-Dichloroethane	NS	2.8	2.8	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	
1,1-Dichloroethene	7	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	
1,1-Dichloropropene	NS	NS	NS	---	---	---	---	---	---	---	---	
1,2,3-Trichlorobenzene	NS	0.7	7	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	
1,2,3-Trichloropropane	NS	0.00075	0.00075	---	---	---	---	---	---	---	---	
1,2,4-Trichlorobenzene	70	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	
1,2-Dibromo-3-chloropropane	0.2	NA	NA	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	
1,2-Dibromoethane	0.005	NA	NA	---	---	---	---	---	---	---	---	
1,2-Dichlorobenzene	600	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	
1,2-Dichloroethane	5	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	
1,2-Dichloroethene	70	NA	NA	---	---	---	---	---	---	---	---	
1,2-Dichloropropane	5	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	
1,3-Dichlorobenzene	NS	NS	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	
1,3-Dichloropropane	NS	37	370	---	---	---	---	---	---	---	---	
1,4-Dichlorobenzene	75	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	
2,2-Dichloropropane	NS	NS	NS	---	---	---	---	---	---	---	---	
2-Chloroethyl vinyl ether	NS	NS	NS	---	---	---	---	---	---	---	---	
4-Chlorotoluene	NS	NS	NS	---	---	---	---	---	---	---	---	
Allyl chloride	NS	0.21	2.1	---	---	---	---	---	---	---	---	
beta-Chloroprene	NS	NS	NS	---	---	---	---	---	---	---	---	
Bromobenzene	NS	6.2	62	---	---	---	---	---	---	---	---	
Bromodichloromethane	80	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	
Bromoform	80	NA	NA	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	
Carbon tetrachloride	5	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	
Chlorobenzene	100	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	
Chlorobromomethane	NS	8.3	83	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	
Chloroethane	NS	2100	21000	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	
Chloroform	80	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	
cis-1,2-Dichloroethene	70	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	
cis-1,3-Dichloropropene	NS	0.47	0.47	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	
cis-1,4-Dichloro-2-butene	NS	0.0013	0.00130	---	---	---	---	---	---	---	---	
Dibromochloromethane	80	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	
Dibromomethane	NS	NS	NS	---	---	---	---	---	---	---	---	
Dichlorodifluoromethane (Freon 12)	NS	20	0.87	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	
Ethylene dibromide	0.05	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	
Methyl bromide	NS	0.75	7.5	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	
Methyl chloride	NS	19	190	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	
Methyl iodide	NS	NS	NS	---	---	---	---	---	---	---	---	
Methylene chloride	5	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	
o-Chlorotoluene (2-chlorotoluene)	NS	NS	NS	---	---	---	---	---	---	---	---	
Tetrachloroethane	5	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	
trans-1,2-Dichloroethene	100	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	
trans-1,3-Dichloropropene	NS	0.47	0.47	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	
trans-1,4-Dichlorobutene	NS	0.0013	0.013	---	---	---	---	---	---	---	---	
Trichloroethene	5	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	
Trichlorofluoromethane (Freon 11)	NS	520	5200	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	
Vinyl chloride	2	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	
<b>Petroleum Volatile Organic Compounds (µg/L)</b>												
1,2,4-Trimethylbenzene	NS	5.6	56	---	1 U	---	1 U	1 U	---	---	---	
1,3,5-Trimethylbenzene	NS	6	60	---	1 U	---	1 U	1 U	---	---	---	
1,4-Dioxane	NS	0.46	0.46	---	---	---	---	---	---	---	---	
2-Butanone	NS	560	5600	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	
2-Hexanone	NS	3.8	38	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	
4-Isopropyltoluene	NS	NS	NS	---	---	---	---	---	---	---	---	
4-Methyl-2-pentanone	NS	630	6300	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	
Acetone	NS	1400	14000	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	
Acetonitrile	NS	13	130	---	---	---	---	---	---	---	---	
Acrolein	NS	0.0042	0.042	---	---	---	---	---	---	---	---	
Acrylonitrile	NS	0.052	0.52	---	---	---	---	---	---	---	---	
Benzene	5	NA	NA	1 U	1 U	1	3	1 U	1 U	1 U	1 U	
Carbon disulfide	NS	81	810	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	
Cyclohexane	NS	1300	13000	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	
Ethyl methacrylate	NS	63	630	---	---	---	---	---	---	---	---	
Ethylbenzene	700	NA	NA	1 U	1 U	1 U	3	1 U	1 U	1 U	1 U	
Isobutyl alcohol	NS	41	410	---	---	---	---	---	---	---	---	
Isopropylbenzene (Cumene)	NS	45	450	1 U	1 U	2	6	1 U	1 U	1 U	1 U	
m&p-Xylene <sup>x</sup>	10000	NA	NA	---	---	---	---	---	---	---	---	
Methacrylonitrile	NS	0.19	1.9	---	---	---	---	---	---	---	---	
Methyl acetate	NS	2000	20000	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	
Methyl methacrylate	NS	140	1400	---	---	---	---	---	---	---	---	
Methyl tert-butyl ether	NS	14	14	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	
Methylcyclohexane <sup>c</sup>	NS	1300	13000	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	
m&p-Xylene <sup>x</sup>	10000	NA	NA	2 U	2 U	2 U	2 U	2 U	2 U	2 U	2 U	
Naphthalene	NS	0.17	0.17	1 U	1 U	23	67	1 U	1 U	1 U	1 U	
n-Butylbenzene	NS	100	1000	---	---	---	---	---	---	---	---	
n-Propylbenzene	NS	66	660	---	---	---	---	---	---	---	---	
o-Xylene <sup>x</sup>	10000	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	
Propionitrile	NS	NS	NS	---	---	---	---	---	---	---	---	
sec-Butylbenzene	NS	200	2000	---	---	---	---	---	---	---	---	
Styrene	100	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	
tert-Butylbenzene	NS	69	690	---	---	---	---	---	---	---	---	
Toluene	1000	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	
Vinyl acetate	NS	41	410	---	---	---	---	---	---	---	---	
Xylene, Total <sup>x</sup>	10000	NA	NA	---	---	---	---	---	---	---	---	

**Table 2. Groundwater Monitoring Well Sample Results**  
**Volatile Organic Compounds**  
**Dresser Inc. Facility**  
**124 W. College Ave, Salisbury, Maryland**

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-17 12/10/2013 MW-17 22.5	MW-17 12/8/2014 MW-17 25	MW-17 12/7/2015 MW-17 25	MW-17 5/3/2016 MW-17 25	MW-17 11/7/2016 MW-17 22.2	MW-17 3/21/2018 MW-17 25	MW-18 11/19/2008 MW-18 25.3
	MCL	RSL HQ = 0.1 <sup>2</sup>	RSL HQ = 1.0 <sup>2</sup>				
<b>Screening Criteria<sup>1</sup></b>							
<b>Chlorinated Volatile Organic Compounds (µg/L)</b>							
1,1,1,2-Tetrachloroethane	NS	0.57	5.7	---	---	---	---
1,1,1-Trichloroethane	200	NA	NA	1 U	1 U	1 U	1 U
1,1,2,2-Tetrachloroethane	NS	0.076	0.076	1 U	1 U	1 U	1 U
1,1,2-trichloro-1,2,2-trifluoroethane (Freon 113)	NS	1000	10000	1 U	1 U	1 U	1 U
1,1,2-Trichloroethane	5	NA	NA	1 U	1 U	1 U	1 U
1,1-Dichloroethane	NS	2.8	2.8	1 U	1 U	1 U	1 U
1,1-Dichloroethene	7	NA	NA	1 U	1 U	1 U	1 U
1,1-Dichloropropene	NS	NS	NS	---	---	---	---
1,2,3-Trichlorobenzene	NS	0.7	7	1 U	1 U	1 U	1 U
1,2,3-Trichloropropane	NS	0.00075	0.00075	---	---	---	---
1,2,4-Trichlorobenzene	70	NA	NA	1 U	1 U	1 U	1 U
1,2-Dibromo-3-chloropropane	0.2	NA	NA	10 U	10 U	10 U	10 U
1,2-Dibromoethane	0.005	NA	NA	---	---	---	---
1,2-Dichlorobenzene	600	NA	NA	1 U	1 U	1 U	1 U
1,2-Dichloroethane	5	NA	NA	1 U	1 U	1 U	1 U
1,2-Dichloroethene	70	NA	NA	---	---	---	---
1,2-Dichloropropane	5	NA	NA	1 U	1 U	1 U	1 U
1,3-Dichlorobenzene	NS	NS	NS	1 U	1 U	1 U	1 U
1,3-Dichloropropane	NS	37	370	---	---	---	---
1,4-Dichlorobenzene	75	NA	NA	1 U	1 U	1 U	1 U
2,2-Dichloropropane	NS	NS	NS	---	---	---	---
2-Chloroethyl vinyl ether	NS	NS	NS	---	---	---	---
4-Chlorotoluene	NS	NS	NS	---	---	---	---
Allyl chloride	NS	0.21	2.1	---	---	---	---
beta-Chloroprene	NS	NS	NS	---	---	---	---
Bromobenzene	NS	6.2	62	---	---	---	---
Bromodichloromethane	80	NA	NA	1 U	1 U	1 U	1 U
Bromoform	80	NA	NA	5 U	5 U	5 U	5 U
Carbon tetrachloride	5	NA	NA	1 U	1 U	1 U	1 U
Chlorobenzene	100	NA	NA	1 U	1 U	1 U	1 U
Chlorobromomethane	NS	8.3	83	1 U	1 U	1 U	1 U
Chloroethane	NS	2100	21000	1 U	1 U	1 U	1 U
Chloroform	80	NA	NA	1 U	1 U	1 U	1 U
cis-1,2-Dichloroethene	70	NA	NA	1 U	1 U	1 U	1 U
cis-1,3-Dichloropropene	NS	0.47	0.47	1 U	1 U	1 U	1 U
cis-1,4-Dichloro-2-butene	NS	0.0013	0.00130	---	---	---	---
Dibromochloromethane	80	NA	NA	1 U	1 U	1 U	1 U
Dibromomethane	NS	NS	NS	---	---	---	---
Dichlorodifluoromethane (Freon 12)	NS	20	0.87	1 U	1 U	1 U	1 U
Ethylene dibromide	0.05	NA	NA	1 U	1 U	1 U	1 U
Methyl bromide	NS	0.75	7.5	1 U	1 U	1 U	1 U
Methyl chloride	NS	19	190	1 U	1 U	1 U	1 U
Methyl iodide	NS	NS	NS	---	---	---	---
Methylene chloride	5	NA	NA	1 U	1 U	1 U	1 U
o-Chlorotoluene (2-chlorotoluene)	NS	NS	NS	---	---	---	---
Tetrachloroethene	5	NA	NA	1 U	1 U	1 U	1 U
trans-1,2-Dichloroethene	100	NA	NA	1 U	1 U	1 U	1 U
trans-1,3-Dichloropropene	NS	0.47	0.47	1 U	1 U	1 U	1 U
trans-1,4-Dichlorobutene	NS	0.0013	0.013	---	---	---	---
Trichloroethene	5	NA	NA	1 U	1 U	1 U	1 U
Trichlorofluoromethane (Freon 11)	NS	520	5200	5 U	5 U	5 U	5 U
Vinyl chloride	2	NA	NA	1 U	1 U	1 U	1 U
<b>Petroleum Volatile Organic Compounds (µg/L)</b>							
1,2,4-Trimethylbenzene	NS	5.6	56	1 U	1 U	1 U	1 U
1,3,5-Trimethylbenzene	NS	6	60	1 U	1 U	1 U	1 U
1,4-Dioxane	NS	0.46	0.46	---	100 U	100 U	100 U
2-Butanone	NS	560	5600	10 U	10 U	10 U	10 U
2-Hexanone	NS	3.8	38	10 U	10 U	10 U	10 U
4-Isopropyltoluene	NS	NS	NS	---	---	---	---
4-Methyl-2-pentanone	NS	630	6300	5 U	5 U	5 U	5 U
Acetone	NS	1400	14000	10 U	10 U	10 U	10 U
Acetonitrile	NS	13	130	---	---	---	---
Acrolein	NS	0.0042	0.042	---	---	---	---
Acrylonitrile	NS	0.052	0.52	---	---	---	---
Benzene	5	NA	NA	1 U	1 U	1 U	1 U
Carbon disulfide	NS	81	810	10 U	10 U	10 U	10 U
Cyclohexane	NS	1300	13000	10 U	10 U	10 U	10 U
Ethyl methacrylate	NS	63	630	---	---	---	---
Ethylbenzene	700	NA	NA	1 U	1 U	1 U	1 U
Isobutyl alcohol	NS	41	410	---	---	---	---
Isopropylbenzene (Cumene)	NS	45	450	1 U	1 U	1 U	1 U
m&p-Xylene <sup>x</sup>	10000	NA	NA	---	---	---	---
Methacrylonitrile	NS	0.19	1.9	---	---	---	---
Methyl acetate	NS	2000	20000	10 U	10 U	10 U	10 U
Methyl methacrylate	NS	140	1400	---	---	---	---
Methyl tert-butyl ether	NS	14	14	1 U	1 U	1 U	1 U
Methylcyclohexane <sup>c</sup>	NS	1300	13000	10 U	10 U	10 U	10 U
m&p-Xylene <sup>x</sup>	10000	NA	NA	2 U	2 U	2 U	2 U
Naphthalene	NS	0.17	0.17	1 U	1 U	1 U	1 U
n-Butylbenzene	NS	100	1000	---	---	---	---
n-Propylbenzene	NS	66	660	---	---	---	---
o-Xylene <sup>x</sup>	10000	NA	NA	1 U	1 U	1 U	1 U
Propionitrile	NS	NS	NS	---	---	---	---
sec-Butylbenzene	NS	200	2000	---	---	---	---
Styrene	100	NA	NA	1 U	1 U	1 U	1 U
tert-Butylbenzene	NS	69	690	---	---	---	---
Toluene	1000	NA	NA	1 U	1 U	1 U	1 U
Vinyl acetate	NS	41	410	---	---	---	---
Xylene, Total <sup>x</sup>	10000	NA	NA	---	---	---	---

**Table 2. Groundwater Monitoring Well Sample Results**  
**Volatile Organic Compounds**  
**Dresser Inc. Facility**  
**124 W. College Ave, Salisbury, Maryland**

Sample ID	Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-18	MW-18	MW-18	MW-18	MW-18	MW-18	MW-18	MW-18	
		3/5/2009 MW-18 25	3/5/2009 MW-18D 25 d	10/13/2010 MW-18 23.76	11/1/2011 MW-18 24	9/18/2012 MW-18 25	12/12/2013 MW-18 23.7	12/9/2014 MW-18 24.84		
<b>Screening Criteria<sup>1</sup></b>		<b>MCL</b>	<b>RSL HQ = 0.1<sup>2</sup></b>	<b>RSL HQ = 1.0<sup>2</sup></b>						
<b>Chlorinated Volatile Organic Compounds (µg/L)</b>										
1,1,1,2-Tetrachloroethane	NS	0.57	5.7	---	---	---	---	---	---	---
1,1,1-Trichloroethane	200	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,1,2,2-Tetrachloroethane	NS	0.076	0.076	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,1,2-trichloro-1,2,2-trifluoroethane (Freon 113)	NS	1000	10000	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,1,2-Trichloroethane	5	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,1-Dichloroethane	NS	2.8	2.8	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,1-Dichloroethene	7	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,1-Dichloropropene	NS	NS	NS	---	---	---	---	---	---	---
1,2,3-Trichlorobenzene	NS	0.7	7	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,2,3-Trichloropropane	NS	0.00075	0.00075	---	---	---	---	---	---	---
1,2,4-Trichlorobenzene	70	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,2-Dibromo-3-chloropropane	0.2	NA	NA	10 U	10 U	10 U	10 U	10 U	10 U	10 U
1,2-Dibromoethane	0.005	NA	NA	---	---	---	---	---	---	---
1,2-Dichlorobenzene	600	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,2-Dichloroethane	5	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,2-Dichloroethene	70	NA	NA	---	---	---	---	---	---	---
1,2-Dichloropropane	5	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,3-Dichlorobenzene	NS	NS	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,3-Dichloropropane	NS	37	370	---	---	---	---	---	---	---
1,4-Dichlorobenzene	75	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U
2,2-Dichloropropane	NS	NS	NS	---	---	---	---	---	---	---
2-Chloroethyl vinyl ether	NS	NS	NS	---	---	---	---	---	---	---
4-Chlorotoluene	NS	NS	NS	---	---	---	---	---	---	---
Allyl chloride	NS	0.21	2.1	---	---	---	---	---	---	---
beta-Chloroprene	NS	NS	NS	---	---	---	---	---	---	---
Bromobenzene	NS	6.2	62	---	---	---	---	---	---	---
Bromodichloromethane	80	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Bromoform	80	NA	NA	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Carbon tetrachloride	5	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Chlorobenzene	100	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Chlorobromomethane	NS	8.3	83	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Chloroethane	NS	2100	21000	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Chloroform	80	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U
cis-1,2-Dichloroethene	70	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U
cis-1,3-Dichloropropene	NS	0.47	0.47	1 U	1 U	1 U	1 U	1 U	1 U	1 U
cis-1,4-Dichloro-2-butene	NS	0.0013	0.00130	---	---	---	---	---	---	---
Dibromochloromethane	80	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Dibromomethane	NS	NS	NS	---	---	---	---	---	---	---
Dichlorodifluoromethane (Freon 12)	NS	20	0.87	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Ethylene dibromide	0.05	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Methyl bromide	NS	0.75	7.5	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Methyl chloride	NS	19	190	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Methyl iodide	NS	NS	NS	---	---	---	---	---	---	---
Methylene chloride	5	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U
o-Chlorotoluene (2-chlorotoluene)	NS	NS	NS	---	---	---	---	---	---	---
Tetrachloroethane	5	NA	NA	35	32	53	120	56	63	26
trans-1,2-Dichloroethene	100	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U
trans-1,3-Dichloropropene	NS	0.47	0.47	1 U	1 U	1 U	1 U	1 U	1 U	1 U
trans-1,4-Dichlorobutene	NS	0.0013	0.013	---	---	---	---	---	---	---
Trichloroethene	5	NA	NA	1 U	1 U	1 U	0.8 J	1 U	1 U	1 U
Trichlorofluoromethane (Freon 11)	NS	520	5200	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Vinyl chloride	2	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U
<b>Petroleum Volatile Organic Compounds (µg/L)</b>										
1,2,4-Trimethylbenzene	NS	5.6	56	1 U	1 U	1 U	---	---	1 U	1 U
1,3,5-Trimethylbenzene	NS	6	60	1 U	1 U	1 U	---	---	1 U	1 U
1,4-Dioxane	NS	0.46	0.46	---	---	---	---	---	---	100 U
2-Butanone	NS	560	5600	10 U	10 U	10 U	10 U	10 U	10 U	10 U
2-Hexanone	NS	3.8	38	10 U	10 U	10 U	10 U	10 U	10 U	10 U
4-Isopropyltoluene	NS	NS	NS	---	---	---	---	---	---	---
4-Methyl-2-pentanone	NS	630	6300	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Acetone	NS	1400	14000	10 U	10 U	10 U	10 U	10 U	10 U	10 U
Acetonitrile	NS	13	130	---	---	---	---	---	---	---
Acrolein	NS	0.0042	0.042	---	---	---	---	---	---	---
Acrylonitrile	NS	0.052	0.52	---	---	---	---	---	---	---
Benzene	5	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Carbon disulfide	NS	81	810	10 U	10 U	10 U	10 U	10 U	10 U	10 U
Cyclohexane	NS	1300	13000	10 U	10 U	10 U	10 U	10 U	10 U	10 U
Ethyl methacrylate	NS	63	630	---	---	---	---	---	---	---
Ethylbenzene	700	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Isobutyl alcohol	NS	41	410	---	---	---	---	---	---	---
Isopropylbenzene (Cumene)	NS	45	450	1 U	1 U	1 U	1 U	1 U	1 U	1 U
m&p-Xylene <sup>x</sup>	10000	NA	NA	---	---	---	---	---	---	---
Methacrylonitrile	NS	0.19	1.9	---	---	---	---	---	---	---
Methyl acetate	NS	2000	20000	10 U	10 U	10 U	10 U	10 U	10 U	10 U
Methyl methacrylate	NS	140	1400	---	---	---	---	---	---	---
Methyl tert-butyl ether	NS	14	14	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Methylcyclohexane <sup>c</sup>	NS	1300	13000	10 U	10 U	10 U	10 U	10 U	10 U	10 U
m&p-Xylene <sup>x</sup>	10000	NA	NA	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Naphthalene	NS	0.17	0.17	1 U	1 U	1 U	1 U	1 U	1 U	1 U
n-Butylbenzene	NS	100	1000	---	---	---	---	---	---	---
n-Propylbenzene	NS	66	660	---	---	---	---	---	---	---
o-Xylene <sup>x</sup>	10000	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Propionitrile	NS	NS	NS	---	---	---	---	---	---	---
sec-Butylbenzene	NS	200	2000	---	---	---	---	---	---	---
Styrene	100	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U
tert-Butylbenzene	NS	69	690	---	---	---	---	---	---	---
Toluene	1000	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Vinyl acetate	NS	41	410	---	---	---	---	---	---	---
Xylene, Total <sup>x</sup>	10000	NA	NA	---	---	---	---	---	---	---

**Table 2. Groundwater Monitoring Well Sample Results**  
**Volatile Organic Compounds**  
**Dresser Inc. Facility**  
**124 W. College Ave, Salisbury, Maryland**

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-18 12/8/2015 MW-18 25	MW-18 5/4/2016 MW-18 25	MW-18 11/9/2016 MW-18 22.8	MW-19 11/19/2008 MW-19 24.7	MW-19 3/5/2009 MW-19 24.5	MW-20 11/19/2008 MW-20 24.2	MW-20 3/5/2009 MW-20 MS/MSD 24
	MCL	RSL HQ = 0.1 <sup>2</sup>	RSL HQ = 1.0 <sup>2</sup>				
<b>Screening Criteria<sup>1</sup></b>							
<b>Chlorinated Volatile Organic Compounds (µg/L)</b>							
1,1,1,2-Tetrachloroethane	NS	0.57	5.7	---	---	---	---
1,1,1-Trichloroethane	200	NA	NA	1 U	1 U	1 U	1 U
1,1,2,2-Tetrachloroethane	NS	0.076	0.076	1 U	1 U	1 U	1 U
1,1,2-trichloro-1,2,2-trifluoroethane (Freon 113)	NS	1000	10000	1 U	1 U	1 U	1 U
1,1,2-Trichloroethane	5	NA	NA	1 U	1 U	1 U	1 U
1,1-Dichloroethane	NS	2.8	2.8	1 U	1 U	1 U	1 U
1,1-Dichloroethene	7	NA	NA	1 U	1 U	1 U	1 U
1,1-Dichloropropene	NS	NS	NS	---	---	---	---
1,2,3-Trichlorobenzene	NS	0.7	7	1 U	1 U	1 U	1 U
1,2,3-Trichloropropane	NS	0.00075	0.00075	---	---	---	---
1,2,4-Trichlorobenzene	70	NA	NA	1 U	1 U	1 U	1 U
1,2-Dibromo-3-chloropropane	0.2	NA	NA	10 U	10 U	10 U	10 U
1,2-Dibromoethane	0.005	NA	NA	---	---	---	---
1,2-Dichlorobenzene	600	NA	NA	1 U	1 U	1 U	1 U
1,2-Dichloroethane	5	NA	NA	1 U	1 U	1 U	1 U
1,2-Dichloroethene	70	NA	NA	---	---	---	---
1,2-Dichloropropane	5	NA	NA	1 U	1 U	1 U	1 U
1,3-Dichlorobenzene	NS	NS	NS	1 U	1 U	1 U	1 U
1,3-Dichloropropane	NS	37	370	---	---	---	---
1,4-Dichlorobenzene	75	NA	NA	1 U	1 U	1 U	1 U
2,2-Dichloropropane	NS	NS	NS	---	---	---	---
2-Chloroethyl vinyl ether	NS	NS	NS	---	---	---	---
4-Chlorotoluene	NS	NS	NS	---	---	---	---
Allyl chloride	NS	0.21	2.1	---	---	---	---
beta-Chloroprene	NS	NS	NS	---	---	---	---
Bromobenzene	NS	6.2	62	---	---	---	---
Bromodichloromethane	80	NA	NA	1 U	1 U	1 U	1 U
Bromoform	80	NA	NA	5 U	5 U	5 U	5 U
Carbon tetrachloride	5	NA	NA	1 U	1 U	1 U	1 U
Chlorobenzene	100	NA	NA	1 U	1 U	1 U	1 U
Chlorobromomethane	NS	8.3	83	1 U	1 U	1 U	1 U
Chloroethane	NS	2100	21000	1 U	1 U	1 U	1 U
Chloroform	80	NA	NA	1 U	1 U	1 U	1 U
cis-1,2-Dichloroethene	70	NA	NA	1 U	1 U	1 U	1 U
cis-1,3-Dichloropropene	NS	0.47	0.47	1 U	1 U	1 U	1 U
cis-1,4-Dichloro-2-butene	NS	0.0013	0.00130	---	---	---	---
Dibromochloromethane	80	NA	NA	1 U	1 U	1 U	1 U
Dibromomethane	NS	NS	NS	---	---	---	---
Dichlorodifluoromethane (Freon 12)	NS	20	0.87	1 U	1 U	1 U	1 U
Ethylene dibromide	0.05	NA	NA	1 U	1 U	1 U	1 U
Methyl bromide	NS	0.75	7.5	1 U	1 U	1 U	1 U
Methyl chloride	NS	19	190	1 U	1 U	1 U	1 U
Methyl iodide	NS	NS	NS	---	---	---	---
Methylene chloride	5	NA	NA	1 U	1 U	1 U	1 U
o-Chlorotoluene (2-chlorotoluene)	NS	NS	NS	---	---	---	---
Tetrachloroethane	5	NA	NA	23	50	25	140
trans-1,2-Dichloroethene	100	NA	NA	1 U	1 U	1 U	1 U
trans-1,3-Dichloropropene	NS	0.47	0.47	1 U	1 U	1 U	1 U
trans-1,4-Dichlorobutene	NS	0.0013	0.013	---	---	---	---
Trichloroethene	5	NA	NA	1 U	1 U	1 U	0.7 J
Trichlorofluoromethane (Freon 11)	NS	520	5200	5 U	5 U	5 U	5 U
Vinyl chloride	2	NA	NA	1 U	1 U	1 U	1 U
<b>Petroleum Volatile Organic Compounds (µg/L)</b>							
1,2,4-Trimethylbenzene	NS	5.6	56	1 U	1 U	1 U	0.5 J
1,3,5-Trimethylbenzene	NS	6	60	1 U	1 U	1 U	1 U
1,4-Dioxane	NS	0.46	0.46	100 U	100 U	100 U	---
2-Butanone	NS	560	5600	10 U	10 U	10 U	10 U
2-Hexanone	NS	3.8	38	10 U	10 U	10 U	10 U
4-Isopropyltoluene	NS	NS	NS	---	---	---	---
4-Methyl-2-pentanone	NS	630	6300	5 U	5 U	5 U	5 U
Acetone	NS	1400	14000	10 U	10 U	10 U	10 U
Acetonitrile	NS	13	130	---	---	---	---
Acrolein	NS	0.0042	0.042	---	---	---	---
Acrylonitrile	NS	0.052	0.52	---	---	---	---
Benzene	5	NA	NA	1 U	1 U	1 U	1 U
Carbon disulfide	NS	81	810	10 U	10 U	10 U	10 U
Cyclohexane	NS	1300	13000	10 U	10 U	10 U	10 U
Ethyl methacrylate	NS	63	630	---	---	---	---
Ethylbenzene	700	NA	NA	1 U	1 U	1 U	1 U
Isobutyl alcohol	NS	41	410	---	---	---	---
Isopropylbenzene (Cumene)	NS	45	450	1 U	1 U	1 U	1 U
m&p-Xylene <sup>x</sup>	10000	NA	NA	---	---	---	---
Methacrylonitrile	NS	0.19	1.9	---	---	---	---
Methyl acetate	NS	2000	20000	10 U	10 U	10 U	10 U
Methyl methacrylate	NS	140	1400	---	---	---	---
Methyl tert-butyl ether	NS	14	14	1 U	1 U	1 U	1 U
Methylcyclohexane <sup>c</sup>	NS	1300	13000	10 U	10 U	10 U	10 U
m&p-Xylene <sup>x</sup>	10000	NA	NA	2 U	2 U	2 U	2 U
Naphthalene	NS	0.17	0.17	1 U	1 U	1 U	1 U
n-Butylbenzene	NS	100	1000	---	---	---	---
n-Propylbenzene	NS	66	660	---	---	---	---
o-Xylene <sup>x</sup>	10000	NA	NA	1 U	1 U	1 U	1 U
Propionitrile	NS	NS	NS	---	---	---	---
sec-Butylbenzene	NS	200	2000	---	---	---	---
Styrene	100	NA	NA	1 U	1 U	1 U	1 U
tert-Butylbenzene	NS	69	690	---	---	---	---
Toluene	1000	NA	NA	1 U	1 U	1 U	1
Vinyl acetate	NS	41	410	---	---	---	---
Xylene, Total <sup>x</sup>	10000	NA	NA	---	---	---	0.6 J

**Table 2. Groundwater Monitoring Well Sample Results**  
**Volatile Organic Compounds**  
**Dresser Inc. Facility**  
**124 W. College Ave, Salisbury, Maryland**

Screening Criteria <sup>1</sup>	Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes			MW-21 11/20/2008 MW-21 MS/MSD 23.7	MW-21 11/20/2008 MW-21D 23.7 d	MW-21 3/4/2009 MW-21 23.5	MW-21 10/14/2010 MW-21 22.16	MW-21 11/3/2011 MW-21 23.3	MW-21 9/17/2012 MW-21 23	MW-21 12/12/2013 MW-21 22.1
	MCL	RSL HQ = 0.1 <sup>2</sup>	RSL HQ = 1.0 <sup>2</sup>							
<b>Chlorinated Volatile Organic Compounds (µg/L)</b>										
1,1,1,2-Tetrachloroethane	NS	0.57	5.7	---	---	---	---	---	---	---
1,1,1-Trichloroethane	200	NA	NA	50 U	50 U	100 U	4	8	100 U	0.96 J
1,1,2,2-Tetrachloroethane	NS	0.076	0.076	50 U	50 U	100 U	1 U	1 U	100 U	1 U
1,1,2-trichloro-1,2,2-trifluoroethane (Freon 113)	NS	1000	10000	50 U	50 U	100 U	1 U	1 U	100 U	1 U
1,1,2-Trichloroethane	5	NA	NA	50 U	50 U	100 U	1 U	1 U	100 U	1 U
1,1-Dichloroethane	NS	2.8	2.8	50 U	50 U	100 U	0.7 J	1 U	100 U	1 U
1,1-Dichloroethene	7	NA	NA	50 U	50 U	100 U	1 U	1 U	100 U	1 U
1,1-Dichloropropene	NS	NS	NS	---	---	---	---	---	---	---
1,2,3-Trichlorobenzene	NS	0.7	7	50 U	50 U	100 U	1 U	1 U	100 U	1 U
1,2,3-Trichloropropane	NS	0.00075	0.00075	---	---	---	---	---	---	---
1,2,4-Trichlorobenzene	70	NA	NA	50 U	50 U	100 U	1 U	1 U	100 U	1 U
1,2-Dibromo-3-chloropropane	0.2	NA	NA	500 U	500 U	1000 U	10 U	10 U	1000 U	10 U
1,2-Dibromoethane	0.005	NA	NA	---	---	---	---	---	---	---
1,2-Dichlorobenzene	600	NA	NA	50 U	50 U	100 U	1 U	1 U	100 U	1 U
1,2-Dichloroethane	5	NA	NA	50 U	50 U	100 U	1 U	1 U	100 U	1 U
1,2-Dichloroethene	70	NA	NA	---	---	---	---	---	---	---
1,2-Dichloropropane	5	NA	NA	50 U	50 U	100 U	1 U	1 U	100 U	1 U
1,3-Dichlorobenzene	NS	NS	NS	50 U	50 U	100 U	1 U	1 U	100 U	1 U
1,3-Dichloropropane	NS	37	370	---	---	---	---	---	---	---
1,4-Dichlorobenzene	75	NA	NA	50 U	50 U	100 U	1 U	1 U	100 U	1 U
2,2-Dichloropropane	NS	NS	NS	---	---	---	---	---	---	---
2-Chloroethyl vinyl ether	NS	NS	NS	---	---	---	---	---	---	---
4-Chlorotoluene	NS	NS	NS	---	---	---	---	---	---	---
Allyl chloride	NS	0.21	2.1	---	---	---	---	---	---	---
beta-Chloroprene	NS	NS	NS	---	---	---	---	---	---	---
Bromobenzene	NS	6.2	62	---	---	---	---	---	---	---
Bromodichloromethane	80	NA	NA	50 U	50 U	100 U	1 U	1 U	100 U	1 U
Bromoform	80	NA	NA	250 U	250 U	500 U	5 U	5 U	500 U	5 U
Carbon tetrachloride	5	NA	NA	50 U	50 U	100 U	1 U	1 U	100 U	1 U
Chlorobenzene	100	NA	NA	50 U	50 U	100 U	1 U	1 U	100 U	1 U
Chlorobromomethane	NS	8.3	83	50 U	50 U	100 U	1 U	1 U	100 U	1 U
Chloroethane	NS	2100	21000	50 U	50 U	100 U	1 U	1 U	100 U	1 U
Chloroform	80	NA	NA	50 U	50 U	100 U	1 U	1 U	100 U	1 U
cis-1,2-Dichloroethene	70	NA	NA	50 U	50 U	100 U	0.8 J	0.7 J	100 U	1 U
cis-1,3-Dichloropropene	NS	0.47	0.47	50 U	50 U	100 U	1 U	1 U	100 U	1 U
cis-1,4-Dichloro-2-butene	NS	0.0013	0.00130	---	---	---	---	---	---	---
Dibromochloromethane	80	NA	NA	50 U	50 U	100 U	1 U	1 U	100 U	1 U
Dibromomethane	NS	NS	NS	---	---	---	---	---	---	---
Dichlorodifluoromethane (Freon 12)	NS	20	0.87	50 U	50 U	100 U	1 U	1 U	100 U	1 U
Ethylene dibromide	0.05	NA	NA	50 U	50 U	100 U	1 U	1 U	100 U	1 U
Methyl bromide	NS	0.75	7.5	50 U	50 U	100 U	1 U	1 U	100 U	1 U
Methyl chloride	NS	19	190	50 U	50 U	100 U	1 U	1 U	100 U	1 U
Methyl iodide	NS	NS	NS	---	---	---	---	---	---	---
Methylene chloride	5	NA	NA	50 U	50 U	100 U	1 U	1 U	100 U	1 U
o-Chlorotoluene (2-chlorotoluene)	NS	NS	NS	---	---	---	---	---	---	---
Tetrachloroethene	5	NA	NA	50 U	50 U	100 U	6	11	100 U	7.5
trans-1,2-Dichloroethene	100	NA	NA	50 U	50 U	100 U	1 U	1 U	100 U	1 U
trans-1,3-Dichloropropene	NS	0.47	0.47	50 U	50 U	100 U	1 U	1 U	100 U	1 U
trans-1,4-Dichlorobutene	NS	0.0013	0.013	---	---	---	---	---	---	---
Trichloroethene	5	NA	NA	50 U	50 U	100 U	0.6 J	0.8 J	100 U	1 U
Trichlorofluoromethane (Freon 11)	NS	520	5200	250 U	250 U	500 U	5 U	5 U	500 U	5 U
Vinyl chloride	2	NA	NA	50 U	50 U	100 U	1 U	1 U	100 U	1 U
<b>Petroleum Volatile Organic Compounds (µg/L)</b>										
1,2,4-Trimethylbenzene	NS	5.6	56	---	---	630	450	---	---	190
1,3,5-Trimethylbenzene	NS	6	60	---	---	200	170	---	---	60
1,4-Dioxane	NS	0.46	0.46	---	---	---	---	---	---	---
2-Butanone	NS	560	5600	500 U	500 U	1000 U	10 U	10 U	1000 U	10 U
2-Hexanone	NS	3.8	38	500 U	500 U	1000 U	10 U	10 U	1000 U	10 U
4-Isopropyltoluene	NS	NS	NS	---	---	---	---	---	---	---
4-Methyl-2-pentanone	NS	630	6300	250 U	250 U	500 U	5 U	5 U	500 U	5 U
Acetone	NS	1400	14000	500 U	500 U	1000 U	10 U	10 U	1000 U	10 U
Acetonitrile	NS	13	130	---	---	---	---	---	---	---
Acrolein	NS	0.0042	0.042	---	---	---	---	---	---	---
Acrylonitrile	NS	0.052	0.52	---	---	---	---	---	---	---
Benzene	5	NA	NA	50 U	50 U	100 U	1 U	1 U	100 U	1 U
Carbon disulfide	NS	81	810	500 U	500 U	1000 U	10 U	10 U	1000 U	10 U
Cyclohexane	NS	1300	13000	500 U	500 U	1000 U	37	50	1000 U	16
Ethyl methacrylate	NS	63	630	---	---	---	---	---	---	---
Ethylbenzene	700	NA	NA	760	760	600	530	1000	780	200
Isobutyl alcohol	NS	41	410	---	---	---	---	---	---	---
Isopropylbenzene (Cumene)	NS	45	450	54	50 J	100 U	27	56	100 U	12
m&p-Xylene <sup>x</sup>	10000	NA	NA	---	---	---	---	---	---	---
Methacrylonitrile	NS	0.19	1.9	---	---	---	---	---	---	---
Methyl acetate	NS	2000	20000	500 U	500 U	1000 U	10 U	10 U	1000 U	10 U
Methyl methacrylate	NS	140	1400	---	---	---	---	---	---	---
Methyl tert-butyl ether	NS	14	14	50 U	50 U	100 U	1 U	1 U	100 U	1 U
Methylcyclohexane <sup>c</sup>	NS	1300	13000	500 U	500 U	1000 U	11	23	1000 U	8.1 J
m&p-Xylene <sup>x</sup>	10000	NA	NA	4000	4000	2700	2000	4300	3800	380
Naphthalene	NS	0.17	0.17	390	420	180	200	260	240	110
n-Butylbenzene	NS	100	1000	---	---	---	---	---	---	---
n-Propylbenzene	NS	66	660	---	---	---	---	---	---	---
o-Xylene <sup>x</sup>	10000	NA	NA	2100	2100	1300	1000	2000	1900	250
Propionitrile	NS	NS	NS	---	---	---	---	---	---	---
sec-Butylbenzene	NS	200	2000	---	---	---	---	---	---	---
Styrene	100	NA	NA	50 U	50 U	100 U	1 U	1 U	100 U	1 U
tert-Butylbenzene	NS	69	690	---	---	---	---	---	---	---
Toluene	1000	NA	NA	5500	5500	3100	2900	7600	3700	470
Vinyl acetate	NS	41	410	---	---	---	---	---	---	---
Xylene, Total <sup>x</sup>	10000	NA	NA	---	---	---	---	---	---	---

**Table 2. Groundwater Monitoring Well Sample Results**  
**Volatile Organic Compounds**  
**Dresser Inc. Facility**  
**124 W. College Ave, Salisbury, Maryland**

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-21 12/12/2013 MW-21A 22.1 d	MW-21 12/11/2014 MW-21 23.3	MW-21 12/10/2015 MW-21 23	MW-21 5/5/2016 MW-21 23	MW-21 11/9/2016 MW-21 20.6	MW-22 11/20/2008 MW-22 25.75	MW-22 3/4/2009 MW-22 23.9
	MCL	RSL HQ = 0.1 <sup>2</sup>	RSL HQ = 1.0 <sup>2</sup>				
<b>Screening Criteria<sup>1</sup></b>							
<b>Chlorinated Volatile Organic Compounds (µg/L)</b>							
1,1,1,2-Tetrachloroethane	NS	0.57	5.7	---	---	---	---
1,1,1-Trichloroethane	200	NA	NA	0.9 J	3.5	3.5	1.1
1,1,2,2-Tetrachloroethane	NS	0.076	0.076	1 U	1 U	1 U	1 U
1,1,2-trichloro-1,2,2-trifluoroethane (Freon 113)	NS	1000	10000	1 U	1 U	1 U	1 U
1,1,2-Trichloroethane	5	NA	NA	1 U	1 U	1 U	1 U
1,1-Dichloroethane	NS	2.8	2.8	1 U	1 U	1 U	1 U
1,1-Dichloroethene	7	NA	NA	1 U	1 U	1 U	1 U
1,1-Dichloropropene	NS	NS	NS	---	---	---	---
1,2,3-Trichlorobenzene	NS	0.7	7	1 U	1 U	1 U	1 U
1,2,3-Trichloropropane	NS	0.00075	0.00075	---	---	---	---
1,2,4-Trichlorobenzene	70	NA	NA	1 U	1 U	1 U	1 U
1,2-Dibromo-3-chloropropane	0.2	NA	NA	10 U	10 U	10 U	10 U
1,2-Dibromoethane	0.005	NA	NA	---	---	---	---
1,2-Dichlorobenzene	600	NA	NA	1 U	1 U	1 U	1 U
1,2-Dichloroethane	5	NA	NA	1 U	1 U	1 U	1 U
1,2-Dichloroethene	70	NA	NA	---	---	---	---
1,2-Dichloropropane	5	NA	NA	1 U	1 U	1 U	1 U
1,3-Dichlorobenzene	NS	NS	NS	1 U	1 U	1 U	1 U
1,3-Dichloropropane	NS	37	370	---	---	---	---
1,4-Dichlorobenzene	75	NA	NA	1 U	1 U	1 U	1 U
2,2-Dichloropropane	NS	NS	NS	---	---	---	---
2-Chloroethyl vinyl ether	NS	NS	NS	---	---	---	---
4-Chlorotoluene	NS	NS	NS	---	---	---	---
Allyl chloride	NS	0.21	2.1	---	---	---	---
beta-Chloroprene	NS	NS	NS	---	---	---	---
Bromobenzene	NS	6.2	62	---	---	---	---
Bromodichloromethane	80	NA	NA	1 U	1 U	1 U	1 U
Bromoform	80	NA	NA	5 U	5 U	5 U	5 U
Carbon tetrachloride	5	NA	NA	1 U	1 U	1 U	1 U
Chlorobenzene	100	NA	NA	1 U	1 U	1 U	1 U
Chlorobromomethane	NS	8.3	83	1 U	1 U	1 U	1 U
Chloroethane	NS	2100	21000	1 U	1 U	1 U	1 U
Chloroform	80	NA	NA	1 U	1 U	1 U	1 U
cis-1,2-Dichloroethene	70	NA	NA	1 U	3.3	0.91 J	1 U
cis-1,3-Dichloropropene	NS	0.47	0.47	1 U	1 U	1 U	1 U
cis-1,4-Dichloro-2-butene	NS	0.0013	0.00130	---	---	---	---
Dibromochloromethane	80	NA	NA	1 U	1 U	1 U	1 U
Dibromomethane	NS	NS	NS	---	---	---	---
Dichlorodifluoromethane (Freon 12)	NS	20	0.87	1 U	1 U	1 U	1 U
Ethylene dibromide	0.05	NA	NA	1 U	1 U	1 U	1 U
Methyl bromide	NS	0.75	7.5	1 U	1 U	1 U	1 U
Methyl chloride	NS	19	190	1 U	1 U	1 U	1 U
Methyl iodide	NS	NS	NS	---	---	---	---
Methylene chloride	5	NA	NA	1 U	1 U	1 U	1 U
o-Chlorotoluene (2-chlorotoluene)	NS	NS	NS	---	---	---	---
Tetrachloroethene	5	NA	NA	7.5	17	9.5	8.2
trans-1,2-Dichloroethene	100	NA	NA	1 U	0.75 J	1 U	1 U
trans-1,3-Dichloropropene	NS	0.47	0.47	1 U	1 U	1 U	1 U
trans-1,4-Dichlorobutene	NS	0.0013	0.013	---	---	---	---
Trichloroethene	5	NA	NA	1 U	1.8	0.74 J	1 U
Trichlorofluoromethane (Freon 11)	NS	520	5200	5 U	5 U	5 U	5 U
Vinyl chloride	2	NA	NA	1 U	1 U	1 U	1 U
<b>Petroleum Volatile Organic Compounds (µg/L)</b>							
1,2,4-Trimethylbenzene	NS	5.6	56	150	1200	560	330
1,3,5-Trimethylbenzene	NS	6	60	49	370	210	120
1,4-Dioxane	NS	0.46	0.46	---	100 U	100 U	100 U
2-Butanone	NS	560	5600	10 U	10 U	10 U	10 U
2-Hexanone	NS	3.8	38	10 U	10 U	10 U	10 U
4-Isopropyltoluene	NS	NS	NS	---	---	---	---
4-Methyl-2-pentanone	NS	630	6300	5 U	5 U	5 U	5 U
Acetone	NS	1400	14000	10 U	10 U	13	10 U
Acetonitrile	NS	13	130	---	---	---	---
Acrolein	NS	0.0042	0.042	---	---	---	---
Acrylonitrile	NS	0.052	0.52	---	---	---	---
Benzene	5	NA	NA	1 U	1 U	1 U	1 U
Carbon disulfide	NS	81	810	5.2 J	10 U	10 U	10 U
Cyclohexane	NS	1300	13000	15	89	46	20
Ethyl methacrylate	NS	63	630	---	---	---	---
Ethylbenzene	700	NA	NA	180	1100	630	270
Isobutyl alcohol	NS	41	410	---	---	---	---
Isopropylbenzene (Cumene)	NS	45	450	11	65	38	19
m&p-Xylene <sup>x</sup>	10000	NA	NA	---	---	---	---
Methacrylonitrile	NS	0.19	1.9	---	---	---	---
Methyl acetate	NS	2000	20000	10 U	10 U	10 U	10 U
Methyl methacrylate	NS	140	1400	---	---	---	---
Methyl tert-butyl ether	NS	14	14	1 U	1 U	1 U	1 U
Methylcyclohexane <sup>c</sup>	NS	1300	13000	7.7 J	38	16	9.2 J
m&p-Xylene <sup>x</sup>	10000	NA	NA	440	4400	2100	860
Naphthalene	NS	0.17	0.17	93	240	200	130
n-Butylbenzene	NS	100	1000	---	---	---	---
n-Propylbenzene	NS	66	660	---	---	---	---
o-Xylene <sup>x</sup>	10000	NA	NA	210	1500	910	400
Propionitrile	NS	NS	NS	---	---	---	---
sec-Butylbenzene	NS	200	2000	---	---	---	---
Styrene	100	NA	NA	1 U	1 U	1 U	1 U
tert-Butylbenzene	NS	69	690	---	---	---	---
Toluene	1000	NA	NA	560	2400	2600	610
Vinyl acetate	NS	41	410	---	---	---	---
Xylene, Total <sup>x</sup>	10000	NA	NA	---	---	---	---

**Table 2. Groundwater Monitoring Well Sample Results**  
**Volatile Organic Compounds**  
**Dresser Inc. Facility**  
**124 W. College Ave, Salisbury, Maryland**

Screening Criteria <sup>1</sup>	Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes			MW-22 10/14/2010 MW-22 22.61	MW-22 11/2/2011 MW-22 23.8	MW-22 11/2/2011 MW-22A 23.8 d	MW-22 9/17/2012 MW-22 23	MW-22 12/11/2013 MW-22 21.5	MW-22 12/10/2014 MW-22 23.8	MW-22 12/9/2015 MW-22 24
	MCL	RSL HQ = 0.1 <sup>2</sup>	RSL HQ = 1.0 <sup>2</sup>							
<b>Chlorinated Volatile Organic Compounds (µg/L)</b>										
1,1,1,2-Tetrachloroethane	NS	0.57	5.7	---	---	---	---	---	---	---
1,1,1-Trichloroethane	200	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,1,2,2-Tetrachloroethane	NS	0.076	0.076	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,1,2-trichloro-1,2,2-trifluoroethane (Freon 113)	NS	1000	10000	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,1,2-Trichloroethane	5	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,1-Dichloroethane	NS	2.8	2.8	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,1-Dichloroethene	7	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,1-Dichloropropene	NS	NS	NS	---	---	---	---	---	---	---
1,2,3-Trichlorobenzene	NS	0.7	7	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,2,3-Trichloropropane	NS	0.00075	0.00075	---	---	---	---	---	---	---
1,2,4-Trichlorobenzene	70	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,2-Dibromo-3-chloropropane	0.2	NA	NA	10 U	10 U	10 U	10 U	10 U	10 U	10 U
1,2-Dibromoethane	0.005	NA	NA	---	---	---	---	---	---	---
1,2-Dichlorobenzene	600	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,2-Dichloroethane	5	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,2-Dichloroethene	70	NA	NA	---	---	---	---	---	---	---
1,2-Dichloropropane	5	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,3-Dichlorobenzene	NS	NS	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,3-Dichloropropane	NS	37	370	---	---	---	---	---	---	---
1,4-Dichlorobenzene	75	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U
2,2-Dichloropropane	NS	NS	NS	---	---	---	---	---	---	---
2-Chloroethyl vinyl ether	NS	NS	NS	---	---	---	---	---	---	---
4-Chlorotoluene	NS	NS	NS	---	---	---	---	---	---	---
Allyl chloride	NS	0.21	2.1	---	---	---	---	---	---	---
beta-Chloroprene	NS	NS	NS	---	---	---	---	---	---	---
Bromobenzene	NS	6.2	62	---	---	---	---	---	---	---
Bromodichloromethane	80	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Bromoform	80	NA	NA	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Carbon tetrachloride	5	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Chlorobenzene	100	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Chlorobromomethane	NS	8.3	83	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Chloroethane	NS	2100	21000	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Chloroform	80	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U
cis-1,2-Dichloroethene	70	NA	NA	1 U	1 U	0.5 J	1 U	1 U	1 U	1 U
cis-1,3-Dichloropropene	NS	0.47	0.47	1 U	1 U	1 U	1 U	1 U	1 U	1 U
cis-1,4-Dichloro-2-butene	NS	0.0013	0.00130	---	---	---	---	---	---	---
Dibromochloromethane	80	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Dibromomethane	NS	NS	NS	---	---	---	---	---	---	---
Dichlorodifluoromethane (Freon 12)	NS	20	0.87	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Ethylene dibromide	0.05	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Methyl bromide	NS	0.75	7.5	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Methyl chloride	NS	19	190	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Methyl iodide	NS	NS	NS	---	---	---	---	---	---	---
Methylene chloride	5	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U
o-Chlorotoluene (2-chlorotoluene)	NS	NS	NS	---	---	---	---	---	---	---
Tetrachloroethene	5	NA	NA	1 U	1	1	1.1	0.98 J	1.3	0.93 J
trans-1,2-Dichloroethene	100	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U
trans-1,3-Dichloropropene	NS	0.47	0.47	1 U	1 U	1 U	1 U	1 U	1 U	1 U
trans-1,4-Dichlorobutene	NS	0.0013	0.013	---	---	---	---	---	---	---
Trichloroethene	5	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Trichlorofluoromethane (Freon 11)	NS	520	5200	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Vinyl chloride	2	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U
<b>Petroleum Volatile Organic Compounds (µg/L)</b>										
1,2,4-Trimethylbenzene	NS	5.6	56	1 U	---	---	---	1 U	1 U	1 U
1,3,5-Trimethylbenzene	NS	6	60	1 U	---	---	---	1 U	1 U	1 U
1,4-Dioxane	NS	0.46	0.46	---	---	---	---	---	100 U	100 U
2-Butanone	NS	560	5600	10 U	10 U	10 U	10 U	10 U	10 U	10 U
2-Hexanone	NS	3.8	38	10 U	10 U	10 U	10 U	10 U	10 U	10 U
4-Isopropyltoluene	NS	NS	NS	---	---	---	---	---	---	---
4-Methyl-2-pentanone	NS	630	6300	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Acetone	NS	1400	14000	10 U	10 U	10 U	10 U	10 U	10 U	10 U
Acetonitrile	NS	13	130	---	---	---	---	---	---	---
Acrolein	NS	0.0042	0.042	---	---	---	---	---	---	---
Acrylonitrile	NS	0.052	0.52	---	---	---	---	---	---	---
Benzene	5	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Carbon disulfide	NS	81	810	10 U	10 U	10 U	10 U	10 U	10 U	10 U
Cyclohexane	NS	1300	13000	10 U	10 U	10 U	10 U	10 U	10 U	10 U
Ethyl methacrylate	NS	63	630	---	---	---	---	---	---	---
Ethylbenzene	700	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Isobutyl alcohol	NS	41	410	---	---	---	---	---	---	---
Isopropylbenzene (Cumene)	NS	45	450	1 U	1 U	1 U	1 U	1 U	1 U	1 U
m&p-Xylene <sup>x</sup>	10000	NA	NA	---	---	---	---	---	---	---
Methacrylonitrile	NS	0.19	1.9	---	---	---	---	---	---	---
Methyl acetate	NS	2000	20000	10 U	10 U	10 U	10 U	10 U	10 U	10 U
Methyl methacrylate	NS	140	1400	---	---	---	---	---	---	---
Methyl tert-butyl ether	NS	14	14	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Methylcyclohexane <sup>c</sup>	NS	1300	13000	10 U	10 U	10 U	10 U	10 U	10 U	10 U
m&p-Xylene <sup>x</sup>	10000	NA	NA	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Naphthalene	NS	0.17	0.17	1 U	1 U	1 U	1 U	1 U	1 U	1 U
n-Butylbenzene	NS	100	1000	---	---	---	---	---	---	---
n-Propylbenzene	NS	66	660	---	---	---	---	---	---	---
o-Xylene <sup>x</sup>	10000	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Propionitrile	NS	NS	NS	---	---	---	---	---	---	---
sec-Butylbenzene	NS	200	2000	---	---	---	---	---	---	---
Styrene	100	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U
tert-Butylbenzene	NS	69	690	---	---	---	---	---	---	---
Toluene	1000	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Vinyl acetate	NS	41	410	---	---	---	---	---	---	---
Xylene, Total <sup>x</sup>	10000	NA	NA	---	---	---	---	---	---	---



**Table 2. Groundwater Monitoring Well Sample Results**  
**Volatile Organic Compounds**  
**Dresser Inc. Facility**  
**124 W. College Ave, Salisbury, Maryland**

Sample ID	Location Sample Date	MW-22 MW-22 23	MW-22 MW-22 21.6	MW-23 MW-23 23.3	MW-23 MW-23 23.1	MW-23 MW-23 21.85	MW-23 MW-23 22.3	MW-23 MW-23 23	Notes		
									Sample Depth (ft. bgs.)	MCL	RSL HQ = 0.1 <sup>2</sup>
<b>Screening Criteria<sup>1</sup></b>											
<b>Chlorinated Volatile Organic Compounds (µg/L)</b>											
1,1,1,2-Tetrachloroethane	NS	0.57	5.7	---	---	---	---	---	---	---	---
1,1,1-Trichloroethane	200	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,1,2,2-Tetrachloroethane	NS	0.076	0.076	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,1,2-trichloro-1,2,2-trifluoroethane (Freon 113)	NS	1000	10000	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,1,2-Trichloroethane	5	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,1-Dichloroethane	NS	2.8	2.8	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,1-Dichloroethene	7	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,1-Dichloropropene	NS	NS	NS	---	---	---	---	---	---	---	---
1,2,3-Trichlorobenzene	NS	0.7	7	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,2,3-Trichloropropane	NS	0.00075	0.00075	---	---	---	---	---	---	---	---
1,2,4-Trichlorobenzene	70	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,2-Dibromo-3-chloropropane	0.2	NA	NA	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
1,2-Dibromoethane	0.005	NA	NA	---	---	---	---	---	---	---	---
1,2-Dichlorobenzene	600	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,2-Dichloroethane	5	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,2-Dichloroethene	70	NA	NA	---	---	---	---	---	---	---	---
1,2-Dichloropropane	5	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,3-Dichlorobenzene	NS	NS	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,3-Dichloropropane	NS	37	370	---	---	---	---	---	---	---	---
1,4-Dichlorobenzene	75	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
2,2-Dichloropropane	NS	NS	NS	---	---	---	---	---	---	---	---
2-Chloroethyl vinyl ether	NS	NS	NS	---	---	---	---	---	---	---	---
4-Chlorotoluene	NS	NS	NS	---	---	---	---	---	---	---	---
Allyl chloride	NS	0.21	2.1	---	---	---	---	---	---	---	---
beta-Chloroprene	NS	NS	NS	---	---	---	---	---	---	---	---
Bromobenzene	NS	6.2	62	---	---	---	---	---	---	---	---
Bromodichloromethane	80	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Bromoform	80	NA	NA	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Carbon tetrachloride	5	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Chlorobenzene	100	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Chlorobromomethane	NS	8.3	83	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Chloroethane	NS	2100	21000	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Chloroform	80	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
cis-1,2-Dichloroethene	70	NA	NA	1 U	1 U	<b>3</b>	<b>3</b>	<b>6</b>	<b>2</b>	<b>2.1</b>	
cis-1,3-Dichloropropene	NS	0.47	0.47	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
cis-1,4-Dichloro-2-butene	NS	0.0013	0.00130	---	---	---	---	---	---	---	---
Dibromochloromethane	80	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Dibromomethane	NS	NS	NS	---	---	---	---	---	---	---	---
Dichlorodifluoromethane (Freon 12)	NS	20	0.87	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Ethylene dibromide	0.05	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Methyl bromide	NS	0.75	7.5	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Methyl chloride	NS	19	190	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Methyl iodide	NS	NS	NS	---	---	---	---	---	---	---	---
Methylene chloride	5	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
o-Chlorotoluene (2-chlorotoluene)	NS	NS	NS	---	---	---	---	---	---	---	---
Tetrachloroethene	5	NA	NA	<b>0.68 J</b>	<b>0.6 J</b>	<b>2</b>	<b>1</b>	<b>3</b>	<b>3</b>	<b>4.6</b>	
trans-1,2-Dichloroethene	100	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
trans-1,3-Dichloropropene	NS	0.47	0.47	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
trans-1,4-Dichlorobutene	NS	0.0013	0.013	---	---	---	---	---	---	---	---
Trichloroethene	5	NA	NA	1 U	1 U	1 U	1 U	<b>0.6 J</b>	1 U	<b>0.57 J</b>	
Trichlorofluoromethane (Freon 11)	NS	520	5200	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Vinyl chloride	2	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
<b>Petroleum Volatile Organic Compounds (µg/L)</b>											
1,2,4-Trimethylbenzene	NS	5.6	56	1 U	1 U	---	1 U	1 U	---	---	---
1,3,5-Trimethylbenzene	NS	6	60	1 U	1 U	---	1 U	1 U	---	---	---
1,4-Dioxane	NS	0.46	0.46	100 U	100 U	---	---	---	---	---	---
2-Butanone	NS	560	5600	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
2-Hexanone	NS	3.8	38	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
4-Isopropyltoluene	NS	NS	NS	---	---	---	---	---	---	---	---
4-Methyl-2-pentanone	NS	630	6300	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Acetone	NS	1400	14000	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
Acetonitrile	NS	13	130	---	---	---	---	---	---	---	---
Acrolein	NS	0.0042	0.042	---	---	---	---	---	---	---	---
Acrylonitrile	NS	0.052	0.52	---	---	---	---	---	---	---	---
Benzene	5	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Carbon disulfide	NS	81	810	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
Cyclohexane	NS	1300	13000	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
Ethyl methacrylate	NS	63	630	---	---	---	---	---	---	---	---
Ethylbenzene	700	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Isobutyl alcohol	NS	41	410	---	---	---	---	---	---	---	---
Isopropylbenzene (Cumene)	NS	45	450	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
m&p-Xylene <sup>x</sup>	10000	NA	NA	---	---	---	---	---	---	---	---
Methacrylonitrile	NS	0.19	1.9	---	---	---	---	---	---	---	---
Methyl acetate	NS	2000	20000	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
Methyl methacrylate	NS	140	1400	---	---	---	---	---	---	---	---
Methyl tert-butyl ether	NS	14	14	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Methylcyclohexane <sup>c</sup>	NS	1300	13000	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
m&p-Xylene <sup>x</sup>	10000	NA	NA	2 U	2 U	<b>3</b>	2 U	2 U	2 U	2 U	2 U
Naphthalene	NS	0.17	0.17	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
n-Butylbenzene	NS	100	1000	---	---	---	---	---	---	---	---
n-Propylbenzene	NS	66	660	---	---	---	---	---	---	---	---
o-Xylene <sup>x</sup>	10000	NA	NA	1 U	1 U	<b>1</b>	1 U	1 U	1 U	1 U	1 U
Propionitrile	NS	NS	NS	---	---	---	---	---	---	---	---
sec-Butylbenzene	NS	200	2000	---	---	---	---	---	---	---	---
Styrene	100	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
tert-Butylbenzene	NS	69	690	---	---	---	---	---	---	---	---
Toluene	1000	NA	NA	1 U	1 U	<b>3</b>	1 U	1 U	1 U	1 U	1 U
Vinyl acetate	NS	41	410	---	---	---	---	---	---	---	---
Xylene, Total <sup>x</sup>	10000	NA	NA	---	---	---	---	---	---	---	---

**Table 2. Groundwater Monitoring Well Sample Results**  
**Volatile Organic Compounds**  
**Dresser Inc. Facility**  
**124 W. College Ave, Salisbury, Maryland**

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-23 12/16/2013 MW-23 21.8	MW-23 12/10/2014 MW-23 23.11	MW-23 12/10/2015 MW-23 24	MW-23 5/3/2016 MW-23 24	MW-23 11/8/2016 MW-23 21	MW-24 11/20/2008 MW-24 24.2	MW-24 3/4/2009 MW-24 24			
	MCL	RSL HQ = 0.1 <sup>2</sup>	RSL HQ = 1.0 <sup>2</sup>							
<b>Screening Criteria<sup>1</sup></b>										
<b>Chlorinated Volatile Organic Compounds (µg/L)</b>										
1,1,1,2-Tetrachloroethane	NS	0.57	5.7	---	---	---	---			
1,1,1-Trichloroethane	200	NA	NA	1 U	1 U	1 U	1 U			
1,1,2,2-Tetrachloroethane	NS	0.076	0.076	1 U	1 U	1 U	1 U			
1,1,2-trichloro-1,2,2-trifluoroethane (Freon 113)	NS	1000	10000	1 U	1 U	1 U	1 U			
1,1,2-Trichloroethane	5	NA	NA	1 U	1 U	1 U	1 U			
1,1-Dichloroethane	NS	2.8	2.8	1 U	1 U	1 U	1 U			
1,1-Dichloroethene	7	NA	NA	1 U	1 U	1 U	1 U			
1,1-Dichloropropene	NS	NS	NS	---	---	---	---			
1,2,3-Trichlorobenzene	NS	0.7	7	1 U	1 U	1 U	1 U			
1,2,3-Trichloropropane	NS	0.00075	0.00075	---	---	---	---			
1,2,4-Trichlorobenzene	70	NA	NA	1 U	1 U	1 U	1 U			
1,2-Dibromo-3-chloropropane	0.2	NA	NA	10 U	10 U	10 U	10 U			
1,2-Dibromoethane	0.005	NA	NA	---	---	---	---			
1,2-Dichlorobenzene	600	NA	NA	1 U	1 U	1 U	1 U			
1,2-Dichloroethane	5	NA	NA	1 U	1 U	1 U	1 U			
1,2-Dichloroethene	70	NA	NA	---	---	---	---			
1,2-Dichloropropane	5	NA	NA	1 U	1 U	1 U	1 U			
1,3-Dichlorobenzene	NS	NS	NS	1 U	1 U	1 U	1 U			
1,3-Dichloropropane	NS	37	370	---	---	---	---			
1,4-Dichlorobenzene	75	NA	NA	1 U	1 U	1 U	1 U			
2,2-Dichloropropane	NS	NS	NS	---	---	---	---			
2-Chloroethyl vinyl ether	NS	NS	NS	---	---	---	---			
4-Chlorotoluene	NS	NS	NS	---	---	---	---			
Allyl chloride	NS	0.21	2.1	---	---	---	---			
beta-Chloroprene	NS	NS	NS	---	---	---	---			
Bromobenzene	NS	6.2	62	---	---	---	---			
Bromodichloromethane	80	NA	NA	1 U	1 U	1 U	1 U			
Bromoform	80	NA	NA	5 U	5 U	5 U	5 U			
Carbon tetrachloride	5	NA	NA	1 U	1 U	1 U	1 U			
Chlorobenzene	100	NA	NA	1 U	1 U	1 U	1 U			
Chlorobromomethane	NS	8.3	83	1 U	1 U	1 U	1 U			
Chloroethane	NS	2100	21000	1 U	1 U	1 U	1 U			
Chloroform	80	NA	NA	1 U	1 U	1 U	1 U			
cis-1,2-Dichloroethene	70	NA	NA	1 U	1.7	0.68 J	0.86 J	0.65 J	1	2
cis-1,3-Dichloropropene	NS	0.47	0.47	1 U	1 U	1 U	1 U	1 U	1 U	1 U
cis-1,4-Dichloro-2-butene	NS	0.0013	0.00130	---	---	---	---	---	---	---
Dibromochloromethane	80	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Dibromomethane	NS	NS	NS	---	---	---	---	---	---	---
Dichlorodifluoromethane (Freon 12)	NS	20	0.87	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Ethylene dibromide	0.05	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Methyl bromide	NS	0.75	7.5	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Methyl chloride	NS	19	190	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Methyl iodide	NS	NS	NS	---	---	---	---	---	---	---
Methylene chloride	5	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U
o-Chlorotoluene (2-chlorotoluene)	NS	NS	NS	---	---	---	---	---	---	---
Tetrachloroethane	5	NA	NA	0.6 J	3.4	2.5	2.9	2.4	3	2
trans-1,2-Dichloroethene	100	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U
trans-1,3-Dichloropropene	NS	0.47	0.47	1 U	1 U	1 U	1 U	1 U	1 U	1 U
trans-1,4-Dichlorobutene	NS	0.0013	0.013	---	---	---	---	---	---	---
Trichloroethene	5	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Trichlorofluoromethane (Freon 11)	NS	520	5200	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Vinyl chloride	2	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U
<b>Petroleum Volatile Organic Compounds (µg/L)</b>										
1,2,4-Trimethylbenzene	NS	5.6	56	1 U	1 U	1 U	1 U	1 U	---	1 U
1,3,5-Trimethylbenzene	NS	6	60	1 U	1 U	1 U	1 U	1 U	---	1 U
1,4-Dioxane	NS	0.46	0.46	---	100 U	100 U	100 U	100 U	---	---
2-Butanone	NS	560	5600	10 U	10 U	10 U	10 U	10 U	10 U	10 U
2-Hexanone	NS	3.8	38	10 U	10 U	10 U	10 U	10 U	10 U	10 U
4-Isopropyltoluene	NS	NS	NS	---	---	---	---	---	---	---
4-Methyl-2-pentanone	NS	630	6300	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Acetone	NS	1400	14000	10 U	10 U	10 U	10 U	10 U	10 U	10 U
Acetonitrile	NS	13	130	---	---	---	---	---	---	---
Acrolein	NS	0.0042	0.042	---	---	---	---	---	---	---
Acrylonitrile	NS	0.052	0.52	---	---	---	---	---	---	---
Benzene	5	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Carbon disulfide	NS	81	810	10 U	10 U	10 U	10 U	10 U	10 U	10 U
Cyclohexane	NS	1300	13000	10 U	10 U	10 U	10 U	10 U	10 U	10 U
Ethyl methacrylate	NS	63	630	---	---	---	---	---	---	---
Ethylbenzene	700	NA	NA	1 U	1 U	1 U	1 U	1 U	0.9 J	1 U
Isobutyl alcohol	NS	41	410	---	---	---	---	---	---	---
Isopropylbenzene (Cumene)	NS	45	450	1 U	1 U	1 U	1 U	1 U	1 U	1 U
m&p-Xylene <sup>x</sup>	10000	NA	NA	---	---	---	---	---	---	---
Methacrylonitrile	NS	0.19	1.9	---	---	---	---	---	---	---
Methyl acetate	NS	2000	20000	10 U	10 U	10 U	10 U	10 U	10 U	10 U
Methyl methacrylate	NS	140	1400	---	---	---	---	---	---	---
Methyl tert-butyl ether	NS	14	14	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Methylcyclohexane <sup>c</sup>	NS	1300	13000	10 U	10 U	10 U	10 U	10 U	10 U	10 U
m&p-Xylene <sup>x</sup>	10000	NA	NA	2 U	2 U	2 U	2 U	2 U	5	2 U
Naphthalene	NS	0.17	0.17	1 U	1 U	1 U	1 U	1 U	0.6 J	1 U
n-Butylbenzene	NS	100	1000	---	---	---	---	---	---	---
n-Propylbenzene	NS	66	660	---	---	---	---	---	---	---
o-Xylene <sup>x</sup>	10000	NA	NA	1 U	1 U	1 U	1 U	1 U	2	1 U
Propionitrile	NS	NS	NS	---	---	---	---	---	---	---
sec-Butylbenzene	NS	200	2000	---	---	---	---	---	---	---
Styrene	100	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U
tert-Butylbenzene	NS	69	690	---	---	---	---	---	---	---
Toluene	1000	NA	NA	1 U	1 U	1 U	1 U	1 U	6	1 U
Vinyl acetate	NS	41	410	---	---	---	---	---	---	---
Xylene, Total <sup>x</sup>	10000	NA	NA	---	---	---	---	---	---	---

**Table 2. Groundwater Monitoring Well Sample Results**  
**Volatile Organic Compounds**  
**Dresser Inc. Facility**  
**124 W. College Ave, Salisbury, Maryland**

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-24 10/15/2010 MW-24 22.67	MW-24 11/2/2011 MW-24 23.2	MW-24 9/17/2012 MW-24 23	MW-24 12/12/2013 MW-24 20.5	MW-24 12/11/2014 MW-24 24	MW-24 12/11/2014 MW-24A 24 d	MW-24 12/10/2015 MW-24 25
	MCL	RSL HQ = 0.1 <sup>2</sup>	RSL HQ = 1.0 <sup>2</sup>				
<b>Screening Criteria<sup>1</sup></b>							
<b>Chlorinated Volatile Organic Compounds (µg/L)</b>							
1,1,1,2-Tetrachloroethane	NS	0.57	5.7	---	---	---	---
1,1,1-Trichloroethane	200	NA	NA	1 U	1 U	1 U	1 U
1,1,2,2-Tetrachloroethane	NS	0.076	0.076	1 U	1 U	1 U	1 U
1,1,2-trichloro-1,2,2-trifluoroethane (Freon 113)	NS	1000	10000	1 U	1 U	1 U	1 U
1,1,2-Trichloroethane	5	NA	NA	1 U	1 U	1 U	1 U
1,1-Dichloroethane	NS	2.8	2.8	1 U	1 U	1 U	1 U
1,1-Dichloroethene	7	NA	NA	1 U	1 U	1 U	1 U
1,1-Dichloropropene	NS	NS	NS	---	---	---	---
1,2,3-Trichlorobenzene	NS	0.7	7	1 U	1 U	1 U	1 U
1,2,3-Trichloropropane	NS	0.00075	0.00075	---	---	---	---
1,2,4-Trichlorobenzene	70	NA	NA	1 U	1 U	1 U	1 U
1,2-Dibromo-3-chloropropane	0.2	NA	NA	10 U	10 U	10 U	10 U
1,2-Dibromoethane	0.005	NA	NA	---	---	---	---
1,2-Dichlorobenzene	600	NA	NA	1 U	1 U	1 U	1 U
1,2-Dichloroethane	5	NA	NA	1 U	1 U	1 U	1 U
1,2-Dichloroethene	70	NA	NA	---	---	---	---
1,2-Dichloropropane	5	NA	NA	1 U	1 U	1 U	1 U
1,3-Dichlorobenzene	NS	NS	NS	1 U	1 U	1 U	1 U
1,3-Dichloropropane	NS	37	370	---	---	---	---
1,4-Dichlorobenzene	75	NA	NA	1 U	1 U	1 U	1 U
2,2-Dichloropropane	NS	NS	NS	---	---	---	---
2-Chloroethyl vinyl ether	NS	NS	NS	---	---	---	---
4-Chlorotoluene	NS	NS	NS	---	---	---	---
Allyl chloride	NS	0.21	2.1	---	---	---	---
beta-Chloroprene	NS	NS	NS	---	---	---	---
Bromobenzene	NS	6.2	62	---	---	---	---
Bromodichloromethane	80	NA	NA	1 U	1 U	1 U	1 U
Bromoform	80	NA	NA	5 U	5 U	5 U	5 U
Carbon tetrachloride	5	NA	NA	1 U	1 U	1 U	1 U
Chlorobenzene	100	NA	NA	1 U	1 U	1 U	1 U
Chlorobromomethane	NS	8.3	83	1 U	1 U	1 U	1 U
Chloroethane	NS	2100	21000	1 U	1 U	1 U	1 U
Chloroform	80	NA	NA	1 U	1 U	1 U	1 U
cis-1,2-Dichloroethene	70	NA	NA	<b>1</b>	<b>1</b>	<b>0.95 J</b>	<b>1.4</b>
cis-1,3-Dichloropropene	NS	0.47	0.47	1 U	1 U	1 U	1 U
cis-1,4-Dichloro-2-butene	NS	0.0013	0.00130	---	---	---	---
Dibromochloromethane	80	NA	NA	1 U	1 U	1 U	1 U
Dibromomethane	NS	NS	NS	---	---	---	---
Dichlorodifluoromethane (Freon 12)	NS	20	0.87	1 U	1 U	1 U	1 U
Ethylene dibromide	0.05	NA	NA	1 U	1 U	1 U	1 U
Methyl bromide	NS	0.75	7.5	1 U	1 U	1 U	1 U
Methyl chloride	NS	19	190	1 U	1 U	1 U	1 U
Methyl iodide	NS	NS	NS	---	---	---	---
Methylene chloride	5	NA	NA	1 U	1 U	1 U	1 U
o-Chlorotoluene (2-chlorotoluene)	NS	NS	NS	---	---	---	---
Tetrachloroethene	5	NA	NA	<b>7</b>	<b>7</b>	<b>3.7</b>	<b>4.5</b>
trans-1,2-Dichloroethene	100	NA	NA	1 U	1 U	1 U	1 U
trans-1,3-Dichloropropene	NS	0.47	0.47	1 U	1 U	1 U	1 U
trans-1,4-Dichlorobutene	NS	0.0013	0.013	---	---	---	---
Trichloroethene	5	NA	NA	1 U	1 U	1 U	1 U
Trichlorofluoromethane (Freon 11)	NS	520	5200	5 U	5 U	5 U	5 U
Vinyl chloride	2	NA	NA	1 U	1 U	1 U	1 U
<b>Petroleum Volatile Organic Compounds (µg/L)</b>							
1,2,4-Trimethylbenzene	NS	5.6	56	1 U	---	---	1 U
1,3,5-Trimethylbenzene	NS	6	60	1 U	---	---	1 U
1,4-Dioxane	NS	0.46	0.46	---	---	---	100 U
2-Butanone	NS	560	5600	10 U	10 U	10 U	10 U
2-Hexanone	NS	3.8	38	10 U	10 U	10 U	10 U
4-Isopropyltoluene	NS	NS	NS	---	---	---	---
4-Methyl-2-pentanone	NS	630	6300	5 U	5 U	5 U	5 U
Acetone	NS	1400	14000	10 U	10 U	10 U	10 U
Acetonitrile	NS	13	130	---	---	---	---
Acrolein	NS	0.0042	0.042	---	---	---	---
Acrylonitrile	NS	0.052	0.52	---	---	---	---
Benzene	5	NA	NA	1 U	1 U	1 U	1 U
Carbon disulfide	NS	81	810	10 U	10 U	10 U	10 U
Cyclohexane	NS	1300	13000	10 U	10 U	10 U	10 U
Ethyl methacrylate	NS	63	630	---	---	---	---
Ethylbenzene	700	NA	NA	1 U	1 U	1 U	1 U
Isobutyl alcohol	NS	41	410	---	---	---	---
Isopropylbenzene (Cumene)	NS	45	450	1 U	1 U	1 U	1 U
m&p-Xylene <sup>x</sup>	10000	NA	NA	---	---	---	---
Methacrylonitrile	NS	0.19	1.9	---	---	---	---
Methyl acetate	NS	2000	20000	10 U	10 U	10 U	10 U
Methyl methacrylate	NS	140	1400	---	---	---	---
Methyl tert-butyl ether	NS	14	14	1 U	1 U	1 U	1 U
Methylcyclohexane <sup>c</sup>	NS	1300	13000	10 U	10 U	10 U	10 U
m&p-Xylene <sup>x</sup>	10000	NA	NA	2 U	2 U	2 U	2 U
Naphthalene	NS	0.17	0.17	1 U	1 U	1 U	1 U
n-Butylbenzene	NS	100	1000	---	---	---	---
n-Propylbenzene	NS	66	660	---	---	---	---
o-Xylene <sup>x</sup>	10000	NA	NA	1 U	1 U	1 U	1 U
Propionitrile	NS	NS	NS	---	---	---	---
sec-Butylbenzene	NS	200	2000	---	---	---	---
Styrene	100	NA	NA	1 U	1 U	1 U	1 U
tert-Butylbenzene	NS	69	690	---	---	---	---
Toluene	1000	NA	NA	1 U	1 U	1 U	1 U
Vinyl acetate	NS	41	410	---	---	---	---
Xylene, Total <sup>x</sup>	10000	NA	NA	---	---	---	---

**Table 2. Groundwater Monitoring Well Sample Results**  
**Volatile Organic Compounds**  
**Dresser Inc. Facility**  
**124 W. College Ave, Salisbury, Maryland**

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-24 12/10/2015 MW-24A 25 d	MW-24 5/3/2016 MW-24 21.75	MW-24 5/3/2016 MW-24A 21.75 d	MW-24 11/8/2016 MW-24 21.5	MW-24 11/8/2016 MW-24 (DUP) 21.5 d	MW-25 11/17/2008 MW-25 21.3	MW-25 11/17/2008 MW-25D 21.3 d
	MCL	RSL HQ = 0.1 <sup>2</sup>	RSL HQ = 1.0 <sup>2</sup>				
<b>Screening Criteria<sup>1</sup></b>							
<b>Chlorinated Volatile Organic Compounds (µg/L)</b>							
1,1,1,2-Tetrachloroethane	NS	0.57	5.7	---	---	---	---
1,1,1-Trichloroethane	200	NA	NA	1 U	1 U	1 U	1 U
1,1,2,2-Tetrachloroethane	NS	0.076	0.076	1 U	1 U	1 U	1 U
1,1,2-trichloro-1,2,2-trifluoroethane (Freon 113)	NS	1000	10000	1 U	1 U	1 U	1 U
1,1,2-Trichloroethane	5	NA	NA	1 U	1 U	1 U	1 U
1,1-Dichloroethane	NS	2.8	2.8	1 U	1 U	1 U	1 U
1,1-Dichloroethene	7	NA	NA	1 U	1 U	1 U	1 U
1,1-Dichloropropene	NS	NS	NS	---	---	---	---
1,2,3-Trichlorobenzene	NS	0.7	7	1 U	1 U	1 U	1 U
1,2,3-Trichloropropane	NS	0.00075	0.00075	---	---	---	---
1,2,4-Trichlorobenzene	70	NA	NA	1 U	1 U	1 U	1 U
1,2-Dibromo-3-chloropropane	0.2	NA	NA	10 U	10 U	10 U	10 U
1,2-Dibromoethane	0.005	NA	NA	---	---	---	---
1,2-Dichlorobenzene	600	NA	NA	1 U	1 U	1 U	1 U
1,2-Dichloroethane	5	NA	NA	1 U	1 U	1 U	1 U
1,2-Dichloroethene	70	NA	NA	---	---	---	---
1,2-Dichloropropane	5	NA	NA	1 U	1 U	1 U	1 U
1,3-Dichlorobenzene	NS	NS	NS	1 U	1 U	1 U	1 U
1,3-Dichloropropane	NS	37	370	---	---	---	---
1,4-Dichlorobenzene	75	NA	NA	1 U	1 U	1 U	1 U
2,2-Dichloropropane	NS	NS	NS	---	---	---	---
2-Chloroethyl vinyl ether	NS	NS	NS	---	---	---	---
4-Chlorotoluene	NS	NS	NS	---	---	---	---
Allyl chloride	NS	0.21	2.1	---	---	---	---
beta-Chloroprene	NS	NS	NS	---	---	---	---
Bromobenzene	NS	6.2	62	---	---	---	---
Bromodichloromethane	80	NA	NA	1 U	1 U	1 U	1 U
Bromoform	80	NA	NA	5 U	5 U	5 U	5 U
Carbon tetrachloride	5	NA	NA	1 U	1 U	1 U	1 U
Chlorobenzene	100	NA	NA	1 U	1 U	1 U	1 U
Chlorobromomethane	NS	8.3	83	1 U	1 U	1 U	1 U
Chloroethane	NS	2100	21000	1 U	1 U	1 U	1 U
Chloroform	80	NA	NA	1 U	1 U	1 U	1 U
cis-1,2-Dichloroethene	70	NA	NA	1 U	<b>0.63 J</b>	<b>0.69 J</b>	<b>0.58 J</b>
cis-1,3-Dichloropropene	NS	0.47	0.47	1 U	1 U	1 U	1 U
cis-1,4-Dichloro-2-butene	NS	0.0013	0.00130	---	---	---	---
Dibromochloromethane	80	NA	NA	1 U	1 U	1 U	1 U
Dibromomethane	NS	NS	NS	---	---	---	---
Dichlorodifluoromethane (Freon 12)	NS	20	0.87	1 U	1 U	1 U	1 U
Ethylene dibromide	0.05	NA	NA	1 U	1 U	1 U	1 U
Methyl bromide	NS	0.75	7.5	1 U	1 U	1 U	1 U
Methyl chloride	NS	19	190	1 U	1 U	1 U	1 U
Methyl iodide	NS	NS	NS	---	---	---	---
Methylene chloride	5	NA	NA	1 U	1 U	1 U	1 U
o-Chlorotoluene (2-chlorotoluene)	NS	NS	NS	---	---	---	---
Tetrachloroethene	5	NA	NA	<b>3.1</b>	<b>5.5</b>	<b>5.2</b>	<b>4.5</b>
trans-1,2-Dichloroethene	100	NA	NA	1 U	1 U	1 U	1 U
trans-1,3-Dichloropropene	NS	0.47	0.47	1 U	1 U	1 U	1 U
trans-1,4-Dichlorobutene	NS	0.0013	0.013	---	---	---	---
Trichloroethene	5	NA	NA	1 U	1 U	1 U	<b>0.52 J</b>
Trichlorofluoromethane (Freon 11)	NS	520	5200	5 U	5 U	5 U	5 U
Vinyl chloride	2	NA	NA	1 U	1 U	1 U	1 U
<b>Petroleum Volatile Organic Compounds (µg/L)</b>							
1,2,4-Trimethylbenzene	NS	5.6	56	1 U	1 U	1 U	1 U
1,3,5-Trimethylbenzene	NS	6	60	1 U	1 U	1 U	1 U
1,4-Dioxane	NS	0.46	0.46	100 U	100 U	100 U	100 U
2-Butanone	NS	560	5600	10 U	10 U	10 U	10 U
2-Hexanone	NS	3.8	38	10 U	10 U	10 U	10 U
4-Isopropyltoluene	NS	NS	NS	---	---	---	---
4-Methyl-2-pentanone	NS	630	6300	5 U	5 U	5 U	5 U
Acetone	NS	1400	14000	10 U	10 U	10 U	10 U
Acetonitrile	NS	13	130	---	---	---	---
Acrolein	NS	0.0042	0.042	---	---	---	---
Acrylonitrile	NS	0.052	0.52	---	---	---	---
Benzene	5	NA	NA	1 U	1 U	1 U	1 U
Carbon disulfide	NS	81	810	10 U	10 U	10 U	10 U
Cyclohexane	NS	1300	13000	10 U	10 U	10 U	10 U
Ethyl methacrylate	NS	63	630	---	---	---	---
Ethylbenzene	700	NA	NA	1 U	1 U	1 U	1 U
Isobutyl alcohol	NS	41	410	---	---	---	---
Isopropylbenzene (Cumene)	NS	45	450	1 U	1 U	1 U	1 U
m&p-Xylene <sup>x</sup>	10000	NA	NA	---	---	---	---
Methacrylonitrile	NS	0.19	1.9	---	---	---	---
Methyl acetate	NS	2000	20000	10 U	10 U	10 U	10 U
Methyl methacrylate	NS	140	1400	---	---	---	---
Methyl tert-butyl ether	NS	14	14	1 U	1 U	1 U	1 U
Methylcyclohexane <sup>c</sup>	NS	1300	13000	10 U	10 U	10 U	10 U
m&p-Xylene <sup>x</sup>	10000	NA	NA	2 U	2 U	2 U	2 U
Naphthalene	NS	0.17	0.17	1 U	1 U	1 U	1 U
n-Butylbenzene	NS	100	1000	---	---	---	---
n-Propylbenzene	NS	66	660	---	---	---	---
o-Xylene <sup>x</sup>	10000	NA	NA	1 U	1 U	1 U	1 U
Propionitrile	NS	NS	NS	---	---	---	---
sec-Butylbenzene	NS	200	2000	---	---	---	---
Styrene	100	NA	NA	1 U	1 U	1 U	1 U
tert-Butylbenzene	NS	69	690	---	---	---	---
Toluene	1000	NA	NA	1 U	1 U	1 U	1 U
Vinyl acetate	NS	41	410	---	---	---	---
Xylene, Total <sup>x</sup>	10000	NA	NA	---	---	---	---

**Table 2. Groundwater Monitoring Well Sample Results**  
**Volatile Organic Compounds**  
**Dresser Inc. Facility**  
**124 W. College Ave, Salisbury, Maryland**

Sample ID	Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-25	MW-25	MW-25	MW-25	MW-25	MW-25	MW-25	MW-25	
		3/4/2009 MW-25 23.9	10/15/2010 MW-25 22.56	10/15/2010 MW-250 22.56 d	11/2/2011 MW-25 23.5	11/2/2011 MW-25A 23.5 d	9/17/2012 MW-25 23	12/11/2013 MW-25 22.5		
<b>Screening Criteria<sup>1</sup></b>		<b>MCL</b>	<b>RSL HQ = 0.1<sup>2</sup></b>	<b>RSL HQ = 1.0<sup>2</sup></b>						
<b>Chlorinated Volatile Organic Compounds (µg/L)</b>										
1,1,1,2-Tetrachloroethane	NS	0.57	5.7	---	---	---	---	---	---	---
1,1,1-Trichloroethane	200	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,1,2,2-Tetrachloroethane	NS	0.076	0.076	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,1,2-trichloro-1,2,2-trifluoroethane (Freon 113)	NS	1000	10000	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,1,2-Trichloroethane	5	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,1-Dichloroethane	NS	2.8	2.8	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,1-Dichloroethene	7	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,1-Dichloropropene	NS	NS	NS	---	---	---	---	---	---	---
1,2,3-Trichlorobenzene	NS	0.7	7	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,2,3-Trichloropropane	NS	0.00075	0.00075	---	---	---	---	---	---	---
1,2,4-Trichlorobenzene	70	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,2-Dibromo-3-chloropropane	0.2	NA	NA	10 U	10 U	10 U	10 U	10 U	10 U	10 U
1,2-Dibromoethane	0.005	NA	NA	---	---	---	---	---	---	---
1,2-Dichlorobenzene	600	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,2-Dichloroethane	5	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,2-Dichloroethene	70	NA	NA	---	---	---	---	---	---	---
1,2-Dichloropropane	5	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,3-Dichlorobenzene	NS	NS	NS	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,3-Dichloropropane	NS	37	370	---	---	---	---	---	---	---
1,4-Dichlorobenzene	75	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U
2,2-Dichloropropane	NS	NS	NS	---	---	---	---	---	---	---
2-Chloroethyl vinyl ether	NS	NS	NS	---	---	---	---	---	---	---
4-Chlorotoluene	NS	NS	NS	---	---	---	---	---	---	---
Allyl chloride	NS	0.21	2.1	---	---	---	---	---	---	---
beta-Chloroprene	NS	NS	NS	---	---	---	---	---	---	---
Bromobenzene	NS	6.2	62	---	---	---	---	---	---	---
Bromodichloromethane	80	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Bromoform	80	NA	NA	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Carbon tetrachloride	5	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Chlorobenzene	100	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Chlorobromomethane	NS	8.3	83	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Chloroethane	NS	2100	21000	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Chloroform	80	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U
cis-1,2-Dichloroethene	70	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U
cis-1,3-Dichloropropene	NS	0.47	0.47	1 U	1 U	1 U	1 U	1 U	1 U	1 U
cis-1,4-Dichloro-2-butene	NS	0.0013	0.00130	---	---	---	---	---	---	---
Dibromochloromethane	80	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Dibromomethane	NS	NS	NS	---	---	---	---	---	---	---
Dichlorodifluoromethane (Freon 12)	NS	20	0.87	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Ethylene dibromide	0.05	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Methyl bromide	NS	0.75	7.5	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Methyl chloride	NS	19	190	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Methyl iodide	NS	NS	NS	---	---	---	---	---	---	---
Methylene chloride	5	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U
o-Chlorotoluene (2-chlorotoluene)	NS	NS	NS	---	---	---	---	---	---	---
Tetrachloroethene	5	NA	NA	0.6 J	3	3	2	2	1.1	1.1
trans-1,2-Dichloroethene	100	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U
trans-1,3-Dichloropropene	NS	0.47	0.47	1 U	1 U	1 U	1 U	1 U	1 U	1 U
trans-1,4-Dichlorobutene	NS	0.0013	0.013	---	---	---	---	---	---	---
Trichloroethene	5	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Trichlorofluoromethane (Freon 11)	NS	520	5200	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Vinyl chloride	2	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U
<b>Petroleum Volatile Organic Compounds (µg/L)</b>										
1,2,4-Trimethylbenzene	NS	5.6	56	1 U	1 U	1 U	---	---	---	1 U
1,3,5-Trimethylbenzene	NS	6	60	1 U	1 U	1 U	---	---	---	1 U
1,4-Dioxane	NS	0.46	0.46	---	---	---	---	---	---	---
2-Butanone	NS	560	5600	10 U	10 U	10 U	10 U	10 U	10 U	10 U
2-Hexanone	NS	3.8	38	10 U	10 U	10 U	10 U	10 U	10 U	10 U
4-Isopropyltoluene	NS	NS	NS	---	---	---	---	---	---	---
4-Methyl-2-pentanone	NS	630	6300	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Acetone	NS	1400	14000	10 U	10 U	10 U	10 U	10 U	10 U	10 U
Acetonitrile	NS	13	130	---	---	---	---	---	---	---
Acrolein	NS	0.0042	0.042	---	---	---	---	---	---	---
Acrylonitrile	NS	0.052	0.52	---	---	---	---	---	---	---
Benzene	5	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Carbon disulfide	NS	81	810	10 U	10 U	10 U	10 U	10 U	10 U	10 U
Cyclohexane	NS	1300	13000	10 U	10 U	10 U	10 U	10 U	10 U	10 U
Ethyl methacrylate	NS	63	630	---	---	---	---	---	---	---
Ethylbenzene	700	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Isobutyl alcohol	NS	41	410	---	---	---	---	---	---	---
Isopropylbenzene (Cumene)	NS	45	450	1 U	1 U	1 U	1 U	1 U	1 U	1 U
m&p-Xylene <sup>x</sup>	10000	NA	NA	---	---	---	---	---	---	---
Methacrylonitrile	NS	0.19	1.9	---	---	---	---	---	---	---
Methyl acetate	NS	2000	20000	10 U	10 U	10 U	10 U	10 U	10 U	10 U
Methyl methacrylate	NS	140	1400	---	---	---	---	---	---	---
Methyl tert-butyl ether	NS	14	14	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Methylcyclohexane <sup>c</sup>	NS	1300	13000	10 U	10 U	10 U	10 U	10 U	10 U	10 U
m&p-Xylene <sup>x</sup>	10000	NA	NA	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Naphthalene	NS	0.17	0.17	1 U	0.9 J	1 U	1 U	1 U	1 U	1 U
n-Butylbenzene	NS	100	1000	---	---	---	---	---	---	---
n-Propylbenzene	NS	66	660	---	---	---	---	---	---	---
o-Xylene <sup>x</sup>	10000	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Propionitrile	NS	NS	NS	---	---	---	---	---	---	---
sec-Butylbenzene	NS	200	2000	---	---	---	---	---	---	---
Styrene	100	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U
tert-Butylbenzene	NS	69	690	---	---	---	---	---	---	---
Toluene	1000	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Vinyl acetate	NS	41	410	---	---	---	---	---	---	---
Xylene, Total <sup>x</sup>	10000	NA	NA	---	---	---	---	---	---	---

**Table 2. Groundwater Monitoring Well Sample Results**  
**Volatile Organic Compounds**  
**Dresser Inc. Facility**  
**124 W. College Ave, Salisbury, Maryland**

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-25 12/11/2014 MW-25 24.5	MW-25 12/10/2015 MW-25 25	MW-25 5/3/2016 MW-25 22.2	MW-25 11/7/2016 MW-25 21.45	MW-26 11/18/2008 MW-26 24.25	MW-26 3/3/2009 MW-26 24	MW-27 11/18/2008 MW-27 19.5
	MCL	RSL HQ = 0.1 <sup>2</sup>	RSL HQ = 1.0 <sup>2</sup>				
<b>Screening Criteria<sup>1</sup></b>							
<b>Chlorinated Volatile Organic Compounds (µg/L)</b>							
1,1,1,2-Tetrachloroethane	NS	0.57	5.7	---	---	---	---
1,1,1-Trichloroethane	200	NA	NA	1 U	1 U	1 U	1 U
1,1,2,2-Tetrachloroethane	NS	0.076	0.076	1 U	1 U	1 U	1 U
1,1,2-trichloro-1,2,2-trifluoroethane (Freon 113)	NS	1000	10000	1 U	1 U	1 U	1 U
1,1,2-Trichloroethane	5	NA	NA	1 U	1 U	1 U	1 U
1,1-Dichloroethane	NS	2.8	2.8	1 U	1 U	1 U	1 U
1,1-Dichloroethene	7	NA	NA	1 U	1 U	1 U	1 U
1,1-Dichloropropene	NS	NS	NS	---	---	---	---
1,2,3-Trichlorobenzene	NS	0.7	7	1 U	1 U	1 U	1 U
1,2,3-Trichloropropane	NS	0.00075	0.00075	---	---	---	---
1,2,4-Trichlorobenzene	70	NA	NA	1 U	1 U	1 U	1 U
1,2-Dibromo-3-chloropropane	0.2	NA	NA	10 U	10 U	10 U	10 U
1,2-Dibromoethane	0.005	NA	NA	---	---	---	---
1,2-Dichlorobenzene	600	NA	NA	1 U	1 U	1 U	1 U
1,2-Dichloroethane	5	NA	NA	1 U	1 U	1 U	1 U
1,2-Dichloroethene	70	NA	NA	---	---	---	---
1,2-Dichloropropane	5	NA	NA	1 U	1 U	1 U	1 U
1,3-Dichlorobenzene	NS	NS	NS	1 U	1 U	1 U	1 U
1,3-Dichloropropane	NS	37	370	---	---	---	---
1,4-Dichlorobenzene	75	NA	NA	1 U	1 U	1 U	1 U
2,2-Dichloropropane	NS	NS	NS	---	---	---	---
2-Chloroethyl vinyl ether	NS	NS	NS	---	---	---	---
4-Chlorotoluene	NS	NS	NS	---	---	---	---
Allyl chloride	NS	0.21	2.1	---	---	---	---
beta-Chloroprene	NS	NS	NS	---	---	---	---
Bromobenzene	NS	6.2	62	---	---	---	---
Bromodichloromethane	80	NA	NA	1 U	1 U	1 U	1 U
Bromoform	80	NA	NA	5 U	5 U	5 U	5 U
Carbon tetrachloride	5	NA	NA	1 U	1 U	1 U	1 U
Chlorobenzene	100	NA	NA	1 U	1 U	1 U	1 U
Chlorobromomethane	NS	8.3	83	1 U	1 U	1 U	1 U
Chloroethane	NS	2100	21000	1 U	1 U	1 U	1 U
Chloroform	80	NA	NA	1 U	1 U	1 U	1 U
cis-1,2-Dichloroethene	70	NA	NA	1 U	1 U	1 U	1 U
cis-1,3-Dichloropropene	NS	0.47	0.47	1 U	1 U	1 U	1 U
cis-1,4-Dichloro-2-butene	NS	0.0013	0.00130	---	---	---	---
Dibromochloromethane	80	NA	NA	1 U	1 U	1 U	1 U
Dibromomethane	NS	NS	NS	---	---	---	---
Dichlorodifluoromethane (Freon 12)	NS	20	0.87	1 U	1 U	1 U	1 U
Ethylene dibromide	0.05	NA	NA	1 U	1 U	1 U	1 U
Methyl bromide	NS	0.75	7.5	1 U	1 U	1 U	1 U
Methyl chloride	NS	19	190	1 U	1 U	1 U	1 U
Methyl iodide	NS	NS	NS	---	---	---	---
Methylene chloride	5	NA	NA	1 U	1 U	1 U	1 U
o-Chlorotoluene (2-chlorotoluene)	NS	NS	NS	---	---	---	---
Tetrachloroethene	5	NA	NA	1.9	1.2	1.2 J	0.8 J
trans-1,2-Dichloroethene	100	NA	NA	1 U	1 U	1 U	1 U
trans-1,3-Dichloropropene	NS	0.47	0.47	1 U	1 U	1 U	1 U
trans-1,4-Dichlorobutene	NS	0.0013	0.013	---	---	---	---
Trichloroethene	5	NA	NA	1 U	1 U	1 U	1 U
Trichlorofluoromethane (Freon 11)	NS	520	5200	5 U	5 U	5 U	5 U
Vinyl chloride	2	NA	NA	1 U	1 U	1 U	1 U
<b>Petroleum Volatile Organic Compounds (µg/L)</b>							
1,2,4-Trimethylbenzene	NS	5.6	56	1 U	1 U	1 U	1 U
1,3,5-Trimethylbenzene	NS	6	60	1 U	1 U	1 U	1 U
1,4-Dioxane	NS	0.46	0.46	100 U	100 U	100 U	100 U
2-Butanone	NS	560	5600	10 U	10 U	10 U	10 U
2-Hexanone	NS	3.8	38	10 U	10 U	10 U	10 U
4-Isopropyltoluene	NS	NS	NS	---	---	---	---
4-Methyl-2-pentanone	NS	630	6300	5 U	5 U	5 U	5 U
Acetone	NS	1400	14000	10 U	10 U	10 U	10 U
Acetonitrile	NS	13	130	---	---	---	---
Acrolein	NS	0.0042	0.042	---	---	---	---
Acrylonitrile	NS	0.052	0.52	---	---	---	---
Benzene	5	NA	NA	1 U	1 U	1 U	1 U
Carbon disulfide	NS	81	810	10 U	10 U	10 U	10 U
Cyclohexane	NS	1300	13000	10 U	10 U	10 U	10 U
Ethyl methacrylate	NS	63	630	---	---	---	---
Ethylbenzene	700	NA	NA	1 U	1 U	1 U	1 U
Isobutyl alcohol	NS	41	410	---	---	---	---
Isopropylbenzene (Cumene)	NS	45	450	1 U	1 U	1 U	1 U
m&p-Xylene <sup>x</sup>	10000	NA	NA	---	---	---	---
Methacrylonitrile	NS	0.19	1.9	---	---	---	---
Methyl acetate	NS	2000	20000	10 U	10 U	10 U	10 U
Methyl methacrylate	NS	140	1400	---	---	---	---
Methyl tert-butyl ether	NS	14	14	1 U	1 U	1 U	1 U
Methylcyclohexane <sup>c</sup>	NS	1300	13000	10 U	10 U	10 U	10 U
m&p-Xylene <sup>x</sup>	10000	NA	NA	2 U	2 U	2 U	2 U
Naphthalene	NS	0.17	0.17	1 U	1 U	1 U	1 U
n-Butylbenzene	NS	100	1000	---	---	---	---
n-Propylbenzene	NS	66	660	---	---	---	---
o-Xylene <sup>x</sup>	10000	NA	NA	1 U	1 U	1 U	1 U
Propionitrile	NS	NS	NS	---	---	---	---
sec-Butylbenzene	NS	200	2000	---	---	---	---
Styrene	100	NA	NA	1 U	1 U	1 U	1 U
tert-Butylbenzene	NS	69	690	---	---	---	---
Toluene	1000	NA	NA	1 U	1 U	1 U	1 U
Vinyl acetate	NS	41	410	---	---	---	---
Xylene, Total <sup>x</sup>	10000	NA	NA	---	---	---	---

**Table 2. Groundwater Monitoring Well Sample Results**  
**Volatile Organic Compounds**  
**Dresser Inc. Facility**  
**124 W. College Ave, Salisbury, Maryland**

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-27	MW-28	MW-28	MW-29	MW-29	MW-30	MW-30
	3/3/2009 MW-27 23.8	11/18/2008 MW-28 25	3/3/2009 MW-28 23.7	11/19/2008 MW-29 25.3	3/3/2009 MW-29 25	11/17/2008 MW-30 MB	3/3/2009 MW-30 MB
<b>Screening Criteria<sup>1</sup></b>	<b>MCL</b>	<b>RSL HQ = 0.1<sup>2</sup></b>	<b>RSL HQ = 1.0<sup>2</sup></b>				
<b>Chlorinated Volatile Organic Compounds (µg/L)</b>							
1,1,1,2-Tetrachloroethane	NS	0.57	5.7	---	---	---	---
1,1,1-Trichloroethane	200	NA	NA	1 U	1 U	1 U	100 U
1,1,2,2-Tetrachloroethane	NS	0.076	0.076	---	1 U	1 U	5 U
1,1,2-trichloro-1,2,2-trifluoroethane (Freon 113)	NS	1000	10000	---	1 U	1 U	5 U
1,1,2-Trichloroethane	5	NA	NA	1 U	1 U	1 U	5 U
1,1-Dichloroethane	NS	2.8	2.8	1 U	1 U	1 U	5 U
1,1-Dichloroethene	7	NA	NA	1 U	1 U	1 U	5 U
1,1-Dichloropropene	NS	NS	NS	---	---	---	---
1,2,3-Trichlorobenzene	NS	0.7	7	1 U	1 U	1 U	5 U
1,2,3-Trichloropropane	NS	0.00075	0.00075	---	---	---	---
1,2,4-Trichlorobenzene	70	NA	NA	1 U	1 U	1 U	5 U
1,2-Dibromo-3-chloropropane	0.2	NA	NA	---	10 U	10 U	50 U
1,2-Dibromoethane	0.005	NA	NA	---	---	---	---
1,2-Dichlorobenzene	600	NA	NA	---	1 U	1 U	5 U
1,2-Dichloroethane	5	NA	NA	1 U	1 U	1 U	5 U
1,2-Dichloroethene	70	NA	NA	---	---	---	---
1,2-Dichloropropane	5	NA	NA	---	1 U	1 U	5 U
1,3-Dichlorobenzene	NS	NS	NS	1 U	1 U	1 U	5 U
1,3-Dichloropropane	NS	37	370	---	---	---	---
1,4-Dichlorobenzene	75	NA	NA	---	1 U	1 U	5 U
2,2-Dichloropropane	NS	NS	NS	---	---	---	---
2-Chloroethyl vinyl ether	NS	NS	NS	---	---	---	---
4-Chlorotoluene	NS	NS	NS	---	---	---	---
Allyl chloride	NS	0.21	2.1	---	---	---	---
beta-Chloroprene	NS	NS	NS	---	---	---	---
Bromobenzene	NS	6.2	62	---	---	---	---
Bromodichloromethane	80	NA	NA	---	1 U	1 U	5 U
Bromoform	80	NA	NA	---	5 U	5 U	25 U
Carbon tetrachloride	5	NA	NA	---	1 U	1 U	5 U
Chlorobenzene	100	NA	NA	---	1 U	1 U	5 U
Chlorobromomethane	NS	8.3	83	---	1 U	1 U	5 U
Chloroethane	NS	2100	21000	---	1 U	1 U	5 U
Chloroform	80	NA	NA	---	1 U	1 U	5 U
cis-1,2-Dichloroethene	70	NA	NA	1 U	1 U	1 U	5 U
cis-1,3-Dichloropropene	NS	0.47	0.47	---	1 U	1 U	5 U
cis-1,4-Dichloro-2-butene	NS	0.0013	0.00130	---	---	---	---
Dibromochloromethane	80	NA	NA	---	1 U	1 U	5 U
Dibromomethane	NS	NS	NS	---	---	---	---
Dichlorodifluoromethane (Freon 12)	NS	20	0.87	---	1 U	1 U	5 U
Ethylene dibromide	0.05	NA	NA	---	1 U	1 U	5 U
Methyl bromide	NS	0.75	7.5	---	1 U	1 U	5 U
Methyl chloride	NS	19	190	1 U	1 U	1 U	5 U
Methyl iodide	NS	NS	NS	---	---	---	---
Methylene chloride	5	NA	NA	1 U	1 U	1 U	5 U
o-Chlorotoluene (2-chlorotoluene)	NS	NS	NS	---	---	---	---
Tetrachloroethane	5	NA	NA	<b>33</b>	<b>5</b>	<b>9</b>	5 U
trans-1,2-Dichloroethene	100	NA	NA	---	1 U	1 U	5 U
trans-1,3-Dichloropropene	NS	0.47	0.47	---	1 U	1 U	5 U
trans-1,4-Dichlorobutene	NS	0.0013	0.013	---	---	---	---
Trichloroethene	5	NA	NA	<b>1</b>	1 U	1 U	5 U
Trichlorofluoromethane (Freon 11)	NS	520	5200	---	5 U	5 U	25 U
Vinyl chloride	2	NA	NA	1 U	1 U	1 U	5 U
<b>Petroleum Volatile Organic Compounds (µg/L)</b>							
1,2,4-Trimethylbenzene	NS	5.6	56	1 U	---	1 U	---
1,3,5-Trimethylbenzene	NS	6	60	1 U	---	1 U	---
1,4-Dioxane	NS	0.46	0.46	---	---	---	---
2-Butanone	NS	560	5600	10 U	10 U	10 U	50 U
2-Hexanone	NS	3.8	38	---	10 U	10 U	50 U
4-Isopropyltoluene	NS	NS	NS	---	---	---	---
4-Methyl-2-pentanone	NS	630	6300	5 U	5 U	5 U	25 U
Acetone	NS	1400	14000	10 U	10 U	10 U	50 U
Acetonitrile	NS	13	130	---	---	---	---
Acrolein	NS	0.0042	0.042	---	---	---	---
Acrylonitrile	NS	0.052	0.52	---	---	---	---
Benzene	5	NA	NA	1 U	1 U	1 U	<b>20</b>
Carbon disulfide	NS	81	810	10 U	10 U	10 U	50 U
Cyclohexane	NS	1300	13000	10 U	10 U	10 U	50 U
Ethyl methacrylate	NS	63	630	---	---	---	---
Ethylbenzene	700	NA	NA	1 U	1 U	1 U	<b>130</b>
Isobutyl alcohol	NS	41	410	---	---	---	---
Isopropylbenzene (Cumene)	NS	45	450	1 U	1 U	1 U	<b>68</b>
m&p-Xylene <sup>x</sup>	10000	NA	NA	---	---	---	---
Methacrylonitrile	NS	0.19	1.9	---	---	---	---
Methyl acetate	NS	2000	20000	---	10 U	10 U	50 U
Methyl methacrylate	NS	140	1400	---	---	---	---
Methyl tert-butyl ether	NS	14	14	1 U	1 U	1 U	5 U
Methylcyclohexane <sup>c</sup>	NS	1300	13000	10 U	10 U	10 U	50 U
m&p-Xylene <sup>x</sup>	10000	NA	NA	2 U	2 U	2 U	<b>550</b>
Naphthalene	NS	0.17	0.17	1 U	1 U	1 U	<b>730</b>
n-Butylbenzene	NS	100	1000	---	---	---	---
n-Propylbenzene	NS	66	660	---	---	---	---
o-Xylene <sup>x</sup>	10000	NA	NA	1 U	1 U	1 U	<b>380</b>
Propionitrile	NS	NS	NS	---	---	---	---
sec-Butylbenzene	NS	200	2000	---	---	---	---
Styrene	100	NA	NA	---	1 U	1 U	5 U
tert-Butylbenzene	NS	69	690	---	---	---	---
Toluene	1000	NA	NA	1 U	1 U	1 U	<b>180</b>
Vinyl acetate	NS	41	410	---	---	---	---
Xylene, Total <sup>x</sup>	10000	NA	NA	---	---	---	---

**Table 2. Groundwater Monitoring Well Sample Results**  
**Volatile Organic Compounds**  
**Dresser Inc. Facility**  
**124 W. College Ave, Salisbury, Maryland**

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-31 11/19/2008 MW-31 25	MW-31 3/3/2009 MW-31 24.7	MW-32 11/19/2008 MW-32 25	MW-32 11/19/2008 MW-32D 25 d	MW-32 3/5/2009 MW-32 24.9	MW-33 10/12/2010 MW-33 23.82	MW-34 10/12/2010 MW-34 23.38
	MCL	RSL HQ = 0.1 <sup>2</sup>	RSL HQ = 1.0 <sup>2</sup>				
<b>Screening Criteria<sup>1</sup></b>							
<b>Chlorinated Volatile Organic Compounds (µg/L)</b>							
1,1,1,2-Tetrachloroethane	NS	0.57	5.7	---	---	---	---
1,1,1-Trichloroethane	200	NA	NA	5 U	1 U	1 U	1 U
1,1,2,2-Tetrachloroethane	NS	0.076	0.076	5 U	---	1 U	1 U
1,1,2-trichloro-1,2,2-trifluoroethane (Freon 113)	NS	1000	10000	5 U	---	1 U	1 U
1,1,2-Trichloroethane	5	NA	NA	5 U	1 U	1 U	1 U
1,1-Dichloroethane	NS	2.8	2.8	5 U	1 U	1 U	1 U
1,1-Dichloroethene	7	NA	NA	5 U	1 U	1 U	1 U
1,1-Dichloropropene	NS	NS	NS	---	---	---	---
1,2,3-Trichlorobenzene	NS	0.7	7	5 U	1 U	1 U	1 U
1,2,3-Trichloropropane	NS	0.00075	0.00075	---	---	---	---
1,2,4-Trichlorobenzene	70	NA	NA	5 U	1 U	1 U	1 U
1,2-Dibromo-3-chloropropane	0.2	NA	NA	50 U	---	10 U	10 U
1,2-Dibromoethane	0.005	NA	NA	---	---	---	---
1,2-Dichlorobenzene	600	NA	NA	5 U	---	1 U	1 U
1,2-Dichloroethane	5	NA	NA	5 U	1 U	1 U	1 U
1,2-Dichloroethene	70	NA	NA	---	1 U	---	---
1,2-Dichloropropane	5	NA	NA	5 U	---	1 U	1 U
1,3-Dichlorobenzene	NS	NS	NS	5 U	1 U	1 U	1 U
1,3-Dichloropropane	NS	37	370	---	---	---	---
1,4-Dichlorobenzene	75	NA	NA	5 U	---	1 U	1 U
2,2-Dichloropropane	NS	NS	NS	---	---	---	---
2-Chloroethyl vinyl ether	NS	NS	NS	---	---	---	---
4-Chlorotoluene	NS	NS	NS	---	---	---	---
Allyl chloride	NS	0.21	2.1	---	---	---	---
beta-Chloroprene	NS	NS	NS	---	---	---	---
Bromobenzene	NS	6.2	62	---	---	---	---
Bromodichloromethane	80	NA	NA	5 U	---	1 U	1 U
Bromoform	80	NA	NA	25 U	---	5 U	5 U
Carbon tetrachloride	5	NA	NA	5 U	---	1 U	1 U
Chlorobenzene	100	NA	NA	5 U	---	1 U	1 U
Chlorobromomethane	NS	8.3	83	5 U	---	1 U	1 U
Chloroethane	NS	2100	21000	5 U	---	1 U	1 U
Chloroform	80	NA	NA	5 U	---	1 U	1 U
cis-1,2-Dichloroethene	70	NA	NA	5 U	1 U	1 U	1 U
cis-1,3-Dichloropropene	NS	0.47	0.47	5 U	---	1 U	1 U
cis-1,4-Dichloro-2-butene	NS	0.0013	0.00130	---	---	---	---
Dibromochloromethane	80	NA	NA	5 U	---	1 U	1 U
Dibromomethane	NS	NS	NS	---	---	---	---
Dichlorodifluoromethane (Freon 12)	NS	20	0.87	5 U	---	1 U	1 U
Ethylene dibromide	0.05	NA	NA	5 U	---	1 U	1 U
Methyl bromide	NS	0.75	7.5	5 U	---	1 U	1 U
Methyl chloride	NS	19	190	5 U	1 U	1 U	1 U
Methyl iodide	NS	NS	NS	---	---	---	---
Methylene chloride	5	NA	NA	5 U	1 U	1 U	1 U
o-Chlorotoluene (2-chlorotoluene)	NS	NS	NS	---	---	---	---
Tetrachloroethene	5	NA	NA	5 U	5 U	1 U	1 U
trans-1,2-Dichloroethene	100	NA	NA	5 U	---	1 U	1 U
trans-1,3-Dichloropropene	NS	0.47	0.47	5 U	---	1 U	1 U
trans-1,4-Dichlorobutene	NS	0.0013	0.013	---	---	---	---
Trichloroethene	5	NA	NA	5 U	1 U	1 U	1 U
Trichlorofluoromethane (Freon 11)	NS	520	5200	25 U	5 U	5 U	5 U
Vinyl chloride	2	NA	NA	5 U	1 U	1 U	1 U
<b>Petroleum Volatile Organic Compounds (µg/L)</b>							
1,2,4-Trimethylbenzene	NS	5.6	56	---	480	---	510
1,3,5-Trimethylbenzene	NS	6	60	---	170	---	170
1,4-Dioxane	NS	0.46	0.46	---	---	---	---
2-Butanone	NS	560	5600	50 U	10 U	10 U	10 U
2-Hexanone	NS	3.8	38	50 U	---	10 U	10 U
4-Isopropyltoluene	NS	NS	NS	---	---	---	---
4-Methyl-2-pentanone	NS	630	6300	25 U	5 U	5 U	25 U
Acetone	NS	1400	14000	50 U	10 U	10 U	50 U
Acetonitrile	NS	13	130	---	---	---	---
Acrolein	NS	0.0042	0.042	---	---	---	---
Acrylonitrile	NS	0.052	0.52	---	---	---	---
Benzene	5	NA	NA	5 U	1 U	1 U	1 U
Carbon disulfide	NS	81	810	50 U	10 U	10 U	50 U
Cyclohexane	NS	1300	13000	50 U	10 U	10 U	50 U
Ethyl methacrylate	NS	63	630	---	---	---	---
Ethylbenzene	700	NA	NA	77	60	39	40
Isobutyl alcohol	NS	41	410	---	---	---	---
Isopropylbenzene (Cumene)	NS	45	450	51	37	34	35
m&p-Xylene <sup>x</sup>	10000	NA	NA	---	---	---	---
Methacrylonitrile	NS	0.19	1.9	---	---	---	---
Methyl acetate	NS	2000	20000	50 U	---	10 U	50 U
Methyl methacrylate	NS	140	1400	---	---	---	---
Methyl tert-butyl ether	NS	14	14	5 U	1 U	1 U	5 U
Methylcyclohexane <sup>c</sup>	NS	1300	13000	50 U	7 J	8 J	9 J
m&p-Xylene <sup>x</sup>	10000	NA	NA	400	270	150	160
Naphthalene	NS	0.17	0.17	340	220	160	160
n-Butylbenzene	NS	100	1000	---	---	---	---
n-Propylbenzene	NS	66	660	---	---	---	---
o-Xylene <sup>x</sup>	10000	NA	NA	290	210	130	130
Propionitrile	NS	NS	NS	---	---	---	---
sec-Butylbenzene	NS	200	2000	---	---	---	---
Styrene	100	NA	NA	5 U	---	1 U	5 U
tert-Butylbenzene	NS	69	690	---	---	---	---
Toluene	1000	NA	NA	83	56	0.9 J	0.9 J
Vinyl acetate	NS	41	410	---	---	---	---
Xylene, Total <sup>x</sup>	10000	NA	NA	---	---	---	---



**Table 2. Groundwater Monitoring Well Sample Results**  
**Volatile Organic Compounds**  
**Dresser Inc. Facility**  
**124 W. College Ave, Salisbury, Maryland**

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-35 10/12/2010 MW-35 24.6 DS3	MW-36 10/13/2010 MW-36 22.93	MW-36 11/4/2011 MW-36 24.25 d	MW-39 11/7/2011 MW-39 42.05	MW-45 5/2/2016 MW-45 26	MW-45 11/8/2016 MW-45 25.15	MW-46 4/28/2016 MW-46 46.51
	MCL	RSL HQ = 0.1 <sup>2</sup>	RSL HQ = 1.0 <sup>2</sup>				
<b>Screening Criteria<sup>1</sup></b>							
<b>Chlorinated Volatile Organic Compounds (µg/L)</b>							
1,1,1,2-Tetrachloroethane	NS	0.57	5.7	---	---	---	---
1,1,1-Trichloroethane	200	NA	NA	1 U	1 U	1 U	1 U
1,1,2,2-Tetrachloroethane	NS	0.076	0.076	1 U	1 U	1 U	1 U
1,1,2-trichloro-1,2,2-trifluoroethane (Freon 113)	NS	1000	10000	1 U	1 U	1 U	1 U
1,1,2-Trichloroethane	5	NA	NA	1 U	1 U	1 U	1 U
1,1-Dichloroethane	NS	2.8	2.8	1 U	2.00	1 U	1 U
1,1-Dichloroethene	7	NA	NA	1 U	1 U	1 U	1 U
1,1-Dichloropropene	NS	NS	NS	---	---	---	---
1,2,3-Trichlorobenzene	NS	0.7	7	1 U	1 U	1 U	1 U
1,2,3-Trichloropropane	NS	0.00075	0.00075	---	---	---	---
1,2,4-Trichlorobenzene	70	NA	NA	1 U	1 U	1 U	1 U
1,2-Dibromo-3-chloropropane	0.2	NA	NA	10 U	10 U	10 U	10 U
1,2-Dibromoethane	0.005	NA	NA	---	---	---	---
1,2-Dichlorobenzene	600	NA	NA	1 U	1 U	1 U	1 U
1,2-Dichloroethane	5	NA	NA	1 U	1 U	1 U	1 U
1,2-Dichloroethene	70	NA	NA	---	---	---	---
1,2-Dichloropropane	5	NA	NA	1 U	1 U	1 U	1 U
1,3-Dichlorobenzene	NS	NS	NS	1 U	1 U	1 U	1 U
1,3-Dichloropropane	NS	37	370	---	---	---	---
1,4-Dichlorobenzene	75	NA	NA	1 U	1 U	1 U	1 U
2,2-Dichloropropane	NS	NS	NS	---	---	---	---
2-Chloroethyl vinyl ether	NS	NS	NS	---	---	---	---
4-Chlorotoluene	NS	NS	NS	---	---	---	---
Allyl chloride	NS	0.21	2.1	---	---	---	---
beta-Chloroprene	NS	NS	NS	---	---	---	---
Bromobenzene	NS	6.2	62	---	---	---	---
Bromodichloromethane	80	NA	NA	1 U	1 U	1 U	1 U
Bromoform	80	NA	NA	5 U	5 U	5 U	5 U
Carbon tetrachloride	5	NA	NA	1 U	1 U	1 U	1 U
Chlorobenzene	100	NA	NA	1 U	1 U	1 U	1 U
Chlorobromomethane	NS	8.3	83	1 U	1 U	1 U	1 U
Chloroethane	NS	2100	21000	1 U	1 U	1 U	1 U
Chloroform	80	NA	NA	1 U	1 U	1 U	1 U
cis-1,2-Dichloroethene	70	NA	NA	1 U	1 U	1 U	1 U
cis-1,3-Dichloropropene	NS	0.47	0.47	1 U	1 U	1 U	1 U
cis-1,4-Dichloro-2-butene	NS	0.0013	0.00130	---	---	---	---
Dibromochloromethane	80	NA	NA	1 U	1 U	1 U	1 U
Dibromomethane	NS	NS	NS	---	---	---	---
Dichlorodifluoromethane (Freon 12)	NS	20	0.87	1 U	1 U	1 U	1 U
Ethylene dibromide	0.05	NA	NA	1 U	1 U	1 U	1 U
Methyl bromide	NS	0.75	7.5	1 U	1 U	1 U	1 U
Methyl chloride	NS	19	190	1 U	1 U	1 U	1 U
Methyl iodide	NS	NS	NS	---	---	---	---
Methylene chloride	5	NA	NA	1 U	1 U	1 U	1 U
o-Chlorotoluene (2-chlorotoluene)	NS	NS	NS	---	---	---	---
Tetrachloroethene	5	NA	NA	1 U	0.8 J	0.6 J	1 U
trans-1,2-Dichloroethene	100	NA	NA	1 U	1 U	1 U	1 U
trans-1,3-Dichloropropene	NS	0.47	0.47	1 U	1 U	1 U	1 U
trans-1,4-Dichlorobutene	NS	0.0013	0.013	---	---	---	---
Trichloroethene	5	NA	NA	1 U	1 U	1 U	1 U
Trichlorofluoromethane (Freon 11)	NS	520	5200	5 U	5 U	5 U	5 U
Vinyl chloride	2	NA	NA	1 U	1 U	1 U	1 U
<b>Petroleum Volatile Organic Compounds (µg/L)</b>							
1,2,4-Trimethylbenzene	NS	5.6	56	1 U	1 U	---	1 U
1,3,5-Trimethylbenzene	NS	6	60	1 U	1 U	---	1 U
1,4-Dioxane	NS	0.46	0.46	---	---	---	100 U
2-Butanone	NS	560	5600	10 U	10 U	10 U	10 U
2-Hexanone	NS	3.8	38	10 U	10 U	10 U	10 U
4-Isopropyltoluene	NS	NS	NS	---	---	---	---
4-Methyl-2-pentanone	NS	630	6300	5 U	5 U	5 U	5 U
Acetone	NS	1400	14000	10 U	17.00	10 U	10 U
Acetonitrile	NS	13	130	---	---	---	---
Acrolein	NS	0.0042	0.042	---	---	---	---
Acrylonitrile	NS	0.052	0.52	---	---	---	---
Benzene	5	NA	NA	1 U	1 U	1 U	1 U
Carbon disulfide	NS	81	810	10 U	10 U	10 U	10 U
Cyclohexane	NS	1300	13000	10 U	10 U	10 U	10 U
Ethyl methacrylate	NS	63	630	---	---	---	---
Ethylbenzene	700	NA	NA	1 U	1 U	1 U	1 U
Isobutyl alcohol	NS	41	410	---	---	---	---
Isopropylbenzene (Cumene)	NS	45	450	1 U	1 U	1 U	1 U
m&p-Xylene <sup>x</sup>	10000	NA	NA	---	---	---	---
Methacrylonitrile	NS	0.19	1.9	---	---	---	---
Methyl acetate	NS	2000	20000	10 U	10 U	10 U	10 U
Methyl methacrylate	NS	140	1400	---	---	---	---
Methyl tert-butyl ether	NS	14	14	1 U	1 U	1 U	1 U
Methylcyclohexane <sup>c</sup>	NS	1300	13000	10 U	10 U	10 U	10 U
m&p-Xylene <sup>x</sup>	10000	NA	NA	2 U	2 U	2 U	2 U
Naphthalene	NS	0.17	0.17	1 U	1 U	1 U	1 U
n-Butylbenzene	NS	100	1000	---	---	---	---
n-Propylbenzene	NS	66	660	---	---	---	---
o-Xylene <sup>x</sup>	10000	NA	NA	1 U	1 U	1 U	1 U
Propionitrile	NS	NS	NS	---	---	---	---
sec-Butylbenzene	NS	200	2000	---	---	---	---
Styrene	100	NA	NA	1 U	1 U	1 U	1 U
tert-Butylbenzene	NS	69	690	---	---	---	---
Toluene	1000	NA	NA	1 U	1 U	1 U	1 U
Vinyl acetate	NS	41	410	---	---	---	---
Xylene, Total <sup>x</sup>	10000	NA	NA	---	---	---	---

**Table 2. Groundwater Monitoring Well Sample Results**  
**Volatile Organic Compounds**  
**Dresser Inc. Facility**  
**124 W. College Ave, Salisbury, Maryland**

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-46 11/3/2016 MW-46 41.51	MW-47 5/2/2016 MW-47 25	MW-47 11/4/2016 MW-47 24	MW-47 3/26/2018 MW-47 24.5	MW-48 4/28/2016 MW-48 40.9	MW-48 11/3/2016 MW-48 40	MW-48 3/21/2018 MW-48 38	MW-49 4/27/2016 MW-50 69.2 m		
	MCL	RSL HQ = 0.1 <sup>2</sup>	RSL HQ = 1.0 <sup>2</sup>							
<b>Screening Criteria<sup>1</sup></b>										
<b>Chlorinated Volatile Organic Compounds (µg/L)</b>										
1,1,1,2-Tetrachloroethane	NS	0.57	5.7	---	---	---	---	---		
1,1,1-Trichloroethane	200	NA	NA	1 U	1 U	1 U	---	1 U		
1,1,2,2-Tetrachloroethane	NS	0.076	0.076	1 U	1 U	1 U	---	1 U		
1,1,2-trichloro-1,2,2-trifluoroethane (Freon 113)	NS	1000	10000	1 U	1 U	1 U	---	1 U		
1,1,2-Trichloroethane	5	NA	NA	1 U	1 U	1 U	---	1 U		
1,1-Dichloroethane	NS	2.8	2.8	1 U	1 U	1 U	---	1 U		
1,1-Dichloroethene	7	NA	NA	1 U	1 U	1 U	---	1 U		
1,1-Dichloropropene	NS	NS	NS	---	---	---	---	---		
1,2,3-Trichlorobenzene	NS	0.7	7	1 U	1 U	1 U	---	1 U		
1,2,3-Trichloropropane	NS	0.00075	0.00075	---	---	---	---	---		
1,2,4-Trichlorobenzene	70	NA	NA	1 U	1 U	1 U	---	1 U		
1,2-Dibromo-3-chloropropane	0.2	NA	NA	10 U	10 U	10 U	---	10 U		
1,2-Dibromoethane	0.005	NA	NA	---	---	---	---	---		
1,2-Dichlorobenzene	600	NA	NA	1 U	1 U	1 U	---	1 U		
1,2-Dichloroethane	5	NA	NA	1 U	1 U	1 U	---	1 U		
1,2-Dichloroethene	70	NA	NA	---	---	---	---	---		
1,2-Dichloropropane	5	NA	NA	1 U	1 U	1 U	---	1 U		
1,3-Dichlorobenzene	NS	NS	NS	1 U	1 U	1 U	---	1 U		
1,3-Dichloropropane	NS	37	370	---	---	---	---	---		
1,4-Dichlorobenzene	75	NA	NA	1 U	1 U	1 U	---	1 U		
2,2-Dichloropropane	NS	NS	NS	---	---	---	---	---		
2-Chloroethyl vinyl ether	NS	NS	NS	---	---	---	---	---		
4-Chlorotoluene	NS	NS	NS	---	---	---	---	---		
Allyl chloride	NS	0.21	2.1	---	---	---	---	---		
beta-Chloroprene	NS	NS	NS	---	---	---	---	---		
Bromobenzene	NS	6.2	62	---	---	---	---	---		
Bromodichloromethane	80	NA	NA	1 U	1 U	1 U	---	1 U		
Bromoform	80	NA	NA	5 U	5 U	5 U	---	5 U		
Carbon tetrachloride	5	NA	NA	1 U	1 U	1 U	---	1 U		
Chlorobenzene	100	NA	NA	1 U	1 U	1 U	---	1 U		
Chlorobromomethane	NS	8.3	83	1 U	1 U	1 U	---	1 U		
Chloroethane	NS	2100	21000	1 U	1 U	1 U	---	1 U		
Chloroform	80	NA	NA	1 U	1 U	1 U	---	1 U		
cis-1,2-Dichloroethene	70	NA	NA	1 U	1 U	<b>0.8 J</b>	1 U	1 U		
cis-1,3-Dichloropropene	NS	0.47	0.47	1 U	1 U	1 U	---	1 U		
cis-1,4-Dichloro-2-butene	NS	0.0013	0.00130	---	---	---	---	---		
Dibromochloromethane	80	NA	NA	1 U	1 U	1 U	---	1 U		
Dibromomethane	NS	NS	NS	---	---	---	---	---		
Dichlorodifluoromethane (Freon 12)	NS	20	0.87	1 U	1 U	1 U	---	1 U		
Ethylene dibromide	0.05	NA	NA	1 U	1 U	1 U	---	1 U		
Methyl bromide	NS	0.75	7.5	1 U	1 U	1 U	---	1 U		
Methyl chloride	NS	19	190	1 U	1 U	1 U	---	1 U		
Methyl iodide	NS	NS	NS	---	---	---	---	---		
Methylene chloride	5	NA	NA	1 U	1 U	1 U	---	1 U		
o-Chlorotoluene (2-chlorotoluene)	NS	NS	NS	---	---	---	---	---		
Tetrachloroethene	5	NA	NA	1 U	<b>74</b>	<b>50</b>	<b>29</b>	<b>6.1</b>	<b>5.4</b>	<b>1.9</b>
trans-1,2-Dichloroethene	100	NA	NA	1 U	1 U	1 U	---	1 U		
trans-1,3-Dichloropropene	NS	0.47	0.47	1 UJ	1 U	1 U	---	1 U		
trans-1,4-Dichlorobutene	NS	0.0013	0.013	---	---	---	---	---		
Trichloroethene	5	NA	NA	1 U	1 U	<b>0.51 J</b>	1 U	1 U		
Trichlorofluoromethane (Freon 11)	NS	520	5200	5 U	5 U	5 U	---	5 U		
Vinyl chloride	2	NA	NA	1 U	1 U	1 U	1 U	1 U		
<b>Petroleum Volatile Organic Compounds (µg/L)</b>										
1,2,4-Trimethylbenzene	NS	5.6	56	1 U	1 U	1 U	---	1 U		
1,3,5-Trimethylbenzene	NS	6	60	1 U	1 U	1 U	---	1 U		
1,4-Dioxane	NS	0.46	0.46	100 U	100 U	100 U	---	100 U		
2-Butanone	NS	560	5600	10 U	10 U	10 U	---	10 U		
2-Hexanone	NS	3.8	38	10 U	10 U	10 U	---	10 U		
4-Isopropyltoluene	NS	NS	NS	---	---	---	---	---		
4-Methyl-2-pentanone	NS	630	6300	5 U	5 U	5 U	---	5 U		
Acetone	NS	1400	14000	10 U	10 U	10 U	---	10 U		
Acetonitrile	NS	13	130	---	---	---	---	---		
Acrolein	NS	0.0042	0.042	---	---	---	---	---		
Acrylonitrile	NS	0.052	0.52	---	---	---	---	---		
Benzene	5	NA	NA	1 U	1 U	1 U	---	1 U		
Carbon disulfide	NS	81	810	10 U	10 U	10 U	---	10 U		
Cyclohexane	NS	1300	13000	10 U	10 U	10 U	---	10 U		
Ethyl methacrylate	NS	63	630	---	---	---	---	---		
Ethylbenzene	700	NA	NA	1 U	1 U	1 U	---	1 U		
Isobutyl alcohol	NS	41	410	---	---	---	---	---		
Isopropylbenzene (Cumene)	NS	45	450	1 U	1 U	1 U	---	1 U		
m&p-Xylene <sup>x</sup>	10000	NA	NA	---	---	---	---	---		
Methacrylonitrile	NS	0.19	1.9	---	---	---	---	---		
Methyl acetate	NS	2000	20000	10 U	10 U	10 U	---	10 U		
Methyl methacrylate	NS	140	1400	---	---	---	---	---		
Methyl tert-butyl ether	NS	14	14	1 U	1 U	1 U	---	1 U		
Methylcyclohexane <sup>c</sup>	NS	1300	13000	10 U	10 U	10 U	---	10 U		
m&p-Xylene <sup>x</sup>	10000	NA	NA	2 U	2 U	2 U	---	2 U		
Naphthalene	NS	0.17	0.17	1 U	1 U	1 U	---	1 U		
n-Butylbenzene	NS	100	1000	---	---	---	---	---		
n-Propylbenzene	NS	66	660	---	---	---	---	---		
o-Xylene <sup>x</sup>	10000	NA	NA	1 U	1 U	1 U	---	1 U		
Propionitrile	NS	NS	NS	---	---	---	---	---		
sec-Butylbenzene	NS	200	2000	---	---	---	---	---		
Styrene	100	NA	NA	1 U	1 U	1 U	---	1 U		
tert-Butylbenzene	NS	69	690	---	---	---	---	---		
Toluene	1000	NA	NA	1 U	1 U	1 U	---	1 U		
Vinyl acetate	NS	41	410	---	---	---	---	---		
Xylene, Total <sup>x</sup>	10000	NA	NA	---	---	---	---	---		

**Table 2. Groundwater Monitoring Well Sample Results**  
**Volatile Organic Compounds**  
**Dresser Inc. Facility**  
**124 W. College Ave, Salisbury, Maryland**

Sample ID	Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-49	MW-49	MW-49	MW-50	MW-50	MW-50	MW-51	
		4/27/2016 MW-50A 69.2 m	11/1/2016 MW-49 69	3/20/2018 MW-49 69.2	4/27/2016 MW-49 80.2 m	11/1/2016 MW-50 80	11/1/2016 MW-50A 80 d	4/27/2016 MW-51 39	
<b>Screening Criteria<sup>1</sup></b>	<b>MCL</b>	<b>RSL HQ = 0.1<sup>2</sup></b>	<b>RSL HQ = 1.0<sup>2</sup></b>						
<b>Chlorinated Volatile Organic Compounds (µg/L)</b>									
1,1,1,2-Tetrachloroethane	NS	0.57	5.7	---	---	---	---	---	---
1,1,1-Trichloroethane	200	NA	NA	1 U	1 U	---	1 U	1 U	1 U
1,1,2,2-Tetrachloroethane	NS	0.076	0.076	1 U	1 U	---	1 U	1 U	1 U
1,1,2-trichloro-1,2,2-trifluoroethane (Freon 113)	NS	1000	10000	1 U	1 U	---	1 U	1 U	1 U
1,1,2-Trichloroethane	5	NA	NA	1 U	1 U	---	1 U	1 UJ	1 U
1,1-Dichloroethane	NS	2.8	2.8	1 U	1 U	---	1 U	1 U	1 U
1,1-Dichloroethene	7	NA	NA	1 U	1 U	---	1 U	1 U	1 U
1,1-Dichloropropene	NS	NS	NS	---	---	---	---	---	---
1,2,3-Trichlorobenzene	NS	0.7	7	1 U	1 U	---	1 U	1 U	1 U
1,2,3-Trichloropropane	NS	0.00075	0.00075	---	---	---	---	---	---
1,2,4-Trichlorobenzene	70	NA	NA	1 U	1 U	---	1 U	1 U	1 U
1,2-Dibromo-3-chloropropane	0.2	NA	NA	10 U	10 U	---	10 U	10 U	10 U
1,2-Dibromoethane	0.005	NA	NA	---	---	---	---	---	---
1,2-Dichlorobenzene	600	NA	NA	1 U	1 U	---	1 U	1 U	1 U
1,2-Dichloroethane	5	NA	NA	1 U	1 U	---	1 U	1 U	1 U
1,2-Dichloroethene	70	NA	NA	---	---	---	---	---	---
1,2-Dichloropropane	5	NA	NA	1 U	1 U	---	1 U	1 U	1 U
1,3-Dichlorobenzene	NS	NS	NS	1 U	1 U	---	1 U	1 U	1 U
1,3-Dichloropropane	NS	37	370	---	---	---	---	---	---
1,4-Dichlorobenzene	75	NA	NA	1 U	1 U	---	1 U	1 U	1 U
2,2-Dichloropropane	NS	NS	NS	---	---	---	---	---	---
2-Chloroethyl vinyl ether	NS	NS	NS	---	---	---	---	---	---
4-Chlorotoluene	NS	NS	NS	---	---	---	---	---	---
Allyl chloride	NS	0.21	2.1	---	---	---	---	---	---
beta-Chloroprene	NS	NS	NS	---	---	---	---	---	---
Bromobenzene	NS	6.2	62	---	---	---	---	---	---
Bromodichloromethane	80	NA	NA	1 U	1 U	---	1 U	1 U	1 U
Bromoform	80	NA	NA	5 U	5 U	---	5 U	5 U	5 U
Carbon tetrachloride	5	NA	NA	1 U	1 U	---	1 U	1 U	1 U
Chlorobenzene	100	NA	NA	1 U	1 U	---	1 U	1 U	1 U
Chlorobromomethane	NS	8.3	83	1 U	1 U	---	1 U	1 U	1 U
Chloroethane	NS	2100	21000	1 U	1 U	---	1 U	1 U	1 U
Chloroform	80	NA	NA	1 U	1 U	---	1 U	1 U	1 U
cis-1,2-Dichloroethene	70	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U
cis-1,3-Dichloropropene	NS	0.47	0.47	1 U	1 U	---	1 U	1 UJ	1 U
cis-1,4-Dichloro-2-butene	NS	0.0013	0.00130	---	---	---	---	---	---
Dibromochloromethane	80	NA	NA	1 U	1 U	---	1 U	1 U	1 U
Dibromomethane	NS	NS	NS	---	---	---	---	---	---
Dichlorodifluoromethane (Freon 12)	NS	20	0.87	1 U	1 U	---	1 U	1 U	1 U
Ethylene dibromide	0.05	NA	NA	1 U	1 U	---	1 U	1 U	1 U
Methyl bromide	NS	0.75	7.5	1 U	1 U	---	1 U	1 U	1 U
Methyl chloride	NS	19	190	1 U	1 U	---	1 U	1 U	1 U
Methyl iodide	NS	NS	NS	---	---	---	---	---	---
Methylene chloride	5	NA	NA	1 U	1 U	---	1 U	1 U	1 U
o-Chlorotoluene (2-chlorotoluene)	NS	NS	NS	---	---	---	---	---	---
Tetrachloroethene	5	NA	NA	1 UJ	1 U	1 UJ	1 U	1 U	1 U
trans-1,2-Dichloroethene	100	NA	NA	1 U	1 U	---	1 U	1 U	1 U
trans-1,3-Dichloropropene	NS	0.47	0.47	1 U	1 U	---	1 U	1 UJ	1 U
trans-1,4-Dichlorobutene	NS	0.0013	0.013	---	---	---	---	---	---
Trichloroethene	5	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U
Trichlorofluoromethane (Freon 11)	NS	520	5200	5 U	5 U	---	5 U	5 U	5 U
Vinyl chloride	2	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U
<b>Petroleum Volatile Organic Compounds (µg/L)</b>									
1,2,4-Trimethylbenzene	NS	5.6	56	1 U	1 U	---	1 U	1 U	1 U
1,3,5-Trimethylbenzene	NS	6	60	1 U	1 U	---	1 U	1 U	1 U
1,4-Dioxane	NS	0.46	0.46	100 U	100 U	---	100 U	100 U	100 U
2-Butanone	NS	560	5600	10 U	10 U	---	8.9 J	10 U	10 U
2-Hexanone	NS	3.8	38	10 U	10 U	---	10 U	10 U	10 U
4-Isopropyltoluene	NS	NS	NS	---	---	---	---	---	---
4-Methyl-2-pentanone	NS	630	6300	5 U	5 U	---	5 U	5 U	5 U
Acetone	NS	1400	14000	5.4 J	10 U	---	10 U	10 U	10 U
Acetonitrile	NS	13	130	---	---	---	---	---	---
Acrolein	NS	0.0042	0.042	---	---	---	---	---	---
Acrylonitrile	NS	0.052	0.52	---	---	---	---	---	---
Benzene	5	NA	NA	1 U	1 U	---	1 U	1 U	1 U
Carbon disulfide	NS	81	810	10 U	10 U	---	10 U	10 U	10 U
Cyclohexane	NS	1300	13000	10 U	10 U	---	10 U	10 U	10 U
Ethyl methacrylate	NS	63	630	---	---	---	---	---	---
Ethylbenzene	700	NA	NA	1 U	1 U	---	1 U	1 U	1 U
Isobutyl alcohol	NS	41	410	---	---	---	---	---	---
Isopropylbenzene (Cumene)	NS	45	450	1 U	1 U	---	1 U	1 U	1 U
m&p-Xylene <sup>x</sup>	10000	NA	NA	---	---	---	---	---	---
Methacrylonitrile	NS	0.19	1.9	---	---	---	---	---	---
Methyl acetate	NS	2000	20000	10 U	10 U	---	10 U	10 U	10 U
Methyl methacrylate	NS	140	1400	---	---	---	---	---	---
Methyl tert-butyl ether	NS	14	14	1 U	1 U	---	1 U	1 U	1 U
Methylcyclohexane <sup>c</sup>	NS	1300	13000	10 U	10 U	---	10 U	10 U	10 U
m&p-Xylene <sup>x</sup>	10000	NA	NA	2 U	2 U	---	2 U	2 U	2 U
Naphthalene	NS	0.17	0.17	1 U	1 U	---	1 U	1 U	1 U
n-Butylbenzene	NS	100	1000	---	---	---	---	---	---
n-Propylbenzene	NS	66	660	---	---	---	---	---	---
o-Xylene <sup>x</sup>	10000	NA	NA	1 U	1 U	---	1 U	1 U	1 U
Propionitrile	NS	NS	NS	---	---	---	---	---	---
sec-Butylbenzene	NS	200	2000	---	---	---	---	---	---
Styrene	100	NA	NA	1 U	1 U	---	1 U	1 U	1 U
tert-Butylbenzene	NS	69	690	---	---	---	---	---	---
Toluene	1000	NA	NA	1 U	1 U	---	1 U	1 UJ	1 U
Vinyl acetate	NS	41	410	---	---	---	---	---	---
Xylene, Total <sup>x</sup>	10000	NA	NA	---	---	---	---	---	---

**Table 2. Groundwater Monitoring Well Sample Results**  
**Volatile Organic Compounds**  
**Dresser Inc. Facility**  
**124 W. College Ave, Salisbury, Maryland**

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-51 11/2/2016 MW-51 39	MW-51 3/21/2018 MW-51 39	MW-52 4/28/2016 MW-52 36	MW-52 11/2/2016 MW-52 36	MW-52 3/21/2018 MW-52 36	MW-53 5/3/2016 MW-53 25	MW-53 11/7/2016 MW-53 24	MW-53 3/21/2018 MW-53 25			
	MCL	RSL HQ = 0.1 <sup>2</sup>	RSL HQ = 1.0 <sup>2</sup>								
<b>Screening Criteria<sup>1</sup></b>											
<b>Chlorinated Volatile Organic Compounds (µg/L)</b>											
1,1,1,2-Tetrachloroethane	NS	0.57	5.7	---	---	---	---	---			
1,1,1-Trichloroethane	200	NA	NA	1 U	---	1 U	1 U	---			
1,1,2-Tetrachloroethane	NS	0.076	0.076	1 U	---	1 U	1 U	---			
1,1,2-trichloro-1,2,2-trifluoroethane (Freon 113)	NS	1000	10000	1 U	---	1 U	1 U	---			
1,1,2-Trichloroethane	5	NA	NA	1 U	---	1 U	1 U	---			
1,1-Dichloroethane	NS	2.8	2.8	1 U	---	1 U	1 U	---			
1,1-Dichloroethene	7	NA	NA	1 U	---	1 U	1 U	---			
1,1-Dichloropropene	NS	NS	NS	---	---	---	---	---			
1,2,3-Trichlorobenzene	NS	0.7	7	1 U	---	1 U	1 U	---			
1,2,3-Trichloropropane	NS	0.00075	0.00075	---	---	---	---	---			
1,2,4-Trichlorobenzene	70	NA	NA	1 U	---	1 U	1 U	---			
1,2-Dibromo-3-chloropropane	0.2	NA	NA	10 U	---	10 U	10 U	---			
1,2-Dibromoethane	0.005	NA	NA	---	---	---	---	---			
1,2-Dichlorobenzene	600	NA	NA	1 U	---	1 U	1 U	---			
1,2-Dichloroethane	5	NA	NA	1 U	---	1 U	1 U	---			
1,2-Dichloroethene	70	NA	NA	---	---	---	---	---			
1,2-Dichloropropane	5	NA	NA	1 U	---	1 U	1 U	---			
1,3-Dichlorobenzene	NS	NS	NS	1 U	---	1 U	1 U	---			
1,3-Dichloropropane	NS	37	370	---	---	---	---	---			
1,4-Dichlorobenzene	75	NA	NA	1 U	---	1 U	1 U	---			
2,2-Dichloropropane	NS	NS	NS	---	---	---	---	---			
2-Chloroethyl vinyl ether	NS	NS	NS	---	---	---	---	---			
4-Chlorotoluene	NS	NS	NS	---	---	---	---	---			
Allyl chloride	NS	0.21	2.1	---	---	---	---	---			
beta-Chloroprene	NS	NS	NS	---	---	---	---	---			
Bromobenzene	NS	6.2	62	---	---	---	---	---			
Bromodichloromethane	80	NA	NA	1 U	---	1 U	1 U	---			
Bromoform	80	NA	NA	5 U	---	5 U	5 U	---			
Carbon tetrachloride	5	NA	NA	1 U	---	1 U	1 U	---			
Chlorobenzene	100	NA	NA	1 U	---	1 U	1 U	---			
Chlorobromomethane	NS	8.3	83	1 U	---	1 U	1 U	---			
Chloroethane	NS	2100	21000	1 U	---	1 U	1 U	---			
Chloroform	80	NA	NA	1 U	---	1 U	1 U	---			
cis-1,2-Dichloroethene	70	NA	NA	<b>0.59 J</b>	<b>1.1</b>	<b>2.7</b>	<b>7.9</b>	<b>0.78 J</b>	1 U	1 U	1 U
cis-1,3-Dichloropropene	NS	0.47	0.47	1 U	---	1 U	1 U	---	1 U	1 U	---
cis-1,4-Dichloro-2-butene	NS	0.0013	0.00130	---	---	---	---	---	---	---	---
Dibromochloromethane	80	NA	NA	1 U	---	1 U	1 U	---	1 U	1 U	---
Dibromomethane	NS	NS	NS	---	---	---	---	---	---	---	---
Dichlorodifluoromethane (Freon 12)	NS	20	0.87	1 U	---	1 U	1 U	---	1 U	1 U	---
Ethylene dibromide	0.05	NA	NA	1 U	---	1 U	1 U	---	1 U	1 U	---
Methyl bromide	NS	0.75	7.5	1 U	---	1 U	1 U	---	1 U	1 U	---
Methyl chloride	NS	19	190	1 U	---	1 U	1 U	---	1 U	1 U	---
Methyl iodide	NS	NS	NS	---	---	---	---	---	---	---	---
Methylene chloride	5	NA	NA	1 U	---	1 U	1 U	---	1 U	1 U	---
o-Chlorotoluene (2-chlorotoluene)	NS	NS	NS	---	---	---	---	---	---	---	---
Tetrachloroethene	5	NA	NA	<b>30</b>	<b>33</b>	<b>74</b>	<b>89</b>	<b>29</b>	<b>16 J</b>	<b>12</b>	<b>18</b>
trans-1,2-Dichloroethene	100	NA	NA	1 U	---	1 U	1 U	---	1 U	1 U	---
trans-1,3-Dichloropropene	NS	0.47	0.47	1 UJ	---	1 U	1 U	---	1 U	1 U	---
trans-1,4-Dichlorobutene	NS	0.0013	0.013	---	---	---	---	---	---	---	---
Trichloroethene	5	NA	NA	<b>0.54 J</b>	<b>1</b>	<b>2.2</b>	<b>3.1</b>	<b>0.82 J</b>	1 U	1 U	1 U
Trichlorofluoromethane (Freon 11)	NS	520	5200	5 U	---	5 U	5 U	---	5 U	5 U	---
Vinyl chloride	2	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
<b>Petroleum Volatile Organic Compounds (µg/L)</b>											
1,2,4-Trimethylbenzene	NS	5.6	56	1 U	---	1 U	<b>1.5</b>	---	1 U	1 U	---
1,3,5-Trimethylbenzene	NS	6	60	1 U	---	1 U	1 U	---	1 U	1 U	---
1,4-Dioxane	NS	0.46	0.46	100 U	---	100 U	100 U	---	100 U	100 U	---
2-Butanone	NS	560	5600	10 U	---	10 U	10 U	---	10 U	10 U	---
2-Hexanone	NS	3.8	38	10 U	---	10 U	10 U	---	10 U	10 U	---
4-Isopropyltoluene	NS	NS	NS	---	---	---	---	---	---	---	---
4-Methyl-2-pentanone	NS	630	6300	5 U	---	5 U	5 U	---	5 U	5 U	---
Acetone	NS	1400	14000	10 U	---	10 U	10 U	---	10 U	10 U	---
Acetonitrile	NS	13	130	---	---	---	---	---	---	---	---
Acrolein	NS	0.0042	0.042	---	---	---	---	---	---	---	---
Acrylonitrile	NS	0.052	0.52	---	---	---	---	---	---	---	---
Benzene	5	NA	NA	1 U	---	1 U	1 U	---	1 U	1 U	---
Carbon disulfide	NS	81	810	10 U	---	10 U	10 U	---	10 U	10 U	---
Cyclohexane	NS	1300	13000	10 U	---	10 U	10 U	---	10 U	10 U	---
Ethyl methacrylate	NS	63	630	---	---	---	---	---	---	---	---
Ethylbenzene	700	NA	NA	1 U	---	1 U	1 U	---	1 U	1 U	---
Isobutyl alcohol	NS	41	410	---	---	---	---	---	---	---	---
Isopropylbenzene (Cumene)	NS	45	450	1 U	---	1 U	1 U	---	1 U	1 U	---
m&p-Xylene <sup>X</sup>	10000	NA	NA	---	---	---	---	---	---	---	---
Methacrylonitrile	NS	0.19	1.9	---	---	---	---	---	---	---	---
Methyl acetate	NS	2000	20000	10 U	---	10 U	10 U	---	10 U	10 U	---
Methyl methacrylate	NS	140	1400	---	---	---	---	---	---	---	---
Methyl tert-butyl ether	NS	14	14	1 U	---	1 U	1 U	---	1 U	1 U	---
Methylcyclohexane <sup>C</sup>	NS	1300	13000	10 U	---	10 U	10 U	---	10 U	10 U	---
m&p-Xylene <sup>X</sup>	10000	NA	NA	2 U	---	2 U	2 U	---	2 U	2 U	---
Naphthalene	NS	0.17	0.17	1 U	---	<b>1.4</b>	1 U	---	1 U	1 U	---
n-Butylbenzene	NS	100	1000	---	---	---	---	---	---	---	---
n-Propylbenzene	NS	66	660	---	---	---	---	---	---	---	---
o-Xylene <sup>X</sup>	10000	NA	NA	1 U	---	1 U	1 U	---	1 U	1 U	---
Propionitrile	NS	NS	NS	---	---	---	---	---	---	---	---
sec-Butylbenzene	NS	200	2000	---	---	---	---	---	---	---	---
Styrene	100	NA	NA	1 U	---	1 U	1 U	---	1 U	1 U	---
tert-Butylbenzene	NS	69	690	---	---	---	---	---	---	---	---
Toluene	1000	NA	NA	1 U	---	1 U	1 U	---	1 U	1 U	---
Vinyl acetate	NS	41	410	---	---	---	---	---	---	---	---
Xylene, Total <sup>X</sup>	10000	NA	NA	---	---	---	---	---	---	---	---

**Table 2. Groundwater Monitoring Well Sample Results**  
**Volatile Organic Compounds**  
**Dresser Inc. Facility**  
**124 W. College Ave, Salisbury, Maryland**

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-54 5/2/2016 MW-54 26.4	MW-54 11/7/2016 MW-54 25.5	MW-54 3/21/2018 MW-54 26	MW-55 5/2/2016 MW-55 25	MW-55 11/7/2016 MW-55 24.21	MW-56 4/27/2016 MW-56 39.2	MW-56 11/1/2016 MW-56 39.2	MW-56 3/20/2018 MW-56 39.2			
	MCL	RSL HQ = 0.1 <sup>2</sup>	RSL HQ = 1.0 <sup>2</sup>								
<b>Screening Criteria<sup>1</sup></b>											
<b>Chlorinated Volatile Organic Compounds (µg/L)</b>											
1,1,1,2-Tetrachloroethane	NS	0.57	5.7	---	---	---	---	---			
1,1,1-Trichloroethane	200	NA	NA	1 U	1 U	---	1 U	1 U			
1,1,2,2-Tetrachloroethane	NS	0.076	0.076	1 U	1 U	---	1 U	1 U			
1,1,2-trichloro-1,2,2-trifluoroethane (Freon 113)	NS	1000	10000	1 U	1 U	---	1 U	1 U			
1,1,2-Trichloroethane	5	NA	NA	1 U	1 U	---	1 U	1 U			
1,1-Dichloroethane	NS	2.8	2.8	1 U	1 U	---	1 U	1 U			
1,1-Dichloroethene	7	NA	NA	1 U	1 U	---	1 U	1 U			
1,1-Dichloropropene	NS	NS	NS	---	---	---	---	---			
1,2,3-Trichlorobenzene	NS	0.7	7	1 U	1 U	---	1 U	1 U			
1,2,3-Trichloropropane	NS	0.00075	0.00075	---	---	---	---	---			
1,2,4-Trichlorobenzene	70	NA	NA	1 U	1 U	---	1 U	1 U			
1,2-Dibromo-3-chloropropane	0.2	NA	NA	10 U	10 U	---	10 U	10 U			
1,2-Dibromoethane	0.005	NA	NA	---	---	---	---	---			
1,2-Dichlorobenzene	600	NA	NA	1 U	1 U	---	1 U	1 U			
1,2-Dichloroethane	5	NA	NA	1 U	1 U	---	1 U	1 U			
1,2-Dichloroethene	70	NA	NA	---	---	---	---	---			
1,2-Dichloropropane	5	NA	NA	1 U	1 U	---	1 U	1 U			
1,3-Dichlorobenzene	NS	NS	NS	1 U	1 U	---	1 U	1 U			
1,3-Dichloropropane	NS	37	370	---	---	---	---	---			
1,4-Dichlorobenzene	75	NA	NA	1 U	1 U	---	1 U	1 U			
2,2-Dichloropropane	NS	NS	NS	---	---	---	---	---			
2-Chloroethyl vinyl ether	NS	NS	NS	---	---	---	---	---			
4-Chlorotoluene	NS	NS	NS	---	---	---	---	---			
Allyl chloride	NS	0.21	2.1	---	---	---	---	---			
beta-Chloroprene	NS	NS	NS	---	---	---	---	---			
Bromobenzene	NS	6.2	62	---	---	---	---	---			
Bromodichloromethane	80	NA	NA	1 U	1 U	---	1 U	1 U			
Bromoform	80	NA	NA	5 U	5 U	---	5 U	5 U			
Carbon tetrachloride	5	NA	NA	1 U	1 U	---	1 U	1 U			
Chlorobenzene	100	NA	NA	1 U	1 U	---	1 U	1 U			
Chlorobromomethane	NS	8.3	83	1 U	1 U	---	1 U	1 U			
Chloroethane	NS	2100	21000	1 U	1 U	---	1 U	1 U			
Chloroform	80	NA	NA	1 U	1 U	---	1 U	1 U			
cis-1,2-Dichloroethene	70	NA	NA	1 U	1 U	1 U	1 U	1 U			
cis-1,3-Dichloropropene	NS	0.47	0.47	1 U	1 U	---	1 U	1 U			
cis-1,4-Dichloro-2-butene	NS	0.0013	0.00130	---	---	---	---	---			
Dibromochloromethane	80	NA	NA	1 U	1 U	---	1 U	1 U			
Dibromomethane	NS	NS	NS	---	---	---	---	---			
Dichlorodifluoromethane (Freon 12)	NS	20	0.87	1 U	1 U	---	1 U	1 U			
Ethylene dibromide	0.05	NA	NA	1 U	1 U	---	1 U	1 U			
Methyl bromide	NS	0.75	7.5	1 U	1 U	---	1 U	1 U			
Methyl chloride	NS	19	190	1 U	1 U	---	1 U	1 U			
Methyl iodide	NS	NS	NS	---	---	---	---	---			
Methylene chloride	5	NA	NA	1 U	1 U	---	1 U	1 U			
o-Chlorotoluene (2-chlorotoluene)	NS	NS	NS	---	---	---	---	---			
Tetrachloroethane	5	NA	NA	17	11	7	2.2	1.5	7.6 J	6.1	7.3 J
trans-1,2-Dichloroethene	100	NA	NA	1 U	1 U	---	1 U	1 U	1 U	1 U	---
trans-1,3-Dichloropropene	NS	0.47	0.47	1 U	1 U	---	1 U	1 U	1 U	1 U	---
trans-1,4-Dichlorobutene	NS	0.0013	0.013	---	---	---	---	---	---	---	---
Trichloroethene	5	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Trichlorofluoromethane (Freon 11)	NS	520	5200	5 U	5 U	---	5 U	5 U	5 U	5 U	---
Vinyl chloride	2	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
<b>Petroleum Volatile Organic Compounds (µg/L)</b>											
1,2,4-Trimethylbenzene	NS	5.6	56	1 U	1 U	---	1 U	1 U	1 U	1 U	---
1,3,5-Trimethylbenzene	NS	6	60	1 U	1 U	---	1 U	1 U	1 U	1 U	---
1,4-Dioxane	NS	0.46	0.46	100 U	100 U	---	100 U	100 U	100 U	100 U	---
2-Butanone	NS	560	5600	10 U	10 U	---	10 U	10 U	10 U	10 U	---
2-Hexanone	NS	3.8	38	10 U	10 U	---	10 U	10 U	10 U	10 U	---
4-Isopropyltoluene	NS	NS	NS	---	---	---	---	---	---	---	---
4-Methyl-2-pentanone	NS	630	6300	5 U	5 U	---	5 U	5 U	5 U	5 U	---
Acetone	NS	1400	14000	10 U	10 U	---	10 U	10 U	10 U	10 U	---
Acetonitrile	NS	13	130	---	---	---	---	---	---	---	---
Acrolein	NS	0.0042	0.042	---	---	---	---	---	---	---	---
Acrylonitrile	NS	0.052	0.52	---	---	---	---	---	---	---	---
Benzene	5	NA	NA	1 U	1 U	---	1 U	1 U	1 U	1 U	---
Carbon disulfide	NS	81	810	10 U	10 U	---	10 U	10 U	10 U	10 U	---
Cyclohexane	NS	1300	13000	10 U	10 U	---	10 U	10 U	10 U	10 U	---
Ethyl methacrylate	NS	63	630	---	---	---	---	---	---	---	---
Ethylbenzene	700	NA	NA	1 U	1 U	---	1 U	1 U	1 U	1 U	---
Isobutyl alcohol	NS	41	410	---	---	---	---	---	---	---	---
Isopropylbenzene (Cumene)	NS	45	450	1 U	1 U	---	1 U	1 U	1 U	1 U	---
m&p-Xylene <sup>x</sup>	10000	NA	NA	---	---	---	---	---	---	---	---
Methacrylonitrile	NS	0.19	1.9	---	---	---	---	---	---	---	---
Methyl acetate	NS	2000	20000	10 U	10 U	---	10 U	10 U	10 U	10 U	---
Methyl methacrylate	NS	140	1400	---	---	---	---	---	---	---	---
Methyl tert-butyl ether	NS	14	14	1 U	1 U	---	1 U	1 U	1 U	1 U	---
Methylcyclohexane <sup>c</sup>	NS	1300	13000	10 U	10 U	---	10 U	10 U	10 U	10 U	---
m&p-Xylene <sup>x</sup>	10000	NA	NA	2 U	2 U	---	2 U	2 U	2 U	2 U	---
Naphthalene	NS	0.17	0.17	1 U	1 U	---	1 U	1 U	1 U	1 U	---
n-Butylbenzene	NS	100	1000	---	---	---	---	---	---	---	---
n-Propylbenzene	NS	66	660	---	---	---	---	---	---	---	---
o-Xylene <sup>x</sup>	10000	NA	NA	1 U	1 U	---	1 U	1 U	1 U	1 U	---
Propionitrile	NS	NS	NS	---	---	---	---	---	---	---	---
sec-Butylbenzene	NS	200	2000	---	---	---	---	---	---	---	---
Styrene	100	NA	NA	1 U	1 U	---	1 U	1 U	1 U	1 U	---
tert-Butylbenzene	NS	69	690	---	---	---	---	---	---	---	---
Toluene	1000	NA	NA	1 U	1 U	---	1 U	1 U	1 U	1 U	---
Vinyl acetate	NS	41	410	---	---	---	---	---	---	---	---
Xylene, Total <sup>x</sup>	10000	NA	NA	---	---	---	---	---	---	---	---

**Table 2. Groundwater Monitoring Well Sample Results**  
**Volatile Organic Compounds**  
**Dresser Inc. Facility**  
**124 W. College Ave, Salisbury, Maryland**

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-57 4/27/2016 MW-57 39.7	MW-57 11/2/2016 MW-57 39.7	MW-57 3/20/2018 MW-57 39.7	MW-58 4/26/2016 MW-58 92	MW-58 11/1/2016 MW-58 91.92	MW-58 3/20/2018 MW-58 91.8	MW-59 5/5/2016 MW-59 25	MW-59 11/9/2016 MW-59 24.54
	MCL	RSL HQ = 0.1 <sup>2</sup>	RSL HQ = 1.0 <sup>2</sup>					
<b>Screening Criteria<sup>1</sup></b>								
<b>Chlorinated Volatile Organic Compounds (µg/L)</b>								
1,1,1,2-Tetrachloroethane	NS	0.57	5.7	---	---	---	---	---
1,1,1-Trichloroethane	200	NA	NA	1 U	1 U	---	1 U	5 U
1,1,2,2-Tetrachloroethane	NS	0.076	0.076	1 U	1 U	---	1 U	5 U
1,1,2-trichloro-1,2,2-trifluoroethane (Freon 113)	NS	1000	10000	1 U	1 U	---	1 U	5 U
1,1,2-Trichloroethane	5	NA	NA	1 U	1 U	---	1 U	5 U
1,1-Dichloroethane	NS	2.8	2.8	1 U	1 U	---	1 U	5 U
1,1-Dichloroethene	7	NA	NA	1 U	1 U	---	1 U	5 U
1,1-Dichloropropene	NS	NS	NS	---	---	---	---	---
1,2,3-Trichlorobenzene	NS	0.7	7	1 U	1 U	---	1 U	5 U
1,2,3-Trichloropropane	NS	0.00075	0.00075	---	---	---	---	---
1,2,4-Trichlorobenzene	70	NA	NA	1 U	1 U	---	1 U	5 U
1,2-Dibromo-3-chloropropane	0.2	NA	NA	10 U	10 U	---	10 U	50 U
1,2-Dibromoethane	0.005	NA	NA	---	---	---	---	---
1,2-Dichlorobenzene	600	NA	NA	1 U	1 U	---	1 U	5 U
1,2-Dichloroethane	5	NA	NA	1 U	1 U	---	1 U	5 U
1,2-Dichloroethene	70	NA	NA	---	---	---	---	---
1,2-Dichloropropane	5	NA	NA	1 U	1 U	---	1 U	5 U
1,3-Dichlorobenzene	NS	NS	NS	1 U	1 U	---	1 U	5 U
1,3-Dichloropropane	NS	37	370	---	---	---	---	---
1,4-Dichlorobenzene	75	NA	NA	1 U	1 U	---	1 U	5 U
2,2-Dichloropropane	NS	NS	NS	---	---	---	---	---
2-Chloroethyl vinyl ether	NS	NS	NS	---	---	---	---	---
4-Chlorotoluene	NS	NS	NS	---	---	---	---	---
Allyl chloride	NS	0.21	2.1	---	---	---	---	---
beta-Chloroprene	NS	NS	NS	---	---	---	---	---
Bromobenzene	NS	6.2	62	---	---	---	---	---
Bromodichloromethane	80	NA	NA	1 U	1 U	---	1 U	5 U
Bromoform	80	NA	NA	5 U	5 U	---	5 U	25 U
Carbon tetrachloride	5	NA	NA	1 U	1 U	---	1 U	5 U
Chlorobenzene	100	NA	NA	1 U	1 U	---	1 U	5 U
Chlorobromomethane	NS	8.3	83	1 U	1 U	---	1 U	5 U
Chloroethane	NS	2100	21000	1 U	1 U	---	1 U	5 U
Chloroform	80	NA	NA	1 U	1 U	---	1 U	5 U
cis-1,2-Dichloroethene	70	NA	NA	1 U	1 U	---	1 U	5 U
cis-1,3-Dichloropropene	NS	0.47	0.47	1 U	1 U	---	1 U	5 U
cis-1,4-Dichloro-2-butene	NS	0.0013	0.00130	---	---	---	---	---
Dibromochloromethane	80	NA	NA	1 U	1 U	---	1 U	5 U
Dibromomethane	NS	NS	NS	---	---	---	---	---
Dichlorodifluoromethane (Freon 12)	NS	20	0.87	1 U	1 U	---	1 U	5 U
Ethylene dibromide	0.05	NA	NA	1 U	1 U	---	1 U	5 U
Methyl bromide	NS	0.75	7.5	1 U	1 U	---	1 U	5 U
Methyl chloride	NS	19	190	1 U	1 U	---	1 U	5 U
Methyl iodide	NS	NS	NS	---	---	---	---	---
Methylene chloride	5	NA	NA	1 U	1 U	---	1 U	5 U
o-Chlorotoluene (2-chlorotoluene)	NS	NS	NS	---	---	---	---	---
Tetrachloroethene	5	NA	NA	1 U	1.2	---	1.3	5 U
trans-1,2-Dichloroethene	100	NA	NA	1 U	1 U	---	1 U	5 U
trans-1,3-Dichloropropene	NS	0.47	0.47	1 U	1 UJ	---	1 U	5 U
trans-1,4-Dichlorobutene	NS	0.0013	0.013	---	---	---	---	---
Trichloroethene	5	NA	NA	1 U	1 U	---	1 U	5 U
Trichlorofluoromethane (Freon 11)	NS	520	5200	5 U	5 U	---	5 U	25 U
Vinyl chloride	2	NA	NA	1 U	1 U	---	1 U	5 U
<b>Petroleum Volatile Organic Compounds (µg/L)</b>								
1,2,4-Trimethylbenzene	NS	5.6	56	1 U	1 U	1 U	1 U	1000
1,3,5-Trimethylbenzene	NS	6	60	1 U	1 U	1 U	1 U	270
1,4-Dioxane	NS	0.46	0.46	100 U	100 U	---	100 U	500 U
2-Butanone	NS	560	5600	10 U	10 U	---	10 U	5.9 J
2-Hexanone	NS	3.8	38	10 U	10 U	---	10 U	50 U
4-Isopropyltoluene	NS	NS	NS	---	---	---	---	---
4-Methyl-2-pentanone	NS	630	6300	5 U	5 U	---	5 U	25 U
Acetone	NS	1400	14000	10 U	10 U	---	10 U	25
Acetonitrile	NS	13	130	---	---	---	---	---
Acrolein	NS	0.0042	0.042	---	---	---	---	---
Acrylonitrile	NS	0.052	0.52	---	---	---	---	---
Benzene	5	NA	NA	3.6	1.8	0.85 J	1 U	3.2
Carbon disulfide	NS	81	810	10 U	10 U	---	10 U	50 U
Cyclohexane	NS	1300	13000	10 U	10 U	---	10 U	50 U
Ethyl methacrylate	NS	63	630	---	---	---	---	---
Ethylbenzene	700	NA	NA	1 U	1 U	1 U	1 U	150
Isobutyl alcohol	NS	41	410	---	---	---	---	---
Isopropylbenzene (Cumene)	NS	45	450	14	16	13	1 U	98
m&p-Xylene <sup>x</sup>	10000	NA	NA	---	---	---	---	---
Methacrylonitrile	NS	0.19	1.9	---	---	---	---	---
Methyl acetate	NS	2000	20000	10 U	10 U	---	10 U	50 U
Methyl methacrylate	NS	140	1400	---	---	---	---	---
Methyl tert-butyl ether	NS	14	14	1 U	1 U	---	1 U	5 U
Methylcyclohexane <sup>c</sup>	NS	1300	13000	10 U	10 U	---	10 U	9.5 J
m&p-Xylene <sup>x</sup>	10000	NA	NA	2 U	2 U	---	2 U	610
Naphthalene	NS	0.17	0.17	140	170	110	1 U	550
n-Butylbenzene	NS	100	1000	---	---	---	---	---
n-Propylbenzene	NS	66	660	---	---	---	---	---
o-Xylene <sup>x</sup>	10000	NA	NA	1 U	1 U	---	1 U	540
Propionitrile	NS	NS	NS	---	---	---	---	---
sec-Butylbenzene	NS	200	2000	---	---	---	---	---
Styrene	100	NA	NA	1 U	1 U	---	1 U	5 U
tert-Butylbenzene	NS	69	690	---	---	---	---	---
Toluene	1000	NA	NA	1 U	1 U	1 UJ	1 U	36
Vinyl acetate	NS	41	410	---	---	---	---	---
Xylene, Total <sup>x</sup>	10000	NA	NA	---	---	---	---	---

**Table 2. Groundwater Monitoring Well Sample Results**  
**Volatile Organic Compounds**  
**Dresser Inc. Facility**  
**124 W. College Ave, Salisbury, Maryland**

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-59	MW-60	MW-60	MW-60	MW-61	MW-61	MW-61			
	3/23/2018 MW-59 25	4/28/2016 MW-60 36	11/2/2016 MW-60 36	3/21/2018 MW-60 36	5/5/2016 MW-61 25	11/10/2016 MW-61 25.02	3/23/2018 MW-61 25.5			
<b>Screening Criteria<sup>1</sup></b>	<b>MCL</b>	<b>RSL HQ = 0.1<sup>2</sup></b>	<b>RSL HQ = 1.0<sup>2</sup></b>							
<b>Chlorinated Volatile Organic Compounds (µg/L)</b>										
1,1,1,2-Tetrachloroethane	NS	0.57	5.7	---	---	---	---			
1,1,1-Trichloroethane	200	NA	NA	---	1 U	1 U	---			
1,1,2,2-Tetrachloroethane	NS	0.076	0.076	---	1 U	1 U	---			
1,1,2-trichloro-1,2,2-trifluoroethane (Freon 113)	NS	1000	10000	---	1 U	1 U	---			
1,1,2-Trichloroethane	5	NA	NA	---	1 U	1 U	---			
1,1-Dichloroethane	NS	2.8	2.8	---	1 U	1 U	---			
1,1-Dichloroethene	7	NA	NA	---	1 U	1 U	---			
1,1-Dichloropropene	NS	NS	NS	---	---	---	---			
1,2,3-Trichlorobenzene	NS	0.7	7	---	1 U	1 U	---			
1,2,3-Trichloropropane	NS	0.00075	0.00075	---	---	---	---			
1,2,4-Trichlorobenzene	70	NA	NA	---	1 U	1 U	---			
1,2-Dibromo-3-chloropropane	0.2	NA	NA	---	10 U	10 U	---			
1,2-Dibromoethane	0.005	NA	NA	---	---	---	---			
1,2-Dichlorobenzene	600	NA	NA	---	1 U	1 U	---			
1,2-Dichloroethane	5	NA	NA	---	1 U	1 U	---			
1,2-Dichloroethene	70	NA	NA	---	---	---	---			
1,2-Dichloropropane	5	NA	NA	---	1 U	1 U	---			
1,3-Dichlorobenzene	NS	NS	NS	---	1 U	1 U	---			
1,3-Dichloropropane	NS	37	370	---	---	---	---			
1,4-Dichlorobenzene	75	NA	NA	---	1 U	1 U	---			
2,2-Dichloropropane	NS	NS	NS	---	---	---	---			
2-Chloroethyl vinyl ether	NS	NS	NS	---	---	---	---			
4-Chlorotoluene	NS	NS	NS	---	---	---	---			
Allyl chloride	NS	0.21	2.1	---	---	---	---			
beta-Chloroprene	NS	NS	NS	---	---	---	---			
Bromobenzene	NS	6.2	62	---	---	---	---			
Bromodichloromethane	80	NA	NA	---	1 U	1 U	---			
Bromoform	80	NA	NA	---	5 U	5 U	---			
Carbon tetrachloride	5	NA	NA	---	1 U	1 U	---			
Chlorobenzene	100	NA	NA	---	1 U	1 U	---			
Chlorobromomethane	NS	8.3	83	---	1 U	1 U	---			
Chloroethane	NS	2100	21000	---	1 U	1 U	---			
Chloroform	80	NA	NA	---	1 U	1 U	---			
cis-1,2-Dichloroethene	70	NA	NA	---	1 U	1 U	---			
cis-1,3-Dichloropropene	NS	0.47	0.47	---	1 U	1 U	---			
cis-1,4-Dichloro-2-butene	NS	0.0013	0.00130	---	---	---	---			
Dibromochloromethane	80	NA	NA	---	1 U	1 U	---			
Dibromomethane	NS	NS	NS	---	---	---	---			
Dichlorodifluoromethane (Freon 12)	NS	20	0.87	---	1 U	1 U	---			
Ethylene dibromide	0.05	NA	NA	---	1 U	1 U	---			
Methyl bromide	NS	0.75	7.5	---	1 U	1 U	---			
Methyl chloride	NS	19	190	---	1 U	1 U	---			
Methyl iodide	NS	NS	NS	---	---	---	---			
Methylene chloride	5	NA	NA	---	1 U	1 U	---			
o-Chlorotoluene (2-chlorotoluene)	NS	NS	NS	---	---	---	---			
Tetrachloroethane	5	NA	NA	---	1 U	1 U	0.9 J			
trans-1,2-Dichloroethene	100	NA	NA	---	1 U	1 U	---			
trans-1,3-Dichloropropene	NS	0.47	0.47	---	1 U	1 U	---			
trans-1,4-Dichlorobutene	NS	0.0013	0.013	---	---	---	---			
Trichloroethene	5	NA	NA	---	1 U	1 U	---			
Trichlorofluoromethane (Freon 11)	NS	520	5200	---	5 U	5 U	---			
Vinyl chloride	2	NA	NA	---	1 U	1 U	---			
<b>Petroleum Volatile Organic Compounds (µg/L)</b>										
1,2,4-Trimethylbenzene	NS	5.6	56	1200	1400	960	1000	110	73	38
1,3,5-Trimethylbenzene	NS	6	60	270	410	220	280	44	25	19
1,4-Dioxane	NS	0.46	0.46	---	100 U	100 U	---	100 U	100 U	---
2-Butanone	NS	560	5600	---	10	17	---	10 UJ	10 U	---
2-Hexanone	NS	3.8	38	---	10 U	10 U	---	10 U	10 U	---
4-Isopropyltoluene	NS	NS	NS	---	---	---	---	---	---	---
4-Methyl-2-pentanone	NS	630	6300	---	5 U	5 U	---	5 U	5 U	---
Acetone	NS	1400	14000	---	53	62	---	10 U	10 U	---
Acetonitrile	NS	13	130	---	---	---	---	---	---	---
Acrolein	NS	0.0042	0.042	---	---	---	---	---	---	---
Acrylonitrile	NS	0.052	0.52	---	---	---	---	---	---	---
Benzene	5	NA	NA	5 U	10	6.6	8.1	1 U	1 U	1 U
Carbon disulfide	NS	81	810	---	10 U	10 U	---	10 U	10 U	---
Cyclohexane	NS	1300	13000	---	10 U	10 U	---	10 U	10 U	---
Ethyl methacrylate	NS	63	630	---	---	---	---	---	---	---
Ethylbenzene	700	NA	NA	130	210	200	180	1.9	1.5	0.53 J
Isobutyl alcohol	NS	41	410	---	---	---	---	---	---	---
Isopropylbenzene (Cumene)	NS	45	450	54	110	75	67	4.2	3	1.1
m&p-Xylene <sup>x</sup>	10000	NA	NA	---	---	---	---	---	---	---
Methacrylonitrile	NS	0.19	1.9	---	---	---	---	---	---	---
Methyl acetate	NS	2000	20000	---	10 U	10 U	---	10 U	10 U	---
Methyl methacrylate	NS	140	1400	---	---	---	---	---	---	---
Methyl tert-butyl ether	NS	14	14	---	1 U	1 U	---	1 U	1 U	---
Methylcyclohexane <sup>c</sup>	NS	1300	13000	---	14	8.8 J	---	10 U	10 U	---
m&p-Xylene <sup>x</sup>	10000	NA	NA	---	930	650	---	8.9	6.2	---
Naphthalene	NS	0.17	0.17	580	510	520	600	15	12	6.5 J
n-Butylbenzene	NS	100	1000	---	---	---	---	---	---	---
n-Propylbenzene	NS	66	660	---	---	---	---	---	---	---
o-Xylene <sup>x</sup>	10000	NA	NA	---	650	530	---	5.1	3.7	---
Propionitrile	NS	NS	NS	---	---	---	---	---	---	---
sec-Butylbenzene	NS	200	2000	---	---	---	---	---	---	---
Styrene	100	NA	NA	---	1 U	1 U	---	1 U	1 U	---
tert-Butylbenzene	NS	69	690	---	---	---	---	---	---	---
Toluene	1000	NA	NA	29	11	14	26	1 U	1 U	1 U
Vinyl acetate	NS	41	410	---	---	---	---	---	---	---
Xylene, Total <sup>x</sup>	10000	NA	NA	---	---	---	---	---	---	---

**Table 2. Groundwater Monitoring Well Sample Results**  
**Volatile Organic Compounds**  
**Dresser Inc. Facility**  
**124 W. College Ave, Salisbury, Maryland**

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-62 4/26/2016 MW-62 30.6	MW-62 11/2/2016 MW-62 30.6	MW-62 3/20/2018 MW-62 29.25	MW-63 4/28/2016 MW-63 36.1	MW-63 11/2/2016 MW-63 36.1	MW-63 3/21/2018 MW-63 36.1	MW-64 4/28/2016 MW-64 35.9			
	MCL	RSL HQ = 0.1 <sup>2</sup>	RSL HQ = 1.0 <sup>2</sup>							
<b>Screening Criteria<sup>1</sup></b>										
<b>Chlorinated Volatile Organic Compounds (µg/L)</b>										
1,1,1,2-Tetrachloroethane	NS	0.57	5.7	---	---	---	---			
1,1,1-Trichloroethane	200	NA	NA	1 U	1 U	---	1 U			
1,1,2,2-Tetrachloroethane	NS	0.076	0.076	1 U	1 U	---	1 U			
1,1,2-trichloro-1,2,2-trifluoroethane (Freon 113)	NS	1000	10000	1 U	1 U	---	1 U			
1,1,2-Trichloroethane	5	NA	NA	1 U	1 U	---	1 U			
1,1-Dichloroethane	NS	2.8	2.8	1 U	1 U	---	1 U			
1,1-Dichloroethene	7	NA	NA	1 U	1 U	---	1 U			
1,1-Dichloropropene	NS	NS	NS	---	---	---	---			
1,2,3-Trichlorobenzene	NS	0.7	7	1 U	1 U	---	1 U			
1,2,3-Trichloropropane	NS	0.00075	0.00075	---	---	---	---			
1,2,4-Trichlorobenzene	70	NA	NA	1 U	1 U	---	1 U			
1,2-Dibromo-3-chloropropane	0.2	NA	NA	10 U	10 U	---	10 U			
1,2-Dibromoethane	0.005	NA	NA	---	---	---	---			
1,2-Dichlorobenzene	600	NA	NA	1 U	1 U	---	1 U			
1,2-Dichloroethane	5	NA	NA	1 U	1 U	---	1 U			
1,2-Dichloroethene	70	NA	NA	---	---	---	---			
1,2-Dichloropropane	5	NA	NA	1 U	1 U	---	1 U			
1,3-Dichlorobenzene	NS	NS	NS	1 U	1 U	---	1 U			
1,3-Dichloropropane	NS	37	370	---	---	---	---			
1,4-Dichlorobenzene	75	NA	NA	1 U	1 U	---	1 U			
2,2-Dichloropropane	NS	NS	NS	---	---	---	---			
2-Chloroethyl vinyl ether	NS	NS	NS	---	---	---	---			
4-Chlorotoluene	NS	NS	NS	---	---	---	---			
Allyl chloride	NS	0.21	2.1	---	---	---	---			
beta-Chloroprene	NS	NS	NS	---	---	---	---			
Bromobenzene	NS	6.2	62	---	---	---	---			
Bromodichloromethane	80	NA	NA	1 U	1 U	---	1 U			
Bromoform	80	NA	NA	5 U	5 U	---	5 U			
Carbon tetrachloride	5	NA	NA	1 U	1 U	---	1 U			
Chlorobenzene	100	NA	NA	1 U	1 U	---	1 U			
Chlorobromomethane	NS	8.3	83	1 U	1 U	---	1 U			
Chloroethane	NS	2100	21000	1 U	1 U	---	1 U			
Chloroform	80	NA	NA	1 U	1 U	---	1 U			
cis-1,2-Dichloroethene	70	NA	NA	1 U	1 U	---	1 U			
cis-1,3-Dichloropropene	NS	0.47	0.47	1 U	1 U	---	1 U			
cis-1,4-Dichloro-2-butene	NS	0.0013	0.00130	---	---	---	---			
Dibromochloromethane	80	NA	NA	1 U	1 U	---	1 U			
Dibromomethane	NS	NS	NS	---	---	---	---			
Dichlorodifluoromethane (Freon 12)	NS	20	0.87	1 U	1 U	---	1 U			
Ethylene dibromide	0.05	NA	NA	1 U	1 U	---	1 U			
Methyl bromide	NS	0.75	7.5	1 U	1 U	---	1 U			
Methyl chloride	NS	19	190	1 U	1 U	---	1 U			
Methyl iodide	NS	NS	NS	---	---	---	---			
Methylene chloride	5	NA	NA	1 U	1 U	---	1 U			
o-Chlorotoluene (2-chlorotoluene)	NS	NS	NS	---	---	---	---			
Tetrachloroethane	5	NA	NA	1 U	1 U	---	1 U			
trans-1,2-Dichloroethene	100	NA	NA	1 U	1 U	---	1 U			
trans-1,3-Dichloropropene	NS	0.47	0.47	1 U	1 U	---	1 U			
trans-1,4-Dichlorobutene	NS	0.0013	0.013	---	---	---	---			
Trichloroethene	5	NA	NA	1 U	1 U	---	1 U			
Trichlorofluoromethane (Freon 11)	NS	520	5200	5 U	5 U	---	5 U			
Vinyl chloride	2	NA	NA	1 U	1 U	---	1 U			
<b>Petroleum Volatile Organic Compounds (µg/L)</b>										
1,2,4-Trimethylbenzene	NS	5.6	56	1 U	10	1 U	44	30	110	1.4
1,3,5-Trimethylbenzene	NS	6	60	33	60	76	17	30	100	0.67 J
1,4-Dioxane	NS	0.46	0.46	100 U	100 U	---	100 U	100 U	---	100 U
2-Butanone	NS	560	5600	10 U	10 U	---	10 U	10 U	---	10 U
2-Hexanone	NS	3.8	38	10 U	10 U	---	10 U	10 U	---	10 U
4-Isopropyltoluene	NS	NS	NS	---	---	---	---	---	---	---
4-Methyl-2-pentanone	NS	630	6300	5 U	5 U	---	5 U	5 U	---	5 U
Acetone	NS	1400	14000	10 U	10 U	---	10 U	10 U	---	10 U
Acetonitrile	NS	13	130	---	---	---	---	---	---	---
Acrolein	NS	0.0042	0.042	---	---	---	---	---	---	---
Acrylonitrile	NS	0.052	0.52	---	---	---	---	---	---	---
Benzene	5	NA	NA	3.4	7.1	5.5	1 U	1 U	1 U	1 U
Carbon disulfide	NS	81	810	10 U	10 U	---	10 U	10 U	---	10 U
Cyclohexane	NS	1300	13000	10 U	10 U	---	10 U	10 U	---	10 U
Ethyl methacrylate	NS	63	630	---	---	---	---	---	---	---
Ethylbenzene	700	NA	NA	64	130	62	10	26	50	1 U
Isobutyl alcohol	NS	41	410	---	---	---	---	---	---	---
Isopropylbenzene (Cumene)	NS	45	450	55	89	47	17	28	28	1 U
m&p-Xylene <sup>X</sup>	10000	NA	NA	---	---	---	---	---	---	---
Methacrylonitrile	NS	0.19	1.9	---	---	---	---	---	---	---
Methyl acetate	NS	2000	20000	10 U	10 U	---	10 U	10 U	---	10 U
Methyl methacrylate	NS	140	1400	---	---	---	---	---	---	---
Methyl tert-butyl ether	NS	14	14	1 U	1 U	---	1 U	1 U	---	1 U
Methylcyclohexane <sup>C</sup>	NS	1300	13000	10 U	10 U	---	10 U	10 U	---	10 U
m&p-Xylene <sup>X</sup>	10000	NA	NA	2 U	3.7	---	24	14	---	2 U
Naphthalene	NS	0.17	0.17	310	600	610	170	230	300	1 U
n-Butylbenzene	NS	100	1000	---	---	---	---	---	---	---
n-Propylbenzene	NS	66	660	---	---	---	---	---	---	---
o-Xylene <sup>X</sup>	10000	NA	NA	1 U	1.1	---	18	13	---	0.74 J
Propionitrile	NS	NS	NS	---	---	---	---	---	---	---
sec-Butylbenzene	NS	200	2000	---	---	---	---	---	---	---
Styrene	100	NA	NA	1 U	1 U	---	1 U	1 U	---	1 U
tert-Butylbenzene	NS	69	690	---	---	---	---	---	---	---
Toluene	1000	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Vinyl acetate	NS	41	410	---	---	---	---	---	---	---
Xylene, Total <sup>X</sup>	10000	NA	NA	---	---	---	---	---	---	---



**Table 2. Groundwater Monitoring Well Sample Results**  
**Volatile Organic Compounds**  
**Dresser Inc. Facility**  
**124 W. College Ave, Salisbury, Maryland**

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-64 11/2/2016 MW-64 35.9	MW-64 3/20/2018 MW-64 35.9	MW-65 5/2/2016 MW-65 24.5	MW-65 11/7/2016 MW-65 23.79	MW-66 4/26/2016 MW-66 32.5	MW-66 11/1/2016 MW-66 32.5	MW-66 3/20/2018 MW-66 32.5	MW-67 4/26/2016 MW-67 69.2
	MCL	RSL HQ = 0.1 <sup>2</sup>	RSL HQ = 1.0 <sup>2</sup>					
<b>Screening Criteria<sup>1</sup></b>								
<b>Chlorinated Volatile Organic Compounds (µg/L)</b>								
1,1,1,2-Tetrachloroethane	NS	0.57	5.7	---	---	---	---	---
1,1,1-Trichloroethane	200	NA	NA	1 U	---	1 U	1 U	1 U
1,1,2,2-Tetrachloroethane	NS	0.076	0.076	1 U	---	1 U	1 U	1 U
1,1,2-trichloro-1,2,2-trifluoroethane (Freon 113)	NS	1000	10000	1 U	---	1 U	1 U	1 U
1,1,2-Trichloroethane	5	NA	NA	1 U	---	1 U	1 U	1 U
1,1-Dichloroethane	NS	2.8	2.8	1 U	---	1 U	1 U	1 U
1,1-Dichloroethene	7	NA	NA	1 U	---	1 U	1 U	1 U
1,1-Dichloropropene	NS	NS	NS	---	---	---	---	---
1,2,3-Trichlorobenzene	NS	0.7	7	1 U	---	1 U	1 U	1 U
1,2,3-Trichloropropane	NS	0.00075	0.00075	---	---	---	---	---
1,2,4-Trichlorobenzene	70	NA	NA	1 U	---	1 U	1 U	1 U
1,2-Dibromo-3-chloropropane	0.2	NA	NA	10 U	---	10 U	10 U	10 U
1,2-Dibromoethane	0.005	NA	NA	---	---	---	---	---
1,2-Dichlorobenzene	600	NA	NA	1 U	---	1 U	1 U	1 U
1,2-Dichloroethane	5	NA	NA	1 U	---	1 U	1 U	1 U
1,2-Dichloroethene	70	NA	NA	---	---	---	---	---
1,2-Dichloropropane	5	NA	NA	1 U	---	1 U	1 U	1 U
1,3-Dichlorobenzene	NS	NS	NS	1 U	---	1 U	1 U	1 U
1,3-Dichloropropane	NS	37	370	---	---	---	---	---
1,4-Dichlorobenzene	75	NA	NA	1 U	---	1 U	1 U	1 U
2,2-Dichloropropane	NS	NS	NS	---	---	---	---	---
2-Chloroethyl vinyl ether	NS	NS	NS	---	---	---	---	---
4-Chlorotoluene	NS	NS	NS	---	---	---	---	---
Allyl chloride	NS	0.21	2.1	---	---	---	---	---
beta-Chloroprene	NS	NS	NS	---	---	---	---	---
Bromobenzene	NS	6.2	62	---	---	---	---	---
Bromodichloromethane	80	NA	NA	1 U	---	1 U	1 U	1 U
Bromoform	80	NA	NA	5 U	---	5 U	5 U	5 U
Carbon tetrachloride	5	NA	NA	1 U	---	1 U	1 U	1 U
Chlorobenzene	100	NA	NA	1 U	---	1 U	1 U	1 U
Chlorobromomethane	NS	8.3	83	1 U	---	1 U	1 U	1 U
Chloroethane	NS	2100	21000	1 U	---	1 U	1 U	1 U
Chloroform	80	NA	NA	1 U	---	1 U	1 U	1 U
cis-1,2-Dichloroethene	70	NA	NA	1 U	---	2.3	1.4	1 U
cis-1,3-Dichloropropene	NS	0.47	0.47	1 U	---	1 U	1 U	1 U
cis-1,4-Dichloro-2-butene	NS	0.0013	0.00130	---	---	---	---	---
Dibromochloromethane	80	NA	NA	1 U	---	1 U	1 U	1 U
Dibromomethane	NS	NS	NS	---	---	---	---	---
Dichlorodifluoromethane (Freon 12)	NS	20	0.87	1 U	---	1 U	1 U	1 U
Ethylene dibromide	0.05	NA	NA	1 U	---	1 U	1 U	1 U
Methyl bromide	NS	0.75	7.5	1 U	---	1 U	1 U	1 U
Methyl chloride	NS	19	190	1 U	---	1 U	1 U	1 U
Methyl iodide	NS	NS	NS	---	---	---	---	---
Methylene chloride	5	NA	NA	1 U	---	1 U	1 U	1 U
o-Chlorotoluene (2-chlorotoluene)	NS	NS	NS	---	---	---	---	---
Tetrachloroethane	5	NA	NA	1 U	---	4.5	2.6	1 U
trans-1,2-Dichloroethene	100	NA	NA	1 U	---	1 U	1 U	1 U
trans-1,3-Dichloropropene	NS	0.47	0.47	1 U	---	1 U	1 U	1 U
trans-1,4-Dichlorobutene	NS	0.0013	0.013	---	---	---	---	---
Trichloroethene	5	NA	NA	1 U	---	1 U	1 U	1 U
Trichlorofluoromethane (Freon 11)	NS	520	5200	5 U	---	5 U	5 U	5 U
Vinyl chloride	2	NA	NA	1 U	---	1 U	1 U	1 U
<b>Petroleum Volatile Organic Compounds (µg/L)</b>								
1,2,4-Trimethylbenzene	NS	5.6	56	1 U	1 U	1 U	1 U	1 U
1,3,5-Trimethylbenzene	NS	6	60	1 U	1 U	1 U	1 U	1 U
1,4-Dioxane	NS	0.46	0.46	100 U	---	100 U	100 U	100 U
2-Butanone	NS	560	5600	10 U	---	10 U	10 U	10 U
2-Hexanone	NS	3.8	38	10 U	---	10 U	10 U	10 U
4-Isopropyltoluene	NS	NS	NS	---	---	---	---	---
4-Methyl-2-pentanone	NS	630	6300	5 U	---	5 U	5 U	5 U
Acetone	NS	1400	14000	10 U	---	10 U	10 U	10 U
Acetonitrile	NS	13	130	---	---	---	---	---
Acrolein	NS	0.0042	0.042	---	---	---	---	---
Acrylonitrile	NS	0.052	0.52	---	---	---	---	---
Benzene	5	NA	NA	1 U	1 U	1 U	1 U	1 U
Carbon disulfide	NS	81	810	10 U	---	10 U	10 U	10 U
Cyclohexane	NS	1300	13000	10 U	---	10 U	10 U	10 U
Ethyl methacrylate	NS	63	630	---	---	---	---	---
Ethylbenzene	700	NA	NA	1 U	1 U	1 U	1 U	1 U
Isobutyl alcohol	NS	41	410	---	---	---	---	---
Isopropylbenzene (Cumene)	NS	45	450	1 U	1 U	1 U	1 U	1 U
m&p-Xylene <sup>x</sup>	10000	NA	NA	---	---	---	---	---
Methacrylonitrile	NS	0.19	1.9	---	---	---	---	---
Methyl acetate	NS	2000	20000	10 U	---	10 U	10 U	10 U
Methyl methacrylate	NS	140	1400	---	---	---	---	---
Methyl tert-butyl ether	NS	14	14	1 U	---	1 U	1 U	1 U
Methylcyclohexane <sup>c</sup>	NS	1300	13000	10 U	---	10 U	10 U	10 U
m&p-Xylene <sup>x</sup>	10000	NA	NA	2 U	---	2 U	2 U	2 U
Naphthalene	NS	0.17	0.17	1 U	0.7 J	1 U	1 U	1 U
n-Butylbenzene	NS	100	1000	---	---	---	---	---
n-Propylbenzene	NS	66	660	---	---	---	---	---
o-Xylene <sup>x</sup>	10000	NA	NA	1 U	---	1 U	1 U	1 U
Propionitrile	NS	NS	NS	---	---	---	---	---
sec-Butylbenzene	NS	200	2000	---	---	---	---	---
Styrene	100	NA	NA	1 U	---	1 U	1 U	1 U
tert-Butylbenzene	NS	69	690	---	---	---	---	---
Toluene	1000	NA	NA	1 U	1 U	1 U	1 U	1 U
Vinyl acetate	NS	41	410	---	---	---	---	---
Xylene, Total <sup>x</sup>	10000	NA	NA	---	---	---	---	---

**Table 2. Groundwater Monitoring Well Sample Results**  
**Volatile Organic Compounds**  
**Dresser Inc. Facility**  
**124 W. College Ave, Salisbury, Maryland**

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-67 11/1/2016 MW-67 69.2	MW-68 4/27/2016 MW-68 36.4	MW-68 4/27/2016 MW-68A 36.4 d	MW-68 11/2/2016 MW-68 36.4	MW-68 11/2/2016 MW-68 (DUP) 36.4 d	MW-68 3/20/2018 MW-68 36.7	MW-68 3/20/2018 MW-68A 36.7 d			
	MCL	RSL HQ = 0.1 <sup>2</sup>	RSL HQ = 1.0 <sup>2</sup>							
<b>Screening Criteria<sup>1</sup></b>										
<b>Chlorinated Volatile Organic Compounds (µg/L)</b>										
1,1,1,2-Tetrachloroethane	NS	0.57	5.7	---	---	---	---			
1,1,1-Trichloroethane	200	NA	NA	1 U	1 U	1 U	---			
1,1,2,2-Tetrachloroethane	NS	0.076	0.076	1 U	1 U	1 U	---			
1,1,2-trichloro-1,2,2-trifluoroethane (Freon 113)	NS	1000	10000	1 U	1 U	1 U	---			
1,1,2-Trichloroethane	5	NA	NA	1 U	1 U	1 U	---			
1,1-Dichloroethane	NS	2.8	2.8	1 U	1 U	1 U	---			
1,1-Dichloroethene	7	NA	NA	1 U	1 U	1 U	---			
1,1-Dichloropropene	NS	NS	NS	---	---	---	---			
1,2,3-Trichlorobenzene	NS	0.7	7	1 U	1 U	1 U	---			
1,2,3-Trichloropropane	NS	0.00075	0.00075	---	---	---	---			
1,2,4-Trichlorobenzene	70	NA	NA	1 U	1 U	1 U	---			
1,2-Dibromo-3-chloropropane	0.2	NA	NA	10 U	10 U	10 U	---			
1,2-Dibromoethane	0.005	NA	NA	---	---	---	---			
1,2-Dichlorobenzene	600	NA	NA	1 U	1 U	1 U	---			
1,2-Dichloroethane	5	NA	NA	1 U	1 U	1 U	---			
1,2-Dichloroethene	70	NA	NA	---	---	---	---			
1,2-Dichloropropane	5	NA	NA	1 U	1 U	1 U	---			
1,3-Dichlorobenzene	NS	NS	NS	1 U	1 U	1 U	---			
1,3-Dichloropropane	NS	37	370	---	---	---	---			
1,4-Dichlorobenzene	75	NA	NA	1 U	1 U	1 U	---			
2,2-Dichloropropane	NS	NS	NS	---	---	---	---			
2-Chloroethyl vinyl ether	NS	NS	NS	---	---	---	---			
4-Chlorotoluene	NS	NS	NS	---	---	---	---			
Allyl chloride	NS	0.21	2.1	---	---	---	---			
beta-Chloroprene	NS	NS	NS	---	---	---	---			
Bromobenzene	NS	6.2	62	---	---	---	---			
Bromodichloromethane	80	NA	NA	1 U	1 U	1 U	---			
Bromoform	80	NA	NA	5 U	5 U	5 U	---			
Carbon tetrachloride	5	NA	NA	1 U	1 U	1 U	---			
Chlorobenzene	100	NA	NA	1 U	1 U	1 U	---			
Chlorobromomethane	NS	8.3	83	1 U	1 U	1 U	---			
Chloroethane	NS	2100	21000	1 U	1 U	1 U	---			
Chloroform	80	NA	NA	1 U	1 U	1 U	---			
cis-1,2-Dichloroethene	70	NA	NA	1 U	<b>9.1</b>	<b>8.9</b>	<b>9.4</b>	<b>8.8</b>	<b>10 J</b>	<b>9.5</b>
cis-1,3-Dichloropropene	NS	0.47	0.47	1 U	1 U	1 U	1 U	---	---	
cis-1,4-Dichloro-2-butene	NS	0.0013	0.00130	---	---	---	---	---	---	
Dibromochloromethane	80	NA	NA	1 U	1 U	1 U	1 U	---	---	
Dibromomethane	NS	NS	NS	---	---	---	---	---	---	
Dichlorodifluoromethane (Freon 12)	NS	20	0.87	1 U	1 U	1 U	1 U	---	---	
Ethylene dibromide	0.05	NA	NA	1 U	1 U	1 U	1 U	---	---	
Methyl bromide	NS	0.75	7.5	1 U	1 U	1 U	1 U	---	---	
Methyl chloride	NS	19	190	1 U	1 U	1 U	1 U	---	---	
Methyl iodide	NS	NS	NS	---	---	---	---	---	---	
Methylene chloride	5	NA	NA	1 U	1 U	1 U	1 U	---	---	
o-Chlorotoluene (2-chlorotoluene)	NS	NS	NS	---	---	---	---	---	---	
Tetrachloroethene	5	NA	NA	1 U	<b>86 J</b>	<b>84 J</b>	<b>80</b>	<b>72</b>	<b>99 J</b>	<b>97 J</b>
trans-1,2-Dichloroethene	100	NA	NA	1 U	1 U	1 U	1 U	---	---	
trans-1,3-Dichloropropene	NS	0.47	0.47	1 U	1 U	1 U	1 U	---	---	
trans-1,4-Dichlorobutene	NS	0.0013	0.013	---	---	---	---	---	---	
Trichloroethene	5	NA	NA	1 U	<b>1.8</b>	<b>1.8</b>	<b>2.8</b>	<b>2.7</b>	<b>3.5 J</b>	<b>3.4</b>
Trichlorofluoromethane (Freon 11)	NS	520	5200	5 U	5 U	5 U	5 U	---	---	
Vinyl chloride	2	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	
<b>Petroleum Volatile Organic Compounds (µg/L)</b>										
1,2,4-Trimethylbenzene	NS	5.6	56	1 U	1 U	1 U	1 U	1 U	1 U	
1,3,5-Trimethylbenzene	NS	6	60	1 U	1 U	1 U	1 U	1 U	1 U	
1,4-Dioxane	NS	0.46	0.46	100 U	100 U	100 U	100 U	100 U	---	
2-Butanone	NS	560	5600	10 U	10 U	10 U	10 U	10 U	---	
2-Hexanone	NS	3.8	38	10 U	10 U	10 U	10 U	10 U	---	
4-Isopropyltoluene	NS	NS	NS	---	---	---	---	---	---	
4-Methyl-2-pentanone	NS	630	6300	5 U	5 U	5 U	5 U	5 U	---	
Acetone	NS	1400	14000	10 U	10 U	10 U	10 U	10 U	---	
Acetonitrile	NS	13	130	---	---	---	---	---	---	
Acrolein	NS	0.0042	0.042	---	---	---	---	---	---	
Acrylonitrile	NS	0.052	0.52	---	---	---	---	---	---	
Benzene	5	NA	NA	1 U	1 U	1 U	<b>0.84 J</b>	<b>0.83 J</b>	<b>0.65 J</b>	<b>0.63 J</b>
Carbon disulfide	NS	81	810	10 U	10 U	10 U	10 U	10 U	---	
Cyclohexane	NS	1300	13000	10 U	10 U	10 U	10 U	10 U	---	
Ethyl methacrylate	NS	63	630	---	---	---	---	---	---	
Ethylbenzene	700	NA	NA	1 U	<b>1.2</b>	<b>1.1</b>	<b>9.4</b>	<b>8.1</b>	<b>4.5 J</b>	<b>4.4</b>
Isobutyl alcohol	NS	41	410	---	---	---	---	---	---	
Isopropylbenzene (Cumene)	NS	45	450	1 U	<b>1.7</b>	<b>1.7</b>	<b>5.3</b>	<b>4</b>	<b>3.5 J</b>	<b>3.3</b>
m&p-Xylene <sup>x</sup>	10000	NA	NA	---	---	---	---	---	---	
Methacrylonitrile	NS	0.19	1.9	---	---	---	---	---	---	
Methyl acetate	NS	2000	20000	10 U	10 U	10 U	10 U	10 U	---	
Methyl methacrylate	NS	140	1400	---	---	---	---	---	---	
Methyl tert-butyl ether	NS	14	14	1 U	1 U	1 U	1 U	1 U	---	
Methylcyclohexane <sup>c</sup>	NS	1300	13000	10 U	10 U	10 U	10 U	10 U	---	
m&p-Xylene <sup>x</sup>	10000	NA	NA	2 U	2 U	2 U	2 U	2 U	---	
Naphthalene	NS	0.17	0.17	1 U	1 U	1 U	1 U	<b>1.4</b>	1 U	1 U
n-Butylbenzene	NS	100	1000	---	---	---	---	---	---	
n-Propylbenzene	NS	66	660	---	---	---	---	---	---	
o-Xylene <sup>x</sup>	10000	NA	NA	1 U	1 U	1 U	1 U	1 U	---	
Propionitrile	NS	NS	NS	---	---	---	---	---	---	
sec-Butylbenzene	NS	200	2000	---	---	---	---	---	---	
Styrene	100	NA	NA	1 U	1 U	1 U	1 U	1 U	---	
tert-Butylbenzene	NS	69	690	---	---	---	---	---	---	
Toluene	1000	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	
Vinyl acetate	NS	41	410	---	---	---	---	---	---	
Xylene, Total <sup>x</sup>	10000	NA	NA	---	---	---	---	---	---	

**Table 2. Groundwater Monitoring Well Sample Results**  
**Volatile Organic Compounds**  
**Dresser Inc. Facility**  
**124 W. College Ave, Salisbury, Maryland**

	Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes			MW-OS-1 4/5/2018 MW-OS-1 50	MW-OS-1 4/5/2018 MW-OS-1A 50 d	MW-OS-2 4/4/2018 MW-OS-2 52	MW-OS-2 4/4/2018 MW-OS-2A 52 d	MW-OS-3 7/26/2018 MW-OS-3 56	MW-OS-3 7/26/2018 MW-OS-3D 56 d	IJW-6 11/3/2011 IJW-6 42.1	IJW-13 11/2/2011 IJW-13 23.96
	Screening Criteria <sup>1</sup>	MCL	RSL HQ = 0.1 <sup>2</sup>	RSL HQ = 1.0 <sup>2</sup>							
<b>Chlorinated Volatile Organic Compounds (µg/L)</b>											
1,1,1,2-Tetrachloroethane	NS	0.57	5.7	---	---	---	---	---	---	---	---
1,1,1-Trichloroethane	200	NA	NA	---	---	---	---	---	---	1 U	1 U
1,1,2,2-Tetrachloroethane	NS	0.076	0.076	---	---	---	---	---	---	1 U	1 U
1,1,2-trichloro-1,2,2-trifluoroethane (Freon 113)	NS	1000	10000	---	---	---	---	---	---	1 U	1 U
1,1,2-Trichloroethane	5	NA	NA	---	---	---	---	---	---	1 U	1 U
1,1-Dichloroethane	NS	2.8	2.8	---	---	---	---	---	---	1 U	1 U
1,1-Dichloroethene	7	NA	NA	---	---	---	---	---	---	1 U	1 U
1,1-Dichloropropene	NS	NS	NS	---	---	---	---	---	---	---	---
1,2,3-Trichlorobenzene	NS	0.7	7	---	---	---	---	---	---	1 U	1 U
1,2,3-Trichloropropane	NS	0.00075	0.00075	---	---	---	---	---	---	---	---
1,2,4-Trichlorobenzene	70	NA	NA	---	---	---	---	---	---	1 U	1 U
1,2-Dibromo-3-chloropropane	0.2	NA	NA	---	---	---	---	---	---	10 U	10 U
1,2-Dibromoethane	0.005	NA	NA	---	---	---	---	---	---	---	---
1,2-Dichlorobenzene	600	NA	NA	---	---	---	---	---	---	1 U	1 U
1,2-Dichloroethane	5	NA	NA	---	---	---	---	---	---	1 U	1 U
1,2-Dichloroethene	70	NA	NA	---	---	---	---	---	---	---	---
1,2-Dichloropropane	5	NA	NA	---	---	---	---	---	---	1 U	1 U
1,3-Dichlorobenzene	NS	NS	NS	---	---	---	---	---	---	1 U	1 U
1,3-Dichloropropane	NS	37	370	---	---	---	---	---	---	---	---
1,4-Dichlorobenzene	75	NA	NA	---	---	---	---	---	---	1 U	1 U
2,2-Dichloropropane	NS	NS	NS	---	---	---	---	---	---	---	---
2-Chloroethyl vinyl ether	NS	NS	NS	---	---	---	---	---	---	---	---
4-Chlorotoluene	NS	NS	NS	---	---	---	---	---	---	---	---
Allyl chloride	NS	0.21	2.1	---	---	---	---	---	---	---	---
beta-Chloroprene	NS	NS	NS	---	---	---	---	---	---	---	---
Bromobenzene	NS	6.2	62	---	---	---	---	---	---	---	---
Bromodichloromethane	80	NA	NA	---	---	---	---	---	---	1 U	1 U
Bromoform	80	NA	NA	---	---	---	---	---	---	5 U	5 U
Carbon tetrachloride	5	NA	NA	---	---	---	---	---	---	1 U	1 U
Chlorobenzene	100	NA	NA	---	---	---	---	---	---	1 U	1 U
Chlorobromomethane	NS	8.3	83	---	---	---	---	---	---	1 U	1 U
Chloroethane	NS	2100	21000	---	---	---	---	---	---	1 U	1 U
Chloroform	80	NA	NA	---	---	---	---	---	---	1 U	1 U
cis-1,2-Dichloroethene	70	NA	NA	---	---	1 U	1 U	---	---	1 U	1 U
cis-1,3-Dichloropropene	NS	0.47	0.47	---	---	---	---	---	---	1 U	1 U
cis-1,4-Dichloro-2-butene	NS	0.0013	0.00130	---	---	---	---	---	---	---	---
Dibromochloromethane	80	NA	NA	---	---	---	---	---	---	1 U	1 U
Dibromomethane	NS	NS	NS	---	---	---	---	---	---	---	---
Dichlorodifluoromethane (Freon 12)	NS	20	0.87	---	---	---	---	---	---	1 U	1 U
Ethylene dibromide	0.05	NA	NA	---	---	---	---	---	---	1 U	1 U
Methyl bromide	NS	0.75	7.5	---	---	---	---	---	---	1 U	1 U
Methyl chloride	NS	19	190	---	---	---	---	---	---	1 U	1 U
Methyl iodide	NS	NS	NS	---	---	---	---	---	---	---	---
Methylene chloride	5	NA	NA	---	---	---	---	---	---	1 U	1 U
o-Chlorotoluene (2-chlorotoluene)	NS	NS	NS	---	---	---	---	---	---	---	---
Tetrachloroethene	5	NA	NA	---	---	4.2	4.3	---	---	2	1 U
trans-1,2-Dichloroethene	100	NA	NA	---	---	---	---	---	---	1 U	1 U
trans-1,3-Dichloropropene	NS	0.47	0.47	---	---	---	---	---	---	1 U	1 U
trans-1,4-Dichlorobutene	NS	0.0013	0.013	---	---	---	---	---	---	---	---
Trichloroethene	5	NA	NA	---	---	1 U	1 U	---	---	1 U	1 U
Trichlorofluoromethane (Freon 11)	NS	520	5200	---	---	---	---	---	---	5 U	5 U
Vinyl chloride	2	NA	NA	---	---	1 U	1 U	---	---	1 U	1 U
<b>Petroleum Volatile Organic Compounds (µg/L)</b>											
1,2,4-Trimethylbenzene	NS	5.6	56	1 U <sub>J</sub>	1 U <sub>J</sub>	---	---	1 U	1 U	---	---
1,3,5-Trimethylbenzene	NS	6	60	1 U <sub>J</sub>	1 U <sub>J</sub>	---	---	1 U	1 U	---	---
1,4-Dioxane	NS	0.46	0.46	---	---	---	---	---	---	---	---
2-Butanone	NS	560	5600	---	---	---	---	---	---	10 U	10 U
2-Hexanone	NS	3.8	38	---	---	---	---	---	---	10 U	10 U
4-Isopropyltoluene	NS	NS	NS	---	---	---	---	---	---	---	---
4-Methyl-2-pentanone	NS	630	6300	---	---	---	---	---	---	5 U	5 U
Acetone	NS	1400	14000	---	---	---	---	---	---	10 U	10 U
Acetonitrile	NS	13	130	---	---	---	---	---	---	---	---
Acrolein	NS	0.0042	0.042	---	---	---	---	---	---	---	---
Acrylonitrile	NS	0.052	0.52	---	---	---	---	---	---	---	---
Benzene	5	NA	NA	1 U <sub>J</sub>	1 U <sub>J</sub>	---	---	1 U	1 U	1 U	1 U
Carbon disulfide	NS	81	810	---	---	---	---	---	---	10 U	10 U
Cyclohexane	NS	1300	13000	---	---	---	---	---	---	10 U	10 U
Ethyl methacrylate	NS	63	630	---	---	---	---	---	---	---	---
Ethylbenzene	700	NA	NA	---	---	---	---	---	---	1 U	1 U
Isobutyl alcohol	NS	41	410	---	---	---	---	---	---	---	---
Isopropylbenzene (Cumene)	NS	45	450	3.2 <sub>J</sub>	3.9 <sub>J</sub>	---	---	1 U	1 U	1 U	1 U
m&p-Xylene <sup>X</sup>	10000	NA	NA	---	---	---	---	---	---	---	---
Methacrylonitrile	NS	0.19	1.9	---	---	---	---	---	---	---	---
Methyl acetate	NS	2000	20000	---	---	---	---	---	---	10 U	10 U
Methyl methacrylate	NS	140	1400	---	---	---	---	---	---	---	---
Methyl tert-butyl ether	NS	14	14	---	---	---	---	---	---	1 U	1 U
Methylcyclohexane <sup>C</sup>	NS	1300	13000	---	---	---	---	---	---	10 U	10 U
m&p-Xylene <sup>X</sup>	10000	NA	NA	---	---	---	---	---	---	2 U	2 U
Naphthalene	NS	0.17	0.17	36 <sub>J</sub>	36 <sub>J</sub>	---	---	1 U	1 U	1 U	1 U
n-Butylbenzene	NS	100	1000	---	---	---	---	---	---	---	---
n-Propylbenzene	NS	66	660	---	---	---	---	---	---	---	---
o-Xylene <sup>X</sup>	10000	NA	NA	---	---	---	---	---	---	1 U	1 U
Propionitrile	NS	NS	NS	---	---	---	---	---	---	---	---
sec-Butylbenzene	NS	200	2000	---	---	---	---	---	---	---	---
Styrene	100	NA	NA	---	---	---	---	---	---	1 U	1 U
tert-Butylbenzene	NS	69	690	---	---	---	---	---	---	---	---
Toluene	1000	NA	NA	---	---	---	---	---	---	1 U	1 U
Vinyl acetate	NS	41	410	---	---	---	---	---	---	---	---
Xylene, Total <sup>X</sup>	10000	NA	NA	---	---	---	---	---	---	---	---

**Table 2. Groundwater Monitoring Well Sample Results**  
**Volatile Organic Compounds**  
**Dresser Inc. Facility**  
**124 W. College Ave, Salisbury, Maryland**

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	L-25 12/13/2013 L-25 24.3	L-25 12/9/2015 L-25 25	L-25 5/5/2016 L-25 25	L-25 11/10/2016 L-25 23.25	L-25 3/26/2018 L-25 23.5	L-28 12/13/2013 L-28 21.1	L-28 5/5/2016 L-28 21			
	MCL	RSL HQ = 0.1 <sup>2</sup>	RSL HQ = 1.0 <sup>2</sup>							
<b>Screening Criteria<sup>1</sup></b>										
<b>Chlorinated Volatile Organic Compounds (µg/L)</b>										
1,1,1,2-Tetrachloroethane	NS	0.57	5.7	---	---	---	---			
1,1,1-Trichloroethane	200	NA	NA	1 U	5 U	1 UJ	5 U			
1,1,2,2-Tetrachloroethane	NS	0.076	0.076	1 U	5 U	1 U	5 U			
1,1,2-trichloro-1,2,2-trifluoroethane (Freon 113)	NS	1000	10000	1 U	5 U	1 U	5 U			
1,1,2-Trichloroethane	5	NA	NA	1 U	5 U	1 U	5 U			
1,1-Dichloroethane	NS	2.8	2.8	1 U	5 U	1 U	5 U			
1,1-Dichloroethene	7	NA	NA	1 U	5 U	1 U	5 U			
1,1-Dichloropropene	NS	NS	NS	---	---	---	---			
1,2,3-Trichlorobenzene	NS	0.7	7	1 U	5 U	1 U	5 U			
1,2,3-Trichloropropane	NS	0.00075	0.00075	---	---	---	---			
1,2,4-Trichlorobenzene	70	NA	NA	1 U	5 U	1 U	5 U			
1,2-Dibromo-3-chloropropane	0.2	NA	NA	10 U	50 U	10 U	50 U			
1,2-Dibromoethane	0.005	NA	NA	---	---	---	---			
1,2-Dichlorobenzene	600	NA	NA	1 U	5 U	1 U	5 U			
1,2-Dichloroethane	5	NA	NA	1 U	5 U	1 U	5 U			
1,2-Dichloroethene	70	NA	NA	---	---	---	---			
1,2-Dichloropropane	5	NA	NA	1 U	5 U	1 U	5 U			
1,3-Dichlorobenzene	NS	NS	NS	1 U	5 U	1 U	5 U			
1,3-Dichloropropane	NS	37	370	---	---	---	---			
1,4-Dichlorobenzene	75	NA	NA	1 U	5 U	1 U	5 U			
2,2-Dichloropropane	NS	NS	NS	---	---	---	---			
2-Chloroethyl vinyl ether	NS	NS	NS	---	---	---	---			
4-Chlorotoluene	NS	NS	NS	---	---	---	---			
Allyl chloride	NS	0.21	2.1	---	---	---	---			
beta-Chloroprene	NS	NS	NS	---	---	---	---			
Bromobenzene	NS	6.2	62	---	---	---	---			
Bromodichloromethane	80	NA	NA	1 U	5 U	1 U	5 U			
Bromoform	80	NA	NA	5 U	25 U	5 U	25 U			
Carbon tetrachloride	5	NA	NA	1 U	5 U	1 U	5 U			
Chlorobenzene	100	NA	NA	1 U	5 U	1 U	5 U			
Chlorobromomethane	NS	8.3	83	1 U	5 U	1 U	5 U			
Chloroethane	NS	2100	21000	1 U	5 U	1 U	5 U			
Chloroform	80	NA	NA	1 U	5 U	1 U	5 U			
cis-1,2-Dichloroethene	70	NA	NA	1 U	5 U	1 U	5 U			
cis-1,3-Dichloropropene	NS	0.47	0.47	1 U	5 U	1 U	5 U			
cis-1,4-Dichloro-2-butene	NS	0.0013	0.00130	---	---	---	---			
Dibromochloromethane	80	NA	NA	1 U	5 U	1 U	5 U			
Dibromomethane	NS	NS	NS	---	---	---	---			
Dichlorodifluoromethane (Freon 12)	NS	20	0.87	1 U	5 U	1 U	5 U			
Ethylene dibromide	0.05	NA	NA	1 U	5 U	1 U	5 U			
Methyl bromide	NS	0.75	7.5	1 U	5 U	1 U	5 U			
Methyl chloride	NS	19	190	1 U	5 U	1 U	5 U			
Methyl iodide	NS	NS	NS	---	---	---	---			
Methylene chloride	5	NA	NA	1 U	5 U	1 U	5 U			
o-Chlorotoluene (2-chlorotoluene)	NS	NS	NS	---	---	---	---			
Tetrachloroethane	5	NA	NA	1 U	5 U	1 U	5 U			
trans-1,2-Dichloroethene	100	NA	NA	1 U	5 U	1 U	5 U			
trans-1,3-Dichloropropene	NS	0.47	0.47	1 U	5 U	1 U	5 U			
trans-1,4-Dichlorobutene	NS	0.0013	0.013	---	---	---	---			
Trichloroethene	5	NA	NA	1 U	5 U	1 U	5 U			
Trichlorofluoromethane (Freon 11)	NS	520	5200	5 U	25 U	5 U	25 U			
Vinyl chloride	2	NA	NA	1 U	5 U	1 U	5 U			
<b>Petroleum Volatile Organic Compounds (µg/L)</b>										
1,2,4-Trimethylbenzene	NS	5.6	56	1300	1200	1100	1200	820	670	370 J
1,3,5-Trimethylbenzene	NS	6	60	450	420	400	370	290	260	180
1,4-Dioxane	NS	0.46	0.46	---	500 U	100 U	500 U	---	---	100 U
2-Butanone	NS	560	5600	10 U	50 U	10 U	50 U	---	10 U	5.1 J
2-Hexanone	NS	3.8	38	10 U	50 U	10 U	50 U	---	10 U	10 U
4-Isopropyltoluene	NS	NS	NS	---	---	---	---	---	---	---
4-Methyl-2-pentanone	NS	630	6300	5 U	25 U	5 U	25 U	---	5 U	5 U
Acetone	NS	1400	14000	7.3 J	50 U	10 U	50 U	---	8.7 J	10 U
Acetonitrile	NS	13	130	---	---	---	---	---	---	---
Acrolein	NS	0.0042	0.042	---	---	---	---	---	---	---
Acrylonitrile	NS	0.052	0.52	---	---	---	---	---	---	---
Benzene	5	NA	NA	1 U	5 U	1 U	5 U	1 U	5.5	2.6
Carbon disulfide	NS	81	810	10 U	50 U	10 U	50 U	---	10 U	10 U
Cyclohexane	NS	1300	13000	10 U	50 U	10 U	50 U	---	10 U	10 U
Ethyl methacrylate	NS	63	630	---	---	---	---	---	---	---
Ethylbenzene	700	NA	NA	130	110	110	100	84	42	17
Isobutyl alcohol	NS	41	410	---	---	---	---	---	---	---
Isopropylbenzene (Cumene)	NS	45	450	62	46	65	43	38	31	13
m&p-Xylene <sup>x</sup>	10000	NA	NA	---	---	---	---	---	---	---
Methacrylonitrile	NS	0.19	1.9	---	---	---	---	---	---	---
Methyl acetate	NS	2000	20000	10 U	50 U	10 U	50 U	---	10 U	10 U
Methyl methacrylate	NS	140	1400	---	---	---	---	---	---	---
Methyl tert-butyl ether	NS	14	14	1 U	5 U	1 U	5 U	---	1 U	1 U
Methylcyclohexane <sup>c</sup>	NS	1300	13000	9.6 J	50 U	6.7 J	50 U	---	10	10 U
m&p-Xylene <sup>x</sup>	10000	NA	NA	520	610	570	600	---	230	110
Naphthalene	NS	0.17	0.17	480	440	430	440	340 J	280	98
n-Butylbenzene	NS	100	1000	---	---	---	---	---	---	---
n-Propylbenzene	NS	66	660	---	---	---	---	---	---	---
o-Xylene <sup>x</sup>	10000	NA	NA	380	490	420	450	---	160	90
Propionitrile	NS	NS	NS	---	---	---	---	---	---	---
sec-Butylbenzene	NS	200	2000	---	---	---	---	---	---	---
Styrene	100	NA	NA	1 U	5 U	1 U	5 U	---	1 U	1 U
tert-Butylbenzene	NS	69	690	---	---	---	---	---	---	---
Toluene	1000	NA	NA	170	160	150	130	99	26	4
Vinyl acetate	NS	41	410	---	---	---	---	---	---	---
Xylene, Total <sup>x</sup>	10000	NA	NA	---	---	---	---	---	---	---

**Table 2. Groundwater Monitoring Well Sample Results**  
**Volatile Organic Compounds**  
**Dresser Inc. Facility**  
**124 W. College Ave, Salisbury, Maryland**

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	L-36 12/11/2014 L-36 20.42	L-36 12/10/2015 L-36 22.04	L-36 5/6/2016 L-36 21.5	L-36 11/10/2016 L-36 20.64	L-37 12/11/2014 L-37 22.09	L-37 12/10/2015 L-37 22	L-37 5/6/2016 L-37 21.5
	MCL	RSL HQ = 0.1 <sup>2</sup>	RSL HQ = 1.0 <sup>2</sup>				
<b>Screening Criteria<sup>1</sup></b>							
<b>Chlorinated Volatile Organic Compounds (µg/L)</b>							
1,1,1,2-Tetrachloroethane	NS	0.57	5.7	---	---	---	---
1,1,1-Trichloroethane	200	NA	NA	1 U	1 U	1 U	10 U
1,1,2,2-Tetrachloroethane	NS	0.076	0.076	1 U	1 U	1 U	10 U
1,1,2-trichloro-1,2,2-trifluoroethane (Freon 113)	NS	1000	10000	1 U	1 U	1 U	10 U
1,1,2-Trichloroethane	5	NA	NA	1 U	1 U	1 U	10 U
1,1-Dichloroethane	NS	2.8	2.8	1 U	1 U	1 U	10 U
1,1-Dichloroethene	7	NA	NA	1 U	1 U	1 U	10 U
1,1-Dichloropropene	NS	NS	NS	---	---	---	---
1,2,3-Trichlorobenzene	NS	0.7	7	1 U	1 U	1 U	10 U
1,2,3-Trichloropropane	NS	0.00075	0.00075	---	---	---	---
1,2,4-Trichlorobenzene	70	NA	NA	1 U	1 U	1 U	10 U
1,2-Dibromo-3-chloropropane	0.2	NA	NA	10 U	10 U	10 U	100 U
1,2-Dibromoethane	0.005	NA	NA	---	---	---	---
1,2-Dichlorobenzene	600	NA	NA	1 U	1 U	1 U	10 U
1,2-Dichloroethane	5	NA	NA	1 U	1 U	1 U	10 U
1,2-Dichloroethene	70	NA	NA	---	---	---	---
1,2-Dichloropropane	5	NA	NA	1 U	1 U	1 U	10 U
1,3-Dichlorobenzene	NS	NS	NS	1 U	1 U	1 U	10 U
1,3-Dichloropropane	NS	37	370	---	---	---	---
1,4-Dichlorobenzene	75	NA	NA	1 U	1 U	1 U	10 U
2,2-Dichloropropane	NS	NS	NS	---	---	---	---
2-Chloroethyl vinyl ether	NS	NS	NS	---	---	---	---
4-Chlorotoluene	NS	NS	NS	---	---	---	---
Allyl chloride	NS	0.21	2.1	---	---	---	---
beta-Chloroprene	NS	NS	NS	---	---	---	---
Bromobenzene	NS	6.2	62	---	---	---	---
Bromodichloromethane	80	NA	NA	1 U	1 U	1 U	10 U
Bromoform	80	NA	NA	5 U	5 U	5 U	50 U
Carbon tetrachloride	5	NA	NA	1 U	1 U	1 U	10 U
Chlorobenzene	100	NA	NA	1 U	1 U	1 U	10 U
Chlorobromomethane	NS	8.3	83	1 U	1 U	1 U	10 U
Chloroethane	NS	2100	21000	1 U	1 U	1 U	10 U
Chloroform	80	NA	NA	1 U	1 U	1 U	10 U
cis-1,2-Dichloroethene	70	NA	NA	1 U	1 U	1 U	10 U
cis-1,3-Dichloropropene	NS	0.47	0.47	1 U	1 U	1 U	10 U
cis-1,4-Dichloro-2-butene	NS	0.0013	0.00130	---	---	---	---
Dibromochloromethane	80	NA	NA	1 U	1 U	1 U	10 U
Dibromomethane	NS	NS	NS	---	---	---	---
Dichlorodifluoromethane (Freon 12)	NS	20	0.87	1 U	1 U	1 U	10 U
Ethylene dibromide	0.05	NA	NA	1 U	1 U	1 U	10 U
Methyl bromide	NS	0.75	7.5	1 U	1 U	1 U	10 U
Methyl chloride	NS	19	190	1 U	1 U	1 U	10 U
Methyl iodide	NS	NS	NS	---	---	---	---
Methylene chloride	5	NA	NA	<b>0.62 J</b>	1 U	1 U	<b>0.54 J</b>
o-Chlorotoluene (2-chlorotoluene)	NS	NS	NS	---	---	---	---
Tetrachloroethane	5	NA	NA	1 U	1 U	1 U	10 U
trans-1,2-Dichloroethene	100	NA	NA	1 U	1 U	1 U	10 U
trans-1,3-Dichloropropene	NS	0.47	0.47	1 U	1 U	1 U	10 U
trans-1,4-Dichlorobutene	NS	0.0013	0.013	---	---	---	---
Trichloroethene	5	NA	NA	1 U	1 U	1 U	10 U
Trichlorofluoromethane (Freon 11)	NS	520	5200	5 U	5 U	5 U	50 U
Vinyl chloride	2	NA	NA	1 U	1 U	1 U	10 U
<b>Petroleum Volatile Organic Compounds (µg/L)</b>							
1,2,4-Trimethylbenzene	NS	5.6	56	1 U	1 U	1 U	<b>52</b>
1,3,5-Trimethylbenzene	NS	6	60	1 U	1 U	1 U	<b>18</b>
1,4-Dioxane	NS	0.46	0.46	100 U	100 U	100 U	<b>42</b>
2-Butanone	NS	560	5600	10 U	10 U	10 U	<b>90</b>
2-Hexanone	NS	3.8	38	10 U	10 U	10 U	100 U
4-Isopropyltoluene	NS	NS	NS	---	---	---	---
4-Methyl-2-pentanone	NS	630	6300	5 U	5 U	5 U	50 U
Acetone	NS	1400	14000	10 U	10 U	10 U	100 U
Acetonitrile	NS	13	130	---	---	---	---
Acrolein	NS	0.0042	0.042	---	---	---	---
Acrylonitrile	NS	0.052	0.52	---	---	---	---
Benzene	5	NA	NA	1 U	1 U	1 U	<b>1.9</b>
Carbon disulfide	NS	81	810	10 U	10 U	10 U	<b>3.8</b>
Cyclohexane	NS	1300	13000	10 U	10 U	10 U	<b>7.9 J</b>
Ethyl methacrylate	NS	63	630	---	---	---	---
Ethylbenzene	700	NA	NA	1 U	1 U	1 U	<b>8.7</b>
Isobutyl alcohol	NS	41	410	---	---	---	<b>27</b>
Isopropylbenzene (Cumene)	NS	45	450	1 U	1 U	1 U	<b>63</b>
m&p-Xylene <sup>x</sup>	10000	NA	NA	---	---	---	<b>3.6</b>
Methacrylonitrile	NS	0.19	1.9	---	---	---	<b>9.5</b>
Methyl acetate	NS	2000	20000	10 U	10 U	10 U	<b>21</b>
Methyl methacrylate	NS	140	1400	---	---	---	---
Methyl tert-butyl ether	NS	14	14	1 U	1 U	1 U	10 U
Methylcyclohexane <sup>c</sup>	NS	1300	13000	10 U	10 U	10 U	100 U
m&p-Xylene <sup>x</sup>	10000	NA	NA	2 U	2 U	2 U	<b>17</b>
Naphthalene	NS	0.17	0.17	1 U	1 U	1 U	<b>37</b>
n-Butylbenzene	NS	100	1000	---	---	---	<b>170</b>
n-Propylbenzene	NS	66	660	---	---	---	---
o-Xylene <sup>x</sup>	10000	NA	NA	1 U	1 U	1 U	<b>23</b>
Propionitrile	NS	NS	NS	---	---	---	<b>72</b>
sec-Butylbenzene	NS	200	2000	---	---	---	<b>180</b>
Styrene	100	NA	NA	1 U	1 U	1 U	10 U
tert-Butylbenzene	NS	69	690	---	---	---	---
Toluene	1000	NA	NA	1 U	1 U	1 U	<b>1.1</b>
Vinyl acetate	NS	41	410	---	---	---	<b>2.9</b>
Xylene, Total <sup>x</sup>	10000	NA	NA	---	---	---	<b>20</b>

**Table 2. Groundwater Monitoring Well Sample Results**  
**Volatile Organic Compounds**  
**Dresser Inc. Facility**  
**124 W. College Ave, Salisbury, Maryland**

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	L-37	L-38	L-38	L-38	L-38	L-38	L-38	L-39		
	11/10/2016 L-37 20.48	12/13/2013 L-38 21.6	12/11/2014 L-38 22.59	12/10/2015 L-38 22	5/5/2016 L-38 22	11/9/2016 L-38 20.74	12/13/2013 L-39 21.4			
<b>Screening Criteria<sup>1</sup></b>	<b>MCL</b>	<b>RSL HQ = 0.1<sup>2</sup></b>	<b>RSL HQ = 1.0<sup>2</sup></b>							
<b>Chlorinated Volatile Organic Compounds (µg/L)</b>										
1,1,1,2-Tetrachloroethane	NS	0.57	5.7	---	---	---	---	---	---	
1,1,1-Trichloroethane	200	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	
1,1,2,2-Tetrachloroethane	NS	0.076	0.076	1 U	1 U	1 U	1 U	1 U	1 U	
1,1,2-trichloro-1,2,2-trifluoroethane (Freon 113)	NS	1000	10000	1 U	1 U	1 U	1 U	1 U	1 U	
1,1,2-Trichloroethane	5	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	
1,1-Dichloroethane	NS	2.8	2.8	1 U	1 U	1 U	1 U	1 U	1 U	
1,1-Dichloroethene	7	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	
1,1-Dichloropropene	NS	NS	NS	---	---	---	---	---	---	
1,2,3-Trichlorobenzene	NS	0.7	7	1 U	1 U	1 U	1 U	1 U	1 U	
1,2,3-Trichloropropane	NS	0.00075	0.00075	---	---	---	---	---	---	
1,2,4-Trichlorobenzene	70	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	
1,2-Dibromo-3-chloropropane	0.2	NA	NA	10 U	10 U	10 U	10 U	10 U	10 U	
1,2-Dibromoethane	0.005	NA	NA	---	---	---	---	---	---	
1,2-Dichlorobenzene	600	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	
1,2-Dichloroethane	5	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	
1,2-Dichloroethene	70	NA	NA	---	---	---	---	---	---	
1,2-Dichloropropane	5	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	
1,3-Dichlorobenzene	NS	NS	NS	1 U	1 U	1 U	1 U	1 U	1 U	
1,3-Dichloropropane	NS	37	370	---	---	---	---	---	---	
1,4-Dichlorobenzene	75	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	
2,2-Dichloropropane	NS	NS	NS	---	---	---	---	---	---	
2-Chloroethyl vinyl ether	NS	NS	NS	---	---	---	---	---	---	
4-Chlorotoluene	NS	NS	NS	---	---	---	---	---	---	
Allyl chloride	NS	0.21	2.1	---	---	---	---	---	---	
beta-Chloroprene	NS	NS	NS	---	---	---	---	---	---	
Bromobenzene	NS	6.2	62	---	---	---	---	---	---	
Bromodichloromethane	80	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	
Bromoform	80	NA	NA	5 U	5 U	5 U	5 U	5 U	5 U	
Carbon tetrachloride	5	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	
Chlorobenzene	100	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	
Chlorobromomethane	NS	8.3	83	1 U	1 U	1 U	1 U	1 U	1 U	
Chloroethane	NS	2100	21000	1 U	1 U	1 U	1 U	1 U	1 U	
Chloroform	80	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	
cis-1,2-Dichloroethene	70	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	
cis-1,3-Dichloropropene	NS	0.47	0.47	1 U	1 U	1 U	1 U	1 U	1 U	
cis-1,4-Dichloro-2-butene	NS	0.0013	0.00130	---	---	---	---	---	---	
Dibromochloromethane	80	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	
Dibromomethane	NS	NS	NS	---	---	---	---	---	---	
Dichlorodifluoromethane (Freon 12)	NS	20	0.87	1 U	1 U	1 U	1 U	1 U	1 U	
Ethylene dibromide	0.05	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	
Methyl bromide	NS	0.75	7.5	1 U	1 U	1 U	1 U	1 U	1 U	
Methyl chloride	NS	19	190	1 U	1 U	1 U	1 U	1 U	1 U	
Methyl iodide	NS	NS	NS	---	---	---	---	---	---	
Methylene chloride	5	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	
o-Chlorotoluene (2-chlorotoluene)	NS	NS	NS	---	---	---	---	---	---	
Tetrachloroethene	5	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	
trans-1,2-Dichloroethene	100	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	
trans-1,3-Dichloropropene	NS	0.47	0.47	1 U	1 U	1 U	1 U	1 U	1 U	
trans-1,4-Dichlorobutene	NS	0.0013	0.013	---	---	---	---	---	---	
Trichloroethene	5	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	
Trichlorofluoromethane (Freon 11)	NS	520	5200	5 U	5 U	5 U	5 U	5 U	5 U	
Vinyl chloride	2	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	
<b>Petroleum Volatile Organic Compounds (µg/L)</b>										
1,2,4-Trimethylbenzene	NS	5.6	56	180	200	340	58	230	40	250
1,3,5-Trimethylbenzene	NS	6	60	41	86	230	28	100	19	140
1,4-Dioxane	NS	0.46	0.46	100 U	---	100 U	100 U	100 U	100 U	---
2-Butanone	NS	560	5600	9.9 J	10 U	10 U	10 U	10 U	10 U	10 U
2-Hexanone	NS	3.8	38	10 U	10 U	10 U	10 U	10 U	10 U	10 U
4-Isopropyltoluene	NS	NS	NS	---	---	---	---	---	---	---
4-Methyl-2-pentanone	NS	630	6300	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Acetone	NS	1400	14000	34	10 U	10 U	10 U	10 U	10 U	10 U
Acetonitrile	NS	13	130	---	---	---	---	---	---	---
Acrolein	NS	0.0042	0.042	---	---	---	---	---	---	---
Acrylonitrile	NS	0.052	0.52	---	---	---	---	---	---	---
Benzene	5	NA	NA	5.4	1 U	1 U	1 U	1 U	1 U	5.3
Carbon disulfide	NS	81	810	10 U	10 U	10 U	10 U	10 U	10 U	10 U
Cyclohexane	NS	1300	13000	10 U	10 U	10 U	10 U	10 U	10 U	10 U
Ethyl methacrylate	NS	63	630	---	---	---	---	---	---	---
Ethylbenzene	700	NA	NA	37	11	22	2.3	13	1.3	50
Isobutyl alcohol	NS	41	410	---	---	---	---	---	---	---
Isopropylbenzene (Cumene)	NS	45	450	12	14	33	4.8	18	3.1	56
m&p-Xylene <sup>x</sup>	10000	NA	NA	---	---	---	---	---	---	---
Methacrylonitrile	NS	0.19	1.9	---	---	---	---	---	---	---
Methyl acetate	NS	2000	20000	10 U	10 U	10 U	10 U	10 U	10 U	10 U
Methyl methacrylate	NS	140	1400	---	---	---	---	---	---	---
Methyl tert-butyl ether	NS	14	14	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Methylcyclohexane <sup>c</sup>	NS	1300	13000	10 U	10 U	5.4 J	10 U	10 U	10 U	10 U
m&p-Xylene <sup>x</sup>	10000	NA	NA	93	28	47	6.2	48	3.9	86
Naphthalene	NS	0.17	0.17	130	45	150	17	73	12	140
n-Butylbenzene	NS	100	1000	---	---	---	---	---	---	---
n-Propylbenzene	NS	66	660	---	---	---	---	---	---	---
o-Xylene <sup>x</sup>	10000	NA	NA	140	14	17	0.84 J	20	0.7 J	52
Propionitrile	NS	NS	NS	---	---	---	---	---	---	---
sec-Butylbenzene	NS	200	2000	---	---	---	---	---	---	---
Styrene	100	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U
tert-Butylbenzene	NS	69	690	---	---	---	---	---	---	---
Toluene	1000	NA	NA	5.6	1 U	1 U	1 U	1 U	1 U	7.4
Vinyl acetate	NS	41	410	---	---	---	---	---	---	---
Xylene, Total <sup>x</sup>	10000	NA	NA	---	---	---	---	---	---	---

**Table 2. Groundwater Monitoring Well Sample Results**  
**Volatile Organic Compounds**  
**Dresser Inc. Facility**  
**124 W. College Ave, Salisbury, Maryland**

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	L-39	L-39	L-39	L-39	L-39	TB-MW-1	TB-MW-1
	12/11/2014 L-39 22.47	12/10/2015 L-39 22	5/5/2016 L-39 22	11/9/2016 L-39 20.57	3/23/2018 L-39 21.1	9/11/2003 TB-MW-1 TT	3/30/2006 TB-MW-1 23.04
<b>Screening Criteria<sup>1</sup></b>	<b>MCL</b>	<b>RSL HQ = 0.1<sup>2</sup></b>	<b>RSL HQ = 1.0<sup>2</sup></b>				
<b>Chlorinated Volatile Organic Compounds (µg/L)</b>							
1,1,1,2-Tetrachloroethane	NS	0.57	5.7	---	---	---	---
1,1,1-Trichloroethane	200	NA	NA	1 U	1 U	1 U	1 U
1,1,2,2-Tetrachloroethane	NS	0.076	0.076	1 U	1 U	1 U	1 U
1,1,2-trichloro-1,2,2-trifluoroethane (Freon 113)	NS	1000	10000	1 U	1 U	1 U	1 U
1,1,2-Trichloroethane	5	NA	NA	1 U	1 U	1 U	1 U
1,1-Dichloroethane	NS	2.8	2.8	1 U	1 U	1 U	1 U
1,1-Dichloroethene	7	NA	NA	1 U	1 U	1 U	1 U
1,1-Dichloropropene	NS	NS	NS	---	---	---	---
1,2,3-Trichlorobenzene	NS	0.7	7	1 U	1 U	1 U	1 U
1,2,3-Trichloropropane	NS	0.00075	0.00075	---	---	---	---
1,2,4-Trichlorobenzene	70	NA	NA	1 U	1 U	1 U	1 U
1,2-Dibromo-3-chloropropane	0.2	NA	NA	10 U	10 U	10 U	10 U
1,2-Dibromoethane	0.005	NA	NA	---	---	---	---
1,2-Dichlorobenzene	600	NA	NA	1 U	1 U	1 U	1 U
1,2-Dichloroethane	5	NA	NA	1 U	1 U	1 U	1 U
1,2-Dichloroethene	70	NA	NA	---	---	---	---
1,2-Dichloropropane	5	NA	NA	1 U	1 U	1 U	1 U
1,3-Dichlorobenzene	NS	NS	NS	1 U	1 U	1 U	1 U
1,3-Dichloropropane	NS	37	370	---	---	---	---
1,4-Dichlorobenzene	75	NA	NA	1 U	1 U	1 U	1 U
2,2-Dichloropropane	NS	NS	NS	---	---	---	---
2-Chloroethyl vinyl ether	NS	NS	NS	---	---	---	---
4-Chlorotoluene	NS	NS	NS	---	---	---	---
Allyl chloride	NS	0.21	2.1	---	---	---	---
beta-Chloroprene	NS	NS	NS	---	---	---	---
Bromobenzene	NS	6.2	62	---	---	---	---
Bromodichloromethane	80	NA	NA	1 U	1 U	1 U	1 U
Bromoform	80	NA	NA	5 U	5 U	5 U	5 U
Carbon tetrachloride	5	NA	NA	1 U	1 U	1 U	1 U
Chlorobenzene	100	NA	NA	1 U	1 U	1 U	1 U
Chlorobromomethane	NS	8.3	83	1 U	1 U	1 U	1 U
Chloroethane	NS	2100	21000	1 U	1 U	1 U	1 U
Chloroform	80	NA	NA	1 U	1 U	1 U	1 U
cis-1,2-Dichloroethene	70	NA	NA	1 U	1 U	1 U	1 U
cis-1,3-Dichloropropene	NS	0.47	0.47	1 U	1 U	1 U	1 U
cis-1,4-Dichloro-2-butene	NS	0.0013	0.00130	---	---	---	---
Dibromochloromethane	80	NA	NA	1 U	1 U	1 U	1 U
Dibromomethane	NS	NS	NS	---	---	---	---
Dichlorodifluoromethane (Freon 12)	NS	20	0.87	1 U	1 U	1 U	1 U
Ethylene dibromide	0.05	NA	NA	1 U	1 U	1 U	1 U
Methyl bromide	NS	0.75	7.5	1 U	1 U	1 U	1 U
Methyl chloride	NS	19	190	1 U	1 U	1 U	1 U
Methyl iodide	NS	NS	NS	---	---	---	---
Methylene chloride	5	NA	NA	1 U	1 U	1 U	1 U
o-Chlorotoluene (2-chlorotoluene)	NS	NS	NS	---	---	---	---
Tetrachloroethane	5	NA	NA	1 U	1 U	1 U	1 U
trans-1,2-Dichloroethene	100	NA	NA	1 U	1 U	1 U	1 U
trans-1,3-Dichloropropene	NS	0.47	0.47	1 U	1 U	1 U	1 U
trans-1,4-Dichlorobutene	NS	0.0013	0.013	---	---	---	---
Trichloroethene	5	NA	NA	1 U	1 U	1 U	1 U
Trichlorofluoromethane (Freon 11)	NS	520	5200	5 U	5 U	5 U	5 U
Vinyl chloride	2	NA	NA	1 U	1 U	1 U	1 U
<b>Petroleum Volatile Organic Compounds (µg/L)</b>							
1,2,4-Trimethylbenzene	NS	5.6	56	480	130	2.7	85
1,3,5-Trimethylbenzene	NS	6	60	180	66	1	110
1,4-Dioxane	NS	0.46	0.46	100 U	100 U	100 U	100 U
2-Butanone	NS	560	5600	10 U	10 U	10 U	10 U
2-Hexanone	NS	3.8	38	10 U	10 U	10 U	10 U
4-Isopropyltoluene	NS	NS	NS	---	---	---	---
4-Methyl-2-pentanone	NS	630	6300	5 U	5 U	5 U	5 U
Acetone	NS	1400	14000	5.3 J	10 U	10 U	6.4 J
Acetonitrile	NS	13	130	---	---	---	---
Acrolein	NS	0.0042	0.042	---	---	---	---
Acrylonitrile	NS	0.052	0.52	---	---	---	---
Benzene	5	NA	NA	6.9	1.7	3.5	1 U
Carbon disulfide	NS	81	810	10 U	10 U	10 U	10 U
Cyclohexane	NS	1300	13000	10 U	10 U	10 U	10 U
Ethyl methacrylate	NS	63	630	---	---	---	---
Ethylbenzene	700	NA	NA	93	18	1 U	27
Isobutyl alcohol	NS	41	410	---	---	---	---
Isopropylbenzene (Cumene)	NS	45	450	48	39	21	21
m&p-Xylene <sup>x</sup>	10000	NA	NA	---	---	---	---
Methacrylonitrile	NS	0.19	1.9	---	---	---	---
Methyl acetate	NS	2000	20000	10 U	10 U	10 U	10 U
Methyl methacrylate	NS	140	1400	---	---	---	---
Methyl tert-butyl ether	NS	14	14	1 U	1 U	1 U	1 U
Methylcyclohexane <sup>c</sup>	NS	1300	13000	10 U	10 U	10 U	10 U
m&p-Xylene <sup>x</sup>	10000	NA	NA	180	37	2 U	13
Naphthalene	NS	0.17	0.17	170	230	210	140
n-Butylbenzene	NS	100	1000	---	---	---	---
n-Propylbenzene	NS	66	660	---	---	---	---
o-Xylene <sup>x</sup>	10000	NA	NA	110	28	1 U	22
Propionitrile	NS	NS	NS	---	---	---	---
sec-Butylbenzene	NS	200	2000	---	---	---	---
Styrene	100	NA	NA	1 U	1 U	1 U	1 U
tert-Butylbenzene	NS	69	690	---	---	---	---
Toluene	1000	NA	NA	13	2.5	1 U	2.3
Vinyl acetate	NS	41	410	---	---	---	---
Xylene, Total <sup>x</sup>	10000	NA	NA	---	---	---	---

**Table 2. Groundwater Monitoring Well Sample Results**  
**Volatile Organic Compounds**  
**Dresser Inc. Facility**  
**124 W. College Ave, Salisbury, Maryland**

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	TB-MW-1	TB-MW-1	TB-MW-1	TB-MW-1	TB-MW-1	TB-MW-1	TB-MW-1	TB-MW-1
	5/16/2007 TB-MW-1 28.04	11/20/2008 TB-MW-1 24.5	10/14/2010 TB-MW-1 23.16	11/2/2011 TB-MW-1 23.68	9/17/2012 TB-MW-1 25	4/26/2016 TB-MW-1 23	10/31/2016 TB-MW-1 22	
<b>Screening Criteria<sup>1</sup></b>	<b>MCL</b>	<b>RSL HQ = 0.1<sup>2</sup></b>	<b>RSL HQ = 1.0<sup>2</sup></b>					
<b>Chlorinated Volatile Organic Compounds (µg/L)</b>								
1,1,1,2-Tetrachloroethane	NS	0.57	5.7	---	---	---	---	---
1,1,1-Trichloroethane	200	NA	NA	1 U	1 U	1 U	1 U	1 U
1,1,2,2-Tetrachloroethane	NS	0.076	0.076	---	1 U	1 U	1 U	1 U
1,1,2-trichloro-1,2,2-trifluoroethane (Freon 113)	NS	1000	10000	---	1 U	1 U	1 U	1 U
1,1,2-Trichloroethane	5	NA	NA	1 U	1 U	1 U	1 U	1 U
1,1-Dichloroethane	NS	2.8	2.8	1 U	1 U	1 U	1 U	1 U
1,1-Dichloroethene	7	NA	NA	1 U	1 U	1 U	1 U	1 U
1,1-Dichloropropene	NS	NS	NS	---	---	---	---	---
1,2,3-Trichlorobenzene	NS	0.7	7	---	1 U	1 U	1 U	1 U
1,2,3-Trichloropropane	NS	0.00075	0.00075	---	---	---	---	---
1,2,4-Trichlorobenzene	70	NA	NA	1 U	1 U	1 U	1 U	1 U
1,2-Dibromo-3-chloropropane	0.2	NA	NA	---	10 U	10 U	10 U	10 U
1,2-Dibromoethane	0.005	NA	NA	---	---	---	---	---
1,2-Dichlorobenzene	600	NA	NA	---	1 U	1 U	1 U	1 U
1,2-Dichloroethane	5	NA	NA	1 U	1 U	1 U	1 U	1 U
1,2-Dichloroethene	70	NA	NA	---	---	---	---	---
1,2-Dichloropropane	5	NA	NA	---	1 U	1 U	1 U	1 U
1,3-Dichlorobenzene	NS	NS	NS	1 U	1 U	1 U	1 U	1 U
1,3-Dichloropropane	NS	37	370	---	---	---	---	---
1,4-Dichlorobenzene	75	NA	NA	---	1 U	1 U	1 U	1 U
2,2-Dichloropropane	NS	NS	NS	---	---	---	---	---
2-Chloroethyl vinyl ether	NS	NS	NS	---	---	---	---	---
4-Chlorotoluene	NS	NS	NS	---	---	---	---	---
Allyl chloride	NS	0.21	2.1	---	---	---	---	---
beta-Chloroprene	NS	NS	NS	---	---	---	---	---
Bromobenzene	NS	6.2	62	---	---	---	---	---
Bromodichloromethane	80	NA	NA	---	1 U	1 U	1 U	1 U
Bromoform	80	NA	NA	---	5 U	5 U	5 U	5 U
Carbon tetrachloride	5	NA	NA	---	1 U	1 U	1 U	1 U
Chlorobenzene	100	NA	NA	---	1 U	1 U	1 U	1 U
Chlorobromomethane	NS	8.3	83	---	1 U	1 U	1 U	1 U
Chloroethane	NS	2100	21000	---	1 U	1 U	1 U	1 U
Chloroform	80	NA	NA	---	1 U	1 U	1 U	1 U
cis-1,2-Dichloroethene	70	NA	NA	1 U	1 U	1 U	1 U	1 U
cis-1,3-Dichloropropene	NS	0.47	0.47	---	1 U	1 U	1 U	1 U
cis-1,4-Dichloro-2-butene	NS	0.0013	0.00130	---	---	---	---	---
Dibromochloromethane	80	NA	NA	---	1 U	1 U	1 U	1 U
Dibromomethane	NS	NS	NS	---	---	---	---	---
Dichlorodifluoromethane (Freon 12)	NS	20	0.87	---	1 U	1 U	1 U	1 U
Ethylene dibromide	0.05	NA	NA	---	1 U	1 U	1 U	1 U
Methyl bromide	NS	0.75	7.5	---	1 U	1 U	1 U	1 U
Methyl chloride	NS	19	190	1 U	1 U	1 U	1 U	1 U
Methyl iodide	NS	NS	NS	---	---	---	---	---
Methylene chloride	5	NA	NA	1 U	1 U	1 U	1 U	1 U
o-Chlorotoluene (2-chlorotoluene)	NS	NS	NS	---	---	---	---	---
Tetrachloroethene	5	NA	NA	1 U	1 U	0.6 J	1 U	1 U
trans-1,2-Dichloroethene	100	NA	NA	---	1 U	1 U	1 U	1 U
trans-1,3-Dichloropropene	NS	0.47	0.47	---	1 U	1 U	1 U	1 U
trans-1,4-Dichlorobutene	NS	0.0013	0.013	---	---	---	---	---
Trichloroethene	5	NA	NA	1 U	1 U	1 U	1 U	1 U
Trichlorofluoromethane (Freon 11)	NS	520	5200	5 U	5 U	5 U	5 U	5 U
Vinyl chloride	2	NA	NA	1 U	1 U	1 U	1 U	1 U
<b>Petroleum Volatile Organic Compounds (µg/L)</b>								
1,2,4-Trimethylbenzene	NS	5.6	56	---	---	1 U	---	1 U
1,3,5-Trimethylbenzene	NS	6	60	---	---	1 U	---	1 U
1,4-Dioxane	NS	0.46	0.46	---	---	---	---	100 U
2-Butanone	NS	560	5600	10 U	10 U	10 U	10 U	10 U
2-Hexanone	NS	3.8	38	---	10 U	10 U	10 U	10 U
4-Isopropyltoluene	NS	NS	NS	---	---	---	---	---
4-Methyl-2-pentanone	NS	630	6300	5 U	5 U	5 U	5 U	5 U
Acetone	NS	1400	14000	10 U	10 U	10 U	10 U	10 U
Acetonitrile	NS	13	130	---	---	---	---	---
Acrolein	NS	0.0042	0.042	---	---	---	---	---
Acrylonitrile	NS	0.052	0.52	---	---	---	---	---
Benzene	5	NA	NA	1 U	1 U	1 U	1 U	1 U
Carbon disulfide	NS	81	810	10 U	10 U	10 U	10 U	10 U
Cyclohexane	NS	1300	13000	10 U	10 U	10 U	10 U	10 U
Ethyl methacrylate	NS	63	630	---	---	---	---	---
Ethylbenzene	700	NA	NA	1 U	1 U	1 U	1 U	1 U
Isobutyl alcohol	NS	41	410	---	---	---	---	---
Isopropylbenzene (Cumene)	NS	45	450	1 U	1 U	1 U	1 U	1 U
m&p-Xylene <sup>x</sup>	10000	NA	NA	---	---	---	---	---
Methacrylonitrile	NS	0.19	1.9	---	---	---	---	---
Methyl acetate	NS	2000	20000	---	10 U	10 U	10 U	10 U
Methyl methacrylate	NS	140	1400	---	---	---	---	---
Methyl tert-butyl ether	NS	14	14	1 U	1 U	1 U	1 U	1 U
Methylcyclohexane <sup>c</sup>	NS	1300	13000	10 U	10 U	10 U	10 U	10 U
m&p-Xylene <sup>x</sup>	10000	NA	NA	2 U	2 U	2 U	2 U	2 U
Naphthalene	NS	0.17	0.17	1 U	1 U	1 U	1 U	1 U
n-Butylbenzene	NS	100	1000	---	---	---	---	---
n-Propylbenzene	NS	66	660	---	---	---	---	---
o-Xylene <sup>x</sup>	10000	NA	NA	1 U	1 U	1 U	1 U	1 U
Propionitrile	NS	NS	NS	---	---	---	---	---
sec-Butylbenzene	NS	200	2000	---	---	---	---	---
Styrene	100	NA	NA	---	1 U	1 U	1 U	1 U
tert-Butylbenzene	NS	69	690	---	---	---	---	---
Toluene	1000	NA	NA	1 U	1	1 U	1 U	1 U
Vinyl acetate	NS	41	410	---	---	---	---	---
Xylene, Total <sup>x</sup>	10000	NA	NA	1 U	---	---	---	---



**Table 2. Groundwater Monitoring Well Sample Results**  
**Volatile Organic Compounds**  
**Dresser Inc. Facility**  
**124 W. College Ave, Salisbury, Maryland**

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	TB-MW-1 3/19/2018 TB-MW-1 22.43	TB-MW-2 9/11/2003 TB-MW-2 TT	TB-MW-2 3/30/2006 TB-MW-2 25.08	TB-MW-2 5/16/2007 TB-MW-2 25.08	TB-MW-2 11/20/2008 TB-MW-2 25.4	TB-MW-2 10/14/2010 TB-MW-2 25.26	TB-MW-2 11/2/2011 TB-MW-2 26.48
	MCL	RSL HQ = 0.1 <sup>2</sup>	RSL HQ = 1.0 <sup>2</sup>				
<b>Screening Criteria<sup>1</sup></b>							
<b>Chlorinated Volatile Organic Compounds (µg/L)</b>							
1,1,1,2-Tetrachloroethane	NS	0.57	5.7	---	2 U	---	---
1,1,1-Trichloroethane	200	NA	NA	---	2 U	1 U	1 U
1,1,2,2-Tetrachloroethane	NS	0.076	0.076	---	2 U	---	1 U
1,1,2-trichloro-1,2,2-trifluoroethane (Freon 113)	NS	1000	10000	---	---	---	1 U
1,1,2-Trichloroethane	5	NA	NA	---	2 U	1 U	1 U
1,1-Dichloroethane	NS	2.8	2.8	---	2 U	1 U	1 U
1,1-Dichloroethene	7	NA	NA	---	2 U	1 U	1 U
1,1-Dichloropropene	NS	NS	NS	---	2 U	---	---
1,2,3-Trichlorobenzene	NS	0.7	7	---	2 U	---	1 U
1,2,3-Trichloropropane	NS	0.00075	0.00075	---	2 U	---	---
1,2,4-Trichlorobenzene	70	NA	NA	---	2 U	1 U	1 U
1,2-Dibromo-3-chloropropane	0.2	NA	NA	---	2 U	---	10 U
1,2-Dibromoethane	0.005	NA	NA	---	2 U	---	---
1,2-Dichlorobenzene	600	NA	NA	---	2 U	---	1 U
1,2-Dichloroethane	5	NA	NA	---	2 U	1 U	1 U
1,2-Dichloroethene	70	NA	NA	---	---	---	---
1,2-Dichloropropane	5	NA	NA	---	2 U	---	1 U
1,3-Dichlorobenzene	NS	NS	NS	---	2 U	1 U	1 U
1,3-Dichloropropane	NS	37	370	---	2 U	---	---
1,4-Dichlorobenzene	75	NA	NA	---	2 U	---	1 U
2,2-Dichloropropane	NS	NS	NS	---	2 U	---	---
2-Chloroethyl vinyl ether	NS	NS	NS	---	2 U	---	---
4-Chlorotoluene	NS	NS	NS	---	2 U	---	---
Allyl chloride	NS	0.21	2.1	---	---	---	---
beta-Chloroprene	NS	NS	NS	---	---	---	---
Bromobenzene	NS	6.2	62	---	2 U	---	---
Bromodichloromethane	80	NA	NA	---	2 U	---	1 U
Bromoform	80	NA	NA	---	2 U	---	5 U
Carbon tetrachloride	5	NA	NA	---	2 U	---	1 U
Chlorobenzene	100	NA	NA	---	2 U	---	1 U
Chlorobromomethane	NS	8.3	83	---	2 U	---	1 U
Chloroethane	NS	2100	21000	---	2 U	---	1 U
Chloroform	80	NA	NA	---	2 U	---	1 U
cis-1,2-Dichloroethene	70	NA	NA	1 U	2 U	1 U	1 U
cis-1,3-Dichloropropene	NS	0.47	0.47	---	2 U	---	1 U
cis-1,4-Dichloro-2-butene	NS	0.0013	0.00130	---	---	---	---
Dibromochloromethane	80	NA	NA	---	2 U	---	1 U
Dibromomethane	NS	NS	NS	---	2 U	---	---
Dichlorodifluoromethane (Freon 12)	NS	20	0.87	---	2 U	---	1 U
Ethylene dibromide	0.05	NA	NA	---	---	---	1 U
Methyl bromide	NS	0.75	7.5	---	2 U	---	1 U
Methyl chloride	NS	19	190	---	2 U	1 U	1 U
Methyl iodide	NS	NS	NS	---	2 U	---	---
Methylene chloride	5	NA	NA	---	2 U	5 U	1 U
o-Chlorotoluene (2-chlorotoluene)	NS	NS	NS	---	2 U	---	---
Tetrachloroethane	5	NA	NA	1 U	2 U	1 U	1 U
trans-1,2-Dichloroethene	100	NA	NA	---	2 U	---	1 U
trans-1,3-Dichloropropene	NS	0.47	0.47	---	2 U	---	1 U
trans-1,4-Dichlorobutene	NS	0.0013	0.013	---	2 U	---	---
Trichloroethene	5	NA	NA	1 U	2 U	1 U	1 U
Trichlorofluoromethane (Freon 11)	NS	520	5200	---	2 U	5 U	5 U
Vinyl chloride	2	NA	NA	1 U	2 U	5 U	1 U
<b>Petroleum Volatile Organic Compounds (µg/L)</b>							
1,2,4-Trimethylbenzene	NS	5.6	56	1 U	2 U	---	1 U
1,3,5-Trimethylbenzene	NS	6	60	1 U	2 U	---	1 U
1,4-Dioxane	NS	0.46	0.46	---	---	---	---
2-Butanone	NS	560	5600	---	10 U	5 U	10 U
2-Hexanone	NS	3.8	38	---	10 U	---	10 U
4-Isopropyltoluene	NS	NS	NS	---	2 U	---	---
4-Methyl-2-pentanone	NS	630	6300	---	10 U	5 U	5 U
Acetone	NS	1400	14000	---	10 U	5 U	10 U
Acetonitrile	NS	13	130	---	---	---	---
Acrolein	NS	0.0042	0.042	---	---	---	---
Acrylonitrile	NS	0.052	0.52	---	---	---	---
Benzene	5	NA	NA	1 U	2 U	1 U	1 U
Carbon disulfide	NS	81	810	---	2 U	10 U	10 U
Cyclohexane	NS	1300	13000	---	---	5 U	10 U
Ethyl methacrylate	NS	63	630	---	---	---	---
Ethylbenzene	700	NA	NA	1 U	2 U	1 U	1 U
Isobutyl alcohol	NS	41	410	---	---	---	---
Isopropylbenzene (Cumene)	NS	45	450	1 U	---	1 U	1 U
m&p-Xylene <sup>x</sup>	10000	NA	NA	---	---	---	---
Methacrylonitrile	NS	0.19	1.9	---	---	---	---
Methyl acetate	NS	2000	20000	---	---	---	10 U
Methyl methacrylate	NS	140	1400	---	---	---	---
Methyl tert-butyl ether	NS	14	14	---	1 U	1 U	1 U
Methylcyclohexane <sup>c</sup>	NS	1300	13000	---	---	5 U	10 U
m&p-Xylene <sup>x</sup>	10000	NA	NA	---	---	2 U	2 U
Naphthalene	NS	0.17	0.17	1 U	2 U	1 U	1 U
n-Butylbenzene	NS	100	1000	---	2 U	---	---
n-Propylbenzene	NS	66	660	---	2 U	---	---
o-Xylene <sup>x</sup>	10000	NA	NA	---	2 U	1 U	1 U
Propionitrile	NS	NS	NS	---	---	---	---
sec-Butylbenzene	NS	200	2000	---	2 U	---	---
Styrene	100	NA	NA	---	2 U	---	1 U
tert-Butylbenzene	NS	69	690	---	2 U	---	---
Toluene	1000	NA	NA	1 U	2 U	1 U	1 U
Vinyl acetate	NS	41	410	---	---	---	---
Xylene, Total <sup>x</sup>	10000	NA	NA	---	6 U	1 U	1 U

**Table 2. Groundwater Monitoring Well Sample Results**  
**Volatile Organic Compounds**  
**Dresser Inc. Facility**  
**124 W. College Ave, Salisbury, Maryland**

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	TB-MW-2	TB-MW-2	TB-MW-2	TB-MW-2	TB-MW-2	TB-MW-2	TB-MW-2	TB-MW-2
	9/17/2012 TB-MW-2 25	12/10/2013 TB-MW-2 20	12/10/2014 TB-MW-2 24.82	12/9/2015 TB-MW-2 25	4/26/2016 TB-MW-2 23.7	10/31/2016 TB-MW-2 22.5	3/19/2018 TB-MW-2 23.31	
<b>Screening Criteria<sup>1</sup></b>	<b>MCL</b>	<b>RSL HQ = 0.1<sup>2</sup></b>	<b>RSL HQ = 1.0<sup>2</sup></b>					
<b>Chlorinated Volatile Organic Compounds (µg/L)</b>								
1,1,1,2-Tetrachloroethane	NS	0.57	5.7	---	---	---	---	---
1,1,1-Trichloroethane	200	NA	NA	1 U	1 U	1 U	1 U	1 U
1,1,2,2-Tetrachloroethane	NS	0.076	0.076	1 U	1 U	1 U	1 U	1 U
1,1,2-trichloro-1,2,2-trifluoroethane (Freon 113)	NS	1000	10000	1 U	1 U	1 U	1 U	1 U
1,1,2-Trichloroethane	5	NA	NA	1 U	1 U	1 U	1 U	1 U
1,1-Dichloroethane	NS	2.8	2.8	1 U	1 U	1 U	1 U	1 U
1,1-Dichloroethene	7	NA	NA	1 U	1 U	1 U	1 U	1 U
1,1-Dichloropropene	NS	NS	NS	---	---	---	---	---
1,2,3-Trichlorobenzene	NS	0.7	7	1 U	1 U	1 U	1 U	1 U
1,2,3-Trichloropropane	NS	0.00075	0.00075	---	---	---	---	---
1,2,4-Trichlorobenzene	70	NA	NA	1 U	1 U	1 U	1 U	1 U
1,2-Dibromo-3-chloropropane	0.2	NA	NA	10 U	10 U	10 U	10 U	10 U
1,2-Dibromoethane	0.005	NA	NA	---	---	---	---	---
1,2-Dichlorobenzene	600	NA	NA	1 U	1 U	1 U	1 U	1 U
1,2-Dichloroethane	5	NA	NA	1 U	1 U	1 U	1 U	1 U
1,2-Dichloroethene	70	NA	NA	---	---	---	---	---
1,2-Dichloropropane	5	NA	NA	1 U	1 U	1 U	1 U	1 U
1,3-Dichlorobenzene	NS	NS	NS	1 U	1 U	1 U	1 U	1 U
1,3-Dichloropropane	NS	37	370	---	---	---	---	---
1,4-Dichlorobenzene	75	NA	NA	1 U	1 U	1 U	1 U	1 U
2,2-Dichloropropane	NS	NS	NS	---	---	---	---	---
2-Chloroethyl vinyl ether	NS	NS	NS	---	---	---	---	---
4-Chlorotoluene	NS	NS	NS	---	---	---	---	---
Allyl chloride	NS	0.21	2.1	---	---	---	---	---
beta-Chloroprene	NS	NS	NS	---	---	---	---	---
Bromobenzene	NS	6.2	62	---	---	---	---	---
Bromodichloromethane	80	NA	NA	1 U	1 U	1 U	1 U	1 U
Bromoform	80	NA	NA	5 U	5 U	5 U	5 U	5 U
Carbon tetrachloride	5	NA	NA	1 U	1 U	1 U	1 U	1 U
Chlorobenzene	100	NA	NA	1 U	1 U	1 U	1 U	1 U
Chlorobromomethane	NS	8.3	83	1 U	1 U	1 U	1 U	1 U
Chloroethane	NS	2100	21000	1 U	1 U	1 U	1 U	1 U
Chloroform	80	NA	NA	1 U	1 U	1 U	1 U	1 U
cis-1,2-Dichloroethene	70	NA	NA	1 U	1 U	1 U	1 U	1 U
cis-1,3-Dichloropropene	NS	0.47	0.47	1 U	1 U	1 U	1 U	1 U
cis-1,4-Dichloro-2-butene	NS	0.0013	0.00130	---	---	---	---	---
Dibromochloromethane	80	NA	NA	1 U	1 U	1 U	1 U	1 U
Dibromomethane	NS	NS	NS	---	---	---	---	---
Dichlorodifluoromethane (Freon 12)	NS	20	0.87	1 U	1 U	1 U	1 U	1 U
Ethylene dibromide	0.05	NA	NA	1 U	1 U	1 U	1 U	1 U
Methyl bromide	NS	0.75	7.5	1 U	1 U	1 U	1 U	1 U
Methyl chloride	NS	19	190	1 U	1 U	1 U	1 U	1 U
Methyl iodide	NS	NS	NS	---	---	---	---	---
Methylene chloride	5	NA	NA	1 U	1 U	1 U	1 U	1 U
o-Chlorotoluene (2-chlorotoluene)	NS	NS	NS	---	---	---	---	---
Tetrachloroethene	5	NA	NA	1 U	1 U	1 U	1 U	1 U
trans-1,2-Dichloroethene	100	NA	NA	1 U	1 U	1 U	1 U	1 U
trans-1,3-Dichloropropene	NS	0.47	0.47	1 U	1 U	1 U	1 U	1 U
trans-1,4-Dichlorobutene	NS	0.0013	0.013	---	---	---	---	---
Trichloroethene	5	NA	NA	1 U	1 U	1 U	1 U	1 U
Trichlorofluoromethane (Freon 11)	NS	520	5200	5 U	5 U	5 U	5 U	5 U
Vinyl chloride	2	NA	NA	1 U	1 U	1 U	1 U	1 U
<b>Petroleum Volatile Organic Compounds (µg/L)</b>								
1,2,4-Trimethylbenzene	NS	5.6	56	---	1 U	1 U	1 U	1 U
1,3,5-Trimethylbenzene	NS	6	60	---	1 U	1 U	1 U	1 U
1,4-Dioxane	NS	0.46	0.46	---	---	100 U	100 U	100 U
2-Butanone	NS	560	5600	10 U	10 U	10 U	10 U	10 U
2-Hexanone	NS	3.8	38	10 U	10 U	10 U	10 U	10 U
4-Isopropyltoluene	NS	NS	NS	---	---	---	---	---
4-Methyl-2-pentanone	NS	630	6300	5 U	5 U	5 U	5 U	5 U
Acetone	NS	1400	14000	10 U	10 U	10 U	10 U	10 U
Acetonitrile	NS	13	130	---	---	---	---	---
Acrolein	NS	0.0042	0.042	---	---	---	---	---
Acrylonitrile	NS	0.052	0.52	---	---	---	---	---
Benzene	5	NA	NA	1 U	1 U	1 U	1 U	1 U
Carbon disulfide	NS	81	810	10 U	10 U	10 U	10 U	10 U
Cyclohexane	NS	1300	13000	10 U	10 U	10 U	10 U	10 U
Ethyl methacrylate	NS	63	630	---	---	---	---	---
Ethylbenzene	700	NA	NA	1 U	1 U	1 U	1 U	1 U
Isobutyl alcohol	NS	41	410	---	---	---	---	---
Isopropylbenzene (Cumene)	NS	45	450	1 U	1 U	1 U	1 U	1 U
m&p-Xylene <sup>X</sup>	10000	NA	NA	---	---	---	---	---
Methacrylonitrile	NS	0.19	1.9	---	---	---	---	---
Methyl acetate	NS	2000	20000	10 U	10 U	10 U	10 U	10 U
Methyl methacrylate	NS	140	1400	---	---	---	---	---
Methyl tert-butyl ether	NS	14	14	1 U	1 U	1 U	1 U	1 U
Methylcyclohexane <sup>C</sup>	NS	1300	13000	10 U	10 U	10 U	10 U	10 U
m&p-Xylene <sup>X</sup>	10000	NA	NA	2 U	2 U	2 U	2 U	2 U
Naphthalene	NS	0.17	0.17	1 U	1 U	1 U	1 U	1 U
n-Butylbenzene	NS	100	1000	---	---	---	---	---
n-Propylbenzene	NS	66	660	---	---	---	---	---
o-Xylene <sup>X</sup>	10000	NA	NA	1 U	1 U	1 U	1 U	1 U
Propionitrile	NS	NS	NS	---	---	---	---	---
sec-Butylbenzene	NS	200	2000	---	---	---	---	---
Styrene	100	NA	NA	1 U	1 U	1 U	1 U	1 U
tert-Butylbenzene	NS	69	690	---	---	---	---	---
Toluene	1000	NA	NA	1 U	1 U	1 U	1 U	1 U
Vinyl acetate	NS	41	410	---	---	---	---	---
Xylene, Total <sup>X</sup>	10000	NA	NA	---	---	---	---	---

Table 2. Groundwater Monitoring Well Sample Results  
**Volatile Organic Compounds**  
 Dresser Inc. Facility  
 124 W. College Ave, Salisbury, Maryland

Sample ID	Location Sample Date Sample ID	Sample Depth (ft. bgs.)	Notes	TB-MW-3	TB-MW-3	TB-MW-3	TB-MW-3	TB-MW-3	TB-MW-3	TB-MW-3	
				9/11/2003 TB-MW-3	3/30/2006 TB-MW-3 23	5/16/2007 TB-MW-3 23	11/17/2008 TB-MW-3 20.3	10/15/2010 TB-MW-3 25.3	11/2/2011 TB-MW-3 25.8	9/20/2012 TB-MW-3 24.3	
<b>Screening Criteria<sup>1</sup></b>				MCL	RSL HQ = 0.1 <sup>2</sup>	RSL HQ = 1.0 <sup>2</sup>					
<b>Chlorinated Volatile Organic Compounds (µg/L)</b>											
1,1,1,2-Tetrachloroethane	NS	0.57	5.7	2 U	---	---	---	---	---	---	---
1,1,1-Trichloroethane	200	NA	NA	2 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,1,2,2-Tetrachloroethane	NS	0.076	0.076	2 U	---	---	1 U	1 U	1 U	1 U	1 U
1,1,2-trichloro-1,2,2-trifluoroethane (Freon 113)	NS	1000	10000	---	---	---	1 U	1 U	1 U	1 U	1 U
1,1,2-Trichloroethane	5	NA	NA	2 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,1-Dichloroethane	NS	2.8	2.8	2 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,1-Dichloroethene	7	NA	NA	2 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,1-Dichloropropene	NS	NS	NS	2 U	---	---	---	---	---	---	---
1,2,3-Trichlorobenzene	NS	0.7	7	2 U	---	---	1 U	1 U	1 U	1 U	1 U
1,2,3-Trichloropropane	NS	0.00075	0.00075	2 U	---	---	---	---	---	---	---
1,2,4-Trichlorobenzene	70	NA	NA	2 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,2-Dibromo-3-chloropropane	0.2	NA	NA	2 U	---	---	10 U	10 U	10 U	10 U	10 U
1,2-Dibromoethane	0.005	NA	NA	2 U	---	---	---	---	---	---	---
1,2-Dichlorobenzene	600	NA	NA	2 U	---	---	1 U	1 U	1 U	1 U	1 U
1,2-Dichloroethane	5	NA	NA	2 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,2-Dichloroethene	70	NA	NA	---	---	---	---	---	---	---	---
1,2-Dichloropropane	5	NA	NA	2 U	---	---	1 U	1 U	1 U	1 U	1 U
1,3-Dichlorobenzene	NS	NS	NS	2 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
1,3-Dichloropropane	NS	37	370	2 U	---	---	---	---	---	---	---
1,4-Dichlorobenzene	75	NA	NA	2 U	---	---	1 U	1 U	1 U	1 U	1 U
2,2-Dichloropropane	NS	NS	NS	2 U	---	---	---	---	---	---	---
2-Chloroethyl vinyl ether	NS	NS	NS	2 U	---	---	---	---	---	---	---
4-Chlorotoluene	NS	NS	NS	2 U	---	---	---	---	---	---	---
Allyl chloride	NS	0.21	2.1	---	---	---	---	---	---	---	---
beta-Chloroprene	NS	NS	NS	---	---	---	---	---	---	---	---
Bromobenzene	NS	6.2	62	2 U	---	---	---	---	---	---	---
Bromodichloromethane	80	NA	NA	2 U	---	---	1 U	1 U	1 U	1 U	1 U
Bromoform	80	NA	NA	2 U	---	---	5 U	5 U	5 U	5 U	5 U
Carbon tetrachloride	5	NA	NA	2 U	---	---	1 U	1 U	1 U	1 U	1 U
Chlorobenzene	100	NA	NA	2 U	---	---	1 U	1 U	1 U	1 U	1 U
Chlorobromomethane	NS	8.3	83	2 U	---	---	1 U	1 U	1 U	1 U	1 U
Chloroethane	NS	2100	21000	2 U	---	---	1 U	1 U	1 U	1 U	1 U
Chloroform	80	NA	NA	2 U	---	---	1 U	1 U	1 U	1 U	1 U
cis-1,2-Dichloroethene	70	NA	NA	2 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
cis-1,3-Dichloropropene	NS	0.47	0.47	2 U	---	---	1 U	1 U	1 U	1 U	1 U
cis-1,4-Dichloro-2-butene	NS	0.0013	0.00130	---	---	---	---	---	---	---	---
Dibromochloromethane	80	NA	NA	2 U	---	---	1 U	1 U	1 U	1 U	1 U
Dibromomethane	NS	NS	NS	2 U	---	---	---	---	---	---	---
Dichlorodifluoromethane (Freon 12)	NS	20	0.87	2 U	---	---	1 U	1 U	1 U	1 U	1 U
Ethylene dibromide	0.05	NA	NA	---	---	---	1 U	1 U	1 U	1 U	1 U
Methyl bromide	NS	0.75	7.5	2 U	---	---	1 U	1 U	1 U	1 U	1 U
Methyl chloride	NS	19	190	2 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Methyl iodide	NS	NS	NS	2 U	---	---	---	---	---	---	---
Methylene chloride	5	NA	NA	2 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U
o-Chlorotoluene (2-chlorotoluene)	NS	NS	NS	2 U	---	---	---	---	---	---	---
Tetrachloroethene	5	NA	NA	2 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
trans-1,2-Dichloroethene	100	NA	NA	2 U	---	---	1 U	1 U	1 U	1 U	1 U
trans-1,3-Dichloropropene	NS	0.47	0.47	2 U	---	---	1 U	1 U	1 U	1 U	1 U
trans-1,4-Dichlorobutene	NS	0.0013	0.013	2 U	---	---	---	---	---	---	---
Trichloroethene	5	NA	NA	2 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Trichlorofluoromethane (Freon 11)	NS	520	5200	2 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Vinyl chloride	2	NA	NA	2 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U
<b>Petroleum Volatile Organic Compounds (µg/L)</b>											
1,2,4-Trimethylbenzene	NS	5.6	56	2 U	---	---	---	1 U	---	---	---
1,3,5-Trimethylbenzene	NS	6	60	2 U	---	---	---	1 U	---	---	---
1,4-Dioxane	NS	0.46	0.46	---	---	---	---	---	---	---	---
2-Butanone	NS	560	5600	10 U	5 U	10 U	10 U	10 U	10 U	10 U	10 U
2-Hexanone	NS	3.8	38	10 U	---	---	10 U	10 U	10 U	10 U	10 U
4-Isopropyltoluene	NS	NS	NS	2 U	---	---	---	---	---	---	---
4-Methyl-2-pentanone	NS	630	6300	10 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Acetone	NS	1400	14000	10 U	5 U	10 U	10 U	10 U	10 U	10 U	10 U
Acetonitrile	NS	13	130	---	---	---	---	---	---	---	---
Acrolein	NS	0.0042	0.042	---	---	---	---	---	---	---	---
Acrylonitrile	NS	0.052	0.52	---	---	---	---	---	---	---	---
Benzene	5	NA	NA	2 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Carbon disulfide	NS	81	810	2 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
Cyclohexane	NS	1300	13000	---	5 U	10 U	10 U	10 U	10 U	10 U	10 U
Ethyl methacrylate	NS	63	630	---	---	---	---	---	---	---	---
Ethylbenzene	700	NA	NA	2 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Isobutyl alcohol	NS	41	410	---	---	---	---	---	---	---	---
Isopropylbenzene (Cumene)	NS	45	450	---	1 U	1 U	1 U	1 U	1 U	1 U	1 U
m&p-Xylene <sup>x</sup>	10000	NA	NA	---	---	---	---	---	---	---	---
Methacrylonitrile	NS	0.19	1.9	---	---	---	---	---	---	---	---
Methyl acetate	NS	2000	20000	---	---	---	10 U	10 U	10 U	10 U	10 U
Methyl methacrylate	NS	140	1400	---	---	---	---	---	---	---	---
Methyl tert-butyl ether	NS	14	14	---	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Methylcyclohexane <sup>c</sup>	NS	1300	13000	---	5 U	10 U	10 U	10 U	10 U	10 U	10 U
m&p-Xylene <sup>x</sup>	10000	NA	NA	---	2 U	2 U	2 U	2 U	2 U	2 U	2 U
Naphthalene	NS	0.17	0.17	2 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
n-Butylbenzene	NS	100	1000	2 U	---	---	---	---	---	---	---
n-Propylbenzene	NS	66	660	2 U	---	---	---	---	---	---	---
o-Xylene <sup>x</sup>	10000	NA	NA	2 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Propionitrile	NS	NS	NS	---	---	---	---	---	---	---	---
sec-Butylbenzene	NS	200	2000	2 U	---	---	---	---	---	---	---
Styrene	100	NA	NA	2 U	---	---	1 U	1 U	1 U	1 U	1 U
tert-Butylbenzene	NS	69	690	2 U	---	---	---	---	---	---	---
Toluene	1000	NA	NA	2 U	1 U	1 U	1 U	1 U	1 U	1 U	0.77 J
Vinyl acetate	NS	41	410	---	---	---	---	---	---	---	---
Xylene, Total <sup>x</sup>	10000	NA	NA	6 U	1 U	1 U	---	---	---	---	---

**Table 2. Groundwater Monitoring Well Sample Results  
Volatile Organic Compounds  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

Sample ID	Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes			TB-MW-3 12/11/2013 TB-MW-3 MS/MSD 20	TB-MW-3 12/10/2014 TB-MW-3 24.4	TB-MW-3 12/9/2015 TB-MW-3 23	TB-MW-3 4/26/2016 TB-MW-3 23	TB-MW-3 11/1/2016 TB-MW-3 22.25	TB-MW-3 3/19/2018 TB-MW-3 22.62
	MCL	RSL HQ = 0.1 <sup>2</sup>	RSL HQ = 1.0 <sup>2</sup>						
<b>Screening Criteria<sup>1</sup></b>									
<b>Chlorinated Volatile Organic Compounds (µg/L)</b>									
1,1,1,2-Tetrachloroethane	NS	0.57	5.7	---	---	---	---	---	---
1,1,1-Trichloroethane	200	NA	NA	1 U	1 U	1 U	1 U	1 U	---
1,1,2,2-Tetrachloroethane	NS	0.076	0.076	1 U	1 U	1 U	1 U	1 U	---
1,1,2-trichloro-1,2,2-trifluoroethane (Freon 113)	NS	1000	10000	1 U	1 U	1 U	1 U	1 U	---
1,1,2-Trichloroethane	5	NA	NA	1 U	1 U	1 U	1 U	1 U	---
1,1-Dichloroethane	NS	2.8	2.8	1 U	1 U	1 U	1 U	1 U	---
1,1-Dichloroethene	7	NA	NA	1 U	1 U	1 U	1 U	1 U	---
1,1-Dichloropropene	NS	NS	NS	---	---	---	---	---	---
1,2,3-Trichlorobenzene	NS	0.7	7	1 U	1 U	1 U	1 U	1 U	---
1,2,3-Trichloropropane	NS	0.00075	0.00075	---	---	---	---	---	---
1,2,4-Trichlorobenzene	70	NA	NA	1 U	1 U	1 U	1 U	1 U	---
1,2-Dibromo-3-chloropropane	0.2	NA	NA	10 U	10 U	10 U	10 U	10 U	---
1,2-Dibromoethane	0.005	NA	NA	---	---	---	---	---	---
1,2-Dichlorobenzene	600	NA	NA	1 U	1 U	1 U	1 U	1 U	---
1,2-Dichloroethane	5	NA	NA	1 U	1 U	1 U	1 U	1 U	---
1,2-Dichloroethene	70	NA	NA	---	---	---	---	---	---
1,2-Dichloropropane	5	NA	NA	1 U	1 U	1 U	1 U	1 U	---
1,3-Dichlorobenzene	NS	NS	NS	1 U	1 U	1 U	1 U	1 U	---
1,3-Dichloropropane	NS	37	370	---	---	---	---	---	---
1,4-Dichlorobenzene	75	NA	NA	1 U	1 U	1 U	1 U	1 U	---
2,2-Dichloropropane	NS	NS	NS	---	---	---	---	---	---
2-Chloroethyl vinyl ether	NS	NS	NS	---	---	---	---	---	---
4-Chlorotoluene	NS	NS	NS	---	---	---	---	---	---
Allyl chloride	NS	0.21	2.1	---	---	---	---	---	---
beta-Chloroprene	NS	NS	NS	---	---	---	---	---	---
Bromobenzene	NS	6.2	62	---	---	---	---	---	---
Bromodichloromethane	80	NA	NA	1 U	1 U	1 U	1 U	1 U	---
Bromoform	80	NA	NA	5 U	5 U	5 U	5 U	5 U	---
Carbon tetrachloride	5	NA	NA	1 U	1 U	1 U	1 U	1 U	---
Chlorobenzene	100	NA	NA	1 U	1 U	1 U	1 U	1 U	---
Chlorobromomethane	NS	8.3	83	1 U	1 U	1 U	1 U	1 U	---
Chloroethane	NS	2100	21000	1 U	1 U	1 U	1 U	1 U	---
Chloroform	80	NA	NA	1 U	1 U	1 U	1 U	1 U	---
cis-1,2-Dichloroethene	70	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U
cis-1,3-Dichloropropene	NS	0.47	0.47	1 U	1 U	1 U	1 U	1 U	---
cis-1,4-Dichloro-2-butene	NS	0.0013	0.00130	---	---	---	---	---	---
Dibromochloromethane	80	NA	NA	1 U	1 U	1 U	1 U	1 U	---
Dibromomethane	NS	NS	NS	---	---	---	---	---	---
Dichlorodifluoromethane (Freon 12)	NS	20	0.87	1 U	1 U	1 U	1 U	1 U	---
Ethylene dibromide	0.05	NA	NA	1 U	1 U	1 U	1 U	1 U	---
Methyl bromide	NS	0.75	7.5	1 U	1 U	1 U	1 U	1 U	---
Methyl chloride	NS	19	190	1 U	1 U	1 U	1 U	1 U	---
Methyl iodide	NS	NS	NS	---	---	---	---	---	---
Methylene chloride	5	NA	NA	1 U	1 U	1 U	1 U	1 U	---
o-Chlorotoluene (2-chlorotoluene)	NS	NS	NS	---	---	---	---	---	---
Tetrachloroethane	5	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U
trans-1,2-Dichloroethene	100	NA	NA	1 U	1 U	1 U	1 U	1 U	---
trans-1,3-Dichloropropene	NS	0.47	0.47	1 U	1 U	1 U	1 U	1 U	---
trans-1,4-Dichlorobutene	NS	0.0013	0.013	---	---	---	---	---	---
Trichloroethene	5	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U
Trichlorofluoromethane (Freon 11)	NS	520	5200	5 U	5 U	5 U	5 U	5 U	---
Vinyl chloride	2	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U
<b>Petroleum Volatile Organic Compounds (µg/L)</b>									
1,2,4-Trimethylbenzene	NS	5.6	56	1 U	1 U	1 U	1 U	1 U	1 U
1,3,5-Trimethylbenzene	NS	6	60	1 U	1 U	1 U	1 U	1 U	1 U
1,4-Dioxane	NS	0.46	0.46	---	100 U	100 U	100 U	100 U	---
2-Butanone	NS	560	5600	10 U	10 U	10 U	10 U	10 U	---
2-Hexanone	NS	3.8	38	10 U	10 U	10 U	10 U	10 U	---
4-Isopropyltoluene	NS	NS	NS	---	---	---	---	---	---
4-Methyl-2-pentanone	NS	630	6300	5 U	5 U	5 U	5 U	5 U	---
Acetone	NS	1400	14000	10 U	10 U	10 U	10 U	10 U	---
Acetonitrile	NS	13	130	---	---	---	---	---	---
Acrolein	NS	0.0042	0.042	---	---	---	---	---	---
Acrylonitrile	NS	0.052	0.52	---	---	---	---	---	---
Benzene	5	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U
Carbon disulfide	NS	81	810	10 U	10 U	10 U	10 U	10 U	---
Cyclohexane	NS	1300	13000	10 U	10 U	10 U	10 U	10 U	---
Ethyl methacrylate	NS	63	630	---	---	---	---	---	---
Ethylbenzene	700	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U
Isobutyl alcohol	NS	41	410	---	---	---	---	---	---
Isopropylbenzene (Cumene)	NS	45	450	1 U	1 U	1 U	1 U	1 U	1 U
m&p-Xylene <sup>x</sup>	10000	NA	NA	---	---	---	---	---	---
Methacrylonitrile	NS	0.19	1.9	---	---	---	---	---	---
Methyl acetate	NS	2000	20000	10 U	10 U	10 U	10 U	10 U	---
Methyl methacrylate	NS	140	1400	---	---	---	---	---	---
Methyl tert-butyl ether	NS	14	14	1 U	1 U	1 U	1 U	1 U	---
Methylcyclohexane <sup>c</sup>	NS	1300	13000	10 U	10 U	10 U	10 U	10 U	---
m&p-Xylene <sup>x</sup>	10000	NA	NA	2 U	2 U	2 U	2 U	2 U	---
Naphthalene	NS	0.17	0.17	1 U	1 U	1 U	1 U	1 U	1 U
n-Butylbenzene	NS	100	1000	---	---	---	---	---	---
n-Propylbenzene	NS	66	660	---	---	---	---	---	---
o-Xylene <sup>x</sup>	10000	NA	NA	1 U	1 U	1 U	1 U	1 U	---
Propionitrile	NS	NS	NS	---	---	---	---	---	---
sec-Butylbenzene	NS	200	2000	---	---	---	---	---	---
Styrene	100	NA	NA	1 U	1 U	1 U	1 U	1 U	---
tert-Butylbenzene	NS	69	690	---	---	---	---	---	---
Toluene	1000	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U
Vinyl acetate	NS	41	410	---	---	---	---	---	---
Xylene, Total <sup>x</sup>	10000	NA	NA	---	---	---	---	---	---

**Table 2. Groundwater Monitoring Well Sample Results**  
**Volatile Organic Compounds**  
**Dresser Inc. Facility**  
**124 W. College Ave, Salisbury, Maryland**

**Notes:**

µg/L - Micrograms per liter

ft. bgs.: Feet below ground surface

NA: Not applicable because results are compared to another groundwater screening criterion.

NS: No standard exists for this analyte.

---: Sample not tested for specified analyte.

J: The reported concentration is an estimated value.

U: The target analyte was not detected at a concentration at or above the reporting limit. The value shown is the reporting limit.

USEPA - United States Environmental Protection Agency


MCL: Maximum contaminant levels as promulgated by USEPA. If MCL is shown shaded gray, the MCL was exceeded in at least one groundwater sample.


RSL: USEPA Regional Screening Level for Tap Water based on Summary Table (revised May 2018). If RSL is shown in bold outline and/or shaded light gray, the RSL was exceeded in at least one groundwater sample.


HQ - Hazard quotient

MS/MSD - Sample collected for matrix spike/matrix spike duplicate analysis.

**Bold Values** - The target analyte was detected at a concentration that exceeds its reporting limit.

 - The target analyte was detected at a concentration that exceeds its MCL.

 - The target analyte was detected at a concentration that exceeds an RSL for carcinogenic risk or a non-carcinogenic risk with an HQ = 0.1

 - The target analyte was detected at a concentration that exceeds an RSL for carcinogenic risk or a non-carcinogenic risk with an HQ = 1.0

<sup>1</sup>: Results were screened against MCLs, RSLs, or secondary MCLs. If an MCL was not available, then the results were screened against RSLs. If not MCL and RSL was available the result was screened against a secondary MCL

<sup>2</sup>: RSLs shown as the same value in both columns are based on carcinogenic risk.

<sup>x</sup>: MCL for total xylenes was used as the screening criteria for total xylenes and individual xylene isomers.

<sup>c</sup>: Methylcyclohexane is compared to the cyclohexane RSL as a surrogate screening level.

d: Duplicate sample of sample listed immediately to the left.

DS3: Monitoring well purged dry three times using submersible pump prior to sampling; the well did not fully recharge between pumping; approximately 1.5 well volumes were removed from the well prior to sampling.

MB: Monitoring well purged using a bailer; a minimum of three well volumes was removed from the well prior to sampling. Sample depth data not applicable.

PP: Monitoring well purged using a peristaltic pump; a minimum of three well volumes was removed from the well prior to sampling.

TT: Sample depth not available; samples collected by Tetra Tech EM, Inc.

m: Sample ID mislabeled in the field

ND: None detected

E: The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.

Volatile organic compounds analyzed using USEPA Method 8260B.

Table 3. Groundwater Monitoring Well Sample Results  
Tentatively Identified Compounds Identified by USEPA Method 8260  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-1	MW-1	MW-1	MW-1	MW-1	MW-1	MW-6	MW-6	MW-21	MW-21	MW-21	MW-21	MW-21
	12/12/2013 MW-1 27.3	12/9/2014 MW-1 25.61	12/9/2014 MW-1A 25.61 d	12/8/2015 MW-1 27	5/5/2016 MW-1 27	11/9/2016 MW-1 27	5/6/2016 MW-6 26	11/10/2016 MW-6 24.33	12/12/2013 MW-21 22.1	12/12/2013 MW-21A 22.1 d	12/11/2014 MW-21 23.3	12/10/2015 MW-21 23	5/5/2016 MW-21 23
Screening Criteria <sup>1</sup>	MCL	RSL HQ = 0.1	RSL HQ = 1.0										
<i>Tentatively Identified Compounds (µg/L)*</i>													
(Z)-1-Phenylpropene (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
1H-Indene, 2,3-dihydro-5-methyl- (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	270 J	NR	NR	NR	NR
1-Phenyl-1-butene (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
2-Butene, 2-methyl-	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
3-Phenylbut-1-ene (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Azulene	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Benzene, (1-methylethyl)- (TIC)	NS	45	450	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Benzene, (2-methyl-1-propenyl)- (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Benzene, 1,2,3,4-tetramethyl- (TIC)	NS	NS	NS	NR	NR	NR	150 J	70 J	NR	NR	NR	NR	NR
Benzene, 1,2,3,5-tetramethyl- (TIC)	NS	NS	NS	NR	120 J	NR	NR	NR	320 J	NR	NR	NR	NR
Benzene, 1,2,3-trimethyl- (TIC)	NS	5.5	55	140 J	NR	NR	NR	NR	230 J	NR	720 J	39 J	29 J
Benzene, 1,2,4,5-tetramethyl- (TIC)	NS	NS	NS	160 J	84 J	89 J	110 J	52 J	NR	NR	NR	NR	NR
Benzene, 1,2-diethyl- (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Benzene, 1,3-diethyl- (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Benzene, 1,4-diethyl- (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Benzene, 1-ethenyl-2-methyl- (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Benzene, 1-ethenyl-3-ethyl- (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Benzene, 1-ethenyl-4-ethyl- (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Benzene, 1-ethyl-2,3-dimethyl- (TIC)	NS	NS	NS	120 J	NR	130 J	NR	NR	NR	NR	NR	NR	NR
Benzene, 1-ethyl-2,4-dimethyl- (TIC)	NS	NS	NS	NR	NR	120 J	NR	NR	210 J	NR	NR	NR	NR
Benzene, 1-ethyl-2-methyl- (TIC)	NS	NS	NS	130 J	360 J	360 J	160 J	38 J	240 J	210 J	NR	78 J	64 J
Benzene, 1-ethyl-3,5-dimethyl- (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	65 J	NR	NR	NR
Benzene, 1-ethyl-3-methyl- (TIC)	NS	NS	NS	340 J	460 J	NR	430 J	NR	NR	NR	NR	57 J	31 J
Benzene, 1-ethyl-4-methyl- (TIC)	NS	NS	NS	NR	NR	450 J	NR	120 J	NR	600 J	NR	NR	NR
Benzene, 1-methyl-2-(1-methylethyl) (TIC)	NS	NS	NS	240 J	NR	160 J	170 J	NR	NR	NR	NR	NR	NR
Benzene, 1-methyl-2-(2-propenyl)- (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Benzene, 1-methyl-2-propyl- (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Benzene, 1-methyl-3-(1-methylethyl)- (TIC)	NS	NS	NS	NR	130 J	NR	NR	NR	NR	NR	NR	NR	NR
Benzene, 1-methyl-3-propyl- (TIC)	NS	NS	NS	NR	95 J	97 J	130 J	NR	NR	NR	NR	NR	NR
Benzene, 1-methyl-4-(1-methylethyl) (TIC)	NS	NS	NS	NR	NR	NR	210 J	76 J	NR	NR	NR	20 J	14 J
Benzene, 1-methyl-4-propyl- (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Benzene, 1-propenyl- (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	510 J	NR	NR	NR	NR
Benzene, 1-propynyl- (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Benzene, 2-butenyl- (TIC)	NS	NS	NS	170 J	NR	NR	NR	NR	NR	NR	NR	NR	NR
Benzene, 2-ethenyl-1,4-dimethyl- (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Benzene, 2-ethyl-1,3-dimethyl- (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Benzene, 2-ethyl-1,4-dimethyl- (TIC)	NS	NS	NS	NR	160 J	NR	NR	91 J	450 J	NR	NR	NR	NR
Benzene, 4-ethyl-1,2-dimethyl- (TIC)	NS	NS	NS	280 J	NR	NR	NR	NR	360 J	NR	NR	18 J	16 J
Benzene, diethyl- (TIC)	NS	NS	NS	NR	NR	NR	NR	57 J	NR	NR	NR	NR	NR
Butane, 2-methyl- (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR	NR	14 J	14 J
Cyclopentane, methyl- (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR	NR	NR	110 J
Dodecane (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Indan, 1-methyl- (TIC)	NS	NS	NS	NR	94 J	96 J	120 J	58 J	NR	NR	NR	11 J	NR
Indane (TIC)	NS	NS	NS	450 J	270 J	270 J	190 J	62 J	NR	110 J	NR	50 J	42 J
Mesitylene (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	260 J	NR	NR	NR	NR
Methanethiol (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Naphthalene, 1,2,3,4-tetrahydro- (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
o-Cymene (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Pentane (TIC)	NS	210	2100	NR	NR	NR	NR	NR	NR	NR	NR	NR	85 J
Pentane, 2-methyl- (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR	NR	NR	89 J
Undecane (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR

Table 3. Groundwater Monitoring Well Sample Results  
Tentatively Identified Compounds Identified by USEPA Method 8260  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-21	MW-57	MW-57	MW-59	MW-59	MW-60	MW-60	MW-61	MW-61	MW-62	MW-62	MW-63	MW-63	L-25
	11/9/2016 MW-21 20.6	4/27/2016 MW-57 39.7	11/2/2016 MW-57 39.7	5/5/2016 MW-59 25	11/9/2016 MW-59 24.54	4/28/2016 MW-60 36	11/2/2016 MW-60 36	5/5/2016 MW-61 25	11/10/2016 MW-61 25.02	4/26/2016 MW-62 30.6	11/2/2016 MW-62 30.6	4/28/2016 MW-63 36.1	11/2/2016 MW-63 36.1	12/13/2013 L-25 24.3
Screening Criteria <sup>1</sup>	MCL	RSL HQ = 0.1	RSL HQ = 1.0											
<i>Tentatively Identified Compounds (µg/L)*</i>														
(Z)-1-Phenylpropene (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
1H-Indene, 2,3-dihydro-5-methyl- (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
1-Phenyl-1-butene (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR	NR	29 J	NR	NR
2-Butene, 2-methyl-	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
3-Phenylbut-1-ene (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR	NR	15 J	NR	14 J
Azulene	NS	NS	NS	NR	NR	NR	26 J	NR	27 J	NR	NR	NR	NR	NR
Benzene, (1-methylethyl)- (TIC)	NS	45	450	65 J	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Benzene, (2-methyl-1-propenyl)- (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	63 J	NR	NR	NR	NR	NR
Benzene, 1,2,3,4-tetramethyl- (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	11 J
Benzene, 1,2,3,5-tetramethyl- (TIC)	NS	NS	NS	NR	14 J	24 J	NR	75 J	NR	59 J	NR	5.7 J	NR	NR
Benzene, 1,2,3-trimethyl- (TIC)	NS	5.5	55	NR	NR	NR	NR	560 J	NR	840 J	NR	44 J	NR	NR
Benzene, 1,2,4,5-tetramethyl- (TIC)	NS	NS	NS	NR	NR	NR	7 J	71 J	7.1 J	NR	5.3 J	5.7 J	33 J	23 J
Benzene, 1,2-diethyl- (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	5 J
Benzene, 1,3-diethyl- (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR	NR	21 J	NR	NR
Benzene, 1,4-diethyl- (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR	NR	22 J	58 J	NR
Benzene, 1-ethenyl-2-methyl- (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR	NR	9.9 J	NR	NR
Benzene, 1-ethenyl-3-ethyl- (TIC)	NS	NS	NS	NR	NR	NR	NR	76 J	NR	NR	NR	NR	33 J	NR
Benzene, 1-ethenyl-4-ethyl- (TIC)	NS	NS	NS	30 J	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Benzene, 1-ethyl-2,3-dimethyl- (TIC)	NS	NS	NS	27 J	18 J	NR	7.9 J	72 J	6.9 J	NR	NR	5.7 J	43 J	NR
Benzene, 1-ethyl-2,4-dimethyl- (TIC)	NS	NS	NS	NR	NR	14 J	NR	NR	NR	NR	NR	NR	36 J	NR
Benzene, 1-ethyl-2-methyl- (TIC)	NS	NS	NS	200 J	NR	NR	23 J	360 J	45 J	360 J	12 J	31 J	NR	NR
Benzene, 1-ethyl-3,5-dimethyl- (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	12 J	NR	8.8 J	NR	NR	6.9 J
Benzene, 1-ethyl-3-methyl- (TIC)	NS	NS	NS	NR	NR	NR	41 J	NR	NR	NR	NR	NR	NR	13 J
Benzene, 1-ethyl-4-methyl- (TIC)	NS	NS	NS	100 J	NR	NR	NR	NR	NR	200 J	24 J	NR	NR	10 J
Benzene, 1-methyl-2-(1-methylethyl) (TIC)	NS	NS	NS	NR	5.6 J	NR	NR	NR	NR	NR	5.6 J	NR	41 J	NR
Benzene, 1-methyl-2-(2-propenyl)- (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Benzene, 1-methyl-2-propyl- (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR	6.1 J	NR	NR	NR
Benzene, 1-methyl-3-(1-methylethyl)- (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Benzene, 1-methyl-3-propyl- (TIC)	NS	NS	NS	NR	NR	NR	8.6 J	NR	8.8 J	NR	NR	NR	NR	NR
Benzene, 1-methyl-4-(1-methylethyl) (TIC)	NS	NS	NS	NR	NR	NR	7.6 J	NR	NR	NR	NR	NR	NR	NR
Benzene, 1-methyl-4-propyl- (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Benzene, 1-propenyl- (TIC)	NS	NS	NS	NR	NR	NR	NR	150 J	NR	NR	NR	NR	NR	NR
Benzene, 1-propynyl- (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	130 J	NR	NR	NR	86 J
Benzene, 2-butenyl- (TIC)	NS	NS	NS	NR	13 J	NR	NR	NR	NR	NR	NR	6.4 J	NR	NR
Benzene, 2-ethenyl-1,4-dimethyl- (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR	NR	NR	14 J	NR
Benzene, 2-ethyl-1,3-dimethyl- (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Benzene, 2-ethyl-1,4-dimethyl- (TIC)	NS	NS	NS	35 J	NR	NR	12 J	130 J	NR	96 J	NR	NR	54 J	NR
Benzene, 4-ethyl-1,2-dimethyl- (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	6.6 J	NR	NR	9.7 J	NR	NR
Benzene, diethyl- (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Butane, 2-methyl- (TIC)	NS	NS	NS	70 J	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Cyclopentane, methyl- (TIC)	NS	NS	NS	35 J	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Dodecane (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Indan, 1-methyl- (TIC)	NS	NS	NS	NR	NR	12 J	NR	NR	NR	NR	NR	NR	NR	6.5 J
Indane (TIC)	NS	NS	NS	110 J	NR	NR	9.4 J	NR	9.9 J	NR	NR	NR	45 J	NR
Mesitylene (TIC)	NS	NS	NS	NR	NR	NR	NR	240 J	NR	81 J	NR	NR	NR	NR
Methanethiol (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Naphthalene, 1,2,3,4-tetrahydro- (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR	NR	NR	18 J	22 J
o-Cymene (TIC)	NS	NS	NS	NR	NR	NR	NR	59 J	NR	NR	NR	NR	58 J	NR
Pentane (TIC)	NS	210	2100	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Pentane, 2-methyl- (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Undecane (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR

Table 3. Groundwater Monitoring Well Sample Results  
Tentatively Identified Compounds Identified by USEPA Method 8260  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	L-25	L-25	L-25	L-28	L-28	L-37	L-37	L-37	L-37	L-38	L-38	L-38	L-38	L-38
	12/9/2015 L-25 25	5/5/2016 L-25 25	11/10/2016 L-25 23.25	12/13/2013 L-28 21.1	5/5/2016 L-28 21	12/11/2014 L-37 22.09	12/10/2015 L-37 22	5/6/2016 L-37 21.5	11/10/2016 L-37 20.48	12/13/2013 L-38 21.6	12/11/2014 L-38 22.59	12/10/2015 L-38 22	5/5/2016 L-38 22	11/9/2016 L-38 20.74
Screening Criteria <sup>1</sup>	MCL	RSL HQ = 0.1	RSL HQ = 1.0											
<i>Tentatively Identified Compounds (µg/L)*</i>														
(Z)-1-Phenylpropene (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	6.6 J
1H-Indene, 2,3-dihydro-5-methyl- (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
1-Phenyl-1-butene (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
2-Butene, 2-methyl-	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
3-Phenylbut-1-ene (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Azulene	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Benzene, (1-methylethyl)- (TIC)	NS	45	450	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	5.5 J
Benzene, (2-methyl-1-propenyl)- (TIC)	NS	NS	NS	NR	NR	67 J	NR	NR	NR	NR	18 J	NR	NR	NR
Benzene, 1,2,3,4-tetramethyl- (TIC)	NS	NS	NS	NR	5.9 J	NR	NR	NR	NR	NR	NR	NR	5.3 J	9.1 J
Benzene, 1,2,3,5-tetramethyl- (TIC)	NS	NS	NS	NR	NR	70 J	56 J	NR	NR	NR	NR	NR	NR	NR
Benzene, 1,2,3-trimethyl- (TIC)	NS	5.5	55	NR	NR	NR	290 J	NR	NR	NR	16 J	49 J	NR	NR
Benzene, 1,2,4,5-tetramethyl- (TIC)	NS	NS	NS	NR	6.7 J	NR	NR	11 J	8.7 J	NR	16 J	17 J	18 J	5.7 J
Benzene, 1,2-diethyl- (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Benzene, 1,3-diethyl- (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Benzene, 1,4-diethyl- (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Benzene, 1-ethenyl-2-methyl- (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Benzene, 1-ethenyl-3-ethyl- (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Benzene, 1-ethenyl-4-ethyl- (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Benzene, 1-ethyl-2,3-dimethyl- (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	5.2 J	NR	17 J	9.2 J	5.6 J
Benzene, 1-ethyl-2,4-dimethyl- (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	5.8 J	NR	NR	NR	NR
Benzene, 1-ethyl-2-methyl- (TIC)	NS	NS	NS	76 J	22 J	430 J	130 J	36 J	32 J	21 J	65 J	57 J	58 J	63 J
Benzene, 1-ethyl-3,5-dimethyl- (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Benzene, 1-ethyl-3-methyl- (TIC)	NS	NS	NS	150 J	42 J	NR	220 J	NR	NR	NR	120 J	NR	NR	33 J
Benzene, 1-ethyl-4-methyl- (TIC)	NS	NS	NS	NR	NR	NR	NR	17 J	24 J	15 J	NR	52 J	41 J	NR
Benzene, 1-methyl-2-(1-methylethyl) (TIC)	NS	NS	NS	NR	6.5 J	NR	49 J	8.6 J	NR	10 J	NR	NR	30 J	19 J
Benzene, 1-methyl-2-(2-propenyl)- (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Benzene, 1-methyl-2-propyl- (TIC)	NS	NS	NS	NR	NR	NR	49 J	NR	NR	NR	NR	NR	NR	NR
Benzene, 1-methyl-3-(1-methylethyl)- (TIC)	NS	NS	NS	NR	NR	NR	NR	10 J	9.2 J	5.3 J	NR	NR	NR	NR
Benzene, 1-methyl-3-propyl- (TIC)	NS	NS	NS	NR	7.6 J	NR	NR	12 J	15 J	9.2 J	NR	NR	10 J	21 J
Benzene, 1-methyl-4-(1-methylethyl) (TIC)	NS	NS	NS	32 J	5.7 J	NR	NR	NR	NR	NR	NR	NR	18 J	NR
Benzene, 1-methyl-4-propyl- (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Benzene, 1-propenyl- (TIC)	NS	NS	NS	NR	NR	120 J	NR	NR	NR	NR	NR	NR	NR	NR
Benzene, 1-propynyl- (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Benzene, 2-butenyl- (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Benzene, 2-ethenyl-1,4-dimethyl- (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Benzene, 2-ethyl-1,3-dimethyl- (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	12 J	NR	NR	NR	NR	NR
Benzene, 2-ethyl-1,4-dimethyl- (TIC)	NS	NS	NS	NR	10 J	110 J	NR	17 J	18 J	NR	NR	25 J	NR	34 J
Benzene, 4-ethyl-1,2-dimethyl- (TIC)	NS	NS	NS	NR	NR	64 J	62 J	8.5 J	NR	6.6 J	NR	NR	16 J	20 J
Benzene, diethyl- (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Butane, 2-methyl- (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Cyclopentane, methyl- (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Dodecane (TIC)	NS	NS	NS	NR	NR	NR	84 J	NR	NR	NR	NR	NR	NR	NR
Indan, 1-methyl- (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Indane (TIC)	NS	NS	NS	28 J	7.4 J	NR	NR	NR	NR	5.7 J	NR	32 J	23 J	17 J
Mesitylene (TIC)	NS	NS	NS	NR	NR	260 J	NR	NR	NR	NR	NR	NR	NR	NR
Methanethiol (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	8.7 J	NR	NR	NR	NR	NR
Naphthalene, 1,2,3,4-tetrahydro- (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
o-Cymene (TIC)	NS	NS	NS	NR	NR	58 J	NR	NR	NR	NR	NR	14 J	NR	NR
Pentane (TIC)	NS	210	2100	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Pentane, 2-methyl- (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR	NR
Undecane (TIC)	NS	NS	NS	NR	NR	NR	120 J	NR	NR	NR	NR	NR	NR	NR



**Table 3. Groundwater Monitoring Well Sample Results**  
**Tentatively Identified Compounds Identified by USEPA Method 8260**  
**Dresser Inc. Facility**  
**124 W. College Ave, Salisbury, Maryland**

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	L-39	L-39	L-39	L-39	L-39
	12/13/2013	12/11/2014	12/10/2015	5/5/2016	11/9/2016
	L-39	L-39	L-39	L-39	L-39
	21.4	22.47	22	22	20.57
<b>Screening Criteria<sup>1</sup></b>	<b>MCL</b>	<b>RSL HQ = 0.1</b>	<b>RSL HQ = 1.0</b>		
<b><i>Tentatively Identified Compounds (µg/L)*</i></b>					
(Z)-1-Phenylpropene (TIC)	NS	NS	NS	NR	NR
1H-Indene, 2,3-dihydro-5-methyl- (TIC)	NS	NS	NS	NR	NR
1-Phenyl-1-butene (TIC)	NS	NS	NS	NR	NR
2-Butene, 2-methyl-	NS	NS	NS	NR	NR
3-Phenylbut-1-ene (TIC)	NS	NS	NS	NR	NR
Azulene	NS	NS	NS	NR	NR
Benzene, (1-methylethyl)- (TIC)	NS	45	450	NR	NR
Benzene, (2-methyl-1-propenyl)- (TIC)	NS	NS	NS	NR	NR
Benzene, 1,2,3,4-tetramethyl- (TIC)	NS	NS	NS	NR	NR
Benzene, 1,2,3,5-tetramethyl- (TIC)	NS	NS	NS	NR	NR
Benzene, 1,2,3-trimethyl- (TIC)	NS	5.5	55	62 J	NR
Benzene, 1,2,4,5-tetramethyl- (TIC)	NS	NS	NS	22 J	13 J
Benzene, 1,2-diethyl- (TIC)	NS	NS	NS	NR	NR
Benzene, 1,3-diethyl- (TIC)	NS	NS	NS	NR	NR
Benzene, 1,4-diethyl- (TIC)	NS	NS	NS	NR	NR
Benzene, 1-ethenyl-2-methyl- (TIC)	NS	NS	NS	NR	NR
Benzene, 1-ethenyl-3-ethyl- (TIC)	NS	NS	NS	NR	NR
Benzene, 1-ethenyl-4-ethyl- (TIC)	NS	NS	NS	NR	NR
Benzene, 1-ethyl-2,3-dimethyl- (TIC)	NS	NS	NS	NR	13 J
Benzene, 1-ethyl-2,4-dimethyl- (TIC)	NS	NS	NS	NR	NR
Benzene, 1-ethyl-2-methyl- (TIC)	NS	NS	NS	75 J	34 J
Benzene, 1-ethyl-3,5-dimethyl- (TIC)	NS	NS	NS	NR	20 J
Benzene, 1-ethyl-3-methyl- (TIC)	NS	NS	NS	44 J	65 J
Benzene, 1-ethyl-4-methyl- (TIC)	NS	NS	NS	85 J	NR
Benzene, 1-methyl-2-(1-methylethyl) (TIC)	NS	NS	NS	NR	13 J
Benzene, 1-methyl-2-(2-propenyl)- (TIC)	NS	NS	NS	NR	NR
Benzene, 1-methyl-2-propyl- (TIC)	NS	NS	NS	NR	15 J
Benzene, 1-methyl-3-(1-methylethyl)- (TIC)	NS	NS	NS	38 J	NR
Benzene, 1-methyl-3-propyl- (TIC)	NS	NS	NS	NR	NR
Benzene, 1-methyl-4-(1-methylethyl) (TIC)	NS	NS	NS	NR	NR
Benzene, 1-methyl-4-propyl- (TIC)	NS	NS	NS	NR	NR
Benzene, 1-propenyl- (TIC)	NS	NS	NS	NR	NR
Benzene, 1-propynyl- (TIC)	NS	NS	NS	NR	NR
Benzene, 2-butenyl- (TIC)	NS	NS	NS	NR	NR
Benzene, 2-ethenyl-1,4-dimethyl- (TIC)	NS	NS	NS	NR	NR
Benzene, 2-ethyl-1,3-dimethyl- (TIC)	NS	NS	NS	NR	NR
Benzene, 2-ethyl-1,4-dimethyl- (TIC)	NS	NS	NS	NR	NR
Benzene, 4-ethyl-1,2-dimethyl- (TIC)	NS	NS	NS	41 J	NR
Benzene, diethyl- (TIC)	NS	NS	NS	NR	NR
Butane, 2-methyl- (TIC)	NS	NS	NS	NR	NR
Cyclopentane, methyl- (TIC)	NS	NS	NS	NR	NR
Dodecane (TIC)	NS	NS	NS	NR	NR
Indan, 1-methyl- (TIC)	NS	NS	NS	39 J	NR
Indane (TIC)	NS	NS	NS	48 J	23 J
Mesitylene (TIC)	NS	NS	NS	NR	NR
Methanethiol (TIC)	NS	NS	NS	NR	NR
Naphthalene, 1,2,3,4-tetrahydro- (TIC)	NS	NS	NS	NR	NR
o-Cymene (TIC)	NS	NS	NS	NR	NR
Pentane (TIC)	NS	210	2100	NR	NR
Pentane, 2-methyl- (TIC)	NS	NS	NS	NR	NR
Undecane (TIC)	NS	NS	NS	NR	NR

**Table 3. Groundwater Monitoring Well Sample Results  
Tentatively Identified Compounds Identified by USEPA Method 8260  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

**Notes:**

µg/L - Micrograms per liter

ft. bgs.: Feet below ground surface

NS: No standard exists for this analyte.

NR - Not reported as a tentatively identified compound in the specified sample.

J: The reported concentration is an estimated value.

USEPA - United States Environmental Protection Agency


MCL: Maximum contaminant levels as promulgated by USEPA.


RSL: USEPA Regional Screening Level for Tap Water based on Summary Table (revised May 2018). If RSL is shown in bold outline and/or shaded light gray, the RSL was exceeded in at least one groundwater sample.

HQ - Hazard quotient

MS/MSD - Sample collected for matrix spike/matrix spike duplicate analysis.

**Bold Values** - The target analyte was detected at a concentration that exceeds its reporting limit.

 - The target analyte was detected at a concentration that exceeds an RSL for a non-carcinogenic risk with an HQ = 0.1.

 - The target analyte was detected at a concentration that exceeds an RSL for a non-carcinogenic risk with an HQ = 1.0.

<sup>1</sup>: Results were screened against MCLs, RSLs, or secondary MCLs. If an MCL was not available, then the results were screened against RSLs. If not MCL and RSL was available the result was screened against a secondary MCL.

d: Duplicate sample of sample listed immediately to the left.

\*: Tentatively identified compounds ("TICs") are cited based on a library search by the laboratory of over 250,000 compounds. The reported results are considered qualitative (i.e., estimated).

1,2,4-trimethylbenzene and 1,3,5-trimethylbenzene reported as TICs by the laboratory but are not included because they are already target compounds.























Table 4. Groundwater Monitoring Well Sample Results  
Semi-Volatile Organic Compounds  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland

Screening Criteria <sup>1</sup>	MCL	RSL HQ = 0.1 <sup>2</sup>	RSL HQ = 1.0 <sup>2</sup>	Location	TB-MW-3	TB-MW-3	TB-MW-3	TB-MW-3	TB-MW-3	TB-MW-3
				Sample Date	12/11/2013	12/10/2014	12/9/2015	4/26/2016	11/1/2016	3/19/2018
				Sample ID	TB-MW-3 MS/MSD	TB-MW-3	TB-MW-3	TB-MW-3	TB-MW-3	TB-MW-3
				Sample Depth (ft. bgs.)	20	24.4	23	23	22.25	22.62
				Notes						
<b>Semi-Volatile Organic Compounds (µg/L)</b>										
1,4-Dioxane	NS	0.46	0.46		---	---	---	---	---	0.1 U
2,2-Oxybis(1-chloropropane)	NS	71	710		5 U	5 U	5 U	5 U	5 U	---
2,4,5-Trichlorophenol	NS	120	1200		5 U	5 U	5 U	5 U	5 U	---
2,4,6-Trichlorophenol	NS	1.2	4.1		5 U	5 U	5 U	5 U	5 U	---
2,4-Dichlorophenol	NS	4.6	46		5 U	5 U	5 U	5 U	5 U	---
2,4-Dimethylphenol	NS	36	360		5 U	5 U	5 U	5 U	5 U	---
2,4-Dinitrophenol	NS	3.9	39		10 U	10 U	10 U	10 U	10 U	---
2,4-Dinitrotoluene	NS	0.24	0.24		5 U	5 U	5 U	5 U	5 U	---
2,6-Dinitrotoluene	NS	0.049	0.049		5 U	5 U	5 U	5 U	5 U	---
2-Chloronaphthalene	NS	75	750		5 U	5 U	5 U	5 U	5 U	---
2-Chlorophenol	NS	9.1	91		5 U	5 U	5 U	5 U	5 U	---
2-Methylnaphthalene	NS	3.6	36		5 U	5 U	5 U	5 U	5 U	---
2-Nitroaniline	NS	19	190		5 U	5 U	5 U	5 U	5 U	---
2-Nitrophenol	NS	NS	NS		5 U	5 U	5 U	5 U	5 U	---
3&4-Methylphenol	NS	93	930		5 U	5 U	5 U	5 U	5 U	---
3,3'-Dichlorobenzidine	NS	0.13	0.13		5 U	5 U	5 U	5 U	5 U	---
3-Nitroaniline	NS	NS	NS		5 U	5 U	5 U	5 U	5 U	---
4-Bromophenyl phenyl ether	NS	NS	NS		5 U	5 U	5 U	5 U	5 U	---
4-Chloro-3-methylphenol	NS	140	1400		5 U	5 U	5 U	5 U	5 U	---
4-Chlorophenyl phenyl ether	NS	NS	NS		5 U	5 U	5 U	5 U	5 U	---
4-Nitrophenol	NS	NS	NS		5 U	5 U	5 U	5 U	5 U	---
Acenaphthene	NS	53	530		5 U	5 U	5 U	5 U	5 U	---
Acenaphthylene	NS	NS	NS		5 U	5 U	5 U	5 U	5 U	---
Acetophenone	NS	190	1900		5 U	5 U	5 U	5 U	5 U	---
Anthracene	NS	180	1800		5 U	5 U	5 U	5 U	5 U	---
Atrazine	3	NA	NA		5 U	5 U	5 U	5 U	5 U	---
Benzo(a)anthracene	NS	0.03	0.03		5 U	5 U	5 U	5 U	5 U	---
Benzo(a)pyrene	0.2	NA	NA		5 U	5 U	5 U	5 U	5 U	---
Benzo(b)fluoranthene	NS	0.25	0.25		5 U	5 U	5 U	5 U	5 U	---
Benzo(g,h,i)perylene	NS	NS	NS		5 U	5 U	5 U	5 U	5 U	---
Benzo(k)fluoranthene	NS	2.5	2.5		5 U	5 U	5 U	5 U	5 U	---
Benzyl butyl phthalate	NS	16	16		5 U	5 U	5 U	5 U	5 U	---
Biphenyl	NS	0.083	0.83		5 U	5 U	5 U	5 U	5 U	---
Bis(2-chloroethoxy)methane	NS	5.9	59		5 U	5 U	5 U	5 U	5 U	---
Bis(2-ethylhexyl)phthalate	6	NA	NA		5 U	5 U	5 U	5 U	5 U	---
Caprolactam	NS	990	9900		5 U	5 U	5 U	5 U	5 U	---
Carbazole	NS	NS	NS		5 U	5 U	5 U	5 U	5 U	---
Chrysene	NS	25	25		5 U	5 U	5 U	5 U	5 U	---
Dibenzo(a,h)anthracene	NS	0.025	0.025		5 U	5 U	5 U	5 U	5 U	---
Dibenzofuran	NS	0.79	7.9		5 U	5 U	5 U	5 U	5 U	---
Dibutyl phthalate	NS	90	900		5 U	5 U	5 U	5 U	5 U	---
Dichloroethyl ether	NS	0.014	0.014		5 U	5 U	5 U	5 U	5 U	---
Diethyl phthalate	NS	1500	15000		5 U	5 U	5 U	5 U	5 U	---
Dimethyl phthalate	NS	NS	NS		5 U	5 U	5 U	5 U	5 U	---
Dinitro-o-cresol	NS	0.15	1.5		5 U	5 U	5 U	5 U	5 U	---
Di-n-octyl phthalate	NS	20	200		10 U	5 U	5 U	5 U	5 U	---
Fluoranthene	NS	80	800		5 U	5 U	5 U	5 U	5 U	---
Fluorene	NS	29	290		5 U	5 U	5 U	5 U	5 U	---
Hexachlorobenzene	1	NA	NA		5 U	5 U	5 U	5 U	5 U	---
Hexachlorobutadiene	NS	0.14	0.14		5 U	5 U	5 U	5 U	5 U	---
Hexachlorocyclopentadiene	50	NA	NA		5 U	5 U	5 U	5 U	5 U	---
Hexachloroethane	NS	0.33	0.33		5 U	5 U	5 U	5 U	5 U	---
Indeno(1,2,3-cd)pyrene	NS	0.25	0.25		5 U	5 U	5 U	5 U	5 U	---
Isophorone	NS	78	78		5 U	5 U	5 U	5 U	5 U	---
Naphthalene	NS	0.17	0.17		5 U	5 U	5 U	5 U	5 U	---
Nitrobenzene	NS	0.14	0.14		5 U	5 U	5 U	5 U	5 U	---
n-Nitrosodi-n-propylamine	NS	0.011	0.011		5 U	5 U	5 U	5 U	5 U	---
n-Nitrosodiphenylamine	NS	12	12		5 U	5 U	5 U	5 U	5 U	---
o-Cresol	NS	93	930		5 U	5 U	5 U	5 U	5 U	---
p-Chloroaniline	NS	0.37	0.37		10 U	5 U	5 U	5 U	5 U	---
Pentachlorophenol	1	NA	NA		10 U	5 U	5 U	5 U	5 U	---
Phenanthrene	NS	NS	NS		5 U	5 U	5 U	5 U	5 U	---
Phenol	NS	580	5800		4.3 J	5 U	5 U	5 U	5 U	---
p-Nitroaniline	NS	3.8	3.8		10 U	5 U	5 U	5 U	5 U	---
Pyrene	NS	12	120		5 U	5 U	5 U	5 U	5 U	---
Pyridine	NS	2	20		5 U	5 U	5 U	5 U	5 U	---

**Table 4. Groundwater Monitoring Well Sample Results  
Semi-Volatile Organic Compounds  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

**Notes:**

µg/L - Micrograms per liter

ft. bgs.: Feet below ground surface

NA: Not applicable because results are compared to another groundwater screening criterion.

NS: No standard exists for this analyte.

---: Sample not tested for specified analyte.

J: The reported concentration is an estimated value.

U: The target analyte was not detected at a concentration at or above the reporting limit. The value shown is the reporting limit.

USEPA - United States Environmental Protection Agency

MCL: Maximum contaminant levels as promulgated by USEPA.

RSL: USEPA Regional Screening Level for Tap Water based on Summary Table (revised May 2018). If RSL is shown in bold outline and/or shaded light gray, the RSL was exceeded in at least one groundwater sample.

HQ - Hazard quotient

MS/MSD - Sample collected for matrix spike/matrix spike duplicate analysis.

**Bold Values** - The target analyte was detected at a concentration that exceeds its reporting limit.

 - The target analyte was detected at a concentration that exceeds an RSL for carcinogenic risk or a non-carcinogenic risk with an HQ = 0.1

 - The target analyte was detected at a concentration that exceeds an RSL for carcinogenic risk or a non-carcinogenic risk with an HQ = 1.0

<sup>1</sup>: Results were screened against MCLs, RSLs, or secondary MCLs. If an MCL was not available, then the results were screened against RSLs. If not MCL and RSL was available the result was screened against a secondary MCL.

<sup>2</sup>: RSLs shown as the same value in both columns are based on carcinogenic risk.

d: Duplicate sample of sample listed immediately to the left.

m: Sample IDs mislabeled in the field

Semi-volatile organic compounds analyzed by USEPA Method 8270.











Table 5. Groundwater Monitoring Well Sample Results  
 Tentatively Identified Compounds Identified by USEPA Method 8270  
 Dresser Inc. Facility  
 124 W. College Ave, Salisbury, Maryland

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	L-39 12/10/2015	L-39 5/5/2016	L-39 11/9/2016	TB-MW-2 12/10/2013	TB-MW-2 12/10/2014	TB-MW-2 12/9/2015	TB-MW-3 12/11/2013	TB-MW-3 12/10/2014	TB-MW-3 12/9/2015	TB-MW-3 4/26/2016
	L-39 22	L-39 22	L-39 20.57	TB-MW-2 20	TB-MW-2 24.82	TB-MW-2 25	TB-MW-3 MS/MSD 20	TB-MW-3 24.4	TB-MW-3 23	TB-MW-3 23
Screening Criteria <sup>1</sup>	MCL	RSL HQ = 0.1 <sup>2</sup>	RSL HQ = 1.0 <sup>2</sup>							
<b>Tentatively Identified Compounds (µg/L)*</b>										
1-Adamantanol (TIC)	NS	NS	NS	NR	4.7 J	NR	NR	NR	NR	NR
1-Docosene (TIC)	NS	NS	NS	NR	NR	NR	7.4 J	NR	NR	NR
1-Eicosanol	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR
1-Eicosene	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR
1-Heneicosyl formate	NS	NS	NS	NR	NR	NR	NR	7.2 J	NR	NR
1H-Inden-1-one, 2,3-dihydro-2-meth (TIC)	NS	NS	NS	NR	4.9 J	NR	NR	NR	NR	NR
1H-Indene, 2,3-dihydro-4-methyl- (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR
1-Methylindan-2-one (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR
1-Octadecanol	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR
1-Phenyl-1-butene (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR
2,6,10,14,18,22-Tetracosahexaene	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR
2,6,10,14,18-Pentamethyl-2,6,10,14 (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR
3a,6-Methano-3ah-indene, 2,3,4,5,6 (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR
3-Phenylbut-1-ene (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR
9-Octadecenoic acid, (E)- (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR
Benzene, (1-methylethyl)- (TIC)	NS	45	450	7.7 J	4.2 J	NR	NR	NR	NR	NR
Benzene, (1-methylpropyl)- (TIC)	NS	200	2000	NR	NR	NR	NR	NR	NR	NR
Benzene, 1,2,3,4-tetramethyl- (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR
Benzene, 1,2,3,5-tetramethyl- (TIC)	NS	NS	NS	NR	5.6 J	NR	NR	NR	NR	NR
Benzene, 1,2,3-trimethyl- (TIC)	NS	5.5	55	NR	NR	12 J	NR	NR	NR	NR
Benzene, 1,2,4,5-tetramethyl- (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR
Benzene, 1,2-diethyl- (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR
Benzene, 1,2-dimethyl- (TIC)	NS	19	190	NR	NR	NR	NR	NR	NR	NR
Benzene, 1,3-diethyl- (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR
Benzene, 1,3-diethyl-5-methyl- (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR
Benzene, 1,3-dimethyl- (TIC)	NS	19	190	NR	NR	NR	NR	NR	NR	NR
Benzene, 1,4-diethyl- (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR
Benzene, 1-ethyl-2,3-dimethyl- (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR
Benzene, 1-ethyl-2,4-dimethyl- (TIC)	NS	NS	NS	NR	NR	5.3 J	NR	NR	NR	NR
Benzene, 1-ethyl-2-methyl- (TIC)	NS	NS	NS	NR	NR	NR	5.3 J	NR	NR	NR
Benzene, 1-ethyl-3,5-dimethyl- (TIC)	NS	NS	NS	NR	NR	4.1 J	NR	NR	NR	NR
Benzene, 1-ethyl-3-methyl- (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR
Benzene, 1-ethyl-4-methyl- (TIC)	NS	NS	NS	5.5 J	NR	NR	NR	NR	NR	NR
Benzene, 1-methyl-2-(1-methylethyl) (TIC)	NS	NS	NS	4.2 J	NR	NR	NR	NR	NR	NR
Benzene, 1-methyl-2-propyl- (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR
Benzene, 1-methyl-3-(1-methylethyl)- (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR
Benzene, 1-methyl-3-propyl- (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR
Benzene, 1-methyl-4-(1-methylethyl) (TIC)	NS	NS	NS	5.5 J	NR	NR	NR	NR	NR	NR
Benzene, 1-methyl-4-propyl- (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR
Benzene, 1-propynyl- (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR
Benzene, 2-ethenyl-1,4-dimethyl- (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR
Benzene, 2-ethyl-1,4-dimethyl- (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR
Benzene, 4-ethyl-1,2-dimethyl- (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR
Benzene, cyclopropyl- (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR
Benzene, diethyl- (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR
Benzene, propyl- (TIC)	NS	66	660	NR	NR	NR	NR	NR	NR	NR
Benzoic acid, 2,3-dimethyl- (TIC)	NS	NS	NS	5.2 J	NR	NR	NR	NR	NR	NR
Benzoic acid, 2,4,6-trimethyl-	NS	NS	NS	NR	NR	4.7 J	NR	NR	NR	NR
Benzoic acid, 2,4-dimethyl-	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR
Benzoic acid, 2,5-dimethyl-	NS	NS	NS	NR	NR	9.4 J	NR	NR	NR	NR
Benzoic acid, 2,6-dimethyl-	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR
Benzoic acid, 3,5-dimethyl-	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR
Cyclic octaatomic sulfur (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR
Decane, 3,3,4-trimethyl-	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR
Dibenzylidene 4,4'-biphenylenediam (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR
Docosa-2,6,10,14,18-pentaen-22-al, (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR
Ethanol, 2-butoxy- (TIC)	NS	200	2000	4.1 J	NR	NR	5.3 J	NR	5.6 J	5.1 J
Ethanone, 1-(2,4-dimethylphenyl)-	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR
Ethanone, 1-(2-methylphenyl)-	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR
Ethanone, 1-(3-methylphenyl)- (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR
Ethanone, 1-(4-methylphenyl)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR
Heptadecane (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR
Indan, 1-methyl- (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR
Indane (TIC)	NS	NS	NS	NR	5.9 J	NR	NR	NR	NR	NR
Naphthalene, 1,2,3,4-tetrahydro- (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR
Naphthalene, 1-methyl- (TIC)	NS	1.1	1.1	NR	NR	NR	NR	NR	NR	NR
n-Hexadecanoic acid (TIC)	NS	NS	NS	7.5 J	NR	NR	19 J	4.7 J	NR	4.7 J
Octadecanoic acid (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR
Pentadecane, 2,6,10,14-tetramethyl (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR
Phenol, 2-ethyl-6-methyl-	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR
Phenol, 3-ethyl-5-methyl-	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR
Phosphonic acid, dioctadecyl ester	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR
Pyrrolidine	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR
Squalene (TIC)	NS	NS	NS	NR	NR	10 J	NR	6.9 J	12 J	4.7 J
Tridecane (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	4.5 J
Undecane (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR
Undecane, 2,5-dimethyl-	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR
Undecane, 2,6-dimethyl- (TIC)	NS	NS	NS	NR	NR	NR	NR	NR	NR	NR

**Table 5. Groundwater Monitoring Well Sample Results  
Tentatively Identified Compounds Identified by USEPA Method 8270  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

**Notes:**

µg/L - Micrograms per liter

ft. bgs.: Feet below ground surface

NS: No standard exists for this analyte.

NR - Not reported as a tentatively identified compound in the specified sample.

J: The reported concentration is an estimated value.

U: The target analyte was not detected at a concentration at or above the reporting limit. The value shown is the reporting limit.

USEPA - United States Environmental Protection Agency


MCL: Maximum contaminant levels as promulgated by USEPA.


RSL: USEPA Regional Screening Level for Tap Water based on Summary Table (revised May 2018). If RSL is shown in bold outline and/or shaded light gray, the RSL was exceeded in at least one groundwater sample.

HQ - Hazard quotient

MS/MSD - Sample collected for matrix spike/matrix spike duplicate analysis.

**Bold Values** - The target analyte was detected at a concentration that exceeds its reporting limit.

 - The target analyte was detected at a concentration that exceeds an RSL for carcinogenic risk or a non-carcinogenic risk with an HQ = 0.1

 - The target analyte was detected at a concentration that exceeds an RSL for carcinogenic risk or a non-carcinogenic risk with an HQ = 1.0

<sup>1</sup>: Results were screened against MCLs, RSLs, or secondary MCLs. If an MCL was not available, then the results were screened against RSLs. If not MCL and RSL was available the result was screened against a secondary MCL.

<sup>2</sup>: RSLs shown as the same value in both columns are based on carcinogenic risk.

d: Duplicate sample of sample listed immediately to the left.

m: Sample IDs mislabeled in the field

\*\* : Tentatively Identified Compounds (TICs) are cited based on a library search by the laboratory of over 250,000 compounds. The reported results are considered qualitative (i.e., estimated).

1,2,4-trimethylbenzene, 1,3,5-trimethylbenzene, ethylbenzene, 2-methylnaphthalene, tetrachloroethene, toluene, and xylenes reported as TICs by the laboratory but are not included because they are already target compounds.

Table 6. Groundwater Monitoring Well Sample Results

Metals

Dresser Inc. Facility

124 W. College Ave, Salisbury, Maryland

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-1 9/7/2002 MW-1 TT	MW-1 3/29/2006 MW-1 27.5	MW-1 5/18/2007 MW-1 27.5	MW-1 11/18/2008 MW-1 MS/MSD 27.52	MW-1 3/4/2009 MW-1 27.5	MW-1 10/13/2010 MW-1 27.52	MW-1 10/31/2011 MW-1 27.3	MW-1 9/18/2012 MW-1 27.52	MW-1 12/12/2013 MW-1 27.3	MW-1 12/12/2013 MW-1 27.3 R-Cr6	MW-1 12/9/2014 MW-1 25.61		
	MCL	RSL HQ = 0.1	RSL HQ = 1.0										
<b>Screening Criteria<sup>1</sup></b>													
<b>Dissolved Metals (µg/L)</b>													
Antimony	6	NA	NA	---	---	---	5 U	---	---	---	1 U	---	---
Arsenic	10	NA	NA	---	---	---	5 U	---	---	---	1 U	---	---
Beryllium	4	NA	NA	---	---	---	5 U	---	---	---	0.5 U	---	---
Cadmium	5	NA	NA	---	---	---	5 U	---	---	---	1 U	---	---
Calcium	NS	NS	NS	---	---	---	---	---	---	---	---	---	---
Chromium	100	NA	NA	---	---	---	5 U	---	---	---	1 U	1 U	---
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---	---	5 U	---	---	---	140	10 U	50 U
Copper	1300	NA	NA	---	---	---	5 U	---	---	---	1 U	---	---
Iron	NS	1400	14000	---	---	---	---	3700	7500	3700	3100	1600	---
Lead	15	NA	NA	---	---	---	5 U	---	---	---	1 U	---	---
Magnesium	NS	NS	NS	---	---	---	---	---	---	---	---	---	---
Manganese	NS	43	430	---	---	---	---	---	---	---	1200	1300	---
Mercury	2	NA	NA	---	---	---	1 U	---	---	---	0.2 U	---	---
Nickel	NS	39	390	---	---	---	5 U	---	---	---	0.91 J	---	---
Potassium	NS	NS	NS	---	---	---	---	---	---	---	---	---	---
Selenium	50	NA	NA	---	---	---	5 U	---	---	---	0.73 J	---	---
Silver	NS	9.4	94	---	---	---	5 U	---	---	---	1 U	---	---
Sodium	NS	NS	NS	---	---	---	---	---	---	---	---	---	---
Thallium	2	NA	NA	---	---	---	5 U	---	---	---	1 U	---	---
Zinc	NS	600	6000	---	---	---	20 U	---	---	---	12 J	---	---
<b>Total Metals (µg/L)</b>													
Antimony	6	NA	NA	---	5 U	5 U	5 U	---	0.5 J	1 U	1 U	5 U	---
Arsenic	10	NA	NA	---	5 U	5 U	4.7 J	---	5.7	1.2	1.1	1 U	---
Barium	2000	NA	NA	---	---	---	---	---	---	---	---	---	---
Beryllium	4	NA	NA	---	4 U	5 U	0.5 U	---	0.5 U	0.5 U	0.5 U	1 U	---
Cadmium	5	NA	NA	---	5 U	5 U	5 U	---	1 U	1 U	1 U	1 U	---
Calcium	NS	NS	NS	---	---	---	---	---	---	---	---	---	---
Chromium	100	NA	NA	---	---	---	5 U	---	0.6 J	1 U	1 U	1 U	---
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---	---	---	---	---	---	---	---	---
Cobalt	NS	0.6	6	---	---	---	---	---	---	---	---	---	1 U
Copper	1300	NA	NA	---	5 U	5 U	5 U	---	1.3	0.6 J	1 U	1 U	---
Iron	NS	1400	14000	---	---	---	---	---	---	---	3600	2500	---
Lead	15	NA	NA	50 U	5.7	5 U	5 U	---	15	0.9 J	0.75 J	1.1	---
Manganese	NS	43	430	---	---	---	---	---	---	---	1200	1400	---
Mercury	2	NA	NA	---	1 U	1 U	1 U	---	0.2 U	0.2 U	0.2 U	0.2 U	---
Nickel	NS	39	390	---	5 U	5 U	5 U	---	1.1	1 U	1.2	0.64 J	---
Selenium	50	NA	NA	---	5 U	5 U	5 U	---	1 U	1 U	1 U	1 U	---
Silver	NS	9.4	94	---	5 U	5 U	5 U	---	1 U	1 U	1 U	1 U	---
Thallium	2	NA	NA	---	2 U	5 U	0.7	---	1 U	1 U	1 U	1 U	---
Vanadium	NS	8.6	86	---	---	---	---	---	---	---	---	---	1.6
Zinc	NS	600	6000	---	50 U	50 U	13 J	---	21	20 U	11 J	11 J	---

Table 6. Groundwater Monitoring Well Sample Results

Metals

Dresser Inc. Facility

124 W. College Ave, Salisbury, Maryland

Screening Criteria <sup>1</sup>	MCL	RSL HQ = 0.1	RSL HQ = 1.0	Location	MW-1	MW-1	MW-1	MW-1	MW-3	MW-3	MW-3	MW-3	MW-3	MW-3	MW-3	
				Sample Date	12/9/2014	12/8/2015	5/5/2016	11/9/2016	9/7/2002	9/7/2002	3/29/2006	5/16/2007	11/18/2008	3/4/2009	3/4/2009	10/13/2010
				Sample ID	MW-1A	MW-1	MW-1	MW-1	MW-3	MW-3D4	MW-3	MW-3	MW-3	MW-3D	MW-3	
				Sample Depth (ft. bgs.)	25.61	27	27	27	TT	TT, d	24.75	24.73	25.4	25.2	25.2	
				Notes	d									d		
<b>Dissolved Metals (µg/L)</b>																
Antimony	6	NA	NA		---	---	---	---	---	---	---	---	---	---	---	
Arsenic	10	NA	NA		---	---	---	---	---	---	---	---	---	---	---	
Beryllium	4	NA	NA		---	---	---	---	---	---	---	---	---	---	---	
Cadmium	5	NA	NA		---	---	---	---	---	---	---	---	---	---	---	
Calcium	NS	NS	NS		---	---	---	---	---	---	---	---	---	---	---	
Chromium	100	NA	NA		1 U	1 U	---	---	---	---	---	---	---	---	---	
Chromium, VI <sup>CM</sup>	100	NA	NA		50 U	50 U	---	---	---	---	---	---	---	---	---	
Copper	1300	NA	NA		---	---	---	---	---	---	---	---	---	---	---	
Iron	NS	1400	14000		---	310	330	150	---	---	---	---	---	11000	11000	290
Lead	15	NA	NA		---	---	---	---	---	---	---	---	---	---	---	---
Magnesium	NS	NS	NS		---	---	---	---	---	---	---	---	---	---	---	---
Manganese	NS	43	430		---	1300	1500	1300	---	---	---	---	---	---	---	---
Mercury	2	NA	NA		---	---	---	---	---	---	---	---	---	---	---	---
Nickel	NS	39	390		---	---	---	---	---	---	---	---	---	---	---	---
Potassium	NS	NS	NS		---	---	---	---	---	---	---	---	---	---	---	---
Selenium	50	NA	NA		---	---	---	---	---	---	---	---	---	---	---	---
Silver	NS	9.4	94		---	---	---	---	---	---	---	---	---	---	---	---
Sodium	NS	NS	NS		---	---	---	---	---	---	---	---	---	---	---	---
Thallium	2	NA	NA		---	---	---	---	---	---	---	---	---	---	---	---
Zinc	NS	600	6000		---	---	---	---	---	---	---	---	---	---	---	---
<b>Total Metals (µg/L)</b>																
Antimony	6	NA	NA		5 U	5 U	5 U	5 U	---	---	5 U	5 U	5 U	---	---	1 U
Arsenic	10	NA	NA		0.65 J	1 U	1 U	0.55 J	---	---	5 U	5 U	5 U	---	---	1 U
Barium	2000	NA	NA		230	160	140 J	140	---	---	---	---	---	---	---	---
Beryllium	4	NA	NA		1 U	1 U	1 U	1 U	---	---	4 U	5 U	0.5 U	---	---	0.5 U
Cadmium	5	NA	NA		1 U	1 U	1 U	1 U	---	---	5 U	5 U	5 U	---	---	1 U
Calcium	NS	NS	NS		---	---	---	---	---	---	---	---	---	---	---	---
Chromium	100	NA	NA		1 U	1 U	1 U	1 U	---	---	---	---	5 U	---	---	1 U
Chromium, VI <sup>CM</sup>	100	NA	NA		---	---	---	---	---	---	---	---	---	---	---	---
Cobalt	NS	0.6	6		1 U	1 U	1 UJ	1 U	---	---	---	---	---	---	---	---
Copper	1300	NA	NA		1 U	1 U	0.65 J	1 U	---	---	5 U	5 U	5 U	---	---	1.4
Iron	NS	1400	14000		890	440	440	650	---	---	---	---	---	---	---	---
Lead	15	NA	NA		1.1	2.5	2.1	3.3	50 U	50 U	5 U	5 U	5 U	---	---	1 U
Manganese	NS	43	430		1300	1500	1500	1400	---	---	---	---	---	---	---	---
Mercury	2	NA	NA		0.2 U	0.2 U	0.2 U	0.2 U	---	---	1 U	1 U	1 U	---	---	0.2 U
Nickel	NS	39	390		1 U	0.6 J	0.6 J	1 U	---	---	5 U	5 U	5 U	---	---	1 U
Selenium	50	NA	NA		1 U	1 U	1 UJ	1 U	---	---	5 U	5 U	5 U	---	---	0.6 J
Silver	NS	9.4	94		1 U	1 U	1 UJ	1 U	---	---	5 U	5 U	5 U	---	---	1 U
Thallium	2	NA	NA		1 U	1 U	1 U	1 U	---	---	2 U	5 U	0.5 U	---	---	1 U
Vanadium	NS	8.6	86		1.6	1.5	1.4	0.91 J	---	---	---	---	---	---	---	---
Zinc	NS	600	6000		16 J	11 J	11 J	13 J	---	---	85	110	84	---	---	41

Table 6. Groundwater Monitoring Well Sample Results

Metals

Dresser Inc. Facility

124 W. College Ave, Salisbury, Maryland

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-3 10/13/2010 MW-300 25.4 d	MW-3 10/31/2011 MW-3 25.4	MW-3 9/18/2012 MW-3 25	MW-3 12/13/2013 MW-3 20.5	MW-3 12/9/2014 MW-3 25.03	MW-3 12/8/2015 MW-3 25	MW-3 12/8/2015 MW-3A 25 D	MW-3 5/4/2016 MW-3 25	MW-3 11/8/2016 MW-3 22.9	MW-3 3/22/2018 MW-3 24.73	MW-4 9/7/2002 MW-4 TT	MW-4 3/29/2006 MW-4 24.5			
	Screening Criteria <sup>1</sup>	MCL	RSL HQ = 0.1	RSL HQ = 1.0											
<b>Dissolved Metals (µg/L)</b>															
Antimony	6	NA	NA	---	---	1 U	---	---	---	---	---	---			
Arsenic	10	NA	NA	---	---	1.3	---	---	---	---	---	---			
Beryllium	4	NA	NA	---	---	0.5 U	---	---	---	---	---	---			
Cadmium	5	NA	NA	---	---	1 U	---	---	---	---	---	---			
Calcium	NS	NS	NS	---	---	---	---	---	---	---	---	---			
Chromium	100	NA	NA	---	---	1 U	0.6 J	1 U	1 U	1 U	---	1 U			
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---	---	10 U	50 U	50 U	50 U	---	---			
Copper	1300	NA	NA	---	---	3.2	---	---	---	---	---	---			
Iron	NS	1400	14000	340	100 U	2400	100 U	1100	200	---	120	2100			
Lead	15	NA	NA	---	---	1 U	---	---	---	---	---	---			
Magnesium	NS	NS	NS	---	---	---	---	---	---	---	---	---			
Manganese	NS	43	430	---	---	82	11	76	34	---	13	31			
Mercury	2	NA	NA	---	---	0.2 U	---	---	---	---	---	---			
Nickel	NS	39	390	---	---	0.5 J	---	---	---	---	---	---			
Potassium	NS	NS	NS	---	---	---	---	---	---	---	---	---			
Selenium	50	NA	NA	---	---	0.53 J	---	---	---	---	---	---			
Silver	NS	9.4	94	---	---	1 U	---	---	---	---	---	---			
Sodium	NS	NS	NS	---	---	---	---	---	---	---	---	---			
Thallium	2	NA	NA	---	---	1 U	---	---	---	---	---	---			
Zinc	NS	600	6000	---	---	49	---	---	---	---	---	---			
<b>Total Metals (µg/L)</b>															
Antimony	6	NA	NA	1 U	1 U	1 U	5 U	5 U	5 U	5 U	5 U	5 U	---	---	5 U
Arsenic	10	NA	NA	1 U	1 U	1.7	1 U	1 U	1 U	1 U	0.85 J	1.6	---	---	5 U
Barium	2000	NA	NA	---	---	---	---	100	61	62	85 J	120	---	---	---
Beryllium	4	NA	NA	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U	---	---	4 U
Cadmium	5	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	---	---	5 U
Calcium	NS	NS	NS	---	---	---	---	---	---	---	---	---	---	---	---
Chromium	100	NA	NA	1 U	1 U	1 U	0.78 J	1 U	1 U	1 U	1 U	1 U	---	---	---
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---	---	---	---	---	---	---	---	---	---	---
Cobalt	NS	0.6	6	---	---	---	---	3.6	0.58 J	0.64 J	1 UJ	0.91 J	---	---	---
Copper	1300	NA	NA	0.9 J	1.3	3.9	0.82 J	0.73 J	1.3	0.74 J	1.1	1.2	---	---	5 U
Iron	NS	1400	14000	---	---	3200	110	1400	290	280	1300	3600	---	---	---
Lead	15	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	---	50 U	5 U
Manganese	NS	43	430	---	---	70	11	82	26	28	12	31 J	---	---	---
Mercury	2	NA	NA	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	---	---	1 U
Nickel	NS	39	390	1 U	1 J	1.4	0.83 J	0.77 J	1 U	1 U	1 U	1 U	---	---	5 U
Selenium	50	NA	NA	0.5 J	1 J	0.67 J	1.5	1 U	0.6 J	0.58 J	0.75 J	1	---	---	5 U
Silver	NS	9.4	94	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 UJ	1 U	---	---	5 U
Thallium	2	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	---	---	2 U
Vanadium	NS	8.6	86	---	---	---	---	1 U	1 U	1 U	1.1	2.3	---	---	---
Zinc	NS	600	6000	41	15 J	40	71	40	19 J	22	17 J	26	---	---	50 U

Table 6. Groundwater Monitoring Well Sample Results

Metals

Dresser Inc. Facility

124 W. College Ave, Salisbury, Maryland

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-4 5/16/2007 MW-4 24.5	MW-4 11/18/2008 MW-4 25.01	MW-4 11/18/2008 MW-4D 25.01 d	MW-4 10/14/2010 MW-4 23.95	MW-4 10/14/2010 MW-400 23.95 d	MW-4 11/1/2011 MW-4 23.7	MW-4 2/7/2012 MW-4 24.5	MW-4 9/18/2012 MW-4 24.6	MW-4 12/16/2013 MW-4 23.4	MW-4 12/9/2014 MW-4 24.5	MW-4 12/8/2015 MW-4 23.7	MW-4 5/4/2016 MW-4 23.7			
	MCL	RSL HQ = 0.1	RSL HQ = 1.0												
<b>Screening Criteria<sup>1</sup></b>															
<b>Dissolved Metals (µg/L)</b>															
Antimony	6	NA	NA	---	---	---	---	---	---	---	---	---			
Arsenic	10	NA	NA	---	---	---	---	---	---	---	---	---			
Beryllium	4	NA	NA	---	---	---	---	---	---	---	---	---			
Cadmium	5	NA	NA	---	---	---	---	---	---	---	---	---			
Calcium	NS	NS	NS	---	---	---	---	---	---	---	---	35000			
Chromium	100	NA	NA	---	---	---	1 U	0.87 J	3.4	1 U	1 U	1 U			
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---	---	10 U	10 U	10 U	10 U	50 U	50 U			
Copper	1300	NA	NA	---	---	---	---	---	---	---	---	---			
Iron	NS	1400	14000	---	---	---	4400	3900	6100	---	6300	810	280	100 U	100 U
Lead	15	NA	NA	---	---	---	---	---	---	---	---	---			
Magnesium	NS	NS	NS	---	---	---	---	---	---	---	---	---			
Manganese	NS	43	430	---	---	---	---	---	---	---	---	---	---	---	11000
Mercury	2	NA	NA	---	---	---	---	---	---	---	---	---			
Nickel	NS	39	390	---	---	---	---	---	---	---	---	---			
Potassium	NS	NS	NS	---	---	---	---	---	---	---	---	---			
Selenium	50	NA	NA	---	---	---	---	---	---	---	---	---			
Silver	NS	9.4	94	---	---	---	---	---	---	---	---	---			
Sodium	NS	NS	NS	---	---	---	---	---	---	---	---	---			
Thallium	2	NA	NA	---	---	---	---	---	---	---	---	---			
Zinc	NS	600	6000	---	---	---	---	---	---	---	---	---			
<b>Total Metals (µg/L)</b>															
Antimony	6	NA	NA	5 U	5 U	5 U	1 U	1 U	0.5 J	---	0.62 J	5 U	5 U	5 U	5 U
Arsenic	10	NA	NA	5 U	7.9	7.2	5.2	4.7	4.6	---	7.5	3.5	1.3	2.1	2
Barium	2000	NA	NA	---	---	---	---	---	---	---	---	---	91	65	65
Beryllium	4	NA	NA	5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	---	0.5 U	1 U	1 U	1 U	1 U
Cadmium	5	NA	NA	5 U	5 U	5 U	1 U	1 U	1 U	---	1 U	1 U	1 U	1 U	1 U
Calcium	NS	NS	NS	---	---	---	---	---	---	---	---	---	---	---	---
Chromium	100	NA	NA	---	5 U	5 U	0.5 J	0.5 J	1.2	---	1.6	4.1	1 U	1 U	0.5 J
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---	---	10 U	10 U	10 U	---	---	---	---	---	---
Cobalt	NS	0.6	6	---	---	---	---	---	---	---	---	---	1 U	0.56 J	1 U
Copper	1300	NA	NA	5 U	6.5	6.7	3.9	3.1	3.7	---	13	7.1	4.9	5.8	6.6 J
Iron	NS	1400	14000	---	---	---	---	---	---	---	6600	890	450	130	130
Lead	15	NA	NA	5 U	5 U	5 U	1 U	1 U	0.5 J	---	1.1	0.7 J	0.62 J	1.3	1 U
Manganese	NS	43	430	---	---	---	---	---	---	---	210	56	220	93	45
Mercury	2	NA	NA	1 U	1 U	1 U	0.2 U	0.2 U	0.2 U	---	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
Nickel	NS	39	390	5 U	4.5 J	4.6 J	5.8	5.7	4.2	---	12	5.5	2.6	4.5	4.9
Selenium	50	NA	NA	5 U	5 U	5 U	1 U	1 U	1 U	---	0.73 J	1 U	1 U	1 U	1 U
Silver	NS	9.4	94	5 U	5 U	5 U	1 U	1 U	1 U	---	1 U	1 U	1 U	1 U	1 U
Thallium	2	NA	NA	5 U	0.5 U	0.5 U	1 U	1 U	1 U	---	1 U	1 U	1 U	1 U	1 U
Vanadium	NS	8.6	86	---	---	---	---	---	---	---	---	---	3.7	3.2	2.6
Zinc	NS	600	6000	50 U	20 U	20 U	13 J	12 J	20 U	---	24	26	21	17 J	21 J



Table 6. Groundwater Monitoring Well Sample Results

Metals

Dresser Inc. Facility

124 W. College Ave, Salisbury, Maryland

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-4 8/8/2016 MW-4 23	MW-4 11/9/2016 MW-4 22.3	MW-4 2/7/2017 MW-4 22.5	MW-4 3/23/2018 MW-4 22.5	MW-5 11/6/2002 MW-5 TT	MW-5 11/6/2002 MW-5D4 TT, d	MW-5 3/30/2006 MW-5 26.55 d	MW-5 3/30/2006 MW-5MS/MSD 26.55	MW-5 5/17/2007 MW-5 26.55	MW-5 5/17/2007 MW-5D 26.55 d	MW-5 11/18/2008 MW-5 26.6	MW-6 11/6/2002 MW-6 TT		
	MCL	RSL HQ = 0.1	RSL HQ = 1.0											
<b>Screening Criteria<sup>1</sup></b>														
<b>Dissolved Metals (µg/L)</b>														
Antimony	6	NA	NA	---	---	---	5 U	5 U	---	---	---	---		
Arsenic	10	NA	NA	---	---	---	5 U	5 U	---	---	---	---		
Beryllium	4	NA	NA	---	---	---	4 U	4 U	---	---	---	---		
Cadmium	5	NA	NA	---	---	---	5 U	5 U	---	---	---	---		
Calcium	NS	NS	NS	40000	51000	49000	---	---	---	---	---	---		
Chromium	100	NA	NA	1 U	1 U	1 U	---	---	---	---	---	---		
Chromium, VI <sup>CM</sup>	100	NA	NA	50 U	50 U	50 U	---	---	---	---	---	---		
Copper	1300	NA	NA	---	---	---	5 U	5 U	---	---	---	---		
Iron	NS	1400	14000	56 J	100 U	100 U	---	---	---	---	---	---		
Lead	15	NA	NA	---	---	---	5 U	5 U	---	---	---	---		
Magnesium	NS	NS	NS	15000	25000	31000	---	---	---	---	---	---		
Manganese	NS	43	430	250	410	490	---	---	---	---	---	---		
Mercury	2	NA	NA	---	---	---	1 U	1 U	---	---	---	---		
Nickel	NS	39	390	---	---	---	5 U	5 U	---	---	---	---		
Potassium	NS	NS	NS	5200	4500	4600	---	---	---	---	---	---		
Selenium	50	NA	NA	---	---	---	5 U	5 U	---	---	---	---		
Silver	NS	9.4	94	---	---	---	5 U	5 U	---	---	---	---		
Sodium	NS	NS	NS	34000	38000	22000	---	---	---	---	---	---		
Thallium	2	NA	NA	---	---	---	2 U	2 U	---	---	---	---		
Zinc	NS	600	6000	---	---	---	50 U	50 U	---	---	---	---		
<b>Total Metals (µg/L)</b>														
Antimony	6	NA	NA	---	5 U	---	5 U	5 U	5 U	5 U	5 U	---		
Arsenic	10	NA	NA	---	1	---	5 U	5 U	5 U	5 U	5 U	---		
Barium	2000	NA	NA	---	150	---	---	---	---	---	---	---		
Beryllium	4	NA	NA	---	1 U	---	4 U	4 U	5 U	5 U	0.5 U	---		
Cadmium	5	NA	NA	---	0.56 J	---	5 U	5 U	5 U	5 U	5 U	---		
Calcium	NS	NS	NS	---	---	---	---	---	---	---	---	---		
Chromium	100	NA	NA	---	1 U	---	---	---	---	---	3.2 J	---		
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---	---	---	---	---	---	---	---		
Cobalt	NS	0.6	6	---	0.99 J	---	---	---	---	---	---	---		
Copper	1300	NA	NA	---	4	---	5 U	5 U	5 U	5 U	5 U	---		
Iron	NS	1400	14000	110	120	110	---	---	---	---	---	---		
Lead	15	NA	NA	---	1 U	---	50 U	50 U	5 U	5 U	8.2	9.8	5 U	50 U
Manganese	NS	43	430	260	530 J	410	---	---	---	---	---	---		
Mercury	2	NA	NA	---	0.2 U	---	1 U	1 U	1 U	1 U	1 U	1 U		
Nickel	NS	39	390	---	4.1	---	5 U	5 U	7.9	9.4	5 U	---		
Selenium	50	NA	NA	---	1.8	---	5 U	5 U	5 U	5 U	5 U	---		
Silver	NS	9.4	94	---	1 U	---	5 U	5 U	5 U	5 U	5 U	---		
Thallium	2	NA	NA	---	1 U	---	2 U	2 U	5 U	5 U	0.5 U	---		
Vanadium	NS	8.6	86	---	2.7	---	---	---	---	---	---	---		
Zinc	NS	600	6000	---	24	---	50 U	50 U	50 U	60	20 U	---		

Table 6. Groundwater Monitoring Well Sample Results

Metals  
 Dresser Inc. Facility  
 124 W. College Ave, Salisbury, Maryland

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-6 3/29/2006 MW-6 24.7	MW-6 5/18/2007 MW-6D 24.7 d	MW-6 5/18/2007 MW-6MS/MSD 24.7	MW-6 11/18/2008 MW-6 27	MW-6 3/4/2009 MW-6 27	MW-6 10/13/2010 MW-6 MS/MSD 27.04	MW-6 11/1/2011 MW-6 27	MW-6 9/18/2012 MW-6 27	MW-6 9/20/2012 MW-6 27	MW-6 12/12/2013 MW-6 (MS/MSD)-13121214 25
	MCL	RSL HQ = 0.1	RSL HQ = 1.0							
<b>Screening Criteria<sup>1</sup></b>										
<b>Dissolved Metals (µg/L)</b>										
Antimony	6	NA	NA	---	---	---	---	---	1 U	---
Arsenic	10	NA	NA	---	---	---	---	---	1 U	---
Beryllium	4	NA	NA	---	---	---	---	---	0.5 U	---
Cadmium	5	NA	NA	---	---	---	---	---	1 U	---
Calcium	NS	NS	NS	---	---	---	---	---	---	---
Chromium	100	NA	NA	---	---	---	---	---	1 U	---
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---	---	---	---	10 U	---
Copper	1300	NA	NA	---	---	---	---	---	1 U	---
Iron	NS	1400	14000	---	---	---	580	1000	700	520
Lead	15	NA	NA	---	---	---	---	---	1 U	---
Magnesium	NS	NS	NS	---	---	---	---	---	---	---
Manganese	NS	43	430	---	---	---	---	---	1344	---
Mercury	2	NA	NA	---	---	---	---	---	0.2 U	---
Nickel	NS	39	390	---	---	---	---	---	25	---
Potassium	NS	NS	NS	---	---	---	---	---	---	---
Selenium	50	NA	NA	---	---	---	---	---	1.4	---
Silver	NS	9.4	94	---	---	---	---	---	1 U	---
Sodium	NS	NS	NS	---	---	---	---	---	---	---
Thallium	2	NA	NA	---	---	---	---	---	1 U	---
Zinc	NS	600	6000	---	---	---	---	---	11 J	---
<b>Total Metals (µg/L)</b>										
Antimony	6	NA	NA	5 U	5 U	5 U	5 U	---	1 U	1 U
Arsenic	10	NA	NA	5 U	5 U	5 U	5 U	---	1.9	0.6 J
Barium	2000	NA	NA	---	---	---	---	---	---	---
Beryllium	4	NA	NA	4 U	5 U	5 U	0.5 U	---	0.5 U	0.5 U
Cadmium	5	NA	NA	5 U	5 U	5 U	5 U	---	1 U	1 U
Calcium	NS	NS	NS	---	---	---	---	---	---	---
Chromium	100	NA	NA	---	---	---	5 U	---	1 U	1 U
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---	---	---	---	---	---
Cobalt	NS	0.6	6	---	---	---	---	---	---	---
Copper	1300	NA	NA	5 U	5 U	5 U	5 U	---	1 U	1 U
Iron	NS	1400	14000	---	---	---	---	---	---	660
Lead	15	NA	NA	9.8	8.5	9.2	5 U	---	1.2	1.5
Manganese	NS	43	430	---	---	---	---	---	---	990
Mercury	2	NA	NA	1 U	1 U	1 U	1 U	---	0.2 U	0.2 U
Nickel	NS	39	390	21	10	11	28	---	21	27
Selenium	50	NA	NA	5 U	5 U	5 U	5 U	---	1.2	1.6
Silver	NS	9.4	94	5 U	5 U	5 U	5 U	---	1 U	1 U
Thallium	2	NA	NA	2 U	5 U	5 U	0.5 U	---	1 U	1 U
Vanadium	NS	8.6	86	---	---	---	---	---	---	---
Zinc	NS	600	6000	50 U	51	59	21	---	11 J	20 U

Table 6. Groundwater Monitoring Well Sample Results

Metals

Dresser Inc. Facility

124 W. College Ave, Salisbury, Maryland

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-6 5/6/2016 MW-6 26	MW-6 11/10/2016 MW-6 24.33	MW-7 11/6/2002 MW-7 TT	MW-7 3/29/2006 MW-7 26.15	MW-7 5/17/2007 MW-7 26.15	MW-7 11/18/2008 MW-7 26.2	MW-7 3/4/2009 MW-7 26.2	MW-7 10/14/2010 MW-7 MS/MSD 26.19	MW-7 11/1/2011 MW-7 25.95	MW-7 2/7/2012 MW-7 26	MW-7 9/18/2012 MW-7 25.5	MW-7 12/13/2013 MW-7 24.5
	MCL	RSL HQ = 0.1	RSL HQ = 1.0									
<b>Screening Criteria<sup>1</sup></b>												
<b>Dissolved Metals (µg/L)</b>												
Antimony	6	NA	NA	---	---	---	5 U	---	1 U	---	---	1 U
Arsenic	10	NA	NA	---	---	---	5 U	---	0.7 J	---	---	1 U
Beryllium	4	NA	NA	---	---	---	5 U	---	1	---	---	0.5 U
Cadmium	5	NA	NA	---	---	---	5 U	---	1 U	---	---	1 U
Calcium	NS	NS	NS	---	---	---	---	---	---	---	---	---
Chromium	100	NA	NA	---	---	---	5 U	---	1 U	---	1 U	1 U
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---	---	---	---	10 U	10 U	10 U	10 U
Copper	1300	NA	NA	---	---	---	5 U	---	1 U	---	---	0.63 J
Iron	NS	1400	14000	620	580	---	---	140	100 U	100 U	---	100 U
Lead	15	NA	NA	---	---	---	5 U	---	1 U	---	---	1 U
Magnesium	NS	NS	NS	---	---	---	---	---	---	---	---	---
Manganese	NS	43	430	530 E	400	---	---	---	---	---	---	140
Mercury	2	NA	NA	---	---	---	1 U	---	0.2 U	---	---	0.2 U
Nickel	NS	39	390	---	---	---	5 U	---	2.2	---	---	1.1
Potassium	NS	NS	NS	---	---	---	---	---	---	---	---	---
Selenium	50	NA	NA	---	---	---	5 U	---	1.2	---	---	1.9
Silver	NS	9.4	94	---	---	---	5 U	---	1 U	---	---	1 U
Sodium	NS	NS	NS	---	---	---	---	---	---	---	---	---
Thallium	2	NA	NA	---	---	---	5 U	---	1 U	---	---	1 U
Zinc	NS	600	6000	---	---	---	17 J	---	20 J	---	---	18 J
<b>Total Metals (µg/L)</b>												
Antimony	6	NA	NA	5 U	5 U	---	5 U	5 U	5 U	---	1 U	1 U
Arsenic	10	NA	NA	0.58 J	0.58 J	---	5 U	5 U	6	---	1.3	1.6
Barium	2000	NA	NA	94 J	120	---	---	---	---	---	---	---
Beryllium	4	NA	NA	1 U	1 U	---	4 U	5 U	1.8	---	0.9	1.9
Cadmium	5	NA	NA	1 U	0.54 J	---	5 U	5 U	5 U	---	1 U	1 U
Calcium	NS	NS	NS	---	---	---	---	---	---	---	---	---
Chromium	100	NA	NA	1 U	1 U	---	---	---	7.3	---	2.6	1.3
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---	---	---	---	---	---	10 U	10 U
Cobalt	NS	0.6	6	1 UJ	0.81 J	---	---	---	---	---	---	---
Copper	1300	NA	NA	0.94 J	1.2	---	5 U	5 U	2.6 J	---	0.7 J	0.9 J
Iron	NS	1400	14000	750	1100	---	---	---	---	---	---	---
Lead	15	NA	NA	0.73 J	1.8	50 U	5 U	5 U	5 U	---	0.8 J	1 U
Manganese	NS	43	430	670	470	---	---	---	---	---	---	---
Mercury	2	NA	NA	0.2 U	0.2 U	---	1 U	1 U	1 U	---	0.2 U	0.2 U
Nickel	NS	39	390	10	19	---	5 U	8.9	4.4 J	---	2.7	2.9
Selenium	50	NA	NA	1.5 J	1.9	---	5 U	5 U	5 U	---	0.8 J	2.5
Silver	NS	9.4	94	1 UJ	1 U	---	5 U	5 U	5 U	---	1 U	1 U
Thallium	2	NA	NA	1 U	1 U	---	2 U	5 U	0.5 U	---	1 U	1 U
Vanadium	NS	8.6	86	1 U	0.57 J	---	---	---	---	---	---	---
Zinc	NS	600	6000	16 J	37	---	50 U	85	38	---	25	15 J

Table 6. Groundwater Monitoring Well Sample Results

Metals

Dresser Inc. Facility

124 W. College Ave, Salisbury, Maryland

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-7 12/9/2014 MW-7 25.55	MW-7 12/8/2015 MW-7 24.9	MW-7 5/4/2016 MW-7 24.9	MW-7 8/9/2016 MW-7 24	MW-7 11/9/2016 MW-7 23.5	MW-7 2/7/2017 MW-7 24	MW-8 8/12/2004 MW-8 TT	MW-8 3/30/2006 MW-8 26.4	MW-8 5/17/2007 MW-8 26.4	MW-8 11/18/2008 MW-8 26.1	MW-8 3/5/2009 MW-8 25.5	MW-8 10/12/2010 MW-8 26.06
	MCL	RSL HQ = 0.1	RSL HQ = 1.0									
<b>Screening Criteria<sup>1</sup></b>												
<b>Dissolved Metals (µg/L)</b>												
Antimony	6	NA	NA	---	---	---	---	---	---	5 U	---	---
Arsenic	10	NA	NA	---	---	---	---	---	---	5 U	---	---
Beryllium	4	NA	NA	---	---	---	---	---	---	4 U	---	---
Cadmium	5	NA	NA	---	---	---	---	---	---	5 U	---	---
Calcium	NS	NS	NS	---	---	38000	41000	32000	45000	---	---	---
Chromium	100	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	---	---	---
Chromium, VI <sup>CM</sup>	100	NA	NA	50 U	50 U	50 U	50 U	50 U	50 UJ	---	---	---
Copper	1300	NA	NA	---	---	---	---	---	---	5 U	---	---
Iron	NS	1400	14000	100 U	100 U	89 J	190	100 U	100 U	---	---	100 U
Lead	15	NA	NA	---	---	---	---	---	---	5 U	---	---
Magnesium	NS	NS	NS	---	---	16000	13000	10000	17000	---	---	---
Manganese	NS	43	430	150	200	220	120	180	320	---	---	---
Mercury	2	NA	NA	---	---	---	---	---	---	1 U	---	---
Nickel	NS	39	390	---	---	---	---	---	---	5 U	---	---
Potassium	NS	NS	NS	---	---	5200	6300	6300	7500	---	---	---
Selenium	50	NA	NA	---	---	---	---	---	---	5 U	---	---
Silver	NS	9.4	94	---	---	---	---	---	---	5 U	---	---
Sodium	NS	NS	NS	---	---	24000	23000	15000	20000	---	---	---
Thallium	2	NA	NA	---	---	---	---	---	---	2 U	---	---
Zinc	NS	600	6000	---	---	---	---	---	---	50 U	---	---
<b>Total Metals (µg/L)</b>												
Antimony	6	NA	NA	5 U	5 U	5 U	---	5 U	---	2 U	5 U	5 U
Arsenic	10	NA	NA	1 U	0.69 J	1	---	1 U	---	2 U	5 U	5 U
Barium	2000	NA	NA	53	59	67	---	120	---	82	---	---
Beryllium	4	NA	NA	1 U	1.2	1.6	---	1.4	---	0.5 U	4 U	5 U
Cadmium	5	NA	NA	1 U	1 U	1 U	---	1 U	---	0.5 U	5 U	5 U
Calcium	NS	NS	NS	---	---	---	---	---	---	---	---	---
Chromium	100	NA	NA	1 U	1 U	1 U	---	1 U	---	---	5 U	---
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---	---	---	---	---	10 U	---	---
Cobalt	NS	0.6	6	1.6	2.3	2.5	---	2	---	---	---	---
Copper	1300	NA	NA	1 U	1 U	0.7 J	---	1.6	---	2	5 U	13
Iron	NS	1400	14000	150	220	270	560	420	240	---	---	---
Lead	15	NA	NA	1 U	1 U	1 U	---	1 U	---	2 U	5 U	9
Manganese	NS	43	430	170	200	220	150	240 J	280	---	---	---
Mercury	2	NA	NA	0.2 U	0.2 U	0.2 U	---	0.2 U	---	0.2 U	1 U	1 U
Nickel	NS	39	390	1.3	1.5	1.9	---	1.6	---	2 U	5 U	16
Selenium	50	NA	NA	2	1.5	2.4	---	2.1	---	2 U	5 U	5 U
Silver	NS	9.4	94	1 U	1 U	1 U	---	1 U	---	2 U	5 U	5 U
Thallium	2	NA	NA	1 U	1 U	1 U	---	1 U	---	2 U	2 U	5 U
Vanadium	NS	8.6	86	1 U	1 U	1 U	---	0.67 J	---	---	---	---
Zinc	NS	600	6000	24	32	23 J	---	34	---	9	50 U	69

Table 6. Groundwater Monitoring Well Sample Results

Metals

Dresser Inc. Facility

124 W. College Ave, Salisbury, Maryland

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-8 11/1/2011 MW-8 27	MW-8 9/17/2012 MW-8 26	MW-8 12/10/2013 MW-8 24.5	MW-8 12/8/2014 MW-8 25.28	MW-8 12/7/2015 MW-8 24.6	MW-8 5/3/2016 MW-8 25	MW-8 11/7/2016 MW-8 23	MW-9 8/12/2004 MW-9 TT	MW-9 3/30/2006 MW-9 26.2	MW-9 5/17/2007 MW-9 25.35	MW-9 11/19/2008 MW-9 26.18	MW-9 10/12/2010 MW-9 26.18	
	MCL	RSL HQ = 0.1	RSL HQ = 1.0										
<b>Screening Criteria<sup>1</sup></b>													
<b>Dissolved Metals (µg/L)</b>													
Antimony	6	NA	NA	---	1 U	---	---	---	---	5 U	---	5 U	1 U
Arsenic	10	NA	NA	---	1 U	---	---	---	---	5 U	---	3.9 J	1 U
Beryllium	4	NA	NA	---	0.5 U	---	---	---	---	4 U	---	5 U	0.5 U
Cadmium	5	NA	NA	---	1 U	---	---	---	---	5 U	---	5 U	1 U
Calcium	NS	NS	NS	---	---	---	---	---	---	---	---	---	---
Chromium	100	NA	NA	---	1 U	4.2	1 U	1 U	---	---	---	3.9 J	1 U
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---	10 U	50 U	50 U	---	---	---	---	---
Copper	1300	NA	NA	---	1 U	---	---	---	---	5 U	---	4.3 J	1 U
Iron	NS	1400	14000	100 U	100 U	100 U	100 U	100 U	100 U	---	---	---	100 U
Lead	15	NA	NA	---	1 U	---	---	---	---	5 U	---	5 U	1 U
Magnesium	NS	NS	NS	---	---	---	---	---	---	---	---	---	---
Manganese	NS	43	430	---	49	12	7.8	3.1	3.2	1 U	---	---	---
Mercury	2	NA	NA	---	0.2 U	---	---	---	---	---	---	1 U	0.1
Nickel	NS	39	390	---	1 U	---	---	---	---	---	---	5 U	4.4 J
Potassium	NS	NS	NS	---	---	---	---	---	---	---	---	---	---
Selenium	50	NA	NA	---	1.1	---	---	---	---	---	---	5 U	1 U
Silver	NS	9.4	94	---	1 U	---	---	---	---	---	---	5 U	0.9 J
Sodium	NS	NS	NS	---	---	---	---	---	---	---	---	---	---
Thallium	2	NA	NA	---	0.5 U	---	---	---	---	---	---	2 U	5 U
Zinc	NS	600	6000	---	11 J	---	---	---	---	---	---	50 U	20 U
<b>Total Metals (µg/L)</b>													
Antimony	6	NA	NA	1 U	1 U	5 U	5 U	5 U	5 U	5 UJ	2 U	5 U	5 U
Arsenic	10	NA	NA	1 U	0.59 J	1 U	1 U	1 U	1 U	1 U	2 U	5 U	3.2 J
Barium	2000	NA	NA	---	---	---	70	70	53	54	41	---	---
Beryllium	4	NA	NA	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	0.5 U	4 U	0.5 U
Cadmium	5	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.5 U	5 U	1 U
Calcium	NS	NS	NS	---	---	---	---	---	---	---	---	---	---
Chromium	100	NA	NA	2.4	2.3	7.7	0.92 J	1 U	0.59 J	0.52 J	---	---	5 U
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---	---	---	---	---	---	---	10 U	---
Cobalt	NS	0.6	6	---	---	---	1 U	1 U	1 U	1 U	---	---	---
Copper	1300	NA	NA	1	4	0.84 J	2.6	1 U	0.84 J	0.73 J	2	12	15
Iron	NS	1400	14000	---	680	220	160	100 U	110	87 J	---	---	---
Lead	15	NA	NA	0.9 J	1.1	1 U	1 U	1 U	1 U	1 U	2 U	18	16
Manganese	NS	43	430	---	140	32	320	17	21	23	---	---	---
Mercury	2	NA	NA	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	1 U	1 U
Nickel	NS	39	390	0.8 J	20	4.1	1 U	1 U	1 U	1 U	2	5 U	11
Selenium	50	NA	NA	1.3	1.1	1.7	1.6	1.8	1.4	1.2	2 U	5 U	5 U
Silver	NS	9.4	94	1 U	1 U	1 U	1 U	1 U	1 U	1 U	2 U	5 U	5 U
Thallium	2	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U	2 U	2 U	5 U
Vanadium	NS	8.6	86	---	---	---	2.2	0.88 J	1.3	1.3	---	---	---
Zinc	NS	600	6000	20 U	18 J	20 U	18 J	11 J	16 J	13 J	16	56	62

Table 6. Groundwater Monitoring Well Sample Results

Metals

Dresser Inc. Facility

124 W. College Ave, Salisbury, Maryland

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-9 10/12/2010 MW-90 26.18 d	MW-9 11/1/2011 MW-9 27	MW-9 9/17/2012 MW-9 26	MW-9 12/11/2013 MW-9 24.5	MW-9 12/11/2013 MW-9A 24.5 d	MW-9 12/8/2014 MW-9 25.37	MW-9 12/8/2015 MW-9 24.6	MW-9 5/3/2016 MW-9 24.6	MW-9 11/7/2016 MW-9 23.29	MW-9 3/22/2018 MW-9 23.6	MW-10 8/11/2004 MW-10 TT	MW-10 3/29/2006 MW-10 25
	MCL	RSL HQ = 0.1	RSL HQ = 1.0									
<b>Screening Criteria<sup>1</sup></b>												
<b>Dissolved Metals (µg/L)</b>												
Antimony	6	NA	NA	1 U	1 U	---	---	---	---	---	---	---
Arsenic	10	NA	NA	1 U	1 U	---	---	---	---	---	---	---
Beryllium	4	NA	NA	0.5 U	0.5 U	---	---	---	---	---	---	---
Cadmium	5	NA	NA	1 U	1 U	---	---	---	---	---	---	---
Calcium	NS	NS	NS	---	---	---	---	---	---	---	---	---
Chromium	100	NA	NA	1 U	1 U	---	1 U	1 U	1 U	1 U	---	1 U
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---	---	10 U	10 U	50 U	50 U	---	---
Copper	1300	NA	NA	1 U	1 U	---	---	---	---	---	---	---
Iron	NS	1400	14000	100 U	100 U	100 U	100 U	---	100 U	100 U	100 U	100 U
Lead	15	NA	NA	1 U	1 U	---	---	---	---	---	---	---
Magnesium	NS	NS	NS	---	---	---	---	---	---	---	---	---
Manganese	NS	43	430	---	---	42	7.2	---	69	15	29	4.3
Mercury	2	NA	NA	0.1	0.2 U	---	---	---	---	---	---	---
Nickel	NS	39	390	1 U	1 U	---	---	---	---	---	---	---
Potassium	NS	NS	NS	---	---	---	---	---	---	---	---	---
Selenium	50	NA	NA	1 U	1 U	---	---	---	---	---	---	---
Silver	NS	9.4	94	0.6 J	1 U	---	---	---	---	---	---	---
Sodium	NS	NS	NS	---	---	---	---	---	---	---	---	---
Thallium	2	NA	NA	1 U	0.5 U	---	---	---	---	---	---	---
Zinc	NS	600	6000	11 J	20 U	---	---	---	---	---	---	---
<b>Total Metals (µg/L)</b>												
Antimony	6	NA	NA	1 U	1 U	1 U	5 U	5 U	5 U	5 U	5 U	5 U
Arsenic	10	NA	NA	1 U	1 U	0.52 J	1 U	1 U	1 U	1 U	1 U	1 U
Barium	2000	NA	NA	---	---	---	---	---	47	37	29	27
Beryllium	4	NA	NA	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U
Cadmium	5	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Calcium	NS	NS	NS	---	---	---	---	---	---	---	---	---
Chromium	100	NA	NA	1.2	0.5 J	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---	---	---	---	---	---	---	---
Cobalt	NS	0.6	6	---	---	---	---	---	1 U	1 U	1 U	1 U
Copper	1300	NA	NA	0.7 J	1 U	1 U	1 U	1 U	1 U	1 U	0.97 J	1 U
Iron	NS	1400	14000	---	---	66 J	100 U	---	100 U	100 U	53 J	100 U
Lead	15	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Manganese	NS	43	430	---	---	46	11	---	83	31	53	6.5
Mercury	2	NA	NA	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
Nickel	NS	39	390	1 U	1 U	0.61 J	1 U	1 U	1 U	1 U	0.77 J	1 U
Selenium	50	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Silver	NS	9.4	94	1 U	1 U	0.59 J	1 U	1 U	1 U	1 U	1 U	1 U
Thallium	2	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Vanadium	NS	8.6	86	---	---	---	---	---	0.72 J	0.66 J	0.7 J	0.58 J
Zinc	NS	600	6000	20 U	20 U	15 J	20 U	13 J	18 J	23	20 UJ	14 J

Table 6. Groundwater Monitoring Well Sample Results

Metals

Dresser Inc. Facility

124 W. College Ave, Salisbury, Maryland

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-10 5/17/2007 MW-10 25	MW-10 11/18/2008 MW-10 25	MW-10 10/13/2010 MW-10 26.03	MW-10 11/1/2011 MW-10 25.5	MW-10 2/7/2012 MW-10 25.8	MW-10 9/18/2012 MW-10 25.6	MW-10 9/18/2012 MW-10A 25.6 d	MW-10 12/12/2013 MW-10 24.5	MW-10 12/9/2014 MW-10 25.16	MW-10 12/8/2015 MW-10 25	MW-10 5/4/2016 MW-10 25	MW-10 8/9/2016 MW-10 23.6
	MCL	RSL HQ = 0.1	RSL HQ = 1.0									
<b>Screening Criteria<sup>1</sup></b>												
<b>Dissolved Metals (µg/L)</b>												
Antimony	6	NA	NA	---	---	---	---	---	---	---	---	---
Arsenic	10	NA	NA	---	---	---	---	---	---	---	---	---
Beryllium	4	NA	NA	---	---	---	---	---	---	---	---	---
Cadmium	5	NA	NA	---	---	---	---	---	---	---	---	---
Calcium	NS	NS	NS	---	---	---	---	---	---	---	29000	31000
Chromium	100	NA	NA	---	---	---	1 U	1 U	---	1 U	1 U	1 U
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---	---	10 U	10 U	10 U	10 U	50 U	50 U
Copper	1300	NA	NA	---	---	---	---	---	---	---	---	---
Iron	NS	1400	14000	---	---	100 U	100 U	---	100 U	100 U	100 U	100 U
Lead	15	NA	NA	---	---	---	---	---	---	---	---	---
Magnesium	NS	NS	NS	---	---	---	---	---	---	---	6600	6600
Manganese	NS	43	430	---	---	---	---	1 U	1 U	1 U	0.89 J	1.7
Mercury	2	NA	NA	---	---	---	---	---	---	---	---	---
Nickel	NS	39	390	---	---	---	---	---	---	---	---	---
Potassium	NS	NS	NS	---	---	---	---	---	---	---	4800	4400
Selenium	50	NA	NA	---	---	---	---	---	---	---	---	---
Silver	NS	9.4	94	---	---	---	---	---	---	---	---	---
Sodium	NS	NS	NS	---	---	---	---	---	---	---	16000	15000
Thallium	2	NA	NA	---	---	---	---	---	---	---	---	---
Zinc	NS	600	6000	---	---	---	---	---	---	---	---	---
<b>Total Metals (µg/L)</b>												
Antimony	6	NA	NA	5 U	5 U	1 U	1 U	---	1 U	1 U	5 U	5 U
Arsenic	10	NA	NA	5 U	5 U	0.6 J	1 U	---	0.62 J	0.65 J	1 U	1 U
Barium	2000	NA	NA	---	---	---	---	---	---	---	210	190
Beryllium	4	NA	NA	5 U	0.5 U	0.5 U	0.5 U	---	0.5 U	0.5 U	1 U	1 U
Cadmium	5	NA	NA	5 U	5 U	1 U	1 U	---	1 U	1 U	1 U	1 U
Calcium	NS	NS	NS	---	---	---	---	---	---	---	---	---
Chromium	100	NA	NA	---	5 U	1	0.7 J	---	0.65 J	0.73 J	1 U	1 U
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---	10 U	10 U	---	---	---	---	---
Cobalt	NS	0.6	6	---	---	---	---	---	---	---	0.6 J	0.6 J
Copper	1300	NA	NA	5 U	5 U	1.3	0.8 J	---	1.5	1.1	0.59 J	0.85 J
Iron	NS	1400	14000	---	---	---	---	---	170	170	92 J	100 U
Lead	15	NA	NA	5 U	5 U	0.5 J	1 U	---	1 U	1 U	1 U	1 U
Manganese	NS	43	430	---	---	---	---	---	7.8	9.6	8	3.3
Mercury	2	NA	NA	1 U	1 U	0.2 U	0.2 U	---	0.2 U	0.2 U	0.2 U	0.2 U
Nickel	NS	39	390	6.9	5 U	0.7 J	0.7 J	---	0.88 J	1.1	1 U	1 U
Selenium	50	NA	NA	5 U	2.6 J	2.5	4.6	---	3.2	3.2	2.9	4.5
Silver	NS	9.4	94	5 U	5 U	1 U	1 U	---	1 U	1 U	1 U	1 U
Thallium	2	NA	NA	5 U	0.5 U	1 U	1 U	---	1 U	1 U	1 U	1 U
Vanadium	NS	8.6	86	---	---	---	---	---	---	---	0.7 J	1.8
Zinc	NS	600	6000	50 U	19 J	11 J	20 U	---	20 U	16 J	12 J	16 J

Table 6. Groundwater Monitoring Well Sample Results

Metals

Dresser Inc. Facility

124 W. College Ave, Salisbury, Maryland

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-10 11/9/2016 MW-10 23	MW-10 2/7/2017 MW-10 23.6	MW-11 8/12/2004 MW-11 TT	MW-11 3/30/2006 MW-11 26.5	MW-11 5/17/2007 MW-11 26.5	MW-11 11/19/2008 MW-11 26.5	MW-11 3/5/2009 MW-11 26.5	MW-11 10/13/2010 MW-11 26.36	MW-11 11/1/2011 MW-11 27.91	MW-11 9/20/2012 MW-11 25	MW-11 12/10/2013 MW-11 24.5	MW-11 12/8/2014 MW-11 25.26			
	MCL	RSL HQ = 0.1	RSL HQ = 1.0												
<b>Screening Criteria<sup>1</sup></b>															
<b>Dissolved Metals (µg/L)</b>															
Antimony	6	NA	NA	---	---	---	5 U	---	5 U	---	---	1 U	---	---	
Arsenic	10	NA	NA	---	---	---	5 U	---	5 U	---	---	1 U	---	---	
Beryllium	4	NA	NA	---	---	---	4 U	---	5 U	---	---	0.5 U	---	---	
Cadmium	5	NA	NA	---	---	---	5 U	---	5 U	---	---	1 U	---	---	
Calcium	NS	NS	NS	30000	36000	---	---	---	---	---	---	---	---	---	
Chromium	100	NA	NA	1 U	1 U	---	---	---	5 U	---	---	0.8 J	---	1 U	
Chromium, VI <sup>CM</sup>	100	NA	NA	50 U	50 UJ	---	---	---	---	---	---	---	---	50 U	
Copper	1300	NA	NA	---	---	---	5 U	---	5 U	---	---	1 U	---	---	
Iron	NS	1400	14000	100 U	100 U	---	---	---	100 U	100 U	100 U	100 U	100 U	100 U	
Lead	15	NA	NA	---	---	---	5 U	---	5 U	---	---	1 U	---	---	
Magnesium	NS	NS	NS	6600	7500	---	---	---	---	---	---	---	---	---	
Manganese	NS	43	430	1.7	1.4	---	---	---	---	---	---	1 U	1 U	1 U	
Mercury	2	NA	NA	---	---	---	1 U	---	1 U	---	---	0.2 U	---	---	
Nickel	NS	39	390	---	---	---	5 U	---	3.2 J	---	---	1 U	---	---	
Potassium	NS	NS	NS	4200	4800	---	---	---	---	---	---	---	---	---	
Selenium	50	NA	NA	---	---	---	5 U	---	5 U	---	---	1.4	---	---	
Silver	NS	9.4	94	---	---	---	5 U	---	5 U	---	---	1 U	---	---	
Sodium	NS	NS	NS	22000	13000	---	---	---	---	---	---	---	---	---	
Thallium	2	NA	NA	---	---	---	2 U	---	5 U	---	---	0.5 U	---	---	
Zinc	NS	600	6000	---	---	---	50 U	---	16 J	---	---	20 U	---	---	
<b>Total Metals (µg/L)</b>															
Antimony	6	NA	NA	5 U	---	2 U	5 U	5 U	5 U	---	1 U	1 U	0.6 J	5 U	5 U
Arsenic	10	NA	NA	1 U	---	2 U	5 U	5 U	4.4 J	---	0.6 J	0.7 J	0.65 J	1 U	1 U
Barium	2000	NA	NA	200	---	61	---	---	---	---	---	---	---	---	92
Beryllium	4	NA	NA	1 U	---	0.5 U	4 U	5 U	0.5 U	---	0.5 U	0.5 U	0.5 U	1 U	1 U
Cadmium	5	NA	NA	1 U	---	0.5 U	5 U	5 U	5 U	---	1 U	1 U	1 U	1 U	1 U
Calcium	NS	NS	NS	---	---	---	---	---	---	---	---	---	---	---	---
Chromium	100	NA	NA	1 U	---	---	---	---	18	---	1.1	5.2	2.1	1 U	0.98 J
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---	10 U	---	---	---	---	---	---	---	---	---
Cobalt	NS	0.6	6	0.58 J	---	---	---	---	---	---	---	---	---	---	1 U
Copper	1300	NA	NA	1.3	---	2 U	10	10	8.3	---	1.3	1.6	0.89 J	1 U	0.53 J
Iron	NS	1400	14000	71 J	130	---	---	---	---	---	---	---	310	67 J	140
Lead	15	NA	NA	1 U	---	2 U	18	12	10	---	0.5 J	2.1	0.52 J	1 U	1 U
Manganese	NS	43	430	5.3 J	6.1	---	---	---	---	---	---	---	2.1	1 U	1 U
Mercury	2	NA	NA	0.2 U	---	0.2 U	1 U	1 U	1 U	---	0.2 U	0.2 U	0.2 U	0.11 J	0.2 U
Nickel	NS	39	390	1 U	---	2 U	5 U	8.7	8.3	---	1 U	1.8	0.62 J	1 U	1 U
Selenium	50	NA	NA	4.4	---	2 U	5 U	5 U	5 U	---	2	1.5	1.3	1 U	0.71 J
Silver	NS	9.4	94	1 U	---	2 U	5 U	5 U	5 U	---	1 U	1 U	0.66 J	1 U	1 U
Thallium	2	NA	NA	1 U	---	2 U	2 U	5 U	0.5 U	---	1 U	1 U	1 U	1 U	1 U
Vanadium	NS	8.6	86	0.8 J	---	---	---	---	---	---	---	---	---	---	1.5
Zinc	NS	600	6000	18 J	---	7	58	65	26	---	20 U	20 U	11 J	11 J	21



Table 6. Groundwater Monitoring Well Sample Results

Metals  
 Dresser Inc. Facility  
 124 W. College Ave, Salisbury, Maryland

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-11 12/7/2015 MW-11 22	MW-11 5/3/2016 MW-11 22	MW-11 11/7/2016 MW-11 22.61	MW-12 8/12/2004 MW-12 TT	MW-12 3/30/2006 MW-12 25.35	MW-12 5/17/2007 MW-12 25.4	MW-12 11/18/2008 MW-12 25.4	MW-12 3/4/2009 MW-12 25.2	MW-12 10/13/2010 MW-12 25.17	MW-12 11/2/2011 MW-12 24.9	MW-12 9/20/2012 MW-12 25.5	MW-12 12/12/2013 MW-12 24.5			
	MCL	RSL HQ = 0.1	RSL HQ = 1.0												
<b>Screening Criteria<sup>1</sup></b>															
<b>Dissolved Metals (µg/L)</b>															
Antimony	6	NA	NA	---	---	---	---	5 U	---	5 U	---	1 U	---	1 U	---
Arsenic	10	NA	NA	---	---	---	---	5 U	---	5 U	---	1 U	---	1 U	---
Beryllium	4	NA	NA	---	---	---	---	4 U	---	5 U	---	0.5 U	---	0.5 U	---
Cadmium	5	NA	NA	---	---	---	---	5 U	---	5 U	---	1 U	---	1 U	---
Calcium	NS	NS	NS	---	---	---	---	---	---	---	---	---	---	---	---
Chromium	100	NA	NA	1 U	---	---	---	---	---	5 U	---	1.9	---	1 U	2.1
Chromium, VI <sup>CM</sup>	100	NA	NA	50 U	---	---	---	---	---	---	---	---	---	---	10 U
Copper	1300	NA	NA	---	---	---	---	5 U	---	5 U	---	0.7 J	---	0.87 J	---
Iron	NS	1400	14000	100 U	100 U	100 U	---	---	---	---	100 U	290	100 U	100 U	100 U
Lead	15	NA	NA	---	---	---	---	5 U	---	5 U	---	0.8 J	---	1 U	---
Magnesium	NS	NS	NS	---	---	---	---	---	---	---	---	---	---	---	---
Manganese	NS	43	430	1 U	1 U	1 U	---	---	---	---	---	---	---	23	7.1
Mercury	2	NA	NA	---	---	---	---	1 U	---	1 U	---	0.2 U	---	0.2 U	---
Nickel	NS	39	390	---	---	---	---	5 U	---	5.3	---	1 U	---	1 U	---
Potassium	NS	NS	NS	---	---	---	---	---	---	---	---	---	---	---	---
Selenium	50	NA	NA	---	---	---	---	5 U	---	5 U	---	1 U	---	0.64 J	---
Silver	NS	9.4	94	---	---	---	---	5 U	---	5 U	---	0.6 J	---	1 U	---
Sodium	NS	NS	NS	---	---	---	---	---	---	---	---	---	---	---	---
Thallium	2	NA	NA	---	---	---	---	2 U	---	5 U	---	1 U	---	1 U	---
Zinc	NS	600	6000	---	---	---	---	50 U	---	13 J	---	11 J	---	20 U	---
<b>Total Metals (µg/L)</b>															
Antimony	6	NA	NA	5 U	5 U	5 UJ	2 U	5 U	5 U	5 U	---	1 U	1 J	1 U	5 U
Arsenic	10	NA	NA	1 U	1 U	1 U	2 U	5 U	7.8	5 U	---	0.5 J	1 U	0.66 J	1 U
Barium	2000	NA	NA	67	71	54	111	---	---	---	---	---	---	---	---
Beryllium	4	NA	NA	1 U	1 U	1 U	0.5 U	4 U	5 U	0.5 U	---	0.5 U	0.5 U	0.5 U	1 U
Cadmium	5	NA	NA	1 U	1 U	1 U	0.5 U	5 U	5 U	5 U	---	1 U	1 U	1 U	1 U
Calcium	NS	NS	NS	---	---	---	---	---	---	---	---	---	---	---	---
Chromium	100	NA	NA	0.67 J	1 U	1 U	---	---	---	39	---	4.4	1 J	4	6
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---	---	10 U	---	---	---	---	---	---	---	---
Cobalt	NS	0.6	6	1 U	1 U	1 U	---	---	---	---	---	---	---	---	---
Copper	1300	NA	NA	0.62 J	0.66 J	0.93 J	4	5.2	320	2.8 J	---	0.6 J	1 U	1.7	0.6 J
Iron	NS	1400	14000	99 J	68 J	100 U	---	---	---	---	---	---	---	1100	270
Lead	15	NA	NA	1 U	1 U	1 U	0.2 U	10	52	5 U	---	1.1	1 U	1	0.51 J
Manganese	NS	43	430	0.75 J	1 U	1 U	---	---	---	---	---	---	---	25	19
Mercury	2	NA	NA	0.2 U	0.2 U	0.2 U	1 U	1 U	1 U	1 U	---	0.2 U	0.2 U	0.2 U	0.2 U
Nickel	NS	39	390	1 U	1 U	1 U	3	5 U	120	19	---	1.6	1 U	1.3	3
Selenium	50	NA	NA	1 U	1 U	1 U	2 U	5 U	5 U	5 U	---	1 U	1 U	1 U	1 U
Silver	NS	9.4	94	1 U	1 U	1 U	2 U	5 U	5 U	5 U	---	1 U	1 U	1 U	1 U
Thallium	2	NA	NA	1 U	1 U	1 U	2 U	2 U	5 U	0.5 U	---	1 U	1 U	1 U	1 U
Vanadium	NS	8.6	86	1.2	1.3	1	---	---	---	---	---	---	---	---	---
Zinc	NS	600	6000	28	12 J	17 J	23	51	330	20 U	---	11 J	20 U	20 U	20 U

Table 6. Groundwater Monitoring Well Sample Results

Metals  
 Dresser Inc. Facility  
 124 W. College Ave, Salisbury, Maryland

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-12 12/9/2014 MW-12 26.05	MW-12 12/8/2015 MW-12 26	MW-12 5/4/2016 MW-12 26	MW-12 11/8/2016 MW-12 22.9	MW-12 3/22/2018 MW-12 22.5	MW-13 8/11/2004 MW-13 TT	MW-13 8/11/2004 MW-13D TT, d	MW-13 3/28/2006 MW-13 23.6	MW-13 3/28/2006 MW-13D 23.6 d	MW-13 5/17/2007 MW-13 23	MW-13 11/20/2008 MW-13 26			
	MCL	RSL HQ = 0.1	RSL HQ = 1.0											
<b>Screening Criteria<sup>1</sup></b>														
<b>Dissolved Metals (µg/L)</b>														
Antimony	6	NA	NA	---	---	---	---	---	---	---	5 U			
Arsenic	10	NA	NA	---	---	---	---	---	---	---	5 U			
Beryllium	4	NA	NA	---	---	---	---	---	---	---	3.5 J			
Cadmium	5	NA	NA	---	---	---	---	---	---	---	5 U			
Calcium	NS	NS	NS	---	---	---	---	---	---	---	---			
Chromium	100	NA	NA	1 U	1 U	---	---	1 U	---	---	5 U			
Chromium, VI <sup>CM</sup>	100	NA	NA	50 U	50 U	---	---	---	---	---	5 U			
Copper	1300	NA	NA	---	---	---	---	---	---	---	5 U			
Iron	NS	1400	14000	100 U	100 U	100 U	100 U	---	---	---	---			
Lead	15	NA	NA	---	---	---	---	---	---	---	5 U			
Magnesium	NS	NS	NS	---	---	---	---	---	---	---	---			
Manganese	NS	43	430	11	11	13	4.4	---	---	---	---			
Mercury	2	NA	NA	---	---	---	---	---	---	---	1 U			
Nickel	NS	39	390	---	---	---	---	---	---	---	3.2 J			
Potassium	NS	NS	NS	---	---	---	---	---	---	---	---			
Selenium	50	NA	NA	---	---	---	---	---	---	---	5 U			
Silver	NS	9.4	94	---	---	---	---	---	---	---	5 U			
Sodium	NS	NS	NS	---	---	---	---	---	---	---	---			
Thallium	2	NA	NA	---	---	---	---	---	---	---	5 U			
Zinc	NS	600	6000	---	---	---	---	---	---	---	38			
<b>Total Metals (µg/L)</b>														
Antimony	6	NA	NA	5 U	5 U	5 U	5 U	---	2 U	2 U	5 U	5 U	5 U	5 U
Arsenic	10	NA	NA	1 U	1 U	1 U	1 U	---	2 U	2 U	5 U	5 U	5 U	5.4
Barium	2000	NA	NA	110	120	53 J	48	---	113	113	---	---	---	---
Beryllium	4	NA	NA	1 U	1 U	1 U	1 U	---	3	3	9.9	10	13	7.3
Cadmium	5	NA	NA	1 U	1 U	1 U	1 U	---	0.5 U	0.5 U	5 U	5 U	5 U	5 U
Calcium	NS	NS	NS	---	---	---	---	---	---	---	---	---	---	---
Chromium	100	NA	NA	0.86 J	1.2	1.1	1.1	---	---	---	---	---	---	6.6
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---	---	---	---	10 U	10 U	---	---	---	---
Cobalt	NS	0.6	6	1 U	1 U	1 UJ	1 U	---	---	---	---	---	---	---
Copper	1300	NA	NA	1 U	1.5	0.73 J	1.3	---	3	3	22	20	21	6.6
Iron	NS	1400	14000	200	350	260	170	---	---	---	---	---	---	---
Lead	15	NA	NA	1 U	1.6	1 U	1 U	---	2 U	2 U	8.9	7.5	65	9.1
Manganese	NS	43	430	13	14	11	6.1	---	---	---	---	---	---	---
Mercury	2	NA	NA	0.2 U	0.2 U	0.2 U	0.2 U	---	0.24	0.2 U	1 U	1 U	1 U	1 U
Nickel	NS	39	390	1 U	1 U	1 U	1 U	---	5	6	20	19	17	5.7
Selenium	50	NA	NA	0.59 J	1 U	1 UJ	1 U	---	5	5	7.1	7	5.9	3 J
Silver	NS	9.4	94	1 U	1 U	1 UJ	1 U	---	2 U	2 U	5 U	5 U	5 U	5 U
Thallium	2	NA	NA	1 U	1 U	1 U	1 U	---	2 U	2 U	2 U	2 U	5 U	0.5 U
Vanadium	NS	8.6	86	1.1	1.7	1.2	0.85 J	---	---	---	---	---	---	---
Zinc	NS	600	6000	17 J	22	14 J	14 J	---	49	53	180	160	200	140

Table 6. Groundwater Monitoring Well Sample Results

Metals  
 Dresser Inc. Facility  
 124 W. College Ave, Salisbury, Maryland

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes				MW-13 3/4/2009 MW-13 MS/MSD 26	MW-13 10/14/2010 MW-13 26.01	MW-13 11/3/2011 MW-13 25.8	MW-13 9/20/2012 MW-13 24.7	MW-13 12/12/2013 MW-13 24.5	MW-13 12/11/2014 MW-13 24.5	MW-13 12/10/2015 MW-13 24	MW-13 5/4/2016 MW-13 24	MW-13 11/8/2016 MW-13 22.7	MW-14 11/19/2008 MW-14 MB	MW-14 3/5/2009 MW-14 23.2
Screening Criteria <sup>1</sup>	MCL	RSL HQ = 0.1	RSL HQ = 1.0											
<b>Dissolved Metals (µg/L)</b>														
Antimony	6	NA	NA	---	---	---	1 U	---	---	---	---	---	5 U	---
Arsenic	10	NA	NA	---	---	---	1 U	---	---	---	---	---	5 U	---
Beryllium	4	NA	NA	---	---	---	1.5	---	---	---	---	---	5 U	---
Cadmium	5	NA	NA	---	---	---	1 U	---	---	---	---	---	5 U	---
Calcium	NS	NS	NS	---	---	---	---	---	---	---	---	---	---	---
Chromium	100	NA	NA	---	---	---	1 U	---	---	---	---	---	5 U	---
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---	---	---	---	---	---	---	---	---	---
Copper	1300	NA	NA	---	---	---	0.72 J	---	---	---	---	---	5 U	---
Iron	NS	1400	14000	52 J	100 U	100 U	100 U	100 U	100 U	100 U	100 U	100 U	---	100 U
Lead	15	NA	NA	---	---	---	1 U	---	---	---	---	---	5 U	---
Magnesium	NS	NS	NS	---	---	---	---	---	---	---	---	---	---	---
Manganese	NS	43	430	---	---	---	16	47	2	25	25	20	---	---
Mercury	2	NA	NA	---	---	---	0.2 U	---	---	---	---	---	1 U	---
Nickel	NS	39	390	---	---	---	1.1	---	---	---	---	---	5 U	---
Potassium	NS	NS	NS	---	---	---	---	---	---	---	---	---	---	---
Selenium	50	NA	NA	---	---	---	0.68 J	---	---	---	---	---	5 U	---
Silver	NS	9.4	94	---	---	---	1 U	---	---	---	---	---	5 U	---
Sodium	NS	NS	NS	---	---	---	---	---	---	---	---	---	---	---
Thallium	2	NA	NA	---	---	---	1 U	---	---	---	---	---	5 U	---
Zinc	NS	600	6000	---	---	---	19 J	---	---	---	---	---	25	---
<b>Total Metals (µg/L)</b>														
Antimony	6	NA	NA	---	1 U	1 U	1 U	5 U	5 U	5 U	5 U	5 U	5 U	---
Arsenic	10	NA	NA	---	0.9 J	1	1	1 U	0.58 J	1 U	0.55 J	1 U	8.1	---
Barium	2000	NA	NA	---	---	---	---	---	83	89	110	140	---	---
Beryllium	4	NA	NA	---	5.1	2.3	2.7	2	0.86 J	0.94 J	1.2	1.2	5.5	---
Cadmium	5	NA	NA	---	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	5 U	---
Calcium	NS	NS	NS	---	---	---	---	---	---	---	---	---	---	---
Chromium	100	NA	NA	---	2.2	1 J	6.3	1.5	0.74 J	1 U	1 U	0.58 J	130	---
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---	---	---	---	---	---	---	---	---	---
Cobalt	NS	0.6	6	---	---	---	---	---	1.6	2.6	3.5	2.6	---	---
Copper	1300	NA	NA	---	1	0.6 J	3	1 U	1	0.66 J	0.88 J	1.2	230	---
Iron	NS	1400	14000	---	---	---	1200	63 J	140	100 U	100 U	100 U	---	---
Lead	15	NA	NA	---	1.4	0.6 J	2.4	1 U	1.5	1 U	1 U	1 U	140	---
Manganese	NS	43	430	---	---	---	18	54	5.2	29	32	24	---	---
Mercury	2	NA	NA	---	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	1 U	---
Nickel	NS	39	390	---	2.8	1.4	4.5	2.3	0.64 J	0.95 J	1.4	1.1	19	---
Selenium	50	NA	NA	---	0.7 J	4.8	1 U	0.97 J	1.4	0.79 J	1.1	0.63 J	5.2	---
Silver	NS	9.4	94	---	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	5 U	---
Thallium	2	NA	NA	---	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.5 U	---
Vanadium	NS	8.6	86	---	---	---	---	---	1.4	0.61 J	0.71 J	0.7 J	---	---
Zinc	NS	600	6000	---	61	21	69	42	31	33	38 J	46	440	---

Table 6. Groundwater Monitoring Well Sample Results

Metals

Dresser Inc. Facility

124 W. College Ave, Salisbury, Maryland

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-15 11/19/2008 MW-15 MB	MW-16 11/19/2008 MW-16 MB	MW-16 3/3/2009 MW-16 24.2	MW-17 11/19/2008 MW-17 24.5	MW-17 3/5/2009 MW-17 24.5	MW-17 10/13/2010 MW-17 23.22	MW-17 11/1/2011 MW-17 23.5	MW-17 9/18/2012 MW-17 24.5	MW-17 12/10/2013 MW-17 22.5	MW-17 12/8/2014 MW-17 25	MW-17 12/7/2015 MW-17 25	MW-17 5/3/2016 MW-17 25
	MCL	RSL HQ = 0.1	RSL HQ = 1.0									
<b>Screening Criteria<sup>1</sup></b>												
<b>Dissolved Metals (µg/L)</b>												
Antimony	6	NA	NA	5 U	5 U	---	---	1 U	---	1 U	---	---
Arsenic	10	NA	NA	5 U	5 U	---	---	0.7 J	---	1 U	---	---
Beryllium	4	NA	NA	5 U	5 U	---	---	0.5 U	---	0.5 U	---	---
Cadmium	5	NA	NA	5 U	5 U	---	---	1 U	---	1 U	---	---
Calcium	NS	NS	NS	---	---	---	---	---	---	---	---	---
Chromium	100	NA	NA	200	3.5 J	---	---	1 U	---	1 U	1.5	1 U
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---	---	---	10 U	10 U	50 U	50 U	50 U
Copper	1300	NA	NA	5 U	5 U	---	---	1 U	---	1 U	---	---
Iron	NS	1400	14000	---	---	100 U	---	100 U	100 U	100 U	100 U	100 U
Lead	15	NA	NA	5 U	5 U	---	---	1 U	---	1 U	---	---
Magnesium	NS	NS	NS	---	---	---	---	---	---	---	---	---
Manganese	NS	43	430	---	---	---	---	---	---	51	29	25
Mercury	2	NA	NA	1 U	1 U	---	---	0.2 U	---	0.2 U	---	---
Nickel	NS	39	390	5 U	5 U	---	---	1 U	---	1 U	---	---
Potassium	NS	NS	NS	---	---	---	---	---	---	---	---	---
Selenium	50	NA	NA	5 U	5 U	---	---	2.3	---	3.3	---	---
Silver	NS	9.4	94	5 U	5 U	---	---	1 U	---	1 U	---	---
Sodium	NS	NS	NS	---	---	---	---	---	---	---	---	---
Thallium	2	NA	NA	5 U	5 U	---	---	1 U	---	0.5 U	---	---
Zinc	NS	600	6000	17 J	21	---	---	20 U	---	11 J	---	---
<b>Total Metals (µg/L)</b>												
Antimony	6	NA	NA	5 U	5 U	5 U	5 U	5 U	1 U	1 U	1 U	5 U
Arsenic	10	NA	NA	7.6	9.6	5 U	3.7 J	5 U	4.1	1.1	0.91 J	0.91 J
Barium	2000	NA	NA	---	---	---	---	---	---	---	---	78
Beryllium	4	NA	NA	1.7	6.7	0.5 U	0.5 U	0.5 U	2.1	0.6	0.5 U	1 U
Cadmium	5	NA	NA	5 U	5 U	5 U	5 U	5 U	1 U	1 U	1 U	1 U
Calcium	NS	NS	NS	---	---	---	---	---	---	---	---	---
Chromium	100	NA	NA	410	360	19	5 U	5 U	60	1.3	1.5	3.6
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---	---	---	---	10 U	---	---	---
Cobalt	NS	0.6	6	---	---	---	---	---	---	---	---	1 U
Copper	1300	NA	NA	46	370	5 U	11	4.8 J	9.9	0.5 J	0.88 J	0.54 J
Iron	NS	1400	14000	---	---	---	---	---	---	---	220	380
Lead	15	NA	NA	56	220	5 U	5 U	5 U	34	0.7 J	0.67 J	0.6 J
Manganese	NS	43	430	---	---	---	---	---	---	---	49	38
Mercury	2	NA	NA	1 U	1 U	1 U	1 U	1 U	0.2 U	0.2 U	0.2 U	0.2 U
Nickel	NS	39	390	9.3	40	5 U	5 U	5 U	14	0.6 J	1.5	2.3
Selenium	50	NA	NA	2.5 J	8.3	5 U	5 U	5 U	1.8	2.2	2.8	2.5
Silver	NS	9.4	94	5 U	5 U	5 U	5 U	5 U	1 U	1 U	1 U	1 U
Thallium	2	NA	NA	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U
Vanadium	NS	8.6	86	---	---	---	---	---	---	---	---	2.6
Zinc	NS	600	6000	170	950	20 U	24	20 U	49	20 U	20 U	14 J

Table 6. Groundwater Monitoring Well Sample Results

Metals  
 Dresser Inc. Facility  
 124 W. College Ave, Salisbury, Maryland

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-17 11/7/2016 MW-17 22.2	MW-18 11/19/2008 MW-18 25.3	MW-18 3/5/2009 MW-18 25	MW-18 3/5/2009 MW-18D 25 d	MW-18 10/13/2010 MW-18 23.76	MW-18 11/1/2011 MW-18 24	MW-18 2/7/2012 MW-18 24.7	MW-18 9/18/2012 MW-18 25	MW-18 12/12/2013 MW-18 23.7	MW-18 12/9/2014 MW-18 24.84	MW-18 12/8/2015 MW-18 25	MW-18 5/4/2016 MW-18 25
	MCL	RSL HQ = 0.1	RSL HQ = 1.0									
<b>Screening Criteria<sup>1</sup></b>												
<b>Dissolved Metals (µg/L)</b>												
Antimony	6	NA	NA	---	---	---	---	1 U	---	1 U	---	---
Arsenic	10	NA	NA	---	---	---	---	1 U	---	1 U	---	---
Beryllium	4	NA	NA	---	---	---	---	0.5 U	---	0.5 U	---	---
Cadmium	5	NA	NA	---	---	---	---	1 U	---	1 U	---	---
Calcium	NS	NS	NS	---	---	---	---	---	---	---	---	21000
Chromium	100	NA	NA	---	---	---	---	1.6	1 U	0.78 J	0.56 J	1 U
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---	---	---	10 U	10 U	10 U	10 U	50 U
Copper	1300	NA	NA	---	---	---	---	1 U	---	1 U	---	---
Iron	NS	1400	14000	100 U	---	---	---	100 U	100 U	100 U	100 U	100 U
Lead	15	NA	NA	---	---	---	---	1 U	---	1 U	---	---
Magnesium	NS	NS	NS	---	---	---	---	---	---	---	---	8600
Manganese	NS	43	430	15	---	---	---	---	---	4.4	3.4	1.7
Mercury	2	NA	NA	---	---	---	---	0.2 U	---	0.2 U	---	---
Nickel	NS	39	390	---	---	---	---	1 U	---	1 U	---	---
Potassium	NS	NS	NS	---	---	---	---	---	---	---	---	7700
Selenium	50	NA	NA	---	---	---	---	1.3	---	0.75 J	---	---
Silver	NS	9.4	94	---	---	---	---	1 U	---	1 U	---	---
Sodium	NS	NS	NS	---	---	---	---	---	---	---	---	36000
Thallium	2	NA	NA	---	---	---	---	0.5 U	---	0.5 U	---	---
Zinc	NS	600	6000	---	---	---	---	20 U	---	20 U	---	---
<b>Total Metals (µg/L)</b>												
Antimony	6	NA	NA	5 UJ	5 U	5 U	5 U	1 U	1 U	---	1 U	5 U
Arsenic	10	NA	NA	0.93 J	3.1 J	5 U	5 U	1 U	1 U	---	0.52 J	1 U
Barium	2000	NA	NA	140	---	---	---	---	---	---	---	210
Beryllium	4	NA	NA	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	---	0.5 U	1 U
Cadmium	5	NA	NA	1 U	5 U	5 U	5 U	1 U	1 U	---	1 U	1 U
Calcium	NS	NS	NS	---	---	---	---	---	---	---	---	---
Chromium	100	NA	NA	6.5	3.6 J	6.6	8.9	5.3	3.6	---	2.4	1.7
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---	---	---	10 U	10 U	---	---	---
Cobalt	NS	0.6	6	0.66 J	---	---	---	---	---	---	---	0.72 J
Copper	1300	NA	NA	1.4	5 U	3.1 J	4 J	1.6	1 J	---	1.2	0.7 J
Iron	NS	1400	14000	990	---	---	---	---	---	---	260	220
Lead	15	NA	NA	4.2	5 U	5 U	5 U	2	0.7 J	---	0.63 J	0.65 J
Manganese	NS	43	430	20	---	---	---	---	---	---	5.7	5.4
Mercury	2	NA	NA	0.2 U	1 U	1 U	1 U	0.2 U	0.2 U	---	0.2 U	0.2 U
Nickel	NS	39	390	1.4	5 U	5 U	3.4 J	1.2	0.6 J	---	2.8	1 U
Selenium	50	NA	NA	0.55 J	5 U	5 U	5 U	1.1	1 J	---	0.68 J	0.64 J
Silver	NS	9.4	94	1 U	5 U	5 U	5 U	1 U	1 U	---	1 U	1 U
Thallium	2	NA	NA	1 U	0.5 U	0.5 U	0.5 U	1 U	1 U	---	1 U	1 U
Vanadium	NS	8.6	86	9.1	---	---	---	---	---	---	---	2.9
Zinc	NS	600	6000	16 J	13 J	20 U	20 U	20 U	20 U	---	17 J	11 J

Table 6. Groundwater Monitoring Well Sample Results

Metals

Dresser Inc. Facility

124 W. College Ave, Salisbury, Maryland

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-18 8/11/2016 MW-18 23	MW-18 11/9/2016 MW-18 22.8	MW-18 2/9/2017 MW-18 23	MW-19 3/5/2009 MW-19 24.5	MW-20 3/5/2009 MW-20 MS/MSD 24	MW-21 11/20/2008 MW-21 MS/MSD 23.7	MW-21 11/20/2008 MW-21D 23.7 d	MW-21 3/4/2009 MW-21 23.5	MW-21 10/14/2010 MW-21 22.16	MW-21 11/3/2011 MW-21 23.3	MW-21 9/17/2012 MW-21 23			
	MCL	RSL HQ = 0.1	RSL HQ = 1.0											
<b>Screening Criteria<sup>1</sup></b>														
<b>Dissolved Metals (µg/L)</b>														
Antimony	6	NA	NA	---	---	---	---	---	---	---	---			
Arsenic	10	NA	NA	---	---	---	---	---	---	---	---			
Beryllium	4	NA	NA	---	---	---	---	---	---	---	---			
Cadmium	5	NA	NA	---	---	---	---	---	---	---	---			
Calcium	NS	NS	NS	25000	22000	24000	---	---	---	---	---			
Chromium	100	NA	NA	1 U	1 U	1 U	---	---	---	---	---			
Chromium, VI <sup>CM</sup>	100	NA	NA	50 U	50 U	50 U	---	---	---	---	---			
Copper	1300	NA	NA	---	---	---	---	---	---	---	---			
Iron	NS	1400	14000	100 U	100 U	100 U	100 U	---	2300	920	2400	640		
Lead	15	NA	NA	---	---	---	---	---	---	---	---	---		
Magnesium	NS	NS	NS	9400	8500	9600	---	---	---	---	---			
Manganese	NS	43	430	5.1	4	3.7	---	---	---	---	280			
Mercury	2	NA	NA	---	---	---	---	---	---	---	---			
Nickel	NS	39	390	---	---	---	---	---	---	---	---			
Potassium	NS	NS	NS	8600	7400	8000	---	---	---	---	---			
Selenium	50	NA	NA	---	---	---	---	---	---	---	---			
Silver	NS	9.4	94	---	---	---	---	---	---	---	---			
Sodium	NS	NS	NS	35000	33000	36000	---	---	---	---	---			
Thallium	2	NA	NA	---	---	---	---	---	---	---	---			
Zinc	NS	600	6000	---	---	---	---	---	---	---	---			
<b>Total Metals (µg/L)</b>														
Antimony	6	NA	NA	---	5 U	---	5 U	5 U	5 U	5 U	5 U	1 U	1 U	0.61 J
Arsenic	10	NA	NA	---	1 U	---	5 U	5 U	4 J	5.1	5 U	0.8 J	0.9 J	1.1
Barium	2000	NA	NA	---	130	---	---	---	---	---	---	---	---	---
Beryllium	4	NA	NA	---	1 U	---	0.5 U	1.8	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cadmium	5	NA	NA	---	1 U	---	5 U	5 U	5 U	5 U	5 U	1 U	1 U	1 U
Calcium	NS	NS	NS	---	---	---	---	---	---	---	---	---	---	---
Chromium	100	NA	NA	---	0.78 J	---	16	5.6	5 U	4 J	5 U	16	2.2	2.8
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---	---	---	---	---	---	---	---	---	---
Cobalt	NS	0.6	6	---	1 U	---	---	---	---	---	---	---	---	---
Copper	1300	NA	NA	---	0.8 J	---	4.1 J	5 U	5 U	5 U	2.7 J	0.7 J	1 U	2
Iron	NS	1400	14000	110	99 J	570	---	---	---	---	---	---	---	890
Lead	15	NA	NA	---	1 U	---	5 U	5 U	14	15	22	11	15	11
Manganese	NS	43	430	5.4	5.2 J	9.4	---	---	---	---	---	---	---	300
Mercury	2	NA	NA	---	0.2 U	---	1 U	1 U	1 U	1 U	1 U	0.2 U	0.2 U	0.2 U
Nickel	NS	39	390	---	1 U	---	2.9 J	5.7	5 U	5 U	5 U	0.8 J	1 U	3.7
Selenium	50	NA	NA	---	2	---	5 U	5 U	5 U	5 U	5 U	1 U	1 U	1 U
Silver	NS	9.4	94	---	1 U	---	5 U	5 U	5 U	5 U	5 U	1 U	1 U	1 U
Thallium	2	NA	NA	---	1 U	---	0.5 U	0.6	0.5 U	0.5 U	0.5 U	1 U	1 U	1.6
Vanadium	NS	8.6	86	---	1	---	---	---	---	---	---	---	---	---
Zinc	NS	600	6000	---	15 J	---	14 J	19 J	25	20 U	20 U	10 J	20 U	21

Table 6. Groundwater Monitoring Well Sample Results

Metals  
 Dresser Inc. Facility  
 124 W. College Ave, Salisbury, Maryland

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-21 12/12/2013 MW-21 22.1	MW-21 12/12/2013 MW-21A 22.1 d	MW-21 12/11/2014 MW-21 23.3	MW-21 12/10/2015 MW-21 23	MW-21 5/5/2016 MW-21 23	MW-21 11/9/2016 MW-21 20.6	MW-22 11/20/2008 MW-22 25.75	MW-22 3/4/2009 MW-22 23.9	MW-22 10/14/2010 MW-22 22.61	MW-22 11/2/2011 MW-22 23.8	MW-22 11/2/2011 MW-22A 23.8 d	MW-22 9/17/2012 MW-22 23			
	Screening Criteria <sup>1</sup>	MCL	RSL HQ = 0.1	RSL HQ = 1.0											
<b>Dissolved Metals (µg/L)</b>															
Antimony	6	NA	NA	---	---	---	---	---	---	---	1 U	---			
Arsenic	10	NA	NA	---	---	---	---	---	---	---	1 U	---			
Beryllium	4	NA	NA	---	---	---	---	---	---	---	0.5 U	---			
Cadmium	5	NA	NA	---	---	---	---	---	---	---	1 U	---			
Calcium	NS	NS	NS	---	---	---	---	---	---	---	---	---			
Chromium	100	NA	NA	---	---	---	---	---	---	---	0.7	---			
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---	---	---	---	---	---	---	---			
Copper	1300	NA	NA	---	---	---	---	---	---	---	0.6	---			
Iron	NS	1400	14000	900	---	3100	770	1000	610	---	---	100 U	100 U	100 U	100 U
Lead	15	NA	NA	---	---	---	---	---	---	---	1 U	---			
Magnesium	NS	NS	NS	---	---	---	---	---	---	---	---	---			
Manganese	NS	43	430	76	---	44	46	38	51	---	---	---	2.9		
Mercury	2	NA	NA	---	---	---	---	---	---	---	0.2 U	---			
Nickel	NS	39	390	---	---	---	---	---	---	---	2.5	---			
Potassium	NS	NS	NS	---	---	---	---	---	---	---	---	---			
Selenium	50	NA	NA	---	---	---	---	---	---	---	1 U	---			
Silver	NS	9.4	94	---	---	---	---	---	---	---	1 U	---			
Sodium	NS	NS	NS	---	---	---	---	---	---	---	---	---			
Thallium	2	NA	NA	---	---	---	---	---	---	---	1 U	---			
Zinc	NS	600	6000	---	---	---	---	---	---	---	22	---			
<b>Total Metals (µg/L)</b>															
Antimony	6	NA	NA	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	1 U	1 U	1 U	1 U
Arsenic	10	NA	NA	1 U	1 U	0.6 J	0.55 J	1 U	1 U	3.6 J	5 U	1 U	1 U	1 U	0.53 J
Barium	2000	NA	NA	---	---	110	130	130 J	140	---	---	---	---	---	---
Beryllium	4	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
Cadmium	5	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	5 U	5 U	1 U	1 U	1 U	1 U
Calcium	NS	NS	NS	---	---	---	---	---	---	---	---	---	---	---	---
Chromium	100	NA	NA	21	16	2.8	4.5	16	14	5 U	5 U	0.9 J	0.9 J	1.1	1.1
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---	---	---	---	---	---	---	---	---	---	---
Cobalt	NS	0.6	6	---	---	1.2	2.3	2.1 J	2.2	---	---	---	---	---	---
Copper	1300	NA	NA	0.54 J	1 U	1 U	1 U	0.83 J	0.66 J	5 U	5 U	1 U	1 U	0.9 J	1
Iron	NS	1400	14000	1700	---	3100	1300	1300	620	---	---	---	---	---	53 J
Lead	15	NA	NA	7.8	6.2	13	6.1	5.6	3.1	5 U	5 U	1 U	1 U	1 U	1 U
Manganese	NS	43	430	77	---	38	55	35	50	---	---	---	---	---	5.7
Mercury	2	NA	NA	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	1 U	1 U	0.2 U	0.2 U	0.2 U	0.2 U
Nickel	NS	39	390	0.96 J	1	1 U	0.75 J	0.63 J	1 U	5 U	5 U	0.7 J	1.1	1.3	1.7
Selenium	50	NA	NA	0.93 J	0.99 J	1 U	0.6 J	1.1 J	1.3	5 U	5 U	1 U	1 U	1 U	0.59 J
Silver	NS	9.4	94	1 U	1 U	1 U	1 U	1 U	1 U	5 U	5 U	1 U	1 U	1 U	1.5
Thallium	2	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U
Vanadium	NS	8.6	86	---	---	2	1.3	1.4	0.62 J	---	---	---	---	---	---
Zinc	NS	600	6000	45	44	16 J	17 J	15 J	17 J	22	16 J	19 J	20 U	20 U	16 J

Table 6. Groundwater Monitoring Well Sample Results

Metals  
 Dresser Inc. Facility  
 124 W. College Ave, Salisbury, Maryland

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-22 12/11/2013 MW-22 21.5	MW-22 12/10/2014 MW-22 23.8	MW-22 12/9/2015 MW-22 24	MW-22 5/3/2016 MW-22 23	MW-22 11/8/2016 MW-22 21.6	MW-23 11/20/2008 MW-23 23.3	MW-23 3/4/2009 MW-23 23.1	MW-23 10/14/2010 MW-23 21.85	MW-23 11/3/2011 MW-23 22.3	MW-23 9/17/2012 MW-23 23	MW-23 12/16/2013 MW-23 21.8	MW-23 12/10/2014 MW-23 23.11			
	MCL	RSL HQ = 0.1	RSL HQ = 1.0												
<b>Screening Criteria<sup>1</sup></b>															
<b>Dissolved Metals (µg/L)</b>															
Antimony	6	NA	NA	---	---	---	---	---	---	---	1 U	---	---		
Arsenic	10	NA	NA	---	---	---	---	---	---	---	1 U	---	---		
Beryllium	4	NA	NA	---	---	---	---	---	---	---	0.5 U	---	---		
Cadmium	5	NA	NA	---	---	---	---	---	---	---	1 U	---	---		
Calcium	NS	NS	NS	---	---	---	---	---	---	---	---	---	---		
Chromium	100	NA	NA	---	---	---	---	---	---	---	1 U	---	---		
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---	---	---	---	---	---	---	---	---		
Copper	1300	NA	NA	---	---	---	---	---	---	---	1 U	---	---		
Iron	NS	1400	14000	100 U	100 U	100 U	100 U	100 U	---	---	100 U	100 U	100 U		
Lead	15	NA	NA	---	---	---	---	---	---	---	1 U	---	---		
Magnesium	NS	NS	NS	---	---	---	---	---	---	---	---	---	---		
Manganese	NS	43	430	18	1 U	6.5	3.7	5.1	---	---	---	---	---		
Mercury	2	NA	NA	---	---	---	---	---	---	---	0.2 U	---	---		
Nickel	NS	39	390	---	---	---	---	---	---	---	1 U	---	---		
Potassium	NS	NS	NS	---	---	---	---	---	---	---	---	---	---		
Selenium	50	NA	NA	---	---	---	---	---	---	---	2	---	---		
Silver	NS	9.4	94	---	---	---	---	---	---	---	1 U	---	---		
Sodium	NS	NS	NS	---	---	---	---	---	---	---	---	---	---		
Thallium	2	NA	NA	---	---	---	---	---	---	---	0.5 U	---	---		
Zinc	NS	600	6000	---	---	---	---	---	---	---	19 J	---	---		
<b>Total Metals (µg/L)</b>															
Antimony	6	NA	NA	5 U	5 U	5 U	5 U	5 U	5 U	5 U	1 U	1 U	1 U	5 U	5 U
Arsenic	10	NA	NA	1 U	1 U	1 U	1 U	1 U	4.1 J	5 U	0.6 J	0.7 J	0.8 J	1 U	1 U
Barium	2000	NA	NA	---	150	110	96	93	---	---	---	---	---	---	440
Beryllium	4	NA	NA	0.7 J	1 U	1 U	1 U	1 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	1 U	1 U
Cadmium	5	NA	NA	1 U	1 U	1 U	1 U	1 U	5 U	5 U	1 U	1 U	1 U	1 U	1 U
Calcium	NS	NS	NS	---	---	---	---	---	---	---	---	---	---	---	---
Chromium	100	NA	NA	0.95 J	1 U	0.53 J	1 U	0.88 J	5 U	5 U	0.5 J	1.1	1.4	1.7	1 U
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---	---	---	---	---	---	---	---	---	---	---
Cobalt	NS	0.6	6	---	2	5.5	1.5	2.3	---	---	---	---	---	---	2
Copper	1300	NA	NA	0.56 J	1 U	1	0.73 J	0.88 J	5 U	5 U	0.9 J	0.9 J	1.6	1.4	0.8 J
Iron	NS	1400	14000	130	100 U	100	100 U	170	---	---	---	---	260	560	100 U
Lead	15	NA	NA	1 U	1 U	0.64 J	1 U	0.53 J	5 U	5 U	0.6 J	0.7 J	0.9 J	1.5	1 U
Manganese	NS	43	430	21	3.9	30	4.1	10 J	---	---	---	---	1.4	2	0.8 J
Mercury	2	NA	NA	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	1 U	1 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
Nickel	NS	39	390	2.1	0.74 J	1.1	0.87 J	1	5 U	5 U	0.7 J	1.1	2.6	0.88 J	0.55 J
Selenium	50	NA	NA	0.78 J	1.4	0.91 J	0.87 J	0.54 J	3.9 J	5 U	4.3	1.8	1.8	1 U	2.3
Silver	NS	9.4	94	1 U	1 U	1 U	1 U	1 U	5 U	5 U	1 U	1 U	0.69 J	1 U	1 U
Thallium	2	NA	NA	1 U	1 U	1 U	1 U	1 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U
Vanadium	NS	8.6	86	---	1.2	1.5	1.1	2	---	---	---	---	---	---	1.9
Zinc	NS	600	6000	27	19 J	18 J	20 J	19 J	19 J	20 U	22	20	19 J	38	26



Table 6. Groundwater Monitoring Well Sample Results

Metals  
 Dresser Inc. Facility  
 124 W. College Ave, Salisbury, Maryland

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-23 12/10/2015 MW-23 24	MW-23 5/3/2016 MW-23 24	MW-23 11/8/2016 MW-23 21	MW-24 11/20/2008 MW-24 24.2	MW-24 3/4/2009 MW-24 24	MW-24 10/15/2010 MW-24 22.67	MW-24 11/2/2011 MW-24 23.2	MW-24 9/17/2012 MW-24 23	MW-24 12/12/2013 MW-24 20.5	MW-24 12/11/2014 MW-24 24	MW-24 12/11/2014 MW-24A 24 d	MW-24 12/10/2015 MW-24 25
	MCL	RSL HQ = 0.1	RSL HQ = 1.0									
<b>Screening Criteria<sup>1</sup></b>												
<b>Dissolved Metals (µg/L)</b>												
Antimony	6	NA	NA	---	---	---	---	1 U	---	---	---	---
Arsenic	10	NA	NA	---	---	---	---	1 U	---	---	---	---
Beryllium	4	NA	NA	---	---	---	---	0.5 U	---	---	---	---
Cadmium	5	NA	NA	---	---	---	---	1 U	---	---	---	---
Calcium	NS	NS	NS	---	---	---	---	---	---	---	---	---
Chromium	100	NA	NA	---	---	---	---	1 U	---	---	---	---
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---	---	---	---	---	---	---	---
Copper	1300	NA	NA	---	---	---	---	1 U	---	---	---	---
Iron	NS	1400	14000	100 U	100 U	100 U	---	100 U	100 U	100 U	100 U	100 U
Lead	15	NA	NA	---	---	---	---	1 U	---	---	---	---
Magnesium	NS	NS	NS	---	---	---	---	---	---	---	---	---
Manganese	NS	43	430	2.8	1.8	1 U	---	---	11	14	10	4.3
Mercury	2	NA	NA	---	---	---	---	0.2 U	---	---	---	---
Nickel	NS	39	390	---	---	---	---	1 U	---	---	---	---
Potassium	NS	NS	NS	---	---	---	---	---	---	---	---	---
Selenium	50	NA	NA	---	---	---	---	1.6	---	---	---	---
Silver	NS	9.4	94	---	---	---	---	1 U	---	---	---	---
Sodium	NS	NS	NS	---	---	---	---	---	---	---	---	---
Thallium	2	NA	NA	---	---	---	---	0.5 U	---	---	---	---
Zinc	NS	600	6000	---	---	---	---	11 J	---	---	---	---
<b>Total Metals (µg/L)</b>												
Antimony	6	NA	NA	5 U	5 U	5 U	5 U	1 U	0.7 J	1 U	5 U	5 U
Arsenic	10	NA	NA	1 U	1 U	1 U	3.5 J	5 U	1.9	0.5 J	0.59 J	1 U
Barium	2000	NA	NA	280	180	220	---	---	---	---	---	54
Beryllium	4	NA	NA	1 U	1 U	1 U	0.5 U	0.5 U	1	0.5 U	0.5 U	1 U
Cadmium	5	NA	NA	1 U	1 U	1 U	5 U	5 U	1 U	1 U	1 U	1 U
Calcium	NS	NS	NS	---	---	---	---	---	---	---	---	---
Chromium	100	NA	NA	1 U	0.91 J	1 U	5 U	5 U	29	0.6 J	1.6	2.6
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---	---	---	---	---	---	---	---
Cobalt	NS	0.6	6	0.78 J	0.75 J	0.66 J	---	---	---	---	---	1 U
Copper	1300	NA	NA	0.68 J	1 J	1.8	5 U	5 U	4.4	1 U	1.1	0.57 J
Iron	NS	1400	14000	100 U	150	100 U	---	---	---	---	230	240
Lead	15	NA	NA	1 U	0.65 J	1 U	5 U	5 U	14	1 U	0.68 J	0.55 J
Manganese	NS	43	430	1.9	1.2	1 U	---	---	---	---	13	21
Mercury	2	NA	NA	0.2 U	0.2 U	0.2 U	1 U	1 U	0.2 U	0.2 U	0.2 U	0.2 U
Nickel	NS	39	390	0.53 J	1 U	1 U	5 U	5 U	8.9	1 U	1.9	1.1
Selenium	50	NA	NA	1 U	1 U	0.57 J	5 U	5 U	1.6	1.1	1.5	1.8
Silver	NS	9.4	94	1 U	1 U	1 U	5 U	5 U	1 U	1 U	0.75 J	1 U
Thallium	2	NA	NA	1 U	1 U	1 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U
Vanadium	NS	8.6	86	1.6	1.9	1.4	---	---	---	---	---	1 U
Zinc	NS	600	6000	32	24 J	31 J	20 U	20 U	30	20 U	21	14 J

Table 6. Groundwater Monitoring Well Sample Results

Metals

Dresser Inc. Facility

124 W. College Ave, Salisbury, Maryland

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-24 12/10/2015 MW-24A 25 d	MW-24 5/3/2016 MW-24 21.75	MW-24 5/3/2016 MW-24A 21.75 d	MW-24 11/8/2016 MW-24 21.5	MW-24 11/8/2016 MW-24 (DUP) 21.5 d	MW-25 11/17/2008 MW-25 21.3	MW-25 11/17/2008 MW-25D 21.3 d	MW-25 3/4/2009 MW-25 23.9	MW-25 10/15/2010 MW-25 22.56	MW-25 10/15/2010 MW-250 22.56 d	MW-25 11/2/2011 MW-25 23.5
	MCL	RSL HQ = 0.1	RSL HQ = 1.0								
<b>Screening Criteria<sup>1</sup></b>											
<b>Dissolved Metals (µg/L)</b>											
Antimony	6	NA	NA	---	---	---	---	---	---	---	---
Arsenic	10	NA	NA	---	---	---	---	---	---	---	---
Beryllium	4	NA	NA	---	---	---	---	---	---	---	---
Cadmium	5	NA	NA	---	---	---	---	---	---	---	---
Calcium	NS	NS	NS	---	---	---	---	---	---	---	---
Chromium	100	NA	NA	---	---	---	---	---	---	---	---
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---	---	---	---	---	---	---
Copper	1300	NA	NA	---	---	---	---	---	---	---	---
Iron	NS	1400	14000	---	100 U	---	100 U	---	---	100 U	100 U
Lead	15	NA	NA	---	---	---	---	---	---	---	---
Magnesium	NS	NS	NS	---	---	---	---	---	---	---	---
Manganese	NS	43	430	---	6.2	---	4.5	---	---	---	---
Mercury	2	NA	NA	---	---	---	---	---	---	---	---
Nickel	NS	39	390	---	---	---	---	---	---	---	---
Potassium	NS	NS	NS	---	---	---	---	---	---	---	---
Selenium	50	NA	NA	---	---	---	---	---	---	---	---
Silver	NS	9.4	94	---	---	---	---	---	---	---	---
Sodium	NS	NS	NS	---	---	---	---	---	---	---	---
Thallium	2	NA	NA	---	---	---	---	---	---	---	---
Zinc	NS	600	6000	---	---	---	---	---	---	---	---
<b>Total Metals (µg/L)</b>											
Antimony	6	NA	NA	5 U	5 U	5 U	5 U	5 U	5 U	5 U	1 U
Arsenic	10	NA	NA	1 U	1 U	1 U	1 U	1 U	5 U	5 U	1 U
Barium	2000	NA	NA	49	47	49	58	54	---	---	---
Beryllium	4	NA	NA	1 U	1 U	1 U	1 U	1 U	1.7	1.8	1.7
Cadmium	5	NA	NA	1 U	1 U	1 U	1 U	1 U	2 U	2 U	5 U
Calcium	NS	NS	NS	---	---	---	---	---	---	---	---
Chromium	100	NA	NA	0.63 J	1 U	1 U	1 U	1 U	5 U	5 U	5 U
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---	---	---	---	---	---	---
Cobalt	NS	0.6	6	0.54 J	1 U	1 U	1 U	1 U	---	---	---
Copper	1300	NA	NA	0.63 J	0.63 J	0.6 J	0.88 J	0.7 J	5 J	4.8 J	5 U
Iron	NS	1400	14000	93 J	100 U	100 U	52 J	100 U	---	---	---
Lead	15	NA	NA	1 U	1 U	1 U	1 U	1 U	5 U	5 U	5 U
Manganese	NS	43	430	9.3	7	7.2	5.9	5.9	---	---	---
Mercury	2	NA	NA	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	1 U	1 U	1 U
Nickel	NS	39	390	1 U	1 U	1 U	1 U	1 U	5 U	5 U	5 U
Selenium	50	NA	NA	1.6	2.5	2.5	2.2	1.9	5 U	5 U	5 U
Silver	NS	9.4	94	1 U	1 U	1 U	1 U	1 U	5 U	5 U	5 U
Thallium	2	NA	NA	1 U	1 U	1 U	1 U	1 U	0.5 U	0.5 U	0.5 U
Vanadium	NS	8.6	86	0.67 J	1 U	1 U	0.58 J	0.66 J	---	---	---
Zinc	NS	600	6000	19 J	16 J	11 J	19 J	13 J	20 U	20 U	20 U

Table 6. Groundwater Monitoring Well Sample Results

Metals

Dresser Inc. Facility

124 W. College Ave, Salisbury, Maryland

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-25 11/2/2011 MW-25A 23.5 d	MW-25 9/17/2012 MW-25 23	MW-25 12/11/2013 MW-25 22.5	MW-25 12/11/2014 MW-25 24.5	MW-25 12/10/2015 MW-25 25	MW-25 5/3/2016 MW-25 22.2	MW-25 11/7/2016 MW-25 21.45	MW-26 11/18/2008 MW-26 24.25	MW-26 3/3/2009 MW-26 24	MW-27 3/3/2009 MW-27 23.8	MW-28 11/18/2008 MW-28 25	MW-28 3/3/2009 MW-28 23.7
	MCL	RSL HQ = 0.1	RSL HQ = 1.0									
<b>Screening Criteria<sup>1</sup></b>												
<b>Dissolved Metals (µg/L)</b>												
Antimony	6	NA	NA	---	---	---	---	---	---	---	---	---
Arsenic	10	NA	NA	---	---	---	---	---	---	---	---	---
Beryllium	4	NA	NA	---	---	---	---	---	---	---	---	---
Cadmium	5	NA	NA	---	---	---	---	---	---	---	---	---
Calcium	NS	NS	NS	---	---	---	---	---	---	---	---	---
Chromium	100	NA	NA	---	---	---	---	---	---	---	---	---
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---	---	---	---	---	---	---	---
Copper	1300	NA	NA	---	---	---	---	---	---	---	---	---
Iron	NS	1400	14000	100 U	100 U	100 U	100 U	100 U	100 U	100 U	---	100 U
Lead	15	NA	NA	---	---	---	---	---	---	---	---	---
Magnesium	NS	NS	NS	---	---	---	---	---	---	---	---	---
Manganese	NS	43	430	---	120	100	82	110	67	95	---	---
Mercury	2	NA	NA	---	---	---	---	---	---	---	---	---
Nickel	NS	39	390	---	---	---	---	---	---	---	---	---
Potassium	NS	NS	NS	---	---	---	---	---	---	---	---	---
Selenium	50	NA	NA	---	---	---	---	---	---	---	---	---
Silver	NS	9.4	94	---	---	---	---	---	---	---	---	---
Sodium	NS	NS	NS	---	---	---	---	---	---	---	---	---
Thallium	2	NA	NA	---	---	---	---	---	---	---	---	---
Zinc	NS	600	6000	---	---	---	---	---	---	---	---	---
<b>Total Metals (µg/L)</b>												
Antimony	6	NA	NA	1 U	1 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Arsenic	10	NA	NA	1 U	0.55 J	1 U	1 U	1 U	1 U	1 U	5 U	5 U
Barium	2000	NA	NA	---	---	---	79	99	70	120	---	---
Beryllium	4	NA	NA	1.7	1.6	1.7	1.8	1.9	1.4	2	0.5 U	0.5 U
Cadmium	5	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U	5 U	5 U
Calcium	NS	NS	NS	---	---	---	---	---	---	---	---	---
Chromium	100	NA	NA	1.3	0.78 J	1.1	1.7	1 U	1 U	1 U	5 U	4 J
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---	---	---	---	---	---	50 U	---
Cobalt	NS	0.6	6	---	---	---	4.6	5.5	3.1	4.8	---	---
Copper	1300	NA	NA	1 U	1.8	1 U	0.55 J	0.63 J	1 U	1.4	5 U	3.2 J
Iron	NS	1400	14000	---	71 J	67 J	360	100 U	100 U	70 J	---	---
Lead	15	NA	NA	0.6 J	1 U	1 U	1.4	1 U	1 U	1 U	5 U	5 U
Manganese	NS	43	430	---	130	120	89	130	70	100	---	---
Mercury	2	NA	NA	0.2 U	0.2 U	0.11 J	0.2 U	0.2 U	0.2 U	0.1 J	1 U	1 U
Nickel	NS	39	390	1.2	4.7	1.6	1.2	1	0.98 J	1.1	5 U	2.7 J
Selenium	50	NA	NA	0.7 J	0.8 J	0.67 J	1.2	0.65 J	0.71 J	1 U	5 U	5 U
Silver	NS	9.4	94	1 U	0.57 J	1 U	1 U	1 U	1 U	1 U	5 U	5 U
Thallium	2	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.5 U	0.5 U
Vanadium	NS	8.6	86	---	---	---	2.7	1 U	1 U	0.8 J	---	---
Zinc	NS	600	6000	20 U	22	18 J	18 J	21	14 J	16 J	16 J	21

Table 6. Groundwater Monitoring Well Sample Results

Metals

Dresser Inc. Facility

124 W. College Ave, Salisbury, Maryland

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-29 3/3/2009 MW-29 25	MW-30 3/3/2009 MW-30 MB	MW-31 3/3/2009 MW-31 24.7	MW-32 3/5/2009 MW-32 24.9	MW-33 7/26/2010 MW-33 23.3	MW-33 10/12/2010 MW-33 23.82	MW-33 11/4/2011 MW-33 26.5	MW-33 2/7/2012 MW-33 25.5	MW-33 9/19/2012 MW-33 25.1	MW-33 12/10/2013 MW-33 24.1	MW-34 7/26/2010 MW-34 22.8	MW-34 10/12/2010 MW-34 23.38	
	MCL	RSL HQ = 0.1	RSL HQ = 1.0										
<b>Screening Criteria<sup>1</sup></b>													
<b>Dissolved Metals (µg/L)</b>													
Antimony	6	NA	NA	---	---	---	---	1 U	---	---	---	---	
Arsenic	10	NA	NA	---	---	---	---	1 U	---	---	---	---	
Beryllium	4	NA	NA	---	---	---	---	0.5 U	---	---	---	---	
Cadmium	5	NA	NA	---	---	---	---	1 U	---	---	---	---	
Calcium	NS	NS	NS	---	---	---	---	---	25000	41000	---	---	
Chromium	100	NA	NA	---	---	---	18	1 U	1 U	1 U	1 U	754	
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---	---	50 U	10 U	10 U	10 U	10 U	50 U	670
Copper	1300	NA	NA	---	---	---	---	1 U	---	---	---	---	
Iron	NS	1400	14000	3900	---	3000	---	100 U	100 U	100 U	100 U	100 U	
Lead	15	NA	NA	---	---	---	---	1 U	---	---	---	---	
Magnesium	NS	NS	NS	---	---	---	---	---	---	---	---	---	
Manganese	NS	43	430	---	---	---	---	---	9.7	7	2.3	7.3	
Mercury	2	NA	NA	---	---	---	---	0.2 U	---	---	---	---	
Nickel	NS	39	390	---	---	---	---	2.9	---	---	---	---	
Potassium	NS	NS	NS	---	---	---	---	---	---	---	---	---	
Selenium	50	NA	NA	---	---	---	---	2.9	---	---	---	---	
Silver	NS	9.4	94	---	---	---	---	1 U	---	---	---	---	
Sodium	NS	NS	NS	---	---	---	---	---	---	---	---	---	
Thallium	2	NA	NA	---	---	---	---	1 U	---	---	---	---	
Zinc	NS	600	6000	---	---	---	---	13 J	---	---	---	---	
<b>Total Metals (µg/L)</b>													
Antimony	6	NA	NA	5 U	5 U	5 U	5 U	---	1 U	---	---	1 U	
Arsenic	10	NA	NA	5 U	3.4 J	5 U	5 U	---	0.5 J	---	---	0.5 J	
Barium	2000	NA	NA	---	---	---	---	---	---	---	---	---	
Beryllium	4	NA	NA	0.5 U	0.9	0.5 U	0.5 U	---	0.5 U	---	---	0.5 U	
Cadmium	5	NA	NA	5 U	5 U	5 U	5 U	---	1 U	---	---	1 U	
Calcium	NS	NS	NS	---	---	---	---	---	---	---	---	---	
Chromium	100	NA	NA	5 U	33	---	5 U	14	33	---	---	780	2000
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---	---	---	50 U	10 U	---	---	670	1800
Cobalt	NS	0.6	6	---	---	---	---	---	---	---	---	---	
Copper	1300	NA	NA	5 U	11	5 U	5 U	---	1.5	---	---	1 U	
Iron	NS	1400	14000	---	---	---	---	---	---	930	480	---	
Lead	15	NA	NA	5 U	24	5 U	5 U	---	1.7	---	---	0.9 J	
Manganese	NS	43	430	---	---	---	---	---	---	6	12	---	
Mercury	2	NA	NA	1 U	1 U	1 U	1 U	---	0.2 U	---	---	0.2 U	
Nickel	NS	39	390	5 U	11	2.6	5 U	---	17	---	---	2.4	
Selenium	50	NA	NA	5 U	5 U	5 U	5 U	---	2	---	---	0.7 J	
Silver	NS	9.4	94	5 U	5 U	5 U	5 U	---	1 U	---	---	1 U	
Thallium	2	NA	NA	0.5 U	0.5 U	0.5 U	0.5 U	---	1 U	---	---	0.6 J	
Vanadium	NS	8.6	86	---	---	---	---	---	---	---	---	---	
Zinc	NS	600	6000	20 U	41	20 U	20 U	---	12 J	---	---	20 U	

Table 6. Groundwater Monitoring Well Sample Results

Metals

Dresser Inc. Facility

124 W. College Ave, Salisbury, Maryland

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-34 11/7/2011 MW-34 24	MW-34 2/9/2012 MW-34 24.4	MW-34 9/19/2012 MW-34 24.7	MW-34 12/11/2013 MW-34 23.6	MW-34 12/11/2013 MW-34A 23.6 d	MW-34 12/10/2014 MW-34 24.6	MW-34 12/9/2015 MW-34 24	MW-34 5/2/2016 MW-34 23	MW-34 5/10/2016 MW-34 23	MW-34 8/9/2016 MW-34 23	MW-34 11/4/2016 MW-34 22.6	MW-34 2/8/2017 MW-34 23
	MCL	RSL HQ = 0.1	RSL HQ = 1.0									
<b>Screening Criteria<sup>1</sup></b>												
<b>Dissolved Metals (µg/L)</b>												
Antimony	6	NA	NA	---	---	---	---	---	---	---	---	---
Arsenic	10	NA	NA	---	---	---	---	---	---	---	---	---
Beryllium	4	NA	NA	---	---	---	---	---	---	---	---	---
Cadmium	5	NA	NA	---	---	---	---	---	---	---	---	---
Calcium	NS	NS	NS	43000	17000	---	---	---	10000	---	11000	10000
Chromium	100	NA	NA	4800	1800	400	100	110	66	24	12	---
Chromium, VI <sup>CM</sup>	100	NA	NA	5400	1200	360	100	100	52	50 U	50 UJ	50 U
Copper	1300	NA	NA	---	---	---	---	---	---	---	---	---
Iron	NS	1400	14000	100 U	100 U	100 U	100 U	---	100 U	100 U	100 U	100 U
Lead	15	NA	NA	---	---	---	---	---	---	---	---	---
Magnesium	NS	NS	NS	---	---	---	---	---	---	7300	---	7100
Manganese	NS	43	430	69	34	47	50	---	46	54	33	---
Mercury	2	NA	NA	---	---	---	---	---	---	---	---	---
Nickel	NS	39	390	---	---	---	---	---	---	---	---	---
Potassium	NS	NS	NS	---	---	---	---	---	---	---	2600	---
Selenium	50	NA	NA	---	---	---	---	---	---	---	---	---
Silver	NS	9.4	94	---	---	---	---	---	---	---	---	---
Sodium	NS	NS	NS	---	---	---	---	---	---	---	23000	---
Thallium	2	NA	NA	---	---	---	---	---	---	---	---	---
Zinc	NS	600	6000	---	---	---	---	---	---	---	---	---
<b>Total Metals (µg/L)</b>												
Antimony	6	NA	NA	---	---	---	---	---	---	---	---	---
Arsenic	10	NA	NA	---	---	---	---	---	---	---	---	---
Barium	2000	NA	NA	---	---	---	---	---	---	---	---	---
Beryllium	4	NA	NA	---	---	---	---	---	---	---	---	---
Cadmium	5	NA	NA	---	---	---	---	---	---	---	---	---
Calcium	NS	NS	NS	---	---	---	---	---	---	---	---	---
Chromium	100	NA	NA	---	---	---	---	---	---	---	---	---
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---	---	---	---	---	---	---	---
Cobalt	NS	0.6	6	---	---	---	---	---	---	---	---	---
Copper	1300	NA	NA	---	---	---	---	---	---	---	---	---
Iron	NS	1400	14000	---	---	800	710	---	300	180	52 J	---
Lead	15	NA	NA	---	---	---	---	---	---	---	---	---
Manganese	NS	43	430	---	---	64	60	---	54	41	30	---
Mercury	2	NA	NA	---	---	---	---	---	---	---	---	---
Nickel	NS	39	390	---	---	---	---	---	---	---	---	---
Selenium	50	NA	NA	---	---	---	---	---	---	---	---	---
Silver	NS	9.4	94	---	---	---	---	---	---	---	---	---
Thallium	2	NA	NA	---	---	---	---	---	---	---	---	---
Vanadium	NS	8.6	86	---	---	---	---	---	---	---	---	---
Zinc	NS	600	6000	---	---	---	---	---	---	---	---	---

Table 6. Groundwater Monitoring Well Sample Results

Metals

Dresser Inc. Facility

124 W. College Ave, Salisbury, Maryland

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-34 3/22/2018 MW-34 23	MW-35 10/12/2010 MW-35 24.6 DS3	MW-35 11/7/2011 MW-35 24.45 DP90	MW-35 2/8/2012 MW-35 24.6 DP3	MW-35 9/19/2012 MW-35 24 DP2	MW-35 9/20/2012 MW-35 24	MW-35 12/11/2013 MW-35 23.6 DP90	MW-35 12/10/2014 MW-35 25.5 DP90	MW-35 12/9/2015 MW-35 20.5 DP90	MW-35 5/3/2016 MW-35 26	MW-35 8/8/2016 MW-35 23.11	MW-35 11/3/2016 MW-35 22.67			
	MCL	RSL HQ = 0.1	RSL HQ = 1.0												
<b>Screening Criteria<sup>1</sup></b>															
<b>Dissolved Metals (µg/L)</b>															
Antimony	6	NA	NA	---	1 U	---	---	---	---	---	---	---			
Arsenic	10	NA	NA	---	1 U	---	---	---	---	---	---	---			
Beryllium	4	NA	NA	---	0.5 U	---	---	---	---	---	---	---			
Cadmium	5	NA	NA	---	1 U	---	---	---	---	---	---	---			
Calcium	NS	NS	NS	---	---	17000	13000	---	---	---	4700	4500	4000		
Chromium	100	NA	NA	17	1 U	1 U	1	---	1 U	1 U	1 U	1 U	1 U		
Chromium, VI <sup>CM</sup>	100	NA	NA	16	10 U	10 U	10 U	---	10 U	10 U	50 U	50 U	50 U		
Copper	1300	NA	NA	---	1 U	---	---	---	---	---	---	---			
Iron	NS	1400	14000	---	100 U	100 U	100 U	100 U	---	100 U	100 U	100 U	52 J		
Lead	15	NA	NA	---	1 U	---	---	---	---	---	---	---			
Magnesium	NS	NS	NS	---	---	---	---	---	---	---	2900	3300	3300		
Manganese	NS	43	430	---	---	110	110	54	---	25	17	22	17	15	7.6
Mercury	2	NA	NA	---	0.2 U	---	---	---	---	---	---	---			
Nickel	NS	39	390	---	5.8	---	---	---	---	---	---	---			
Potassium	NS	NS	NS	---	---	---	---	---	---	---	2000	2100	2700		
Selenium	50	NA	NA	---	1 U	---	---	---	---	---	---	---			
Silver	NS	9.4	94	---	1 U	---	---	---	---	---	---	---			
Sodium	NS	NS	NS	---	---	---	---	---	---	---	12000	13000	14000		
Thallium	2	NA	NA	---	1 U	---	---	---	---	---	---	---			
Zinc	NS	600	6000	---	20 U	---	---	---	---	---	---	---			
<b>Total Metals (µg/L)</b>															
Antimony	6	NA	NA	---	1 U	---	---	---	---	---	---	---			
Arsenic	10	NA	NA	---	1.1	---	---	---	---	---	---	---			
Barium	2000	NA	NA	---	---	---	---	---	---	---	---	---			
Beryllium	4	NA	NA	---	0.5 U	---	---	---	---	---	---	---			
Cadmium	5	NA	NA	---	1 U	---	---	---	---	---	---	---			
Calcium	NS	NS	NS	---	---	---	---	---	---	---	---	---			
Chromium	100	NA	NA	---	110	---	---	---	---	---	---	---			
Chromium, VI <sup>CM</sup>	100	NA	NA	---	10 U	---	---	---	---	---	---	---			
Cobalt	NS	0.6	6	---	---	---	---	---	---	---	---	---			
Copper	1300	NA	NA	---	3.7	---	---	---	---	---	---	---			
Iron	NS	1400	14000	---	---	---	310	---	7600	950	1300	86 J	160	390	
Lead	15	NA	NA	---	5.5	---	---	---	---	---	---	---			
Manganese	NS	43	430	---	---	---	71	---	65	36	37	16	17	11	
Mercury	2	NA	NA	---	0.2 U	---	---	---	---	---	---	---			
Nickel	NS	39	390	---	59	---	---	---	---	---	---	---			
Selenium	50	NA	NA	---	1 U	---	---	---	---	---	---	---			
Silver	NS	9.4	94	---	1 U	---	---	---	---	---	---	---			
Thallium	2	NA	NA	---	1 U	---	---	---	---	---	---	---			
Vanadium	NS	8.6	86	---	---	---	---	---	---	---	---	---			
Zinc	NS	600	6000	---	18 J	---	---	---	---	---	---	---			

Table 6. Groundwater Monitoring Well Sample Results

Metals

Dresser Inc. Facility

124 W. College Ave, Salisbury, Maryland

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-35 2/6/2017 MW-35 23.4	MW-36 7/26/2010 MW-36 MS/MSD 22.4	MW-36 7/26/2010 MW-37 22.4 d	MW-36 10/13/2010 MW-36 22.93	MW-36 11/4/2011 MW-36 24.25 d	MW-36 2/8/2012 MW-36 24.5	MW-36 9/19/2012 MW-36 24.8	MW-36 12/11/2013 MW-36 23	MW-38 11/7/2011 MW-38 32.5	MW-38 2/8/2012 MW-38 32.4	MW-38 9/20/2012 MW-38 32.31	MW-38 12/11/2013 MW-38 32.4
	MCL	RSL HQ = 0.1	RSL HQ = 1.0									
<b>Screening Criteria<sup>1</sup></b>												
<b>Dissolved Metals (µg/L)</b>												
Antimony	6	NA	NA	---	---	---	---	---	---	---	---	---
Arsenic	10	NA	NA	---	---	---	---	---	---	---	---	---
Beryllium	4	NA	NA	---	---	---	---	---	---	---	---	---
Cadmium	5	NA	NA	---	---	---	---	---	---	---	---	---
Calcium	NS	NS	NS	3500	---	---	7200	37000	---	---	22000	25000
Chromium	100	NA	NA	0.93 J	32000	33000	990	1400	3.3	22	3300	1900
Chromium, VI <sup>CM</sup>	100	NA	NA	50 U	26000	27000	900	10 U	10 U	10 U	5400	1200
Copper	1300	NA	NA	---	---	---	---	---	---	---	---	---
Iron	NS	1400	14000	100 U	---	---	1000 U	100 U	1600	---	37000	100 U
Lead	15	NA	NA	---	---	---	---	---	---	---	---	---
Magnesium	NS	NS	NS	2400	---	---	---	---	---	---	---	---
Manganese	NS	43	430	11	---	---	20	270	---	290	41	54
Mercury	2	NA	NA	---	---	---	---	---	---	---	---	---
Nickel	NS	39	390	---	---	---	---	---	---	---	---	---
Potassium	NS	NS	NS	2100	---	---	---	---	---	---	---	---
Selenium	50	NA	NA	---	---	---	---	---	---	---	---	---
Silver	NS	9.4	94	---	---	---	---	---	---	---	---	---
Sodium	NS	NS	NS	8800	---	---	---	---	---	---	---	---
Thallium	2	NA	NA	---	---	---	---	---	---	---	---	---
Zinc	NS	600	6000	---	---	---	---	---	---	---	---	---
<b>Total Metals (µg/L)</b>												
Antimony	6	NA	NA	---	---	---	10 U	---	---	---	---	---
Arsenic	10	NA	NA	---	---	---	10 U	---	---	---	---	---
Barium	2000	NA	NA	---	---	---	---	---	---	---	---	---
Beryllium	4	NA	NA	---	---	---	5 U	---	---	---	---	---
Cadmium	5	NA	NA	---	---	---	10 U	---	---	---	---	---
Calcium	NS	NS	NS	---	---	---	---	---	---	---	---	---
Chromium	100	NA	NA	---	34000	34000	110000	---	---	---	---	---
Chromium, VI <sup>CM</sup>	100	NA	NA	---	26000	27000	100000	---	---	---	---	---
Cobalt	NS	0.6	6	---	---	---	---	---	---	---	---	---
Copper	1300	NA	NA	---	---	---	10 U	---	---	---	---	---
Iron	NS	1400	14000	250	---	---	---	---	---	37000	---	390
Lead	15	NA	NA	---	---	---	10 U	---	---	---	---	---
Manganese	NS	43	430	12	---	---	---	---	---	320	---	140
Mercury	2	NA	NA	---	---	---	2 U	---	---	---	---	---
Nickel	NS	39	390	---	---	---	10 U	---	---	---	---	---
Selenium	50	NA	NA	---	---	---	10 U	---	---	---	---	---
Silver	NS	9.4	94	---	---	---	10 U	---	---	---	---	---
Thallium	2	NA	NA	---	---	---	10 U	---	---	---	---	---
Vanadium	NS	8.6	86	---	---	---	---	---	---	---	---	---
Zinc	NS	600	6000	---	---	---	200 U	---	---	---	---	---

Table 6. Groundwater Monitoring Well Sample Results

Metals

Dresser Inc. Facility

124 W. College Ave, Salisbury, Maryland

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes				MW-38 12/10/2014 MW-38 32.4	MW-38 12/9/2015 MW-38 33	MW-38 5/2/2016 MW-38 39	MW-38 8/9/2016 MW-38 MS/MSD 32.16	MW-38 11/3/2016 MW-38 32.3	MW-38 2/7/2017 MW-38 MS/MSD 32.16	MW-39 11/7/2011 MW-39 42.05	MW-39 2/7/2012 MW-39 40.36	MW-39 9/19/2012 MW-39 40	MW-39 12/9/2013 MW-39 40	MW-39 12/10/2014 MW-39 34	
Screening Criteria <sup>1</sup>	MCL	RSL HQ = 0.1	RSL HQ = 1.0												
<b>Dissolved Metals (µg/L)</b>															
Antimony	6	NA	NA	---	---	---	---	---	---	---	---	---	---	---	---
Arsenic	10	NA	NA	---	---	---	---	---	---	---	---	---	---	---	---
Beryllium	4	NA	NA	---	---	---	---	---	---	---	---	---	---	---	---
Cadmium	5	NA	NA	---	---	---	---	---	---	---	---	---	---	---	---
Calcium	NS	NS	NS	---	---	22000	25000	29000	39000	29000	23000	---	---	---	---
Chromium	100	NA	NA	1 U	1 U	1.3	1.2	0.53 J	1 U	58	9.8	0.66 J	1 U	1 U	
Chromium, VI <sup>CM</sup>	100	NA	NA	50 U	50 U	50 UJ	50 U	50 U	50 UJ	54	10 U	10 U	50 U	50 U	
Copper	1300	NA	NA	---	---	---	---	---	---	---	---	---	---	---	---
Iron	NS	1400	14000	250	100 U	81 J	320	710	470	100 U	100 U	2900	180	1800	
Lead	15	NA	NA	---	---	---	---	---	---	---	---	---	---	---	---
Magnesium	NS	NS	NS	---	---	5700	6100	6700	8500	---	---	---	---	---	---
Manganese	NS	43	430	150	190	42	130	220	390	27	30	230	79	69	
Mercury	2	NA	NA	---	---	---	---	---	---	---	---	---	---	---	---
Nickel	NS	39	390	---	---	---	---	---	---	---	---	---	---	---	---
Potassium	NS	NS	NS	---	---	3700	3600	4400	4900	---	---	---	---	---	---
Selenium	50	NA	NA	---	---	---	---	---	---	---	---	---	---	---	---
Silver	NS	9.4	94	---	---	---	---	---	---	---	---	---	---	---	---
Sodium	NS	NS	NS	---	---	9300	10000	10000	11000	---	---	---	---	---	---
Thallium	2	NA	NA	---	---	---	---	---	---	---	---	---	---	---	---
Zinc	NS	600	6000	---	---	---	---	---	---	---	---	---	---	---	---
<b>Total Metals (µg/L)</b>															
Antimony	6	NA	NA	---	---	---	---	---	---	---	---	---	---	---	---
Arsenic	10	NA	NA	---	---	---	---	---	---	---	---	---	---	---	---
Barium	2000	NA	NA	---	---	---	---	---	---	---	---	---	---	---	---
Beryllium	4	NA	NA	---	---	---	---	---	---	---	---	---	---	---	---
Cadmium	5	NA	NA	---	---	---	---	---	---	---	---	---	---	---	---
Calcium	NS	NS	NS	---	---	---	---	---	---	---	---	---	---	---	---
Chromium	100	NA	NA	---	---	1.4	---	---	---	---	---	---	---	---	---
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---	---	---	---	---	---	---	---	---	---	---
Cobalt	NS	0.6	6	---	---	---	---	---	---	---	---	---	---	---	---
Copper	1300	NA	NA	---	---	---	---	---	---	---	---	---	---	---	---
Iron	NS	1400	14000	390	100 U	120	320	780	500	---	---	3200	2600	2000	
Lead	15	NA	NA	---	---	---	---	---	---	---	---	---	---	---	---
Manganese	NS	43	430	160	190	37	160	220	380	---	---	240	89	78	
Mercury	2	NA	NA	---	---	---	---	---	---	---	---	---	---	---	---
Nickel	NS	39	390	---	---	---	---	---	---	---	---	---	---	---	---
Selenium	50	NA	NA	---	---	---	---	---	---	---	---	---	---	---	---
Silver	NS	9.4	94	---	---	---	---	---	---	---	---	---	---	---	---
Thallium	2	NA	NA	---	---	---	---	---	---	---	---	---	---	---	---
Vanadium	NS	8.6	86	---	---	---	---	---	---	---	---	---	---	---	---
Zinc	NS	600	6000	---	---	---	---	---	---	---	---	---	---	---	---



Table 6. Groundwater Monitoring Well Sample Results

Metals

Dresser Inc. Facility

124 W. College Ave, Salisbury, Maryland

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-39 12/8/2015 MW-39 40	MW-39 4/29/2016 MW-39 35.4	MW-39 8/8/2016 MW-39 40.3	MW-39 11/3/2016 MW-39 40	MW-39 2/6/2017 MW-39 40.3	MW-40 11/7/2011 MW-40 32.75	MW-40 2/8/2012 MW-40 31.78	MW-40 9/19/2012 MW-40 30	MW-40 12/11/2013 MW-40 MS/MSD 31.8	MW-40 12/10/2014 MW-40 MS/MSD 31.7	MW-40 12/9/2015 MW-40 31.7
	MCL	RSL HQ = 0.1	RSL HQ = 1.0								
<b>Screening Criteria<sup>1</sup></b>											
<b>Dissolved Metals (µg/L)</b>											
Antimony	6	NA	NA	---	---	---	---	---	---	---	---
Arsenic	10	NA	NA	---	---	---	---	---	---	---	---
Beryllium	4	NA	NA	---	---	---	---	---	---	---	---
Cadmium	5	NA	NA	---	---	---	---	---	---	---	---
Calcium	NS	NS	NS	---	23000	21000	29000	22000	29000	20000	---
Chromium	100	NA	NA	1 U	1 U	1 U	1 U	1 U	210	24	8.8
Chromium, VI <sup>CM</sup>	100	NA	NA	50 U	50 U	50 U	50 U	50 U	210	15	10 U
Copper	1300	NA	NA	---	---	---	---	---	---	---	---
Iron	NS	1400	14000	500	150	130	490	66 J	100 U	100 U	100 U
Lead	15	NA	NA	---	---	---	---	---	---	---	---
Magnesium	NS	NS	NS	---	3000	3200	4400	2900	---	---	---
Manganese	NS	43	430	50	35	39	50	25	6.3	5.9	9.8
Mercury	2	NA	NA	---	---	---	---	---	---	---	---
Nickel	NS	39	390	---	---	---	---	---	---	---	---
Potassium	NS	NS	NS	---	2700	2700	3200	2700	---	---	---
Selenium	50	NA	NA	---	---	---	---	---	---	---	---
Silver	NS	9.4	94	---	---	---	---	---	---	---	---
Sodium	NS	NS	NS	---	26000	23000	24000	23000	---	---	---
Thallium	2	NA	NA	---	---	---	---	---	---	---	---
Zinc	NS	600	6000	---	---	---	---	---	---	---	---
<b>Total Metals (µg/L)</b>											
Antimony	6	NA	NA	---	---	---	---	---	---	---	---
Arsenic	10	NA	NA	---	---	---	---	---	---	---	---
Barium	2000	NA	NA	---	---	---	---	---	---	---	---
Beryllium	4	NA	NA	---	---	---	---	---	---	---	---
Cadmium	5	NA	NA	---	---	---	---	---	---	---	---
Calcium	NS	NS	NS	---	---	---	---	---	22000	24000	---
Chromium	100	NA	NA	---	---	---	---	---	230	120	---
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---	---	---	---	210	15	---
Cobalt	NS	0.6	6	---	---	---	---	---	---	---	---
Copper	1300	NA	NA	---	---	---	---	---	---	---	---
Iron	NS	1400	14000	540	160	300	530	590	100 U	65 J	78 J
Lead	15	NA	NA	---	---	---	---	---	---	---	---
Manganese	NS	43	430	49	42	39	54	30	6.6	6.9	11
Mercury	2	NA	NA	---	---	---	---	---	---	---	---
Nickel	NS	39	390	---	---	---	---	---	---	---	---
Selenium	50	NA	NA	---	---	---	---	---	---	---	---
Silver	NS	9.4	94	---	---	---	---	---	---	---	---
Thallium	2	NA	NA	---	---	---	---	---	---	---	---
Vanadium	NS	8.6	86	---	---	---	---	---	---	---	---
Zinc	NS	600	6000	---	---	---	---	---	---	---	---

Table 6. Groundwater Monitoring Well Sample Results

Metals  
 Dresser Inc. Facility  
 124 W. College Ave, Salisbury, Maryland

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-40 4/29/2016 MW-40 31.7	MW-40 8/10/2016 MW-40 31.6	MW-40 11/2/2016 MW-40 31.8	MW-40 2/8/2017 MW-40 31.6	MW-41 11/3/2011 MW-41 30.8	MW-41 12/8/2011 MW-41 30.8	MW-41 2/8/2012 MW-41 31	MW-41 9/19/2012 MW-41 30.9	MW-41 12/10/2013 MW-41 30.97	MW-41 12/10/2014 MW-41 30.97	MW-41 12/9/2015 MW-41 30.7	MW-41 4/29/2016 MW-41 30.9
	MCL	RSL HQ = 0.1	RSL HQ = 1.0									
<b>Screening Criteria<sup>1</sup></b>												
<b>Dissolved Metals (µg/L)</b>												
Antimony	6	NA	NA	---	---	---	---	---	---	---	---	---
Arsenic	10	NA	NA	---	---	---	---	---	---	---	---	---
Beryllium	4	NA	NA	---	---	---	---	---	---	---	---	---
Cadmium	5	NA	NA	---	---	---	---	---	---	---	---	---
Calcium	NS	NS	NS	23000	26000	28000	26000	22000	---	21000	---	---
Chromium	100	NA	NA	1 U	1.2	1.2	0.9 J	140	39	1 U	1 U	1 U
Chromium, VI <sup>CM</sup>	100	NA	NA	50 U	50 U	50 U	50 UJ	130	54	10 U	10 U	10 U
Copper	1300	NA	NA	---	---	---	---	---	---	---	---	---
Iron	NS	1400	14000	100 U	100 U	100 U	100 U	100 U	---	59 J	100 U	70 J
Lead	15	NA	NA	---	---	---	---	---	---	---	---	---
Magnesium	NS	NS	NS	8200	9100	9000	9900	---	---	---	---	---
Manganese	NS	43	430	34	22	18	28	2.3	---	9.4	27	38
Mercury	2	NA	NA	---	---	---	---	---	---	---	---	---
Nickel	NS	39	390	---	---	---	---	---	---	---	---	---
Potassium	NS	NS	NS	4200	4400	5500	6400	---	---	---	---	---
Selenium	50	NA	NA	---	---	---	---	---	---	---	---	---
Silver	NS	9.4	94	---	---	---	---	---	---	---	---	---
Sodium	NS	NS	NS	17000	17000	16000	17000	---	---	---	---	---
Thallium	2	NA	NA	---	---	---	---	---	---	---	---	---
Zinc	NS	600	6000	---	---	---	---	---	---	---	---	---
<b>Total Metals (µg/L)</b>												
Antimony	6	NA	NA	---	---	---	---	---	---	---	---	---
Arsenic	10	NA	NA	---	---	---	---	---	---	---	---	---
Barium	2000	NA	NA	---	---	---	---	---	---	---	---	---
Beryllium	4	NA	NA	---	---	---	---	---	---	---	---	---
Cadmium	5	NA	NA	---	---	---	---	---	---	---	---	---
Calcium	NS	NS	NS	---	---	---	---	20000	---	23000	---	---
Chromium	100	NA	NA	---	---	---	---	120	33	1 U	---	---
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---	---	---	140	54	10 U	---	---
Cobalt	NS	0.6	6	---	---	---	---	---	---	---	---	---
Copper	1300	NA	NA	---	---	---	---	---	---	---	---	---
Iron	NS	1400	14000	100 U	100 U	100 U	100 U	100 U	---	210	100 U	120
Lead	15	NA	NA	---	---	---	---	---	---	---	---	---
Manganese	NS	43	430	36	23	18	28	2.4	---	8.8	31	42
Mercury	2	NA	NA	---	---	---	---	---	---	---	---	---
Nickel	NS	39	390	---	---	---	---	---	---	---	---	---
Selenium	50	NA	NA	---	---	---	---	---	---	---	---	---
Silver	NS	9.4	94	---	---	---	---	---	---	---	---	---
Thallium	2	NA	NA	---	---	---	---	---	---	---	---	---
Vanadium	NS	8.6	86	---	---	---	---	---	---	---	---	---
Zinc	NS	600	6000	---	---	---	---	---	---	---	---	---

Table 6. Groundwater Monitoring Well Sample Results

Metals

Dresser Inc. Facility

124 W. College Ave, Salisbury, Maryland

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-41 8/10/2016 MW-41 30.9	MW-41 11/3/2016 MW-41 30.9	MW-41 2/8/2017 MW-41 30.9	MW-41 3/21/2018 MW-41 30	MW-42 11/3/2011 MW-42 30.3	MW-42 12/8/2011 MW-42 30.3	MW-42 2/8/2012 MW-42 30.43	MW-42 2/8/2012 MW-42A 30.43 d	MW-42 9/20/2012 MW-42 30.4	MW-42 12/10/2013 MW-42 30.43	MW-42 12/10/2014 MW-42 30.43	MW-42 12/9/2015 MW-42 30.4
	MCL	RSL HQ = 0.1	RSL HQ = 1.0									
<b>Screening Criteria<sup>1</sup></b>												
<b>Dissolved Metals (µg/L)</b>												
Antimony	6	NA	NA	---	---	---	---	---	---	---	---	---
Arsenic	10	NA	NA	---	---	---	---	---	---	---	---	---
Beryllium	4	NA	NA	---	---	---	---	---	---	---	---	---
Cadmium	5	NA	NA	---	---	---	---	---	---	---	---	---
Calcium	NS	NS	NS	18000	20000	19000	---	28000	---	29000	---	---
Chromium	100	NA	NA	1 U	1 U	1 U	1 U	540	910	460	460	1 U
Chromium, VI <sup>CM</sup>	100	NA	NA	50 U	50 U	50 UJ	---	530	640	300	300	10 U
Copper	1300	NA	NA	---	---	---	---	---	---	---	---	---
Iron	NS	1400	14000	99 J	120	100 U	---	100 U	---	100 U	---	120
Lead	15	NA	NA	---	---	---	---	---	---	---	---	150
Magnesium	NS	NS	NS	10000	10000	15000	---	---	---	---	---	85 J
Manganese	NS	43	430	33	30	41	---	3.9	---	2.1	---	9.2
Mercury	2	NA	NA	---	---	---	---	---	---	---	---	47
Nickel	NS	39	390	---	---	---	---	---	---	---	---	49
Potassium	NS	NS	NS	4500	5700	6600	---	---	---	---	---	56
Selenium	50	NA	NA	---	---	---	---	---	---	---	---	---
Silver	NS	9.4	94	---	---	---	---	---	---	---	---	---
Sodium	NS	NS	NS	23000	23000	28000	---	---	---	---	---	---
Thallium	2	NA	NA	---	---	---	---	---	---	---	---	---
Zinc	NS	600	6000	---	---	---	---	---	---	---	---	---
<b>Total Metals (µg/L)</b>												
Antimony	6	NA	NA	---	---	---	---	---	---	---	---	---
Arsenic	10	NA	NA	---	---	---	---	---	---	---	---	---
Barium	2000	NA	NA	---	---	---	---	---	---	---	---	---
Beryllium	4	NA	NA	---	---	---	---	---	---	---	---	---
Cadmium	5	NA	NA	---	---	---	---	---	---	---	---	---
Calcium	NS	NS	NS	---	---	---	---	---	---	---	---	---
Chromium	100	NA	NA	---	---	---	---	---	---	---	---	---
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---	---	---	---	---	---	---	---
Cobalt	NS	0.6	6	---	---	---	---	---	---	---	---	---
Copper	1300	NA	NA	---	---	---	---	---	---	---	---	---
Iron	NS	1400	14000	100	150	50 J	---	---	---	---	---	300
Lead	15	NA	NA	---	---	---	---	---	---	---	---	240
Manganese	NS	43	430	29	33	41	---	---	---	---	---	100
Mercury	2	NA	NA	---	---	---	---	---	---	---	---	530
Nickel	NS	39	390	---	---	---	---	---	---	---	---	---
Selenium	50	NA	NA	---	---	---	---	---	---	---	---	---
Silver	NS	9.4	94	---	---	---	---	---	---	---	---	---
Thallium	2	NA	NA	---	---	---	---	---	---	---	---	---
Vanadium	NS	8.6	86	---	---	---	---	---	---	---	---	---
Zinc	NS	600	6000	---	---	---	---	---	---	---	---	---

Table 6. Groundwater Monitoring Well Sample Results

Metals

Dresser Inc. Facility

124 W. College Ave, Salisbury, Maryland

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-42 4/29/2016 MW-42 30.4	MW-42 8/10/2016 MW-42 31.1	MW-42 11/3/2016 MW-42 30.4	MW-42 2/7/2017 MW-42 31.1	MW-43 5/2/2016 MW-43 25.5	MW-43 8/8/2016 MW-43 25.2	MW-43 11/4/2016 MW-43 24.58	MW-43 2/8/2017 MW-43 25.3	MW-43 3/22/2018 MW-43 26	MW-44 4/28/2016 MW-44 36.8	MW-44 8/10/2016 MW-44 37.23	MW-44 11/3/2016 MW-44 36.8	MW-44 2/8/2017 MW-44 37			
	MCL	RSL HQ = 0.1	RSL HQ = 1.0													
<b>Screening Criteria<sup>1</sup></b>																
<b>Dissolved Metals (µg/L)</b>																
Antimony	6	NA	NA	---	---	---	---	---	---	---	---	---	---			
Arsenic	10	NA	NA	---	---	---	---	---	---	---	---	---	---			
Beryllium	4	NA	NA	---	---	---	---	---	---	---	---	---	---			
Cadmium	5	NA	NA	---	---	---	---	---	---	---	---	---	---			
Calcium	NS	NS	NS	35000	34000	31000	37000	42000	38000	33000	32000	---	38000	34000	35000	37000
Chromium	100	NA	NA	1 U	1 U	1 U	1 U	6.9	21	14	20 J	13	1 U	1 U	1 U	1 U
Chromium, VI <sup>CM</sup>	100	NA	NA	50 U	50 U	50 U	50 U	50 UJ	50 U	50 U	50 U	10 U	50 UJ	50 U	50 U	50 UJ
Copper	1300	NA	NA	---	---	---	---	---	---	---	---	---	---	---	---	---
Iron	NS	1400	14000	200	220	280	410	28000	20000	20000	18000	---	1700	570	560	770
Lead	15	NA	NA	---	---	---	---	---	---	---	---	---	---	---	---	---
Magnesium	NS	NS	NS	8300	7600	7500	9500	8400	10000	8900	13000	---	12000	11000	11000	13000
Manganese	NS	43	430	51	45	42	56	320	300	210	220	---	140	70	79	91
Mercury	2	NA	NA	---	---	---	---	---	---	---	---	---	---	---	---	---
Nickel	NS	39	390	---	---	---	---	---	---	---	---	---	---	---	---	---
Potassium	NS	NS	NS	4800	4600	4600	6000	6600	5700	6500	4800	---	6600	5000	6500	7300
Selenium	50	NA	NA	---	---	---	---	---	---	---	---	---	---	---	---	---
Silver	NS	9.4	94	---	---	---	---	---	---	---	---	---	---	---	---	---
Sodium	NS	NS	NS	22000	24000	21000	22000	22000	24000	20000	27000	---	20000	19000	19000	17000
Thallium	2	NA	NA	---	---	---	---	---	---	---	---	---	---	---	---	---
Zinc	NS	600	6000	---	---	---	---	---	---	---	---	---	---	---	---	---
<b>Total Metals (µg/L)</b>																
Antimony	6	NA	NA	---	---	---	---	5 U	---	5 U	---	---	---	---	---	---
Arsenic	10	NA	NA	---	---	---	---	6.3	---	2.2	---	---	---	---	---	---
Barium	2000	NA	NA	---	---	---	---	54	---	39	---	---	---	---	---	---
Beryllium	4	NA	NA	---	---	---	---	1 U	---	2.7	---	---	---	---	---	---
Cadmium	5	NA	NA	---	---	---	---	1 U	---	1 U	---	---	---	---	---	---
Calcium	NS	NS	NS	---	---	---	---	---	---	---	---	---	---	---	---	---
Chromium	100	NA	NA	---	---	---	---	9.4	---	16	---	---	---	---	---	---
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---	---	---	---	---	---	---	---	---	---	---	---
Cobalt	NS	0.6	6	---	---	---	---	1.7	---	2.7	---	---	---	---	---	---
Copper	1300	NA	NA	---	---	---	---	1 U	---	1 U	---	---	---	---	---	---
Iron	NS	1400	14000	210	250	320	510	31000	22000	21000	20000	---	2300	700	900	1000
Lead	15	NA	NA	---	---	---	---	1 U	---	0.53 J	---	---	---	---	---	---
Manganese	NS	43	430	57	52	45	47	320	330	220	210	---	170	67	77	110
Mercury	2	NA	NA	---	---	---	---	0.2 U	---	0.2 U	---	---	---	---	---	---
Nickel	NS	39	390	---	---	---	---	1.5	---	2.2	---	---	---	---	---	---
Selenium	50	NA	NA	---	---	---	---	1 U	---	1 U	---	---	---	---	---	---
Silver	NS	9.4	94	---	---	---	---	1 U	---	1 U	---	---	---	---	---	---
Thallium	2	NA	NA	---	---	---	---	1 U	---	1 U	---	---	---	---	---	---
Vanadium	NS	8.6	86	---	---	---	---	0.84 J	---	6.8	---	---	---	---	---	---
Zinc	NS	600	6000	---	---	---	---	19 J	---	46	---	---	---	---	---	---

Table 6. Groundwater Monitoring Well Sample Results

Metals

Dresser Inc. Facility

124 W. College Ave, Salisbury, Maryland

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-45 5/2/2016 MW-45 26	MW-45 8/11/2016 MW-45 25.8	MW-45 8/11/2016 MW-45A 25.8 d	MW-45 11/8/2016 MW-45 25.15	MW-45 2/9/2017 MW-45 26	MW-45 2/9/2017 MW-45A 26 d	MW-45 3/22/2018 MW-45 26	MW-45 3/22/2018 MW-45A 26 d	MW-46 4/28/2016 MW-46 46.51	MW-46 8/9/2016 MW-46 41.48	MW-46 11/3/2016 MW-46 41.51	MW-46 2/8/2017 MW-46 41.5	MW-46 3/26/2018 MW-46 91.5			
	MCL	RSL HQ = 0.1	RSL HQ = 1.0													
<b>Screening Criteria<sup>1</sup></b>																
<b>Dissolved Metals (µg/L)</b>																
Antimony	6	NA	NA	---	---	---	---	---	---	---	---	---	---			
Arsenic	10	NA	NA	---	---	---	---	---	---	---	---	---	---			
Beryllium	4	NA	NA	---	---	---	---	---	---	---	---	---	---			
Cadmium	5	NA	NA	---	---	---	---	---	---	---	---	---	---			
Calcium	NS	NS	NS	16000	17000	---	21000	16000	---	---	---	28000	27000	28000	27000	---
Chromium	100	NA	NA	60	110	100	94	92	94	56	57	2.7	5.5	6.4	3.3 J	1.2
Chromium, VI <sup>CM</sup>	100	NA	NA	60	100	110	83	98	97	57	58	50 UJ	50 U	50 U	50 U	10 U
Copper	1300	NA	NA	---	---	---	---	---	---	---	---	---	---	---	---	---
Iron	NS	1400	14000	100 U	100 U	---	100 U	100 U	---	---	---	2400	100 U	100 U	100 U	---
Lead	15	NA	NA	---	---	---	---	---	---	---	---	---	---	---	---	---
Magnesium	NS	NS	NS	14000	14000	---	15000	14000	---	---	---	9200	9700	10000	9800	---
Manganese	NS	43	430	28	27	---	40	21	---	---	---	140	76	83	74	---
Mercury	2	NA	NA	---	---	---	---	---	---	---	---	---	---	---	---	---
Nickel	NS	39	390	---	---	---	---	---	---	---	---	---	---	---	---	---
Potassium	NS	NS	NS	4000	4200	---	5200	4100	---	---	---	4300	3700	4100	3600	---
Selenium	50	NA	NA	---	---	---	---	---	---	---	---	---	---	---	---	---
Silver	NS	9.4	94	---	---	---	---	---	---	---	---	---	---	---	---	---
Sodium	NS	NS	NS	23000	30000	---	28000	28000	---	---	---	28000	27000	25000	20000	---
Thallium	2	NA	NA	---	---	---	---	---	---	---	---	---	---	---	---	---
Zinc	NS	600	6000	---	---	---	---	---	---	---	---	---	---	---	---	---
<b>Total Metals (µg/L)</b>																
Antimony	6	NA	NA	5 U	---	---	5 U	---	---	---	---	5 U	---	5 U	---	---
Arsenic	10	NA	NA	1 U	---	---	1 U	---	---	---	---	1 U	---	1 U	---	---
Barium	2000	NA	NA	67	---	---	100	---	---	---	---	77	---	65	---	---
Beryllium	4	NA	NA	1 U	---	---	1 U	---	---	---	---	1 U	---	1 U	---	---
Cadmium	5	NA	NA	1 U	---	---	1 U	---	---	---	---	1 U	---	1 U	---	---
Calcium	NS	NS	NS	---	---	---	---	---	---	---	---	---	---	---	---	---
Chromium	100	NA	NA	59	---	---	78	---	---	---	---	3	---	5.9	---	---
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---	---	---	---	---	---	---	---	---	---	---	---
Cobalt	NS	0.6	6	1 U	---	---	1 U	---	---	---	---	1.2	---	1 U	---	---
Copper	1300	NA	NA	1 U	---	---	1 U	---	---	---	---	0.57 J	---	0.79 J	---	---
Iron	NS	1400	14000	70 J	63 J	---	100 U	96 J	---	---	---	2700	150	70 J	120	---
Lead	15	NA	NA	1 U	---	---	1 U	---	---	---	---	1 U	---	1 U	---	---
Manganese	NS	43	430	28	24	---	41	24	---	---	---	140	73	91	84	---
Mercury	2	NA	NA	0.2 U	---	---	0.2 U	---	---	---	---	0.2 U	---	0.2 U	---	---
Nickel	NS	39	390	0.74 J	---	---	0.5 J	---	---	---	---	1.6	---	1 U	---	---
Selenium	50	NA	NA	1 U	---	---	1 U	---	---	---	---	0.69 J	---	1.1	---	---
Silver	NS	9.4	94	1 U	---	---	1 U	---	---	---	---	1 U	---	1 U	---	---
Thallium	2	NA	NA	1 U	---	---	1 U	---	---	---	---	1 U	---	1 U	---	---
Vanadium	NS	8.6	86	1 U	---	---	1 U	---	---	---	---	1 U	---	1 U	---	---
Zinc	NS	600	6000	14 J	---	---	18 J	---	---	---	---	15 J	---	15 J	---	---

Table 6. Groundwater Monitoring Well Sample Results

Metals  
 Dresser Inc. Facility  
 124 W. College Ave, Salisbury, Maryland

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-47 5/2/2016 MW-47 25	MW-47 8/10/2016 MW-47 24.7	MW-47 11/4/2016 MW-47 24	MW-47 2/9/2017 MW-47 24	MW-47 3/26/2018 MW-47 24.5	MW-48 4/28/2016 MW-48 40.9	MW-48 8/11/2016 MW-48 40.6	MW-48 11/3/2016 MW-48 40	MW-48 2/9/2017 MW-48 38	MW-48 3/21/2018 MW-48 38			
	MCL	RSL HQ = 0.1	RSL HQ = 1.0										
<b>Screening Criteria<sup>1</sup></b>													
<b>Dissolved Metals (µg/L)</b>													
Antimony	6	NA	NA	---	---	---	---	---	---	---			
Arsenic	10	NA	NA	---	---	---	---	---	---	---			
Beryllium	4	NA	NA	---	---	---	---	---	---	---			
Cadmium	5	NA	NA	---	---	---	---	---	---	---			
Calcium	NS	NS	NS	21000	22000	22000	18000	---	27000	23000	25000	23000	---
Chromium	100	NA	NA	1.6	2.7	3.5	3.6	12	0.65 J	1.3	0.99 J	0.79 J	1.5
Chromium, VI <sup>CM</sup>	100	NA	NA	50 U	50 U	50 U	50 U	10 U	50 UJ	50 U	50 U	50 U	---
Copper	1300	NA	NA	---	---	---	---	---	---	---	---	---	---
Iron	NS	1400	14000	1800	100 U	100 U	100 U	---	110	100 U	100 U	100 U	---
Lead	15	NA	NA	---	---	---	---	---	---	---	---	---	---
Magnesium	NS	NS	NS	14000	14000	13000	12000	---	15000	14000	15000	16000	---
Manganese	NS	43	430	91	45	27	15	---	52	41	32	32	---
Mercury	2	NA	NA	---	---	---	---	---	---	---	---	---	---
Nickel	NS	39	390	---	---	---	---	---	---	---	---	---	---
Potassium	NS	NS	NS	4900	4700	4700	4300	---	4200	4100	4800	4000	---
Selenium	50	NA	NA	---	---	---	---	---	---	---	---	---	---
Silver	NS	9.4	94	---	---	---	---	---	---	---	---	---	---
Sodium	NS	NS	NS	27000	28000	29000	25000	---	27000	29000	23000	27000	---
Thallium	2	NA	NA	---	---	---	---	---	---	---	---	---	---
Zinc	NS	600	6000	---	---	---	---	---	---	---	---	---	---
<b>Total Metals (µg/L)</b>													
Antimony	6	NA	NA	5 U	---	5 U	---	---	5 U	---	5 U	---	---
Arsenic	10	NA	NA	1.1	---	1 U	---	---	1 U	---	1 U	---	---
Barium	2000	NA	NA	58	---	80	---	---	94	---	84	---	---
Beryllium	4	NA	NA	1 U	---	1 U	---	---	1 U	---	1 UJ	---	---
Cadmium	5	NA	NA	1 U	---	1 U	---	---	1 U	---	1 U	---	---
Calcium	NS	NS	NS	---	---	---	---	---	---	---	---	---	---
Chromium	100	NA	NA	2	---	4.8	---	---	0.83 J	---	1.2	---	---
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---	---	---	---	---	---	---	---	---
Cobalt	NS	0.6	6	0.71 J	---	1 U	---	---	1.1	---	1 U	---	---
Copper	1300	NA	NA	1 U	---	0.64 J	---	---	0.58 J	---	0.97 J	---	---
Iron	NS	1400	14000	1800	100	150	64 J	---	170	65 J	61 J	70 J	---
Lead	15	NA	NA	1 U	---	1 U	---	---	1 U	---	1 U	---	---
Manganese	NS	43	430	91	42	33	19	---	61	39	34	34	---
Mercury	2	NA	NA	0.2 U	---	0.2 U	---	---	0.2 U	---	0.2 U	---	---
Nickel	NS	39	390	0.96 J	---	0.53 J	---	---	1.4	---	1 U	---	---
Selenium	50	NA	NA	1.3	---	1.7	---	---	2	---	2	---	---
Silver	NS	9.4	94	1 U	---	1 U	---	---	1 U	---	1 U	---	---
Thallium	2	NA	NA	1 U	---	1 U	---	---	1 U	---	1 U	---	---
Vanadium	NS	8.6	86	1 U	---	1 U	---	---	1 U	---	1 U	---	---
Zinc	NS	600	6000	15 J	---	21	---	---	14 J	---	14 J	---	---

Table 6. Groundwater Monitoring Well Sample Results

Metals

Dresser Inc. Facility

124 W. College Ave, Salisbury, Maryland

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-49 4/27/2016 MW-50 69.2 m	MW-49 4/27/2016 MW-50A 69.2 m	MW-49 11/1/2016 MW-49 69	MW-50 4/27/2016 MW-49 80.2 m	MW-50 11/1/2016 MW-50 80	MW-50 11/1/2016 MW-50A 80 d	MW-51 4/27/2016 MW-51 39	MW-51 11/2/2016 MW-51 39	MW-52 4/28/2016 MW-52 36	MW-52 11/2/2016 MW-52 36	MW-53 5/3/2016 MW-53 25	MW-53 11/7/2016 MW-53 24			
	MCL	RSL HQ = 0.1	RSL HQ = 1.0												
<b>Screening Criteria<sup>1</sup></b>															
<b>Dissolved Metals (µg/L)</b>															
Antimony	6	NA	NA	---	---	---	---	---	---	---	---	---	---		
Arsenic	10	NA	NA	---	---	---	---	---	---	---	---	---	---		
Beryllium	4	NA	NA	---	---	---	---	---	---	---	---	---	---		
Cadmium	5	NA	NA	---	---	---	---	---	---	---	---	---	---		
Calcium	NS	NS	NS	---	---	16000	---	12000	---	---	---	---	---		
Chromium	100	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	---	---	---	---		
Chromium, VI <sup>CM</sup>	100	NA	NA	50 U	50 U	50 U	50 UJ	50 UJ	50 UJ	---	---	---	---		
Copper	1300	NA	NA	---	---	---	---	---	---	---	---	---	---		
Iron	NS	1400	14000	1100	---	75 J	1200	1200	---	57 J	100 U	80 J	100 J	110	100 U
Lead	15	NA	NA	---	---	---	---	---	---	---	---	---	---	---	---
Magnesium	NS	NS	NS	---	---	3700	---	3900	---	---	---	---	---	---	---
Manganese	NS	43	430	130	---	32	1800	740	---	77	53	290	24	89	3.8
Mercury	2	NA	NA	---	---	---	---	---	---	---	---	---	---	---	---
Nickel	NS	39	390	---	---	---	---	---	---	---	---	---	---	---	---
Potassium	NS	NS	NS	---	---	3000	---	3800	---	---	---	---	---	---	---
Selenium	50	NA	NA	---	---	---	---	---	---	---	---	---	---	---	---
Silver	NS	9.4	94	---	---	---	---	---	---	---	---	---	---	---	---
Sodium	NS	NS	NS	---	---	11000	---	13000	---	---	---	---	---	---	---
Thallium	2	NA	NA	---	---	---	---	---	---	---	---	---	---	---	---
Zinc	NS	600	6000	---	---	---	---	---	---	---	---	---	---	---	---
<b>Total Metals (µg/L)</b>															
Antimony	6	NA	NA	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 UJ
Arsenic	10	NA	NA	1 U	1 U	1 U	2.2	0.78 J	0.89 J	1 U	0.61 J	1 U	1 U	1 U	1 U
Barium	2000	NA	NA	99	100	120	69	110	110	82	93	120	74	79	78
Beryllium	4	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 UJ	1 U	1 U
Cadmium	5	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Calcium	NS	NS	NS	---	---	---	---	---	---	---	---	---	---	---	---
Chromium	100	NA	NA	1.3	1.5	2.2	13	2	1.6	5.6	5.6	1.2	0.89 J	1 U	1 U
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---	---	---	---	---	---	---	---	---	---	---
Cobalt	NS	0.6	6	2.8	3	0.52 J	1.8	2.9	2.8	1 U	1 U	0.9 J	1 U	0.92 J	0.95 J
Copper	1300	NA	NA	0.98 J	0.8 J	1.2	1.9	0.83 J	0.71 J	1 U	0.76 J	1.3	0.79 J	0.66 J	1.1
Iron	NS	1400	14000	1400	1500	1900	2600	2100	1700	81 J	120	170	190 J	180	87 J
Lead	15	NA	NA	1 U	1 U	1 U	0.84 J	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Manganese	NS	43	430	130	130	38	1700	870	870	81	71	280	23	87	5
Mercury	2	NA	NA	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
Nickel	NS	39	390	3.9	4	1.6	1.9	7.3	7.1	0.52 J	1 U	2.1	1 U	0.83 J	1 U
Selenium	50	NA	NA	1.5	1.5	1.5	0.58 J	0.84 J	0.75 J	0.9 J	1.1	1	0.52 J	2.2	1.7
Silver	NS	9.4	94	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Thallium	2	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Vanadium	NS	8.6	86	1 U	1 U	0.76 J	0.68 J	1 U	1 U	1 U	0.78 J	1 U	1 U	0.53 J	0.78 J
Zinc	NS	600	6000	27	26	18 J	15 J	17 J	19 J	11 J	17 J	14 J	15 J	16 J	14 J

Table 6. Groundwater Monitoring Well Sample Results

Metals

Dresser Inc. Facility

124 W. College Ave, Salisbury, Maryland

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-54 5/2/2016 MW-54 26.4	MW-54 11/7/2016 MW-54 25.5	MW-55 5/2/2016 MW-55 25	MW-55 11/7/2016 MW-55 24.21	MW-56 4/27/2016 MW-56 39.2	MW-56 11/1/2016 MW-56 39.2	MW-57 4/27/2016 MW-57 39.7	MW-57 11/2/2016 MW-57 39.7	MW-58 4/26/2016 MW-58 92	MW-58 11/1/2016 MW-58 91.92	MW-59 5/5/2016 MW-59 25	MW-59 11/9/2016 MW-59 24.54			
	MCL	RSL HQ = 0.1	RSL HQ = 1.0												
<b>Screening Criteria<sup>1</sup></b>															
<b>Dissolved Metals (µg/L)</b>															
Antimony	6	NA	NA	---	---	---	---	---	---	---	---	---			
Arsenic	10	NA	NA	---	---	---	---	---	---	---	---	---			
Beryllium	4	NA	NA	---	---	---	---	---	---	---	---	---			
Cadmium	5	NA	NA	---	---	---	---	---	---	---	---	---			
Calcium	NS	NS	NS	---	---	---	---	---	---	---	---	---			
Chromium	100	NA	NA	---	---	---	---	---	---	---	---	---			
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---	---	---	---	---	---	---	---			
Copper	1300	NA	NA	---	---	---	---	---	---	---	---	---			
Iron	NS	1400	14000	300	100 U	99 J	100 U	440	100 U	200	100 U	14000	3800	6100	3300
Lead	15	NA	NA	---	---	---	---	---	---	---	---	---			
Magnesium	NS	NS	NS	---	---	---	---	---	---	---	---	---			
Manganese	NS	43	430	66	38	50	9.7	81	65	140	110	660	650	120	92
Mercury	2	NA	NA	---	---	---	---	---	---	---	---	---			
Nickel	NS	39	390	---	---	---	---	---	---	---	---	---			
Potassium	NS	NS	NS	---	---	---	---	---	---	---	---	---			
Selenium	50	NA	NA	---	---	---	---	---	---	---	---	---			
Silver	NS	9.4	94	---	---	---	---	---	---	---	---	---			
Sodium	NS	NS	NS	---	---	---	---	---	---	---	---	---			
Thallium	2	NA	NA	---	---	---	---	---	---	---	---	---			
Zinc	NS	600	6000	---	---	---	---	---	---	---	---	---			
<b>Total Metals (µg/L)</b>															
Antimony	6	NA	NA	5 U	5 UJ	5 U	5 UJ	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Arsenic	10	NA	NA	1 U	1 U	0.8 J	1 U	0.59 J	1 U	0.59 J	1 U	1.6	0.86 J	3.3	1.7
Barium	2000	NA	NA	33	35	49	82	140	160	37	37	25	21	59 J	52
Beryllium	4	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Cadmium	5	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Calcium	NS	NS	NS	---	---	---	---	---	---	---	---	---	---	---	---
Chromium	100	NA	NA	0.92 J	1.5	1 U	0.59 J	12	8.7	0.69 J	1 U	3.4	1.5	1 U	0.5 J
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---	---	---	---	---	---	---	---	---	---	---
Cobalt	NS	0.6	6	1.2	0.94 J	0.84 J	1 U	0.92 J	0.5 J	1 U	1 U	1 U	1 U	1 UJ	1 U
Copper	1300	NA	NA	0.63 J	0.74 J	1 U	1.2	1.1	0.7 J	1.8	1.1	1.5	0.54 J	1	0.99 J
Iron	NS	1400	14000	370	100 U	160	110	930	220	290	59 J	14000	11000	6700	3600
Lead	15	NA	NA	1 U	1 U	1 U	1 U	1.5	0.75 J	1 U	1 U	1 U	1 U	0.59 J	0.84 J
Manganese	NS	43	430	68	40	50	12	91	75	140	120	600	630	100	110
Mercury	2	NA	NA	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
Nickel	NS	39	390	2.1	0.92 J	1.2	0.51 J	1.4	1 U	0.87 J	1 U	1 U	1 U	1 U	1 U
Selenium	50	NA	NA	1	0.77 J	1.4	1.5	1.1	1.7	1 U	1 U	1 U	1 U	1 UJ	1 U
Silver	NS	9.4	94	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 UJ	1 U
Thallium	2	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Vanadium	NS	8.6	86	1 U	1 U	0.79 J	1 U	2.4	0.94 J	1 U	1 U	1.2	0.73 J	1 U	0.63 J
Zinc	NS	600	6000	14 J	11 J	21	20 J	14 J	14 J	12 J	13 J	20 U	18 J	10 J	14 J



Table 6. Groundwater Monitoring Well Sample Results

Metals

Dresser Inc. Facility

124 W. College Ave, Salisbury, Maryland

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-60 4/28/2016 MW-60 36	MW-60 11/2/2016 MW-60 36	MW-61 5/5/2016 MW-61 25	MW-61 11/10/2016 MW-61 25.02	MW-62 4/26/2016 MW-62 30.6	MW-62 11/2/2016 MW-62 30.6	MW-63 4/28/2016 MW-63 36.1	MW-63 11/2/2016 MW-63 36.1	MW-64 4/28/2016 MW-64 35.9	MW-64 11/2/2016 MW-64 35.9	MW-65 5/2/2016 MW-65 24.5	MW-65 11/7/2016 MW-65 23.79			
	MCL	RSL HQ = 0.1	RSL HQ = 1.0												
<b>Screening Criteria<sup>1</sup></b>															
<b>Dissolved Metals (µg/L)</b>															
Antimony	6	NA	NA	---	---	---	---	---	---	---	---	---			
Arsenic	10	NA	NA	---	---	---	---	---	---	---	---	---			
Beryllium	4	NA	NA	---	---	---	---	---	---	---	---	---			
Cadmium	5	NA	NA	---	---	---	---	---	---	---	---	---			
Calcium	NS	NS	NS	---	---	---	---	---	---	---	---	---			
Chromium	100	NA	NA	---	---	---	---	---	---	---	---	---			
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---	---	---	---	---	---	---	---			
Copper	1300	NA	NA	---	---	---	---	---	---	---	---	---			
Iron	NS	1400	14000	4700	2200	1600	230	8000	4300	2700	2700	80 J	100 U	100 U	100 U
Lead	15	NA	NA	---	---	---	---	---	---	---	---	---	---	---	---
Magnesium	NS	NS	NS	---	---	---	---	---	---	---	---	---	---	---	---
Manganese	NS	43	430	61	120	35	15	240	210	120	160	24	40	91	58
Mercury	2	NA	NA	---	---	---	---	---	---	---	---	---	---	---	---
Nickel	NS	39	390	---	---	---	---	---	---	---	---	---	---	---	---
Potassium	NS	NS	NS	---	---	---	---	---	---	---	---	---	---	---	---
Selenium	50	NA	NA	---	---	---	---	---	---	---	---	---	---	---	---
Silver	NS	9.4	94	---	---	---	---	---	---	---	---	---	---	---	---
Sodium	NS	NS	NS	---	---	---	---	---	---	---	---	---	---	---	---
Thallium	2	NA	NA	---	---	---	---	---	---	---	---	---	---	---	---
Zinc	NS	600	6000	---	---	---	---	---	---	---	---	---	---	---	---
<b>Total Metals (µg/L)</b>															
Antimony	6	NA	NA	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Arsenic	10	NA	NA	2.8	3.7	1.6	1 U	2.7	1.1	1.3	0.86 J	1 U	1 U	1 U	1 U
Barium	2000	NA	NA	58	63	31 J	33	76	45	72	71	130	130	66	77
Beryllium	4	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Cadmium	5	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Calcium	NS	NS	NS	---	---	---	---	---	---	---	---	---	---	---	---
Chromium	100	NA	NA	1	0.5 J	0.68 J	1 U	1 U	0.54 J	1 U	1 U	1 U	1 U	1 U	0.58 J
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---	---	---	---	---	---	---	---	---	---	---
Cobalt	NS	0.6	6	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	2.1	0.99 J
Copper	1300	NA	NA	2.3	1.5 J	0.97 J	1 U	1 U	0.55 J	0.72 J	0.59 J	0.58 J	0.53 J	0.94 J	1.1
Iron	NS	1400	14000	5100	6700	1800	350	7700	4000	2800	2400	120	81 J	100	98 J
Lead	15	NA	NA	1.2	0.98 J	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Manganese	NS	43	430	71	110	32	16	240	190	120	130	24	41	99	69
Mercury	2	NA	NA	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
Nickel	NS	39	390	1 U	1 U	0.7 J	1 U	1 U	1 U	0.62 J	1 U	1 U	1 U	1.5	0.56 J
Selenium	50	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.93 J	1.4	2.7	2.1
Silver	NS	9.4	94	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Thallium	2	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Vanadium	NS	8.6	86	0.77 J	0.66 J	1 U	1 U	1 U	1 U	1 U	1 U	1 U	0.58 J	1 U	0.75 J
Zinc	NS	600	6000	20 U	16 J	18 J	11 J	20 U	16 J	12 J	14 J	12 J	17 J	21	14 J

Table 6. Groundwater Monitoring Well Sample Results

Metals

Dresser Inc. Facility

124 W. College Ave, Salisbury, Maryland

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-66 4/26/2016 MW-66 32.5	MW-66 11/1/2016 MW-66 32.5	MW-67 4/26/2016 MW-67 69.2	MW-67 11/1/2016 MW-67 69.2	MW-68 4/27/2016 MW-68 36.4	MW-68 4/27/2016 MW-68A 36.4 d	MW-68 11/2/2016 MW-68 36.4	MW-68 11/2/2016 MW-68 (DUP) 36.4 d	MW-68 3/20/2018 MW-68 36.7	MW-68 3/20/2018 MW-68A 36.7 d
	MCL	RSL HQ = 0.1	RSL HQ = 1.0							
<b>Screening Criteria<sup>1</sup></b>										
<b>Dissolved Metals (µg/L)</b>										
Antimony	6	NA	NA	---	---	---	---	---	---	---
Arsenic	10	NA	NA	---	---	---	---	---	---	---
Beryllium	4	NA	NA	---	---	---	---	---	---	---
Cadmium	5	NA	NA	---	---	---	---	---	---	---
Calcium	NS	NS	NS	---	---	---	---	15000	---	---
Chromium	100	NA	NA	---	---	1 U	1 U	1 U	1 U	1 U
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---	50 UJ	50 UJ	50 UJ	50 UJ	---
Copper	1300	NA	NA	---	---	---	---	---	---	---
Iron	NS	1400	14000	67 J	100 U	710	210	510	440	---
Lead	15	NA	NA	---	---	---	---	---	---	---
Magnesium	NS	NS	NS	---	---	---	---	---	15000	---
Manganese	NS	43	430	240	210	200	140	380	330	---
Mercury	2	NA	NA	---	---	---	---	---	---	---
Nickel	NS	39	390	---	---	---	---	---	---	---
Potassium	NS	NS	NS	---	---	---	---	---	4400	---
Selenium	50	NA	NA	---	---	---	---	---	---	---
Silver	NS	9.4	94	---	---	---	---	---	---	---
Sodium	NS	NS	NS	---	---	---	---	---	32000	---
Thallium	2	NA	NA	---	---	---	---	---	---	---
Zinc	NS	600	6000	---	---	---	---	---	---	---
<b>Total Metals (µg/L)</b>										
Antimony	6	NA	NA	5 U	5 U	5 U	5 U	5 U	5 U	5 U
Arsenic	10	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	0.58 J
Barium	2000	NA	NA	270	290	100	84	120	110	100
Beryllium	4	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Cadmium	5	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Calcium	NS	NS	NS	---	---	---	---	---	---	---
Chromium	100	NA	NA	1 U	1 U	1 U	0.74 J	1 U	1 U	1 U
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---	---	---	---	---	---
Cobalt	NS	0.6	6	9	7.2	4.9	0.78 J	1 U	1 U	1 U
Copper	1300	NA	NA	1 U	0.58 J	1 U	1.4	1 U	1 U	1 U
Iron	NS	1400	14000	99 J	79 J	790	650	530	550	510
Lead	15	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Manganese	NS	43	430	230	230	200	120	360	370	380
Mercury	2	NA	NA	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
Nickel	NS	39	390	1.6	1.1	2.7	0.92 J	1 U	1 U	1 U
Selenium	50	NA	NA	1 U	0.59 J	1 U	2.5	1 U	1 U	0.67 J
Silver	NS	9.4	94	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Thallium	2	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Vanadium	NS	8.6	86	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Zinc	NS	600	6000	18 J	19 J	20 U	16 J	20 U	20 U	16 J

Table 6. Groundwater Monitoring Well Sample Results

Metals

Dresser Inc. Facility

124 W. College Ave, Salisbury, Maryland

Screening Criteria <sup>1</sup>	MCL	RSL HQ = 0.1	RSL HQ = 1.0	Location	IJW-1	IJW-1	IJW-5	IJW-5	IJW-6	IJW-6	IJW-6	IJW-8	IJW-8	IJW-8
				Sample Date	11/4/2011	2/8/2012	11/3/2011	2/9/2012	11/3/2011	12/8/2011	2/7/2012	11/3/2011	12/8/2011	2/7/2012
				Sample ID	IJW-1	IJW-1	IJW-5	IJW-5	IJW-6	IJW-6	IJW-6	IJW-8	IJW-8	IJW-8
				Sample Depth (ft. bgs.)	32	32.2	32.05	33.08	42.1	42.1	45.8	35.2	35.2	35.8
				Notes										
<b>Dissolved Metals (µg/L)</b>														
Antimony	6	NA	NA		---	---	---	---	---	---	---	---	---	---
Arsenic	10	NA	NA		---	---	---	---	---	---	---	---	---	---
Beryllium	4	NA	NA		---	---	---	---	---	---	---	---	---	---
Cadmium	5	NA	NA		---	---	---	---	---	---	---	---	---	---
Calcium	NS	NS	NS		26000	72000	10000	180000	21000	---	470000	13000	---	350000
Chromium	100	NA	NA		110	1 U	3700	5.4	14	21	1 U	14	5.3	1.2
Chromium, VI <sup>CM</sup>	100	NA	NA		100	10 U	4100	100 U	15	28	100 U	15	10 U	100 U
Copper	1300	NA	NA		---	---	---	---	---	---	---	---	---	---
Iron	NS	1400	14000		---	---	---	---	---	---	---	---	---	---
Lead	15	NA	NA		---	---	---	---	---	---	---	---	---	---
Magnesium	NS	NS	NS		---	---	---	---	---	---	---	---	---	---
Manganese	NS	43	430		---	---	---	---	---	---	---	---	---	---
Mercury	2	NA	NA		---	---	---	---	---	---	---	---	---	---
Nickel	NS	39	390		---	---	---	---	---	---	---	---	---	---
Potassium	NS	NS	NS		---	---	---	---	---	---	---	---	---	---
Selenium	50	NA	NA		---	---	---	---	---	---	---	---	---	---
Silver	NS	9.4	94		---	---	---	---	---	---	---	---	---	---
Sodium	NS	NS	NS		---	---	---	---	---	---	---	---	---	---
Thallium	2	NA	NA		---	---	---	---	---	---	---	---	---	---
Zinc	NS	600	6000		---	---	---	---	---	---	---	---	---	---
<b>Total Metals (µg/L)</b>														
Antimony	6	NA	NA		---	---	---	---	---	---	---	---	---	---
Arsenic	10	NA	NA		---	---	---	---	---	---	---	---	---	---
Barium	2000	NA	NA		---	---	---	---	---	---	---	---	---	---
Beryllium	4	NA	NA		---	---	---	---	---	---	---	---	---	---
Cadmium	5	NA	NA		---	---	---	---	---	---	---	---	---	---
Calcium	NS	NS	NS		---	---	---	---	---	---	---	---	---	---
Chromium	100	NA	NA		---	---	---	---	---	---	---	---	---	---
Chromium, VI <sup>CM</sup>	100	NA	NA		---	---	---	---	---	---	---	---	---	---
Cobalt	NS	0.6	6		---	---	---	---	---	---	---	---	---	---
Copper	1300	NA	NA		---	---	---	---	---	---	---	---	---	---
Iron	NS	1400	14000		---	---	---	---	---	---	---	---	---	---
Lead	15	NA	NA		---	---	---	---	---	---	---	---	---	---
Manganese	NS	43	430		---	---	---	---	---	---	---	---	---	---
Mercury	2	NA	NA		---	---	---	---	---	---	---	---	---	---
Nickel	NS	39	390		---	---	---	---	---	---	---	---	---	---
Selenium	50	NA	NA		---	---	---	---	---	---	---	---	---	---
Silver	NS	9.4	94		---	---	---	---	---	---	---	---	---	---
Thallium	2	NA	NA		---	---	---	---	---	---	---	---	---	---
Vanadium	NS	8.6	86		---	---	---	---	---	---	---	---	---	---
Zinc	NS	600	6000		---	---	---	---	---	---	---	---	---	---

Table 6. Groundwater Monitoring Well Sample Results

Metals

Dresser Inc. Facility

124 W. College Ave, Salisbury, Maryland

Screening Criteria <sup>1</sup>	MCL	RSL HQ = 0.1	RSL HQ = 1.0	Location	IJW-10D	IJW-10D	IJW-10D	IJW-10D	IJW-12	IJW-12	IJW-12	IJW-12
				Sample Date	11/3/2011	2/9/2012	9/18/2012	12/11/2013	11/2/2011	2/8/2012	9/19/2012	12/9/2013
				Sample ID	IJW-10D	IJW-10D	IJW-10D	IJW-10D	IJW-12	IJW-12	IJW-12	IJW-12
				Sample Depth (ft. bgs.)	33	34	34	34	25.4	24.5	26.5	25.9
				Notes								
<b>Dissolved Metals (µg/L)</b>												
Antimony	6	NA	NA		---	---	---	---	---	---	---	---
Arsenic	10	NA	NA		---	---	---	---	---	---	---	---
Beryllium	4	NA	NA		---	---	---	---	---	---	---	---
Cadmium	5	NA	NA		---	---	---	---	---	---	---	---
Calcium	NS	NS	NS		35000	260000	---	---	33000	390000	---	---
Chromium	100	NA	NA		1200	1 U	1.6	1 U	210	24	1.5	1.5
Chromium, VI <sup>CM</sup>	100	NA	NA		1000	100 U	10 U	10 U	180	100 U	10 U	50 U
Copper	1300	NA	NA		---	---	---	---	---	---	---	---
Iron	NS	1400	14000		---	---	---	420	---	---	280	260
Lead	15	NA	NA		---	---	---	---	---	---	---	---
Magnesium	NS	NS	NS		---	---	---	---	---	---	---	---
Manganese	NS	43	430		---	---	---	450	---	---	180	110
Mercury	2	NA	NA		---	---	---	---	---	---	---	---
Nickel	NS	39	390		---	---	---	---	---	---	---	---
Potassium	NS	NS	NS		---	---	---	---	---	---	---	---
Selenium	50	NA	NA		---	---	---	---	---	---	---	---
Silver	NS	9.4	94		---	---	---	---	---	---	---	---
Sodium	NS	NS	NS		---	---	---	---	---	---	---	---
Thallium	2	NA	NA		---	---	---	---	---	---	---	---
Zinc	NS	600	6000		---	---	---	---	---	---	---	---
<b>Total Metals (µg/L)</b>												
Antimony	6	NA	NA		---	---	---	---	---	---	---	---
Arsenic	10	NA	NA		---	---	---	---	---	---	---	---
Barium	2000	NA	NA		---	---	---	---	---	---	---	---
Beryllium	4	NA	NA		---	---	---	---	---	---	---	---
Cadmium	5	NA	NA		---	---	---	---	---	---	---	---
Calcium	NS	NS	NS		---	---	---	---	---	---	---	---
Chromium	100	NA	NA		---	---	---	---	---	---	---	---
Chromium, VI <sup>CM</sup>	100	NA	NA		---	---	---	---	---	---	---	---
Cobalt	NS	0.6	6		---	---	---	---	---	---	---	---
Copper	1300	NA	NA		---	---	---	---	---	---	---	---
Iron	NS	1400	14000		---	---	---	730	---	---	5200	2500
Lead	15	NA	NA		---	---	---	---	---	---	---	---
Manganese	NS	43	430		---	---	---	490	---	---	210	120
Mercury	2	NA	NA		---	---	---	---	---	---	---	---
Nickel	NS	39	390		---	---	---	---	---	---	---	---
Selenium	50	NA	NA		---	---	---	---	---	---	---	---
Silver	NS	9.4	94		---	---	---	---	---	---	---	---
Thallium	2	NA	NA		---	---	---	---	---	---	---	---
Vanadium	NS	8.6	86		---	---	---	---	---	---	---	---
Zinc	NS	600	6000		---	---	---	---	---	---	---	---

Table 6. Groundwater Monitoring Well Sample Results

Metals

Dresser Inc. Facility

124 W. College Ave, Salisbury, Maryland

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	IJW-13 11/2/2011 IJW-13 23.96	IJW-13 2/7/2012 IJW-13 24.4	IJW-13 9/19/2012 IJW-13 24.7	IJW-13 12/10/2013 IJW-13 23	L-25 12/13/2013 L-25 24.3	L-25 12/9/2015 L-25 25	L-25 5/5/2016 L-25 25	L-25 11/10/2016 L-25 23.25	L-28 12/13/2013 L-28 21.1	L-28 5/5/2016 L-28 21			
	MCL	RSL HQ = 0.1	RSL HQ = 1.0										
<b>Screening Criteria<sup>1</sup></b>													
<b>Dissolved Metals (µg/L)</b>													
Antimony	6	NA	NA	---	---	---	---	---	---	---			
Arsenic	10	NA	NA	---	---	---	---	---	---	---			
Beryllium	4	NA	NA	---	---	---	---	---	---	---			
Cadmium	5	NA	NA	---	---	---	---	---	---	---			
Calcium	NS	NS	NS	24000	160000	---	---	12000	14000	31000			
Chromium	100	NA	NA	3.3	1 U	1 U	1 U	---	---	---			
Chromium, VI <sup>CM</sup>	100	NA	NA	10 U	10 U	10 U	50 U	---	---	---			
Copper	1300	NA	NA	---	---	---	---	---	---	---			
Iron	NS	1400	14000	---	100 U	130	11000	3100	1500	2800	2500	3800	1600
Lead	15	NA	NA	---	---	---	---	---	---	---	---	---	---
Magnesium	NS	NS	NS	---	---	---	---	---	---	3500	3500	---	4400
Manganese	NS	43	430	---	73	67	180	110	73	75	69	26	44
Mercury	2	NA	NA	---	---	---	---	---	---	---	---	---	---
Nickel	NS	39	390	---	---	---	---	---	---	---	---	---	---
Potassium	NS	NS	NS	---	---	---	---	---	---	1500	1600	---	11000
Selenium	50	NA	NA	---	---	---	---	---	---	---	---	---	---
Silver	NS	9.4	94	---	---	---	---	---	---	---	---	---	---
Sodium	NS	NS	NS	---	---	---	---	---	---	6500	6300	---	3800
Thallium	2	NA	NA	---	---	---	---	---	---	---	---	---	---
Zinc	NS	600	6000	---	---	---	---	---	---	---	---	---	---
<b>Total Metals (µg/L)</b>													
Antimony	6	NA	NA	---	---	---	---	5 U	5 U	5 U	5 U	---	5 U
Arsenic	10	NA	NA	---	---	---	---	1 U	1 U	1 U	0.54 J	---	0.98 J
Barium	2000	NA	NA	---	---	---	---	---	18	16 J	20	---	63 J
Beryllium	4	NA	NA	---	---	---	---	1 U	1 U	1 U	1 U	---	1 U
Cadmium	5	NA	NA	---	---	---	---	1 U	1 U	1 U	1 U	---	1 U
Calcium	NS	NS	NS	---	---	---	---	---	---	---	---	---	---
Chromium	100	NA	NA	---	---	---	---	1.5	0.59 J	0.71 J	1.2	---	1 U
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---	---	---	---	---	---	---	---	---
Cobalt	NS	0.6	6	---	---	---	---	---	1 U	1 UJ	1 U	---	1 UJ
Copper	1300	NA	NA	---	---	---	---	1 U	1 U	0.72 J	0.78 J	---	0.8 J
Iron	NS	1400	14000	---	---	2300	11000	3200	1500	2700	3200	3800	1500
Lead	15	NA	NA	---	---	---	---	0.7 J	0.55 J	1 U	0.6 J	---	1 U
Manganese	NS	43	430	---	---	78	200	120	66	74	81	24	38
Mercury	2	NA	NA	---	---	---	---	0.2 U	0.2 U	0.2 U	0.2 U	---	0.2 U
Nickel	NS	39	390	---	---	---	---	1 U	1 U	1 U	1 U	---	1 U
Selenium	50	NA	NA	---	---	---	---	1 U	1 U	1 UJ	1 U	---	1 UJ
Silver	NS	9.4	94	---	---	---	---	1 U	1 U	1 UJ	1 U	---	1 UJ
Thallium	2	NA	NA	---	---	---	---	1 U	1 U	1 U	1 U	---	1 U
Vanadium	NS	8.6	86	---	---	---	---	---	1 U	1 U	1 U	---	2.2
Zinc	NS	600	6000	---	---	---	---	13 J	20 U	13 J	16 J	---	15 J

Table 6. Groundwater Monitoring Well Sample Results

Metals

Dresser Inc. Facility

124 W. College Ave, Salisbury, Maryland

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	L-36	L-36	L-36	L-36	L-37	L-37	L-37	L-37
	12/11/2014 L-36 20.42	12/10/2015 L-36 22.04	5/6/2016 L-36 21.5	11/10/2016 L-36 20.64	12/11/2014 L-37 22.09	12/10/2015 L-37 22	5/6/2016 L-37 21.5	11/10/2016 L-37 20.48
<b>Screening Criteria<sup>1</sup></b>	<b>MCL</b>	<b>RSL HQ = 0.1</b>	<b>RSL HQ = 1.0</b>					
<b><i>Dissolved Metals (µg/L)</i></b>								
Antimony	6	NA	NA	---	---	---	---	---
Arsenic	10	NA	NA	---	---	---	---	---
Beryllium	4	NA	NA	---	---	---	---	---
Cadmium	5	NA	NA	---	---	---	---	---
Calcium	NS	NS	NS	---	---	41000	51000	12000 9400
Chromium	100	NA	NA	---	---	---	---	---
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---	---	---	---
Copper	1300	NA	NA	---	---	---	---	---
Iron	NS	1400	14000	100 U	100 U	100 U	100 U	830 1300 1600 1100
Lead	15	NA	NA	---	---	---	---	---
Magnesium	NS	NS	NS	---	---	8900	8400	4000 3500
Manganese	NS	43	430	4.3	3.8	4.2	1 U	12 20 22 10
Mercury	2	NA	NA	---	---	---	---	---
Nickel	NS	39	390	---	---	---	---	---
Potassium	NS	NS	NS	---	---	2600	2400	2500 1400
Selenium	50	NA	NA	---	---	---	---	---
Silver	NS	9.4	94	---	---	---	---	---
Sodium	NS	NS	NS	---	---	16000	12000	7700 6900
Thallium	2	NA	NA	---	---	---	---	---
Zinc	NS	600	6000	---	---	---	---	---
<b><i>Total Metals (µg/L)</i></b>								
Antimony	6	NA	NA	---	---	---	---	---
Arsenic	10	NA	NA	---	---	---	---	---
Barium	2000	NA	NA	---	---	---	---	---
Beryllium	4	NA	NA	---	---	---	---	---
Cadmium	5	NA	NA	---	---	---	---	---
Calcium	NS	NS	NS	---	---	---	---	---
Chromium	100	NA	NA	---	---	---	---	---
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---	---	---	---
Cobalt	NS	0.6	6	---	---	---	---	---
Copper	1300	NA	NA	---	---	---	---	---
Iron	NS	1400	14000	130	230	140	71 J	1100 1300 1400 1100
Lead	15	NA	NA	---	---	---	---	---
Manganese	NS	43	430	5.4	5.7	4.7	0.95 J	11 21 18 11
Mercury	2	NA	NA	---	---	---	---	---
Nickel	NS	39	390	---	---	---	---	---
Selenium	50	NA	NA	---	---	---	---	---
Silver	NS	9.4	94	---	---	---	---	---
Thallium	2	NA	NA	---	---	---	---	---
Vanadium	NS	8.6	86	---	---	---	---	---
Zinc	NS	600	6000	---	---	---	---	---

Table 6. Groundwater Monitoring Well Sample Results

Metals  
 Dresser Inc. Facility  
 124 W. College Ave, Salisbury, Maryland

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	L-38 12/13/2013 L-38 21.6	L-38 12/11/2014 L-38 22.59	L-38 12/10/2015 L-38 22	L-38 5/5/2016 L-38 22	L-38 11/9/2016 L-38 20.74	L-39 12/13/2013 L-39 21.4	L-39 12/11/2014 L-39 22.47	L-39 12/10/2015 L-39 22	L-39 5/5/2016 L-39 22	L-39 11/9/2016 L-39 20.57
	MCL	RSL HQ = 0.1	RSL HQ = 1.0							
<b>Screening Criteria<sup>1</sup></b>										
<b>Dissolved Metals (µg/L)</b>										
Antimony	6	NA	NA	---	---	---	---	---	---	---
Arsenic	10	NA	NA	---	---	---	---	---	---	---
Beryllium	4	NA	NA	---	---	---	---	---	---	---
Cadmium	5	NA	NA	---	---	---	---	---	---	---
Calcium	NS	NS	NS	---	---	---	42000	28000	---	---
Chromium	100	NA	NA	---	---	---	---	---	---	---
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---	---	---	---	---	---
Copper	1300	NA	NA	---	---	---	---	---	---	---
Iron	NS	1400	14000	2100	22000	960	1600	660	4800	4500
Lead	15	NA	NA	---	---	---	---	---	---	---
Magnesium	NS	NS	NS	---	---	---	3400	2800	---	---
Manganese	NS	43	430	12	39	5.8	5.1	2	110	110
Mercury	2	NA	NA	---	---	---	---	---	---	---
Nickel	NS	39	390	---	---	---	---	---	---	---
Potassium	NS	NS	NS	---	---	---	5500	4800	---	---
Selenium	50	NA	NA	---	---	---	---	---	---	---
Silver	NS	9.4	94	---	---	---	---	---	---	---
Sodium	NS	NS	NS	---	---	---	110000	110000	---	---
Thallium	2	NA	NA	---	---	---	---	---	---	---
Zinc	NS	600	6000	---	---	---	---	---	---	---
<b>Total Metals (µg/L)</b>										
Antimony	6	NA	NA	---	---	---	5 U	5 U	5 U	5 U
Arsenic	10	NA	NA	---	---	---	1 U	1 U	1 U	0.82 J
Barium	2000	NA	NA	---	---	---	380 J	430	---	81
Beryllium	4	NA	NA	---	---	---	1 U	1 U	1 U	1 U
Cadmium	5	NA	NA	---	---	---	1 U	1 U	1 U	1 U
Calcium	NS	NS	NS	---	---	---	---	---	---	---
Chromium	100	NA	NA	---	---	---	2.3	0.57 J	1 U	1 U
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---	---	---	---	---	---
Cobalt	NS	0.6	6	---	---	---	1 UJ	1 U	---	1 U
Copper	1300	NA	NA	---	---	---	0.9 J	0.89 J	1 U	1 U
Iron	NS	1400	14000	2100	23000	1300	2000	800	6800	4700
Lead	15	NA	NA	---	---	---	2.3	0.79 J	1 U	1 U
Manganese	NS	43	430	12	40	7.6	5.3	3.3 J	130	110
Mercury	2	NA	NA	---	---	---	0.2 U	0.2 U	0.2 U	0.2 U
Nickel	NS	39	390	---	---	---	0.51 J	1 U	1 U	1 U
Selenium	50	NA	NA	---	---	---	0.52 J	0.61 J	1 U	1 U
Silver	NS	9.4	94	---	---	---	1 UJ	1 U	1 U	1 U
Thallium	2	NA	NA	---	---	---	1 U	1 U	1 U	1 U
Vanadium	NS	8.6	86	---	---	---	3.1	1.6	---	1 U
Zinc	NS	600	6000	---	---	---	12 J	16 J	23	13 J

Table 6. Groundwater Monitoring Well Sample Results

Metals

Dresser Inc. Facility

124 W. College Ave, Salisbury, Maryland

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	PZ-34 11/7/2011 PZ-34 28.5	PZ-34 2/8/2012 PZ-34 32	PZ-34 9/19/2012 PZ-34 27.5	PZ-34 12/12/2013 PZ-34 32.48	PZ-34 12/12/2013 PZ-34 32.48 R-Cr6	PZ-34 12/10/2014 PZ-34 32.28	PZ-34 12/7/2015 PZ-34 31.7
	MCL	RSL HQ = 0.1	RSL HQ = 1.0				
<b>Screening Criteria<sup>1</sup></b>							
<b>Dissolved Metals (µg/L)</b>							
Antimony	6	NA	NA	---	---	---	---
Arsenic	10	NA	NA	---	---	---	---
Beryllium	4	NA	NA	---	---	---	---
Cadmium	5	NA	NA	---	---	---	---
Calcium	NS	NS	NS	18000	75000	---	---
Chromium	100	NA	NA	2200	22	3.5	1 U
Chromium, VI <sup>CM</sup>	100	NA	NA	1800	10 U	10 U	86
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---	---	---
Copper	1300	NA	NA	---	---	---	---
Iron	NS	1400	14000	100 U	11000	---	100 U
Lead	15	NA	NA	---	---	---	---
Magnesium	NS	NS	NS	---	---	---	---
Manganese	NS	43	430	0.97 J	810	---	260
Mercury	2	NA	NA	---	---	---	---
Nickel	NS	39	390	---	---	---	---
Potassium	NS	NS	NS	---	---	---	---
Selenium	50	NA	NA	---	---	---	---
Silver	NS	9.4	94	---	---	---	---
Sodium	NS	NS	NS	---	---	---	---
Thallium	2	NA	NA	---	---	---	---
Zinc	NS	600	6000	---	---	---	---
<b>Total Metals (µg/L)</b>							
Antimony	6	NA	NA	---	---	---	---
Arsenic	10	NA	NA	---	---	---	---
Barium	2000	NA	NA	---	---	---	---
Beryllium	4	NA	NA	---	---	---	---
Cadmium	5	NA	NA	---	---	---	---
Calcium	NS	NS	NS	---	---	---	---
Chromium	100	NA	NA	---	---	---	---
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---	---	---
Cobalt	NS	0.6	6	---	---	---	---
Copper	1300	NA	NA	---	---	---	---
Iron	NS	1400	14000	---	---	---	260
Lead	15	NA	NA	---	---	---	---
Manganese	NS	43	430	---	---	---	290
Mercury	2	NA	NA	---	---	---	---
Nickel	NS	39	390	---	---	---	---
Selenium	50	NA	NA	---	---	---	---
Silver	NS	9.4	94	---	---	---	---
Thallium	2	NA	NA	---	---	---	---
Vanadium	NS	8.6	86	---	---	---	---
Zinc	NS	600	6000	---	---	---	---



Table 6. Groundwater Monitoring Well Sample Results

Metals  
 Dresser Inc. Facility  
 124 W. College Ave, Salisbury, Maryland

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	TB-MW-1 3/30/2006 TB-MW-1 23.04	TB-MW-1 5/16/2007 TB-MW-1 28.04	TB-MW-1 11/20/2008 TB-MW-1 24.5	TB-MW-1 10/14/2010 TB-MW-1 23.16	TB-MW-1 11/2/2011 TB-MW-1 23.68	TB-MW-1 9/17/2012 TB-MW-1 25	TB-MW-1 12/9/2013 TB-MW-1 20	TB-MW-1 12/10/2014 TB-MW-1 23.5	TB-MW-1 12/9/2015 TB-MW-1 25	TB-MW-1 4/26/2016 TB-MW-1 23	TB-MW-1 10/31/2016 TB-MW-1 22	TB-MW-1 3/19/2018 TB-MW-1 22.43
	MCL	RSL HQ = 0.1	RSL HQ = 1.0									
<b>Screening Criteria<sup>1</sup></b>												
<b>Dissolved Metals (µg/L)</b>												
Antimony	6	NA	NA	5 U	---	---	---	---	---	---	---	---
Arsenic	10	NA	NA	5 U	---	---	---	---	---	---	---	---
Beryllium	4	NA	NA	4 U	---	---	---	---	---	---	---	---
Cadmium	5	NA	NA	5 U	---	---	---	---	---	---	---	---
Calcium	NS	NS	NS	---	---	---	---	---	---	---	---	---
Chromium	100	NA	NA	---	---	---	---	---	---	---	---	1 U
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---	---	---	---	---	---	---	---
Copper	1300	NA	NA	5 U	---	---	---	---	---	---	---	---
Iron	NS	1400	14000	---	---	---	100 U	100 U	100 U	100 U	100 U	100 U
Lead	15	NA	NA	5 U	---	---	---	---	---	---	---	---
Magnesium	NS	NS	NS	---	---	---	---	---	---	---	---	---
Manganese	NS	43	430	---	---	---	---	1 U	1	1 U	0.52 J	2.1
Mercury	2	NA	NA	1 U	---	---	---	---	---	---	---	---
Nickel	NS	39	390	5 U	---	---	---	---	---	---	---	---
Potassium	NS	NS	NS	---	---	---	---	---	---	---	---	---
Selenium	50	NA	NA	5 U	---	---	---	---	---	---	---	---
Silver	NS	9.4	94	5 U	---	---	---	---	---	---	---	---
Sodium	NS	NS	NS	---	---	---	---	---	---	---	---	---
Thallium	2	NA	NA	2 U	---	---	---	---	---	---	---	---
Zinc	NS	600	6000	50 U	---	---	---	---	---	---	---	---
<b>Total Metals (µg/L)</b>												
Antimony	6	NA	NA	5 U	5 U	5 U	1 U	1 U	1 U	---	---	---
Arsenic	10	NA	NA	5 U	5 U	3.6 J	1 U	1 U	1 U	---	---	---
Barium	2000	NA	NA	---	---	---	---	---	---	---	---	---
Beryllium	4	NA	NA	4 U	5 U	0.5 U	0.5 U	0.5 U	0.5 U	---	---	---
Cadmium	5	NA	NA	5 U	5 U	5 U	1 U	1 U	1 U	---	---	---
Calcium	NS	NS	NS	---	---	---	---	---	---	---	---	---
Chromium	100	NA	NA	---	---	6.8	0.5 J	0.6 J	0.64 J	---	---	---
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---	---	---	---	---	---	---	---
Cobalt	NS	0.6	6	---	---	---	---	---	---	---	---	---
Copper	1300	NA	NA	5 U	5.2	2.9 J	1 U	1 U	0.77 J	---	---	---
Iron	NS	1400	14000	---	---	---	---	---	100	2700	100 U	53 J
Lead	15	NA	NA	5 U	5 U	5 U	1 U	1 U	1 U	---	---	---
Manganese	NS	43	430	---	---	---	---	---	0.97 J	11	0.87 J	0.75 J
Mercury	2	NA	NA	1 U	1 U	1 U	0.2 U	0.2 U	0.2 U	---	---	---
Nickel	NS	39	390	5 U	10	4.7 J	1 U	1 U	2.5	---	---	---
Selenium	50	NA	NA	5 U	5 U	5 U	1.9	1.2	1.2	---	---	---
Silver	NS	9.4	94	5 U	5 U	5 U	1 U	1 U	0.66 J	---	---	---
Thallium	2	NA	NA	2 U	5 U	0.5 U	1 U	1 U	1 U	---	---	---
Vanadium	NS	8.6	86	---	---	---	---	---	---	---	---	---
Zinc	NS	600	6000	50 U	50 U	20	20 U	20 U	20 U	---	---	---

Table 6. Groundwater Monitoring Well Sample Results

Metals  
 Dresser Inc. Facility  
 124 W. College Ave, Salisbury, Maryland

Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	TB-MW-2 3/30/2006 TB-MW-2 25.08	TB-MW-2 5/16/2007 TB-MW-2 25.08	TB-MW-2 11/20/2008 TB-MW-2 25.4	TB-MW-2 3/5/2009 TB-MW-2 25.3 m	TB-MW-2 10/14/2010 TB-MW-2 25.26	TB-MW-2 11/2/2011 TB-MW-2 26.48	TB-MW-2 9/17/2012 TB-MW-2 25	TB-MW-2 12/10/2013 TB-MW-2 20	TB-MW-2 12/10/2014 TB-MW-2 24.82	TB-MW-2 12/9/2015 TB-MW-2 25	TB-MW-2 4/26/2016 TB-MW-2 23.7	TB-MW-2 10/31/2016 TB-MW-2 22.5			
	MCL	RSL HQ = 0.1	RSL HQ = 1.0												
<b>Screening Criteria<sup>1</sup></b>															
<b>Dissolved Metals (µg/L)</b>															
Antimony	6	NA	NA	5 U	---	---	---	1 U	1 U	---	---	---			
Arsenic	10	NA	NA	5 U	---	---	---	1 U	1 U	---	---	---			
Beryllium	4	NA	NA	4 U	---	---	---	0.5 U	0.5 U	---	---	---			
Cadmium	5	NA	NA	5 U	---	---	---	1 U	1 U	---	---	---			
Calcium	NS	NS	NS	---	---	---	---	---	---	---	---	---			
Chromium	100	NA	NA	---	---	---	---	1 U	1 U	---	---	---			
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---	---	---	---	---	---	---	---			
Copper	1300	NA	NA	5 U	---	---	---	1 U	1 U	---	---	---			
Iron	NS	1400	14000	---	---	---	100 U	100 U	100 U	100 U	100 U	53 J	100 U	100 U	
Lead	15	NA	NA	5 U	---	---	---	1 U	1 U	---	---	---			
Magnesium	NS	NS	NS	---	---	---	---	---	---	---	---	---			
Manganese	NS	43	430	---	---	---	---	---	0.7 J	1 U	1 U	1 U	1 U	1 U	
Mercury	2	NA	NA	1 U	---	---	---	0.2 U	0.2 U	---	---	---			
Nickel	NS	39	390	5 U	---	---	---	1 U	1 U	---	---	---			
Potassium	NS	NS	NS	---	---	---	---	---	---	---	---	---			
Selenium	50	NA	NA	5 U	---	---	---	1 U	1 U	---	---	---			
Silver	NS	9.4	94	5 U	---	---	---	1 U	1 U	---	---	---			
Sodium	NS	NS	NS	---	---	---	---	---	---	---	---	---			
Thallium	2	NA	NA	2 U	---	---	---	0.5 U	0.5 U	---	---	---			
Zinc	NS	600	6000	50 U	---	---	---	20 U	12 J	---	---	---			
<b>Total Metals (µg/L)</b>															
Antimony	6	NA	NA	5 U	5 U	5 U	---	1 U	1 U	1 U	5 U	5 U	5 U	5 U	5 U
Arsenic	10	NA	NA	5 U	5 U	3.5 J	---	1 U	1 U	0.93 J	1 U	1 U	1 U	1 U	1 U
Barium	2000	NA	NA	---	---	---	---	---	---	---	---	130	170	200	180
Beryllium	4	NA	NA	4 U	5 U	0.5 U	---	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U	1 U	1 U
Cadmium	5	NA	NA	5 U	5 U	5 U	---	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Calcium	NS	NS	NS	---	---	---	---	---	---	---	---	---			
Chromium	100	NA	NA	---	---	5 U	---	1.1	1.3	3.6	0.57 J	0.7 J	0.98 J	1 U	0.79 J
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---	---	---	---	---	---	---	---			
Cobalt	NS	0.6	6	---	---	---	---	---	---	---	1 U	1 U	1 U	1 U	
Copper	1300	NA	NA	5 U	5 U	5 U	---	1 U	1 U	3.1	1 U	1 U	0.87 J	1 U	0.82 J
Iron	NS	1400	14000	---	---	---	---	---	---	940	130	170	330	120	180
Lead	15	NA	NA	10	5 U	5 U	---	1 U	1 U	1.8	1 U	1 U	1	1 U	1 U
Manganese	NS	43	430	---	---	---	---	---	---	3.4	1.7	1.1	1.4	1 U	0.75 J
Mercury	2	NA	NA	1 U	1 U	1 U	---	0.2 U	0.2 U	0.2 U	0.12 J	0.2 U	0.2 U	0.2 U	0.2 U
Nickel	NS	39	390	5 U	6.3	5 U	---	1 U	1 U	6.1	1 U	1 U	1 U	1 U	1 U
Selenium	50	NA	NA	5 U	5 U	5 U	---	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Silver	NS	9.4	94	5 U	5 U	5 U	---	1 U	1 U	0.56 J	1 U	1 U	1 U	1 U	1 U
Thallium	2	NA	NA	2 U	5 U	0.5 U	---	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Vanadium	NS	8.6	86	---	---	---	---	---	---	---	---	1.4	2.3	1.2	1.4
Zinc	NS	600	6000	50	50 U	15 J	---	13 J	20 U	20	13 J	14 J	11 J	20 U	16 J

Table 6. Groundwater Monitoring Well Sample Results

Metals

Dresser Inc. Facility

124 W. College Ave, Salisbury, Maryland

Screening Criteria <sup>1</sup>	MCL	RSL HQ = 0.1	RSL HQ = 1.0	Location	TB-MW-2	TB-MW-3	TB-MW-3	TB-MW-3	TB-MW-3	TB-MW-3	TB-MW-3	TB-MW-3	TB-MW-3	TB-MW-3
				Sample Date	3/19/2018	3/30/2006	5/16/2007	11/17/2008	10/15/2010	11/2/2011	9/20/2012	12/11/2013	12/10/2014	12/9/2015
				Sample ID	TB-MW-2	TB-MW-3	TB-MW-3	TB-MW-3	TB-MW-3	TB-MW-3	TB-MW-3	TB-MW-3	TB-MW-3	TB-MW-3
				Sample Depth (ft. bgs.)	23.31	23	23	20.3	25.3	25.8	24.3	20	24.4	23
				Notes										
<b>Dissolved Metals (µg/L)</b>														
Antimony	6	NA	NA		---	5 U	---	5 U	---	---	1 U	---	---	---
Arsenic	10	NA	NA		---	5 U	---	5 U	---	---	1 U	---	---	---
Beryllium	4	NA	NA		---	4 U	---	5 U	---	---	0.5 U	---	---	---
Cadmium	5	NA	NA		---	5 U	---	5 U	---	---	0.68 J	---	---	---
Calcium	NS	NS	NS		---	---	---	---	---	---	---	---	---	---
Chromium	100	NA	NA		1 U	---	---	5 U	---	---	1 U	---	---	---
Chromium, VI <sup>CM</sup>	100	NA	NA		---	---	---	---	---	---	---	---	---	---
Copper	1300	NA	NA		---	5 U	---	4.5 J	---	---	1	---	---	---
Iron	NS	1400	14000		---	---	---	---	---	---	100 U	100 U	100 U	100 U
Lead	15	NA	NA		---	5 U	---	5 U	---	---	1 U	---	---	---
Magnesium	NS	NS	NS		---	---	---	---	---	---	---	---	---	---
Manganese	NS	43	430		---	---	---	---	---	---	24	6.4	6.7	1.6
Mercury	2	NA	NA		---	1 U	---	1 U	---	---	0.2 U	---	---	---
Nickel	NS	39	390		---	5 U	---	5 U	---	---	0.88 J	---	---	---
Potassium	NS	NS	NS		---	---	---	---	---	---	---	---	---	---
Selenium	50	NA	NA		---	5 U	---	5 U	---	---	1 U	---	---	---
Silver	NS	9.4	94		---	5 U	---	5 U	---	---	1 U	---	---	---
Sodium	NS	NS	NS		---	---	---	---	---	---	---	---	---	---
Thallium	2	NA	NA		---	2 U	---	5 U	---	---	1 U	---	---	---
Zinc	NS	600	6000		---	50 U	---	20 U	---	---	41	---	---	---
<b>Total Metals (µg/L)</b>														
Antimony	6	NA	NA		---	5 U	5 U	5 U	1 U	1 U	1 U	5 U	5 U	5 U
Arsenic	10	NA	NA		---	5 U	5 U	5 U	1 U	1 U	0.93 J	1 U	1 U	1 U
Barium	2000	NA	NA		---	---	---	---	---	---	---	---	71	31
Beryllium	4	NA	NA		---	4 U	5 U	0.5	0.5 U	0.5 U	0.5 U	1 U	1 U	1 U
Cadmium	5	NA	NA		---	5 U	5 U	2 U	1 U	1 U	0.54 J	0.77 J	1 U	1 U
Calcium	NS	NS	NS		---	---	---	---	---	---	---	---	---	---
Chromium	100	NA	NA		---	---	---	3 J	1 U	0.6 J	0.71 J	1.1	0.61 J	1 U
Chromium, VI <sup>CM</sup>	100	NA	NA		---	---	---	---	---	---	---	---	---	---
Cobalt	NS	0.6	6		---	---	---	---	---	---	---	---	0.6 J	1 U
Copper	1300	NA	NA		---	5 U	5 U	4.2 J	1 U	1 U	1.2	0.89 J	0.52 J	0.72 J
Iron	NS	1400	14000		---	---	---	---	100 U	---	110	200	89 J	50 J
Lead	15	NA	NA		---	6	5 U	5 U	1 U	1 U	1 U	0.83 J	1 U	1 U
Manganese	NS	43	430		---	---	---	---	---	---	20	7.7	9	1.8
Mercury	2	NA	NA		---	1 U	1 U	1 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U
Nickel	NS	39	390		---	5 U	5 U	5 U	1 U	0.6 J	1.3	0.77 J	0.52 J	1 U
Selenium	50	NA	NA		---	5 U	5 U	5 U	1 U	0.5 J	1 U	0.81 J	0.64 J	0.53 J
Silver	NS	9.4	94		---	5 U	5 U	5 U	1 U	1 U	1 U	1 U	1 U	1 U
Thallium	2	NA	NA		---	2 U	5 U	0.5 U	1 U	1 U	1 U	1 U	1 U	1 U
Vanadium	NS	8.6	86		---	---	---	---	---	---	---	---	0.88 J	0.72 J
Zinc	NS	600	6000		---	55	50 U	14 J	20 U	20 U	34	48	21	12 J

Table 6. Groundwater Monitoring Well Sample Results

Metals

Dresser Inc. Facility

124 W. College Ave, Salisbury, Maryland

Screening Criteria <sup>1</sup>	MCL	RSL HQ = 0.1	RSL HQ = 1.0	Location	TB-MW-3	TB-MW-3
				Sample Date	11/1/2016	3/19/2018
				Sample ID	TB-MW-3	TB-MW-3
				Sample Depth (ft. bgs.)	22.25	22.62
				Notes		
<b>Dissolved Metals (µg/L)</b>						
Antimony	6	NA	NA		---	---
Arsenic	10	NA	NA		---	---
Beryllium	4	NA	NA		---	---
Cadmium	5	NA	NA		---	---
Calcium	NS	NS	NS		---	---
Chromium	100	NA	NA		---	1 U
Chromium, VI <sup>CM</sup>	100	NA	NA		---	---
Copper	1300	NA	NA		---	---
Iron	NS	1400	14000		100 U	---
Lead	15	NA	NA		---	---
Magnesium	NS	NS	NS		---	---
Manganese	NS	43	430		1.2	---
Mercury	2	NA	NA		---	---
Nickel	NS	39	390		---	---
Potassium	NS	NS	NS		---	---
Selenium	50	NA	NA		---	---
Silver	NS	9.4	94		---	---
Sodium	NS	NS	NS		---	---
Thallium	2	NA	NA		---	---
Zinc	NS	600	6000		---	---
<b>Total Metals (µg/L)</b>						
Antimony	6	NA	NA		5 U	---
Arsenic	10	NA	NA		1 U	---
Barium	2000	NA	NA		17	---
Beryllium	4	NA	NA		1 U	---
Cadmium	5	NA	NA		1 U	---
Calcium	NS	NS	NS		---	---
Chromium	100	NA	NA		0.61 J	---
Chromium, VI <sup>CM</sup>	100	NA	NA		---	---
Cobalt	NS	0.6	6		1 U	---
Copper	1300	NA	NA		1.1	---
Iron	NS	1400	14000		98 J	---
Lead	15	NA	NA		0.57 J	---
Manganese	NS	43	430		2.3	---
Mercury	2	NA	NA		0.2 U	---
Nickel	NS	39	390		1 U	---
Selenium	50	NA	NA		0.59 J	---
Silver	NS	9.4	94		1 U	---
Thallium	2	NA	NA		1 U	---
Vanadium	NS	8.6	86		0.81 J	---
Zinc	NS	600	6000		22	---

**Table 6. Groundwater Monitoring Well Sample Results**

**Metals**

**Dresser Inc. Facility**

**124 W. College Ave, Salisbury, Maryland**

**Notes:**

µg/L - micrograms per liter

ft. bgs.: Feet below ground surface

NA: Not applicable because results are compared to another groundwater screening criterion.

NS: No standard exists for this analyte.

---: Sample not tested for specified analyte.

J: The reported concentration is an estimated value.

U: The target analyte was not detected at a concentration at or above the reporting limit. The value shown is the reporting limit.

E: The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.

USEPA - United States Environmental Protection Agency


MCL: Maximum contaminant levels as promulgated by USEPA. If MCL is shown shaded gray, the MCL was exceeded in at least one groundwater sample.


RSL: USEPA Regional Screening Level for Tap Water based on Summary Table (revised May 2018). If RSL is shown in bold outline and/or shaded light gray, the RSL was exceeded in at least one groundwater sample.


HQ - Hazard quotient

MS/MSD - Sample collected for matrix spike/matrix spike duplicate analysis.

**Bold Values** - The target analyte was detected at a concentration that exceeds its reporting limit.

 - The target analyte was detected at a concentration that exceeds its MCL.

 - The target analyte was detected at a concentration that exceeds an RSL for carcinogenic risk or a non-carcinogenic risk with an HQ = 0.1

 - The target analyte was detected at a concentration that exceeds an RSL for carcinogenic risk or a non-carcinogenic risk with an HQ = 1.0

<sup>1</sup>: Results were screened against MCLs, RSLs, or secondary MCLs. If an MCL was not available, then the results were screened against RSLs. If not MCL and RSL was available the result was screened against a secondary MCL.

d: Duplicate sample of sample listed immediately to the left.

<sup>CM</sup>: MCL for total chromium was used as the screening criteria for hexavalent chromium.

DP2: Monitoring well purged dry two times using a bladder pump prior to sampling.

DP3: Monitoring well purged dry three times using a bladder pump prior to sampling; approximately three well volumes was removed from the well prior to sampling.

DP90: Monitoring well purged dry one time using a bladder pump, allowed to recharge to 90% of original water level, then sampled; approximately three well volumes was removed from the well prior to sampling.

DS3: Monitoring well purged dry three times using submersible pump prior to sampling; the well did not fully recharge between pumping; approximately 1.5 well volumes were removed from the well prior to sampling.

MB: Monitoring well purged using a bailer; a minimum of three well volumes was removed from the well prior to sampling. Sample depth data not applicable.

TT: Sample depth not available; samples collected by Tetra Tech EM, Inc.

m: samples IDs mislabeled in the field

R-Cr6: Sample was re-analyzed for hexavalent chromium.

Metals analyzed using USEPA Method 6020 except for hexavalent chromium which was analyzed using SM 3500-CRB-2011 or SW846 7196A.

Table 7. Groundwater Monitoring Well Sample Results  
 Polychlorinated Biphenyls  
 Dresser Inc. Facility  
 124 W. College Ave, Salisbury, Maryland

Location				MW-1	MW-3	MW-3	MW-4	MW-4	MW-6	MW-7	MW-8	MW-9	MW-9	MW-10	MW-11	MW-12	MW-13	MW-17
Sample Date				10/13/2010	10/13/2010	10/13/2010	10/14/2010	10/14/2010	10/13/2010	10/14/2010	10/12/2010	10/12/2010	10/12/2010	10/13/2010	10/13/2010	10/13/2010	10/14/2010	10/13/2010
Sample ID				MW-1	MW-3	MW-300	MW-4	MW-400	MW-6 MS/MSD	MW-7 MS/MSD	MW-8	MW-9	MW-90	MW-10	MW-11	MW-12	MW-13	MW-17
Sample Depth (ft. bgs.)				27.52	25.4	25.4	23.95	23.95	27.04	26.19	26.06	26.18	26.18	26.03	26.36	25.17	26.01	23.22
Notes						d		d										
Screening Criteria <sup>1</sup>	MCL	RSL HQ = 0.1	RSL HQ = 1.0															
<b>PCB Aroclors (µg/L)</b>																		
PCB 1016	0.5	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
PCB 1221	0.5	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
PCB 1232	0.5	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
PCB 1242	0.5	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
PCB 1248	0.5	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
PCB 1254	0.5	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
PCB 1260	0.5	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
PCB 1262	0.5	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U	---	---	---	---	---	1 U	---	---
PCB 1268	0.5	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U	---	---	---	---	---	1 U	---	---
<b>Sum of PCB Aroclors</b>	0.5	NA	NA	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
<b>PCB Homologs (µg/L)</b>																		
Decachlorobiphenyl-209	0.5	NA	NA	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Dichlorobiphenyl homologs	0.5	NA	NA	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Heptachlorobiphenyl homologs	0.5	NA	NA	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Hexachlorobiphenyl homologs	0.5	NA	NA	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Monochlorobiphenyl homologs	0.5	NA	NA	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Nonachlorobiphenyl homologs	0.5	NA	NA	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Octachlorobiphenyl homologs	0.5	NA	NA	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Pentachlorobiphenyl homologs	0.5	NA	NA	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Tetrachlorobiphenyl homologs	0.5	NA	NA	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
Trichlorobiphenyl homologs	0.5	NA	NA	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
<b>Sum of PCB Homologs</b>	0.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

Table 7. Groundwater Monitoring Well Sample Results  
 Polychlorinated Biphenyls  
 Dresser Inc. Facility  
 124 W. College Ave, Salisbury, Maryland

Location				MW-18	MW-21	MW-22	MW-23	MW-24	MW-25	MW-25	MW-33	MW-33	MW-34	MW-35	MW-36	MW-36	MW-36	TB-MW-1	
Sample Date				10/13/2010	10/14/2010	10/14/2010	10/14/2010	10/15/2010	10/15/2010	10/15/2010	10/12/2010	11/4/2011	10/12/2010	10/12/2010	10/13/2010	11/4/2011	11/4/2011	11/4/2011	10/14/2010
Sample ID				MW-18	MW-21	MW-22	MW-23	MW-24	MW-25	MW-250	MW-33	MW-33	MW-34	MW-35	MW-36	MW-360	MW-36	MW-36	TB-MW-1
Sample Depth (ft. bgs.)				23.76	22.16	22.61	21.85	22.67	22.56	22.56	23.82	26.5	23.38	24.6	22.93	24.25	24.25	24.25	23.16
Notes										d			DS3				d		
<b>Screening Criteria<sup>1</sup></b>				MCL	RSL HQ = 0.1	RSL HQ = 1.0													
<b>PCB Aroclors (µg/L)</b>																			
PCB 1016	0.5	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	---	1 U	1 U	1 U	---	---	1 U	
PCB 1221	0.5	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	---	1 U	1 U	1 U	---	---	1 U	
PCB 1232	0.5	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	---	1 U	1 U	1 U	---	---	1 U	
PCB 1242	0.5	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	---	1 U	1 U	1 U	---	---	1 U	
PCB 1248	0.5	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	---	1 U	1 U	1 U	---	---	1 U	
PCB 1254	0.5	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	---	1 U	1 U	1 U	---	---	1 U	
PCB 1260	0.5	NA	NA	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	---	1 U	1 U	1 U	---	---	1 U	
PCB 1262	0.5	NA	NA	---	---	---	---	---	---	---	---	---	---	---	---	---	---	1 U	
PCB 1268	0.5	NA	NA	---	---	---	---	---	---	---	---	---	---	---	---	---	---	1 U	
<b>Sum of PCB Aroclors</b>	0.5	NA	NA	ND	ND	ND	ND	ND	ND	ND	ND	NA	ND	ND	ND	NA	NA	ND	
<b>PCB Homologs (µg/L)</b>																			
Decachlorobiphenyl-209	0.5	NA	NA	---	---	---	---	---	---	---	---	0.038 U	---	---	---	0.038 U	0.038 U	---	
Dichlorobiphenyl homologs	0.5	NA	NA	---	---	---	---	---	---	---	---	0.0057 U	---	---	---	0.0057 U	0.0057 U	---	
Heptachlorobiphenyl homologs	0.5	NA	NA	---	---	---	---	---	---	---	---	0.019 U	---	---	---	0.019 U	0.019 U	---	
Hexachlorobiphenyl homologs	0.5	NA	NA	---	---	---	---	---	---	---	---	<b>0.014 J</b>	---	---	---	<b>0.065</b>	<b>0.054</b>	---	
Monochlorobiphenyl homologs	0.5	NA	NA	---	---	---	---	---	---	---	---	0.0047 U	---	---	---	0.0047 U	0.0047 U	---	
Nonachlorobiphenyl homologs	0.5	NA	NA	---	---	---	---	---	---	---	---	0.024 U	---	---	---	0.024 U	0.024 U	---	
Octachlorobiphenyl homologs	0.5	NA	NA	---	---	---	---	---	---	---	---	0.038 U	---	---	---	0.038 U	0.038 U	---	
Pentachlorobiphenyl homologs	0.5	NA	NA	---	---	---	---	---	---	---	---	<b>0.099</b>	---	---	---	<b>0.28</b>	<b>0.26</b>	---	
Tetrachlorobiphenyl homologs	0.5	NA	NA	---	---	---	---	---	---	---	---	<b>0.036</b>	---	---	---	<b>0.08</b>	<b>0.048</b>	---	
Trichlorobiphenyl homologs	0.5	NA	NA	---	---	---	---	---	---	---	---	0.0057 U	---	---	---	<b>0.0047 J</b>	0.0057 U	---	
<b>Sum of PCB Homologs</b>	0.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<b>0.149</b>	NA	NA	NA	<b>0.362</b>	<b>0.4297</b>	NA	

**Table 7. Groundwater Monitoring Well Sample Results**  
**Polychlorinated Biphenyls**  
**Dresser Inc. Facility**  
**124 W. College Ave, Salisbury, Maryland**

				Location	TB-MW-2	TB-MW-3	IJW-10S
				Sample Date	10/14/2010	10/15/2010	11/3/2011
				Sample ID	TB-MW-2	TB-MW-3	IJW-10S
				Sample Depth (ft. bgs.)	25.26	25.3	27.1
				Notes			
Screening Criteria <sup>1</sup>	MCL	RSL	RSL				
		HQ = 0.1	HQ = 1.0				
<b>PCB Aroclors (µg/L)</b>							
PCB 1016	0.5	NA	NA	1 U	1 U	---	
PCB 1221	0.5	NA	NA	1 U	1 U	---	
PCB 1232	0.5	NA	NA	1 U	1 U	---	
PCB 1242	0.5	NA	NA	1 U	1 U	---	
PCB 1248	0.5	NA	NA	1 U	1 U	---	
PCB 1254	0.5	NA	NA	1 U	1 U	---	
PCB 1260	0.5	NA	NA	1 U	1 U	---	
PCB 1262	0.5	NA	NA	1 U	---	---	
PCB 1268	0.5	NA	NA	1 U	---	---	
<b>Sum of PCB Aroclors</b>	0.5	NA	NA	ND	ND	NA	
<b>PCB Homologs (µg/L)</b>							
Decachlorobiphenyl-209	0.5	NA	NA	---	---	0.038 U	
Dichlorobiphenyl homologs	0.5	NA	NA	---	---	0.0057 U	
Heptachlorobiphenyl homologs	0.5	NA	NA	---	---	0.019 U	
Hexachlorobiphenyl homologs	0.5	NA	NA	---	---	0.019 U	
Monochlorobiphenyl homologs	0.5	NA	NA	---	---	0.0047 U	
Nonachlorobiphenyl homologs	0.5	NA	NA	---	---	0.024 U	
Octachlorobiphenyl homologs	0.5	NA	NA	---	---	0.038 U	
Pentachlorobiphenyl homologs	0.5	NA	NA	---	---	<b>0.052</b>	
Tetrachlorobiphenyl homologs	0.5	NA	NA	---	---	<b>0.021</b>	
Trichlorobiphenyl homologs	0.5	NA	NA	---	---	0.0057 U	
<b>Sum of PCB Homologs</b>	0.5	NA	NA	NA	NA	<b>0.073</b>	



**Table 7. Groundwater Monitoring Well Sample Results**

**Polychlorinated Biphenyls**

**Dresser Inc. Facility**

**124 W. College Ave, Salisbury, Maryland**

Notes:

µg/L - micrograms per liter

ND: None detected

PCBs: Polychlorinated biphenyls

PCB aroclors were analyzed using USEPA Method 8082 and PCB homologs were analyzed using USEPA Method 680.

ft. bgs.: Feet below ground surface

---: Sample not tested for specified analyte.

MCL: Maximum contaminant levels as promulgated by USEPA.

RSL: USEPA Regional Screening Level for Tap Water based on Summary Table (revised May 2018).

HQ - Hazard quotient

**Bold Values** - The target analyte was detected at a concentration that exceeds its reporting limit.

<sup>1</sup>: Results were screened against MCLs, RSLs, or secondary MCLs. If an MCL was not available, then the results were screened against RSLs. If not MCL and RSL was available the result was screened against a secondary MCL.

U: The target analyte was not detected at a concentration at or above the reporting limit. The value shown is the reporting limit.

J: The reported concentration is an estimated value.

NA: Not applicable because results are compared to another groundwater screening criterion.

USEPA - United States Environmental Protection Agency

MCL: Maximum contaminant levels as promulgated by USEPA. If MCL is shown shaded gray, the MCL was exceeded in at least one groundwater sample.

MS/MSD - Sample collected for matrix spike/matrix spike duplicate analysis.

d: Duplicate sample of sample listed immediately to the left.

DS3: Monitoring well purged dry three times using submersible pump prior to sampling; the well did not fully recharge between pumping; approximately 1.5 well volumes were removed from the well prior to sampling.

**Table 8. Groundwater Monitoring Well Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location			MW-1	MW-1	MW-1	MW-1	MW-1	MW-1	MW-1	MW-1
	Sample Date	Sample ID	Sample Depth (ft. bgs.)	3/29/2006	5/18/2007	11/18/2008	3/4/2009	10/13/2010	10/31/2011	9/18/2012	12/12/2013
			Notes	MW-1	MW-1	MW-1 MS/MSD	MW-1	MW-1	MW-1	MW-1	MW-1
				27.5	27.5	27.52	27.5	27.52	27.3	27.52	27.3
<b>Screening Criteria<sup>1</sup></b>	MCL	RSL HQ = 0.1	RSL HQ = 1.0								
<b>Total Petroleum Hydrocarbons (µg/L)</b>											
Diesel Range Organics	NS	NS	NS	---	---	---	---	---	---	---	---
Gasoline Range Organics	NS	NS	NS	---	---	---	---	---	---	---	---
Heavy Petroleum Range Organics	NS	NS	NS	---	---	---	---	---	---	---	---
Oil Range Organics	NS	NS	NS	---	---	---	---	---	---	---	---
<b>Inorganic Anions (µg/L)</b>											
Nitrate (as N)	10000	NA	NA	---	---	---	200 U	<b>100 J</b>	<b>200</b>	100 U	100 U
Nitrite (as N)	1000	NA	NA	---	---	---	200 U	100 U	<b>100 J</b>	100 U	100 U
Sulfate <sup>SM</sup>	250000	NA	NA	---	---	---	<b>22000</b>	<b>17000</b>	<b>34000</b>	<b>54000</b>	<b>34000</b>
<b>Total Organic Carbon (µg/L)</b>	NS	NS	NS	---	---	---	<b>13100</b>	<b>14400</b>	<b>10400</b>	<b>10000</b>	<b>13200</b>
<b>Total Dissolved Solids (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---	---	---
<b>Sulfide (µg/L)<sup>SRM</sup></b>	250000	NS	NS	---	---	---	<b>5700</b>	<b>13000</b>	<b>420 J</b>	1000 U	1000 U
<b>Dissolved Gases in Water (µg/L)</b>											
Ethane	NS	NS	NS	---	---	---	11 U	11 U	---	8.9 U	14.1 U
Ethene	NS	NS	NS	---	---	---	11 U	11 U	---	9.2 U	14.0 U
Methane	NS	NS	NS	---	---	---	<b>168</b>	<b>201</b>	---	<b>118</b>	<b>87.4</b>
<b>Headspace Gases (%)</b>											
Carbon dioxide, Field	NS	NS	NS	---	---	---	<b>10.3</b>	---	---	---	---
<b>Bicarbonate Alkalinity (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---	---	---
<b>Field Parameter</b>											
Dissolved Oxygen (mg/L)	NS	NS	NS	0.18	0.2	0.59	0.25	2.09	0.14	0.14	0.65
Oxidation-Reduction Potential <sup>O</sup> (mV)	NS	NS	NS	-31.6	-156.1	-241.4	-205.9	-153	-119.3	-197	-286.4
pH (standard units)	NS	NS	NS	6.4	6.34	6.36	6.27	6.16	6.2	6.17	6.35
Specific Conductivity (mS/cm)	NS	NS	NS	0.688	0.643	0.801	0.606	0.632	0.614	0.85	0.708
Temperature (°C)	NS	NS	NS	18.17	17.16	18.19	11.89	17.46	17.42	18.91	16.03
Turbidity (NTU)	NS	NS	NS	13.9	35.6	30.9	69.6	9.2	3.8	4.2	9.3
Water Color/Appearance	NS	NS	NS	black	black	sheen	black	black	blackish	blackish	---

**Table 8. Groundwater Monitoring Well Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location	MW-1	MW-1	MW-1	MW-1	MW-1	MW-3	MW-3	MW-3	MW-3
	Sample Date	12/9/2014	12/9/2014	12/8/2015	5/5/2016	11/9/2016	3/29/2006	5/16/2007	11/18/2008	3/4/2009
	Sample ID	MW-1	MW-1A	MW-1	MW-1	MW-1	MW-3	MW-3	MW-3	MW-3
	Sample Depth (ft. bgs.)	25.61	25.61	27	27	27	24.75	24.73	25.4	25.2
	Notes		d							
<b>Screening Criteria<sup>1</sup></b>	MCL	RSL HQ = 0.1	RSL HQ = 1.0							
<b>Total Petroleum Hydrocarbons (µg/L)</b>										
Diesel Range Organics	NS	NS	NS	---	---	---	---	---	---	---
Gasoline Range Organics	NS	NS	NS	---	---	---	---	---	---	---
Heavy Petroleum Range Organics	NS	NS	NS	---	---	---	---	---	---	---
Oil Range Organics	NS	NS	NS	---	---	---	---	---	---	---
<b>Inorganic Anions (µg/L)</b>										
Nitrate (as N)	10000	NA	NA	400	---	100 U	100 U	100 U	---	---
Nitrite (as N)	1000	NA	NA	120	---	100 U	100 U	100 U	---	200 U
Sulfate <sup>SM</sup>	250000	NA	NA	46000	---	44000	45000	28000	---	170000
<b>Total Organic Carbon (µg/L)</b>	NS	NS	NS	18700	---	14500	13700	10200	---	1900
<b>Total Dissolved Solids (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---	---
<b>Sulfide (µg/L)<sup>SRM</sup></b>	250000	NS	NS	1000 U	---	7600	3300	10300	---	800 J
<b>Dissolved Gases in Water (µg/L)</b>										
Ethane	NS	NS	NS	11.5 U	---	11.5 U	2.2 U	10.7 U	---	10 U
Ethene	NS	NS	NS	11.6 U	---	11.6 U	2.2 U	10.8 U	---	11 U
Methane	NS	NS	NS	330	---	44.3	39.4	62.3	---	116
<b>Headspace Gases (%)</b>										
Carbon dioxide, Field	NS	NS	NS	---	---	---	---	---	---	4.1
<b>Bicarbonate Alkalinity (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---	---
<b>Field Parameter</b>										
Dissolved Oxygen (mg/L)	NS	NS	NS	0.1	0.1	0.08	0.32	0.23	0.13	0.21
Oxidation-Reduction Potential <sup>o</sup> (mV)	NS	NS	NS	-246.2	-246.2	-227.7	-203.4	-325.2	77.4	112.4
pH (standard units)	NS	NS	NS	6.42	6.42	6.37	8.1	6.58	6.05	6.16
Specific Conductivity (mS/cm)	NS	NS	NS	0.786	0.786	0.744	0.745	0.78	0.631	0.354
Temperature (°C)	NS	NS	NS	15.46	15.46	16.76	15.65	17.25	16.87	17.2
Turbidity (NTU)	NS	NS	NS	3	3	0.2	6	8.8	44.3	33.8
Water Color/Appearance	NS	NS	NS	clear	clear	clear	clear	clear	---	red

**Table 8. Groundwater Monitoring Well Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-3 3/4/2009 MW-3D 25.2 d	MW-3 10/13/2010 MW-3 25.4	MW-3 10/13/2010 MW-300 25.4 d	MW-3 10/31/2011 MW-3 25.4	MW-3 9/18/2012 MW-3 25	MW-3 9/18/2012 MW-3A 25 d	MW-3 12/13/2013 MW-3 20.5	MW-3 12/9/2014 MW-3 25.03	MW-3 12/8/2015 MW-3 25		
<b>Screening Criteria<sup>1</sup></b>	MCL	RSL HQ = 0.1	RSL HQ = 1.0									
<b>Total Petroleum Hydrocarbons (µg/L)</b>												
Diesel Range Organics	NS	NS	NS	---	---	---	---	---	---	---		
Gasoline Range Organics	NS	NS	NS	---	---	---	---	---	---	---		
Heavy Petroleum Range Organics	NS	NS	NS	---	---	---	---	---	---	---		
Oil Range Organics	NS	NS	NS	---	---	---	---	---	---	---		
<b>Inorganic Anions (µg/L)</b>												
Nitrate (as N)	10000	NA	NA	<b>200</b>	<b>2200</b>	<b>2200</b>	<b>2000</b>	<b>100</b>	---	<b>1300</b>	<b>240</b>	<b>1700</b>
Nitrite (as N)	1000	NA	NA	200 U	100 U	100 U	<b>100 J</b>	100 U	---	100 U	<b>140</b>	100 U
Sulfate <sup>SM</sup>	250000	NA	NA	<b>170000</b>	<b>64000</b>	<b>65000</b>	<b>81000</b>	<b>80000</b>	---	<b>40000</b>	<b>110000</b>	<b>55000</b>
<b>Total Organic Carbon (µg/L)</b>	NS	NS	NS	<b>2100</b>	<b>1700</b>	<b>1500</b>	<b>2300</b>	<b>5800</b>	---	<b>1700</b>	<b>4500</b>	<b>2000</b>
<b>Total Dissolved Solids (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---	---	---	---
<b>Sulfide (µg/L)<sup>SRM</sup></b>	250000	NS	NS	<b>1100 J</b>	<b>1200 J</b>	<b>1200 J</b>	1000 U	1000 U	---	1000 U	1000 U	1000 U
<b>Dissolved Gases in Water (µg/L)</b>												
Ethane	NS	NS	NS	9.9 U	12 U	12 U	---	10.6 U	---	10.0 U	11.6 U	10.3 U
Ethene	NS	NS	NS	10 U	12 U	12 U	---	10.8 U	---	10.1 U	11.7 U	10.4 U
Methane	NS	NS	NS	<b>127</b>	6.3 U	6.5 U	---	<b>53.8</b>	---	5.2 U	<b>161</b>	<b>12.1</b>
<b>Headspace Gases (%)</b>												
Carbon dioxide, Field	NS	NS	NS	---	---	---	---	---	---	---	---	---
<b>Bicarbonate Alkalinity (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---	---	---	---
<b>Field Parameter</b>												
Dissolved Oxygen (mg/L)	NS	NS	NS	0.66	0.97	0.97	0.55	0.19	0.19	1.48	0.32	0.38
Oxidation-Reduction Potential <sup>o</sup> (mV)	NS	NS	NS	-144.6	37.2	37.2	204.3	98.4	98.4	234.4	153.9	127.8
pH (standard units)	NS	NS	NS	5.67	5.5	5.5	5.21	5.73	5.73	5.64	5.33	5.32
Specific Conductivity (mS/cm)	NS	NS	NS	0.461	0.23	0.23	0.261	0.345	0.345	0.17	0.34	0.186
Temperature (°C)	NS	NS	NS	12.99	18.47	18.47	17.88	18.73	18.73	16.42	15.57	17.05
Turbidity (NTU)	NS	NS	NS	0	0	0	0	23.1	23.1	4	8.8	1.1
Water Color/Appearance	NS	NS	NS	---	---	---	clear	clear	clear	clear	clear	clear

**Table 8. Groundwater Monitoring Well Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location	MW-3	MW-3	MW-3	MW-3	MW-4	MW-4	MW-4	MW-4	MW-4	MW-4	
	Sample Date	12/8/2015	5/4/2016	11/8/2016	3/22/2018	3/29/2006	5/16/2007	11/18/2008	11/18/2008	10/14/2010		
	Sample ID	MW-3A	MW-3	MW-3	MW-3	MW-4	MW-4	MW-4	MW-4D	MW-4		
	Sample Depth (ft. bgs.)	25	25	22.9	24.73	24.5	24.5	25.01	25.01	23.95		
	Notes	d							d			
<b>Screening Criteria<sup>1</sup></b>	MCL	RSL HQ = 0.1	RSL HQ = 1.0									
<b>Total Petroleum Hydrocarbons (µg/L)</b>												
Diesel Range Organics	NS	NS	NS	---	---	---	---	---	---	---	---	
Gasoline Range Organics	NS	NS	NS	---	---	---	---	---	---	---	---	
Heavy Petroleum Range Organics	NS	NS	NS	---	---	---	---	---	---	---	---	
Oil Range Organics	NS	NS	NS	---	---	---	---	---	---	---	100 U	
<b>Inorganic Anions (µg/L)</b>												
Nitrate (as N)	10000	NA	NA	---	220	100 U	---	---	---	---	200	
Nitrite (as N)	1000	NA	NA	---	100 U	100 U	---	---	---	---	100 U	
Sulfate <sup>SM</sup>	250000	NA	NA	---	58000	67000	---	---	---	---	10000	
<b>Total Organic Carbon (µg/L)</b>	NS	NS	NS	---	1800	5600	---	---	---	---	19000	
<b>Total Dissolved Solids (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---	---	---	
<b>Sulfide (µg/L)<sup>SRM</sup></b>	250000	NS	NS	---	1000 U	1000 U	---	---	---	---	1600 J	
<b>Dissolved Gases in Water (µg/L)</b>												
Ethane	NS	NS	NS	---	2.5 U	11.5 U	---	---	---	---	11 U	
Ethene	NS	NS	NS	---	2.5 U	11.5 U	---	---	---	---	11 U	
Methane	NS	NS	NS	---	1.3 U	27.8	---	---	---	---	34	
<b>Headspace Gases (%)</b>												
Carbon dioxide, Field	NS	NS	NS	---	---	---	---	---	---	---	---	
<b>Bicarbonate Alkalinity (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---	---	---	
<b>Field Parameter</b>												
Dissolved Oxygen (mg/L)	NS	NS	NS	0.38	0.37	0.42	0.8	0.29	0.31	0.94	0.94	4.79
Oxidation-Reduction Potential <sup>O</sup> (mV)	NS	NS	NS	127.8	180.3	5.8	-259.9	99.1	125.5	101.1	101.1	-14.6
pH (standard units)	NS	NS	NS	5.32	5.87	6.04	5.86	6.24	5.86	6.33	6.33	6.08
Specific Conductivity (mS/cm)	NS	NS	NS	0.186	0.275	0.402	0.311	0.488	0.199	0.202	0.202	0.337
Temperature (°C)	NS	NS	NS	17.05	15.28	17.76	14.1	18	20.55	17.56	17.56	18.77
Turbidity (NTU)	NS	NS	NS	1.1	28.4	9.6	2.1	15.4	0	9.7	9.7	5.1
Water Color/Appearance	NS	NS	NS	clear	clear	clear	clear	---	---	---	---	---

**Table 8. Groundwater Monitoring Well Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location	MW-4	MW-4	MW-4	MW-4	MW-4	MW-4	MW-4	MW-4	MW-4	MW-4	MW-4
	Sample Date	10/14/2010	11/1/2011	2/7/2012	9/18/2012	12/16/2013	12/9/2014	12/8/2015	5/4/2016	8/8/2016		
	Sample ID	MW-400	MW-4	MW-4	MW-4	MW-4	MW-4	MW-4	MW-4	MW-4	MW-4	MW-4
	Sample Depth (ft. bgs.)	23.95	23.7	24.5	24.6	23.4	24.5	23.7	23.7	23.7	23	
	Notes	d										
<b>Screening Criteria<sup>1</sup></b>	MCL	RSL HQ = 0.1	RSL HQ = 1.0									
<i>Total Petroleum Hydrocarbons (µg/L)</i>												
Diesel Range Organics	NS	NS	NS	---	---	---	---	---	---	---	---	---
Gasoline Range Organics	NS	NS	NS	---	---	---	---	---	---	---	---	---
Heavy Petroleum Range Organics	NS	NS	NS	---	---	---	---	---	---	---	---	---
Oil Range Organics	NS	NS	NS	<b>99 J</b>	500 U	---	500 U	---	---	---	---	---
<i>Inorganic Anions (µg/L)</i>												
Nitrate (as N)	10000	NA	NA	100 U	<b>300</b>	---	<b>1700</b>	100 U	<b>700</b>	<b>430</b>	<b>1200</b>	<b>1400</b>
Nitrite (as N)	1000	NA	NA	100 U	<b>100</b>	---	100 U	100 U	<b>140</b>	100 U	100 U	<b>300</b>
Sulfate <sup>SM</sup>	250000	NA	NA	<b>12000</b>	<b>33000</b>	---	<b>25000</b>	5000 U	<b>49000</b>	<b>20000</b>	<b>9300</b>	<b>48500</b>
<i>Total Organic Carbon (µg/L)</i>	NS	NS	NS	<b>17500</b>	<b>17200</b>	---	<b>50800</b>	<b>30200</b>	<b>8200</b>	<b>7300</b>	<b>7300</b>	<b>6800</b>
<i>Total Dissolved Solids (µg/L)</i>	NS	NS	NS	---	---	---	---	---	---	---	---	---
<i>Sulfide (µg/L)<sup>SRM</sup></i>	250000	NS	NS	<b>1600 J</b>	1000 U	---	1000 U	1000 U	1000 U	1000 U	1000 U	<b>350 J</b>
<i>Dissolved Gases in Water (µg/L)</i>												
Ethane	NS	NS	NS	12 U	---	---	8 U	13.3 U	10.8 U	11.6 U	2.6 U	---
Ethene	NS	NS	NS	12 U	---	---	8.3 U	13.3 U	10.9 U	11.7 U	2.6 U	---
Methane	NS	NS	NS	<b>46</b>	---	---	4.2 U	<b>16.9</b>	5.7 U	6.1 U	1.4 U	---
<i>Headspace Gases (%)</i>												
Carbon dioxide, Field	NS	NS	NS	---	---	---	---	---	---	---	---	---
<i>Bicarbonate Alkalinity (µg/L)</i>	NS	NS	NS	---	---	---	---	---	---	---	<b>138000</b>	<b>114000</b>
<i>Field Parameter</i>												
Dissolved Oxygen (mg/L)	NS	NS	NS	4.79	0.2	0.37	0.2	0.45	0.28	0.29	0.71	0.31
Oxidation-Reduction Potential <sup>O</sup> (mV)	NS	NS	NS	-14.6	199.3	-55.7	-32	-206.3	92.9	56.2	23.1	-41.8
pH (standard units)	NS	NS	NS	6.08	6.05	6.11	6.04	5.98	5.89	5.85	7.08	6.08
Specific Conductivity (mS/cm)	NS	NS	NS	0.337	0.426	0.617	0.399	0.203	0.383	0.271	0.318	0.973
Temperature (°C)	NS	NS	NS	18.77	17.97	17.8	21.25	15.49	15.53	16.42	15.58	19.31
Turbidity (NTU)	NS	NS	NS	5.1	6.1	0	5.6	12	9.7	0	9.4	11.2
Water Color/Appearance	NS	NS	NS	---	light yellow	---	slightly yellow	---	clear	clear	clear	clear

**Table 8. Groundwater Monitoring Well Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-4 11/9/2016 MW-4 22.3	MW-4 2/7/2017 MW-4 22.5	MW-4 3/23/2018 MW-4 22.5	MW-5 3/30/2006 MW-5 26.55 d	MW-5 3/30/2006 MW-5MS/MSD 26.55	MW-5 5/17/2007 MW-5 26.55	MW-5 5/17/2007 MW-5D 26.55 d	MW-5 11/18/2008 MW-5 26.6		
<b>Screening Criteria<sup>1</sup></b>	MCL	RSL HQ = 0.1	RSL HQ = 1.0								
<b>Total Petroleum Hydrocarbons (µg/L)</b>											
Diesel Range Organics	NS	NS	NS	---	---	---	---	---	---		
Gasoline Range Organics	NS	NS	NS	---	---	---	---	---	---		
Heavy Petroleum Range Organics	NS	NS	NS	---	---	---	---	---	---		
Oil Range Organics	NS	NS	NS	---	---	---	---	---	---		
<b>Inorganic Anions (µg/L)</b>											
Nitrate (as N)	10000	NA	NA	2500	5500	---	---	---	---		
Nitrite (as N)	1000	NA	NA	100 U	110	---	---	---	---		
Sulfate <sup>SM</sup>	250000	NA	NA	81000	92000	---	---	---	---		
<b>Total Organic Carbon (µg/L)</b>	NS	NS	NS	8700	9200	---	---	---	---		
<b>Total Dissolved Solids (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---		
<b>Sulfide (µg/L)<sup>SRM</sup></b>	250000	NS	NS	1000 U	1000 U	---	---	---	---		
<b>Dissolved Gases in Water (µg/L)</b>											
Ethane	NS	NS	NS	10.5 U	---	---	---	---	---		
Ethene	NS	NS	NS	10.7 U	---	---	---	---	---		
Methane	NS	NS	NS	5.5 U	---	---	---	---	---		
<b>Headspace Gases (%)</b>											
Carbon dioxide, Field	NS	NS	NS	---	---	---	---	---	---		
<b>Bicarbonate Alkalinity (µg/L)</b>	NS	NS	NS	133000	122000	---	---	---	---		
<b>Field Parameter</b>											
Dissolved Oxygen (mg/L)	NS	NS	NS	0.35	0	2.53	3.9	3.9	3.62	3.62	6.97
Oxidation-Reduction Potential <sup>O</sup> (mV)	NS	NS	NS	87.8	88.2	133.8	215.7	215.7	230.1	230.1	151.8
pH (standard units)	NS	NS	NS	6.02	5.92	5.82	5.53	5.53	5.67	5.67	5.49
Specific Conductivity (mS/cm)	NS	NS	NS	0.632	0.633	0.253	0.257	0.257	0.29	0.29	0.211
Temperature (°C)	NS	NS	NS	17.64	16.89	14.3	18.46	18.46	18.43	18.43	18.35
Turbidity (NTU)	NS	NS	NS	4.9	0	4.8	43.6	43.6	253.9	253.9	9.9
Water Color/Appearance	NS	NS	NS	clear	clear	clear	---	---	---	---	---

**Table 8. Groundwater Monitoring Well Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location	MW-5	MW-6	MW-6	MW-6	MW-6	MW-6	MW-6	MW-6	MW-6
	Sample Date	3/4/2009	3/29/2006	5/18/2007	5/18/2007	11/18/2008	3/4/2009	10/13/2010	11/1/2011	
	Sample ID	MW-5	MW-6	MW-6D	MW-6MS/MSD	MW-6	MW-6	MW-6 MS/MSD	MW-6	
	Sample Depth (ft. bgs.)	26.9	24.7	24.7	24.7	27	27	27.04	27	
	Notes									
<b>Screening Criteria<sup>1</sup></b>	MCL	RSL HQ = 0.1	RSL HQ = 1.0							
<b>Total Petroleum Hydrocarbons (µg/L)</b>										
Diesel Range Organics	NS	NS	NS	---	---	---	---	---	---	---
Gasoline Range Organics	NS	NS	NS	---	---	---	---	---	---	---
Heavy Petroleum Range Organics	NS	NS	NS	---	---	---	---	---	---	---
Oil Range Organics	NS	NS	NS	---	---	---	---	---	---	---
<b>Inorganic Anions (µg/L)</b>										
Nitrate (as N)	10000	NA	NA	---	---	---	---	3400	1900	3900
Nitrite (as N)	1000	NA	NA	---	---	---	---	200 U	100 U	100 J
Sulfate <sup>SM</sup>	250000	NA	NA	---	---	---	---	96000	120000	120000
<b>Total Organic Carbon (µg/L)</b>	NS	NS	NS	---	---	---	---	8200	11300	6900
<b>Total Dissolved Solids (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---	---
<b>Sulfide (µg/L)<sup>SRM</sup></b>	250000	NS	NS	---	---	---	---	5700	2900	350 J
<b>Dissolved Gases in Water (µg/L)</b>										
Ethane	NS	NS	NS	---	---	---	---	10 U	10 U	---
Ethene	NS	NS	NS	---	---	---	---	10 U	10 U	---
Methane	NS	NS	NS	---	---	---	---	1400	1850	---
<b>Headspace Gases (%)</b>										
Carbon dioxide, Field	NS	NS	NS	---	---	---	---	6.1	---	---
<b>Bicarbonate Alkalinity (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---	---
<b>Field Parameter</b>										
Dissolved Oxygen (mg/L)	NS	NS	NS	4.75	0.11	0	0	0.48	0.19	0.61
Oxidation-Reduction Potential <sup>O</sup> (mV)	NS	NS	NS	-77.1	-34.3	-127.9	-127.9	-249.3	-256	-167.2
pH (standard units)	NS	NS	NS	5.42	6.11	6.06	6.06	6.18	6.19	6.12
Specific Conductivity (mS/cm)	NS	NS	NS	0.212	0.426	0.385	0.385	0.638	0.658	0.581
Temperature (°C)	NS	NS	NS	15.38	17.94	16.1	16.1	18.47	15.06	18.24
Turbidity (NTU)	NS	NS	NS	218.4	8.3	32.9	32.9	9.4	1.2	4.3
Water Color/Appearance	NS	NS	NS	---	---	---	---	gray	black	black



**Table 8. Groundwater Monitoring Well Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location	MW-6	MW-6	MW-6	MW-6	MW-7	MW-7	MW-7
	Sample Date	9/18/2012	12/12/2013	5/6/2016	11/10/2016	3/29/2006	5/17/2007	11/18/2008
	Sample ID	MW-6	MW-6 (MS/MSD)-13121214	MW-6	MW-6	MW-7	MW-7	MW-7
	Sample Depth (ft. bgs.)	27	25	26	24.33	26.15	26.15	26.2
	Notes							
<b>Screening Criteria<sup>1</sup></b>	MCL	RSL HQ = 0.1	RSL HQ = 1.0					
<b>Total Petroleum Hydrocarbons (µg/L)</b>								
Diesel Range Organics	NS	NS	NS	---	---	---	---	---
Gasoline Range Organics	NS	NS	NS	---	---	---	---	---
Heavy Petroleum Range Organics	NS	NS	NS	---	---	---	---	---
Oil Range Organics	NS	NS	NS	---	---	---	---	---
<b>Inorganic Anions (µg/L)</b>								
Nitrate (as N)	10000	NA	NA	2400	2100	1400	1500	---
Nitrite (as N)	1000	NA	NA	100 U	100 U	100 U	100 U	---
Sulfate <sup>SM</sup>	250000	NA	NA	97000	100000	85000	73000	---
<b>Total Organic Carbon (µg/L)</b>	NS	NS	NS	12100	44100	17000	21400	---
<b>Total Dissolved Solids (µg/L)</b>	NS	NS	NS	---	---	---	---	---
<b>Sulfide (µg/L)<sup>SRM</sup></b>	250000	NS	NS	1000 U	1000 U	2400	2200	---
<b>Dissolved Gases in Water (µg/L)</b>								
Ethane	NS	NS	NS	9 U	11.1 U	2.2 U	11.1 U	---
Ethene	NS	NS	NS	9.3 U	11.2 U	2.2 U	11.2 U	---
Methane	NS	NS	NS	809	834	1070	569	---
<b>Headspace Gases (%)</b>								
Carbon dioxide, Field	NS	NS	NS	---	---	---	---	---
<b>Bicarbonate Alkalinity (µg/L)</b>	NS	NS	NS	---	---	---	---	---
<b>Field Parameter</b>								
Dissolved Oxygen (mg/L)	NS	NS	NS	0.15	0.68	0.38	0.25	0.22
Oxidation-Reduction Potential <sup>O</sup> (mV)	NS	NS	NS	-169.5	-250.3	-137.4	-305.2	127.4
pH (standard units)	NS	NS	NS	6	6.14	8.18	6.25	5.9
Specific Conductivity (mS/cm)	NS	NS	NS	0.554	0.55	0.536	0.672	0.776
Temperature (°C)	NS	NS	NS	19.1	---	14.93	18.25	17.81
Turbidity (NTU)	NS	NS	NS	4.5	9.4	29.2	3.1	43.8
Water Color/Appearance	NS	NS	NS	milky to clear	---	gray	---	---

**Table 8. Groundwater Monitoring Well Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location	MW-7	MW-7	MW-7	MW-7	MW-7	MW-7	MW-7	MW-7	MW-7	MW-7	MW-7
	Sample Date	3/4/2009	10/14/2010	11/1/2011	2/7/2012	9/18/2012	12/13/2013	12/9/2014	12/8/2015	5/4/2016		
	Sample ID	MW-7	MW-7 MS/MSD	MW-7	MW-7	MW-7	MW-7	MW-7	MW-7	MW-7	MW-7	MW-7
	Sample Depth (ft. bgs.)	26.2	26.19	25.95	26	25.5	24.5	25.55	24.9	24.9		
	Notes											
<b>Screening Criteria<sup>1</sup></b>	MCL	RSL HQ = 0.1	RSL HQ = 1.0									
<b>Total Petroleum Hydrocarbons (µg/L)</b>												
Diesel Range Organics	NS	NS	NS	---	---	---	---	---	---	---	---	---
Gasoline Range Organics	NS	NS	NS	---	---	---	---	---	---	---	---	---
Heavy Petroleum Range Organics	NS	NS	NS	---	---	---	---	---	---	---	---	---
Oil Range Organics	NS	NS	NS	---	<b>100</b>	500 U	---	500 U	---	---	---	---
<b>Inorganic Anions (µg/L)</b>												
Nitrate (as N)	10000	NA	NA	<b>1300</b>	<b>4200</b>	<b>3500</b>	---	<b>3800</b>	<b>4900</b>	<b>3700</b>	<b>3500</b>	<b>4400</b>
Nitrite (as N)	1000	NA	NA	200 U	100 U	<b>100</b>	---	100 U	100 U	<b>130</b>	100 U	100 U
Sulfate <sup>SM</sup>	250000	NA	NA	<b>130000</b>	<b>140000</b>	<b>130000</b>	---	<b>92000</b>	<b>100000</b>	<b>110000</b>	<b>130000</b>	<b>130000</b>
<b>Total Organic Carbon (µg/L)</b>	NS	NS	NS	<b>5200</b>	<b>7400</b>	<b>6200</b>	---	<b>4700</b>	<b>4500</b>	<b>6200</b>	<b>6600</b>	<b>5000</b>
<b>Total Dissolved Solids (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---	---	---	---
<b>Sulfide (µg/L)<sup>SRM</sup></b>	250000	NS	NS	<b>1100 J</b>	<b>1200 J</b>	1000 U	---	1000 U	1000 U	1000 U	1000 U	1000 U
<b>Dissolved Gases in Water (µg/L)</b>												
Ethane	NS	NS	NS	11 U	10 U	---	---	9.3 U	11.6 U	10.5 U	12.2 U	2.3 U
Ethene	NS	NS	NS	11 U	10 U	---	---	9.5 U	11.7 U	10.7 U	12.2 U	2.3 U
Methane	NS	NS	NS	<b>124</b>	<b>113</b>	---	---	4.8 U	6.1 U	<b>87.3</b>	<b>245</b>	<b>80.2</b>
<b>Headspace Gases (%)</b>												
Carbon dioxide, Field	NS	NS	NS	<b>10.8</b>	---	---	---	---	---	---	---	---
<b>Bicarbonate Alkalinity (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---	---	---	<b>61000</b>
<b>Field Parameter</b>												
Dissolved Oxygen (mg/L)	NS	NS	NS	0.67	0.46	0.37	0.44	0.76	1.76	5.89	0.34	0.88
Oxidation-Reduction Potential <sup>O</sup> (mV)	NS	NS	NS	-127.8	-162.5	34.2	171.5	158.6	216.1	162.9	61.9	20.8
pH (standard units)	NS	NS	NS	5.94	5.87	5.71	5.85	5.96	5.83	6.21	5.67	7.02
Specific Conductivity (mS/cm)	NS	NS	NS	0.577	0.567	0.545	0.542	0.522	0.37	0.506	0.51	0.496
Temperature (°C)	NS	NS	NS	13.98	17.48	18.32	18.08	18.54	16.12	15.2	16.25	15.79
Turbidity (NTU)	NS	NS	NS	5.4	46.4	3.5	0	29	11.2	7.3	0	12.8
Water Color/Appearance	NS	NS	NS	---	---	clear	---	clear	---	clear	clear	clear

**Table 8. Groundwater Monitoring Well Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location	MW-7	MW-7	MW-7	MW-7	MW-7	MW-8	MW-8	MW-8		
	Sample Date	8/9/2016	11/9/2016	2/7/2017	3/23/2018	3/23/2018	3/30/2006	5/17/2007	11/18/2008		
	Sample ID	MW-7	MW-7	MW-7	MW-7 MS/MSD	MW-7 A	MW-8	MW-8	MW-8		
	Sample Depth (ft. bgs.)	24	23.5	24	24	24 d	26.4	26.4	26.1		
	Notes										
<b>Screening Criteria<sup>1</sup></b>	MCL	RSL HQ = 0.1	RSL HQ = 1.0								
<b>Total Petroleum Hydrocarbons (µg/L)</b>											
Diesel Range Organics	NS	NS	NS	---	---	---	---	---	---		
Gasoline Range Organics	NS	NS	NS	---	---	---	---	---	---		
Heavy Petroleum Range Organics	NS	NS	NS	---	---	---	---	---	---		
Oil Range Organics	NS	NS	NS	---	---	---	---	---	---		
<b>Inorganic Anions (µg/L)</b>											
Nitrate (as N)	10000	NA	NA	2500	2800	2500	---	---	---		
Nitrite (as N)	1000	NA	NA	200 U	100 U	100 U	---	---	---		
Sulfate <sup>SM</sup>	250000	NA	NA	94900	96000	140000	---	---	---		
<b>Total Organic Carbon (µg/L)</b>	NS	NS	NS	4600	4500	5000	---	---	---		
<b>Total Dissolved Solids (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---		
<b>Sulfide (µg/L)<sup>SRM</sup></b>	250000	NS	NS	1000 U	1000 U	1000 U	---	---	---		
<b>Dissolved Gases in Water (µg/L)</b>											
Ethane	NS	NS	NS	---	11.7 U	---	---	---	---		
Ethene	NS	NS	NS	---	11.7 U	---	---	---	---		
Methane	NS	NS	NS	---	60.7	---	---	---	---		
<b>Headspace Gases (%)</b>											
Carbon dioxide, Field	NS	NS	NS	---	---	---	---	---	---		
<b>Bicarbonate Alkalinity (µg/L)</b>	NS	NS	NS	87000	52000	60000	---	---	---		
<b>Field Parameter</b>											
Dissolved Oxygen (mg/L)	NS	NS	NS	0.44	1.79	0	6.28	6.28	2.43	4.07	0.38
Oxidation-Reduction Potential <sup>o</sup> (mV)	NS	NS	NS	-29	126.9	55.8	153.8	153.8	192.1	340.2	129.9
pH (standard units)	NS	NS	NS	6.03	5.6	5.65	5.92	5.92	6.03	5.99	6.07
Specific Conductivity (mS/cm)	NS	NS	NS	0.79	0.383	0.477	0.363	0.363	0.458	0.263	0.39
Temperature (°C)	NS	NS	NS	18.17	17.35	16.75	15.1	15.1	17.33	18.11	17.15
Turbidity (NTU)	NS	NS	NS	19.4	6.7	3.3	11.7	11.7	242	33.2	9.8
Water Color/Appearance	NS	NS	NS	clear	clear	clear	cloudy to clear	cloudy to clear	---	---	---

**Table 8. Groundwater Monitoring Well Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-8 3/5/2009 MW-8 25.5	MW-8 10/12/2010 MW-8 26.06	MW-8 11/1/2011 MW-8 27	MW-8 9/17/2012 MW-8 26	MW-8 12/10/2013 MW-8 24.5	MW-8 12/8/2014 MW-8 25.28	MW-8 12/7/2015 MW-8 24.6	MW-8 5/3/2016 MW-8 25	MW-8 11/7/2016 MW-8 23		
<b>Screening Criteria<sup>1</sup></b>	MCL	RSL HQ = 0.1	RSL HQ = 1.0									
<b>Total Petroleum Hydrocarbons (µg/L)</b>												
Diesel Range Organics	NS	NS	NS	---	---	---	---	---	---	---		
Gasoline Range Organics	NS	NS	NS	---	---	---	---	---	---	---		
Heavy Petroleum Range Organics	NS	NS	NS	---	---	---	---	---	---	---		
Oil Range Organics	NS	NS	NS	---	---	---	---	---	---	---		
<b>Inorganic Anions (µg/L)</b>												
Nitrate (as N)	10000	NA	NA	<b>2300</b>	<b>3100</b>	<b>3200</b>	<b>3700</b>	<b>3800</b>	<b>5700</b>	<b>7700</b>	<b>4600</b>	<b>2700</b>
Nitrite (as N)	1000	NA	NA	200 U	100 U	<b>100</b>	100 U	100 U	100 U	100 U	100 U	100 U
Sulfate <sup>SM</sup>	250000	NA	NA	<b>30000</b>	<b>34000</b>	<b>46000</b>	<b>39000</b>	<b>43000</b>	<b>43000</b>	<b>49000</b>	<b>41000</b>	<b>40000</b>
<b>Total Organic Carbon (µg/L)</b>	NS	NS	NS	<b>2500</b>	<b>2700</b>	<b>6100</b>	<b>2700</b>	<b>4000</b>	<b>3600</b>	<b>3200</b>	<b>2500</b>	<b>3700</b>
<b>Total Dissolved Solids (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---	---	---	---
<b>Sulfide (µg/L)<sup>SRM</sup></b>	250000	NS	NS	<b>1000 J</b>	<b>1300 J</b>	1000 U	1000 U	1000 U	1000 U	1000 U	1000 U	1000 U
<b>Dissolved Gases in Water (µg/L)</b>												
Ethane	NS	NS	NS	11 U	13 U	---	9.2 U	11.4 U	13.5 U	11.5 U	2.4 U	12 U
Ethene	NS	NS	NS	12 U	13 U	---	9.4 U	11.5 U	13.4 U	11.6 U	2.4 U	12.1 U
Methane	NS	NS	NS	<b>53.8</b>	<b>111</b>	---	4.8 U	<b>10.3</b>	<b>8.9</b>	6 U	1.3 U	6.3 U
<b>Headspace Gases (%)</b>												
Carbon dioxide, Field	NS	NS	NS	<b>1.2</b>	---	---	---	---	---	---	---	---
<b>Bicarbonate Alkalinity (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---	---	---	---
<b>Field Parameter</b>												
Dissolved Oxygen (mg/L)	NS	NS	NS	1.67	2.7	1.79	1.93	3.56	4.85	3.32	4.27	4.4
Oxidation-Reduction Potential <sup>0</sup> (mV)	NS	NS	NS	-101.1	205.6	491.3	172.4	150	176	112	62.5	99.4
pH (standard units)	NS	NS	NS	6.08	5.86	5.81	6.14	6.16	6.52	5.98	5.59	6.03
Specific Conductivity (mS/cm)	NS	NS	NS	0.338	0.303	0.363	0.298	0.339	0.327	0.309	0.258	0.276
Temperature (°C)	NS	NS	NS	15.58	17.72	17.41	18.01	15.45	15.6	15.6	16.51	18.1
Turbidity (NTU)	NS	NS	NS	0	8.2	9.8	56.7	26.3	41.3	6.9	71.9	0.2
Water Color/Appearance	NS	NS	NS	---	---	clear	milky	clear	cloudy	clear	clear	clear

**Table 8. Groundwater Monitoring Well Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-8 3/22/2018 MW-8 25.8	MW-9 3/30/2006 MW-9 26.2	MW-9 5/17/2007 MW-9 25.35	MW-9 11/19/2008 MW-9 26.18	MW-9 10/12/2010 MW-9 26.18	MW-9 10/12/2010 MW-90 26.18 d	MW-9 11/1/2011 MW-9 27	MW-9 9/17/2012 MW-9 26	MW-9 12/11/2013 MW-9 24.5		
<b>Screening Criteria<sup>1</sup></b>	MCL	RSL HQ = 0.1	RSL HQ = 1.0									
<b>Total Petroleum Hydrocarbons (µg/L)</b>												
Diesel Range Organics	NS	NS	NS	---	---	---	---	---	---	---		
Gasoline Range Organics	NS	NS	NS	---	---	---	---	---	---	---		
Heavy Petroleum Range Organics	NS	NS	NS	---	---	---	---	---	---	---		
Oil Range Organics	NS	NS	NS	---	---	---	---	---	---	---		
<b>Inorganic Anions (µg/L)</b>												
Nitrate (as N)	10000	NA	NA	---	---	---	1200	1200	1800	1500	2200	
Nitrite (as N)	1000	NA	NA	---	---	---	100 U	100 U	100 J	100 U	100 U	
Sulfate <sup>SM</sup>	250000	NA	NA	---	---	---	20000	15000	12000	15000	14000	
<b>Total Organic Carbon (µg/L)</b>	NS	NS	NS	---	---	---	1200	1100	2200	1700	2100	
<b>Total Dissolved Solids (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---	---	---	
<b>Sulfide (µg/L)<sup>SRM</sup></b>	250000	NS	NS	---	---	---	800 J	800 J	1000 U	1000 U	1000 U	
<b>Dissolved Gases in Water (µg/L)</b>												
Ethane	NS	NS	NS	---	---	---	13 U	11 U	---	8.4 U	13.3 U	
Ethene	NS	NS	NS	---	---	---	13 U	11 U	---	8.7 U	13.2 U	
Methane	NS	NS	NS	---	---	---	6.8 U	5.9 U	---	18.1	7.0 U	
<b>Headspace Gases (%)</b>												
Carbon dioxide, Field	NS	NS	NS	---	---	---	---	---	---	---	---	
<b>Bicarbonate Alkalinity (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---	---	---	
<b>Field Parameter</b>												
Dissolved Oxygen (mg/L)	NS	NS	NS	4.73	7.06	8.39	4.55	7.93	7.93	2.98	4.8	6.46
Oxidation-Reduction Potential <sup>O</sup> (mV)	NS	NS	NS	-31.3	238.3	235	161.5	18.1	18.1	480.6	191.8	216.7
pH (standard units)	NS	NS	NS	6.13	5.25	5.54	5.7	5.51	5.51	5.18	5.41	5.58
Specific Conductivity (mS/cm)	NS	NS	NS	0.273	0.097	0.091	0.103	0.091	0.091	0.106	0.093	0.15
Temperature (°C)	NS	NS	NS	13.7	16.36	16.13	17.63	18.53	18.53	18.3	18.2	16.63
Turbidity (NTU)	NS	NS	NS	11.4	805	902.3	31.6	26.5	26.5	13	6	-1.6
Water Color/Appearance	NS	NS	NS	clear	---	---	---	---	---	clear	clear	clear

**Table 8. Groundwater Monitoring Well Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location	MW-9	MW-9	MW-9	MW-9	MW-9	MW-9	MW-9	MW-10	MW-10	MW-10	
	Sample Date	12/11/2013	12/8/2014	12/8/2015	5/3/2016	11/7/2016	3/22/2018	3/29/2006	5/17/2007	11/18/2008		
	Sample ID	MW-9A	MW-9	MW-9	MW-9	MW-9	MW-9	MW-10	MW-10	MW-10		
	Sample Depth (ft. bgs.)	24.5	25.37	24.6	24.6	23.29	23.6	25	25	25		
	Notes	d										
<b>Screening Criteria<sup>1</sup></b>	MCL	RSL HQ = 0.1	RSL HQ = 1.0									
<b>Total Petroleum Hydrocarbons (µg/L)</b>												
Diesel Range Organics	NS	NS	NS	---	---	---	---	---	---	---	---	
Gasoline Range Organics	NS	NS	NS	---	---	---	---	---	---	---	---	
Heavy Petroleum Range Organics	NS	NS	NS	---	---	---	---	---	---	---	---	
Oil Range Organics	NS	NS	NS	---	---	---	---	---	---	---	---	
<b>Inorganic Anions (µg/L)</b>												
Nitrate (as N)	10000	NA	NA	---	<b>2500</b>	<b>1900</b>	<b>2300</b>	<b>3000</b>	---	---	---	
Nitrite (as N)	1000	NA	NA	---	<b>110</b>	100 U	100 U	100 U	---	---	---	
Sulfate <sup>SM</sup>	250000	NA	NA	---	<b>23000</b>	<b>23000</b>	<b>20000</b>	<b>16000</b>	---	---	---	
<b>Total Organic Carbon (µg/L)</b>	NS	NS	NS	---	<b>3600</b>	<b>2800</b>	<b>3800</b>	<b>1600</b>	---	---	---	
<b>Total Dissolved Solids (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---	---	---	
<b>Sulfide (µg/L)<sup>SRM</sup></b>	250000	NS	NS	---	1000 U	1000 U	1000 U	1000 U	---	---	---	
<b>Dissolved Gases in Water (µg/L)</b>												
Ethane	NS	NS	NS	---	10.3 U	10.1 U	2.7 U	12.3 U	---	---	---	
Ethene	NS	NS	NS	---	10.5 U	10.2 U	2.7 U	12.3 U	---	---	---	
Methane	NS	NS	NS	---	<b>7.6</b>	5.3 U	<b>12.5</b>	6.4 U	---	---	---	
<b>Headspace Gases (%)</b>												
Carbon dioxide, Field	NS	NS	NS	---	---	---	---	---	---	---	---	
<b>Bicarbonate Alkalinity (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---	---	---	
<b>Field Parameter</b>												
Dissolved Oxygen (mg/L)	NS	NS	NS	6.46	1.62	4.59	5.47	6.25	5.16	4.11	4.91	5.9
Oxidation-Reduction Potential <sup>o</sup> (mV)	NS	NS	NS	216.7	257.7	118.5	69.8	138	-40.9	195.3	214.6	124.9
pH (standard units)	NS	NS	NS	5.58	5.57	5.81	5.63	5.77	5.89	6.11	5.92	6.09
Specific Conductivity (mS/cm)	NS	NS	NS	0.15	0.159	0.163	0.155	0.137	0.162	0.322	0.278	0.371
Temperature (°C)	NS	NS	NS	16.63	14.44	15.64	15.38	18.24	12.7	16.99	17.19	17.67
Turbidity (NTU)	NS	NS	NS	-1.6	7.6	0.2	37.9	9.4	8.5	194	52.9	9.6
Water Color/Appearance	NS	NS	NS	clear	clear	clear	clear	light gray	clear	---	---	---

**Table 8. Groundwater Monitoring Well Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-10 10/13/2010 MW-10 26.03	MW-10 11/1/2011 MW-10 25.5	MW-10 2/7/2012 MW-10 25.8	MW-10 9/18/2012 MW-10 25.6	MW-10 9/18/2012 MW-10A 25.6 d	MW-10 12/12/2013 MW-10 24.5	MW-10 12/9/2014 MW-10 25.16	MW-10 12/8/2015 MW-10 25	MW-10 5/4/2016 MW-10 25		
<b>Screening Criteria<sup>1</sup></b>	MCL	RSL HQ = 0.1	RSL HQ = 1.0									
<b>Total Petroleum Hydrocarbons (µg/L)</b>												
Diesel Range Organics	NS	NS	NS	---	---	---	---	---	---	---		
Gasoline Range Organics	NS	NS	NS	---	---	---	---	---	---	---		
Heavy Petroleum Range Organics	NS	NS	NS	---	---	---	---	---	---	---		
Oil Range Organics	NS	NS	NS	<b>200 LF</b>	500 U	---	500 U	500 U	---	---		
<b>Inorganic Anions (µg/L)</b>												
Nitrate (as N)	10000	NA	NA	<b>3300</b>	<b>4100</b>	---	<b>8000</b>	<b>7800</b>	<b>8400</b>	<b>12000</b>	<b>3600</b>	<b>4400</b>
Nitrite (as N)	1000	NA	NA	100 U	<b>100 J</b>	---	100 U	100 U	100 U	<b>120</b>	100 U	100 U
Sulfate <sup>SM</sup>	250000	NA	NA	<b>41000</b>	<b>49000</b>	---	<b>43000</b>	<b>44000</b>	<b>38000</b>	<b>54000</b>	<b>50000</b>	<b>45000</b>
<b>Total Organic Carbon (µg/L)</b>	NS	NS	NS	<b>3000</b>	<b>3600</b>	---	<b>2200</b>	<b>2600</b>	<b>2200</b>	<b>3800</b>	<b>2300</b>	<b>2100</b>
<b>Total Dissolved Solids (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---	---	---	---
<b>Sulfide (µg/L)<sup>SRM</sup></b>	250000	NS	NS	<b>800 J</b>	1000 U	---	1000 U	1000 U	1000 U	1000 U	1000 U	1000 U
<b>Dissolved Gases in Water (µg/L)</b>												
Ethane	NS	NS	NS	11 U	---	---	8.6 U	9.6 U	10.4 U	10.4 U	10.4 U	2.3 U
Ethene	NS	NS	NS	11 U	---	---	8.9 U	9.8 U	10.6 U	10.5 U	10.5 U	2.3 U
Methane	NS	NS	NS	5.6 U	---	---	4.5 U	5 U	5.5 U	5.4 U	5.4 U	1.2 U
<b>Headspace Gases (%)</b>												
Carbon dioxide, Field	NS	NS	NS	---	---	---	---	---	---	---	---	---
<b>Bicarbonate Alkalinity (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---	---	---	<b>77000</b>
<b>Field Parameter</b>												
Dissolved Oxygen (mg/L)	NS	NS	NS	5.68	5.6	6.17	6.56	6.56	6.2	5.65	6.93	7
Oxidation-Reduction Potential <sup>O</sup> (mV)	NS	NS	NS	99.1	197.7	204.7	203.1	203.1	192.6	215.4	186.6	197.4
pH (standard units)	NS	NS	NS	6.19	5.92	6.29	6.23	6.23	6.08	6.36	6.3	6.34
Specific Conductivity (mS/cm)	NS	NS	NS	0.379	0.363	0.351	0.378	0.378	0.39	0.394	0.31	0.313
Temperature (°C)	NS	NS	NS	18.35	18.06	16.44	18.18	18.18	15.51	15.83	16.51	15.6
Turbidity (NTU)	NS	NS	NS	0.2	1.4	10	7.6	7.6	4.5	7.5	28.5	25.7
Water Color/Appearance	NS	NS	NS	---	---	cloudy/clear	cloudy	cloudy	clear	clear	clear	clear

**Table 8. Groundwater Monitoring Well Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location	MW-10	MW-10	MW-10	MW-10	MW-11	MW-11	MW-11	MW-11	MW-11	MW-11
	Sample Date	8/9/2016	11/9/2016	2/7/2017	3/22/2018	3/30/2006	5/17/2007	11/19/2008	3/5/2009	10/13/2010	
	Sample ID	MW-10	MW-10	MW-10	MW-10	MW-11	MW-11	MW-11	MW-11	MW-11	MW-11
	Sample Depth (ft. bgs.)	23.6	23	23.6	23.5	26.5	26.5	26.5	26.5	26.5	26.36
	Notes										
<b>Screening Criteria<sup>1</sup></b>	MCL	RSL HQ = 0.1	RSL HQ = 1.0								
<i>Total Petroleum Hydrocarbons (µg/L)</i>											
Diesel Range Organics	NS	NS	NS	---	---	---	---	---	---	---	---
Gasoline Range Organics	NS	NS	NS	---	---	---	---	---	---	---	---
Heavy Petroleum Range Organics	NS	NS	NS	---	---	---	---	---	---	---	---
Oil Range Organics	NS	NS	NS	---	---	---	---	---	---	---	---
<i>Inorganic Anions (µg/L)</i>											
Nitrate (as N)	10000	NA	NA	<b>3800</b>	<b>4000</b>	<b>3100</b>	---	---	---	---	<b>13000</b>
Nitrite (as N)	1000	NA	NA	200 U	100 U	100 U	---	---	---	---	200 U
Sulfate <sup>SM</sup>	250000	NA	NA	<b>43300</b>	<b>42000</b>	<b>45000</b>	---	---	---	---	<b>27000</b>
<i>Total Organic Carbon (µg/L)</i>	NS	NS	NS	<b>2000</b>	<b>2400</b>	<b>2700</b>	---	---	---	---	<b>1500</b>
<i>Total Dissolved Solids (µg/L)</i>	NS	NS	NS	---	---	---	---	---	---	---	---
<i>Sulfide (µg/L)<sup>SRM</sup></i>	250000	NS	NS	1000 U	1000 U	1000 U	---	---	---	---	<b>700 J</b>
<i>Dissolved Gases in Water (µg/L)</i>											
Ethane	NS	NS	NS	---	11.1 U	---	---	---	---	---	11 U
Ethene	NS	NS	NS	---	11.2 U	---	---	---	---	---	11 U
Methane	NS	NS	NS	---	5.8 U	---	---	---	---	---	5.6 U
<i>Headspace Gases (%)</i>											
Carbon dioxide, Field	NS	NS	NS	---	---	---	---	---	---	---	<b>5</b>
<i>Bicarbonate Alkalinity (µg/L)</i>	NS	NS	NS	<b>81000</b>	<b>73000</b>	<b>105000</b>	---	---	---	---	---
<i>Field Parameter</i>											
Dissolved Oxygen (mg/L)	NS	NS	NS	6.76	6.79	6.19	9.39	2.55	3.02	3.9	3.87
Oxidation-Reduction Potential <sup>O</sup> (mV)	NS	NS	NS	60.3	162.7	59.1	224.5	183.4	159.3	144	-74.7
pH (standard units)	NS	NS	NS	6.26	6.25	6.21	6.77	6.11	6.06	5.86	5.88
Specific Conductivity (mS/cm)	NS	NS	NS	0.561	0.31	0.339	0.34	0.533	0.68	0.39	0.421
Temperature (°C)	NS	NS	NS	18.36	17.96	16.19	15.6	18.04	18.01	18.44	16.84
Turbidity (NTU)	NS	NS	NS	33.8	9	3.6	9.2	574	789.7	1241.2	7.6
Water Color/Appearance	NS	NS	NS	turbid	clear	clear	clear	---	---	---	---



**Table 8. Groundwater Monitoring Well Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location	MW-11	MW-11	MW-11	MW-11	MW-11	MW-11	MW-11	MW-11	MW-11	MW-11	MW-11
	Sample Date	11/1/2011	9/20/2012	10/10/2012	12/10/2013	12/8/2014	12/7/2015	5/3/2016	11/7/2016	3/21/2018		
	Sample ID	MW-11	MW-11	MW-11	MW-11	MW-11	MW-11	MW-11	MW-11	MW-11	MW-11	MW-11
	Sample Depth (ft. bgs.)	27.91	25	25.35	24.5	25.26	22	22	22.61	22		
	Notes											
<b>Screening Criteria<sup>1</sup></b>	MCL	RSL HQ = 0.1	RSL HQ = 1.0									
<b>Total Petroleum Hydrocarbons (µg/L)</b>												
Diesel Range Organics	NS	NS	NS	---	---	---	---	---	---	---	---	---
Gasoline Range Organics	NS	NS	NS	---	---	---	---	---	---	---	---	---
Heavy Petroleum Range Organics	NS	NS	NS	---	---	---	---	---	---	---	---	---
Oil Range Organics	NS	NS	NS	---	---	---	---	---	---	---	---	---
<b>Inorganic Anions (µg/L)</b>												
Nitrate (as N)	10000	NA	NA	12000	14900	---	4100	11000	5900	4600	4800	---
Nitrite (as N)	1000	NA	NA	100 J	200 U	---	100 U	120	100 U	100 U	100 U	---
Sulfate <sup>SM</sup>	250000	NA	NA	74000	73100	---	27000	56000	29000	23000	20000	---
<b>Total Organic Carbon (µg/L)</b>												
	NS	NS	NS	2200	1900	---	1500	2500	1600	1300	1900	---
<b>Total Dissolved Solids (µg/L)</b>												
	NS	NS	NS	---	---	---	---	---	---	---	---	---
<b>Sulfide (µg/L)<sup>SRM</sup></b>												
	250000	NS	NS	1000 U	1000 U	---	1000 U	1000 U	1000 U	1000 U	1000 U	---
<b>Dissolved Gases in Water (µg/L)</b>												
Ethane	NS	NS	NS	---	24.2 U	---	13.2 U	10.2 U	11.2 U	2.3 U	12.6 U	---
Ethene	NS	NS	NS	---	23.4 U	---	13.2 U	10.4 U	11.3 U	2.3 U	12.6 U	---
Methane	NS	NS	NS	---	12.8 U	---	6.9 U	5.3 U	5.9 U	1.2 U	6.6 U	---
<b>Headspace Gases (%)</b>												
Carbon dioxide, Field	NS	NS	NS	---	---	---	---	---	---	---	---	---
<b>Bicarbonate Alkalinity (µg/L)</b>												
	NS	NS	NS	---	---	---	---	---	---	---	---	---
<b>Field Parameter</b>												
Dissolved Oxygen (mg/L)	NS	NS	NS	4.02	3.97	3.61	7.21	6.38	7.32	8.05	7.48	8.3
Oxidation-Reduction Potential <sup>o</sup> (mV)	NS	NS	NS	268	110.3	285	178.3	219.9	195.5	188.8	111.4	70.7
pH (standard units)	NS	NS	NS	6.1	6.06	6.16	6.22	6.17	6.24	6.43	6.31	6.38
Specific Conductivity (mS/cm)	NS	NS	NS	0.497	0.486	0.521	0.306	0.359	0.332	0.443	0.348	0.318
Temperature (°C)	NS	NS	NS	18.3	19.47	19.57	17.63	14.6	17.84	16.5	20.47	15.5
Turbidity (NTU)	NS	NS	NS	8.7	29.3	20.3	7.2	32.5	9.7	19.9	4.9	9.6
Water Color/Appearance	NS	NS	NS	clear	milky	milky initially	clear	clear	clear	clear	clear	clear

**Table 8. Groundwater Monitoring Well Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location	MW-12	MW-12	MW-12	MW-12	MW-12	MW-12	MW-12	MW-12	MW-12	
	Sample Date	3/30/2006	5/17/2007	11/18/2008	3/4/2009	10/13/2010	11/2/2011	9/20/2012	12/12/2013		
	Sample ID	MW-12	MW-12	MW-12	MW-12	MW-12	MW-12	MW-12	MW-12	MW-12	
	Sample Depth (ft. bgs.)	25.35	25.4	25.4	25.2	25.17	24.9	25.5	24.5		
	Notes										
<b>Screening Criteria<sup>1</sup></b>	MCL	RSL HQ = 0.1	RSL HQ = 1.0								
<b>Total Petroleum Hydrocarbons (µg/L)</b>											
Diesel Range Organics	NS	NS	NS	---	---	---	---	---	---	---	
Gasoline Range Organics	NS	NS	NS	---	---	---	---	---	---	---	
Heavy Petroleum Range Organics	NS	NS	NS	---	---	---	---	---	---	---	
Oil Range Organics	NS	NS	NS	---	---	---	---	---	---	---	
<b>Inorganic Anions (µg/L)</b>											
Nitrate (as N)	10000	NA	NA	---	---	---	<b>2900</b>	<b>1000</b>	<b>1000</b>	<b>3100</b>	<b>830</b>
Nitrite (as N)	1000	NA	NA	---	---	---	200 U	100 U	<b>100 J</b>	200 U	100 U
Sulfate <sup>SM</sup>	250000	NA	NA	---	---	---	<b>24000</b>	<b>14000</b>	<b>20000</b>	<b>23200</b>	<b>14000</b>
<b>Total Organic Carbon (µg/L)</b>	NS	NS	NS	---	---	---	1000 U	<b>1100</b>	<b>450 J</b>	<b>1100</b>	<b>600 J</b>
<b>Total Dissolved Solids (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---	---	---
<b>Sulfide (µg/L)<sup>SRM</sup></b>	250000	NS	NS	---	---	---	<b>1100 J</b>	<b>1200 J</b>	1000 U	1000 U	1000 U
<b>Dissolved Gases in Water (µg/L)</b>											
Ethane	NS	NS	NS	---	---	---	9.8 U	10 U	---	6.8 U	10.3 U
Ethene	NS	NS	NS	---	---	---	10 U	10 U	---	7.2 U	10.4 U
Methane	NS	NS	NS	---	---	---	5.1 U	5.4 U	---	3.5 U	5.4 U
<b>Headspace Gases (%)</b>											
Carbon dioxide, Field	NS	NS	NS	---	---	---	<b>1.7</b>	---	---	---	---
<b>Bicarbonate Alkalinity (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---	---	---
<b>Field Parameter</b>											
Dissolved Oxygen (mg/L)	NS	NS	NS	5.67	6.71	6.66	6.6	8.54	6.99	6.43	8
Oxidation-Reduction Potential <sup>O</sup> (mV)	NS	NS	NS	289.9	249	125.7	-86.7	230.2	535.1	178.3	239.5
pH (standard units)	NS	NS	NS	4.88	5.06	5.18	4.95	5.06	4.86	5	5.14
Specific Conductivity (mS/cm)	NS	NS	NS	0.088	0.09	0.119	0.102	0.073	0.098	0.113	0.085
Temperature (°C)	NS	NS	NS	16.32	17.88	17.7	14.97	17.91	17.55	18.49	15.88
Turbidity (NTU)	NS	NS	NS	451	912.3	31.7	0.4	35.3	8.2	0	19.2
Water Color/Appearance	NS	NS	NS	very turbid	turbid	---	---	---	clear (murky)	milky to clear	clear

**Table 8. Groundwater Monitoring Well Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-12 12/9/2014 MW-12 26.05	MW-12 12/8/2015 MW-12 26	MW-12 5/4/2016 MW-12 26	MW-12 11/8/2016 MW-12 22.9	MW-12 3/22/2018 MW-12 22.5	MW-13 3/28/2006 MW-13 23.6	MW-13 3/28/2006 MW-13D 23.6 d	MW-13 5/17/2007 MW-13 23	MW-13 11/20/2008 MW-13 26		
<b>Screening Criteria<sup>1</sup></b>	MCL	RSL HQ = 0.1	RSL HQ = 1.0									
<b>Total Petroleum Hydrocarbons (µg/L)</b>												
Diesel Range Organics	NS	NS	NS	---	---	---	---	---	---	---		
Gasoline Range Organics	NS	NS	NS	---	---	---	---	---	---	---		
Heavy Petroleum Range Organics	NS	NS	NS	---	---	---	---	---	---	---		
Oil Range Organics	NS	NS	NS	---	---	---	---	---	---	---		
<b>Inorganic Anions (µg/L)</b>												
Nitrate (as N)	10000	NA	NA	<b>1400</b>	<b>1200</b>	<b>1600</b>	<b>2500</b>	---	---	---		
Nitrite (as N)	1000	NA	NA	<b>120</b>	100 U	100 U	100 U	---	---	---		
Sulfate <sup>SM</sup>	250000	NA	NA	<b>22000</b>	<b>18000</b>	<b>14000</b>	<b>12000</b>	---	---	---		
<b>Total Organic Carbon (µg/L)</b>	NS	NS	NS	<b>1400</b>	<b>990 J</b>	<b>930 J</b>	<b>970</b>	---	---	---		
<b>Total Dissolved Solids (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---	---		
<b>Sulfide (µg/L)<sup>SRM</sup></b>	250000	NS	NS	1000 U	1000 U	1000 U	1000 U	---	---	---		
<b>Dissolved Gases in Water (µg/L)</b>												
Ethane	NS	NS	NS	11.1 U	10.7 U	2.2 U	11.6 U	---	---	---		
Ethene	NS	NS	NS	11.2 U	10.8 U	2.2 U	11.7 U	---	---	---		
Methane	NS	NS	NS	<b>16.6</b>	5.6 U	<b>14.1</b>	6.1 U	---	---	---		
<b>Headspace Gases (%)</b>												
Carbon dioxide, Field	NS	NS	NS	---	---	---	---	---	---	---		
<b>Bicarbonate Alkalinity (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---	---		
<b>Field Parameter</b>												
Dissolved Oxygen (mg/L)	NS	NS	NS	5.81	8.37	8.24	8.21	8.53	6.33	6.33	7.22	3.44
Oxidation-Reduction Potential <sup>o</sup> (mV)	NS	NS	NS	226.7	223	74.7	250.5	268.3	265.9	265.9	285.8	190.4
pH (standard units)	NS	NS	NS	4.94	5.09	6.96	5.11	5.32	4.6	4.6	5.08	5.41
Specific Conductivity (mS/cm)	NS	NS	NS	0.1	0.082	0.08	0.093	0.077	1.121	1.121	2.213	0.499
Temperature (°C)	NS	NS	NS	15.79	17.69	15.04	17.98	15.3	16.01	16.01	15.66	16.78
Turbidity (NTU)	NS	NS	NS	38.5	45.7	38.3	26	9.9	579	579	200.8	459.4
Water Color/Appearance	NS	NS	NS	clear	clear	clear	cloudy	clear	---	---	---	---

**Table 8. Groundwater Monitoring Well Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location	MW-13	MW-13	MW-13	MW-13	MW-13	MW-13	MW-13	MW-13	MW-13	
	Sample Date	3/4/2009	10/14/2010	11/3/2011	9/20/2012	12/12/2013	12/11/2014	12/10/2015	5/4/2016		
	Sample ID	MW-13 MS/MSD	MW-13	MW-13	MW-13	MW-13	MW-13	MW-13	MW-13	MW-13	
	Sample Depth (ft. bgs.)	26	26.01	25.8	24.7	24.5	24.5	24	24	24	
	Notes										
<b>Screening Criteria<sup>1</sup></b>	MCL	RSL HQ = 0.1	RSL HQ = 1.0								
<b>Total Petroleum Hydrocarbons (µg/L)</b>											
Diesel Range Organics	NS	NS	NS	---	---	---	---	---	---	---	
Gasoline Range Organics	NS	NS	NS	---	---	---	---	---	---	---	
Heavy Petroleum Range Organics	NS	NS	NS	---	---	---	---	---	---	---	
Oil Range Organics	NS	NS	NS	---	---	---	---	---	---	---	
<b>Inorganic Anions (µg/L)</b>											
Nitrate (as N)	10000	NA	NA	36000	6000	7900	2900	2000	2500	890	1600
Nitrite (as N)	1000	NA	NA	200 U	100 U	100	200 U	100 U	100 U	100 U	100 U
Sulfate <sup>SM</sup>	250000	NA	NA	95000	110000	82000	35400	80000	33000	51000	100000
<b>Total Organic Carbon (µg/L)</b>	NS	NS	NS	1600	6400	2000	1700	12300	1300	2200	3400
<b>Total Dissolved Solids (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---	---	---
<b>Sulfide (µg/L)<sup>SRM</sup></b>	250000	NS	NS	1800 J	1200 J	1000 U	1000 U	1000 U	1000 U	350 J	1000 U
<b>Dissolved Gases in Water (µg/L)</b>											
Ethane	NS	NS	NS	9.2 U	12 U	---	8.4 U	10.3 U	11.1 U	11.6 U	2.6 U
Ethene	NS	NS	NS	9.4 U	12 U	---	8.7 U	10.5 U	11.2 U	11.6 U	2.6 U
Methane	NS	NS	NS	4.8 U	6.5 U	---	4.4 U	5.4 U	5.8 U	6.1 U	1.4 U
<b>Headspace Gases (%)</b>											
Carbon dioxide, Field	NS	NS	NS	4.6	---	---	---	---	---	---	---
<b>Bicarbonate Alkalinity (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---	---	---
<b>Field Parameter</b>											
Dissolved Oxygen (mg/L)	NS	NS	NS	4.78	5.73	6.26	7.38	3.86	5.18	5.13	6.06
Oxidation-Reduction Potential <sup>O</sup> (mV)	NS	NS	NS	206	-76.1	470.1	165.6	202.7	73.4	113.2	60.2
pH (standard units)	NS	NS	NS	5.41	5.33	5.62	5.58	5.5	5.69	5.9	7.03
Specific Conductivity (mS/cm)	NS	NS	NS	1.109	0.441	0.43	0.198	0.395	0.294	0.361	0.43
Temperature (°C)	NS	NS	NS	15.11	17.67	17.5	18.39	14.42	16.36	17.26	14.75
Turbidity (NTU)	NS	NS	NS	18.3	0	0	8.1	-2.8	0	4.4	12.8
Water Color/Appearance	NS	NS	NS	---	---	clear	clear	clear	clear	clear	clear

**Table 8. Groundwater Monitoring Well Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-13 11/8/2016 MW-13 22.7	MW-13 3/22/2018 MW-13 23	MW-14 5/17/2007 MW-14 22 PP	MW-14 11/19/2008 MW-14 MB	MW-14 3/5/2009 MW-14 23.2	MW-15 5/18/2007 MW-15 22.7 PP	MW-15 11/19/2008 MW-15 MB	MW-15 3/3/2009 MW-15 24.1	MW-15 3/3/2009 MW-15D 24.1 d		
<b>Screening Criteria<sup>1</sup></b>	MCL	RSL HQ = 0.1	RSL HQ = 1.0									
<i>Total Petroleum Hydrocarbons (µg/L)</i>												
Diesel Range Organics	NS	NS	NS	---	---	---	---	---	---	---		
Gasoline Range Organics	NS	NS	NS	---	---	---	---	---	---	---		
Heavy Petroleum Range Organics	NS	NS	NS	---	---	---	---	---	---	---		
Oil Range Organics	NS	NS	NS	---	---	---	---	---	---	---		
<i>Inorganic Anions (µg/L)</i>												
Nitrate (as N)	10000	NA	NA	<b>1100</b>	---	---	<b>8200</b>	---	---	---		
Nitrite (as N)	1000	NA	NA	100 U	---	---	200 U	---	---	---		
Sulfate <sup>SM</sup>	250000	NA	NA	<b>72000</b>	---	---	<b>51000</b>	---	---	---		
<i>Total Organic Carbon (µg/L)</i>	NS	NS	NS	<b>3100</b>	---	---	<b>1800</b>	---	---	---		
<i>Total Dissolved Solids (µg/L)</i>	NS	NS	NS	---	---	---	---	---	---	---		
<i>Sulfide (µg/L)<sup>SRM</sup></i>	250000	NS	NS	1000 U	---	---	<b>700 J</b>	---	---	---		
<i>Dissolved Gases in Water (µg/L)</i>												
Ethane	NS	NS	NS	12.9 U	---	---	12 U	---	---	---		
Ethene	NS	NS	NS	12.9 U	---	---	12 U	---	---	---		
Methane	NS	NS	NS	6.8 U	---	---	6.1 U	---	---	---		
<i>Headspace Gases (%)</i>												
Carbon dioxide, Field	NS	NS	NS	---	---	---	<b>1.8</b>	---	---	---		
<i>Bicarbonate Alkalinity (µg/L)</i>	NS	NS	NS	---	---	---	---	---	---	---		
<i>Field Parameter</i>												
Dissolved Oxygen (mg/L)	NS	NS	NS	4.2	6.25	6.37	13.13	7.5	6.79	8.1	7.15	7.15
Oxidation-Reduction Potential <sup>O</sup> (mV)	NS	NS	NS	257.8	-85.7	219.7	152.6	236.5	91.1	123.4	288.3	288.3
pH (standard units)	NS	NS	NS	5.47	6.2	5.12	5.13	5.34	6.19	5.03	5.12	5.12
Specific Conductivity (mS/cm)	NS	NS	NS	0.334	0.357	0.274	0.241	0.241	0.255	0.211	0.201	0.201
Temperature (°C)	NS	NS	NS	19.2	14.4	17.64	16.99	11.34	17.31	17.28	15.41	15.41
Turbidity (NTU)	NS	NS	NS	4.8	9.7	4	1223.1	22.8	3	1229.9	32	32
Water Color/Appearance	NS	NS	NS	clear	clear	---	---	---	---	---	---	---

**Table 8. Groundwater Monitoring Well Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-16 5/18/2007 MW-16 22.6 PP	MW-16 11/19/2008 MW-16 MB	MW-16 3/3/2009 MW-16 24.2	MW-17 11/19/2008 MW-17 24.5	MW-17 3/5/2009 MW-17 24.5	MW-17 10/13/2010 MW-17 23.22	MW-17 11/1/2011 MW-17 23.5	MW-17 9/18/2012 MW-17 24.5		
<b>Screening Criteria<sup>1</sup></b>	MCL	RSL HQ = 0.1	RSL HQ = 1.0								
<b>Total Petroleum Hydrocarbons (µg/L)</b>											
Diesel Range Organics	NS	NS	NS	---	---	---	---	---	---		
Gasoline Range Organics	NS	NS	NS	---	---	---	---	---	---		
Heavy Petroleum Range Organics	NS	NS	NS	---	---	---	---	---	---		
Oil Range Organics	NS	NS	NS	---	---	---	---	---	---		
<b>Inorganic Anions (µg/L)</b>											
Nitrate (as N)	10000	NA	NA	---	---	5600	---	1200	200	3000	3200
Nitrite (as N)	1000	NA	NA	---	---	200 U	---	200 U	100 U	100 J	100 U
Sulfate <sup>SM</sup>	250000	NA	NA	---	---	38000	---	41000	98000	85000	88000
<b>Total Organic Carbon (µg/L)</b>	NS	NS	NS	---	---	1100	---	1600	3500	1500	1800
<b>Total Dissolved Solids (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---	---	---
<b>Sulfide (µg/L)<sup>SRM</sup></b>	250000	NS	NS	---	---	800 J	---	1600 J	1300 J	1000 U	1000 U
<b>Dissolved Gases in Water (µg/L)</b>											
Ethane	NS	NS	NS	---	---	11 U	---	11 U	11 U	---	9.1 U
Ethene	NS	NS	NS	---	---	11 U	---	11 U	11 U	---	9.3 U
Methane	NS	NS	NS	---	---	5.9 U	---	5.6 U	5.7 U	---	4.7 U
<b>Headspace Gases (%)</b>											
Carbon dioxide, Field	NS	NS	NS	---	---	24.2	---	4.8	---	---	---
<b>Bicarbonate Alkalinity (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---	---	---
<b>Field Parameter</b>											
Dissolved Oxygen (mg/L)	NS	NS	NS	7.28	10.95	6.99	3.42	2.69	8.41	5.59	5.41
Oxidation-Reduction Potential <sup>O</sup> (mV)	NS	NS	NS	154.5	144.1	248.1	161.7	-76.2	267.3	396.7	204
pH (standard units)	NS	NS	NS	5.25	4.91	5.22	5.16	5.15	5.1	5.07	5.14
Specific Conductivity (mS/cm)	NS	NS	NS	0.222	0.229	0.183	0.28	0.246	0.497	0.39	0.375
Temperature (°C)	NS	NS	NS	17.13	16.59	15.6	17.63	15.56	17.51	17.36	18.44
Turbidity (NTU)	NS	NS	NS	9	1226.7	43.4	8.7	5.4	249.9	4.1	39.9
Water Color/Appearance	NS	NS	NS	---	---	---	---	---	---	clear	milky brown/tan

**Table 8. Groundwater Monitoring Well Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location			MW-17	MW-17	MW-17	MW-17	MW-17	MW-17	MW-18	MW-18
	Sample Date	Sample ID	Sample Depth (ft. bgs.)	12/10/2013 MW-17 22.5	12/8/2014 MW-17 25	12/7/2015 MW-17 25	5/3/2016 MW-17 25	11/7/2016 MW-17 22.2	3/21/2018 MW-17 25	11/19/2008 MW-18 25.3	3/5/2009 MW-18 25
Notes	MCL	RSL HQ = 0.1	RSL HQ = 1.0								
<b>Screening Criteria<sup>1</sup></b>											
<b>Total Petroleum Hydrocarbons (µg/L)</b>											
Diesel Range Organics	NS	NS	NS	---	---	---	---	---	---	---	---
Gasoline Range Organics	NS	NS	NS	---	---	---	---	---	---	---	---
Heavy Petroleum Range Organics	NS	NS	NS	---	---	---	---	---	---	---	---
Oil Range Organics	NS	NS	NS	---	---	---	---	---	---	---	---
<b>Inorganic Anions (µg/L)</b>											
Nitrate (as N)	10000	NA	NA	390	150	460	390	100 U	---	---	---
Nitrite (as N)	1000	NA	NA	100 U	100 J	100 U	100 U	100 U	---	---	---
Sulfate <sup>SM</sup>	250000	NA	NA	97000	98000	80000	73000	59000	---	---	---
<b>Total Organic Carbon (µg/L)</b>	NS	NS	NS	5600	1600	1500	1300	1400	---	---	---
<b>Total Dissolved Solids (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---	---	---
<b>Sulfide (µg/L)<sup>SRM</sup></b>	250000	NS	NS	1000 U	1000 U	1000 U	1000 U	1000 U	---	---	---
<b>Dissolved Gases in Water (µg/L)</b>											
Ethane	NS	NS	NS	12.4 U	12.4 U	12.3 U	2.2 U	11.6 U	---	---	---
Ethene	NS	NS	NS	12.4 U	12.4 U	12.3 U	2.3 U	11.6 U	---	---	---
Methane	NS	NS	NS	6.5 U	6.5 U	6.4 U	1.2 U	6.1 U	---	---	---
<b>Headspace Gases (%)</b>											
Carbon dioxide, Field	NS	NS	NS	---	---	---	---	---	---	---	---
<b>Bicarbonate Alkalinity (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---	---	---
<b>Field Parameter</b>											
Dissolved Oxygen (mg/L)	NS	NS	NS	7.03	6.93	6.78	6.95	8.06	8.86	6.77	6.51
Oxidation-Reduction Potential <sup>o</sup> (mV)	NS	NS	NS	216.5	206.2	247.1	276.3	130.7	100.5	153.8	219.3
pH (standard units)	NS	NS	NS	5.18	5.34	5.23	5.3	5.43	5.55	5.67	5.64
Specific Conductivity (mS/cm)	NS	NS	NS	0.334	0.338	0.283	0.271	0.314	0.233	0.167	0.168
Temperature (°C)	NS	NS	NS	14.48	14.74	16.2	15.96	17.91	13.1	18.92	18.21
Turbidity (NTU)	NS	NS	NS	38.9	45.6	23.8	43.3	51.1	190.1	6.3	0
Water Color/Appearance	NS	NS	NS	clear	turbid	turbid	cloudy/clear	grayish tan turbid	cloudy to clear	---	---

**Table 8. Groundwater Monitoring Well Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-18 3/5/2009 MW-18D 25 d	MW-18 10/13/2010 MW-18 23.76	MW-18 11/1/2011 MW-18 24	MW-18 2/7/2012 MW-18 24.7	MW-18 9/18/2012 MW-18 25	MW-18 12/12/2013 MW-18 23.7	MW-18 12/9/2014 MW-18 24.84	MW-18 12/8/2015 MW-18 25		
<b>Screening Criteria<sup>1</sup></b>	MCL	RSL HQ = 0.1	RSL HQ = 1.0								
<b>Total Petroleum Hydrocarbons (µg/L)</b>											
Diesel Range Organics	NS	NS	NS	---	---	---	---	---	---		
Gasoline Range Organics	NS	NS	NS	---	---	---	---	---	---		
Heavy Petroleum Range Organics	NS	NS	NS	---	---	---	---	---	---		
Oil Range Organics	NS	NS	NS	---	---	---	---	---	---		
<b>Inorganic Anions (µg/L)</b>											
Nitrate (as N)	10000	NA	NA	---	<b>11000</b>	<b>19000</b>	---	<b>24000</b>	<b>33000</b>	<b>26000</b>	<b>21000</b>
Nitrite (as N)	1000	NA	NA	---	100 U	<b>100 J</b>	---	100 U	100 U	<b>140</b>	100 U
Sulfate <sup>SM</sup>	250000	NA	NA	---	<b>19000</b>	<b>30000</b>	---	<b>28000</b>	<b>26000</b>	<b>78000</b>	<b>75000</b>
<b>Total Organic Carbon (µg/L)</b>	NS	NS	NS	---	<b>2000</b>	<b>1600</b>	---	<b>1400</b>	<b>1600</b>	<b>5500</b>	<b>3900</b>
<b>Total Dissolved Solids (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---	---	---
<b>Sulfide (µg/L)<sup>SRM</sup></b>	250000	NS	NS	---	<b>1700 J</b>	1000 U	---	1000 U	1000 U	1000 U	1000 U
<b>Dissolved Gases in Water (µg/L)</b>											
Ethane	NS	NS	NS	---	11 U	---	---	10 U	12.2 U	11.8 U	13 U
Ethene	NS	NS	NS	---	11 U	---	---	10.2 U	12.2 U	11.8 U	13 U
Methane	NS	NS	NS	---	5.7 U	---	---	5.2 U	6.4 U	6.2 U	6.8 U
<b>Headspace Gases (%)</b>											
Carbon dioxide, Field	NS	NS	NS	---	---	---	---	---	---	---	---
<b>Bicarbonate Alkalinity (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---	---	---
<b>Field Parameter</b>											
Dissolved Oxygen (mg/L)	NS	NS	NS	6.51	9.49	7.15	7.15	7.24	7.05	6.32	6.88
Oxidation-Reduction Potential <sup>o</sup> (mV)	NS	NS	NS	219.3	210.9	234.3	224.3	178.2	22.3	214.5	79.7
pH (standard units)	NS	NS	NS	5.64	6.07	5.51	5.68	5.59	6.13	6.01	5.99
Specific Conductivity (mS/cm)	NS	NS	NS	0.168	0.243	0.332	0.347	0.398	0.5	0.526	0.459
Temperature (°C)	NS	NS	NS	18.21	18.9	17.53	16.5	19.06	16.34	16.02	16.33
Turbidity (NTU)	NS	NS	NS	0	8.5	29.1	18.6	22.89	32.2	25.8	25.7
Water Color/Appearance	NS	NS	NS	---	---	clearish (turbid)	cloudy/clear	milky tan	---	clear	clear



**Table 8. Groundwater Monitoring Well Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location	MW-18	MW-18	MW-18	MW-18	MW-18	MW-18	MW-19	MW-19	MW-20	
	Sample Date	5/4/2016	8/11/2016	11/9/2016	2/9/2017	3/22/2018	11/19/2008	3/5/2009	11/19/2008		
	Sample ID	MW-18	MW-18	MW-18	MW-18	MW-18	MW-19	MW-19	MW-20		
	Sample Depth (ft. bgs.)	25	23	22.8	23	23	24.7	24.5	24.2		
	Notes										
<b>Screening Criteria<sup>1</sup></b>	MCL	RSL HQ = 0.1	RSL HQ = 1.0								
<b>Total Petroleum Hydrocarbons (µg/L)</b>											
Diesel Range Organics	NS	NS	NS	---	---	---	---	---	---	---	
Gasoline Range Organics	NS	NS	NS	---	---	---	---	---	---	---	
Heavy Petroleum Range Organics	NS	NS	NS	---	---	---	---	---	---	---	
Oil Range Organics	NS	NS	NS	---	---	---	---	---	---	---	
<b>Inorganic Anions (µg/L)</b>											
Nitrate (as N)	10000	NA	NA	<b>19000</b>	<b>21600</b>	<b>16000</b>	<b>15000</b>	---	---	<b>14000</b>	
Nitrite (as N)	1000	NA	NA	100 U	200 U	100 U	100 U	---	---	200 U	
Sulfate <sup>SM</sup>	250000	NA	NA	<b>65000</b>	<b>61200</b>	<b>72000</b>	<b>76000</b>	---	---	<b>55000</b>	
<b>Total Organic Carbon (µg/L)</b>											
	NS	NS	NS	<b>4100</b>	<b>3500</b>	<b>3000</b>	<b>3400</b>	---	---	<b>1400</b>	
<b>Total Dissolved Solids (µg/L)</b>											
	NS	NS	NS	---	---	---	---	---	---	---	
<b>Sulfide (µg/L)<sup>SRM</sup></b>											
	250000	NS	NS	1000 U	1000 U	1000 U	1000 U	---	---	<b>1600 J</b>	
<b>Dissolved Gases in Water (µg/L)</b>											
Ethane	NS	NS	NS	2.8 U	---	11.4 U	---	---	---	10 U	
Ethene	NS	NS	NS	2.7 U	---	11.5 U	---	---	---	10 U	
Methane	NS	NS	NS	1.5 U	---	6 U	---	---	---	5.3 U	
<b>Headspace Gases (%)</b>											
Carbon dioxide, Field	NS	NS	NS	---	---	---	---	---	---	<b>7.2</b>	
<b>Bicarbonate Alkalinity (µg/L)</b>											
	NS	NS	NS	<b>40000</b>	<b>40000</b>	<b>35000</b>	<b>47000</b>	---	---	---	
<b>Field Parameter</b>											
Dissolved Oxygen (mg/L)	NS	NS	NS	6.93	7.46	7.63	7.18	7.5	3.38	4.14	6.84
Oxidation-Reduction Potential <sup>O</sup> (mV)	NS	NS	NS	208.9	34.9	110.7	111.9	143.4	144.2	229.9	141.8
pH (standard units)	NS	NS	NS	6.12	6.18	6.06	6.1	6.13	5.46	5.41	4.56
Specific Conductivity (mS/cm)	NS	NS	NS	0.412	0.809	0.47	0.434	0.38	0.434	0.37	0.361
Temperature (°C)	NS	NS	NS	15.36	19.24	17.71	13.39	12.1	18.75	17.09	18.82
Turbidity (NTU)	NS	NS	NS	31.9	17.8	26.4	19.8	54.6	9.4	8.4	3.9
Water Color/Appearance	NS	NS	NS	clear	clear	clear	cloudy to clear	cloudy	---	---	---

**Table 8. Groundwater Monitoring Well Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes			MW-20 3/5/2009 MW-20 MS/MSD 24	MW-21 11/20/2008 MW-21 MS/MSD 23.7	MW-21 11/20/2008 MW-21D 23.7 d	MW-21 3/4/2009 MW-21 23.5	MW-21 10/14/2010 MW-21 22.16	MW-21 11/3/2011 MW-21 23.3	MW-21 9/17/2012 MW-21 23
<b>Screening Criteria<sup>1</sup></b>	MCL	RSL HQ = 0.1	RSL HQ = 1.0							
<b>Total Petroleum Hydrocarbons (µg/L)</b>										
Diesel Range Organics	NS	NS	NS	---	3300 LF	2900 LF	---	---	---	---
Gasoline Range Organics	NS	NS	NS	---	---	---	---	---	---	---
Heavy Petroleum Range Organics	NS	NS	NS	---	6000 U	6000 U	---	---	---	---
Oil Range Organics	NS	NS	NS	---	---	---	---	2000 LF	500 U	2500
<b>Inorganic Anions (µg/L)</b>										
Nitrate (as N)	10000	NA	NA	---	---	---	4800	8000	1100	1100
Nitrite (as N)	1000	NA	NA	---	---	---	400	200	100	300
Sulfate <sup>SM</sup>	250000	NA	NA	---	---	---	66000	56000	28000	39000
<b>Total Organic Carbon (µg/L)</b>	NS	NS	NS	---	---	---	8000	5400	4700	3700
<b>Total Dissolved Solids (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---	---
<b>Sulfide (µg/L)<sup>SRM</sup></b>	250000	NS	NS	---	---	---	2000 U	700 J	480 J	---
<b>Dissolved Gases in Water (µg/L)</b>										
Ethane	NS	NS	NS	---	---	---	9.3 U	10 U	---	15.4 U
Ethene	NS	NS	NS	---	---	---	9.5 U	10 U	---	15.2 U
Methane	NS	NS	NS	---	---	---	4.8 U	5.3 U	---	8.1 U
<b>Headspace Gases (%)</b>										
Carbon dioxide, Field	NS	NS	NS	---	---	---	9.5	---	---	---
<b>Bicarbonate Alkalinity (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---	---
<b>Field Parameter</b>										
Dissolved Oxygen (mg/L)	NS	NS	NS	7.37	0.54	0.54	1.01	524	0.43	0.44
Oxidation-Reduction Potential <sup>o</sup> (mV)	NS	NS	NS	264.8	-102.4	-102.4	-133.8	-31.1	-79.7	130.5
pH (standard units)	NS	NS	NS	4.53	5.89	5.89	5.79	5.68	5.58	5.65
Specific Conductivity (mS/cm)	NS	NS	NS	0.4	0.405	0.405	0.375	0.368	0.264	0.32
Temperature (°C)	NS	NS	NS	18	17.54	17.54	15.03	17.19	17.99	17.7
Turbidity (NTU)	NS	NS	NS	0	6.3	6.3	8.3	9.8	0	1.8
Water Color/Appearance	NS	NS	NS	---	---	---	---	---	clearish	clear

**Table 8. Groundwater Monitoring Well Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-21 9/17/2012 MW-21 MS/MSD 23	MW-21 12/12/2013 MW-21 22.1	MW-21 12/12/2013 MW-21A 22.1 d	MW-21 12/11/2014 MW-21 23.3	MW-21 12/10/2015 MW-21 23	MW-21 5/5/2016 MW-21 23	MW-21 11/9/2016 MW-21 20.6	MW-22 11/20/2008 MW-22 25.75		
<b>Screening Criteria<sup>1</sup></b>	MCL	RSL HQ = 0.1	RSL HQ = 1.0								
<b>Total Petroleum Hydrocarbons (µg/L)</b>											
Diesel Range Organics	NS	NS	NS	---	---	---	---	---	<b>83</b>		
Gasoline Range Organics	NS	NS	NS	---	---	---	---	---	---		
Heavy Petroleum Range Organics	NS	NS	NS	---	---	---	---	---	6000 U		
Oil Range Organics	NS	NS	NS	---	---	---	---	---	---		
<b>Inorganic Anions (µg/L)</b>											
Nitrate (as N)	10000	NA	NA	---	<b>4700</b>	---	<b>760</b>	<b>4100</b>	<b>5400</b>	<b>5600</b>	---
Nitrite (as N)	1000	NA	NA	---	<b>110</b>	---	100 U	100 U	<b>120</b>	100 U	---
Sulfate <sup>SM</sup>	250000	NA	NA	---	<b>83000</b>	---	<b>24000</b>	<b>62000</b>	<b>91000</b>	<b>77000</b>	---
<b>Total Organic Carbon (µg/L)</b>	NS	NS	NS	---	<b>20900</b>	---	<b>4600</b>	<b>6900</b>	<b>9000</b>	<b>4500</b>	---
<b>Total Dissolved Solids (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---	---	---
<b>Sulfide (µg/L)<sup>SRM</sup></b>	250000	NS	NS	1000 U	1000 U	---	1000 U	<b>820 J</b>	1000 U	1000 U	---
<b>Dissolved Gases in Water (µg/L)</b>											
Ethane	NS	NS	NS	---	10.6 U	---	10.8 U	11.7 U	2.3 U	15.4 U	---
Ethene	NS	NS	NS	---	10.7 U	---	10.9 U	11.8 U	2.3 U	15.2 U	---
Methane	NS	NS	NS	---	5.5 U	---	5.7 U	<b>7</b>	1.2 U	8.1 U	---
<b>Headspace Gases (%)</b>											
Carbon dioxide, Field	NS	NS	NS	---	---	---	---	---	---	---	---
<b>Bicarbonate Alkalinity (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---	---	---
<b>Field Parameter</b>											
Dissolved Oxygen (mg/L)	NS	NS	NS	---	1.43	1.43	0.51	1.14	1.88	1.81	2.95
Oxidation-Reduction Potential <sup>O</sup> (mV)	NS	NS	NS	---	-147.1	-147.1	-128.1	-89.6	-4.7	-69.1	171.9
pH (standard units)	NS	NS	NS	---	5.86	5.86	5.62	5.78	5.77	5.94	5.61
Specific Conductivity (mS/cm)	NS	NS	NS	---	0.44	0.44	0.276	0.459	0.917	0.475	0.229
Temperature (°C)	NS	NS	NS	---	16.21	16.21	16.31	17.24	14.46	17.35	17
Turbidity (NTU)	NS	NS	NS	---	8	8	2.7	0.8	2.5	6	9.8
Water Color/Appearance	NS	NS	NS	---	---	---	clear	clear	clear	clear	---

**Table 8. Groundwater Monitoring Well Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-22 3/4/2009 MW-22 23.9	MW-22 10/14/2010 MW-22 22.61	MW-22 11/2/2011 MW-22 23.8	MW-22 11/2/2011 MW-22A 23.8 d	MW-22 9/17/2012 MW-22 23	MW-22 12/11/2013 MW-22 21.5	MW-22 12/10/2014 MW-22 23.8	MW-22 12/9/2015 MW-22 24		
<b>Screening Criteria<sup>1</sup></b>	MCL	RSL HQ = 0.1	RSL HQ = 1.0								
<b>Total Petroleum Hydrocarbons (µg/L)</b>											
Diesel Range Organics	NS	NS	NS	---	---	---	---	---	---		
Gasoline Range Organics	NS	NS	NS	---	---	---	---	---	---		
Heavy Petroleum Range Organics	NS	NS	NS	---	---	---	---	---	---		
Oil Range Organics	NS	NS	NS	---	<b>68 J</b>	500 U	500 U	500 U	---		
<b>Inorganic Anions (µg/L)</b>											
Nitrate (as N)	10000	NA	NA	---	<b>2600</b>	<b>1900</b>	<b>1900</b>	<b>2700</b>	<b>2800</b>	<b>2400</b>	<b>8200</b>
Nitrite (as N)	1000	NA	NA	---	100 U	<b>100 J</b>	<b>100 J</b>	100 U	100 U	100 U	100 U
Sulfate <sup>SM</sup>	250000	NA	NA	---	<b>36000</b>	<b>29000</b>	<b>28000</b>	<b>34000</b>	<b>37000</b>	<b>40000</b>	<b>33000</b>
<b>Total Organic Carbon (µg/L)</b>	NS	NS	NS	---	<b>2200</b>	<b>1500</b>	<b>1800</b>	<b>2300</b>	<b>3100</b>	<b>5000</b>	<b>2900</b>
<b>Total Dissolved Solids (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---	---	---
<b>Sulfide (µg/L)<sup>SRM</sup></b>	250000	NS	NS	---	<b>2000 J</b>	1000 U	1000 U	1000 U	1000 U	1000 U	<b>2800</b>
<b>Dissolved Gases in Water (µg/L)</b>											
Ethane	NS	NS	NS	---	12 U	---	---	4.4 U	11.4 U	10.4 U	11.3 U
Ethene	NS	NS	NS	---	12 U	---	---	5 U	11.4 U	10.5 U	11.4 U
Methane	NS	NS	NS	---	6 U	---	---	2.3 U	5.9 U	5.4 U	5.9 U
<b>Headspace Gases (%)</b>											
Carbon dioxide, Field	NS	NS	NS	---	---	---	---	---	---	---	---
<b>Bicarbonate Alkalinity (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---	---	---
<b>Field Parameter</b>											
Dissolved Oxygen (mg/L)	NS	NS	NS	4.33	6.84	3.94	3.94	4.76	4.69	4.41	4.95
Oxidation-Reduction Potential <sup>o</sup> (mV)	NS	NS	NS	213.6	198	576.9	576.9	239.9	194.2	65.7	195.3
pH (standard units)	NS	NS	NS	5.56	6.47	5.12	5.12	5.57	5.48	6.03	5.84
Specific Conductivity (mS/cm)	NS	NS	NS	0.26	0.211	0.247	0.247	0.249	0.263	0.378	0.272
Temperature (°C)	NS	NS	NS	14.74	18.04	18.35	18.35	17.59	16.99	16.19	16.47
Turbidity (NTU)	NS	NS	NS	8.4	34.5	0	0	8.1	-1.4	5.1	9.8
Water Color/Appearance	NS	NS	NS	---	---	clear	clear	clear	clear	clear	clear

**Table 8. Groundwater Monitoring Well Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location	MW-22	MW-22	MW-23	MW-23	MW-23	MW-23	MW-23	MW-23	MW-23
	Sample Date	5/3/2016	11/8/2016	11/20/2008	3/4/2009	10/14/2010	11/3/2011	9/17/2012	12/16/2013	
	Sample ID	MW-22	MW-22	MW-23	MW-23	MW-23	MW-23	MW-23	MW-23	MW-23
	Sample Depth (ft. bgs.)	23	21.6	23.3	23.1	21.85	22.3	23	23	21.8
	Notes									
<b>Screening Criteria<sup>1</sup></b>	MCL	RSL HQ = 0.1	RSL HQ = 1.0							
<b>Total Petroleum Hydrocarbons (µg/L)</b>										
Diesel Range Organics	NS	NS	NS	---	---	92	---	---	---	---
Gasoline Range Organics	NS	NS	NS	---	---	---	---	---	---	---
Heavy Petroleum Range Organics	NS	NS	NS	---	---	6000 U	---	---	---	---
Oil Range Organics	NS	NS	NS	---	---	---	62 J	500 U	500 U	---
<b>Inorganic Anions (µg/L)</b>										
Nitrate (as N)	10000	NA	NA	2400	2600	---	---	7400	1500	1700
Nitrite (as N)	1000	NA	NA	100 U	100 U	---	---	100 U	100	100 U
Sulfate <sup>SM</sup>	250000	NA	NA	28000	26000	---	---	36000	24000	27000
										5000 U
<b>Total Organic Carbon (µg/L)</b>	NS	NS	NS	2400	2200	---	---	2300	2400	2000
										23100
<b>Total Dissolved Solids (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---	---
<b>Sulfide (µg/L)<sup>SRM</sup></b>	250000	NS	NS	1000 U	1000 U	---	---	2000 J	1000 U	1000 U
										1000 U
<b>Dissolved Gases in Water (µg/L)</b>										
Ethane	NS	NS	NS	2.6 U	11.1 U	---	---	13 U	---	24.9 U
Ethene	NS	NS	NS	2.6 U	11.2 U	---	---	13 U	---	24.1 U
Methane	NS	NS	NS	1.4 U	5.8 U	---	---	6.7 U	---	13.2 U
										6.5 U
<b>Headspace Gases (%)</b>										
Carbon dioxide, Field	NS	NS	NS	---	---	---	---	---	---	---
<b>Bicarbonate Alkalinity (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---	---
<b>Field Parameter</b>										
Dissolved Oxygen (mg/L)	NS	NS	NS	5.61	6.38	2.08	3.11	3.43	1.78	4.12
Oxidation-Reduction Potential <sup>O</sup> (mV)	NS	NS	NS	200.2	265.2	44.5	160.9	-109.6	477.8	194.8
pH (standard units)	NS	NS	NS	5.86	5.71	6.1	6.12	6.4	5.78	6.21
Specific Conductivity (mS/cm)	NS	NS	NS	0.255	0.234	0.593	0.504	0.65	0.482	0.456
Temperature (°C)	NS	NS	NS	15.83	18.5	18.15	15.61	18.46	18.35	17.65
Turbidity (NTU)	NS	NS	NS	22.6	1.6	0	6	0	0	23.1
Water Color/Appearance	NS	NS	NS	slightly cloudy/clear	clear	---	---	---	clear	milky

**Table 8. Groundwater Monitoring Well Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-23 12/10/2014 MW-23 23.11	MW-23 12/10/2015 MW-23 24	MW-23 5/3/2016 MW-23 24	MW-23 11/8/2016 MW-23 21	MW-24 11/20/2008 MW-24 24.2	MW-24 3/4/2009 MW-24 24	MW-24 10/15/2010 MW-24 22.67	MW-24 11/2/2011 MW-24 23.2		
<b>Screening Criteria<sup>1</sup></b>	MCL	RSL HQ = 0.1	RSL HQ = 1.0								
<b>Total Petroleum Hydrocarbons (µg/L)</b>											
Diesel Range Organics	NS	NS	NS	---	---	---	---	<b>71</b>	---	---	
Gasoline Range Organics	NS	NS	NS	---	---	---	---	---	---	---	
Heavy Petroleum Range Organics	NS	NS	NS	---	---	---	---	6000 U	---	---	
Oil Range Organics	NS	NS	NS	---	---	---	---	---	<b>58 J</b>	500 U	
<b>Inorganic Anions (µg/L)</b>											
Nitrate (as N)	10000	NA	NA	<b>2100</b>	<b>1100</b>	<b>2200</b>	<b>3500</b>	---	---	<b>3200</b>	<b>2800</b>
Nitrite (as N)	1000	NA	NA	100 U	<b>3300</b>	100 U	100 U	---	---	100 U	<b>100 J</b>
Sulfate <sup>SM</sup>	250000	NA	NA	<b>30000</b>	<b>9500</b>	<b>6000</b>	<b>8600</b>	---	---	<b>36000</b>	<b>32000</b>
<b>Total Organic Carbon (µg/L)</b>	NS	NS	NS	<b>2300</b>	<b>2300</b>	<b>2200</b>	<b>3200</b>	---	---	<b>1600</b>	<b>500 J</b>
<b>Total Dissolved Solids (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---	---	---
<b>Sulfide (µg/L)<sup>SRM</sup></b>	250000	NS	NS	1000 U	1000 U	1000 U	1000 U	---	---	<b>1200 J</b>	1000 U
<b>Dissolved Gases in Water (µg/L)</b>											
Ethane	NS	NS	NS	12.0 U	12.4 U	2.5 U	11.2 U	---	---	11 U	---
Ethene	NS	NS	NS	12.0 U	12.4 U	2.5 U	11.3 U	---	---	12 U	---
Methane	NS	NS	NS	6.3 U	6.5 U	1.3 U	5.9 U	---	---	6 U	---
<b>Headspace Gases (%)</b>											
Carbon dioxide, Field	NS	NS	NS	---	---	---	---	---	---	---	---
<b>Bicarbonate Alkalinity (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---	---	---
<b>Field Parameter</b>											
Dissolved Oxygen (mg/L)	NS	NS	NS	4.28	3.09	5.56	4.9	5.26	6.37	6.68	6.84
Oxidation-Reduction Potential <sup>o</sup> (mV)	NS	NS	NS	64.7	194.7	173.6	153.7	54.9	223.5	151.8	607.2
pH (standard units)	NS	NS	NS	6.37	6.29	6.31	6.41	5.55	5.52	5.9	4.74
Specific Conductivity (mS/cm)	NS	NS	NS	0.491	0.409	0.356	0.415	0.242	0.275	0.257	0.228
Temperature (°C)	NS	NS	NS	15.78	17.18	16.93	18.27	19.04	16.31	19.68	17.79
Turbidity (NTU)	NS	NS	NS	9.7	10.6	27.7	7.3	0	8	7.9	8.3
Water Color/Appearance	NS	NS	NS	clear	clear	clear	clear	---	---	---	clear to murky

**Table 8. Groundwater Monitoring Well Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location	MW-24	MW-24	MW-24	MW-24	MW-24	MW-24	MW-24	MW-24	MW-24
	Sample Date	9/17/2012	12/12/2013	12/12/2013	12/11/2014	12/11/2014	12/10/2015	12/10/2015	12/10/2015	5/3/2016
	Sample ID	MW-24	MW-24	MW-24 MS/MSD	MW-24	MW-24A	MW-24	MW-24A	MW-24A	MW-24
	Sample Depth (ft. bgs.)	23	20.5	20.5	24	24 d	25	25 d	25 d	21.75
	Notes									
<b>Screening Criteria<sup>1</sup></b>	MCL	RSL HQ = 0.1	RSL HQ = 1.0							
<b>Total Petroleum Hydrocarbons (µg/L)</b>										
Diesel Range Organics	NS	NS	NS	---	---	---	---	---	---	---
Gasoline Range Organics	NS	NS	NS	---	---	---	---	---	---	---
Heavy Petroleum Range Organics	NS	NS	NS	---	---	---	---	---	---	---
Oil Range Organics	NS	NS	NS	500 U	---	---	---	---	---	---
<b>Inorganic Anions (µg/L)</b>										
Nitrate (as N)	10000	NA	NA	3100	4600	---	2400	---	3100	3400
Nitrite (as N)	1000	NA	NA	100 U	100 U	---	100 U	---	100 U	100 U
Sulfate <sup>SM</sup>	250000	NA	NA	29000	35000	---	29000	---	32000	40000
<b>Total Organic Carbon (µg/L)</b>	NS	NS	NS	770 J	10400	---	1000	---	---	2100
<b>Total Dissolved Solids (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---	---
<b>Sulfide (µg/L)<sup>SRM</sup></b>	250000	NS	NS	1000 U	1000 U	---	1000 U	---	---	1000 U
<b>Dissolved Gases in Water (µg/L)</b>										
Ethane	NS	NS	NS	12.9 U	---	12.7 U	9.7 U	---	11.5 U	2.6 U
Ethene	NS	NS	NS	12.9 U	---	12.7 U	9.9 U	---	11.5 U	2.6 U
Methane	NS	NS	NS	6.8 U	---	6.7 U	5.0 U	---	6 U	1.3 U
<b>Headspace Gases (%)</b>										
Carbon dioxide, Field	NS	NS	NS	---	---	---	---	---	---	---
<b>Bicarbonate Alkalinity (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---	---
<b>Field Parameter</b>										
Dissolved Oxygen (mg/L)	NS	NS	NS	6.69	6.98	---	7.35	7.35	7.41	7.41
Oxidation-Reduction Potential <sup>o</sup> (mV)	NS	NS	NS	251	203.6	---	116	116	201.1	201.1
pH (standard units)	NS	NS	NS	5.76	5.58	---	5.41	5.41	5.07	5.07
Specific Conductivity (mS/cm)	NS	NS	NS	0.235	0.272	---	0.196	0.196	0.218	0.218
Temperature (°C)	NS	NS	NS	17.39	14.47	---	16.76	16.76	17.14	17.14
Turbidity (NTU)	NS	NS	NS	36.9	4.6	---	0	0	18.3	18.3
Water Color/Appearance	NS	NS	NS	clear to milky	clear	---	clear	clear	clear	clear

**Table 8. Groundwater Monitoring Well Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-24 5/3/2016 MW-24A 21.75 d	MW-24 11/8/2016 MW-24 21.5	MW-24 11/8/2016 MW-24 (DUP) 21.5 d	MW-25 11/17/2008 MW-25 21.3	MW-25 11/17/2008 MW-25D 21.3 d	MW-25 3/4/2009 MW-25 23.9	MW-25 10/15/2010 MW-25 22.56	MW-25 10/15/2010 MW-250 22.56 d		
<b>Screening Criteria<sup>1</sup></b>	MCL	RSL HQ = 0.1	RSL HQ = 1.0								
<b>Total Petroleum Hydrocarbons (µg/L)</b>											
Diesel Range Organics	NS	NS	NS	---	---	---	<b>100</b>	<b>100</b>	---	---	
Gasoline Range Organics	NS	NS	NS	---	---	---	---	---	---	---	
Heavy Petroleum Range Organics	NS	NS	NS	---	---	---	7000 U	7000 U	---	---	
Oil Range Organics	NS	NS	NS	---	---	---	---	---	<b>49 J</b>	100 U	
<b>Inorganic Anions (µg/L)</b>											
Nitrate (as N)	10000	NA	NA	---	<b>3400</b>	<b>3500</b>	---	---	---	<b>4600</b>	<b>4600</b>
Nitrite (as N)	1000	NA	NA	---	100 U	100 U	---	---	---	100 U	100 U
Sulfate <sup>SM</sup>	250000	NA	NA	---	<b>45000</b>	<b>43000</b>	---	---	---	<b>37000</b>	<b>37000</b>
<b>Total Organic Carbon (µg/L)</b>	NS	NS	NS	---	<b>2700</b>	---	---	---	---	<b>1100</b>	<b>1700</b>
<b>Total Dissolved Solids (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---	---	---
<b>Sulfide (µg/L)<sup>SRM</sup></b>	250000	NS	NS	---	1000 U	---	---	---	---	<b>1600 J</b>	<b>2000 J</b>
<b>Dissolved Gases in Water (µg/L)</b>											
Ethane	NS	NS	NS	---	11 U	---	---	---	---	12 U	12 U
Ethene	NS	NS	NS	---	11.1 U	---	---	---	---	12 U	12 U
Methane	NS	NS	NS	---	5.8 U	---	---	---	---	6.5 U	6.3 U
<b>Headspace Gases (%)</b>											
Carbon dioxide, Field	NS	NS	NS	---	---	---	---	---	---	---	---
<b>Bicarbonate Alkalinity (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---	---	---
<b>Field Parameter</b>											
Dissolved Oxygen (mg/L)	NS	NS	NS	7.57	7.26	7.26	5.67	5.67	6.58	6.46	6.46
Oxidation-Reduction Potential <sup>O</sup> (mV)	NS	NS	NS	85.3	156.3	156.3	301.7	301.7	265.6	-84	-84
pH (standard units)	NS	NS	NS	5.57	5.71	5.71	4.78	4.78	4.88	4.96	4.96
Specific Conductivity (mS/cm)	NS	NS	NS	0.226	0.264	0.264	0.19	0.19	0.201	0.201	0.201
Temperature (°C)	NS	NS	NS	15.76	17.8	17.8	18.14	18.14	15.9	17.62	17.62
Turbidity (NTU)	NS	NS	NS	31.8	25.8	25.8	5.5	5.5	4.3	0	0
Water Color/Appearance	NS	NS	NS	clear	clear	clear	---	---	---	---	---



**Table 8. Groundwater Monitoring Well Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location	MW-25	MW-25	MW-25	MW-25	MW-25	MW-25	MW-25	MW-25	MW-25	
	Sample Date	11/2/2011	11/2/2011	9/17/2012	12/11/2013	12/11/2014	12/10/2015	5/3/2016	11/7/2016		
	Sample ID	MW-25	MW-25A	MW-25	MW-25	MW-25	MW-25	MW-25	MW-25	MW-25	
	Sample Depth (ft. bgs.)	23.5	23.5	23	22.5	24.5	25	22.2	21.45		
	Notes		d								
<b>Screening Criteria<sup>1</sup></b>	MCL	RSL HQ = 0.1	RSL HQ = 1.0								
<b>Total Petroleum Hydrocarbons (µg/L)</b>											
Diesel Range Organics	NS	NS	NS	---	---	---	---	---	---	---	
Gasoline Range Organics	NS	NS	NS	---	---	---	---	---	---	---	
Heavy Petroleum Range Organics	NS	NS	NS	---	---	---	---	---	---	---	
Oil Range Organics	NS	NS	NS	500 U	500 U	500 U	---	---	---	---	
<b>Inorganic Anions (µg/L)</b>											
Nitrate (as N)	10000	NA	NA	4500	4100	4500	4900	2300	4100	3100	4300
Nitrite (as N)	1000	NA	NA	100 J	100 J	100 U	100 U	100 U	100 U	100 U	100 U
Sulfate <sup>SM</sup>	250000	NA	NA	36000	37000	39000	28000	32000	32000	32000	23000
<b>Total Organic Carbon (µg/L)</b>	NS	NS	NS	780 J	880 J	970 J	1900	1500	1600	1400	1600
<b>Total Dissolved Solids (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---	---	---
<b>Sulfide (µg/L)<sup>SRM</sup></b>	250000	NS	NS	1000 U	1000 U	1000 U	1000 U	1000 U	350 J	1000 U	1000 U
<b>Dissolved Gases in Water (µg/L)</b>											
Ethane	NS	NS	NS	---	---	8 U	11.9 U	10.7 U	12.3 U	2.3 U	12.4 U
Ethene	NS	NS	NS	---	---	8.3 U	12.0 U	10.8 U	12.3 U	2.4 U	12.4 U
Methane	NS	NS	NS	---	---	4.2 U	6.2 U	5.6 U	6.4 U	1.2 U	6.5 U
<b>Headspace Gases (%)</b>											
Carbon dioxide, Field	NS	NS	NS	---	---	---	---	---	---	---	---
<b>Bicarbonate Alkalinity (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---	---	---
<b>Field Parameter</b>											
Dissolved Oxygen (mg/L)	NS	NS	NS	6.82	6.82	6.83	6.92	6.9	6.89	7.35	7.16
Oxidation-Reduction Potential <sup>o</sup> (mV)	NS	NS	NS	634.6	634.6	370.3	284.7	112.1	229.6	311.7	139.7
pH (standard units)	NS	NS	NS	3.9	3.9	4.78	4.69	4.59	4.73	4.94	4.81
Specific Conductivity (mS/cm)	NS	NS	NS	0.2	0.2	0.224	0.227	0.217	0.286	0.197	0.257
Temperature (°C)	NS	NS	NS	17.32	17.32	16.92	15.34	16.84	17.69	15.85	18.15
Turbidity (NTU)	NS	NS	NS	0	0	9.8	13.8	7.4	4.8	14.1	9.2
Water Color/Appearance	NS	NS	NS	clear (murky)	clear (murky)	cloudy to clear	clear	clear	clear	clear	clear

**Table 8. Groundwater Monitoring Well Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location			MW-26	MW-26	MW-27	MW-27	MW-28	MW-28	MW-29	MW-29	MW-30
	Sample Date	Sample ID	Sample Depth (ft. bgs.)	11/18/2008	3/3/2009	11/18/2008	3/3/2009	11/18/2008	3/3/2009	11/19/2008	3/3/2009	11/17/2008
			Notes	MW-26	MW-26	MW-27	MW-27	MW-28	MW-28	MW-29	MW-29	MW-30
				24.25	24	19.5	23.8	25	23.7	25.3	25	MB
<b>Screening Criteria<sup>1</sup></b>	MCL	RSL HQ = 0.1	RSL HQ = 1.0									
<b>Total Petroleum Hydrocarbons (µg/L)</b>												
Diesel Range Organics	NS	NS	NS	---	---	---	---	100	---	---	---	---
Gasoline Range Organics	NS	NS	NS	---	---	---	---	---	---	9700	---	5300
Heavy Petroleum Range Organics	NS	NS	NS	---	---	---	---	7000 U	---	---	---	---
Oil Range Organics	NS	NS	NS	---	---	---	---	---	---	---	---	---
<b>Inorganic Anions (µg/L)</b>												
Nitrate (as N)	10000	NA	NA	---	---	---	6500	---	---	---	600	---
Nitrite (as N)	1000	NA	NA	---	---	---	200 U	---	---	---	200 U	---
Sulfate <sup>SM</sup>	250000	NA	NA	---	---	---	27000	---	---	---	6000	---
<b>Total Organic Carbon (µg/L)</b>												
	NS	NS	NS	---	---	---	1000 U	---	---	---	2300	---
<b>Total Dissolved Solids (µg/L)</b>												
	NS	NS	NS	---	---	---	---	---	---	---	---	---
<b>Sulfide (µg/L)<sup>SRM</sup></b>												
	250000	NS	NS	---	---	---	1400 J	---	---	---	800 J	---
<b>Dissolved Gases in Water (µg/L)</b>												
Ethane	NS	NS	NS	---	---	---	13 U	---	---	---	10 U	---
Ethene	NS	NS	NS	---	---	---	13 U	---	---	---	10 U	---
Methane	NS	NS	NS	---	---	---	6.9 U	---	---	---	5.4 U	---
<b>Headspace Gases (%)</b>												
Carbon dioxide, Field	NS	NS	NS	---	---	---	4.4	---	---	---	15.6	---
<b>Bicarbonate Alkalinity (µg/L)</b>												
	NS	NS	NS	---	---	---	---	---	---	---	---	---
<b>Field Parameter</b>												
Dissolved Oxygen (mg/L)	NS	NS	NS	6.75	6.78	4.2	6.42	6.11	7.37	0.31	1.44	10.65
Oxidation-Reduction Potential <sup>O</sup> (mV)	NS	NS	NS	219.2	247.1	187.8	237.6	166.8	245.1	-18	-155.2	56.2
pH (standard units)	NS	NS	NS	5.6	5.33	5.75	5.61	5.28	5.42	5.7	5.83	5.67
Specific Conductivity (mS/cm)	NS	NS	NS	0.198	0.186	0.212	0.23	0.172	0.182	0.241	0.247	0.158
Temperature (°C)	NS	NS	NS	18.52	18.58	18.51	17.47	17.99	17.43	18.51	18.26	17.43
Turbidity (NTU)	NS	NS	NS	9.7	6.7	8.7	9.8	6.9	9.7	8.2	8.1	1195.2
Water Color/Appearance	NS	NS	NS	---	---	---	---	---	---	---	---	---

**Table 8. Groundwater Monitoring Well Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-30 3/3/2009 MW-30 MB	MW-31 11/19/2008 MW-31 25	MW-31 3/3/2009 MW-31 24.7	MW-32 11/19/2008 MW-32 25	MW-32 11/19/2008 MW-32D 25 d	MW-32 3/5/2009 MW-32 24.9	MW-33 7/26/2010 MW-33 23.3	MW-33 10/12/2010 MW-33 23.82
<b>Screening Criteria<sup>1</sup></b>	MCL	RSL HQ = 0.1	RSL HQ = 1.0						
<b>Total Petroleum Hydrocarbons (µg/L)</b>									
Diesel Range Organics	NS	NS	NS	---	---	---	---	---	---
Gasoline Range Organics	NS	NS	NS	---	<b>9300</b>	---	<b>5200</b>	<b>5100</b>	---
Heavy Petroleum Range Organics	NS	NS	NS	---	---	---	---	---	---
Oil Range Organics	NS	NS	NS	---	---	---	---	---	---
<b>Inorganic Anions (µg/L)</b>									
Nitrate (as N)	10000	NA	NA	---	---	<b>2000</b>	---	---	---
Nitrite (as N)	1000	NA	NA	---	---	200 U	---	---	---
Sulfate <sup>SM</sup>	250000	NA	NA	---	---	<b>10000</b>	---	---	---
<b>Total Organic Carbon (µg/L)</b>	NS	NS	NS	---	---	<b>1700</b>	---	---	---
<b>Total Dissolved Solids (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---
<b>Sulfide (µg/L)<sup>SRM</sup></b>	250000	NS	NS	---	---	<b>1400 J</b>	---	---	---
<b>Dissolved Gases in Water (µg/L)</b>									
Ethane	NS	NS	NS	---	---	11 U	---	---	---
Ethene	NS	NS	NS	---	---	11 U	---	---	---
Methane	NS	NS	NS	---	---	5.5 U	---	---	---
<b>Headspace Gases (%)</b>									
Carbon dioxide, Field	NS	NS	NS	---	---	<b>15.4</b>	---	---	---
<b>Bicarbonate Alkalinity (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---
<b>Field Parameter</b>									
Dissolved Oxygen (mg/L)	NS	NS	NS	5.24	2.57	2.08	1.77	1.77	2.2
Oxidation-Reduction Potential <sup>O</sup> (mV)	NS	NS	NS	-26.4	-13.1	-90.6	-131.8	-131.8	-186.9
pH (standard units)	NS	NS	NS	5.73	6.18	6.14	5.76	5.76	5.73
Specific Conductivity (mS/cm)	NS	NS	NS	0.157	0.242	0.226	0.228	0.228	0.241
Temperature (°C)	NS	NS	NS	16.76	18.15	18.45	18.15	18.37	16.38
Turbidity (NTU)	NS	NS	NS	864.1	9.7	6.1	0	0	2.4
Water Color/Appearance	NS	NS	NS	no sheen	---	no sheen	---	---	sheen
									very silty

**Table 8. Groundwater Monitoring Well Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-33 11/4/2011 MW-33 26.5	MW-33 2/7/2012 MW-33 25.5	MW-33 9/19/2012 MW-33 25.1	MW-33 12/10/2013 MW-33 24.1	MW-34 7/26/2010 MW-34 22.8	MW-34 10/12/2010 MW-34 23.38	MW-34 11/7/2011 MW-34 24	MW-34 2/9/2012 MW-34 24.4		
<b>Screening Criteria<sup>1</sup></b>	MCL	RSL HQ = 0.1	RSL HQ = 1.0								
<b>Total Petroleum Hydrocarbons (µg/L)</b>											
Diesel Range Organics	NS	NS	NS	---	---	---	---	---	---		
Gasoline Range Organics	NS	NS	NS	---	---	---	---	---	---		
Heavy Petroleum Range Organics	NS	NS	NS	---	---	---	---	---	---		
Oil Range Organics	NS	NS	NS	---	---	---	---	---	---		
<b>Inorganic Anions (µg/L)</b>											
Nitrate (as N)	10000	NA	NA	<b>11000</b>	<b>13000</b>	<b>12000</b>	<b>10000</b>	---	<b>47000</b>	<b>22000</b>	<b>20000</b>
Nitrite (as N)	1000	NA	NA	---	---	100 U	100 U	---	100 U	---	---
Sulfate <sup>SM</sup>	250000	NA	NA	<b>43000</b>	<b>64000</b>	<b>97000</b>	<b>81000</b>	---	<b>98000</b>	<b>120000</b>	<b>74000</b>
<b>Total Organic Carbon (µg/L)</b>											
	NS	NS	NS	---	---	---	---	---	<b>1700</b>	---	---
<b>Total Dissolved Solids (µg/L)</b>											
	NS	NS	NS	<b>170000</b>	<b>240000</b>	---	---	---	---	<b>380000</b>	<b>310000</b>
<b>Sulfide (µg/L)<sup>SRM</sup></b>											
	250000	NS	NS	1000 U	1000 U	1000 U	1000 U	---	<b>800 J</b>	<b>350 J</b>	1000 U
<b>Dissolved Gases in Water (µg/L)</b>											
Ethane	NS	NS	NS	---	---	9.5 U	---	---	10 U	---	---
Ethene	NS	NS	NS	---	---	9.7 U	---	---	11 U	---	---
Methane	NS	NS	NS	---	---	4.9 U	---	---	5.4 U	---	---
<b>Headspace Gases (%)</b>											
Carbon dioxide, Field	NS	NS	NS	---	---	---	---	---	---	---	---
<b>Bicarbonate Alkalinity (µg/L)</b>											
	NS	NS	NS	---	---	---	---	---	---	---	---
<b>Field Parameter</b>											
Dissolved Oxygen (mg/L)	NS	NS	NS	7.84	7.73	6.83	7.14	7.88	8.26	6.71	5.75
Oxidation-Reduction Potential <sup>O</sup> (mV)	NS	NS	NS	355.6	302.5	2.6	75.2	69.4	204.7	586.6	131.7
pH (standard units)	NS	NS	NS	6.03	5.87	5.91	5.99	5.35	5	4.25	4.97
Specific Conductivity (mS/cm)	NS	NS	NS	0.326	0.67	0.499	0.411	0.29	0.078	0.577	0.454
Temperature (°C)	NS	NS	NS	16.85	16.3	18.79	14.27	17.52	18.46	18.18	16.2
Turbidity (NTU)	NS	NS	NS	36.2	1.5	4.6	32.5	0	4.3	5.5	7.2
Water Color/Appearance	NS	NS	NS	yellowish/clear	slightly cloudy/clear	cloudy/clear	---	---	---	yellow	cloudy

**Table 8. Groundwater Monitoring Well Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location	MW-34	MW-34	MW-34	MW-34	MW-34	MW-34	MW-34	MW-34	MW-34	
	Sample Date	9/19/2012	12/11/2013	12/11/2013	12/10/2014	12/9/2015	5/2/2016	8/9/2016	11/4/2016		
	Sample ID	MW-34	MW-34	MW-34A	MW-34	MW-34	MW-34	MW-34	MW-34	MW-34	
	Sample Depth (ft. bgs.)	24.7	23.6	23.6	24.6	24	23	23	22.6		
	Notes			d							
<b>Screening Criteria<sup>1</sup></b>	MCL	RSL HQ = 0.1	RSL HQ = 1.0								
<b>Total Petroleum Hydrocarbons (µg/L)</b>											
Diesel Range Organics	NS	NS	NS	---	---	---	---	---	---	---	
Gasoline Range Organics	NS	NS	NS	---	---	---	---	---	---	---	
Heavy Petroleum Range Organics	NS	NS	NS	---	---	---	---	---	---	---	
Oil Range Organics	NS	NS	NS	---	---	---	---	---	---	---	
<b>Inorganic Anions (µg/L)</b>											
Nitrate (as N)	10000	NA	NA	11400	8400	---	2500	4100	4800	5600	5700
Nitrite (as N)	1000	NA	NA	900	100 U	---	120	100 U	100 U	200 U	110
Sulfate <sup>SM</sup>	250000	NA	NA	1000 U	110000	---	130000	89000	78000	72800	65000
<b>Total Organic Carbon (µg/L)</b>	NS	NS	NS	---	---	---	---	1800	---	6800	3900
<b>Total Dissolved Solids (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---	---	---
<b>Sulfide (µg/L)<sup>SRM</sup></b>	250000	NS	NS	1000 U	1000 U	---	1000 U	1000 U	---	400 J	1000 U
<b>Dissolved Gases in Water (µg/L)</b>											
Ethane	NS	NS	NS	7.8 U	---	---	---	---	---	---	12.5 U
Ethene	NS	NS	NS	8.1 U	---	---	---	---	---	---	12.5 U
Methane	NS	NS	NS	6.2	---	---	---	---	---	---	6.6 U
<b>Headspace Gases (%)</b>											
Carbon dioxide, Field	NS	NS	NS	---	---	---	---	---	---	---	---
<b>Bicarbonate Alkalinity (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---	4000 J	10000
<b>Field Parameter</b>											
Dissolved Oxygen (mg/L)	NS	NS	NS	1.01	4.57	4.57	4.42	3.65	4.25	4.9	4.11
Oxidation-Reduction Potential <sup>o</sup> (mV)	NS	NS	NS	200.5	116.7	116.7	74.6	198.5	275.4	22.9	79.6
pH (standard units)	NS	NS	NS	5.15	5.05	5.05	4.91	4.79	4.83	4.9	4.81
Specific Conductivity (mS/cm)	NS	NS	NS	0.629	0.41	0.41	0.351	0.297	0.286	0.48	0.264
Temperature (°C)	NS	NS	NS	18.23	16.29	16.29	19.7	16.89	16.27	18.23	17.52
Turbidity (NTU)	NS	NS	NS	0	9.7	9.7	74.7	22.9	13.8	10.3	12.6
Water Color/Appearance	NS	NS	NS	cloudy/clear	---	---	turbid	clear	clear	clear	clear

**Table 8. Groundwater Monitoring Well Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location	MW-34	MW-34	MW-35	MW-35	MW-35	MW-35	MW-35	MW-35	MW-35
	Sample Date	2/8/2017	3/22/2018	10/12/2010	11/7/2011	2/8/2012	9/19/2012	12/11/2013	12/11/2013	
	Sample ID	MW-34	MW-34	MW-35	MW-35	MW-35	MW-35	MW-35	MW-35	MW-35
	Sample Depth (ft. bgs.)	23	23	24.6	24.45	24.6	24	23.6	23.6	23.6
	Notes			DS3	DP90	DP3	DP2			DP90
<b>Screening Criteria<sup>1</sup></b>	MCL	RSL HQ = 0.1	RSL HQ = 1.0							
<b>Total Petroleum Hydrocarbons (µg/L)</b>										
Diesel Range Organics	NS	NS	NS	---	---	---	---	---	---	---
Gasoline Range Organics	NS	NS	NS	---	---	---	---	---	---	---
Heavy Petroleum Range Organics	NS	NS	NS	---	---	---	---	---	---	---
Oil Range Organics	NS	NS	NS	---	---	---	---	---	---	---
<b>Inorganic Anions (µg/L)</b>										
Nitrate (as N)	10000	NA	NA	2100	---	30000	17000	16000	14600	---
Nitrite (as N)	1000	NA	NA	150	---	100 U	---	---	200 U	---
Sulfate <sup>SM</sup>	250000	NA	NA	85000	---	17000	34000	35000	34800	---
<b>Total Organic Carbon (µg/L)</b>	NS	NS	NS	4600	---	1500	---	---	---	---
<b>Total Dissolved Solids (µg/L)</b>	NS	NS	NS	---	---	---	180000	54000	---	---
<b>Sulfide (µg/L)<sup>SRM</sup></b>	250000	NS	NS	1000 U	---	800 J	510 J	1000 U	1000 U	1000 U
<b>Dissolved Gases in Water (µg/L)</b>										
Ethane	NS	NS	NS	---	---	12 U	---	---	30.5 U	---
Ethene	NS	NS	NS	---	---	12 U	---	---	29.3 U	---
Methane	NS	NS	NS	---	---	6.3 U	---	---	16.2 U	---
<b>Headspace Gases (%)</b>										
Carbon dioxide, Field	NS	NS	NS	---	---	---	---	---	---	---
<b>Bicarbonate Alkalinity (µg/L)</b>	NS	NS	NS	3000 J	---	---	---	---	---	---
<b>Field Parameter</b>										
Dissolved Oxygen (mg/L)	NS	NS	NS	5.1	8.57	8.54	8.32	7.78	7.82	9.12
Oxidation-Reduction Potential <sup>O</sup> (mV)	NS	NS	NS	16.3	141.4	112.6	247.9	-40.9	17.6	141.5
pH (standard units)	NS	NS	NS	4.92	4.93	5.32	4.84	5.95	7.45	5.55
Specific Conductivity (mS/cm)	NS	NS	NS	0.248	0.217	0.445	0.304	0.516	0.275	0.194
Temperature (°C)	NS	NS	NS	18.1	14	21.37	21.74	14.39	25.91	15.15
Turbidity (NTU)	NS	NS	NS	6.5	8.6	58.3	58.8	58.1	12.2	1003.7
Water Color/Appearance	NS	NS	NS	slightly cloudy/clear	clear	---	yellow - milky	clear	---	---

**Table 8. Groundwater Monitoring Well Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location	MW-35	MW-35	MW-35	MW-35	MW-35	MW-35	MW-35	MW-36	MW-36
	Sample Date	12/10/2014	12/9/2015	5/3/2016	8/8/2016	11/3/2016	2/6/2017	7/26/2010	7/26/2010	
	Sample ID	MW-35	MW-35	MW-35	MW-35	MW-35	MW-35	MW-36 MS/MSD	MW-37	
	Sample Depth (ft. bgs.)	25.5	20.5	26	23.11	22.67	23.4	22.4	22.4	
	Notes	DP90	DP90						d	
<b>Screening Criteria<sup>1</sup></b>	MCL	RSL HQ = 0.1	RSL HQ = 1.0							
<b>Total Petroleum Hydrocarbons (µg/L)</b>										
Diesel Range Organics	NS	NS	NS	---	---	---	---	---	---	---
Gasoline Range Organics	NS	NS	NS	---	---	---	---	---	---	---
Heavy Petroleum Range Organics	NS	NS	NS	---	---	---	---	---	---	---
Oil Range Organics	NS	NS	NS	---	---	---	---	---	---	---
<b>Inorganic Anions (µg/L)</b>										
Nitrate (as N)	10000	NA	NA	<b>4100</b>	<b>2600</b>	<b>1800</b>	<b>1600</b>	<b>1400</b>	<b>850</b>	---
Nitrite (as N)	1000	NA	NA	<b>110</b>	100 U	100 U	200 U	100 U	100 U	---
Sulfate <sup>SM</sup>	250000	NA	NA	<b>31000</b>	<b>35000</b>	<b>41000</b>	<b>41900</b>	<b>42000</b>	<b>33000</b>	---
<b>Total Organic Carbon (µg/L)</b>	NS	NS	NS	---	---	---	<b>1000</b>	<b>1000</b>	<b>860</b>	---
<b>Total Dissolved Solids (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---	---
<b>Sulfide (µg/L)<sup>SRM</sup></b>	250000	NS	NS	1000 U	1000 U	1000 U	<b>350 J</b>	1000 U	<b>220 J</b>	---
<b>Dissolved Gases in Water (µg/L)</b>										
Ethane	NS	NS	NS	---	---	---	---	10.6 U	---	---
Ethene	NS	NS	NS	---	---	---	---	10.8 U	---	---
Methane	NS	NS	NS	---	---	---	---	5.6 U	---	---
<b>Headspace Gases (%)</b>										
Carbon dioxide, Field	NS	NS	NS	---	---	---	---	---	---	---
<b>Bicarbonate Alkalinity (µg/L)</b>	NS	NS	NS	---	---	<b>5000 J</b>	<b>4000 J</b>	<b>3000 J</b>	<b>4000 J</b>	---
<b>Field Parameter</b>										
Dissolved Oxygen (mg/L)	NS	NS	NS	8.79	9.1	8.1	8.07	7.53	14.44	7.84
Oxidation-Reduction Potential <sup>o</sup> (mV)	NS	NS	NS	130.6	163.8	224.3	46.3	184.7	169	82.3
pH (standard units)	NS	NS	NS	4.89	5.07	5.11	4.98	4.72	4.95	6.08
Specific Conductivity (mS/cm)	NS	NS	NS	0.134	0.134	0.136	0.258	0.152	0.124	0.369
Temperature (°C)	NS	NS	NS	11.77	16	18.23	18.83	12.27	16.28	16.94
Turbidity (NTU)	NS	NS	NS	508.1	118.4	40.2	36	6.9	25.6	6.9
Water Color/Appearance	NS	NS	NS	cloudy/silty	clear	slightly cloudy/clear	turbid	turbid	clear	yellow

**Table 8. Groundwater Monitoring Well Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location	MW-36	MW-36	MW-36	MW-36	MW-36	MW-36	MW-36	MW-38	MW-38	
	Sample Date	10/13/2010	11/4/2011	11/4/2011	2/8/2012	9/19/2012	12/11/2013	11/7/2011	2/8/2012		
	Sample ID	MW-36	MW-36	MW-360	MW-36	MW-36	MW-36	MW-38	MW-38		
	Sample Depth (ft. bgs.)	22.93	24.25 d	24.25 d	24.5	24.8	23	32.5	32.4		
	Notes										
<b>Screening Criteria<sup>1</sup></b>	MCL	RSL HQ = 0.1	RSL HQ = 1.0								
<b>Total Petroleum Hydrocarbons (µg/L)</b>											
Diesel Range Organics	NS	NS	NS	---	---	---	---	---	---	---	
Gasoline Range Organics	NS	NS	NS	---	---	---	---	---	---	---	
Heavy Petroleum Range Organics	NS	NS	NS	---	---	---	---	---	---	---	
Oil Range Organics	NS	NS	NS	---	---	---	---	---	---	---	
<b>Inorganic Anions (µg/L)</b>											
Nitrate (as N)	10000	NA	NA	9200	10000	---	920	---	240	5200	6800
Nitrite (as N)	1000	NA	NA	100 J	---	---	---	---	120	---	---
Sulfate <sup>SM</sup>	250000	NA	NA	180000	29000	---	180000	---	780000	50000	67000
<b>Total Organic Carbon (µg/L)</b>											
	NS	NS	NS	24500	---	---	---	---	---	---	
<b>Total Dissolved Solids (µg/L)</b>											
	NS	NS	NS	---	92000	---	720000	---	---	170000	270000
<b>Sulfide (µg/L)<sup>SRM</sup></b>											
	250000	NS	NS	2000 U	1000 U	---	1000 U	---	1000 U	1000 U	1000 U
<b>Dissolved Gases in Water (µg/L)</b>											
Ethane	NS	NS	NS	12 U	---	---	---	---	---	---	---
Ethene	NS	NS	NS	12 U	---	---	---	---	---	---	---
Methane	NS	NS	NS	6.2 U	---	---	---	---	---	---	---
<b>Headspace Gases (%)</b>											
Carbon dioxide, Field	NS	NS	NS	---	---	---	---	---	---	---	---
<b>Bicarbonate Alkalinity (µg/L)</b>											
	NS	NS	NS	---	---	---	---	---	---	---	---
<b>Field Parameter</b>											
Dissolved Oxygen (mg/L)	NS	NS	NS	6.79	7.88	7.88	0.2	0.07	0.89	2.6	0.29
Oxidation-Reduction Potential <sup>O</sup> (mV)	NS	NS	NS	239.9	211	211	14.4	-233.6	-160.1	549.2	79.1
pH (standard units)	NS	NS	NS	5.2	5.41	5.41	5.05	6.6	6.43	5.67	6.25
Specific Conductivity (mS/cm)	NS	NS	NS	0.803	0.22	0.22	0.608	1.117	1.576	0.343	0.419
Temperature (°C)	NS	NS	NS	18.82	17.01	17.01	15.62	18.42	16.85	17.54	15.74
Turbidity (NTU)	NS	NS	NS	0	8.7	8.7	15.8	0	2.9	3	1.1
Water Color/Appearance	NS	NS	NS	yellow	clear	clear	yellow tint/clear	light brown/yellow	---	---	yellowish



**Table 8. Groundwater Monitoring Well Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-38 9/20/2012 MW-38 32.31	MW-38 12/11/2013 MW-38 32.4	MW-38 12/10/2014 MW-38 32.4	MW-38 12/9/2015 MW-38 33	MW-38 5/2/2016 MW-38 39	MW-38 8/9/2016 MW-38 MS/MSD 32.16	MW-38 11/3/2016 MW-38 32.3	MW-38 2/7/2017 MW-38 MS/MSD 32.16		
<b>Screening Criteria<sup>1</sup></b>	MCL	RSL HQ = 0.1	RSL HQ = 1.0								
<b>Total Petroleum Hydrocarbons (µg/L)</b>											
Diesel Range Organics	NS	NS	NS	---	---	---	---	---	---		
Gasoline Range Organics	NS	NS	NS	---	---	---	---	---	---		
Heavy Petroleum Range Organics	NS	NS	NS	---	---	---	---	---	---		
Oil Range Organics	NS	NS	NS	---	---	---	---	---	---		
<b>Inorganic Anions (µg/L)</b>											
Nitrate (as N)	10000	NA	NA	---	<b>620</b>	<b>540</b>	<b>1400</b>	<b>3300</b>	<b>2000</b>	<b>1200</b>	<b>650</b>
Nitrite (as N)	1000	NA	NA	---	100 U	<b>140</b>	100 U	100 U	200 U	100 U	100 U
Sulfate <sup>SM</sup>	250000	NA	NA	---	<b>99000</b>	<b>160000</b>	<b>70000</b>	<b>53000</b>	<b>63800</b>	<b>67000</b>	<b>150000</b>
<b>Total Organic Carbon (µg/L)</b>	NS	NS	NS	---	---	---	---	---	<b>1200</b>	<b>1600</b>	<b>2400</b>
<b>Total Dissolved Solids (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---	---	---
<b>Sulfide (µg/L)<sup>SRM</sup></b>	250000	NS	NS	---	1000 U	1000 U	<b>2500</b>	1000 U	1000 U	<b>430 J</b>	1000 U
<b>Dissolved Gases in Water (µg/L)</b>											
Ethane	NS	NS	NS	---	---	---	---	---	---	11.6 U	---
Ethene	NS	NS	NS	---	---	---	---	---	---	11.6 U	---
Methane	NS	NS	NS	---	---	---	---	---	---	6.1 U	---
<b>Headspace Gases (%)</b>											
Carbon dioxide, Field	NS	NS	NS	---	---	---	---	---	---	---	---
<b>Bicarbonate Alkalinity (µg/L)</b>	NS	NS	NS	---	---	---	---	---	<b>34000</b>	<b>40000</b>	<b>28000</b>
<b>Field Parameter</b>											
Dissolved Oxygen (mg/L)	NS	NS	NS	0.24	0.73	0.24	0.44	3.05	0.43	0.31	0.02
Oxidation-Reduction Potential <sup>O</sup> (mV)	NS	NS	NS	-161.2	-189.4	-62.7	141.2	35.1	-91.1	-151.2	32.5
pH (standard units)	NS	NS	NS	6.54	6.73	6.61	5.88	6.06	6.06	6.1	5.91
Specific Conductivity (mS/cm)	NS	NS	NS	0.302	0.429	0.475	0.254	0.244	0.475	0.312	0.368
Temperature (°C)	NS	NS	NS	19.72	16.05	14.86	16.55	16.55	17.99	17.55	16.34
Turbidity (NTU)	NS	NS	NS	0	0.9	2.7	0	3.1	3.2	3.2	0
Water Color/Appearance	NS	NS	NS	clear	---	clear	clear	clear	clear	clear	clear

**Table 8. Groundwater Monitoring Well Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location	MW-39	MW-39	MW-39	MW-39	MW-39	MW-39	MW-39	MW-39	MW-39	MW-39	MW-39
	Sample Date	11/7/2011	2/7/2012	9/19/2012	12/9/2013	12/10/2014	12/8/2015	4/29/2016	8/8/2016	11/3/2016		
	Sample ID	MW-39	MW-39	MW-39	MW-39	MW-39	MW-39	MW-39	MW-39	MW-39	MW-39	MW-39
	Sample Depth (ft. bgs.)	42.05	40.36	40	40	34	40	35.4	40.3	40		
	Notes											
<b>Screening Criteria<sup>1</sup></b>	MCL	RSL HQ = 0.1	RSL HQ = 1.0									
<b>Total Petroleum Hydrocarbons (µg/L)</b>												
Diesel Range Organics	NS	NS	NS	---	---	---	---	---	---	---	---	---
Gasoline Range Organics	NS	NS	NS	---	---	---	---	---	---	---	---	---
Heavy Petroleum Range Organics	NS	NS	NS	---	---	---	---	---	---	---	---	---
Oil Range Organics	NS	NS	NS	---	---	---	---	---	---	---	---	---
<b>Inorganic Anions (µg/L)</b>												
Nitrate (as N)	10000	NA	NA	3700	3900	100 U	100 U	630	130	1100	1400	1600
Nitrite (as N)	1000	NA	NA	---	---	100 U	100 U	140	100 U	200 U	200 U	100 U
Sulfate <sup>SM</sup>	250000	NA	NA	43000	34000	19000	9100	68000	62000	52000	53300	68000
<b>Total Organic Carbon (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---	---	1300	1300
<b>Total Dissolved Solids (µg/L)</b>	NS	NS	NS	210000	150000	---	---	---	---	---	---	---
<b>Sulfide (µg/L)<sup>SRM</sup></b>	250000	NS	NS	420 J	1000 U	110	580 J	1000 U	1400	1000 U	1000 U	1000 U
<b>Dissolved Gases in Water (µg/L)</b>												
Ethane	NS	NS	NS	---	---	8 U	---	---	---	---	---	12 U
Ethene	NS	NS	NS	---	---	8.3 U	---	---	---	---	---	12.1 U
Methane	NS	NS	NS	---	---	12.6	---	---	---	---	---	6.3 U
<b>Headspace Gases (%)</b>												
Carbon dioxide, Field	NS	NS	NS	---	---	---	---	---	---	---	---	---
<b>Bicarbonate Alkalinity (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---	51000	43000	47000
<b>Field Parameter</b>												
Dissolved Oxygen (mg/L)	NS	NS	NS	4.92	5.25	1.5	0.73	0.13	0.21	0.61	0.42	0.65
Oxidation-Reduction Potential <sup>o</sup> (mV)	NS	NS	NS	547.9	71.3	-159.3	-262.8	-274.2	-155.8	-80.8	-77.7	-53.2
pH (standard units)	NS	NS	NS	6.19	6.01	6.2	6.54	6.61	6.02	6.24	5.98	6.01
Specific Conductivity (mS/cm)	NS	NS	NS	0.344	0.273	0.352	0.392	0.377	0.305	0.28	0.504	0.357
Temperature (°C)	NS	NS	NS	16.4	15.84	17.4	15.15	14.71	15.38	15.35	18.3	17.89
Turbidity (NTU)	NS	NS	NS	15.9	21.6	9.8	8.4	2.5	0	5.4	33	8.3
Water Color/Appearance	NS	NS	NS	---	clear	clear	---	clear	clear	clear	clear	slightly turbid

**Table 8. Groundwater Monitoring Well Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-39 2/6/2017 MW-39 40.3	MW-40 11/7/2011 MW-40 32.75	MW-40 2/8/2012 MW-40 31.78	MW-40 9/19/2012 MW-40 30	MW-40 12/11/2013 MW-40 MS/MSD 31.8	MW-40 12/10/2014 MW-40 MS/MSD 31.7	MW-40 12/10/2014 MW-40A 31.7 d	MW-40 12/9/2015 MW-40 31.7		
<b>Screening Criteria<sup>1</sup></b>	MCL	RSL HQ = 0.1	RSL HQ = 1.0								
<b>Total Petroleum Hydrocarbons (µg/L)</b>											
Diesel Range Organics	NS	NS	NS	---	---	---	---	---	---		
Gasoline Range Organics	NS	NS	NS	---	---	---	---	---	---		
Heavy Petroleum Range Organics	NS	NS	NS	---	---	---	---	---	---		
Oil Range Organics	NS	NS	NS	---	---	---	---	---	---		
<b>Inorganic Anions (µg/L)</b>											
Nitrate (as N)	10000	NA	NA	660	9900	10000	10900	5700	1600	---	11000
Nitrite (as N)	1000	NA	NA	130	---	---	300	100 U	150	---	100 U
Sulfate <sup>SM</sup>	250000	NA	NA	54000	72000	36000	56400	56000	110000	---	44000
<b>Total Organic Carbon (µg/L)</b>	NS	NS	NS	1400	---	---	---	---	---	---	---
<b>Total Dissolved Solids (µg/L)</b>	NS	NS	NS	---	220000	85000	---	---	---	---	---
<b>Sulfide (µg/L)<sup>SRM</sup></b>	250000	NS	NS	1000 U	1000 U	1000 U	1000 U	1000 U	1000 U	---	610 J
<b>Dissolved Gases in Water (µg/L)</b>											
Ethane	NS	NS	NS	---	---	---	7.4 U	---	---	---	---
Ethene	NS	NS	NS	---	---	---	7.7 U	---	---	---	---
Methane	NS	NS	NS	---	---	---	3.8 U	---	---	---	---
<b>Headspace Gases (%)</b>											
Carbon dioxide, Field	NS	NS	NS	---	---	---	---	---	---	---	---
<b>Bicarbonate Alkalinity (µg/L)</b>	NS	NS	NS	49000	---	---	---	---	---	---	---
<b>Field Parameter</b>											
Dissolved Oxygen (mg/L)	NS	NS	NS	3.13	5.5	5.02	1.29	4.77	0.45	0.45	6.77
Oxidation-Reduction Potential <sup>o</sup> (mV)	NS	NS	NS	62.1	571	49.7	-38	-186.4	-92	-92	-49.7
pH (standard units)	NS	NS	NS	5.97	5.49	5.76	5.97	6.2	5.84	5.84	5.56
Specific Conductivity (mS/cm)	NS	NS	NS	0.277	0.392	0.284	0.356	0.321	0.337	0.337	0.263
Temperature (°C)	NS	NS	NS	15.39	18.25	15.58	17.41	16.22	16.43	16.43	16.38
Turbidity (NTU)	NS	NS	NS	39.6	-3.1	9.9	0	0	1.2	1.2	0
Water Color/Appearance	NS	NS	NS	clear	---	clear	clear	---	clear	clear	slightly turbid

**Table 8. Groundwater Monitoring Well Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location	MW-40	MW-40	MW-40	MW-40	MW-41	MW-41	MW-41	MW-41	MW-41	MW-41	
	Sample Date	4/29/2016	8/10/2016	11/2/2016	2/8/2017	11/3/2011	12/8/2011	2/8/2012	9/19/2012	12/10/2013		
	Sample ID	MW-40	MW-40	MW-40	MW-40	MW-41	MW-41	MW-41	MW-41	MW-41	MW-41	
	Sample Depth (ft. bgs.)	31.7	31.6	31.8	31.6	30.8	30.8	31	30.9	30.97		
	Notes											
<b>Screening Criteria<sup>1</sup></b>	MCL	RSL HQ = 0.1	RSL HQ = 1.0									
<b>Total Petroleum Hydrocarbons (µg/L)</b>												
Diesel Range Organics	NS	NS	NS	---	---	---	---	---	---	---	---	
Gasoline Range Organics	NS	NS	NS	---	---	---	---	---	---	---	---	
Heavy Petroleum Range Organics	NS	NS	NS	---	---	---	---	---	---	---	---	
Oil Range Organics	NS	NS	NS	---	---	---	---	---	---	---	---	
<b>Inorganic Anions (µg/L)</b>												
Nitrate (as N)	10000	NA	NA	<b>10000</b>	<b>14700</b>	<b>11000</b>	<b>3300</b>	<b>13000</b>	---	<b>12000</b>	<b>16100</b>	<b>7100</b>
Nitrite (as N)	1000	NA	NA	100 U	200 U	100 U	100 U	---	---	---	<b>1500</b>	<b>2400</b>
Sulfate <sup>SM</sup>	250000	NA	NA	<b>46000</b>	<b>43900</b>	<b>44000</b>	<b>89000</b>	<b>55000</b>	---	<b>36000</b>	<b>89300</b>	<b>120000</b>
<b>Total Organic Carbon (µg/L)</b>	NS	NS	NS	---	<b>1600</b>	<b>2500</b>	<b>2100</b>	---	---	---	---	---
<b>Total Dissolved Solids (µg/L)</b>	NS	NS	NS	---	---	---	---	<b>220000</b>	---	<b>170000</b>	---	---
<b>Sulfide (µg/L)<sup>SRM</sup></b>	250000	NS	NS	<b>390 J</b>	1000 U	1000 U	1000 U	1000 U	---	1000 U	1000 U	1000 U
<b>Dissolved Gases in Water (µg/L)</b>												
Ethane	NS	NS	NS	---	---	0.0128 U	---	---	---	---	8.5 U	---
Ethene	NS	NS	NS	---	---	0.0128 U	---	---	---	---	8.8 U	---
Methane	NS	NS	NS	---	---	0.0067 U	---	---	---	---	4.4 U	---
<b>Headspace Gases (%)</b>												
Carbon dioxide, Field	NS	NS	NS	---	---	---	---	---	---	---	---	---
<b>Bicarbonate Alkalinity (µg/L)</b>	NS	NS	NS	<b>26000</b>	<b>24000</b>	<b>27000</b>	<b>25000</b>	---	---	---	---	---
<b>Field Parameter</b>												
Dissolved Oxygen (mg/L)	NS	NS	NS	6.4	6.64	7.03	0.58	6.77	7.41	1.26	1.04	0.86
Oxidation-Reduction Potential <sup>0</sup> (mV)	NS	NS	NS	-41.4	-33.9	-59.2	-59.3	528.9	189.1	29.5	27.5	-150.1
pH (standard units)	NS	NS	NS	5.91	6.11	5.76	5.68	5.62	5.87	5.9	6.16	5.93
Specific Conductivity (mS/cm)	NS	NS	NS	0.307	0.608	0.338	0.307	0.378	0.283	0.309	0.578	0.483
Temperature (°C)	NS	NS	NS	15.62	18.59	17.32	18.75	17.45	17.12	14.59	18.44	15.03
Turbidity (NTU)	NS	NS	NS	15.4	6.7	9.2	5.5	0	6	3.1	0	6.9
Water Color/Appearance	NS	NS	NS	clear	clear	--	clear	clear	clear	clear	clear	---

**Table 8. Groundwater Monitoring Well Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-41 12/10/2014 MW-41 30.97	MW-41 12/9/2015 MW-41 30.7	MW-41 4/29/2016 MW-41 30.9	MW-41 8/10/2016 MW-41 30.9	MW-41 11/3/2016 MW-41 30.9	MW-41 2/8/2017 MW-41 30.9	MW-41 3/21/2018 MW-41 30	MW-42 11/3/2011 MW-42 30.3	MW-42 12/8/2011 MW-42 30.3		
<b>Screening Criteria<sup>1</sup></b>	MCL	RSL HQ = 0.1	RSL HQ = 1.0									
<b>Total Petroleum Hydrocarbons (µg/L)</b>												
Diesel Range Organics	NS	NS	NS	---	---	---	---	---	---	---		
Gasoline Range Organics	NS	NS	NS	---	---	---	---	---	---	---		
Heavy Petroleum Range Organics	NS	NS	NS	---	---	---	---	---	---	---		
Oil Range Organics	NS	NS	NS	---	---	---	---	---	---	---		
<b>Inorganic Anions (µg/L)</b>												
Nitrate (as N)	10000	NA	NA	9400	10000	11000	8300	12000	3100	---	10000	---
Nitrite (as N)	1000	NA	NA	350	470	720	600	340	610	---	---	---
Sulfate <sup>SM</sup>	250000	NA	NA	140000	93000	110000	96700	69000	140000	---	43000	---
<b>Total Organic Carbon (µg/L)</b>												
	NS	NS	NS	---	---	---	2100	2500	4400	---	---	---
<b>Total Dissolved Solids (µg/L)</b>												
	NS	NS	NS	---	---	---	---	---	---	---	140000	---
<b>Sulfide (µg/L)<sup>SRM</sup></b>												
	250000	NS	NS	1000 U	450 J	1000 U	1000 U	1000 U	1000 U	---	1000 U	---
<b>Dissolved Gases in Water (µg/L)</b>												
Ethane	NS	NS	NS	---	---	---	---	11 U	---	---	---	---
Ethene	NS	NS	NS	---	---	---	---	11.1 U	---	---	---	---
Methane	NS	NS	NS	---	---	---	---	5.7 U	---	---	---	---
<b>Headspace Gases (%)</b>												
Carbon dioxide, Field	NS	NS	NS	---	---	---	---	---	---	---	---	---
<b>Bicarbonate Alkalinity (µg/L)</b>												
	NS	NS	NS	---	---	7000	8000	7000	10000	---	---	---
<b>Field Parameter</b>												
Dissolved Oxygen (mg/L)	NS	NS	NS	0.4	0.26	0.35	0.41	0.32	0.58	0.75	5.96	8.54
Oxidation-Reduction Potential <sup>O</sup> (mV)	NS	NS	NS	-57.6	-40.4	224.7	-61.4	25.9	-54.3	-217.1	519.8	195.8
pH (standard units)	NS	NS	NS	5.85	4.93	5.15	5.54	5.01	5.09	4.68	5.72	6.29
Specific Conductivity (mS/cm)	NS	NS	NS	0.476	0.366	0.405	0.6	0.363	0.418	0.387	0.347	0.326
Temperature (°C)	NS	NS	NS	14.84	16.05	14.49	19.28	18.34	17.43	13.8	18.05	17.8
Turbidity (NTU)	NS	NS	NS	0	1	8.3	6.7	22.3	5.2	9.9	0	47.7
Water Color/Appearance	NS	NS	NS	clear	clear	clear	clear	clear	clear	clear	clear	slightly cloudy

**Table 8. Groundwater Monitoring Well Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-42 2/8/2012 MW-42 30.43	MW-42 2/8/2012 MW-42A 30.43 d	MW-42 9/20/2012 MW-42 30.4	MW-42 12/10/2013 MW-42 30.43	MW-42 12/10/2014 MW-42 30.43	MW-42 12/9/2015 MW-42 30.4	MW-42 4/29/2016 MW-42 30.4	MW-42 8/10/2016 MW-42 31.1	MW-42 11/3/2016 MW-42 30.4		
<b>Screening Criteria<sup>1</sup></b>	MCL	RSL HQ = 0.1	RSL HQ = 1.0									
<b>Total Petroleum Hydrocarbons (µg/L)</b>												
Diesel Range Organics	NS	NS	NS	---	---	---	---	---	---	---		
Gasoline Range Organics	NS	NS	NS	---	---	---	---	---	---	---		
Heavy Petroleum Range Organics	NS	NS	NS	---	---	---	---	---	---	---		
Oil Range Organics	NS	NS	NS	---	---	---	---	---	---	---		
<b>Inorganic Anions (µg/L)</b>												
Nitrate (as N)	10000	NA	NA	7500	---	2500	4300	3800	7200	9100	6300	4600
Nitrite (as N)	1000	NA	NA	---	---	800	100 U	240	190	200 U	200 U	200
Sulfate <sup>SM</sup>	250000	NA	NA	51000	---	89800	140000	140000	110000	100000	107000	100000
<b>Total Organic Carbon (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---	---	2200	2100
<b>Total Dissolved Solids (µg/L)</b>	NS	NS	NS	220000	---	---	---	---	---	---	---	---
<b>Sulfide (µg/L)<sup>SRM</sup></b>	250000	NS	NS	1000 U	---	1000 U	1000 U	1000 U	610 J	1000 U	610 J	1000 U
<b>Dissolved Gases in Water (µg/L)</b>												
Ethane	NS	NS	NS	---	---	7.7 U	---	---	---	---	---	10.6 U
Ethene	NS	NS	NS	---	---	8 U	---	---	---	---	---	10.8 U
Methane	NS	NS	NS	---	---	4 U	---	---	---	---	---	5.6 U
<b>Headspace Gases (%)</b>												
Carbon dioxide, Field	NS	NS	NS	---	---	---	---	---	---	---	---	---
<b>Bicarbonate Alkalinity (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---	22000	23000	23000
<b>Field Parameter</b>												
Dissolved Oxygen (mg/L)	NS	NS	NS	4.02	4.02	0.22	4.52	0.22	0.22	1.32	0.8	2.32
Oxidation-Reduction Potential <sup>O</sup> (mV)	NS	NS	NS	-8.6	-8.6	-8.9	-174.7	-155.2	-106.9	31.7	-44.2	4.4
pH (standard units)	NS	NS	NS	6.04	6.04	6.11	6.65	6.35	5.53	5.75	5.93	5.63
Specific Conductivity (mS/cm)	NS	NS	NS	0.334	0.334	0.372	0.538	0.473	0.405	0.398	0.697	0.385
Temperature (°C)	NS	NS	NS	15.02	15.02	17.25	15.38	15.49	15.81	15.32	18.68	18.27
Turbidity (NTU)	NS	NS	NS	1.7	1.7	0	11.4	0.5	2.6	2.6	0.3	5.6
Water Color/Appearance	NS	NS	NS	clear	clear	clear	---	clear	clear	clear	clear	clear

**Table 8. Groundwater Monitoring Well Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-42 2/7/2017 MW-42 31.1	MW-43 5/2/2016 MW-43 25.5	MW-43 8/8/2016 MW-43 25.2	MW-43 11/4/2016 MW-43 24.58	MW-43 2/8/2017 MW-43 25.3	MW-43 3/22/2018 MW-43 26	MW-44 4/28/2016 MW-44 36.8	MW-44 8/10/2016 MW-44 37.23	MW-44 11/3/2016 MW-44 36.8		
<b>Screening Criteria<sup>1</sup></b>	MCL	RSL HQ = 0.1	RSL HQ = 1.0									
<b>Total Petroleum Hydrocarbons (µg/L)</b>												
Diesel Range Organics	NS	NS	NS	---	---	---	---	---	---	---		
Gasoline Range Organics	NS	NS	NS	---	---	---	---	---	---	---		
Heavy Petroleum Range Organics	NS	NS	NS	---	---	---	---	---	---	---		
Oil Range Organics	NS	NS	NS	---	---	---	---	---	---	---		
<b>Inorganic Anions (µg/L)</b>												
Nitrate (as N)	10000	NA	NA	4900	100 U	900	1100	760	---	8500	8900	7900
Nitrite (as N)	1000	NA	NA	380	100 U	200 U	100 U	150	---	100 U	200 U	100 U
Sulfate <sup>SM</sup>	250000	NA	NA	110000	210000	245000	220000	240000	---	63000	75000	74000
<b>Total Organic Carbon (µg/L)</b>	NS	NS	NS	2400	---	6300	5600	6000	---	---	2200	2300
<b>Total Dissolved Solids (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---	---	---	---
<b>Sulfide (µg/L)<sup>SRM</sup></b>	250000	NS	NS	1000 U	1000 U	1000 U	1000 U	1000 U	---	390 J	540 J	430 J
<b>Dissolved Gases in Water (µg/L)</b>												
Ethane	NS	NS	NS	---	---	---	12.2 U	---	---	---	---	12.6 U
Ethene	NS	NS	NS	---	---	---	12.3 U	---	---	---	---	12.6 U
Methane	NS	NS	NS	---	---	---	6.4 U	---	---	---	---	8.1
<b>Headspace Gases (%)</b>												
Carbon dioxide, Field	NS	NS	NS	---	---	---	---	---	---	---	---	---
<b>Bicarbonate Alkalinity (µg/L)</b>	NS	NS	NS	24000	---	5000 U	5000 U	5000 U	---	65000	60000	57000
<b>Field Parameter</b>												
Dissolved Oxygen (mg/L)	NS	NS	NS	0.5	0.44	0.32	0.38	0.18	0.9	3.89	4.5	4.21
Oxidation-Reduction Potential <sup>o</sup> (mV)	NS	NS	NS	51.2	12.1	-121.9	-168.3	-3.4	-88.1	-123.3	-93.6	-60.2
pH (standard units)	NS	NS	NS	5.61	5.59	4.91	4.56	4.39	4.22	6.17	6.28	6.27
Specific Conductivity (mS/cm)	NS	NS	NS	0.387	0.603	1.061	0.532	0.598	0.596	0.387	0.715	0.425
Temperature (°C)	NS	NS	NS	16.37	17.26	19.13	17.89	17.27	15	15.99	19.03	17.53
Turbidity (NTU)	NS	NS	NS	11.9	22	25.3	9.4	3.6	8.9	7.7	5.9	9.8
Water Color/Appearance	NS	NS	NS	cloudy	clear	clear	faint yellow tint	light yellow	clear	gray/black	turbid	clear

**Table 8. Groundwater Monitoring Well Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-44 2/8/2017 MW-44 37	MW-45 5/2/2016 MW-45 26	MW-45 8/11/2016 MW-45 25.8	MW-45 8/11/2016 MW-45A 25.8 d	MW-45 11/8/2016 MW-45 25.15	MW-45 2/9/2017 MW-45 26	MW-45 2/9/2017 MW-45A 26 d	MW-45 3/22/2018 MW-45 26	MW-45 3/22/2018 MW-45A 26 d		
<b>Screening Criteria<sup>1</sup></b>	MCL	RSL HQ = 0.1	RSL HQ = 1.0									
<b>Total Petroleum Hydrocarbons (µg/L)</b>												
Diesel Range Organics	NS	NS	NS	---	---	---	---	---	---	---		
Gasoline Range Organics	NS	NS	NS	---	---	---	---	---	---	---		
Heavy Petroleum Range Organics	NS	NS	NS	---	---	---	---	---	---	---		
Oil Range Organics	NS	NS	NS	---	---	---	---	---	---	---		
<b>Inorganic Anions (µg/L)</b>												
Nitrate (as N)	10000	NA	NA	6500	28000	25100	---	29000	19000	---		
Nitrite (as N)	1000	NA	NA	100 U	230	200 U	---	100 U	100 U	---		
Sulfate <sup>SM</sup>	250000	NA	NA	86000	40000	56000	---	55000	58000	---		
<b>Total Organic Carbon (µg/L)</b>	NS	NS	NS	3100	---	2400	---	2700	2500	---		
<b>Total Dissolved Solids (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---	---		
<b>Sulfide (µg/L)<sup>SRM</sup></b>	250000	NS	NS	540 J	1000 U	1000 U	---	1000 U	1000 U	---		
<b>Dissolved Gases in Water (µg/L)</b>												
Ethane	NS	NS	NS	---	2.6 U	---	---	12.2 U	---	---		
Ethene	NS	NS	NS	---	2.6 U	---	---	12.3 U	---	---		
Methane	NS	NS	NS	---	1.4 U	---	---	6.4 U	---	---		
<b>Headspace Gases (%)</b>												
Carbon dioxide, Field	NS	NS	NS	---	---	---	---	---	---	---		
<b>Bicarbonate Alkalinity (µg/L)</b>	NS	NS	NS	75000	---	7000	---	6000	9000	---		
<b>Field Parameter</b>												
Dissolved Oxygen (mg/L)	NS	NS	NS	1.74	4.18	4.94	4.94	6.92	6.24	6.24	6.22	6.22
Oxidation-Reduction Potential <sup>O</sup> (mV)	NS	NS	NS	-121.4	101.7	18.9	18.9	161.3	96.3	96.3	223.2	223.2
pH (standard units)	NS	NS	NS	6.23	5.57	5.69	5.69	5.22	5.35	5.35	5.4	5.4
Specific Conductivity (mS/cm)	NS	NS	NS	0.539	0.39	0.724	0.724	0.456	0.371	0.371	0.296	0.296
Temperature (°C)	NS	NS	NS	18.61	16.2	18.69	18.69	19.68	13.44	13.44	13.2	13.2
Turbidity (NTU)	NS	NS	NS	2.5	16.7	9.2	9.2	16.1	11.9	11.9	8.2	8.2
Water Color/Appearance	NS	NS	NS	clear	clear	turbid	turbid	clear	clear	clear	clear	clear



**Table 8. Groundwater Monitoring Well Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location	MW-46	MW-46	MW-46	MW-46	MW-46	MW-46	MW-47	MW-47	MW-47	MW-47
	Sample Date	4/28/2016	8/9/2016	11/3/2016	2/8/2017	3/26/2018	5/2/2016	8/10/2016	11/4/2016	2/9/2017	
	Sample ID	MW-46	MW-46	MW-46	MW-46	MW-46	MW-47	MW-47	MW-47	MW-47	
	Sample Depth (ft. bgs.)	46.51	41.48	41.51	41.5	91.5	25	24.7	24	24	
	Notes										
<b>Screening Criteria<sup>1</sup></b>	MCL	RSL HQ = 0.1	RSL HQ = 1.0								
<b>Total Petroleum Hydrocarbons (µg/L)</b>											
Diesel Range Organics	NS	NS	NS	---	---	---	---	---	---	---	---
Gasoline Range Organics	NS	NS	NS	---	---	---	---	---	---	---	---
Heavy Petroleum Range Organics	NS	NS	NS	---	---	---	---	---	---	---	---
Oil Range Organics	NS	NS	NS	---	---	---	---	---	---	---	---
<b>Inorganic Anions (µg/L)</b>											
Nitrate (as N)	10000	NA	NA	<b>3100</b>	<b>5000</b>	<b>3500</b>	<b>4500</b>	---	<b>11000</b>	<b>14900</b>	<b>15000</b>
Nitrite (as N)	1000	NA	NA	<b>160</b>	200 U	100 U	100 U	---	<b>200</b>	200 U	100 U
Sulfate <sup>SM</sup>	250000	NA	NA	<b>92000</b>	<b>98100</b>	<b>100000</b>	<b>120000</b>	---	<b>65000</b>	<b>63100</b>	<b>66000</b>
<b>Total Organic Carbon (µg/L)</b>	NS	NS	NS	---	<b>3000</b>	<b>3500</b>	<b>3400</b>	---	---	<b>5400</b>	<b>4800</b>
<b>Total Dissolved Solids (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---	---	---
<b>Sulfide (µg/L)<sup>SRM</sup></b>	250000	NS	NS	1000 U	1000 U	1000 U	1000 U	---	1000 U	1000 U	1000 U
<b>Dissolved Gases in Water (µg/L)</b>											
Ethane	NS	NS	NS	2.4 U	---	12.8 U	---	---	2.6 U	---	11.4 U
Ethene	NS	NS	NS	2.4 U	---	12.8 U	---	---	2.6 U	---	11.4 U
Methane	NS	NS	NS	1.3 U	---	6.7 U	---	---	1.4 U	---	5.9 U
<b>Headspace Gases (%)</b>											
Carbon dioxide, Field	NS	NS	NS	---	---	---	---	---	---	---	---
<b>Bicarbonate Alkalinity (µg/L)</b>	NS	NS	NS	<b>40000</b>	<b>24000</b>	<b>27000</b>	<b>22000</b>	---	---	<b>22000</b>	<b>23000</b>
<b>Field Parameter</b>											
Dissolved Oxygen (mg/L)	NS	NS	NS	0.22	0.6	0.52	0.93	3.18	1.94	3.2	3.95
Oxidation-Reduction Potential <sup>0</sup> (mV)	NS	NS	NS	55.7	87.6	37.8	88.7	-130.5	13.3	-12.5	33.1
pH (standard units)	NS	NS	NS	5.75	5.55	5.42	5.51	5.51	6.29	6.1	5.83
Specific Conductivity (mS/cm)	NS	NS	NS	0.375	0.692	0.411	0.405	0.407	0.431	0.768	0.44
Temperature (°C)	NS	NS	NS	15.1	18.57	18.12	15.99	13	17.32	19.57	18.84
Turbidity (NTU)	NS	NS	NS	9.7	8.3	9.6	9	10.7	57.4	6.6	29.4
Water Color/Appearance	NS	NS	NS	clear	clear	clear	clear	clear	clear	clear	clear

**Table 8. Groundwater Monitoring Well Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-47 3/26/2018 MW-47 24.5	MW-48 4/28/2016 MW-48 40.9	MW-48 8/11/2016 MW-48 40.6	MW-48 11/3/2016 MW-48 40	MW-48 2/9/2017 MW-48 38	MW-48 3/21/2018 MW-48 38	MW-49 4/27/2016 MW-50A 69.2 d, m	MW-49 4/27/2016 MW-50 69.2 m	MW-49 11/1/2016 MW-49 69		
<b>Screening Criteria<sup>1</sup></b>	MCL	RSL HQ = 0.1	RSL HQ = 1.0									
<b>Total Petroleum Hydrocarbons (µg/L)</b>												
Diesel Range Organics	NS	NS	NS	---	---	---	---	---	---	---		
Gasoline Range Organics	NS	NS	NS	---	---	---	---	---	---	---		
Heavy Petroleum Range Organics	NS	NS	NS	---	---	---	---	---	---	---		
Oil Range Organics	NS	NS	NS	---	---	---	---	---	---	---		
<b>Inorganic Anions (µg/L)</b>												
Nitrate (as N)	10000	NA	NA	---	<b>20000</b>	<b>21100</b>	<b>19000</b>	<b>16000</b>	---	---	<b>5600</b>	<b>6400</b>
Nitrite (as N)	1000	NA	NA	---	<b>130</b>	200 U	100 U	100 U	---	---	100 U	100 U
Sulfate <sup>SM</sup>	250000	NA	NA	---	<b>76000</b>	<b>77000</b>	<b>80000</b>	<b>85000</b>	---	---	<b>30000</b>	<b>28000</b>
<b>Total Organic Carbon (µg/L)</b>	NS	NS	NS	---	---	<b>2300</b>	<b>2400</b>	<b>2400</b>	---	---	<b>1400</b>	<b>720</b>
<b>Total Dissolved Solids (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---	---	---	---
<b>Sulfide (µg/L)<sup>SRM</sup></b>	250000	NS	NS	---	1000 U	1000 U	1000 U	1000 U	---	---	1000 U	1000 U
<b>Dissolved Gases in Water (µg/L)</b>												
Ethane	NS	NS	NS	---	2.5 U	---	12.1 U	---	---	---	2.6 U	12.8 U
Ethene	NS	NS	NS	---	2.5 U	---	12.2 U	---	---	---	2.6 U	12.8 U
Methane	NS	NS	NS	---	1.3 U	---	6.4 U	---	---	---	1.4 U	6.7 U
<b>Headspace Gases (%)</b>												
Carbon dioxide, Field	NS	NS	NS	---	---	---	---	---	---	---	---	---
<b>Bicarbonate Alkalinity (µg/L)</b>	NS	NS	NS	---	<b>13000</b>	<b>6000</b>	<b>6000</b>	<b>5000 J</b>	---	---	---	5000 U
<b>Field Parameter</b>												
Dissolved Oxygen (mg/L)	NS	NS	NS	6.28	2.55	3.86	3.33	3.02	5.06	4.74	4.74	5.85
Oxidation-Reduction Potential <sup>o</sup> (mV)	NS	NS	NS	-106.8	-33.7	-5.5	185.6	73.9	-75.1	92.9	92.9	106.9
pH (standard units)	NS	NS	NS	5.63	5.88	5.44	5.14	5.17	5.14	5.86	5.86	5.65
Specific Conductivity (mS/cm)	NS	NS	NS	0.363	0.426	0.783	0.485	0.409	0.345	0.229	0.229	0.222
Temperature (°C)	NS	NS	NS	12.7	15.65	21.63	18.09	13.4	14.1	15.87	15.87	17.08
Turbidity (NTU)	NS	NS	NS	15	30.7	2	26.9	4.7	12.8	9.5	9.5	6.6
Water Color/Appearance	NS	NS	NS	clear	clear	clear	clear	clear	clear	turbid	turbid	clear

**Table 8. Groundwater Monitoring Well Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-49 3/20/2018 MW-49 69.2	MW-50 4/27/2016 MW-49 80.2 m	MW-50 11/1/2016 MW-50 80	MW-50 11/1/2016 MW-50A 80 d	MW-51 4/27/2016 MW-51 39	MW-51 11/2/2016 MW-51 39	MW-51 3/21/2018 MW-51 39		
<b>Screening Criteria<sup>1</sup></b>	MCL	RSL HQ = 0.1	RSL HQ = 1.0							
<b>Total Petroleum Hydrocarbons (µg/L)</b>										
Diesel Range Organics	NS	NS	NS	---	---	---	---	---		
Gasoline Range Organics	NS	NS	NS	---	---	---	---	---		
Heavy Petroleum Range Organics	NS	NS	NS	---	---	---	---	---		
Oil Range Organics	NS	NS	NS	---	---	---	---	---		
<b>Inorganic Anions (µg/L)</b>										
Nitrate (as N)	10000	NA	NA	---	260	4100	4200	16000	16000	---
Nitrite (as N)	1000	NA	NA	---	390	100 U	100 U	140	100 U	---
Sulfate <sup>SM</sup>	250000	NA	NA	---	16000	17000	17000	46000	63000	---
<b>Total Organic Carbon (µg/L)</b>	NS	NS	NS	---	2300	840	---	2700	2600	---
<b>Total Dissolved Solids (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---	---
<b>Sulfide (µg/L)<sup>SRM</sup></b>	250000	NS	NS	---	1000 U	1000 U	---	1000 U	1000 U	---
<b>Dissolved Gases in Water (µg/L)</b>										
Ethane	NS	NS	NS	---	2.4 U	12.1 U	---	2.4 U	12.5 U	---
Ethene	NS	NS	NS	---	2.4 U	12.2 U	---	2.4 U	12.5 U	---
Methane	NS	NS	NS	---	10	157	---	1.2 U	6.5 U	---
<b>Headspace Gases (%)</b>										
Carbon dioxide, Field	NS	NS	NS	---	---	---	---	---	---	---
<b>Bicarbonate Alkalinity (µg/L)</b>	NS	NS	NS	---	---	26000	---	---	---	---
<b>Field Parameter</b>										
Dissolved Oxygen (mg/L)	NS	NS	NS	8.9	0.31	2.41	2.41	4.17	4.04	4.19
Oxidation-Reduction Potential <sup>O</sup> (mV)	NS	NS	NS	31.1	-460.2	19.5	19.5	4.4	153.4	-10.9
pH (standard units)	NS	NS	NS	5.53	7.32	6.11	6.11	6.23	5.77	5.81
Specific Conductivity (mS/cm)	NS	NS	NS	0.233	0.223	0.199	0.199	0.348	0.418	0.305
Temperature (°C)	NS	NS	NS	13.4	15.92	17.1	17.1	16.03	17.15	13.6
Turbidity (NTU)	NS	NS	NS	10.8	58	23.2	23.2	18.4	6.8	4.1
Water Color/Appearance	NS	NS	NS	clear	clear	reddish particulates	reddish particulates	clear	clear	clear

**Table 8. Groundwater Monitoring Well Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location			MW-52	MW-52	MW-52	MW-53	MW-53	MW-53	MW-54	MW-54	MW-54
	Sample Date	Sample ID	Sample Depth (ft. bgs.)	4/28/2016 MW-52 36	11/2/2016 MW-52 36	3/21/2018 MW-52 36	5/3/2016 MW-53 25	11/7/2016 MW-53 24	3/21/2018 MW-53 25	5/2/2016 MW-54 26.4	11/7/2016 MW-54 25.5	3/21/2018 MW-54 26
Notes	MCL	RSL HQ = 0.1	RSL HQ = 1.0									
<b>Screening Criteria<sup>1</sup></b>												
<b>Total Petroleum Hydrocarbons (µg/L)</b>												
Diesel Range Organics	NS	NS	NS	---	---	---	---	---	---	---	---	---
Gasoline Range Organics	NS	NS	NS	---	---	---	---	---	---	---	---	---
Heavy Petroleum Range Organics	NS	NS	NS	---	---	---	---	---	---	---	---	---
Oil Range Organics	NS	NS	NS	---	---	---	---	---	---	---	---	---
<b>Inorganic Anions (µg/L)</b>												
Nitrate (as N)	10000	NA	NA	<b>13000</b>	<b>6700</b>	---	<b>15000</b>	<b>9900</b>	---	<b>20000</b>	<b>17000</b>	---
Nitrite (as N)	1000	NA	NA	100 U	100 U	---	<b>160</b>	100 U	---	100 U	100 U	---
Sulfate <sup>SM</sup>	250000	NA	NA	<b>91000</b>	<b>64000</b>	---	<b>49000</b>	<b>50000</b>	---	<b>69000</b>	<b>86000</b>	---
<b>Total Organic Carbon (µg/L)</b>	NS	NS	NS	<b>5600</b>	<b>3700</b>	---	<b>2800</b>	<b>3100</b>	---	---	<b>2700</b>	---
<b>Total Dissolved Solids (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---	---	---	---
<b>Sulfide (µg/L)<sup>SRM</sup></b>	250000	NS	NS	1000 U	1000 U	---	1000 U	1000 U	---	1000 U	1000 U	---
<b>Dissolved Gases in Water (µg/L)</b>												
Ethane	NS	NS	NS	2.4 U	11.3 U	---	2.2 U	11.7 U	---	2.3 U	12 U	---
Ethene	NS	NS	NS	2.4 U	11.4 U	---	2.2 U	11.7 U	---	2.3 U	12 U	---
Methane	NS	NS	NS	<b>34.9</b>	<b>55.7</b>	---	1.1 U	6.1 U	---	1.2 U	6.3 U	---
<b>Headspace Gases (%)</b>												
Carbon dioxide, Field	NS	NS	NS	---	---	---	---	---	---	---	---	---
<b>Bicarbonate Alkalinity (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---	---	---	---
<b>Field Parameter</b>												
Dissolved Oxygen (mg/L)	NS	NS	NS	2.6	1.61	4.66	5.5	6.69	7.02	2.75	6.09	7.97
Oxidation-Reduction Potential <sup>O</sup> (mV)	NS	NS	NS	180.6	6.2	-2.6	55	100.5	-48.3	67.8	107.7	-48.3
pH (standard units)	NS	NS	NS	5.69	5.46	5.31	5.57	6.16	6.17	5.88	5.41	5.63
Specific Conductivity (mS/cm)	NS	NS	NS	0.404	0.315	0.268	0.396	0.382	0.416	0.413	0.44	0.329
Temperature (°C)	NS	NS	NS	15.66	17.42	12.7	15.92	18.46	13.5	16.53	17.76	13.6
Turbidity (NTU)	NS	NS	NS	9.9	36.5	7.5	18.4	12.2	11.7	21.2	10.2	8.1
Water Color/Appearance	NS	NS	NS	clear	clear	clear	clear	turbid	clear	clear	clear	clear

**Table 8. Groundwater Monitoring Well Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-55 5/2/2016 MW-55 25	MW-55 11/7/2016 MW-55 24.21	MW-56 4/27/2016 MW-56 39.2	MW-56 11/1/2016 MW-56 39.2	MW-56 3/20/2018 MW-56 39.2	MW-57 4/27/2016 MW-57 39.7	MW-57 11/2/2016 MW-57 39.7	MW-57 3/20/2018 MW-57 39.7	MW-58 4/26/2016 MW-58 92		
<b>Screening Criteria<sup>1</sup></b>	MCL	RSL HQ = 0.1	RSL HQ = 1.0									
<b>Total Petroleum Hydrocarbons (µg/L)</b>												
Diesel Range Organics	NS	NS	NS	---	---	---	---	---	---	---		
Gasoline Range Organics	NS	NS	NS	---	---	---	---	---	---	---		
Heavy Petroleum Range Organics	NS	NS	NS	---	---	---	---	---	---	---		
Oil Range Organics	NS	NS	NS	---	---	---	---	---	---	---		
<b>Inorganic Anions (µg/L)</b>												
Nitrate (as N)	10000	NA	NA	2600	3600	20000	23000	---	530	500	---	100 U
Nitrite (as N)	1000	NA	NA	100 U	100 U	170	100 U	---	200	100 U	---	100 U
Sulfate <sup>SM</sup>	250000	NA	NA	62000	58000	52000	60000	---	34000	35000	---	20000
<b>Total Organic Carbon (µg/L)</b>	NS	NS	NS	1700	1800	3700	2300	---	4400	3500	---	2000
<b>Total Dissolved Solids (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---	---	---	---
<b>Sulfide (µg/L)<sup>SRM</sup></b>	250000	NS	NS	1000 U	1000 U	1000 U	1000 U	---	1000 U	1000 U	---	1000 U
<b>Dissolved Gases in Water (µg/L)</b>												
Ethane	NS	NS	NS	2.7 U	10.7 U	2.0 U	11.2 U	---	3.0 U	11.9 U	---	2.4 U
Ethene	NS	NS	NS	2.7 U	10.8 U	2.0 U	11.3 U	---	3.0 U	11.9 U	---	2.4 U
Methane	NS	NS	NS	1.4 U	5.6 U	1.0 U	5.9 U	---	1.6 U	6.2 U	---	11.4
<b>Headspace Gases (%)</b>												
Carbon dioxide, Field	NS	NS	NS	---	---	---	---	---	---	---	---	---
<b>Bicarbonate Alkalinity (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---	---	---	---
<b>Field Parameter</b>												
Dissolved Oxygen (mg/L)	NS	NS	NS	4.48	7.85	2.4	4.18	4.89	0.29	0.36	1.68	0.39
Oxidation-Reduction Potential <sup>O</sup> (mV)	NS	NS	NS	93.4	96.7	17	95.5	199.8	141.3	125.1	156.9	-71.3
pH (standard units)	NS	NS	NS	6.08	5.86	6	5.21	5.36	5.65	5.58	5.83	6.54
Specific Conductivity (mS/cm)	NS	NS	NS	0.27	0.227	0.401	0.47	0.403	0.22	0.223	0.175	0.188
Temperature (°C)	NS	NS	NS	17.09	18.66	15.72	17.15	13	15.78	17.36	13.5	15.04
Turbidity (NTU)	NS	NS	NS	8.2	8.6	55.5	23.3	16	7.4	0	5	54.1
Water Color/Appearance	NS	NS	NS	clear	clear	clear	clear	clear	turbid	clear	clear	tan

**Table 8. Groundwater Monitoring Well Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-58 11/1/2016 MW-58 91.92	MW-58 3/20/2018 MW-58 91.8	MW-59 5/5/2016 MW-59 25	MW-59 11/9/2016 MW-59 24.54	MW-59 3/23/2018 MW-59 25	MW-60 4/28/2016 MW-60 36	MW-60 5/10/2016 MW-60 36	MW-60 11/2/2016 MW-60 36		
<b>Screening Criteria<sup>1</sup></b>	MCL	RSL HQ = 0.1	RSL HQ = 1.0								
<b>Total Petroleum Hydrocarbons (µg/L)</b>											
Diesel Range Organics	NS	NS	NS	---	---	---	---	---	---		
Gasoline Range Organics	NS	NS	NS	---	---	---	---	---	---		
Heavy Petroleum Range Organics	NS	NS	NS	---	---	---	---	---	---		
Oil Range Organics	NS	NS	NS	---	---	---	---	---	---		
<b>Inorganic Anions (µg/L)</b>											
Nitrate (as N)	10000	NA	NA	100 U	---	100 U	100 U	---	100 U	100 U	<b>1400</b>
Nitrite (as N)	1000	NA	NA	100 U	---	100 U	100 U	---	100 U	100 U	100 U
Sulfate <sup>SM</sup>	250000	NA	NA	<b>23000</b>	---	<b>29000</b>	<b>17000</b>	---	<b>17000</b>	<b>16000</b>	<b>31000</b>
<b>Total Organic Carbon (µg/L)</b>	NS	NS	NS	<b>590</b>	---	<b>9700</b>	<b>15400</b>	---	<b>16100</b>	---	<b>34400</b>
<b>Total Dissolved Solids (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---	---	---
<b>Sulfide (µg/L)<sup>SRM</sup></b>	250000	NS	NS	1000 U	---	<b>770 J</b>	<b>3200</b>	---	1000 U	---	<b>540 J</b>
<b>Dissolved Gases in Water (µg/L)</b>											
Ethane	NS	NS	NS	12.2 U	---	2.8 U	13 U	---	2.2 U	---	11.8 U
Ethene	NS	NS	NS	12.2 U	---	2.8 U	13 U	---	2.2 U	---	11.8 U
Methane	NS	NS	NS	<b>10.7</b>	---	1.5 U	<b>7.6</b>	---	1.2 U	---	6.2 U
<b>Headspace Gases (%)</b>											
Carbon dioxide, Field	NS	NS	NS	---	---	---	---	---	---	---	---
<b>Bicarbonate Alkalinity (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---	---	---
<b>Field Parameter</b>											
Dissolved Oxygen (mg/L)	NS	NS	NS	0.34	1.28	0.14	0.32	0.61	0.39	0.31	0.26
Oxidation-Reduction Potential <sup>O</sup> (mV)	NS	NS	NS	-94	-85.7	-139.6	-214.1	-343.2	-109.9	-107.6	-84.4
pH (standard units)	NS	NS	NS	6.38	6.53	6.02	6.07	5.69	6.23	5.96	5.92
Specific Conductivity (mS/cm)	NS	NS	NS	0.174	0.164	0.346	0.353	0.269	0.282	0.2963	0.492
Temperature (°C)	NS	NS	NS	17.36	13.4	15.47	17.51	14.8	15.37	15.3	18.85
Turbidity (NTU)	NS	NS	NS	9.3	62.7	9.7	14.2	12.3	22.8	9.6	46.3
Water Color/Appearance	NS	NS	NS	clear	clear/yellow tint	gray	slightly cloudy	clear	clear	turbid	turbid

**Table 8. Groundwater Monitoring Well Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-60 3/21/2018 MW-60 36	MW-61 5/5/2016 MW-61 25	MW-61 11/10/2016 MW-61 25.02	MW-61 11/10/2016 MW-61 (DUP) 25.02 d	MW-61 3/23/2018 MW-61 25.5	MW-62 4/26/2016 MW-62 30.6	MW-62 11/2/2016 MW-62 30.6	MW-62 3/20/2018 MW-62 29.25		
<b>Screening Criteria<sup>1</sup></b>	MCL	RSL HQ = 0.1	RSL HQ = 1.0								
<b>Total Petroleum Hydrocarbons (µg/L)</b>											
Diesel Range Organics	NS	NS	NS	---	---	---	---	---	---		
Gasoline Range Organics	NS	NS	NS	---	---	---	---	---	---		
Heavy Petroleum Range Organics	NS	NS	NS	---	---	---	---	---	---		
Oil Range Organics	NS	NS	NS	---	---	---	---	---	---		
<b>Inorganic Anions (µg/L)</b>											
Nitrate (as N)	10000	NA	NA	---	<b>1300</b>	<b>2700</b>	<b>2700</b>	---	100 U	100 U	---
Nitrite (as N)	1000	NA	NA	---	100 U	100 U	---	---	100 U	100 U	---
Sulfate <sup>SM</sup>	250000	NA	NA	---	<b>25000</b>	<b>26000</b>	---	---	<b>14000</b>	<b>20000</b>	---
<b>Total Organic Carbon (µg/L)</b>	NS	NS	NS	---	<b>3500</b>	<b>1200</b>	---	---	<b>6100</b>	<b>5900</b>	---
<b>Total Dissolved Solids (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---	---	---
<b>Sulfide (µg/L)<sup>SRM</sup></b>	250000	NS	NS	---	1000 U	1000 U	---	---	1000 U	1000 U	---
<b>Dissolved Gases in Water (µg/L)</b>											
Ethane	NS	NS	NS	---	2.5 U	11.5 U	---	---	2.5 U	12.2 U	---
Ethene	NS	NS	NS	---	2.5 U	11.5 U	---	---	2.5 U	12.3 U	---
Methane	NS	NS	NS	---	1.3 U	6 U	---	---	<b>2050</b>	<b>5230</b>	---
<b>Headspace Gases (%)</b>											
Carbon dioxide, Field	NS	NS	NS	---	---	---	---	---	---	---	---
<b>Bicarbonate Alkalinity (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---	---	---
<b>Field Parameter</b>											
Dissolved Oxygen (mg/L)	NS	NS	NS	1.23	2.83	5.7	5.7	5.34	0.25	0.22	0.57
Oxidation-Reduction Potential <sup>o</sup> (mV)	NS	NS	NS	-328.8	-55.9	-61.1	-61.1	-199.1	43.1	-42.6	-251.9
pH (standard units)	NS	NS	NS	5.95	8.14	5.66	5.66	5.31	5.82	5.77	5.98
Specific Conductivity (mS/cm)	NS	NS	NS	0.265	0.134	0.145	0.145	0.13	0.185	0.33	0.312
Temperature (°C)	NS	NS	NS	11.4	15.53	17.4	17.4	14.3	19.59	17.34	15
Turbidity (NTU)	NS	NS	NS	9.9	13.9	4.7	4.7	8.5	13.8	14.8	18.3
Water Color/Appearance	NS	NS	NS	grey, cloudy to clear	--	clear	clear	clear	clear	turbid	clear

**Table 8. Groundwater Monitoring Well Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-63 4/28/2016 MW-63 36.1	MW-63 11/2/2016 MW-63 36.1	MW-63 3/21/2018 MW-63 36.1	MW-64 4/28/2016 MW-64 35.9	MW-64 11/2/2016 MW-64 35.9	MW-64 3/20/2018 MW-64 35.9	MW-65 5/2/2016 MW-65 24.5	MW-65 11/7/2016 MW-65 23.79		
<b>Screening Criteria<sup>1</sup></b>	MCL	RSL HQ = 0.1	RSL HQ = 1.0								
<b>Total Petroleum Hydrocarbons (µg/L)</b>											
Diesel Range Organics	NS	NS	NS	---	---	---	---	---	---		
Gasoline Range Organics	NS	NS	NS	---	---	---	---	---	---		
Heavy Petroleum Range Organics	NS	NS	NS	---	---	---	---	---	---		
Oil Range Organics	NS	NS	NS	---	---	---	---	---	---		
<b>Inorganic Anions (µg/L)</b>											
Nitrate (as N)	10000	NA	NA	200	220	---	1900	2700	---	5300	6300
Nitrite (as N)	1000	NA	NA	100 U	100 U	---	100 U	100 U	---	100 U	100 U
Sulfate <sup>SM</sup>	250000	NA	NA	23000	18000	---	27000	35000	---	42000	43000
<b>Total Organic Carbon (µg/L)</b>	NS	NS	NS	3500	3200	---	4800	1100	---	1700	2100
<b>Total Dissolved Solids (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---	---	---
<b>Sulfide (µg/L)<sup>SRM</sup></b>	250000	NS	NS	1000 U	1000 U	---	1000 U	1000 U	---	1000 U	1000 U
<b>Dissolved Gases in Water (µg/L)</b>											
Ethane	NS	NS	NS	2.5 U	11.7 U	---	2.5 U	12.2 U	---	2.7 U	11.8 U
Ethene	NS	NS	NS	2.5 U	11.8 U	---	2.5 U	12.2 U	---	2.7 U	11.8 U
Methane	NS	NS	NS	172	748	---	1.3 U	6.4 U	---	1.4 U	6.2 U
<b>Headspace Gases (%)</b>											
Carbon dioxide, Field	NS	NS	NS	---	---	---	---	---	---	---	---
<b>Bicarbonate Alkalinity (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---	---	---
<b>Field Parameter</b>											
Dissolved Oxygen (mg/L)	NS	NS	NS	0.34	0.48	1.71	4.61	6	5.18	4.31	5.6
Oxidation-Reduction Potential <sup>O</sup> (mV)	NS	NS	NS	1.1	-59.9	-88.9	54.1	160.5	208	135.4	97.7
pH (standard units)	NS	NS	NS	6.06	5.86	6.04	5.82	5.24	5.58	5.82	5.99
Specific Conductivity (mS/cm)	NS	NS	NS	0.27	0.299	0.311	0.268	0.301	0.276	0.364	0.388
Temperature (°C)	NS	NS	NS	15.69	18.46	11.6	15.89	18.95	14.7	16.78	18.36
Turbidity (NTU)	NS	NS	NS	50.2	0	22.9	7.3	0	9.7	16.9	6.9
Water Color/Appearance	NS	NS	NS	turbid	clear	clear, slightly Cloudy	clear	clear	clear	clear	clear



**Table 8. Groundwater Monitoring Well Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-66 4/26/2016 MW-66 32.5	MW-66 11/1/2016 MW-66 32.5	MW-66 3/20/2018 MW-66 32.5	MW-67 4/26/2016 MW-67 69.2	MW-67 11/1/2016 MW-67 69.2	MW-68 4/27/2016 MW-68 36.4	MW-68 4/27/2016 MW-68A 36.4 d	MW-68 11/2/2016 MW-68 36.4		
<b>Screening Criteria<sup>1</sup></b>	MCL	RSL HQ = 0.1	RSL HQ = 1.0								
<b>Total Petroleum Hydrocarbons (µg/L)</b>											
Diesel Range Organics	NS	NS	NS	---	---	---	---	---	---		
Gasoline Range Organics	NS	NS	NS	---	---	---	---	---	---		
Heavy Petroleum Range Organics	NS	NS	NS	---	---	---	---	---	---		
Oil Range Organics	NS	NS	NS	---	---	---	---	---	---		
<b>Inorganic Anions (µg/L)</b>											
Nitrate (as N)	10000	NA	NA	10000	10000	---	6200	6200	4600	---	5200
Nitrite (as N)	1000	NA	NA	470	100 U	---	100 U	100 U	100	---	100 U
Sulfate <sup>SM</sup>	250000	NA	NA	32000	34000	---	20000	22000	87000	---	81000
<b>Total Organic Carbon (µg/L)</b>	NS	NS	NS	2200	1700	---	940 J	1200	4500	---	4300
<b>Total Dissolved Solids (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---	---	---
<b>Sulfide (µg/L)<sup>SRM</sup></b>	250000	NS	NS	1000 U	1000 U	---	1000 U	1000 U	1000 U	---	1000 U
<b>Dissolved Gases in Water (µg/L)</b>											
Ethane	NS	NS	NS	2.6 U	13.1 U	---	2.4 U	12 U	2.2 U	---	12.8 U
Ethene	NS	NS	NS	2.6 U	13.1 U	---	2.4 U	12.1 U	2.3 U	---	12.8 U
Methane	NS	NS	NS	1.4 U	6.9 U	---	1.3 U	6.9	123	---	141
<b>Headspace Gases (%)</b>											
Carbon dioxide, Field	NS	NS	NS	---	---	---	---	---	---	---	---
<b>Bicarbonate Alkalinity (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---	---	56000
<b>Field Parameter</b>											
Dissolved Oxygen (mg/L)	NS	NS	NS	2.32	2.48	3.74	5.4	8.13	0.42	0.42	0.3
Oxidation-Reduction Potential <sup>o</sup> (mV)	NS	NS	NS	151	172.9	150.3	80.1	108.5	30.5	30.5	57
pH (standard units)	NS	NS	NS	5.38	5.34	5.59	5.75	5.58	6.28	6.28	5.92
Specific Conductivity (mS/cm)	NS	NS	NS	0.28	0.307	0.285	0.223	0.201	0.386	0.386	0.44
Temperature (°C)	NS	NS	NS	18.31	16.38	14.8	13.7	16.89	15.51	15.51	17.1
Turbidity (NTU)	NS	NS	NS	12	2	4.9	6.7	6.6	18.2	18.2	20.2
Water Color/Appearance	NS	NS	NS	clear	clear	clear	clear	clear	clear	clear	clear

**Table 8. Groundwater Monitoring Well Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-68 11/2/2016 MW-68 (DUP) 36.4 d	MW-68 3/20/2018 MW-68 36.7	MW-68 3/20/2018 MW-68A 36.7 d	MW-OS-1 4/5/2018 MW-OS-1 50	MW-OS-1 4/5/2018 MW-OS-1A 50 d	MW-OS-2 4/4/2018 MW-OS-2 52	MW-OS-2 4/4/2018 MW-OS-2A 52 d		
<b>Screening Criteria<sup>1</sup></b>	MCL	RSL HQ = 0.1	RSL HQ = 1.0							
<b>Total Petroleum Hydrocarbons (µg/L)</b>										
Diesel Range Organics	NS	NS	NS	---	---	---	---	---		
Gasoline Range Organics	NS	NS	NS	---	---	---	---	---		
Heavy Petroleum Range Organics	NS	NS	NS	---	---	---	---	---		
Oil Range Organics	NS	NS	NS	---	---	---	---	---		
<b>Inorganic Anions (µg/L)</b>										
Nitrate (as N)	10000	NA	NA	5200	---	---	---	---		
Nitrite (as N)	1000	NA	NA	---	---	---	---	---		
Sulfate <sup>SM</sup>	250000	NA	NA	---	---	---	---	---		
<b>Total Organic Carbon (µg/L)</b>	NS	NS	NS	---	---	---	---	---		
<b>Total Dissolved Solids (µg/L)</b>	NS	NS	NS	---	---	---	---	---		
<b>Sulfide (µg/L)<sup>SRM</sup></b>	250000	NS	NS	---	---	---	---	---		
<b>Dissolved Gases in Water (µg/L)</b>										
Ethane	NS	NS	NS	---	---	---	---	---		
Ethene	NS	NS	NS	---	---	---	---	---		
Methane	NS	NS	NS	---	---	---	---	---		
<b>Headspace Gases (%)</b>										
Carbon dioxide, Field	NS	NS	NS	---	---	---	---	---		
<b>Bicarbonate Alkalinity (µg/L)</b>	NS	NS	NS	---	---	---	---	---		
<b>Field Parameter</b>										
Dissolved Oxygen (mg/L)	NS	NS	NS	0.3	6.16	6.16	5.23	5.23	1.6	1.6
Oxidation-Reduction Potential <sup>O</sup> (mV)	NS	NS	NS	57	-24.1	-24.1	238.9	238.9	217.5	217.5
pH (standard units)	NS	NS	NS	5.92	5.91	5.91	5.86	5.56	12.15	12.15
Specific Conductivity (mS/cm)	NS	NS	NS	0.44	0.389	0.389	0.417	0.417	2.380	2.380
Temperature (°C)	NS	NS	NS	17.1	13.1	13.1	15.6	15.6	18.7	18.7
Turbidity (NTU)	NS	NS	NS	20.2	14.2	14.2	19.8	19.8	8.2	8.2
Water Color/Appearance	NS	NS	NS	clear	clear	clear	cloudy	cloudy	yellow-brown tint	yellow-brown tint

**Table 8. Groundwater Monitoring Well Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	MW-OS-3 7/26/2018 MW-OS-03 56	MW-OS-3 7/26/2018 MW-OS-03D 56 d	IJW-1 11/4/2011 IJW-1 32	IJW-1 2/8/2012 IJW-1 32.2	IJW-5 11/3/2011 IJW-5 32.05	IJW-5 2/9/2012 IJW-5 33.08	IJW-6 11/3/2011 IJW-6 42.1	IJW-6 12/8/2011 IJW-6 42.1		
<b>Screening Criteria<sup>1</sup></b>	MCL	RSL HQ = 0.1	RSL HQ = 1.0								
<b>Total Petroleum Hydrocarbons (µg/L)</b>											
Diesel Range Organics	NS	NS	NS	---	---	---	---	---	---		
Gasoline Range Organics	NS	NS	NS	---	---	---	---	---	---		
Heavy Petroleum Range Organics	NS	NS	NS	---	---	---	---	---	---		
Oil Range Organics	NS	NS	NS	---	---	---	---	---	---		
<b>Inorganic Anions (µg/L)</b>											
Nitrate (as N)	10000	NA	NA	---	---	7900	610	3400	3300	5300	---
Nitrite (as N)	1000	NA	NA	---	---	---	---	---	---	---	---
Sulfate <sup>SM</sup>	250000	NA	NA	---	---	44000	57000	26000	46000	36000	---
<b>Total Organic Carbon (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---	---	---
<b>Total Dissolved Solids (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---	---	---
<b>Sulfide (µg/L)<sup>SRM</sup></b>	250000	NS	NS	---	---	---	---	---	---	---	---
<b>Dissolved Gases in Water (µg/L)</b>											
Ethane	NS	NS	NS	---	---	---	---	---	---	---	---
Ethene	NS	NS	NS	---	---	---	---	---	---	---	---
Methane	NS	NS	NS	---	---	---	---	---	---	---	---
<b>Headspace Gases (%)</b>											
Carbon dioxide, Field	NS	NS	NS	---	---	---	---	---	---	---	---
<b>Bicarbonate Alkalinity (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---	---	---
<b>Field Parameter</b>											
Dissolved Oxygen (mg/L)	NS	NS	NS	4.3	4.3	7.03	0.55	7.69	0.07	6.69	6.93
Oxidation-Reduction Potential <sup>o</sup> (mV)	NS	NS	NS	117.4	117.4	284.3	-416.6	471.5	-477.6	476.6	235.9
pH (standard units)	NS	NS	NS	5.09	5.09	6.34	10.62	5.59	9.81	5.33	5.67
Specific Conductivity (mS/cm)	NS	NS	NS	0.183	0.183	0.332	0.497	0.205	1.214	0.28	0.253
Temperature (°C)	NS	NS	NS	20.41	20.41	16.14	15.67	17.16	16.18	17	16.21
Turbidity (NTU)	NS	NS	NS	14.5	14.5	8	8.6	20.6	0	22.7	29.2
Water Color/Appearance	NS	NS	NS	clear	clear	clear	slightly yellow	yellow	bright yellow	pale yellow	cloudy

**Table 8. Groundwater Monitoring Well Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location	IJW-6	IJW-8	IJW-8	IJW-8	IJW-10D	IJW-10D	IJW-10D	IJW-10D	IJW-10S		
	Sample Date	2/7/2012	11/3/2011	12/8/2011	2/7/2012	11/3/2011	2/9/2012	9/18/2012	12/11/2013	11/3/2011		
	Sample ID	IJW-6	IJW-8	IJW-8	IJW-8	IJW-10D	IJW-10D	IJW-10D	IJW-10D	IJW-10S		
	Sample Depth (ft. bgs.)	45.8	35.2	35.2	35.8	33	34	34	34	27.1		
	Notes											
<b>Screening Criteria<sup>1</sup></b>	MCL	RSL HQ = 0.1	RSL HQ = 1.0									
<b>Total Petroleum Hydrocarbons (µg/L)</b>												
Diesel Range Organics	NS	NS	NS	---	---	---	---	---	---	---		
Gasoline Range Organics	NS	NS	NS	---	---	---	---	---	---	---		
Heavy Petroleum Range Organics	NS	NS	NS	---	---	---	---	---	---	---		
Oil Range Organics	NS	NS	NS	---	---	---	---	---	---	---		
<b>Inorganic Anions (µg/L)</b>												
Nitrate (as N)	10000	NA	NA	7100	2700	---	1600	3800	1100	---	100 U	---
Nitrite (as N)	1000	NA	NA	---	---	---	---	---	---	---	100 U	---
Sulfate <sup>SM</sup>	250000	NA	NA	57000	23000	---	46000	46000	35000	---	110000	---
<b>Total Organic Carbon (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---	---	---	---
<b>Total Dissolved Solids (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---	---	---	---
<b>Sulfide (µg/L)<sup>SRM</sup></b>	250000	NS	NS	---	---	---	---	---	---	---	1000 U	---
<b>Dissolved Gases in Water (µg/L)</b>												
Ethane	NS	NS	NS	---	---	---	---	---	---	---	---	---
Ethene	NS	NS	NS	---	---	---	---	---	---	---	---	---
Methane	NS	NS	NS	---	---	---	---	---	---	---	---	---
<b>Headspace Gases (%)</b>												
Carbon dioxide, Field	NS	NS	NS	---	---	---	---	---	---	---	---	---
<b>Bicarbonate Alkalinity (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---	---	---	---
<b>Field Parameter</b>												
Dissolved Oxygen (mg/L)	NS	NS	NS	0.51	7.4	8.86	0.51	4.11	0.51	0.07	0.7	7.91
Oxidation-Reduction Potential <sup>O</sup> (mV)	NS	NS	NS	-464.3	464.4	230	-464.2	273.6	-464.2	482.3	-309.6	380.5
pH (standard units)	NS	NS	NS	9.85	5.46	6.14	10.14	9.53	10.14	10.2	6.84	5.97
Specific Conductivity (mS/cm)	NS	NS	NS	3.687	0.202	0.185	2.811	0.332	2.811	1.096	0.514	0.226
Temperature (°C)	NS	NS	NS	16.68	17.55	16.28	16.21	16.28	16.21	15.43	16.05	17.56
Turbidity (NTU)	NS	NS	NS	2.1	0	10	47.1	14.9	47.1	6.2	8	15
Water Color/Appearance	NS	NS	NS	yellow	pale yellow	clear	yellow	clear	yellow	yellowish	---	clear

**Table 8. Groundwater Monitoring Well Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	IJW-12 11/2/2011 IJW-12 25.4	IJW-12 2/8/2012 IJW-12 24.5	IJW-12 9/19/2012 IJW-12 26.5	IJW-12 12/9/2013 IJW-12 25.9	IJW-13 11/2/2011 IJW-13 23.96	IJW-13 11/7/2011 IJW-13 23.98	IJW-13 2/7/2012 IJW-13 24.4	IJW-13 9/19/2012 IJW-13 24.7		
<b>Screening Criteria<sup>1</sup></b>	MCL	RSL HQ = 0.1	RSL HQ = 1.0								
<b>Total Petroleum Hydrocarbons (µg/L)</b>											
Diesel Range Organics	NS	NS	NS	---	---	---	---	---	---		
Gasoline Range Organics	NS	NS	NS	---	---	---	---	---	---		
Heavy Petroleum Range Organics	NS	NS	NS	---	---	---	---	---	---		
Oil Range Organics	NS	NS	NS	---	---	---	---	---	---		
<b>Inorganic Anions (µg/L)</b>											
Nitrate (as N)	10000	NA	NA	6100	3500	200 U	100 U	---	5000	2000	710
Nitrite (as N)	1000	NA	NA	---	---	200	110	---	---	---	520
Sulfate <sup>SM</sup>	250000	NA	NA	54000	290000	123000	170000	---	30000	58000	82000
<b>Total Organic Carbon (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---	---	---
<b>Total Dissolved Solids (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---	---	---
<b>Sulfide (µg/L)<sup>SRM</sup></b>	250000	NS	NS	---	---	1000 U	1000 U	---	---	---	1000 U
<b>Dissolved Gases in Water (µg/L)</b>											
Ethane	NS	NS	NS	---	---	7 U	---	---	---	---	7.8 U
Ethene	NS	NS	NS	---	---	7.4 U	---	---	---	---	8.2 U
Methane	NS	NS	NS	---	---	3.6 U	---	---	---	---	4.1 U
<b>Headspace Gases (%)</b>											
Carbon dioxide, Field	NS	NS	NS	---	---	---	---	---	---	---	---
<b>Bicarbonate Alkalinity (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---	---	---
<b>Field Parameter</b>											
Dissolved Oxygen (mg/L)	NS	NS	NS	5.73	0.51	0.13	0.66	6.6	6.6	0.49	0.03
Oxidation-Reduction Potential <sup>o</sup> (mV)	NS	NS	NS	376.7	-412.3	-295.4	-360.7	340.9	340.9	-389.3	-339.6
pH (standard units)	NS	NS	NS	7.57	8.13	6.98	7.03	7.13	7.13	7.76	7.17
Specific Conductivity (mS/cm)	NS	NS	NS	0.328	1.908	0.653	0.545	0.268	0.268	1.628	0.594
Temperature (°C)	NS	NS	NS	17.68	15.28	19.11	16.71	17.9	17.9	16.71	17.9
Turbidity (NTU)	NS	NS	NS	34.6	79.6	21.62	19.6	5	5	91.4	0
Water Color/Appearance	NS	NS	NS	pale yellow	turbid/green	blackish	---	clear	clear	gray/turbid/Yellow	gray/turbid/Yellow

**Table 8. Groundwater Monitoring Well Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	IJW-13 12/10/2013 IJW-13 23	L-25 12/13/2013 L-25 24.3	L-25 12/9/2015 L-25 25	L-25 5/5/2016 L-25 25	L-25 11/10/2016 L-25 23.25	L-25 3/26/2018 L-25 23.5	L-28 12/13/2013 L-28 21.1	L-28 5/5/2016 L-28 21		
<b>Screening Criteria<sup>1</sup></b>	MCL	RSL HQ = 0.1	RSL HQ = 1.0								
<b>Total Petroleum Hydrocarbons (µg/L)</b>											
Diesel Range Organics	NS	NS	NS	---	---	---	---	---	---		
Gasoline Range Organics	NS	NS	NS	---	---	---	---	---	---		
Heavy Petroleum Range Organics	NS	NS	NS	---	---	---	---	---	---		
Oil Range Organics	NS	NS	NS	---	---	---	---	---	---		
<b>Inorganic Anions (µg/L)</b>											
Nitrate (as N)	10000	NA	NA	100 U	100 U	100 U	100 U	100 U	100 U		
Nitrite (as N)	1000	NA	NA	100 U	100 U	100 U	100 U	100 U	100 U		
Sulfate <sup>SM</sup>	250000	NA	NA	<b>160000</b>	5000 U	5000 U	5000 U	5000 U	5000 U		
<b>Total Organic Carbon (µg/L)</b>	NS	NS	NS	---	<b>8200</b>	<b>6900</b>	<b>9700</b>	<b>4900</b>	---	<b>15300</b>	<b>25100</b>
<b>Total Dissolved Solids (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---	---	---
<b>Sulfide (µg/L)<sup>SRM</sup></b>	250000	NS	NS	1000 U	1000 U	<b>2100</b>	<b>3400</b>	<b>4600</b>	---	1000 U	<b>1200</b>
<b>Dissolved Gases in Water (µg/L)</b>											
Ethane	NS	NS	NS	---	10.8 U	10.9 U	2.2 U	11.4 U	---	10.7 U	2.4 U
Ethene	NS	NS	NS	---	11.0 U	11 U	2.2 U	11.5 U	---	10.8 U	2.4 U
Methane	NS	NS	NS	---	<b>76.3</b>	<b>210</b>	<b>80.8</b>	<b>74.1</b>	---	<b>132</b>	<b>711</b>
<b>Headspace Gases (%)</b>											
Carbon dioxide, Field	NS	NS	NS	---	---	---	---	---	---	---	---
<b>Bicarbonate Alkalinity (µg/L)</b>	NS	NS	NS	---	---	---	<b>61000</b>	<b>60000</b>	---	---	<b>138000</b>
<b>Field Parameter</b>											
Dissolved Oxygen (mg/L)	NS	NS	NS	0.77	0.72	0.22	0.12	0.24	0.74	0.73	0.3
Oxidation-Reduction Potential <sup>0</sup> (mV)	NS	NS	NS	-208	-202	-182.2	-226.3	-327.8	-336.7	-159.1	-150.4
pH (standard units)	NS	NS	NS	5.86	5.46	5.47	5.81	5.85	5.79	6.53	8.2
Specific Conductivity (mS/cm)	NS	NS	NS	0.483	0.187	0.122	0.147	0.183	0.175	0.238	0.246
Temperature (°C)	NS	NS	NS	20.36	16.21	16.62	16.34	18	12.2	16.47	14.8
Turbidity (NTU)	NS	NS	NS	8.6	9.1	14.6	11.7	13.9	8.6	3.1	14.3
Water Color/Appearance	NS	NS	NS	---	---	slightly turbid	gray	clear	clear	---	clear/yellow

**Table 8. Groundwater Monitoring Well Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes			L-28 11/8/2016 L-28 20.19	L-36 12/11/2014 L-36 20.42	L-36 12/10/2015 L-36 22.04	L-36 5/6/2016 L-36 21.5	L-36 11/10/2016 L-36 20.64	L-37 12/11/2014 L-37 22.09	L-37 12/10/2015 L-37 22	L-37 5/6/2016 L-37 21.5
<b>Screening Criteria<sup>1</sup></b>	MCL	RSL HQ = 0.1	RSL HQ = 1.0								
<b>Total Petroleum Hydrocarbons (µg/L)</b>											
Diesel Range Organics	NS	NS	NS	---	---	---	---	---	---	---	---
Gasoline Range Organics	NS	NS	NS	---	---	---	---	---	---	---	---
Heavy Petroleum Range Organics	NS	NS	NS	---	---	---	---	---	---	---	---
Oil Range Organics	NS	NS	NS	---	---	---	---	---	---	---	---
<b>Inorganic Anions (µg/L)</b>											
Nitrate (as N)	10000	NA	NA	---	<b>9600</b>	<b>2400</b>	<b>1500</b>	100 U	100 U	<b>150</b>	100 U
Nitrite (as N)	1000	NA	NA	---	100 U	100 U	100 U	100 U	100 U	100 U	100 U
Sulfate <sup>SM</sup>	250000	NA	NA	---	<b>120000</b>	<b>98000</b>	<b>86000</b>	<b>43000</b>	5000 U	<b>7500</b>	5000 U
<b>Total Organic Carbon (µg/L)</b>	NS	NS	NS	---	<b>1800</b>	<b>1400</b>	<b>2800</b>	<b>2200</b>	<b>7000</b>	<b>5700</b>	<b>7200</b>
<b>Total Dissolved Solids (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---	---	---
<b>Sulfide (µg/L)<sup>SRM</sup></b>	250000	NS	NS	---	1000 U	1000 U	1000 U	1000 U	1000 U	<b>3900</b>	<b>2300</b>
<b>Dissolved Gases in Water (µg/L)</b>											
Ethane	NS	NS	NS	---	10.7 U	11.3 U	2.2 U	13.6 U	9.7 U	11.1 U	2.1 U
Ethene	NS	NS	NS	---	10.9 U	11.4 U	2.2 U	13.5 U	9.9 U	11.2 U	2.2 U
Methane	NS	NS	NS	---	<b>5.7</b>	<b>7.5</b>	<b>10.4</b>	7.1 U	<b>157</b>	<b>152</b>	<b>36.2</b>
<b>Headspace Gases (%)</b>											
Carbon dioxide, Field	NS	NS	NS	---	---	---	---	---	---	---	---
<b>Bicarbonate Alkalinity (µg/L)</b>	NS	NS	NS	---	---	---	<b>77000</b>	<b>159000</b>	---	---	<b>69000</b>
<b>Field Parameter</b>											
Dissolved Oxygen (mg/L)	NS	NS	NS	0.21	1.86	7.15	2.74	4.46	0.15	6.28	0.15
Oxidation-Reduction Potential <sup>o</sup> (mV)	NS	NS	NS	-305.7	88.9	191.3	65.3	57.7	-196.9	-202	-151.7
pH (standard units)	NS	NS	NS	5.99	6.06	5.88	5.86	6.3	5.94	5.66	5.65
Specific Conductivity (mS/cm)	NS	NS	NS	0.276	0.442	0.41	0.405	0.427	0.119	0.163	0.162
Temperature (°C)	NS	NS	NS	18.07	15.98	17.66	14.94	18.48	13.34	17.64	14.78
Turbidity (NTU)	NS	NS	NS	19.2	23	3.4	13	8	6.9	5.5	4
Water Color/Appearance	NS	NS	NS	clear with slight sheen	clear	slightly turbid	clear	cloudy	clear	clear	clear

**Table 8. Groundwater Monitoring Well Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location	L-37	L-38	L-38	L-38	L-38	L-38	L-39	L-39		
	Sample Date	11/10/2016	12/13/2013	12/11/2014	12/10/2015	5/5/2016	11/9/2016	12/13/2013	12/11/2014		
	Sample ID	L-37	L-38	L-38	L-38	L-38	L-38	L-39	L-39		
	Sample Depth (ft. bgs.)	20.48	21.6	22.59	22	22	20.74	21.4	22.47		
	Notes										
<b>Screening Criteria<sup>1</sup></b>	MCL	RSL HQ = 0.1	RSL HQ = 1.0								
<b>Total Petroleum Hydrocarbons (µg/L)</b>											
Diesel Range Organics	NS	NS	NS	---	---	---	---	---	---		
Gasoline Range Organics	NS	NS	NS	---	---	---	---	---	---		
Heavy Petroleum Range Organics	NS	NS	NS	---	---	---	---	---	---		
Oil Range Organics	NS	NS	NS	---	---	---	---	---	---		
<b>Inorganic Anions (µg/L)</b>											
Nitrate (as N)	10000	NA	NA	540	130	100 U	540	320	670	100 U	100 U
Nitrite (as N)	1000	NA	NA	100 U	100 U	100 U	100 U	100 U	100 U	100 U	100 U
Sulfate <sup>SM</sup>	250000	NA	NA	12000	12000	5000 U	9900	7500	10000	9000	5300
<b>Total Organic Carbon (µg/L)</b>	NS	NS	NS	5700	2700	2600	1600	6800	2000	8900	10400
<b>Total Dissolved Solids (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---	---	---
<b>Sulfide (µg/L)<sup>SRM</sup></b>	250000	NS	NS	2300	1000 U	1000 U	1000 U	1000 U	1000 U	1000 U	1000 U
<b>Dissolved Gases in Water (µg/L)</b>											
Ethane	NS	NS	NS	11.4 U	13.0 U	9.6 U	11.8 U	2.2 U	10.3 U	11.7 U	10.4 U
Ethene	NS	NS	NS	11.4 U	13.0 U	9.8 U	11.9 U	2.2 U	10.5 U	11.8 U	10.5 U
Methane	NS	NS	NS	35	6.8 U	17.5	6.2 U	7.5	5.4 U	54.4	456
<b>Headspace Gases (%)</b>											
Carbon dioxide, Field	NS	NS	NS	---	---	---	---	---	---	---	---
<b>Bicarbonate Alkalinity (µg/L)</b>	NS	NS	NS	38000	---	---	---	180000	126000	---	---
<b>Field Parameter</b>											
Dissolved Oxygen (mg/L)	NS	NS	NS	2.01	1.37	0.25	6.84	2.04	3.01	0.99	0.25
Oxidation-Reduction Potential <sup>O</sup> (mV)	NS	NS	NS	-159.5	-9	-69.8	21.6	-22.1	14.9	-135.2	-151.9
pH (standard units)	NS	NS	NS	5.45	6.28	6.47	6.13	8.09	6.29	6.14	6.18
Specific Conductivity (mS/cm)	NS	NS	NS	0.119	0.843	1.32	1.268	0.859	0.884	0.405	0.316
Temperature (°C)	NS	NS	NS	18.49	17.01	15.96	18.39	15.26	18.45	17	15.78
Turbidity (NTU)	NS	NS	NS	14.9	4.7	9.4	0.1	45.3	15.8	0	0
Water Color/Appearance	NS	NS	NS	slightly turbid	---	clear	clear	clear	turbid/cloudy	---	clear



**Table 8. Groundwater Monitoring Well Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location	L-39	L-39	L-39	L-39	PZ-34	PZ-34	PZ-34	PZ-34	PZ-34	
	Sample Date	12/10/2015	5/5/2016	11/9/2016	3/23/2018	11/7/2011	2/8/2012	9/19/2012	12/12/2013	12/10/2014	
	Sample ID	L-39	L-39	L-39	L-39	PZ-34	PZ-34	PZ-34	PZ-34	PZ-34	
	Sample Depth (ft. bgs.)	22	22	20.57	21.1	28.5	32	27.5	32.48	32.28	
	Notes										
<b>Screening Criteria<sup>1</sup></b>	MCL	RSL HQ = 0.1	RSL HQ = 1.0								
<b>Total Petroleum Hydrocarbons (µg/L)</b>											
Diesel Range Organics	NS	NS	NS	---	---	---	---	---	---	---	---
Gasoline Range Organics	NS	NS	NS	---	---	---	---	---	---	---	---
Heavy Petroleum Range Organics	NS	NS	NS	---	---	---	---	---	---	---	---
Oil Range Organics	NS	NS	NS	---	---	---	---	---	---	---	---
<b>Inorganic Anions (µg/L)</b>											
Nitrate (as N)	10000	NA	NA	2500	16000	520	---	2800	530	---	100 U
Nitrite (as N)	1000	NA	NA	100 U	180	100 U	---	---	---	---	100 U
Sulfate <sup>SM</sup>	250000	NA	NA	25000	84000	27000	---	36000	71000	---	360000
<b>Total Organic Carbon (µg/L)</b>	NS	NS	NS	5000	8600	6100	---	---	---	---	---
<b>Total Dissolved Solids (µg/L)</b>	NS	NS	NS	---	---	---	---	120000	600000	---	---
<b>Sulfide (µg/L)<sup>SRM</sup></b>	250000	NS	NS	1000 U	1000 U	410 J	---	380 J	1000 U	---	1000 U
<b>Dissolved Gases in Water (µg/L)</b>											
Ethane	NS	NS	NS	11.5 U	2.8 U	12.1 U	---	---	---	---	---
Ethene	NS	NS	NS	11.6 U	2.7 U	12.2 U	---	---	---	---	---
Methane	NS	NS	NS	425	492	85.1	---	---	---	---	---
<b>Headspace Gases (%)</b>											
Carbon dioxide, Field	NS	NS	NS	---	---	---	---	---	---	---	---
<b>Bicarbonate Alkalinity (µg/L)</b>	NS	NS	NS	---	161000	151000	---	---	---	---	---
<b>Field Parameter</b>											
Dissolved Oxygen (mg/L)	NS	NS	NS	6.51	7.04	0.83	1.43	7.29	0.62	0.86	0.83
Oxidation-Reduction Potential <sup>O</sup> (mV)	NS	NS	NS	-120	127.4	-92.8	-224.5	294.6	-268.5	-171.4	-306.5
pH (standard units)	NS	NS	NS	5.99	6.33	6.15	5.52	5.66	5.79	6.94	6.96
Specific Conductivity (mS/cm)	NS	NS	NS	0.481	0.64	0.427	0.36	0.223	0.719	0.699	0.987
Temperature (°C)	NS	NS	NS	17.17	14.7	18.02	14.5	20.43	7.07	22.68	11.33
Turbidity (NTU)	NS	NS	NS	4.2	287.6	6.5	3.9	0	3.3	8.3	6.5
Water Color/Appearance	NS	NS	NS	clear	cloudy	turbid	clear	clear	turbid to clear	clear	---
											black/gray

**Table 8. Groundwater Monitoring Well Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	PZ-34 12/7/2015 PZ-34 31.7	TB-MW-1 3/30/2006 TB-MW-1 23.04	TB-MW-1 5/16/2007 TB-MW-1 28.04	TB-MW-1 11/20/2008 TB-MW-1 24.5	TB-MW-1 10/14/2010 TB-MW-1 23.16	TB-MW-1 11/2/2011 TB-MW-1 23.68	TB-MW-1 9/17/2012 TB-MW-1 25	TB-MW-1 12/9/2013 TB-MW-1 20		
<b>Screening Criteria<sup>1</sup></b>	MCL	RSL HQ = 0.1	RSL HQ = 1.0								
<b>Total Petroleum Hydrocarbons (µg/L)</b>											
Diesel Range Organics	NS	NS	NS	---	---	---	---	---	---		
Gasoline Range Organics	NS	NS	NS	---	---	---	---	---	---		
Heavy Petroleum Range Organics	NS	NS	NS	---	---	---	---	---	---		
Oil Range Organics	NS	NS	NS	---	---	---	---	---	---		
<b>Inorganic Anions (µg/L)</b>											
Nitrate (as N)	10000	NA	NA	100	---	---	---	2600	4800	2500	2900
Nitrite (as N)	1000	NA	NA	100 U	---	---	---	100 U	100 J	100 U	100 U
Sulfate <sup>SM</sup>	250000	NA	NA	420000	---	---	---	20000	16000	15000	9400
<b>Total Organic Carbon (µg/L)</b>											
	NS	NS	NS	---	---	---	---	1100	810 J	570 J	5700
<b>Total Dissolved Solids (µg/L)</b>											
	NS	NS	NS	---	---	---	---	---	---	---	---
<b>Sulfide (µg/L)<sup>SRM</sup></b>											
	250000	NS	NS	1000 U	---	---	---	2000 J	1000 U	1000 U	1000 U
<b>Dissolved Gases in Water (µg/L)</b>											
Ethane	NS	NS	NS	---	---	---	---	11 U	---	8.7 U	13.7 U
Ethene	NS	NS	NS	---	---	---	---	11 U	---	9 U	13.6 U
Methane	NS	NS	NS	---	---	---	---	5.7 U	---	4.5 U	7.2 U
<b>Headspace Gases (%)</b>											
Carbon dioxide, Field	NS	NS	NS	---	---	---	---	---	---	---	---
<b>Bicarbonate Alkalinity (µg/L)</b>											
	NS	NS	NS	---	---	---	---	---	---	---	---
<b>Field Parameter</b>											
Dissolved Oxygen (mg/L)	NS	NS	NS	0.21	7.15	8.18	8.37	8.53	7.94	8.13	11.46
Oxidation-Reduction Potential <sup>O</sup> (mV)	NS	NS	NS	-92.5	241.9	220.1	128	192.5	415.2	166.1	208.9
pH (standard units)	NS	NS	NS	5.73	5.61	5.44	6.07	5.71	5.21	5.89	6.15
Specific Conductivity (mS/cm)	NS	NS	NS	0.849	0.252	0.255	0.241	0.245	0.339	0.233	0.175
Temperature (°C)	NS	NS	NS	13.99	18.36	18.69	19.67	19.9	19.99	20.67	18.37
Turbidity (NTU)	NS	NS	NS	3.1	234	21.9	9.5	8.5	4.6	8	185.3
Water Color/Appearance	NS	NS	NS	light gray	---	---	---	---	clear	clear	slightly turbid

**Table 8. Groundwater Monitoring Well Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	TB-MW-1 12/10/2014 TB-MW-1 23.5	TB-MW-1 12/9/2015 TB-MW-1 25	TB-MW-1 4/26/2016 TB-MW-1 23	TB-MW-1 10/31/2016 TB-MW-1 22	TB-MW-1 3/19/2018 TB-MW-1 22.43	TB-MW-2 3/30/2006 TB-MW-2 25.08	TB-MW-2 5/16/2007 TB-MW-2 25.08	TB-MW-2 11/20/2008 TB-MW-2 25.4		
<b>Screening Criteria<sup>1</sup></b>	MCL	RSL HQ = 0.1	RSL HQ = 1.0								
<b>Total Petroleum Hydrocarbons (µg/L)</b>											
Diesel Range Organics	NS	NS	NS	---	---	---	---	---	---		
Gasoline Range Organics	NS	NS	NS	---	---	---	---	---	---		
Heavy Petroleum Range Organics	NS	NS	NS	---	---	---	---	---	---		
Oil Range Organics	NS	NS	NS	---	---	---	---	---	---		
<b>Inorganic Anions (µg/L)</b>											
Nitrate (as N)	10000	NA	NA	4700	2600	4700	5600	---	---		
Nitrite (as N)	1000	NA	NA	100 U	100 U	100 U	100 U	---	---		
Sulfate <sup>SM</sup>	250000	NA	NA	16000	17000	11000	18000	---	---		
<b>Total Organic Carbon (µg/L)</b>	NS	NS	NS	1200	970 J	3000	1000	---	---		
<b>Total Dissolved Solids (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---		
<b>Sulfide (µg/L)<sup>SRM</sup></b>	250000	NS	NS	1000 U	350 J	1000 U	1000 U	---	---		
<b>Dissolved Gases in Water (µg/L)</b>											
Ethane	NS	NS	NS	11.0 U	11.4 U	2.3 U	11.1 U	---	---		
Ethene	NS	NS	NS	11.1 U	11.5 U	2.3 U	11.2 U	---	---		
Methane	NS	NS	NS	5.7 U	6 U	1.2 U	5.8 U	---	---		
<b>Headspace Gases (%)</b>											
Carbon dioxide, Field	NS	NS	NS	---	---	---	---	---	---		
<b>Bicarbonate Alkalinity (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---		
<b>Field Parameter</b>											
Dissolved Oxygen (mg/L)	NS	NS	NS	6.96	7.97	8.49	7.97	8.78	6.98	7.88	7.82
Oxidation-Reduction Potential <sup>o</sup> (mV)	NS	NS	NS	135.6	155.6	188.8	174.7	205.2	238.5	271.2	167.7
pH (standard units)	NS	NS	NS	6.1	5.9	5.88	5.55	5.79	5.27	5.2	5.45
Specific Conductivity (mS/cm)	NS	NS	NS	0.372	0.251	0.311	0.304	0.456	0.121	0.098	0.103
Temperature (°C)	NS	NS	NS	17.89	18.39	18.22	20.22	16.9	16.99	16.54	18.57
Turbidity (NTU)	NS	NS	NS	6.3	9.8	9.8	3.6	8.3	604	16.8	9.8
Water Color/Appearance	NS	NS	NS	clear	clear	clear	clear	clear	---	---	---

**Table 8. Groundwater Monitoring Well Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	TB-MW-2 3/5/2009 TB-MW-2 25.3 m	TB-MW-2 10/14/2010 TB-MW-2 25.26	TB-MW-2 11/2/2011 TB-MW-2 26.48	TB-MW-2 9/17/2012 TB-MW-2 25	TB-MW-2 12/10/2013 TB-MW-2 20	TB-MW-2 12/10/2014 TB-MW-2 24.82	TB-MW-2 12/9/2015 TB-MW-2 25	TB-MW-2 4/26/2016 TB-MW-2 23.7		
<b>Screening Criteria<sup>1</sup></b>	MCL	RSL HQ = 0.1	RSL HQ = 1.0								
<b>Total Petroleum Hydrocarbons (µg/L)</b>											
Diesel Range Organics	NS	NS	NS	---	---	---	---	---	---		
Gasoline Range Organics	NS	NS	NS	---	---	---	---	---	---		
Heavy Petroleum Range Organics	NS	NS	NS	---	---	---	---	---	---		
Oil Range Organics	NS	NS	NS	---	---	---	---	---	---		
<b>Inorganic Anions (µg/L)</b>											
Nitrate (as N)	10000	NA	NA	<b>500</b>	<b>500</b>	<b>700</b>	<b>470</b>	<b>320</b>	<b>1600</b>	<b>380 *</b>	<b>1300</b>
Nitrite (as N)	1000	NA	NA	200 U	100 U	<b>100 J</b>	100 U	100 U	100 U	100 U	100 U
Sulfate <sup>SM</sup>	250000	NA	NA	<b>16000</b>	<b>16000</b>	<b>9900</b>	<b>8900</b>	<b>8200</b>	<b>8700</b>	<b>10000</b>	<b>9400</b>
<b>Total Organic Carbon (µg/L)</b>	NS	NS	NS	1000 U	1000 U	<b>840 J</b>	<b>760 J</b>	<b>11000</b>	<b>1400</b>	<b>750 J</b>	<b>1400</b>
<b>Total Dissolved Solids (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---	---	---
<b>Sulfide (µg/L)<sup>SRM</sup></b>	250000	NS	NS	<b>1300 J</b>	<b>1600 J</b>	1000 U	---	1000 U	1000 U	1000 U	1000 U
<b>Dissolved Gases in Water (µg/L)</b>											
Ethane	NS	NS	NS	9.9 U	12 U	---	8.5 U	12.1 U	10.4 U	11.9 U	2.6 U
Ethene	NS	NS	NS	10 U	12 U	---	8.8 U	12.1 U	10.5 U	11.9 U	2.6 U
Methane	NS	NS	NS	5.2 U	6.1 U	---	4.4 U	6.3 U	5.4 U	6.2 U	1.3 U
<b>Headspace Gases (%)</b>											
Carbon dioxide, Field	NS	NS	NS	<b>1.5</b>	---	---	---	---	---	---	---
<b>Bicarbonate Alkalinity (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---	---	---
<b>Field Parameter</b>											
Dissolved Oxygen (mg/L)	NS	NS	NS	8.01	8.07	8.03	8.72	9.03	8.23	8.26	8.26
Oxidation-Reduction Potential <sup>o</sup> (mV)	NS	NS	NS	-45.1	-78.6	336.4	167.8	191.7	175.5	145.5	142.9
pH (standard units)	NS	NS	NS	5.26	5.85	5.43	5.86	6	6.21	6.07	6.04
Specific Conductivity (mS/cm)	NS	NS	NS	0.094	0.154	0.152	0.118	0.151	0.166	0.186	0.211
Temperature (°C)	NS	NS	NS	20.05	17.58	17.12	18.56	15.41	15.83	16.56	19.54
Turbidity (NTU)	NS	NS	NS	6.8	9.6	23.1	71.4	8.5	20.1	41.7	16.1
Water Color/Appearance	NS	NS	NS	---	---	started muddy	clear	clear	clear	clear	clear

**Table 8. Groundwater Monitoring Well Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes	TB-MW-2 10/31/2016 TB-MW-2 22.5	TB-MW-2 3/19/2018 TB-MW-2 23.31	TB-MW-3 3/30/2006 TB-MW-3 23	TB-MW-3 5/16/2007 TB-MW-3 23	TB-MW-3 11/17/2008 TB-MW-3 20.3	TB-MW-3 10/15/2010 TB-MW-3 25.3	TB-MW-3 11/2/2011 TB-MW-3 25.8	TB-MW-3 9/20/2012 TB-MW-3 24.3		
<b>Screening Criteria<sup>1</sup></b>	MCL	RSL HQ = 0.1	RSL HQ = 1.0								
<b>Total Petroleum Hydrocarbons (µg/L)</b>											
Diesel Range Organics	NS	NS	NS	---	---	---	---	---	---		
Gasoline Range Organics	NS	NS	NS	---	---	---	---	---	---		
Heavy Petroleum Range Organics	NS	NS	NS	---	---	---	---	---	---		
Oil Range Organics	NS	NS	NS	---	---	---	---	---	---		
<b>Inorganic Anions (µg/L)</b>											
Nitrate (as N)	10000	NA	NA	<b>480</b>	---	---	---	<b>1800</b>	---		
Nitrite (as N)	1000	NA	NA	100 U	---	---	---	100 U	---		
Sulfate <sup>SM</sup>	250000	NA	NA	<b>11000</b>	---	---	---	<b>33000</b>	---		
<b>Total Organic Carbon (µg/L)</b>	NS	NS	NS	<b>1100</b>	---	---	---	1000 U	---		
<b>Total Dissolved Solids (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---		
<b>Sulfide (µg/L)<sup>SRM</sup></b>	250000	NS	NS	1000 U	---	---	---	<b>1600 J</b>	---		
<b>Dissolved Gases in Water (µg/L)</b>											
Ethane	NS	NS	NS	11.8 U	---	---	---	12 U	---		
Ethene	NS	NS	NS	11.8 U	---	---	---	12 U	---		
Methane	NS	NS	NS	6.2 U	---	---	---	6.5 U	---		
<b>Headspace Gases (%)</b>											
Carbon dioxide, Field	NS	NS	NS	---	---	---	---	---	---		
<b>Bicarbonate Alkalinity (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---		
<b>Field Parameter</b>											
Dissolved Oxygen (mg/L)	NS	NS	NS	8.61	8.47	5.62	6.06	5.46	6.78	6.26	5.89
Oxidation-Reduction Potential <sup>O</sup> (mV)	NS	NS	NS	187.5	208.7	290.2	333.8	268.1	205.2	594.1	145.1
pH (standard units)	NS	NS	NS	6.2	6.23	4.88	4.92	5.15	4.97	4.65	5.15
Specific Conductivity (mS/cm)	NS	NS	NS	0.231	0.194	0.187	0.163	0.13	0.149	0.143	0.12
Temperature (°C)	NS	NS	NS	18.25	15.5	16.34	15.79	17.41	18.56	17.84	17.96
Turbidity (NTU)	NS	NS	NS	20.6	12.1	375	14.8	16.1	0	0	0
Water Color/Appearance	NS	NS	NS	clear	clear	---	---	---	---	clear (murky)	clear

**Table 8. Groundwater Monitoring Well Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location Sample Date Sample ID Sample Depth (ft. bgs.) Notes			TB-MW-3 12/11/2013 TB-MW-3 MS/MSD 20	TB-MW-3 12/10/2014 TB-MW-3 24.4	TB-MW-3 12/9/2015 TB-MW-3 23	TB-MW-3 4/26/2016 TB-MW-3 23	TB-MW-3 4/26/2016 TB-MW-3 MS/MSD 23	TB-MW-3 11/1/2016 TB-MW-3 22.25	TB-MW-3 3/19/2018 TB-MW-3 22.62
<b>Screening Criteria<sup>1</sup></b>	MCL	RSL HQ = 0.1	RSL HQ = 1.0							
<b>Total Petroleum Hydrocarbons (µg/L)</b>										
Diesel Range Organics	NS	NS	NS	---	---	---	---	---	---	---
Gasoline Range Organics	NS	NS	NS	---	---	---	---	---	---	---
Heavy Petroleum Range Organics	NS	NS	NS	---	---	---	---	---	---	---
Oil Range Organics	NS	NS	NS	---	---	---	---	---	---	---
<b>Inorganic Anions (µg/L)</b>										
Nitrate (as N)	10000	NA	NA	190	660	290	440	---	940	---
Nitrite (as N)	1000	NA	NA	100 U	100 U	100 U	100 U	---	100 U	---
Sulfate <sup>SM</sup>	250000	NA	NA	18000	17000	13000	12000	---	14000	---
<b>Total Organic Carbon (µg/L)</b>	NS	NS	NS	5700	1700	1200	1100	---	1500	---
<b>Total Dissolved Solids (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---	---
<b>Sulfide (µg/L)<sup>SRM</sup></b>	250000	NS	NS	1000 U	1000 U	2300	1000 U	---	1000 U	---
<b>Dissolved Gases in Water (µg/L)</b>										
Ethane	NS	NS	NS	11.6 U	11.5 U	11.2 U	---	2.2 U	11.8 U	---
Ethene	NS	NS	NS	11.6 U	11.6 U	11.3 U	---	2.2 U	11.9 U	---
Methane	NS	NS	NS	6.1 U	6.0 U	5.9 U	---	1.2 U	6.2 U	---
<b>Headspace Gases (%)</b>										
Carbon dioxide, Field	NS	NS	NS	---	---	---	---	---	---	---
<b>Bicarbonate Alkalinity (µg/L)</b>	NS	NS	NS	---	---	---	---	---	---	---
<b>Field Parameter</b>										
Dissolved Oxygen (mg/L)	NS	NS	NS	6.31	5.37	7.07	7.8	---	7.39	8.72
Oxidation-Reduction Potential <sup>O</sup> (mV)	NS	NS	NS	237.5	76.6	187	71.9	---	144	166.1
pH (standard units)	NS	NS	NS	5.25	5.39	5.71	5.57	---	5.94	5.89
Specific Conductivity (mS/cm)	NS	NS	NS	0.125	0.117	0.126	0.142	---	0.167	0.133
Temperature (°C)	NS	NS	NS	15.74	18.76	16.53	13.2	---	18.14	15.3
Turbidity (NTU)	NS	NS	NS	12	6.3	9.2	20.3	---	9.8	29.7
Water Color/Appearance	NS	NS	NS	clear	clear	clear	clear	---	clear	clear

**Table 8. Groundwater Monitoring Well Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

**Notes:**

µg/L - Micrograms per liter

ft. bgs.: Feet below ground surface

NA: Not applicable because results are compared to another groundwater screening criterion.

NS: No standard exists for this analyte.

---: Sample not tested for specified analyte.

J: The reported concentration is an estimated value.

U: The target analyte was not detected at a concentration at or above the reporting limit. The value shown is the reporting limit.

USEPA - United States Environmental Protection Agency


MCL: Maximum contaminant levels as promulgated by USEPA. If MCL is shown shaded gray, the MCL was exceeded in at least one groundwater sample.

RSL: USEPA Regional Screening Level for Tap Water based on Summary Table (revised May 2018).

HQ - Hazard quotient

MS/MSD - Sample collected for Matrix Spike/Matrix Spike Duplicate analysis

**Bold Values** - The target analyte was detected at a concentration that exceeds its reporting limit.

 - The target analyte was detected at a concentration that exceeds its MCL or secondary MCL.

<sup>1</sup>: Results were screened against MCLs, RSLs, or secondary MCLs. If an MCL was not available, then the results were screened against RSLs. If not MCL and RSL was available the result was screened against a secondary MCL.

d: Duplicate sample of sample listed immediately to the left.

DP2: Monitoring well purged dry two times using a bladder pump prior to sampling.

DP3: Monitoring well purged dry three times using a bladder pump prior to sampling; approximately three well volumes was removed from the well prior to sampling.

DP90: Monitoring well purged dry one time using a bladder pump, allowed to recharge to 90% of original water level, then sampled; approximately three well volumes was removed from the well prior to sampling.

DS3: Monitoring well purged dry three times using submersible pump prior to sampling; the well did not fully recharge between pumping; approximately 1.5 well volumes were removed from the well prior to sampling.

MB: Monitoring well purged using a bailer; a minimum of three well volumes was removed from the well prior to sampling. Sample depth data not applicable.

PP: Monitoring well purged using peristaltic pump and sampled using a bailer; a minimum of three well volumes was removed from the well prior to sampling.

m: samples IDs mislabeled in the field

mg/L: Milligrams per liter

°C: Degrees Celsius.

mS/cm: Millisiemens per centimeter.

mV: Millivolts.

NTU: Nephelometric turbidity unit.

<sup>SM</sup>: Sulfate compared to the secondary MCL.

<sup>SRM</sup>: Sulfide is compared to the sulfate secondary MCL as a surrogate screening level.

<sup>O</sup>: Values for oxidation reduction potential have been normalized to account for differences in pH.

R-Cr6: Sample was re-analyzed for hexavalent chromium.

%: percent

















**Table 9. Grab Groundwater Sample Results  
Volatile Organic Compounds  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

**Notes:**

µg/L - Micrograms per liter

ft. bgs.: Feet below ground surface

NA: Not applicable because results are compared to another groundwater screening criterion.

NS: No standard exists for this analyte.

---: Sample not tested for specified analyte.

J: The reported concentration is an estimated value.

U: The target analyte was not detected at a concentration at or above the reporting limit. The value shown is the reporting limit.

USEPA - United States Environmental Protection Agency

MCL: Maximum contaminant levels as promulgated by USEPA. If MCL is shown shaded gray, the MCL was exceeded in at least one groundwater sample.

RSL: USEPA Regional Screening Level for Tap Water based on Summary Table (revised May 2018). If RSL is shown in bold outline and/or shaded light gray, the RSL was exceeded in at least one groundwater sample.

HQ - Hazard quotient

MS/MSD - Sample collected for matrix spike/matrix spike duplicate analysis.

**Bold Values** - The target analyte was detected at a concentration that exceeds its reporting limit.

 - The target analyte was detected at a concentration that exceeds its MCL.

 - The target analyte was detected at a concentration that exceeds an RSL for carcinogenic risk or a non-carcinogenic risk with an HQ = 0.1

 - The target analyte was detected at a concentration that exceeds an RSL for carcinogenic risk or a non-carcinogenic risk with an HQ = 1.0

<sup>1</sup>: Results were screened against MCLs, RSLs, or secondary MCLs. If an MCL was not available, then the results were screened against RSLs. If not MCL and RSL was available the result was screened against a secondary MCL.

<sup>2</sup>: RSLs shown as the same value in both columns are based on carcinogenic risk.

<sup>x</sup>: MCL for total xylenes was used as the screening criteria for total xylenes and individual xylene isomers.

<sup>c</sup>: Methylcyclohexane is compared to the cyclohexane MCL as a surrogate standard.

d: Duplicate sample of sample listed immediately to the left.

TT: Sample depth not available; samples collected by Tetra Tech EM, Inc.

Volatile organic compounds analyzed using USEPA Method 8260B

Table 10. Grab Groundwater Sample Results  
 Metals  
 Dresser Inc. Facility  
 124 W. College Ave, Salisbury, Maryland

Location Sample Depth (ft. bgs.) Sample Date Sample ID Notes	VDB-1 20	VDB-1 25	VDB-1 30	VDB-1 30	VDB-1 35	VDB-1 40	VDB-2 20	VDB-2 25	VDB-2 30	VDB-2 34			
	12/16/2010 VDB-1A	12/16/2010 VDB-1B MS/MSD	12/16/2010 VDB-1C	12/16/2010 VDB-1F	12/16/2010 VDB-1D	12/16/2010 VDB-1E	12/17/2010 VDB-2A	12/17/2010 VDB-2B	12/17/2010 VDB-2C	12/17/2010 VDB-2D			
<b>Screening Criteria<sup>1</sup></b>	MCL	RSL HQ = 0.1	RSL HQ = 1.0										
<b>Dissolved Metals (µg/L)</b>													
Chromium	100	NA	NA	17000	7100	8	1	1 J	0.5 U	1	8700	21000	3800
Chromium, VI <sup>CM</sup>	100	NA	NA	16000	10000	10 U	10 U	10 U	10 U	10 U	9200	30000	7900
Iron	NS	1400	14000	---	---	---	---	---	---	---	---	---	---
Manganese	NS	43	430	---	---	---	---	---	---	---	---	---	---
<b>Total Metals (µg/L)</b>													
Chromium	100	NA	NA	---	---	---	---	---	---	---	---	---	---
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---	---	---	---	---	---	---	---	---
Iron	NS	1400	14000	---	---	---	---	---	---	---	---	---	---
Manganese	NS	43	430	---	---	---	---	---	---	---	---	---	---



Table 10. Grab Groundwater Sample Results  
Metals  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland

Location Sample Depth (ft. bgs.) Sample Date Sample ID Notes				VDB-2 40 12/17/2010 VDB-2E	VDB-3 20 1/20/2011 VDB-3A	VDB-3 25 1/20/2011 VDB-3B	VDB-3 30 1/20/2011 VDB-3C	VDB-3 35 1/20/2011 VDB-3D	VDB-3 40 1/20/2011 VDB-3E	VDB-3 45 1/20/2011 VDB-3F	VDB-3 50 1/20/2011 VDB-3G	VDB-4 20 1/19/2011 VDB-4A	VDB-4 25 1/19/2011 VDB-4B	VDB-4 30 1/19/2011 VDB-4C
<b>Screening Criteria<sup>1</sup></b>	<b>MCL</b>	<b>RSL HQ = 0.1</b>	<b>RSL HQ = 1.0</b>											
<b><i>Dissolved Metals (µg/L)</i></b>														
Chromium	100	NA	NA	1 J	9.6	9900	99000	6100	1 U	1 U	1 U	1.9	1 U	8.3
Chromium, VI <sup>CM</sup>	100	NA	NA	10 U	10 U	7900	84000	7900	10 U	10 U	10 U	10 U	10 U	10 U
Iron	NS	1400	14000	---	---	---	---	---	---	---	---	---	---	---
Manganese	NS	43	430	---	---	---	---	---	---	---	---	---	---	---
<b><i>Total Metals (µg/L)</i></b>														
Chromium	100	NA	NA	---	---	---	---	---	---	---	---	---	---	---
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---	---	---	---	---	---	---	---	---	---
Iron	NS	1400	14000	---	---	---	---	---	---	---	---	---	---	---
Manganese	NS	43	430	---	---	---	---	---	---	---	---	---	---	---

Table 10. Grab Groundwater Sample Results  
 Metals  
 Dresser Inc. Facility  
 124 W. College Ave, Salisbury, Maryland

Location Sample Depth (ft. bgs.) Sample Date Sample ID Notes				VDB-4 35 1/19/2011 VDB-4D	VDB-4 35 1/19/2011 VDB-4G d	VDB-4 40 1/19/2011 VDB-4E	VDB-5 20 1/18/2011 VDB-5A	VDB-5 25 1/18/2011 VDB-5B	VDB-5 30 1/18/2011 VDB-5C	VDB-5 35 1/18/2011 VDB-5D	VDB-5 40 1/18/2011 VDB-5E	VDB-5 45 1/18/2011 VDB-5F	VDB-6 20 1/24/2011 VDB-6A	VDB-6 25 1/24/2011 VDB-6B	VDB-6 30 1/24/2011 VDB-6C
<b>Screening Criteria<sup>1</sup></b>	<b>MCL</b>	<b>RSL HQ = 0.1</b>	<b>RSL HQ = 1.0</b>												
<b><i>Dissolved Metals (µg/L)</i></b>															
Chromium	100	NA	NA	13000	11000	1 U	2.7	8.3	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Chromium, VI <sup>CM</sup>	100	NA	NA	14000	14000	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
Iron	NS	1400	14000	---	---	---	---	---	---	---	---	---	---	---	---
Manganese	NS	43	430	---	---	---	---	---	---	---	---	---	---	---	---
<b><i>Total Metals (µg/L)</i></b>															
Chromium	100	NA	NA	---	---	---	---	---	---	---	---	---	---	---	---
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---	---	---	---	---	---	---	---	---	---	---
Iron	NS	1400	14000	---	---	---	---	---	---	---	---	---	---	---	---
Manganese	NS	43	430	---	---	---	---	---	---	---	---	---	---	---	---

Table 10. Grab Groundwater Sample Results  
 Metals  
 Dresser Inc. Facility  
 124 W. College Ave, Salisbury, Maryland

	Location Sample Depth (ft. bgs.) Sample Date Sample ID Notes	VDB-6 35 1/24/2011 VDB-6D	VDB-6 40 1/24/2011 VDB-6E	VDB-6 45 1/25/2011 VDB-6F	VDB-6 50 1/25/2011 VDB-6G	VDB-7 20 1/24/2011 VDB-7A	VDB-7 25 1/24/2011 VDB-7B	VDB-7 30 1/24/2011 VDB-7C	VDB-7 35 1/25/2011 VDB-7D	VDB-7 40 1/25/2011 VDB-7	VDB-7 45 1/25/2011 VDB-7	VDB-8 20 2/17/2011 VDB-8D	
<b>Screening Criteria<sup>1</sup></b>	MCL	RSL HQ = 0.1	RSL HQ = 1.0										
<b><i>Dissolved Metals (µg/L)</i></b>													
Chromium	100	NA	NA	1 U	1 U	1 U	---	1 U	1 U	1 U	1 U	1 U	0.7 J
Chromium, VI <sup>CM</sup>	100	NA	NA	10 U	10 U	10 U	---	10 U	10 U	10 U	10 U	10 U	10 U
Iron	NS	1400	14000	---	---	---	---	---	---	---	---	---	---
Manganese	NS	43	430	---	---	---	---	---	---	---	---	---	---
<b><i>Total Metals (µg/L)</i></b>													
Chromium	100	NA	NA	---	---	---	1 U	---	---	---	---	---	---
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---	---	10 U	---	---	---	---	---	---
Iron	NS	1400	14000	---	---	---	---	---	---	---	---	---	---
Manganese	NS	43	430	---	---	---	---	---	---	---	---	---	---

Table 10. Grab Groundwater Sample Results  
 Metals  
 Dresser Inc. Facility  
 124 W. College Ave, Salisbury, Maryland

	Location Sample Depth (ft. bgs.) Sample Date Sample ID Notes	VDB-8 25 1/26/2011 VDB-8A	VDB-8 30 1/26/2011 VDB-8B	VDB-8 35 1/26/2011 VDB-8C	VDB-9 20 2/16/2011 VDB-9A	VDB-9 25 2/16/2011 VDB-9B	VDB-9 30 2/16/2011 VDB-9C	VDB-9 35 2/16/2011 VDB-9D	VDB-9 40 2/16/2011 VDB-9E	VDB-9 45 2/16/2011 VDB-9F	VDB-10 20 2/17/2011 VDB-10A	VDB-10 25 2/17/2011 VDB-10B		
<b>Screening Criteria<sup>1</sup></b>	MCL	RSL HQ = 0.1	RSL HQ = 1.0											
<b><i>Dissolved Metals (µg/L)</i></b>														
Chromium	100	NA	NA	1 U	1 U	1 U	0.6 J	1 U	23000	0.5 J	1 U	0.7 J	1 U	1 U
Chromium, VI <sup>CM</sup>	100	NA	NA	10 U	10 U	10 U	10 U	10 U	25000	10 U	10 U	10 U	10 U	10 U
Iron	NS	1400	14000	---	---	---	---	---	---	---	---	---	---	---
Manganese	NS	43	430	---	---	---	---	---	---	---	---	---	---	---
<b><i>Total Metals (µg/L)</i></b>														
Chromium	100	NA	NA	---	---	---	---	---	---	---	---	---	---	---
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---	---	---	---	---	---	---	---	---	---
Iron	NS	1400	14000	---	---	---	---	---	---	---	---	---	---	---
Manganese	NS	43	430	---	---	---	---	---	---	---	---	---	---	---

Table 10. Grab Groundwater Sample Results  
 Metals  
 Dresser Inc. Facility  
 124 W. College Ave, Salisbury, Maryland

	Location Sample Depth (ft. bgs.) Sample Date Sample ID Notes	VDB-10 30 2/17/2011 VDB-10C	VDB-10 35 2/17/2011 VDB-10D	VDB-10 40 2/17/2011 VDB-10E	VDB-10 45 2/17/2011 VDB-10F	VDB-11 25 2/16/2011 VDB-11A	VDB-11 30 2/16/2011 VDB-11B	VDB-11 35 2/16/2011 VDB-11C	VDB-12 35 2/17/2011 VDB-12A	VDB-12 40 2/17/2011 VDB-12B	VDB-12 45 2/17/2011 VDB-12C	VDB-13 20 5/31/2011 VDB-13A	
<b>Screening Criteria<sup>1</sup></b>	MCL	RSL HQ = 0.1	RSL HQ = 1.0										
<b><i>Dissolved Metals (µg/L)</i></b>													
Chromium	100	NA	NA	1 U	290	6400	1 U	1 U	1 U	1 U	1 U	1 U	---
Chromium, VI <sup>CM</sup>	100	NA	NA	10 U	270	5400	10 U	10 U	10 U	10 U	10 U	10 U	---
Iron	NS	1400	14000	---	---	---	---	---	---	---	---	---	---
Manganese	NS	43	430	---	---	---	---	---	---	---	---	---	---
<b><i>Total Metals (µg/L)</i></b>													
Chromium	100	NA	NA	---	---	---	---	---	---	---	---	---	1 U
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---	---	---	---	---	---	---	---	10 U
Iron	NS	1400	14000	---	---	---	---	---	---	---	---	---	---
Manganese	NS	43	430	---	---	---	---	---	---	---	---	---	---

Table 10. Grab Groundwater Sample Results  
Metals  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland

	Location Sample Depth (ft. bgs.) Sample Date Sample ID Notes	VDB-13 25 5/31/2011 VDB-13B	VDB-13 30 5/31/2011 VDB-13C	VDB-13 35 5/31/2011 VDB-13D	VDB-13 40 5/31/2011 VDB-13E	VDB-13 45 5/31/2011 VDB-13F	VDB-14 25 6/1/2011 VDB-14B	VDB-14 30 6/1/2011 VDB-14C	VDB-14 35 6/1/2011 VDB-14D	VDB-14 40 6/1/2011 VDB-14E	VDB-14 45 6/1/2011 VDB-14F	VDB-15 25 6/1/2011 VDB-15B		
<b>Screening Criteria<sup>1</sup></b>	<b>MCL</b>	<b>RSL HQ = 0.1</b>	<b>RSL HQ = 1.0</b>											
<b><i>Dissolved Metals (µg/L)</i></b>														
Chromium	100	NA	NA	---	---	---	---	---	---	---	---	---		
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---	---	---	---	---	---	---	---		
Iron	NS	1400	14000	---	---	---	---	---	---	---	---	---		
Manganese	NS	43	430	---	---	---	---	---	---	---	---	---		
<b><i>Total Metals (µg/L)</i></b>														
Chromium	100	NA	NA	1 U	1 U	1 U	1 U	1 U	3.5	12000	29000	23	1 U	18
Chromium, VI <sup>CM</sup>	100	NA	NA	10 U	10 U	10 U	10 U	10 U	10 U	13000	27000	10 U	10 U	10 U
Iron	NS	1400	14000	---	---	---	---	---	---	---	---	---	---	---
Manganese	NS	43	430	---	---	---	---	---	---	---	---	---	---	---

Table 10. Grab Groundwater Sample Results  
 Metals  
 Dresser Inc. Facility  
 124 W. College Ave, Salisbury, Maryland

	Location Sample Depth (ft. bgs.) Sample Date Sample ID Notes	VDB-15 30 6/1/2011 VDB-15C	VDB-15 35 6/1/2011 VDB-15D	VDB-15 40 6/1/2011 VDB-15E	VDB-15 45 6/2/2011 VDB-15F	VDB-16 25 6/2/2011 VDB-16B	VDB-16 30 6/2/2011 VDB-16C	VDB-16 35 6/2/2011 VDB-16D	VDB-16 40 6/2/2011 VDB-16E	VDB-16 45 6/2/2011 VDB-16F	VDB-17 25 3/5/2012 VDB-17B	VDB-17 35 3/5/2012 VDB-17D
<b>Screening Criteria<sup>1</sup></b>	MCL	RSL HQ = 0.1	RSL HQ = 1.0									
<b>Dissolved Metals (µg/L)</b>												
Chromium	100	NA	NA	---	---	---	---	---	---	---	0.73 J	1.1
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---	---	---	---	---	---	10 U	10 U
Iron	NS	1400	14000	---	---	---	---	---	---	---	---	---
Manganese	NS	43	430	---	---	---	---	---	---	---	---	---
<b>Total Metals (µg/L)</b>												
Chromium	100	NA	NA	1 U	0.6 J	1 U	1.3	1 U	0.8 J	1 U	1 U	1 U
Chromium, VI <sup>CM</sup>	100	NA	NA	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
Iron	NS	1400	14000	---	---	---	---	---	---	---	---	---
Manganese	NS	43	430	---	---	---	---	---	---	---	---	---

Table 10. Grab Groundwater Sample Results  
 Metals  
 Dresser Inc. Facility  
 124 W. College Ave, Salisbury, Maryland

	Location Sample Depth (ft. bgs.) Sample Date Sample ID Notes	VDB-17 40 3/5/2012 VDB-17E	VDB-17 45 3/6/2012 VDB-17F	VDB-18 20 3/7/2012 VDB-18A	VDB-18 25 3/7/2012 VDB-18B	VDB-18 30 3/7/2012 VDB-18C	VDB-18 35 3/7/2012 VDB-18D	VDB-18 40 3/7/2012 VDB-18E	VDB-18 45 3/7/2012 VDB-18F	VDB-19 20 3/8/2012 VDB-19A	VDB-19 25 3/8/2012 VDB-19B	VDB-19 30 3/8/2012 VDB-19C		
<b>Screening Criteria<sup>1</sup></b>	MCL	RSL HQ = 0.1	RSL HQ = 1.0											
<b>Dissolved Metals (µg/L)</b>														
Chromium	100	NA	NA	0.9 J	7.3	300	7200	2000	1 U	1 U	1 U	1 U	4.9	0.64 J
Chromium, VI <sup>CM</sup>	100	NA	NA	10 U	10 U	130	5200	1000	10 U	10 U	10 U	10 U	10 U	10 U
Iron	NS	1400	14000	---	---	---	---	---	---	---	---	---	---	---
Manganese	NS	43	430	---	---	---	---	---	---	---	---	---	---	---
<b>Total Metals (µg/L)</b>														
Chromium	100	NA	NA	---	---	---	---	---	---	---	---	---	---	---
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---	---	---	---	---	---	---	---	---	---
Iron	NS	1400	14000	---	---	---	---	---	---	---	---	---	---	---
Manganese	NS	43	430	---	---	---	---	---	---	---	---	---	---	---



Table 10. Grab Groundwater Sample Results  
 Metals  
 Dresser Inc. Facility  
 124 W. College Ave, Salisbury, Maryland

	Location Sample Depth (ft. bgs.) Sample Date Sample ID Notes	VDB-19 35 3/8/2012 VDB-19D	VDB-19 40 3/8/2012 VDB-19E	VDB-19 45 3/8/2012 VDB-19F	VDB-20 20 3/6/2012 VDB-20A	VDB-20 25 3/6/2012 VDB-20B	VDB-20 30 3/6/2012 VDB-20C	VDB-20 35 3/6/2012 VDB-20D	VDB-20 40 3/6/2012 VDB-20E	VDB-20 45 3/6/2012 VDB-20F	VDB-21 25 3/8/2012 VDB-21B	VDB-21 30 3/8/2012 VDB-21C		
<b>Screening Criteria<sup>1</sup></b>	MCL	RSL HQ = 0.1	RSL HQ = 1.0											
<b><i>Dissolved Metals (µg/L)</i></b>														
Chromium	100	NA	NA	0.85 J	0.76 J	1 U	1 U	0.74 J	0.91 J	0.9 J	0.75 J	0.73 J	1 U	1.1
Chromium, VI <sup>CM</sup>	100	NA	NA	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
Iron	NS	1400	14000	---	---	---	---	---	---	---	---	---	---	---
Manganese	NS	43	430	---	---	---	---	---	---	---	---	---	---	---
<b><i>Total Metals (µg/L)</i></b>														
Chromium	100	NA	NA	---	---	---	---	---	---	---	---	---	---	---
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---	---	---	---	---	---	---	---	---	---
Iron	NS	1400	14000	---	---	---	---	---	---	---	---	---	---	---
Manganese	NS	43	430	---	---	---	---	---	---	---	---	---	---	---

Table 10. Grab Groundwater Sample Results  
 Metals  
 Dresser Inc. Facility  
 124 W. College Ave, Salisbury, Maryland

	Location Sample Depth (ft. bgs.) Sample Date Sample ID Notes	VDB-22 35 3/9/2012 VDB-22D	VDB-22 40 3/9/2012 VDB-22E	VDB-22 45 3/9/2012 VDB-22F	VDB-23 20 3/8/2012 VDB-23A	VDB-23 25 3/8/2012 VDB-23B	VDB-23 30 3/8/2012 VDB-23C	VDB-23 35 3/29/2012 VDB-23D	VDB-23 40 3/29/2012 VDB-23E	VDB-23 45 3/29/2012 VDB-23F	VDB-24 20 3/7/2012 VDB-24A	VDB-24 25 3/7/2012 VDB-24B		
<b>Screening Criteria<sup>1</sup></b>	MCL	RSL HQ = 0.1	RSL HQ = 1.0											
<b><i>Dissolved Metals (µg/L)</i></b>														
Chromium	100	NA	NA	63000	1100	1 U	0.86 J	9.1	15000	60000	170	0.54 J	150	54
Chromium, VI <sup>CM</sup>	100	NA	NA	51000	900	10 U	10 U	10 U	13000	41000	41	10 U	10 U	10 U
Iron	NS	1400	14000	---	---	---	---	---	---	---	---	---	---	---
Manganese	NS	43	430	---	---	---	---	---	---	---	---	---	---	---
<b><i>Total Metals (µg/L)</i></b>														
Chromium	100	NA	NA	---	---	---	---	---	---	---	---	---	---	---
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---	---	---	---	---	---	---	---	---	---
Iron	NS	1400	14000	---	---	---	---	---	---	---	---	---	---	---
Manganese	NS	43	430	---	---	---	---	---	---	---	---	---	---	---

Table 10. Grab Groundwater Sample Results  
 Metals  
 Dresser Inc. Facility  
 124 W. College Ave, Salisbury, Maryland

Location Sample Depth (ft. bgs.) Sample Date Sample ID Notes				VDB-24 30 3/7/2012 VDB-24C	VDB-24 35 3/7/2012 VDB-24D	VDB-24 40 3/7/2012 VDB-24E	VDB-24 45 3/7/2012 VDB-24F	VDB-25 20 3/12/2012 VDB-25A	VDB-25 25 3/12/2012 VDB-25B	VDB-25 30 3/12/2012 VDB-25C	VDB-25 35 3/12/2012 VDB-25D	VDB-37 20 3/12/2012 VDB-37A	VDB-37 25 3/12/2012 VDB-37B	VDB-37 30 3/12/2012 VDB-37C
<b>Screening Criteria<sup>1</sup></b>	<b>MCL</b>	<b>RSL HQ = 0.1</b>	<b>RSL HQ = 1.0</b>											
<b><i>Dissolved Metals (µg/L)</i></b>														
Chromium	100	NA	NA	1.2	0.86 J	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
Chromium, VI <sup>CM</sup>	100	NA	NA	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
Iron	NS	1400	14000	---	---	---	---	---	---	---	---	---	---	---
Manganese	NS	43	430	---	---	---	---	---	---	---	---	---	---	---
<b><i>Total Metals (µg/L)</i></b>														
Chromium	100	NA	NA	---	---	---	---	---	---	---	---	---	---	---
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---	---	---	---	---	---	---	---	---	---
Iron	NS	1400	14000	---	---	---	---	---	---	---	---	---	---	---
Manganese	NS	43	430	---	---	---	---	---	---	---	---	---	---	---

Table 10. Grab Groundwater Sample Results  
 Metals  
 Dresser Inc. Facility  
 124 W. College Ave, Salisbury, Maryland

	Location Sample Depth (ft. bgs.) Sample Date Sample ID Notes	VDB-37 35 3/12/2012 VDB-37D	VDB-38 20 3/13/2012 VDB-38A	VDB-38 25 3/13/2012 VDB-38B	VDB-38 30 3/13/2012 VDB-38C	VDB-38 35 3/13/2012 VDB-38D	VDB-39 20 3/13/2012 VDB-39A	VDB-39 25 3/13/2012 VDB-39B	VDB-39 30 3/13/2012 VDB-39C	VDB-39 35 3/13/2012 VDB-39D	VDB-40 20 3/27/2012 VDB-40A	VDB-40 25 3/27/2012 VDB-40B		
<b>Screening Criteria<sup>1</sup></b>	MCL	RSL HQ = 0.1	RSL HQ = 1.0											
<b><i>Dissolved Metals (µg/L)</i></b>														
Chromium	100	NA	NA	1 U	680	620	0.53 J	1 U	1.1	4500	1 U	1 U	1 U	4200
Chromium, VI <sup>CM</sup>	100	NA	NA	10 U	510	190	10 U	10 U	10 U	3300	10 U	10 U	10 U	3600
Iron	NS	1400	14000	---	---	---	---	---	---	---	---	---	---	---
Manganese	NS	43	430	---	---	---	---	---	---	---	---	---	---	---
<b><i>Total Metals (µg/L)</i></b>														
Chromium	100	NA	NA	---	---	---	---	---	---	---	---	---	---	---
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---	---	---	---	---	---	---	---	---	---
Iron	NS	1400	14000	---	---	---	---	---	---	---	---	---	---	---
Manganese	NS	43	430	---	---	---	---	---	---	---	---	---	---	---

Table 10. Grab Groundwater Sample Results  
 Metals  
 Dresser Inc. Facility  
 124 W. College Ave, Salisbury, Maryland

	Location Sample Depth (ft. bgs.) Sample Date Sample ID Notes	VDB-40 30 3/27/2012 VDB-40C	VDB-40 35 3/28/2012 VDB-40D	VDB-40 40 3/28/2012 VDB-40E	VDB-40 45 3/28/2012 VDB-40F	VDB-41 35 3/26/2012 VDB-41D	VDB-41 40 3/26/2012 VDB-41E	VDB-41 45 3/26/2012 VDB-41F	VDB-42 35 3/26/2012 VDB-42D	VDB-42 40 3/26/2012 VDB-42E	VDB-42 45 3/27/2012 VDB-42F		
<b>Screening Criteria<sup>1</sup></b>	MCL	RSL HQ = 0.1	RSL HQ = 1.0										
<b><i>Dissolved Metals (µg/L)</i></b>													
Chromium	100	NA	NA	1 U	1 U	1 U	1 U	9700	1 U	1 U	40	610	1 U
Chromium, VI <sup>CM</sup>	100	NA	NA	10 U	10 U	10 U	10 U	6500	10 U	10 U	10 U	320	10 U
Iron	NS	1400	14000	---	---	---	---	---	---	---	---	---	---
Manganese	NS	43	430	---	---	---	---	---	---	---	---	---	---
<b><i>Total Metals (µg/L)</i></b>													
Chromium	100	NA	NA	---	---	---	---	---	---	---	---	---	---
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---	---	---	---	---	---	---	---	---
Iron	NS	1400	14000	---	---	---	---	---	---	---	---	---	---
Manganese	NS	43	430	---	---	---	---	---	---	---	---	---	---

Table 10. Grab Groundwater Sample Results  
 Metals  
 Dresser Inc. Facility  
 124 W. College Ave, Salisbury, Maryland

	Location Sample Depth (ft. bgs.) Sample Date Sample ID Notes	VDB-43 35 3/23/2012 VDB-43D	VDB-43 40 3/23/2012 VDB-43E	VDB-43 45 3/23/2012 VDB-43F	VDB-44 35 3/27/2012 VDB-44D	VDB-44 40 3/27/2012 VDB-44E	VDB-44 45 3/27/2012 VDB-44F	VDB-45 35 3/28/2012 VDB-45D	VDB-45 40 3/28/2012 VDB-45E	VDB-45 45 3/28/2012 VDB-45F	VDB-46 20 3/29/2012 VDB-46A		
<b>Screening Criteria<sup>1</sup></b>	MCL	RSL HQ = 0.1	RSL HQ = 1.0										
<b><i>Dissolved Metals (µg/L)</i></b>													
Chromium	100	NA	NA	610	0.71 J	1 U	3.4	2	1 U	1500	66	1 U	1 U
Chromium, VI <sup>CM</sup>	100	NA	NA	260	10 U	10 U	10 U	10 U	10 U	690	10 U	10 U	10 U
Iron	NS	1400	14000	---	---	---	---	---	---	---	---	---	---
Manganese	NS	43	430	---	---	---	---	---	---	---	---	---	---
<b><i>Total Metals (µg/L)</i></b>													
Chromium	100	NA	NA	---	---	---	---	---	---	---	---	---	---
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---	---	---	---	---	---	---	---	---
Iron	NS	1400	14000	---	---	---	---	---	---	---	---	---	---
Manganese	NS	43	430	---	---	---	---	---	---	---	---	---	---

Table 10. Grab Groundwater Sample Results  
**Metals**  
 Dresser Inc. Facility  
 124 W. College Ave, Salisbury, Maryland

	Location Sample Depth (ft. bgs.) Sample Date Sample ID Notes	VDB-46 25 3/29/2012 VDB-46B	VDB-46 30 3/29/2012 VDB-46C	VDB-47 20 3/30/2012 VDB-47A	VDB-47 25 3/30/2012 VDB-47B	VDB-47 30 3/30/2012 VDB-47C	VDB-48 20 3/30/2012 VDB-48A	VDB-48 25 3/30/2012 VDB-48B	VDB-48 30 3/30/2012 VDB-48C	VDB-49 20 9/24/2012 VDB-49A	VDB-49 25 9/24/2012 VDB-49B	
<b>Screening Criteria<sup>1</sup></b>	<b>MCL</b>	<b>RSL HQ = 0.1</b>	<b>RSL HQ = 1.0</b>									
<b><i>Dissolved Metals (µg/L)</i></b>												
Chromium	100	NA	NA	5000	1 U	1 U	0.65 J	1 U	1 U	1 U	0.51 J	1 U
Chromium, VI <sup>CM</sup>	100	NA	NA	2700	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
Iron	NS	1400	14000	---	---	---	---	---	---	---	---	---
Manganese	NS	43	430	---	---	---	---	---	---	---	---	---
<b><i>Total Metals (µg/L)</i></b>												
Chromium	100	NA	NA	---	---	---	---	---	---	---	---	---
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---	---	---	---	---	---	---	---
Iron	NS	1400	14000	---	---	---	---	---	---	---	---	---
Manganese	NS	43	430	---	---	---	---	---	---	---	---	---

Table 10. Grab Groundwater Sample Results  
 Metals  
 Dresser Inc. Facility  
 124 W. College Ave, Salisbury, Maryland

	Location Sample Depth (ft. bgs.) Sample Date Sample ID Notes	VDB-49 30 9/24/2012 VDB-49C	VDB-49 35 9/24/2012 VDB-49D	VDB-49 40 9/24/2012 VDB-49E	VDB-49 45 9/24/2012 VDB-49F	VDB-50 20 9/26/2012 VDB-50A	VDB-50 25 9/26/2012 VDB-50B	VDB-50 30 9/26/2012 VDB-50C	VDB-50 35 9/26/2012 VDB-50D	VDB-50 40 9/26/2012 VDB-50E	VDB-50 45 9/26/2012 VDB-50F
<b>Screening Criteria<sup>1</sup></b>	<b>MCL</b>	<b>RSL HQ = 0.1</b>	<b>RSL HQ = 1.0</b>								
<b><i>Dissolved Metals (µg/L)</i></b>											
Chromium	100	NA	NA	1 U	1 U	15	1 U	1 U	1 U	1 U	1 U
Chromium, VI <sup>CM</sup>	100	NA	NA	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
Iron	NS	1400	14000	---	---	---	---	---	---	---	---
Manganese	NS	43	430	---	---	---	---	---	---	---	---
<b><i>Total Metals (µg/L)</i></b>											
Chromium	100	NA	NA	---	---	---	---	---	---	---	---
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---	---	---	---	---	---	---
Iron	NS	1400	14000	---	---	---	---	---	---	---	---
Manganese	NS	43	430	---	---	---	---	---	---	---	---



Table 10. Grab Groundwater Sample Results  
**Metals**  
 Dresser Inc. Facility  
 124 W. College Ave, Salisbury, Maryland

	Location Sample Depth (ft. bgs.) Sample Date Sample ID Notes	VDB-51 20 9/25/2012 VDB-51A	VDB-51 25 9/25/2012 VDB-51B	VDB-51 30 9/25/2012 VDB-51C	VDB-51 35 9/25/2012 VDB-51D	VDB-51 40 9/25/2012 VDB-51E	VDB-51 45 9/25/2012 VDB-51F	VDB-52 20 9/26/2012 VDB-52A	VDB-52 25 9/26/2012 VDB-52B	VDB-52 30 9/26/2012 VDB-52C	VDB-52 35 9/26/2012 VDB-52D		
<b>Screening Criteria<sup>1</sup></b>	MCL	RSL HQ = 0.1	RSL HQ = 1.0										
<b><i>Dissolved Metals (µg/L)</i></b>													
Chromium	100	NA	NA	46	2700	29	1 U	1 U	1 U	6.1	1 U	1 U	1 U
Chromium, VI <sup>CM</sup>	100	NA	NA	15	1800	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
Iron	NS	1400	14000	---	---	---	---	---	---	---	---	---	---
Manganese	NS	43	430	---	---	---	---	---	---	---	---	---	---
<b><i>Total Metals (µg/L)</i></b>													
Chromium	100	NA	NA	---	---	---	---	---	---	---	---	---	---
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---	---	---	---	---	---	---	---	---
Iron	NS	1400	14000	---	---	---	---	---	---	---	---	---	---
Manganese	NS	43	430	---	---	---	---	---	---	---	---	---	---

Table 10. Grab Groundwater Sample Results  
 Metals  
 Dresser Inc. Facility  
 124 W. College Ave, Salisbury, Maryland

	Location Sample Depth (ft. bgs.) Sample Date Sample ID Notes	VDB-52 40 9/26/2012 VDB-52E	VDB-52 45 9/26/2012 VDB-52F	VDB-53 20 10/1/2012 VDB-53A	VDB-53 25 10/1/2012 VDB-53B	VDB-53 30 10/1/2012 VDB-53C	VDB-53 35 10/1/2012 VDB-53D	VDB-53 40 10/1/2012 VDB-53E	VDB-53 45 10/1/2012 VDB-53F	VDB-54x 20 10/4/2012 VDB-54XA	VDB-54X 25 10/4/2012 VDB-54XB		
<b>Screening Criteria<sup>1</sup></b>	MCL	RSL HQ = 0.1	RSL HQ = 1.0										
<b><i>Dissolved Metals (µg/L)</i></b>													
Chromium	100	NA	NA	1 U	1 U	1 U	0.53 J	1 U	1 U	0.64 J	1 U	47	1 U
Chromium, VI <sup>CM</sup>	100	NA	NA	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
Iron	NS	1400	14000	---	---	---	---	---	---	---	---	---	---
Manganese	NS	43	430	---	---	---	---	---	---	---	---	---	---
<b><i>Total Metals (µg/L)</i></b>													
Chromium	100	NA	NA	---	---	---	---	---	---	---	---	---	---
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---	---	---	---	---	---	---	---	---
Iron	NS	1400	14000	---	---	---	---	---	---	---	---	---	---
Manganese	NS	43	430	---	---	---	---	---	---	---	---	---	---

Table 10. Grab Groundwater Sample Results  
 Metals  
 Dresser Inc. Facility  
 124 W. College Ave, Salisbury, Maryland

	Location Sample Depth (ft. bgs.) Sample Date Sample ID Notes	VDB-54X 30 10/4/2012 VDB-54XC	VDB-54X 35 10/4/2012 VDB-54XD	VDB-55X 35 10/4/2012 VDB-55XD	VDB-55X 40 10/4/2012 VDB-55XE	VDB-56 20 10/1/2012 VDB-56A	VDB-56 25 10/1/2012 VDB-56B	VDB-56 30 10/1/2012 VDB-56C	VDB-56 35 10/1/2012 VDB-56D	VDB-56 40 10/1/2012 VDB-56E	VDB-56 45 10/2/2012 VDB-56F		
<b>Screening Criteria<sup>1</sup></b>	MCL	RSL HQ = 0.1	RSL HQ = 1.0										
<b><i>Dissolved Metals (µg/L)</i></b>													
Chromium	100	NA	NA	1 U	1 U	---	---	250	2300	1.1	0.53 J	1 U	1 U
Chromium, VI <sup>CM</sup>	100	NA	NA	10 U	10 U	---	---	110	1300	10 U	10 U	10 U	10 U
Iron	NS	1400	14000	---	---	2700	1600	---	---	---	---	---	---
Manganese	NS	43	430	---	---	87	100	---	---	---	---	---	---
<b><i>Total Metals (µg/L)</i></b>													
Chromium	100	NA	NA	---	---	---	---	---	---	---	---	---	---
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---	---	---	---	---	---	---	---	---
Iron	NS	1400	14000	---	---	---	2600	---	---	---	---	---	---
Manganese	NS	43	430	---	---	120	100	---	---	---	---	---	---

Table 10. Grab Groundwater Sample Results  
 Metals  
 Dresser Inc. Facility  
 124 W. College Ave, Salisbury, Maryland

	Location Sample Depth (ft. bgs.) Sample Date Sample ID Notes	VDB-57 20 9/25/2012 VDB-57A	VDB-57 25 9/25/2012 VDB-57B	VDB-57 30 9/25/2012 VDB-57C	VDB-57 35 9/25/2012 VDB-57D	VDB-57 40 9/25/2012 VDB-57E	VDB-57 45 9/25/2012 VDB-57F	VDB-59 20 9/27/2012 VDB-59A	VDB-59 25 9/27/2012 VDB-59B	VDB-59 30 9/27/2012 VDB-59C	VDB-59 35 9/27/2012 VDB-59D		
<b>Screening Criteria<sup>1</sup></b>	MCL	RSL HQ = 0.1	RSL HQ = 1.0										
<b>Dissolved Metals (µg/L)</b>													
Chromium	100	NA	NA	1 U	1 U	1 U	7.4	1 U	1 U	0.77 J	1 U	84	17
Chromium, VI <sup>CM</sup>	100	NA	NA	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U
Iron	NS	1400	14000	---	---	---	---	---	---	---	---	---	---
Manganese	NS	43	430	---	---	---	---	---	---	---	---	---	---
<b>Total Metals (µg/L)</b>													
Chromium	100	NA	NA	---	---	---	---	---	---	---	---	---	---
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---	---	---	---	---	---	---	---	---
Iron	NS	1400	14000	---	---	---	---	---	---	---	---	---	---
Manganese	NS	43	430	---	---	---	---	---	---	---	---	---	---

Table 10. Grab Groundwater Sample Results  
Metals  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland

	Location Sample Depth (ft. bgs.) Sample Date Sample ID Notes	VDB-59 40 9/27/2012 VDB-59E	VDB-59 45 9/27/2012 VDB-59F	VDB-61 20 9/27/2012 VDB-61A	VDB-61 25 9/27/2012 VDB-61B	VDB-61 30 9/27/2012 VDB-61C	VDB-61 35 9/27/2012 VDB-61D	VDB-61 40 9/27/2012 VDB-61E	VDB-61 45 9/27/2012 VDB-61F	VDB-62X 20 10/3/2012 VDB-62XA	VDB-62X 25 10/3/2012 VDB-62XB		
<b>Screening Criteria<sup>1</sup></b>	MCL	RSL HQ = 0.1	RSL HQ = 1.0										
<b>Dissolved Metals (µg/L)</b>													
Chromium	100	NA	NA	1 U	1 U	130	1 U	0.91 J	9.7	1 U	1 U	1 U	1 U
Chromium, VI <sup>CM</sup>	100	NA	NA	10 U	10 U	110	10 U	10 U	10 U	10 U	10 U	10 U	10 U
Iron	NS	1400	14000	---	---	---	---	---	---	---	---	---	---
Manganese	NS	43	430	---	---	---	---	---	---	---	---	---	---
<b>Total Metals (µg/L)</b>													
Chromium	100	NA	NA	---	---	---	---	---	---	---	---	---	---
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---	---	---	---	---	---	---	---	---
Iron	NS	1400	14000	---	---	---	---	---	---	---	---	---	---
Manganese	NS	43	430	---	---	---	---	---	---	---	---	---	---

Table 10. Grab Groundwater Sample Results  
**Metals**  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland

				Location	VDB-62X	VDB-62X	VDB-62X	VDB-62X	VDB-63	VDB-63	VDB-63	VDB-63	VDB-64X	VDB-64X
				Sample Depth (ft. bgs.)	30	35	40	45	20	25	30	35	20	25
				Sample Date	10/3/2012	10/3/2012	10/3/2012	10/3/2012	10/4/2012	10/4/2012	10/4/2012	10/4/2012	10/3/2012	10/3/2012
				Sample ID	VDB-62XC	VDB-62XD	VDB-62XE	VDB-62XF	VDB-63A	VDB-63B	VDB-63C	VDB-63D	VDB-64XA	VDB-64XB
				Notes										
<b>Screening Criteria<sup>1</sup></b>	<b>MCL</b>	<b>RSL HQ = 0.1</b>	<b>RSL HQ = 1.0</b>											
<b><i>Dissolved Metals (µg/L)</i></b>														
Chromium	100	NA	NA	1 U	1 U	75	1 U	3	1.5	15	1 U	6.7	1 U	
Chromium, VI <sup>CM</sup>	100	NA	NA	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	10 U	
Iron	NS	1400	14000	---	---	---	---	---	---	---	---	---	---	
Manganese	NS	43	430	---	---	---	---	---	---	---	---	---	---	
<b><i>Total Metals (µg/L)</i></b>														
Chromium	100	NA	NA	---	---	---	---	---	---	---	---	---	---	
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---	---	---	---	---	---	---	---	---	
Iron	NS	1400	14000	---	---	---	---	---	---	---	---	---	---	
Manganese	NS	43	430	---	---	---	---	---	---	---	---	---	---	

Table 10. Grab Groundwater Sample Results  
 Metals  
 Dresser Inc. Facility  
 124 W. College Ave, Salisbury, Maryland

	Location Sample Depth (ft. bgs.) Sample Date Sample ID Notes	VDB-64X 30 10/3/2012 VDB-64XC	VDB-64X 35 10/3/2012 VDB-64XD	VDB-65 20 9/28/2012 VDB-65A	VDB-65 25 9/28/2012 VDB-65B	VDB-65 30 9/28/2012 VDB-65C	VDB-65 35 9/28/2012 VDB-65D	VDB-65 40 9/28/2012 VDB-65E	VDB-65 45 9/28/2012 VDB-65F	VDB-OS-1 34.5 10/26/2016 VDB-OS-1	VDB-OS-1 34.5 10/26/2016 VDB-OS-1 (DUP) d		
<b>Screening Criteria<sup>1</sup></b>	<b>MCL</b>	<b>RSL HQ = 0.1</b>	<b>RSL HQ = 1.0</b>										
<b><i>Dissolved Metals (µg/L)</i></b>													
Chromium	100	NA	NA	1 U	1 U	1 U	1 U	2.5	1000	5.8	1 U	---	---
Chromium, VI <sup>CM</sup>	100	NA	NA	10 U	10 U	10 U	10 U	10 U	290	10 U	10 U	---	---
Iron	NS	1400	14000	---	---	---	---	---	---	---	---	2600	2900
Manganese	NS	43	430	---	---	---	---	---	---	---	---	160	140
<b><i>Total Metals (µg/L)</i></b>													
Chromium	100	NA	NA	---	---	---	---	---	---	---	---	---	---
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---	---	---	---	---	---	---	---	---
Iron	NS	1400	14000	---	---	---	---	---	---	---	---	32000	8400
Manganese	NS	43	430	---	---	---	---	---	---	---	---	440	120

Table 10. Grab Groundwater Sample Results  
 Metals  
 Dresser Inc. Facility  
 124 W. College Ave, Salisbury, Maryland

	Location Sample Depth (ft. bgs.) Sample Date Sample ID Notes	VDB-OS-1 39.5 10/26/2016 VDB-OS-1	VDB-OS-1 44.5 10/26/2016 VDB-OS-1	VDB-OS-1 49.5 10/26/2016 VDB-OS-1	VDB-OS-1 59.5 10/26/2016 VDB-OS-1	VDB-OS-1 69.5 10/26/2016 VDB-OS-1	VDB-OS-1 79.5 10/27/2016 VDB-OS-1	VDB-OS-2 34.5 10/28/2016 VDB-OS-2	VDB-OS-2 39.5 10/31/2016 VDB-OS-2	VDB-OS-2 39.5 10/31/2016 VDB-OS-2 (DUP) d		
<b>Screening Criteria<sup>1</sup></b>	<b>MCL</b>	<b>RSL HQ = 0.1</b>	<b>RSL HQ = 1.0</b>									
<b><i>Dissolved Metals (µg/L)</i></b>												
Chromium	100	NA	NA	---	---	---	---	---	---	---		
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---	---	---	---	---	---		
Iron	NS	1400	14000	2200	27000	4100	26000	58000	2200	7800	1500	2000
Manganese	NS	43	430	83	640	210	630	1400	1100	840	110	76
<b><i>Total Metals (µg/L)</i></b>												
Chromium	100	NA	NA	---	---	---	---	---	---	---	---	---
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---	---	---	---	---	---	---	---
Iron	NS	1400	14000	8200	170000	130000	130000	240000	64000	94000	38000	18000
Manganese	NS	43	430	140	2100	1600	1600	3500	3600	1500	210	140



Table 10. Grab Groundwater Sample Results  
Metals  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland

	Location Sample Depth (ft. bgs.) Sample Date Sample ID Notes	VDB-OS-2 44.5 10/31/2016 VDB-OS-2	VDB-OS-2 49.5 10/31/2016 VDB-OS-2	VDB-OS-2 59.5 10/31/2016 VDB-OS-2	VDB-OS-2 69.5 10/31/2016 VDB-OS-2	VDB-OS-2 79.5 10/31/2016 VDB-OS-2	VDB-OS-3 34.5 10/27/2016 VDB-OS-3	VDB-OS-3 39.5 10/27/2016 VDB-OS-3	VDB-OS-3 44.5 10/27/2016 VDB-OS-3	VDB-OS-3 49.5 10/27/2016 VDB-OS-3	VDB-OS-3 59.5 10/27/2016 VDB-OS-3		
<b>Screening Criteria<sup>1</sup></b>	<b>MCL</b>	<b>RSL HQ = 0.1</b>	<b>RSL HQ = 1.0</b>										
<b><i>Dissolved Metals (µg/L)</i></b>													
Chromium	100	NA	NA	---	---	---	---	---	---	---	---		
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---	---	---	---	---	---	---		
Iron	NS	1400	14000	14000	1700	2200	750	5200	4900	20000	590	9700	8700
Manganese	NS	43	430	810	200	180	820	85	1700	610	35	370	280
<b><i>Total Metals (µg/L)</i></b>													
Chromium	100	NA	NA	---	---	---	---	---	---	---	---	---	---
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---	---	---	---	---	---	---	---	---
Iron	NS	1400	14000	40000	63000	56000	61000	69000	66000	140000	10000	220000	170000
Manganese	NS	43	430	1000	790	490	2900	250	2200	1200	110	1700	1200

Table 10. Grab Groundwater Sample Results

Metals

Dresser Inc. Facility

124 W. College Ave, Salisbury, Maryland

	Location	VDB-OS-3	VDB-OS-3		
	Sample Depth (ft. bgs.)	69.5	79.5		
	Sample Date	10/28/2016	10/28/2016		
	Sample ID	VDB-OS-3	VDB-OS-3		
	Notes				
<b>Screening Criteria<sup>1</sup></b>	<b>MCL</b>	<b>RSL HQ = 0.1</b>	<b>RSL HQ = 1.0</b>		
<b><i>Dissolved Metals (µg/L)</i></b>					
Chromium	100	NA	NA	---	---
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---
Iron	NS	1400	14000	2400	51000
Manganese	NS	43	430	620	880
<b><i>Total Metals (µg/L)</i></b>					
Chromium	100	NA	NA	---	---
Chromium, VI <sup>CM</sup>	100	NA	NA	---	---
Iron	NS	1400	14000	72000	260000
Manganese	NS	43	430	1500	2400

**Table 10. Grab Groundwater Sample Results**

**Metals**

**Dresser Inc. Facility**

**124 W. College Ave, Salisbury, Maryland**

**Notes:**

µg/L - Micrograms per liter

ft. bgs.: Feet below ground surface

NA: Not applicable because results are compared to another groundwater screening criterion.

NS: No standard exists for this analyte.

---: Sample not tested for specified analyte.

J: The reported concentration is an estimated value.

U: The target analyte was not detected at a concentration at or above the reporting limit. The value shown is the reporting limit.

USEPA - United States Environmental Protection Agency

MCL: Maximum contaminant levels as promulgated by USEPA. If MCL is shown shaded gray, the MCL was exceeded in at least one groundwater sample.


RSL: USEPA Regional Screening Level for Tap Water based on Summary Table (revised May 2018). If RSL is shown in bold outline and/or shaded light gray, the RSL was exceeded in at least one groundwater sample.


HQ - Hazard quotient

MS/MSD - Sample collected for matrix spike/matrix spike duplicate analysis.

**Bold Values** - The target analyte was detected at a concentration that exceeds its reporting limit.

 - The target analyte was detected at a concentration that exceeds its MCL.

 - The target analyte was detected at a concentration that exceeds an RSL for a non-carcinogenic risk with an HQ = 0.1.

 - The target analyte was detected at a concentration that exceeds an RSL for a non-carcinogenic risk with an HQ = 1.0.

<sup>1</sup>: Results were screened against MCLs, RSLs, or secondary MCLs. If an MCL was not available, then the results were screened against RSLs. If not MCL and RSL was available the result was screened against a secondary MCL.

<sup>CM</sup>: MCL for total chromium was used as the screening criteria for hexavalent chromium.

d: Duplicate sample of sample listed immediately to the left.

Metals analyzed using USEPA Method 6020 except for hexavalent chromium which was analyzed using SM 3500-CRB-2011 or SW846 7196A.

**Table 11. Grab Groundwater Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location			MW-50	MW-50	MW-52	MW-52	MW-56	MW-56	MW-57	MW-57	MW-57
	Sample Depth (ft. bgs.)	Sample Date	Sample ID	39	44	29	34	29	34	34	39	49
			Notes	3/22/2016	3/22/2016	3/22/2016	3/22/2016	3/22/2016	3/23/2016	3/21/2016	3/21/2016	3/21/2016
				MW-50	MW-50	MW-52	MW-52	MW-56	MW-56	MW-57	MW-57	MW-57
<b>Screening Criteria<sup>1</sup></b>	MCL	USEPA RSL HQ = 0.1 <sup>2</sup>	USEPA RSL HQ = 1.0 <sup>2</sup>									
<i>Inorganic Anions (µg/L)</i>												
Nitrate (as N)	10000	NA	NA	---	---	---	---	---	---	---	---	---
Nitrite (as N)	1000	NA	NA	---	---	---	---	---	---	---	---	---
Sulfate <sup>SM</sup>	250000	NA	NA	---	---	---	---	---	---	---	---	---
<i>Total Organic Carbon (µg/L)</i>	NS	NS	NS	---	---	---	---	---	---	---	---	---
<i>Sulfide (µg/L)<sup>SRM</sup></i>	250000	NS	NS	---	---	---	---	---	---	---	---	---
<i>Dissolved Gases in Water (µg/L)</i>												
Ethane	NS	NS	NS	---	---	---	---	---	---	---	---	---
Ethene	NS	NS	NS	---	---	---	---	---	---	---	---	---
Methane	NS	NS	NS	---	---	---	---	---	---	---	---	---
<i>Field Parameter</i>												
Dissolved Oxygen (mg/L)	NS	NS	NS	9.9	0	0	0	0	0	0	0.39	0
Oxidation-Reduction Potential <sup>0</sup> (mV)	NS	NS	NS	93.4	-20.6	65.1	22.5	83	28.5	84.4	133.2	89.3
pH (standard units)	NS	NS	NS	5.49	6.33	6.42	6.6	5.83	6.54	5.86	5.23	5.49
Specific Conductivity (mS/cm)	NS	NS	NS	0.288	0.388	0.395	0.41	0.512	0.259	0.25	0.191	0.22
Temperature (°C)	NS	NS	NS	17.81	16.51	5.62	12.42	15.81	12.64	13.46	15.5	16.55
Turbidity (NTU)	NS	NS	NS	1823.1	1804.9	14.1	1745	1794.3	1446.9	5.5	38.2	350.1
Water Color/Appearance	NS	NS	NS	---	---	---	---	---	---	---	---	---

**Table 11. Grab Groundwater Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location			VDB-1	VDB-1	VDB-1	VDB-1	VDB-1	VDB-1	VDB-2	VDB-2
	Sample Depth (ft. bgs.)	Sample Date	Sample ID	20	25	30	30	35	40	20	25
			Notes	12/16/2010	12/16/2010	12/16/2010	12/16/2010	12/16/2010	12/16/2010	12/17/2010	12/17/2010
				VDB-1A	VDB-1B MS/MSD	VDB-1C	VDB-1F	VDB-1D	VDB-1E	VDB-2A	VDB-2B
<b>Screening Criteria<sup>1</sup></b>	MCL	USEPA RSL HQ = 0.1 <sup>2</sup>	USEPA RSL HQ = 1.0 <sup>2</sup>								
<i>Inorganic Anions (µg/L)</i>											
Nitrate (as N)	10000	NA	NA	---	---	---	---	---	---	---	---
Nitrite (as N)	1000	NA	NA	---	---	---	---	---	---	---	---
Sulfate <sup>SM</sup>	250000	NA	NA	---	---	---	---	---	---	---	---
<i>Total Organic Carbon (µg/L)</i>	NS	NS	NS	---	---	---	---	---	---	---	---
<i>Sulfide (µg/L)<sup>SRM</sup></i>	250000	NS	NS	---	---	---	---	---	---	---	---
<i>Dissolved Gases in Water (µg/L)</i>											
Ethane	NS	NS	NS	---	---	---	---	---	---	---	---
Ethene	NS	NS	NS	---	---	---	---	---	---	---	---
Methane	NS	NS	NS	---	---	---	---	---	---	---	---
<i>Field Parameter</i>											
Dissolved Oxygen (mg/L)	NS	NS	NS	15.78	10.66	11.36	11.36	12.38	8.94	2.33	7.93
Oxidation-Reduction Potential <sup>0</sup> (mV)	NS	NS	NS	108.5	118.9	53.2	53.2	33.8	-1.2	-43.8	13.7
pH (standard units)	NS	NS	NS	4.96	5.63	6.21	6.21	5.93	6	5.76	6
Specific Conductivity (mS/cm)	NS	NS	NS	0.804	0.241	0.254	0.254	0.427	0.3	0.401	0.55
Temperature (°C)	NS	NS	NS	5.87	12.28	11.89	11.89	11.6	11.12	9.25	12.4
Turbidity (NTU)	NS	NS	NS	363.8	1511	562.5	562.5	189.9	684.2	240.3	893.4
Water Color/Appearance	NS	NS	NS	---	---	---	---	---	---	---	---

**Table 11. Grab Groundwater Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location			VDB-2	VDB-2	VDB-2	VDB-3	VDB-3	VDB-3	VDB-3	VDB-3	VDB-3	VDB-3
	Sample Depth (ft. bgs.)	Sample Date	Sample ID	30	34	40	20	25	30	35	40	45	50
			Notes	12/17/2010	12/17/2010	12/17/2010	1/20/2011	1/20/2011	1/20/2011	1/20/2011	1/20/2011	1/20/2011	1/20/2011
	MCL	USEPA RSL HQ = 0.1 <sup>2</sup>	USEPA RSL HQ = 1.0 <sup>2</sup>	VDB-2C	VDB-2D	VDB-2E	VDB-3A	VDB-3B	VDB-3C	VDB-3D	VDB-3E	VDB-3F	VDB-3G
<b>Screening Criteria<sup>1</sup></b>													
<i>Inorganic Anions (µg/L)</i>													
Nitrate (as N)	10000	NA	NA	---	---	---	---	---	---	---	---	---	---
Nitrite (as N)	1000	NA	NA	---	---	---	---	---	---	---	---	---	---
Sulfate <sup>SM</sup>	250000	NA	NA	---	---	---	---	---	---	---	---	---	---
<i>Total Organic Carbon (µg/L)</i>	NS	NS	NS	---	---	---	---	---	---	---	---	---	---
<i>Sulfide (µg/L)<sup>SRM</sup></i>	250000	NS	NS	---	---	---	---	---	---	---	---	---	---
<i>Dissolved Gases in Water (µg/L)</i>													
Ethane	NS	NS	NS	---	---	---	---	---	---	---	---	---	---
Ethene	NS	NS	NS	---	---	---	---	---	---	---	---	---	---
Methane	NS	NS	NS	---	---	---	---	---	---	---	---	---	---
<i>Field Parameter</i>													
Dissolved Oxygen (mg/L)	NS	NS	NS	9.69	9.98	7.46	11.44	8.14	8.96	8.56	4.2	8.3	8.79
Oxidation-Reduction Potential <sup>0</sup> (mV)	NS	NS	NS	47.5	73	109.8	17.3	116.6	163	127	-19.2	-70.6	21.7
pH (standard units)	NS	NS	NS	6	5.87	7.75	5.17	5.68	5.92	5.55	6.04	6.01	5.79
Specific Conductivity (mS/cm)	NS	NS	NS	0.287	0.219	0.286	0.307	0.714	0.787	0.385	0.397	0.255	0.209
Temperature (°C)	NS	NS	NS	13.36	13.46	11.9	6.81	13.5	12.44	14.48	15.03	15	16.26
Turbidity (NTU)	NS	NS	NS	1628.4	944.8	1610.1	2030.5	2159	2138.6	953.7	2180.8	74.1	145.8
Water Color/Appearance	NS	NS	NS	---	---	---	---	---	---	---	---	---	---

**Table 11. Grab Groundwater Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location Sample Depth (ft. bgs.) Sample Date Sample ID Notes	VDB-4	VDB-4	VDB-4	VDB-4	VDB-4	VDB-4	VDB-5	VDB-5	VDB-5	VDB-5	VDB-5		
		20 1/19/2011 VDB-4A	25 1/19/2011 VDB-4B	30 1/19/2011 VDB-4C	35 1/19/2011 VDB-4D	35 1/19/2011 VDB-4G d	40 1/19/2011 VDB-4E	20 1/18/2011 VDB-5A	25 1/18/2011 VDB-5B	30 1/18/2011 VDB-5C	35 1/18/2011 VDB-5D	40 1/18/2011 VDB-5E		
<b>Screening Criteria<sup>1</sup></b>	MCL	USEPA RSL HQ = 0.1 <sup>2</sup>	USEPA RSL HQ = 1.0 <sup>2</sup>											
<i>Inorganic Anions (µg/L)</i>														
Nitrate (as N)	10000	NA	NA	---	---	---	---	---	---	---	---	---		
Nitrite (as N)	1000	NA	NA	---	---	---	---	---	---	---	---	---		
Sulfate <sup>SM</sup>	250000	NA	NA	---	---	---	---	---	---	---	---	---		
<i>Total Organic Carbon (µg/L)</i>	NS	NS	NS	---	---	---	---	---	---	---	---	---		
<i>Sulfide (µg/L)<sup>SRM</sup></i>	250000	NS	NS	---	---	---	---	---	---	---	---	---		
<i>Dissolved Gases in Water (µg/L)</i>														
Ethane	NS	NS	NS	---	---	---	---	---	---	---	---	---		
Ethene	NS	NS	NS	---	---	---	---	---	---	---	---	---		
Methane	NS	NS	NS	---	---	---	---	---	---	---	---	---		
<i>Field Parameter</i>														
Dissolved Oxygen (mg/L)	NS	NS	NS	5.41	8.44	6.91	9.09	9.09	8.23	0	7.02	7.11	2.35	5.64
Oxidation-Reduction Potential <sup>0</sup> (mV)	NS	NS	NS	6.7	13.5	-7.3	117.2	117.2	152.4	35.9	6.8	-15.9	-54.2	-39.5
pH (standard units)	NS	NS	NS	5.34	5.99	6	5.82	5.82	6.85	4.91	5.62	6.13	6.28	6.17
Specific Conductivity (mS/cm)	NS	NS	NS	0.969	0.249	0.208	0.289	0.289	0.296	0.323	0.685	0.264	0.32	0.311
Temperature (°C)	NS	NS	NS	7.77	13.19	14.6	13.9	13.9	14.28	11.14	16.38	12.53	12.75	11.95
Turbidity (NTU)	NS	NS	NS	1234.5	2108.1	694.7	277.1	277.1	761.1	2033	2180.5	2110.6	606.9	2098.4
Water Color/Appearance	NS	NS	NS	---	---	---	---	---	---	---	---	---	---	---

**Table 11. Grab Groundwater Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location Sample Depth (ft. bgs.) Sample Date Sample ID Notes	VDB-5	VDB-6	VDB-6	VDB-6	VDB-6	VDB-6	VDB-6	VDB-6	VDB-6	VDB-7	VDB-7	
		45 1/18/2011 VDB-5F	20 1/24/2011 VDB-6A	25 1/24/2011 VDB-6B	30 1/24/2011 VDB-6C	35 1/24/2011 VDB-6D	40 1/24/2011 VDB-6E	45 1/25/2011 VDB-6F	50 1/25/2011 VDB-6G	20 1/24/2011 VDB-7A	25 1/24/2011 VDB-7B		
<b>Screening Criteria<sup>1</sup></b>	MCL	USEPA RSL HQ = 0.1 <sup>2</sup>	USEPA RSL HQ = 1.0 <sup>2</sup>										
<i>Inorganic Anions (µg/L)</i>													
Nitrate (as N)	10000	NA	NA	---	---	---	---	---	---	---	---	---	
Nitrite (as N)	1000	NA	NA	---	---	---	---	---	---	---	---	---	
Sulfate <sup>SM</sup>	250000	NA	NA	---	---	---	---	---	---	---	---	---	
<i>Total Organic Carbon (µg/L)</i>	NS	NS	NS	---	---	---	---	---	---	---	---	---	
<i>Sulfide (µg/L)<sup>SRM</sup></i>	250000	NS	NS	---	---	---	---	---	---	---	---	---	
<i>Dissolved Gases in Water (µg/L)</i>													
Ethane	NS	NS	NS	---	---	---	---	---	---	---	---	---	
Ethene	NS	NS	NS	---	---	---	---	---	---	---	---	---	
Methane	NS	NS	NS	---	---	---	---	---	---	---	---	---	
<i>Field Parameter</i>													
Dissolved Oxygen (mg/L)	NS	NS	NS	7.53	10.53	7.19	8.05	6.9	7.13	8.24	7.39	14.1	7.5
Oxidation-Reduction Potential <sup>0</sup> (mV)	NS	NS	NS	-3.7	94.6	-4.9	-10.9	-28.3	29.2	20.2	-15.2	101.3	48.7
pH (standard units)	NS	NS	NS	5.92	6.04	6.06	6.44	6.21	5.9	5.78	6.14	6.11	6.09
Specific Conductivity (mS/cm)	NS	NS	NS	0.321	0.409	0.177	0.232	0.241	0.296	0.276	0.307	0.342	0.343
Temperature (°C)	NS	NS	NS	15.5	6.8	12.59	11.49	12.63	11.98	15.37	15.46	2.82	10.68
Turbidity (NTU)	NS	NS	NS	1566.3	2108.4	2216.2	2202.7	171.1	2200.4	205.2	686.6	1772.6	2191.1
Water Color/Appearance	NS	NS	NS	---	---	---	---	---	---	---	---	---	---



**Table 11. Grab Groundwater Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location Sample Depth (ft. bgs.) Sample Date Sample ID Notes	VDB-7	VDB-7	VDB-7	VDB-7	VDB-8	VDB-8	VDB-8	VDB-8	VDB-9	VDB-9		
		30 1/24/2011 VDB-7C	35 1/25/2011 VDB-7D	40 1/25/2011 VDB-7	45 1/25/2011 VDB-7	20 2/17/2011 VDB-8D	25 1/26/2011 VDB-8A	30 1/26/2011 VDB-8B	35 1/26/2011 VDB-8C	20 2/16/2011 VDB-9A	25 2/16/2011 VDB-9B		
<b>Screening Criteria<sup>1</sup></b>	MCL	USEPA RSL HQ = 0.1 <sup>2</sup>	USEPA RSL HQ = 1.0 <sup>2</sup>										
<i>Inorganic Anions (µg/L)</i>													
Nitrate (as N)	10000	NA	NA	---	---	---	---	---	---	---	---	---	
Nitrite (as N)	1000	NA	NA	---	---	---	---	---	---	---	---	---	
Sulfate <sup>SM</sup>	250000	NA	NA	---	---	---	---	---	---	---	---	---	
<i>Total Organic Carbon (µg/L)</i>	NS	NS	NS	---	---	---	---	---	---	---	---	---	
<i>Sulfide (µg/L)<sup>SRM</sup></i>	250000	NS	NS	---	---	---	---	---	---	---	---	---	
<i>Dissolved Gases in Water (µg/L)</i>													
Ethane	NS	NS	NS	---	---	---	---	---	---	---	---	---	
Ethene	NS	NS	NS	---	---	---	---	---	---	---	---	---	
Methane	NS	NS	NS	---	---	---	---	---	---	---	---	---	
<i>Field Parameter</i>													
Dissolved Oxygen (mg/L)	NS	NS	NS	6.83	6.67	8.38	8.81	7.85	5.31	6.54	7.1	9.54	8.38
Oxidation-Reduction Potential <sup>0</sup> (mV)	NS	NS	NS	18.8	-18.5	-1.5	8.3	43.9	-24.3	-9	23.5	31.9	2.6
pH (standard units)	NS	NS	NS	6.58	5.55	5.88	5.87	5.78	6.33	6.03	5.74	5.8	6.05
Specific Conductivity (mS/cm)	NS	NS	NS	0.378	0.312	0.177	0.271	0.131	0.364	0.28	0.247	0.217	0.418
Temperature (°C)	NS	NS	NS	9.53	9.47	13.54	12.64	18.86	13.76	13.76	13.74	4.96	13.38
Turbidity (NTU)	NS	NS	NS	2171	1911.4	206.2	2218.3	931	2243.5	2246.4	2014.9	1092.1	1509.8
Water Color/Appearance	NS	NS	NS	---	---	---	---	---	---	---	---	---	---

**Table 11. Grab Groundwater Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location Sample Depth (ft. bgs.) Sample Date Sample ID Notes	VDB-9	VDB-9	VDB-9	VDB-9	VDB-10	VDB-10	VDB-10	VDB-10	VDB-10	VDB-10	VDB-10	
		30 2/16/2011 VDB-9C	35 2/16/2011 VDB-9D	40 2/16/2011 VDB-9E	45 2/16/2011 VDB-9F	20 2/17/2011 VDB-10A	25 2/17/2011 VDB-10B	30 2/17/2011 VDB-10C	35 2/17/2011 VDB-10D	40 2/17/2011 VDB-10E	45 2/17/2011 VDB-10F		
<b>Screening Criteria<sup>1</sup></b>	MCL	USEPA RSL HQ = 0.1 <sup>2</sup>	USEPA RSL HQ = 1.0 <sup>2</sup>										
<i>Inorganic Anions (µg/L)</i>													
Nitrate (as N)	10000	NA	NA	---	---	---	---	---	---	---	---	---	
Nitrite (as N)	1000	NA	NA	---	---	---	---	---	---	---	---	---	
Sulfate <sup>SM</sup>	250000	NA	NA	---	---	---	---	---	---	---	---	---	
<i>Total Organic Carbon (µg/L)</i>	NS	NS	NS	---	---	---	---	---	---	---	---	---	
<i>Sulfide (µg/L)<sup>SRM</sup></i>	250000	NS	NS	---	---	---	---	---	---	---	---	---	
<i>Dissolved Gases in Water (µg/L)</i>													
Ethane	NS	NS	NS	---	---	---	---	---	---	---	---	---	
Ethene	NS	NS	NS	---	---	---	---	---	---	---	---	---	
Methane	NS	NS	NS	---	---	---	---	---	---	---	---	---	
<i>Field Parameter</i>													
Dissolved Oxygen (mg/L)	NS	NS	NS	10.54	9.16	10.31	10.9	10.67	8.45	7.92	7.39	7.96	7.92
Oxidation-Reduction Potential <sup>0</sup> (mV)	NS	NS	NS	42.6	33.1	30.2	-12.7	285.6	32.2	-10.9	40.9	53.4	6
pH (standard units)	NS	NS	NS	6.08	5.82	5.93	6.06	10.62	8.41	7.59	7.44	6.93	6.22
Specific Conductivity (mS/cm)	NS	NS	NS	0.614	0.217	0.262	0.243	0.543	0.344	0.252	0.354	0.289	0.251
Temperature (°C)	NS	NS	NS	12.01	14.19	13.81	14.01	13.74	16.27	16.18	16.89	17.58	17.74
Turbidity (NTU)	NS	NS	NS	214.8	978.1	707.9	393.6	687.4	1677.1	676.1	1255.3	417.2	751.9
Water Color/Appearance	NS	NS	NS	---	---	---	---	---	---	---	---	---	---

**Table 11. Grab Groundwater Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location Sample Depth (ft. bgs.) Sample Date Sample ID Notes	VDB-11	VDB-11	VDB-11	VDB-12	VDB-12	VDB-12	VDB-13	VDB-13	VDB-13	VDB-13		
		25 2/16/2011 VDB-11A	30 2/16/2011 VDB-11B	35 2/16/2011 VDB-11C	35 2/17/2011 VDB-12A	40 2/17/2011 VDB-12B	45 2/17/2011 VDB-12C	20 5/31/2011 VDB-13A	25 5/31/2011 VDB-13B	30 5/31/2011 VDB-13C	35 5/31/2011 VDB-13D		
<b>Screening Criteria<sup>1</sup></b>	MCL	USEPA RSL HQ = 0.1 <sup>2</sup>	USEPA RSL HQ = 1.0 <sup>2</sup>										
<i>Inorganic Anions (µg/L)</i>													
Nitrate (as N)	10000	NA	NA	---	---	---	---	---	---	---	---		
Nitrite (as N)	1000	NA	NA	---	---	---	---	---	---	---	---		
Sulfate <sup>SM</sup>	250000	NA	NA	---	---	---	---	---	---	---	---		
<i>Total Organic Carbon (µg/L)</i>	NS	NS	NS	---	---	---	---	---	---	---	---		
<i>Sulfide (µg/L)<sup>SRM</sup></i>	250000	NS	NS	---	---	---	---	---	---	---	---		
<i>Dissolved Gases in Water (µg/L)</i>													
Ethane	NS	NS	NS	---	---	---	---	---	---	---	---		
Ethene	NS	NS	NS	---	---	---	---	---	---	---	---		
Methane	NS	NS	NS	---	---	---	---	---	---	---	---		
<i>Field Parameter</i>													
Dissolved Oxygen (mg/L)	NS	NS	NS	9.52	9.25	7.2	7.19	7.98	7.32	1.97	6.31	6.95	4.94
Oxidation-Reduction Potential <sup>0</sup> (mV)	NS	NS	NS	16.2	-14.3	-52.8	16.5	-19.5	-58.9	-33.3	30.1	6.6	-27.3
pH (standard units)	NS	NS	NS	6.14	6.26	6.32	5.64	5.86	6.1	5.76	5.74	5.82	5.6
Specific Conductivity (mS/cm)	NS	NS	NS	0.323	0.184	0.305	0.257	0.288	0.267	0.301	0.208	0.243	0.349
Temperature (°C)	NS	NS	NS	15.38	15.38	14.88	15.65	15.55	16.09	30.7	25.48	22.55	22.9
Turbidity (NTU)	NS	NS	NS	1526	809.2	1520.4	1367.8	869.8	1679.5	1427.6	636.6	1345.5	1349.6
Water Color/Appearance	NS	NS	NS	---	---	---	---	---	---	---	---	---	---

**Table 11. Grab Groundwater Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location			VDB-13	VDB-13	VDB-14	VDB-14	VDB-14	VDB-14	VDB-14	VDB-15	VDB-15	VDB-15
	Sample Depth (ft. bgs.)	Sample Date	Sample ID	40	45	25	30	35	40	45	25	30	35
			Notes	5/31/2011	5/31/2011	6/1/2011	6/1/2011	6/1/2011	6/1/2011	6/1/2011	6/1/2011	6/1/2011	6/1/2011
				VDB-13E	VDB-13F	VDB-14B	VDB-14C	VDB-14D	VDB-14E	VDB-14F	VDB-15B	VDB-15C	VDB-15D
<b>Screening Criteria<sup>1</sup></b>	MCL	USEPA RSL HQ = 0.1 <sup>2</sup>	USEPA RSL HQ = 1.0 <sup>2</sup>										
<i>Inorganic Anions (µg/L)</i>													
Nitrate (as N)	10000	NA	NA	---	---	---	---	---	---	---	---	---	---
Nitrite (as N)	1000	NA	NA	---	---	---	---	---	---	---	---	---	---
Sulfate <sup>SM</sup>	250000	NA	NA	---	---	---	---	---	---	---	---	---	---
<i>Total Organic Carbon (µg/L)</i>	NS	NS	NS	---	---	---	---	---	---	---	---	---	---
<i>Sulfide (µg/L)<sup>SRM</sup></i>	250000	NS	NS	---	---	---	---	---	---	---	---	---	---
<i>Dissolved Gases in Water (µg/L)</i>													
Ethane	NS	NS	NS	---	---	---	---	---	---	---	---	---	---
Ethene	NS	NS	NS	---	---	---	---	---	---	---	---	---	---
Methane	NS	NS	NS	---	---	---	---	---	---	---	---	---	---
<i>Field Parameter</i>													
Dissolved Oxygen (mg/L)	NS	NS	NS	4.83	7.09	5.3	7.66	7.81	6.94	7.12	6.62	6.94	6.94
Oxidation-Reduction Potential <sup>0</sup> (mV)	NS	NS	NS	-31.2	64.5	-3.6	120.9	149.5	76.4	43.4	65	52	64.9
pH (standard units)	NS	NS	NS	5.51	5.02	5.86	5.97	5.36	5.7	5.85	5.91	5.5	5.45
Specific Conductivity (mS/cm)	NS	NS	NS	0.348	0.276	0.626	0.271	0.609	0.319	0.296	0.502	0.277	0.312
Temperature (°C)	NS	NS	NS	23.45	22.43	18.95	20.11	20.39	20.26	21.35	22.38	22.51	22.71
Turbidity (NTU)	NS	NS	NS	1354.1	1133	1336.3	1348.2	1350.9	886.7	204.5	1371.3	1372	890.4
Water Color/Appearance	NS	NS	NS	---	---	---	---	---	---	---	---	---	---

**Table 11. Grab Groundwater Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location			VDB-15	VDB-15	VDB-16	VDB-16	VDB-16	VDB-16	VDB-16	VDB-17	VDB-17	VDB-17
	Sample Depth (ft. bgs.)	Sample Date	Sample ID	40	45	25	30	35	40	45	25	35	40
			Notes	6/1/2011 VDB-15E	6/2/2011 VDB-15F	6/2/2011 VDB-16B	6/2/2011 VDB-16C	6/2/2011 VDB-16D	6/2/2011 VDB-16E	6/2/2011 VDB-16F	3/5/2012 VDB-17B	3/5/2012 VDB-17D	3/5/2012 VDB-17E
<b>Screening Criteria<sup>1</sup></b>	MCL	USEPA RSL HQ = 0.1 <sup>2</sup>	USEPA RSL HQ = 1.0 <sup>2</sup>										
<i>Inorganic Anions (µg/L)</i>													
Nitrate (as N)	10000	NA	NA	---	---	---	---	---	---	---	---	---	---
Nitrite (as N)	1000	NA	NA	---	---	---	---	---	---	---	---	---	---
Sulfate <sup>SM</sup>	250000	NA	NA	---	---	---	---	---	---	---	---	---	---
<i>Total Organic Carbon (µg/L)</i>													
	NS	NS	NS	---	---	---	---	---	---	---	---	---	---
<i>Sulfide (µg/L)<sup>SRM</sup></i>													
	250000	NS	NS	---	---	---	---	---	---	---	---	---	---
<i>Dissolved Gases in Water (µg/L)</i>													
Ethane	NS	NS	NS	---	---	---	---	---	---	---	---	---	---
Ethene	NS	NS	NS	---	---	---	---	---	---	---	---	---	---
Methane	NS	NS	NS	---	---	---	---	---	---	---	---	---	---
<i>Field Parameter</i>													
Dissolved Oxygen (mg/L)	NS	NS	NS	5.97	5.4	6.41	5.69	7.67	7.65	7.02	0	6.32	8.41
Oxidation-Reduction Potential <sup>0</sup> (mV)	NS	NS	NS	-41.9	267.3	40.6	44.5	125.4	121.2	45	-38.2	-95.1	14.1
pH (standard units)	NS	NS	NS	5.68	10.17	7.12	6.52	5.8	5.71	5.8	6.35	6.76	6.37
Specific Conductivity (mS/cm)	NS	NS	NS	0.355	0.392	0.33	0.442	0.216	0.301	0.285	0.378	0.264	0.265
Temperature (°C)	NS	NS	NS	23.97	23.1	20.69	19.27	19.88	19.94	20.87	12.98	12.95	13.37
Turbidity (NTU)	NS	NS	NS	1387.6	1079.6	1365.1	1350.6	831.8	176.6	1366.8	1415.1	1373.9	1133.2
Water Color/Appearance	NS	NS	NS	---	---	---	---	---	---	---	---	---	---

**Table 11. Grab Groundwater Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location Sample Depth (ft. bgs.) Sample Date Sample ID Notes	VDB-17	VDB-18	VDB-18	VDB-18	VDB-18	VDB-18	VDB-18	VDB-18	VDB-19	VDB-19	VDB-19	
		45 3/6/2012 VDB-17F	20 3/7/2012 VDB-18A	25 3/7/2012 VDB-18B	30 3/7/2012 VDB-18C	35 3/7/2012 VDB-18D	40 3/7/2012 VDB-18E	45 3/7/2012 VDB-18F	20 3/8/2012 VDB-19A	25 3/8/2012 VDB-19B	30 3/8/2012 VDB-19C		
<b>Screening Criteria<sup>1</sup></b>	MCL	USEPA RSL HQ = 0.1 <sup>2</sup>	USEPA RSL HQ = 1.0 <sup>2</sup>										
<i>Inorganic Anions (µg/L)</i>													
Nitrate (as N)	10000	NA	NA	---	---	---	---	---	---	---	---	---	
Nitrite (as N)	1000	NA	NA	---	---	---	---	---	---	---	---	---	
Sulfate <sup>SM</sup>	250000	NA	NA	---	---	---	---	---	---	---	---	---	
<i>Total Organic Carbon (µg/L)</i>	NS	NS	NS	---	---	---	---	---	---	---	---	---	
<i>Sulfide (µg/L)<sup>SRM</sup></i>	250000	NS	NS	---	---	---	---	---	---	---	---	---	
<i>Dissolved Gases in Water (µg/L)</i>													
Ethane	NS	NS	NS	---	---	---	---	---	---	---	---	---	
Ethene	NS	NS	NS	---	---	---	---	---	---	---	---	---	
Methane	NS	NS	NS	---	---	---	---	---	---	---	---	---	
<i>Field Parameter</i>													
Dissolved Oxygen (mg/L)	NS	NS	NS	8.53	9.1	7.72	8.42	7.97	6.7	7.27	7.16	7.4	6.12
Oxidation-Reduction Potential <sup>0</sup> (mV)	NS	NS	NS	-2.8	21.4	125.7	97	70.8	6.3	2.4	6	6.5	-33.9
pH (standard units)	NS	NS	NS	6.38	5.27	6.03	5.88	5.4	5.8	5.77	5.65	5.93	6.14
Specific Conductivity (mS/cm)	NS	NS	NS	0.325	0.227	0.319	0.419	0.369	0.298	0.273	0.405	0.546	0.409
Temperature (°C)	NS	NS	NS	14.29	18.45	18.58	17.67	17.99	17.73	18.04	16.43	17.33	17.41
Turbidity (NTU)	NS	NS	NS	1432.2	885.6	818.9	251.1	346.3	112	429.5	1452	1012.3	1442.3
Water Color/Appearance	NS	NS	NS	---	---	---	---	---	---	---	---	---	---

**Table 11. Grab Groundwater Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location Sample Depth (ft. bgs.) Sample Date Sample ID Notes	VDB-19	VDB-19	VDB-19	VDB-20	VDB-20	VDB-20	VDB-20	VDB-20	VDB-20	VDB-20	VDB-21	
		35	40	45	20	25	30	35	40	45	25		
		3/8/2012	3/8/2012	3/8/2012	3/6/2012	3/6/2012	3/6/2012	3/6/2012	3/6/2012	3/6/2012	3/6/2012	3/8/2012	
		VDB-19D	VDB-19E	VDB-19F	VDB-20A	VDB-20B	VDB-20C	VDB-20D	VDB-20E	VDB-20F	VDB-20F	VDB-21B	
<b>Screening Criteria<sup>1</sup></b>	MCL	USEPA RSL HQ = 0.1 <sup>2</sup>	USEPA RSL HQ = 1.0 <sup>2</sup>										
<i>Inorganic Anions (µg/L)</i>													
Nitrate (as N)	10000	NA	NA	---	---	---	---	---	---	---	---	---	
Nitrite (as N)	1000	NA	NA	---	---	---	---	---	---	---	---	---	
Sulfate <sup>SM</sup>	250000	NA	NA	---	---	---	---	---	---	---	---	---	
<i>Total Organic Carbon (µg/L)</i>	NS	NS	NS	---	---	---	---	---	---	---	---	---	
<i>Sulfide (µg/L)<sup>SRM</sup></i>	250000	NS	NS	---	---	---	---	---	---	---	---	---	
<i>Dissolved Gases in Water (µg/L)</i>													
Ethane	NS	NS	NS	---	---	---	---	---	---	---	---	---	
Ethene	NS	NS	NS	---	---	---	---	---	---	---	---	---	
Methane	NS	NS	NS	---	---	---	---	---	---	---	---	---	
<i>Field Parameter</i>													
Dissolved Oxygen (mg/L)	NS	NS	NS	6.17	6.94	7.72	9.71	7.05	6.11	8.87	7.55	9.6	7.37
Oxidation-Reduction Potential <sup>0</sup> (mV)	NS	NS	NS	-12.3	31	-23.6	26.3	-11.8	-103.5	-120.1	-35.8	-14.3	84.7
pH (standard units)	NS	NS	NS	5.97	5.74	6.01	5.81	6.09	6.15	6.4	6.31	6.31	7.77
Specific Conductivity (mS/cm)	NS	NS	NS	0.291	0.317	0.294	0.176	0.463	0.38	0.387	0.311	0.31	0.458
Temperature (°C)	NS	NS	NS	17.63	18.16	18.88	15.63	16.62	16.65	15.41	14.51	13.9	19.46
Turbidity (NTU)	NS	NS	NS	1340.7	159.2	115.6	1238.8	197.9	1345.8	1336.3	1344.6	1357.5	134.1
Water Color/Appearance	NS	NS	NS	---	---	---	---	---	---	---	---	---	---

**Table 11. Grab Groundwater Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location Sample Depth (ft. bgs.) Sample Date Sample ID Notes	VDB-21	VDB-22	VDB-22	VDB-22	VDB-23	VDB-23	VDB-23	VDB-23	VDB-23	VDB-23	VDB-23	
		30 3/8/2012 VDB-21C	35 3/9/2012 VDB-22D	40 3/9/2012 VDB-22E	45 3/9/2012 VDB-22F	20 3/8/2012 VDB-23A	25 3/8/2012 VDB-23B	30 3/8/2012 VDB-23C	35 3/8/2012 VDB-23D	35 3/29/2012 VDB-23D	40 3/29/2012 VDB-23E		
<b>Screening Criteria<sup>1</sup></b>	MCL	USEPA RSL HQ = 0.1 <sup>2</sup>	USEPA RSL HQ = 1.0 <sup>2</sup>										
<i>Inorganic Anions (µg/L)</i>													
Nitrate (as N)	10000	NA	NA	---	---	---	---	---	---	---	---	---	
Nitrite (as N)	1000	NA	NA	---	---	---	---	---	---	---	---	---	
Sulfate <sup>SM</sup>	250000	NA	NA	---	---	---	---	---	---	---	---	---	
<i>Total Organic Carbon (µg/L)</i>	NS	NS	NS	---	---	---	---	---	---	---	---	---	
<i>Sulfide (µg/L)<sup>SRM</sup></i>	250000	NS	NS	---	---	---	---	---	---	---	---	---	
<i>Dissolved Gases in Water (µg/L)</i>													
Ethane	NS	NS	NS	---	---	---	---	---	---	---	---	---	
Ethene	NS	NS	NS	---	---	---	---	---	---	---	---	---	
Methane	NS	NS	NS	---	---	---	---	---	---	---	---	---	
<i>Field Parameter</i>													
Dissolved Oxygen (mg/L)	NS	NS	NS	3.4	5.49	8.47	6.56	7.41	5.3	4.2	7	3.41	3.64
Oxidation-Reduction Potential <sup>0</sup> (mV)	NS	NS	NS	-80.1	171.2	163.9	-8.1	-21.4	3.3	104	183.8	158	149.1
pH (standard units)	NS	NS	NS	6.59	5.76	6.09	5.91	5.12	5.77	5.91	5.67	5.43	5.79
Specific Conductivity (mS/cm)	NS	NS	NS	0.36	0.566	0.327	0.3	0.693	0.636	0.258	0.508	1.134	0.338
Temperature (°C)	NS	NS	NS	20.55	14.11	13.71	14.92	20.55	18.43	19.46	18.4	16.69	17.64
Turbidity (NTU)	NS	NS	NS	185.9	606.5	1510.3	623.4	1455.6	217.2	48.5	683.1	143.4	795.6
Water Color/Appearance	NS	NS	NS	---	---	---	---	---	---	---	---	---	---



**Table 11. Grab Groundwater Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location			VDB-23	VDB-24	VDB-24	VDB-24	VDB-24	VDB-24	VDB-24	VDB-25	VDB-25	VDB-25
	Sample Depth (ft. bgs.)	Sample Date	Sample ID	45	20	25	30	35	40	45	20	25	30
			Notes	3/29/2012	3/7/2012	3/7/2012	3/7/2012	3/7/2012	3/7/2012	3/7/2012	3/12/2012	3/12/2012	3/12/2012
				VDB-23F	VDB-24A	VDB-24B	VDB-24C	VDB-24D	VDB-24E	VDB-24F	VDB-25A	VDB-25B	VDB-25C
<b>Screening Criteria<sup>1</sup></b>	MCL	USEPA RSL HQ = 0.1 <sup>2</sup>	USEPA RSL HQ = 1.0 <sup>2</sup>										
<i>Inorganic Anions (µg/L)</i>													
Nitrate (as N)	10000	NA	NA	---	---	---	---	---	---	---	---	---	---
Nitrite (as N)	1000	NA	NA	---	---	---	---	---	---	---	---	---	---
Sulfate <sup>SM</sup>	250000	NA	NA	---	---	---	---	---	---	---	---	---	---
<i>Total Organic Carbon (µg/L)</i>	NS	NS	NS	---	---	---	---	---	---	---	---	---	---
<i>Sulfide (µg/L)<sup>SRM</sup></i>	250000	NS	NS	---	---	---	---	---	---	---	---	---	---
<i>Dissolved Gases in Water (µg/L)</i>													
Ethane	NS	NS	NS	---	---	---	---	---	---	---	---	---	---
Ethene	NS	NS	NS	---	---	---	---	---	---	---	---	---	---
Methane	NS	NS	NS	---	---	---	---	---	---	---	---	---	---
<i>Field Parameter</i>													
Dissolved Oxygen (mg/L)	NS	NS	NS	3.64	7.66	7.58	8.77	7.97	4.2	8.2	7.93	6.46	6.21
Oxidation-Reduction Potential <sup>0</sup> (mV)	NS	NS	NS	130.7	15.3	30.4	20.5	45.3	-59.6	20.5	27.8	0.7	21.3
pH (standard units)	NS	NS	NS	5.67	5.25	5.72	5.74	5.79	6.28	6.16	5.52	5.61	5.55
Specific Conductivity (mS/cm)	NS	NS	NS	0.247	0.264	0.497	0.266	0.271	0.384	0.321	0.197	0.309	0.247
Temperature (°C)	NS	NS	NS	17.6	11.94	15.28	15.84	16.77	16.74	17.22	19.28	18.2	17.77
Turbidity (NTU)	NS	NS	NS	1655.4	1446.3	1425.6	1140.3	1387.8	1371	1305.8	352.8	1425.6	1140.3
Water Color/Appearance	NS	NS	NS	---	---	---	---	---	---	---	---	---	---

**Table 11. Grab Groundwater Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location			VDB-25	VDB-26	VDB-26	VDB-26	VDB-26	VDB-27	VDB-27	VDB-27	VDB-27
	Sample Depth (ft. bgs.)	Sample Date	Sample ID	35	30	35	40	45	30	35	40	45
			Notes	3/12/2012	3/20/2012	3/20/2012	3/20/2012	3/20/2012	3/21/2012	3/21/2012	3/21/2012	3/21/2012
				VDB-25D	VDB-26C	VDB-26D	VDB-26E	VDB-26F	VDB-27C	VDB-27D	VDB-27E	VDB-27F
<b>Screening Criteria<sup>1</sup></b>	MCL	USEPA RSL HQ = 0.1 <sup>2</sup>	USEPA RSL HQ = 1.0 <sup>2</sup>									
<i>Inorganic Anions (µg/L)</i>												
Nitrate (as N)	10000	NA	NA	---	---	---	---	---	---	---	---	---
Nitrite (as N)	1000	NA	NA	---	---	---	---	---	---	---	---	---
Sulfate <sup>SM</sup>	250000	NA	NA	---	---	---	---	---	---	---	---	---
<i>Total Organic Carbon (µg/L)</i>	NS	NS	NS	---	---	---	---	---	---	---	---	---
<i>Sulfide (µg/L)<sup>SRM</sup></i>	250000	NS	NS	---	---	---	---	---	---	---	---	---
<i>Dissolved Gases in Water (µg/L)</i>												
Ethane	NS	NS	NS	---	---	---	---	---	---	---	---	---
Ethene	NS	NS	NS	---	---	---	---	---	---	---	---	---
Methane	NS	NS	NS	---	---	---	---	---	---	---	---	---
<i>Field Parameter</i>												
Dissolved Oxygen (mg/L)	NS	NS	NS	6.17	4.79	7.62	8.05	7.69	7.94	6.68	6.61	7.4
Oxidation-Reduction Potential <sup>0</sup> (mV)	NS	NS	NS	-3.4	-9.5	18.7	56.8	46.3	17.3	-3.3	-35.5	47
pH (standard units)	NS	NS	NS	5.8	6.17	6.2	6.03	5.95	6.15	6.12	6.28	5.85
Specific Conductivity (mS/cm)	NS	NS	NS	0.266	0.337	0.262	0.189	0.177	0.452	0.42	0.356	0.188
Temperature (°C)	NS	NS	NS	17.76	19.2	18.56	18.93	19.15	17.29	17.41	17.9	18.66
Turbidity (NTU)	NS	NS	NS	1387.8	964.9	404.3	282	34.1	29.8	693.7	509.5	1219
Water Color/Appearance	NS	NS	NS	---	---	---	---	---	---	---	---	---

**Table 11. Grab Groundwater Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location			VDB-28	VDB-28	VDB-28	VDB-28	VDB-29	VDB-29	VDB-29	VDB-30	VDB-30
	Sample Depth (ft. bgs.)	Sample Date	Sample ID	30	35	40	45	20	25	30	30	35
			Notes	3/22/2012	3/22/2012	3/22/2012	3/22/2012	3/20/2012	3/20/2012	3/20/2012	3/20/2012	3/20/2012
				VDB-28C	VDB-28D	VDB-28E	VDB-28F	VDB-29A	VDB-29B	VDB-29C	VDB-30C	VDB-30D
<b>Screening Criteria<sup>1</sup></b>	MCL	USEPA RSL HQ = 0.1 <sup>2</sup>	USEPA RSL HQ = 1.0 <sup>2</sup>									
<i>Inorganic Anions (µg/L)</i>												
Nitrate (as N)	10000	NA	NA	---	---	---	---	---	---	---	---	---
Nitrite (as N)	1000	NA	NA	---	---	---	---	---	---	---	---	---
Sulfate <sup>SM</sup>	250000	NA	NA	---	---	---	---	---	---	---	---	---
<i>Total Organic Carbon (µg/L)</i>	NS	NS	NS	---	---	---	---	---	---	---	---	---
<i>Sulfide (µg/L)<sup>SRM</sup></i>	250000	NS	NS	---	---	---	---	---	---	---	---	---
<i>Dissolved Gases in Water (µg/L)</i>												
Ethane	NS	NS	NS	---	---	---	---	---	---	---	---	---
Ethene	NS	NS	NS	---	---	---	---	---	---	---	---	---
Methane	NS	NS	NS	---	---	---	---	---	---	---	---	---
<i>Field Parameter</i>												
Dissolved Oxygen (mg/L)	NS	NS	NS	6.57	6.22	1.71	4.14	2.37	8.25	8.02	3.77	6.08
Oxidation-Reduction Potential <sup>0</sup> (mV)	NS	NS	NS	9.9	-13.7	-44.5	16.2	-18.7	38.5	11.5	-15.2	4.9
pH (standard units)	NS	NS	NS	6.18	5.98	6.03	5.9	6.2	5.98	5.93	5.7	5.69
Specific Conductivity (mS/cm)	NS	NS	NS	0.25	0.233	0.295	0.353	0.408	0.264	0.245	0.386	0.259
Temperature (°C)	NS	NS	NS	23.02	22.61	20.77	19.95	20.58	18.88	19.42	17.57	16.91
Turbidity (NTU)	NS	NS	NS	36	374.1	621.9	465.5	73.3	90.1	133.1	1266.6	34.1
Water Color/Appearance	NS	NS	NS	---	---	---	---	---	---	---	---	---

**Table 11. Grab Groundwater Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location			VDB-30	VDB-30	VDB-31	VDB-31	VDB-31	VDB-31	VDB-31	VDB-31	VDB-32	VDB-32
	Sample Depth (ft. bgs.)	Sample Date	Sample ID	40	45	20	25	30	35	40	45	20	25
			Notes	3/20/2012	3/20/2012	3/19/2012	3/19/2012	3/19/2012	3/19/2012	3/19/2012	3/19/2012	3/29/2012	3/29/2012
				VDB-30E	VDB-30F	VDB-31A	VDB-31B	VDB-31C	VDB-31D	VDB-31E	VDB-31F	VDB-32A	VDB-32B
<b>Screening Criteria<sup>1</sup></b>	MCL	USEPA RSL HQ = 0.1 <sup>2</sup>	USEPA RSL HQ = 1.0 <sup>2</sup>										
<i>Inorganic Anions (µg/L)</i>													
Nitrate (as N)	10000	NA	NA	---	---	---	---	---	---	---	---	---	---
Nitrite (as N)	1000	NA	NA	---	---	---	---	---	---	---	---	---	---
Sulfate <sup>SM</sup>	250000	NA	NA	---	---	---	---	---	---	---	---	---	---
<i>Total Organic Carbon (µg/L)</i>	NS	NS	NS	---	---	---	---	---	---	---	---	---	---
<i>Sulfide (µg/L)<sup>SRM</sup></i>	250000	NS	NS	---	---	---	---	---	---	---	---	---	---
<i>Dissolved Gases in Water (µg/L)</i>													
Ethane	NS	NS	NS	---	---	---	---	---	---	---	---	---	---
Ethene	NS	NS	NS	---	---	---	---	---	---	---	---	---	---
Methane	NS	NS	NS	---	---	---	---	---	---	---	---	---	---
<i>Field Parameter</i>													
Dissolved Oxygen (mg/L)	NS	NS	NS	5.33	5.4	7.66	9.66	4.41	4.76	5.73	6.44	4.47	5.96
Oxidation-Reduction Potential <sup>0</sup> (mV)	NS	NS	NS	3	13.6	-8.6	-14	-63.3	-4.6	-4.6	19.8	71.2	49.1
pH (standard units)	NS	NS	NS	5.65	5.6	6.72	6.69	6.03	5.95	5.94	5.88	5.56	5.84
Specific Conductivity (mS/cm)	NS	NS	NS	0.314	0.322	0.396	0.306	0.289	0.29	0.171	0.192	0.217	0.139
Temperature (°C)	NS	NS	NS	17.1	17.63	25.81	21.74	20.82	20.15	20.38	19.95	18.02	17.08
Turbidity (NTU)	NS	NS	NS	212.8	687.9	350.9	13.2	366.7	1257	1017.2	690.2	1660.9	17.8
Water Color/Appearance	NS	NS	NS	---	---	---	---	---	---	---	---	---	---

**Table 11. Grab Groundwater Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location			VDB-32	VDB-33	VDB-33	VDB-34	VDB-34	VDB-34	VDB-34	VDB-34	VDB-35
	Sample Depth (ft. bgs.)	Sample Date	Sample ID	30	25	30	20	20	25	25	30	20
			Notes	3/29/2012	3/23/2012	3/23/2012	3/23/2012	3/29/2012	3/23/2012	3/29/2012	3/29/2012	3/21/2012
				VDB-32C	VDB-33B	VDB-33C	VDB-34A	VDB-34A R	VDB-34B	VDB-34B R	VDB-34C	VDB-35A
<b>Screening Criteria<sup>1</sup></b>	MCL	USEPA RSL HQ = 0.1 <sup>2</sup>	USEPA RSL HQ = 1.0 <sup>2</sup>									
<i>Inorganic Anions (µg/L)</i>												
Nitrate (as N)	10000	NA	NA	---	---	---	---	---	---	---	---	---
Nitrite (as N)	1000	NA	NA	---	---	---	---	---	---	---	---	---
Sulfate <sup>SM</sup>	250000	NA	NA	---	---	---	---	---	---	---	---	---
<i>Total Organic Carbon (µg/L)</i>	NS	NS	NS	---	---	---	---	---	---	---	---	---
<i>Sulfide (µg/L)<sup>SRM</sup></i>	250000	NS	NS	---	---	---	---	---	---	---	---	---
<i>Dissolved Gases in Water (µg/L)</i>												
Ethane	NS	NS	NS	---	---	---	---	---	---	---	---	---
Ethene	NS	NS	NS	---	---	---	---	---	---	---	---	---
Methane	NS	NS	NS	---	---	---	---	---	---	---	---	---
<i>Field Parameter</i>												
Dissolved Oxygen (mg/L)	NS	NS	NS	5.08	3.35	5.04	6.31	4.29	6.17	4.17	5.1	9.21
Oxidation-Reduction Potential <sup>0</sup> (mV)	NS	NS	NS	40.5	-84.2	-50.9	2.7	35.9	34.9	36.7	53.4	41.1
pH (standard units)	NS	NS	NS	5.75	6.14	6.13	6.26	5.99	6.36	5.74	5.65	6.24
Specific Conductivity (mS/cm)	NS	NS	NS	0.247	0.633	0.395	0.216	0.233	0.174	0.171	0.187	0.455
Temperature (°C)	NS	NS	NS	16.97	23.87	21.49	28.2	18.16	22.1	17.08	16.07	24.04
Turbidity (NTU)	NS	NS	NS	-0.8	126	114.8	1253.5	618.2	3.8	638	22.4	1378.4
Water Color/Appearance	NS	NS	NS	---	---	---	---	---	---	---	---	---

**Table 11. Grab Groundwater Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location			VDB-35	VDB-35	VDB-35	VDB-35	VDB-35	VDB-36	VDB-36	VDB-36	VDB-36
	Sample Depth (ft. bgs.)	Sample Date	Sample ID	25	30	35	40	45	25	30	35	40
			Notes	3/21/2012	3/21/2012	3/21/2012	3/21/2012	3/22/2012	3/22/2012	3/22/2012	3/22/2012	3/22/2012
				VDB-35B	VDB-35C	VDB-35D	VDB-35E	VDB-35F	VDB-36B	VDB-36C	VDB-36D	VDB-36E
<b>Screening Criteria<sup>1</sup></b>	MCL	USEPA RSL HQ = 0.1 <sup>2</sup>	USEPA RSL HQ = 1.0 <sup>2</sup>									
<i>Inorganic Anions (µg/L)</i>												
Nitrate (as N)	10000	NA	NA	---	---	---	---	---	---	---	---	---
Nitrite (as N)	1000	NA	NA	---	---	---	---	---	---	---	---	---
Sulfate <sup>SM</sup>	250000	NA	NA	---	---	---	---	---	---	---	---	---
<i>Total Organic Carbon (µg/L)</i>	NS	NS	NS	---	---	---	---	---	---	---	---	---
<i>Sulfide (µg/L)<sup>SRM</sup></i>	250000	NS	NS	---	---	---	---	---	---	---	---	---
<i>Dissolved Gases in Water (µg/L)</i>												
Ethane	NS	NS	NS	---	---	---	---	---	---	---	---	---
Ethene	NS	NS	NS	---	---	---	---	---	---	---	---	---
Methane	NS	NS	NS	---	---	---	---	---	---	---	---	---
<i>Field Parameter</i>												
Dissolved Oxygen (mg/L)	NS	NS	NS	10.3	6.18	7.92	4.16	7.83	6.82	6.57	5.97	3.77
Oxidation-Reduction Potential <sup>0</sup> (mV)	NS	NS	NS	27.2	20.2	43.1	-11.6	80	-80.8	-5.1	-1	-48.1
pH (standard units)	NS	NS	NS	6.15	6.01	5.94	6.15	5.29	6.06	6.07	5.76	5.91
Specific Conductivity (mS/cm)	NS	NS	NS	0.663	0.314	0.226	0.247	0.193	0.688	0.431	0.232	0.355
Temperature (°C)	NS	NS	NS	19.56	19.25	19.03	18.01	17.32	21.97	21.95	20.17	20.71
Turbidity (NTU)	NS	NS	NS	10.8	973	445.8	1817.5	1353.8	260	15.9	316	1391.5
Water Color/Appearance	NS	NS	NS	---	---	---	---	---	---	---	---	---

**Table 11. Grab Groundwater Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location			VDB-36	VDB-37	VDB-37	VDB-37	VDB-37	VDB-38	VDB-38	VDB-38	VDB-38	VDB-39
	Sample Depth (ft. bgs.)	Sample Date	Sample ID	45	20	25	30	35	20	25	30	35	20
			Notes	3/22/2012	3/12/2012	3/12/2012	3/12/2012	3/12/2012	3/13/2012	3/13/2012	3/13/2012	3/13/2012	3/13/2012
				VDB-36F	VDB-37A	VDB-37B	VDB-37C	VDB-37D	VDB-38A	VDB-38B	VDB-38C	VDB-38D	VDB-39A
<b>Screening Criteria<sup>1</sup></b>	MCL	USEPA RSL HQ = 0.1 <sup>2</sup>	USEPA RSL HQ = 1.0 <sup>2</sup>										
<i>Inorganic Anions (µg/L)</i>													
Nitrate (as N)	10000	NA	NA	---	---	---	---	---	---	---	---	---	---
Nitrite (as N)	1000	NA	NA	---	---	---	---	---	---	---	---	---	---
Sulfate <sup>SM</sup>	250000	NA	NA	---	---	---	---	---	---	---	---	---	---
<i>Total Organic Carbon (µg/L)</i>	NS	NS	NS	---	---	---	---	---	---	---	---	---	---
<i>Sulfide (µg/L)<sup>SRM</sup></i>	250000	NS	NS	---	---	---	---	---	---	---	---	---	---
<i>Dissolved Gases in Water (µg/L)</i>													
Ethane	NS	NS	NS	---	---	---	---	---	---	---	---	---	---
Ethene	NS	NS	NS	---	---	---	---	---	---	---	---	---	---
Methane	NS	NS	NS	---	---	---	---	---	---	---	---	---	---
<i>Field Parameter</i>													
Dissolved Oxygen (mg/L)	NS	NS	NS	6.64	8.7	6.73	4.6	4.31	8.86	7.73	6.82	5.61	7.42
Oxidation-Reduction Potential <sup>0</sup> (mV)	NS	NS	NS	15.2	40.6	5.5	10	-28	111.5	87.4	6.3	-0.7	56.4
pH (standard units)	NS	NS	NS	6.17	5.47	5.8	5.8	5.9	5.26	5.71	5.89	5.84	5.01
Specific Conductivity (mS/cm)	NS	NS	NS	0.288	0.163	0.393	0.653	0.708	0.217	0.44	0.463	0.272	0.239
Temperature (°C)	NS	NS	NS	22.82	17.28	16.94	17.41	17.36	15.39	16.05	16.38	16.45	19.02
Turbidity (NTU)	NS	NS	NS	412.6	280.8	1273	662.3	912.2	472	1003.8	2063.4	2063.5	2093.1
Water Color/Appearance	NS	NS	NS	---	---	---	---	---	---	---	---	---	---

**Table 11. Grab Groundwater Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location			VDB-39	VDB-39	VDB-39	VDB-40	VDB-40	VDB-40	VDB-40	VDB-40	VDB-40
	Sample Depth (ft. bgs.)	Sample Date	Sample ID	25	30	35	20	25	30	35	40	45
			Notes	3/13/2012	3/13/2012	3/13/2012	3/27/2012	3/27/2012	3/27/2012	3/28/2012	3/28/2012	3/28/2012
				VDB-39B	VDB-39C	VDB-39D	VDB-40A	VDB-40B	VDB-40C	VDB-40D	VDB-40E	VDB-40F
<b>Screening Criteria<sup>1</sup></b>	MCL	USEPA RSL HQ = 0.1 <sup>2</sup>	USEPA RSL HQ = 1.0 <sup>2</sup>									
<i>Inorganic Anions (µg/L)</i>												
Nitrate (as N)	10000	NA	NA	---	---	---	---	---	---	---	---	---
Nitrite (as N)	1000	NA	NA	---	---	---	---	---	---	---	---	---
Sulfate <sup>SM</sup>	250000	NA	NA	---	---	---	---	---	---	---	---	---
<i>Total Organic Carbon (µg/L)</i>	NS	NS	NS	---	---	---	---	---	---	---	---	---
<i>Sulfide (µg/L)<sup>SRM</sup></i>	250000	NS	NS	---	---	---	---	---	---	---	---	---
<i>Dissolved Gases in Water (µg/L)</i>												
Ethane	NS	NS	NS	---	---	---	---	---	---	---	---	---
Ethene	NS	NS	NS	---	---	---	---	---	---	---	---	---
Methane	NS	NS	NS	---	---	---	---	---	---	---	---	---
<i>Field Parameter</i>												
Dissolved Oxygen (mg/L)	NS	NS	NS	8.67	8.46	9.11	12.77	11.73	7.16	13.15	11.42	8.66
Oxidation-Reduction Potential <sup>0</sup> (mV)	NS	NS	NS	111.5	38	19	12.6	79.6	81.9	17.3	11.2	24.3
pH (standard units)	NS	NS	NS	6.25	5.99	5.7	6.03	6.3	6.41	5.46	5.63	5.6
Specific Conductivity (mS/cm)	NS	NS	NS	0.244	0.236	0.297	0.351	0.317	0.292	0.346	0.314	0.348
Temperature (°C)	NS	NS	NS	18.44	18.55	18.73	17.22	16.36	16.26	16.09	16.31	17.88
Turbidity (NTU)	NS	NS	NS	0	0	1905.4	13.4	16.1	1409.4	340.2	213.5	732.3
Water Color/Appearance	NS	NS	NS	---	---	---	---	---	---	---	---	---



**Table 11. Grab Groundwater Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location			VDB-41	VDB-41	VDB-41	VDB-42	VDB-42	VDB-42	VDB-43	VDB-43	VDB-43
	Sample Depth (ft. bgs.)	Sample Date	Sample ID	35	40	45	35	40	45	35	40	45
			Notes	3/26/2012	3/26/2012	3/26/2012	3/26/2012	3/26/2012	3/27/2012	3/23/2012	3/23/2012	3/23/2012
				VDB-41D	VDB-41E	VDB-41F	VDB-42D	VDB-42E	VDB-42F	VDB-43D	VDB-43E	VDB-43F
<b>Screening Criteria<sup>1</sup></b>	MCL	USEPA RSL HQ = 0.1 <sup>2</sup>	USEPA RSL HQ = 1.0 <sup>2</sup>									
<i>Inorganic Anions (µg/L)</i>												
Nitrate (as N)	10000	NA	NA	---	---	---	---	---	---	---	---	---
Nitrite (as N)	1000	NA	NA	---	---	---	---	---	---	---	---	---
Sulfate <sup>SM</sup>	250000	NA	NA	---	---	---	---	---	---	---	---	---
<i>Total Organic Carbon (µg/L)</i>	NS	NS	NS	---	---	---	---	---	---	---	---	---
<i>Sulfide (µg/L)<sup>SRM</sup></i>	250000	NS	NS	---	---	---	---	---	---	---	---	---
<i>Dissolved Gases in Water (µg/L)</i>												
Ethane	NS	NS	NS	---	---	---	---	---	---	---	---	---
Ethene	NS	NS	NS	---	---	---	---	---	---	---	---	---
Methane	NS	NS	NS	---	---	---	---	---	---	---	---	---
<i>Field Parameter</i>												
Dissolved Oxygen (mg/L)	NS	NS	NS	2.59	2.81	0.83	2.71	1.61	12.22	4.17	4.31	5.16
Oxidation-Reduction Potential <sup>0</sup> (mV)	NS	NS	NS	61.7	-19.1	6.1	39.4	25.4	74.6	-46.6	-114.9	-30.2
pH (standard units)	NS	NS	NS	5.74	5.99	5.9	6.14	6.18	5.46	6	6.24	6.1
Specific Conductivity (mS/cm)	NS	NS	NS	0.871	0.336	0.267	0.361	0.399	0.269	0.331	0.594	0.346
Temperature (°C)	NS	NS	NS	21.86	18.1	17.8	16.52	16.76	12.94	18	19.43	19.45
Turbidity (NTU)	NS	NS	NS	56.4	27.3	840.3	114.8	1033.4	1370.6	542.8	1212.1	84.2
Water Color/Appearance	NS	NS	NS	---	---	---	---	---	---	---	---	---

**Table 11. Grab Groundwater Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location			VDB-44	VDB-44	VDB-44	VDB-45	VDB-45	VDB-45	VDB-46	VDB-46	VDB-46
	Sample Depth (ft. bgs.)	Sample Date	Sample ID	35	40	45	35	40	45	20	25	30
			Notes	3/27/2012	3/27/2012	3/27/2012	3/28/2012	3/28/2012	3/28/2012	3/29/2012	3/29/2012	3/29/2012
				VDB-44D	VDB-44E	VDB-44F	VDB-45D	VDB-45E	VDB-45F	VDB-46A	VDB-46B	VDB-46C
<b>Screening Criteria<sup>1</sup></b>	MCL	USEPA RSL HQ = 0.1 <sup>2</sup>	USEPA RSL HQ = 1.0 <sup>2</sup>									
<i>Inorganic Anions (µg/L)</i>												
Nitrate (as N)	10000	NA	NA	---	---	---	---	---	---	---	---	---
Nitrite (as N)	1000	NA	NA	---	---	---	---	---	---	---	---	---
Sulfate <sup>SM</sup>	250000	NA	NA	---	---	---	---	---	---	---	---	---
<i>Total Organic Carbon (µg/L)</i>	NS	NS	NS	---	---	---	---	---	---	---	---	---
<i>Sulfide (µg/L)<sup>SRM</sup></i>	250000	NS	NS	---	---	---	---	---	---	---	---	---
<i>Dissolved Gases in Water (µg/L)</i>												
Ethane	NS	NS	NS	---	---	---	---	---	---	---	---	---
Ethene	NS	NS	NS	---	---	---	---	---	---	---	---	---
Methane	NS	NS	NS	---	---	---	---	---	---	---	---	---
<i>Field Parameter</i>												
Dissolved Oxygen (mg/L)	NS	NS	NS	11.16	13.96	10.48	6.16	6.57	5.37	5.41	5.88	5.33
Oxidation-Reduction Potential <sup>0</sup> (mV)	NS	NS	NS	-39.5	-140.7	-8.9	65.9	-106.4	13.1	15.9	65.7	77.2
pH (standard units)	NS	NS	NS	5.68	6.26	6.06	5.61	6.24	6.01	5.64	5.77	5.72
Specific Conductivity (mS/cm)	NS	NS	NS	0.533	0.472	0.293	0.429	0.649	0.28	0.333	0.452	0.364
Temperature (°C)	NS	NS	NS	15.25	17.42	17.64	21.13	19.16	19.26	20.88	17.7	18.36
Turbidity (NTU)	NS	NS	NS	451	121.2	1420.3	1430.3	1570.9	1028.2	596.1	1656.9	959
Water Color/Appearance	NS	NS	NS	---	---	---	---	---	---	---	---	---

**Table 11. Grab Groundwater Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location			VDB-47	VDB-47	VDB-47	VDB-48	VDB-48	VDB-48	VDB-49	VDB-49	VDB-49
	Sample Depth (ft. bgs.)	Sample Date	Sample ID	20	25	30	20	25	30	20	25	30
			Notes	3/30/2012	3/30/2012	3/30/2012	3/30/2012	3/30/2012	3/30/2012	9/24/2012	9/24/2012	9/24/2012
				VDB-47A	VDB-47B	VDB-47C	VDB-48A	VDB-48B	VDB-48C	VDB-49A	VDB-49B	VDB-49C
<b>Screening Criteria<sup>1</sup></b>	MCL	USEPA RSL HQ = 0.1 <sup>2</sup>	USEPA RSL HQ = 1.0 <sup>2</sup>									
<i>Inorganic Anions (µg/L)</i>												
Nitrate (as N)	10000	NA	NA	---	---	---	---	---	---	---	---	---
Nitrite (as N)	1000	NA	NA	---	---	---	---	---	---	---	---	---
Sulfate <sup>SM</sup>	250000	NA	NA	---	---	---	---	---	---	---	---	---
<i>Total Organic Carbon (µg/L)</i>	NS	NS	NS	---	---	---	---	---	---	---	---	---
<i>Sulfide (µg/L)<sup>SRM</sup></i>	250000	NS	NS	---	---	---	---	---	---	---	---	---
<i>Dissolved Gases in Water (µg/L)</i>												
Ethane	NS	NS	NS	---	---	---	---	---	---	---	---	---
Ethene	NS	NS	NS	---	---	---	---	---	---	---	---	---
Methane	NS	NS	NS	---	---	---	---	---	---	---	---	---
<i>Field Parameter</i>												
Dissolved Oxygen (mg/L)	NS	NS	NS	5.47	5.23	5.68	4.59	4.54	4.42	7.12	3.94	8.71
Oxidation-Reduction Potential <sup>0</sup> (mV)	NS	NS	NS	41.6	-16.6	45.8	98.9	68.2	82.6	22.2	-26.9	91.6
pH (standard units)	NS	NS	NS	5.53	4.15	5.56	5.26	5.23	5.36	6.14	6.31	6.91
Specific Conductivity (mS/cm)	NS	NS	NS	0.315	0.497	0.211	1.472	0.505	0.405	0.513	0.564	0.432
Temperature (°C)	NS	NS	NS	17.15	17.37	18.4	13.76	16.38	16.87	19.47	18.78	19.48
Turbidity (NTU)	NS	NS	NS	1648.5	1651.8	690.2	869.5	1183	1244.5	1137.2	1132.1	162.2
Water Color/Appearance	NS	NS	NS	---	---	---	---	---	---	---	---	---

**Table 11. Grab Groundwater Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location Sample Depth (ft. bgs.) Sample Date Sample ID Notes	VDB-49	VDB-49	VDB-49	VDB-50	VDB-50	VDB-50	VDB-50	VDB-50	VDB-50	VDB-50	
		35 9/24/2012 VDB-49D	40 9/24/2012 VDB-49E	45 9/24/2012 VDB-49F	20 9/26/2012 VDB-50A	25 9/26/2012 VDB-50B	30 9/26/2012 VDB-50C	35 9/26/2012 VDB-50D	40 9/26/2012 VDB-50E	45 9/26/2012 VDB-50F		
<b>Screening Criteria<sup>1</sup></b>	MCL	USEPA RSL HQ = 0.1 <sup>2</sup>	USEPA RSL HQ = 1.0 <sup>2</sup>									
<i>Inorganic Anions (µg/L)</i>												
Nitrate (as N)	10000	NA	NA	---	---	---	---	---	---	---	---	
Nitrite (as N)	1000	NA	NA	---	---	---	---	---	---	---	---	
Sulfate <sup>SM</sup>	250000	NA	NA	---	---	---	---	---	---	---	---	
<i>Total Organic Carbon (µg/L)</i>	NS	NS	NS	---	---	---	---	---	---	---	---	
<i>Sulfide (µg/L)<sup>SRM</sup></i>	250000	NS	NS	---	---	---	---	---	---	---	---	
<i>Dissolved Gases in Water (µg/L)</i>												
Ethane	NS	NS	NS	---	---	---	---	---	---	---	---	
Ethene	NS	NS	NS	---	---	---	---	---	---	---	---	
Methane	NS	NS	NS	---	---	---	---	---	---	---	---	
<i>Field Parameter</i>												
Dissolved Oxygen (mg/L)	NS	NS	NS	8.44	6.38	5.02	6.93	8.46	2.76	6.57	6.3	7.8
Oxidation-Reduction Potential <sup>0</sup> (mV)	NS	NS	NS	-21.2	-179.3	-15.4	60.1	-25.4	-70.7	-39.5	-2.9	65.9
pH (standard units)	NS	NS	NS	5.7	5.69	5.78	4.8	6.28	6.2	5.94	5.67	5.69
Specific Conductivity (mS/cm)	NS	NS	NS	0.28	0.404	0.302	0.49	0.509	0.588	0.315	0.305	0.279
Temperature (°C)	NS	NS	NS	20.14	25.76	20.67	19.92	20.31	19.58	20.26	20.81	21.79
Turbidity (NTU)	NS	NS	NS	78.8	445.5	1146.2	1163.6	230	1160.7	349.5	74.3	102.5
Water Color/Appearance	NS	NS	NS	---	---	---	---	---	---	---	---	---

**Table 11. Grab Groundwater Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location			VDB-51	VDB-51	VDB-51	VDB-51	VDB-51	VDB-51	VDB-52	VDB-52	VDB-52
	Sample Depth (ft. bgs.)	Sample Date	Sample ID	20	25	30	35	40	45	20	25	30
			Notes	9/25/2012	9/25/2012	9/25/2012	9/25/2012	9/25/2012	9/25/2012	9/26/2012	9/26/2012	9/26/2012
				VDB-51A	VDB-51B	VDB-51C	VDB-51D	VDB-51E	VDB-51F	VDB-52A	VDB-52B	VDB-52C
<b>Screening Criteria<sup>1</sup></b>	MCL	USEPA RSL HQ = 0.1 <sup>2</sup>	USEPA RSL HQ = 1.0 <sup>2</sup>									
<i>Inorganic Anions (µg/L)</i>												
Nitrate (as N)	10000	NA	NA	---	---	---	---	---	---	---	---	---
Nitrite (as N)	1000	NA	NA	---	---	---	---	---	---	---	---	---
Sulfate <sup>SM</sup>	250000	NA	NA	---	---	---	---	---	---	---	---	---
<i>Total Organic Carbon (µg/L)</i>	NS	NS	NS	---	---	---	---	---	---	---	---	---
<i>Sulfide (µg/L)<sup>SRM</sup></i>	250000	NS	NS	---	---	---	---	---	---	---	---	---
<i>Dissolved Gases in Water (µg/L)</i>												
Ethane	NS	NS	NS	---	---	---	---	---	---	---	---	---
Ethene	NS	NS	NS	---	---	---	---	---	---	---	---	---
Methane	NS	NS	NS	---	---	---	---	---	---	---	---	---
<i>Field Parameter</i>												
Dissolved Oxygen (mg/L)	NS	NS	NS	8.91	9.39	6.59	9.38	8.89	7.93	1.62	7.3	6.87
Oxidation-Reduction Potential <sup>0</sup> (mV)	NS	NS	NS	24.1	74.6	-38.1	32.2	17.4	11.2	0.9	-32.1	12.5
pH (standard units)	NS	NS	NS	5.62	6.19	5.97	5.72	5.71	5.3	5.32	6.02	5.69
Specific Conductivity (mS/cm)	NS	NS	NS	0.253	0.208	0.503	0.416	0.331	0.346	0.374	0.401	0.281
Temperature (°C)	NS	NS	NS	19.74	19.93	19.88	21.56	19.98	20.9	25.58	24.53	24.25
Turbidity (NTU)	NS	NS	NS	1147	785.5	1147.6	528.8	281.1	1153.6	1211.1	253.5	176.7
Water Color/Appearance	NS	NS	NS	---	---	---	---	---	---	---	---	---

**Table 11. Grab Groundwater Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location			VDB-52	VDB-52	VDB-52	VDB-53	VDB-53	VDB-53	VDB-53	VDB-53	VDB-53
	Sample Depth (ft. bgs.)	Sample Date	Sample ID	35	40	45	20	25	30	35	40	45
			Notes	9/26/2012	9/26/2012	9/26/2012	10/1/2012	10/1/2012	10/1/2012	10/1/2012	10/1/2012	10/1/2012
				VDB-52D	VDB-52E	VDB-52F	VDB-53A	VDB-53B	VDB-53C	VDB-53D	VDB-53E	VDB-53F
<b>Screening Criteria<sup>1</sup></b>	MCL	USEPA RSL HQ = 0.1 <sup>2</sup>	USEPA RSL HQ = 1.0 <sup>2</sup>									
<i>Inorganic Anions (µg/L)</i>												
Nitrate (as N)	10000	NA	NA	---	---	---	---	---	---	---	---	---
Nitrite (as N)	1000	NA	NA	---	---	---	---	---	---	---	---	---
Sulfate <sup>SM</sup>	250000	NA	NA	---	---	---	---	---	---	---	---	---
<i>Total Organic Carbon (µg/L)</i>	NS	NS	NS	---	---	---	---	---	---	---	---	---
<i>Sulfide (µg/L)<sup>SRM</sup></i>	250000	NS	NS	---	---	---	---	---	---	---	---	---
<i>Dissolved Gases in Water (µg/L)</i>												
Ethane	NS	NS	NS	---	---	---	---	---	---	---	---	---
Ethene	NS	NS	NS	---	---	---	---	---	---	---	---	---
Methane	NS	NS	NS	---	---	---	---	---	---	---	---	---
<i>Field Parameter</i>												
Dissolved Oxygen (mg/L)	NS	NS	NS	6.31	4.77	8.29	6.55	6.63	6.9	5.65	2.66	7.8
Oxidation-Reduction Potential <sup>0</sup> (mV)	NS	NS	NS	-86.8	-74.1	71.2	35.6	-16.6	1	-25.9	-4.4	53.5
pH (standard units)	NS	NS	NS	5.68	6.03	5.62	5.36	6.2	6.06	5.96	5.77	5.54
Specific Conductivity (mS/cm)	NS	NS	NS	0.292	0.185	0.302	0.843	0.442	0.285	0.324	0.377	0.261
Temperature (°C)	NS	NS	NS	22.83	23.14	21.2	20.64	20.53	20.87	20.32	19.64	22.38
Turbidity (NTU)	NS	NS	NS	85.3	1189.3	239.3	1262.9	53	88.4	1260.9	142.7	177.9
Water Color/Appearance	NS	NS	NS	---	---	---	---	---	---	---	---	---

**Table 11. Grab Groundwater Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location			VDB-54x	VDB-54X	VDB-54X	VDB-54X	VDB-55X	VDB-55X	VDB-56	VDB-56	VDB-56
	Sample Depth (ft. bgs.)	Sample Date	Sample ID	20	25	30	35	35	40	20	25	30
			Notes	10/4/2012	10/4/2012	10/4/2012	10/4/2012	10/4/2012	10/4/2012	10/1/2012	10/1/2012	10/1/2012
				VDB-54XA	VDB-54XB	VDB-54XC	VDB-54XD	VDB-55XD	VDB-55XE	VDB-56A	VDB-56B	VDB-56C
<b>Screening Criteria<sup>1</sup></b>	MCL	USEPA RSL HQ = 0.1 <sup>2</sup>	USEPA RSL HQ = 1.0 <sup>2</sup>									
<i>Inorganic Anions (µg/L)</i>												
Nitrate (as N)	10000	NA	NA	---	---	---	---	6200	11000	---	---	---
Nitrite (as N)	1000	NA	NA	---	---	---	---	100 U	100 U	---	---	---
Sulfate <sup>SM</sup>	250000	NA	NA	---	---	---	---	48000	77000	---	---	---
<i>Total Organic Carbon (µg/L)</i>	NS	NS	NS	---	---	---	---	2200	2300	---	---	---
<i>Sulfide (µg/L)<sup>SRM</sup></i>	250000	NS	NS	---	---	---	---	1000 U	1000 U	---	---	---
<i>Dissolved Gases in Water (µg/L)</i>												
Ethane	NS	NS	NS	---	---	---	---	9.1 U	9 U	---	---	---
Ethene	NS	NS	NS	---	---	---	---	9.4 U	9.2 U	---	---	---
Methane	NS	NS	NS	---	---	---	---	5.7	4.7 U	---	---	---
<i>Field Parameter</i>												
Dissolved Oxygen (mg/L)	NS	NS	NS	5.06	6.67	2.62	3.45	6.42	5.06	7.94	5.46	3.04
Oxidation-Reduction Potential <sup>0</sup> (mV)	NS	NS	NS	32.1	14.7	-2.2	-1.8	51.6	50.9	102.7	112.1	5.8
pH (standard units)	NS	NS	NS	5.15	5.69	5.74	5.89	5.83	5.86	4.83	5.93	5.69
Specific Conductivity (mS/cm)	NS	NS	NS	0.33	0.11	0.374	0.349	0.301	0.308	0.506	0.496	0.31
Temperature (°C)	NS	NS	NS	23.08	21.43	20.2	20.37	23.17	23.44	22.5	19.91	18.97
Turbidity (NTU)	NS	NS	NS	1434.8	13.5	996.2	694	908	97.7	1280.9	1257.2	1248.4
Water Color/Appearance	NS	NS	NS	---	---	---	---	---	---	---	---	---

**Table 11. Grab Groundwater Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location			VDB-56	VDB-56	VDB-56	VDB-57	VDB-57	VDB-57	VDB-57	VDB-57	VDB-57
	Sample Depth (ft. bgs.)	Sample Date	Sample ID	35	40	45	20	25	30	35	40	45
			Notes	10/1/2012	10/1/2012	10/2/2012	9/25/2012	9/25/2012	9/25/2012	9/25/2012	9/25/2012	9/25/2012
				VDB-56D	VDB-56E	VDB-56F	VDB-57A	VDB-57B	VDB-57C	VDB-57D	VDB-57E	VDB-57F
<b>Screening Criteria<sup>1</sup></b>	MCL	USEPA RSL HQ = 0.1 <sup>2</sup>	USEPA RSL HQ = 1.0 <sup>2</sup>									
<i>Inorganic Anions (µg/L)</i>												
Nitrate (as N)	10000	NA	NA	---	---	---	---	---	---	---	---	---
Nitrite (as N)	1000	NA	NA	---	---	---	---	---	---	---	---	---
Sulfate <sup>SM</sup>	250000	NA	NA	---	---	---	---	---	---	---	---	---
<i>Total Organic Carbon (µg/L)</i>	NS	NS	NS	---	---	---	---	---	---	---	---	---
<i>Sulfide (µg/L)<sup>SRM</sup></i>	250000	NS	NS	---	---	---	---	---	---	---	---	---
<i>Dissolved Gases in Water (µg/L)</i>												
Ethane	NS	NS	NS	---	---	---	---	---	---	---	---	---
Ethene	NS	NS	NS	---	---	---	---	---	---	---	---	---
Methane	NS	NS	NS	---	---	---	---	---	---	---	---	---
<i>Field Parameter</i>												
Dissolved Oxygen (mg/L)	NS	NS	NS	4.22	5.65	7.89	7.28	8.63	8.38	6.59	6.15	3.69
Oxidation-Reduction Potential <sup>0</sup> (mV)	NS	NS	NS	1.1	38.2	27.3	70.4	-28.8	14.8	-96.5	-50.7	25.2
pH (standard units)	NS	NS	NS	5.9	5.91	5.91	4.77	6.35	7.42	5.62	5.89	5.92
Specific Conductivity (mS/cm)	NS	NS	NS	0.297	0.318	0.19	0.419	0.589	0.458	0.777	0.342	0.366
Temperature (°C)	NS	NS	NS	19.12	18.41	20.39	26.68	24.98	23.97	22.3	20.04	21.02
Turbidity (NTU)	NS	NS	NS	1249.8	102.4	654.5	1204.2	88.6	213.6	396.3	332.6	1045.4
Water Color/Appearance	NS	NS	NS	---	---	---	---	---	---	---	---	---



**Table 11. Grab Groundwater Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location			VDB-59	VDB-59	VDB-59	VDB-59	VDB-59	VDB-59	VDB-61	VDB-61	VDB-61
	Sample Depth (ft. bgs.)	Sample Date	Sample ID	20	25	30	35	40	45	20	25	30
			Notes	9/27/2012	9/27/2012	9/27/2012	9/27/2012	9/27/2012	9/27/2012	9/27/2012	9/27/2012	9/27/2012
				VDB-59A	VDB-59B	VDB-59C	VDB-59D	VDB-59E	VDB-59F	VDB-61A	VDB-61B	VDB-61C
<b>Screening Criteria<sup>1</sup></b>	MCL	USEPA RSL HQ = 0.1 <sup>2</sup>	USEPA RSL HQ = 1.0 <sup>2</sup>									
<i>Inorganic Anions (µg/L)</i>												
Nitrate (as N)	10000	NA	NA	---	---	---	---	---	---	---	---	---
Nitrite (as N)	1000	NA	NA	---	---	---	---	---	---	---	---	---
Sulfate <sup>SM</sup>	250000	NA	NA	---	---	---	---	---	---	---	---	---
<i>Total Organic Carbon (µg/L)</i>	NS	NS	NS	---	---	---	---	---	---	---	---	---
<i>Sulfide (µg/L)<sup>SRM</sup></i>	250000	NS	NS	---	---	---	---	---	---	---	---	---
<i>Dissolved Gases in Water (µg/L)</i>												
Ethane	NS	NS	NS	---	---	---	---	---	---	---	---	---
Ethene	NS	NS	NS	---	---	---	---	---	---	---	---	---
Methane	NS	NS	NS	---	---	---	---	---	---	---	---	---
<i>Field Parameter</i>												
Dissolved Oxygen (mg/L)	NS	NS	NS	7.76	7.41	3.67	1.57	6.84	6.39	7.71	7.85	6.75
Oxidation-Reduction Potential <sup>0</sup> (mV)	NS	NS	NS	0.8	-34.9	-21.9	-136.1	-74.6	-9.1	85.7	-3.7	-131.6
pH (standard units)	NS	NS	NS	5.92	5.96	5.87	6.19	6.1	6	4.79	6.09	7.16
Specific Conductivity (mS/cm)	NS	NS	NS	0.35	0.339	0.355	1.106	0.316	0.311	0.305	0.327	0.461
Temperature (°C)	NS	NS	NS	30.62	26.49	23.27	22.54	22.75	23.62	22.56	22.66	22.96
Turbidity (NTU)	NS	NS	NS	1251.5	311.6	464.2	312.8	627.1	560.6	1184.2	343.8	81.8
Water Color/Appearance	NS	NS	NS	---	---	---	---	---	---	---	---	---

**Table 11. Grab Groundwater Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location			VDB-61	VDB-61	VDB-61	VDB-62X	VDB-62X	VDB-62X	VDB-62X	VDB-62X	VDB-62X
	Sample Depth (ft. bgs.)	Sample Date	Sample ID	35	40	45	20	25	30	35	40	45
			Notes	9/27/2012	9/27/2012	9/27/2012	10/3/2012	10/3/2012	10/3/2012	10/3/2012	10/3/2012	10/3/2012
				VDB-61D	VDB-61E	VDB-61F	VDB-62XA	VDB-62XB	VDB-62XC	VDB-62XD	VDB-62XE	VDB-62XF
<b>Screening Criteria<sup>1</sup></b>	MCL	USEPA RSL HQ = 0.1 <sup>2</sup>	USEPA RSL HQ = 1.0 <sup>2</sup>									
<i>Inorganic Anions (µg/L)</i>												
Nitrate (as N)	10000	NA	NA	---	---	---	---	---	---	---	---	---
Nitrite (as N)	1000	NA	NA	---	---	---	---	---	---	---	---	---
Sulfate <sup>SM</sup>	250000	NA	NA	---	---	---	---	---	---	---	---	---
<i>Total Organic Carbon (µg/L)</i>	NS	NS	NS	---	---	---	---	---	---	---	---	---
<i>Sulfide (µg/L)<sup>SRM</sup></i>	250000	NS	NS	---	---	---	---	---	---	---	---	---
<i>Dissolved Gases in Water (µg/L)</i>												
Ethane	NS	NS	NS	---	---	---	---	---	---	---	---	---
Ethene	NS	NS	NS	---	---	---	---	---	---	---	---	---
Methane	NS	NS	NS	---	---	---	---	---	---	---	---	---
<i>Field Parameter</i>												
Dissolved Oxygen (mg/L)	NS	NS	NS	1.96	4.5	7.27	6.6	4.86	2.68	2.71	5.03	7.14
Oxidation-Reduction Potential <sup>0</sup> (mV)	NS	NS	NS	-254.4	-54.7	19.7	56.5	-8.4	-27.7	-24.7	-54.3	102.1
pH (standard units)	NS	NS	NS	6.5	5.88	5.41	4.91	6.01	5.91	5.91	5.81	5.43
Specific Conductivity (mS/cm)	NS	NS	NS	1.205	0.321	0.29	0.636	0.462	0.328	0.366	0.671	0.287
Temperature (°C)	NS	NS	NS	22.53	22.19	24.05	22.69	21.65	21.27	22.12	23.35	24.83
Turbidity (NTU)	NS	NS	NS	187.9	151.3	1251.5	1379.2	219.6	41.9	1043.7	65.1	149.9
Water Color/Appearance	NS	NS	NS	---	---	---	---	---	---	---	---	---

**Table 11. Grab Groundwater Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location			VDB-63	VDB-63	VDB-63	VDB-63	VDB-64X	VDB-64X	VDB-64X	VDB-64X	VDB-65
	Sample Depth (ft. bgs.)	Sample Date	Sample ID	20	25	30	35	20	25	30	35	20
			Notes	10/4/2012	10/4/2012	10/4/2012	10/4/2012	10/3/2012	10/3/2012	10/3/2012	10/3/2012	9/28/2012
				VDB-63A	VDB-63B	VDB-63C	VDB-63D	VDB-64XA	VDB-64XB	VDB-64XC	VDB-64XD	VDB-65A
<b>Screening Criteria<sup>1</sup></b>	MCL	USEPA RSL HQ = 0.1 <sup>2</sup>	USEPA RSL HQ = 1.0 <sup>2</sup>									
<i>Inorganic Anions (µg/L)</i>												
Nitrate (as N)	10000	NA	NA	---	---	---	---	---	---	---	---	---
Nitrite (as N)	1000	NA	NA	---	---	---	---	---	---	---	---	---
Sulfate <sup>SM</sup>	250000	NA	NA	---	---	---	---	---	---	---	---	---
<i>Total Organic Carbon (µg/L)</i>	NS	NS	NS	---	---	---	---	---	---	---	---	---
<i>Sulfide (µg/L)<sup>SRM</sup></i>	250000	NS	NS	---	---	---	---	---	---	---	---	---
<i>Dissolved Gases in Water (µg/L)</i>												
Ethane	NS	NS	NS	---	---	---	---	---	---	---	---	---
Ethene	NS	NS	NS	---	---	---	---	---	---	---	---	---
Methane	NS	NS	NS	---	---	---	---	---	---	---	---	---
<i>Field Parameter</i>												
Dissolved Oxygen (mg/L)	NS	NS	NS	4.14	6.7	2.74	4.2	5.27	3.13	4.54	2.17	7.02
Oxidation-Reduction Potential <sup>0</sup> (mV)	NS	NS	NS	74.6	-21.7	-46.8	7.6	12.4	-16	24.8	-32.3	36.4
pH (standard units)	NS	NS	NS	4.96	6.22	5.53	5.57	5.12	5.75	5.56	5.71	5.62
Specific Conductivity (mS/cm)	NS	NS	NS	0.722	0.395	0.364	0.324	0.374	0.451	0.443	0.343	0.375
Temperature (°C)	NS	NS	NS	26.37	25.21	21.94	21.82	27.16	22.79	21.31	22.17	22.52
Turbidity (NTU)	NS	NS	NS	1470.7	26.8	111.4	1067.2	1426.5	611	1364.3	1315.7	1301.2
Water Color/Appearance	NS	NS	NS	---	---	---	---	---	---	---	---	---

**Table 11. Grab Groundwater Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location Sample Depth (ft. bgs.) Sample Date Sample ID Notes	VDB-65	VDB-65	VDB-65	VDB-65	VDB-65	VDB-OS-1	VDB-OS-1	VDB-OS-1	VDB-OS-1		
		25 9/28/2012 VDB-65B	30 9/28/2012 VDB-65C	35 9/28/2012 VDB-65D	40 9/28/2012 VDB-65E	45 9/28/2012 VDB-65F	15.7 10/26/2016 VDB-OS-1	20.7 10/26/2016 VDB-OS-1	27.5 10/26/2016 VDB-OS-1	34.5 10/26/2016 VDB-OS-1		
<b>Screening Criteria<sup>1</sup></b>	MCL	USEPA RSL HQ = 0.1 <sup>2</sup>	USEPA RSL HQ = 1.0 <sup>2</sup>									
<i>Inorganic Anions (µg/L)</i>												
Nitrate (as N)	10000	NA	NA	---	---	---	---	---	---	---	12000	
Nitrite (as N)	1000	NA	NA	---	---	---	---	---	---	---	100 U	
Sulfate <sup>SM</sup>	250000	NA	NA	---	---	---	---	---	---	---	54000	
<i>Total Organic Carbon (µg/L)</i>	NS	NS	NS	---	---	---	---	---	---	---	---	
<i>Sulfide (µg/L)<sup>SRM</sup></i>	250000	NS	NS	---	---	---	---	---	---	---	1000 U	
<i>Dissolved Gases in Water (µg/L)</i>												
Ethane	NS	NS	NS	---	---	---	---	---	---	---	---	
Ethene	NS	NS	NS	---	---	---	---	---	---	---	---	
Methane	NS	NS	NS	---	---	---	---	---	---	---	---	
<i>Field Parameter</i>												
Dissolved Oxygen (mg/L)	NS	NS	NS	5.67	2.61	5.98	2.75	5.53	7.26	0.58	0.1	0.16
Oxidation-Reduction Potential <sup>0</sup> (mV)	NS	NS	NS	-0.8	-100.8	21.1	-236.3	-15.3	7.2	90.5	291.6	46.1
pH (standard units)	NS	NS	NS	6	6.46	5.81	6.52	5.87	124.8	7.17	7.16	7.32
Specific Conductivity (mS/cm)	NS	NS	NS	0.667	0.475	0.449	0.747	0.29	0.263	0.53	0.54	0.778
Temperature (°C)	NS	NS	NS	20.41	21.66	21.98	21.1	25.32	13.53	16.3	18.66	20.21
Turbidity (NTU)	NS	NS	NS	1266.4	435	118.7	281.3	76.1	---	---	---	---
Water Color/Appearance	NS	NS	NS	---	---	---	---	---	---	---	---	---

**Table 11. Grab Groundwater Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location			VDB-OS-1	VDB-OS-1	VDB-OS-1	VDB-OS-1	VDB-OS-1	VDB-OS-1	VDB-OS-1	VDB-OS-2
	Sample Depth (ft. bgs.)	Sample Date	Sample ID	34.5	39.5	44.5	49.5	59.5	69.5	79.5	27.5
			Notes	10/26/2016	10/26/2016	10/26/2016	10/26/2016	10/26/2016	10/26/2016	10/27/2016	10/28/2016
				VDB-OS-1 (DUP)	VDB-OS-1	VDB-OS-1	VDB-OS-1	VDB-OS-1	VDB-OS-1	VDB-OS-1	VDB-OS-2
	MCL	USEPA RSL HQ = 0.1 <sup>2</sup>	USEPA RSL HQ = 1.0 <sup>2</sup>								
<b>Screening Criteria<sup>1</sup></b>											
<i>Inorganic Anions (µg/L)</i>											
Nitrate (as N)	10000	NA	NA	<b>12000</b>	<b>7900</b>	<b>8100</b>	<b>6500</b>	<b>6400</b>	<b>4900</b>	100 U	---
Nitrite (as N)	1000	NA	NA	100 U	100 U	100 U	100 U	100 U	100 U	100 U	---
Sulfate <sup>SM</sup>	250000	NA	NA	<b>54000</b>	<b>38000</b>	<b>45000</b>	<b>27000</b>	<b>36000</b>	<b>24000</b>	<b>21000</b>	---
<i>Total Organic Carbon (µg/L)</i>	NS	NS	NS	---	---	---	---	---	---	---	---
<i>Sulfide (µg/L)<sup>SRM</sup></i>	250000	NS	NS	1000 U	1000 U	1000 U	1000 U	<b>1600</b>	<b>2900</b>	<b>1400</b>	---
<i>Dissolved Gases in Water (µg/L)</i>											
Ethane	NS	NS	NS	---	---	---	---	---	---	---	---
Ethene	NS	NS	NS	---	---	---	---	---	---	---	---
Methane	NS	NS	NS	---	---	---	---	---	---	---	---
<i>Field Parameter</i>											
Dissolved Oxygen (mg/L)	NS	NS	NS	0.16	0.16	0.15	0.11	0.09	0.21	0.17	0.26
Oxidation-Reduction Potential <sup>0</sup> (mV)	NS	NS	NS	46.1	46.1	-72.9	-71.6	-114.9	-145.9	-187.7	5.7
pH (standard units)	NS	NS	NS	7.32	7.32	6.32	6.59	6.97	6.65	7.11	5.89
Specific Conductivity (mS/cm)	NS	NS	NS	0.778	0.778	0.368	0.33	0.273	0.32	0.27	0.312
Temperature (°C)	NS	NS	NS	20.21	20.21	19.65	19.31	18.75	16.75	15.23	18.88
Turbidity (NTU)	NS	NS	NS	---	---	---	---	---	---	---	---
Water Color/Appearance	NS	NS	NS	---	---	---	---	---	---	---	---

**Table 11. Grab Groundwater Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location			VDB-OS-2	VDB-OS-2	VDB-OS-2	VDB-OS-2	VDB-OS-2	VDB-OS-2	VDB-OS-2	VDB-OS-2
	Sample Depth (ft. bgs.)	Sample Date	Sample ID	34.5	39.5	39.5	44.5	49.5	59.5	69.5	79.5
			Notes	10/28/2016	10/31/2016	10/31/2016	10/31/2016	10/31/2016	10/31/2016	10/31/2016	10/31/2016
				VDB-OS-2	VDB-OS-2	VDB-OS-2 (DUP)	VDB-OS-2	VDB-OS-2	VDB-OS-2	VDB-OS-2	VDB-OS-2
						d					
<b>Screening Criteria<sup>1</sup></b>	MCL	USEPA RSL HQ = 0.1 <sup>2</sup>	USEPA RSL HQ = 1.0 <sup>2</sup>								
<i>Inorganic Anions (µg/L)</i>											
Nitrate (as N)	10000	NA	NA	930	9700	9700	6300	5700	7500	6000	190
Nitrite (as N)	1000	NA	NA	100 U	100 U	100 U	100 U	100 U	100 U	100 U	100 U
Sulfate <sup>SM</sup>	250000	NA	NA	37000	30000	31000	53000	18000	30000	12000	21000
<i>Total Organic Carbon (µg/L)</i>	NS	NS	NS	---	---	---	---	---	---	---	---
<i>Sulfide (µg/L)<sup>SRM</sup></i>	250000	NS	NS	1500	1000 U	1000 U	1000 U	1300	1000 U	1500	1000 U
<i>Dissolved Gases in Water (µg/L)</i>											
Ethane	NS	NS	NS	---	---	---	---	---	---	---	---
Ethene	NS	NS	NS	---	---	---	---	---	---	---	---
Methane	NS	NS	NS	---	---	---	---	---	---	---	---
<i>Field Parameter</i>											
Dissolved Oxygen (mg/L)	NS	NS	NS	0.24	0.08	0.08	0.07	0.04	0.16	0.18	0.65
Oxidation-Reduction Potential <sup>0</sup> (mV)	NS	NS	NS	-48.3	14.7	14.7	-7.9	-112	-38.1	-125.8	-196.9
pH (standard units)	NS	NS	NS	6.42	7.05	7.05	6.28	6.85	6.74	6.85	7.37
Specific Conductivity (mS/cm)	NS	NS	NS	0.338	0.276	0.276	0.35	0.275	0.277	0.196	0.277
Temperature (°C)	NS	NS	NS	17.4	14.5	14.5	13.13	14.26	15.13	17.43	18.81
Turbidity (NTU)	NS	NS	NS	---	---	---	---	---	---	---	---
Water Color/Appearance	NS	NS	NS	---	---	---	---	---	---	---	---

**Table 11. Grab Groundwater Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location Sample Depth (ft. bgs.) Sample Date Sample ID Notes	VDB-OS-2-1	VDB-OS-3	VDB-OS-3	VDB-OS-3	VDB-OS-3	VDB-OS-3	VDB-OS-3	VDB-OS-3	VDB-OS-3	
		22 11/1/2016 VDB-OS-2-1	22.3 10/27/2016 VDB-OS-3	27.5 10/27/2016 VDB-OS-3	34.5 10/27/2016 VDB-OS-3	39.5 10/27/2016 VDB-OS-3	44.5 10/27/2016 VDB-OS-3	49.5 10/27/2016 VDB-OS-3	59.5 10/27/2016 VDB-OS-3		
<b>Screening Criteria<sup>1</sup></b>	MCL	USEPA RSL HQ = 0.1 <sup>2</sup>	USEPA RSL HQ = 1.0 <sup>2</sup>								
<i>Inorganic Anions (µg/L)</i>											
Nitrate (as N)	10000	NA	NA	---	---	---	100 U	4600	8600	5400	5300
Nitrite (as N)	1000	NA	NA	---	---	---	100 U	100 U	100 U	110	110
Sulfate <sup>SM</sup>	250000	NA	NA	---	---	---	42000	52000	26000	22000	26000
<i>Total Organic Carbon (µg/L)</i>	NS	NS	NS	---	---	---	---	---	---	---	---
<i>Sulfide (µg/L)<sup>SRM</sup></i>	250000	NS	NS	---	---	---	460 J	1400	630 J	3400	2300
<i>Dissolved Gases in Water (µg/L)</i>											
Ethane	NS	NS	NS	---	---	---	---	---	---	---	---
Ethene	NS	NS	NS	---	---	---	---	---	---	---	---
Methane	NS	NS	NS	---	---	---	---	---	---	---	---
<i>Field Parameter</i>											
Dissolved Oxygen (mg/L)	NS	NS	NS	0.24	0.45	1.47	0.55	0.11	0.31	0.08	0.22
Oxidation-Reduction Potential <sup>0</sup> (mV)	NS	NS	NS	11.1	-8.5	3.9	-42.4	-121.9	-2.2	-229.9	-49.2
pH (standard units)	NS	NS	NS	7.1	6.7	6.3	6.3	6.6	5.9	6.9	6.5
Specific Conductivity (mS/cm)	NS	NS	NS	1.197	0.79	0.214	0.417	0.417	0.231	0.156	0.265
Temperature (°C)	NS	NS	NS	13.08	21.28	21.07	19.1	18	17.18	16.87	17.05
Turbidity (NTU)	NS	NS	NS	---	---	---	---	---	987	---	---
Water Color/Appearance	NS	NS	NS	---	---	---	---	---	---	---	---

**Table 11. Grab Groundwater Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

		Location Sample Depth (ft. bgs.) Sample Date Sample ID Notes	VDB-OS-3 69.5 10/28/2016 VDB-OS-3	VDB-OS-3 79.5 10/28/2016 VDB-OS-3	VDB-OS-7 17.9 8/16/2017 VDB-OS-07	VDB-OS-7 24.2 8/16/2017 VDB-OS-07	VDB-OS-7 29.2 8/16/2017 VDB-OS-07	VDB-OS-7 34.2 8/16/2017 VDB-OS-07	VDB-OS-7 39.2 8/16/2017 VDB-OS-07	
<b>Screening Criteria<sup>1</sup></b>	MCL	USEPA RSL HQ = 0.1 <sup>2</sup>	USEPA RSL HQ = 1.0 <sup>2</sup>							
<i>Inorganic Anions (µg/L)</i>										
Nitrate (as N)	10000	NA	NA	6200	29000 U	---	---	---	---	
Nitrite (as N)	1000	NA	NA	100 U	590	---	---	---	---	
Sulfate <sup>SM</sup>	250000	NA	NA	22000	16000	---	---	---	---	
<i>Total Organic Carbon (µg/L)</i>										
	NS	NS	NS	---	---	---	---	---	---	
<i>Sulfide (µg/L)<sup>SRM</sup></i>										
	250000	NS	NS	1000 U	3400	---	---	---	---	
<i>Dissolved Gases in Water (µg/L)</i>										
Ethane	NS	NS	NS	---	---	---	---	---	---	
Ethene	NS	NS	NS	---	---	---	---	---	---	
Methane	NS	NS	NS	---	---	---	---	---	---	
<i>Field Parameter</i>										
Dissolved Oxygen (mg/L)	NS	NS	NS	0.05	0.05	6.51	6.77	4.2	2.67	2.2
Oxidation-Reduction Potential <sup>0</sup> (mV)	NS	NS	NS	-56.7	-235.5	-6.2	7.6	-52.4	-80.9	-189.8
pH (standard units)	NS	NS	NS	6.4	7.1	5.85	6.32	6.1	6.13	6.65
Specific Conductivity (mS/cm)	NS	NS	NS	0.221	0.229	0.980	0.824	0.921	0.462	0.581
Temperature (°C)	NS	NS	NS	14.27	19.6	30.97	28.42	30.17	30.38	30.41
Turbidity (NTU)	NS	NS	NS	---	---	1512.4	1482.4	1501.2	1472.9	243.8
Water Color/Appearance	NS	NS	NS	---	---	---	---	---	---	---



**Table 11. Grab Groundwater Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location			VDB-OS-7	VDB-OS-7	VDB-OS-7	VDB-OS-7	VDB-OS-7	VDB-OS-8	VDB-OS-8
	Sample Depth (ft. bgs.)	Sample Date	Sample ID	39.2	44.2	49.2	54.2	64.2	28.65	38.65
			Notes	8/16/2017	8/17/2017	8/17/2017	8/17/2017	8/17/2017	8/15/2017	8/15/2017
				VDB-OS-07 (DUP)	VDB-OS-07	VDB-OS-07	VDB-OS-07	VDB-OS-07	VDB-OS-08	VDB-OS-08
	MCL	USEPA RSL HQ = 0.1 <sup>2</sup>	USEPA RSL HQ = 1.0 <sup>2</sup>							
<b>Screening Criteria<sup>1</sup></b>										
<i>Inorganic Anions (µg/L)</i>										
Nitrate (as N)	10000	NA	NA	---	---	---	---	---	---	---
Nitrite (as N)	1000	NA	NA	---	---	---	---	---	---	---
Sulfate <sup>SM</sup>	250000	NA	NA	---	---	---	---	---	---	---
<i>Total Organic Carbon (µg/L)</i>	NS	NS	NS	---	---	---	---	---	---	---
<i>Sulfide (µg/L)<sup>SRM</sup></i>	250000	NS	NS	---	---	---	---	---	---	---
<i>Dissolved Gases in Water (µg/L)</i>										
Ethane	NS	NS	NS	---	---	---	---	---	---	---
Ethene	NS	NS	NS	---	---	---	---	---	---	---
Methane	NS	NS	NS	---	---	---	---	---	---	---
<i>Field Parameter</i>										
Dissolved Oxygen (mg/L)	NS	NS	NS	2.2	3.6	3.8	2.87	6.81	8.24	5.55
Oxidation-Reduction Potential <sup>0</sup> (mV)	NS	NS	NS	-189.8	-14.7	-67.5	-59	-7.8	22.3	-6.8
pH (standard units)	NS	NS	NS	6.65	5.76	6.12	6.11	6.46	5.76	6.18
Specific Conductivity (mS/cm)	NS	NS	NS	0.581	0.289	0.287	0.275	0.199	0.804	0.475
Temperature (°C)	NS	NS	NS	30.41	23.6	23.9	23.83	24.58	23.8	24.14
Turbidity (NTU)	NS	NS	NS	243.8	1370.8	786.4	1378.4	1186.9	1370.6	1374.7
Water Color/Appearance	NS	NS	NS	---	---	---	---	---	---	---

**Table 11. Grab Groundwater Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location	VDB-OS-8	VDB-OS-8	VDB-OS-8	VDB-OS-8	VDB-OS-8	VDB-OS-8	VDB-OS-8	VDB-OS-9	
	Sample Depth (ft. bgs.)	43.65	48.65	53.65	58.65	63.65	73.65	73.65	46.9	
	Sample Date	8/15/2017	8/15/2017	8/16/2017	8/16/2017	8/16/2017	8/16/2017	8/16/2017	3/19/2018	
	Sample ID	VDB-OS-08	VDB-OS-08	VDB-OS-08	VDB-OS-08	VDB-OS-08	VDB-OS-08	VDB-OS-08	VDB-OS-9-46.9	
	Notes									
<b>Screening Criteria<sup>1</sup></b>	MCL	USEPA RSL HQ = 0.1 <sup>2</sup>	USEPA RSL HQ = 1.0 <sup>2</sup>							
<i>Inorganic Anions (µg/L)</i>										
Nitrate (as N)	10000	NA	NA	---	---	---	---	---	---	
Nitrite (as N)	1000	NA	NA	---	---	---	---	---	---	
Sulfate <sup>SM</sup>	250000	NA	NA	---	---	---	---	---	---	
<i>Total Organic Carbon (µg/L)</i>	NS	NS	NS	---	---	---	---	---	---	
<i>Sulfide (µg/L)<sup>SRM</sup></i>	250000	NS	NS	---	---	---	---	---	---	
<i>Dissolved Gases in Water (µg/L)</i>										
Ethane	NS	NS	NS	---	---	---	---	---	---	
Ethene	NS	NS	NS	---	---	---	---	---	---	
Methane	NS	NS	NS	---	---	---	---	---	---	
<i>Field Parameter</i>										
Dissolved Oxygen (mg/L)	NS	NS	NS	5.76	3.13	7.3	3.71	3.99	1.96	2.68
Oxidation-Reduction Potential <sup>0</sup> (mV)	NS	NS	NS	3.3	-21.5	28.2	-34.2	47.3	-472.6	-54.8
pH (standard units)	NS	NS	NS	5.63	6.04	5.94	5.97	6.54	7.07	5.47
Specific Conductivity (mS/cm)	NS	NS	NS	0.670	0.610	0.804	0.590	0.777	0.908	0.439
Temperature (°C)	NS	NS	NS	23.3	26.78	23.12	23.61	25.31	30.64	20.55
Turbidity (NTU)	NS	NS	NS	1061.5	1229.3	814.2	1430.7	1448.5	151.7	363.3
Water Color/Appearance	NS	NS	NS	---	---	---	---	---	---	---

**Table 11. Grab Groundwater Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location			VDB-OS-9	VDB-OS-9	VDB-OS-9	VDB-OS-9	VDB-OS-9	VDB-OS-10
	Sample Depth (ft. bgs.)	Sample Date	Sample ID	51.9	56.9	61.9	61.9	66.9	45.2
			Notes	3/19/2018	3/19/2018	3/19/2018	3/19/2018	3/19/2018	7/9/2018
				VDB-OS-9-51.9	VDB-OS-9-56.9	VDB-OS-9-61.9	VDB-OS-9-61.9	VDB-OS-9-66.9	VDB-OS-10-45.2
<b>Screening Criteria<sup>1</sup></b>	MCL	USEPA RSL HQ = 0.1 <sup>2</sup>	USEPA RSL HQ = 1.0 <sup>2</sup>						
<i>Inorganic Anions (µg/L)</i>									
Nitrate (as N)	10000	NA	NA	---	---	---	---	---	---
Nitrite (as N)	1000	NA	NA	---	---	---	---	---	---
Sulfate <sup>SM</sup>	250000	NA	NA	---	---	---	---	---	---
<i>Total Organic Carbon (µg/L)</i>	NS	NS	NS	---	---	---	---	---	---
<i>Sulfide (µg/L)<sup>SRM</sup></i>	250000	NS	NS	---	---	---	---	---	---
<i>Dissolved Gases in Water (µg/L)</i>									
Ethane	NS	NS	NS	---	---	---	---	---	---
Ethene	NS	NS	NS	---	---	---	---	---	---
Methane	NS	NS	NS	---	---	---	---	---	---
<i>Field Parameter</i>									
Dissolved Oxygen (mg/L)	NS	NS	NS	3.03	7.56	2.86	7.56	2.72	0.59
Oxidation-Reduction Potential <sup>0</sup> (mV)	NS	NS	NS	-64.3	-46.2	-55.5	-46.2	-57.1	-42.3
pH (standard units)	NS	NS	NS	5.68	5.93	5.99	5.93	6.33	5.97
Specific Conductivity (mS/cm)	NS	NS	NS	0.273	0.305	0.243	0.305	0.266	0.471
Temperature (°C)	NS	NS	NS	18.45	18.18	17.12	18.18	15.06	27.53
Turbidity (NTU)	NS	NS	NS	1277.1	143.7	1264.4	143.7	870.6	476.4
Water Color/Appearance	NS	NS	NS	---	---	---	---	---	---

**Table 11. Grab Groundwater Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

	Location			VDB-OS-10	VDB-OS-10	VDB-OS-10	VDB-OS-10	VDB-OS-10
	Sample Depth (ft. bgs.)	Sample Date	Sample ID	50.2	55.2	55.2	60.2	65.2
			Notes	7/9/2018	7/9/2018	7/9/2018	7/9/2018	7/9/2018
				VDB-OS-10-50.2 (MS/MSD)	VDB-OS-10D	VDB-OS-10-55.2	VDB-OS-10-60.2	VDB-OS-10-65.2
	MCL	USEPA RSL HQ = 0.1 <sup>2</sup>	USEPA RSL HQ = 1.0 <sup>2</sup>					
<b>Screening Criteria<sup>1</sup></b>								
<i>Inorganic Anions (µg/L)</i>								
Nitrate (as N)	10000	NA	NA	---	---	---	---	---
Nitrite (as N)	1000	NA	NA	---	---	---	---	---
Sulfate <sup>SM</sup>	250000	NA	NA	---	---	---	---	---
<i>Total Organic Carbon (µg/L)</i>	NS	NS	NS	---	---	---	---	---
<i>Sulfide (µg/L)<sup>SRM</sup></i>	250000	NS	NS	---	---	---	---	---
<i>Dissolved Gases in Water (µg/L)</i>								
Ethane	NS	NS	NS	---	---	---	---	---
Ethene	NS	NS	NS	---	---	---	---	---
Methane	NS	NS	NS	---	---	---	---	---
<i>Field Parameter</i>								
Dissolved Oxygen (mg/L)	NS	NS	NS	0	0	0	0	1.45
Oxidation-Reduction Potential <sup>0</sup> (mV)	NS	NS	NS	-44.5	-107.5	-107.5	-286.5	-501
pH (standard units)	NS	NS	NS	5.98	6.48	6.48	6.54	6.67
Specific Conductivity (mS/cm)	NS	NS	NS	0.29	0.253	0.253	0.222	0.26
Temperature (°C)	NS	NS	NS	23.83	26.21	26.21	26.77	29.15
Turbidity (NTU)	NS	NS	NS	1466.9	651.8	651.8	293.2	204.9
Water Color/Appearance	NS	NS	NS	---	---	---	---	---

**Table 11. Grab Groundwater Sample Results  
Attenuation and Field Parameters  
Dresser Inc. Facility  
124 W. College Ave, Salisbury, Maryland**

**Notes:**

µg/L - Micrograms per liter

ft. bgs.: Feet below ground surface

NA: Not applicable because results are compared to another groundwater screening criterion.

NS: No standard exists for this analyte.

---: Sample not tested for specified analyte.

USEPA - United States Environmental Protection Agency

MCL: Maximum contaminant levels as promulgated by USEPA. If MCL is shown shaded gray, the MCL was exceeded in at least one groundwater sample.

RSL: USEPA Regional Screening Level for Tap Water based on Summary Table (revised May 2018). If RSL is shown in bold outline and/or shaded light gray, the RSL was exceeded in at least one analytical sample.


HQ - Hazard quotient

MS/MSD - A non-spiked sample was collected for Matrix Spike/Matrix Spike Duplicate analysis

**Bold Values** - The target analyte was detected at a concentration that exceeds its reporting limit.

 - The target analyte was detected at a concentration that exceeds its MCL.

 - The target analyte was detected at a concentration that exceeds an RSL a non-carcinogenic risk with an HQ = 0.1.

 - The target analyte was detected at a concentration that exceeds an RSL a non-carcinogenic risk with an HQ = 1.0.

<sup>1</sup>: Results were screened against MCLs, RSLs, or secondary MCLs. If an MCL was not available, then the results were screened against RSLs. If not MCL and RSL was available the result was screened against a secondary MCL.

<sup>2</sup>: RSLs shown as the same value in both columns are based on carcinogenic risk.

d: Duplicate sample of sample listed immediately to the left.

mg/L: Milligrams per liter

°C: Degrees Celsius.

mS/cm: Millisiemens per centimeter.

mV: Millivolts.

NTU: Nephelometric turbidity unit.

<sup>SM</sup>: Sulfate compared to the secondary MCL.

<sup>SRM</sup>: Sulfide is compared to the sulfate secondary MCL as a surrogate screening level.

<sup>O</sup>: Values for oxidation reduction potential have been normalized to account for differences in pH.

R: Samples collected from VDB-34 on 3/23/12 were compromised and not submitted for laboratory analysis; VDB-34 was re-advanced on 3/29/12 and new samples were collected and submitted for laboratory analysis.

**Table 12. Irrigation Well Sample Results**  
**Volatile Organic Compounds, Metals, and Field Parameters**  
**Dresser Inc. Facility**  
**124 W. College Ave, Salisbury, Maryland**

	MCL	RSL HQ = 0.1 <sup>2</sup>	RSL HQ = 1.0 <sup>2</sup>	Location	Irrigation Well		
				Sample Date	8/11/2004	10/26/2016	10/26/2016
				Sample ID	Sfresh	IW 60	IW 60
				Sample Depth (ft. bgs.)	TT		d
				Notes			
<b>Screening Criteria<sup>1</sup></b>							
<b>Volatile Organic Compounds (µg/L)</b>							
1,1,1-Trichloroethane	200	NA	NA		1 U	---	---
1,1,2,2-Tetrachloroethane	NS	0.076	0.076		1 U	---	---
1,1,2-Trichloroethane	5	NA	NA		1 U	---	---
1,1-Dichloroethane	NS	2.8	2.8		1 U	---	---
1,1-Dichloroethene	7	NA	NA		1 U	---	---
1,2,4-Trimethylbenzene	NS	5.6	56		---	1 U	1 U
1,2-Dichloroethane	5	NA	NA		1 U	---	---
1,2-Dichloropropane	5	NA	NA		1 U	---	---
1,3,5-Trimethylbenzene	NS	6	60		---	1 U	1 U
2-Butanone	NS	560	5600		5 U	10 U	10 U
2-Hexanone	NS	3.8	38		5 U	10 U	10 U
4-Methyl-2-pentanone	NS	630	6300		5 U	5 U	5 U
Acetone	NS	1400	14000		5 U	10 U	10 U
Benzene	5	NA	NA		1 U	1 U	1 U
Bromodichloromethane	80	NA	NA		1 U	---	---
Bromoform	80	NA	NA		1 U	5 U	5 U
Carbon disulfide	NS	81	810		5 U	10 U	10 U
Carbon tetrachloride	5	NA	NA		1 U	---	---
Chlorobenzene	100	NA	NA		1 U	---	---
Chloroethane	NS	2100	21000		1 U	---	---
Chloroform	80	NA	NA		1 U	---	---
cis-1,2-Dichloroethene	70	NA	NA		1 U	---	---
cis-1,3-Dichloropropene	NS	0.47	0.47		1 U	---	---
Cyclohexane	NS	1300	13000		---	10 U	10 U
Dibromochloromethane	80	NA	NA		1 U	---	---
Ethylbenzene	700	NA	NA		1 U	1 U	1 U
Ethylene dibromide	0.05	NA	NA		---	1 U	1 U
Isopropylbenzene (Cumene)	NS	45	450		---	1 U	1 U
Methyl acetate	NS	2000	20000		---	10 U	10 U
Methyl bromide	NS	0.75	7.5		1 U	1 U	1 U
Methyl chloride	NS	19	190		1 U	---	---
Methyl tert-butyl ether	NS	14	14		---	2.2	2.2
Methylcyclohexane <sup>C</sup>	NS	1300	13000		---	10 U	10 U
Methylene chloride	5	NA	NA		1 U	---	---
m&p-Xylene <sup>X</sup>	10000	NA	NA		---	2 U	2 U
Naphthalene	NS	0.17	0.17		1 U	1 U	1 U
o-Xylene <sup>X</sup>	10000	NA	NA		---	1 U	1 U
Styrene	100	NA	NA		1 U	1 U	1 U
Tetrachloroethene	5	NA	NA		1 U	---	---
Toluene	1000	NA	NA		1 U	1 U	1 U
trans-1,2-Dichloroethene	100	NA	NA		1 U	---	---
trans-1,3-Dichloropropene	NS	0.47	0.47		1 U	---	---
Trichloroethene	5	NA	NA		1 U	---	---
Vinyl chloride	2	NA	NA		1 U	---	---
Xylene, Total <sup>X</sup>	10000	NA	NA		2 U	---	---
<b>Total Metals (µg/L)</b>							
Antimony	6	NA	NA		2 U	---	---
Arsenic	10	NA	NA		2 U	---	---
Barium	2000	NA	NA		84	---	---
Beryllium	4	NA	NA		0.5 U	---	---
Cadmium	5	NA	NA		0.5 U	---	---
Chromium (III)	100	NA	NA		2 U	---	---
Chromium (VI) <sup>CM</sup>	100	NA	NA		10 U	---	---
Copper	1300	NA	NA		5	---	---
Lead	15	NA	NA		3	---	---
Mercury	2	NA	NA		0.2 U	---	---
Nickel	NS	39	390		2 U	---	---
Selenium	50	NA	NA		2 U	---	---
Silver	NS	9.4	94		2 U	---	---
Thallium	2	NA	NA		2 U	---	---
Zinc	NS	600	6000		128	---	---
<b>Field Parameter</b>							
Dissolved Oxygen (mg/L)	NS	NS	NS		---	10.2	10.2
Oxidation-Reduction Potential <sup>O</sup> (mV)	NS	NS	NS		---	209.1	209.1
pH (standard units)	NS	NS	NS		---	5.7	5.7
Specific Conductivity (mS/cm)	NS	NS	NS		---	0.18	0.18
Temperature (°C)	NS	NS	NS		---	18.23	18.23
Turbidity NTU	NS	NS	NS		---	---	---
Water Color/Appearance	NS	NS	NS		---	---	---

**Table 12. Irrigation Well Sample Results**  
**Volatile Organic Compounds, Metals, and Field Parameters**  
**Dresser Inc. Facility**  
**124 W. College Ave, Salisbury, Maryland**

**Notes:**

µg/L - Micrograms per liter

ft. bgs.: Feet below ground surface

NA: Not applicable because results are compared to another groundwater screening criterion.

NS: No standard exists for this analyte.

---: Sample not tested for specified analyte.

U: The target analyte was not detected at a concentration at or above the reporting limit. The value shown is the reporting limit.

USEPA - United States Environmental Protection Agency

MCL: Maximum contaminant levels as promulgated by USEPA.

RSL: USEPA Regional Screening Level for Tap Water based on Summary Table (revised May 2018).

HQ - Hazard quotient

**Bold Values** - The target analyte was detected at a concentration that exceeds its reporting limit.

<sup>1</sup>: Results were screened against MCLs, RSLs, or secondary MCLs. If an MCL was not available, then the results were screened against RSLs. If not MCL and RSL was available the result was screened against a secondary MCL.

If none of these criteria were available, the results were screened against a surrogate MCL.

<sup>2</sup>: RSLs shown as the same value in both columns are based on carcinogenic risk.

<sup>c</sup>: Methylcyclohexane is compared to the cyclohexane MCL as a surrogate standard.

<sup>x</sup>: MCL for total xylenes was used as the screening criteria for total xylenes and individual xylene isomers.

<sup>CM</sup>: MCL for total chromium was used as the screening criteria for hexavalent chromium.

TT: Sample depth not available; samples collected by Tetra Tech EM, Inc.

d: Duplicate sample of sample listed immediately to the left.

mg/L: Milligrams per liter

°C: Degrees Celsius.

mS/cm: Millisiemens per centimeter.

mV: Millivolts.

NTU: Nephelometric turbidity unit.

<sup>o</sup>: Values for oxidation reduction potential have been normalized to account for differences in pH.

Table 13 Constituents of Concern in Groundwater  
 Dresser, Inc. Facility  
 124 West College Avenue, Salisbury Maryland

<b>Constituents Found to Exceed Groundwater Preliminary Remediation Goals ("PRGs")<sup>1</sup></b>
<i>Petroleum Volatile Organic Compounds ("PVOCs")</i>
Naphthalene
1,2,4-Trimethylbenzene
1,3,5-Trimethylbenzene
Isopropylbenzene
Benzene
Toluene
Ethylbenzene
<i>Chlorinated Volatile Organic Compounds ("CVOCs")</i>
Tetrachloroethene ("PCE")
<i>Inorganic Constituents</i>
Chromium, dissolved/total
Hexavalent chromium
Nitrate
Iron <sup>2</sup>
Manganese <sup>2</sup>
<b>Common Degradation Products of PCE</b>
Trichloroethene
cis-1,2-Dichloroethene
Vinyl chloride
<b>Interim-basis Constituents of Concern<sup>3</sup></b>
Benzo(a)anthracene
Benzo(a)pyrene
Benzo(b)fluoranthene
Dibenz(a,h)anthracene
Ideno(1,2,3-cd)pyrene

- 1 Constituents that exceed groundwater PRGs have been identified using site-wide groundwater monitoring data collected since April 2016.
- 2 Iron and manganese are naturally occurring, redox sensitive metals that have been detected in groundwater at concentrations that exceed their respective PRGs at locations where conditions in groundwater are reducing.
- 3 Samples have been collected and analyzed for polycyclic aromatic hydrocarbons ("PAHs") via EPA Method 8270C, and no PAHs have been detected. However, the detection limits for five PAHs exceed their respective screening levels. Therefore, these five PAHs are considered COCs until additional groundwater sampling and analyses is conducted using methods capable of detecting the PAHs at concentrations below their screening levels.



*ATTACHMENT 3  
DATA VALIDATION REPORTS  
(PROVIDED SEPARATELY)*