

```

<?xml version="1.0" encoding="UTF-8"?>
<!-- SEDD_5-2_GENERAL_2a_2.dtd 07/16/2008 -->
<!-- Acronym Description -->
<!-- EDD - Electronic Data Deliverable -->
<!-- ID - Identity -->
<!-- Lab - Laboratory -->
<!-- QC - Quality Control -->
<!-- RPD - Relative Percent Difference -->
<!-- ELEMENT Header (
    ClientID|
    ClientName|
    Comment|
    DateFormat|
    EDDID|
    EDDImplementationID|
    EDDImplementationVersion|
    EDDVersion|
    GeneratingSystemID|
    GeneratingSystemVersion|
    LabContract|
    LabContractModificationDescription|
    LabContractModificationID|
    LabDataPackageID|
    LabDataPackageName|
    LabDataPackageVersion|
    LabID|
    LabName|
    LabNarrative|
    LabQualityDefinition|
    LabReportedDate|
    ProjectID|
    ProjectName|
    SiteID|
    SiteName|
    ContactInformation|
    SamplingMethod
)*>
<!-- ELEMENT Analysis (
    AliquotAmount|
    AliquotAmountUnits|
    AnalysisDuration|
    AnalysisDurationUnits|
    AnalysisGroupID|
    AnalysisType|
    Analyst|
    AnalyzedAmount|
    AnalyzedAmountUnits|
    AnalyzedDate|
    ClientAnalysisID|
    ClientMethodCode|
    ClientMethodID|
    ClientMethodModificationDescription|
    ClientMethodModificationID|
    ClientMethodName|
    ClientMethodSource|
    ClientMethodVersion|
    Column|
    ColumnInternalDiameter|
    ColumnInternalDiameterUnits|
    ColumnLength|
    ColumnLengthUnits|
    Comment|
    ConfigurationAnalysisID|

```

Counts|
 CountsUncertainty|
 CountsUncertaintyConfidenceLevel|
 CountsUncertaintyDetermination|
 CountsUncertaintyIntervalType|
 CountsUncertaintyLimitHigh|
 CountsUncertaintyLimitLow|
 CountsUncertaintyType|
 CountsUnits|
 DetectorID|
 DetectorType|
 DilutionFactor|
 Efficiency|
 HeatedPurge|
 Inclusion|
 InjectionVolume|
 InjectionVolumeUnits|
 InstrumentID|
 LabAnalysisID|
 LabFieldID|
 LabID|
 LabMethodID|
 LabMethodName|
 LabName|
 MethodCode|
 MethodID|
 MethodModificationDescription|
 MethodModificationID|
 MethodName|
 MethodSource|
 MethodVersion|
 PreparationBatch|
 ProcedureID|
 ProcedureName|
 ReferenceDate|
 ResultBasis|
 Temperature|
 TemperatureUnits|
 Wavelength|
 WavelengthUnits|
 Yield|
 PreparationPlusCleanup|
 Analyte|
 AnalyteGroup
)*>

<! ELEMENT AnalysisGroup (
 AnalysisGroupID|
 AnalysisType|
 Comment|
 Analyte|
 AnalyteGroup
)*>

<! ELEMENT Analyte (
 AnalyteGroupID|
 AnalyteName|
 AnalyteNameContext|
 AnalyteType|
 BiasErrorRatio|
 CASRegistryNumber|
 ClientAnalyteID|
 ClientAnalyteName|
 Comment|
 Counts|

CountsUncertainty|
CountsUncertaintyConfidenceLevel |
CountsUncertaintyDetermination|
CountsUncertaintyIntervalType|
CountsUncertaintyLimitHigh|
CountsUncertaintyLimitLow|
CountsUncertaintyType|
CountsUnits|
DetectionLimit|
DetectionLimitType|
DetectionLimitUnits|
DifferenceErrorRatio|
Efficiency|
ExpectedResult|
ExpectedResultUncertainty|
ExpectedResultUncertaintyConfidenceLevel |
ExpectedResultUncertaintyDetermination|
ExpectedResultUncertaintyIntervalType|
ExpectedResultUncertaintyLimitHigh|
ExpectedResultUncertaintyLimitLow|
ExpectedResultUncertaintyType|
ExpectedResultUncertaintyUnits|
ExpectedResultUnits|
Inclusion|
LabAnalyteID|
LabQualifiers|
LotNumber|
PeakID|
PercentRecovery|
PercentRecoveryLimitHigh|
PercentRecoveryLimitLow|
PercentRecoveryLimitType|
PercentRecoveryType|
QuantitationLimit|
QuantitationLimitType|
QuantitationLimitUnits|
ReportingLimit|
ReportingLimitType|
ReportingLimitUnits|
Result|
ResultLimitHigh|
ResultLimitLow|
ResultLimitType|
ResultType|
ResultUncertainty|
ResultUncertaintyConfidenceLevel |
ResultUncertaintyDetermination|
ResultUncertaintyIntervalType|
ResultUncertaintyLimitHigh|
ResultUncertaintyLimitLow|
ResultUncertaintyType|
ResultUncertaintyUnits|
ResultUnits|
StandardSource|
Wavelength|
WavelengthUnits
)*>

<! ELEMENT AnalyteGroup (
AnalyteGroupID|
AnalyteName|
AnalyteNameContext|
AnalyteType|
CASRegistryNumber|

```

ClientAnalyteID|
ClientAnalyteName|
Comment|
LabAnalyteID|
LabQualifiers|
Result|
ResultType|
ResultUncertainty|
ResultUnits
)*>
<! ELEMENT Characteristic (
    CharacteristicType|
    CharacteristicValue|
    CharacteristicUnits|
    Comment
)*>
<! ELEMENT ContactInformation (
    LabAddress1|
    LabAddress2|
    LabCity|
    LabCountry|
    LabID|
    LabName|
    LabPointOfContact|
    LabPointOfContactElectronicAddress|
    LabPointOfContactTitle|
    LabPointOfContactType|
    LabState|
    LabTelephoneNumber|
    LabType|
    LabZipCode
)*>
<! ELEMENT Handling (
    Analyst|
    ClientMethodCode|
    ClientMethodID|
    ClientMethodModificationDescription|
    ClientMethodModificationID|
    ClientMethodName|
    ClientMethodSource|
    ClientMethodVersion|
    Comment|
    HandledDate|
    HandlingBatch|
    HandlingType|
    InitialAmount|
    InitialAmountUnits|
    LabID|
    LabMethodID|
    LabMethodName|
    LabName|
    MethodCode|
    MethodID|
    MethodModificationDescription|
    MethodModificationID|
    MethodName|
    MethodSource|
    MethodVersion|
    ProcedureID|
    ProcedureName|
    SampleAmount|
    SampleAmountUnits|
    Characteristic

```

```

        )*>
<! ELEMENT PreparationPI usCI eanup (
    AliquotAmount|
    AliquotAmountUnits|
    Analyst|
    CleanedUpDate|
    CleanupBatch|
    CleanupType|
    ClientMethodCode|
    ClientMethodID|
    ClientMethodModificationDescription|
    ClientMethodModificationID|
    ClientMethodName|
    ClientMethodSource|
    ClientMethodVersion|
    Comment|
    FinalAmount|
    FinalAmountUnits|
    InitialAmount|
    InitialAmountUnits|
    LabID|
    LabMethodID|
    LabMethodName|
    LabName|
    LotNumber|
    MethodCode|
    MethodID|
    MethodModificationDescription|
    MethodModificationID|
    MethodName|
    MethodSource|
    MethodVersion|
    PreparationBatch|
    PreparationPI usCI eanupType|
    PreparationType|
    PreparedDate|
    ProcedureID|
    ProcedureName|
    Solvent|
    Characteristic
    )*>
<! ELEMENT ReportedResult (
    AnalysisGroupID|
    AnalyteGroupID|
    AnalyteName|
    AnalyteNameContext|
    AnalyteType|
    BiasErrorRatio|
    CASRegistryNumber|
    ClientAnalyteID|
    ClientAnalyteName|
    ClientDetectionLimit|
    ClientDetectionLimitUnits|
    ClientQuantitationLimit|
    ClientQuantitationLimitUnits|
    Comment|
    DetectionLimit|
    DetectionLimitType|
    DetectionLimitUnits|
    DifferenceErrorRatio|
    ExpectedResult|
    ExpectedResultUncertainty|
    ExpectedResultUncertaintyConfidenceLevel|

```

ExpectedResultUncertaintyDetermination|
 ExpectedResultUncertaintyIntervalType|
 ExpectedResultUncertaintyLimitHigh|
 ExpectedResultUncertaintyLimitLow|
 ExpectedResultUncertaintyType|
 ExpectedResultUncertaintyUnits|
 ExpectedResultUnits|
 LabAnalysisID|
 LabAnalysisID|
 LabQualifiers|
 LabResultStatus|
 PeakID|
 PercentDifference|
 PercentDifferenceLimitHigh|
 PercentDifferenceLimitLow|
 PercentDifferenceLimitType|
 PercentRecovery|
 PercentRecoveryLimitHigh|
 PercentRecoveryLimitLow|
 PercentRecoveryLimitType|
 PercentRecoveryType|
 QuantitationLimit|
 QuantitationLimitType|
 QuantitationLimitUnits|
 ReportingLimit|
 ReportingLimitType|
 ReportingLimitUnits|
 Result|
 ResultLimitHigh|
 ResultLimitLow|
 ResultLimitType|
 ResultType|
 ResultUncertainty|
 ResultUncertaintyConfidenceLevel|
 ResultUncertaintyDetermination|
 ResultUncertaintyIntervalType|
 ResultUncertaintyLimitHigh|
 ResultUncertaintyLimitLow|
 ResultUncertaintyType|
 ResultUncertaintyUnits|
 ResultUnits|
 RetentionTime|
 RetentionTimeUnits|
 RPD|
 RPDLimitHigh|
 RPDLimitType|
 RPDType

)*>
 <! ELEMENT SamplePI usMethod (
 ClientID|
 ClientMethodCategory|
 ClientMethodCode|
 ClientMethodID|
 ClientMethodModificationID|
 ClientMethodModificationDescription|
 ClientMethodName|
 ClientMethodSource|
 ClientMethodType|
 ClientMethodVersion|
 ClientName|
 ClientSampleID|
 CollectedDate|
 CollectedEndDate|

Comment |
 Composit e |
 CoolerID |
 CustodyID |
 EquipmentBatch |
 Filtered |
 LabContract |
 LabContractModifi cationDescripti on |
 LabContractModifi cationID |
 LabID |
 LabMethodID |
 LabMethodName |
 LabName |
 LabRecei ptDate |
 LabReporti ngBatch |
 LabSampl eID |
 Locati onID |
 Locati onName |
 Matri xID |
 Matri xMedi um |
 MethodBatch |
 MethodCategory |
 MethodCode |
 MethodID |
 MethodLevel |
 MethodModifi cationDescripti on |
 MethodModifi cationID |
 MethodName |
 MethodSource |
 MethodType |
 MethodVersi on |
 Ori gi nal Cl ientSampl eID |
 Ori gi nal LabSampl eID |
 PhaseAnal yzed |
 Preservati ve |
 Proj ectID |
 Proj ectName |
 QCCategory |
 QCLi nkage |
 QCType |
 Quaranti ne |
 Sampl i ngBatch |
 Shi ppi ngBatch |
 Si tel D |
 Si teName |
 StorageBatch |
 Anal ysi s |
 ReportedResul t |
 Handl i ng |
 Anal ysi sGroup |
 Characteri sti c
)*>

<! ELEMENT AliquotAmount (#PCDATA)>
 <! ELEMENT AliquotAmountUni ts (#PCDATA)>
 <! ELEMENT Anal ysi sGroupID (#PCDATA)>
 <! ELEMENT Anal ysi sDurati on (#PCDATA)>
 <! ELEMENT Anal ysi sDurati onUni ts (#PCDATA)>
 <! ELEMENT Anal ysi sType (#PCDATA)>
 <! ELEMENT Anal yst (#PCDATA)>
 <! ELEMENT Anal yteGroupID (#PCDATA)>
 <! ELEMENT Anal yteName (#PCDATA)>
 <! ELEMENT Anal yteNameContext (#PCDATA)>

<! ELEMENT AnalyteType (#PCDATA)>
<! ELEMENT AnalyzedAmount (#PCDATA)>
<! ELEMENT AnalyzedAmountUnits (#PCDATA)>
<! ELEMENT AnalyzedDate (#PCDATA)>
<! ELEMENT BiasErrorRatio (#PCDATA)>
<! ELEMENT CASRegistryNumber (#PCDATA)>
<! ELEMENT CharacteristicType (#PCDATA)>
<! ELEMENT CharacteristicValue (#PCDATA)>
<! ELEMENT CharacteristicUnits (#PCDATA)>
<! ELEMENT CleanedUpDate (#PCDATA)>
<! ELEMENT CleanupBatch (#PCDATA)>
<! ELEMENT CleanupType (#PCDATA)>
<! ELEMENT ClientAnalysisID (#PCDATA)>
<! ELEMENT ClientAnalyteID (#PCDATA)>
<! ELEMENT ClientAnalyteName (#PCDATA)>
<! ELEMENT ClientDetectionLimit (#PCDATA)>
<! ELEMENT ClientDetectionLimitUnits (#PCDATA)>
<! ELEMENT ClientID (#PCDATA)>
<! ELEMENT ClientMethodCategory (#PCDATA)>
<! ELEMENT ClientMethodCode (#PCDATA)>
<! ELEMENT ClientMethodID (#PCDATA)>
<! ELEMENT ClientMethodModificationDescription (#PCDATA)>
<! ELEMENT ClientMethodModificationID (#PCDATA)>
<! ELEMENT ClientMethodName (#PCDATA)>
<! ELEMENT ClientMethodSource (#PCDATA)>
<! ELEMENT ClientMethodType (#PCDATA)>
<! ELEMENT ClientMethodVersion (#PCDATA)>
<! ELEMENT ClientName (#PCDATA)>
<! ELEMENT ClientQuantitationLimit (#PCDATA)>
<! ELEMENT ClientQuantitationLimitUnits (#PCDATA)>
<! ELEMENT ClientSampleID (#PCDATA)>
<! ELEMENT CollectedDate (#PCDATA)>
<! ELEMENT CollectedEndDate (#PCDATA)>
<! ELEMENT Column (#PCDATA)>
<! ELEMENT ColumnInternalDiameter (#PCDATA)>
<! ELEMENT ColumnInternalDiameterUnits (#PCDATA)>
<! ELEMENT ColumnLength (#PCDATA)>
<! ELEMENT ColumnLengthUnits (#PCDATA)>
<! ELEMENT Comment (#PCDATA)>
<! ELEMENT Composite (#PCDATA)>
<! ELEMENT ConfigurationAnalysisID (#PCDATA)>
<! ELEMENT CoolerID (#PCDATA)>
<! ELEMENT Counts (#PCDATA)>
<! ELEMENT CountsUncertainty (#PCDATA)>
<! ELEMENT CountsUncertaintyConfidenceLevel (#PCDATA)>
<! ELEMENT CountsUncertaintyDetermination (#PCDATA)>
<! ELEMENT CountsUncertaintyIntervalType (#PCDATA)>
<! ELEMENT CountsUncertaintyLimitHigh (#PCDATA)>
<! ELEMENT CountsUncertaintyLimitLow (#PCDATA)>
<! ELEMENT CountsUncertaintyType (#PCDATA)>
<! ELEMENT CountsUnits (#PCDATA)>
<! ELEMENT CustodyID (#PCDATA)>
<! ELEMENT DateFormat (#PCDATA)>
<! ELEMENT DetectionLimit (#PCDATA)>
<! ELEMENT DetectionLimitType (#PCDATA)>
<! ELEMENT DetectionLimitUnits (#PCDATA)>
<! ELEMENT DetectorID (#PCDATA)>
<! ELEMENT DetectorType (#PCDATA)>
<! ELEMENT DifferenceErrorRatio (#PCDATA)>
<! ELEMENT DilutionFactor (#PCDATA)>
<! ELEMENT EDDID (#PCDATA)>
<! ELEMENT EDDImplementationID (#PCDATA)>
<! ELEMENT EDDImplementationVersion (#PCDATA)>

<! ELEMENT EDDVersion (#PCDATA)>
<! ELEMENT Efficiency (#PCDATA)>
<! ELEMENT EquipmentBatch (#PCDATA)>
<! ELEMENT ExpectedResult (#PCDATA)>
<! ELEMENT ExpectedResultUncertainty (#PCDATA)>
<! ELEMENT ExpectedResultUncertaintyConfidenceLevel (#PCDATA)>
<! ELEMENT ExpectedResultUncertaintyDetermination (#PCDATA)>
<! ELEMENT ExpectedResultUncertaintyIntervalType (#PCDATA)>
<! ELEMENT ExpectedResultUncertaintyLimitHigh (#PCDATA)>
<! ELEMENT ExpectedResultUncertaintyLimitLow (#PCDATA)>
<! ELEMENT ExpectedResultUncertaintyType (#PCDATA)>
<! ELEMENT ExpectedResultUncertaintyUnits (#PCDATA)>
<! ELEMENT ExpectedResultUnits (#PCDATA)>
<! ELEMENT Filtered (#PCDATA)>
<! ELEMENT FinalAmount (#PCDATA)>
<! ELEMENT FinalAmountUnits (#PCDATA)>
<! ELEMENT GeneratingSystemID (#PCDATA)>
<! ELEMENT GeneratingSystemVersion (#PCDATA)>
<! ELEMENT HandledDate (#PCDATA)>
<! ELEMENT HandlingBatch (#PCDATA)>
<! ELEMENT HandlingType (#PCDATA)>
<! ELEMENT HeatedPurge (#PCDATA)>
<! ELEMENT Inclusion (#PCDATA)>
<! ELEMENT InitialAmount (#PCDATA)>
<! ELEMENT InitialAmountUnits (#PCDATA)>
<! ELEMENT InjectionVolume (#PCDATA)>
<! ELEMENT InjectionVolumeUnits (#PCDATA)>
<! ELEMENT InstrumentID (#PCDATA)>
<! ELEMENT LabAddress1 (#PCDATA)>
<! ELEMENT LabAddress2 (#PCDATA)>
<! ELEMENT LabAnalysisID (#PCDATA)>
<! ELEMENT LabAnalyteID (#PCDATA)>
<! ELEMENT LabCity (#PCDATA)>
<! ELEMENT LabContract (#PCDATA)>
<! ELEMENT LabContractModificationDescription (#PCDATA)>
<! ELEMENT LabContractModificationID (#PCDATA)>
<! ELEMENT LabCountry (#PCDATA)>
<! ELEMENT LabDataPackageID (#PCDATA)>
<! ELEMENT LabDataPackageName (#PCDATA)>
<! ELEMENT LabDataPackageVersion (#PCDATA)>
<! ELEMENT LabFileID (#PCDATA)>
<! ELEMENT LabID (#PCDATA)>
<! ELEMENT LabMethodID (#PCDATA)>
<! ELEMENT LabMethodName (#PCDATA)>
<! ELEMENT LabName (#PCDATA)>
<! ELEMENT LabNarrative (#PCDATA)>
<! ELEMENT LabPointOfContact (#PCDATA)>
<! ELEMENT LabPointOfContactElectronicAddress (#PCDATA)>
<! ELEMENT LabPointOfContactTitle (#PCDATA)>
<! ELEMENT LabPointOfContactType (#PCDATA)>
<! ELEMENT LabQualifiers (#PCDATA)>
<! ELEMENT LabQualifiersDefinition (#PCDATA)>
<! ELEMENT LabReceiptDate (#PCDATA)>
<! ELEMENT LabReportedDate (#PCDATA)>
<! ELEMENT LabReportingBatch (#PCDATA)>
<! ELEMENT LabResultStatus (#PCDATA)>
<! ELEMENT LabSampleID (#PCDATA)>
<! ELEMENT LabState (#PCDATA)>
<! ELEMENT LabTelephoneNumber (#PCDATA)>
<! ELEMENT LabType (#PCDATA)>
<! ELEMENT LabZipCode (#PCDATA)>
<! ELEMENT LocationID (#PCDATA)>
<! ELEMENT LocationName (#PCDATA)>

<! ELEMENT LotNumber (#PCDATA)>
<! ELEMENT MatrixID (#PCDATA)>
<! ELEMENT MatrixMedium (#PCDATA)>
<! ELEMENT MethodBatch (#PCDATA)>
<! ELEMENT MethodCategory (#PCDATA)>
<! ELEMENT MethodCode (#PCDATA)>
<! ELEMENT MethodID (#PCDATA)>
<! ELEMENT MethodLevel (#PCDATA)>
<! ELEMENT MethodModificationDescription (#PCDATA)>
<! ELEMENT MethodModificationID (#PCDATA)>
<! ELEMENT MethodName (#PCDATA)>
<! ELEMENT MethodSource (#PCDATA)>
<! ELEMENT MethodType (#PCDATA)>
<! ELEMENT MethodVersion (#PCDATA)>
<! ELEMENT OriginalClientSampleID (#PCDATA)>
<! ELEMENT OriginalLabSampleID (#PCDATA)>
<! ELEMENT PeakID (#PCDATA)>
<! ELEMENT PercentDifference (#PCDATA)>
<! ELEMENT PercentDifferenceLimitHigh (#PCDATA)>
<! ELEMENT PercentDifferenceLimitLow (#PCDATA)>
<! ELEMENT PercentDifferenceLimitType (#PCDATA)>
<! ELEMENT PercentRecovery (#PCDATA)>
<! ELEMENT PercentRecoveryLimitHigh (#PCDATA)>
<! ELEMENT PercentRecoveryLimitLow (#PCDATA)>
<! ELEMENT PercentRecoveryLimitType (#PCDATA)>
<! ELEMENT PercentRecoveryType (#PCDATA)>
<! ELEMENT PhaseAnalyzed (#PCDATA)>
<! ELEMENT PreparationBatch (#PCDATA)>
<! ELEMENT PreparationPurificationType (#PCDATA)>
<! ELEMENT PreparationType (#PCDATA)>
<! ELEMENT PreparedDate (#PCDATA)>
<! ELEMENT Preservative (#PCDATA)>
<! ELEMENT ProcedureID (#PCDATA)>
<! ELEMENT ProcedureName (#PCDATA)>
<! ELEMENT ProjectID (#PCDATA)>
<! ELEMENT ProjectName (#PCDATA)>
<! ELEMENT QCCategory (#PCDATA)>
<! ELEMENT QCLinkage (#PCDATA)>
<! ELEMENT QCTYPE (#PCDATA)>
<! ELEMENT QuantitationLimit (#PCDATA)>
<! ELEMENT QuantitationLimitType (#PCDATA)>
<! ELEMENT QuantitationLimitUnits (#PCDATA)>
<! ELEMENT Quarantine (#PCDATA)>
<! ELEMENT ReferenceDate (#PCDATA)>
<! ELEMENT ReportingLimit (#PCDATA)>
<! ELEMENT ReportingLimitType (#PCDATA)>
<! ELEMENT ReportingLimitUnits (#PCDATA)>
<! ELEMENT Result (#PCDATA)>
<! ELEMENT ResultBasis (#PCDATA)>
<! ELEMENT ResultLimitHigh (#PCDATA)>
<! ELEMENT ResultLimitLow (#PCDATA)>
<! ELEMENT ResultLimitType (#PCDATA)>
<! ELEMENT ResultType (#PCDATA)>
<! ELEMENT ResultUncertainty (#PCDATA)>
<! ELEMENT ResultUncertaintyConfidenceLevel (#PCDATA)>
<! ELEMENT ResultUncertaintyDetermination (#PCDATA)>
<! ELEMENT ResultUncertaintyIntervalType (#PCDATA)>
<! ELEMENT ResultUncertaintyLimitHigh (#PCDATA)>
<! ELEMENT ResultUncertaintyLimitLow (#PCDATA)>
<! ELEMENT ResultUncertaintyType (#PCDATA)>
<! ELEMENT ResultUncertaintyUnits (#PCDATA)>
<! ELEMENT ResultUnits (#PCDATA)>
<! ELEMENT RetentionTime (#PCDATA)>

```
<! ELEMENT RetentionTimeUnits (#PCDATA)>  
<! ELEMENT RPD (#PCDATA)>  
<! ELEMENT RPDLimitHigh (#PCDATA)>  
<! ELEMENT RPDLimitType (#PCDATA)>  
<! ELEMENT RPDDType (#PCDATA)>  
<! ELEMENT SampleAmount (#PCDATA)>  
<! ELEMENT SampleAmountUnits (#PCDATA)>  
<! ELEMENT SamplingBatch (#PCDATA)>  
<! ELEMENT ShippingBatch (#PCDATA)>  
<! ELEMENT SiteID (#PCDATA)>  
<! ELEMENT SiteName (#PCDATA)>  
<! ELEMENT Solvent (#PCDATA)>  
<! ELEMENT StandardSource (#PCDATA)>  
<! ELEMENT StorageBatch (#PCDATA)>  
<! ELEMENT Temperature (#PCDATA)>  
<! ELEMENT TemperatureUnits (#PCDATA)>  
<! ELEMENT Wavelength (#PCDATA)>  
<! ELEMENT WavelengthUnits (#PCDATA)>  
<! ELEMENT Yield (#PCDATA)>
```