



**National Emission Standards for Hazardous Air Pollutants
Paper and Other Web Coating
40 CFR Part 63
Subpart JJJJ**

Final Version



^a For the purposes of Part 63, Potential to Emit (PTE) is defined as the maximum capacity of a source to emit a pollutant under its physical and operational design or practically enforceable permit limit. The major source determination is based on all applicable HAP emission points inside the facility fence line, not just the source potentially affected by Subpart JJJJ.




Definitions

^a **Printing and Publishing** is defined as publication rotogravure, product and packaging rotogravure, or wide-web flexographic printing press operations.

^b **Magnetic Tape** is defined as any flexible base substrate that is covered on one or both sides with a coating containing magnetic particles and that is used for audio recording, video recording, or any type of information storage.

^c **Fabric** is defined as any woven, knitted, plaited, braided, felted, or nonwoven material made of filaments, fibers, or yarns, including thread and includes fiberglass, natural fibers, synthetic fibers, or composite materials.



^a **Metal Coil Coating** is defined as a continuous metal strip that is at least 0.15 millimeters thick which is packaged in a roll or coil prior to coating. Does not include metal webs that are used in flexible packaging.

Credits: This document was made possible through the efforts of the POWC Implementation Tool Development Partnership effort, an effort to bring together the regulated and regulatory community. It was through a group effort that this document was developed. The logo of the partner who was the lead for this tool is listed first below. To see a description of our partners or to get more information about the partnership effort, see <http://www.epa.gov/ttn/atw/powc/powcpg.html>

