DOCUMENTATION OF ENVIRONMENTAL INDICATOR DETERMINATION

Interim Final 2/5/99

RCRA Corrective Action Environmental Indicator (EI) RCRIS code (CA750)

Migration of Contaminated Groundwater Under Control

Facility Name:	Le-Jo Enterprises, Inc. (formerly Sovereign Special Chemicals)	
Facility Address:765 Pike Springs Road; Phoenixville, PA 19460		
Facility EPA ID #:	PAD002915445	

1. Has **all** available relevant/significant information on known and reasonably suspected releases to the groundwater media, subject to RCRA Corrective Action (e.g., from Solid Waste Management Units (SWMU), Regulated Units (RU), and Areas of Concern (AOC)), been **considered** in this EI determination?

Х	If yes - check here and continue with #2 below.
	If no – re-evaluate existing data, or
	If data are not available skip to #8 and enter "IN" (more information needed) status code

BACKGROUND

Definition of Environmental Indicators (for the RCRA Corrective Action)

Environmental Indicators (EI) are measures being used by the RCRA Corrective Action program to go beyond programmatic activity measures (e.g., reports received and approved, etc.) to track changes in the quality of the environment. The two EI developed to-date indicate the quality of the environment in relation to current human exposures to contamination and the migration of contaminated groundwater. An EI for non-human (ecological) receptors is intended to be developed in the future.

Definition of "Current Human Exposures Under Controls" EI

A positive "Current Human Exposures Under Control" EI determination ("YE" status code) indicates that there are no "unacceptable" human exposures to "contamination" (i.e., contaminants in concentrations in excess of appropriate risk-based levels) that can be reasonably expected under current land- and groundwater-use conditions (for all "contamination" subject to RCRA corrective action at or from the identified facility (i.e., site-wide)).

Relationship of EI to Final Remedies

While Final remedies remain the long-term objective of the RCRA Corrective Action program, the EI are near-term objectives which are currently being used as Program measures for the Government Performance and Results Act of 1993 (GPRA). The "Migration of Contaminated Groundwater Under Control" EI pertains ONLY to the physical migration (i.e., further spread) of contaminated groundwater and contaminants within groundwater (e.g., non aqueous phase liquids or NAPLs). Achieving this EI does not substitute for achieving other stabilization or final remedy requirements and expectations associated with sources of contamination and the need to restore, wherever practicable, contaminated groundwater to be suitable for its designated current and future uses.

Duration / Applicability of EI Determinations

EI Determinations status codes should remain in RCRIS national database ONLY as long as they remain true (i.e., RCRIS status codes must be changed when the regulatory authorities become aware of contrary information).

2. Is **groundwater** known or reasonably suspected to be "contaminated"¹ above appropriately protective riskbased "levels" (applicable promulgated standards, as well as other appropriate standards, guidelines, guidance, or criteria) from releases subject to RCRA Corrective Action anywhere at, or from, the facility?

If yes – continue after identifying key contaminants, citing appropriate "levels," and referencing supporting documentation.

- X If no skip to #8 and enter "YE" status code, after citing appropriate "levels," and referencing supporting documentation to demonstrate that groundwater is not "contaminated."
 - If unknown (for any media) skip to #8 and enter "IN" status code.

Rationale and Reference(s):

Groundwater beneath the facility is not expected to have concentrations of facility contaminants above EPA Maximum Contaminant Levels (MCL). However, groundwater beneath the facility may be contaminated with low levels of trichloroethene and its degradation products due to the migration of contaminants from a nearby facility.

EPSYS, the facility's consultant, found contaminated soils during the removal of two underground storage tanks (UST) in November 1994. Soil from the excavations was screened using Total Petroleum Hydrocarbons – Diesel Range Organics (TPH-DRO); results ranged from 9 parts-per-million (ppm) to 3600 ppm. Although TPH-DRO is an old measurement that is no longer in wide use, 500 ppm was considered a generally acceptable/appropriate level for this remediation. Removal of contaminated soil was performed and each excavation was re-sampled. All results were well below 500 ppm with the exception of the sample from the center of the bottom of the 1000-gallon UST excavation (14 feet below ground surface), with TPH-DRO at 1100 ppm. Due to reaching more competent bedrock, the excavation was not deepened further. To obtain further evidence that this exceedance was not impacting groundwater beneath the facility, EPSYS sampled a facility production well approximately 200 feet east of, and apparently along bedrock strike to, the former tank area in March 1996 for benzene, toluene, ethylbenzene, and xylenes (BTEX), oil and grease, and TPH. The small stream downgradient from the tank area was also sampled for these parameters. Only toluene was detected at 0.66 ug/L in the well and 0.52 ug/L in the stream, which are well below any regulatory standard and suggest that groundwater and surface water are not being adversely impacted from any remaining soil contamination at the UST removal site.

Reference: Environmental Indicator Inspection Report, Tetra Tech EC, December 2005

¹"Contamination" and "contaminated" describes media containing contaminants (in any form, NAPL and/or dissolved, vapors, or solids, that are subject to RCRA) in concentrations in excess of appropriate "levels" (appropriate for the protection of the groundwater resource and its beneficial uses).

3. Has the **migration** of contaminated groundwater **stabilized** (such that contaminated groundwater is expected to remain within "existing area of contaminated groundwater"² as defined by the monitoring locations designated at the time of this determination)?

 If yes - continue, after presenting or referencing the physical evidence (e.g., groundwater sampling/measurement/migration barrier data) and rationale why contaminated groundwater is expected to remain within the (horizontal or vertical) dimensions of the "existing area of groundwater contamination" ²)
 If no (contaminated groundwater is observed or expected to migrate beyond the designated locations defining the "existing area of groundwater contamination" ²) - skip to #8 and enter "NO" status code, after providing an explanation.
 If unknown - skip to #8 and enter "IN" status code.

² "Existing area of contaminated groundwater" is an area (with horizontal and vertical dimensions) that has been verifiably demonstrated to contain all relevant groundwater contamination for this determination, and is defined by designated (monitoring) locations proximate to the outer perimeter of "contamination" that can and will be

sampled/tested in the future to physically verify that all formaminated Ugroundwater remains within this area, and that the further migration of "contaminated" groundwater is not occurring. Reasonable allowances in the proximity of the monitoring locations are permissible to incorporate formal remedy decisions (i.e., including public participation) allowing a limited area for natural attenuation.

4. Does "contaminated" groundwater **discharge** into **surface water** bodies?

If yes - continue after identifying potentially affected surface water bodies.

If no - skip to #7 (and enter a "YE" status code in #8, if #7 = yes) after providing an explanation and/or referencing documentation supporting that groundwater "contamination" does not enter surface water bodies.

If unknown - skip to #8 and enter "IN" status code.

5. Is the **discharge** of "contaminated" groundwater into surface water likely to be **"insignificant"** (i.e., the maximum concentration ³ of each contaminant discharging into surface water is less than 10 times their appropriate groundwater "level," and there are no other conditions (e.g., the nature, and number, of discharging contaminants, or environmental setting), which significantly increase the potential for unacceptable impacts to surface water, sediments, or eco-systems at these concentrations)?

If yes - skip to #7 (and enter "YE" status code in #8 if #7 = yes), after documenting: 1) the maximum known or reasonably suspected concentration³ of <u>key</u> contaminants discharged above their groundwater "level," the value of the appropriate "level(s)," and if there is evidence that the concentrations are increasing; and 2) provide a statement of professional judgment/explanation (or reference documentation) supporting that the discharge of groundwater contaminants into the surface water is not anticipated to have unacceptable impacts to the receiving surface water, sediments, or eco-system.

If no - (the discharge of "contaminated" groundwater into surface water is potentially significant) - continue after documenting: 1) the maximum known or reasonably suspected concentration of <u>each</u> contaminant discharged above its groundwater "level," the value of the appropriate "level(s)," and if there is evidence that the concentrations are increasing; and 2) for any contaminants discharging into surface water in concentrations³ greater than 100 times their appropriate "level(s)," and if estimated total amount (mass in kg/yr) of each of these contaminants that are being discharged (loaded) into the surface water body (at the time of the determination), and identify if there is evidence that the amount of discharging contaminants is increasing.

If unknown - enter "IN" status code in #8.

 $^{^{3}}$ As measured in groundwater prior to entry to the groundwater-surface water/sediment interaction (e.g., hyporheic) zone.

6. Can the **discharge** of "contaminated" groundwater into surface water be shown to be "**currently acceptable**" (i.e., not cause impacts to surface water, sediments or eco-systems that should not be allowed to continue until a final remedy decision can be made and implemented⁴)?

> If yes - continue after either: 1) identifying the Final Remedy decision incorporating these conditions, or other site-specific criteria (developed for the protection of the site's surface water, sediments, and eco-systems), and referencing supporting documentation demonstrating that these criteria are not exceeded by the discharging groundwater; OR 2) providing or referencing an interim-assessment⁵ appropriate to the potential for impact, that shows the discharge of groundwater contaminants into the surface water is (in the opinion of a trained specialists, including ecologist) adequately protective of receiving surface water, sediments, and eco-systems, until such time when a full assessment and final remedy decision can be made. Factors which should be considered in the interimassessment (where appropriate to help identify the impact associated with discharging groundwater) include: surface water body size, flow, use/classification/habitats and contaminant loading limits, other sources of surface water/sediment contamination, surface water and sediment sample results and comparisons to available and appropriate surface water and sediment "levels," as well as any other factors, such as effects on ecological receptors (e.g., via bio-assays/ enthic surveys or site-specific ecological Risk Assessments), that the overseeing regulatory agency would deem appropriate for making the EI determination.

If no - (the discharge of "contaminated" groundwater can not be shown to be **"currently acceptable")** – skip to #8 and enter a "NO" status, after documenting the currently unacceptable impacts to the surface water body, sediments, and/or eco-systems..

If unknown – skip to 8 and enter "IN" status code.

⁴ Note, because areas of inflowing groundwater can be critical habitats (e.g., nurseries or thermal refugia) for many species, appropriate specialist (e.g., ecologist) should be included in management decisions that could eliminate these areas by significantly altering or reversing groundwater flow pathways near surface water bodies.

⁵ The understanding of the impacts of contaminated groundwater discharges into surface water bodies is a rapidly developing field and reviewers are encouraged to look to the latest guidance for the appropriate methods and scale of demonstration to be reasonably certain that discharges are not causing currently unacceptable impacts to the surface waters, sediments or eco-systems.

7. Will groundwater monitoring / measurement data (and surface water/sediment/ecological data, as necessary) be collected in the future to verify that contaminated groundwater has remained within the horizontal (or vertical, as necessary) dimensions of the "existing area of contaminated groundwater?"

> If yes - continue after providing or citing documentation for planned activities or future sampling/measurement events. Specifically identify the well/measurement locations which will be tested in the future to verify the expectation (identified in #3) that groundwater contamination will not be migrating horizontally (or vertically, as necessary) beyond the "existing area of groundwater contamination." If no - enter "NO" status code in #8. If unknown - enter "IN" status code in #8.

8. Check the appropriate RCRIS status codes for the Migration of Contaminated Groundwater Under Control EI (event code CA750), and obtain Supervisor (or appropriate Manager) signature and date on the EI determination below (attach appropriate supporting documentation as well as a map of the facility).

Х	YE - Yes, "Migration of contaminated Groundwa verified. Based on a review of the information co has been determined that the "Migration of Contan Control" at the Le-Jo Enterprises facility, EPA ID Pike Springs Road; Phoenixville, PA 19460. Spe indicates that the migration of "contaminated" gro monitoring will be conducted to confirm that cont within the "existing area of contaminated groundwa evaluated when the Agency becomes aware of sign	ntained in thi ninated Grou PAD002915 cifically, this undwater is u aminated gro vater" This de	s EI determination, it indwater" is "Under 6445, located at 765 s determination under control, and that undwater remains etermination will be re-		
	NO - Unacceptable migration of contaminated groundwater is observed or expected.				
	IN - More information is needed to make a determination.				
Completed by:	(signature)/Griff E. Miller/(print)Griff Miller(title)Remedial Project Manager	Date	9-8-10		
Supervisor:	(signature)/Paul Gotthold/(print)Paul Gotthold(title)Associate Director(EPA Region or State)EPA Region 3	Date	9-10-10		

Locations where References may be found:

References have been appended to the Environmental Indicator Report and can also be found at PADEP's Southeast Regional office and USEPA's Region III office.

Contact telephone and e-mail numbers:

(name) Griff Miller		
(phone #) (215) 814-3407		
(e-mail) <u>miller.griff@epa.gov</u>		