

**DOCUMENTATION OF ENVIRONMENTAL INDICATOR DETERMINATION**  
Interim Final 2/5/99  
**RCRA Corrective Action**  
**Environmental Indicator (EI) RCRIS code (CA750)**  
**Migration of Contaminated Groundwater Under Control**

**Facility Name:** Berkley Products

**Facility Address:** 405 South 7<sup>th</sup> Street, Akron, Pennsylvania

**Facility EPA ID #:** PAD003003894

1. Has **all** available relevant/significant information on known and reasonably suspected releases to the groundwater media, subject to RCRA Corrective Action (e.g., from Solid Waste Management Units (SWMU), Regulated Units (RU), and Areas of Concern (AOC)), been **considered** in this EI determination?

- If yes - check here and continue with #2 below.
- If no - re-evaluate existing data, or
- if data are not available, skip to #8 and enter "IN" (more information needed) status code.

## **BACKGROUND**

### **Definition of Environmental Indicators (for the RCRA Corrective Action)**

Environmental Indicators (EI) are measures being used by the RCRA Corrective Action program to go beyond programmatic activity measures (e.g., reports received and approved, etc.) to track changes in the quality of the environment. The two EI developed to-date indicate the quality of the environment in relation to current human exposures to contamination and the migration of contaminated groundwater. An EI for non-human (ecological) receptors is intended to be developed in the future.

### **Definition of "Migration of Contaminated Groundwater Under Control" EI**

A positive "Migration of Contaminated Groundwater Under Control" EI determination ("YE" status code) indicates that the migration of "contaminated" groundwater has stabilized, and that monitoring will be conducted to confirm that contaminated groundwater remains within the original "area of contaminated groundwater" (for all groundwater "contamination" subject to RCRA corrective action at or from the identified facility (i.e., site-wide)).

### **Relationship of EI to Final Remedies**

While Final remedies remain the long-term objective of the RCRA Corrective Action program the EI are near-term objectives which are currently being used as Program measures for the Government Performance and Results Act of 1993, (GPRA). The "Migration of Contaminated Groundwater Under Control" EI pertains ONLY to the physical migration (i.e., further spread) of contaminated ground water and contaminants within groundwater (e.g., non-aqueous phase liquids or NAPLs). Achieving this EI does not substitute for achieving other stabilization or final remedy requirements and expectations associated with sources of contamination and the need to restore, wherever practicable, contaminated groundwater to be suitable for its designated current and future uses.

### **Duration / Applicability of EI Determinations**

EI Determinations status codes should remain in RCRIS national database ONLY as long as they remain true (i.e., RCRIS status codes must be changed when the regulatory authorities become aware of contrary information).

**Migration of Contaminated Groundwater Under Control  
Environmental Indicator (EI) RCRIS code (CA750)**

2. Is **groundwater** known or reasonably suspected to be “**contaminated**”<sup>1</sup> above appropriately protective “levels” (i.e., applicable promulgated standards, as well as other appropriate standards, guidelines, guidance, or criteria) from releases subject to RCRA Corrective Action, anywhere at, or from, the facility?

- If yes - continue after identifying key contaminants, citing appropriate “levels,” and referencing supporting documentation.
- If no - skip to #8 and enter “YE” status code, after citing appropriate “levels,” and referencing supporting documentation to demonstrate that groundwater is not “contaminated.”
- If unknown - skip to #8 and enter “IN” status code.

Rationale and Reference(s):

Contaminants in groundwater due to releases at the facility which are subject to RCRA Corrective Action include the following: 1,2,4-trimethylbenzene, 1,3,5-trimethylbenzene, chlorobenzene, trichloroethene, vinyl chloride, cis-1,2-dichloroethene, ethylbenzene, xylene, benzene, tetrachloroethene, toluene, and 1,1,2-trichloroethane. These contaminants have all been detected at levels above PA Act 2 Standards for Organic Regulated Substances in Residential Groundwater. (These substances are hereafter referred to as Contaminants of Concern or COCs.)

Reference: Final Comprehensive Site Characterization Report for the Berkley Products Plant Site (May 5, 2009) prepared for the PA Department of Environmental Protection by Gannett-Fleming, Inc. (This report is hereafter referred to as CSCR (2009).)

Footnotes:

<sup>1</sup>“Contamination” and “contaminated” describes media containing contaminants (in any form, NAPL and/or dissolved, vapors, or solids, that are subject to RCRA) in concentrations in excess of appropriate “levels” (appropriate for the protection of the groundwater resource and its beneficial uses).

**Migration of Contaminated Groundwater Under Control  
Environmental Indicator (EI) RCRIS code (CA750)**

3. Has the **migration** of contaminated groundwater **stabilized** (such that contaminated groundwater is expected to remain within “existing area of contaminated groundwater”<sup>2</sup>) as defined by the monitoring locations designated at the time of this determination?

- X If yes - continue, after presenting or referencing the physical evidence (e.g., groundwater sampling/measurement/migration barrier data) and rationale why contaminated groundwater is expected to remain within the (horizontal or vertical) dimensions of the “existing area of groundwater contamination”<sup>2</sup>.
- If no (contaminated groundwater is observed or expected to migrate beyond the designated locations defining the “existing area of groundwater contamination”<sup>2</sup>) – skip to #8 and enter “NO” status code, after providing an explanation.
- If unknown - skip to #8 and enter “IN” status code.

Rationale and Reference(s):

Groundwater investigations described in CSCR (2009) have determined the extent of groundwater contamination as needed to select a remedial action to address the subject contamination. Based on these investigations, COCs in groundwater have migrated downgradient (horizontally) to the east toward an unnamed tributary of Conestoga Creek. Investigations described in CSCR (2009) included four (4) sampling events for monitoring wells over a period of one year. Contaminant levels exceeding PA Standards (as referenced above) in wells to the east were detected no further than monitoring well MW-24 (2.7ug/l vinyl chloride, 8/08). Contaminant levels above the subject standards have not been detected in wells MW-23, MW-24, MW-26, MW-27 between the facility and the subject tributary, or wells MW-29 and MW029D east of the tributary. Contaminant concentrations did not increase over the sampling period and available information otherwise suggests that contaminant levels above the subject standards are likely to be contained within an area bounded by monitoring wells MW-29 and MW-29D to the east.

Sampling of monitoring wells MW-18D (screened interval of 100'-120' below ground surface), MW-19D (62'-82'), MW-29D (105'-120') and MW-30 (100'-120') detected no contaminant levels above the subject standards, indicating the extent of contamination is unlikely to extend vertically below these depths at the subject locations. .

<sup>2</sup>“existing area of contaminated groundwater” is an area (with horizontal and vertical dimensions) that has been verifiably demonstrated to contain all relevant groundwater contamination for this determination, and is defined by designated (monitoring) locations proximate to the outer perimeter of “contamination” that can and will be sampled/tested in the future to physically verify that all “contaminated” groundwater remains within this area, and that the further migration of “contaminated” groundwater is not occurring. Reasonable allowances in the proximity of the monitoring locations are permissible to incorporate formal remedy decisions (i.e., including public participation) allowing a limited area for natural attenuation.

**Migration of Contaminated Groundwater Under Control  
Environmental Indicator (EI) RCRIS code (CA750)**

4. Does “contaminated” groundwater **discharge** into **surface water** bodies?

- If yes - continue after identifying potentially affected surface water bodies.
- If no - skip to #7 (and enter a “YE” status code in #8, if #7 = yes) after providing an explanation and/or referencing documentation supporting that groundwater “contamination” does not enter surface water bodies.
- If unknown - skip to #8 and enter “IN” status code.

Rationale and Reference(s):

Investigations described in CSCR (2009) included sampling of three (3) groundwater seeps discharging to the ground surface between the facility and the unnamed tributary and about 60'-80' from the tributary. The seeps were sampled four (4) times over a period of one year. Trichloroethene was detected in one seep during each sampling event at concentrations ranging from 11 to 15.4 ug/l while no contaminants were detected in the other two seeps. Three surface water locations in the tributary downgradient of the seeps were sampled twice and no VOCs were detected (where the detection limits for the subject VOCs was 1 or 2 ug/l). However, it is still assumed that groundwater containing facility contaminants may be discharging to the tributary.

**Migration of Contaminated Groundwater Under Control  
Environmental Indicator (EI) RCRIS code (CA750)**

5. Is the **discharge** of “contaminated” groundwater into surface water likely to be “**insignificant**” (i.e., the maximum concentration<sup>3</sup> of each contaminant discharging into surface water is less than 10 times their appropriate groundwater “level,” and there are no other conditions (e.g., the nature, and number, of discharging contaminants, or environmental setting), which significantly increase the potential for unacceptable impacts to surface water, sediments, or eco-systems at these concentrations)?
- X If yes - skip to #7 (and enter “YE” status code in #8 if #7 = yes), after documenting: 1) the maximum known or reasonably suspected concentration<sup>3</sup> of key contaminants discharged above their groundwater “level,” the value of the appropriate “level(s),” and if there is evidence that the concentrations are increasing; and 2) provide a statement of professional judgement/explanation (or reference documentation) supporting that the discharge of groundwater contaminants into the surface water is not anticipated to have unacceptable impacts to the receiving surface water, sediments, or eco-system.
- If no - (the discharge of “contaminated” groundwater into surface water is potentially significant) - continue after documenting: 1) the maximum known or reasonably suspected concentration<sup>3</sup> of each contaminant discharged above its groundwater “level,” the value of the appropriate “level(s),” and if there is evidence that the concentrations are increasing; and 2) for any contaminants discharging into surface water in concentrations<sup>3</sup> greater than 100 times their appropriate groundwater “levels,” the estimated total amount (mass in kg/yr) of each of these contaminants that are being discharged (loaded) into the surface water body (at the time of the determination), and identify if there is evidence that the amount of discharging contaminants is increasing.
- If unknown - enter “IN” status code in #8.

Rationale and Reference(s):

As noted under #4, no COCs were detected in the tributary. The detection limits for the COCs (1 or 2 ug/l) are below levels protective of surface water quality. In addition, no COCs were detected at five (5) sediment sample locations in the tributary which were sampled twice. Based on this information, any discharge of contaminated groundwater into the tributary is considered to be insignificant.

<sup>3</sup> As measured in groundwater prior to entry to the groundwater-surface water/sediment interaction (e.g., hyporheic) zone.

**Migration of Contaminated Groundwater Under Control  
Environmental Indicator (EI) RCRIS code (CA750)**

6. Can the **discharge** of “contaminated” groundwater into surface water be shown to be “**currently acceptable**” (i.e., not cause impacts to surface water, sediments or eco-systems that should not be allowed to continue until a final remedy decision can be made and implemented<sup>4</sup>)?
- If yes - continue after either: 1) identifying the Final Remedy decision incorporating these conditions, or other site-specific criteria (developed for the protection of the site’s surface water, sediments, and eco-systems), and referencing supporting documentation demonstrating that these criteria are not exceeded by the discharging groundwater; OR  
2) providing or referencing an interim-assessment<sup>5</sup>, appropriate to the potential for impact that shows the discharge of groundwater contaminants into the surface water is (in the opinion of a trained specialists, including ecologist) adequately protective of receiving surface water, sediments, and eco-systems, until such time when a full assessment and final remedy decision can be made. Factors which should be considered in the interim-assessment (where appropriate to help identify the impact associated with discharging groundwater) include: surface water body size, flow, use/classification/habitats and contaminant loading limits, other sources of surface water/sediment contamination, surface water and sediment sample results and comparisons to available and appropriate surface water and sediment “levels,” as well as any other factors, such as effects on ecological receptors (e.g., via bio-assays/benthic surveys or site-specific ecological Risk Assessments), that the overseeing regulatory agency would deem appropriate for making the EI determination.
- If no - (the discharge of “contaminated” groundwater can not be shown to be “**currently acceptable**”) - skip to #8 and enter “NO” status code, after documenting the currently unacceptable impacts to the surface water body, sediments, and/or eco-systems.
- If unknown - skip to 8 and enter “IN” status code.

Rationale and Reference(s):

<sup>4</sup>Note, because areas of inflowing groundwater can be critical habitats (e.g., nurseries or thermal refugia) for many species, appropriate specialist (e.g., ecologist) should be included in management decisions that could eliminate these areas by significantly altering or reversing groundwater flow pathways near surface water bodies.

<sup>5</sup>The understanding of the impacts of contaminated groundwater discharges into surface water bodies is a rapidly developing field and reviewers are encouraged to look to the latest guidance for the appropriate methods and scale of demonstration to be reasonably certain that discharges are not causing currently unacceptable impacts to the surface waters, sediments or eco-systems.

**Migration of Contaminated Groundwater Under Control  
Environmental Indicator (EI) RCRIS code (CA750)**

7. Will groundwater **monitoring** / measurement data (and surface water/sediment/ecological data, as necessary) be collected in the future to verify that contaminated groundwater has remained within the horizontal (or vertical, as necessary) dimensions of the “existing area of contaminated groundwater?”

If yes - continue after providing or citing documentation for planned activities or future sampling/measurement events. Specifically identify the well/measurement locations which will be tested in the future to verify the expectation (identified in #3) that groundwater contamination will not be migrating horizontally (or vertically, as necessary) beyond the “existing area of groundwater contamination.”

If no - enter “NO” status code in #8.

If unknown - enter “IN” status code in #8.

Rationale and Reference(s):

Groundwater monitoring will be included in the Final Remedy to be selected based on the CSCR (2009). The specific groundwater monitoring plan will be developed as part of the Remedial Design Plan.

**Migration of Contaminated Groundwater Under Control  
Environmental Indicator (EI) RCRIS code (CA750)**

8. Check the appropriate RCRIS status codes for the Migration of Contaminated Groundwater Under Control EI (event code CA750), and obtain Supervisor (or appropriate Manager) signature and date on the EI determination below (attach appropriate supporting documentation as well as a map of the facility).

- YE - Yes, "Migration of Contaminated Groundwater Under Control" has been verified. Based on a review of the information contained in this EI determination, it has been determined that the "Migration of Contaminated Groundwater" is "Under Control" at the Berkley Products facility, EPA ID # PAD003003894, located at 405 South 7<sup>th</sup> Street, Akron, Pennsylvania 17501. Specifically, this determination indicates that the migration of "contaminated" groundwater is under control, and that monitoring will be conducted to confirm that contaminated groundwater remains within the "existing area of contaminated groundwater." This determination will be re-evaluated when the Agency becomes aware of significant changes at the facility.
- NO - Unacceptable migration of contaminated groundwater is observed or expected.
- IN - More information is needed to make a determination.

Completed by /Griff E. Miller/ Griff Miller Remedial Project Manager Date 6/22/2010

Supervisor /Paul Gotthold/ Paul Gotthold Associate Director EPA Region 3 Date 6/22/2010

Locations where References may be found:

US EPA Region III  
Land and Chemicals Division  
1650 Arch Street  
Philadelphia, PA 19103

Contact telephone and e-mail numbers

Griff Miller  
215-814-3407  
[miller.griff@epa.gov](mailto:miller.griff@epa.gov)