DOCUMENTATION OF ENVIRONMENTAL INDICATOR DETERMINATION

Interim Final 2/5/99

RCRA Corrective Action

Environmental Indicator (EI) RCRIS code (CA750) Migration of Contaminated Groundwater Under Control

Facility	Name:	GE-Bridgeville Glass Plant
Facility	Address:	Mayer Street, Bridgeville, PA 15017
Facility	EPA ID#:	PAD 06 068 2622
1.	media, subject to l	relevant/significant information on known and reasonably suspected releases to the groundwater RCRA Corrective Action (e.g., from Solid Waste Management Units (SWMU), Regulated Units of Concern (AOC)), been considered in this EI determination?
	X	If yes - check here and continue with #2 below.
		If no - re-evaluate existing data, or
		If data are not available skip to #6 and enter "IN" (more information needed) status code.

BACKGROUND

Definition of Environmental Indicators (for the RCRA Corrective Action)

Environmental Indicators (EI) are measures being used by the RCRA Corrective Action program to go beyond programmatic activity measures (e.g., reports received and approved, etc.) to track changes in the quality of the environment. The two EI developed to-date indicate the quality of the environment in relation to current human exposures to contamination and the migration of contaminated groundwater. An EI for non-human (ecological) receptors is intended to be developed in the future.

<u>Definition of "Migration of Contaminated Groundwater Under Control" EI</u>

A positive "Migration of Contaminated Groundwater Under Control" EI determination ("YE" status code) indicates that the migration of "contaminated" groundwater has stabilized, and that monitoring will be conducted to confirm that contaminated groundwater remains within the original "area of contaminated groundwater" (for all groundwater "contamination" subject to RCRA corrective action at or from the identified facility (i.e., site-wide)).

Relationship of EI to Final Remedies

While Final remedies remain the long-term objective of the RCRA Corrective Action program the EI are near-term objectives which are currently being used as Program measures for the Government Performance and Results Act of 1993, GPRA). The "Migration of Contaminated Groundwater Under Control" EI pertains ONLY to the physical migration (i.e., further spread) of contaminated ground water and contaminants within groundwater (e.g., non-aqueous phase liquids or NAPLs). Achieving this EI does not substitute for achieving other stabilization or final remedy requirements and expectations associated with sources of contamination and the need to restore, wherever practicable, contaminated groundwater to be suitable for its designated current and future uses.

Duration / Applicability of EI Determinations

EI Determinations status codes should remain in RCRIS national database ONLY as long as they remain true (i.e., RCRIS status codes must be changed when the regulatory authorities become aware of contrary information).

Page 2

Is **groundwater** known or reasonably suspected to be "contaminated" above appropriately protective "levels" (i.e.,

 •	e promulgated standards, as well as other appropriate standards, guidelines, guidance, or criteria) from relea o RCRA Corrective Action, anywhere at, or from, the facility?	
X	If yes - continue after identifying key contaminants, citing appropriate "levels," and referencing supporting documentation.	
	If no - skip to #8 and enter "YE" status code, after citing appropriate "levels," and referencing supporting documentation to demonstrate that groundwater is not "contaminated."	
	If unknown - skip to #8 and enter "IN" status code.	

Rationale and Reference(s): GE conducted an environmental assessment from 1985 to 1988. Groundwater was found to contain lead, cadmium, arsenic, barium, chromium, and thallium at concentrations in excess of EPA's Maximum Contaminant Levels. (Statement of Basis/Final Decision and Response to Comments Summary, General Electric Glass Plant, Bridgeville, PA, September 30, 1992).

GROUNDWATER

2.

Contaminant	Groundwater Sample (ppm)	MCL/Action Level (ppm)
Lead	10	0.015
Cadmium	0.07	0.005
Arsenic	1.5	0.01
Barium	3.6	2
Chromium	0.45	0.1
Thallium	0.80	0.002

Footnotes:

¹"Contamination" and "contaminated" describes media containing contaminants (in any form, NAPL and/or dissolved, vapors, or solids, that are subject to RCRA) in concentrations in excess of appropriate "levels" (appropriate for the protection of the groundwater resource and its beneficial uses).

Page 3

3.	Has the migration of contaminated groundwater stabilized (such that contaminated groundwater is expected to
	remain within "existing area of contaminated groundwater" as defined by the monitoring locations designated at the
	time of this determination)?

X	If yes - continue, after presenting or referencing the physical evidence (e.g., groundwater
	sampling/measurement/migration barrier data) and rationale why contaminated groundwater is
	expected to remain within the (horizontal or vertical) dimensions of the "existing area of
	groundwater contamination" ²).
	If no (contaminated groundwater is observed or expected to migrate beyond the designated
	locations defining the "existing area of groundwater contamination"2) - skip to #8 and enter "NO
	status code, after providing an explanation.
	If unknown - skip to #8 and enter "IN" status code.
	if diknown skip to no and enter it status code.

Rationale and Reference(s): Groundwater has been contained. A groundwater recovery trench between the landfill and the creek to collect groundwater coming from the landfill was installed in accordance with the 1992 RCRA permit ((March 2002 Chartiers Creek Sediment and Surface water Sampling, GE Glass Plant, Bridgeville, PA).

² "existing area of contaminated groundwater" is an area (with horizontal and vertical dimensions) that has been verifiably demonstrated to contain all relevant groundwater contamination for this determination, and is defined by designated (monitoring) locations proximate to the outer perimeter of "contamination" that can and will be sampled/tested in the future to physically verify that all "contaminated" groundwater remains within this area, and that the further migration of "contaminated" groundwater is not occurring. Reasonable allowances in the proximity of the monitoring locations are permissible to incorporate formal remedy decisions (i.e., including public participation) allowing a limited area for natural attenuation.

4.	Does "contaminated" groundwater discharge into surface water bodies?		
		If yes - continue after identifying potentially affected surface water bodies.	
	X	If no - skip to #7 (and enter a "YE" status code in #8, if #7 = yes) after providing an explanation and/or referencing documentation supporting that groundwater "contamination" does not enter surface water bodies.	
		If unknown - skip to #8 and enter "IN" status code.	

Rationale and Reference(s): A groundwater recovery trench between the landfill and the creek to collect groundwater coming from the landfill was installed in accordance with the 1992 RCRA permit (March 2002 Chartiers Creek Sediment and Surface water Sampling, GE Glass Plant, Bridgeville, PA).

Page 5

5.	concentration ³ of e "level," and there a	f "contaminated" groundwater into surface water likely to be "insignificant" (i.e., the maximum ach contaminant discharging into surface water is less than 10 times their appropriate groundwater are no other conditions (e.g., the nature, and number, of discharging contaminants, or environmental nificantly increase the potential for unacceptable impacts to surface water, sediments, or econcentrations)?
		If yes - skip to #7 (and enter "YE" status code in #8 if #7 = yes), after documenting: 1) the maximum known or reasonably suspected concentration ³ of key contaminants discharged above their groundwater "level," the value of the appropriate "level(s)," and if there is evidence that the concentrations are increasing; and 2) provide a statement of professional judgement/explanation (or reference documentation) supporting that the discharge of groundwater contaminants into the surface water is not anticipated to have unacceptable impacts to the receiving surface water, sediments, or eco-system.
		If no - (the discharge of "contaminated" groundwater into surface water is potentially significant) - continue after documenting: 1) the maximum known or reasonably suspected concentration of each contaminant discharged above its groundwater "level," the value of the appropriate "level(s)," and if there is evidence that the concentrations are increasing; and 2) for any contaminants discharging into surface water in concentrations greater than 100 times their appropriate groundwater "levels," the estimated total amount (mass in kg/yr) of each of these contaminants that are being discharged (loaded) into the surface water body (at the time of the determination), and identify if there is evidence that the amount of discharging contaminants is increasing.
		If unknown - enter "IN" status code in #8.
	Rationale and Refe	rence(s):

³ As measured in groundwater prior to entry to the groundwater-surface water/sediment interaction (e.g., hyporheic) zone.

Page 6

6.	Can the discharge of "contaminated" groundwater into surface water be shown to be " currently acceptable " (i.e., not cause impacts to surface water, sediments or eco-systems that should not be allowed to continue until a final remedy decision can be made and implemented ⁴)?
	If yes - continue after either: 1) identifying the Final Remedy decision incorporating these conditions, or other site-specific criteria (developed for the protection of the site's surface water, sediments, and eco-systems), and referencing supporting documentation demonstrating that these criteria are not exceeded by the discharging groundwater; OR 2) providing or referencing an interim-assessment, appropriate to the potential for impact, that shows the discharge of groundwater contaminants into the surface water is (in the opinion of a trained specialists, including ecologist) adequately protective of receiving surface water, sediments, and eco-systems, until such time when a full assessment and final remedy decision can be made. Factors which should be considered in the interim-assessment (where appropriate to help identify the impact associated with discharging groundwater) include: surface water body size, flow, use/classification/habitats and contaminant loading limits, other sources of surface water/sediment contamination, surface water and sediment sample results and comparisons to available and appropriate surface water and sediment "levels," as well as any other factors, such as effects on ecological receptors (e.g., via bio-assays/benthic surveys or site-specific ecological Risk Assessments), that the overseeing regulatory agency would deem appropriate for making the EI determination.
	If no - (the discharge of "contaminated" groundwater can not be shown to be " currently acceptable") - skip to #8 and enter "NO" status code, after documenting the currently unacceptable impacts to the surface water body, sediments, and/or eco-systems.
	If unknown - skip to 8 and enter "IN" status code.
	Rationale and Reference(s):

⁴ Note, because areas of inflowing groundwater can be critical habitats (e.g., nurseries or thermal refugia) for many species, appropriate specialist (e.g., ecologist) should be included in management decisions that could eliminate these areas by significantly altering or reversing groundwater flow pathways near surface water bodies.

⁵ The understanding of the impacts of contaminated groundwater discharges into surface water bodies is a rapidly developing field and reviewers are encouraged to look to the latest guidance for the appropriate methods and scale of demonstration to be reasonably certain that discharges are not causing currently unacceptable impacts to the surface waters, sediments or eco-systems.

Page 7
Will groundwater **monitoring** / measurement data (and surface water/sediment/ecological data, as necessary) be

7.

	ure to verify that contaminated groundwater has remained within the horizontal (or vertical, as ons of the "existing area of contaminated groundwater?"
<u>X</u>	If yes - continue after providing or citing documentation for planned activities or future sampling/measurement events. Specifically identify the well/measurement locations which will be tested in the future to verify the expectation (identified in #3) that groundwater contamination will not be migrating horizontally (or vertically, as necessary) beyond the "existing area of groundwater contamination."
	If no - enter "NO" status code in #8.
	If unknown - enter "IN" status code in #8.

Rationale and Reference(s): The RCRA 1998 permit requires semiannual groundwater monitoring. Analytical results of groundwater samples collected in 2000 and 2001 show that only lead and cadmium were found at concentrations above MCLs. Cadmium and lead were found at concentrations up to 0.057ppm and 0.03ppm, respectively.(2000 Corrective Action Effectiveness Monitoring Annual Report, General Electric Company Bridgeville Glass Plant dated February 2001 and 2001 Corrective Action Effectiveness Monitoring Annual Report, General Electric Company Bridgeville Glass Plant dated March 2002).

Page 8

	•	documentation as well as a map of the	re and date on the EI determination below facility).
X	YE - Yes, "Migration of Contaminated Groundwater Under Control" has been verified. Based on a review of the information contained in this EI determination, it has been determined that the "Migration of Contaminated Groundwater" is "Under Control" at the GE-Glass Plant Bridgeville facility, EPA ID # PAD 06 068 2622, located on Mayer Street, Bridgeville, PA 15017. Specifically, this determination indicates that the migration of "contaminated" groundwater is under control, and that monitoring will be conducted to confirm that contaminated groundwater remains within the "existing area of contaminated groundwater" This determination will be re-evaluated when the Agency becomes aware of significant changes at the facility. NO - Unacceptable migration of contaminated groundwater is observed or expected.		
	IN - More	information is needed to make a determ	nination.
Completed by	(signature)		Date <u>09-25-02</u>
	(print)	Tran Tran	
	(title)	Remedial Project Manager	ORIGINAL SIGNED 4/16/96
Supervisor	(signature)		Date <u>09-25-02</u>
	(print)	Paul Gotthold	
	(title)	PA Operations Branch Chief	
		ion or State) EPA, Region 3	
Locations when	e References	may be found:	
Necessary refere	ences can be lo	cated at the USEPA Regional Office in	Philadelphia, PA
Contact telepho	one and e-ma	il numbers:	
(name) Traı	n Tran	
(phone	e #) 215	-814-2079	

(e-mail)

tran.tran@epa.gov