



STATE OF MISSOURI
DEPARTMENT OF NATURAL RESOURCES

Jeremiah W. (Jay) Nixon, Governor • Sara Parker Pauley, Director

www.dnr.mo.gov

JUL 19 2011

Mr. Karl Brooks
Regional Administrator
U.S. Environmental Protection Agency Region VII
901 North Fifth Street
Kansas City, KS 66101

Dear Mr. Brooks:

In June 2010, the U.S. Environmental Protection Agency (EPA) promulgated a revision to the National Ambient Air Quality Standards for sulfur dioxide (SO₂), which established a new one-hour standard of 75 parts per billion. The form of the standard is the three-year average of annual 99th percentile of one-hour daily maximum concentrations. This new standard replaced both the 24-hour and annual standards. Implementation of the new one-hour standard requires that states make recommendations to EPA regarding designation of areas as being in attainment, nonattainment or unclassifiable. This letter and enclosures constitute that recommendation from Missouri, which is based on EPA's boundary recommendation guidance.

Since refined dispersion modeling is not yet available, no areas are currently recommended as attainment. Based on the existing SO₂ monitoring network and other evaluation criteria, areas that monitor or that likely contribute to violations are recommended as one of three nonattainment areas in portions of Greene, Jackson and Jefferson Counties. All other areas of the state are recommended as unclassifiable.

In order to comply with Attachment A of the "Regional Consistency for the Administrative Requirements of State Implementation Plan Submittals and the Use of 'Letter Notices'" memo dated April 6, 2011, a searchable pdf version of this document will be emailed to the EPA Regional Office and will be posted on our website at <http://dnr.mo.gov/env/apcp/stateplans.htm>

Thank you for the opportunity to provide this recommendation. If you have questions about this letter or the enclosure, please contact Ms. Kyra Moore, the Interim Director of

Mr. Karl Brooks
Page Two

the Department's Air Pollution Control Program, at P.O. Box 176, Jefferson City MO 65102
or by telephone at (573) 751-4817.

Sincerely,

DEPARTMENT OF NATURAL RESOURCES



Sara Parker Pauley
Director

SPP:brk

Enclosures:

County recommended classifications
Commission signature page certifying Missouri Air Conservation Commission adoption
Summary of recommendation
Technical support documentation
Public hearing newspaper notice
Public hearing transcript introductory statement
Public comments and responses

c: Mr. Joshua Tapp, U.S. EPA Region VII
Missouri Air Conservation Commission

**Missouri Sulfur Dioxide Area Designation Recommendation
June 2011**

County	Recommended Classification
Adair	Unclassifiable
Andrew	Unclassifiable
Atchison	Unclassifiable
Audrain	Unclassifiable
Barry	Unclassifiable
Barton	Unclassifiable
Bates	Unclassifiable
Benton	Unclassifiable
Bollinger	Unclassifiable
Boone	Unclassifiable
Buchanan	Unclassifiable
Butler	Unclassifiable
Caldwell	Unclassifiable
Callaway	Unclassifiable
Camden	Unclassifiable
Cape Girardeau	Unclassifiable
Carroll	Unclassifiable
Carter	Unclassifiable
Cass	Unclassifiable
Cedar	Unclassifiable
Chariton	Unclassifiable
Christian	Unclassifiable
Clark	Unclassifiable
Clay	Unclassifiable
Clinton	Unclassifiable
Cole	Unclassifiable
Cooper	Unclassifiable
Crawford	Unclassifiable
Dade	Unclassifiable
Dallas	Unclassifiable
Daviess	Unclassifiable
DeKalb	Unclassifiable
Dent	Unclassifiable
Douglas	Unclassifiable
Dunklin	Unclassifiable
Franklin	Unclassifiable
Gasconade	Unclassifiable
Gentry	Unclassifiable
Greene	Nonattainment (portion of Greene County bounded by county line on the south, U.S. 65 on the east, U.S. 60 on the north and U.S. 160 [South Campbell Ave] on the west)

County	Recommended Classification
Greene	Unclassifiable (remaining portion of county)
Grundy	Unclassifiable
Harrison	Unclassifiable
Henry	Unclassifiable
Hickory	Unclassifiable
Holt	Unclassifiable
Howard	Unclassifiable
Howell	Unclassifiable
Iron	Unclassifiable
Jackson	Nonattainment (portion of Jackson County bounded by county line on north, Kansas state border on west, Interstate-435 on the east, and the following southern boundary line – that part of Jackson County north of Interstate-670 from the Kansas border to the intersection with Interstate-435)
Jackson	Unclassifiable (remaining portion of county)
Jasper	Unclassifiable
Jefferson	Nonattainment (Herculaneum and Festus townships and the Missouri portions of Valmeyer and Selma townships west of Illinois state border)
Jefferson	Unclassifiable (remaining portion of county)
Johnson	Unclassifiable
Knox	Unclassifiable
Laclede	Unclassifiable
Lafayette	Unclassifiable
Lawrence	Unclassifiable
Lewis	Unclassifiable
Lincoln	Unclassifiable
Linn	Unclassifiable
Livingston	Unclassifiable
McDonald	Unclassifiable
Macon	Unclassifiable
Madison	Unclassifiable
Maries	Unclassifiable
Marion	Unclassifiable
Mercer	Unclassifiable
Miller	Unclassifiable
Mississippi	Unclassifiable
Moniteau	Unclassifiable
Monroe	Unclassifiable
Montgomery	Unclassifiable
Morgan	Unclassifiable
New Madrid	Unclassifiable
Newton	Unclassifiable
Nodaway	Unclassifiable

County	Recommended Classification
Oregon	Unclassifiable
Osage	Unclassifiable
Ozark	Unclassifiable
Pemiscot	Unclassifiable
Perry	Unclassifiable
Pettis	Unclassifiable
Phelps	Unclassifiable
Pike	Unclassifiable
Platte	Unclassifiable
Polk	Unclassifiable
Pulaski	Unclassifiable
Putnam	Unclassifiable
Ralls	Unclassifiable
Randolph	Unclassifiable
Ray	Unclassifiable
Reynolds	Unclassifiable
Ripley	Unclassifiable
St. Charles	Unclassifiable
St. Clair	Unclassifiable
St. Francois	Unclassifiable
Ste. Genevieve	Unclassifiable
St. Louis	Unclassifiable
St. Louis City	Unclassifiable
Saline	Unclassifiable
Schuyler	Unclassifiable
Scotland	Unclassifiable
Scott	Unclassifiable
Shannon	Unclassifiable
Shelby	Unclassifiable
Stoddard	Unclassifiable
Stone	Unclassifiable
Sullivan	Unclassifiable
Taney	Unclassifiable
Texas	Unclassifiable
Vernon	Unclassifiable
Warren	Unclassifiable
Washington	Unclassifiable
Wayne	Unclassifiable
Webster	Unclassifiable
Worth	Unclassifiable
Wright	Unclassifiable

Pursuant to 643.055 RSMo, the Missouri Air Conservation Commission has determined that this action is required under Section 107 of the Clean Air Act.

The 2010 1-Hour Sulfur Dioxide Boundary Designation Recommendation is hereby adopted by the Missouri Air Conservation Commission this 30th day of June, 2011.

Mark Lee, Chairman

David C. Zimmerman, Vice Chairman

Ronald Boyer, Member

Jack C. Baber, Member

Larry J. Pender, Member

_____, Member

_____, Member

**2010 Sulfur Dioxide National Ambient Air Quality Standard
Summary of Recommendation of Nonattainment and Unclassifiable Boundaries in
Missouri**

In June 2010, the U.S. Environmental Protection Agency (EPA) promulgated a revision to the National Ambient Air Quality Standards (NAAQS) for sulfur dioxide (SO₂), which established “a new 1-hour SO₂ standard at a level of 75 parts per billion (ppb), based on the 3-year average of the annual 99th percentile of 1-hour daily maximum concentrations.” This new standard replaced both the 24-hour and annual standards.

As provided under Clean Air Act Subparagraph 107(d)(1)(A), the governor of each state is required to submit a recommendation to the EPA regarding the attainment status of all areas within that state. This recommendation is due to EPA by June 2, 2011. Each area of the state shall be recommended for designation as:

- nonattainment for areas that do not meet the NAAQS or contain sources that contribute to nonattainment in a nearby area,
- attainment for areas that meet the NAAQS, or
- unclassifiable for areas that cannot be classified as attainment or nonattainment based on available information.

The EPA has chosen a different approach to determine attainment status for the 1-hour SO₂ NAAQS. Unlike other criteria pollutants, SO₂ is almost exclusively a point source-emitted pollutant. A monitoring network large enough to adequately cover all large sources would be prohibitively expensive and an affordable network would leave large gaps in coverage. Therefore, EPA has decided to use a hybrid monitoring-modeling approach for SO₂. This hybrid approach involves a modest monitoring network and extensive use of refined air dispersion modeling.

- Nonattainment areas will be determined by either monitoring or modeling data which show a violation, or likely violation, of the standard.
- Both monitoring and modeling are required to show attainment.
- Areas without either monitoring or modeling data will be designated unclassifiable.

Since the final SO₂ rule states that modeling is not required for initial nonattainment determinations and EPA’s modeling guidance was not available in time for the Department to take these recommendations through its public process and meet the June 2, 2011 deadline, at this time the boundary recommendations are based on factors other than modeling. Therefore, in this initial round of recommendations, no areas can be recommended as attainment; areas that monitor or that likely contribute to violations will be recommended as nonattainment; and all other areas of the state will be recommended as unclassifiable. As the SO₂ modeling guidance is released and finalized, the Department intends to conduct refined dispersion modeling of SO₂ sources in accordance with EPA’s guidelines and provide additional technical justification as needed for recommended nonattainment area boundaries.

Because all areas of the state are evaluated without modeling at this time, only those areas with violating monitors and areas immediately surrounding them are addressed in this document. For 2007-2009, the four violating monitors are Troost in Kansas City, Main Street in Herculaneum, and James River & South Charleston in Springfield. Sources in these three counties (Greene, Jackson, and Jefferson) and surrounding areas (neighboring counties and states) were considered in the analysis to determine their likely impact on the violating monitors. If emissions from a particular area in Missouri are determined to have a substantial impact on the violating monitor, that area is included in the recommended nonattainment area.

As stated in the preamble of EPA's final SO₂ rule, county lines are the presumptive boundaries for SO₂ nonattainment areas. Therefore, county boundaries were the starting point for this analysis. The information contained in this document demonstrates why a smaller area (less than countywide) for nonattainment boundary recommendations is appropriate for all three counties containing monitors that do not meet the 1-hour SO₂ NAAQS.

EPA expects to issue final designations by June 2012. If the EPA intends to modify the state's recommendations or needs additional technical justification to support the designation, they will notify the Department 120 days prior to finalizing the designations. For the SO₂ standard, these "120-day" letters are expected to be released around February 2012. The Department will then be required to submit attainment state implementation plans (SIPs) for nonattainment areas to EPA by February 2014 outlining actions that will be taken to meet the standard.

The Department expects that some SO₂ emission sources located in the recommended unclassifiable areas may contribute to violations of the 1-hour SO₂ standard. These sources will be evaluated with refined modeling analyses when EPA provides official modeling guidance. Any sources located in unclassifiable areas later found to contribute to SO₂ violations will be addressed in the Infrastructure SIP due June 2013.

A summary of the implementation timeline for the 1-hour SO₂ standard is below:

June 2010	EPA establishes new primary 1-hour SO ₂ standard of 75 ppb
June 2011	States must submit designation recommendations
Feb 2012	EPA notifies states if they intend to modify recommendations (120-day letters)
June 2012	EPA finalizes initial area designations
June 2013	States must submit infrastructure SIPs for unclassifiable areas
Feb 2014	States must submit attainment SIPs for nonattainment areas
Aug 2017	Initial attainment date for all areas

On February 17, 2011, a preview of EPA's draft Boundary Recommendation guidance was released. In that document, EPA lists a number of different factors to be considered when establishing boundaries for nonattainment areas:

- Monitoring data
- Emissions, including growth, controls, and regional emission reductions
- Meteorology

- Topography
- Jurisdictional boundaries

The Department developed this boundary recommendation based on a review of the available technical information as required by EPA. Based on 2007-2009 monitoring data, three distinct areas of the state violate the 2010 1-hour SO₂ NAAQS. The recommended boundaries for the 1-hour SO₂ NAAQS nonattainment areas in Missouri include the following [*please reference attached maps indicating recommendation for SO₂ nonattainment area boundaries*]:

Jefferson County Nonattainment Area

Jefferson County: Herculaneum and Festus townships and the Missouri portions of Valmeyer and Selma townships west of the Mississippi River/Jefferson County line with the state of Illinois [see Figure 1].

Jackson County Nonattainment Area

Jackson County: The portion of Jackson County bounded by the county line on the north, the state of Kansas on the west, Interstate-435 on the east and the following southern boundary line – that part of Jackson County north of Interstate-670 from the Kansas border to the intersection with Interstate-435 [see Figure 2].

Greene County Nonattainment Area

Greene County: The portion of Greene County bounded by the county line on the south, U.S. 65 on the east, U.S. 60 on the north, and U.S. 160 (South Campbell Ave) on the west [see Figure 3].

The remaining counties in the state, as well as the remaining portions of Jackson, Jefferson and Greene Counties, are recommended for designation as unclassifiable.

Figure 1. Recommended SO₂ Nonattainment Area for Jefferson County, Missouri




Figure 2. Recommended SO₂ Nonattainment Area for Jackson County, Missouri





Figure 3. Recommended SO₂ Nonattainment Area for Greene County, Missouri



2010 1-HOUR SULFUR DIOXIDE
BOUNDARY RECOMMENDATION

And

**Technical Support Document for Recommendation of
Nonattainment and Unclassifiable Boundaries in
Missouri for the 2010 SO₂ National Ambient Air
Quality Standard**

Prepared for the
Missouri Air Conservation Commission
Adoption: June 30, 2011



MISSOURI
DEPARTMENT OF
NATURAL RESOURCES

Division of Environmental Quality
Air Pollution Control Program
P.O. Box 176
1659 East Elm Street
Jefferson City, Missouri 65102
Telephone (573) 751-4817

This page intentionally left blank.

Table of Contents

LIST OF FIGURES.....	IV
1.0 INTRODUCTION	1
2.0 METHOD OF DETERMINING ATTAINMENT STATUS AND BOUNDARIES	2
3.0 MONITORING DATA	4
4.0 EMISSIONS DATA.....	7
4.1 EMISSIONS	7
4.2 EMISSION CONTROLS.....	13
4.3 REGIONAL EMISSION REDUCTIONS	13
4.4 GROWTH.....	15
5.0 METEOROLOGY.....	16
5.1 BACK TRAJECTORIES	16
6.0 TOPOGRAPHY.....	17
7.0 JURISDICTIONAL BOUNDARIES	17
8.0 RECOMMENDED NONATTAINMENT BOUNDARIES.....	17
8.1 GREENE COUNTY.....	18
8.2 JACKSON COUNTY	21
8.3 JEFFERSON COUNTY	23
9.0 SUMMARY	25
APPENDIX 1 – SO₂ EMISSION DATA.....	1
APPENDIX 2 – WIND ROSES	1
APPENDIX 3 – BACK TRAJECTORIES	1

List of Figures

FIGURE 1. MISSOURI SO ₂ MONITORING NETWORK, 2010.....	5
FIGURE 2. THREE-YEAR AVERAGES FOR SO ₂ CONCENTRATIONS.....	6
FIGURE 3. EMISSION SOURCES AND MONITORING SITES IN GREENE COUNTY.....	8
FIGURE 4. EMISSION SOURCES AND MONITORING SITES IN JACKSON COUNTY.....	10
FIGURE 5. EMISSION SOURCES AND MONITORING SITES IN JEFFERSON COUNTY.....	12
FIGURE 6. RADIUS OF IMPACT FROM JAMES RIVER PLANT.....	19
FIGURE 7. RECOMMENDED NAA FOR GREENE COUNTY.....	20
FIGURE 8. RECOMMENDED NAA FOR JACKSON COUNTY.....	22
FIGURE 9. RECOMMENDED NAA FOR JEFFERSON COUNTY.....	24

This page intentionally left blank.

1.0 Introduction

In June 2010, the U.S. Environmental Protection Agency (EPA) promulgated a revision to the National Ambient Air Quality Standard (NAAQS) for sulfur dioxide (SO₂), which establishes “a new 1-hour SO₂ standard at a level of 75 parts per billion (ppb), based on the 3-year average of the annual 99th percentile of 1-hour daily maximum concentrations.” This new standard replaces both the 24-hour and annual standards.

As provided under Clean Air Act Subparagraph 107(d)(1)(A), the governor of each state is required to submit to the EPA a recommendation regarding the attainment status of all areas within that state. This recommendation is due to EPA by June 2, 2011. Each area of the state shall be recommended for designation as:

- nonattainment for areas that do not meet the NAAQS or contain sources that contribute to nonattainment in a nearby area,
- attainment for areas that meet the NAAQS, or
- unclassifiable for areas that cannot be classified as attainment or nonattainment based on available information.

The purpose of this document is to provide the technical bases for the recommendations described in the 2010 1-Hour Sulfur Dioxide Boundary Recommendation.

The primary source of SO₂ emissions is the combustion of sulfur-bearing coal for power generation, either by utilities or by industries. As coal is burned, the elemental sulfur combines with oxygen to form gaseous SO₂. The sulfur content of coal varies widely, from less than one percent to over three-and-one-half percent. The life span of gaseous SO₂ is limited because it is quickly oxidized further into sulfate (SO₄²⁻). The sulfate binds to atmospheric ammonium (NH₄⁺) to form ammonium sulfate, one of the major constituents of another criteria pollutant—Fine Particulate Matter (PM_{2.5}). Other significant emission sources in Missouri include smelting of sulfur-bearing ores, such as lead sulfide.

In establishing the form and level of the new standard, the EPA referred to studies that “infer a causal relationship between respiratory morbidity and short-term exposure to SO₂.” On the basis of these studies, EPA dramatically reduced the averaging time of the standard in addition to lowering the level of the standard.

EPA studies show that children, the elderly, and asthmatics are the most sensitive subpopulations to SO₂ exposure. For these subpopulations, decreased lung function, increased respiratory symptoms, and more hospital admissions and emergency room visits all characterize their exposure to SO₂. In particular, asthmatics exercising or playing while exposed to SO₂ represent a high-risk group as they may experience bronchoconstriction, respiratory symptoms, and rapid shallow breathing in response to this exposure. In typical asthmatics, SO₂ exposure enhances the effect of exercise, causing greater than usual increases in airway resistance and wheeze. This response occurs at concentrations only a fraction of those required to affect healthy people.

As mentioned previously, SO₂ can also react with other compounds in the atmosphere to create small particles, collectively known as PM_{2.5}. These particles can penetrate deeply into sensitive parts of the lungs and may cause or worsen respiratory diseases such as emphysema and bronchitis. They can also aggravate existing heart disease, leading to increased hospital admissions and premature death.

2.0 Method of Determining Attainment Status and Boundaries

The EPA has chosen to take a different approach to determine compliance with the 1-hour SO₂ NAAQS. Unlike other criteria pollutants, SO₂ is an almost exclusively point source emitted pollutant. A monitoring network large enough to adequately cover all large sources would be prohibitively expensive and an affordable network would leave large gaps in coverage. Therefore, EPA has decided to use a hybrid monitoring-modeling approach for SO₂. This hybrid approach involves a modest monitoring network and extensive use of refined air dispersion modeling.

- Nonattainment areas will be determined by either monitoring or modeling data which show a violation, or likely violation, of the standard.
- Both monitoring and modeling are required to show attainment.
- Areas without either monitoring or modeling data will be designated unclassifiable.

Since the final SO₂ rule states that modeling is not required for initial nonattainment determinations and EPA's modeling guidance was not available in time for the Department to take these recommendations through its public process and meet the June 2, 2011 deadline, at this time the boundary recommendations are based on factors other than modeling. Therefore, in this initial round of recommendations, no areas can be recommended as attainment; areas that monitor or that likely contribute to violations will be recommended as nonattainment; and all other areas of the state will be recommended as unclassifiable. As the SO₂ modeling guidance is released and finalized, the Department intends to conduct refined dispersion modeling of SO₂ sources in accordance with EPA's guidelines and provide additional technical justification as needed for recommended nonattainment area boundaries.

Because all areas of the state are evaluated without modeling at this time, only those areas with violating monitors and areas immediately surrounding them are addressed in this document. For 2007-2009, the four violating monitors are Troost in Kansas City, Main Street in Herculaneum, and James River & South Charleston in Springfield. Sources in these three counties (Greene, Jackson, and Jefferson) and surrounding areas (neighboring counties) were considered in the analysis to determine their likely impact on the violating monitors. If emissions from a particular area in Missouri are determined to have a substantial impact on the violating monitor, that area is included in the recommended nonattainment area.

As stated in the preamble of EPA's final SO₂ rule, county lines are the presumptive boundaries for SO₂ nonattainment areas. Therefore, county boundaries were the starting point for this analysis. The information contained in this document demonstrates why a smaller area (less than countywide) for nonattainment boundary recommendations is appropriate for all three counties containing monitors that do not meet the 1-hour SO₂ NAAQS.

EPA expects to issue final designations by June 2012. If the EPA intends to modify the state's recommendations or needs additional technical justification to support the designation, they will notify the Department 120 days prior to finalizing the designations. For the SO₂ standard, these "120-day" letters are expected to be released around February 2012. The Department will then be required to submit attainment state implementation plans (SIPs) for nonattainment areas to EPA by February 2014 outlining actions that will be taken to meet the standard.

The Department expects that some SO₂ emission sources located in the recommended unclassifiable areas may contribute to violations of the 1-hour SO₂ standard. These sources will be evaluated with refined modeling analyses when EPA provides official modeling guidance. Any sources contributing to SO₂ violations will be addressed in the Infrastructure SIP due June 2013.

As outlined in the final SO₂ rule, the Infrastructure State Implementation Plan (SIP) for the 1-hour SO₂ NAAQS will be similar to the conventional attainment SIP for nonattainment areas in that they must include emission inventories, enforceable emission limits, timetables for compliance, refined dispersion modeling demonstrating timely attainment (by 2017), and contingency measures. Since each state is required to submit an Infrastructure SIP for all areas not designated as nonattainment, Missouri intends to develop such an Infrastructure SIP as an enforceable tool to ensure all areas of the state, including unclassifiable areas, comply with 1-hour SO₂ NAAQS no later than August 2017. Missouri also expects the development and implementation of the Infrastructure SIP will eliminate the need to reclassify any additional areas as nonattainment, besides the initial boundary recommendations to be approved by EPA in June 2012, prior to the August 2017 deadline to demonstrate attainment.

On February 17, 2011, a preview of EPA's draft Boundary Recommendation guidance was released. In that document, EPA lists a number of different factors to be considered when establishing boundaries for nonattainment areas:

- Monitoring data
- Emissions, including growth, controls, and regional emission reductions
- Meteorology
- Topography
- Jurisdictional boundaries

Each of these factors is discussed in the following sections to determine the extent they play in contributing to the violations recorded at the violating monitors.

There is a limit to the influence an emission source has on downwind SO₂ concentrations. This limit is determined by several factors, the most important of which are the rate of SO₂ emissions, the conversion rate from SO₂ to SO₄²⁻, stack height, and wind speed. Maximum emission rates are determined by a facility's construction or operating permit, or by the size of its boilers if there is no permit limit. Stack parameters, such as height, width, and exit gas temperature and velocity, can greatly affect SO₂ concentrations. Higher stack heights, temperatures, and exit velocities all lead to increased dispersion and lower concentrations. Higher wind speeds have the effect of diluting SO₂ concentrations by increasing the distance traveled from the source during the conversion process. Slower wind speeds have the opposite effect. These factors combine to determine the extent to which an emission source influences the SO₂ concentration at

nearby locations. All these considerations are also taken into account when determining the recommended boundaries.

3.0 Monitoring Data

Sulfur dioxide was monitored at nine locations in Missouri by state and local agencies and two additional sites operated by industry during recent years including most of 2010. Operation of five of these sites, all of which were well below the new NAAQS, was temporarily discontinued in September 2010 with the approval of US EPA Region VII. Figure 1 shows the locations of these sites as well as the location of the Blair Street site in St. Louis, where SO₂ monitoring began in January 2011. The final SO₂ rule included minimum monitoring requirements that are currently met for St. Louis, Kansas City, and Springfield. However, to better characterize the spatial distribution of SO₂ in the Kansas City area, the Department may add at least one additional site in the Kansas City area beginning in January 2013. Additional SO₂ monitors near emission sources may also be added depending on the result of modeling and other analysis. The locations of additional sites will be identified in Missouri's July 2012 air monitoring plan.




Figure 1. Missouri SO₂ monitoring network, 2010

Figure 2 and the embedded table show additional 1-hour SO₂ design values, which are determined by the three-year average of 99th percentile of daily maximum one-hour SO₂ concentrations. These design values were measured in recent years (2003-2010) at monitoring

sites in Missouri and are compared to the level of the 1-hour SO₂ NAAQS, 75 ppb. The Main Street site in Herculaneum, the Troost site in Kansas City, and the industry-operated Wildwood Lane and James River South sites in Springfield consistently show violation of the standard, though the Wildwood Lane 2007-2009 design value is 74 ppb. The South Charleston site in Springfield shows violation of the standard for the 2006-2008 and 2007-2009 periods. The SO₂ level at the Main Street site is about four times the standard. The SO₂ level at the Troost site is about twice the standard. The SO₂ levels at the Springfield sites are slightly above the standard. For areas with multiple violating monitors, the monitor with the highest design value is assigned as that area's official design value. For Springfield, the James River monitor is the area's design value monitor.




Figure 2. Three-year averages for SO₂ concentrations.

Measurement results at the Springfield monitoring sites give some indication of the limited spatial extent of elevated SO₂ concentrations. The Wildwood Lane and James River monitoring sites operated by City Utilities are 0.5 and 0.6 kilometers respectively from the James River Plant. These two sites have been fairly consistent in recent years in measuring SO₂ concentrations above the level of the standard. The South Charleston monitoring site, 2.2 kilometers north-northwest of the James River Plant, has measured SO₂ concentrations near the standard, sometimes above and sometimes below. The more distant Missouri State University (MSU) monitoring site, located 10.6 kilometers north-northwest of the James River Plant, has consistently measured SO₂ concentrations below the level of the standard.

In addition to Missouri monitoring sites, the state of Kansas operates one SO₂ monitor in Kansas City, KS, at their JFK site. The JFK site's 2007-2009 design value is 46 ppb. This site is located approximately five kilometers west of the Troost site. The state of Illinois operates three SO₂ monitoring sites in the St. Louis metropolitan statistical area, including the South Roxana site with a 2007-2009 design value of 100 ppb. The South Roxana site is located approximately 70 kilometers north-northeast of the Herculaneum, Main Street monitoring site.

4.0 Emissions Data

Although SO₂ emission sources are distributed throughout the state, the most and largest sources are along the Mississippi and Missouri Rivers. These include both electric generating and industrial facilities. A list of all sources in the state with emissions greater than 10 tons per year (tpy) is in Appendix 1.

The rate of SO₂ emissions from a source is the single most important factor in the SO₂ concentration surrounding the source.



4.1 Emissions

Greene County – City Utilities of Springfield operates two coal-fired power plants in Greene County: James River Plant to the south and Southwest Plant to the southwest. A second large coal-fired boiler at the Southwest Plant began operating in late 2010. Boiler 2 more than doubles the location's production of electricity; however, SO₂ emissions (as well as other emissions) from boiler 2 are well controlled. Boiler 2 utilizes flue gas desulfurization (FGD) technology to control SO₂, a baghouse to control particulate matter (PM), and selective catalytic reduction to control nitrogen oxides (NO_x), all with corresponding emission limits. The existing boiler 1 at Southwest Plant utilizes low sulfur coal to control SO₂. Overall City Utilities' SO₂ emissions were down about 14% in 2009 compared to 2007 (see table below). This was due mainly to reductions in electricity demand during a mild summer.

Minor SO₂ sources are scattered throughout the city limits of Springfield, but are less than 10 tpy. There are few sources in Greene County outside of Springfield city limits (see Figure 3). A list of all sources greater than or equal to 10 tpy is found in Appendix 1.

SO₂ emissions (tpy)

Facility	2007	2008	2009
City Utilities – James River	4,702	5,288	3,780
City Utilities – Southwest	4,229	3,301	3,780
Total	8,931	8,590	7,561



★ Monitoring Sites
 — Major Hiways

Sources

tons SO₂ / year

- 0 - 1,000
- 1,001 - 5,000
- 5,001 - 10,000
- 10,001 - 61,681





Department of Natural Resources
 Division of Environmental Quality
 Air Pollution Control Program
 Prepared by Bern Johnson 3 MAR 2011

Figure 3. Emission Sources and Monitoring Sites in Greene County

Jackson County – All but one of the significant SO₂ sources in Jackson County are located along the Missouri River. Overall SO₂ emissions were down about 35% from 2007. This was primarily due to scrubber controls installed at Kansas City Power & Light’s (KCP&L) Iatan Plant and also related to reductions in electricity demand during a mild summer (see table below). The KCP&L Hawthorn plant has installed a scrubber. There are two large sources in nearby Wyandotte County, KS: Nearman and Quindaro. There are minor sources scattered throughout the city limits of Kansas City and Independence, but most have emissions below 10 tpy (see Figure 4). A list of all sources greater than or equal to 10 tpy is found in Appendix 1.

SO₂ emissions (tpy)

<i>Facility</i>	2007	2008	2009
Jackson County, MO			
KCP&L – Sibley	11,796	9,181	11,787
Veolia – Grand Avenue	6,077	6,295	7,201
IP&L – Blue Valley	9,185	10,658	6,177
KCP&L – Hawthorn	1,923	1,725	2,017
Platte County, MO			
KCP&L – Iatan	14,290	15,077	1,923
Clay County, MO			
IP&L – Missouri City	5,040	2,592	920
Total	48,311	45,528	30,025
Wyandotte County, KS			
Public Utilities – Nearman	na	na	5,932
Public Utilities – Quindaro	na	na	3,612
Grand Total			39,569



- ★ Monitoring Sites
- Major Hiways
- ▨ Kansas

Sources

tons SO₂ / year

- 0 - 1,000
- 1,001 - 5,000
- 5,001 - 10,000
- 10,001 - 61,681





Department of Natural Resources
 Division of Environmental Quality
 Air Pollution Control Program
 Prepared by Bern Johnson 3 MAR 2011

Figure 4. Emission Sources and Monitoring sites in Jackson County

Jefferson County – All major SO₂ sources in Jefferson County are located along the Mississippi River. Overall SO₂ emissions were down about 24% from 2007-08. This was due to a new, more accurate method of measurement at the Doe Run’s Herculaneum smelter which resulted in a correction of almost minus 50% and reductions in electricity demand due to the recession and a mild summer. There are few sources west of Interstate 55 (see Figure 5). A list of all sources greater than or equal to 10 tpy is found in Appendix 1.

SO₂ emissions (tpy)

Facility	2007	2008	2009
Jefferson County			
Ameren Missouri – Rush Island	22,058	29,593	28,327
Doe Run – Herculaneum	32,904	35,998	18,842
River Cement – Selma	3,018	2,758	1,069
Total	57,980	68,349	48,238
St. Louis County			
Ameren Missouri - Meramec	22,769	20,827	16,856
Grand Total	80,749	89,176	65,094



- ★ Monitoring Sites
- Major Hiways
- ▨ Illinois

Sources

tons SO₂ / year

- 0 - 1,000
- 1,001 - 5,000
- 5,001 - 10,000
- 10,001 - 61,681



Department of Natural Resources
 Division of Environmental Quality
 Air Pollution Control Program
 Prepared by Bern Johnson 3 MAR 2011

Figure 5. Emission Sources and Monitoring sites in Jefferson County

4.2 Emission Controls

One of the best emission controls for SO₂ is the use of low-sulfur bearing coal, mainly from the western U.S. Operating permits often include SO₂ emission limits, often expressed in pounds (mass) SO₂ per million British thermal units (mmBtu) - a measure of the potential heat content of the coal burned that varies with coal type and mine location.

Sulfur is a naturally occurring element in coal that also varies considerably with coal type and geographic region of the coal mine. Coal delivered for use in Missouri typically has a sulfur content ranging from approximately 0.2% sulfur to 5% sulfur. Low sulfur coal is more expensive because of demand and increased transportation costs to Missouri, while high sulfur coal is typically less expensive and often originates from nearby states. Many facilities mix coal from different sources to achieve their required emission limits at the lowest possible cost.

The most common post-combustion control for SO₂ is flue gas desulfurization (FGD), also known as a scrubber. FGD control requirements are included in a facility's construction or operating permit. Scrubbers operate by spraying a stream of lime-containing solution across the stack through which the exhaust gas passes. The gaseous SO₂ is absorbed by the alkaline (lime/limestone) slurry. The sulfuric acid produced is neutralized by the lime in the slurry. The control efficiency is typically 90% or greater.

An alternate means of reducing sulfur emissions is switching to natural gas as a primary or secondary fuel. Natural gas contains virtually no sulfur. Several plants in Missouri, including the Independence Power & Light – Blue Valley Plant in Jackson County, the Kansas City Power & Light – Lake Road Plant in Buchanan County, and both the James River and Southwest Plants operated by City Utilities of Springfield in Greene County, are able to use both coal and natural gas to fuel one or more of their boilers. There are also many small, natural gas-fired power plants throughout the state that operate only when needed.

4.3 Regional Emission Reductions

Federal Rules with sulfur and/or sulfur dioxide restrictions

Significant regional emission reductions are envisioned in the proposed Transport Rule (75 FR 45210, August 2, 2010). Its primary purpose is to reduce emissions of SO₂ and NO_x that contribute to PM_{2.5} and ozone. The Transport Rule applies to any stationary, fossil-fuel-fired boiler or stationary, fossil-fuel-fired combustion turbine serving a generator with a nameplate capacity of more than 25 megawatts producing energy for sale. Proposed emissions reductions are to take effect beginning in 2012 with additional reductions scheduled for 2014 lowering nationwide NO_x emissions by 52 percent from 2005 levels and SO₂ emissions by 71 percent. To comply with the Transport Rule and other regulations, at least six Missouri units have already installed (prior to January 2011) FGD control devices. FGD control devices have been installed on two units at both the Ameren Missouri – Sioux Plant and Kansas City Power & Light – Iatan Plant, as well as one unit each at Kansas City Power & Light – Hawthorn Plant and City Utilities of Springfield – Southwest Plant. A final Transport rule is expected to be presented in summer 2011.

EPA is also currently in the process of promulgating three new Maximum Achievable Control Technology (MACT) regulations that could lead to direct SO₂ reductions and co-benefit reductions.

On March 21, 2011, EPA published final rules in the Federal Register that will reduce emissions of air pollutants from existing and new boilers. Compliance is required for existing boilers in 2014. One of the two boiler rules reduces emissions from existing and new industrial, commercial, and institutional boilers located at area source facilities. This Generally Available Control Technology (GACT) reduces a number of air pollutants including mainly mercury, metals, and dioxins. The second boiler rule reduces emissions from new and existing industrial, commercial and institutional boilers and process heaters residing at major source facilities that burn natural gas, fuel oil, coal, biomass, refinery gas and other gas to produce steam. The intent of this MACT is to reduce mainly mercury, metals, and organic toxins. The co-benefits of reducing mercury and other air pollutants from the Boiler GACT & MACT also lower SO₂ emissions.

The proposed Utility MACT (signed by the EPA Administrator on March 16, 2011) targets emissions of hazardous air pollutants (HAPs) [including mercury, arsenic, acid gases, toxic metals & other toxics] from new and existing coal- and oil-fired electric generating units (EGUs). Per a settlement deadline, EPA is required to sign a notice of final rulemaking establishing MACT standards for EGUs no later than November 16, 2011. Mercury reductions can be achieved through SO₂, NO_x, and/or particulate matter (PM) controls. The effectiveness of these controls depend on the characterization of coal or oil burned and the configuration of the power plant, as controls for SO₂ serve as a co-benefit to reduce mercury. As proposed, once the final rule is issued, existing sources have up to four years to comply with these standards; all existing sources must comply in three years, but individual sources can obtain an additional year if technology cannot otherwise be installed in time.

On February 21, 2011, EPA finalized revisions to the New Source Performance Standards (NSPS) and emission guidelines for new and existing commercial and industrial solid waste incineration units as well as for new and existing sewage sludge incineration units. Both of these NSPS standards establish emission limits for nine pollutants emitted from the regulated units, including sulfur dioxide and mercury emissions.

Other federal regulations that restrict SO₂ emissions include NSPS, 40 CFR 60 subpart D (Standards of Performance for Fossil-Fuel-Fired Steam Generators for Which Construction is Commenced after August 17, 1971), subpart Da (Standards of Performance for Electric Utility Steam Generating Units for Which Construction is Commenced after September 18, 1978), subpart Db (Standards of Performance for Industrial-Commercial-Institutional Steam Generating Units), and subpart Dc (Standards of Performance for Small Industrial-Commercial-Institutional Steam Generating Units).

State Rules with sulfur and/or sulfur dioxide restrictions

10 CSR 10-5.130, Certain Coals to be Washed

This rule provides that specified coals be cleaned by washing prior to their sale or use. Coal may not be used at facilities located in the St. Louis metropolitan area that is in excess of 2 percent sulfur, or 12 percent ash, unless the coal has been cleaned and provides no more than 12 percent ash on a dry basis. Any facility that emits SO₂ at a rate of 2.3 pounds / mmBtu or less is the exception to this rule.

10 CSR 10-5.240, Additional Air Quality Control Measure May be Required When Sources Are Clustered in a Small Land Area

This rule provides that more restrictive air quality control requirements may be prescribed for areas in which the sum of particulate matter and/or SO₂ emissions from existing and proposed sources exceed specified limits.

10 CSR 10-5.570, Control of Sulfur Emissions from Stationary Sources

This rule limits SO₂ emissions from industrial boilers in the St. Louis PM_{2.5} nonattainment area. By reducing SO₂ emissions released into the atmosphere, emissions of PM_{2.5} are reduced. This rule is intended to curb emissions in the St. Louis nonattainment area in compliance with the federal Clean Air Fine Particle Implementation Rule to reduce the risk of PM_{2.5} violations. The rule applies to industrial, commercial, or institutional boilers or process heaters greater than 55 mmBtu per hour with compliance beginning January 1, 2011. Breweries are limited to 3,050 tons SO₂ per year and other installations limited to 1.0 lb SO₂/ mmBtu of actual heat input.

10 CSR 10-6.060, Construction Permits Required

This rule defines sources which are required to obtain permits to construct. The rule also establishes that certain requirements be met before modification or construction of a facility. This rule includes maximum allowable increases to ambient air concentrations for Class I, II, and III areas, significant monitoring concentrations, and significant SO₂ air quality impact levels.

10 CSR 10-6.260, Restriction of Emission of Sulfur Compounds

This rule establishes sulfur limits for indirect heating, lead smelting and refineries, and all other new and existing sources. Indirect heating sources outside the St. Louis metropolitan area may not exceed 8 lbs of SO₂/ mmBtu with additional limits to the various utility units. Indirect heating sources located in the St. Louis metropolitan area and greater than 2,000 mmBtu /hour may not exceed 2.3 lbs SO₂/ mmBtu with one utility limit of 4.8 lbs SO₂/ mmBtu. Sources in this area which are less than 2,000 mmBtu /hour must have an emission rate of 2.3 lbs SO₂/ mmBtu or lower, or may only burn 2 percent or less sulfur coal from October through March and 4 percent or less from April through September. Lead smelters and refinery SO₂ emissions are limited by a table outlined in the rule. An update to this table not yet incorporated into the rule is an EPA proposed consent decree for the Doe Run Herculaneum smelter which establishes a shutdown date of December 31, 2013. All other existing sources may not exceed SO₂ limits of 2,000 parts per million volume (ppmv) or 70 milligrams (mg) per cubic meter (m³) of sulfuric acid or sulfur trioxide. All other new sources may not exceed 500 ppmv or 35 mg/m³.

10 CSR 10-6.270, Acid Rain Source Permits Required

This rule establishes certain general provisions and operating permit program requirements for affected sources and affected units under the federal Acid Rain Program (ARP). This program pertains to existing utility units serving generators with a nameplate capacity greater than 25 megawatts and all new utility units. Missouri required affected units to participate in the EPA administered ARP cap and trade program. Phase I of the program reduced SO₂ emissions by approximately 50 percent, and Phase II reductions by 67 percent from 1980 levels.

4.4 Growth

Despite projections of increased electricity demand of 1.0% per year, the U.S. Department of Energy projects a substantial decrease in nationwide SO₂ emissions to 2035 due to increased controls required by a variety of new regulations (see http://www.eia.gov/forecasts/aeo/early_elecgen.cfm).

5.0 Meteorology

In general, winds in Missouri come from two directions: southeast and northwest. During the months from late spring to early fall, southeast winds predominate with sizable fractions coming from the southwest quadrant. During the late fall to late winter months, the winds shift significantly to the northwest, though there is still a considerable southern component. Winds from the northeast are negligible throughout the year. There is some variation between the major metropolitan areas. The majority of winds have speeds between 8 and 20 miles per hour (7 to 17 knots). Wind roses for each quarter for the three major metropolitan areas are shown in Appendix 2.

Wind direction plays a critical role in the location and concentration of SO₂ in ambient air. Areas located downwind of large sources will have higher concentrations than those located upwind. However, the changing direction of the wind means that downwind areas can be either north or south of major sources. Areas to the east or west of major sources are less likely to have high SO₂ concentrations. Wind speed also plays a significant role in ambient SO₂ concentrations. Days with still or low wind speeds are more likely to have high concentrations than days with moderate to high winds.

Kansas City area – the greatest deviation from the statewide pattern is during the third quarter, when the predominant wind direction is from the southwest.

St. Louis area, including Jefferson County – the greatest deviation from the statewide pattern is during the second quarter, when winds are almost equally distributed throughout the southeast to northwest (112.5 degrees to 315 degrees).

Springfield area – the Springfield area is the closest to the statewide pattern of all the major metropolitan areas. The greatest deviation from this pattern is during the fourth quarter, when the single largest component remains from the southeast.

5.1 Back Trajectories

Back trajectories use a computer model called HYSPLIT (Hybrid Single Particle Lagrangian Integrated Trajectory) to determine the path a parcel of air travels during the previous twenty-four hours to arrive at the selected time and location. For this document, this information is used to help determine the sources that contribute to the four highest annual concentration days during 2007-9 at Missouri's three violating monitor sites. These dates correspond to the values used in calculating the design value for each site. The back trajectory maps are located in Appendix 3.

Greene County – of the twelve trajectories, four each come from the west and south, and the remaining four are scattered from the northwest to the northeast. These results are not unexpected, considering that the monitor is located east of the City Utilities of Springfield – James River Plant. Only the four trajectories from the west are from the direction of the Southwest Plant, indicating that, while emissions from City Utilities of Springfield – Southwest Plant may influence the James River monitor occasionally; more often than not the winds are blowing the Southwest Plant's emissions away from the monitor.

Jackson County – of the twelve trajectories, eight come from the northwest, the direction of the nearest large source – Veolia’s Grand Avenue facility – and to a lesser extent from the two power plants in Kansas – Nearman and Quindaro. The other trajectories were scattered from east to west. These trajectories show that, on days which have SO₂ concentrations above the standard, the winds are overwhelming from the direction of the nearest source. This indicates that other large sources to the east are unlikely to contribute to the violating monitor.

Jefferson County – of the twelve trajectories, eleven come to the monitor from the south, up the Mississippi River valley. The twelfth comes from the west. These trajectories indicate that the area likely to contribute to the violating monitor is limited to the area south of Herculaneum along the Mississippi River Valley.

6.0 Topography

In the context of this document, topography refers to the presence of air basin boundaries, such as mountain ranges, or other features that affect the movement of the air on a large scale. It does not include micro effects such as building downwash. In general, the northern part of Missouri is open plain and contains no features that impede or channel air speed or direction. The southern part of Missouri is dominated by the Ozark Mountains, which are not tall enough to create large effects, but may lead to local channeling through small valleys. The remaining major features are the two great rivers, the Mississippi and Missouri, and their valleys. On a small scale, the two river valleys seem to have the effect of increasing the north-south or east-west wind direction. This effect may not affect the concentration at any one particular monitor, but may limit the number of sources that impact that monitor.

7.0 Jurisdictional Boundaries

Nonattainment boundaries are typically defined by easily definable features such as county, municipal, or township boundaries. Large, immovable features such as rivers or highways can also be used. The following considerations are taken into account when considering which features to use as boundaries:

- contains a violating monitor
- contains sources that likely contribute to a violating monitor
- is easily recognizable by public

8.0 Recommended Nonattainment Boundaries

Due to the hybrid monitoring/modeling approach to SO₂ boundary determination selected by EPA and the lack of timely modeling guidance prior to the boundary designation deadline, no areas of the state, even those with valid monitoring data below the standard, may be classified as attainment. This approach also dictates that areas with neither monitoring nor modeling must be labeled unclassifiable. Most of Missouri falls into this category. The remaining areas are only those that are determined to either contain or impact one of the four monitors that violate the standard.

The Department is recommending three nonattainment areas for the state of Missouri, each of which contains a violating monitor(s) and the surrounding area determined by the Department to likely contribute to that violation. As noted in the Section 2.0, the four violating monitors are in Greene County (Springfield), Jackson County (Kansas City), and Jefferson County (Herculaneum).

8.1 Greene County

For 2007-2009, Greene County has two monitors that violate the 1-hour SO₂ NAAQS. The recommended nonattainment area includes the area bounded by U.S. 65 on the east, U.S. 60 on the north, U.S. 160 (South Campbell Ave) on the west, and the county line on the south (see Figure 7). The boundaries of the recommended nonattainment area include the two violating monitors and the City Utilities of Springfield - James River Plant. The fact that there is a third nearby site in Springfield that is well below the standard demonstrates the limited range of influence of the James River Plant emissions. As seen in Figure 6, there is a linear relationship between the SO₂ concentration at a site and its distance from the James River Plant. The line crosses the new standard at approximately 2.6 km. This radius of influence justifies the small boundaries. In late 2010, City Utilities of Springfield – Southwest Plant began operating a new coal-fired boiler that utilizes significant emission controls including FGD technology to control SO₂, a baghouse to control particulate matter and selective catalytic reduction to control NO_x, all with corresponding emission limits. The existing boiler 1 at Southwest Plant utilizes low Sulfur coal to control SO₂. Since the Southwest Plant has roughly the same total emissions, it should have a similarly small radius of SO₂ impact (similar to the James River Plant). The Southwest Plant is approximately 13 km from the James River monitor. At that distance, its impact on the James River monitor is negligible based on the conducted analysis.






Figure 6. Radius of impact from James River Plant



James River - 3,780 tpy
 Southwest - 3,780 tpy

Sources

tons SO₂ / year

- < 1,000
- 1,001 - 5,000
- 5,001 - 10,000
- 10,001 - 61,681

-  Proposed Non-Attainment Area
-  Monitoring Sites
-  Major Hiways





Department of Natural Resources
 Division of Environmental Quality
 Air Pollution Control Program
 Prepared by Bern Johnson 3 MAR 2011

Figure 7. Recommended NAA for Greene County

8.2 Jackson County

Jackson County has one monitor that violates the 1-hour SO₂ NAAQS. The recommended nonattainment area includes the portion of Jackson County north of I-70/I-670 and west of I-435. (see Figure 8). The boundaries of the nonattainment area contain the violating monitor in downtown Kansas City and the nearest large source – Veolia’s Grand Avenue facility. The predominance of back trajectories on high exceedance days from the northwest indicates that the sources in eastern Jackson County are unlikely to impact the Troost monitor. The rapid conversion of SO₂ to SO₄²⁻ and the presence of a non-violating monitor in Wyandotte County, KS, indicate that the SO₂ contributions from the two Public Utility power plants, Nearman and Quindaro, likely do not have a significant impact on the violating Troost monitor. As mentioned in Section 4.1, the KCP&L - Hawthorn Plant has a scrubber installed which provides 80% control of SO₂ emissions. This fact, in combination with the back trajectories, led to the recommendation of I-435 as the eastern boundary.

The southern portion of Jackson County contains no large sources and therefore has minimal impact the violating monitor. The same is true for southern Clay and Platte counties. Interstate 70 was selected as the southern boundary because it is an easily recognizable, permanent feature and encompasses the major source affecting the Troost monitor. Interstate 435 was selected as the eastern border for the same reasons: it is an easily recognizable, permanent feature; includes the Troost monitor; and excludes the sources to the east that have been determined to likely have little impact on the violating monitor. Given the rapid conversion of SO₂ to SO₄²⁻ and the back trajectories on the highest exceedance days, the Department determined that the KCP&L – Iatan Plant in northern Platte County is not likely a significant contributor to the violation at Troost. KCP&L also installed significant SO₂ controls (specifically FGD) at Iatan when building a second boiler there.



-  Proposed Non-Attainment Area
-  Monitoring Sites
-  Major Hiways
-  Kansas

KCP&L Sibley	- 11,787 tpy
Veolia-Grand Avenue	- 7,201 tpy
IP&L Blue Valley	- 6,177 tpy
Public Utilities Nearman	- 5,932 tpy
Public Utilities Quindaro	- 3,612 tpy
KCP&L Hawthorn	- 2,017 tpy
IP&L Missouri City	- 920 tpy

Sources
tons SO₂ / year

-  < 1,000
-  1,001 - 5,000
-  5,001 - 10,000
-  10,001 - 61,681

 Department of Natural Resources
Division of Environmental Quality
Air Pollution Control Program
Prepared by Bern Johnson 3 MAR 2011

Figure 8. Recommended NAA for Jackson County

8.3 Jefferson County

Jefferson County has one monitor that violates the 1-hour SO₂ NAAQS. The recommended nonattainment area includes both Herculaneum and Festus townships in Jefferson County as well as the portions of Valmeyer and Selma townships in Jefferson County, Missouri (see Figure 9). The boundaries of the recommended nonattainment area include both large sources in Jefferson County: the Doe Run lead smelter in Herculaneum and the Ameren Missouri – Rush Island Plant. The wind direction roses and back trajectories all indicate that emissions from these plants are transported north along the Mississippi River valley. That fact, combined with the lack of sources in the western portion of the county, indicate that the remainder of the county does not contribute to the violation at the Main Street monitor and justify the exclusion of the remainder of the county. Townships were selected for the boundaries due to the lack of any other significant north-south feature, such as a highway, that would include all sources. Interstate 55 was judged to be too close (in proximity) to establish an appropriate western boundary. The Ameren Missouri – Meramec Plant in southern St. Louis County was determined to not contribute to the violation at the Main Street monitor because of its location to the north of the monitor and the fact that the back trajectories indicate that the highest concentration days occur when the winds are from the south, not the north.




Figure 9. Recommended NAA for Jefferson County

9.0 Summary


After reviewing the available monitoring, emission, and meteorological data, the Department has recommended three areas, one each in Greene, Jackson, and Jefferson counties, for designation as nonattainment for the 2010 1-Hour SO₂ NAAQS. The recommended nonattainment area boundaries were selected based on fixed, easily recognizable features and include the violating monitor(s) and those nearby sources determined to likely impact the violating monitor.

Appendix 1 – SO₂ Emission Data (from 2009 Missouri Emission Inventory System)

County	Plant #	Parent Company (* - non electric generating unit)	Site Name	2009 Total SO₂ Emissions (tons/yr)
Franklin	0003	AMEREN MISSOURI	LABADIE PLANT	61,681
St. Charles	0001	AMEREN MISSOURI	SIoux PLANT	46,456
Jefferson	0016	AMEREN MISSOURI	RUSH ISLAND PLANT	28,327
Jefferson	0003	*DOE RUN COMPANY	HERCULANEUM SMELTER	18,838
St. Louis	0010	AMEREN MISSOURI	MERAMEC PLANT	16,856
Randolph	0001	THOMAS HILL ENERGY CENTER	THOMAS HILL	16,628
New Madrid	0004	NEW MADRID POWER PLANT	MARSTON	14,480
Henry	0001	KANSAS CITY POWER & LIGHT CO	MONTROSE STATION	12,791
Jackson	0031	KANSAS CITY POWER & LIGHT CO	SIBLEY STATION	11,787
Jasper	0001	EMPIRE DISTRICT ELECTRIC CO	ASBURY PLANT	11,007
Boone	0004	UNIVERSITY OF MISSOURI	POWER PLANT	7,459
Jackson	0021	*VEOLIA ENERGY	GRAND AVENUE STATION	7,201
Jackson	0050	INDEPENDENCE POWER AND LIGHT	BLUE VALLEY STATION	6,177
Scott	0017	SIKESTON POWER STATION	SIKESTON POWER STATION	6,023
St. Louis City	0003	*ANHEUSER-BUSCH INC	ST. LOUIS	4,991
Pike	0002	*ASHLAND INC	MISSOURI CHEMICAL WORKS	4,890
Ste. Genevieve	0001	*MISSISSIPPI LIME COMPANY	STE. GENEVIEVE	4,419
Greene	0005	CITY UTILITIES OF SPRINGFIELD	JAMES RIVER POWER PLANT	3,780
Greene	0039	CITY UTILITIES OF SPRINGFIELD	SOUTHWEST POWER PLANT	3,780
New Madrid	0008	*NORANDA ALUMINUM INC	NEW MADRID	2,885
Osage	0002	CENTRAL ELECTRIC POWER COOPERATIVE	CHAMOIS PLANT	2,728
Iron	0009	*DOE RUN COMPANY	BUICK SMELTER	2,583
Buchanan	0004	KANSAS CITY POWER & LIGHT CO	LAKE ROAD PLANT	2,401

Marion	0001	*BASF CORPORATION	HANNIBAL PLANT	2,371
Jackson	0022	KANSAS CITY POWER & LIGHT CO	HAWTHORN STATION	2,016
Platte	0007	KANSAS CITY POWER & LIGHT CO	IATAN GENERATING STATION	1,923
Pike	0001	*HOLCIM (US) INC	CLARKSVILLE	1,843
Saline	0010	MARSHALL MUNICIPAL UTILITIES	MARSHALL MUNICIPAL UTILITIES	1,400
Jefferson	0002	*RIVER CEMENT CO. DBA BUZZI UNICEM USA	SELMA PLANT	1,053
Clay	0096	INDEPENDENCE POWER AND LIGHT	MISSOURI CITY STATION	919
Boone	0002	CITY OF COLUMBIA	MUNICIPAL POWER PLANT	908
Phelps	0006	MISSOURI UNIV. OF SCIENCE AND TECHNOLOGY	POWER PLANT	465
Cape Girardeau	0010	SOUTHEAST MISSOURI STATE UNIVERSITY	POWER PLANT	373
St. Charles	0076	*GENERAL MOTORS LLC	WENTZVILLE CENTER	314
Montgomery	0008	*CHRISTY MINERALS, LLC	HIGH HILL	313
Jefferson	0068	*SAINT-GOBAIN CONTAINERS INC	PEVELY	229
Jackson	0030	*LAFARGE NORTH AMERICA INC	SUGAR CREEK PLANT	192
Pettis	0009	*PITTSBURGH-CORNING CORP	SEDALIA	168
St. Louis City	0017	*MALLINCKRODT INC	N SECOND	133
Holt	0001	*EXIDE TECHNOLOGIES	CANON HOLLOW	80
Ralls	0001	*CONTINENTAL CEMENT COMPANY LLC	ILASCO PLANT	75
Ste. Genevieve	0035	*CHEMICAL LIME COMPANY	STE. GENEVIEVE	46
Jasper	0094	*TAMKO BUILDING PRODUCTS INC	RANGELINE PLANT	38
Jackson	0017	*FOLGERS COFFEE CO	BROADWAY	38
Ste. Genevieve	0044	*HOLCIM (US) INC	STE. GENEVIEVE PLANT	33
Callaway	0001	*HARBISON-WALKER REFRACTORIES	WESTMINSTER AVE	29
Cape Girardeau	0060	*Q. C. CORPORATION	Q. C. CORPORATION	28


Pulaski	0004	*FT LEONARD WOOD	INSTALLATION MANAGEMENT	28
Cape Girardeau	0021	*BUZZI UNICEM USA	CAPE GIRARDEAU	26
Perry	0020	*ATLAS EPS	PERRYVILLE	20
St. Louis	1521	*PACE CONSTRUCTION CO	FLORISSANT	13
Clay	0002	*NATIONAL STARCH LLC	NORTH KANSAS CITY	13
St. Francois	0017	*FLAT RIVER GLASS CO	PARK HILLS	12
Barry	0021	*SCHREIBER FOODS INC	SCHREIBER FOODS INC - MONETT	12
Maries	0001	*KINGSFORD MANUFACTURING CO	BRIQUETTING PLANT	10




Appendix 3 – Back Trajectories

Greene County, MO area


NOAA HYSPLIT MODEL
Backward trajectory ending at 0000 UTC 11 Feb 09
NAM Meteorological Data




NOAA HYSPLIT MODEL
Backward trajectory ending at 1800 UTC 10 Jan 09
NAM Meteorological Data



NOAA HYSPLIT MODEL
Backward trajectory ending at 0400 UTC 14 Feb 09
NAM Meteorological Data




NOAA HYSPLIT MODEL
Backward trajectory ending at 1700 UTC 14 Jan 09
NAM Meteorological Data




Greene County, MO area


NOAA HYSPLIT MODEL
 Backward trajectory ending at 0100 UTC 02 Feb 08
 EDAS Meteorological Data




NOAA HYSPLIT MODEL
 Backward trajectory ending at 1600 UTC 01 Jan 08
 EDAS Meteorological Data



NOAA HYSPLIT MODEL
 Backward trajectory ending at 1300 UTC 29 Jan 08
 EDAS Meteorological Data




NOAA HYSPLIT MODEL
 Backward trajectory ending at 2100 UTC 25 Feb 08
 EDAS Meteorological Data




Greene County, MO area


NOAA HYSPLIT MODEL
Backward trajectory ending at 2000 UTC 31 Dec 07
EDAS Meteorological Data




NOAA HYSPLIT MODEL
Backward trajectory ending at 1500 UTC 07 Feb 07
EDAS Meteorological Data



NOAA HYSPLIT MODEL
Backward trajectory ending at 2200 UTC 15 Dec 07
EDAS Meteorological Data




NOAA HYSPLIT MODEL
Backward trajectory ending at 0800 UTC 09 Jan 07
EDAS Meteorological Data




Jackson County, MO area


NOAA HYSPLIT MODEL
 Backward trajectory ending at 1600 UTC 22 Apr 09
 NAM Meteorological Data




NOAA HYSPLIT MODEL
 Backward trajectory ending at 0100 UTC 12 Jan 09
 NAM Meteorological Data



NOAA HYSPLIT MODEL
 Backward trajectory ending at 0200 UTC 26 Feb 09
 NAM Meteorological Data




NOAA HYSPLIT MODEL
 Backward trajectory ending at 0600 UTC 09 May 09
 NAM Meteorological Data




Jackson County, MO area


NOAA HYSPLIT MODEL
Backward trajectory ending at 0500 UTC 01 Jan 08
EDAS Meteorological Data




NOAA HYSPLIT MODEL
Backward trajectory ending at 1100 UTC 17 May 08
EDAS Meteorological Data



NOAA HYSPLIT MODEL
Backward trajectory ending at 1700 UTC 17 Feb 08
EDAS Meteorological Data




NOAA HYSPLIT MODEL
Backward trajectory ending at 0800 UTC 30 Jun 08
EDAS Meteorological Data




Jackson County, MO area


NOAA HYSPLIT MODEL
 Backward trajectory ending at 0300 UTC 30 Jan 07
 EDAS Meteorological Data




NOAA HYSPLIT MODEL
 Backward trajectory ending at 1500 UTC 03 Apr 07
 EDAS Meteorological Data



NOAA HYSPLIT MODEL
 Backward trajectory ending at 0800 UTC 16 May 07
 EDAS Meteorological Data




NOAA HYSPLIT MODEL
 Backward trajectory ending at 0700 UTC 04 Jun 07
 EDAS Meteorological Data




Jefferson County, MO area


NOAA HYSPLIT MODEL
 Backward trajectory ending at 0300 UTC 08 Aug 09
 NAM Meteorological Data




NOAA HYSPLIT MODEL
 Backward trajectory ending at 0100 UTC 27 May 09
 NAM Meteorological Data



NOAA HYSPLIT MODEL
 Backward trajectory ending at 0000 UTC 10 Feb 09
 NAM Meteorological Data




NOAA HYSPLIT MODEL
 Backward trajectory ending at 0300 UTC 01 Jun 09
 NAM Meteorological Data



Jefferson County, MO area

NOAA HYSPLIT MODEL
 Backward trajectory ending at 1000 UTC 06 Oct 08
 EDAS Meteorological Data




NOAA HYSPLIT MODEL
 Backward trajectory ending at 0600 UTC 04 Feb 08
 EDAS Meteorological Data



NOAA HYSPLIT MODEL
 Backward trajectory ending at 0000 UTC 16 Jan 08
 EDAS Meteorological Data




NOAA HYSPLIT MODEL
 Backward trajectory ending at 0700 UTC 12 Nov 08
 EDAS Meteorological Data




Jefferson County, MO area


NOAA HYSPLIT MODEL
Backward trajectory ending at 2000 UTC 21 Dec 07
EDAS Meteorological Data



NOAA HYSPLIT MODEL
Backward trajectory ending at 1600 UTC 21 Dec 07
EDAS Meteorological Data



NOAA HYSPLIT MODEL
Backward trajectory ending at 1900 UTC 29 Dec 07
EDAS Meteorological Data



NOAA HYSPLIT MODEL
Backward trajectory ending at 2300 UTC 06 Sep 07
EDAS Meteorological Data



MISSOURI AIR CONSERVATION
COMMISSION

WILL HOLD PUBLIC HEARING

JEFFERSON CITY, MO -- The Missouri Air Conservation Commission will hold a public hearing on the 2010 1-Hour Sulfur Dioxide Boundary Designation, Maintenance Plan for the Annual Fine Particulate Matter (PM2.5) National Ambient Air Quality Standard (NAAQS), and Doe Run Herculaneum Facility-Modification to Consent Judgement on Thursday, April 28, 2011. The Public Hearing will begin at 9 a.m. at the Holiday Inn Hotel and Suites, Rainier Room, 2720 North Glenstone, Springfield, Missouri. The commission will hear testimony related to the following item(s).

* 2010 1-Hour Sulfur Dioxide Boundary Designation Recommendation

In June 2010, the U.S. Environmental Protection Agency (EPA) issued a revision to the National Ambient Air Quality Standard for sulfur dioxide (SO₂) of 75 parts per billion measured over one hour. Release of this standard started a time clock with a deadline of June 2011 for the governor of the State of Missouri to submit a recommendation to EPA as to which areas of the state should be designated as nonattainment for the new SO₂ standard. Portions of Greene, Jackson, and Jefferson counties are recommended as nonattainment for this standard.

* Redesignation Demonstration and Maintenance Plan for the Missouri Portion of the St. Louis Area for the 1997 Annual Fine Particulate Matter (PM2.5) National Ambient Air Quality Standard (NAAQS)

The Missouri counties of Franklin, Jefferson, St. Charles, and St. Louis along with the City of St. Louis are part of a nonattainment area for the 1997 annual PM_{2.5} NAAQS. Monitors located in this area have recorded three years of complete, quality assured ambient air quality monitoring data for 2007-2009, demonstrating attainment with the 1997 annual PM_{2.5} NAAQS. Now that the area has attained the standard, a maintenance plan for the St. Louis area is being submitted to EPA as part of a request to redesignate the affected area to attainment for this NAAQS.

* Missouri State Implementation Plan -- The Doe Run Company Herculaneum Facility -- Modification to Consent Judgment

As part of the Consent Judgment entered into by Missouri Department of Natural Resources and The Doe Run Company (Doe Run), the provision entitled "Fence line to Preclude Public Access" includes a statement that Doe Run will not construct any new lead emission sources between the existing fence line and any new fence line. The purpose of this revision is to modify this statement to allow for the construction of a new lead technological process, but continue to restrict the construction of traditional pyrometallurgical lead processes within this area.

Documents for the above item(s) will be available for review at the Missouri Department of Natural Resources, Air Pollution Control Program, 1659 Elm Street, Jefferson City, (573) 751-4817 and in the Public Notices section of the program web site www.dnr.mo.gov/env/apcp/index.html. This information will be available at least 30 days prior to the public hearing date.

Persons with disabilities requiring special services or accommodations to attend the meeting can make

Persons with disabilities requiring special services or accommodations to attend the meeting can make arrangements by calling the Department directly at (573) 526-4679, the Department's toll free number at (800) 334-6946, or by writing two weeks in advance of the meeting to: Missouri Department of Natural Resources, Air Conservation Commission Secretary, P.O. Box 176, Jefferson City, MO 65102. Hearing impaired persons may contact the program through Relay Missouri, (800) 735-2966.

The commission holds public hearings under the provisions of chapter 643, RSMo. Citizens wishing to speak at the public hearing should notify the secretary to the Missouri Air Conservation Commission, Missouri Department of Natural Resources, Air Pollution Control Program, P.O. Box 176, Jefferson City, Missouri 65102-0176, or telephone (573) 526-4679. The Department requests persons intending to give verbal presentations also provide a written copy of their testimony to the commission secretary at the time of the public hearing. The Department also will accept written or email comments for the record until 5 p.m. on May 5, 2011; please send written comments to Chief, Air Quality Planning Section, Air Pollution Control Program, P.O. Box 176, Jefferson City, MO 65102-0176. Email comments regarding rule actions shall be sent to apcprulespn@dnr.mo.gov and email comments regarding plan actions shall be sent to apcpsppn@dnr.mo.gov. All written and email comments and public hearing testimony will be equally considered.

Public hearing items may be adopted by the Missouri Air Conservation Commission as provided for under authority of 643.050, RSMo. For more information or a complete meeting agenda, including items being presented for adoption, contact the Missouri Department of Natural Resources' Air Pollution Control Program at (573) 751-4817.

N.T. March 29, 2011



MIDWEST
LITIGATION
SERVICES

COURT REPORTING
& VIDEO



RECEIVED
2011 MAY -4 PM 2:16
AIR POLLUTION
CONTROL DIST

**STATE OF MISSOURI DEPARTMENT OF NATURAL RESOURCES
MISSOURI AIR CONSERVATION COMMISSION
PUBLIC HEARING**

TRANSCRIPT OF PROCEEDINGS

APRIL 28, 2011

ORIGINAL

NATIONWIDE SCHEDULING

MISSOURI Springfield Jefferson City Kansas City Columbia Rolla Cape Girardeau ■ KANSAS Overland Park ■ ILLINOIS Springfield

HEADQUARTERS: 711 NORTH ELEVENTH STREET, ST. LOUIS, MISSOURI 63101

800.280.3376

www.midwestlitigation.com

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25

STATE OF MISSOURI DEPARTMENT OF NATURAL RESOURCES
MISSOURI AIR CONSERVATION COMMISSION
PUBLIC HEARING

TRANSCRIPT OF PROCEEDINGS

April 28, 2011

Springfield, MO

REPORTED BY:

ERIKA SCHAFFER, CCR
MIDWEST LITIGATION SERVICES
1911 SOUTH NATIONAL, SUITE 402
SPRINGFIELD, MO 65804
TEL: 417-877-9700
FAX: 417-877-9704

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25

I N D E X

PAGE

Testimony of Jim Kavanaugh	5
Testimony of Bob Randolph	6
Testimony of Bern Johnson	12
Further testimony of Bob Randolph	19
Testimony of Joe Winkleman	20
Testimony of Paul Myers	24
Court Reporter's Certificate	31

(No Exhibits.)

1 pollution control agencies, as well as copies of
2 receipts from the United States Environmental Protection
3 Agency and the states of Illinois and Kansas. Chairman,
4 this concludes my testimony.

5 MR. GARRETT: Thank you. Bob Randolph and -- is
6 it Vern or Bern?

7 MR. JOHNSON: Bern.

8 MR. GARRETT: Okay. And Bern Johnson.

9 BOB RANDOLPH AND BERN JOHNSON,
10 of lawful age, having been produced and sworn, testified
11 as follows:

12 MR. RANDOLPH: Good morning. Mr. Chairman,
13 members of the Commission. My name is Bob Randolph.
14 Bern Johnson and I will both be presenting testimony
15 today. Bern and I are employed at -- with the Missouri
16 Department of Natural Resources' as environmental
17 engineers. We both work at 1659 East Elm Street in
18 Jefferson City. We are here today to present testimony
19 for the Boundary Recommendation of Nonattainment and
20 Unclassifiable Areas, per the 2010 One-Hour National
21 Ambient Air Quality Standard for Sulfur Dioxide. A
22 summary of the recommendation starts on page 93 of the
23 April briefing document.

24 In June 2010, the U.S. Environmental Protection
25 Agency promulgated a revision to the National Ambient

1 Air Quality Standard for sulfur dioxide which
2 established a new one-hour standard to 75 parts per
3 billion, based on the three year average of the
4 99th percentile, or the fourth highest per year, of the
5 one-hour daily maximum concentrations. This new
6 standard replaced all previous sulfur dioxide primary,
7 or healthy based standards, including the 24-hour and
8 annual standards.

9 Sulfur dioxide is primarily a point source
10 pollutant directly emitted from fossil fuel combustion
11 at electric utilities and other industrial facilities.
12 By comparison, ground-level ozone is not directly
13 emitted, but rather is formed via reactions involving
14 volatile organic compounds and oxides of nitrogen.
15 Ozone pollution is emitted from a variety of large and
16 small point and area sources, as well as mobile sources.
17 Ozone is more regional in nature than sulfur dioxide.
18 Sulfur dioxide rapidly converts to sulfate, which
19 combines with atmospheric ammonia to form ammonium
20 sulfate, which is a major component of fine Particular
21 Matter, another criteria pollutant, also known as PM
22 2.5. The EPA has chosen a different approach to
23 determine compliance with the one-hour sulfur dioxide
24 standard by emphasizing refined dispersion modeling as
25 the primary evaluation tool, especially later in the

1 process. While monitoring remains another tool, it will
2 play a supplementary role. As part of this increased
3 modeling emphasis, sulfur dioxide sources statewide will
4 be analyzed and modeled, regardless of individual source
5 locations within or outside the nonattainment areas.
6 The new approach also includes infrastructure state
7 implementation plan requirements for sulfur dioxide
8 unclassifiable areas. Sulfur dioxide infrastructure
9 plans are expected to include provisions for emission
10 controls and other requirements typically reserved for
11 attainment plans. In contrast, infrastructure plans
12 from other air quality standards have historically been
13 administrative only, by assuring the department has the
14 authority to implement and enforce standards.

15 Although modeling is a focus later in the process
16 the final rule -- final sulfur dioxide rule -- states
17 that modeling is not required for initial nonattainment
18 demonstrations. Missouri based its boundary
19 recommendations on factors other than modeling, per
20 designation guidance and evaluation criteria in the
21 final sulfur dioxide rule. Since an attainment
22 designation initially requires both monitoring data and
23 modeling data indicating attainment status, we are not
24 recommending any areas as attainment. Areas that
25 monitor or likely contribute to violations are

COMMENTS AND RESPONSES

AND

RECOMMENDATION FOR ADOPTION

PROPOSED

**2010 1-HOUR SULFUR DIOXIDE NATIONAL AMBIENT AIR QUALITY
STANDARD**

BOUNDARY DESIGNATION RECOMMENDATION

AND

**TECHNICAL SUPPORT DOCUMENT FOR THE DETERMINATION OF
NONATTAINMENT AND UNCLASSIFIABLE BOUNDARIES IN MISSOURI**

On April 28, 2011, the Missouri Air Conservation Commission held a public hearing concerning the 2010 1-Hour Sulfur Dioxide Boundary Recommendation, including the Technical Support Document for nonattainment and unclassifiable areas in Missouri. In June 2010, the U.S. Environmental Protection Agency (EPA) issued a revision to the National Ambient Air Quality Standard for sulfur dioxide (SO₂) of 75 parts per billion measured over one hour. Release of this standard started a time clock with a deadline of June 2011 for the Governor of the State of Missouri to submit a recommendation to EPA as to which areas of the state should be designated as nonattainment for the new SO₂ standard. Portions of Greene, Jackson, and Jefferson counties are recommended as nonattainment for this standard. All remaining areas are recommended as unclassifiable. No written or verbal comments were received concerning this proposed recommendation during the public comment period.

The document has not been reprinted in the briefing document as no changes were made from the proposal, in addition to its volume. The entire document is available for review at the Missouri Department of Natural Resources', Air Pollution Control Program, 1659 East Elm Street, Jefferson City, Missouri, 65101, (573)751-4817. It is also available online at <http://dnr.mo.gov/env/apcp/stateplanrevisions.htm>

The Missouri Department of Natural Resources' Air Pollution Control Program recommends the commission adopt the boundary recommendation as proposed. If the commission adopts this recommendation, it will be the department's intention to submit this recommendation to the U.S. Environmental Protection Agency.

SUMMARY OF COMMENTS: No written or verbal comments were received concerning this boundary recommendation.

