# **ANNEX 1 Key Category Analysis**

The United States has identified national key categories based on the estimates presented in this report. The 2006 Intergovernmental Panel on Climate Change (IPCC) Guidelines for National Greenhouse Gas Inventories (IPCC 2006) describes a key category as a "[category] that is prioritized within the national inventory system because its estimate has a significant influence on a country's total inventory of greenhouse gases in terms of the absolute level, the trend, or the uncertainty in emissions and removals." By definition, key categories are sources or sinks that have the greatest contribution to the absolute overall level of national emissions in any of the years covered by the time series. In addition, when an entire time series of emission estimates is prepared, a determination of key categories must also account for the influence of the trends of individual categories. Therefore, a trend assessment is conducted to identify source and sink categories for which significant uncertainty in the estimate would have considerable effects on overall emission trends. Finally, a qualitative evaluation of key categories should be performed, in order to capture any key categories that were not identified in either of the quantitative analyses, but can be considered key because of the unique country-specific estimation methods.

The methodology for conducting a key category analysis, as defined by the 2006 IPCC Guidelines for National Greenhouse Gas Inventories (IPCC 2006), includes:

- Approach 1 (including both level and trend assessments);
- Approach 2 (including both level and trend assessments, and incorporating uncertainty analysis); and
- Qualitative approach.

This Annex presents an analysis of key categories, both for sources only and also for sources and sinks (i.e., including Land Use, Land-Use Change and Forestry [LULUCF]); discusses Approach 1, Approach 2, and qualitative approaches to identifying key categories; provides level and trend assessment equations; and provides a brief statistical evaluation of IPCC's quantitative methodologies for defining key categories. Table A-1 presents the key categories for the United States (including and excluding LULUCF categories) using emissions and uncertainty data in this report, and ranked according to their sector and global warming potential (GWP)-weighted emissions in 2014. The table also indicates the criteria used in identifying these categories (i.e., level, trend, Approach 1, Approach 2, and/or qualitative assessments).

**Table A-1: Key Source Categories for the United States (1990-2014)** 

			Appro	ach 1			Appro	oach 2			2014
IPCC Source Categories	Gas	Level Without LULUCF	Trend Without LULUCF	Level With LULUCF	Trend With LULUCF	Level Without LULUCF	Trend Without LULUCF	Level With LULUCF	Trend With LULUCF	Quala	Emissions (MMT CO <sub>2</sub> Eq.)
Energy						ı					
CO <sub>2</sub> Emissions from Stationary Combustion - Coal - Electricity Generation	CO <sub>2</sub>	•	•	•	•	•	•	•	•		1,570.4
CO <sub>2</sub> Emissions from Mobile Combustion: Road	CO <sub>2</sub>	•	•	•	•	•	•	•	•		1,467.5
CO <sub>2</sub> Emissions from Stationary Combustion - Gas - Industrial	CO <sub>2</sub>	•	•	•	•	•		•			466.0
CO <sub>2</sub> Emissions from Stationary Combustion - Gas - Electricity Generation	CO <sub>2</sub>	•	•	•	•	•	•	•	•		443.2
CO <sub>2</sub> Emissions from Stationary Combustion - Gas - Residential	CO <sub>2</sub>	•	•	•	•	•		•			277.6
CO <sub>2</sub> Emissions from Stationary Combustion - Oil - Industrial	CO <sub>2</sub>	•	•	•	•	٠	•	•	•		271.9
CO <sub>2</sub> Emissions from Stationary Combustion - Gas - Commercial	CO <sub>2</sub>	•	•	•	•	•	•	•			189.2
CO <sub>2</sub> Emissions from Mobile Combustion: Aviation	CO <sub>2</sub>	•	•	•	•	•	•	•			150.1
CO <sub>2</sub> Emissions from Non-Energy Use of Fuels	CO <sub>2</sub>	•	•	•	•	•	•	•	•		114.3
CO <sub>2</sub> Emissions from Mobile Combustion: Other	CO <sub>2</sub>	•	•	•	•						92.0
CO <sub>2</sub> Emissions from Stationary Combustion - Coal - Industrial	CO <sub>2</sub>	•	•	•	•	•	•	•	•		75.3
CO <sub>2</sub> Emissions from Stationary Combustion - Oil - Residential	CO <sub>2</sub>	•	•	•	•						67.5
CO <sub>2</sub> Emissions from Natural Gas Systems	CO <sub>2</sub>	•		•		•		•			42.4
CO <sub>2</sub> Emissions from Stationary Combustion - Oil - Commercial	CO <sub>2</sub>	•	•	•	•						38.2
CO <sub>2</sub> Emissions from Stationary Combustion - Oil - U.S. Territories	CO <sub>2</sub>	•		•	•						34.6
CO <sub>2</sub> Emissions from Mobile Combustion: Marine	CO <sub>2</sub>	•	•	•	•						28.0
CO <sub>2</sub> Emissions from Stationary Combustion - Oil - Electricity Generation	CO <sub>2</sub>	•	•	•	•		•		•		25.3
CO <sub>2</sub> Emissions from Stationary Combustion - Coal - Commercial	CO <sub>2</sub>		•		•						4.5
CO <sub>2</sub> Emissions from Stationary Combustion - Gas - U.S. Territories	CO <sub>2</sub>						•				3.0
CO <sub>2</sub> Emissions from Stationary Combustion - Coal - Residential	CO <sub>2</sub>						•				0.0
CH <sub>4</sub> Emissions from Natural Gas Systems	CH <sub>4</sub>	•	•	•	•	•	•	•	•		176.1
CH <sub>4</sub> Emissions from Petroleum Systems	CH <sub>4</sub>	•	•	•	•	•	•	•	•		68.1

Fugitive Emissions from Coal Mining	CH <sub>4</sub>	•	•	•	•	•	•	•	•		67.6
Non-CO <sub>2</sub> Emissions from Stationary Combustion - Residential	CH₄					•		•			5.0
Non-CO <sub>2</sub> Emissions from Stationary Combustion - Electricity Generation	N <sub>2</sub> O		•		•	•	•	•	•		19.6
N <sub>2</sub> O Emissions from Mobile Combustion: Road	N <sub>2</sub> O	•	•	•	•	•	•		•		12.5
International Bunker Fuels <sup>b</sup>	Several									•	104.2
Industrial Processes and Product Use											
CO <sub>2</sub> Emissions from Iron and Steel Production & Metallurgical Coke Production	CO <sub>2</sub>	•	•	•	•	•	•	•	•		55.4
CO <sub>2</sub> Emissions from Cement Production	CO <sub>2</sub>	•		•							38.8
CO <sub>2</sub> Emissions from Other Process Uses of Carbonates	CO <sub>2</sub>		•		•						12.1
N <sub>2</sub> O Emissions from Adipic Acid Production	N <sub>2</sub> O		•		•						5.4
Emissions from Substitutes for Ozone Depleting Substances	HiGWP	•	•	•	•	•	•	•	•		161.2
SF <sub>6</sub> Emissions from Electrical Transmission and Distribution	HiGWP		•		•		•		•		5.6
HFC-23 Emissions from HCFC-22 Production	HiGWP	•	•	•	•		•				5.0
PFC Emissions from Aluminum Production	HiGWP		•		•						2.5
Agriculture											
CH <sub>4</sub> Emissions from Enteric Fermentation	CH <sub>4</sub>	•	•	•	•	•	•	•			164.3
CH <sub>4</sub> Emissions from Manure Management	CH <sub>4</sub>	•	•	•	•	•	•	•			61.2
Direct N <sub>2</sub> O Emissions from Agricultural Soil Management	N <sub>2</sub> O	•		•		•		•			261.0
IndirectN <sub>2</sub> O Emissions from Applied Nitrogen	N <sub>2</sub> O	•		•		•	•	•	•		57.3
Waste											
CH <sub>4</sub> Emissions from Landfills	CH <sub>4</sub>	•	•	•	•	•	•	•	•		148.0
Land Use, Land Use Change, and Forestry											
CO <sub>2</sub> Emissions from Land Converted to Grassland	CO <sub>2</sub>			•							40.4
CO <sub>2</sub> Emissions from Land Converted to Cropland	CO <sub>2</sub>			•	•			•	•		22.1
CO <sub>2</sub> Emissions from Grassland Remaining Grassland	CO <sub>2</sub>				•			•	•		3.8
CO <sub>2</sub> Emissions from Cropland Remaining Cropland	CO <sub>2</sub>			•	•			•	•		(8.4)
CO <sub>2</sub> Emissions from Landfilled Yard Trimmings and Food Scraps	CO <sub>2</sub>				•			•	•		(11.6)
CO <sub>2</sub> Emissions from Urban Trees	CO <sub>2</sub>			•	•			•	•		(90.6)
CO <sub>2</sub> Emissions from Forest Land Remaining Forest Land	CO <sub>2</sub>			•	•			•	•		(742.3)
CH <sub>4</sub> Emissions from Forest Fires	CH <sub>4</sub>							•	•		7.3
Subtotal Without LULUCF											6,687.8

Total Emissions Without LULUCF	6,870.5
Percent of Total Without LULUCF	97%
Subtotal With LULUCF	5,905.5
Total Emissions With LULUCF	6,108.0
Percent of Total With LULUCF	97%

<sup>&</sup>lt;sup>a</sup> Qualitative criteria.

Notes: Parentheses indicate negative values (or sequestration). Table A-2 provides a complete listing of source categories by IPCC sector, along with notations on the criteria used in identifying key categories, without LULUCF sources and sinks. Similarly, Table A-3 provides a complete listing of source and sink categories by IPCC sector, along with notations on the criteria used in identifying key categories, including LULUCF sources and sinks. The notations refer specifically to the year(s) in the inventory time series (i.e., 1990 to 2014) in which each source category reached the threshold for being a key category based on either an Approach 1 or Approach 2 level assessment.

<sup>&</sup>lt;sup>b</sup> Emissions from this source not included in totals.

In addition to conducting Approach 1 and 2 level and trend assessments, a qualitative assessment of the source categories, as described in the 2006 IPCC Guidelines for National Greenhouse Gas Inventories (IPCC 2006), was conducted to capture any key categories that were not identified by any quantitative method. One additional key category, international bunker fuels, was identified using this qualitative assessment. International bunker fuels are fuels consumed for aviation or marine international transport activities, and emissions from these fuels are reported separately from totals in accordance with IPCC guidelines. If these emissions were included in the totals, bunker fuels would qualify as a key category according to Approach 1. The amount of uncertainty associated with estimation of emissions from international bunker fuels also supports the qualification of this source category as key, which would qualify it as a key category according to Approach 2.

Table A-2: U.S Greenhouse Gas Inventory Source Categories without LULUCF

IPCC Source Categories	Direct GHG	2014 Emissions (MMT CO₂ Eq.)	Key Category?	ID Criteria <sup>a</sup>	Level in which year(s)?b
Energy					
CO <sub>2</sub> Emissions from Stationary Combustion - Coal - Electricity Generation	CO <sub>2</sub>	1,570.4	•	L <sub>1</sub> T <sub>1</sub> L <sub>2</sub> T <sub>2</sub>	1990, 2014
CO <sub>2</sub> Emissions from Mobile Combustion: Road	$CO_2$	1,467.5	•	$L_1T_1L_2T_2$	1990, 2014
CO <sub>2</sub> Emissions from Stationary Combustion - Gas - Industrial	$CO_2$	466.0	•	L <sub>1</sub> T <sub>1</sub> L <sub>2</sub>	1990, 2014
CO <sub>2</sub> Emissions from Stationary Combustion - Gas - Electricity Generation	CO <sub>2</sub>	443.2	•	L <sub>1</sub> T <sub>1</sub> L <sub>2</sub> T <sub>2</sub>	19901, 2014
CO <sub>2</sub> Emissions from Stationary Combustion - Gas - Residential	CO <sub>2</sub>	277.6	•	L <sub>1</sub> T <sub>1</sub> L <sub>2</sub>	1990, 2014
CO <sub>2</sub> Emissions from Stationary Combustion - Oil - Industrial	$CO_2$	271.9	•	L <sub>1</sub> T <sub>1</sub> L <sub>2</sub> T <sub>2</sub>	1990, 2014
CO <sub>2</sub> Emissions from Stationary Combustion - Gas - Commercial	CO <sub>2</sub>	189.2	•	L <sub>1</sub> T <sub>1</sub> L <sub>2</sub> T <sub>2</sub>	1990, 2014
CO <sub>2</sub> Emissions from Mobile Combustion: Aviation	$CO_2$	150.1	•	$L_1T_1L_2T_2$	1990, 20141
CO <sub>2</sub> Emissions from Non-Energy Use of Fuels	$CO_2$	114.3	•	$L_1T_1L_2T_2$	1990, 2014
CO <sub>2</sub> Emissions from Mobile Combustion: Other	$CO_2$	92.0	•	L <sub>1</sub> T <sub>1</sub>	19901, 20141
CO <sub>2</sub> Emissions from Stationary Combustion - Coal - Industrial	$CO_2$	75.3	•	$L_1 \; T_1 \; L_2 \; T_2$	1990, 2014
CO <sub>2</sub> Emissions from Stationary Combustion - Oil - Residential	$CO_2$	67.5	•	L <sub>1</sub> T <sub>1</sub>	19901, 20141
CO <sub>2</sub> Emissions from Natural Gas Systems	$CO_2$	42.4	•	$L_1 L_2$	1990, 2014
CO <sub>2</sub> Emissions from Stationary Combustion - Oil - Commercial	CO <sub>2</sub>	38.2	•	L <sub>1</sub> T <sub>1</sub>	19901, 20141
CO <sub>2</sub> Emissions from Stationary Combustion - Oil - U.S. Territories	CO <sub>2</sub>	34.6	•	L <sub>1</sub>	20141
CO <sub>2</sub> Emissions from Mobile Combustion: Marine	$CO_2$	28.0	•	$L_1 T_1$	1990 <sub>1</sub>
CO <sub>2</sub> Emissions from Stationary Combustion - Oil - Electricity Generation	CO <sub>2</sub>	25.3	•	L <sub>1</sub> T <sub>1</sub> T <sub>2</sub>	19901
CO <sub>2</sub> Emissions from Incineration of Waste	$CO_2$	9.4			
CO <sub>2</sub> Emissions from Stationary Combustion - Coal - Commercial	CO <sub>2</sub>	4.5	•	T <sub>1</sub>	
CO <sub>2</sub> Emissions from Petroleum Systems	$CO_2$	3.6			
CO <sub>2</sub> Emissions from Stationary Combustion - Coal - U.S. Territories	CO <sub>2</sub>	3.4			
CO <sub>2</sub> Emissions from Stationary Combustion - Gas - U.S. Territories	CO <sub>2</sub>	3.0	•	T <sub>2</sub>	
CO <sub>2</sub> Emissions from Stationary Combustion - Geothermal Energy	$CO_2$	0.4			
CO <sub>2</sub> Emissions from Stationary Combustion - Coal - Residential	$CO_2$	0.0	•	T <sub>2</sub>	
CH <sub>4</sub> Emissions from Natural Gas Systems	CH <sub>4</sub>	176.1	•	L <sub>1</sub> T <sub>1</sub> L <sub>2</sub> T <sub>2</sub>	1990, 2014
CH <sub>4</sub> Emissions from Petroleum Systems	CH <sub>4</sub>	68.1	•	L <sub>1</sub> T <sub>1</sub> L <sub>2</sub> T <sub>2</sub>	1990, 2014
Fugitive Emissions from Coal Mining	CH <sub>4</sub>	67.6	•	L <sub>1</sub> T <sub>1</sub> L <sub>2</sub> T <sub>2</sub>	1990, 2014 <sub>1</sub>
Fugitive Emissions from Abandoned Underground Coal Mines	CH <sub>4</sub>	6.3			
Non-CO <sub>2</sub> Emissions from Stationary Combustion - Residential	CH <sub>4</sub>	5.0	•	L <sub>2</sub>	19902
Non-CO <sub>2</sub> Emissions from Stationary Combustion - Industrial	CH <sub>4</sub>	1.5			
CH <sub>4</sub> Emissions from Mobile Combustion: Road	CH <sub>4</sub>	1.4			

N 00 F : : ( 00 F 0 1 F					
Non-CO <sub>2</sub> Emissions from Stationary Combustion - Commercial	CH <sub>4</sub>	1.1			
CH <sub>4</sub> Emissions from Mobile Combustion: Other	CH <sub>4</sub>	0.5			
Non-CO <sub>2</sub> Emissions from Stationary Combustion - Electricity					
Generation	CH <sub>4</sub>	0.4			
Non-CO <sub>2</sub> Emissions from Stationary Combustion - U.S. Territories	CH <sub>4</sub>	0.1			
CH <sub>4</sub> Emissions from Mobile Combustion: Aviation	CH <sub>4</sub>	+			
CH <sub>4</sub> Emissions from Mobile Combustion: Marine	CH <sub>4</sub>	+			
CH <sub>4</sub> Emissions from Incineration of Waste	CH <sub>4</sub>	+			
Non-CO <sub>2</sub> Emissions from Stationary Combustion - Electricity Generation	$N_2O$	19.6	•	$T_1L_2T_2$	1990 <sub>2</sub> , 2014 <sub>2</sub>
N <sub>2</sub> O Emissions from Mobile Combustion: Road	$N_2O$	12.5	•	L <sub>1</sub> T <sub>1</sub> L <sub>2</sub> T <sub>2</sub>	1990
Non-CO <sub>2</sub> Emissions from Stationary Combustion - Industrial	$N_2O$	2.4			
N <sub>2</sub> O Emissions from Mobile Combustion: Other	$N_2O$	2.0			
N <sub>2</sub> O Emissions from Mobile Combustion: Aviation	N <sub>2</sub> O	1.4			
Non-CO <sub>2</sub> Emissions from Stationary Combustion - Residential	N <sub>2</sub> O	1.0			
N <sub>2</sub> O Emissions from Mobile Combustion: Marine	N <sub>2</sub> O	0.5			
N <sub>2</sub> O Emissions from Incineration of Waste	N <sub>2</sub> O	0.3			
Non-CO <sub>2</sub> Emissions from Stationary Combustion - Commercial	N <sub>2</sub> O	0.3			
Non-CO <sub>2</sub> Emissions from Stationary Combustion - U.S.	N <sub>2</sub> O	0.1			
Territories					
International Bunker Fuels <sup>c</sup>	Several	104.2	•		
Industrial Processes and Product Use					
CO <sub>2</sub> Emissions from Iron and Steel Production & Metallurgical Coke Production	$CO_2$	55.4	•	$L_1T_1L_2T_2$	1990, 2014 <sub>1</sub>
CO <sub>2</sub> Emissions from Cement Production	$CO_2$	38.8	•	L <sub>1</sub>	1990 <sub>1</sub> , 2014 <sub>1</sub>
CO <sub>2</sub> Emissions from Petrochemical Production	$CO_2$	26.5			
CO <sub>2</sub> Emissions from Lime Production	$CO_2$	14.1			
CO <sub>2</sub> Emissions from Other Process Uses of Carbonates	$CO_2$	12.1	•	$T_1$	
CO <sub>2</sub> Emissions from Ammonia Production	$CO_2$	9.4			
CO <sub>2</sub> Emissions from Carbon Dioxide Consumption	$CO_2$	4.5			
CO <sub>2</sub> Emissions from Urea Consumption for Non-Ag Purposes	$CO_2$	4.0			
CO <sub>2</sub> Emissions from Aluminum Production	$CO_2$	2.8			
CO <sub>2</sub> Emissions from Soda Ash Production and Consumption	$CO_2$	2.8			
CO <sub>2</sub> Emissions from Ferroalloy Production	CO <sub>2</sub>	1.9			
CO <sub>2</sub> Emissions from Titanium Dioxide Production	CO <sub>2</sub>	1.8			
CO <sub>2</sub> Emissions from Glass Production	CO <sub>2</sub>	1.3			
CO <sub>2</sub> Emissions from Phosphoric Acid Production	CO <sub>2</sub>	1.1			
CO <sub>2</sub> Emissions from Zinc Production	CO <sub>2</sub>	1.0			
CO <sub>2</sub> Emissions from Lead Production	CO <sub>2</sub>	0.5			
CO <sub>2</sub> Emissions from Silicon Carbide Production and Consumption	CO <sub>2</sub>	0.2			
CO <sub>2</sub> Emissions from Magnesium Production and Processing	CO <sub>2</sub>	+			
CH <sub>4</sub> Emissions from Petrochemical Production	CH <sub>4</sub>	0.1			
CH <sub>4</sub> Emissions from Ferroalloy Production	CH <sub>4</sub>				
CH <sub>4</sub> Emissions from Silicon Carbide Production and	<b>С</b> П4	+			
Consumption	CH <sub>4</sub>	+			
CH <sub>4</sub> Emissions from Iron and Steel Production & Metallurgical Coke Production	CH <sub>4</sub>	+			
N <sub>2</sub> O Emissions from Nitric Acid Production	$N_2O$	10.9			
				_	
$N_2 O$ Emissions from Adipic Acid Production	$N_2O$	5.4	•	$T_1$	
$N_2O$ Emissions from Adipic Acid Production $N_2O$ Emissions from Product Uses	N <sub>2</sub> O N <sub>2</sub> O	5.4 4.2	•	I <sub>1</sub>	

Emissions from Substitutes for Ozone Depleting Substances	HiGWP	161.2	•	$L_1 T_1 L_2 T_2$	2014
SF <sub>6</sub> Emissions from Electrical Transmission and Distribution	HiGWP	5.6	•	$L_1 T_1 T_2$	<b>1990</b> <sub>1</sub>
HFC-23 Emissions from HCFC-22 Production	HiGWP	5.0	•	$T_1T_2$	
PFC, HFC, SF <sub>6</sub> , and NF <sub>3</sub> Emissions from Semiconductor Manufacture	HiGWP	4.5			
PFC Emissions from Aluminum Production	HiGWP	2.5	•	T <sub>1</sub>	
SF <sub>6</sub> Emissions from Magnesium Production and Processing	HiGWP	1.0			
HFC-134a Emissions from Magnesium Production and Processing	HiGWP	0.1			
Agriculture					_
CH <sub>4</sub> Emissions from Enteric Fermentation	CH <sub>4</sub>	164.3	•	L <sub>1</sub> T <sub>1</sub> L <sub>2</sub> T <sub>2</sub>	1990, 2014
CH <sub>4</sub> Emissions from Manure Management	CH <sub>4</sub>	61.2	•	L <sub>1</sub> T <sub>1</sub> L <sub>2</sub> T <sub>2</sub>	1990 <sub>1</sub> , 2014
CH <sub>4</sub> Emissions from Rice Cultivation	CH <sub>4</sub>	11.9			
CH <sub>4</sub> Emissions from Field Burning of Agricultural Residues	CH <sub>4</sub>	0.3			
Direct N <sub>2</sub> O Emissions from Agricultural Soil Management	N <sub>2</sub> O	261.0	•	L <sub>1</sub> L <sub>2</sub>	1990, 2014
Indirect N <sub>2</sub> O Emissions from Applied Nitrogen	N <sub>2</sub> O	57.3	•	L <sub>1</sub> L <sub>2</sub> T <sub>2</sub>	1990, 2014
N <sub>2</sub> O Emissions from Manure Management	$N_2O$	17.5			
N <sub>2</sub> O Emissions from Field Burning of Agricultural Residues	N <sub>2</sub> O	0.1			
Waste					
CH <sub>4</sub> Emissions from Landfills	CH <sub>4</sub>	148.0	•	L <sub>1</sub> T <sub>1</sub> L <sub>2</sub> T <sub>2</sub>	1990, 2014
CH <sub>4</sub> Emissions from Wastewater Treatment	CH <sub>4</sub>	14.7			
CH <sub>4</sub> Emissions from Composting	CH <sub>4</sub>	2.1			
N <sub>2</sub> O Emissions from Wastewater Treatment	$N_2O$	4.8			
N <sub>2</sub> O Emissions from Composting	$N_2O$	1.8			

<sup>+</sup> Does not exceed 0.05 MMT CO<sub>2</sub> Eq.

Note: LULUCF sources and sinks are not included in this analysis.

Table A-3: U.S Greenhouse Gas Inventory Source Categories with LULUCF

		2014 Emissions	Key	ID	Level in which
IPCC Source Categories	Direct GHG	(MMT CO <sub>2</sub> Eq.)	Category?	Criteria <sup>a</sup>	year(s)?b
Energy					
CO <sub>2</sub> Emissions from Stationary Combustion - Coal - Electricity Generation	CO <sub>2</sub>	1,570.4	•	L <sub>1</sub> T <sub>1</sub> L <sub>2</sub> T <sub>2</sub>	1990, 2014
CO <sub>2</sub> Emissions from Mobile Combustion: Road	$CO_2$	1,467.5	•	$L_1  T_1  L_2  T_2$	1990, 2014
CO <sub>2</sub> Emissions from Stationary Combustion - Gas - Industrial	CO <sub>2</sub>	466.0	•	L <sub>1</sub> T <sub>1</sub> L <sub>2</sub>	1990, 2014
CO <sub>2</sub> Emissions from Stationary Combustion - Gas - Electricity Generation	CO <sub>2</sub>	443.2	•	L <sub>1</sub> T <sub>1</sub> L <sub>2</sub> T <sub>2</sub>	19901, 2014
CO <sub>2</sub> Emissions from Stationary Combustion - Gas - Residential	CO <sub>2</sub>	277.6	•	L <sub>1</sub> T <sub>1</sub> L <sub>2</sub>	1990, 2014
CO <sub>2</sub> Emissions from Stationary Combustion - Oil - Industrial	CO <sub>2</sub>	271.9	•	L <sub>1</sub> T <sub>1</sub> L <sub>2</sub> T <sub>2</sub>	1990, 2014
CO <sub>2</sub> Emissions from Stationary Combustion - Gas - Commercial	CO <sub>2</sub>	189.2	•	L <sub>1</sub> T <sub>1</sub> L <sub>2</sub>	1990 <sub>1</sub> , 2014
CO <sub>2</sub> Emissions from Mobile Combustion: Aviation	$CO_2$	150.1	•	L <sub>1</sub> T <sub>1</sub> L <sub>2</sub>	1990, 2014 <sub>1</sub>
CO <sub>2</sub> Emissions from Non-Energy Use of Fuels	$CO_2$	114.3	•	L <sub>1</sub> T <sub>1</sub> L <sub>2</sub> T <sub>2</sub>	1990, 2014
CO <sub>2</sub> Emissions from Mobile Combustion: Other	$CO_2$	92.0	•	L <sub>1</sub> T <sub>1</sub>	19901, 20141
CO <sub>2</sub> Emissions from Stationary Combustion - Coal - Industrial	CO <sub>2</sub>	75.3	•	L <sub>1</sub> T <sub>1</sub> L <sub>2</sub> T <sub>2</sub>	1990, 2014

<sup>&</sup>lt;sup>a</sup> For the ID criteria, Q refers to "Qualitative", L refers to a key category identified through a level assessment; T refers to a key category identified through a trend assessment and the subscripted number refers to either an Approach 1 or Approach 2 assessment (e.g., L<sub>2</sub> designates a source is a key category for an Approach 2 level assessment).

<sup>&</sup>lt;sup>b</sup> If the source is a key category for both L<sub>1</sub> and L<sub>2</sub> (as designated in the ID criteria column), it is a key category for both assessments in the years provided unless noted by a subscript, in which case it is a key category for that assessment in that year only (.e.g., 1990<sub>2</sub> designates a source is a key category for the Approach 2 assessment only in 1990).

 $<sup>^{\</sup>circ}\textsc{Emissions}$  from these sources not included in totals.

CO <sub>2</sub> Emissions from Stationary Combustion - Oil -	CO <sub>2</sub>	67.5	•	L <sub>1</sub> T <sub>1</sub>	19901, 20141
Residential CO₂ Emissions from Natural Gas Systems	CO <sub>2</sub>	42.4	•	L <sub>1</sub> L <sub>2</sub>	1990 <sub>1</sub> , 2014
CO <sub>2</sub> Emissions from Stationary Combustion - Oil -					
Commercial	$CO_2$	38.2	•	L <sub>1</sub> T <sub>1</sub>	1990 <sub>1</sub> , 2014 <sub>1</sub>
CO <sub>2</sub> Emissions from Stationary Combustion - Oil - U.S. Territories	CO <sub>2</sub>	34.6	•	L <sub>1</sub> T <sub>1</sub>	20141
CO <sub>2</sub> Emissions from Mobile Combustion: Marine	$CO_2$	28.0	•	L <sub>1</sub> T <sub>1</sub>	19901, 20141
CO <sub>2</sub> Emissions from Stationary Combustion - Oil - Electricity Generation	$CO_2$	25.3	•	$L_1 \; T_1 \; T_2$	1990 <sub>1</sub>
CO <sub>2</sub> Emissions from Incineration of Waste	$CO_2$	9.4			
CO <sub>2</sub> Emissions from Stationary Combustion - Coal - Commercial	CO <sub>2</sub>	4.5	•	T <sub>1</sub>	
CO <sub>2</sub> Emissions from Petroleum Systems	$CO_2$	3.6			
CO <sub>2</sub> Emissions from Stationary Combustion - Coal - U.S. Territories	CO <sub>2</sub>	3.4			
CO <sub>2</sub> Emissions from Stationary Combustion - Gas - U.S. Territories	$CO_2$	3.0			
CO <sub>2</sub> Emissions from Stationary Combustion - Geothermal	CO <sub>2</sub>	0.4			
Energy CO <sub>2</sub> Emissions from Stationary Combustion - Coal - Residential	CO <sub>2</sub>	0.0			
CH <sub>4</sub> Emissions from Natural Gas Systems	CH <sub>4</sub>	176.1	•	$L_1 T_1 L_2 T_2$	1990, 2014
CH <sub>4</sub> Emissions from Petroleum Systems	CH <sub>4</sub>	68.1	•	L <sub>1</sub> T <sub>1</sub> L <sub>2</sub> T <sub>2</sub>	1990, 2014
Fugitive Emissions from Coal Mining	CH <sub>4</sub>	67.6	•	L <sub>1</sub> T <sub>1</sub> L <sub>2</sub> T <sub>2</sub>	1990, 2014 <sub>1</sub>
Fugitive Emissions from Abandoned Underground Coal Mines	CH <sub>4</sub>	6.3			, ,
Non-CO <sub>2</sub> Emissions from Stationary Combustion - Residential	CH <sub>4</sub>	5.0	•	L <sub>2</sub>	19902, 20142
Non-CO <sub>2</sub> Emissions from Stationary Combustion - Industrial	CH <sub>4</sub>	1.5			
CH <sub>4</sub> Emissions from Mobile Combustion: Road	CH <sub>4</sub>	1.4			
Non-CO <sub>2</sub> Emissions from Stationary Combustion -	CH <sub>4</sub>				
Commercial		1.1			
CH <sub>4</sub> Emissions from Mobile Combustion: Other	CH <sub>4</sub>	0.5			
Non-CO <sub>2</sub> Emissions from Stationary Combustion - Electricity Generation	CH <sub>4</sub>	0.4			
Non-CO <sub>2</sub> Emissions from Stationary Combustion - U.S. Territories	CH <sub>4</sub>	0.1			
CH <sub>4</sub> Emissions from Mobile Combustion: Aviation	CH <sub>4</sub>	+			
CH <sub>4</sub> Emissions from Mobile Combustion: Marine	CH <sub>4</sub>	+			
CH <sub>4</sub> Emissions from Incineration of Waste	CH <sub>4</sub>	+			
Non-CO <sub>2</sub> Emissions from Stationary Combustion - Electricity Generation	N <sub>2</sub> O	19.6	•	T <sub>1</sub> L <sub>2</sub> T <sub>2</sub>	1990 <sub>2</sub> , 2014 <sub>2</sub>
N <sub>2</sub> O Emissions from Mobile Combustion: Road	N <sub>2</sub> O	12.5	•	$L_1 T_1 T_2$	19901
Non-CO <sub>2</sub> Emissions from Stationary Combustion - Industrial	N <sub>2</sub> O	2.4			
N <sub>2</sub> O Emissions from Mobile Combustion: Other	N <sub>2</sub> O	2.0			
N <sub>2</sub> O Emissions from Mobile Combustion: Aviation	$N_2O$	1.4			
Non-CO <sub>2</sub> Emissions from Stationary Combustion - Residential	N <sub>2</sub> O	1.0			
N <sub>2</sub> O Emissions from Mobile Combustion: Marine	$N_2O$	0.5			
N <sub>2</sub> O Emissions from Incineration of Waste	$N_2O$	0.3			
Non-CO <sub>2</sub> Emissions from Stationary Combustion -	N <sub>2</sub> O	0.3			
Commercial Non-CO <sub>2</sub> Emissions from Stationary Combustion - U.S.	N <sub>2</sub> O	0.1			
Territories					
International Bunker Fuels <sup>c</sup>	Several	104.2	•		

### **Industrial Processes and Product Use**

CO <sub>2</sub> Emissions from Iron and Steel Production & Metallurgical Coke Production	$CO_2$	55.4	•	$L_1T_1L_2T_2$	1990, 2014 <sub>1</sub>
CO <sub>2</sub> Emissions from Cement Production	CO <sub>2</sub>	38.8	•	L <sub>1</sub>	19901, 20141
CO <sub>2</sub> Emissions from Petrochemical Production	CO <sub>2</sub>	26.5			,
CO <sub>2</sub> Emissions from Lime Production	CO <sub>2</sub>	14.1			
CO <sub>2</sub> Emissions from Other Process Uses of Carbonates	CO <sub>2</sub>	12.1	•	T <sub>1</sub>	
CO <sub>2</sub> Emissions from Ammonia Production	CO <sub>2</sub>	9.4		.,	
CO <sub>2</sub> Emissions from Carbon Dioxide Consumption	CO <sub>2</sub>	4.5			
CO <sub>2</sub> Emissions from Urea Consumption for Non-Ag Purposes	CO <sub>2</sub>	4.0			
CO <sub>2</sub> Emissions from Aluminum Production	CO <sub>2</sub>	2.8			
CO <sub>2</sub> Emissions from Soda Ash Production and Consumption	$CO_2$	2.8			
CO <sub>2</sub> Emissions from Ferroalloy Production	CO <sub>2</sub>	1.9			
CO <sub>2</sub> Emissions from Titanium Dioxide Production	CO <sub>2</sub>	1.8			
CO <sub>2</sub> Emissions from Glass Production	CO <sub>2</sub>	1.3			
CO <sub>2</sub> Emissions from Phosphoric Acid Production	CO <sub>2</sub>	1.1			
CO <sub>2</sub> Emissions from Zinc Production	CO <sub>2</sub>	1.0			
CO <sub>2</sub> Emissions from Lead Production	CO <sub>2</sub>	0.5			
CO <sub>2</sub> Emissions from Silicon Carbide Production and Consumption	CO <sub>2</sub>	0.2			
CO <sub>2</sub> Emissions from Magnesium Production and Processing	CO <sub>2</sub>	+			
CH <sub>4</sub> Emissions from Petrochemical Production	CH <sub>4</sub>	0.1			
CH <sub>4</sub> Emissions from Ferroalloy Production	CH <sub>4</sub>	+			
CH <sub>4</sub> Emissions from Silicon Carbide Production and Consumption	CH <sub>4</sub>	+			
CH <sub>4</sub> Emissions from Iron and Steel Production & Metallurgical Coke Production	CH <sub>4</sub>	+			
N₂O Emissions from Nitric Acid Production	$N_2O$	10.9			
N <sub>2</sub> O Emissions from Adipic Acid Production	$N_2O$	5.4	•	$T_1$	
N <sub>2</sub> O Emissions from Product Uses	$N_2O$	4.2			
N <sub>2</sub> O Emissions from Semiconductor Manufacture	$N_2O$	0.2			
Emissions from Substitutes for Ozone Depleting Substances	HiGWP	161.2	•	L <sub>1</sub> T <sub>1</sub> L <sub>2</sub> T <sub>2</sub>	2014
SF <sub>6</sub> Emissions from Electrical Transmission and Distribution	HiGWP	5.6	•	L <sub>1</sub> T <sub>1</sub>	19901
HFC-23 Emissions from HCFC-22 Production	HiGWP	5.0	•	$T_1 T_2$	
PFC, HFC, SF <sub>6</sub> , and NF <sub>3</sub> Emissions from Semiconductor	HiGWP	4.5			
Manufacture				-	
PFC Emissions from Aluminum Production	HiGWP	2.5	•	T <sub>1</sub>	
SF <sub>6</sub> Emissions from Magnesium Production and Processing	HiGWP	1.0			
HFC-134a Emissions from Magnesium Production and Processing	HiGWP	0.1			
Agriculture					
CH4 Emissions from Enteric Fermentation	CH <sub>4</sub>	164.3	•	L <sub>1</sub> T <sub>1</sub> L <sub>2</sub>	1000 2014
CH4 Emissions from Manure Management			•		1990, 2014
	CH <sub>4</sub>	61.2	•	L <sub>1</sub> T <sub>1</sub> L <sub>2</sub>	1990 <sub>1</sub> , 2014
CH4 Emissions from Rice Cultivation	CH <sub>4</sub>	11.9			
CH4 Emissions from Field Burning of Agricultural Residues	CH₄	0.3			4000 0044
DirectN₂O Emissions from Agricultural Soil Management	N <sub>2</sub> O	261.0	•	L <sub>1</sub> L <sub>2</sub>	1990, 2014
IndirectN <sub>2</sub> O Emissions from Applied Nitrogen	N <sub>2</sub> O	57.3	•	L <sub>1</sub> L <sub>2</sub> T <sub>2</sub>	1990, 2014
N <sub>2</sub> O Emissions from Manure Management	$N_2O$	17.5			

N₂O Emissions from Field Burning of Agricultural Residues	$N_2O$	0.1			
Waste					
CH <sub>4</sub> Emissions from Landfills	CH <sub>4</sub>	148.0	•	L <sub>1</sub> T <sub>1</sub> L <sub>2</sub> T <sub>2</sub>	1990, 2014
CH <sub>4</sub> Emissions from Wastewater Treatment	CH <sub>4</sub>	14.7			
CH <sub>4</sub> Emissions from Composting	CH <sub>4</sub>	2.1			
N <sub>2</sub> O Emissions from Wastewater Treatment	$N_2O$	4.8			
N <sub>2</sub> O Emissions from Composting	$N_2O$	1.8			
Land Use, Land Use Change, and Forestry					
CO <sub>2</sub> Emissions from Land Converted to Grassland	CO <sub>2</sub>	40.4	•	L <sub>1</sub>	19901, 20141
CO <sub>2</sub> Emissions from Land Converted to Cropland	$CO_2$	22.1	•	$L_1T_1L_2T_2$	1990
CO <sub>2</sub> Emissions from Urea Fertilization	$CO_2$	4.5			
CO <sub>2</sub> Emissions from Liming	$CO_2$	4.1			
CO <sub>2</sub> Emissions from Grassland Remaining Grassland	$CO_2$	3.8	•	$T_1  L_2  T_2$	19902, 20142
CO <sub>2</sub> Emissions from Peatlands Remaining Peatlands	$CO_2$	0.8			
CO <sub>2</sub> Emissions from Land Converted to Forest Land	CO <sub>2</sub>	(0.3)			
CO <sub>2</sub> Emissions from Cropland Remaining Cropland	CO <sub>2</sub>	(8.4)	•	$L_1T_1L_2T_2$	1990, 2014 <sub>2</sub>
CO <sub>2</sub> Emissions from Landfilled Yard Trimmings and Food Scraps	CO <sub>2</sub>	(11.6)	•	T <sub>1</sub> L <sub>2</sub> T <sub>2</sub>	19902
CO <sub>2</sub> Emissions from Urban Trees	$CO_2$	(90.6)	•	$L_1T_1L_2T_2$	1990, 2014
CO <sub>2</sub> Emissions from Forest Land Remaining Forest Land	$CO_2$	(742.3)	•	$L_1T_1L_2T_2$	1990, 2014
CH <sub>4</sub> Emissions from Forest Fires	CH <sub>4</sub>	7.3	•	$L_2 T_2$	20142
CH <sub>4</sub> Emissions from Peatlands Remaining Peatlands	CH <sub>4</sub>	+			
N <sub>2</sub> O Emissions from Forest Fires	$N_2O$	4.8			
N <sub>2</sub> O Emissions from Settlement Soils	$N_2O$	2.4			
N <sub>2</sub> O Emissions from Forest Soils	$N_2O$	0.5			
N <sub>2</sub> O Emissions from Peatlands Remaining Peatlands	$N_2O$	+			

<sup>+</sup> Does not exceed 0.05 MMT CO<sub>2</sub> Eq.

Note: Parentheses indicate negative values (or sequestration).

#### **Evaluation of Key Categories**

#### **Level Assessment**

When using an Approach 1 for the level assessment, a predetermined cumulative emissions threshold is used to identify key categories. When source and sink categories are sorted in order of decreasing absolute emissions, those that fall at the top of the list and cumulatively account for 95 percent of emissions are considered key categories. The 95 percent threshold in the 2006 IPCC Guidelines for National Greenhouse Gas Inventories (IPCC 2006) was designed to establish a general level where the key category analysis covers approximately 75 to 92 percent of inventory uncertainty.

Including the Approach 2 provides additional insight into why certain source categories are considered key, and how to prioritize inventory improvements. In the Approach 2, the level assessment for each category from the Approach 1 is multiplied by its percent relative uncertainty. If the uncertainty reported is asymmetrical, the absolute value of the larger uncertainty is used. Uncertainty is not estimated for the following sources:  $CO_2$  emissions from stationary combustion – geothermal energy;  $CO_2$  emissions from mobile combustion by mode of transportation;  $CH_4$  and  $N_2O$  emissions from mobile combustion by mode of off-road transportation; and  $CH_4$  from the incineration of waste. While  $CO_2$  emissions from geothermal energy are included in the overall emissions estimate, they are not an official IPCC source category. As a result, there are no guidelines to associate uncertainty with the emissions estimate; therefore, an uncertainty analysis was not conducted. The uncertainty associated with  $CO_2$  from mobile combustion is applied to each mode's emissions estimate, and the uncertainty associated with off-road vehicle  $CH_4$  and  $N_2O$  emissions are applied to both  $CH_4$  and  $N_2O$  emissions from

<sup>&</sup>lt;sup>a</sup> For the ID criteria, Q refers to "Qualitative", L refers to a key category identified through a level assessment; T refers to a key category identified through a trend assessment and the subscripted number refers to either an Approach 1 or Approach 2 assessment (e.g., L<sub>2</sub> designates a source is a key category for an Approach 2 level assessment).

b If the source is a key category for both L<sub>1</sub> and L<sub>2</sub> (as designated in the ID criteria column), it is a key category for both assessments in the years provided unless noted by a subscript, in which case it is a key category only for that assessment in only that year (.e.g., 1990<sub>2</sub> designates a source is a key category for the Approach 2 assessment only in 1990).

<sup>&</sup>lt;sup>c</sup> Emissions from these sources not included in totals.

aviation, marine, and other sources. No uncertainty was associated with  $CH_4$  emissions from waste incineration because emissions are less than 0.05 kt  $CH_4$  and an uncertainty analysis was not conducted. When source and sink categories are sorted in decreasing order of this calculation, those that fall at the top of the list and cumulatively account for 90 percent of emissions are considered key categories. The key categories identified by the Approach 2 level assessment may differ from those identified by the Approach 1 assessment. The final set of key categories includes all source and sink categories identified as key by either the Approach 1 or the Approach 2 assessment, keeping in mind that the two assessments are not mutually exclusive.

It is important to note that a key category analysis can be sensitive to the definitions of the source and sink categories. If a large source category is split into many subcategories, then the subcategories may have contributions to the total inventory that are too small for those source categories to be considered key. Similarly, a collection of small, non-key source categories adding up to less than 5 percent of total emissions could become key source categories if those source categories were aggregated into a single source category. The United States has attempted to define source and sink categories by the conventions which would allow comparison with other international key categories, while still maintaining the category definitions that constitute how the emissions estimates were calculated for this report. As such, some of the category names used in the key category analysis may differ from the names used in the main body of the report. Additionally, the United States accounts for some source categories, including fossil fuel feedstocks, international bunkers, and emissions from U.S. Territories, that are derived from unique data sources using country-specific methodologies.

Table A-4 through Table A-7 contain the 1990 and 2014 level assessments for both with and without LULUCF sources and sinks, and contain further detail on where each source falls within the analysis. Approach 1 key categories are shaded dark gray. Additional key categories identified by the Approach 2 assessment are shaded light gray.

#### **Trend Assessment**

Approach 1 for trend assessment is defined as the product of the source or sink category level assessment and the absolute difference between the source or sink category trend and the total trend. In turn, the source or sink category trend is defined as the change in emissions from the base year to the current year, as a percentage of current year emissions from that source or sink category. The total trend is the percentage change in total inventory emissions from the base year to the current year.

Thus, the source or sink category trend assessment will be large if the source or sink category represents a large percentage of emissions and/or has a trend that is quite different from the overall inventory trend. To determine key categories, the trend assessments are sorted in decreasing order, so that the source or sink categories with the highest trend assessments appear first. The trend assessments are summed until the threshold of 95 percent is reached; all categories that fall within that cumulative 95 percent are considered key categories.

For Approach 2, the trend assessment for each category from Approach 1 is multiplied by its percent relative uncertainty. If the uncertainty reported is asymmetrical, the larger uncertainty is used. When source and sink categories are sorted in decreasing order of this calculation, those that fall at the top of the list and cumulatively account for 90 percent of emissions are considered key categories. The key categories identified by the Approach 2 trend assessment may differ from those identified by the Approach 1 assessment. The final set of key categories includes all source and sink categories identified as key by either the Approach 1 or the Approach 2 assessment, keeping in mind that the two assessments are not mutually exclusive.

Table A-8 and Table A-9 contain the 1990 through 2014 trend assessment for both with and without LULUCF sources and sinks, and contain further detail on where each source falls within the analysis. Approach 1 key categories are shaded dark gray. Additional key categories identified by the Approach 2 assessment are shaded light gray.

Table A-4: 1990 Key Source Category Approach 1 and Approach 2 Analysis—Level Assessment, without LULUCF

			Approach 1			Approach 2
		1990 Estimate	Level	Cumulative		Level
IPCC Source Categories	Direct GHG	(MMT CO <sub>2</sub> Eq.)	Assessment	Total	<b>Uncertainty</b> <sup>a</sup>	Assessment
CO <sub>2</sub> Emissions from Stationary Combustion - Coal - Electricity Generation	CO <sub>2</sub>	1,547.6	0.24	0.24	10%	0.023
CO <sub>2</sub> Emissions from Mobile Combustion: Road	CO <sub>2</sub>	1,188.9	0.19	0.43	6%	0.012
CO <sub>2</sub> Emissions from Stationary Combustion - Gas - Industrial	CO <sub>2</sub>	408.9	0.06	0.49	7%	0.005
CO <sub>2</sub> Emissions from Stationary Combustion - Oil - Industrial	CO <sub>2</sub>	278.3	0.04	0.54	19%	0.008
Direct N <sub>2</sub> O Emissions from Agricultural Soil Management	N <sub>2</sub> O	245.0	0.04	0.57	24%	0.009
CO <sub>2</sub> Emissions from Stationary Combustion - Gas - Residential	CO <sub>2</sub>	238.0	0.04	0.61	7%	0.003
CH <sub>4</sub> Emissions from Natural Gas Systems	CH <sub>4</sub>	206.8	0.03	0.64	30%	0.010

CO <sub>2</sub> Emissions from Mobile Combustion: Aviation	CO <sub>2</sub>	187.4	0.03	0.67	6%	0.002
CH <sub>4</sub> Emissions from Landfills	CH <sub>4</sub>	179.6	0.03	0.70	61%	0.017
CO <sub>2</sub> Emissions from Stationary Combustion - Gas - Electricity Generation	CO <sub>2</sub>	175.3	0.03	0.73	5%	0.001
CH <sub>4</sub> Emissions from Enteric Fermentation	CH <sub>4</sub>	164.2	0.03	0.75	18%	0.005
CO <sub>2</sub> Emissions from Stationary Combustion - Coal - Industrial	CO <sub>2</sub>	155.3	0.02	0.78	16%	0.004
CO <sub>2</sub> Emissions from Stationary Combustion - Gas - Commercial	CO <sub>2</sub>	142.1	0.02	0.80	7%	0.002
CO <sub>2</sub> Emissions from Non-Energy Use of Fuels	CO <sub>2</sub>	118.1	0.02	0.82	42%	0.008
CO <sub>2</sub> Emissions from Iron and Steel Production & Metallurgical Coke Production	CO <sub>2</sub>	99.7	0.02	0.83	15%	0.002
CO <sub>2</sub> Emissions from Stationary Combustion - Oil - Electricity Generation	CO <sub>2</sub>	97.5	0.02	0.85	8%	0.001
CO <sub>2</sub> Emissions from Stationary Combustion - Oil - Residential	CO <sub>2</sub>	97.4	0.02	0.86	5%	0.001
Fugitive Emissions from Coal Mining	CH <sub>4</sub>	96.5	0.02	0.88	15%	0.002
CO <sub>2</sub> Emissions from Mobile Combustion: Other	CO <sub>2</sub>	73.3	0.01	0.89	6%	0.001
CO <sub>2</sub> Emissions from Stationary Combustion - Oil - Commercial	CO <sub>2</sub>	63.3	0.01	0.90	5%	0.001
Indirect N <sub>2</sub> O Emissions from Applied Nitrogen	$N_2O$	58.2	0.01	0.91	139%	0.013
HFC-23 Emissions from HCFC-22 Production	HFCs	46.1	0.01	0.92	10%	0.001
CO <sub>2</sub> Emissions from Mobile Combustion: Marine	CO <sub>2</sub>	44.3	0.01	0.92	6%	<0.001
CH <sub>4</sub> Emissions from Petroleum Systems	CH <sub>4</sub>	38.7	0.01	0.93	149%	0.009
CO <sub>2</sub> Emissions from Natural Gas Systems	CO <sub>2</sub>	37.7	0.01	0.94	30%	0.002
N <sub>2</sub> O Emissions from Mobile Combustion: Road	$N_2O$	37.7	0.01	0.94	27%	0.002
CH <sub>4</sub> Emissions from Manure Management	CH <sub>4</sub>	37.2	0.01	0.95	20%	0.001
CO <sub>2</sub> Emissions from Cement Production	CO <sub>2</sub>	33.3	0.01	0.95	6%	<0.001
CO <sub>2</sub> Emissions from Stationary Combustion - Oil - U.S.	$CO_2$	27.2	<0.01	0.96	11%	<0.001
Territories SF <sub>6</sub> Emissions from Electrical Transmission and Distribution	SF <sub>6</sub>	25.4	<0.01	0.96	23%	0.001
CO <sub>2</sub> Emissions from Petrochemical Production	CO <sub>2</sub>	21.6	<0.01	0.96	5%	< 0.001
PFC Emissions from Aluminum Production	PFCs	21.5	<0.01	0.97	2%	< 0.001
CH <sub>4</sub> Emissions from Wastewater Treatment	CH <sub>4</sub>	15.7	<0.01	0.97	39%	0.001
N <sub>2</sub> O Emissions from Adipic Acid Production	N <sub>2</sub> O	15.2	<0.01	0.97	4%	< 0.001
N₂O Emissions from Manure Management	N <sub>2</sub> O	14.0	<0.01	0.97	24%	0.001
CH <sub>4</sub> Emissions from Rice Cultivation	CH <sub>4</sub>	13.1	<0.01	0.98	17%	<0.001
CO <sub>2</sub> Emissions from Ammonia Production	CO <sub>2</sub>	13.0	<0.01	0.98	8%	< 0.001
N <sub>2</sub> O Emissions from Nitric Acid Production	N₂O	12.1	<0.01	0.98	5%	< 0.001
CO <sub>2</sub> Emissions from Stationary Combustion - Coal - Commercial	CO <sub>2</sub>	12.0	<0.01	0.98	15%	< 0.001
CO <sub>2</sub> Emissions from Lime Production	CO <sub>2</sub>	11.7	<0.01	0.98	3%	< 0.001
CO <sub>2</sub> Emissions from Incineration of Waste	CO <sub>2</sub>	8.0	<0.01	0.99	14%	<0.001
Non-CO <sub>2</sub> Emissions from Stationary Combustion - Electricity Generation	N <sub>2</sub> O	7.4	<0.01	0.99	173%	0.002
Fugitive Emissions from Abandoned Underground Coal Mines	CH <sub>4</sub>	7.2	<0.01	0.99	24%	<0.001
CO <sub>2</sub> Emissions from Aluminum Production	$CO_2$	6.8	<0.01	0.99	2%	< 0.001
Non-CO <sub>2</sub> Emissions from Stationary Combustion - Residential	CH <sub>4</sub>	5.2	<0.01	0.99	234%	0.002
CH <sub>4</sub> Emissions from Mobile Combustion: Road	CH <sub>4</sub>	5.2	<0.01	0.99	18%	<0.001
SF <sub>6</sub> Emissions from Magnesium Production and Processing	SF <sub>6</sub>	5.2	<0.01	0.99	11%	< 0.001
CO <sub>2</sub> Emissions from Other Process Uses of Carbonates	$CO_2$	4.9	<0.01	0.99	15%	< 0.001
N <sub>2</sub> O Emissions from Product Uses	$N_2O$	4.2	<0.01	0.99	24%	< 0.001
CO <sub>2</sub> Emissions from Urea Consumption for Non-Ag Purposes	$CO_2$	3.8	<0.01	0.99	12%	< 0.001
PFC, HFC, SF <sub>6</sub> , and NF <sub>3</sub> Emissions from Semiconductor Manufacture	Several	3.6	<0.01	0.99	6%	<0.001
CO <sub>2</sub> Emissions from Petroleum Systems	$CO_2$	3.6	<0.01	0.99	149%	0.001
N₂O Emissions from Wastewater Treatment	$N_2O$	3.4	<0.01	1.00	108%	0.001
Non-CO <sub>2</sub> Emissions from Stationary Combustion - Industrial	$N_2O$	3.1	<0.01	1.00	222%	0.001
CO <sub>2</sub> Emissions from Stationary Combustion - Coal - Residential	$CO_2$	3.0	<0.01	1.00	NE	<0.001

CO <sub>2</sub> Emissions from Soda Ash Production and Consumption	CO <sub>2</sub>	2.8	<0.01	1.00	7%	<0.001
CO <sub>2</sub> Emissions from Ferroalloy Production	CO <sub>2</sub>	2.2	<0.01	1.00	12%	<0.001
Non-CO <sub>2</sub> Emissions from Stationary Combustion - Industrial	CH₄	1.8	<0.01	1.00	50%	<0.001
N₂O Emissions from Mobile Combustion: Aviation	N <sub>2</sub> O	1.7	<0.01	1.00	3%	<0.001
CO <sub>2</sub> Emissions from Glass Production	$CO_2$	1.5	<0.01	1.00	5%	<0.001
CO <sub>2</sub> Emissions from Phosphoric Acid Production	$CO_2$	1.5	<0.01	1.00	20%	<0.001
CO <sub>2</sub> Emissions from Carbon Dioxide Consumption	$CO_2$	1.5	<0.01	1.00	13%	<0.001
N <sub>2</sub> O Emissions from Mobile Combustion: Other	N <sub>2</sub> O	1.2	<0.01	1.00	2%	<0.001
CO <sub>2</sub> Emissions from Titanium Dioxide Production	CO <sub>2</sub>	1.2	<0.01	1.00	13%	<0.001
Non-CO <sub>2</sub> Emissions from Stationary Combustion - Residential	N <sub>2</sub> O	1.0	<0.01	1.00	206%	<0.001
Non-CO <sub>2</sub> Emissions from Stationary Combustion - Commercial	CH <sub>4</sub>	1.0	<0.01	1.00	140%	<0.001
CO <sub>2</sub> Emissions from Stationary Combustion - Coal - U.S. Territories	CO <sub>2</sub>	0.6	<0.01	1.00	19%	<0.001
CO <sub>2</sub> Emissions from Zinc Production	$CO_2$	0.6	<0.01	1.00	21%	<0.001
N <sub>2</sub> O Emissions from Mobile Combustion: Marine	$N_2O$	0.6	<0.01	1.00	31%	<0.001
CO <sub>2</sub> Emissions from Lead Production	$CO_2$	0.5	<0.01	1.00	16%	< 0.001
N <sub>2</sub> O Emissions from Incineration of Waste	$N_2O$	0.5	<0.01	1.00	163%	< 0.001
CO <sub>2</sub> Emissions from Stationary Combustion - Geothermal	$CO_2$	0.4	<0.01	1.00	NA	<0.001
Energy CH <sub>4</sub> Emissions from Composting	CH <sub>4</sub>	0.4	<0.01	1.00	50%	<0.001
CO <sub>2</sub> Emissions from Silicon Carbide Production and	CO <sub>2</sub>	0.4	<0.01	1.00	9%	<0.001
Consumption	002	0.4	<b>\0.01</b>	1.00	J /0	\0.001
Non-CO <sub>2</sub> Emissions from Stationary Combustion - Commercial	$N_2O$	0.4	<0.01	1.00	42%	< 0.001
N <sub>2</sub> O Emissions from Composting	$N_2O$	0.3	<0.01	1.00	50%	< 0.001
CH <sub>4</sub> Emissions from Mobile Combustion: Other	CH <sub>4</sub>	0.3	<0.01	1.00	2%	<0.001
Non-CO <sub>2</sub> Emissions from Stationary Combustion - Electricity	CH <sub>4</sub>	0.3	<0.01	1.00	22%	<0.001
Generation	01.14	0.0	0.01	1.00	<b>LL</b> 70	0.001
Emissions from Substitutes for Ozone Depleting Substances	Several	0.3	<0.01	1.00	10%	<0.001
CH <sub>4</sub> Emissions from Field Burning of Agricultural Residues	CH <sub>4</sub>	0.2	<0.01	1.00	40%	< 0.001
CH <sub>4</sub> Emissions from Petrochemical Production	CH <sub>4</sub>	0.2	<0.01	1.00	55%	< 0.001
N <sub>2</sub> O Emissions from Field Burning of Agricultural Residues	$N_2O$	0.1	<0.01	1.00	29%	< 0.001
Non-CO <sub>2</sub> Emissions from Stationary Combustion - U.S.	$N_2O$	0.1	<0.01	1.00	200%	< 0.001
Territories						
CH <sub>4</sub> Emissions from Mobile Combustion: Aviation	CH <sub>4</sub>	0.1	<0.01	1.00	3%	<0.001
Non-CO <sub>2</sub> Emissions from Stationary Combustion - U.S. Territories	CH <sub>4</sub>	+	<0.01	1.00	56%	<0.001
N <sub>2</sub> O Emissions from Semiconductor Manufacture	$N_2O$	+	<0.01	1.00	12%	<0.001
CH <sub>4</sub> Emissions from Silicon Carbide Production and Consumption	CH <sub>4</sub>	+	<0.01	1.00	10%	<0.001
CH <sub>4</sub> Emissions from Mobile Combustion: Marine	CH <sub>4</sub>	+	<0.01	1.00	8%	<0.001
CH <sub>4</sub> Emissions from Iron and Steel Production & Metallurgical Coke Production	CH₄	+	<0.01	1.00	19%	<0.001
CH <sub>4</sub> Emissions from Ferroalloy Production	CH <sub>4</sub>	+	<0.01	1.00	12%	< 0.001
CO <sub>2</sub> Emissions from Magnesium Production and Processing	$CO_2$	+	<0.01	1.00	5%	< 0.001
CH <sub>4</sub> Emissions from Incineration of Waste	CH <sub>4</sub>	+	<0.01	1.00	NE	<0.001
HFC-134a Emissions from Magnesium Production and	HFCs	0.0	<0.01	1.00	5%	<0.001
Processing CO <sub>2</sub> Emissions from Stationary Combustion - Gas - U.S.	CO <sub>2</sub>	0.0	<0.01	1.00	17%	<0.001
Territories						

<sup>+</sup> Does not exceed 0.05 MMT CO<sub>2</sub> Eq.

Note: LULUCF sources and sinks are not included in this analysis.

Percent relative uncertainty. If the corresponding uncertainty is asymmetrical, the uncertainty given here is the larger and always positive.

NE (Not Estimated)

NA (Not Available)

Table A-5: 1990 Key Source Category Approach 1 and Approach 2 Analysis—Level Assessment, with LULUCF

		1990 Estimate	Approach 1			Approach 2
		(MMT CO <sub>2</sub>	Level	Cumulative		Level
PCC Source Categories	Direct GHG	Eq.)	Assessment	Total	Uncertaintya	Assessmen
CO <sub>2</sub> Emissions from Stationary Combustion - Coal - Electricity	CO <sub>2</sub>	1,547.6	0.21	0.21	10%	0.020
Generation					•••	
CO <sub>2</sub> Emissions from Mobile Combustion: Road	CO <sub>2</sub>	1,188.9	0.16	0.37	6%	0.010
CO <sub>2</sub> Emissions from Forest Land Remaining Forest Land	CO <sub>2</sub>	723.5	0.10	0.47	37%	0.037
CO <sub>2</sub> Emissions from Stationary Combustion - Gas - Industrial	CO <sub>2</sub>	408.9	0.06	0.52	7%	0.004
CO <sub>2</sub> Emissions from Stationary Combustion - Oil - Industrial	CO <sub>2</sub>	278.3	0.04	0.56	19%	0.007
Direct N <sub>2</sub> O Emissions from Agricultural Soil Management	N <sub>2</sub> O	245.0	0.03	0.60	24%	0.008
CO <sub>2</sub> Emissions from Stationary Combustion - Gas - Residential	CO <sub>2</sub>	238.0	0.03	0.63	7%	0.002
CH <sub>4</sub> Emissions from Natural Gas Systems	CH <sub>4</sub>	206.8	0.03	0.66	30%	0.008
CO <sub>2</sub> Emissions from Mobile Combustion: Aviation	CO <sub>2</sub>	187.4	0.03	0.68	6%	0.002
CH <sub>4</sub> Emissions from Landfills	CH <sub>4</sub>	179.6	0.02	0.71	61%	0.015
CO <sub>2</sub> Emissions from Stationary Combustion - Gas - Electricity Generation	CO <sub>2</sub>	175.3	0.02	0.73	5%	0.001
CH <sub>4</sub> Emissions from Enteric Fermentation	CH <sub>4</sub>	164.2	0.02	0.75	18%	0.004
CO <sub>2</sub> Emissions from Stationary Combustion - Coal - Industrial	CO <sub>2</sub>	155.3	0.02	0.77	16%	0.003
CO <sub>2</sub> Emissions from Stationary Combustion - Gas - Commercial	CO <sub>2</sub>	142.1	0.02	0.79	7%	0.001
CO <sub>2</sub> Emissions from Non-Energy Use of Fuels	CO <sub>2</sub>	118.1	0.02	0.81	42%	0.007
CO <sub>2</sub> Emissions from Iron and Steel Production & Metallurgical Coke Production	CO <sub>2</sub>	99.7	0.01	0.82	15%	0.002
CO <sub>2</sub> Emissions from Stationary Combustion - Oil - Electricity Generation	CO <sub>2</sub>	97.5	0.01	0.83	8%	0.001
CO <sub>2</sub> Emissions from Stationary Combustion - Oil - Residential	CO <sub>2</sub>	97.4	0.01	0.85	5%	0.001
Fugitive Emissions from Coal Mining	CH <sub>4</sub>	96.5	0.01	0.86	15%	0.002
CO <sub>2</sub> Emissions from Mobile Combustion: Other	CO <sub>2</sub>	73.3	0.01	0.87	6%	0.001
CO <sub>2</sub> Emissions from Land Converted to Cropland	CO <sub>2</sub>	65.7	0.01	0.88	52%	0.005
CO <sub>2</sub> Emissions from Stationary Combustion - Oil - Commercial	CO <sub>2</sub>	63.3	0.01	0.89	5%	<0.001
CO <sub>2</sub> Emissions from Urban Trees	CO <sub>2</sub>	60.4	0.01	0.90	51%	0.004
Indirect N <sub>2</sub> O Emissions from Applied Nitrogen	N <sub>2</sub> O	58.2	0.01	0.90	139%	0.011
HFC-23 Emissions from HCFC-22 Production	HFCs	46.1	0.01	0.91	10%	0.001
CO <sub>2</sub> Emissions from Mobile Combustion: Marine	CO <sub>2</sub>	44.3	0.01	0.92	6%	<0.001
CO <sub>2</sub> Emissions from Land Converted to Grassland	CO <sub>2</sub>	39.1	0.01	0.92	27%	0.001
CH <sub>4</sub> Emissions from Petroleum Systems	CH <sub>4</sub>	38.7	0.01	0.93	149%	0.008
CO <sub>2</sub> Emissions from Natural Gas Systems	CO <sub>2</sub>	37.7	0.01	0.93	30%	0.002
N <sub>2</sub> O Emissions from Mobile Combustion: Road	N <sub>2</sub> O	37.7	0.01	0.94	27%	0.001
CH <sub>4</sub> Emissions from Manure Management	CH <sub>4</sub>	37.2	0.01	0.94	20%	0.001
CO <sub>2</sub> Emissions from Cropland Remaining Cropland	CO <sub>2</sub>	34.3	<0.01	0.95	414%	0.019
CO <sub>2</sub> Emissions from Cement Production	CO <sub>2</sub>	33.3	<0.01	0.95	6%	<0.001
CO <sub>2</sub> Emissions from Stationary Combustion - Oil - U.S. Territories	CO <sub>2</sub>	27.2	<0.01	0.96	11%	<0.001
CO <sub>2</sub> Emissions from Landfilled Yard Trimmings and Food Scraps	CO <sub>2</sub>	26.0	<0.01	0.96	64%	0.002
SF <sub>6</sub> Emissions from Electrical Transmission and Distribution	SF <sub>6</sub>	25.4	<0.01	0.96	23%	0.001
CO <sub>2</sub> Emissions from Petrochemical Production	$CO_2$	21.6	< 0.01	0.97	5%	<0.001
PFC Emissions from Aluminum Production	PFCs	21.5	<0.01	0.97	2%	<0.001
CH <sub>4</sub> Emissions from Wastewater Treatment	CH <sub>4</sub>	15.7	<0.01	0.97	39%	0.001
N <sub>2</sub> O Emissions from Adipic Acid Production	$N_2O$	15.2	<0.01	0.97	4%	<0.001
N <sub>2</sub> O Emissions from Manure Management	N <sub>2</sub> O	14.0	<0.01	0.97	24%	<0.001
CH <sub>4</sub> Emissions from Rice Cultivation	CH <sub>4</sub>	13.1	<0.01	0.98	17%	<0.001
CO <sub>2</sub> Emissions from Ammonia Production	CO <sub>2</sub>	13.0	< 0.01	0.98	8%	<0.001

CO <sub>2</sub> Emissions from Grassland Remaining Grassland	CO <sub>2</sub>	12.9	<0.01	0.98	1013%	0.018
N <sub>2</sub> O Emissions from Nitric Acid Production	$N_2O$	12.1	<0.01	0.98	5%	<0.001
CO <sub>2</sub> Emissions from Stationary Combustion - Coal - Commercial	CO <sub>2</sub>	12.0	<0.01	0.98	15%	<0.001
CO <sub>2</sub> Emissions from Lime Production	$CO_2$	11.7	<0.01	0.98	3%	< 0.001
CO <sub>2</sub> Emissions from Incineration of Waste	$CO_2$	8.0	<0.01	0.99	14%	< 0.001
Non-CO <sub>2</sub> Emissions from Stationary Combustion - Electricity Generation	N <sub>2</sub> O	7.4	<0.01	0.99	173%	0.002
Fugitive Emissions from Abandoned Underground Coal Mines	CH <sub>4</sub>	7.2	<0.01	0.99	24%	<0.001
CO <sub>2</sub> Emissions from Aluminum Production	$CO_2$	6.8	<0.01	0.99	2%	<0.001
Non-CO <sub>2</sub> Emissions from Stationary Combustion - Residential	CH <sub>4</sub>	5.2	<0.01	0.99	234%	0.002
CH <sub>4</sub> Emissions from Mobile Combustion: Road	CH <sub>4</sub>	5.2	<0.01	0.99	18%	< 0.001
SF <sub>6</sub> Emissions from Magnesium Production and Processing	SF <sub>6</sub>	5.2	< 0.01	0.99	11%	< 0.001
CO <sub>2</sub> Emissions from Other Process Uses of Carbonates	$CO_2$	4.9	<0.01	0.99	15%	< 0.001
CO <sub>2</sub> Emissions from Liming	CO <sub>2</sub>	4.7	< 0.01	0.99	111%	0.001
N <sub>2</sub> O Emissions from Product Uses	$N_2O$	4.2	< 0.01	0.99	24%	< 0.001
CO <sub>2</sub> Emissions from Urea Consumption for Non-Ag Purposes	$CO_2$	3.8	< 0.01	0.99	12%	< 0.001
PFC, HFC, SF <sub>6</sub> , and NF <sub>3</sub> Emissions from Semiconductor Manufacture	Several	3.6	<0.01	0.99	6%	<0.001
CO <sub>2</sub> Emissions from Petroleum Systems	$CO_2$	3.6	< 0.01	0.99	149%	0.001
N <sub>2</sub> O Emissions from Wastewater Treatment	$N_2O$	3.4	< 0.01	0.99	108%	< 0.001
CH <sub>4</sub> Emissions from Forest Fires	CH <sub>4</sub>	3.3	< 0.01	0.99	174%	0.001
Non-CO <sub>2</sub> Emissions from Stationary Combustion - Industrial	$N_2O$	3.1	< 0.01	1.00	222%	0.001
CO <sub>2</sub> Emissions from Stationary Combustion - Coal - Residential	$CO_2$	3.0	< 0.01	1.00	NE	< 0.001
CO <sub>2</sub> Emissions from Soda Ash Production and Consumption	$CO_2$	2.8	< 0.01	1.00	7%	< 0.001
CO <sub>2</sub> Emissions from Urea Fertilization	$CO_2$	2.4	< 0.01	1.00	42%	< 0.001
N <sub>2</sub> O Emissions from Forest Fires	$N_2O$	2.2	< 0.01	1.00	157%	< 0.001
CO <sub>2</sub> Emissions from Ferroalloy Production	$CO_2$	2.2	< 0.01	1.00	12%	< 0.001
Non-CO <sub>2</sub> Emissions from Stationary Combustion - Industrial	CH <sub>4</sub>	1.8	< 0.01	1.00	50%	< 0.001
N <sub>2</sub> O Emissions from Mobile Combustion: Aviation	$N_2O$	1.7	< 0.01	1.00	3%	< 0.001
CO <sub>2</sub> Emissions from Glass Production	$CO_2$	1.5	< 0.01	1.00	5%	< 0.001
CO <sub>2</sub> Emissions from Phosphoric Acid Production	$CO_2$	1.5	< 0.01	1.00	20%	< 0.001
CO <sub>2</sub> Emissions from Carbon Dioxide Consumption	$CO_2$	1.5	< 0.01	1.00	13%	< 0.001
N <sub>2</sub> O Emissions from Settlement Soils	$N_2O$	1.4	< 0.01	1.00	268%	< 0.001
N <sub>2</sub> O Emissions from Mobile Combustion: Other	$N_2O$	1.2	<0.01	1.00	2%	< 0.001
CO <sub>2</sub> Emissions from Titanium Dioxide Production	CO <sub>2</sub>	1.2	<0.01	1.00	13%	< 0.001
CO <sub>2</sub> Emissions from Peatlands Remaining Peatlands	$CO_2$	1.1	< 0.01	1.00	19%	< 0.001
Non-CO <sub>2</sub> Emissions from Stationary Combustion - Residential	$N_2O$	1.0	< 0.01	1.00	206%	< 0.001
Non-CO <sub>2</sub> Emissions from Stationary Combustion - Commercial	CH <sub>4</sub>	1.0	< 0.01	1.00	140%	< 0.001
CO <sub>2</sub> Emissions from Land Converted to Forest Land	CO <sub>2</sub>	0.7	<0.01	1.00	70%	< 0.001
CO <sub>2</sub> Emissions from Stationary Combustion - Coal - U.S. Territories	CO <sub>2</sub>	0.6	<0.01	1.00	19%	<0.001
CO <sub>2</sub> Emissions from Zinc Production	$CO_2$	0.6	<0.01	1.00	21%	<0.001
N₂O Emissions from Mobile Combustion: Marine	$N_2O$	0.6	<0.01	1.00	31%	< 0.001
CO <sub>2</sub> Emissions from Lead Production	$CO_2$	0.5	<0.01	1.00	16%	<0.001
N <sub>2</sub> O Emissions from Incineration of Waste	N <sub>2</sub> O	0.5	<0.01	1.00	163%	< 0.001
CO <sub>2</sub> Emissions from Stationary Combustion - Geothermal Energy	CO <sub>2</sub>	0.4	<0.01	1.00	NA	<0.001
CH <sub>4</sub> Emissions from Composting	CH <sub>4</sub>	0.4	<0.01	1.00	50%	<0.001
CO <sub>2</sub> Emissions from Silicon Carbide Production and Consumption	CO <sub>2</sub>	0.4	<0.01	1.00	9%	<0.001
Non-CO <sub>2</sub> Emissions from Stationary Combustion - Commercial	$N_2O$	0.4	<0.01	1.00	42%	<0.001
N <sub>2</sub> O Emissions from Composting	N <sub>2</sub> O	0.3	<0.01	1.00	50%	<0.001

CH <sub>4</sub> Emissions from Mobile Combustion: Other	CH <sub>4</sub>	0.3	<0.01	1.00	2%	<0.001
Non-CO <sub>2</sub> Emissions from Stationary Combustion - Electricity Generation	CH <sub>4</sub>	0.3	<0.01	1.00	22%	<0.001
Emissions from Substitutes for Ozone Depleting Substances	Several	0.3	<0.01	1.00	10%	< 0.001
CH <sub>4</sub> Emissions from Field Burning of Agricultural Residues	CH <sub>4</sub>	0.2	<0.01	1.00	40%	< 0.001
CH <sub>4</sub> Emissions from Petrochemical Production	CH <sub>4</sub>	0.2	<0.01	1.00	55%	< 0.001
N₂O Emissions from Forest Soils	$N_2O$	0.1	<0.01	1.00	318%	<0.001
N₂O Emissions from Field Burning of Agricultural Residues	N <sub>2</sub> O	0.1	<0.01	1.00	29%	<0.001
Non-CO <sub>2</sub> Emissions from Stationary Combustion - U.S. Territories	N <sub>2</sub> O	0.1	<0.01	1.00	200%	<0.001
CH <sub>4</sub> Emissions from Mobile Combustion: Aviation	CH <sub>4</sub>	0.1	<0.01	1.00	3%	< 0.001
Non-CO <sub>2</sub> Emissions from Stationary Combustion - U.S. Territories	CH <sub>4</sub>	+	<0.01	1.00	56%	<0.001
N <sub>2</sub> O Emissions from Semiconductor Manufacture	$N_2O$	+	<0.01	1.00	12%	<0.001
CH <sub>4</sub> Emissions from Silicon Carbide Production and Consumption	CH <sub>4</sub>	+	<0.01	1.00	10%	<0.001
CH <sub>4</sub> Emissions from Mobile Combustion: Marine	CH <sub>4</sub>	+	<0.01	1.00	8%	< 0.001
CH <sub>4</sub> Emissions from Iron and Steel Production & Metallurgical Coke Production	CH <sub>4</sub>	+	<0.01	1.00	19%	<0.001
CH <sub>4</sub> Emissions from Ferroalloy Production	CH <sub>4</sub>	+	<0.01	1.00	12%	< 0.001
CH <sub>4</sub> Emissions from Peatlands Remaining Peatlands	CH <sub>4</sub>	+	<0.01	1.00	62%	< 0.001
CO <sub>2</sub> Emissions from Magnesium Production and Processing	$CO_2$	+	<0.01	1.00	5%	< 0.001
N <sub>2</sub> O Emissions from Peatlands Remaining Peatlands	$N_2O$	+	<0.01	1.00	61%	< 0.001
CH <sub>4</sub> Emissions from Incineration of Waste	CH <sub>4</sub>	+	<0.01	1.00	NE	< 0.001
HFC-134a Emissions from Magnesium Production and	HFCs	0.0	<0.01	1.00	5%	<0.001

Table A-6: 2014 Key Source Category Approach 1 and Approach 2 Analysis—Level Assessment, without LULUCF

			Approach 1			
		2014 Estimate	Level	Cumulative		Approach 2 Level
IPCC Source Categories	Direct GHG	(MMT CO <sub>2</sub> Eq.)	Assessment	Total	Uncertaintya	Assessment
CO <sub>2</sub> Emissions from Stationary Combustion - Coal - Electricity Generation	CO <sub>2</sub>	1,570.4	0.23	0.23	10%	0.022
CO <sub>2</sub> Emissions from Mobile Combustion: Road	CO <sub>2</sub>	1,467.5	0.21	0.44	6%	0.014
CO <sub>2</sub> Emissions from Stationary Combustion - Gas - Industrial	CO <sub>2</sub>	466.0	0.07	0.51	7%	0.005
CO <sub>2</sub> Emissions from Stationary Combustion - Gas - Electricity Generation	CO <sub>2</sub>	443.2	0.06	0.57	5%	0.003
CO <sub>2</sub> Emissions from Stationary Combustion - Gas - Residential	CO <sub>2</sub>	277.6	0.04	0.61	7%	0.003
CO <sub>2</sub> Emissions from Stationary Combustion - Oil - Industrial	CO <sub>2</sub>	271.9	0.04	0.65	19%	0.008
Direct N <sub>2</sub> O Emissions from Agricultural Soil Management	N <sub>2</sub> O	261.0	0.04	0.69	24%	0.009
CO <sub>2</sub> Emissions from Stationary Combustion - Gas - Commercial	CO <sub>2</sub>	189.2	0.03	0.72	7%	0.002
CH <sub>4</sub> Emissions from Natural Gas Systems	CH <sub>4</sub>	176.1	0.03	0.75	30%	0.008
CH <sub>4</sub> Emissions from Enteric Fermentation	CH <sub>4</sub>	164.3	0.02	0.77	18%	0.004
Emissions from Substitutes for Ozone Depleting Substances	Several	161.2	0.02	0.79	10%	0.002
CO <sub>2</sub> Emissions from Mobile Combustion: Aviation	CO <sub>2</sub>	150.1	0.02	0.81	6%	0.001
CH <sub>4</sub> Emissions from Landfills	CH <sub>4</sub>	148.0	0.02	0.84	61%	0.013
CO <sub>2</sub> Emissions from Non-Energy Use of Fuels	CO <sub>2</sub>	114.3	0.02	0.85	42%	0.007

CO <sub>2</sub> Emissions from Mobile Combustion: Other	CO <sub>2</sub>	92.0	0.01	0.87	6%	0.001
CO <sub>2</sub> Emissions from Stationary Combustion - Coal -	CO <sub>2</sub>	75.3	0.01	0.88	16%	0.001
Industrial	002	75.5	0.01	0.00	10 /0	0.002
CH <sub>4</sub> Emissions from Petroleum Systems	CH <sub>4</sub>	68.1	0.01	0.89	149%	0.015
Fugitive Emissions from Coal Mining	CH <sub>4</sub>	67.6	0.01	0.90	15%	0.002
CO <sub>2</sub> Emissions from Stationary Combustion - Oil -	CO <sub>2</sub>	67.5	0.01	0.91	5%	0.001
Residential						
CH <sub>4</sub> Emissions from Manure Management	CH <sub>4</sub>	61.2	0.01	0.92	20%	0.002
Indirect N <sub>2</sub> O Emissions from Applied Nitrogen	N <sub>2</sub> O	57.3	0.01	0.92	139%	0.012
CO <sub>2</sub> Emissions from Iron and Steel Production &	CO <sub>2</sub>	55.4	0.01	0.93	15%	0.001
Metallurgical Coke Production	00	40.4	0.04	0.04	200/	0.000
CO <sub>2</sub> Emissions from Natural Gas Systems	CO <sub>2</sub>	42.4	0.01	0.94	30%	0.002
CO <sub>2</sub> Emissions from Cement Production	CO <sub>2</sub>	38.8	0.01	0.94	6%	<0.001
CO <sub>2</sub> Emissions from Stationary Combustion - Oil - Commercial	CO <sub>2</sub>	38.2	0.01	0.95	5%	<0.001
CO <sub>2</sub> Emissions from Stationary Combustion - Oil - U.S.	CO <sub>2</sub>	34.6	0.01	0.95	11%	0.001
Territories	002	04.0	0.01	0.50	1170	0.001
CO <sub>2</sub> Emissions from Mobile Combustion: Marine	CO <sub>2</sub>	28.0	<0.01	0.96	6%	<0.001
CO <sub>2</sub> Emissions from Petrochemical Production	CO <sub>2</sub>	26.5	<0.01	0.96	5%	< 0.001
CO <sub>2</sub> Emissions from Stationary Combustion - Oil - Electricity	CO <sub>2</sub>	25.3	<0.01	0.97	8%	< 0.001
Generation						
Non-CO <sub>2</sub> Emissions from Stationary Combustion - Electricity	N <sub>2</sub> O	19.6	<0.01	0.97	173%	0.005
Generation N <sub>2</sub> O Emissions from Manure Management	N <sub>2</sub> O	17.5	<0.01	0.97	24%	0.001
CH4 Emissions from Wastewater Treatment	CH <sub>4</sub>	14.7	<0.01	0.97	39%	0.001
CO <sub>2</sub> Emissions from Lime Production	CO <sub>2</sub>	14.7	<0.01	0.97	3%	<0.001
N <sub>2</sub> O Emissions from Mobile Combustion: Road	N <sub>2</sub> O	12.5	<0.01	0.98	27%	<0.001
CO <sub>2</sub> Emissions from Other Process Uses of Carbonates	N2O CO2	12.5	<0.01	0.98	15%	<0.001
CH <sub>4</sub> Emissions from Rice Cultivation	CO <sub>2</sub> CH <sub>4</sub>	11.9	<0.01	0.98	17%	<0.001
N <sub>2</sub> O Emissions from Nitric Acid Production	N <sub>2</sub> O	10.9	<0.01	0.98	5%	<0.001
CO <sub>2</sub> Emissions from Ammonia Production	CO <sub>2</sub>	9.4	<0.01	0.98	8%	<0.001
CO <sub>2</sub> Emissions from Incineration of Waste	CO <sub>2</sub>	9.4	<0.01	0.90	14%	<0.001
	CH <sub>4</sub>	6.3	<0.01	0.99	24%	<0.001
Fugitive Emissions from Abandoned Underground Coal Mines	СП4	0.5	<0.01	0.99	24 70	<b>~</b> 0.001
SF <sub>6</sub> Emissions from Electrical Transmission and Distribution	SF <sub>6</sub>	5.6	<0.01	0.99	23%	<0.001
N <sub>2</sub> O Emissions from Adipic Acid Production	N <sub>2</sub> O	5.4	<0.01	0.99	4%	<0.001
HFC-23 Emissions from HCFC-22 Production	HFCs	5.0	<0.01	0.99	10%	<0.001
Non-CO <sub>2</sub> Emissions from Stationary Combustion -	CH <sub>4</sub>	5.0	<0.01	0.99	234%	0.002
Residential						
N <sub>2</sub> O Emissions from Wastewater Treatment	N <sub>2</sub> O	4.8	<0.01	0.99	108%	0.001
PFC, HFC, SF <sub>6</sub> , and NF <sub>3</sub> Emissions from Semiconductor	Several	4.5	<0.01	0.99	6%	<0.001
Manufacture	00	4.5	-0.04	0.00	450/	10.004
CO <sub>2</sub> Emissions from Stationary Combustion - Coal - Commercial	$CO_2$	4.5	<0.01	0.99	15%	<0.001
CO <sub>2</sub> Emissions from Carbon Dioxide Consumption	CO <sub>2</sub>	4.5	<0.01	0.99	13%	<0.001
N <sub>2</sub> O Emissions from Product Uses	N <sub>2</sub> O	4.2	<0.01	0.99	24%	< 0.001
CO <sub>2</sub> Emissions from Urea Consumption for Non-Ag	CO <sub>2</sub>	4.0	<0.01	0.99	12%	< 0.001
Purposes	002	1.0	10.01	0.00	1270	-0.001
CO <sub>2</sub> Emissions from Petroleum Systems	CO <sub>2</sub>	3.6	<0.01	0.99	149%	0.001
CO <sub>2</sub> Emissions from Stationary Combustion - Coal - U.S.	CO <sub>2</sub>	3.4	< 0.01	0.99	19%	<0.001
Territories						
CO <sub>2</sub> Emissions from Stationary Combustion - Gas - U.S.	CO <sub>2</sub>	3.0	<0.01	0.99	17%	<0.001
Territories CO <sub>2</sub> Emissions from Aluminum Production	CO <sub>2</sub>	2.8	<0.01	1.00	2%	<0.001
CO <sub>2</sub> Emissions from Aluminum Production CO <sub>2</sub> Emissions from Soda Ash Production and Consumption	CO <sub>2</sub>	2.8 2.8	<0.01 <0.01	1.00	2% 7%	<0.001
PFC Emissions from Aluminum Production	PFCs	2.6 2.5	<0.01	1.00	7 % 2%	<0.001
TTO Emissions from Audminum Floudouom	1105	2.0	<b>~</b> 0.01	1.00	∠./0	<b>~</b> 0.001

Non-CO <sub>2</sub> Emissions from Stationary Combustion - Industrial	$N_2O$	2.4	<0.01	1.00	222%	0.001
CH <sub>4</sub> Emissions from Composting	CH <sub>4</sub>	2.1	<0.01	1.00	50%	<0.001
N <sub>2</sub> O Emissions from Mobile Combustion: Other	$N_2O$	2.0	<0.01	1.00	2%	<0.001
CO <sub>2</sub> Emissions from Ferroalloy Production	$CO_2$	1.9	<0.01	1.00	12%	<0.001
N <sub>2</sub> O Emissions from Composting	$N_2O$	1.8	< 0.01	1.00	50%	<0.001
CO <sub>2</sub> Emissions from Titanium Dioxide Production	$CO_2$	1.8	< 0.01	1.00	13%	<0.001
Non-CO <sub>2</sub> Emissions from Stationary Combustion - Industrial	CH <sub>4</sub>	1.5	<0.01	1.00	50%	<0.001
CH <sub>4</sub> Emissions from Mobile Combustion: Road	CH <sub>4</sub>	1.4	<0.01	1.00	18%	< 0.001
N <sub>2</sub> O Emissions from Mobile Combustion: Aviation	$N_2O$	1.4	<0.01	1.00	3%	< 0.001
CO <sub>2</sub> Emissions from Glass Production	CO <sub>2</sub>	1.3	<0.01	1.00	5%	< 0.001
CO <sub>2</sub> Emissions from Phosphoric Acid Production	CO <sub>2</sub>	1.1	<0.01	1.00	20%	< 0.001
Non-CO <sub>2</sub> Emissions from Stationary Combustion - Commercial	CH <sub>4</sub>	1.1	<0.01	1.00	140%	<0.001
SF <sub>6</sub> Emissions from Magnesium Production and Processing	SF <sub>6</sub>	1.0	<0.01	1.00	11%	<0.001
Non-CO <sub>2</sub> Emissions from Stationary Combustion - Residential	$N_2O$	1.0	<0.01	1.00	206%	<0.001
CO <sub>2</sub> Emissions from Zinc Production	CO <sub>2</sub>	1.0	<0.01	1.00	21%	<0.001
CH <sub>4</sub> Emissions from Mobile Combustion: Other	CH <sub>4</sub>	0.5	<0.01	1.00	2%	<0.001
N <sub>2</sub> O Emissions from Mobile Combustion: Marine	N <sub>2</sub> O	0.5	<0.01	1.00	31%	<0.001
CO <sub>2</sub> Emissions from Lead Production	CO <sub>2</sub>	0.5	<0.01	1.00	16%	<0.001
Non-CO <sub>2</sub> Emissions from Stationary Combustion - Electricity	CH <sub>4</sub>	0.4	<0.01	1.00	22%	<0.001
Generation CO <sub>2</sub> Emissions from Stationary Combustion - Geothermal					NA	
Energy	CO <sub>2</sub>	0.4	<0.01	1.00		<0.001
N <sub>2</sub> O Emissions from Incineration of Waste	N <sub>2</sub> O	0.3	<0.01	1.00	163%	<0.001
Non-CO <sub>2</sub> Emissions from Stationary Combustion - Commercial	N <sub>2</sub> O	0.3	<0.01	1.00	42%	<0.001
CH <sub>4</sub> Emissions from Field Burning of Agricultural Residues	CH <sub>4</sub>	0.3	<0.01	1.00	40%	<0.001
N <sub>2</sub> O Emissions from Semiconductor Manufacture	$N_2O$	0.2	<0.01	1.00	12%	<0.001
CO <sub>2</sub> Emissions from Silicon Carbide Production and Consumption	CO <sub>2</sub>	0.2	<0.01	1.00	9%	<0.001
HFC-134a Emissions from Magnesium Production and Processing	HFCs	0.1	<0.01	1.00	5%	<0.001
CH <sub>4</sub> Emissions from Petrochemical Production	CH <sub>4</sub>	0.1	< 0.01	1.00	55%	<0.001
Non-CO <sub>2</sub> Emissions from Stationary Combustion - U.S. Territories	N <sub>2</sub> O	0.1	<0.01	1.00	200%	<0.001
N <sub>2</sub> O Emissions from Field Burning of Agricultural Residues	$N_2O$	0.1	<0.01	1.00	29%	<0.001
Non-CO <sub>2</sub> Emissions from Stationary Combustion - U.S. Territories	CH <sub>4</sub>	0.1	<0.01	1.00	56%	<0.001
CH <sub>4</sub> Emissions from Mobile Combustion: Aviation	CH <sub>4</sub>	+	<0.01	1.00	3%	< 0.001
CH <sub>4</sub> Emissions from Mobile Combustion: Marine	CH <sub>4</sub>	+	<0.01	1.00	8%	< 0.001
CH <sub>4</sub> Emissions from Ferroalloy Production	CH <sub>4</sub>	+	<0.01	1.00	12%	< 0.001
CH <sub>4</sub> Emissions from Silicon Carbide Production and Consumption	CH <sub>4</sub>	+	<0.01	1.00	10%	<0.001
CH <sub>4</sub> Emissions from Iron and Steel Production & Metallurgical Coke Production	CH <sub>4</sub>	+	<0.01	1.00	19%	<0.001
CO <sub>2</sub> Emissions from Magnesium Production and Processing	CO <sub>2</sub>	+	<0.01	1.00	5%	< 0.001
CH <sub>4</sub> Emissions from Incineration of Waste	CH <sub>4</sub>	+	<0.01	1.00	NE	<0.001
CO <sub>2</sub> Emissions from Stationary Combustion - Coal - Residential	CO <sub>2</sub>	0.0	<0.01	1.00	NE	<0.001
+ Does not exceed 0.05 MMT CO <sub>2</sub> Eq.						

<sup>+</sup> Does not exceed 0.05 MMT CO<sub>2</sub> Eq.

Note: LULUCF sources and sinks are not included in this analysis.

a Percent relative uncertainty. If the corresponding uncertainty is asymmetrical, the uncertainty given here is the larger and always positive.

NE - Not Estimated

NA - Not Available

Table A-7: 2014 Key Source Category Approach 1 and Approach 2 Analysis—Level Assessment with LULUCF

			Approach 1	_		Approach
		014 Estimate	Level	Cumulative		Level
PCC Source Categories	•	MMT CO <sub>2</sub> Eq.) A		Total	Uncertaintya	Assessmer
CO <sub>2</sub> Emissions from Stationary Combustion - Coal -	CO <sub>2</sub>	1,570.4	0.20	0.20	10%	0.01
Electricity Generation CO <sub>2</sub> Emissions from Mobile Combustion: Road	CO <sub>2</sub>	1,467.5	0.19	0.39	6%	0.01
CO <sub>2</sub> Emissions from Forest Land Remaining Forest Land	CO <sub>2</sub>	742.3	0.09	0.48	37%	0.03
CO <sub>2</sub> Emissions from Stationary Combustion - Gas -	CO <sub>2</sub>	466.0	0.05	0.54	7%	0.0
Industrial	002	+00.0	0.00	0.04	7 70	0.0
CO <sub>2</sub> Emissions from Stationary Combustion - Gas - Electricity Generation	CO <sub>2</sub>	443.2	0.06	0.60	5%	0.0
CO <sub>2</sub> Emissions from Stationary Combustion - Gas - Residential	CO <sub>2</sub>	277.6	0.04	0.64	7%	0.0
CO <sub>2</sub> Emissions from Stationary Combustion - Oil - Industrial	CO <sub>2</sub>	271.9	0.03	0.67	19%	0.0
Direct N <sub>2</sub> O Emissions from Agricultural Soil Management	N <sub>2</sub> O	261.0	0.03	0.70	24%	0.0
CO <sub>2</sub> Emissions from Stationary Combustion - Gas - Commercial	CO <sub>2</sub>	189.2	0.02	0.73	7%	0.0
CH <sub>4</sub> Emissions from Natural Gas Systems	CH <sub>4</sub>	176.1	0.02	0.75	30%	0.0
CH <sub>4</sub> Emissions from Enteric Fermentation	CH <sub>4</sub>	164.3	0.02	0.77	18%	0.0
Emissions from Substitutes for Ozone Depleting Substances	Several	161.2	0.02	0.79	10%	0.0
CO <sub>2</sub> Emissions from Mobile Combustion: Aviation	CO <sub>2</sub>	150.1	0.02	0.81	6%	0.0
CH <sub>4</sub> Emissions from Landfills	CH <sub>4</sub>	148.0	0.02	0.83	61%	0.0
CO <sub>2</sub> Emissions from Non-Energy Use of Fuels	CO <sub>2</sub>	114.3	0.01	0.84	42%	0.0
O <sub>2</sub> Emissions from Mobile Combustion: Other	CO <sub>2</sub>	92.0	0.01	0.86	6%	0.0
O <sub>2</sub> Emissions from Urban Trees	CO <sub>2</sub>	90.6	0.01	0.87	51%	0.0
O <sub>2</sub> Emissions from Stationary Combustion - Coal - Industrial	CO <sub>2</sub>	75.3	0.01	0.88	16%	0.0
H <sub>4</sub> Emissions from Petroleum Systems	CH <sub>4</sub>	68.1	0.01	0.89	149%	0.0
ugitive Emissions from Coal Mining	CH <sub>4</sub>	67.6	0.01	0.90	15%	0.0
O <sub>2</sub> Emissions from Stationary Combustion - Oil - Residential	CO <sub>2</sub>	67.5	0.01	0.90	5%	<0.1
H4 Emissions from Manure Management	CH <sub>4</sub>	61.2	0.01	0.91	20%	0.0
ndirect N <sub>2</sub> O Emissions from Applied Nitrogen	N <sub>2</sub> O	57.3	0.01	0.92	139%	0.0
CO <sub>2</sub> Emissions from Iron and Steel Production & Metallurgical Coke Production	CO <sub>2</sub>	55.4	0.01	0.93	15%	0.0
CO <sub>2</sub> Emissions from Natural Gas Systems	CO <sub>2</sub>	42.4	0.01	0.93	30%	0.0
O <sub>2</sub> Emissions from Land Converted to Grassland	CO <sub>2</sub>	40.4	0.01	0.94	27%	0.0
CO <sub>2</sub> Emissions from Cement Production	CO <sub>2</sub>	38.8	<0.01	0.94	6%	<0.0
CO <sub>2</sub> Emissions from Stationary Combustion - Oil - Commercial	CO <sub>2</sub>	38.2	<0.01	0.95	5%	<0.0
CO <sub>2</sub> Emissions from Stationary Combustion - Oil - U.S. Territories CO <sub>2</sub> Emissions from Mobile Combustion: Marine	CO <sub>2</sub>	34.6 28.0	<0.01	0.95 0.95	11% 6%	<0.0
CO <sub>2</sub> Emissions from Petrochemical Production	CO <sub>2</sub>	26.5	<0.01	0.95	5%	<0.0
O <sub>2</sub> Emissions from Stationary Combustion - Oil -	$CO_2$	25.3	<0.01	0.96	8%	<0.0 <0.0
Electricity Generation	002	25.5	١٥.٥١	0.50	070	٠٠.١
O <sub>2</sub> Emissions from Land Converted to Cropland	$CO_2$	22.1	< 0.01	0.96	52%	0.0
on-CO <sub>2</sub> Emissions from Stationary Combustion - Electricity Generation	N <sub>2</sub> O	19.6	<0.01	0.97	173%	0.0
2O Emissions from Manure Management	N <sub>2</sub> O	17.5	<0.01	0.97	24%	0.0
CH <sub>4</sub> Emissions from Wastewater Treatment	CH <sub>4</sub>	14.7	<0.01	0.97	39%	0.0
CO <sub>2</sub> Emissions from Lime Production	CO <sub>2</sub>	14.1	<0.01	0.97	3%	<0.0
N₂O Emissions from Mobile Combustion: Road	$N_2O$	12.5	<0.01	0.97	27%	<0.0
CO <sub>2</sub> Emissions from Other Process Uses of Carbonates	CO <sub>2</sub>	12.1	< 0.01	0.98	15%	<0.0

CH <sub>4</sub> Emissions from Rice Cultivation	CH₄	11.9	< 0.01	0.98	17%	< 0.001
CO <sub>2</sub> Emissions from Landfilled Yard Trimmings and Food Scraps	$CO_2$	11.6	<0.01	0.98	64%	0.001
N <sub>2</sub> O Emissions from Nitric Acid Production	$N_2O$	10.9	<0.01	0.98	5%	<0.001
CO <sub>2</sub> Emissions from Ammonia Production	CO <sub>2</sub>	9.4	<0.01	0.98	8%	<0.001
CO <sub>2</sub> Emissions from Incineration of Waste	CO <sub>2</sub>	9.4	<0.01	0.98	14%	<0.001
CO <sub>2</sub> Emissions from Cropland Remaining Cropland	CO <sub>2</sub>	8.4	<0.01	0.98	414%	0.004
CH <sub>4</sub> Emissions from Forest Fires	CH <sub>4</sub>	7.3	<0.01	0.98	174%	0.004
Fugitive Emissions from Abandoned Underground Coal	CH <sub>4</sub>	6.3	<0.01	0.99	24%	<0.001
Mines SF <sub>6</sub> Emissions from Electrical Transmission and Distribution	SF <sub>6</sub>	5.6	<0.01	0.99	23%	<0.001
N₂O Emissions from Adipic Acid Production	N <sub>2</sub> O	5.4	< 0.01	0.99	4%	< 0.001
HFC-23 Emissions from HCFC-22 Production	HFCs	5.0	<0.01	0.99	10%	< 0.001
Non-CO <sub>2</sub> Emissions from Stationary Combustion - Residential	CH <sub>4</sub>	5.0	<0.01	0.99	234%	0.001
N <sub>2</sub> O Emissions from Wastewater Treatment	N <sub>2</sub> O	4.8	<0.01	0.99	108%	0.001
N <sub>2</sub> O Emissions from Forest Fires	N <sub>2</sub> O	4.8	<0.01	0.99	157%	0.001
PFC, HFC, SF <sub>6</sub> , and NF <sub>3</sub> Emissions from Semiconductor	Several	4.5	<0.01	0.99	6%	<0.001
Manufacture	00	4.5	0.04	0.00	450/	0.004
CO <sub>2</sub> Emissions from Stationary Combustion - Coal - Commercial	CO <sub>2</sub>	4.5	<0.01	0.99	15%	<0.001
CO <sub>2</sub> Emissions from Urea Fertilization	$CO_2$	4.5	<0.01	0.99	42%	<0.001
CO <sub>2</sub> Emissions from Carbon Dioxide Consumption	CO <sub>2</sub>	4.5	<0.01	0.99	13%	< 0.001
N <sub>2</sub> O Emissions from Product Uses	N <sub>2</sub> O	4.2	<0.01	0.99	24%	<0.001
CO <sub>2</sub> Emissions from Liming	CO <sub>2</sub>	4.1	<0.01	0.99	111%	0.001
CO <sub>2</sub> Emissions from Urea Consumption for Non-Ag	CO <sub>2</sub>	4.0	<0.01	0.99	12%	< 0.001
Purposes	002	1.0	10.01	0.00	1270	10.001
CO <sub>2</sub> Emissions from Grassland Remaining Grassland	CO <sub>2</sub>	3.8	<0.01	0.99	1013%	0.005
CO <sub>2</sub> Emissions from Petroleum Systems	CO <sub>2</sub>	3.6	<0.01	0.99	149%	0.001
CO <sub>2</sub> Emissions from Stationary Combustion - Coal - U.S. Territories	CO <sub>2</sub>	3.4	<0.01	0.99	19%	<0.001
CO <sub>2</sub> Emissions from Stationary Combustion - Gas - U.S. Territories	CO <sub>2</sub>	3.0	<0.01	0.99	17%	<0.001
CO <sub>2</sub> Emissions from Aluminum Production	CO <sub>2</sub>	2.8	< 0.01	1.00	2%	< 0.001
CO <sub>2</sub> Emissions from Soda Ash Production and Consumption	CO <sub>2</sub>	2.8	<0.01	1.00	7%	<0.001
PFC Emissions from Aluminum Production	PFCs	2.5	< 0.01	1.00	2%	< 0.001
Non-CO <sub>2</sub> Emissions from Stationary Combustion - Industrial	$N_2O$	2.4	< 0.01	1.00	222%	0.001
N₂O Emissions from Settlement Soils	$N_2O$	2.4	< 0.01	1.00	268%	0.001
CH <sub>4</sub> Emissions from Composting	CH <sub>4</sub>	2.1	< 0.01	1.00	50%	< 0.001
N₂O Emissions from Mobile Combustion: Other	$N_2O$	2.0	< 0.01	1.00	2%	< 0.001
CO <sub>2</sub> Emissions from Ferroalloy Production	CO <sub>2</sub>	1.9	< 0.01	1.00	12%	< 0.001
N₂O Emissions from Composting	$N_2O$	1.8	< 0.01	1.00	50%	< 0.001
CO <sub>2</sub> Emissions from Titanium Dioxide Production	CO <sub>2</sub>	1.8	< 0.01	1.00	13%	< 0.001
Non-CO <sub>2</sub> Emissions from Stationary Combustion - Industrial	CH₄	1.5	< 0.01	1.00	50%	< 0.001
CH <sub>4</sub> Emissions from Mobile Combustion: Road	CH <sub>4</sub>	1.4	< 0.01	1.00	18%	< 0.001
N <sub>2</sub> O Emissions from Mobile Combustion: Aviation	N <sub>2</sub> O	1.4	<0.01	1.00	3%	< 0.001
CO <sub>2</sub> Emissions from Glass Production	CO <sub>2</sub>	1.3	<0.01	1.00	5%	< 0.001
CO <sub>2</sub> Emissions from Phosphoric Acid Production	CO <sub>2</sub>	1.1	<0.01	1.00	20%	< 0.001
Non-CO <sub>2</sub> Emissions from Stationary Combustion - Commercial	CH <sub>4</sub>	1.1	<0.01	1.00	140%	<0.001
SF <sub>6</sub> Emissions from Magnesium Production and Processing	SF <sub>6</sub>	1.0	<0.01	1.00	11%	< 0.001
Non-CO <sub>2</sub> Emissions from Stationary Combustion -	N <sub>2</sub> O	1.0	<0.01	1.00	206%	<0.001
Residential CO <sub>2</sub> Emissions from Zinc Production	CO <sub>2</sub>	1.0	<0.01	1.00	21%	<0.001

CO <sub>2</sub> Emissions from Peatlands Remaining Peatlands	CO <sub>2</sub>	0.8	<0.01	1.00	19%	<0.001
CH <sub>4</sub> Emissions from Mobile Combustion: Other	CH <sub>4</sub>	0.5	< 0.01	1.00	2%	< 0.001
N <sub>2</sub> O Emissions from Mobile Combustion: Marine	$N_2O$	0.5	<0.01	1.00	31%	< 0.001
CO <sub>2</sub> Emissions from Lead Production	CO <sub>2</sub>	0.5	<0.01	1.00	16%	< 0.001
N <sub>2</sub> O Emissions from Forest Soils	$N_2O$	0.5	<0.01	1.00	318%	<0.001
Non-CO <sub>2</sub> Emissions from Stationary Combustion - Electricity Generation	CH <sub>4</sub>	0.4	<0.01	1.00	22%	<0.001
CO <sub>2</sub> Emissions from Stationary Combustion - Geothermal Energy	CO <sub>2</sub>	0.4	<0.01	1.00	NA	<0.001
CO <sub>2</sub> Emissions from Land Converted to Forest Land	$CO_2$	0.3	<0.01	1.00	70%	< 0.001
N <sub>2</sub> O Emissions from Incineration of Waste	$N_2O$	0.3	<0.01	1.00	163%	< 0.001
Non-CO <sub>2</sub> Emissions from Stationary Combustion - Commercial	N <sub>2</sub> O	0.3	<0.01	1.00	42%	<0.001
CH <sub>4</sub> Emissions from Field Burning of Agricultural Residues	CH <sub>4</sub>	0.3	<0.01	1.00	40%	< 0.001
N <sub>2</sub> O Emissions from Semiconductor Manufacture	$N_2O$	0.2	<0.01	1.00	12%	< 0.001
CO <sub>2</sub> Emissions from Silicon Carbide Production and Consumption	CO <sub>2</sub>	0.2	<0.01	1.00	9%	<0.001
HFC-134a Emissions from Magnesium Production and Processing	HFCs	0.1	<0.01	1.00	5%	<0.001
CH <sub>4</sub> Emissions from Petrochemical Production	CH <sub>4</sub>	0.1	<0.01	1.00	55%	< 0.001
Non-CO <sub>2</sub> Emissions from Stationary Combustion - U.S. Territories	N <sub>2</sub> O	0.1	<0.01	1.00	200%	<0.001
N <sub>2</sub> O Emissions from Field Burning of Agricultural Residues	$N_2O$	0.1	<0.01	1.00	29%	< 0.001
Non-CO <sub>2</sub> Emissions from Stationary Combustion - U.S. Territories	CH <sub>4</sub>	0.1	<0.01	1.00	56%	<0.001
CH <sub>4</sub> Emissions from Mobile Combustion: Aviation	CH <sub>4</sub>	+	<0.01	1.00	3%	< 0.001
CH <sub>4</sub> Emissions from Mobile Combustion: Marine	CH <sub>4</sub>	+	<0.01	1.00	8%	<0.001
CH <sub>4</sub> Emissions from Ferroalloy Production	CH <sub>4</sub>	+	<0.01	1.00	12%	<0.001
CH <sub>4</sub> Emissions from Silicon Carbide Production and Consumption	CH <sub>4</sub>	+	<0.01	1.00	10%	<0.001
CH <sub>4</sub> Emissions from Iron and Steel Production & Metallurgical Coke Production	CH <sub>4</sub>	+	<0.01	1.00	19%	<0.001
CH <sub>4</sub> Emissions from Peatlands Remaining Peatlands	CH <sub>4</sub>	+	<0.01	1.00	62%	< 0.001
CO <sub>2</sub> Emissions from Magnesium Production and Processing	CO <sub>2</sub>	+	<0.01	1.00	5%	<0.001
N₂O Emissions from Peatlands Remaining Peatlands	$N_2O$	+	<0.01	1.00	61%	<0.001
CH <sub>4</sub> Emissions from Incineration of Waste	CH <sub>4</sub>	+	<0.01	1.00	NE	<0.001
· Daga not avecad 0.05 MMT.CO. Fo	· · · · · · · · · · · · · · · · · · ·	·		·		·

Table A-8: 1990-2014 Key Source Category Approach 1 and 2 Analysis—Trend Assessment, without LULUCF

				Approach 1	Approach 2	%	
		1990 Estimate	2014 Estimate	Trend	Trend	Contribution	% Cumulative
IPCC Source Categories	Direct GHG	(MMT CO <sub>2</sub> Eq.)	(MMT CO <sub>2</sub> Eq.)	Assessment	Assessment	to Trend	Total
CO <sub>2</sub> Emissions from Stationary Combustion - Gas - Electricity Generation	CO <sub>2</sub>	175.3	443.2	0.04	0.002	15.8	16
CO <sub>2</sub> Emissions from Mobile Combustion: Road	CO <sub>2</sub>	1,188.9	1,467.5	0.03	0.002	11.8	28
Emissions from Substitutes for Ozone Depleting Substances	Several	0.3	161.2	0.03	0.002	10.0	38
CO <sub>2</sub> Emissions from Stationary Combustion - Coal - Electricity Generation	CO <sub>2</sub>	1,547.6	1,570.4	0.01	0.001	5.7	43

<sup>+</sup> Does not exceed 0.05 MMT CO<sub>2</sub> Eq.

Percent relative uncertainty. If the corresponding uncertainty is asymmetrical, the uncertainty given here is the larger and always positive.

NE (Not Estimated)

NA (Not Available)

CO₂ Emissions from Stationary Combustion - CO₂ Emissions from Stationary Combustion - OII - Electricity Generation         CO₂ Prissions from Stationary Combustion - OII - Electricity Generation         CO₂ Prissions from Stationary Combustion - OII - Electricity Generation         CO₂ Prissions from Member of Stationary Combustion - OII - Electricity Generation         CO₂ Prissions from Member of Stationary Combustion: OII - O	Coal - Industrial CO <sub>2</sub> Emissions from Stationary Combustion - Oil - Electricity Generation CO <sub>2</sub> Emissions from Iron and Steel Production & Metallurgical Coke Production CO <sub>2</sub> Emissions from Mobile Combustion: Aviation CH <sub>4</sub> Emissions from Natural Gas Systems CH <sub>4</sub> Emissions from Landfills HFC-23 Emissions from HCFC-22 Production CO <sub>2</sub> Emissions from Stationary Combustion - Oil - Residential
CO₂ Emissions from Stationary Combustion - Oil - Electricity Generation         CO₂ = 99.7         25.3         0.01         0.001         4.9           CO₂ Emissions from Iron and Steel Production         CO₂ = 99.7         55.4         0.01         0.001         3.2           A Metallurgical Coke Production         CO₂ = 187.4         150.1         0.01         <0.001	CO <sub>2</sub> Emissions from Stationary Combustion - Oil - Electricity Generation CO <sub>2</sub> Emissions from Iron and Steel Production & Metallurgical Coke Production CO <sub>2</sub> Emissions from Mobile Combustion: Aviation CH <sub>4</sub> Emissions from Natural Gas Systems CH <sub>4</sub> Emissions from Landfills HFC-23 Emissions from HCFC-22 Production CO <sub>2</sub> Emissions from Stationary Combustion - Oil - Residential
CO₂ Emissions from Iron and Steel Production         CO₂         99.7         55.4         0.01         0.001         3.2           & Metallurgical Coke Production         CO₂ Emissions from Mobile Combustion:         CO₂         187.4         150.1         0.01         <0.001	CO <sub>2</sub> Emissions from Iron and Steel Production & Metallurgical Coke Production CO <sub>2</sub> Emissions from Mobile Combustion: Aviation CH <sub>4</sub> Emissions from Natural Gas Systems CH <sub>4</sub> Emissions from Landfills HFC-23 Emissions from HCFC-22 Production CO <sub>2</sub> Emissions from Stationary Combustion - Oil - Residential
CO₂ Emissions from Mobile Combustion:         CO₂         187.4         150.1         0.01         <0.001         3.2           CH₄ Emissions from Natural Gas Systems         CH₄         206.8         176.1         0.01         0.002         2.9           CH₄ Emissions from Natural Gas Systems         CH₄         179.6         148.0         0.01         0.004         2.8           HFC-23 Emissions from Candifills         CH₄         179.6         148.0         0.01         0.001         2.8           HFC-23 Emissions from Stationary Combustion - Oil - Residential         CO₂         97.4         67.5         0.01         <0.001	CO <sub>2</sub> Emissions from Mobile Combustion: Aviation CH <sub>4</sub> Emissions from Natural Gas Systems CH <sub>4</sub> Emissions from Landfills HFC-23 Emissions from HCFC-22 Production CO <sub>2</sub> Emissions from Stationary Combustion - Oil - Residential
CH4 Emissions from Natural Gas Systems         CH4         206.8         176.1         0.01         0.002         2.9           CH4 Emissions from Landfills         CH4         179.6         148.0         0.01         0.004         2.8           HFC-23 Emissions from HCFC-22 Production         HFCs         46.1         5.0         0.01         0.001         2.8           CO2 Emissions from Stationary Combustion - Oil - Residential         CO2         97.4         67.5         0.01         <0.001	CH <sub>4</sub> Emissions from Natural Gas Systems CH <sub>4</sub> Emissions from Landfills HFC-23 Emissions from HCFC-22 Production CO <sub>2</sub> Emissions from Stationary Combustion - Oil - Residential
CH₄ Emissions from Landfills  CH₄ IT9.6  HFC-23 Emissions from HCFC-22 Production  HFCs  46.1  5.0  0.01  0.001  2.8  CO₂ Emissions from Stationary Combustion- Oil - Residential  CO₂ Emissions from Stationary Combustion- Gas - Commercial  Fugitive Emissions from Coal Mining  CH₄  96.5  67.6  0.01  0.001  2.3  CO₂ Emissions from Coal Mining  CH₄  96.5  67.6  0.01  0.001  2.2  CO₂ Emissions from Mobile Combustion- Oil - Commercial  N₂O Emissions from Mobile Combustion: Road  N₂O  37.7  12.5  0.01  0.001  1.7  CO₂ Emissions from Stationary Combustion- Oil - Industrial  CO₂ Emissions from Stationary Combustion- Oil - Industrial  CO₂ Emissions from Stationary Combustion- CO₂  278.3  271.9  40.01  0.001  1.7  CO₂ Emissions from Stationary Combustion- Oil - Industrial  CO₂ Emissions from Stationary Combustion- CO₂  28.0  278.3  271.9  40.01  0.001  1.7  CO₂ Emissions from Stationary Combustion- Oil - Industrial  CO₂ Emissions from Petroleum Systems  CH₄  38.7  68.1  40.01  0.006  1.6  CO₂ Emissions from Petroleum Systems  CH₄  38.7  68.1  40.01  0.006  1.6  CO₂ Emissions from Betricical Transmission  GF₀ Emissions from Manure Management  CH₄  37.2  61.2  40.01  0.001  1.3  CO₂ Emissions from Mobile Combustion:  CO₂  44.3  28.0  40.01  40.001  1.3  CO₂ Emissions from Mobile Combustion:  CO₂  44.3  28.0  40.01  40.001  1.3  CO₂ Emissions from Mobile Combustion:  CO₂  278.3  28.0  40.01  40.001  1.3  CO₂ Emissions from Mobile Combustion:  CO₂  44.3  28.0  40.01  40.001  1.3  CO₂ Emissions from Mobile Combustion:  CO₂  44.3  28.0  40.01  40.001  1.3  CO₂ Emissions from Mobile Combustion:  CO₂  44.3  48.0  40.01  40.001  1.3  CO₂ Emissions from Mobile Combustion:  CO₂  418.1  418.1  41.4  4164.2  464.3  40.01  40.00	CH <sub>4</sub> Emissions from Landfills HFC-23 Emissions from HCFC-22 Production CO <sub>2</sub> Emissions from Stationary Combustion - Oil - Residential
HFC-23 Emissions from HCFC-22 Production CO₂ Emissions from Stationary Combustion - CO₂ 97.4 67.5 0.01 0.001 2.3  CO₂ Emissions from Stationary Combustion - CO₂ 142.1 189.2 0.01 <0.001 2.3  Gas - Commercial Fugitive Emissions from Stationary Combustion - CO₂ 142.1 189.2 0.01 0.001 2.3  Gas - Commercial Fugitive Emissions from Stationary Combustion - CO₂ 63.3 38.2 <0.01 0.001 0.001 2.2  CO₂ Emissions from Stationary Combustion - CO₂ 63.3 38.2 <0.01 0.001 1.8  Oil - Commercial N₂O Emissions from Mobile Combustion: Road N₂O 37.7 12.5 <0.01 0.001 1.7  CO₂ Emissions from Stationary Combustion - CO₂ 278.3 271.9 <0.01 0.001 1.7  Oil - Industrial CO₂ Emissions from Petroleum Systems CH₄ 38.7 68.1 <0.01 0.001 1.7  Gas - Industrial CH₄ Emissions from Petroleum Systems CH₄ 38.7 68.1 <0.01 0.006 1.6  CO₂ Emissions from Electrical Transmission SF₆ 25.4 5.6 <0.01 0.001 1.3  SF₆ Emissions from Aluminum Production PFCs 21.5 2.5 <0.01 0.001 1.3  PCC Emissions from Manure Management CH₄ 37.2 61.2 <0.01 0.001 1.3  PCC₂ Emissions from Mobile Combustion: CO₂ 44.3 28.0 <0.01 <0.001 1.3  CO₂ Emissions from Mobile Combustion: CO₂ 44.3 28.0 <0.01 <0.001 1.3  CO₂ Emissions from Mobile Combustion: CO₂ 44.3 28.0 <0.01 <0.001 1.3  CO₂ Emissions from Mobile Combustion: CO₂ 44.3 28.0 <0.01 <0.001 1.2  Marine  CO₂ Emissions from Mobile Combustion: CO₂ 118.1 114.3 <0.01 0.001 0.8  CO₂ Emissions from Stationary N₂O 7.4 19.6 <0.01 0.001 0.003 0.7	HFC-23 Emissions from HCFC-22 Production CO <sub>2</sub> Emissions from Stationary Combustion - Oil - Residential
CO₂ Emissions from Stationary Combustion - Oil - Residential         CO₂         97.4         67.5         0.01         <0.001         2.3           CO₂ Emissions from Stationary Combustion - Gas - Commercial         142.1         189.2         0.01         <0.001	CO <sub>2</sub> Emissions from Stationary Combustion - Oil - Residential
Oil - Residential         CO2 Emissions from Stationary Combustion - Gas - Commercial         CO2 I 142.1         189.2         0.01         <0.001	Oil - Residential
Fugitive Emissions from Coal Mining   CH4   96.5   67.6   0.01   0.001   2.2	CO <sub>2</sub> Emissions from Stationary Combustion -
CO2 Emissions from Stationary Combustion - Oil - Commercial         CO2         63.3         38.2         <0.01	
Oil - Commercial         N₂O Emissions from Mobile Combustion: Road         N₂O         37.7         12.5         <0.01         0.001         1.7           CO₂ Emissions from Stationary Combustion - Oil - Industrial         CO₂ Emissions from Stationary Combustion - Oil - Industrial         CO₂ Emissions from Petroleum Systems         CH₄         38.7         68.1         <0.01	Fugitive Emissions from Coal Mining
N₂O Emissions from Mobile Combustion: Road         N₂O         37.7         12.5         <0.01         0.001         1.7           CO₂ Emissions from Stationary Combustion - Oil - Industrial         CO₂         278.3         271.9         <0.01	
Oil - Industrial       CO₂ Emissions from Stationary Combustion - Gas - Industrial       CO₂ Emissions from Petroleum Systems       CH₄       38.7       68.1       <0.01	
CO2 Emissions from Stationary Combustion - Gas - Industrial         CO2         408.9         466.0         <0.01	•
CH4 Emissions from Petroleum Systems         CH4         38.7         68.1         < 0.01         0.006         1.6           CO2 Emissions from Stationary Combustion - Gas - Residential         CO2         238.0         277.6         < 0.01	CO <sub>2</sub> Emissions from Stationary Combustion -
CO2 Emissions from Stationary Combustion - Gas - Residential         CO2         238.0         277.6         <0.01         <0.001         1.4           SF6 Emissions from Electrical Transmission and Distribution         SF6         25.4         5.6         <0.01	
SF <sub>6</sub> Emissions from Electrical Transmission and Distribution       SF <sub>6</sub> 25.4       5.6       <0.01	CO <sub>2</sub> Emissions from Stationary Combustion -
CH4 Emissions from Manure Management       CH4       37.2       61.2       <0.01	SF <sub>6</sub> Emissions from Electrical Transmission
PFC Emissions from Aluminum Production         PFCs         21.5         2.5         <0.01         <0.001         1.3           CO <sub>2</sub> Emissions from Mobile Combustion:         CO <sub>2</sub> 44.3         28.0         <0.01	
CO2 Emissions from Mobile Combustion:       CO2       44.3       28.0       <0.01       <0.001       1.2         Marine       CO2 Emissions from Mobile Combustion: Other       CO2       73.3       92.0       <0.01	-
CO <sub>2</sub> Emissions from Mobile Combustion: Other CO <sub>2</sub> 73.3 92.0 <0.01 <0.001 0.8 CO <sub>2</sub> Emissions from Non-Energy Use of Fuels CO <sub>2</sub> 118.1 114.3 <0.01 0.001 0.8 CH <sub>4</sub> Emissions from Enteric Fermentation CH <sub>4</sub> 164.2 164.3 <0.01 <0.001 0.7 Non-CO <sub>2</sub> Emissions from Stationary N <sub>2</sub> O 7.4 19.6 <0.01 0.003 0.7	CO <sub>2</sub> Emissions from Mobile Combustion:
$CO_2$ Emissions from Non-Energy Use of Fuels $CO_2$ 118.1       114.3       <0.01       0.001       0.8 $CH_4$ Emissions from Enteric Fermentation $CH_4$ 164.2       164.3       <0.01	
CH <sub>4</sub> Emissions from Enteric Fermentation CH <sub>4</sub> 164.2 164.3 < 0.01 < 0.001 0.7 Non-CO <sub>2</sub> Emissions from Stationary N <sub>2</sub> O 7.4 19.6 < 0.01 0.003 0.7	
Non-CO <sub>2</sub> Emissions from Stationary $N_2O$ 7.4 19.6 <0.01 0.003 0.7	•••
	Combustion - Electricity Generation
N <sub>2</sub> O Emissions from Adipic Acid Production N <sub>2</sub> O 15.2 5.4 <0.01 <0.001 0.7	
CO <sub>2</sub> Emissions from Stationary Combustion - CO <sub>2</sub> 12.0 4.5 < 0.01 < 0.001 0.5 Coal - Commercial	Coal - Commercial
CO <sub>2</sub> Emissions from Other Process Uses of CO <sub>2</sub> 4.9 12.1 <0.01 <0.001 0.4 Carbonates	Carbonates
CO <sub>2</sub> Emissions from Stationary Combustion - CO <sub>2</sub> 27.2 34.6 <0.01 <0.001 0.3 Oil - U.S. Territories	Oil - U.S. Territories
Indirect N <sub>2</sub> O Emissions from Applied Nitrogen N <sub>2</sub> O 58.2 57.3 <0.01 0.001 0.3	
CO <sub>2</sub> Emissions from Ammonia Production CO <sub>2</sub> 13.0 9.4 <0.01 <0.001 0.3	
$SF_6$ Emissions from Magnesium Production $SF_6$ 5.2 1.0 <0.01 <0.001 0.3 and Processing	and Processing
CO <sub>2</sub> Emissions from Aluminum Production CO <sub>2</sub> 6.8 2.8 <0.01 <0.001 0.3	CO <sub>2</sub> Emissions from Aluminum Production
CH <sub>4</sub> Emissions from Mobile Combustion: Road CH <sub>4</sub> 5.2 1.4 <0.01 <0.001 0.3	CH <sub>4</sub> Emissions from Mobile Combustion: Road
CO <sub>2</sub> Emissions from Petrochemical Production CO <sub>2</sub> 21.6 26.5 <0.01 <0.001 0.2	CO <sub>2</sub> Emissions from Petrochemical Production
CO <sub>2</sub> Emissions from Stationary Combustion - CO <sub>2</sub> 3.0 0.0 <0.01 0.001 0.2 Coal - Residential	
CO <sub>2</sub> Emissions from Cement Production CO <sub>2</sub> 33.3 38.8 <0.01 <0.001 0.2	
CO <sub>2</sub> Emissions from Stationary Combustion - CO <sub>2</sub> 0.0 3.0 <0.01 <0.001 0.2 Gas - U.S. Territories	CO <sub>2</sub> Emissions from Stationary Combustion -
CO <sub>2</sub> Emissions from Carbon Dioxide CO <sub>2</sub> 1.5 4.5 <0.01 <0.001 0.2 Consumption	

CO <sub>2</sub> Emissions from Stationary Combustion - Coal - U.S. Territories	CO <sub>2</sub>	0.6	3.4	<0.01	<0.001	0.2	98
N <sub>2</sub> O Emissions from Manure Management	$N_2O$	14.0	17.5	<0.01	<0.001	0.2	98
CH <sub>4</sub> Emissions from Rice Cultivation	CH <sub>4</sub>	13.1	11.9	<0.01	<0.001	0.1	98
Direct N <sub>2</sub> O Emissions from Agricultural Soil Management	$N_2O$	245.0	261.0	<0.01	<0.001	0.1	99
CH <sub>4</sub> Emissions from Wastewater Treatment	CH <sub>4</sub>	15.7	14.7	<0.01	<0.001	0.1	99
N <sub>2</sub> O Emissions from Nitric Acid Production	$N_2O$	12.1	10.9	<0.01	<0.001	0.1	99
CO <sub>2</sub> Emissions from Natural Gas Systems	CO <sub>2</sub>	37.7	42.4	<0.01	<0.001	0.1	99
CH <sub>4</sub> Emissions from Composting	CH <sub>4</sub>	0.4	2.1	<0.01	<0.001	0.1	99
CO <sub>2</sub> Emissions from Lime Production	$CO_2$	11.7	14.1	<0.01	<0.001	0.1	99
N <sub>2</sub> O Emissions from Composting	$N_2O$	0.3	1.8	< 0.01	<0.001	0.1	99
Fugitive Emissions from Abandoned Underground Coal Mines	CH <sub>4</sub>	7.2	6.3	<0.01	<0.001	0.1	99
N <sub>2</sub> O Emissions from Wastewater Treatment	$N_2O$	3.4	4.8	<0.01	<0.001	0.1	99
Non-CO <sub>2</sub> Emissions from Stationary Combustion - Industrial	N <sub>2</sub> O	3.1	2.4	<0.01	<0.001	0.1	99
CO <sub>2</sub> Emissions from Incineration of Waste	$CO_2$	8.0	9.4	<0.01	<0.001	0.1	100
PFC, HFC, SF <sub>6</sub> , and NF <sub>3</sub> Emissions from Semiconductor Manufacture	Several	3.6	4.5	<0.01	<0.001	<0.1	100
N <sub>2</sub> O Emissions from Mobile Combustion: Other	$N_2O$	1.2	2.0	<0.01	<0.001	<0.1	100
Non-CO <sub>2</sub> Emissions from Stationary Combustion - Residential	CH <sub>4</sub>	5.2	5.0	<0.01	<0.001	<0.1	100
CO <sub>2</sub> Emissions from Phosphoric Acid Production	CO <sub>2</sub>	1.5	1.1	<0.01	<0.001	<0.1	100
N <sub>2</sub> O Emissions from Mobile Combustion: Aviation	N <sub>2</sub> O	1.7	1.4	<0.01	<0.001	<0.1	100
CO <sub>2</sub> Emissions from Titanium Dioxide Production	CO <sub>2</sub>	1.2	1.8	<0.01	<0.001	<0.1	100
Non-CO <sub>2</sub> Emissions from Stationary Combustion - Industrial	CH <sub>4</sub>	1.8	1.5	<0.01	<0.001	<0.1	100
CO <sub>2</sub> Emissions from Ferroalloy Production	$CO_2$	2.2	1.9	<0.01	<0.001	<0.1	100
N <sub>2</sub> O Emissions from Product Uses	$N_2O$	4.2	4.2	<0.01	<0.001	<0.1	100
CO <sub>2</sub> Emissions from Glass Production	$CO_2$	1.5	1.3	<0.01	<0.001	<0.1	100
CO <sub>2</sub> Emissions from Zinc Production	$CO_2$	0.6	1.0	<0.01	<0.001	<0.1	100
CO <sub>2</sub> Emissions from Petroleum Systems	$CO_2$	3.6	3.6	<0.01	<0.001	<0.1	100
CO <sub>2</sub> Emissions from Silicon Carbide Production and Consumption	CO <sub>2</sub>	0.4	0.2	<0.01	<0.001	<0.1	100
CO <sub>2</sub> Emissions from Soda Ash Production and Consumption	CO <sub>2</sub>	2.8	2.8	<0.01	<0.001	<0.1	100
N <sub>2</sub> O Emissions from Incineration of Waste	$N_2O$	0.5	0.3	<0.01	<0.001	<0.1	100
CH <sub>4</sub> Emissions from Mobile Combustion: Other	CH <sub>4</sub>	0.3	0.5	<0.01	<0.001	<0.1	100
N <sub>2</sub> O Emissions from Semiconductor Manufacture	$N_2O$	+	0.2	<0.01	<0.001	<0.1	100
HFC-134a Emissions from Magnesium Production and Processing	HFCs	0.0	0.1	<0.01	<0.001	<0.1	100
Non-CO <sub>2</sub> Emissions from Stationary Combustion - Residential	$N_2O$	1.0	1.0	<0.01	<0.001	<0.1	100
CH <sub>4</sub> Emissions from Petrochemical Production	CH <sub>4</sub>	0.2	0.1	<0.01	<0.001	<0.1	100
N <sub>2</sub> O Emissions from Mobile Combustion: Marine	$N_2O$	0.6	0.5	<0.01	<0.001	<0.1	100
Non-CO <sub>2</sub> Emissions from Stationary Combustion - Commercial	$N_2O$	0.4	0.3	<0.01	<0.001	<0.1	100
Non-CO <sub>2</sub> Emissions from Stationary Combustion - Electricity Generation	CH <sub>4</sub>	0.3	0.4	<0.01	<0.001	<0.1	100
CO <sub>2</sub> Emissions from Urea Consumption for Non-Ag Purposes	CO <sub>2</sub>	3.8	4.0	<0.01	<0.001	<0.1	100

CH <sub>4</sub> Emissions from Mobile Combustion:	CH <sub>4</sub>	0.1	+	<0.01	<0.001	<0.1	100
Aviation	00	0.5	0.5	.0.04	-0.004	.0.4	400
CO <sub>2</sub> Emissions from Lead Production	$CO_2$	0.5	0.5	<0.01	<0.001	<0.1	100
Non-CO <sub>2</sub> Emissions from Stationary Combustion - U.S. Territories	N <sub>2</sub> O	0.1	0.1	<0.01	<0.001	<0.1	100
CH <sub>4</sub> Emissions from Field Burning of Agricultural Residues	CH <sub>4</sub>	0.2	0.3	<0.01	<0.001	<0.1	100
CH <sub>4</sub> Emissions from Silicon Carbide Production and Consumption	CH <sub>4</sub>	+	+	<0.01	<0.001	<0.1	100
CO <sub>2</sub> Emissions from Stationary Combustion - Geothermal Energy	CO <sub>2</sub>	0.4	0.4	<0.01	<0.001	<0.1	100
Non-CO <sub>2</sub> Emissions from Stationary Combustion - Commercial	CH <sub>4</sub>	1.0	1.1	<0.01	<0.001	<0.1	100
CH <sub>4</sub> Emissions from Iron and Steel Production & Metallurgical Coke Production	CH <sub>4</sub>	+	+	<0.01	<0.001	<0.1	100
N <sub>2</sub> O Emissions from Field Burning of Agricultural Residues	N <sub>2</sub> O	0.1	0.1	<0.01	<0.001	<0.1	100
Non-CO <sub>2</sub> Emissions from Stationary Combustion - U.S. Territories	CH <sub>4</sub>	+	0.1	<0.01	<0.001	<0.1	100
CH <sub>4</sub> Emissions from Ferroalloy Production	CH <sub>4</sub>	+	+	< 0.01	< 0.001	<0.1	100
CH <sub>4</sub> Emissions from Mobile Combustion: Marine	CH <sub>4</sub>	+	+	<0.01	<0.001	<0.1	100
CO <sub>2</sub> Emissions from Magnesium Production and Processing	CO <sub>2</sub>	+	+	<0.01	<0.001	<0.1	100
CH <sub>4</sub> Emissions from Incineration of Waste	CH <sub>4</sub>	+	+	<0.01	<0.001	<0.1	100

+ Does not exceed  $0.05\ \text{MMT}\ \text{CO}_2\ \text{Eq}.$  Note: LULUCF sources and sinks are not included in this analysis.

Table A-9: 1990-2014 Key Source Category Approach 1 and 2 Analysis—Trend Assessment, with LULUCF

		1000 Estimata	2014 Estimate		Approach 2 Trend	Percent Contribution to	Cumulative Contribution to
IPCC Source Categories	Direct GHG	(MM TCO <sub>2</sub> Eq.)					Trend (%)
CO <sub>2</sub> Emissions from Stationary Combustion - Gas - Electricity Generation	CO <sub>2</sub>	175.3	443.2	0.03	0.002	14.6	15
CO <sub>2</sub> Emissions from Mobile Combustion: Road	CO <sub>2</sub>	1,188.9	1,467.5	0.03	0.002	11.8	26
Emissions from Substitutes for Ozone Depleting Substances	Several	0.3	161.2	0.02	0.002	9.2	36
CO <sub>2</sub> Emissions from Stationary Combustion - Coal - Industrial	CO <sub>2</sub>	155.3	75.3	0.01	0.002	5.1	41
CO <sub>2</sub> Emissions from Stationary Combustion - Oil - Electricity Generation	CO <sub>2</sub>	97.5	25.3	0.01	0.001	4.4	45
CO <sub>2</sub> Emissions from Stationary Combustion - Coal - Electricity Generation	CO <sub>2</sub>	1,547.6	1,570.4	0.01	0.001	3.9	49
CO <sub>2</sub> Emissions from Iron and Steel Production & Metallurgical Coke Production	CO <sub>2</sub>	99.7	55.4	0.01	0.001	2.9	52
CO <sub>2</sub> Emissions from Mobile Combustion: Aviation	CO <sub>2</sub>	187.4	150.1	0.01	<0.001	2.8	55
CO <sub>2</sub> Emissions from Land Converted to Cropland	CO <sub>2</sub>	65.7	22.1	0.01	0.003	2.7	57
HFC-23 Emissions from HCFC-22 Production	HFCs	46.1	5.0	0.01	0.001	2.5	60
CH <sub>4</sub> Emissions from Natural Gas Systems	CH <sub>4</sub>	206.8	176.1	0.01	0.002	2.4	62

CH <sub>4</sub> Emissions from Landfills	CH <sub>4</sub>	179.6	148.0	0.01	0.004	2.4	65
CO <sub>2</sub> Emissions from Stationary	CO <sub>2</sub>	142.1	189.2	0.01	<0.001	2.2	67
Combustion - Gas - Commercial							
CO <sub>2</sub> Emissions from Stationary Combustion - Oil - Residential	CO <sub>2</sub>	97.4	67.5	<0.01	<0.001	2.0	69
Fugitive Emissions from Coal Mining	CH <sub>4</sub>	96.5	67.6	<0.01	0.001	2.0	71
CO <sub>2</sub> Emissions from Stationary Combustion - Gas - Industrial	CO <sub>2</sub>	408.9	466.0	<0.01	<0.001	1.9	73
CO <sub>2</sub> Emissions from Stationary Combustion - Oil - Commercial	CO <sub>2</sub>	63.3	38.2	<0.01	<0.001	1.6	74
CO <sub>2</sub> Emissions from Cropland Remaining Cropland	CO <sub>2</sub>	34.3	8.4	<0.01	0.016	1.6	76
N <sub>2</sub> O Emissions from Mobile Combustion:	N <sub>2</sub> O	37.7	12.5	<0.01	0.001	1.6	78
CH <sub>4</sub> Emissions from Petroleum Systems	CH <sub>4</sub>	38.7	68.1	<0.01	0.005	1.5	79
CO <sub>2</sub> Emissions from Urban Trees	CO <sub>2</sub>	60.4	90.6	<0.01	0.002	1.5	81
CO <sub>2</sub> Emissions from Stationary Combustion - Gas - Residential	CO <sub>2</sub>	238.0	277.6	<0.01	<0.001	1.4	82
CO <sub>2</sub> Emissions from Forest Land Remaining Forest Land	CO <sub>2</sub>	723.5	742.3	<0.01	0.001	1.4	83
CO <sub>2</sub> Emissions from Stationary Combustion - Oil - Industrial	CO <sub>2</sub>	278.3	271.9	<0.01	0.001	1.3	85
CH <sub>4</sub> Emissions from Manure Management	CH <sub>4</sub>	37.2	61.2	<0.01	0.001	1.2	86
SF <sub>6</sub> Emissions from Electrical Transmission and Distribution	SF <sub>6</sub>	25.4	5.6	<0.01	0.001	1.2	87
PFC Emissions from Aluminum Production	PFCs	21.5	2.5	<0.01	<0.001	1.1	88
CO <sub>2</sub> Emissions from Mobile Combustion: Marine	CO <sub>2</sub>	44.3	28.0	<0.01	<0.001	1.1	89
CO <sub>2</sub> Emissions from Landfilled Yard Trimmings and Food Scraps	CO <sub>2</sub>	26.0	11.6	<0.01	0.001	0.9	90
CO <sub>2</sub> Emissions from Mobile Combustion: Other	CO <sub>2</sub>	73.3	92.0	<0.01	<0.001	0.8	91
Non-CO <sub>2</sub> Emissions from Stationary Combustion - Electricity Generation	N <sub>2</sub> O	7.4	19.6	<0.01	0.003	0.7	92
CO <sub>2</sub> Emissions from Non-Energy Use of Fuels	CO <sub>2</sub>	118.1	114.3	<0.01	0.001	0.6	92
N <sub>2</sub> O Emissions from Adipic Acid Production	N <sub>2</sub> O	15.2	5.4	<0.01	<0.001	0.6	93
CO <sub>2</sub> Emissions from Grassland Remaining Grassland	CO <sub>2</sub>	12.9	3.8	<0.01	0.014	0.6	94
CH <sub>4</sub> Emissions from Enteric Fermentation	CH <sub>4</sub>	164.2	164.3	<0.01	<0.001	0.5	94
CO <sub>2</sub> Emissions from Stationary Combustion - Coal - Commercial	CO <sub>2</sub>	12.0	4.5	<0.01	<0.001	0.5	95
CO <sub>2</sub> Emissions from Other Process Uses of Carbonates	CO <sub>2</sub>	4.9	12.1	<0.01	<0.001	0.4	95
CO <sub>2</sub> Emissions from Stationary Combustion - Oil - U.S. Territories	CO <sub>2</sub>	27.2	34.6	<0.01	<0.001	0.3	95
SF <sub>6</sub> Emissions from Magnesium Production and Processing	SF <sub>6</sub>	5.2	1.0	<0.01	<0.001	0.3	96
CO <sub>2</sub> Emissions from Aluminum Production	CO <sub>2</sub>	6.8	2.8	<0.01	<0.001	0.3	96
CO <sub>2</sub> Emissions from Ammonia Production	$CO_2$	13.0	9.4	<0.01	<0.001	0.2	96
Indirect N₂O Emissions from Applied Nitrogen	N <sub>2</sub> O	58.2	57.3	<0.01	0.001	0.2	96
CH <sub>4</sub> Emissions from Mobile Combustion: Road	CH <sub>4</sub>	5.2	1.4	<0.01	<0.001	0.2	97
CH <sub>4</sub> Emissions from Forest Fires	CH <sub>4</sub>	3.3	7.3	<0.01	0.001	0.2	97

CO <sub>2</sub> Emissions from Petrochemical Production	CO <sub>2</sub>	21.6	26.5	<0.01	<0.001	0.2	97
CO <sub>2</sub> Emissions from Cement Production	CO <sub>2</sub>	33.3	38.8	<0.01	<0.001	0.2	97
CO <sub>2</sub> Emissions from Stationary	CO <sub>2</sub>	3.0	0.0	<0.01	<0.001	0.2	97
Combustion - Coal - Residential	002	0.0	0.0	-0.01	10.001	0.2	01
CO <sub>2</sub> Emissions from Stationary Combustion - Gas - U.S. Territories	$CO_2$	0.0	3.0	<0.01	<0.001	0.2	98
CO <sub>2</sub> Emissions from Carbon Dioxide Consumption	$CO_2$	1.5	4.5	<0.01	<0.001	0.2	98
CO <sub>2</sub> Emissions from Stationary Combustion - Coal - U.S. Territories	CO <sub>2</sub>	0.6	3.4	<0.01	<0.001	0.2	98
N <sub>2</sub> O Emissions from Manure	N <sub>2</sub> O	14.0	17.5	<0.01	<0.001	0.2	98
Management							
N <sub>2</sub> O Emissions from Forest Fires	$N_2O$	2.2	4.8	<0.01	0.001	0.1	98
CO <sub>2</sub> Emissions from Natural Gas Systems	CO <sub>2</sub>	37.7	42.4	<0.01	<0.001	0.1	98
CH <sub>4</sub> Emissions from Rice Cultivation	CH <sub>4</sub>	13.1	11.9	< 0.01	< 0.001	0.1	98
CO <sub>2</sub> Emissions from Urea Fertilization	CO <sub>2</sub>	2.4	4.5	<0.01	<0.001	0.1	99
N <sub>2</sub> O Emissions from Nitric Acid	N <sub>2</sub> O	12.1	10.9	<0.01	<0.001	0.1	99
Production	CH <sub>4</sub>	15.7	14.7		<0.001	0.1	99
CH <sub>4</sub> Emissions from Wastewater Treatment				<0.01			
CO <sub>2</sub> Emissions from Lime Production	$CO_2$	11.7	14.1	<0.01	<0.001	0.1	99
CH <sub>4</sub> Emissions from Composting	CH <sub>4</sub>	0.4	2.1	<0.01	<0.001	0.1	99
N <sub>2</sub> O Emissions from Composting	$N_2O$	0.3	1.8	< 0.01	<0.001	0.1	99
Direct N₂O Emissions from Agricultural Soil Management	N <sub>2</sub> O	245.0	261.0	<0.01	<0.001	0.1	99
Fugitive Emissions from Abandoned Underground Coal Mines	CH <sub>4</sub>	7.2	6.3	<0.01	<0.001	0.1	99
N <sub>2</sub> O Emissions from Wastewater Treatment	$N_2O$	3.4	4.8	<0.01	<0.001	0.1	99
CO <sub>2</sub> Emissions from Land Converted to	CO <sub>2</sub>	39.1	40.4	<0.01	<0.001	0.1	99
Grassland	N.O.	4.4	0.4	-0.04	10.004	0.4	00
N <sub>2</sub> O Emissions from Settlement Soils	N <sub>2</sub> O	1.4	2.4	<0.01	<0.001	0.1	99
CO <sub>2</sub> Emissions from Incineration of Waste	CO <sub>2</sub>	8.0	9.4	<0.01	<0.001	0.1	99
Non-CO <sub>2</sub> Emissions from Stationary Combustion - Industrial	N <sub>2</sub> O	3.1	2.4	<0.01	<0.001	<0.1	99
CO <sub>2</sub> Emissions from Liming	$CO_2$	4.7	4.1	<0.01	<0.001	<0.1	100
PFC, HFC, SF <sub>6</sub> , and NF <sub>3</sub> Emissions from Semiconductor Manufacture	Several	3.6	4.5	<0.01	<0.001	<0.1	100
N <sub>2</sub> O Emissions from Mobile Combustion: Other	N <sub>2</sub> O	1.2	2.0	<0.01	<0.001	<0.1	100
Non-CO <sub>2</sub> Emissions from Stationary Combustion - Residential	CH <sub>4</sub>	5.2	5.0	<0.01	<0.001	<0.1	100
CO <sub>2</sub> Emissions from Phosphoric Acid Production	CO <sub>2</sub>	1.5	1.1	<0.01	<0.001	<0.1	100
CO <sub>2</sub> Emissions from Titanium Dioxide Production	CO <sub>2</sub>	1.2	1.8	<0.01	<0.001	<0.1	100
N₂O Emissions from Mobile Combustion: Aviation	$N_2O$	1.7	1.4	<0.01	<0.001	<0.1	100
Non-CO <sub>2</sub> Emissions from Stationary Combustion - Industrial	CH <sub>4</sub>	1.8	1.5	<0.01	<0.001	<0.1	100
N <sub>2</sub> O Emissions from Forest Soils	$N_2O$	0.1	0.5	<0.01	<0.001	<0.1	100
CO <sub>2</sub> Emissions from Land Converted to Forest Land	CO <sub>2</sub>	0.7	0.3	<0.01	<0.001	<0.1	100
CO <sub>2</sub> Emissions from Ferroalloy Production	CO <sub>2</sub>	2.2	1.9	<0.01	<0.001	<0.1	100
CO <sub>2</sub> Emissions from Glass Production	CO <sub>2</sub>	1.5	1.3	<0.01	<0.001	<0.1	100
CO <sub>2</sub> Emissions from Zinc Production	CO <sub>2</sub>	0.6	1.0	<0.01	<0.001	<0.1	100
332 Emissions nom Zine i Toddellon	JO2	0.0	1.0	-U.U I	100.00	-0.1	100

CO <sub>2</sub> Emissions from Peatlands	$CO_2$	1.1	0.8	<0.01	<0.001	<0.1	100
Remaining Peatlands N <sub>2</sub> O Emissions from Product Uses	$N_2O$	4.2	4.2	<0.01	<0.001	<0.1	100
CO <sub>2</sub> Emissions from Silicon Carbide	CO <sub>2</sub>	0.4	0.2	<0.01	<0.001	<0.1	100
Production and Consumption	$CO_2$	0.4	0.2	<b>~</b> 0.01	<b>~</b> 0.001	<b>~</b> 0.1	100
CO <sub>2</sub> Emissions from Petroleum Systems	CO <sub>2</sub>	3.6	3.6	<0.01	<0.001	<0.1	100
•							
N <sub>2</sub> O Emissions from Incineration of Waste	N <sub>2</sub> O	0.5	0.3	<0.01	<0.001	<0.1	100
CH <sub>4</sub> Emissions from Mobile Combustion: Other	CH <sub>4</sub>	0.3	0.5	<0.01	<0.001	<0.1	100
N <sub>2</sub> O Emissions from Semiconductor Manufacture	N <sub>2</sub> O	+	0.2	<0.01	<0.001	<0.1	100
CO <sub>2</sub> Emissions from Soda Ash Production and Consumption	CO <sub>2</sub>	2.8	2.8	<0.01	<0.001	<0.1	100
HFC-134a Emissions from Magnesium Production and Processing	HFCs	0.0	0.1	<0.01	<0.001	<0.1	100
Non-CO <sub>2</sub> Emissions from Stationary	N <sub>2</sub> O	1.0	1.0	<0.01	<0.001	<0.1	100
Combustion - Residential CH <sub>4</sub> Emissions from Petrochemical	CH <sub>4</sub>	0.2	0.1	<0.01	<0.001	<0.1	100
Production	СП4	0.2	0.1	<b>\0.01</b>	<b>\0.001</b>	<b>~</b> 0.1	100
Non-CO <sub>2</sub> Emissions from Stationary	CH <sub>4</sub>	0.3	0.4	<0.01	<0.001	<0.1	100
Combustion - Electricity Generation	O1 14	0.0	0.4	١٥.٥١	10.001	٠٠.١	100
N <sub>2</sub> O Emissions from Mobile Combustion:	N <sub>2</sub> O	0.6	0.5	< 0.01	< 0.001	<0.1	100
Marine		0.0	0.0	0.0.	0.00	<b>.</b>	
Non-CO <sub>2</sub> Emissions from Stationary	$N_2O$	0.4	0.3	< 0.01	< 0.001	<0.1	100
Combustion - Commercial							
CH <sub>4</sub> Emissions from Mobile Combustion: Aviation	CH <sub>4</sub>	0.1	+	<0.01	<0.001	<0.1	100
CH <sub>4</sub> Emissions from Field Burning of Agricultural Residues	CH <sub>4</sub>	0.2	0.3	<0.01	<0.001	<0.1	100
CO <sub>2</sub> Emissions from Lead Production	CO <sub>2</sub>	0.5	0.5	< 0.01	< 0.001	<0.1	100
Non-CO <sub>2</sub> Emissions from Stationary	N <sub>2</sub> O	0.1	0.1	<0.01	<0.001	<0.1	100
Combustion - U.S. Territories	11/20	0.1	0.1	<b>\0.01</b>	<b>10.00</b> i	٧٠.١	100
CH <sub>4</sub> Emissions from Silicon Carbide	CH <sub>4</sub>	+	+	<0.01	< 0.001	<0.1	100
Production and Consumption	O1 14	•	·	١٥.٥١	10.001	٠٠.١	100
N <sub>2</sub> O Emissions from Field Burning of	$N_2O$	0.1	0.1	<0.01	< 0.001	<0.1	100
Agricultural Residues	1120	0.1	0.1	.0.01	10.001	· · · · ·	100
CH <sub>4</sub> Emissions from Iron and Steel	CH <sub>4</sub>	+	+	< 0.01	< 0.001	<0.1	100
Production & Metallurgical Coke	J. 1.4			0.0.	0.00	<b>.</b>	
Production							
CO <sub>2</sub> Emissions from Stationary	$CO_2$	0.4	0.4	< 0.01	< 0.001	<0.1	100
Combustion - Geothermal Energy							
Non-CO <sub>2</sub> Emissions from Stationary	CH₄	+	0.1	< 0.01	< 0.001	<0.1	100
Combustion - U.S. Territories							
CH <sub>4</sub> Emissions from Ferroalloy Production	CH <sub>4</sub>	+	+	<0.01	<0.001	<0.1	100
Non-CO <sub>2</sub> Emissions from Stationary	CH <sub>4</sub>	1.0	1.1	< 0.01	< 0.001	<0.1	100
Combustion - Commercial							
CO <sub>2</sub> Emissions from Urea Consumption	$CO_2$	3.8	4.0	< 0.01	< 0.001	<0.1	100
for Non-Ag Purposes							
CH <sub>4</sub> Emissions from Peatlands Remaining Peatlands	CH <sub>4</sub>	+	+	<0.01	<0.001	<0.1	100
CO <sub>2</sub> Emissions from Magnesium	CO <sub>2</sub>	+	+	< 0.01	< 0.001	<0.1	100
Production and Processing							
CH <sub>4</sub> Emissions from Mobile Combustion:	CH <sub>4</sub>	+	+	<0.01	<0.001	<0.1	100
Marine							
N <sub>2</sub> O Emissions from Peatlands	N <sub>2</sub> O	+	+	<0.01	<0.001	<0.1	100
Remaining Peatlands							

<sup>+</sup> Does not exceed 0.05 MMT CO<sub>2</sub> Eq.

## References

IPCC (2006) 2006 IPCC Guidelines for National Greenhouse Gas Inventories. The National Greenhouse Gas Inventories Programme, The Intergovernmental Panel on Climate Change, H.S. Eggleston, L. Buendia, K. Miwa, T Negara, and K. Tanabe (eds.). Hayman, Kanagawa, Japan.