



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION 1
5 POST OFFICE SQUARE, SUITE 100
BOSTON, MA 02109-3912

MAR 17 2016

Anne R. Gobin, Chief
Bureau of Air Management
Department of Energy & Environmental Protection
79 Elm Street
Hartford, CT 06106-5127

Dear Ms. Gobin:

On behalf of the U.S. Environmental Protection Agency (EPA), I would like to thank you for your January 8, 2016 submittal identifying sources to be characterized under the sulfur dioxide (SO₂) Data Requirements Rule (DRR).¹ I am writing to respond to your submittal and provide additional information about the next steps in this source characterization effort, which will result in important data that states and the EPA will use to protect public health.

On August 21, 2015, the EPA finalized the DRR, which requires state air agencies to characterize ambient SO₂ levels in areas with large sources of SO₂ emissions to help implement the 1-hour SO₂ National Ambient Air Quality Standard (NAAQS). Under the DRR, state air agencies must, at a minimum, model or monitor air quality around sources that emit 2,000 tons per year (tpy) or more of SO₂ and that are not located in an area already designated nonattainment. For a source listed because it emitted more than 2,000 tpy, an air agency may avoid this requirement by adopting federally enforceable emission limits by January 13, 2017, that ensure that the source will emit less than 2,000 tpy of SO₂.

Under the DRR implementation schedule, state air agencies were required to submit to the EPA by January 15, 2016, a list that identifies all sources within its jurisdiction with SO₂ emissions of 2,000 tpy or more during the most recent year for which emissions data are available. Air agencies or the EPA may also include additional sources on a state's source list with SO₂ emissions below 2,000 tpy to ensure that air quality around such sources is appropriately characterized.

The EPA has reviewed your agency's submittal and concurs with the list of sources provided. Specifically, you stated that Connecticut has no sources that have actual emissions of 2,000 tpy or more. Nonetheless, you identified Bridgeport Harbor Station as warranting further air quality characterization. EPA concurs with this addition, and is not adding other sources to the list at this time.

¹ "Data Requirements Rule for the 2010 1-Hour Sulfur Dioxide (SO₂) Primary National Ambient Air Quality Standard (NAAQS); Final Rule," 80 *Federal Register* 51052, August 21, 2015.

The next key milestone for purposes of DRR implementation is July 1, 2016, the date by which each air agency must identify, for each listed source, the approach it will use to characterize air quality in the respective area (air quality modeling or ambient monitoring).


For sources that an air agency decides to evaluate through air quality modeling, the DRR requires the air agency to submit the EPA Regional Administrator a modeling protocol by July 1, 2016, and the completed modeling analysis by January 13, 2017.

We understand that Bridgeport Harbor Station has already been modeled by your agency to address potential impacts in the surrounding area. We will work with your staff on your air characterization for Bridgeport Harbor Station. We are available to discuss any technical issues that you may have, and look forward to a continued dialogue on this matter.

Please note that a copy of each state air agency's submittal and a compiled national list of sources subject to DRR requirements are posted on EPA's SO₂ implementation website at www3.epa.gov/airquality/sulfurdioxide/implement.html. We also plan to post this letter on that site in the near future.

Again, thank you for your letter and for your efforts to implement this important standard. For additional information concerning the DRR, please visit our SO₂ implementation website listed above. For additional information regarding designations under the SO₂ standard, please visit our website at www.epa.gov/so2designations. Should you have any questions, please do not hesitate to call me, or have your staff contact Leiran Biton of my staff at 617-918-1267 or biton.leiran@epa.gov.

Sincerely,



H. Curtis Spalding
Regional Administrator