



MATTHEW G. BEVIN  
GOVERNOR

CHARLES G. SNAVELY  
SECRETARY

**ENERGY AND ENVIRONMENT CABINET  
DEPARTMENT FOR ENVIRONMENTAL PROTECTION**

DIVISION FOR AIR QUALITY  
200 FAIR OAKS LANE, 1<sup>ST</sup> FLOOR  
FRANKFORT, KENTUCKY 40601-1403  
Web site: air.ky.gov

January 7, 2016

Ms. Heather McTeer Toney  
Regional Administrator  
U.S. EPA, Region 4  
61 Forsyth Street, SW  
Atlanta, Georgia 30303-3104

**Re: List of sources emitting more than 2,000 tpy SO<sub>2</sub> as required by 40 CFR 51.1203**

Dear Ms. McTeer Toney,

On August 21, 2015, the U.S. Environmental Protection Agency (EPA) published data requirements for air agencies to characterize ambient sulfur dioxide (SO<sub>2</sub>) concentrations to implement the 1-hour SO<sub>2</sub> National Ambient Air Quality Standards (NAAQS).<sup>1</sup> The final rule, also known as the Data Requirements Rule (DRR), requires each air agency to submit a list of applicable SO<sub>2</sub> sources identified pursuant to 40 CFR 51.1202 located in its jurisdiction to the EPA by January 15, 2016.

To comply with 40 CFR 51.1203, the following sources exceeded the 2,000 tpy threshold for SO<sub>2</sub>, based on 2014 actual emissions:


Facility Name	2014 Actual Emissions (tons)
KY Power Co-Big Sandy Plant	35,493
Tennessee Valley Authority (TVA) - Shawnee Fossil Plant	29,835
KY Utilities Co - Green River Station	21,967
Tennessee Valley Authority (TVA) - Paradise Fossil Plant	19,655
KY Utilities Co - Ghent Generation Station	14,851
Big Rivers Electric Corp - Reid HMP&L Station 2 / Green Station Landfill	12,202
Big Rivers Electric Corp - Wilson Station	6,901
Owensboro Municipal Utilities - Elmer Smith Station	5,741
Century Aluminum Sebree LLC	4,739
East KY Power Coop - H L Spurlock Power Station	4,689
East KY Power Cooper Station	4,324
Big Rivers Electric Corp - Green Station	3,999
Louisville Gas & Electric - Trimble Co Generating Station	3,056
Century Aluminum of KY LLC	2,224
Duke Energy KY East Bend	2,103

<sup>1</sup> 80 FR 51052

Ms. McTeer Toney, Regional Administrator  
January 7, 2016  
Page No. 2

Pursuant to 40 CFR 51.1203, please accept this list of applicable SO<sub>2</sub> sources on behalf of the Kentucky Division for Air Quality. If you have any questions or concerns regarding this matter, please contact Mr. Sean Alteri, Director of the Division for Air Quality, at (502) 564-3999 or Sean.Alteri@ky.gov

Sincerely yours,

A handwritten signature in cursive script that reads "Charles G. Snavely". The signature is written in black ink and is positioned above the printed name and title.

Charles G. Snavely  
Secretary

CGS/mrw