EPA Compliance Monitoring Data Portal (CMDP) CROMERR Application Cover Sheet

If you are a state intending to implement CMDP, please complete this form or the generic CROMERR application cover sheet. Email this form as well as any other required information to cromerr@epa.gov Completion of a CROMERR system checklist is not required for CMDP applications; submit only a cover sheet and, if applicable, provide additional documentation as noted below.

NOTE: Submission of this form constitutes a formal request for the CROMERR program to revise your EPA-authorized drinking water program for electronic reporting. However, submission of this form and approval by EPA does not require a state to implement CMDP or any other electronic reporting under its EPA-authorized drinking water program.

Primary Contact Info	rmation (will receive approv	al letter unless otherwise re	equested)
First Name:	Last Name:	Position:	Agency:
Mailing Address (Street Address, Mail Code/Suite, City, State, Zip Code):		E-mail:	Primary Phone:
		Fax:	Secondary Phone:
Secondary Contact In	nformation (if applicable)		
First Name:	Last Name:	Position:	Agency:
Mailing Address (Street Address, Mail Code/Suite, City, State, Zip Code):		E-mail:	Primary Phone:
		Fax:	Secondary Phone:
CROMERR technical Please attest by check		ts of this CMDP implementa	ition:
☐ No customizations implementation.	to CROMERR business proce	esses or functionality of CMDF	have been made for this
NOTE: If you have customized anything, please contact cromerr@epa.gov to discuss before submitting this form.			
Certifying Official (At	torney General (AG) certific	eation):	
Please check one:			
	cient legal authority to implents and regulations establishing		uded with this application along with
previous CROMERR a		eporting. Further, I have cons	rtification is on file with EPA from a ulted with my legal counsel and/or AG
			ram-announcements-and-initiatives/ proadly applicable, previously approved

AG certification. I have consulted with my legal counsel and/or AG office to confirm that it is acceptable to use this.