

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	CA	50	CO-COLD	1.3	10	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	FA	50	CO-COLD	1.3	10	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	CA	100	CO	0.3	4.2	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	CA	100	CO	0.4	4.2	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	CA	100	HC-NM+NOX-COMP	0.16	0.71	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	CA	100	NMOG	0.072	0.125	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	CA	100	NMOG	0.082	0.125	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	CA	100	NOX	0.1	0.2	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	CA	100	NOX	0.13	0.2	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	CA	50	CO	0.3	3.4	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	CA	50	CO	0.4	3.4	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	CA	50	NMOG	0.072	0.1	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	CA	50	NMOG	0.082	0.1	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	CA	50	NOX	0.1	0.14	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	CA	50	NOX	0.13	0.14	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	FA	100	CO	0.3	4.2	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	FA	100	CO	0.4	4.2	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	FA	100	HC-NM+NOX-COMP	0.16	0.71	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	FA	100	NMOG	0.072	0.125	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	FA	100	NMOG	0.082	0.125	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	FA	100	NOX	0.1	0.2	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	FA	100	NOX	0.13	0.2	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	FA	50	CO	0.3	3.4	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	FA	50	CO	0.4	3.4	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	FA	50	NMOG	0.072	0.1	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	FA	50	NMOG	0.082	0.1	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	FA	50	NOX	0.1	0.14	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	FA	50	NOX	0.13	0.14	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	CA	100	CO-US06	0.7	11.1	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	CA	100	CO-US06	3.7	11.1	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	CA	4	CO-US06	0.6	8	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	CA	4	CO-US06	3	8	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	CA	4	HC-NM+NOX-US06	0.08	0.14	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	CA	4	HC-NM+NOX-US06	0.14	0.14	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	FA	100	CO-US06	0.7	11.1	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	FA	100	CO-US06	3.7	11.1	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	FA	4	CO-US06	0.6	8	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	FA	4	CO-US06	3	8	B8

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	FA	4	HC-NM+NOX-US06	0.08	0.14	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	FA	4	HC-NM+NOX-US06	0.14	0.14	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	CA	100	CO-SC03	0.3	3.7	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	CA	100	CO-SC03	0.4	3.7	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	CA	4	CO-SC03	0.3	2.7	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	CA	4	HC-NM+NOX-SC03	0.08	0.2	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	CA	4	HC-NM+NOX-SC03	0.16	0.2	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	FA	100	CO-SC03	0.3	3.7	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	FA	100	CO-SC03	0.4	3.7	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	FA	4	CO-SC03	0.3	2.7	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	FA	4	HC-NM+NOX-SC03	0.08	0.2	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	3.5	L4	3.64	4250	FA	4	HC-NM+NOX-SC03	0.16	0.2	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	5.7	L5	2.82	4500	CA	50	CO-COLD	4.6	10	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	5.7	L5	2.82	4500	FA	50	CO-COLD	4.6	10	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	5.7	L5	2.82	4500	CA	100	CO	1.3	4.2	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	5.7	L5	2.82	4500	CA	100	HC-NM+NOX-COMP	0.07	0.71	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	5.7	L5	2.82	4500	CA	100	NMOG	0.099	0.125	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	5.7	L5	2.82	4500	CA	100	NOX	0.03	0.2	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	5.7	L5	2.82	4500	CA	50	CO	1.2	3.4	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	5.7	L5	2.82	4500	CA	50	NMOG	0.099	0.1	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	5.7	L5	2.82	4500	CA	50	NOX	0.03	0.14	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	5.7	L5	2.82	4500	FA	100	CO	1.3	4.2	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	5.7	L5	2.82	4500	FA	100	HC-NM+NOX-COMP	0.07	0.71	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	5.7	L5	2.82	4500	FA	100	NMOG	0.099	0.125	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	5.7	L5	2.82	4500	FA	100	NOX	0.03	0.2	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	5.7	L5	2.82	4500	FA	50	CO	1.2	3.4	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	5.7	L5	2.82	4500	FA	50	NMOG	0.099	0.1	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	5.7	L5	2.82	4500	FA	50	NOX	0.03	0.14	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	5.7	L5	2.82	4500	CA	100	CO-US06	1.7	11.1	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	5.7	L5	2.82	4500	CA	4	CO-US06	1.4	8	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	5.7	L5	2.82	4500	CA	4	HC-NM+NOX-US06	0.05	0.14	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	5.7	L5	2.82	4500	FA	100	CO-US06	1.7	11.1	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	5.7	L5	2.82	4500	FA	4	CO-US06	1.4	8	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	5.7	L5	2.82	4500	FA	4	HC-NM+NOX-US06	0.05	0.14	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	5.7	L5	2.82	4500	CA	100	CO-SC03	0.5	3.7	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	5.7	L5	2.82	4500	CA	4	CO-SC03	0.4	2.7	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	5.7	L5	2.82	4500	CA	4	HC-NM+NOX-SC03	0.03	0.2	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	5.7	L5	2.82	4500	FA	100	CO-SC03	0.5	3.7	B8

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
DaimlerChrysler	CHRYSLER	300C/SRT-8	5.7	L5	2.82	4500	FA	4	CO-SC03	0.4	2.7	B8
DaimlerChrysler	CHRYSLER	300C/SRT-8	5.7	L5	2.82	4500	FA	4	HC-NM+NOX-SC03	0.03	0.2	B8
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	L4	2.95	5000	CA	50	CO-COLD	2.3	12.5	B9
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	L4	2.95	5000	CF	50	CO-COLD	2.3	12.5	LEV
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	L4	2.95	5000	FA	50	CO-COLD	2.3	12.5	B9
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	L4	2.95	5000	CA	100	CO	0.5	5.5	B9
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	L4	2.95	5000	CA	100	HC-NM+NOX-COMP	0.27	1.04	B9
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	L4	2.95	5000	CA	100	NMOG	0.088	0.13	B9
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	L4	2.95	5000	CA	100	NOX	0.14	0.5	B9
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	L4	2.95	5000	CA	50	CO	0.4	4.4	B9
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	L4	2.95	5000	CA	50	NMOG	0.088	0.1	B9
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	L4	2.95	5000	CA	50	NOX	0.14	0.4	B9
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	L4	2.95	5000	CF	100	CO	0.5	5.5	LEV
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	L4	2.95	5000	CF	100	HC-NM+NOX-COMP	0.27	1.04	LEV
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	L4	2.95	5000	CF	100	NMOG	0.088	0.13	LEV
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	L4	2.95	5000	CF	100	NOX	0.14	0.5	LEV
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	L4	2.95	5000	CF	50	CO	0.4	4.4	LEV
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	L4	2.95	5000	CF	50	NMOG	0.088	0.1	LEV
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	L4	2.95	5000	CF	50	NOX	0.14	0.4	LEV
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	L4	2.95	5000	FA	100	CO	0.5	4.2	B9
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	L4	2.95	5000	FA	100	HC-NM+NOX-COMP	0.27	1.04	B9
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	L4	2.95	5000	FA	100	NMOG	0.088	0.13	B9
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	L4	2.95	5000	FA	100	NOX	0.14	0.3	B9
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	L4	2.95	5000	FA	50	CO	0.4	3.4	B9
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	L4	2.95	5000	FA	50	NMOG	0.088	0.1	B9
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	L4	2.95	5000	FA	50	NOX	0.14	0.2	B9
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	L4	2.95	5000	CA	100	CO-US06	8.5	14.6	B9
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	L4	2.95	5000	CF	100	CO-US06	8.5	14.6	LEV
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	L4	2.95	5000	FA	100	CO-US06	8.5	14.6	B9
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	L4	2.95	5000	CA	100	CO-SC03	0.4	4.9	B9
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	L4	2.95	5000	CA	4	CO-SC03	0.3	3.5	B9
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	L4	2.95	5000	CA	4	HC-NM+NOX-SC03	0.24	0.27	B9
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	L4	2.95	5000	CF	100	CO-SC03	0.4	4.9	LEV
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	L4	2.95	5000	CF	4	CO-SC03	0.3	3.5	LEV
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	L4	2.95	5000	CF	4	HC-NM+NOX-SC03	0.24	0.27	LEV
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	L4	2.95	5000	FA	100	CO-SC03	0.4	4.9	B9
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	L4	2.95	5000	FA	4	CO-SC03	0.3	3.5	B9
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	L4	2.95	5000	FA	4	HC-NM+NOX-SC03	0.24	0.27	B9

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	M4	2.95	5000	CA	50	CO-COLD	2	12.5	B9
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	M4	2.95	5000	CF	50	CO-COLD	2	12.5	LEV
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	M4	2.95	5000	FA	50	CO-COLD	2	12.5	B9
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	M4	2.95	5000	CA	100	CO	0.5	5.5	B9
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	M4	2.95	5000	CA	100	NMOG	0.09	0.13	B9
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	M4	2.95	5000	CA	100	NOX	0.14	0.5	B9
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	M4	2.95	5000	CA	50	CO	0.5	4.4	B9
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	M4	2.95	5000	CA	50	NMOG	0.09	0.1	B9
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	M4	2.95	5000	CA	50	NOX	0.14	0.4	B9
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	M4	2.95	5000	CF	100	CO	0.5	5.5	LEV
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	M4	2.95	5000	CF	100	NMOG	0.09	0.13	LEV
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	M4	2.95	5000	CF	100	NOX	0.14	0.5	LEV
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	M4	2.95	5000	CF	50	CO	0.5	4.4	LEV
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	M4	2.95	5000	CF	50	NMOG	0.09	0.1	LEV
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	M4	2.95	5000	CF	50	NOX	0.14	0.4	LEV
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	M4	2.95	5000	FA	100	CO	0.5	4.2	B9
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	M4	2.95	5000	FA	100	NMOG	0.09	0.13	B9
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	M4	2.95	5000	FA	100	NOX	0.14	0.3	B9
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	M4	2.95	5000	FA	50	CO	0.5	3.4	B9
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	M4	2.95	5000	FA	50	NMOG	0.09	0.1	B9
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	M4	2.95	5000	FA	50	NOX	0.14	0.2	B9
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	M4	2.95	5000	CA	100	CO-SC03	0.3	4.9	B9
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	M4	2.95	5000	CA	4	CO-SC03	0.3	3.5	B9
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	M4	2.95	5000	CA	4	HC-NM+NOX-SC03	0.24	0.27	B9
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	M4	2.95	5000	CF	100	CO-SC03	0.3	4.9	LEV
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	M4	2.95	5000	CF	4	CO-SC03	0.3	3.5	LEV
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	M4	2.95	5000	CF	4	HC-NM+NOX-SC03	0.24	0.27	LEV
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	M4	2.95	5000	FA	100	CO-SC03	0.3	4.9	B9
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	M4	2.95	5000	FA	4	CO-SC03	0.3	3.5	B9
DaimlerChrysler	CHRYSLER	PACIFICA AWD	3.5	M4	2.95	5000	FA	4	HC-NM+NOX-SC03	0.24	0.27	B9
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	L4	2.69	3500	CA	50	CO-COLD	1.8	10	U2
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	L4	2.69	3500	CA	120	CO	1.3	2.1	U2
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	L4	2.69	3500	CA	120	NMOG	0.036	0.055	U2
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	L4	2.69	3500	CA	120	NOX	0.02	0.07	U2
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	L4	2.69	3500	CA	50	CO	1.1	1.7	U2
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	L4	2.69	3500	CA	50	NMOG	0.036	0.04	U2
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	L4	2.69	3500	CA	50	NOX	0.02	0.05	U2
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	L4	2.69	3500	CA	4	CO-US06	0.8	8	U2

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	L4	2.69	3500	CA	4	HC-NM+NOX-US06	0.01	0.14	U2
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	L4	2.69	3500	CA	4	CO-SC03	0.3	2.7	U2
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	L4	2.69	3500	CA	4	HC-NM+NOX-SC03	0.01	0.2	U2
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	L4	2.69	3875	CA	50	CO-COLD	2.1	10	B8
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	L4	2.69	3875	FA	50	CO-COLD	2.1	10	B8
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	L4	2.69	3875	CA	100	CO	0.9	4.2	B8
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	L4	2.69	3875	CA	100	NMOG	0.058	0.125	B8
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	L4	2.69	3875	CA	100	NOX	0.06	0.2	B8
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	L4	2.69	3875	CA	50	CO	0.8	3.4	B8
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	L4	2.69	3875	CA	50	NMOG	0.058	0.1	B8
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	L4	2.69	3875	CA	50	NOX	0.06	0.14	B8
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	L4	2.69	3875	FA	100	CO	0.9	4.2	B8
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	L4	2.69	3875	FA	100	NMOG	0.058	0.125	B8
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	L4	2.69	3875	FA	100	NOX	0.06	0.2	B8
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	L4	2.69	3875	FA	50	CO	0.8	3.4	B8
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	L4	2.69	3875	FA	50	NMOG	0.058	0.1	B8
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	L4	2.69	3875	FA	50	NOX	0.06	0.14	B8
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	L4	2.69	3875	CA	100	CO-US06	5.8	11.1	B8
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	L4	2.69	3875	CA	4	CO-US06	1.9	8	B8
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	L4	2.69	3875	CA	4	HC-NM+NOX-US06	0.07	0.14	B8
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	L4	2.69	3875	FA	100	CO-US06	5.8	11.1	B8
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	L4	2.69	3875	FA	4	CO-US06	1.9	8	B8
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	L4	2.69	3875	FA	4	HC-NM+NOX-US06	0.07	0.14	B8
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	L4	2.69	3875	CA	100	CO-SC03	0.8	3.7	B8
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	L4	2.69	3875	CA	4	CO-SC03	0.6	2.7	B8
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	L4	2.69	3875	CA	4	HC-NM+NOX-SC03	0.02	0.2	B8
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	L4	2.69	3875	FA	100	CO-SC03	0.8	3.7	B8
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	L4	2.69	3875	FA	4	CO-SC03	0.6	2.7	B8
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	L4	2.69	3875	FA	4	HC-NM+NOX-SC03	0.02	0.2	B8
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	M4	2.69	3875	CA	50	CO-COLD	1.9	10	B8
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	M4	2.69	3875	FA	50	CO-COLD	1.9	10	B8
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	M4	2.69	3875	CA	100	CO	0.9	4.2	B8
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	M4	2.69	3875	CA	100	NMOG	0.058	0.125	B8
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	M4	2.69	3875	CA	100	NOX	0.06	0.2	B8
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	M4	2.69	3875	CA	50	CO	0.9	3.4	B8
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	M4	2.69	3875	CA	50	NMOG	0.056	0.1	B8
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	M4	2.69	3875	CA	50	NOX	0.05	0.14	B8
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	M4	2.69	3875	FA	100	CO	0.9	4.2	B8

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	M4	2.69	3875	FA	100	NMOG	0.058	0.125	B8
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	M4	2.69	3875	FA	100	NOX	0.06	0.2	B8
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	M4	2.69	3875	FA	50	CO	0.9	3.4	B8
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	M4	2.69	3875	FA	50	NMOG	0.056	0.1	B8
DaimlerChrysler	CHRYSLER	PT CRUISER	2.4	M4	2.69	3875	FA	50	NOX	0.05	0.14	B8
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CA	50	CO-COLD	1.1	10	L2
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	50	CO-COLD	1.1	10	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	50	CO-COLD	1.1	10	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CA	120	CO	0.4	4.2	L2
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CA	120	NMOG	0.039	0.09	L2
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CA	120	NOX	0.03	0.07	L2
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CA	50	CO	0.4	3.4	L2
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CA	50	NMOG	0.039	0.075	L2
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CA	50	NOX	0.03	0.05	L2
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	100	CO	0.4	4.2	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	100	NMOG	0.039	0.09	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	100	NOX	0	0.3	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	120	HC-NM+NOX-COMP	0.06	0.65	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	50	CO	0.4	3.4	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	50	NMOG	0.039	0.075	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	50	NOX	0	0.2	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	120	CO	0.4	4.2	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	120	HC-NM+NOX-COMP	0.06	0.65	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	120	NMOG	0.039	0.09	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	120	NOX	0.03	0.07	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	50	CO	0.4	3.4	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	50	NMOG	0.039	0.075	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	50	NOX	0.03	0.05	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CA	4	CO-US06	2.8	8	L2
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CA	4	HC-NM+NOX-US06	0.1	0.14	L2
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	120	CO-US06	2.9	11.1	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	4	CO-US06	2.8	8	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	4	HC-NM+NOX-US06	0.1	0.14	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	120	CO-US06	2.9	11.1	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	4	CO-US06	2.8	8	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	4	HC-NM+NOX-US06	0.1	0.14	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CA	4	CO-SC03	0.2	2.7	L2
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CA	4	HC-NM+NOX-SC03	0.02	0.2	L2

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	120	CO-SC03	0.5	3.7	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	4	CO-SC03	0.2	2.7	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	4	HC-NM+NOX-SC03	0.02	0.2	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	120	CO-SC03	0.5	3.7	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	4	CO-SC03	0.2	2.7	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	4	HC-NM+NOX-SC03	0.02	0.2	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CA	50	CO-COLD	1.1	10	L2
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	50	CO-COLD	1.1	10	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	50	CO-COLD	1.1	10	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CA	120	CO	0.4	4.2	L2
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CA	120	NMOG	0.039	0.09	L2
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CA	120	NOX	0.03	0.07	L2
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CA	50	CO	0.4	3.4	L2
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CA	50	NMOG	0.039	0.075	L2
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CA	50	NOX	0.03	0.05	L2
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	100	CO	0.4	4.2	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	100	NMOG	0.039	0.09	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	100	NOX	0	0.3	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	120	HC-NM+NOX-COMP	0.06	0.65	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	50	CO	0.4	3.4	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	50	NMOG	0.039	0.075	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	50	NOX	0	0.2	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	120	CO	0.4	4.2	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	120	HC-NM+NOX-COMP	0.06	0.65	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	120	NMOG	0.039	0.09	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	120	NOX	0.03	0.07	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	50	CO	0.4	3.4	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	50	NMOG	0.039	0.075	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	50	NOX	0.03	0.05	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CA	4	CO-US06	2.8	8	L2
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CA	4	HC-NM+NOX-US06	0.1	0.14	L2
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	120	CO-US06	2.9	11.1	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	4	CO-US06	2.8	8	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	4	HC-NM+NOX-US06	0.1	0.14	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	120	CO-US06	2.9	11.1	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	4	CO-US06	2.8	8	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	4	HC-NM+NOX-US06	0.1	0.14	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CA	4	CO-SC03	0.2	2.7	L2

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CA	4	HC-NM+NOX-SC03	0.02	0.2	L2
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	120	CO-SC03	0.5	3.7	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	4	CO-SC03	0.2	2.7	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	4	HC-NM+NOX-SC03	0.02	0.2	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	120	CO-SC03	0.5	3.7	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	4	CO-SC03	0.2	2.7	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	4	HC-NM+NOX-SC03	0.02	0.2	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CA	50	CO-COLD	1.1	10	L2
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	50	CO-COLD	1.1	10	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	50	CO-COLD	1.1	10	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CA	120	CO	0.4	4.2	L2
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CA	120	NMOG	0.039	0.09	L2
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CA	120	NOX	0.03	0.07	L2
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CA	50	CO	0.4	3.4	L2
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CA	50	NMOG	0.039	0.075	L2
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CA	50	NOX	0.03	0.05	L2
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	100	CO	0.4	4.2	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	100	NMOG	0.039	0.09	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	100	NOX	0	0.3	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	120	HC-NM+NOX-COMP	0.06	0.65	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	50	CO	0.4	3.4	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	50	NMOG	0.039	0.075	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	50	NOX	0	0.2	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	120	CO	0.4	4.2	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	120	HC-NM+NOX-COMP	0.06	0.65	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	120	NMOG	0.039	0.09	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	120	NOX	0.03	0.07	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	50	CO	0.4	3.4	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	50	NMOG	0.039	0.075	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	50	NOX	0.03	0.05	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CA	4	CO-US06	2.8	8	L2
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CA	4	HC-NM+NOX-US06	0.1	0.14	L2
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	120	CO-US06	2.9	11.1	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	4	CO-US06	2.8	8	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	4	HC-NM+NOX-US06	0.1	0.14	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	120	CO-US06	2.9	11.1	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	4	CO-US06	2.8	8	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	4	HC-NM+NOX-US06	0.1	0.14	B5



2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CA	4	CO-SC03	0.2	2.7	L2
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CA	4	HC-NM+NOX-SC03	0.02	0.2	L2
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	120	CO-SC03	0.5	3.7	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	4	CO-SC03	0.2	2.7	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	4	HC-NM+NOX-SC03	0.02	0.2	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	120	CO-SC03	0.5	3.7	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	4	CO-SC03	0.2	2.7	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	4	HC-NM+NOX-SC03	0.02	0.2	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CA	50	CO-COLD	1.9	10	L2
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	50	CO-COLD	1.9	10	LEV
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	50	CO-COLD	1.9	10	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CA	120	CO	0.8	4.2	L2
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CA	120	NMOG	0.044	0.09	L2
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CA	120	NOX	0.02	0.07	L2
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	100	CO	0.8	4.2	LEV
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	100	NMOG	0.044	0.09	LEV
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	100	NOX	0	0.3	LEV
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	120	CO	0.8	4.2	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	120	HC-NM+NOX-COMP	0.07	0.65	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	120	NMOG	0.044	0.09	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	120	NOX	0.02	0.07	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	4	CO-US06	2.7	8	LEV
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	4	CO-US06	6.3	8	LEV
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	4	HC-NM+NOX-US06	0.01	0.14	LEV
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	4	HC-NM+NOX-US06	0.08	0.14	LEV
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	120	CO-US06	3.6	11.1	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	120	CO-US06	8.4	11.1	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	4	CO-SC03	0.5	2.7	LEV
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	4	CO-SC03	0.8	2.7	LEV
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	4	HC-NM+NOX-SC03	0.01	0.2	LEV
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	CF	4	HC-NM+NOX-SC03	0.06	0.2	LEV
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	120	CO-SC03	0.7	3.7	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3750	FA	120	CO-SC03	1.1	3.7	B5
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3875	CA	50	CO-COLD	2.1	10	B8
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3875	FA	50	CO-COLD	2.1	10	B8
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3875	CA	100	CO	0.9	4.2	B8
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3875	CA	100	NMOG	0.058	0.125	B8
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3875	CA	100	NOX	0.06	0.2	B8

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3875	CA	50	CO	0.8	3.4	B8
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3875	CA	50	NMOG	0.058	0.1	B8
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3875	CA	50	NOX	0.06	0.14	B8
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3875	FA	100	CO	0.9	4.2	B8
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3875	FA	100	NMOG	0.058	0.125	B8
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3875	FA	100	NOX	0.06	0.2	B8
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3875	FA	50	CO	0.8	3.4	B8
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3875	FA	50	NMOG	0.058	0.1	B8
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3875	FA	50	NOX	0.06	0.14	B8
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3875	CA	100	CO-US06	5.8	11.1	B8
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3875	CA	4	CO-US06	1.9	8	B8
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3875	CA	4	HC-NM+NOX-US06	0.07	0.14	B8
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3875	FA	100	CO-US06	5.8	11.1	B8
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3875	FA	4	CO-US06	1.9	8	B8
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3875	FA	4	HC-NM+NOX-US06	0.07	0.14	B8
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3875	CA	100	CO-SC03	0.8	3.7	B8
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3875	CA	4	CO-SC03	0.6	2.7	B8
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3875	CA	4	HC-NM+NOX-SC03	0.02	0.2	B8
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3875	FA	100	CO-SC03	0.8	3.7	B8
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3875	FA	4	CO-SC03	0.6	2.7	B8
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	L4	2.69	3875	FA	4	HC-NM+NOX-SC03	0.02	0.2	B8
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	M4	2.69	3875	CA	50	CO-COLD	1.9	10	B8
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	M4	2.69	3875	FA	50	CO-COLD	1.9	10	B8
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	M4	2.69	3875	CA	100	CO	0.9	4.2	B8
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	M4	2.69	3875	CA	100	NMOG	0.058	0.125	B8
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	M4	2.69	3875	CA	100	NOX	0.06	0.2	B8
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	M4	2.69	3875	CA	50	CO	0.9	3.4	B8
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	M4	2.69	3875	CA	50	NMOG	0.056	0.1	B8
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	M4	2.69	3875	CA	50	NOX	0.05	0.14	B8
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	M4	2.69	3875	FA	100	CO	0.9	4.2	B8
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	M4	2.69	3875	FA	100	NMOG	0.058	0.125	B8
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	M4	2.69	3875	FA	100	NOX	0.06	0.2	B8
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	M4	2.69	3875	FA	50	CO	0.9	3.4	B8
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	M4	2.69	3875	FA	50	NMOG	0.056	0.1	B8
DaimlerChrysler	CHRYSLER	PTCRUISER CONV/CABRIO	2.4	M4	2.69	3875	FA	50	NOX	0.05	0.14	B8
DaimlerChrysler	CHRYSLER	SEBRING 4-DR	2.4	L4	2.69	3500	CA	150	CO	0.3	1	ZEV
DaimlerChrysler	CHRYSLER	SEBRING 4-DR	2.4	L4	2.69	3500	CA	150	NMOG	0.006	0.01	ZEV
DaimlerChrysler	CHRYSLER	SEBRING 4-DR	2.4	L4	2.69	3500	CA	150	NOX	0.01	0.02	ZEV

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
DaimlerChrysler	CHRYSLER	SEBRING 4-DR	2.4	L4	2.69	3500	CA	50	CO-COLD	2	10	ZEV
DaimlerChrysler	CHRYSLER	SEBRING 4-DR	2.4	L4	2.69	3500	CA	4	CO-US06	1.4	8	ZEV
DaimlerChrysler	CHRYSLER	SEBRING 4-DR	2.4	L4	2.69	3500	CA	4	HC-NM+NOX-US06	0.04	0.14	ZEV
DaimlerChrysler	CHRYSLER	SEBRING 4-DR	2.4	L4	2.69	3500	CA	4	CO-SC03	0.4	2.7	ZEV
DaimlerChrysler	CHRYSLER	SEBRING 4-DR	2.4	L4	2.69	3500	CA	4	HC-NM+NOX-SC03	0	0.2	ZEV
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	CA	50	CO-COLD	2.9	10	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	FA	50	CO-COLD	2.9	10	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	CA	100	CO	0.6	4.2	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	CA	100	CO	1	4.2	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	CA	100	NMOG	0.058	0.125	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	CA	100	NMOG	0.063	0.125	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	CA	100	NOX	0.05	0.2	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	CA	100	NOX	0.06	0.2	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	CA	50	CO	0.5	3.4	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	CA	50	CO	0.9	3.4	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	CA	50	NMOG	0.058	0.1	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	CA	50	NMOG	0.063	0.1	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	CA	50	NOX	0.05	0.14	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	CA	50	NOX	0.06	0.14	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	FA	100	CO	0.6	4.2	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	FA	100	CO	1	4.2	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	FA	100	NMOG	0.058	0.125	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	FA	100	NMOG	0.063	0.125	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	FA	100	NOX	0.05	0.2	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	FA	100	NOX	0.06	0.2	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	FA	50	CO	0.5	3.4	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	FA	50	CO	0.9	3.4	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	FA	50	NMOG	0.058	0.1	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	FA	50	NMOG	0.063	0.1	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	FA	50	NOX	0.05	0.14	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	FA	50	NOX	0.06	0.14	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	CA	100	CO-US06	6.2	11.1	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	CA	100	CO-US06	7.3	11.1	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	CA	4	CO-US06	4.9	8	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	CA	4	CO-US06	5.7	8	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	CA	4	HC-NM+NOX-US06	0.11	0.14	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	CA	4	HC-NM+NOX-US06	0.16	0.14	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	FA	100	CO-US06	6.2	11.1	B8

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	FA	100	CO-US06	7.3	11.1	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	FA	4	CO-US06	4.9	8	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	FA	4	CO-US06	5.7	8	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	FA	4	HC-NM+NOX-US06	0.11	0.14	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	FA	4	HC-NM+NOX-US06	0.16	0.14	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	CA	100	CO-SC03	0.6	3.7	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	CA	100	CO-SC03	0.7	3.7	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	CA	4	CO-SC03	0.5	2.7	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	CA	4	CO-SC03	0.6	2.7	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	CA	4	HC-NM+NOX-SC03	0.11	0.2	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	CA	4	HC-NM+NOX-SC03	0.12	0.2	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	FA	100	CO-SC03	0.6	3.7	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	FA	100	CO-SC03	0.7	3.7	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	FA	4	CO-SC03	0.5	2.7	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	FA	4	CO-SC03	0.6	2.7	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	FA	4	HC-NM+NOX-SC03	0.11	0.2	B8
DaimlerChrysler	CHRYSLER	SEBRING CONVERTIBLE	2.7	AA	2.69	3750	FA	4	HC-NM+NOX-SC03	0.12	0.2	B8
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	CA	50	CO-COLD	2.7	12.5	L2
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	CF	50	CO-COLD	2.7	12.5	LEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	FA	50	CO-COLD	2.7	12.5	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	CA	100	CO	0.9	4.2	ULEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	CA	100	HCHO	0.001	0.018	ULEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	CA	100	NMOG	0.073	0.13	ULEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	CA	100	NOX	0.01	0.3	ULEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	CA	50	CO	0.8	3.4	ULEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	CA	50	HCHO	0.001	0.015	ULEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	CA	50	NMOG	0.073	0.1	ULEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	CA	50	NOX	0.01	0.2	ULEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	CF	100	CO	0.9	5.5	LEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	CF	100	HCHO	0.001	0.018	LEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	CF	100	NMOG	0.073	0.13	LEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	CF	100	NOX	0.01	0.5	LEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	CF	50	CO	0.8	4.4	LEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	CF	50	HCHO	0.001	0.015	LEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	CF	50	NMOG	0.073	0.1	LEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	CF	50	NOX	0.01	0.4	LEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	FA	100	CO	0.9	4.2	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	FA	100	HCHO	0.001	0.018	B9

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	FA	100	NMOG	0.073	0.13	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	FA	100	NOX	0	0.3	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	FA	50	CO	0.8	3.4	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	FA	50	HCHO	0.001	0.015	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	FA	50	NMOG	0.073	0.1	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	FA	50	NOX	0	0.2	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	CA	100	CO	0.7	4.2	L2
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	CA	100	HC-NM+NOX-COMP	0.11	1.04	L2
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	CA	100	NMOG	0.054	0.13	L2
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	CA	100	NOX	0.04	0.3	L2
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	CA	50	CO	0.6	3.4	L2
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	CA	50	NMOG	0.054	0.1	L2
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	CA	50	NOX	0.04	0.2	L2
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	CF	100	CO	0.7	5.5	LEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	CF	100	HC-NM+NOX-COMP	0.11	1.04	LEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	CF	100	NMOG	0.054	0.13	LEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	CF	100	NOX	0.04	0.5	LEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	CF	50	CO	0.6	4.4	LEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	CF	50	NMOG	0.054	0.1	LEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	CF	50	NOX	0.04	0.4	LEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	FA	100	CO	0.7	4.2	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	FA	100	HC-NM+NOX-COMP	0.11	1.04	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	FA	100	NMOG	0.054	0.13	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	FA	100	NOX	0.04	0.3	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	FA	50	CO	0.6	3.4	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	FA	50	NMOG	0.054	0.1	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	FA	50	NOX	0.04	0.2	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	CA	100	CO-US06	3	14.6	L2
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	CA	4	CO-US06	2.6	10.5	L2
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	CA	4	HC-NM+NOX-US06	0.03	0.25	L2
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	CF	100	CO-US06	3	14.6	LEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	CF	4	CO-US06	2.6	10.5	LEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	CF	4	HC-NM+NOX-US06	0.03	0.25	LEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	FA	100	CO-US06	3	14.6	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	FA	4	CO-US06	2.6	10.5	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	FA	4	HC-NM+NOX-US06	0.03	0.25	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	CA	100	CO-SC03	2.9	4.9	L2
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	CA	4	CO-SC03	0.6	3.5	L2

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	CA	4	HC-NM+NOX-SC03	0.04	0.27	L2
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	CF	100	CO-SC03	2.9	4.9	LEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	CF	4	CO-SC03	0.6	3.5	LEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	CF	4	HC-NM+NOX-SC03	0.04	0.27	LEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	FA	100	CO-SC03	2.9	4.9	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	FA	4	CO-SC03	0.6	3.5	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.3	L4	2.49	4500	FA	4	HC-NM+NOX-SC03	0.04	0.27	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CA	50	CO-COLD	2.7	12.5	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CF	50	CO-COLD	2.7	12.5	LEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	FA	50	CO-COLD	2.7	12.5	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CA	100	CO	1.1	4.2	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CA	100	HC-NM+NOX-COMP	0.13	1.04	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CA	100	NMOG	0.059	0.13	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CA	100	NOX	0.08	0.3	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CA	50	CO	1	3.4	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CA	50	NMOG	0.059	0.1	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CA	50	NOX	0.08	0.2	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CF	100	CO	1.1	4.2	LEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CF	100	HC-NM+NOX-COMP	0.13	1.04	LEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CF	100	NMOG	0.059	0.13	LEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CF	100	NOX	0.08	0.3	LEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CF	50	CO	1	3.4	LEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CF	50	NMOG	0.059	0.1	LEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CF	50	NOX	0.08	0.2	LEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	FA	100	CO	1.1	4.2	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	FA	100	HC-NM+NOX-COMP	0.13	1.04	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	FA	100	NMOG	0.059	0.13	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	FA	100	NOX	0.08	0.3	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	FA	50	CO	1	3.4	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	FA	50	NMOG	0.059	0.1	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	FA	50	NOX	0.08	0.2	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CA	100	CO-US06	5.6	14.6	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CA	4	CO-US06	6.9	10.5	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CA	4	HC-NM+NOX-US06	0.1	0.25	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CF	100	CO-US06	5.6	14.6	LEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CF	4	CO-US06	6.9	10.5	LEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CF	4	HC-NM+NOX-US06	0.1	0.25	LEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	FA	100	CO-US06	5.6	14.6	B9

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	FA	4	CO-US06	6.9	10.5	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	FA	4	HC-NM+NOX-US06	0.1	0.25	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CA	100	CO-SC03	1.3	4.9	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CA	4	CO-SC03	0.9	3.5	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CA	4	HC-NM+NOX-SC03	0.2	0.27	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CF	100	CO-SC03	1.3	4.9	LEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CF	4	CO-SC03	0.9	3.5	LEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CF	4	HC-NM+NOX-SC03	0.2	0.27	LEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	FA	100	CO-SC03	1.3	4.9	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	FA	4	CO-SC03	0.9	3.5	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	FA	4	HC-NM+NOX-SC03	0.2	0.27	B9
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CA	50	CO-COLD	2.2	12.5	L2
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CF	50	CO-COLD	2.2	12.5	LEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	FA	50	CO-COLD	2.2	12.5	B5
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CA	120	CO	0.9	4.2	L2
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CA	120	NMOG	0.03	0.09	L2
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CA	120	NOX	0.024	0.07	L2
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CA	50	CO	0.8	3.4	L2
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CA	50	NMOG	0.03	0.075	L2
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CA	50	NOX	0.024	0.05	L2
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CF	100	CO	0.9	5.5	LEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CF	100	NMOG	0.03	0.13	LEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CF	100	NOX	0.02	0.5	LEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CF	50	CO	0.8	4.4	LEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CF	50	NMOG	0.03	0.1	LEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CF	50	NOX	0.02	0.4	LEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	FA	120	CO	0.9	4.2	B5
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	FA	120	HC-NM+NOX-COMP	0.07	0.95	B5
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	FA	120	NMOG	0.03	0.09	B5
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	FA	120	NOX	0.02	0.07	B5
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	FA	50	CO	0.8	3.4	B5
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	FA	50	NMOG	0.03	0.075	B5
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	FA	50	NOX	0.02	0.05	B5
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CA	4	CO-US06	4.1	10.5	L2
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CA	4	HC-NM+NOX-US06	0.02	0.25	L2
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CF	4	CO-US06	4.1	10.5	LEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CF	4	HC-NM+NOX-US06	0.02	0.24	LEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	FA	120	CO-US06	3.7	14.6	B5

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	FA	4	CO-US06	4.1	10.5	B5
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	FA	4	HC-NM+NOX-US06	0.02	0.25	B5
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CA	4	CO-SC03	1	3.5	L2
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CA	4	HC-NM+NOX-SC03	0.03	0.27	L2
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CF	4	CO-SC03	1	3.5	LEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	CF	4	HC-NM+NOX-SC03	0.03	0.27	LEV
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	FA	120	CO-SC03	1.6	4.9	B5
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	FA	4	CO-SC03	1	3.5	B5
DaimlerChrysler	CHRYSLER	TOWN & COUNTRY 2WD	3.8	L4	2.37	4750	FA	4	HC-NM+NOX-SC03	0.03	0.27	B5
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	CA	100	CO	1.3	5.5	LEV
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	CA	100	HC-NM+NOX-COMP	0.16	1.04	LEV
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	CA	100	NMOG	0.062	0.13	LEV
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	CA	100	NOX	0.07	0.5	LEV
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	CA	50	CO	1.2	4.4	LEV
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	CA	50	NMOG	0.062	0.1	LEV
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	CA	50	NOX	0.07	0.4	LEV
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	CF	100	CO	1.3	5.5	LEV
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	CF	100	HC-NM+NOX-COMP	0.16	1.04	LEV
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	CF	100	NMOG	0.062	0.13	LEV
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	CF	100	NOX	0.07	0.5	LEV
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	CF	50	CO	1.2	4.4	LEV
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	CF	50	NMOG	0.062	0.1	LEV
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	CF	50	NOX	0.07	0.4	LEV
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	FA	100	CO	1.3	4.2	B9
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	FA	100	HC-NM+NOX-COMP	0.16	1.04	B9
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	FA	100	NMOG	0.062	0.13	B9
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	FA	100	NOX	0.07	0.3	B9
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	FA	50	CO	1.2	3.4	B9
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	FA	50	NMOG	0.062	0.1	B9
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	FA	50	NOX	0.07	0.2	B9
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	CA	100	CO-US06	5.5	14.6	LEV
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	CA	4	CO-US06	4.8	10.5	LEV
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	CA	4	HC-NM+NOX-US06	0.09	0.25	LEV
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	CF	100	CO-US06	5.5	14.6	LEV
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	CF	4	CO-US06	4.8	10.5	LEV
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	CF	4	HC-NM+NOX-US06	0.09	0.25	LEV
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	FA	100	CO-US06	5.5	14.6	B9
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	FA	4	CO-US06	4.8	10.5	B9



2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	FA	4	HC-NM+NOX-US06	0.09	0.25	B9
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	CA	100	CO-SC03	2.1	4.9	LEV
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	CA	4	CO-SC03	0.3	3.5	LEV
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	CA	4	HC-NM+NOX-SC03	0.02	0.27	LEV
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	CF	100	CO-SC03	2.1	4.9	LEV
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	CF	4	CO-SC03	0.3	3.5	LEV
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	CF	4	HC-NM+NOX-SC03	0.02	0.27	LEV
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	FA	100	CO-SC03	2.1	4.9	B9
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	FA	4	CO-SC03	0.3	3.5	B9
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	FA	4	HC-NM+NOX-SC03	0.02	0.27	B9
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	CA	50	CO-COLD	1.3	12.5	L2
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	CF	50	CO-COLD	1.3	12.5	LEV
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	FA	50	CO-COLD	1.3	12.5	B5
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	CA	120	CO-US06	7.9	14.6	L2
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	CA	4	CO-US06	3	10.5	L2
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	CA	4	HC-NM+NOX-US06	0.08	0.25	L2
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	CF	120	CO-US06	7.9	14.6	LEV
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	CF	4	CO-US06	3	10.5	LEV
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	CF	4	HC-NM+NOX-US06	0.08	0.25	LEV
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	FA	120	CO-US06	7.9	14.6	B5
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	FA	4	CO-US06	3	10.5	B5
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	FA	4	HC-NM+NOX-US06	0.08	0.25	B5
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	CA	120	CO-SC03	0.7	4.9	L2
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	CA	4	CO-SC03	0.4	3.5	L2
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	CA	4	HC-NM+NOX-SC03	0.03	0.27	L2
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	CF	120	CO-SC03	0.7	4.9	LEV
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	CF	4	CO-SC03	0.4	3.5	LEV
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	CF	4	HC-NM+NOX-SC03	0.03	0.27	LEV
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	FA	120	CO-SC03	0.7	4.9	B5
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	FA	4	CO-SC03	0.4	3.5	B5
DaimlerChrysler	DODGE	CARAVAN 2WD	2.4	L4	2.69	4250	FA	4	HC-NM+NOX-SC03	0.03	0.27	B5
DaimlerChrysler	DODGE	CARAVAN 2WD	3.3	L4	2.49	4500	CA	50	CO-COLD	1.5	12.5	L2
DaimlerChrysler	DODGE	CARAVAN 2WD	3.3	L4	2.49	4500	CF	50	CO-COLD	1.5	12.5	LEV
DaimlerChrysler	DODGE	CARAVAN 2WD	3.3	L4	2.49	4500	FA	50	CO-COLD	1.5	12.5	B5
DaimlerChrysler	DODGE	CARAVAN 2WD	3.3	L4	2.49	4500	CA	120	CO	0.5	4.2	L2
DaimlerChrysler	DODGE	CARAVAN 2WD	3.3	L4	2.49	4500	CA	120	HC-NM+NOX-COMP	0.12	0.95	L2
DaimlerChrysler	DODGE	CARAVAN 2WD	3.3	L4	2.49	4500	CA	120	NMOG	0.041	0.09	L2
DaimlerChrysler	DODGE	CARAVAN 2WD	3.3	L4	2.49	4500	CA	120	NOX	0.04	0.07	L2

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
DaimlerChrysler	DODGE	CARAVAN 2WD	3.3	L4	2.49	4500	CA	50	CO	0.5	3.4	L2
DaimlerChrysler	DODGE	CARAVAN 2WD	3.3	L4	2.49	4500	CA	50	NMOG	0.041	0.075	L2
DaimlerChrysler	DODGE	CARAVAN 2WD	3.3	L4	2.49	4500	CA	50	NOX	0.04	0.05	L2
DaimlerChrysler	DODGE	CARAVAN 2WD	3.3	L4	2.49	4500	CF	120	CO	0.5	5.5	LEV
DaimlerChrysler	DODGE	CARAVAN 2WD	3.3	L4	2.49	4500	CF	120	HC-NM+NOX-COMP	0.12	0.95	LEV
DaimlerChrysler	DODGE	CARAVAN 2WD	3.3	L4	2.49	4500	CF	120	NMOG	0.041	0.13	LEV
DaimlerChrysler	DODGE	CARAVAN 2WD	3.3	L4	2.49	4500	CF	120	NOX	0	0.5	LEV
DaimlerChrysler	DODGE	CARAVAN 2WD	3.3	L4	2.49	4500	CF	50	CO	0.5	4.4	LEV
DaimlerChrysler	DODGE	CARAVAN 2WD	3.3	L4	2.49	4500	CF	50	NMOG	0.041	0.1	LEV
DaimlerChrysler	DODGE	CARAVAN 2WD	3.3	L4	2.49	4500	CF	50	NOX	0	0.4	LEV
DaimlerChrysler	DODGE	CARAVAN 2WD	3.3	L4	2.49	4500	FA	120	CO	0.5	4.2	B5
DaimlerChrysler	DODGE	CARAVAN 2WD	3.3	L4	2.49	4500	FA	120	HC-NM+NOX-COMP	0.12	0.95	B5
DaimlerChrysler	DODGE	CARAVAN 2WD	3.3	L4	2.49	4500	FA	120	NMOG	0.041	0.09	B5
DaimlerChrysler	DODGE	CARAVAN 2WD	3.3	L4	2.49	4500	FA	120	NOX	0.04	0.07	B5
DaimlerChrysler	DODGE	CARAVAN 2WD	3.3	L4	2.49	4500	FA	50	CO	0.5	3.4	B5
DaimlerChrysler	DODGE	CARAVAN 2WD	3.3	L4	2.49	4500	FA	50	NMOG	0.041	0.075	B5
DaimlerChrysler	DODGE	CARAVAN 2WD	3.3	L4	2.49	4500	FA	50	NOX	0.04	0.05	B5
DaimlerChrysler	DODGE	CARAVAN 2WD	3.3	L4	2.49	4500	CA	120	CO-US06	5.6	14.6	L2
DaimlerChrysler	DODGE	CARAVAN 2WD	3.3	L4	2.49	4500	CA	4	CO-US06	1.4	10.5	L2
DaimlerChrysler	DODGE	CARAVAN 2WD	3.3	L4	2.49	4500	CA	4	HC-NM+NOX-US06	0.22	0.25	L2
DaimlerChrysler	DODGE	CARAVAN 2WD	3.3	L4	2.49	4500	CF	120	CO-US06	5.6	14.6	LEV
DaimlerChrysler	DODGE	CARAVAN 2WD	3.3	L4	2.49	4500	CF	4	CO-US06	1.4	10.5	LEV
DaimlerChrysler	DODGE	CARAVAN 2WD	3.3	L4	2.49	4500	CF	4	HC-NM+NOX-US06	0.22	0.25	LEV
DaimlerChrysler	DODGE	CARAVAN 2WD	3.3	L4	2.49	4500	FA	120	CO-US06	5.6	14.6	B5
DaimlerChrysler	DODGE	CARAVAN 2WD	3.3	L4	2.49	4500	FA	4	CO-US06	1.4	10.5	B5
DaimlerChrysler	DODGE	CARAVAN 2WD	3.3	L4	2.49	4500	FA	4	HC-NM+NOX-US06	0.22	0.25	B5
DaimlerChrysler	DODGE	CARAVAN 2WD	3.3	L4	2.49	4500	CA	120	CO-SC03	0.7	4.9	L2
DaimlerChrysler	DODGE	CARAVAN 2WD	3.3	L4	2.49	4500	CA	4	CO-SC03	0.4	3.5	L2
DaimlerChrysler	DODGE	CARAVAN 2WD	3.3	L4	2.49	4500	CA	4	HC-NM+NOX-SC03	0.06	0.27	L2
DaimlerChrysler	DODGE	CARAVAN 2WD	3.3	L4	2.49	4500	CF	120	CO-SC03	0.7	4.9	LEV
DaimlerChrysler	DODGE	CARAVAN 2WD	3.3	L4	2.49	4500	CF	4	CO-SC03	0.4	3.5	LEV
DaimlerChrysler	DODGE	CARAVAN 2WD	3.3	L4	2.49	4500	CF	4	HC-NM+NOX-SC03	0.06	0.27	LEV
DaimlerChrysler	DODGE	CARAVAN 2WD	3.3	L4	2.49	4500	FA	120	CO-SC03	0.7	4.9	B5
DaimlerChrysler	DODGE	CARAVAN 2WD	3.3	L4	2.49	4500	FA	4	CO-SC03	0.4	3.5	B5
DaimlerChrysler	DODGE	CARAVAN 2WD	3.3	L4	2.49	4500	FA	4	HC-NM+NOX-SC03	0.06	0.27	B5
DaimlerChrysler	DODGE	DURANGO 4WD	4.7	L5	3.55	5500	CA	50	CO-COLD	3.1	12.5	B8
DaimlerChrysler	DODGE	DURANGO 4WD	4.7	L5	3.55	5500	FA	50	CO-COLD	3.1	12.5	B8
DaimlerChrysler	DODGE	DURANGO 4WD	4.7	L5	3.55	5500	CA	120	CO	1.6	4.2	B8

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
DaimlerChrysler	DODGE	DURANGO 4WD	4.7	L5	3.55	5500	CA	120	HC-NM+NOX-COMP	0.17	1.06	B8
DaimlerChrysler	DODGE	DURANGO 4WD	4.7	L5	3.55	5500	CA	120	NMOG	0.096	0.156	B8
DaimlerChrysler	DODGE	DURANGO 4WD	4.7	L5	3.55	5500	CA	120	NOX	0.09	0.2	B8
DaimlerChrysler	DODGE	DURANGO 4WD	4.7	L5	3.55	5500	CA	50	CO	1.4	3.4	B8
DaimlerChrysler	DODGE	DURANGO 4WD	4.7	L5	3.55	5500	CA	50	NMOG	0.096	0.125	B8
DaimlerChrysler	DODGE	DURANGO 4WD	4.7	L5	3.55	5500	CA	50	NOX	0.09	0.14	B8
DaimlerChrysler	DODGE	DURANGO 4WD	4.7	L5	3.55	5500	FA	120	CO	1.6	4.2	B8
DaimlerChrysler	DODGE	DURANGO 4WD	4.7	L5	3.55	5500	FA	120	HC-NM+NOX-COMP	0.17	1.06	B8
DaimlerChrysler	DODGE	DURANGO 4WD	4.7	L5	3.55	5500	FA	120	NMOG	0.096	0.156	B8
DaimlerChrysler	DODGE	DURANGO 4WD	4.7	L5	3.55	5500	FA	120	NOX	0.09	0.2	B8
DaimlerChrysler	DODGE	DURANGO 4WD	4.7	L5	3.55	5500	FA	50	CO	1.4	3.4	B8
DaimlerChrysler	DODGE	DURANGO 4WD	4.7	L5	3.55	5500	FA	50	NMOG	0.096	0.125	B8
DaimlerChrysler	DODGE	DURANGO 4WD	4.7	L5	3.55	5500	FA	50	NOX	0.09	0.14	B8
DaimlerChrysler	DODGE	DURANGO 4WD	4.7	L5	3.55	5500	CA	120	CO-US06	2.5	16.9	B8
DaimlerChrysler	DODGE	DURANGO 4WD	4.7	L5	3.55	5500	CA	4	CO-US06	1.3	10.5	B8
DaimlerChrysler	DODGE	DURANGO 4WD	4.7	L5	3.55	5500	CA	4	HC-NM+NOX-US06	0.1	0.4	B8
DaimlerChrysler	DODGE	DURANGO 4WD	4.7	L5	3.55	5500	FA	120	CO-US06	2.5	16.9	B8
DaimlerChrysler	DODGE	DURANGO 4WD	4.7	L5	3.55	5500	FA	4	CO-US06	1.3	10.5	B8
DaimlerChrysler	DODGE	DURANGO 4WD	4.7	L5	3.55	5500	FA	4	HC-NM+NOX-US06	0.1	0.4	B8
DaimlerChrysler	DODGE	DURANGO 4WD	4.7	L5	3.55	5500	CA	120	CO-SC03	2.1	5.6	B8
DaimlerChrysler	DODGE	DURANGO 4WD	4.7	L5	3.55	5500	CA	4	CO-SC03	0.8	3.5	B8
DaimlerChrysler	DODGE	DURANGO 4WD	4.7	L5	3.55	5500	CA	4	HC-NM+NOX-SC03	0.08	0.31	B8
DaimlerChrysler	DODGE	DURANGO 4WD	4.7	L5	3.55	5500	FA	120	CO-SC03	2.1	5.6	B8
DaimlerChrysler	DODGE	DURANGO 4WD	4.7	L5	3.55	5500	FA	4	CO-SC03	0.8	3.5	B8
DaimlerChrysler	DODGE	DURANGO 4WD	4.7	L5	3.55	5500	FA	4	HC-NM+NOX-SC03	0.08	0.31	B8
DaimlerChrysler	DODGE	MAGNUM AWD	3.5	L5	3.07	4500	CA	50	CO-COLD	1.6	10	B8
DaimlerChrysler	DODGE	MAGNUM AWD	3.5	L5	3.07	4500	FA	50	CO-COLD	1.6	10	B8
DaimlerChrysler	DODGE	MAGNUM AWD	3.5	L5	3.07	4500	CA	100	CO	0.3	4.2	B8
DaimlerChrysler	DODGE	MAGNUM AWD	3.5	L5	3.07	4500	CA	100	HC-NM+NOX-COMP	0.14	0.71	B8
DaimlerChrysler	DODGE	MAGNUM AWD	3.5	L5	3.07	4500	CA	100	NMOG	0.068	0.125	B8
DaimlerChrysler	DODGE	MAGNUM AWD	3.5	L5	3.07	4500	CA	100	NOX	0.08	0.2	B8
DaimlerChrysler	DODGE	MAGNUM AWD	3.5	L5	3.07	4500	CA	50	CO	0.3	3.4	B8
DaimlerChrysler	DODGE	MAGNUM AWD	3.5	L5	3.07	4500	CA	50	NMOG	0.068	0.1	B8
DaimlerChrysler	DODGE	MAGNUM AWD	3.5	L5	3.07	4500	CA	50	NOX	0.08	0.14	B8
DaimlerChrysler	DODGE	MAGNUM AWD	3.5	L5	3.07	4500	FA	100	CO	0.3	4.2	B8
DaimlerChrysler	DODGE	MAGNUM AWD	3.5	L5	3.07	4500	FA	100	HC-NM+NOX-COMP	0.14	0.71	B8
DaimlerChrysler	DODGE	MAGNUM AWD	3.5	L5	3.07	4500	FA	100	NMOG	0.068	0.125	B8
DaimlerChrysler	DODGE	MAGNUM AWD	3.5	L5	3.07	4500	FA	100	NOX	0.08	0.2	B8

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
DaimlerChrysler	DODGE	MAGNUM AWD	3.5	L5	3.07	4500	FA	50	CO	0.3	3.4	B8
DaimlerChrysler	DODGE	MAGNUM AWD	3.5	L5	3.07	4500	FA	50	NMOG	0.068	0.1	B8
DaimlerChrysler	DODGE	MAGNUM AWD	3.5	L5	3.07	4500	FA	50	NOX	0.08	0.14	B8
DaimlerChrysler	DODGE	MAGNUM AWD	3.5	L5	3.07	4500	CA	100	CO-US06	1.2	11.1	B8
DaimlerChrysler	DODGE	MAGNUM AWD	3.5	L5	3.07	4500	CA	4	CO-US06	0.9	8	B8
DaimlerChrysler	DODGE	MAGNUM AWD	3.5	L5	3.07	4500	CA	4	HC-NM+NOX-US06	0.11	0.14	B8
DaimlerChrysler	DODGE	MAGNUM AWD	3.5	L5	3.07	4500	FA	100	CO-US06	1.2	11.1	B8
DaimlerChrysler	DODGE	MAGNUM AWD	3.5	L5	3.07	4500	FA	4	CO-US06	0.9	8	B8
DaimlerChrysler	DODGE	MAGNUM AWD	3.5	L5	3.07	4500	FA	4	HC-NM+NOX-US06	0.11	0.14	B8
DaimlerChrysler	DODGE	MAGNUM AWD	3.5	L5	3.07	4500	CA	100	CO-SC03	0.7	3.7	B8
DaimlerChrysler	DODGE	MAGNUM AWD	3.5	L5	3.07	4500	CA	4	CO-SC03	0.5	2.7	B8
DaimlerChrysler	DODGE	MAGNUM AWD	3.5	L5	3.07	4500	CA	4	HC-NM+NOX-SC03	0.12	0.2	B8
DaimlerChrysler	DODGE	MAGNUM AWD	3.5	L5	3.07	4500	FA	100	CO-SC03	0.7	3.7	B8
DaimlerChrysler	DODGE	MAGNUM AWD	3.5	L5	3.07	4500	FA	4	CO-SC03	0.5	2.7	B8
DaimlerChrysler	DODGE	MAGNUM AWD	3.5	L5	3.07	4500	FA	4	HC-NM+NOX-SC03	0.12	0.2	B8
DaimlerChrysler	DODGE	NEON/SRT-4/SX 2.0	2	L4	2.69	3000	CA	50	CO-COLD	1.5	10	B8
DaimlerChrysler	DODGE	NEON/SRT-4/SX 2.0	2	L4	2.69	3000	FA	50	CO-COLD	1.5	10	B8
DaimlerChrysler	DODGE	NEON/SRT-4/SX 2.0	2	L4	2.69	3000	CA	100	CO	1	4.2	B8
DaimlerChrysler	DODGE	NEON/SRT-4/SX 2.0	2	L4	2.69	3000	CA	100	NMOG	0.062	0.125	B8
DaimlerChrysler	DODGE	NEON/SRT-4/SX 2.0	2	L4	2.69	3000	CA	100	NOX	0.07	0.2	B8
DaimlerChrysler	DODGE	NEON/SRT-4/SX 2.0	2	L4	2.69	3000	CA	50	CO	0.8	3.4	B8
DaimlerChrysler	DODGE	NEON/SRT-4/SX 2.0	2	L4	2.69	3000	CA	50	NMOG	0.062	0.1	B8
DaimlerChrysler	DODGE	NEON/SRT-4/SX 2.0	2	L4	2.69	3000	CA	50	NOX	0.07	0.14	B8
DaimlerChrysler	DODGE	NEON/SRT-4/SX 2.0	2	L4	2.69	3000	FA	100	CO	1	4.2	B8
DaimlerChrysler	DODGE	NEON/SRT-4/SX 2.0	2	L4	2.69	3000	FA	100	NMOG	0.062	0.125	B8
DaimlerChrysler	DODGE	NEON/SRT-4/SX 2.0	2	L4	2.69	3000	FA	100	NOX	0.07	0.2	B8
DaimlerChrysler	DODGE	NEON/SRT-4/SX 2.0	2	L4	2.69	3000	FA	50	CO	0.8	3.4	B8
DaimlerChrysler	DODGE	NEON/SRT-4/SX 2.0	2	L4	2.69	3000	FA	50	NMOG	0.062	0.1	B8
DaimlerChrysler	DODGE	NEON/SRT-4/SX 2.0	2	L4	2.69	3000	FA	50	NOX	0.07	0.14	B8
DaimlerChrysler	DODGE	NEON/SRT-4/SX 2.0	2	L4	2.69	3000	CA	4	CO-US06	1.2	8	B8
DaimlerChrysler	DODGE	NEON/SRT-4/SX 2.0	2	L4	2.69	3000	CA	4	HC-NM+NOX-US06	0.03	0.14	B8
DaimlerChrysler	DODGE	NEON/SRT-4/SX 2.0	2	L4	2.69	3000	FA	4	CO-US06	1.2	8	B8
DaimlerChrysler	DODGE	NEON/SRT-4/SX 2.0	2	L4	2.69	3000	FA	4	HC-NM+NOX-US06	0.03	0.14	B8
DaimlerChrysler	DODGE	NEON/SRT-4/SX 2.0	2	L4	2.69	3000	CA	4	CO-SC03	0	2.7	B8
DaimlerChrysler	DODGE	NEON/SRT-4/SX 2.0	2	L4	2.69	3000	CA	4	HC-NM+NOX-SC03	0.01	0.2	B8
DaimlerChrysler	DODGE	NEON/SRT-4/SX 2.0	2	L4	2.69	3000	FA	4	CO-SC03	0	2.7	B8
DaimlerChrysler	DODGE	NEON/SRT-4/SX 2.0	2	L4	2.69	3000	FA	4	HC-NM+NOX-SC03	0.01	0.2	B8
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	50	CO-COLD	2.6	12.5	B10

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	120	CO	1	6.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	120	HC-NM+NOX-COMP	0.24	1.23	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	120	NMOG	0.101	0.23	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	120	NOX	0.18	0.6	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	50	CO	0.8	4.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	50	NMOG	0.101	0.16	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	50	NOX	0.18	0.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	120	CO-US06	1.1	16.9	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	4	CO-US06	1.3	10.5	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	4	HC-NM+NOX-US06	0.2	0.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	120	CO-SC03	0.7	5.6	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	4	CO-SC03	0.4	3.5	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	4	HC-NM+NOX-SC03	0.11	0.31	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	50	CO-COLD	2.6	12.5	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	120	CO	1	6.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	120	HC-NM+NOX-COMP	0.24	1.23	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	120	NMOG	0.101	0.23	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	120	NOX	0.18	0.6	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	50	CO	0.8	4.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	50	NMOG	0.101	0.16	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	50	NOX	0.18	0.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	120	CO-US06	1.1	16.9	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	4	CO-US06	1.3	10.5	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	4	HC-NM+NOX-US06	0.2	0.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	120	CO-SC03	0.7	5.6	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	4	CO-SC03	0.4	3.5	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	4	HC-NM+NOX-SC03	0.11	0.31	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	CF	50	CO-COLD	2.6	12.5	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	50	CO-COLD	2.6	12.5	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	CF	120	CO	1	6.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	CF	120	HC-NM+NOX-COMP	0.24	1.23	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	CF	120	NMOG	0.101	0.23	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	CF	120	NOX	0.18	0.98	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	CF	50	CO	0.8	4.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	CF	50	NMOG	0.101	0.16	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	CF	50	NOX	0.18	0.7	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	120	CO	1	6.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	120	HC-NM+NOX-COMP	0.24	1.23	B10

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	120	NMOG	0.101	0.23	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	120	NOX	0.18	0.6	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	50	CO	0.8	4.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	50	NMOG	0.101	0.16	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	50	NOX	0.18	0.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	CF	120	CO-US06	1.1	16.9	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	CF	4	CO-US06	1.3	10.5	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	CF	4	HC-NM+NOX-US06	0.2	0.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	120	CO-US06	1.1	16.9	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	4	CO-US06	1.3	10.5	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	4	HC-NM+NOX-US06	0.2	0.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	CF	120	CO-SC03	0.7	5.6	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	CF	4	CO-SC03	0.4	3.5	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	CF	4	HC-NM+NOX-SC03	0.11	0.31	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	120	CO-SC03	0.7	5.6	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	4	CO-SC03	0.4	3.5	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	4	HC-NM+NOX-SC03	0.11	0.31	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	CF	50	CO-COLD	2.6	12.5	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	50	CO-COLD	2.6	12.5	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	CF	120	CO	1	6.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	CF	120	HC-NM+NOX-COMP	0.24	1.23	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	CF	120	NMOG	0.101	0.23	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	CF	120	NOX	0.18	0.98	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	CF	50	CO	0.8	4.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	CF	50	NMOG	0.101	0.16	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	CF	50	NOX	0.18	0.7	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	120	CO	1	6.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	120	HC-NM+NOX-COMP	0.24	1.23	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	120	NMOG	0.101	0.23	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	120	NOX	0.18	0.6	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	50	CO	0.8	4.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	50	NMOG	0.101	0.16	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	50	NOX	0.18	0.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	CF	120	CO-US06	1.1	16.9	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	CF	4	CO-US06	1.3	10.5	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	CF	4	HC-NM+NOX-US06	0.2	0.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	120	CO-US06	1.1	16.9	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	4	CO-US06	1.3	10.5	B10

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	4	HC-NM+NOX-US06	0.2	0.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	CF	120	CO-SC03	0.7	5.6	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	CF	4	CO-SC03	0.4	3.5	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	CF	4	HC-NM+NOX-SC03	0.11	0.31	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	120	CO-SC03	0.7	5.6	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	4	CO-SC03	0.4	3.5	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	4	HC-NM+NOX-SC03	0.11	0.31	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	50	CO-COLD	2.6	12.5	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	120	CO	1	6.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	120	HC-NM+NOX-COMP	0.24	1.23	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	120	NMOG	0.101	0.23	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	120	NOX	0.18	0.6	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	50	CO	0.8	4.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	50	NMOG	0.101	0.16	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	50	NOX	0.18	0.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	120	CO-US06	1.1	16.9	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	4	CO-US06	1.3	10.5	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	4	HC-NM+NOX-US06	0.2	0.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	120	CO-SC03	0.7	5.6	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	4	CO-SC03	0.4	3.5	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	4	HC-NM+NOX-SC03	0.11	0.31	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	50	CO-COLD	2.6	12.5	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	120	CO	1	6.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	120	HC-NM+NOX-COMP	0.24	1.23	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	120	NMOG	0.101	0.23	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	120	NOX	0.18	0.6	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	50	CO	0.8	4.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	50	NMOG	0.101	0.16	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	50	NOX	0.18	0.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	120	CO-US06	1.1	16.9	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	4	CO-US06	1.3	10.5	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	4	HC-NM+NOX-US06	0.2	0.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	120	CO-SC03	0.7	5.6	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	4	CO-SC03	0.4	3.5	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	3.7	L4	3.55	6000	FA	4	HC-NM+NOX-SC03	0.11	0.31	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	8.3	L4	4.56	6000	CA	50	CO-COLD	7.3	12.5	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	8.3	L4	4.56	6000	FA	50	CO-COLD	7.3	12.5	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	8.3	L4	4.56	6000	CA	120	CO	3.7	6.4	B10

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	8.3	L4	4.56	6000	CA	120	HC-NM+NOX-COMP	1.29	1.67	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	8.3	L4	4.56	6000	CA	120	NMOG	0.107	0.28	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	8.3	L4	4.56	6000	CA	120	NOX	0.4	0.6	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	8.3	L4	4.56	6000	CA	50	CO	2.1	4.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	8.3	L4	4.56	6000	CA	50	NMOG	0.091	0.195	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	8.3	L4	4.56	6000	CA	50	NOX	0.3	0.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	8.3	L4	4.56	6000	FA	120	CO	3.7	6.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	8.3	L4	4.56	6000	FA	120	HC-NM+NOX-COMP	1.29	1.67	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	8.3	L4	4.56	6000	FA	120	NMOG	0.107	0.28	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	8.3	L4	4.56	6000	FA	120	NOX	0.4	0.6	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	8.3	L4	4.56	6000	FA	50	CO	2.1	4.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	8.3	L4	4.56	6000	FA	50	NMOG	0.091	0.195	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	8.3	L4	4.56	6000	FA	50	NOX	0.3	0.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	8.3	L4	4.56	6000	CA	120	CO-US06	0.2	19.3	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 2WD	8.3	L4	4.56	6000	FA	120	CO-US06	0.2	19.3	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	M6	3.92	5500	CA	50	CO-COLD	5.8	12.5	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	M6	3.92	5500	FA	50	CO-COLD	5.8	12.5	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	M6	3.92	5500	CA	120	CO	3.1	6.4	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	M6	3.92	5500	CA	120	NMOG	0.112	0.23	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	M6	3.92	5500	CA	120	NOX	0.2	0.6	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	M6	3.92	5500	CA	50	CO	2.7	4.4	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	M6	3.92	5500	CA	50	NMOG	0.112	0.16	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	M6	3.92	5500	CA	50	NOX	0.2	0.4	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	M6	3.92	5500	FA	120	CO	3.1	6.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	M6	3.92	5500	FA	120	NMOG	0.112	0.23	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	M6	3.92	5500	FA	120	NOX	0.2	0.6	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	M6	3.92	5500	FA	50	CO	2.7	4.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	M6	3.92	5500	FA	50	NMOG	0.112	0.16	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	M6	3.92	5500	FA	50	NOX	0.2	0.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	M6	3.92	5500	CA	4	CO-US06	0.8	10.5	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	M6	3.92	5500	CA	4	HC-NM+NOX-US06	0.3	0.4	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	M6	3.92	5500	FA	120	CO-US06	3	16.9	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	M6	3.92	5500	FA	4	CO-US06	0.8	10.5	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	M6	3.92	5500	FA	4	HC-NM+NOX-US06	0.3	0.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	M6	3.92	5500	FA	120	CO-SC03	2.3	5.6	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	M6	3.92	5500	CA	50	CO-COLD	5.8	12.5	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	M6	3.92	5500	FA	50	CO-COLD	5.8	12.5	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	M6	3.92	5500	CA	120	CO	3.1	6.4	LEV



2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	M6	3.92	5500	CA	120	NMOG	0.112	0.23	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	M6	3.92	5500	CA	120	NOX	0.2	0.6	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	M6	3.92	5500	CA	50	CO	2.7	4.4	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	M6	3.92	5500	CA	50	NMOG	0.112	0.16	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	M6	3.92	5500	CA	50	NOX	0.2	0.4	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	M6	3.92	5500	FA	120	CO	3.1	6.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	M6	3.92	5500	FA	120	NMOG	0.112	0.23	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	M6	3.92	5500	FA	120	NOX	0.2	0.6	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	M6	3.92	5500	FA	50	CO	2.7	4.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	M6	3.92	5500	FA	50	NMOG	0.112	0.16	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	M6	3.92	5500	FA	50	NOX	0.2	0.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	M6	3.92	5500	CA	4	CO-US06	0.8	10.5	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	M6	3.92	5500	CA	4	HC-NM+NOX-US06	0.3	0.4	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	M6	3.92	5500	FA	120	CO-US06	3	16.9	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	M6	3.92	5500	FA	4	CO-US06	0.8	10.5	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	M6	3.92	5500	FA	4	HC-NM+NOX-US06	0.3	0.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	M6	3.92	5500	FA	120	CO-SC03	2.3	5.6	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	50	CO-COLD	5	12.5	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	50	CO-COLD	5	12.5	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	120	CO	2.8	6.4	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	120	HC-NM+NOX-COMP	0.18	1.23	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	120	NMOG	0.127	0.23	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	120	NOX	0.1	0.6	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	50	CO	2.3	4.4	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	50	NMOG	0.127	0.16	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	50	NOX	0.1	0.4	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	120	CO	2.8	6.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	120	HC-NM+NOX-COMP	0.18	1.23	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	120	NMOG	0.127	0.23	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	120	NOX	0.1	0.6	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	50	CO	2.3	4.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	50	NMOG	0.127	0.16	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	50	NOX	0.1	0.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	120	CO-US06	1.1	16.9	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	4	CO-US06	0.8	10.5	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	4	HC-NM+NOX-US06	0.1	0.4	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	120	CO-US06	1.1	16.9	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	4	CO-US06	0.8	10.5	B10

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	4	HC-NM+NOX-US06	0.1	0.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	120	CO-SC03	2.5	5.6	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	4	CO-SC03	1.9	3.5	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	4	HC-NM+NOX-SC03	0.2	0.31	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	120	CO-SC03	2.5	5.6	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	4	CO-SC03	1.9	3.5	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	4	HC-NM+NOX-SC03	0.2	0.31	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	50	CO-COLD	5	12.5	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	50	CO-COLD	5	12.5	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	120	CO	2.8	6.4	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	120	HC-NM+NOX-COMP	0.18	1.23	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	120	NMOG	0.127	0.23	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	120	NOX	0.1	0.6	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	50	CO	2.3	4.4	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	50	NMOG	0.127	0.16	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	50	NOX	0.1	0.4	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	120	CO	2.8	6.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	120	HC-NM+NOX-COMP	0.18	1.23	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	120	NMOG	0.127	0.23	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	120	NOX	0.1	0.6	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	50	CO	2.3	4.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	50	NMOG	0.127	0.16	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	50	NOX	0.1	0.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	120	CO-US06	1.1	16.9	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	4	CO-US06	0.8	10.5	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	4	HC-NM+NOX-US06	0.1	0.4	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	120	CO-US06	1.1	16.9	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	4	CO-US06	0.8	10.5	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	4	HC-NM+NOX-US06	0.1	0.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	120	CO-SC03	2.5	5.6	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	4	CO-SC03	1.9	3.5	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	4	HC-NM+NOX-SC03	0.2	0.31	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	120	CO-SC03	2.5	5.6	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	4	CO-SC03	1.9	3.5	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	4	HC-NM+NOX-SC03	0.2	0.31	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6000	CF	120	CO	0.4	6.4	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6000	CF	120	HCHO	0.003	0.027	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6000	CF	120	NMOG	0.124	0.23	LEV

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6000	CF	120	NOX	0.1	1	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6000	CF	50	CO	0.4	4.4	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6000	CF	50	HCHO	0.003	0.018	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6000	CF	50	NMOG	0.124	0.16	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6000	CF	50	NOX	0.1	0.7	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6000	FA	120	CO	0.4	6.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6000	FA	120	HCHO	0.003	0.027	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6000	FA	120	NMOG	0.124	0.23	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6000	FA	120	NOX	0.1	0.6	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6000	FA	50	CO	0.4	4.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6000	FA	50	HCHO	0.003	0.018	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6000	FA	50	NMOG	0.124	0.16	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6000	FA	50	NOX	0.1	0.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	50	CO-COLD	5	12.5	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	50	CO-COLD	5	12.5	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	120	CO	2.8	6.4	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	120	HC-NM+NOX-COMP	0.18	1.23	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	120	NMOG	0.127	0.46	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	120	NOX	0.1	1	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	50	CO	2.3	4.4	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	50	NMOG	0.127	0.32	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	50	NOX	0.1	0.7	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	120	CO	2.8	6.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	120	HC-NM+NOX-COMP	0.18	1.23	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	120	NMOG	0.127	0.23	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	120	NOX	0.1	0.6	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	50	CO	2.3	4.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	50	NMOG	0.127	0.16	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	50	NOX	0.1	0.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	120	CO-US06	1.1	16.9	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	4	CO-US06	0.8	10.5	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	4	HC-NM+NOX-US06	0.1	0.4	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	120	CO-US06	1.1	16.9	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	4	CO-US06	0.8	10.5	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	4	HC-NM+NOX-US06	0.1	0.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	120	CO-SC03	2.5	5.6	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	4	CO-SC03	1.9	3.5	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	4	HC-NM+NOX-SC03	0.2	0.31	LEV

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	120	CO-SC03	2.5	5.6	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	4	CO-SC03	1.9	3.5	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	4	HC-NM+NOX-SC03	0.2	0.31	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6000	CF	120	CO	0.4	6.4	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6000	CF	120	HCHO	0.003	0.027	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6000	CF	120	NMOG	0.124	0.23	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6000	CF	120	NOX	0.1	1	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6000	CF	50	CO	0.4	4.4	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6000	CF	50	HCHO	0.003	0.018	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6000	CF	50	NMOG	0.124	0.16	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6000	CF	50	NOX	0.1	0.7	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6000	FA	120	CO	0.4	6.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6000	FA	120	HCHO	0.003	0.027	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6000	FA	120	NMOG	0.124	0.23	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6000	FA	120	NOX	0.1	0.6	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6000	FA	50	CO	0.4	4.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6000	FA	50	HCHO	0.003	0.018	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6000	FA	50	NMOG	0.124	0.16	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6000	FA	50	NOX	0.1	0.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	50	CO-COLD	5	12.5	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	50	CO-COLD	5	12.5	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	120	CO	2.8	6.4	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	120	HC-NM+NOX-COMP	0.18	1.23	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	120	NMOG	0.127	0.46	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	120	NOX	0.1	1	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	50	CO	2.3	4.4	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	50	NMOG	0.127	0.32	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	50	NOX	0.1	0.7	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	120	CO	2.8	6.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	120	HC-NM+NOX-COMP	0.18	1.23	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	120	NMOG	0.127	0.23	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	120	NOX	0.1	0.6	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	50	CO	2.3	4.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	50	NMOG	0.127	0.16	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	50	NOX	0.1	0.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	120	CO-US06	1.1	16.9	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	4	CO-US06	0.8	10.5	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	4	HC-NM+NOX-US06	0.1	0.4	LEV

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	120	CO-US06	1.1	16.9	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	4	CO-US06	0.8	10.5	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	4	HC-NM+NOX-US06	0.1	0.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	120	CO-SC03	2.5	5.6	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	4	CO-SC03	1.9	3.5	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CF	4	HC-NM+NOX-SC03	0.2	0.31	LEV
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	120	CO-SC03	2.5	5.6	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	4	CO-SC03	1.9	3.5	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	4	HC-NM+NOX-SC03	0.2	0.31	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CA	50	CO-COLD	5	12.5	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	50	CO-COLD	5	12.5	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CA	120	CO	2.8	6.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CA	120	HC-NM+NOX-COMP	0.18	1.67	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CA	120	NMOG	0.127	0.28	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CA	120	NOX	0.1	0.6	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CA	50	CO	2.3	4.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CA	50	NMOG	0.127	0.195	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CA	50	NOX	0.1	0.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	120	CO	2.8	6.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	120	HC-NM+NOX-COMP	0.18	1.67	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	120	NMOG	0.127	0.28	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	120	NOX	0.1	0.6	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	50	CO	2.3	4.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	50	NMOG	0.127	0.195	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	50	NOX	0.1	0.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CA	120	CO-US06	1.1	19.3	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CA	4	CO-US06	0.8	11.8	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CA	4	HC-NM+NOX-US06	0.1	0.6	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	120	CO-US06	1.1	19.3	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	4	CO-US06	0.8	11.8	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	4	CO-US06	0.8	11.8	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	4	HC-NM+NOX-US06	0.1	0.6	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CA	120	CO-SC03	2.5	6.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CA	4	CO-SC03	1.9	4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CA	4	HC-NM+NOX-SC03	0.2	0.44	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	120	CO-SC03	2.5	6.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	4	CO-SC03	1.9	4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	4	HC-NM+NOX-SC03	0.2	0.44	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CA	50	CO-COLD	5	12.5	B10

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	50	CO-COLD	5	12.5	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CA	120	CO	2.8	6.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CA	120	HC-NM+NOX-COMP	0.18	1.67	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CA	120	NMOG	0.127	0.28	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CA	120	NOX	0.1	0.6	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CA	50	CO	2.3	4.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CA	50	NMOG	0.127	0.195	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CA	50	NOX	0.1	0.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	120	CO	2.8	6.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	120	HC-NM+NOX-COMP	0.18	1.67	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	120	NMOG	0.127	0.28	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	120	NOX	0.1	0.6	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	50	CO	2.3	4.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	50	NMOG	0.127	0.195	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	50	NOX	0.1	0.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CA	120	CO-US06	1.1	19.3	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CA	4	CO-US06	0.8	11.8	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CA	4	HC-NM+NOX-US06	0.1	0.6	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	120	CO-US06	1.1	19.3	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	4	CO-US06	0.8	11.8	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	4	HC-NM+NOX-US06	0.1	0.6	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CA	120	CO-SC03	2.5	6.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CA	4	CO-SC03	1.9	4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	CA	4	HC-NM+NOX-SC03	0.2	0.44	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	120	CO-SC03	2.5	6.4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	4	CO-SC03	1.9	4	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	4.7	L5	3.92	6500	FA	4	HC-NM+NOX-SC03	0.2	0.44	B10
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	5.7	L5	3.92	6000	CA	4	CO-US06	0.3	10.5	B8
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	5.7	L5	3.92	6000	CA	4	HC-NM+NOX-US06	0.2	0.4	B8
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	5.7	L5	3.92	6000	FA	4	CO-US06	0.3	10.5	B8
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	5.7	L5	3.92	6000	FA	4	HC-NM+NOX-US06	0.2	0.4	B8
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	5.7	L5	3.92	6000	CA	4	CO-SC03	0.3	3.5	B8
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	5.7	L5	3.92	6000	CA	4	HC-NM+NOX-SC03	0.05	0.31	B8
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	5.7	L5	3.92	6000	FA	4	CO-SC03	0.3	3.5	B8
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	5.7	L5	3.92	6000	FA	4	HC-NM+NOX-SC03	0.05	0.31	B8
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	5.7	L5	3.92	6000	CA	4	CO-US06	0.3	10.5	B8
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	5.7	L5	3.92	6000	CA	4	HC-NM+NOX-US06	0.2	0.4	B8
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	5.7	L5	3.92	6000	FA	4	CO-US06	0.3	10.5	B8

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	5.7	L5	3.92	6000	FA	4	HC-NM+NOX-US06	0.2	0.4	B8
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	5.7	L5	3.92	6000	CA	4	CO-SC03	0.3	3.5	B8
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	5.7	L5	3.92	6000	CA	4	HC-NM+NOX-SC03	0.05	0.31	B8
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	5.7	L5	3.92	6000	FA	4	CO-SC03	0.3	3.5	B8
DaimlerChrysler	DODGE	RAM 1500 PICKUP 4WD	5.7	L5	3.92	6000	FA	4	HC-NM+NOX-SC03	0.05	0.31	B8
DaimlerChrysler	DODGE	RAM 3500 PICKUP 4WD	5.7	L5	3.73	7500	CA	120	CO	1.6	6.4	L2
DaimlerChrysler	DODGE	RAM 3500 PICKUP 4WD	5.7	L5	3.73	7500	CA	120	NMOG	0.131	0.195	L2
DaimlerChrysler	DODGE	RAM 3500 PICKUP 4WD	5.7	L5	3.73	7500	CA	120	NOX	0.2	0.2	L2
DaimlerChrysler	DODGE	RAM 3500 PICKUP 4WD	5.7	L5	3.73	9000	CA	120	CO	1.6	7.3	L2
DaimlerChrysler	DODGE	RAM 3500 PICKUP 4WD	5.7	L5	3.73	9000	CA	120	NMOG	0.129	0.23	L2
DaimlerChrysler	DODGE	RAM 3500 PICKUP 4WD	5.7	L5	3.73	9000	CA	120	NOX	0.2	0.4	L2
DaimlerChrysler	DODGE	RAM 3500 PICKUP 4WD	5.7	L5	3.73	9000	CA	120	CO	1.6	7.3	LEV
DaimlerChrysler	DODGE	RAM 3500 PICKUP 4WD	5.7	L5	3.73	9000	CA	120	NMOG	0.129	0.28	LEV
DaimlerChrysler	DODGE	RAM 3500 PICKUP 4WD	5.7	L5	3.73	9000	CA	120	NOX	0.2	0.9	LEV
DaimlerChrysler	DODGE	RAM 3500 PICKUP 4WD	5.7	L5	3.73	9000	CA	50	CO	1.3	5	LEV
DaimlerChrysler	DODGE	RAM 3500 PICKUP 4WD	5.7	L5	3.73	9000	CA	50	NMOG	0.129	0.195	LEV
DaimlerChrysler	DODGE	RAM 3500 PICKUP 4WD	5.7	L5	3.73	9000	CA	50	NOX	0.2	0.6	LEV
DaimlerChrysler	DODGE	RAM 3500 PICKUP 4WD	5.7	L5	3.73	9000	FA	120	CO	1.6	7.3	HDV
DaimlerChrysler	DODGE	RAM 3500 PICKUP 4WD	5.7	L5	3.73	9000	FA	120	NMOG	0.129	0.28	HDV
DaimlerChrysler	DODGE	RAM 3500 PICKUP 4WD	5.7	L5	3.73	9000	FA	120	NOX	0.2	0.9	HDV
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	CA	50	CO-COLD	2.6	10	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	FA	50	CO-COLD	2.6	10	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	CA	100	CO	0.8	4.2	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	CA	100	HC-NM+NOX-COMP	0.17	0.71	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	CA	100	NMOG	0.078	0.125	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	CA	100	NOX	0.07	0.2	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	CA	50	CO	0.7	3.4	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	CA	50	NMOG	0.078	0.1	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	CA	50	NOX	0.07	0.14	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	FA	100	CO	0.8	4.2	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	FA	100	HC-NM+NOX-COMP	0.17	0.71	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	FA	100	NMOG	0.078	0.125	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	FA	100	NOX	0.07	0.2	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	FA	50	CO	0.7	3.4	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	FA	50	NMOG	0.078	0.1	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	FA	50	NOX	0.07	0.14	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	CA	100	CO-US06	1.2	11.1	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	CA	100	CO-US06	7.2	11.1	B8

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	FA	100	CO-US06	1.2	11.1	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	FA	100	CO-US06	7.2	11.1	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	CA	100	CO-SC03	1.3	3.7	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	FA	100	CO-SC03	1.3	3.7	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	CA	50	CO-COLD	2.4	10	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	FA	50	CO-COLD	2.4	10	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	CA	100	CO	0.4	4.2	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	CA	100	CO	0.5	4.2	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	CA	100	HC-NM+NOX-COMP	0.13	0.71	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	CA	100	NMOG	0.039	0.125	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	CA	100	NMOG	0.056	0.125	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	CA	100	NOX	0.04	0.2	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	CA	100	NOX	0.06	0.2	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	CA	50	CO	0.3	3.4	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	CA	50	CO	0.5	3.4	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	CA	50	NMOG	0.039	0.1	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	CA	50	NMOG	0.056	0.1	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	CA	50	NOX	0.04	0.14	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	CA	50	NOX	0.06	0.14	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	FA	100	CO	0.4	4.2	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	FA	100	CO	0.5	4.2	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	FA	100	HC-NM+NOX-COMP	0.13	0.71	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	FA	100	NMOG	0.039	0.125	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	FA	100	NMOG	0.056	0.125	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	FA	100	NOX	0.04	0.2	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	FA	100	NOX	0.06	0.2	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	FA	50	CO	0.3	3.4	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	FA	50	CO	0.5	3.4	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	FA	50	NMOG	0.039	0.1	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	FA	50	NMOG	0.056	0.1	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	FA	50	NOX	0.04	0.14	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	FA	50	NOX	0.06	0.14	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	CA	100	CO-US06	2.5	11.1	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	FA	100	CO-US06	2.5	11.1	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	CA	100	CO-SC03	0.7	3.7	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	L4	2.69	3750	FA	100	CO-SC03	0.7	3.7	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	M4	2.69	3750	CA	100	CO	1.1	4.2	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	M4	2.69	3750	CA	100	NMOG	0.062	0.125	B8



2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	M4	2.69	3750	CA	100	NOX	0.06	0.2	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	M4	2.69	3750	CA	50	CO	0.9	3.4	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	M4	2.69	3750	CA	50	NMOG	0.062	0.1	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	M4	2.69	3750	CA	50	NOX	0.06	0.14	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	M4	2.69	3750	FA	100	CO	1.1	4.2	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	M4	2.69	3750	FA	100	NMOG	0.062	0.125	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	M4	2.69	3750	FA	100	NOX	0.06	0.2	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	M4	2.69	3750	FA	50	CO	0.9	3.4	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	M4	2.69	3750	FA	50	NMOG	0.062	0.1	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	M4	2.69	3750	FA	50	NOX	0.06	0.14	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	M4	2.69	3750	CA	4	CO-US06	1.9	8	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	M4	2.69	3750	CA	4	HC-NM+NOX-US06	0.1	0.14	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	M4	2.69	3750	FA	4	CO-US06	1.9	8	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	M4	2.69	3750	FA	4	HC-NM+NOX-US06	0.1	0.14	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	M4	2.69	3750	CA	100	CO-SC03	2.9	3.7	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	M4	2.69	3750	CA	4	CO-SC03	1.3	2.7	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	M4	2.69	3750	CA	4	HC-NM+NOX-SC03	0.13	0.2	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	M4	2.69	3750	FA	100	CO-SC03	2.9	3.7	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	M4	2.69	3750	FA	4	CO-SC03	1.3	2.7	B8
DaimlerChrysler	DODGE	STRATUS 4-DR	2.7	M4	2.69	3750	FA	4	HC-NM+NOX-SC03	0.13	0.2	B8
DaimlerChrysler	DODGE	VIPER CONVERTIBLE	8.3	M6	3.07	3750	CA	50	CO-COLD	5.6	10	LEV
DaimlerChrysler	DODGE	VIPER CONVERTIBLE	8.3	M6	3.07	3750	FA	50	CO-COLD	5.6	10	B9
DaimlerChrysler	DODGE	VIPER CONVERTIBLE	8.3	M6	3.07	3750	CA	100	CO	2.1	4.2	LEV
DaimlerChrysler	DODGE	VIPER CONVERTIBLE	8.3	M6	3.07	3750	CA	100	NMOG	0.07	0.09	LEV
DaimlerChrysler	DODGE	VIPER CONVERTIBLE	8.3	M6	3.07	3750	CA	100	NOX	0	0.3	LEV
DaimlerChrysler	DODGE	VIPER CONVERTIBLE	8.3	M6	3.07	3750	CA	50	CO	1.9	3.4	LEV
DaimlerChrysler	DODGE	VIPER CONVERTIBLE	8.3	M6	3.07	3750	CA	50	NMOG	0.07	0.075	LEV
DaimlerChrysler	DODGE	VIPER CONVERTIBLE	8.3	M6	3.07	3750	CA	50	NOX	0	0.2	LEV
DaimlerChrysler	DODGE	VIPER CONVERTIBLE	8.3	M6	3.07	3750	FA	100	CO	2.1	4.2	B9
DaimlerChrysler	DODGE	VIPER CONVERTIBLE	8.3	M6	3.07	3750	FA	100	HC-NM+NOX-COMP	0.1	0.73	B9
DaimlerChrysler	DODGE	VIPER CONVERTIBLE	8.3	M6	3.07	3750	FA	100	NMOG	0.07	0.09	B9
DaimlerChrysler	DODGE	VIPER CONVERTIBLE	8.3	M6	3.07	3750	FA	100	NOX	0	0.3	B9
DaimlerChrysler	DODGE	VIPER CONVERTIBLE	8.3	M6	3.07	3750	FA	50	CO	1.9	3.4	B9
DaimlerChrysler	DODGE	VIPER CONVERTIBLE	8.3	M6	3.07	3750	FA	50	NMOG	0.07	0.075	B9
DaimlerChrysler	DODGE	VIPER CONVERTIBLE	8.3	M6	3.07	3750	FA	50	NOX	0	0.2	B9
DaimlerChrysler	DODGE	VIPER CONVERTIBLE	8.3	M6	3.07	3750	CA	4	CO-US06	0.6	8	LEV
DaimlerChrysler	DODGE	VIPER CONVERTIBLE	8.3	M6	3.07	3750	CA	4	CO-US06	1.1	8	LEV
DaimlerChrysler	DODGE	VIPER CONVERTIBLE	8.3	M6	3.07	3750	FA	100	CO-US06	0.8	11.1	B9

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
DaimlerChrysler	DODGE	VIPER CONVERTIBLE	8.3	M6	3.07	3750	FA	100	CO-US06	1.4	11.1	B9
DaimlerChrysler	DODGE	VIPER CONVERTIBLE	8.3	M6	3.07	3750	FA	4	CO-US06	0.6	8	B9
DaimlerChrysler	DODGE	VIPER CONVERTIBLE	8.3	M6	3.07	3750	FA	4	CO-US06	1.1	8	B9
DaimlerChrysler	DODGE	VIPER CONVERTIBLE	8.3	M6	3.07	3750	CA	4	CO-SC03	0.1	2.7	LEV
DaimlerChrysler	DODGE	VIPER CONVERTIBLE	8.3	M6	3.07	3750	CA	4	CO-SC03	0.2	2.7	LEV
DaimlerChrysler	DODGE	VIPER CONVERTIBLE	8.3	M6	3.07	3750	FA	100	CO-SC03	0.1	3.7	B9
DaimlerChrysler	DODGE	VIPER CONVERTIBLE	8.3	M6	3.07	3750	FA	100	CO-SC03	0.3	3.7	B9
DaimlerChrysler	DODGE	VIPER CONVERTIBLE	8.3	M6	3.07	3750	FA	4	CO-SC03	0.1	2.7	B9
DaimlerChrysler	DODGE	VIPER CONVERTIBLE	8.3	M6	3.07	3750	FA	4	CO-SC03	0.2	2.7	B9
DaimlerChrysler	JEEP	GRAND CHEROKEE 4WD	3.7	L4	3.07	4750	CA	50	CO-COLD	3	12.5	L2
DaimlerChrysler	JEEP	GRAND CHEROKEE 4WD	3.7	L4	3.07	4750	CF	50	CO-COLD	3	12.5	LEV
DaimlerChrysler	JEEP	GRAND CHEROKEE 4WD	3.7	L4	3.07	4750	FA	50	CO-COLD	3	12.5	B5
DaimlerChrysler	JEEP	GRAND CHEROKEE 4WD	3.7	L4	3.07	4750	CA	120	CO-US06	6.8	14.6	L2
DaimlerChrysler	JEEP	GRAND CHEROKEE 4WD	3.7	L4	3.07	4750	CA	4	CO-US06	0.8	10.5	L2
DaimlerChrysler	JEEP	GRAND CHEROKEE 4WD	3.7	L4	3.07	4750	CA	4	HC-NM+NOX-US06	0.06	0.25	L2
DaimlerChrysler	JEEP	GRAND CHEROKEE 4WD	3.7	L4	3.07	4750	CF	120	CO-US06	6.8	14.6	LEV
DaimlerChrysler	JEEP	GRAND CHEROKEE 4WD	3.7	L4	3.07	4750	CF	4	CO-US06	0.8	10.5	LEV
DaimlerChrysler	JEEP	GRAND CHEROKEE 4WD	3.7	L4	3.07	4750	CF	4	HC-NM+NOX-US06	0.06	0.25	LEV
DaimlerChrysler	JEEP	GRAND CHEROKEE 4WD	3.7	L4	3.07	4750	FA	120	CO-US06	6.8	14.6	B5
DaimlerChrysler	JEEP	GRAND CHEROKEE 4WD	3.7	L4	3.07	4750	FA	4	CO-US06	0.8	10.5	B5
DaimlerChrysler	JEEP	GRAND CHEROKEE 4WD	3.7	L4	3.07	4750	FA	4	HC-NM+NOX-US06	0.06	0.25	B5
DaimlerChrysler	JEEP	GRAND CHEROKEE 4WD	3.7	L4	3.07	4750	CA	120	CO-SC03	0.4	4.9	L2
DaimlerChrysler	JEEP	GRAND CHEROKEE 4WD	3.7	L4	3.07	4750	CA	4	CO-SC03	0.3	3.5	L2
DaimlerChrysler	JEEP	GRAND CHEROKEE 4WD	3.7	L4	3.07	4750	CA	4	HC-NM+NOX-SC03	0.05	0.27	L2
DaimlerChrysler	JEEP	GRAND CHEROKEE 4WD	3.7	L4	3.07	4750	CF	120	CO-SC03	0.4	4.9	LEV
DaimlerChrysler	JEEP	GRAND CHEROKEE 4WD	3.7	L4	3.07	4750	CF	4	CO-SC03	0.3	3.5	LEV
DaimlerChrysler	JEEP	GRAND CHEROKEE 4WD	3.7	L4	3.07	4750	CF	4	HC-NM+NOX-SC03	0.05	0.27	LEV
DaimlerChrysler	JEEP	GRAND CHEROKEE 4WD	3.7	L4	3.07	4750	FA	120	CO-SC03	0.4	4.9	B5
DaimlerChrysler	JEEP	GRAND CHEROKEE 4WD	3.7	L4	3.07	4750	FA	4	CO-SC03	0.3	3.5	B5
DaimlerChrysler	JEEP	GRAND CHEROKEE 4WD	3.7	L4	3.07	4750	FA	4	HC-NM+NOX-SC03	0.05	0.27	B5
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CA	50	CO-COLD	2.5	10	L2
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CF	50	CO-COLD	2.5	10	LEV
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	FA	50	CO-COLD	2.5	10	B5
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CA	120	CO	1.7	4.2	L2
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CA	120	NMOG	0.025	0.09	L2
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CA	120	NOX	0.03	0.07	L2
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CA	50	CO	1.4	3.4	L2
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CA	50	NMOG	0.025	0.075	L2

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CA	50	NOX	0.03	0.05	L2
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CF	100	CO	1.6	4.2	LEV
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CF	100	NMOG	0.025	0.09	LEV
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CF	100	NOX	0	0.3	LEV
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CF	120	HC-NM+NOX-COMP	0.04	0.65	LEV
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CF	50	CO	1.4	3.4	LEV
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CF	50	NMOG	0.025	0.075	LEV
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CF	50	NOX	0	0.2	LEV
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	FA	120	CO	1.7	4.2	B5
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	FA	120	HC-NM+NOX-COMP	0.04	0.65	B5
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	FA	120	NMOG	0.025	0.09	B5
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	FA	120	NOX	0.03	0.07	B5
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	FA	50	CO	1.4	3.4	B5
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	FA	50	NMOG	0.025	0.075	B5
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	FA	50	NOX	0.03	0.05	B5
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CA	4	CO-US06	2.3	8	L2
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CA	4	HC-NM+NOX-US06	0.04	0.14	L2
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CF	120	CO-US06	3	11.1	LEV
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CF	4	CO-US06	2.3	8	LEV
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CF	4	HC-NM+NOX-US06	0.04	0.14	LEV
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	FA	120	CO-US06	3	11.1	B5
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	FA	4	CO-US06	2.3	8	B5
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	FA	4	HC-NM+NOX-US06	0.04	0.14	B5
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CA	4	CO-SC03	0.8	2.7	L2
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CA	4	HC-NM+NOX-SC03	0.02	0.2	L2
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CF	120	CO-SC03	1.1	3.7	LEV
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CF	4	CO-SC03	0.8	2.7	LEV
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CF	4	HC-NM+NOX-SC03	0.02	0.2	LEV
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	FA	120	CO-SC03	1.1	3.7	B5
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	FA	4	CO-SC03	0.8	2.7	B5
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	FA	4	HC-NM+NOX-SC03	0.02	0.2	B5
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CA	50	CO-COLD	2.5	10	L2
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CF	50	CO-COLD	2.5	10	LEV
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	FA	50	CO-COLD	2.5	10	B5
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CA	120	CO	1.7	4.2	L2
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CA	120	NMOG	0.025	0.09	L2
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CA	120	NOX	0.03	0.07	L2
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CA	50	CO	1.4	3.4	L2

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CA	50	NMOG	0.025	0.075	L2
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CA	50	NOX	0.03	0.05	L2
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CF	100	CO	1.6	4.2	LEV
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CF	100	NMOG	0.025	0.09	LEV
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CF	100	NOX	0	0.3	LEV
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CF	120	HC-NM+NOX-COMP	0.04	0.65	LEV
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CF	50	CO	1.4	3.4	LEV
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CF	50	NMOG	0.025	0.075	LEV
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CF	50	NOX	0	0.2	LEV
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	FA	120	CO	1.7	4.2	B5
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	FA	120	HC-NM+NOX-COMP	0.04	0.65	B5
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	FA	120	NMOG	0.025	0.09	B5
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	FA	120	NOX	0.03	0.07	B5
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	FA	50	CO	1.4	3.4	B5
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	FA	50	NMOG	0.025	0.075	B5
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	FA	50	NOX	0.03	0.05	B5
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CA	4	CO-US06	2.3	8	L2
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CA	4	HC-NM+NOX-US06	0.04	0.14	L2
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CF	120	CO-US06	3	11.1	LEV
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CF	4	CO-US06	2.3	8	LEV
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CF	4	HC-NM+NOX-US06	0.04	0.14	LEV
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	FA	120	CO-US06	3	11.1	B5
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	FA	4	CO-US06	2.3	8	B5
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	FA	4	HC-NM+NOX-US06	0.04	0.14	B5
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CA	4	CO-SC03	0.8	2.7	L2
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CA	4	HC-NM+NOX-SC03	0.02	0.2	L2
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CF	120	CO-SC03	1.1	3.7	LEV
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CF	4	CO-SC03	0.8	2.7	LEV
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	CF	4	HC-NM+NOX-SC03	0.02	0.2	LEV
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	FA	120	CO-SC03	1.1	3.7	B5
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	FA	4	CO-SC03	0.8	2.7	B5
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	2.4	M6	4.1	4250	FA	4	HC-NM+NOX-SC03	0.02	0.2	B5
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	3.7	L4	3.73	4250	CA	50	CO-COLD	1.5	12.5	L2
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	3.7	L4	3.73	4250	CF	50	CO-COLD	1.5	12.5	LEV
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	3.7	L4	3.73	4250	FA	50	CO-COLD	1.5	12.5	B5
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	3.7	L4	3.73	4250	CA	120	CO	0.6	4.2	L2
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	3.7	L4	3.73	4250	CA	120	NMOG	0.04	0.09	L2
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	3.7	L4	3.73	4250	CA	120	NOX	0.04	0.07	L2

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	3.7	L4	3.73	4250	CA	50	CO	0.5	3.4	L2
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	3.7	L4	3.73	4250	CA	50	NMOG	0.04	0.075	L2
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	3.7	L4	3.73	4250	CA	50	NOX	0.04	0.05	L2
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	3.7	L4	3.73	4250	CF	100	CO	0.5	5.5	LEV
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	3.7	L4	3.73	4250	CF	100	NMOG	0.04	0.13	LEV
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	3.7	L4	3.73	4250	CF	100	NOX	0	0.5	LEV
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	3.7	L4	3.73	4250	CF	50	CO	0.5	4.4	LEV
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	3.7	L4	3.73	4250	CF	50	NMOG	0.04	0.1	LEV
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	3.7	L4	3.73	4250	CF	50	NOX	0	0.4	LEV
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	3.7	L4	3.73	4250	FA	120	CO	0.6	4.2	B5
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	3.7	L4	3.73	4250	FA	120	NMOG	0.04	0.09	B5
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	3.7	L4	3.73	4250	FA	120	NOX	0.04	0.07	B5
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	3.7	L4	3.73	4250	FA	50	CO	0.5	3.4	B5
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	3.7	L4	3.73	4250	FA	50	NMOG	0.04	0.075	B5
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	3.7	L4	3.73	4250	FA	50	NOX	0.04	0.05	B5
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	3.7	L4	3.73	4250	CA	120	CO-US06	0.4	14.6	L2
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	3.7	L4	3.73	4250	CA	4	CO-US06	1.8	10.5	L2
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	3.7	L4	3.73	4250	CA	4	HC-NM+NOX-US06	0.04	0.25	L2
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	3.7	L4	3.73	4250	CF	120	CO-US06	0.4	14.6	LEV
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	3.7	L4	3.73	4250	CF	4	CO-US06	1.8	10.5	LEV
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	3.7	L4	3.73	4250	CF	4	HC-NM+NOX-US06	0.04	0.25	LEV
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	3.7	L4	3.73	4250	FA	120	CO-US06	0.4	14.6	B5
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	3.7	L4	3.73	4250	FA	4	CO-US06	1.8	10.5	B5
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	3.7	L4	3.73	4250	FA	4	HC-NM+NOX-US06	0.04	0.25	B5
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	3.7	L4	3.73	4250	CA	120	CO-SC03	0.2	4.9	L2
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	3.7	L4	3.73	4250	CA	4	CO-SC03	0.6	3.5	L2
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	3.7	L4	3.73	4250	CA	4	HC-NM+NOX-SC03	0.02	0.27	L2
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	3.7	L4	3.73	4250	CF	120	CO-SC03	0.2	4.9	LEV
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	3.7	L4	3.73	4250	CF	4	CO-SC03	0.6	3.5	LEV
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	3.7	L4	3.73	4250	CF	4	HC-NM+NOX-SC03	0.02	0.27	LEV
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	3.7	L4	3.73	4250	FA	120	CO-SC03	0.2	4.9	B5
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	3.7	L4	3.73	4250	FA	4	CO-SC03	0.6	3.5	B5
DaimlerChrysler	JEEP	LIBERTY/CHEROKEE 4WD	3.7	L4	3.73	4250	FA	4	HC-NM+NOX-SC03	0.02	0.27	B5
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	CA	50	CO-COLD	3.5	12.5	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	FA	50	CO-COLD	3.5	12.5	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	CA	100	CO	1.6	4.2	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	CA	100	CO	1.7	4.2	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	CA	100	NMOG	0.046	0.13	B9

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	CA	100	NMOG	0.058	0.13	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	CA	100	NOX	0.1	0.3	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	CA	50	CO	1.4	3.4	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	CA	50	CO	1.5	3.4	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	CA	50	NMOG	0.046	0.1	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	CA	50	NMOG	0.058	0.1	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	CA	50	NOX	0.1	0.2	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	FA	100	CO	1.6	4.2	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	FA	100	CO	1.7	4.2	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	FA	100	NMOG	0.046	0.13	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	FA	100	NMOG	0.058	0.13	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	FA	100	NOX	0.1	0.3	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	FA	50	CO	1.4	3.4	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	FA	50	CO	1.5	3.4	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	FA	50	NMOG	0.046	0.1	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	FA	50	NMOG	0.058	0.1	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	FA	50	NOX	0.1	0.2	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	CA	100	CO	1.5	4.2	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	CA	100	HC-NM+NOX-COMP	0.09	1.04	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	CA	100	NMOG	0.052	0.13	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	CA	100	NOX	0.1	0.3	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	CA	50	CO	1.3	3.4	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	CA	50	NMOG	0.052	0.1	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	CA	50	NOX	0.1	0.2	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	FA	100	CO	1.5	4.2	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	FA	100	HC-NM+NOX-COMP	0.09	1.04	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	FA	100	NMOG	0.052	0.13	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	FA	100	NOX	0.1	0.3	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	FA	50	CO	1.3	3.4	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	FA	50	NMOG	0.052	0.1	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	FA	50	NOX	0.1	0.2	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	CA	100	CO-US06	5.2	14.6	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	CA	100	CO-US06	9.4	14.6	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	CA	4	CO-US06	4.1	10.5	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	CA	4	CO-US06	7.4	10.5	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	CA	4	HC-NM+NOX-US06	0.05	0.25	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	CA	4	HC-NM+NOX-US06	0.12	0.25	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	FA	100	CO-US06	5.2	14.6	B9

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	FA	100	CO-US06	9.4	14.6	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	FA	4	CO-US06	4.1	10.5	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	FA	4	CO-US06	7.4	10.5	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	FA	4	HC-NM+NOX-US06	0.05	0.25	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	FA	4	HC-NM+NOX-US06	0.12	0.25	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	CA	100	CO-SC03	0	4.9	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	CA	100	CO-SC03	0.9	4.9	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	CA	4	CO-SC03	0	3.5	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	CA	4	CO-SC03	0.7	3.5	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	CA	4	HC-NM+NOX-SC03	0.01	0.27	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	CA	4	HC-NM+NOX-SC03	0.04	0.27	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	FA	100	CO-SC03	0	4.9	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	FA	100	CO-SC03	0.9	4.9	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	FA	4	CO-SC03	0	3.5	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	FA	4	CO-SC03	0.7	3.5	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	FA	4	HC-NM+NOX-SC03	0.01	0.27	B9
DaimlerChrysler	JEEP	WRANGLER/TJ 4WD	4	L4	4.11	4000	FA	4	HC-NM+NOX-SC03	0.04	0.27	B9
DaimlerChrysler	MERCEDES-BENZ	C240 (WAGON)	2597	M6	3.46	3750	CA	50	CO-COLD	0.37	10	N/A
DaimlerChrysler	MERCEDES-BENZ	C240 (WAGON)	2597	M6	3.46	3750	FA	50	CO-COLD	0.37	10	N/A
DaimlerChrysler	MERCEDES-BENZ	C240 (WAGON)	2597	M6	3.46	3750	FC	50	CO-COLD	0.37	10	N/A
DaimlerChrysler	MERCEDES-BENZ	C240 (WAGON)	2597	M6	3.46	3750	CA	100	CO	0.18	4.2	B8
DaimlerChrysler	MERCEDES-BENZ	C240 (WAGON)	2597	M6	3.46	3750	CA	100	HCHO	0.0007	0.018	B8
DaimlerChrysler	MERCEDES-BENZ	C240 (WAGON)	2597	M6	3.46	3750	CA	100	NMOG	0.0244	0.125	B8
DaimlerChrysler	MERCEDES-BENZ	C240 (WAGON)	2597	M6	3.46	3750	CA	100	NOX	0.078	0.2	B8
DaimlerChrysler	MERCEDES-BENZ	C240 (WAGON)	2597	M6	3.46	3750	CA	50	CO	0.16	3.4	B8
DaimlerChrysler	MERCEDES-BENZ	C240 (WAGON)	2597	M6	3.46	3750	CA	50	HCHO	0.0005	0.015	B8
DaimlerChrysler	MERCEDES-BENZ	C240 (WAGON)	2597	M6	3.46	3750	CA	50	NMOG	0.0214	0.1	B8
DaimlerChrysler	MERCEDES-BENZ	C240 (WAGON)	2597	M6	3.46	3750	CA	50	NOX	0.078	0.14	B8
DaimlerChrysler	MERCEDES-BENZ	C240 (WAGON)	2597	M6	3.46	3750	FA	100	CO	0.18	4.2	B8
DaimlerChrysler	MERCEDES-BENZ	C240 (WAGON)	2597	M6	3.46	3750	FA	100	HCHO	0.0007	0.018	B8
DaimlerChrysler	MERCEDES-BENZ	C240 (WAGON)	2597	M6	3.46	3750	FA	100	NMOG	0.0244	0.125	B8
DaimlerChrysler	MERCEDES-BENZ	C240 (WAGON)	2597	M6	3.46	3750	FA	100	NOX	0.078	0.2	B8
DaimlerChrysler	MERCEDES-BENZ	C240 (WAGON)	2597	M6	3.46	3750	FA	50	CO	0.16	3.4	B8
DaimlerChrysler	MERCEDES-BENZ	C240 (WAGON)	2597	M6	3.46	3750	FA	50	HCHO	0.0005	0.015	B8
DaimlerChrysler	MERCEDES-BENZ	C240 (WAGON)	2597	M6	3.46	3750	FA	50	NMOG	0.0214	0.1	B8
DaimlerChrysler	MERCEDES-BENZ	C240 (WAGON)	2597	M6	3.46	3750	FA	50	NOX	0.078	0.14	B8
DaimlerChrysler	MERCEDES-BENZ	C240 (WAGON)	2597	M6	3.46	3750	FC	100	CO	0.18	4.2	B8
DaimlerChrysler	MERCEDES-BENZ	C240 (WAGON)	2597	M6	3.46	3750	FC	100	HCHO	0.0007	0.018	B8

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
DaimlerChrysler	MERCEDES-BENZ	C240 (WAGON)	2597	M6	3.46	3750	FC	100	NMOG	0.0244	0.125	B8
DaimlerChrysler	MERCEDES-BENZ	C240 (WAGON)	2597	M6	3.46	3750	FC	100	NOX	0.078	0.2	B8
DaimlerChrysler	MERCEDES-BENZ	C240 (WAGON)	2597	M6	3.46	3750	FC	50	CO	0.16	3.4	B8
DaimlerChrysler	MERCEDES-BENZ	C240 (WAGON)	2597	M6	3.46	3750	FC	50	HCHO	0.0005	0.015	B8
DaimlerChrysler	MERCEDES-BENZ	C240 (WAGON)	2597	M6	3.46	3750	FC	50	NMOG	0.0214	0.1	B8
DaimlerChrysler	MERCEDES-BENZ	C240 (WAGON)	2597	M6	3.46	3750	FC	50	NOX	0.078	0.14	B8
DaimlerChrysler	MERCEDES-BENZ	C240 (WAGON)	2597	M6	3.46	3750	CA	100	CO-US06	1.74	11.1	N/A
DaimlerChrysler	MERCEDES-BENZ	C240 (WAGON)	2597	M6	3.46	3750	CA	4	CO-US06	1.71	8	N/A
DaimlerChrysler	MERCEDES-BENZ	C240 (WAGON)	2597	M6	3.46	3750	CA	4	HC-NM+NOX-US06	0.048	0.14	N/A
DaimlerChrysler	MERCEDES-BENZ	C240 (WAGON)	2597	M6	3.46	3750	FA	100	CO-US06	1.74	11.1	N/A
DaimlerChrysler	MERCEDES-BENZ	C240 (WAGON)	2597	M6	3.46	3750	FA	4	CO-US06	1.71	8	N/A
DaimlerChrysler	MERCEDES-BENZ	C240 (WAGON)	2597	M6	3.46	3750	FA	4	HC-NM+NOX-US06	0.048	0.14	N/A
DaimlerChrysler	MERCEDES-BENZ	C240 (WAGON)	2597	M6	3.46	3750	FC	100	CO-US06	1.74	11.1	N/A
DaimlerChrysler	MERCEDES-BENZ	C240 (WAGON)	2597	M6	3.46	3750	FC	4	CO-US06	1.71	8	N/A
DaimlerChrysler	MERCEDES-BENZ	C240 (WAGON)	2597	M6	3.46	3750	FC	4	HC-NM+NOX-US06	0.048	0.14	N/A
DaimlerChrysler	MERCEDES-BENZ	C240 (WAGON)	2597	M6	3.46	3750	CA	100	CO-SC03	0.34	3.7	N/A
DaimlerChrysler	MERCEDES-BENZ	C240 (WAGON)	2597	M6	3.46	3750	CA	4	CO-SC03	0.31	2.7	N/A
DaimlerChrysler	MERCEDES-BENZ	C240 (WAGON)	2597	M6	3.46	3750	CA	4	HC-NM+NOX-SC03	0.12	0.2	N/A
DaimlerChrysler	MERCEDES-BENZ	C240 (WAGON)	2597	M6	3.46	3750	FA	100	CO-SC03	0.34	3.7	N/A
DaimlerChrysler	MERCEDES-BENZ	C240 (WAGON)	2597	M6	3.46	3750	FA	4	CO-SC03	0.31	2.7	N/A
DaimlerChrysler	MERCEDES-BENZ	C240 (WAGON)	2597	M6	3.46	3750	FA	4	HC-NM+NOX-SC03	0.12	0.2	N/A
DaimlerChrysler	MERCEDES-BENZ	C240 (WAGON)	2597	M6	3.46	3750	FC	100	CO-SC03	0.34	3.7	N/A
DaimlerChrysler	MERCEDES-BENZ	C240 (WAGON)	2597	M6	3.46	3750	FC	4	CO-SC03	0.31	2.7	N/A
DaimlerChrysler	MERCEDES-BENZ	C240 (WAGON)	2597	M6	3.46	3750	FC	4	HC-NM+NOX-SC03	0.12	0.2	N/A
DaimlerChrysler	MERCEDES-BENZ	C32 AMG	3196	L5	3.06	3875	CA	50	CO-COLD	3.19	10	N/A
DaimlerChrysler	MERCEDES-BENZ	C32 AMG	3196	L5	3.06	3875	FA	50	CO-COLD	3.19	10	N/A
DaimlerChrysler	MERCEDES-BENZ	C32 AMG	3196	L5	3.06	3875	CA	100	CO	0.48	4.2	LEV
DaimlerChrysler	MERCEDES-BENZ	C32 AMG	3196	L5	3.06	3875	CA	100	HCHO	0.0005	0.018	LEV
DaimlerChrysler	MERCEDES-BENZ	C32 AMG	3196	L5	3.06	3875	CA	100	NMOG	0.0352	0.09	LEV
DaimlerChrysler	MERCEDES-BENZ	C32 AMG	3196	L5	3.06	3875	CA	100	NOX	0.067	0.3	LEV
DaimlerChrysler	MERCEDES-BENZ	C32 AMG	3196	L5	3.06	3875	CA	50	CO	0.32	3.4	LEV
DaimlerChrysler	MERCEDES-BENZ	C32 AMG	3196	L5	3.06	3875	CA	50	HCHO	0.0004	0.015	LEV
DaimlerChrysler	MERCEDES-BENZ	C32 AMG	3196	L5	3.06	3875	CA	50	NMOG	0.0237	0.075	LEV
DaimlerChrysler	MERCEDES-BENZ	C32 AMG	3196	L5	3.06	3875	CA	50	NOX	0.062	0.2	LEV
DaimlerChrysler	MERCEDES-BENZ	C32 AMG	3196	L5	3.06	3875	FA	100	CO	0.48	4.2	B9
DaimlerChrysler	MERCEDES-BENZ	C32 AMG	3196	L5	3.06	3875	FA	100	HCHO	0.0005	0.018	B9
DaimlerChrysler	MERCEDES-BENZ	C32 AMG	3196	L5	3.06	3875	FA	100	NMOG	0.0352	0.09	B9
DaimlerChrysler	MERCEDES-BENZ	C32 AMG	3196	L5	3.06	3875	FA	100	NOX	0.067	0.3	B9



2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
DaimlerChrysler	MERCEDES-BENZ	C32 AMG	3196	L5	3.06	3875	FA	50	CO	0.32	3.4	B9
DaimlerChrysler	MERCEDES-BENZ	C32 AMG	3196	L5	3.06	3875	FA	50	HCHO	0.0004	0.015	B9
DaimlerChrysler	MERCEDES-BENZ	C32 AMG	3196	L5	3.06	3875	FA	50	NMOG	0.0237	0.075	B9
DaimlerChrysler	MERCEDES-BENZ	C32 AMG	3196	L5	3.06	3875	FA	50	NOX	0.062	0.2	B9
DaimlerChrysler	MERCEDES-BENZ	C32 AMG	3196	L5	3.06	3875	CA	4	50-CO	0.96	3.4	LEV
DaimlerChrysler	MERCEDES-BENZ	C32 AMG	3196	L5	3.06	3875	CA	4	50-HCHO	0.0004	0.03	LEV
DaimlerChrysler	MERCEDES-BENZ	C32 AMG	3196	L5	3.06	3875	CA	4	50-NMOG	0.0364	0.15	LEV
DaimlerChrysler	MERCEDES-BENZ	C32 AMG	3196	L5	3.06	3875	CA	4	50-NOX	0.12	0.2	LEV
DaimlerChrysler	MERCEDES-BENZ	C32 AMG	3196	L5	3.06	3875	CA	4	CO-US06	5.77	8	LEV
DaimlerChrysler	MERCEDES-BENZ	C32 AMG	3196	L5	3.06	3875	CA	4	HC-NM+NOX-US06	0.07	0.14	LEV
DaimlerChrysler	MERCEDES-BENZ	C32 AMG	3196	L5	3.06	3875	FA	100	CO-US06	6.08	11.1	B9
DaimlerChrysler	MERCEDES-BENZ	C32 AMG	3196	L5	3.06	3875	FA	4	CO-US06	5.77	8	N/A
DaimlerChrysler	MERCEDES-BENZ	C32 AMG	3196	L5	3.06	3875	FA	4	HC-NM+NOX-US06	0.07	0.14	N/A
DaimlerChrysler	MERCEDES-BENZ	C32 AMG	3196	L5	3.06	3875	CA	4	CO-SC03	1.32	2.7	LEV
DaimlerChrysler	MERCEDES-BENZ	C32 AMG	3196	L5	3.06	3875	CA	4	HC-NM+NOX-SC03	0.015	0.2	LEV
DaimlerChrysler	MERCEDES-BENZ	C32 AMG	3196	L5	3.06	3875	FA	100	CO-SC03	1.64	3.7	B9
DaimlerChrysler	MERCEDES-BENZ	C32 AMG	3196	L5	3.06	3875	FA	4	CO-SC03	1.32	2.7	N/A
DaimlerChrysler	MERCEDES-BENZ	C32 AMG	3196	L5	3.06	3875	FA	4	HC-NM+NOX-SC03	0.015	0.2	N/A
Ford Motor Company	FORD	E150 ECONOLINE 2WD	5.4	L4	3.55	6000	CA	50	CO-COLD	3	12.5	B8
Ford Motor Company	FORD	E150 ECONOLINE 2WD	5.4	L4	3.55	6000	CF	50	CO-COLD	3	12.5	LEV
Ford Motor Company	FORD	E150 ECONOLINE 2WD	5.4	L4	3.55	6000	FA	50	CO-COLD	3	12.5	B8
Ford Motor Company	FORD	E150 ECONOLINE 2WD	5.4	L4	3.55	6000	CA	120	CO	3.1	4.2	B8
Ford Motor Company	FORD	E150 ECONOLINE 2WD	5.4	L4	3.55	6000	CA	120	HC-NM+NOX-COMP	0.2	2.09	B8
Ford Motor Company	FORD	E150 ECONOLINE 2WD	5.4	L4	3.55	6000	CA	120	NMOG	0.118	0.156	B8
Ford Motor Company	FORD	E150 ECONOLINE 2WD	5.4	L4	3.55	6000	CA	120	NOX	0.1	0.2	B8
Ford Motor Company	FORD	E150 ECONOLINE 2WD	5.4	L4	3.55	6000	CA	50	CO	1.9	3.4	B8
Ford Motor Company	FORD	E150 ECONOLINE 2WD	5.4	L4	3.55	6000	CA	50	HC-NM+NOX-COMP	0.1	1.49	B8
Ford Motor Company	FORD	E150 ECONOLINE 2WD	5.4	L4	3.55	6000	CA	50	NMOG	0.073	0.125	B8
Ford Motor Company	FORD	E150 ECONOLINE 2WD	5.4	L4	3.55	6000	CA	50	NOX	0.04	0.14	B8
Ford Motor Company	FORD	E150 ECONOLINE 2WD	5.4	L4	3.55	6000	CF	120	CO	3.1	7.3	LEV
Ford Motor Company	FORD	E150 ECONOLINE 2WD	5.4	L4	3.55	6000	CF	120	NMOG	0.118	0.28	LEV
Ford Motor Company	FORD	E150 ECONOLINE 2WD	5.4	L4	3.55	6000	CF	120	NOX	0.1	1.5	LEV
Ford Motor Company	FORD	E150 ECONOLINE 2WD	5.4	L4	3.55	6000	CF	50	CO	1.9	5	LEV
Ford Motor Company	FORD	E150 ECONOLINE 2WD	5.4	L4	3.55	6000	CF	50	NMOG	0.073	0.195	LEV
Ford Motor Company	FORD	E150 ECONOLINE 2WD	5.4	L4	3.55	6000	CF	50	NOX	0.04	1.1	LEV
Ford Motor Company	FORD	E150 ECONOLINE 2WD	5.4	L4	3.55	6000	FA	120	CO	3.1	4.2	B8
Ford Motor Company	FORD	E150 ECONOLINE 2WD	5.4	L4	3.55	6000	FA	120	HC-NM+NOX-COMP	0.2	2.09	B8
Ford Motor Company	FORD	E150 ECONOLINE 2WD	5.4	L4	3.55	6000	FA	120	NMOG	0.118	0.156	B8

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	FORD	E150 ECONOLINE 2WD	5.4	L4	3.55	6000	FA	120	NOX	0.1	0.2	B8
Ford Motor Company	FORD	E150 ECONOLINE 2WD	5.4	L4	3.55	6000	FA	50	CO	1.9	3.4	B8
Ford Motor Company	FORD	E150 ECONOLINE 2WD	5.4	L4	3.55	6000	FA	50	HC-NM+NOX-COMP	0.1	1.49	B8
Ford Motor Company	FORD	E150 ECONOLINE 2WD	5.4	L4	3.55	6000	FA	50	NMOG	0.073	0.125	B8
Ford Motor Company	FORD	E150 ECONOLINE 2WD	5.4	L4	3.55	6000	FA	50	NOX	0.04	0.14	B8
Ford Motor Company	FORD	E150 ECONOLINE 2WD	5.4	L4	3.55	6000	CA	120	CO-US06	5.3	19.3	B8
Ford Motor Company	FORD	E150 ECONOLINE 2WD	5.4	L4	3.55	6000	CA	50	CO-US06	4.1	13.2	B8
Ford Motor Company	FORD	E150 ECONOLINE 2WD	5.4	L4	3.55	6000	FA	120	CO-US06	5.3	19.3	B8
Ford Motor Company	FORD	E150 ECONOLINE 2WD	5.4	L4	3.55	6000	FA	50	CO-US06	4.1	13.2	B8
Ford Motor Company	FORD	E150 ECONOLINE 2WD	5.4	L4	3.55	6000	CA	120	CO-SC03	3.4	6.4	B8
Ford Motor Company	FORD	E150 ECONOLINE 2WD	5.4	L4	3.55	6000	CA	50	CO-SC03	2.1	4.4	B8
Ford Motor Company	FORD	E150 ECONOLINE 2WD	5.4	L4	3.55	6000	FA	120	CO-SC03	3.4	6.4	B8
Ford Motor Company	FORD	E150 ECONOLINE 2WD	5.4	L4	3.55	6000	FA	50	CO-SC03	2.1	4.4	B8
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	CA	50	CO-COLD	5.17	12.5	B10
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	CF	50	CO-COLD	5.17	12.5	LEV
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	FA	50	CO-COLD	5.17	12.5	B10
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	CA	120	CO	3.41	6.4	B10
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	CA	120	HC-NM+NOX-COMP	0.629	2.09	B10
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	CA	120	NMOG	0.166	0.28	B10
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	CA	120	NOX	0.39	0.6	B10
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	CA	50	CO	1.98	4.4	B10
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	CA	50	HC-NM+NOX-COMP	0.409	1.49	B10
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	CA	50	NMOG	0.118	0.195	B10
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	CA	50	NOX	0.22	0.4	B10
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	CF	120	CO	3.41	7.3	LEV
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	CF	120	NMOG	0.166	0.28	LEV
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	CF	120	NOX	0.39	1.5	LEV
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	CF	50	CO	1.98	5	LEV
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	CF	50	NMOG	0.118	0.195	LEV
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	CF	50	NOX	0.22	1.1	LEV
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	FA	120	CO	3.41	6.4	B10
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	FA	120	HC-NM+NOX-COMP	0.629	2.09	B10
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	FA	120	NMOG	0.166	0.28	B10
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	FA	120	NOX	0.39	0.6	B10
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	FA	50	CO	1.98	4.4	B10
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	FA	50	HC-NM+NOX-COMP	0.409	1.49	B10
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	FA	50	NMOG	0.118	0.195	B10
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	FA	50	NOX	0.22	0.4	B10

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	CA	120	CO-US06	9.99	19.3	B10
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	CA	50	CO-US06	8.57	13.2	B10
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	FA	120	CO-US06	9.99	19.3	B10
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	FA	50	CO-US06	8.57	13.2	B10
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	CA	120	CO-SC03	3.06	6.4	B10
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	CA	50	CO-SC03	1.63	4.4	B10
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	FA	120	CO-SC03	3.06	6.4	B10
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	FA	50	CO-SC03	1.63	4.4	B10
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	CA	120	CO	3.41	6.4	B10
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	CA	120	NMOG	0.166	0.28	B10
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	CA	120	NOX	0.39	0.6	B10
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	CA	50	CO	1.98	4.4	B10
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	CA	50	NMOG	0.118	0.195	B10
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	CA	50	NOX	0.22	0.4	B10
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	CF	120	CO	3.41	7.3	LEV
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	CF	120	NMOG	0.166	0.28	LEV
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	CF	120	NOX	0.39	1.5	LEV
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	CF	50	CO	1.98	5	LEV
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	CF	50	NMOG	0.118	0.195	LEV
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	CF	50	NOX	0.22	1.1	LEV
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	FA	120	CO	3.41	6.4	B10
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	FA	120	NMOG	0.166	0.28	B10
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	FA	120	NOX	0.39	0.6	B10
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	FA	50	CO	1.98	4.4	B10
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	FA	50	NMOG	0.118	0.195	B10
Ford Motor Company	FORD	E250 ECONOLINE 2WD	4600	L4	4.1	7000	FA	50	NOX	0.22	0.4	B10
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	9500	CA	120	CO	5.2	7.3	LEV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	9500	CA	120	NMOG	0.148	0.28	LEV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	9500	CA	120	NOX	0.39	0.9	LEV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	9500	CA	50	CO	3.2	5	LEV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	9500	CA	50	NMOG	0.105	0.195	LEV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	9500	CA	50	NOX	0.17	0.6	LEV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	9500	CF	120	CO	5.2	7.3	LEV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	9500	CF	120	NMOG	0.148	0.28	LEV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	9500	CF	120	NOX	0.39	1.5	LEV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	9500	CF	50	CO	3.2	5	LEV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	9500	CF	50	NMOG	0.105	0.195	LEV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	9500	CF	50	NOX	0.17	1.1	LEV

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	9500	FA	120	CO	5.2	7.3	HDV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	9500	FA	120	HC-NM	0.146	0.28	HDV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	9500	FA	120	NOX	0.39	0.9	HDV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	9500	CA	120	CO	5.2	7.3	LEV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	9500	CA	120	NMOG	0.148	0.28	LEV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	9500	CA	120	NOX	0.39	0.9	LEV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	9500	CA	50	CO	3.2	5	LEV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	9500	CA	50	NMOG	0.105	0.195	LEV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	9500	CA	50	NOX	0.17	0.6	LEV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	9500	CF	120	CO	5.2	7.3	LEV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	9500	CF	120	NMOG	0.148	0.28	LEV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	9500	CF	120	NOX	0.39	1.5	LEV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	9500	CF	50	CO	3.2	5	LEV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	9500	CF	50	NMOG	0.105	0.195	LEV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	9500	CF	50	NOX	0.17	1.1	LEV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	9500	FA	120	CO	5.2	7.3	HDV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	9500	FA	120	HC-NM	0.146	0.28	HDV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	9500	FA	120	NOX	0.39	0.9	HDV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	9500	CA	120	CO	5.2	7.3	LEV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	9500	CA	120	NMOG	0.148	0.28	LEV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	9500	CA	120	NOX	0.39	0.9	LEV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	9500	CA	50	CO	3.2	5	LEV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	9500	CA	50	NMOG	0.105	0.195	LEV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	9500	CA	50	NOX	0.17	0.6	LEV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	9500	CF	120	CO	5.2	7.3	LEV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	9500	CF	120	NMOG	0.148	0.28	LEV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	9500	CF	120	NOX	0.39	1.5	LEV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	9500	CF	50	CO	3.2	5	LEV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	9500	CF	50	NMOG	0.105	0.195	LEV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	9500	CF	50	NOX	0.17	1.1	LEV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	9500	FA	120	CO	5.2	7.3	HDV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	9500	FA	120	HC-NM	0.146	0.28	HDV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	9500	FA	120	NOX	0.39	0.9	HDV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	7500	CA	120	CO	4.4	6.4	B10
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	7500	CA	120	NMOG	0.137	0.28	B10
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	7500	CA	120	NOX	0.37	0.6	B10
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	7500	CA	50	CO	2.4	4.4	B10
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	7500	CA	50	NMOG	0.094	0.195	B10

**2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results**

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	7500	CA	50	NOX	0.15	0.4	B10
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	7500	CF	120	CO	4.4	7.3	LEV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	7500	CF	120	NMOG	0.137	0.28	LEV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	7500	CF	120	NOX	0.4	1.5	LEV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	7500	CF	50	CO	2.4	5	LEV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	7500	CF	50	NMOG	0.094	0.195	LEV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	7500	CF	50	NOX	0.1	1.1	LEV
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	7500	FA	120	CO	4.4	6.4	B10
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	7500	FA	120	NMOG	0.137	0.28	B10
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	7500	FA	120	NOX	0.37	0.6	B10
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	7500	FA	50	CO	2.4	4.4	B10
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	7500	FA	50	NMOG	0.094	0.195	B10
Ford Motor Company	FORD	E350 2WD	5.4	L5	4.1	7500	FA	50	NOX	0.15	0.4	B10
Ford Motor Company	FORD	E350 2WD	5.4	L4	4.1	7500	CA	120	CO	3.54	6.4	L2
Ford Motor Company	FORD	E350 2WD	5.4	L4	4.1	7500	CA	120	NMOG	0.085	0.195	L2
Ford Motor Company	FORD	E350 2WD	5.4	L4	4.1	7500	CA	120	NOX	0.1	0.2	L2
Ford Motor Company	FORD	E350 2WD	5.4	L4	4.1	7500	CF	120	CO	3.5	7.3	LEV
Ford Motor Company	FORD	E350 2WD	5.4	L4	4.1	7500	CF	120	NMOG	0.085	0.28	LEV
Ford Motor Company	FORD	E350 2WD	5.4	L4	4.1	7500	CF	120	NOX	0.1	1.5	LEV
Ford Motor Company	FORD	E350 2WD	5.4	L4	4.1	7500	CF	50	CO	2.6	5	LEV
Ford Motor Company	FORD	E350 2WD	5.4	L4	4.1	7500	CF	50	NMOG	0.065	0.195	LEV
Ford Motor Company	FORD	E350 2WD	5.4	L4	4.1	7500	CF	50	NOX	0	1.1	LEV
Ford Motor Company	FORD	E350 2WD	5.4	L4	4.1	7500	FA	120	CO	3.54	6.4	B10
Ford Motor Company	FORD	E350 2WD	5.4	L4	4.1	7500	FA	120	NMOG	0.085	0.28	B10
Ford Motor Company	FORD	E350 2WD	5.4	L4	4.1	7500	FA	120	NOX	0.1	0.6	B10
Ford Motor Company	FORD	E350 2WD	5.4	L4	4.1	7500	FA	50	CO	2.56	4.4	B10
Ford Motor Company	FORD	E350 2WD	5.4	L4	4.1	7500	FA	50	NMOG	0.065	0.195	B10
Ford Motor Company	FORD	E350 2WD	5.4	L4	4.1	7500	FA	50	NOX	0.05	0.4	B10
Ford Motor Company	FORD	E350 2WD	5.4	L4	4.1	7500	CA	50	50-CO	1.75	6.4	L2
Ford Motor Company	FORD	E350 2WD	5.4	L4	4.1	7500	CA	50	50-NMOG	0.17	0.39	L2
Ford Motor Company	FORD	E350 2WD	5.4	L4	4.1	7500	CA	50	50-NOX	0.02	0.2	L2
Ford Motor Company	FORD	E350 2WD	6.8	L5	4.1	8000	CA	120	CO	2.47	4.2	B8
Ford Motor Company	FORD	E350 2WD	6.8	L5	4.1	8000	CA	120	NMOG	0.1181	0.156	B8
Ford Motor Company	FORD	E350 2WD	6.8	L5	4.1	8000	CA	120	NOX	0.116	0.2	B8
Ford Motor Company	FORD	E350 2WD	6.8	L5	4.1	8000	CA	50	CO	1.24	3.4	B8
Ford Motor Company	FORD	E350 2WD	6.8	L5	4.1	8000	CA	50	NMOG	0.0728	0.125	B8
Ford Motor Company	FORD	E350 2WD	6.8	L5	4.1	8000	CA	50	NOX	0.059	0.14	B8
Ford Motor Company	FORD	E350 2WD	6.8	L5	4.1	8000	CF	120	CO	2.47	7.3	LEV

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	FORD	E350 2WD	6.8	L5	4.1	8000	CF	120	NMOG	0.1181	0.28	LEV
Ford Motor Company	FORD	E350 2WD	6.8	L5	4.1	8000	CF	120	NOX	0.12	1.5	LEV
Ford Motor Company	FORD	E350 2WD	6.8	L5	4.1	8000	CF	50	CO	1.24	5	LEV
Ford Motor Company	FORD	E350 2WD	6.8	L5	4.1	8000	CF	50	NMOG	0.0728	0.195	LEV
Ford Motor Company	FORD	E350 2WD	6.8	L5	4.1	8000	CF	50	NOX	0.06	1.1	LEV
Ford Motor Company	FORD	E350 2WD	6.8	L5	4.1	8000	FA	120	CO	2.47	4.2	B8
Ford Motor Company	FORD	E350 2WD	6.8	L5	4.1	8000	FA	120	NMOG	0.1181	0.156	B8
Ford Motor Company	FORD	E350 2WD	6.8	L5	4.1	8000	FA	120	NOX	0.12	0.2	B8
Ford Motor Company	FORD	E350 2WD	6.8	L5	4.1	8000	FA	50	CO	1.24	3.4	B8
Ford Motor Company	FORD	E350 2WD	6.8	L5	4.1	8000	FA	50	NMOG	0.0728	0.125	B8
Ford Motor Company	FORD	E350 2WD	6.8	L5	4.1	8000	FA	50	NOX	0.06	0.14	B8
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CA	50	CO-COLD	2.11	10	L2
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	FA	50	CO-COLD	2.11	10	B5
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CA	120	CO	0.78	4.2	L2
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CA	120	HC-NM+NOX-COMP	0.108	0.65	L2
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CA	120	NMOG	0.061	0.09	L2
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CA	120	NOX	0.052	0.07	L2
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CA	50	CO	0.44	3.4	L2
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CA	50	NMOG	0.04	0.075	L2
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CA	50	NOX	0.028	0.05	L2
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CF	100	CO	0.78	4.2	LEV
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CF	100	NMOG	0.061	0.09	LEV
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CF	100	NOX	0.05	0.3	LEV
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CF	50	CO	0.44	3.4	LEV
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CF	50	NMOG	0.04	0.075	LEV
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CF	50	NOX	0.03	0.2	LEV
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	FA	120	CO	0.78	4.2	B5
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	FA	120	HC-NM+NOX-COMP	0.108	0.65	B5
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	FA	120	NMOG	0.061	0.09	B5
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	FA	120	NOX	0.052	0.07	B5
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	FA	50	CO	0.44	3.4	B5
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	FA	50	NMOG	0.04	0.075	B5
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	FA	50	NOX	0.028	0.05	B5
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CA	120	CO-US06	6.61	11.1	L2
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CA	4	CO-US06	6.05	8	L2
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CA	4	HC-NM+NOX-US06	0.011	0.14	L2
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	FA	120	CO-US06	6.61	11.1	B5
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	FA	4	CO-US06	6.05	8	B5

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	FA	4	HC-NM+NOX-US06	0.011	0.14	B5
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CA	120	CO-SC03	1.68	3.7	L2
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CA	4	CO-SC03	1.12	2.7	L2
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CA	4	HC-NM+NOX-SC03	0.05	0.2	L2
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	FA	120	CO-SC03	1.68	3.7	B5
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	FA	4	CO-SC03	1.12	2.7	B5
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	FA	4	HC-NM+NOX-SC03	0.05	0.2	B5
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CA	50	CO-COLD	2.11	10	L2
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	FA	50	CO-COLD	2.11	10	B5
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CA	120	CO	0.78	4.2	L2
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CA	120	HC-NM+NOX-COMP	0.108	0.65	L2
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CA	120	NMOG	0.061	0.09	L2
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CA	120	NOX	0.052	0.07	L2
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CA	50	CO	0.44	3.4	L2
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CA	50	NMOG	0.04	0.075	L2
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CA	50	NOX	0.028	0.05	L2
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CF	100	CO	0.78	4.2	LEV
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CF	100	NMOG	0.061	0.09	LEV
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CF	100	NOX	0.05	0.3	LEV
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CF	50	CO	0.44	3.4	LEV
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CF	50	NMOG	0.04	0.075	LEV
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CF	50	NOX	0.03	0.2	LEV
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	FA	120	CO	0.78	4.2	B5
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	FA	120	HC-NM+NOX-COMP	0.108	0.65	B5
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	FA	120	NMOG	0.061	0.09	B5
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	FA	120	NOX	0.052	0.07	B5
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	FA	50	CO	0.44	3.4	B5
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	FA	50	NMOG	0.04	0.075	B5
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	FA	50	NOX	0.028	0.05	B5
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CA	120	CO-US06	6.61	11.1	L2
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CA	4	CO-US06	6.05	8	L2
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CA	4	HC-NM+NOX-US06	0.011	0.14	L2
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	FA	120	CO-US06	6.61	11.1	B5
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	FA	4	CO-US06	6.05	8	B5
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	FA	4	HC-NM+NOX-US06	0.011	0.14	B5
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CA	120	CO-SC03	1.68	3.7	L2
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CA	4	CO-SC03	1.12	2.7	L2
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	CA	4	HC-NM+NOX-SC03	0.05	0.2	L2

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	FA	120	CO-SC03	1.68	3.7	B5
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	FA	4	CO-SC03	1.12	2.7	B5
Ford Motor Company	FORD	ESCAPE 4WD	2.3	L4	4.23	3750	FA	4	HC-NM+NOX-SC03	0.05	0.2	B5
Ford Motor Company	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	CA	50	CO-COLD	2.31	10	U2
Ford Motor Company	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	CF	50	CO-COLD	2.31	10	LEV
Ford Motor Company	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	FA	50	CO-COLD	2.31	10	B5
Ford Motor Company	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	CA	120	CO	0.97	2.1	U2
Ford Motor Company	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	CA	120	NMOG	0.0498	0.055	U2
Ford Motor Company	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	CA	120	NOX	0.046	0.07	U2
Ford Motor Company	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	CA	50	CO	0.64	1.7	U2
Ford Motor Company	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	CA	50	NMOG	0.028	0.04	U2
Ford Motor Company	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	CA	50	NOX	0.022	0.05	U2
Ford Motor Company	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	CF	100	CO	0.88	4.2	LEV
Ford Motor Company	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	CF	100	NMOG	0.044	0.09	LEV
Ford Motor Company	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	CF	100	NOX	0.04	0.3	LEV
Ford Motor Company	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	CF	50	CO	0.64	3.4	LEV
Ford Motor Company	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	CF	50	NMOG	0.0284	0.075	LEV
Ford Motor Company	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	CF	50	NOX	0.02	0.2	LEV
Ford Motor Company	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	FA	120	CO	0.97	4.2	B5
Ford Motor Company	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	FA	120	HC-NM+NOX-COMP	0.091	0.65	B5
Ford Motor Company	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	FA	120	NMOG	0.05	0.09	B5
Ford Motor Company	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	FA	120	NOX	0.046	0.07	B5
Ford Motor Company	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	FA	50	CO	0.64	3.4	B5
Ford Motor Company	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	FA	50	NMOG	0.0284	0.075	B5
Ford Motor Company	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	FA	50	NOX	0.022	0.05	B5
Ford Motor Company	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	CA	4	CO-US06	1.06	8	U2
Ford Motor Company	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	CA	4	HC-NM+NOX-US06	0.008	0.14	U2
Ford Motor Company	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	FA	120	CO-US06	1.62	11.1	B5
Ford Motor Company	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	FA	4	CO-US06	1.06	8	B5
Ford Motor Company	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	FA	4	HC-NM+NOX-US06	0.008	0.14	B5
Ford Motor Company	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	CA	4	CO-SC03	0.59	2.7	U2
Ford Motor Company	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	CA	4	HC-NM+NOX-SC03	0.019	0.2	U2
Ford Motor Company	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	FA	120	CO-SC03	1.15	3.7	B5
Ford Motor Company	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	FA	4	CO-SC03	0.59	2.7	B5
Ford Motor Company	FORD	ESCAPE 4WD	2.3	M5	4.42	3625	FA	4	HC-NM+NOX-SC03	0.019	0.2	B5
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	CA	50	CO-COLD	1.7	10	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	FA	50	CO-COLD	1.7	10	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	CA	100	CO	0.47	4.2	B8



2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	CA	100	HC-NM+NOX-COMP	0.141	0.71	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	CA	100	NMOG	0.0608	0.125	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	CA	100	NOX	0.07	0.2	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	CA	50	CO	0.37	3.4	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	CA	50	NMOG	0.0517	0.1	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	CA	50	NOX	0.045	0.14	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	CF	100	CO	0.47	4.2	LEV
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	CF	100	NMOG	0.061	0.09	LEV
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	CF	100	NOX	0.07	0.3	LEV
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	CF	50	CO	0.37	3.4	LEV
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	CF	50	NMOG	0.0517	0.075	LEV
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	CF	50	NOX	0.04	0.2	LEV
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	FA	100	CO	0.47	4.2	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	FA	100	HC-NM+NOX-COMP	0.141	0.71	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	FA	100	NMOG	0.0608	0.125	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	FA	100	NOX	0.07	0.2	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	FA	50	CO	0.37	3.4	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	FA	50	NMOG	0.0517	0.1	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	FA	50	NOX	0.045	0.14	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	CA	100	CO-US06	4.69	11.1	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	CA	4	CO-US06	4.51	8	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	CA	4	HC-NM+NOX-US06	0.079	0.14	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	FA	100	CO-US06	4.69	11.1	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	FA	4	CO-US06	4.51	8	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	FA	4	HC-NM+NOX-US06	0.079	0.14	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	CA	100	CO-SC03	0.37	3.7	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	CA	4	CO-SC03	0.19	2.7	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	CA	4	HC-NM+NOX-SC03	0.084	0.2	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	FA	100	CO-SC03	0.37	3.7	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	FA	4	CO-SC03	0.19	2.7	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	FA	4	HC-NM+NOX-SC03	0.084	0.2	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	CA	50	CO-COLD	1.7	10	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	FA	50	CO-COLD	1.7	10	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	CA	100	CO	0.47	4.2	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	CA	100	HC-NM+NOX-COMP	0.141	1	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	CA	100	NMOG	0.0608	0.125	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	CA	100	NOX	0.07	0.2	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	CA	50	CO	0.37	3.4	B8

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	CA	50	NMOG	0.0517	0.1	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	CA	50	NOX	0.045	0.14	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	CF	100	CO	0.47	5.5	LEV
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	CF	100	NMOG	0.061	0.13	LEV
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	CF	100	NOX	0.07	0.5	LEV
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	CF	50	CO	0.37	4.4	LEV
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	CF	50	NMOG	0.052	0.1	LEV
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	CF	50	NOX	0.04	0.4	LEV
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	FA	100	CO	0.47	4.2	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	FA	100	HC-NM+NOX-COMP	0.141	1	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	FA	100	NMOG	0.0608	0.125	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	FA	100	NOX	0.07	0.2	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	FA	50	CO	0.37	3.4	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	FA	50	NMOG	0.0517	0.1	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	FA	50	NOX	0.045	0.14	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	CA	100	CO-US06	4.69	14.6	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	CA	4	CO-US06	4.51	10.5	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	CA	4	HC-NM+NOX-US06	0.079	0.25	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	FA	100	CO-US06	4.69	14.6	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	FA	4	CO-US06	4.51	10.5	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	FA	4	HC-NM+NOX-US06	0.079	0.25	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	CA	100	CO-SC03	0.37	4.9	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	CA	4	CO-SC03	0.19	3.5	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	CA	4	HC-NM+NOX-SC03	0.084	0.27	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	FA	100	CO-SC03	0.37	4.9	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	FA	4	CO-SC03	0.19	3.5	B8
Ford Motor Company	FORD	ESCAPE 4WD	3	L4	3.77	3875	FA	4	HC-NM+NOX-SC03	0.084	0.27	B8
Ford Motor Company	FORD	ESCAPE HEV 4WD	2.3	AV	3.73	4000	CA	50	CO-COLD	1.08	12.5	S2
Ford Motor Company	FORD	ESCAPE HEV 4WD	2.3	AV	3.73	4000	FA	50	CO-COLD	1.08	12.5	B4
Ford Motor Company	FORD	ESCAPE HEV 4WD	2.3	AV	3.73	4000	CA	150	CO	0.09	1	S2
Ford Motor Company	FORD	ESCAPE HEV 4WD	2.3	AV	3.73	4000	CA	150	NMOG	0.0088	0.01	S2
Ford Motor Company	FORD	ESCAPE HEV 4WD	2.3	AV	3.73	4000	CA	150	NOX	0.008	0.02	S2
Ford Motor Company	FORD	ESCAPE HEV 4WD	2.3	AV	3.73	4000	CF	100	CO	0.06	5.5	LEV
Ford Motor Company	FORD	ESCAPE HEV 4WD	2.3	AV	3.73	4000	CF	100	NMOG	0.0083	0.13	LEV
Ford Motor Company	FORD	ESCAPE HEV 4WD	2.3	AV	3.73	4000	CF	100	NOX	0.01	0.5	LEV
Ford Motor Company	FORD	ESCAPE HEV 4WD	2.3	AV	3.73	4000	CF	50	CO	0.03	4.4	LEV
Ford Motor Company	FORD	ESCAPE HEV 4WD	2.3	AV	3.73	4000	CF	50	NMOG	0.0078	0.1	LEV
Ford Motor Company	FORD	ESCAPE HEV 4WD	2.3	AV	3.73	4000	CF	50	NOX	0.01	0.4	LEV

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	FORD	ESCAPE HEV 4WD	2.3	AV	3.73	4000	FA	120	CO	0.07	2.1	B4
Ford Motor Company	FORD	ESCAPE HEV 4WD	2.3	AV	3.73	4000	FA	120	HC-NM+NOX-COMP	0.009	0.93	B4
Ford Motor Company	FORD	ESCAPE HEV 4WD	2.3	AV	3.73	4000	FA	120	NMOG	0.0085	0.07	B4
Ford Motor Company	FORD	ESCAPE HEV 4WD	2.3	AV	3.73	4000	FA	120	NOX	0.008	0.04	B4
Ford Motor Company	FORD	ESCAPE HEV 4WD	2.3	AV	3.73	4000	CA	4	50-CO	0.06	1	S2
Ford Motor Company	FORD	ESCAPE HEV 4WD	2.3	AV	3.73	4000	CA	4	50-HCHO	0.0001	0.008	S2
Ford Motor Company	FORD	ESCAPE HEV 4WD	2.3	AV	3.73	4000	CA	4	50-NMOG	0.0075	0.02	S2
Ford Motor Company	FORD	ESCAPE HEV 4WD	2.3	AV	3.73	4000	CA	4	50-NOX	0.009	0.02	S2
Ford Motor Company	FORD	ESCAPE HEV 4WD	2.3	AV	3.73	4000	CA	4	CO-US06	7.08	10.5	S2
Ford Motor Company	FORD	ESCAPE HEV 4WD	2.3	AV	3.73	4000	CA	4	HC-NM+NOX-US06	0.005	0.25	S2
Ford Motor Company	FORD	ESCAPE HEV 4WD	2.3	AV	3.73	4000	FA	120	CO-US06	7.15	14.6	B4
Ford Motor Company	FORD	ESCAPE HEV 4WD	2.3	AV	3.73	4000	FA	4	CO-US06	7.08	10.5	B4
Ford Motor Company	FORD	ESCAPE HEV 4WD	2.3	AV	3.73	4000	FA	4	HC-NM+NOX-US06	0.005	0.25	B4
Ford Motor Company	FORD	ESCAPE HEV 4WD	2.3	AV	3.73	4000	CA	4	CO-SC03	0.03	3.5	S2
Ford Motor Company	FORD	ESCAPE HEV 4WD	2.3	AV	3.73	4000	CA	4	HC-NM+NOX-SC03	0	0.27	S2
Ford Motor Company	FORD	ESCAPE HEV 4WD	2.3	AV	3.73	4000	FA	120	CO-SC03	0.1	4.9	B4
Ford Motor Company	FORD	ESCAPE HEV 4WD	2.3	AV	3.73	4000	FA	4	CO-SC03	0.03	3.5	B4
Ford Motor Company	FORD	ESCAPE HEV 4WD	2.3	AV	3.73	4000	FA	4	HC-NM+NOX-SC03	0	0.27	B4
Ford Motor Company	FORD	EXCURSION 4WD	5400	L4	4.1	8000	CA	120	CO	1.5	7.3	LEV
Ford Motor Company	FORD	EXCURSION 4WD	5400	L4	4.1	8000	CA	120	HCHO	0.0023	0.032	LEV
Ford Motor Company	FORD	EXCURSION 4WD	5400	L4	4.1	8000	CA	120	NMOG	0.139	0.28	LEV
Ford Motor Company	FORD	EXCURSION 4WD	5400	L4	4.1	8000	CA	120	NOX	0.39	0.9	LEV
Ford Motor Company	FORD	EXCURSION 4WD	5400	L4	4.1	8000	CA	50	CO	0.96	5	LEV
Ford Motor Company	FORD	EXCURSION 4WD	5400	L4	4.1	8000	CA	50	HCHO	0.0016	0.022	LEV
Ford Motor Company	FORD	EXCURSION 4WD	5400	L4	4.1	8000	CA	50	NMOG	0.1	0.195	LEV
Ford Motor Company	FORD	EXCURSION 4WD	5400	L4	4.1	8000	CA	50	NOX	0.24	0.6	LEV
Ford Motor Company	FORD	EXCURSION 4WD	5400	L4	4.1	8000	CF	120	CO	1.5	7.3	LEV
Ford Motor Company	FORD	EXCURSION 4WD	5400	L4	4.1	8000	CF	120	HCHO	0.0023	0.032	LEV
Ford Motor Company	FORD	EXCURSION 4WD	5400	L4	4.1	8000	CF	120	NMOG	0.139	0.28	LEV
Ford Motor Company	FORD	EXCURSION 4WD	5400	L4	4.1	8000	CF	120	NOX	0.39	0.9	LEV
Ford Motor Company	FORD	EXCURSION 4WD	5400	L4	4.1	8000	CF	50	CO	0.96	5	LEV
Ford Motor Company	FORD	EXCURSION 4WD	5400	L4	4.1	8000	CF	50	HCHO	0.0016	0.022	LEV
Ford Motor Company	FORD	EXCURSION 4WD	5400	L4	4.1	8000	CF	50	NMOG	0.1	0.195	LEV
Ford Motor Company	FORD	EXCURSION 4WD	5400	L4	4.1	8000	CF	50	NOX	0.24	0.6	LEV
Ford Motor Company	FORD	EXCURSION 4WD	5400	L4	4.1	8000	FA	120	CO	1.5	7.3	B11
Ford Motor Company	FORD	EXCURSION 4WD	5400	L4	4.1	8000	FA	120	HCHO	0.0023	0.032	B11
Ford Motor Company	FORD	EXCURSION 4WD	5400	L4	4.1	8000	FA	120	NMOG	0.139	0.28	B11
Ford Motor Company	FORD	EXCURSION 4WD	5400	L4	4.1	8000	FA	120	NOX	0.39	0.9	B11

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	FORD	EXCURSION 4WD	5400	L4	4.1	8000	FA	50	CO	0.96	5	B11
Ford Motor Company	FORD	EXCURSION 4WD	5400	L4	4.1	8000	FA	50	HCHO	0.0016	0.022	B11
Ford Motor Company	FORD	EXCURSION 4WD	5400	L4	4.1	8000	FA	50	NMOG	0.1	0.195	B11
Ford Motor Company	FORD	EXCURSION 4WD	5400	L4	4.1	8000	FA	50	NOX	0.24	0.6	B11
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	CA	120	CO	3.51	4.2	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	CA	120	HC-NM+NOX-COMP	0.246	1.44	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	CA	120	NMOG	0.12	0.156	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	CA	120	NOX	0.16	0.2	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	CA	50	CO	2.27	3.4	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	CA	50	HC-NM+NOX-COMP	0.134	1.02	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	CA	50	NMOG	0.0862	0.125	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	CA	50	NOX	0.08	0.14	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	CF	120	CO	3.51	6.4	LEV
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	CF	120	NMOG	0.12	0.23	LEV
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	CF	120	NOX	0.16	1	LEV
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	CF	50	CO	2.27	4.4	LEV
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	CF	50	NMOG	0.0862	0.16	LEV
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	CF	50	NOX	0.08	0.7	LEV
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	FA	120	CO	3.51	4.2	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	FA	120	HC-NM+NOX-COMP	0.246	1.44	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	FA	120	NMOG	0.12	0.156	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	FA	120	NOX	0.16	0.2	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	FA	50	CO	2.27	3.4	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	FA	50	HC-NM+NOX-COMP	0.134	1.02	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	FA	50	NMOG	0.0862	0.125	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	FA	50	NOX	0.08	0.14	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	CA	120	CO-SC03	4.1	5.6	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	CA	50	CO-SC03	2.87	3.9	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	FA	120	CO-SC03	4.1	5.6	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	FA	50	CO-SC03	2.87	3.9	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6500	CA	50	CO-COLD	7.6	12.5	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6500	FA	50	CO-COLD	7.6	12.5	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6500	CA	120	CO-US06	6.64	16.9	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6500	CA	50	CO-US06	5.4	11.6	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6500	FA	120	CO-US06	6.64	16.9	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6500	FA	50	CO-US06	5.4	11.6	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	CA	120	CO	3.51	4.2	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	CA	120	HC-NM+NOX-COMP	0.246	1.44	B8

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	CA	120	NMOG	0.12	0.156	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	CA	120	NOX	0.16	0.2	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	CA	50	CO	2.27	3.4	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	CA	50	HC-NM+NOX-COMP	0.134	1.02	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	CA	50	NMOG	0.0862	0.125	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	CA	50	NOX	0.08	0.14	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	CF	120	CO	3.51	6.4	LEV
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	CF	120	NMOG	0.12	0.23	LEV
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	CF	120	NOX	0.16	1	LEV
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	CF	50	CO	2.27	4.4	LEV
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	CF	50	NMOG	0.0862	0.16	LEV
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	CF	50	NOX	0.08	0.7	LEV
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	FA	120	CO	3.51	4.2	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	FA	120	HC-NM+NOX-COMP	0.246	1.44	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	FA	120	NMOG	0.12	0.156	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	FA	120	NOX	0.16	0.2	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	FA	50	CO	2.27	3.4	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	FA	50	HC-NM+NOX-COMP	0.134	1.02	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	FA	50	NMOG	0.0862	0.125	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	FA	50	NOX	0.08	0.14	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	CA	120	CO-SC03	4.1	5.6	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	CA	50	CO-SC03	2.87	3.9	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	FA	120	CO-SC03	4.1	5.6	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6000	FA	50	CO-SC03	2.87	3.9	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6500	CA	50	CO-COLD	7.6	12.5	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6500	FA	50	CO-COLD	7.6	12.5	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6500	CA	120	CO-US06	6.64	16.9	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6500	CA	50	CO-US06	5.4	11.6	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6500	FA	120	CO-US06	6.64	16.9	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4200	L4	3.73	6500	FA	50	CO-US06	5.4	11.6	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	CA	50	CO-COLD	5.77	12.5	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	CF	50	CO-COLD	5.77	12.5	LEV
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	FA	50	CO-COLD	5.77	12.5	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	CA	120	CO	5.08	6.4	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	CA	120	HC-NM+NOX-COMP	0.301	2.09	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	CA	120	NMOG	0.1478	0.28	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	CA	120	NOX	0.124	0.6	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	CA	50	CO	4.06	4.4	B10

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	CA	50	HC-NM+NOX-COMP	0.22	1.49	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	CA	50	NMOG	0.1204	0.195	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	CA	50	NOX	0.07	0.4	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	CF	120	CO	5.08	7.3	LEV
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	CF	120	NMOG	0.1478	0.28	LEV
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	CF	120	NOX	0.12	1.5	LEV
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	CF	50	CO	4.06	5	LEV
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	CF	50	NMOG	0.1204	0.195	LEV
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	CF	50	NOX	0.07	1.1	LEV
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	FA	120	CO	5.08	6.4	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	FA	120	HC-NM+NOX-COMP	0.301	2.09	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	FA	120	NMOG	0.1478	0.28	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	FA	120	NOX	0.124	0.6	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	FA	50	CO	4.06	4.4	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	FA	50	HC-NM+NOX-COMP	0.22	1.49	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	FA	50	NMOG	0.1204	0.195	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	FA	50	NOX	0.07	0.4	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	CA	120	CO-US06	6.12	19.3	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	CA	50	CO-US06	5.09	13.2	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	FA	120	CO-US06	6.12	19.3	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	FA	50	CO-US06	5.09	13.2	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	CA	120	CO-SC03	3.4	6.4	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	CA	50	CO-SC03	2.38	4.4	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	FA	120	CO-SC03	3.4	6.4	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	FA	50	CO-SC03	2.38	4.4	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	CA	50	CO-COLD	5.77	12.5	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	CF	50	CO-COLD	5.77	12.5	LEV
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	FA	50	CO-COLD	5.77	12.5	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	CA	120	CO	5.08	6.4	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	CA	120	HC-NM+NOX-COMP	0.301	2.09	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	CA	120	NMOG	0.1478	0.28	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	CA	120	NOX	0.124	0.6	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	CA	50	CO	4.06	4.4	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	CA	50	HC-NM+NOX-COMP	0.22	1.49	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	CA	50	NMOG	0.1204	0.195	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	CA	50	NOX	0.07	0.4	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	CF	120	CO	5.08	7.3	LEV
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	CF	120	NMOG	0.1478	0.28	LEV

**2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results**

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	CF	120	NOX	0.12	1.5	LEV
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	CF	50	CO	4.06	5	LEV
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	CF	50	NMOG	0.1204	0.195	LEV
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	CF	50	NOX	0.07	1.1	LEV
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	FA	120	CO	5.08	6.4	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	FA	120	HC-NM+NOX-COMP	0.301	2.09	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	FA	120	NMOG	0.1478	0.28	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	FA	120	NOX	0.124	0.6	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	FA	50	CO	4.06	4.4	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	FA	50	HC-NM+NOX-COMP	0.22	1.49	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	FA	50	NMOG	0.1204	0.195	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	FA	50	NOX	0.07	0.4	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	CA	120	CO-US06	6.12	19.3	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	CA	50	CO-US06	5.09	13.2	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	FA	120	CO-US06	6.12	19.3	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	FA	50	CO-US06	5.09	13.2	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	CA	120	CO-SC03	3.4	6.4	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	CA	50	CO-SC03	2.38	4.4	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	FA	120	CO-SC03	3.4	6.4	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	4600	L4	3.73	6500	FA	50	CO-SC03	2.38	4.4	B10
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	CA	50	CO-COLD	4.22	12.5	L2
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	CF	50	CO-COLD	4.22	12.5	LEV
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	FA	50	CO-COLD	4.22	12.5	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	CA	120	CO	2.35	4.2	L2
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	CA	120	NMOG	0.079	0.09	L2
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	CA	50	CO	2.16	3.4	L2
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	CA	50	NMOG	0.073	0.075	L2
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	CA	50	NOX	0.022	0.05	L2
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	CF	120	CO	2.35	7.3	LEV
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	CF	120	NMOG	0.0822	0.28	LEV
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	CF	120	NOX	0.04	1.5	LEV
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	CF	50	CO	2.16	5	LEV
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	CF	50	NMOG	0.0763	0.195	LEV
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	CF	50	NOX	0.02	1.1	LEV
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	FA	120	CO	2.35	4.2	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	FA	120	HC-NM+NOX-COMP	0.074	2.09	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	FA	120	NMOG	0.0822	0.156	B8

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	FA	120	NOX	0.04	0.2	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	FA	50	CO	2.16	3.4	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	FA	50	HC-NM+NOX-COMP	0.051	1.49	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	FA	50	NMOG	0.0763	0.125	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	FA	50	NOX	0.022	0.14	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	CA	4	CO-US06	6.1	11.8	L2
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	CA	4	HC-NM+NOX-US06	0.018	0.6	L2
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	FA	120	CO-US06	6.42	19.3	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	FA	50	CO-US06	6.23	13.2	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	CA	4	CO-SC03	1.15	4	L2
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	CA	4	HC-NM+NOX-SC03	0.006	0.44	L2
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	FA	120	CO-SC03	1.46	6.4	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	FA	50	CO-SC03	1.28	4.4	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	CA	50	CO-COLD	4.22	12.5	L2
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	CF	50	CO-COLD	4.22	12.5	LEV
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	FA	50	CO-COLD	4.22	12.5	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	CA	120	CO	2.35	4.2	L2
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	CA	120	NMOG	0.079	0.09	L2
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	CA	120	NOX	0.04	0.07	L2
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	CA	50	CO	2.16	3.4	L2
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	CA	50	NMOG	0.073	0.075	L2
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	CA	50	NOX	0.022	0.05	L2
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	CF	120	CO	2.35	7.3	LEV
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	CF	120	NMOG	0.0822	0.28	LEV
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	CF	120	NOX	0.04	1.5	LEV
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	CF	50	CO	2.16	5	LEV
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	CF	50	NMOG	0.0763	0.195	LEV
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	CF	50	NOX	0.02	1.1	LEV
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	FA	120	CO	2.35	4.2	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	FA	120	HC-NM+NOX-COMP	0.074	2.09	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	FA	120	NMOG	0.0822	0.156	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	FA	120	NOX	0.04	0.2	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	FA	50	CO	2.16	3.4	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	FA	50	HC-NM+NOX-COMP	0.051	1.49	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	FA	50	NMOG	0.0763	0.125	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	FA	50	NOX	0.022	0.14	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	CA	4	CO-US06	6.1	11.8	L2
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	CA	4	HC-NM+NOX-US06	0.018	0.6	L2



2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	FA	120	CO-US06	6.42	19.3	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	FA	50	CO-US06	6.23	13.2	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	CA	4	CO-SC03	1.15	4	L2
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	CA	4	HC-NM+NOX-SC03	0.006	0.44	L2
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	FA	120	CO-SC03	1.46	6.4	B8
Ford Motor Company	FORD	F150 PICKUP 4WD	5400	L4	4.1	7000	FA	50	CO-SC03	1.28	4.4	B8
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	10000	CA	120	CO	5.2	8.1	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	10000	CA	120	NMOG	0.11	0.33	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	10000	CA	120	NOX	0.5	1	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	10000	CA	50	CO	3.7	5.5	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	10000	CA	50	NMOG	0.095	0.23	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	10000	CA	50	NOX	0.2	0.7	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	10000	FA	120	CO	5.2	8.1	HDV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	10000	FA	120	HC-NM	0.108	0.33	HDV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	10000	FA	120	NOX	0.5	1	HDV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	10000	CA	120	CO	5.2	7.3	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	10000	CA	120	NMOG	0.11	0.28	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	10000	CA	120	NOX	0.5	0.9	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	10000	CA	50	CO	3.7	5	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	10000	CA	50	NMOG	0.095	0.195	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	10000	CA	50	NOX	0.2	0.6	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	10000	CF	120	CO	5.2	7.3	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	10000	CF	120	NMOG	0.11	0.28	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	10000	CF	120	NOX	0.5	1.5	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	10000	CF	50	CO	3.7	5	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	10000	CF	50	NMOG	0.095	0.195	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	10000	CF	50	NOX	0.2	1.1	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	10000	FA	120	CO	5.2	7.3	HDV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	10000	FA	120	HC-NM	0.108	0.28	HDV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	10000	FA	120	NOX	0.5	0.9	HDV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	10000	CA	50	50-CO	4.3	5	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	10000	CA	50	50-NMOG	0.288	0.39	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	10000	CA	50	50-NOX	0.1	0.6	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	10000	CA	120	CO	5.2	7.3	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	10000	CA	120	NMOG	0.11	0.28	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	10000	CA	120	NOX	0.5	0.9	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	10000	CA	50	CO	3.7	5	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	10000	CA	50	NMOG	0.095	0.195	LEV

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	10000	CA	50	NOX	0.2	0.6	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	10000	CF	120	CO	5.2	7.3	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	10000	CF	120	NMOG	0.11	0.28	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	10000	CF	120	NOX	0.5	1.5	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	10000	CF	50	CO	3.7	5	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	10000	CF	50	NMOG	0.095	0.195	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	10000	CF	50	NOX	0.2	1.1	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	10000	FA	120	CO	5.2	7.3	HDV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	10000	FA	120	HC-NM	0.108	0.28	HDV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	10000	FA	120	NOX	0.5	0.9	HDV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	10000	CA	50	50-CO	4.3	5	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	10000	CA	50	50-NMOG	0.288	0.39	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	10000	CA	50	50-NOX	0.1	0.6	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CA	120	CO	4.5	7.3	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CA	120	NMOG	0.084	0.28	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CA	120	NOX	0.4	0.9	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CA	50	CO	3	5	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CA	50	NMOG	0.069	0.195	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CA	50	NOX	0.2	0.6	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CF	120	CO	4.5	7.3	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CF	120	NMOG	0.084	0.28	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CF	120	NOX	0.4	1.5	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CF	50	CO	3	5	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CF	50	NMOG	0.069	0.195	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CF	50	NOX	0.2	1.1	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	FA	120	CO	4.5	7.3	HDV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	FA	120	HC-NM	0.083	0.28	HDV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	FA	120	NOX	0.4	0.9	HDV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CA	120	CO	4.5	7.3	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CA	120	NMOG	0.084	0.28	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CA	120	NOX	0.4	0.9	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CA	50	CO	3	5	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CA	50	NMOG	0.069	0.195	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CA	50	NOX	0.2	0.6	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CF	120	CO	4.5	7.3	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CF	120	NMOG	0.084	0.28	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CF	120	NOX	0.4	1.5	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CF	50	CO	3	5	LEV

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CF	50	NMOG	0.069	0.195	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CF	50	NOX	0.2	1.1	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	FA	120	CO	4.5	7.3	HDV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	FA	120	HC-NM	0.083	0.28	HDV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	FA	120	NOX	0.4	0.9	HDV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CA	120	CO	4.5	7.3	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CA	120	NMOG	0.084	0.28	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CA	120	NOX	0.4	0.9	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CA	50	CO	3	5	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CA	50	NMOG	0.069	0.195	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CA	50	NOX	0.2	0.6	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CF	120	CO	4.5	7.3	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CF	120	NMOG	0.084	0.28	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CF	120	NOX	0.4	1.5	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CF	50	CO	3	5	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CF	50	NMOG	0.069	0.195	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CF	50	NOX	0.2	1.1	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	FA	120	CO	4.5	7.3	HDV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	FA	120	HC-NM	0.083	0.28	HDV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	FA	120	NOX	0.4	0.9	HDV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CA	120	CO	4.5	8.1	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CA	120	NMOG	0.084	0.33	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CA	120	NOX	0.4	1	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CA	50	CO	3	5.5	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CA	50	NMOG	0.069	0.23	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CA	50	NOX	0.2	0.7	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	FA	120	CO	4.5	8.1	HDV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	FA	120	HC-NM	0.083	0.33	HDV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	FA	120	NOX	0.4	1	HDV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CA	120	CO	4.5	8.1	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CA	120	NMOG	0.084	0.33	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CA	120	NOX	0.4	1	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CA	50	CO	3	5.5	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CA	50	NMOG	0.069	0.23	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CA	50	NOX	0.2	0.7	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	FA	120	CO	4.5	8.1	HDV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	FA	120	HC-NM	0.083	0.33	HDV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	FA	120	NOX	0.4	1	HDV

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CA	120	CO	4.5	8.1	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CA	120	NMOG	0.084	0.33	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CA	120	NOX	0.4	1	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CA	50	CO	3	5.5	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CA	50	NMOG	0.069	0.23	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	CA	50	NOX	0.2	0.7	LEV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	FA	120	CO	4.5	8.1	HDV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	FA	120	HC-NM	0.083	0.33	HDV
Ford Motor Company	FORD	F350 4WD	5400	L5	4.1	11500	FA	120	NOX	0.4	1	HDV
Ford Motor Company	FORD	F350 4WD	6.8	L6	4.3	10000	CA	120	CO	5.14	7.3	LEV
Ford Motor Company	FORD	F350 4WD	6.8	L6	4.3	10000	CA	120	NMOG	0.0917	0.28	LEV
Ford Motor Company	FORD	F350 4WD	6.8	L6	4.3	10000	CA	120	NOX	0.48	0.9	LEV
Ford Motor Company	FORD	F350 4WD	6.8	L6	4.3	10000	CA	50	CO	3.6	5	LEV
Ford Motor Company	FORD	F350 4WD	6.8	L6	4.3	10000	CA	50	NMOG	0.077	0.195	LEV
Ford Motor Company	FORD	F350 4WD	6.8	L6	4.3	10000	CA	50	NOX	0.22	0.6	LEV
Ford Motor Company	FORD	F350 4WD	6.8	L6	4.3	10000	CF	120	CO	5.1	7.3	LEV
Ford Motor Company	FORD	F350 4WD	6.8	L6	4.3	10000	CF	120	NMOG	0.092	0.28	LEV
Ford Motor Company	FORD	F350 4WD	6.8	L6	4.3	10000	CF	120	NOX	0.48	1.5	LEV
Ford Motor Company	FORD	F350 4WD	6.8	L6	4.3	10000	CF	50	CO	3.6	5	LEV
Ford Motor Company	FORD	F350 4WD	6.8	L6	4.3	10000	CF	50	NMOG	0.077	0.195	LEV
Ford Motor Company	FORD	F350 4WD	6.8	L6	4.3	10000	CF	50	NOX	0.22	1.1	LEV
Ford Motor Company	FORD	F350 4WD	6.8	L6	4.3	10000	FA	120	CO	5.14	7.3	HDV
Ford Motor Company	FORD	F350 4WD	6.8	L6	4.3	10000	FA	120	HC-NM	0.0907	0.28	HDV
Ford Motor Company	FORD	F350 4WD	6.8	L6	4.3	10000	FA	120	NOX	0.48	0.9	HDV
Ford Motor Company	FORD	F350 4WD	6.8	L6	4.3	10000	CA	120	CO	5.14	7.3	LEV
Ford Motor Company	FORD	F350 4WD	6.8	L6	4.3	10000	CA	120	NMOG	0.0917	0.28	LEV
Ford Motor Company	FORD	F350 4WD	6.8	L6	4.3	10000	CA	120	NOX	0.48	0.9	LEV
Ford Motor Company	FORD	F350 4WD	6.8	L6	4.3	10000	CA	50	CO	3.6	5	LEV
Ford Motor Company	FORD	F350 4WD	6.8	L6	4.3	10000	CA	50	NMOG	0.077	0.195	LEV
Ford Motor Company	FORD	F350 4WD	6.8	L6	4.3	10000	CA	50	NOX	0.22	0.6	LEV
Ford Motor Company	FORD	F350 4WD	6.8	L6	4.3	10000	CF	120	CO	5.1	7.3	LEV
Ford Motor Company	FORD	F350 4WD	6.8	L6	4.3	10000	CF	120	NMOG	0.092	0.28	LEV
Ford Motor Company	FORD	F350 4WD	6.8	L6	4.3	10000	CF	120	NOX	0.48	1.5	LEV
Ford Motor Company	FORD	F350 4WD	6.8	L6	4.3	10000	CF	50	CO	3.6	5	LEV
Ford Motor Company	FORD	F350 4WD	6.8	L6	4.3	10000	CF	50	NMOG	0.077	0.195	LEV
Ford Motor Company	FORD	F350 4WD	6.8	L6	4.3	10000	CF	50	NOX	0.22	1.1	LEV
Ford Motor Company	FORD	F350 4WD	6.8	L6	4.3	10000	FA	120	CO	5.14	7.3	HDV
Ford Motor Company	FORD	F350 4WD	6.8	L6	4.3	10000	FA	120	HC-NM	0.0907	0.28	HDV

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	FORD	F350 4WD	6.8	L6	4.3	10000	FA	120	NOX	0.48	0.9	HDV
Ford Motor Company	FORD	F350 4WD	6.8	L6	4.3	10000	CA	120	CO	5.14	8.1	LEV
Ford Motor Company	FORD	F350 4WD	6.8	L6	4.3	10000	CA	120	NMOG	0.0917	0.33	LEV
Ford Motor Company	FORD	F350 4WD	6.8	L6	4.3	10000	CA	120	NOX	0.48	1	LEV
Ford Motor Company	FORD	F350 4WD	6.8	L6	4.3	10000	CA	50	CO	3.6	5.5	LEV
Ford Motor Company	FORD	F350 4WD	6.8	L6	4.3	10000	CA	50	NMOG	0.077	0.23	LEV
Ford Motor Company	FORD	F350 4WD	6.8	L6	4.3	10000	CA	50	NOX	0.22	0.7	LEV
Ford Motor Company	FORD	F350 4WD	6.8	L6	4.3	10000	FA	120	CO	5.14	8.1	HDV
Ford Motor Company	FORD	F350 4WD	6.8	L6	4.3	10000	FA	120	HC-NM	0.0907	0.33	HDV
Ford Motor Company	FORD	F350 4WD	6.8	L6	4.3	10000	FA	120	NOX	0.48	1	HDV
Ford Motor Company	FORD	F350 4WD	6.8	L6	4.3	10000	CA	4	50-CO	4.46	5.5	LEV
Ford Motor Company	FORD	F350 4WD	6.8	L6	4.3	10000	CA	4	50-HCHO	0.0011	0.056	LEV
Ford Motor Company	FORD	F350 4WD	6.8	L6	4.3	10000	CA	4	50-NMOG	0.2985	0.46	LEV
Ford Motor Company	FORD	F350 4WD	6.8	L6	4.3	10000	CA	4	50-NOX	0.11	0.7	LEV
Ford Motor Company	FORD	F350 4WD	6.8	L4	4.3	9000	CA	120	CO	1.7	7.3	LEV
Ford Motor Company	FORD	F350 4WD	6.8	L4	4.3	9000	CA	120	NMOG	0.1448	0.28	LEV
Ford Motor Company	FORD	F350 4WD	6.8	L4	4.3	9000	CA	120	NOX	0.38	0.9	LEV
Ford Motor Company	FORD	F350 4WD	6.8	L4	4.3	9000	CA	50	CO	1.16	5	LEV
Ford Motor Company	FORD	F350 4WD	6.8	L4	4.3	9000	CA	50	NMOG	0.1058	0.195	LEV
Ford Motor Company	FORD	F350 4WD	6.8	L4	4.3	9000	CA	50	NOX	0.23	0.6	LEV
Ford Motor Company	FORD	F350 4WD	6.8	L4	4.3	9000	CF	120	CO	1.7	7.3	LEV
Ford Motor Company	FORD	F350 4WD	6.8	L4	4.3	9000	CF	120	NMOG	0.145	0.28	LEV
Ford Motor Company	FORD	F350 4WD	6.8	L4	4.3	9000	CF	120	NOX	0.38	1.5	LEV
Ford Motor Company	FORD	F350 4WD	6.8	L4	4.3	9000	CF	50	CO	1.2	5	LEV
Ford Motor Company	FORD	F350 4WD	6.8	L4	4.3	9000	CF	50	NMOG	0.106	0.195	LEV
Ford Motor Company	FORD	F350 4WD	6.8	L4	4.3	9000	CF	50	NOX	0.23	1.1	LEV
Ford Motor Company	FORD	F350 4WD	6.8	L4	4.3	9000	FA	120	CO	1.7	7.3	B11
Ford Motor Company	FORD	F350 4WD	6.8	L4	4.3	9000	FA	120	NMOG	0.1448	0.28	B11
Ford Motor Company	FORD	F350 4WD	6.8	L4	4.3	9000	FA	120	NOX	0.38	0.9	B11
Ford Motor Company	FORD	F350 4WD	6.8	L4	4.3	9000	FA	50	CO	1.16	5	B11
Ford Motor Company	FORD	F350 4WD	6.8	L4	4.3	9000	FA	50	NMOG	0.1058	0.195	B11
Ford Motor Company	FORD	F350 4WD	6.8	L4	4.3	9000	FA	50	NOX	0.23	0.6	B11
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	CA	50	CO-COLD	2.8	10	L2
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	CF	50	CO-COLD	2.8	10	LEV
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	FA	50	CO-COLD	2.8	10	B5
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	CA	120	CO	2.17	4.2	L2
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	CA	120	CO	2.01	4.2	L2
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	CA	120	NMOG	0.06	0.09	L2

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	CA	120	NMOG	0.053	0.09	L2
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	CA	120	NOX	0.052	0.07	L2
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	CA	120	NOX	0.053	0.07	L2
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	CA	50	CO	1.39	3.4	L2
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	CA	50	CO	1.24	3.4	L2
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	CA	50	NMOG	0.0387	0.075	L2
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	CA	50	NMOG	0.0324	0.075	L2
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	CA	50	NOX	0.027	0.05	L2
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	CA	50	NOX	0.028	0.05	L2
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	CF	100	CO	2.17	4.2	LEV
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	CF	100	CO	2.01	4.2	LEV
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	CF	100	NMOG	0.0597	0.09	LEV
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	CF	100	NMOG	0.0534	0.09	LEV
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	CF	100	NOX	0.05	0.3	LEV
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	CF	100	NOX	0.05	0.3	LEV
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	CF	50	CO	1.39	3.4	LEV
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	CF	50	CO	1.24	3.4	LEV
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	CF	50	NMOG	0.0387	0.075	LEV
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	CF	50	NMOG	0.0324	0.075	LEV
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	CF	50	NOX	0.03	0.2	LEV
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	CF	50	NOX	0.03	0.2	LEV
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	FA	120	CO	2.17	4.2	B5
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	FA	120	CO	2.01	4.2	B5
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	FA	120	CO-COMP	3.54	4.2	B5
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	FA	120	HC-NM+NOX-COMP	0.117	0.65	B5
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	FA	120	NMOG	0.0597	0.09	B5
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	FA	120	NMOG	0.0534	0.09	B5
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	FA	120	NOX	0.052	0.07	B5
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	FA	120	NOX	0.053	0.07	B5
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	FA	50	CO	1.39	3.4	B5
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	FA	50	CO	1.24	3.4	B5
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	FA	50	NMOG	0.0387	0.075	B5
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	FA	50	NMOG	0.0324	0.075	B5
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	FA	50	NOX	0.027	0.05	B5
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	FA	50	NOX	0.028	0.05	B5
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	FA	120	CO-ST2500	0	0.5	B5
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	FA	120	CO-STI	0	0.5	B5
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	FA	120	HC-ST2500	1	100	B5

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	FA	120	HC-STI	0	100	B5
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	CA	4	CO-US06	3.48	8	L2
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	CA	4	HC-NM+NOX-US06	0.021	0.14	L2
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	FA	4	CO-US06	3.48	8	B5
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	FA	4	HC-NM+NOX-US06	0.021	0.14	B5
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	CA	4	CO-SC03	2.25	2.7	L2
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	CA	4	HC-NM+NOX-SC03	0.038	0.2	L2
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	FA	4	CO-SC03	2.25	2.7	B5
Ford Motor Company	FORD	FOCUS FWD	2.3	M5	3.82	3125	FA	4	HC-NM+NOX-SC03	0.038	0.2	B5
Ford Motor Company	FORD	FOCUS SW	2	L4	3.73	3125	CA	150	CO	0.23	1	S2
Ford Motor Company	FORD	FOCUS SW	2	L4	3.73	3125	CA	150	NMOG	0.0074	0.01	S2
Ford Motor Company	FORD	FOCUS SW	2	L4	3.73	3125	CA	150	NOX	0.005	0.02	S2
Ford Motor Company	FORD	FOCUS SW	2	L4	3.73	3125	FA	120	CO	0.21	2.1	B3
Ford Motor Company	FORD	FOCUS SW	2	L4	3.73	3125	FA	120	HC-NM+NOX-COMP	0.009	0.62	B3
Ford Motor Company	FORD	FOCUS SW	2	L4	3.73	3125	FA	120	NMOG	0.0067	0.055	B3
Ford Motor Company	FORD	FOCUS SW	2	L4	3.73	3125	FA	120	NOX	0.004	0.03	B3
Ford Motor Company	FORD	FOCUS SW	2	L4	3.73	3125	CA	150	CO	0.23	1	S2
Ford Motor Company	FORD	FOCUS SW	2	L4	3.73	3125	CA	150	NMOG	0.01	0.01	S2
Ford Motor Company	FORD	FOCUS SW	2	L4	3.73	3125	CA	150	NOX	0.005	0.02	S2
Ford Motor Company	FORD	FOCUS SW	2	L4	3.73	3125	FA	120	CO	0.21	2.1	B3
Ford Motor Company	FORD	FOCUS SW	2	L4	3.73	3125	FA	120	NMOG	0.0093	0.055	B3
Ford Motor Company	FORD	FOCUS SW	2	L4	3.73	3125	FA	120	NOX	0.004	0.03	B3
Ford Motor Company	FORD	FOCUS SW	2	L4	3.73	3125	CA	4	CO-US06	3.1	8	S2
Ford Motor Company	FORD	FOCUS SW	2	L4	3.73	3125	CA	4	HC-NM+NOX-US06	0.006	0.14	S2
Ford Motor Company	FORD	FOCUS SW	2	L4	3.73	3125	FA	120	CO-US06	3.19	11.1	B3
Ford Motor Company	FORD	FOCUS SW	2	L4	3.73	3125	FA	4	CO-US06	3.1	8	B3
Ford Motor Company	FORD	FOCUS SW	2	L4	3.73	3125	FA	4	HC-NM+NOX-US06	0.006	0.14	B3
Ford Motor Company	FORD	FOCUS SW	2	L4	3.73	3125	CA	4	CO-US06	4.63	8	S2
Ford Motor Company	FORD	FOCUS SW	2	L4	3.73	3125	CA	4	HC-NM+NOX-US06	0.002	0.14	S2
Ford Motor Company	FORD	FOCUS SW	2	L4	3.73	3125	FA	120	CO-US06	4.73	11.1	B3
Ford Motor Company	FORD	FOCUS SW	2	L4	3.73	3125	FA	4	CO-US06	4.63	8	B3
Ford Motor Company	FORD	FOCUS SW	2	L4	3.73	3125	FA	4	HC-NM+NOX-US06	0.002	0.14	B3
Ford Motor Company	FORD	FOCUS SW	2	L4	3.73	3125	CA	4	CO-SC03	0.38	2.7	S2
Ford Motor Company	FORD	FOCUS SW	2	L4	3.73	3125	CA	4	HC-NM+NOX-SC03	0.002	0.2	S2
Ford Motor Company	FORD	FOCUS SW	2	L4	3.73	3125	FA	120	CO-SC03	0.48	3.7	B3
Ford Motor Company	FORD	FOCUS SW	2	L4	3.73	3125	FA	4	CO-SC03	0.38	2.7	B3
Ford Motor Company	FORD	FOCUS SW	2	L4	3.73	3125	FA	4	HC-NM+NOX-SC03	0.002	0.2	B3
Ford Motor Company	FORD	FOCUS SW	2	L4	3.73	3125	CA	4	CO-SC03	0.52	2.7	S2

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	FORD	FOCUS SW	2	L4	3.73	3125	CA	4	HC-NM+NOX-SC03	0.005	0.2	S2
Ford Motor Company	FORD	FOCUS SW	2	L4	3.73	3125	FA	120	CO-SC03	0.61	3.7	B3
Ford Motor Company	FORD	FOCUS SW	2	L4	3.73	3125	FA	4	CO-SC03	0.52	2.7	B3
Ford Motor Company	FORD	FOCUS SW	2	L4	3.73	3125	FA	4	HC-NM+NOX-SC03	0.005	0.2	B3
Ford Motor Company	FORD	FOCUS SW	2	M5	3.73	3125	CA	50	CO-COLD	4.1	10	S2
Ford Motor Company	FORD	FOCUS SW	2	M5	3.73	3125	FA	50	CO-COLD	4.1	10	B3
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	CA	50	CO-COLD	2.7	10	L2
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	CF	50	CO-COLD	2.7	10	LEV
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	FA	50	CO-COLD	2.7	10	B5
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	CA	120	CO	0.86	4.2	L2
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	CA	120	NMOG	0.0759	0.09	L2
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	CA	120	NOX	0.052	0.07	L2
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	CA	50	CO	0.56	3.4	L2
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	CA	50	NMOG	0.06	0.075	L2
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	CA	50	NOX	0.031	0.05	L2
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	CF	120	CO	0.86	4.2	LEV
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	CF	120	NMOG	0.0759	0.09	LEV
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	CF	120	NOX	0.052	0.07	LEV
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	CF	50	CO	0.56	3.4	LEV
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	CF	50	NMOG	0.06	0.075	LEV
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	CF	50	NOX	0.031	0.05	LEV
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	FA	120	CO	0.86	4.2	B5
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	FA	120	HC-NM+NOX-COMP	0.097	0.65	B5
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	FA	120	NMOG	0.0759	0.09	B5
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	FA	120	NOX	0.052	0.07	B5
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	FA	50	CO	0.56	3.4	B5
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	FA	50	NMOG	0.06	0.075	B5
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	FA	50	NOX	0.031	0.05	B5
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	CA	50	50-CO	0.57	3.4	L2
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	CA	50	50-HCHO	0.0011	0.03	L2
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	CA	50	50-NMOG	0.1163	0.15	L2
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	CA	50	50-NOX	0.022	0.05	L2
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	CA	120	CO-ST2500	0	0.5	L2
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	CA	120	CO-STI	0	0.5	L2
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	CA	120	HC-ST2500	3	100	L2
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	CA	120	HC-STI	4	100	L2
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	CF	120	CO-ST2500	0	0.5	LEV
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	CF	120	CO-STI	0	0.5	LEV



2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	CF	120	HC-ST2500	3	100	LEV
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	CF	120	HC-ST1	4	100	LEV
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	FA	120	CO-ST2500	0	0.5	B5
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	FA	120	CO-ST1	0	0.5	B5
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	FA	120	HC-ST2500	3	100	B5
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	FA	120	HC-ST1	4	100	B5
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	CA	4	CO-US06	3.17	8	L2
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	CA	4	HC-NM+NOX-US06	0.023	0.14	L2
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	FA	120	CO-US06	3.66	11.1	B5
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	FA	4	CO-US06	3.17	8	B5
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	FA	4	HC-NM+NOX-US06	0.023	0.14	B5
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	CA	4	CO-SC03	0.12	2.7	L2
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	CA	4	HC-NM+NOX-SC03	0.017	0.2	L2
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	FA	120	CO-SC03	0.61	3.7	B5
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	FA	4	CO-SC03	0.12	2.7	B5
Ford Motor Company	FORD	FREESTYLE AWD	3	AV	5.54	4500	FA	4	HC-NM+NOX-SC03	0.017	0.2	B5
Ford Motor Company	FORD	GT 2WD	5400	M6	3.36	3750	FC	50	CO-COLD	3.6	10	B8
Ford Motor Company	FORD	GT 2WD	5400	M6	3.36	3750	FC	100	CO	0.59	4.2	B8
Ford Motor Company	FORD	GT 2WD	5400	M6	3.36	3750	FC	100	HC-NM+NOX-COMP	0.198	0.71	B8
Ford Motor Company	FORD	GT 2WD	5400	M6	3.36	3750	FC	100	NMOG	0.0952	0.125	B8
Ford Motor Company	FORD	GT 2WD	5400	M6	3.36	3750	FC	100	NOX	0.166	0.2	B8
Ford Motor Company	FORD	GT 2WD	5400	M6	3.36	3750	FC	50	CO	0.4	3.4	B8
Ford Motor Company	FORD	GT 2WD	5400	M6	3.36	3750	FC	50	NMOG	0.0714	0.1	B8
Ford Motor Company	FORD	GT 2WD	5400	M6	3.36	3750	FC	50	NOX	0.129	0.14	B8
Ford Motor Company	FORD	GT 2WD	5400	M6	3.36	3750	FC	100	CO-US06	0.74	11.1	B8
Ford Motor Company	FORD	GT 2WD	5400	M6	3.36	3750	FC	4	CO-US06	0.37	8	B8
Ford Motor Company	FORD	GT 2WD	5400	M6	3.36	3750	FC	4	HC-NM+NOX-US06	0.038	0.14	B8
Ford Motor Company	FORD	GT 2WD	5400	M6	3.36	3750	FC	100	CO-SC03	0.399	3.7	B8
Ford Motor Company	FORD	GT 2WD	5400	M6	3.36	3750	FC	4	CO-SC03	0.02	2.7	B8
Ford Motor Company	FORD	GT 2WD	5400	M6	3.36	3750	FC	4	HC-NM+NOX-SC03	0.05	0.2	B8
Ford Motor Company	FORD	MUSTANG	4	L5	3.31	3875	CA	50	CO-COLD	1.54	10	L2
Ford Motor Company	FORD	MUSTANG	4	L5	3.31	3875	CF	50	CO-COLD	1.5	10	LEV
Ford Motor Company	FORD	MUSTANG	4	L5	3.31	3875	FA	50	CO-COLD	1.5	10	B5
Ford Motor Company	FORD	MUSTANG	4	L5	3.31	3875	CA	120	CO	0.75	4.2	L2
Ford Motor Company	FORD	MUSTANG	4	L5	3.31	3875	CA	120	NMOG	0.033	0.09	L2
Ford Motor Company	FORD	MUSTANG	4	L5	3.31	3875	CA	120	NOX	0.036	0.07	L2
Ford Motor Company	FORD	MUSTANG	4	L5	3.31	3875	CA	50	CO	0.59	3.4	L2
Ford Motor Company	FORD	MUSTANG	4	L5	3.31	3875	CA	50	NMOG	0.0265	0.075	L2

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	FORD	MUSTANG	4	L5	3.31	3875	CA	50	NOX	0.014	0.05	L2
Ford Motor Company	FORD	MUSTANG	4	L5	3.31	3875	CF	100	CO	0.7	4.2	LEV
Ford Motor Company	FORD	MUSTANG	4	L5	3.31	3875	CF	100	NMOG	0.0312	0.09	LEV
Ford Motor Company	FORD	MUSTANG	4	L5	3.31	3875	CF	100	NOX	0.03	0.3	LEV
Ford Motor Company	FORD	MUSTANG	4	L5	3.31	3875	CF	50	CO	0.59	3.4	LEV
Ford Motor Company	FORD	MUSTANG	4	L5	3.31	3875	CF	50	NMOG	0.0265	0.075	LEV
Ford Motor Company	FORD	MUSTANG	4	L5	3.31	3875	CF	50	NOX	0.02	0.2	LEV
Ford Motor Company	FORD	MUSTANG	4	L5	3.31	3875	FA	120	CO	0.75	4.2	B5
Ford Motor Company	FORD	MUSTANG	4	L5	3.31	3875	FA	120	HC-NM+NOX-COMP	0.06	0.65	B5
Ford Motor Company	FORD	MUSTANG	4	L5	3.31	3875	FA	120	NMOG	0.0331	0.09	B5
Ford Motor Company	FORD	MUSTANG	4	L5	3.31	3875	FA	120	NOX	0.036	0.07	B5
Ford Motor Company	FORD	MUSTANG	4	L5	3.31	3875	FA	50	CO	0.59	3.4	B5
Ford Motor Company	FORD	MUSTANG	4	L5	3.31	3875	FA	50	NMOG	0.0265	0.075	B5
Ford Motor Company	FORD	MUSTANG	4	L5	3.31	3875	FA	50	NOX	0.014	0.05	B5
Ford Motor Company	FORD	MUSTANG	4	L5	3.31	3875	CA	4	50-CO	0.75	3.4	L2
Ford Motor Company	FORD	MUSTANG	4	L5	3.31	3875	CA	4	50-HCHO	0.0003	0.03	L2
Ford Motor Company	FORD	MUSTANG	4	L5	3.31	3875	CA	4	50-NMOG	0.065	0.15	L2
Ford Motor Company	FORD	MUSTANG	4	L5	3.31	3875	CA	4	50-NOX	0.004	0.05	L2
Ford Motor Company	FORD	MUSTANG	4	L5	3.31	3875	CA	4	CO-US06	0.31	8	L2
Ford Motor Company	FORD	MUSTANG	4	L5	3.31	3875	CA	4	HC-NM+NOX-US06	0.02	0.14	L2
Ford Motor Company	FORD	MUSTANG	4	L5	3.31	3875	FA	120	CO-US06	0.57	11.1	B5
Ford Motor Company	FORD	MUSTANG	4	L5	3.31	3875	FA	4	CO-US06	0.31	8	B5
Ford Motor Company	FORD	MUSTANG	4	L5	3.31	3875	FA	4	HC-NM+NOX-US06	0.02	0.14	B5
Ford Motor Company	FORD	MUSTANG	4	L5	3.31	3875	CA	4	CO-SC03	0.23	2.7	L2
Ford Motor Company	FORD	MUSTANG	4	L5	3.31	3875	CA	4	HC-NM+NOX-SC03	0.004	0.2	L2
Ford Motor Company	FORD	MUSTANG	4	L5	3.31	3875	FA	120	CO-SC03	0.49	3.7	B5
Ford Motor Company	FORD	MUSTANG	4	L5	3.31	3875	FA	4	CO-SC03	0.23	2.7	B5
Ford Motor Company	FORD	MUSTANG	4	L5	3.31	3875	FA	4	HC-NM+NOX-SC03	0.004	0.2	B5
Ford Motor Company	FORD	MUSTANG	4600	L5	3.31	4000	CA	50	CO-COLD	4.6	10	L2
Ford Motor Company	FORD	MUSTANG	4600	L5	3.31	4000	CF	50	CO-COLD	4.6	10	LEV
Ford Motor Company	FORD	MUSTANG	4600	L5	3.31	4000	FA	50	CO-COLD	4.6	10	B5
Ford Motor Company	FORD	MUSTANG	4600	L5	3.31	4000	CA	100	NOX	0.046	0.07	L2
Ford Motor Company	FORD	MUSTANG	4600	L5	3.31	4000	CA	120	CO	1.45	4.2	L2
Ford Motor Company	FORD	MUSTANG	4600	L5	3.31	4000	CA	120	NMOG	0.056	0.09	L2
Ford Motor Company	FORD	MUSTANG	4600	L5	3.31	4000	CA	50	CO	1.2	3.4	L2
Ford Motor Company	FORD	MUSTANG	4600	L5	3.31	4000	CA	50	NMOG	0.0439	0.075	L2
Ford Motor Company	FORD	MUSTANG	4600	L5	3.31	4000	CA	50	NOX	0.02	0.05	L2
Ford Motor Company	FORD	MUSTANG	4600	L5	3.31	4000	CF	100	CO	1.38	4.2	LEV

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	FORD	MUSTANG	4600	L5	3.31	4000	CF	100	NMOG	0.053	0.09	LEV
Ford Motor Company	FORD	MUSTANG	4600	L5	3.31	4000	CF	100	NOX	0.04	0.3	LEV
Ford Motor Company	FORD	MUSTANG	4600	L5	3.31	4000	CF	50	CO	1.2	3.4	LEV
Ford Motor Company	FORD	MUSTANG	4600	L5	3.31	4000	CF	50	HC-TOTAL	0.061	0.41	LEV
Ford Motor Company	FORD	MUSTANG	4600	L5	3.31	4000	CF	50	NMOG	0.044	0.075	LEV
Ford Motor Company	FORD	MUSTANG	4600	L5	3.31	4000	CF	50	NOX	0.02	0.2	LEV
Ford Motor Company	FORD	MUSTANG	4600	L5	3.31	4000	FA	120	CO	1.45	4.2	B5
Ford Motor Company	FORD	MUSTANG	4600	L5	3.31	4000	FA	120	HC-NM+NOX-COMP	0.09	0.65	B5
Ford Motor Company	FORD	MUSTANG	4600	L5	3.31	4000	FA	120	NMOG	0.056	0.09	B5
Ford Motor Company	FORD	MUSTANG	4600	L5	3.31	4000	FA	120	NOX	0.046	0.07	B5
Ford Motor Company	FORD	MUSTANG	4600	L5	3.31	4000	FA	50	CO	1.2	3.4	B5
Ford Motor Company	FORD	MUSTANG	4600	L5	3.31	4000	FA	50	NMOG	0.0439	0.075	B5
Ford Motor Company	FORD	MUSTANG	4600	L5	3.31	4000	FA	50	NOX	0.02	0.05	B5
Ford Motor Company	FORD	MUSTANG	4600	L5	3.31	4000	CA	4	CO-US06	1.49	8	L2
Ford Motor Company	FORD	MUSTANG	4600	L5	3.31	4000	CA	4	HC-NM+NOX-US06	0.024	0.14	L2
Ford Motor Company	FORD	MUSTANG	4600	L5	3.31	4000	FA	120	CO-US06	1.9	11.1	B5
Ford Motor Company	FORD	MUSTANG	4600	L5	3.31	4000	FA	4	CO-US06	1.49	8	B5
Ford Motor Company	FORD	MUSTANG	4600	L5	3.31	4000	FA	4	HC-NM+NOX-US06	0.024	0.14	B5
Ford Motor Company	FORD	MUSTANG	4600	L5	3.31	4000	CA	4	CO-SC03	0.76	2.7	L2
Ford Motor Company	FORD	MUSTANG	4600	L5	3.31	4000	CA	4	HC-NM+NOX-SC03	0.01	0.2	L2
Ford Motor Company	FORD	MUSTANG	4600	L5	3.31	4000	FA	120	CO-SC03	1.2	3.7	B5
Ford Motor Company	FORD	MUSTANG	4600	L5	3.31	4000	FA	4	CO-SC03	0.76	2.7	B5
Ford Motor Company	FORD	MUSTANG	4600	L5	3.31	4000	FA	4	HC-NM+NOX-SC03	0.01	0.2	B5
Ford Motor Company	FORD	RANGER PICKUP 2WD	2.3	M5	4.1	3625	CA	50	CO-COLD	0.8	10	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	2.3	M5	4.1	3625	CF	50	CO-COLD	0.8	10	LEV
Ford Motor Company	FORD	RANGER PICKUP 2WD	2.3	M5	4.1	3625	FA	50	CO-COLD	0.8	10	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	2.3	M5	4.1	3625	CA	100	CO	1.36	4.2	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	2.3	M5	4.1	3625	CA	100	HC-NM+NOX-COMP	0.101	0.71	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	2.3	M5	4.1	3625	CA	100	NMOG	0.059	0.125	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	2.3	M5	4.1	3625	CA	100	NOX	0.07	0.2	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	2.3	M5	4.1	3625	CA	50	CO	1.22	3.4	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	2.3	M5	4.1	3625	CA	50	NMOG	0.046	0.1	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	2.3	M5	4.1	3625	CA	50	NOX	0.06	0.14	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	2.3	M5	4.1	3625	CF	100	CO	1.36	4.2	LEV
Ford Motor Company	FORD	RANGER PICKUP 2WD	2.3	M5	4.1	3625	CF	100	NMOG	0.059	0.09	LEV
Ford Motor Company	FORD	RANGER PICKUP 2WD	2.3	M5	4.1	3625	CF	100	NOX	0.07	0.3	LEV
Ford Motor Company	FORD	RANGER PICKUP 2WD	2.3	M5	4.1	3625	CF	50	CO	1.22	3.4	LEV
Ford Motor Company	FORD	RANGER PICKUP 2WD	2.3	M5	4.1	3625	CF	50	NMOG	0.046	0.075	LEV

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	FORD	RANGER PICKUP 2WD	2.3	M5	4.1	3625	CF	50	NOX	0.06	0.2	LEV
Ford Motor Company	FORD	RANGER PICKUP 2WD	2.3	M5	4.1	3625	FA	100	CO	1.36	4.2	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	2.3	M5	4.1	3625	FA	100	HC-NM+NOX-COMP	0.101	0.71	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	2.3	M5	4.1	3625	FA	100	NMOG	0.059	0.125	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	2.3	M5	4.1	3625	FA	100	NOX	0.07	0.2	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	2.3	M5	4.1	3625	FA	50	CO	1.22	3.4	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	2.3	M5	4.1	3625	FA	50	NMOG	0.046	0.1	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	2.3	M5	4.1	3625	FA	50	NOX	0.06	0.14	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	2.3	M5	4.1	3625	CA	100	CO-US06	1.99	11.1	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	2.3	M5	4.1	3625	CA	4	CO-US06	1.7	8	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	2.3	M5	4.1	3625	CA	4	HC-NM+NOX-US06	0.082	0.14	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	2.3	M5	4.1	3625	FA	100	CO-US06	1.99	11.1	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	2.3	M5	4.1	3625	FA	4	CO-US06	1.7	8	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	2.3	M5	4.1	3625	FA	4	HC-NM+NOX-US06	0.082	0.14	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	2.3	M5	4.1	3625	CA	100	CO-SC03	0.74	3.7	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	2.3	M5	4.1	3625	CA	4	CO-SC03	0.46	2.7	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	2.3	M5	4.1	3625	CA	4	HC-NM+NOX-SC03	0.01	0.2	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	2.3	M5	4.1	3625	FA	100	CO-SC03	0.74	3.7	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	2.3	M5	4.1	3625	FA	4	CO-SC03	0.46	2.7	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	2.3	M5	4.1	3625	FA	4	HC-NM+NOX-SC03	0.01	0.2	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	3	A4	4.1	3750	CA	100	CO-US06	1.7	11.1	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	3	A4	4.1	3750	CA	4	CO-US06	0.7	8	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	3	A4	4.1	3750	CA	4	HC-NM+NOX-US06	0.034	0.14	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	3	A4	4.1	3750	FA	100	CO-US06	1.7	11.1	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	3	A4	4.1	3750	FA	4	CO-US06	0.7	8	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	3	A4	4.1	3750	FA	4	HC-NM+NOX-US06	0.034	0.14	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	3	A4	3.73	3875	CA	100	CO	1.25	4.2	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	3	A4	3.73	3875	CA	100	HC-NM+NOX-COMP	0.116	0.71	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	3	A4	3.73	3875	CA	100	NMOG	0.07	0.125	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	3	A4	3.73	3875	CA	100	NOX	0.06	0.2	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	3	A4	3.73	3875	CA	50	CO	0.76	3.4	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	3	A4	3.73	3875	CA	50	NMOG	0.048	0.1	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	3	A4	3.73	3875	CA	50	NOX	0.04	0.14	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	3	A4	3.73	3875	CF	100	CO	1.25	4.2	LEV
Ford Motor Company	FORD	RANGER PICKUP 2WD	3	A4	3.73	3875	CF	100	NMOG	0.07	0.09	LEV
Ford Motor Company	FORD	RANGER PICKUP 2WD	3	A4	3.73	3875	CF	100	NOX	0.06	0.3	LEV
Ford Motor Company	FORD	RANGER PICKUP 2WD	3	A4	3.73	3875	CF	50	CO	0.76	3.4	LEV
Ford Motor Company	FORD	RANGER PICKUP 2WD	3	A4	3.73	3875	CF	50	NMOG	0.048	0.075	LEV

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	FORD	RANGER PICKUP 2WD	3	A4	3.73	3875	CF	50	NOX	0.04	0.2	LEV
Ford Motor Company	FORD	RANGER PICKUP 2WD	3	A4	3.73	3875	FA	100	CO	1.25	4.2	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	3	A4	3.73	3875	FA	100	HC-NM+NOX-COMP	0.116	0.71	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	3	A4	3.73	3875	FA	100	NMOG	0.07	0.125	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	3	A4	3.73	3875	FA	100	NOX	0.06	0.2	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	3	A4	3.73	3875	FA	50	CO	0.76	3.4	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	3	A4	3.73	3875	FA	50	NMOG	0.048	0.1	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	3	A4	3.73	3875	FA	50	NOX	0.04	0.14	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	3	M5	4.1	3625	CA	50	CO-COLD	2.8	10	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	3	M5	4.1	3625	CF	50	CO-COLD	2.8	10	LEV
Ford Motor Company	FORD	RANGER PICKUP 2WD	3	M5	4.1	3625	FA	50	CO-COLD	2.8	10	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	3	M5	4.1	3625	CA	100	CO-SC03	0.97	3.7	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	3	M5	4.1	3625	CA	4	CO-SC03	0.01	2.7	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	3	M5	4.1	3625	CA	4	HC-NM+NOX-SC03	0	0.2	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	3	M5	4.1	3625	FA	100	CO-SC03	0.97	3.7	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	3	M5	4.1	3625	FA	4	CO-SC03	0.01	2.7	B8
Ford Motor Company	FORD	RANGER PICKUP 2WD	3	M5	4.1	3625	FA	4	HC-NM+NOX-SC03	0	0.2	B8
Ford Motor Company	FORD	RANGER PICKUP 4WD	3	A4	4.1	4000	CA	50	CO-COLD	2.4	12.5	B9
Ford Motor Company	FORD	RANGER PICKUP 4WD	3	A4	4.1	4000	CF	50	CO-COLD	2.42	12.5	LEV
Ford Motor Company	FORD	RANGER PICKUP 4WD	3	A4	4.1	4000	FA	50	CO-COLD	2.4	12.5	B9
Ford Motor Company	FORD	RANGER PICKUP 4WD	3	A4	4.1	4000	CA	100	CO	1.26	4.2	B9
Ford Motor Company	FORD	RANGER PICKUP 4WD	3	A4	4.1	4000	CA	100	HC-NM+NOX-COMP	0.123	1.03	B9
Ford Motor Company	FORD	RANGER PICKUP 4WD	3	A4	4.1	4000	CA	100	NMOG	0.08	0.13	B9
Ford Motor Company	FORD	RANGER PICKUP 4WD	3	A4	4.1	4000	CA	100	NOX	0.06	0.3	B9
Ford Motor Company	FORD	RANGER PICKUP 4WD	3	A4	4.1	4000	CA	50	CO	0.76	3.4	B9
Ford Motor Company	FORD	RANGER PICKUP 4WD	3	A4	4.1	4000	CA	50	NMOG	0.058	0.1	B9
Ford Motor Company	FORD	RANGER PICKUP 4WD	3	A4	4.1	4000	CA	50	NOX	0.03	0.2	B9
Ford Motor Company	FORD	RANGER PICKUP 4WD	3	A4	4.1	4000	CF	100	CO	1.26	5.5	LEV
Ford Motor Company	FORD	RANGER PICKUP 4WD	3	A4	4.1	4000	CF	100	NMOG	0.08	0.13	LEV
Ford Motor Company	FORD	RANGER PICKUP 4WD	3	A4	4.1	4000	CF	100	NOX	0.06	0.5	LEV
Ford Motor Company	FORD	RANGER PICKUP 4WD	3	A4	4.1	4000	CF	50	CO	0.76	4.4	LEV
Ford Motor Company	FORD	RANGER PICKUP 4WD	3	A4	4.1	4000	CF	50	NMOG	0.058	0.1	LEV
Ford Motor Company	FORD	RANGER PICKUP 4WD	3	A4	4.1	4000	CF	50	NOX	0.03	0.4	LEV
Ford Motor Company	FORD	RANGER PICKUP 4WD	3	A4	4.1	4000	FA	100	CO	1.26	4.2	B9
Ford Motor Company	FORD	RANGER PICKUP 4WD	3	A4	4.1	4000	FA	100	HC-NM+NOX-COMP	0.123	1.03	B9
Ford Motor Company	FORD	RANGER PICKUP 4WD	3	A4	4.1	4000	FA	100	NMOG	0.08	0.13	B9
Ford Motor Company	FORD	RANGER PICKUP 4WD	3	A4	4.1	4000	FA	100	NOX	0.06	0.3	B9
Ford Motor Company	FORD	RANGER PICKUP 4WD	3	A4	4.1	4000	FA	50	CO	0.76	3.4	B9

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	FORD	RANGER PICKUP 4WD	3	A4	4.1	4000	FA	50	NMOG	0.058	0.1	B9
Ford Motor Company	FORD	RANGER PICKUP 4WD	3	A4	4.1	4000	FA	50	NOX	0.03	0.2	B9
Ford Motor Company	FORD	RANGER PICKUP 4WD	3	A4	4.1	4000	CA	100	CO-US06	6.42	14.6	B9
Ford Motor Company	FORD	RANGER PICKUP 4WD	3	A4	4.1	4000	CA	4	CO-US06	5.46	10.5	B9
Ford Motor Company	FORD	RANGER PICKUP 4WD	3	A4	4.1	4000	CA	4	HC-NM+NOX-US06	0.037	0.25	B9
Ford Motor Company	FORD	RANGER PICKUP 4WD	3	A4	4.1	4000	FA	100	CO-US06	6.42	14.6	B9
Ford Motor Company	FORD	RANGER PICKUP 4WD	3	A4	4.1	4000	FA	4	CO-US06	5.46	10.5	B9
Ford Motor Company	FORD	RANGER PICKUP 4WD	3	A4	4.1	4000	FA	4	HC-NM+NOX-US06	0.037	0.25	B9
Ford Motor Company	FORD	RANGER PICKUP 4WD	3	A4	4.1	4000	CA	100	CO-SC03	1.05	4.9	B9
Ford Motor Company	FORD	RANGER PICKUP 4WD	3	A4	4.1	4000	CA	4	CO-SC03	0.1	3.5	B9
Ford Motor Company	FORD	RANGER PICKUP 4WD	3	A4	4.1	4000	CA	4	HC-NM+NOX-SC03	0.01	0.27	B9
Ford Motor Company	FORD	RANGER PICKUP 4WD	3	A4	4.1	4000	FA	100	CO-SC03	1.05	4.9	B9
Ford Motor Company	FORD	RANGER PICKUP 4WD	3	A4	4.1	4000	FA	4	CO-SC03	0.1	3.5	B9
Ford Motor Company	FORD	RANGER PICKUP 4WD	3	A4	4.1	4000	FA	4	HC-NM+NOX-SC03	0.01	0.27	B9
Ford Motor Company	FORD	SPORT TRAC 4WD FFV	4000	L5	3.73	4750	FC	50	CO-COLD	3.15	12.5	B9
Ford Motor Company	FORD	SPORT TRAC 4WD FFV	4000	L5	3.73	4750	FC	50	CO-COLD	2.02	12.5	B9
Ford Motor Company	FORD	SPORT TRAC 4WD FFV	4000	L5	3.73	4750	CF	100	CO	1.25	5.5	LEV
Ford Motor Company	FORD	SPORT TRAC 4WD FFV	4000	L5	3.73	4750	CF	100	HCHO	0.0014	0.023	LEV
Ford Motor Company	FORD	SPORT TRAC 4WD FFV	4000	L5	3.73	4750	CF	100	NMOG	0.0593	0.13	LEV
Ford Motor Company	FORD	SPORT TRAC 4WD FFV	4000	L5	3.73	4750	CF	100	NOX	0.22	0.5	LEV
Ford Motor Company	FORD	SPORT TRAC 4WD FFV	4000	L5	3.73	4750	CF	50	CO	0.94	4.4	LEV
Ford Motor Company	FORD	SPORT TRAC 4WD FFV	4000	L5	3.73	4750	CF	50	HCHO	0.0009	0.018	LEV
Ford Motor Company	FORD	SPORT TRAC 4WD FFV	4000	L5	3.73	4750	CF	50	NMOG	0.0502	0.1	LEV
Ford Motor Company	FORD	SPORT TRAC 4WD FFV	4000	L5	3.73	4750	CF	50	NOX	0.12	0.4	LEV
Ford Motor Company	FORD	SPORT TRAC 4WD FFV	4000	L5	3.73	4750	FC	100	CO	1.25	4.2	B9
Ford Motor Company	FORD	SPORT TRAC 4WD FFV	4000	L5	3.73	4750	FC	100	HCHO	0.0014	0.018	B9
Ford Motor Company	FORD	SPORT TRAC 4WD FFV	4000	L5	3.73	4750	FC	100	NMOG	0.0593	0.13	B9
Ford Motor Company	FORD	SPORT TRAC 4WD FFV	4000	L5	3.73	4750	FC	100	NOX	0.22	0.3	B9
Ford Motor Company	FORD	SPORT TRAC 4WD FFV	4000	L5	3.73	4750	FC	50	CO	0.94	3.4	B9
Ford Motor Company	FORD	SPORT TRAC 4WD FFV	4000	L5	3.73	4750	FC	50	HCHO	0.0009	0.015	B9
Ford Motor Company	FORD	SPORT TRAC 4WD FFV	4000	L5	3.73	4750	FC	50	NMOG	0.0502	0.1	B9
Ford Motor Company	FORD	SPORT TRAC 4WD FFV	4000	L5	3.73	4750	FC	50	NOX	0.12	0.2	B9
Ford Motor Company	FORD	SPORT TRAC 4WD FFV	4000	L5	3.73	4750	CF	100	CO	1.09	5.5	LEV
Ford Motor Company	FORD	SPORT TRAC 4WD FFV	4000	L5	3.73	4750	CF	100	NMOG	0.0366	0.2	TLEV
Ford Motor Company	FORD	SPORT TRAC 4WD FFV	4000	L5	3.73	4750	CF	100	NOX	0.14	0.5	LEV
Ford Motor Company	FORD	SPORT TRAC 4WD FFV	4000	L5	3.73	4750	CF	50	CO	0.61	4.4	LEV
Ford Motor Company	FORD	SPORT TRAC 4WD FFV	4000	L5	3.73	4750	CF	50	NMOG	0.0245	0.16	TLEV
Ford Motor Company	FORD	SPORT TRAC 4WD FFV	4000	L5	3.73	4750	CF	50	NOX	0.07	0.4	LEV

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	FORD	SPORT TRAC 4WD FFV	4000	L5	3.73	4750	FC	100	CO	1.09	4.2	B9
Ford Motor Company	FORD	SPORT TRAC 4WD FFV	4000	L5	3.73	4750	FC	100	HC-NM+NOX-COMP	0.208	1.05	B9
Ford Motor Company	FORD	SPORT TRAC 4WD FFV	4000	L5	3.73	4750	FC	100	NMOG	0.0366	0.156	B9
Ford Motor Company	FORD	SPORT TRAC 4WD FFV	4000	L5	3.73	4750	FC	100	NOX	0.14	0.3	B9
Ford Motor Company	FORD	SPORT TRAC 4WD FFV	4000	L5	3.73	4750	FC	50	CO	0.61	3.4	B9
Ford Motor Company	FORD	SPORT TRAC 4WD FFV	4000	L5	3.73	4750	FC	50	NMOG	0.0245	0.125	B9
Ford Motor Company	FORD	SPORT TRAC 4WD FFV	4000	L5	3.73	4750	FC	50	NOX	0.07	0.2	B9
Ford Motor Company	FORD	SPORT TRAC 4WD FFV	4000	L5	3.73	4750	FC	100	CO-US06	5.3	14.6	B9
Ford Motor Company	FORD	SPORT TRAC 4WD FFV	4000	L5	3.73	4750	FC	4	CO-US06	4.41	10.5	B9
Ford Motor Company	FORD	SPORT TRAC 4WD FFV	4000	L5	3.73	4750	FC	4	HC-NM+NOX-US06	0.07	0.25	B9
Ford Motor Company	FORD	SPORT TRAC 4WD FFV	4000	L5	3.73	4750	FC	100	CO-SC03	1.9	4.9	B9
Ford Motor Company	FORD	SPORT TRAC 4WD FFV	4000	L5	3.73	4750	FC	4	CO-SC03	0.99	3.5	B9
Ford Motor Company	FORD	SPORT TRAC 4WD FFV	4000	L5	3.73	4750	FC	4	HC-NM+NOX-SC03	0.083	0.27	B9
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.98	3875	CA	50	CO-COLD	2.5	10	B8
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.98	3875	FA	50	CO-COLD	2.5	10	B8
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.98	3875	CA	100	CO	0.95	4.2	B8
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.98	3875	CA	100	HC-NM+NOX-COMP	0.162	0.71	B8
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.98	3875	CA	100	NMOG	0.0926	0.125	B8
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.98	3875	CA	100	NOX	0.076	0.2	B8
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.98	3875	CA	50	CO	0.6	3.4	B8
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.98	3875	CA	50	NMOG	0.0721	0.1	B8
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.98	3875	CA	50	NOX	0.05	0.14	B8
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.98	3875	FA	100	CO	0.95	4.2	B8
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.98	3875	FA	100	HC-NM+NOX-COMP	0.162	0.71	B8
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.98	3875	FA	100	NMOG	0.0926	0.125	B8
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.98	3875	FA	100	NOX	0.076	0.2	B8
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.98	3875	FA	50	CO	0.6	3.4	B8
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.98	3875	FA	50	NMOG	0.0721	0.1	B8
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.98	3875	FA	50	NOX	0.05	0.14	B8
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.98	3875	CA	100	CO-US06	5.08	11.1	B8
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.98	3875	CA	4	CO-US06	4.4	8	B8
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.98	3875	CA	4	HC-NM+NOX-US06	0.052	0.14	B8
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.98	3875	FA	100	CO-US06	5.08	11.1	B8
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.98	3875	FA	4	CO-US06	4.4	8	B8
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.98	3875	FA	4	HC-NM+NOX-US06	0.052	0.14	B8
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.98	3875	CA	100	CO-SC03	1.49	3.7	B8
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.98	3875	CA	4	CO-SC03	0.82	2.7	B8
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.98	3875	CA	4	HC-NM+NOX-SC03	0.081	0.2	B8

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.98	3875	FA	100	CO-SC03	1.49	3.7	B8
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.98	3875	FA	4	CO-SC03	0.82	2.7	B8
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.98	3875	FA	4	HC-NM+NOX-SC03	0.081	0.2	B8
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.96	3875	CA	50	CO-COLD	2	10	L2
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.96	3875	FA	50	CO-COLD	2	10	B5
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.96	3875	CA	120	CO	0.84	4.2	L2
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.96	3875	CA	120	HC-NM+NOX-COMP	0.113	0.65	L2
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.96	3875	CA	120	NMOG	0.067	0.09	L2
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.96	3875	CA	120	NOX	0.049	0.07	L2
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.96	3875	CA	50	CO	0.5	3.4	L2
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.96	3875	CA	50	NMOG	0.0425	0.075	L2
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.96	3875	CA	50	NOX	0.03	0.05	L2
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.96	3875	CF	100	CO	0.74	4.2	LEV
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.96	3875	CF	100	NMOG	0.06	0.09	LEV
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.96	3875	CF	100	NOX	0.04	0.3	LEV
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.96	3875	CF	50	CO	0.5	3.4	LEV
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.96	3875	CF	50	NMOG	0.0425	0.075	LEV
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.96	3875	CF	50	NOX	0.03	0.2	LEV
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.96	3875	FA	120	CO	0.84	4.2	B5
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.96	3875	FA	120	HC-NM+NOX-COMP	0.113	0.65	B5
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.96	3875	FA	120	NMOG	0.067	0.09	B5
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.96	3875	FA	120	NOX	0.049	0.07	B5
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.96	3875	FA	50	CO	0.5	3.4	B5
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.96	3875	FA	50	NMOG	0.0425	0.075	B5
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.96	3875	FA	50	NOX	0.03	0.05	B5
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.96	3875	CA	120	CO-US06	0.84	11.1	L2
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.96	3875	CA	4	CO-US06	0.27	8	L2
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.96	3875	CA	4	HC-NM+NOX-US06	0.023	0.14	L2
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.96	3875	FA	120	CO-US06	0.84	11.1	B5
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.96	3875	FA	4	CO-US06	0.27	8	B5
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.96	3875	FA	4	HC-NM+NOX-US06	0.023	0.14	B5
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.96	3875	CA	120	CO-SC03	1.68	3.7	L2
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.96	3875	CA	4	CO-SC03	1.11	2.7	L2
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.96	3875	CA	4	HC-NM+NOX-SC03	0.052	0.2	L2
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.96	3875	FA	120	CO-SC03	1.68	3.7	B5
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.96	3875	FA	4	CO-SC03	1.11	2.7	B5
Ford Motor Company	FORD	TAURUS WAGON	3	L4	3.96	3875	FA	4	HC-NM+NOX-SC03	0.052	0.2	B5
Ford Motor Company	FORD	TAURUS WAGON - FV	3	L4	3.96	3875	FC	100	CO	0.83	4.2	B8



2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	FORD	TAURUS WAGON - FFV	3	L4	3.96	3875	FC	100	HCHO	0.001	0.018	B8
Ford Motor Company	FORD	TAURUS WAGON - FFV	3	L4	3.96	3875	FC	100	NMOG	0.0596	0.125	B8
Ford Motor Company	FORD	TAURUS WAGON - FFV	3	L4	3.96	3875	FC	100	NOX	0.046	0.2	B8
Ford Motor Company	FORD	TAURUS WAGON - FFV	3	L4	3.96	3875	FC	50	CO	0.58	3.4	B8
Ford Motor Company	FORD	TAURUS WAGON - FFV	3	L4	3.96	3875	FC	50	HCHO	0.0007	0.015	B8
Ford Motor Company	FORD	TAURUS WAGON - FFV	3	L4	3.96	3875	FC	50	NMOG	0.0471	0.1	B8
Ford Motor Company	FORD	TAURUS WAGON - FFV	3	L4	3.96	3875	FC	50	NOX	0.034	0.14	B8
Ford Motor Company	FORD	TAURUS WAGON - FFV	3	L4	3.96	3875	FC	100	CO	1.11	4.2	B8
Ford Motor Company	FORD	TAURUS WAGON - FFV	3	L4	3.96	3875	FC	100	HC-NM+NOX-COMP	0.076	0.72	B8
Ford Motor Company	FORD	TAURUS WAGON - FFV	3	L4	3.96	3875	FC	100	NMOG	0.0613	0.156	B8
Ford Motor Company	FORD	TAURUS WAGON - FFV	3	L4	3.96	3875	FC	100	NOX	0.027	0.2	B8
Ford Motor Company	FORD	TAURUS WAGON - FFV	3	L4	3.96	3875	FC	50	CO	0.86	3.4	B8
Ford Motor Company	FORD	TAURUS WAGON - FFV	3	L4	3.96	3875	FC	50	NMOG	0.0488	0.125	B8
Ford Motor Company	FORD	TAURUS WAGON - FFV	3	L4	3.96	3875	FC	50	NOX	0.015	0.14	B8
Ford Motor Company	FORD	TAURUS WAGON - FFV	3	L4	3.96	3875	FC	100	CO-US06	1.85	11.1	B8
Ford Motor Company	FORD	TAURUS WAGON - FFV	3	L4	3.96	3875	FC	4	CO-US06	1.4	8	B8
Ford Motor Company	FORD	TAURUS WAGON - FFV	3	L4	3.96	3875	FC	4	HC-NM+NOX-US06	0.026	0.14	B8
Ford Motor Company	FORD	TAURUS WAGON - FFV	3	L4	3.96	3875	FC	100	CO-SC03	0.61	3.7	B8
Ford Motor Company	FORD	TAURUS WAGON - FFV	3	L4	3.96	3875	FC	4	CO-SC03	0.14	2.7	B8
Ford Motor Company	FORD	TAURUS WAGON - FFV	3	L4	3.96	3875	FC	4	HC-NM+NOX-SC03	0.019	0.2	B8
Ford Motor Company	FORD	TAURUS WAGON - FFV	3	L4	3.96	3975	FC	50	CO-COLD	2.1	10	B8
Ford Motor Company	FORD	TAURUS WAGON - FFV	3	L4	3.96	3975	FC	50	CO-COLD	2.2	10	B8
Ford Motor Company	LINCOLN	AVIATOR 4WD	4.6	L5	3.73	5500	CF	50	CO-COLD	3.17	12.5	LEV
Ford Motor Company	LINCOLN	AVIATOR 4WD	4.6	L5	3.73	5500	FC	50	CO-COLD	3.17	12.5	B9
Ford Motor Company	LINCOLN	AVIATOR 4WD	4.6	L5	3.73	5500	CF	120	CO	0.38	6.4	LEV
Ford Motor Company	LINCOLN	AVIATOR 4WD	4.6	L5	3.73	5500	CF	120	NMOG	0.0966	0.23	LEV
Ford Motor Company	LINCOLN	AVIATOR 4WD	4.6	L5	3.73	5500	CF	120	NOX	0.13	1	LEV
Ford Motor Company	LINCOLN	AVIATOR 4WD	4.6	L5	3.73	5500	CF	50	CO	0.36	4.4	LEV
Ford Motor Company	LINCOLN	AVIATOR 4WD	4.6	L5	3.73	5500	CF	50	NMOG	0.084	0.16	LEV
Ford Motor Company	LINCOLN	AVIATOR 4WD	4.6	L5	3.73	5500	CF	50	NOX	0.09	0.7	LEV
Ford Motor Company	LINCOLN	AVIATOR 4WD	4.6	L5	3.73	5500	FC	120	CO	0.38	4.2	B9
Ford Motor Company	LINCOLN	AVIATOR 4WD	4.6	L5	3.73	5500	FC	120	HC-NM+NOX-COMP	0.169	1.44	B9
Ford Motor Company	LINCOLN	AVIATOR 4WD	4.6	L5	3.73	5500	FC	120	NMOG	0.0966	0.18	B9
Ford Motor Company	LINCOLN	AVIATOR 4WD	4.6	L5	3.73	5500	FC	120	NOX	0.13	0.3	B9
Ford Motor Company	LINCOLN	AVIATOR 4WD	4.6	L5	3.73	5500	FC	50	CO	0.36	3.4	B9
Ford Motor Company	LINCOLN	AVIATOR 4WD	4.6	L5	3.73	5500	FC	50	HC-NM+NOX-COMP	0.118	1.02	B9
Ford Motor Company	LINCOLN	AVIATOR 4WD	4.6	L5	3.73	5500	FC	50	NMOG	0.084	0.14	B9
Ford Motor Company	LINCOLN	AVIATOR 4WD	4.6	L5	3.73	5500	FC	50	NOX	0.09	0.2	B9

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	LINCOLN	AVIATOR 4WD	4.6	L5	3.73	5500	FC	120	CO-US06	6.305	16.9	B9
Ford Motor Company	LINCOLN	AVIATOR 4WD	4.6	L5	3.73	5500	FC	50	CO-US06	6.28	11.6	B9
Ford Motor Company	LINCOLN	AVIATOR 4WD	4.6	L5	3.73	5500	FC	120	CO-SC03	1.36	5.6	B9
Ford Motor Company	LINCOLN	AVIATOR 4WD	4.6	L5	3.73	5500	FC	50	CO-SC03	1.33	3.9	B9
Ford Motor Company	LINCOLN	NAVIGATOR 2WD	5400	L6	3.73	9000	CA	120	CO	3.6	8.1	LEV
Ford Motor Company	LINCOLN	NAVIGATOR 2WD	5400	L6	3.73	9000	CA	120	NMOG	0.085	0.33	LEV
Ford Motor Company	LINCOLN	NAVIGATOR 2WD	5400	L6	3.73	9000	CA	120	NOX	0.1	1	LEV
Ford Motor Company	LINCOLN	NAVIGATOR 2WD	5400	L6	3.73	9000	CA	50	CO	2.6	5.5	LEV
Ford Motor Company	LINCOLN	NAVIGATOR 2WD	5400	L6	3.73	9000	CA	50	NMOG	0.07	0.23	LEV
Ford Motor Company	LINCOLN	NAVIGATOR 2WD	5400	L6	3.73	9000	CA	50	NOX	0.1	0.7	LEV
Ford Motor Company	LINCOLN	NAVIGATOR 2WD	5400	L6	3.73	9000	CF	120	CO	3.6	7.3	LEV
Ford Motor Company	LINCOLN	NAVIGATOR 2WD	5400	L6	3.73	9000	CF	120	NMOG	0.085	0.28	LEV
Ford Motor Company	LINCOLN	NAVIGATOR 2WD	5400	L6	3.73	9000	CF	120	NOX	0.14	1.5	LEV
Ford Motor Company	LINCOLN	NAVIGATOR 2WD	5400	L6	3.73	9000	CF	50	CO	2.58	5	LEV
Ford Motor Company	LINCOLN	NAVIGATOR 2WD	5400	L6	3.73	9000	CF	50	NMOG	0.0702	0.195	LEV
Ford Motor Company	LINCOLN	NAVIGATOR 2WD	5400	L6	3.73	9000	CF	50	NOX	0.06	1.1	LEV
Ford Motor Company	LINCOLN	NAVIGATOR 2WD	5400	L6	3.73	9000	FA	120	CO	3.6	7.3	HDV
Ford Motor Company	LINCOLN	NAVIGATOR 2WD	5400	L6	3.73	9000	FA	120	HC-NM	0.087	0.28	HDV
Ford Motor Company	LINCOLN	NAVIGATOR 2WD	5400	L6	3.73	9000	FA	120	NOX	0.14	0.9	HDV
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	6500	CA	120	CO-US06	9.52	19.3	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	6500	CA	50	CO-US06	8.5	13.2	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	6500	FA	120	CO-US06	9.52	19.3	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	6500	FA	50	CO-US06	8.5	13.2	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	CA	50	CO-COLD	5.84	12.5	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	CF	50	CO-COLD	5.84	12.5	LEV
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	FA	50	CO-COLD	5.84	12.5	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	CA	120	CO	3.34	4.2	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	CA	120	HC-NM+NOX-COMP	0.22	2.09	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	CA	120	NMOG	0.1036	0.156	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	CA	120	NOX	0.135	0.2	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	CA	50	CO	2.32	3.4	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	CA	50	HC-NM+NOX-COMP	0.12	1.49	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	CA	50	NMOG	0.0888	0.125	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	CA	50	NOX	0.059	0.14	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	CF	120	CO	3.34	7.3	LEV
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	CF	120	NMOG	0.1036	0.28	LEV
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	CF	120	NOX	0.14	1.5	LEV
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	CF	50	CO	2.32	5	LEV

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	CF	50	NMOG	0.0888	0.195	LEV
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	CF	50	NOX	0.06	1.1	LEV
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	FA	120	CO	3.34	4.2	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	FA	120	HC-NM+NOX-COMP	0.216	2.09	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	FA	120	NMOG	0.1036	0.156	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	FA	120	NOX	0.135	0.2	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	FA	50	CO	2.32	3.4	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	FA	50	HC-NM+NOX-COMP	0.125	1.49	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	FA	50	NMOG	0.0888	0.125	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	FA	50	NOX	0.059	0.14	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	CA	120	CO-SC03	2.94	6.4	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	CA	50	CO-SC03	1.93	4.4	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	FA	120	CO-SC03	2.94	6.4	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	FA	50	CO-SC03	1.93	4.4	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	6500	CA	120	CO-US06	9.52	19.3	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	6500	CA	50	CO-US06	8.5	13.2	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	6500	FA	120	CO-US06	9.52	19.3	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	6500	FA	50	CO-US06	8.5	13.2	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	CA	50	CO-COLD	5.84	12.5	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	CF	50	CO-COLD	5.84	12.5	LEV
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	FA	50	CO-COLD	5.84	12.5	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	CA	120	CO	3.34	4.2	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	CA	120	HC-NM+NOX-COMP	0.22	2.09	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	CA	120	NMOG	0.1036	0.156	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	CA	120	NOX	0.135	0.2	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	CA	50	CO	2.32	3.4	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	CA	50	HC-NM+NOX-COMP	0.12	1.49	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	CA	50	NMOG	0.0888	0.125	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	CA	50	NOX	0.059	0.14	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	CF	120	CO	3.34	7.3	LEV
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	CF	120	NMOG	0.1036	0.28	LEV
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	CF	120	NOX	0.14	1.5	LEV
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	CF	50	CO	2.32	5	LEV
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	CF	50	NMOG	0.0888	0.195	LEV
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	CF	50	NOX	0.06	1.1	LEV
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	FA	120	CO	3.34	4.2	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	FA	120	HC-NM+NOX-COMP	0.216	2.09	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	FA	120	NMOG	0.1036	0.156	B8

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	FA	120	NOX	0.135	0.2	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	FA	50	CO	2.32	3.4	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	FA	50	HC-NM+NOX-COMP	0.125	1.49	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	FA	50	NMOG	0.0888	0.125	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	FA	50	NOX	0.059	0.14	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	CA	120	CO-SC03	2.94	6.4	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	CA	50	CO-SC03	1.93	4.4	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	FA	120	CO-SC03	2.94	6.4	B8
Ford Motor Company	LINCOLN	NAVIGATOR 4WD	5400	L6	3.73	7000	FA	50	CO-SC03	1.93	4.4	B8
Ford Motor Company	LINCOLN-MERCURY	LS	3	L5	3.58	4000	FC	50	CO-COLD	4.7	10	B8
Ford Motor Company	LINCOLN-MERCURY	LS	3	L5	3.58	4000	FC	100	CO	1.29	4.2	B8
Ford Motor Company	LINCOLN-MERCURY	LS	3	L5	3.58	4000	FC	100	HC-NM+NOX-COMP	0.064	0.71	B8
Ford Motor Company	LINCOLN-MERCURY	LS	3	L5	3.58	4000	FC	100	NMOG	0.0649	0.125	B8
Ford Motor Company	LINCOLN-MERCURY	LS	3	L5	3.58	4000	FC	100	NOX	0.022	0.2	B8
Ford Motor Company	LINCOLN-MERCURY	LS	3	L5	3.58	4000	FC	50	CO	1.05	3.4	B8
Ford Motor Company	LINCOLN-MERCURY	LS	3	L5	3.58	4000	FC	50	NMOG	0.0617	0.1	B8
Ford Motor Company	LINCOLN-MERCURY	LS	3	L5	3.58	4000	FC	50	NOX	0.022	0.14	B8
Ford Motor Company	LINCOLN-MERCURY	LS	3	L5	3.58	4000	FC	100	CO-US06	2.47	11.1	B8
Ford Motor Company	LINCOLN-MERCURY	LS	3	L5	3.58	4000	FC	4	CO-US06	2.01	8	B8
Ford Motor Company	LINCOLN-MERCURY	LS	3	L5	3.58	4000	FC	4	HC-NM+NOX-US06	0.039	0.14	B8
Ford Motor Company	LINCOLN-MERCURY	LS	3	L5	3.58	4000	FC	100	CO-SC03	1.2	3.7	B8
Ford Motor Company	LINCOLN-MERCURY	LS	3	L5	3.58	4000	FC	4	CO-SC03	0.74	2.7	B8
Ford Motor Company	LINCOLN-MERCURY	LS	3	L5	3.58	4000	FC	4	HC-NM+NOX-SC03	0.052	0.2	B8
Ford Motor Company	LINCOLN-MERCURY	LS	3.9	S5	3.58	4250	FC	50	CO-COLD	6.4	10	B8
Ford Motor Company	LINCOLN-MERCURY	LS	3.9	S5	3.58	4250	FC	100	CO	1.54	4.2	B8
Ford Motor Company	LINCOLN-MERCURY	LS	3.9	S5	3.58	4250	FC	100	HC-NM+NOX-COMP	0.164	0.71	B8
Ford Motor Company	LINCOLN-MERCURY	LS	3.9	S5	3.58	4250	FC	100	NMOG	0.0763	0.125	B8
Ford Motor Company	LINCOLN-MERCURY	LS	3.9	S5	3.58	4250	FC	100	NOX	0.1	0.2	B8
Ford Motor Company	LINCOLN-MERCURY	LS	3.9	S5	3.58	4250	FC	50	CO	1.23	3.4	B8
Ford Motor Company	LINCOLN-MERCURY	LS	3.9	S5	3.58	4250	FC	50	NMOG	0.0636	0.1	B8
Ford Motor Company	LINCOLN-MERCURY	LS	3.9	S5	3.58	4250	FC	50	NOX	0.057	0.14	B8
Ford Motor Company	LINCOLN-MERCURY	LS	3.9	S5	3.58	4250	FC	100	CO-US06	2.92	11.1	B8
Ford Motor Company	LINCOLN-MERCURY	LS	3.9	S5	3.58	4250	FC	4	CO-US06	2.32	8	B8
Ford Motor Company	LINCOLN-MERCURY	LS	3.9	S5	3.58	4250	FC	4	HC-NM+NOX-US06	0.034	0.14	B8
Ford Motor Company	LINCOLN-MERCURY	LS	3.9	S5	3.58	4250	FC	100	CO-SC03	1.1	3.7	B8
Ford Motor Company	LINCOLN-MERCURY	LS	3.9	S5	3.58	4250	FC	4	CO-SC03	0.5	2.7	B8
Ford Motor Company	LINCOLN-MERCURY	LS	3.9	S5	3.58	4250	FC	4	HC-NM+NOX-SC03	0.05	0.2	B8
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	50	CO-COLD	4.5	10	L2

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	50	CO-COLD	4.5	10	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	50	CO-COLD	4.5	10	B5
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	100	HC-NM+NOX-COMP	0.11	0.65	L2
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	100	NOX	0.057	0.07	L2
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	120	CO	0.83	4.2	L2
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	120	NMOG	0.068	0.09	L2
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	50	CO	0.59	3.4	L2
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	50	NMOG	0.0436	0.075	L2
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	50	NOX	0.024	0.05	L2
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	100	CO	0.78	4.2	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	100	NMOG	0.061	0.09	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	100	NOX	0.05	0.3	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	50	CO	0.59	3.4	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	50	HC-TOTAL	0.055	0.41	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	50	NMOG	0.044	0.075	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	50	NOX	0.02	0.2	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	120	CO	0.83	4.2	B5
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	120	HC-NM+NOX-COMP	0.11	0.65	B5
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	120	NMOG	0.068	0.09	B5
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	120	NOX	0.057	0.07	B5
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	50	CO	0.59	3.4	B5
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	50	NMOG	0.0436	0.075	B5
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	50	NOX	0.024	0.05	B5
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	4	CO-US06	1.1	8	L2
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	4	HC-NM+NOX-US06	0.014	0.14	L2
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	4	CO-US06	1.1	8	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	4	HC-NM+NOX-US06	0.02	0.14	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	120	CO-US06	1.5	11.1	B5
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	4	CO-US06	1.1	8	B5
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	4	HC-NM+NOX-US06	0.014	0.14	B5
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	4	CO-SC03	0.78	2.7	L2
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	4	HC-NM+NOX-SC03	0.01	0.2	L2
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	4	CO-SC03	0.8	2.7	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	4	HC-NM+NOX-SC03	0	0.2	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	120	CO-SC03	1.2	3.7	B5
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	4	CO-SC03	0.78	2.7	B5
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	4	HC-NM+NOX-SC03	0.01	0.2	B5
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	50	CO-COLD	4.5	10	L2

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	50	CO-COLD	4.5	10	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	50	CO-COLD	4.5	10	B5
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	100	HC-NM+NOX-COMP	0.11	0.65	L2
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	100	NOX	0.056	0.07	L2
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	120	CO	0.77	4.2	L2
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	120	NMOG	0.058	0.09	L2
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	50	CO	0.54	3.4	L2
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	50	NMOG	0.0337	0.075	L2
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	50	NOX	0.023	0.05	L2
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	100	CO	0.72	4.2	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	100	NMOG	0.051	0.09	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	100	NOX	0.05	0.3	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	50	CO	0.54	3.4	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	50	HC-TOTAL	0.044	0.41	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	50	NMOG	0.034	0.075	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	50	NOX	0.02	0.2	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	120	CO	0.77	4.2	B5
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	120	HC-NM+NOX-COMP	0.11	0.65	B5
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	120	NMOG	0.058	0.09	B5
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	120	NOX	0.056	0.07	B5
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	50	CO	0.54	3.4	B5
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	50	NMOG	0.0337	0.075	B5
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	50	NOX	0.023	0.05	B5
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	4	CO-US06	1.1	8	L2
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	4	HC-NM+NOX-US06	0.014	0.14	L2
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	4	CO-US06	1.1	8	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	4	HC-NM+NOX-US06	0.02	0.14	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	120	CO-US06	1.5	11.1	B5
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	4	CO-US06	1.1	8	B5
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	4	HC-NM+NOX-US06	0.014	0.14	B5
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	4	CO-SC03	0.78	2.7	L2
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	4	HC-NM+NOX-SC03	0.01	0.2	L2
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	4	CO-SC03	0.8	2.7	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	4	HC-NM+NOX-SC03	0	0.2	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	120	CO-SC03	1.2	3.7	B5
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	4	CO-SC03	0.78	2.7	B5
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	4	HC-NM+NOX-SC03	0.01	0.2	B5
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	CA	50	CO-COLD	5	10	B7

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	CF	50	CO-COLD	4.9	10	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	FA	50	CO-COLD	4.9	10	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	CA	100	CO	0.8	4.2	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	CA	100	HC-NM+NOX-COMP	0.09	0.68	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	CA	100	NMOG	0.06	0.09	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	CA	100	NOX	0.05	0.15	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	CA	50	CO	0.6	3.4	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	CA	50	NMOG	0.041	0.075	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	CA	50	NOX	0.02	0.11	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	CF	100	CO	0.73	4.2	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	CF	100	NMOG	0.039	0.09	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	CF	100	NOX	0.03	0.3	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	CF	50	CO	0.6	3.4	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	CF	50	HC-TOTAL	0.04	0.41	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	CF	50	NMOG	0.032	0.075	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	CF	50	NOX	0.02	0.2	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	FA	100	CO	0.7	4.2	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	FA	100	HC-NM+NOX-COMP	0.06	0.68	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	FA	100	NMOG	0.04	0.09	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	FA	100	NOX	0.03	0.15	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	FA	50	CO	0.6	3.4	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	FA	50	NMOG	0.032	0.075	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	FA	50	NOX	0.02	0.11	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	CA	100	CO-US06	1.5	11.1	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	CA	4	CO-US06	1.1	8	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	CA	4	HC-NM+NOX-US06	0	0.14	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	FA	100	CO-US06	1.4	11.1	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	FA	4	CO-US06	1.1	8	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	FA	4	HC-NM+NOX-US06	0	0.14	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	CA	100	CO-SC03	1.2	3.7	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	CA	4	CO-SC03	0.8	2.7	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	CA	4	HC-NM+NOX-SC03	0	0.2	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	FA	100	CO-SC03	1.1	3.7	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	FA	4	CO-SC03	0.8	2.7	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	FA	4	HC-NM+NOX-SC03	0	0.2	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	CA	50	CO-COLD	5	10	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	CF	50	CO-COLD	4.9	10	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	FA	50	CO-COLD	4.9	10	B7

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	CA	100	CO	0.8	4.2	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	CA	100	HC-NM+NOX-COMP	0.09	0.68	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	CA	100	NMOG	0.06	0.09	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	CA	100	NOX	0.05	0.15	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	CA	50	CO	0.6	3.4	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	CA	50	NMOG	0.041	0.075	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	CA	50	NOX	0.02	0.11	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	CF	100	CO	0.73	4.2	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	CF	100	NMOG	0.039	0.09	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	CF	100	NOX	0.03	0.3	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	CF	50	CO	0.6	3.4	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	CF	50	HC-TOTAL	0.04	0.41	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	CF	50	NMOG	0.032	0.075	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	CF	50	NOX	0.02	0.2	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	FA	100	CO	0.7	4.2	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	FA	100	HC-NM+NOX-COMP	0.06	0.68	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	FA	100	NMOG	0.04	0.09	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	FA	100	NOX	0.03	0.15	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	FA	50	CO	0.6	3.4	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	FA	50	NMOG	0.032	0.075	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	FA	50	NOX	0.02	0.11	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	CA	100	CO-US06	1.5	11.1	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	CA	4	CO-US06	1.1	8	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	CA	4	HC-NM+NOX-US06	0	0.14	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	FA	100	CO-US06	1.4	11.1	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	FA	4	CO-US06	1.1	8	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	FA	4	HC-NM+NOX-US06	0	0.14	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	CA	100	CO-SC03	1.2	3.7	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	CA	4	CO-SC03	0.8	2.7	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	CA	4	HC-NM+NOX-SC03	0	0.2	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	FA	100	CO-SC03	1.1	3.7	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	FA	4	CO-SC03	0.8	2.7	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.55	6500	FA	4	HC-NM+NOX-SC03	0	0.2	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	50	CO-COLD	4.5	10	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	50	CO-COLD	4.5	10	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	50	CO-COLD	4.5	10	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	100	CO	0.8	4.2	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	100	HC-NM+NOX-COMP	0.1	0.68	B7



2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	100	NMOG	0.06	0.09	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	100	NOX	0.05	0.15	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	50	CO	0.6	3.4	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	50	NMOG	0.044	0.075	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	50	NOX	0.02	0.11	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	100	CO	0.76	4.2	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	100	NMOG	0.061	0.09	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	100	NOX	0.05	0.3	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	50	CO	0.59	3.4	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	50	HC-TOTAL	0.055	0.41	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	50	NMOG	0.044	0.075	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	50	NOX	0.02	0.2	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	100	CO	0.8	4.2	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	100	HC-NM+NOX-COMP	0.1	0.68	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	100	NMOG	0.06	0.09	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	100	NOX	0.05	0.15	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	50	CO	0.6	3.4	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	50	NMOG	0.044	0.075	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	50	NOX	0.02	0.11	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	100	CO-US06	1.5	11.1	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	4	CO-US06	1.1	8	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	4	HC-NM+NOX-US06	0.02	0.14	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	4	CO-US06	1.1	8	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	4	HC-NM+NOX-US06	0.02	0.14	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	100	CO-US06	1.5	11.1	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	4	CO-US06	1.1	8	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	4	HC-NM+NOX-US06	0.02	0.14	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	100	CO-SC03	1.2	3.7	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	4	CO-SC03	0.8	2.7	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	4	HC-NM+NOX-SC03	0	0.2	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	4	CO-SC03	0.8	2.7	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	4	HC-NM+NOX-SC03	0	0.2	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	100	CO-SC03	1.2	3.7	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	4	CO-SC03	0.8	2.7	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	4	HC-NM+NOX-SC03	0	0.2	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	50	CO-COLD	4.5	10	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	50	CO-COLD	4.5	10	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	50	CO-COLD	4.5	10	B7

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	100	CO	0.7	4.2	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	100	HC-NM+NOX-COMP	0.09	0.68	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	100	NMOG	0.05	0.09	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	100	NOX	0.05	0.15	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	50	CO	0.5	3.4	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	50	NMOG	0.034	0.075	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	50	NOX	0.02	0.11	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	100	CO	0.71	4.2	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	100	NMOG	0.051	0.09	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	100	NOX	0.05	0.3	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	50	CO	0.54	3.4	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	50	HC-TOTAL	0.044	0.41	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	50	NMOG	0.034	0.075	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	50	NOX	0.02	0.2	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	100	CO	0.7	4.2	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	100	HC-NM+NOX-COMP	0.09	0.68	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	100	NMOG	0.05	0.09	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	100	NOX	0.05	0.15	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	50	CO	0.5	3.4	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	50	NMOG	0.034	0.075	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	50	NOX	0.02	0.11	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	100	CO-US06	1.5	11.1	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	4	CO-US06	1.1	8	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	4	HC-NM+NOX-US06	0.02	0.14	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	4	CO-US06	1.1	8	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	4	HC-NM+NOX-US06	0.02	0.14	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	100	CO-US06	1.5	11.1	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	4	CO-US06	1.1	8	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	4	HC-NM+NOX-US06	0.02	0.14	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	100	CO-SC03	1.2	3.7	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	4	CO-SC03	0.8	2.7	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CA	4	HC-NM+NOX-SC03	0	0.2	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	4	CO-SC03	0.8	2.7	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	CF	4	HC-NM+NOX-SC03	0	0.2	LEV
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	100	CO-SC03	1.2	3.7	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	4	CO-SC03	0.8	2.7	B7
Ford Motor Company	LINCOLN-MERCURY	TOWN CAR	4600	L4	3.27	4750	FA	4	HC-NM+NOX-SC03	0	0.2	B7
Ford Motor Company	MAZDA	B4000 4WD	4000	L5	4.1	4250	CA	50	CO-COLD	5.07	12.5	L2

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	MAZDA	B4000 4WD	4000	L5	4.1	4250	CA	120	CO	0.85	4.2	L2
Ford Motor Company	MAZDA	B4000 4WD	4000	L5	4.1	4250	CA	120	NMOG	0.043	0.09	L2
Ford Motor Company	MAZDA	B4000 4WD	4000	L5	4.1	4250	CA	120	NOX	0.024	0.07	L2
Ford Motor Company	MAZDA	B4000 4WD	4000	L5	4.1	4250	CA	50	CO	0.66	3.4	L2
Ford Motor Company	MAZDA	B4000 4WD	4000	L5	4.1	4250	CA	50	NMOG	0.031	0.075	L2
Ford Motor Company	MAZDA	B4000 4WD	4000	L5	4.1	4250	CA	50	NOX	0.011	0.05	L2
Ford Motor Company	MAZDA	B4000 4WD	4000	L5	4.1	4250	CA	4	50-CO	1.65	3.4	L2
Ford Motor Company	MAZDA	B4000 4WD	4000	L5	4.1	4250	CA	4	50-HCHO	0.0006	0.03	L2
Ford Motor Company	MAZDA	B4000 4WD	4000	L5	4.1	4250	CA	4	50-NMOG	0.1039	0.15	L2
Ford Motor Company	MAZDA	B4000 4WD	4000	L5	4.1	4250	CA	4	50-NOX	0.006	0.05	L2
Ford Motor Company	MAZDA	B4000 4WD	4000	L5	4.1	4250	CA	4	CO-US06	4.59	10.5	L2
Ford Motor Company	MAZDA	B4000 4WD	4000	L5	4.1	4250	CA	4	HC-NM+NOX-US06	0.066	0.25	L2
Ford Motor Company	MAZDA	B4000 4WD	4000	L5	4.1	4250	CA	4	CO-SC03	0.94	3.5	L2
Ford Motor Company	MAZDA	B4000 4WD	4000	L5	4.1	4250	CA	4	HC-NM+NOX-SC03	0.033	0.27	L2
Ford Motor Company	MAZDA	B4000 4WD	4000	M5	4.1	4250	CA	50	CO-COLD	4.73	12.5	B9
Ford Motor Company	MAZDA	B4000 4WD	4000	M5	4.1	4250	FA	50	CO-COLD	4.73	12.5	B9
Ford Motor Company	MAZDA	B4000 4WD	4000	M5	4.1	4250	CA	100	CO	0.85	4.2	B9
Ford Motor Company	MAZDA	B4000 4WD	4000	M5	4.1	4250	CA	100	HC-NM+NOX-COMP	0.122	1.04	B9
Ford Motor Company	MAZDA	B4000 4WD	4000	M5	4.1	4250	CA	100	NMOG	0.063	0.13	B9
Ford Motor Company	MAZDA	B4000 4WD	4000	M5	4.1	4250	CA	100	NOX	0.07	0.3	B9
Ford Motor Company	MAZDA	B4000 4WD	4000	M5	4.1	4250	CA	50	CO	0.68	3.4	B9
Ford Motor Company	MAZDA	B4000 4WD	4000	M5	4.1	4250	CA	50	NMOG	0.0456	0.1	B9
Ford Motor Company	MAZDA	B4000 4WD	4000	M5	4.1	4250	CA	50	NOX	0.04	0.2	B9
Ford Motor Company	MAZDA	B4000 4WD	4000	M5	4.1	4250	CF	100	CO	0.85	5.5	B9
Ford Motor Company	MAZDA	B4000 4WD	4000	M5	4.1	4250	CF	100	NMOG	0.063	0.13	B9
Ford Motor Company	MAZDA	B4000 4WD	4000	M5	4.1	4250	CF	100	NOX	0.07	0.5	B9
Ford Motor Company	MAZDA	B4000 4WD	4000	M5	4.1	4250	CF	50	CO	0.68	4.4	B9
Ford Motor Company	MAZDA	B4000 4WD	4000	M5	4.1	4250	CF	50	NMOG	0.0456	0.1	B9
Ford Motor Company	MAZDA	B4000 4WD	4000	M5	4.1	4250	CF	50	NOX	0.04	0.4	B9
Ford Motor Company	MAZDA	B4000 4WD	4000	M5	4.1	4250	FA	100	CO	0.85	4.2	B9
Ford Motor Company	MAZDA	B4000 4WD	4000	M5	4.1	4250	FA	100	HC-NM+NOX-COMP	0.122	1.04	B9
Ford Motor Company	MAZDA	B4000 4WD	4000	M5	4.1	4250	FA	100	NMOG	0.063	0.13	B9
Ford Motor Company	MAZDA	B4000 4WD	4000	M5	4.1	4250	FA	100	NOX	0.07	0.3	B9
Ford Motor Company	MAZDA	B4000 4WD	4000	M5	4.1	4250	FA	50	CO	0.68	3.4	B9
Ford Motor Company	MAZDA	B4000 4WD	4000	M5	4.1	4250	FA	50	NMOG	0.0456	0.1	B9
Ford Motor Company	MAZDA	B4000 4WD	4000	M5	4.1	4250	FA	50	NOX	0.04	0.2	B9
Ford Motor Company	MAZDA	B4000 4WD	4000	M5	4.1	4250	CA	100	CO-US06	1.96	14.6	B9
Ford Motor Company	MAZDA	B4000 4WD	4000	M5	4.1	4250	CA	4	CO-US06	1.64	10.5	B9

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	MAZDA	B4000 4WD	4000	M5	4.1	4250	CA	4	HC-NM+NOX-US06	0.074	0.25	B9
Ford Motor Company	MAZDA	B4000 4WD	4000	M5	4.1	4250	FA	100	CO-US06	1.96	14.6	B9
Ford Motor Company	MAZDA	B4000 4WD	4000	M5	4.1	4250	FA	4	CO-US06	1.64	10.5	B9
Ford Motor Company	MAZDA	B4000 4WD	4000	M5	4.1	4250	FA	4	HC-NM+NOX-US06	0.074	0.25	B9
Ford Motor Company	MAZDA	B4000 4WD	4000	M5	4.1	4250	CA	100	CO-SC03	0.69	4.9	B9
Ford Motor Company	MAZDA	B4000 4WD	4000	M5	4.1	4250	CA	4	CO-SC03	0.37	3.5	B9
Ford Motor Company	MAZDA	B4000 4WD	4000	M5	4.1	4250	CA	4	HC-NM+NOX-SC03	0.024	0.27	B9
Ford Motor Company	MAZDA	B4000 4WD	4000	M5	4.1	4250	FA	100	CO-SC03	0.69	4.9	B9
Ford Motor Company	MAZDA	B4000 4WD	4000	M5	4.1	4250	FA	4	CO-SC03	0.37	3.5	B9
Ford Motor Company	MAZDA	B4000 4WD	4000	M5	4.1	4250	FA	4	HC-NM+NOX-SC03	0.024	0.27	B9
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	CA	50	CO-COLD	2.51	10	L2
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	CF	50	CO-COLD	2.51	10.5	LEV
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	FA	50	CO-COLD	2.51	10	B5
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	CA	120	CO	0.48	4.2	L2
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	CA	120	NMOG	0.072	0.09	L2
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	CA	120	NOX	0.037	0.07	L2
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	CA	50	CO	0.26	3.4	L2
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	CA	50	NMOG	0.0424	0.075	L2
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	CA	50	NOX	0.023	0.05	L2
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	CF	100	CO	0.42	4.2	LEV
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	CF	100	NMOG	0.064	0.09	LEV
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	CF	100	NOX	0.03	0.3	LEV
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	CF	50	CO	0.26	3.4	LEV
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	CF	50	NMOG	0.0424	0.075	LEV
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	CF	50	NOX	0.02	0.2	LEV
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	FA	120	CO	0.48	4.2	B5
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	FA	120	HC-NM+NOX-COMP	0.115	0.65	B5
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	FA	120	NMOG	0.072	0.09	B5
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	FA	120	NOX	0.037	0.07	B5
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	FA	50	CO	0.26	3.4	B5
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	FA	50	NMOG	0.0424	0.075	B5
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	FA	50	NOX	0.023	0.05	B5
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	CA	4	CO-US06	3.27	8	L2
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	CA	4	HC-NM+NOX-US06	0.094	0.14	L2
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	FA	120	CO-US06	3.65	11.1	B5
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	FA	4	CO-US06	3.27	8	B5
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	FA	4	HC-NM+NOX-US06	0.094	0.14	B5
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	CA	4	CO-SC03	0.33	2.7	L2

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	CA	4	HC-NM+NOX-SC03	0.01	0.2	L2
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	FA	120	CO-SC03	0.71	3.7	B5
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	FA	4	CO-SC03	0.33	2.7	B5
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	FA	4	HC-NM+NOX-SC03	0.01	0.2	B5
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	CA	50	CO-COLD	2.51	12.5	L2
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	CF	50	CO-COLD	2.51	12.5	LEV
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	FA	50	CO-COLD	2.51	12.5	B5
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	CA	120	CO	0.48	4.2	L2
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	CA	120	NMOG	0.072	0.09	L2
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	CA	120	NOX	0.037	0.07	L2
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	CA	50	CO	0.26	3.4	L2
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	CA	50	NMOG	0.0424	0.075	L2
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	CA	50	NOX	0.023	0.05	L2
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	CF	100	CO	0.42	5.5	LEV
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	CF	100	NMOG	0.064	0.13	LEV
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	CF	100	NOX	0.03	0.5	LEV
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	CF	50	CO	0.26	4.4	LEV
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	CF	50	NMOG	0.042	0.1	LEV
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	CF	50	NOX	0.02	0.4	LEV
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	FA	120	CO	0.48	4.2	B5
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	FA	120	HC-NM+NOX-COMP	0.115	0.95	B5
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	FA	120	NMOG	0.072	0.09	B5
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	FA	120	NOX	0.037	0.07	B5
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	FA	50	CO	0.26	3.4	B5
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	FA	50	NMOG	0.0424	0.075	B5
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	FA	50	NOX	0.023	0.05	B5
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	CA	4	CO-US06	3.27	10.5	L2
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	CA	4	HC-NM+NOX-US06	0.094	0.25	L2
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	FA	120	CO-US06	3.65	14.6	B5
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	FA	4	CO-US06	3.27	10.5	B5
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	FA	4	HC-NM+NOX-US06	0.094	0.25	B5
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	CA	4	CO-SC03	0.33	3.5	L2
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	CA	4	HC-NM+NOX-SC03	0.01	0.27	L2
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	FA	120	CO-SC03	0.71	4.9	B5
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	FA	4	CO-SC03	0.33	3.5	B5
Ford Motor Company	MERCURY	MARINER 4WD	3	L4	3.77	3875	FA	4	HC-NM+NOX-SC03	0.01	0.27	B5
Ford Motor Company	MERCURY	MONTEREY WAGON FWD	4.2	L4	3.54	4750	FC	50	CO-COLD	2.25	12.5	B8
Ford Motor Company	MERCURY	MONTEREY WAGON FWD	4.2	L4	3.54	4750	CF	100	CO	1.24	5.5	LEV

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	MERCURY	MONTEREY WAGON FWD	4.2	L4	3.54	4750	CF	100	NMOG	0.0677	0.13	LEV
Ford Motor Company	MERCURY	MONTEREY WAGON FWD	4.2	L4	3.54	4750	CF	100	NOX	0.08	0.5	LEV
Ford Motor Company	MERCURY	MONTEREY WAGON FWD	4.2	L4	3.54	4750	CF	120	HC-TOTAL	0.11	0.8	LEV
Ford Motor Company	MERCURY	MONTEREY WAGON FWD	4.2	L4	3.54	4750	CF	50	CO	0.75	4.4	LEV
Ford Motor Company	MERCURY	MONTEREY WAGON FWD	4.2	L4	3.54	4750	CF	50	NMOG	0.0465	0.1	LEV
Ford Motor Company	MERCURY	MONTEREY WAGON FWD	4.2	L4	3.54	4750	CF	50	NOX	0.05	0.4	LEV
Ford Motor Company	MERCURY	MONTEREY WAGON FWD	4.2	L4	3.54	4750	FC	100	CO	1.24	4.2	B8
Ford Motor Company	MERCURY	MONTEREY WAGON FWD	4.2	L4	3.54	4750	FC	100	HC-NM+NOX-COMP	0.156	1	B8
Ford Motor Company	MERCURY	MONTEREY WAGON FWD	4.2	L4	3.54	4750	FC	100	NMOG	0.0677	0.125	B8
Ford Motor Company	MERCURY	MONTEREY WAGON FWD	4.2	L4	3.54	4750	FC	100	NOX	0.08	0.2	B8
Ford Motor Company	MERCURY	MONTEREY WAGON FWD	4.2	L4	3.54	4750	FC	50	CO	0.75	3.4	B8
Ford Motor Company	MERCURY	MONTEREY WAGON FWD	4.2	L4	3.54	4750	FC	50	NMOG	0.0465	0.1	B8
Ford Motor Company	MERCURY	MONTEREY WAGON FWD	4.2	L4	3.54	4750	FC	50	NOX	0.052	0.14	B8
Ford Motor Company	MERCURY	MONTEREY WAGON FWD	4.2	L4	3.54	4750	FC	100	CO-US06	6.29	14.6	B8
Ford Motor Company	MERCURY	MONTEREY WAGON FWD	4.2	L4	3.54	4750	FC	4	CO-US06	5.36	10.5	B8
Ford Motor Company	MERCURY	MONTEREY WAGON FWD	4.2	L4	3.54	4750	FC	4	HC-NM+NOX-US06	0.062	0.25	B8
Ford Motor Company	MERCURY	MONTEREY WAGON FWD	4.2	L4	3.54	4750	FC	100	CO-SC03	3.47	4.9	B8
Ford Motor Company	MERCURY	MONTEREY WAGON FWD	4.2	L4	3.54	4750	FC	4	CO-SC03	2.54	3.5	B8
Ford Motor Company	MERCURY	MONTEREY WAGON FWD	4.2	L4	3.54	4750	FC	4	HC-NM+NOX-SC03	0.069	0.27	B8
Ford Motor Company	MERCURY	MOUNTAINEER 4WD	4.6	L5	3.73	5000	CA	50	CO-COLD	2.34	12.5	L2
Ford Motor Company	MERCURY	MOUNTAINEER 4WD	4.6	L5	3.73	5000	CF	50	CO-COLD	2.3	12.5	LEV
Ford Motor Company	MERCURY	MOUNTAINEER 4WD	4.6	L5	3.73	5000	FA	50	CO-COLD	2.34	12.5	B5
Ford Motor Company	MERCURY	MOUNTAINEER 4WD	4.6	L5	3.73	5000	CA	120	CO	1.07	4.2	L2
Ford Motor Company	MERCURY	MOUNTAINEER 4WD	4.6	L5	3.73	5000	CA	120	NMOG	0.0615	0.09	L2
Ford Motor Company	MERCURY	MOUNTAINEER 4WD	4.6	L5	3.73	5000	CA	120	NOX	0.05	0.07	L2
Ford Motor Company	MERCURY	MOUNTAINEER 4WD	4.6	L5	3.73	5000	CA	50	CO	0.69	3.4	L2
Ford Motor Company	MERCURY	MOUNTAINEER 4WD	4.6	L5	3.73	5000	CA	50	NMOG	0.0451	0.075	L2
Ford Motor Company	MERCURY	MOUNTAINEER 4WD	4.6	L5	3.73	5000	CA	50	NOX	0.02	0.05	L2
Ford Motor Company	MERCURY	MOUNTAINEER 4WD	4.6	L5	3.73	5000	CF	120	CO	1.07	5.5	LEV
Ford Motor Company	MERCURY	MOUNTAINEER 4WD	4.6	L5	3.73	5000	CF	120	NMOG	0.0615	0.13	LEV
Ford Motor Company	MERCURY	MOUNTAINEER 4WD	4.6	L5	3.73	5000	CF	120	NOX	0.05	0.5	LEV
Ford Motor Company	MERCURY	MOUNTAINEER 4WD	4.6	L5	3.73	5000	CF	50	CO	0.69	4.4	LEV
Ford Motor Company	MERCURY	MOUNTAINEER 4WD	4.6	L5	3.73	5000	CF	50	NMOG	0.045	0.1	LEV
Ford Motor Company	MERCURY	MOUNTAINEER 4WD	4.6	L5	3.73	5000	CF	50	NOX	0.02	0.4	LEV
Ford Motor Company	MERCURY	MOUNTAINEER 4WD	4.6	L5	3.73	5000	FA	120	CO	1.07	4.2	B5
Ford Motor Company	MERCURY	MOUNTAINEER 4WD	4.6	L5	3.73	5000	FA	120	HC-NM+NOX-COMP	0.09	0.95	B5
Ford Motor Company	MERCURY	MOUNTAINEER 4WD	4.6	L5	3.73	5000	FA	120	NMOG	0.0615	0.09	B5
Ford Motor Company	MERCURY	MOUNTAINEER 4WD	4.6	L5	3.73	5000	FA	120	NOX	0.05	0.07	B5

**2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results**

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	MERCURY	MOUNTAINEER 4WD	4.6	L5	3.73	5000	FA	50	CO	0.69	3.4	B5
Ford Motor Company	MERCURY	MOUNTAINEER 4WD	4.6	L5	3.73	5000	FA	50	NMOG	0.0451	0.075	B5
Ford Motor Company	MERCURY	MOUNTAINEER 4WD	4.6	L5	3.73	5000	FA	50	NOX	0.02	0.05	B5
Ford Motor Company	MERCURY	MOUNTAINEER 4WD	4.6	L5	3.73	5000	CA	4	CO-US06	4.02	10.5	L2
Ford Motor Company	MERCURY	MOUNTAINEER 4WD	4.6	L5	3.73	5000	CA	4	HC-NM+NOX-US06	0.024	0.25	L2
Ford Motor Company	MERCURY	MOUNTAINEER 4WD	4.6	L5	3.73	5000	FA	120	CO-US06	4.6	14.6	B5
Ford Motor Company	MERCURY	MOUNTAINEER 4WD	4.6	L5	3.73	5000	FA	4	CO-US06	4.02	10.5	B5
Ford Motor Company	MERCURY	MOUNTAINEER 4WD	4.6	L5	3.73	5000	FA	4	HC-NM+NOX-US06	0.024	0.25	B5
Ford Motor Company	MERCURY	MOUNTAINEER 4WD	4.6	L5	3.73	5000	CA	4	CO-SC03	1.3	3.5	L2
Ford Motor Company	MERCURY	MOUNTAINEER 4WD	4.6	L5	3.73	5000	CA	4	HC-NM+NOX-SC03	0.014	0.27	L2
Ford Motor Company	MERCURY	MOUNTAINEER 4WD	4.6	L5	3.73	5000	FA	120	CO-SC03	1.9	4.9	B5
Ford Motor Company	MERCURY	MOUNTAINEER 4WD	4.6	L5	3.73	5000	FA	4	CO-SC03	1.3	3.5	B5
Ford Motor Company	MERCURY	MOUNTAINEER 4WD	4.6	L5	3.73	5000	FA	4	HC-NM+NOX-SC03	0.014	0.27	B5
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CA	50	CO-COLD	3.35	12.5	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	FA	50	CO-COLD	3.35	12.5	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CA	50	CO-COLD	2.69	12.5	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	FA	50	CO-COLD	2.69	12.5	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CA	100	CO	1.82	4.2	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CA	100	HCHO	0.0016	0.018	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CA	100	NMOG	0.083	0.13	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CA	100	NOX	0.22	0.3	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CA	50	CO	1.09	3.4	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CA	50	HCHO	0.0012	0.015	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CA	50	NMOG	0.07	0.1	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CA	50	NOX	0.14	0.2	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CF	100	CO	1.82	5.5	LEV
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CF	100	HCHO	0.002	0.023	LEV
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CF	100	NMOG	0.083	0.13	LEV
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CF	100	NOX	0.22	0.5	LEV
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CF	50	CO	1.09	4.4	LEV
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CF	50	HCHO	0.001	0.018	LEV
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CF	50	NMOG	0.0697	0.1	LEV
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CF	50	NOX	0.14	0.4	LEV
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	FA	100	CO	1.82	4.2	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	FA	100	HCHO	0.0016	0.018	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	FA	100	NMOG	0.083	0.13	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	FA	100	NOX	0.22	0.3	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	FA	50	CO	1.09	3.4	B9

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	FA	50	HCHO	0.0012	0.015	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	FA	50	NMOG	0.07	0.1	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	FA	50	NOX	0.14	0.2	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CA	100	CO	2.16	4.2	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CA	100	HC-NM+NOX-COMP	0.22	1.05	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CA	100	NMOG	0.0628	0.156	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CA	100	NOX	0.19	0.3	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CA	50	CO	1.42	3.4	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CA	50	NMOG	0.0495	0.125	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CA	50	NOX	0.11	0.2	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CF	100	CO	2.16	5.5	LEV
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CF	100	NMOG	0.0628	0.2	TLEV
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CF	100	NOX	0.19	0.5	LEV
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CF	50	CO	1.42	4.4	LEV
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CF	50	NMOG	0.0495	0.16	TLEV
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CF	50	NOX	0.11	0.4	LEV
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	FA	100	CO	2.16	4.2	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	FA	100	HC-NM+NOX-COMP	0.22	1.05	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	FA	100	NMOG	0.0628	0.156	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	FA	100	NOX	0.19	0.3	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	FA	50	CO	1.42	3.4	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	FA	50	NMOG	0.0495	0.125	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	FA	50	NOX	0.11	0.2	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CA	100	CO-US06	6.6	14.6	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CA	4	CO-US06	5.92	10.5	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CA	4	HC-NM+NOX-US06	0.047	0.25	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	FA	100	CO-US06	6.6	14.6	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	FA	4	CO-US06	5.92	10.5	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	FA	4	HC-NM+NOX-US06	0.047	0.25	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CA	100	CO-SC03	2.2	4.9	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CA	4	CO-SC03	0.82	3.5	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CA	4	HC-NM+NOX-SC03	0.028	0.27	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	FA	100	CO-SC03	2.2	4.9	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	FA	4	CO-SC03	0.82	3.5	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	FA	4	HC-NM+NOX-SC03	0.028	0.27	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CA	50	CO-COLD	3.35	12.5	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	FA	50	CO-COLD	3.35	12.5	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CA	100	CO	2.16	4.2	B9



2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CA	100	HC-NM+NOX-COMP	0.22	1.04	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CA	100	NMOG	0.063	0.13	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CA	100	NOX	0.19	0.3	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CA	50	CO	1.42	3.4	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CA	50	NMOG	0.05	0.1	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CA	50	NOX	0.11	0.2	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CF	100	CO	2.16	5.5	LEV
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CF	100	NMOG	0.0628	0.13	LEV
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CF	100	NOX	0.19	0.5	LEV
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CF	50	CO	1.42	4.4	LEV
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CF	50	NMOG	0.0495	0.1	LEV
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CF	50	NOX	0.11	0.4	LEV
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	FA	100	CO	2.16	4.2	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	FA	100	HC-NM+NOX-COMP	0.22	1.04	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	FA	100	NMOG	0.063	0.13	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	FA	100	NOX	0.19	0.3	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	FA	50	CO	1.42	3.4	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	FA	50	NMOG	0.05	0.1	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	FA	50	NOX	0.11	0.2	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CA	100	CO-US06	6.6	14.6	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CA	4	CO-US06	5.92	10.5	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CA	4	HC-NM+NOX-US06	0.047	0.25	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	FA	100	CO-US06	6.6	14.6	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	FA	4	CO-US06	5.92	10.5	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	FA	4	HC-NM+NOX-US06	0.047	0.25	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CA	100	CO-SC03	2.2	4.9	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CA	4	CO-SC03	0.82	3.5	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	CA	4	HC-NM+NOX-SC03	0.028	0.27	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	FA	100	CO-SC03	2.2	4.9	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	FA	4	CO-SC03	0.82	3.5	B9
Ford Motor Company	MERCURY	MOUNTAINEER 4WD FFV	4	L5	3.73	5000	FA	4	HC-NM+NOX-SC03	0.028	0.27	B9
GENERAL MOTORS	BUICK	LACROSSE/ALLURE	3800	L4	3.05	3875	CA	50	CO-COLD	4.6	10	SLEV
GENERAL MOTORS	BUICK	LACROSSE/ALLURE	3800	L4	3.05	3875	CA	150	CO	0.2	1	SLEV
GENERAL MOTORS	BUICK	LACROSSE/ALLURE	3800	L4	3.05	3875	CA	150	NMOG	0.006	0.01	SLEV
GENERAL MOTORS	BUICK	LACROSSE/ALLURE	3800	L4	3.05	3875	CA	150	NOX	0.01	0.02	SLEV
GENERAL MOTORS	BUICK	LACROSSE/ALLURE	3800	L4	3.05	3875	CA	4	50-CO	0.4	1	SLEV
GENERAL MOTORS	BUICK	LACROSSE/ALLURE	3800	L4	3.05	3875	CA	4	50-NMOG	0.013	0.02	SLEV
GENERAL MOTORS	BUICK	LACROSSE/ALLURE	3800	L4	3.05	3875	CA	4	50-NOX	0.01	0.02	SLEV

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
GENERAL MOTORS	BUICK	LACROSSE/ALLURE	3800	L4	3.05	3875	CA	4	CO-US06	1.3	8	SLEV
GENERAL MOTORS	BUICK	LACROSSE/ALLURE	3800	L4	3.05	3875	CA	4	HC-NM+NOX-US06	0.01	0.14	SLEV
GENERAL MOTORS	BUICK	LACROSSE/ALLURE	3800	L4	3.05	3875	CA	4	CO-SC03	0.1	2.7	SLEV
GENERAL MOTORS	BUICK	LACROSSE/ALLURE	3800	L4	3.05	3875	CA	4	HC-NM+NOX-SC03	0.03	0.2	SLEV
GENERAL MOTORS	BUICK	PARK AVENUE	3800	L4	2.93	4250	FC	50	CO-COLD	3.6	10	B8
GENERAL MOTORS	BUICK	PARK AVENUE	3800	L4	2.93	4250	FC	100	CO	1	4.2	B8
GENERAL MOTORS	BUICK	PARK AVENUE	3800	L4	2.93	4250	FC	100	HC-NM+NOX-COMP	0.12	0.71	B8
GENERAL MOTORS	BUICK	PARK AVENUE	3800	L4	2.93	4250	FC	100	NMOG	0.062	0.125	B8
GENERAL MOTORS	BUICK	PARK AVENUE	3800	L4	2.93	4250	FC	100	NOX	0.09	0.2	B8
GENERAL MOTORS	BUICK	PARK AVENUE	3800	L4	2.93	4250	FC	50	CO	1	3.4	B8
GENERAL MOTORS	BUICK	PARK AVENUE	3800	L4	2.93	4250	FC	50	NMOG	0.057	0.1	B8
GENERAL MOTORS	BUICK	PARK AVENUE	3800	L4	2.93	4250	FC	50	NOX	0.06	0.14	B8
GENERAL MOTORS	BUICK	PARK AVENUE	3800	L4	2.93	4250	FC	100	CO-US06	0.7	11.1	B8
GENERAL MOTORS	BUICK	PARK AVENUE	3800	L4	2.93	4250	FC	4	CO-US06	0.6	8	B8
GENERAL MOTORS	BUICK	PARK AVENUE	3800	L4	2.93	4250	FC	4	HC-NM+NOX-US06	0.06	0.14	B8
GENERAL MOTORS	BUICK	PARK AVENUE	3800	L4	2.93	4250	FC	100	CO-SC03	0.2	3.7	B8
GENERAL MOTORS	BUICK	PARK AVENUE	3800	L4	2.93	4250	FC	4	CO-SC03	0.1	2.7	B8
GENERAL MOTORS	BUICK	PARK AVENUE	3800	L4	2.93	4250	FC	4	HC-NM+NOX-SC03	0.03	0.2	B8
GENERAL MOTORS	BUICK	PARK AVENUE	3800	L4	2.93	4250	FC	50	CO-COLD	3.6	10	B8
GENERAL MOTORS	BUICK	PARK AVENUE	3800	L4	2.93	4250	FC	100	CO	1	4.2	B8
GENERAL MOTORS	BUICK	PARK AVENUE	3800	L4	2.93	4250	FC	100	HC-NM+NOX-COMP	0.12	0.71	B8
GENERAL MOTORS	BUICK	PARK AVENUE	3800	L4	2.93	4250	FC	100	NMOG	0.062	0.125	B8
GENERAL MOTORS	BUICK	PARK AVENUE	3800	L4	2.93	4250	FC	100	NOX	0.09	0.2	B8
GENERAL MOTORS	BUICK	PARK AVENUE	3800	L4	2.93	4250	FC	50	CO	1	3.4	B8
GENERAL MOTORS	BUICK	PARK AVENUE	3800	L4	2.93	4250	FC	50	NMOG	0.057	0.1	B8
GENERAL MOTORS	BUICK	PARK AVENUE	3800	L4	2.93	4250	FC	50	NOX	0.06	0.14	B8
GENERAL MOTORS	BUICK	PARK AVENUE	3800	L4	2.93	4250	FC	100	CO-US06	0.7	11.1	B8
GENERAL MOTORS	BUICK	PARK AVENUE	3800	L4	2.93	4250	FC	4	CO-US06	0.6	8	B8
GENERAL MOTORS	BUICK	PARK AVENUE	3800	L4	2.93	4250	FC	4	HC-NM+NOX-US06	0.06	0.14	B8
GENERAL MOTORS	BUICK	PARK AVENUE	3800	L4	2.93	4250	FC	100	CO-SC03	0.2	3.7	B8
GENERAL MOTORS	BUICK	PARK AVENUE	3800	L4	2.93	4250	FC	4	CO-SC03	0.1	2.7	B8
GENERAL MOTORS	BUICK	PARK AVENUE	3800	L4	2.93	4250	FC	4	HC-NM+NOX-SC03	0.03	0.2	B8
GENERAL MOTORS	BUICK	RAINIER AWD	4200	L4	4.1	5000	CA	120	CO	2.3	4.2	L2
GENERAL MOTORS	BUICK	RAINIER AWD	4200	L4	4.1	5000	CA	120	NMOG	0.076	0.09	L2
GENERAL MOTORS	BUICK	RAINIER AWD	4200	L4	4.1	5000	CA	120	NOX	0.05	0.07	L2
GENERAL MOTORS	BUICK	RAINIER AWD	4200	L4	4.1	5000	CF	120	CO	2.3	4.2	LEV
GENERAL MOTORS	BUICK	RAINIER AWD	4200	L4	4.1	5000	FA	120	CO	2.3	4.2	B5
GENERAL MOTORS	BUICK	RAINIER AWD	4200	L4	4.1	5000	FA	120	HC-NM+NOX-COMP	0.09	0.95	B5

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
GENERAL MOTORS	BUICK	RAINIER AWD	4200	L4	4.1	5000	FA	120	NMOG	0.076	0.09	B5
GENERAL MOTORS	BUICK	RAINIER AWD	4200	L4	4.1	5000	FA	120	NOX	0.05	0.07	B5
GENERAL MOTORS	BUICK	RAINIER AWD	4200	L4	4.1	5000	CA	4	CO-US06	5.9	10.5	L2
GENERAL MOTORS	BUICK	RAINIER AWD	4200	L4	4.1	5000	CA	4	HC-NM+NOX-US06	0.04	0.25	L2
GENERAL MOTORS	BUICK	RAINIER AWD	4200	L4	4.1	5000	FA	120	CO-US06	3	14.6	B5
GENERAL MOTORS	BUICK	RAINIER AWD	4200	L4	4.1	5000	FA	4	CO-US06	5.9	10.5	B5
GENERAL MOTORS	BUICK	RAINIER AWD	4200	L4	4.1	5000	FA	4	HC-NM+NOX-US06	0.04	0.25	B5
GENERAL MOTORS	BUICK	RAINIER AWD	4200	L4	4.1	5000	CA	4	CO-SC03	1.5	3.5	L2
GENERAL MOTORS	BUICK	RAINIER AWD	4200	L4	4.1	5000	CA	4	HC-NM+NOX-SC03	0.04	0.27	L2
GENERAL MOTORS	BUICK	RAINIER AWD	4200	L4	4.1	5000	FA	120	CO-SC03	2.1	4.9	B5
GENERAL MOTORS	BUICK	RAINIER AWD	4200	L4	4.1	5000	FA	4	CO-SC03	1.5	3.5	B5
GENERAL MOTORS	BUICK	RAINIER AWD	4200	L4	4.1	5000	FA	4	HC-NM+NOX-SC03	0.04	0.27	B5
GENERAL MOTORS	CADILLAC	CTS	5700	M6	3.73	4250	FC	50	CO-COLD	3.1	10	B8
GENERAL MOTORS	CADILLAC	CTS	5700	M6	3.73	4250	FC	100	CO	0.9	4.2	B8
GENERAL MOTORS	CADILLAC	CTS	5700	M6	3.73	4250	FC	100	HC-NM+NOX-COMP	0.16	0.71	B8
GENERAL MOTORS	CADILLAC	CTS	5700	M6	3.73	4250	FC	100	NMOG	0.044	0.125	B8
GENERAL MOTORS	CADILLAC	CTS	5700	M6	3.73	4250	FC	100	NOX	0.08	0.2	B8
GENERAL MOTORS	CADILLAC	CTS	5700	M6	3.73	4250	FC	50	CO	0.9	3.4	B8
GENERAL MOTORS	CADILLAC	CTS	5700	M6	3.73	4250	FC	50	NMOG	0.044	0.1	B8
GENERAL MOTORS	CADILLAC	CTS	5700	M6	3.73	4250	FC	50	NOX	0.08	0.14	B8
GENERAL MOTORS	CADILLAC	CTS	5700	M6	3.73	4250	FC	100	CO-US06	6.8	11.1	B8
GENERAL MOTORS	CADILLAC	CTS	5700	M6	3.73	4250	FC	4	CO-US06	5.5	8	B8
GENERAL MOTORS	CADILLAC	CTS	5700	M6	3.73	4250	FC	4	HC-NM+NOX-US06	0.08	0.14	B8
GENERAL MOTORS	CADILLAC	CTS	5700	M6	3.73	4250	FC	100	CO-SC03	1.2	3.7	B8
GENERAL MOTORS	CADILLAC	CTS	5700	M6	3.73	4250	FC	4	CO-SC03	0.6	2.7	B8
GENERAL MOTORS	CADILLAC	CTS	5700	M6	3.73	4250	FC	4	HC-NM+NOX-SC03	0.06	0.2	B8
GENERAL MOTORS	CADILLAC	CTS	5700	M6	3.73	4250	FC	50	CO-COLD	3.1	10	B8
GENERAL MOTORS	CADILLAC	CTS	5700	M6	3.73	4250	FC	100	CO	0.9	4.2	B8
GENERAL MOTORS	CADILLAC	CTS	5700	M6	3.73	4250	FC	100	HC-NM+NOX-COMP	0.16	0.71	B8
GENERAL MOTORS	CADILLAC	CTS	5700	M6	3.73	4250	FC	100	NMOG	0.044	0.125	B8
GENERAL MOTORS	CADILLAC	CTS	5700	M6	3.73	4250	FC	100	NOX	0.08	0.2	B8
GENERAL MOTORS	CADILLAC	CTS	5700	M6	3.73	4250	FC	50	CO	0.9	3.4	B8
GENERAL MOTORS	CADILLAC	CTS	5700	M6	3.73	4250	FC	50	NMOG	0.044	0.1	B8
GENERAL MOTORS	CADILLAC	CTS	5700	M6	3.73	4250	FC	50	NOX	0.08	0.14	B8
GENERAL MOTORS	CADILLAC	CTS	5700	M6	3.73	4250	FC	100	CO-US06	6.8	11.1	B8
GENERAL MOTORS	CADILLAC	CTS	5700	M6	3.73	4250	FC	4	CO-US06	5.5	8	B8
GENERAL MOTORS	CADILLAC	CTS	5700	M6	3.73	4250	FC	4	HC-NM+NOX-US06	0.08	0.14	B8
GENERAL MOTORS	CADILLAC	CTS	5700	M6	3.73	4250	FC	100	CO-SC03	1.2	3.7	B8

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
GENERAL MOTORS	CADILLAC	CTS	5700	M6	3.73	4250	FC	4	CO-SC03	0.6	2.7	B8
GENERAL MOTORS	CADILLAC	CTS	5700	M6	3.73	4250	FC	4	HC-NM+NOX-SC03	0.06	0.2	B8
GENERAL MOTORS	CADILLAC	LIMOUSINE	4600	L4	3.11	6000	FC	50	CO-COLD	2.8	10	B8
GENERAL MOTORS	CADILLAC	LIMOUSINE	4600	L4	3.11	6000	FC	100	CO	0.4	4.2	B8
GENERAL MOTORS	CADILLAC	LIMOUSINE	4600	L4	3.11	6000	FC	100	HC-NM+NOX-COMP	0.11	0.71	B8
GENERAL MOTORS	CADILLAC	LIMOUSINE	4600	L4	3.11	6000	FC	100	NMOG	0.044	0.125	B8
GENERAL MOTORS	CADILLAC	LIMOUSINE	4600	L4	3.11	6000	FC	100	NOX	0.03	0.2	B8
GENERAL MOTORS	CADILLAC	LIMOUSINE	4600	L4	3.11	6000	FC	50	CO	0.4	3.4	B8
GENERAL MOTORS	CADILLAC	LIMOUSINE	4600	L4	3.11	6000	FC	50	NMOG	0.044	0.1	B8
GENERAL MOTORS	CADILLAC	LIMOUSINE	4600	L4	3.11	6000	FC	50	NOX	0.03	0.14	B8
GENERAL MOTORS	CADILLAC	LIMOUSINE	4600	L4	3.11	6000	FC	100	CO-US06	1.2	11.1	B8
GENERAL MOTORS	CADILLAC	LIMOUSINE	4600	L4	3.11	6000	FC	4	CO-US06	1.2	8	B8
GENERAL MOTORS	CADILLAC	LIMOUSINE	4600	L4	3.11	6000	FC	4	HC-NM+NOX-US06	0.12	0.14	B8
GENERAL MOTORS	CADILLAC	LIMOUSINE	4600	L4	3.11	6000	FC	100	CO-SC03	0.1	3.7	B8
GENERAL MOTORS	CADILLAC	LIMOUSINE	4600	L4	3.11	6000	FC	4	CO-SC03	0.1	2.7	B8
GENERAL MOTORS	CADILLAC	LIMOUSINE	4600	L4	3.11	6000	FC	4	HC-NM+NOX-SC03	0.15	0.2	B8
GENERAL MOTORS	CADILLAC	SRX AWD	4600	S5	3.23	5000	FC	50	CO-COLD	4.7	12.5	B9
GENERAL MOTORS	CADILLAC	SRX AWD	4600	S5	3.23	5000	CF	100	CO	1.5	4.2	LEV
GENERAL MOTORS	CADILLAC	SRX AWD	4600	S5	3.23	5000	FC	100	CO	1.5	4.2	B9
GENERAL MOTORS	CADILLAC	SRX AWD	4600	S5	3.23	5000	FC	100	HC-NM+NOX-COMP	0.19	1.04	B9
GENERAL MOTORS	CADILLAC	SRX AWD	4600	S5	3.23	5000	FC	100	NMOG	0.07	0.13	B9
GENERAL MOTORS	CADILLAC	SRX AWD	4600	S5	3.23	5000	FC	100	NOX	0.1	0.3	B9
GENERAL MOTORS	CADILLAC	SRX AWD	4600	S5	3.23	5000	FC	50	CO	1.1	3.4	B9
GENERAL MOTORS	CADILLAC	SRX AWD	4600	S5	3.23	5000	FC	50	NMOG	0.053	0.1	B9
GENERAL MOTORS	CADILLAC	SRX AWD	4600	S5	3.23	5000	FC	50	NOX	0.1	0.2	B9
GENERAL MOTORS	CADILLAC	SRX AWD	4600	S5	3.23	5000	FC	100	CO-US06	4.4	14.6	B9
GENERAL MOTORS	CADILLAC	SRX AWD	4600	S5	3.23	5000	FC	4	CO-US06	3.7	10.5	B9
GENERAL MOTORS	CADILLAC	SRX AWD	4600	S5	3.23	5000	FC	4	HC-NM+NOX-US06	0.15	0.25	B9
GENERAL MOTORS	CADILLAC	SRX AWD	4600	S5	3.23	5000	FC	100	CO-SC03	1.8	4.9	B9
GENERAL MOTORS	CADILLAC	SRX AWD	4600	S5	3.23	5000	FC	4	CO-SC03	1.1	3.5	B9
GENERAL MOTORS	CADILLAC	SRX AWD	4600	S5	3.23	5000	FC	4	HC-NM+NOX-SC03	0.07	0.27	B9
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	CA	50	CO-COLD	2.9	10	L2
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	FA	50	CO-COLD	2.9	10	B5
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	CA	120	CO	0.4	4.2	L2
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	CA	120	NMOG	0.048	0.09	L2
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	CA	120	NOX	0.04	0.07	L2
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	CA	50	CO	0.4	3.4	L2
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	CA	50	NMOG	0.041	0.075	L2

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	CA	50	NOX	0.03	0.05	L2
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	CF	120	CO	0.4	4.2	B5
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	FA	120	CO	0.4	4.2	B5
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	FA	120	HC-NM+NOX-COMP	0.08	0.65	B5
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	FA	120	NMOG	0.048	0.09	B5
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	FA	120	NOX	0.04	0.07	B5
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	FA	50	CO	0.4	3.4	B5
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	FA	50	NMOG	0.041	0.075	B5
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	FA	50	NOX	0.03	0.05	B5
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	CA	4	50-CO	0.9	3.4	L2
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	CA	4	50-NMOG	0.121	0.15	L2
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	CA	4	50-NOX	0.01	0.05	L2
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	CA	4	CO-US06	0.9	8	L2
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	CA	4	HC-NM+NOX-US06	0.05	0.14	L2
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	FA	120	CO-US06	0.9	11.1	B5
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	FA	4	CO-US06	0.9	8	B5
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	FA	4	HC-NM+NOX-US06	0.05	0.14	B5
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	CA	4	CO-SC03	0.5	2.7	L2
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	CA	4	HC-NM+NOX-SC03	0.02	0.2	L2
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	FA	120	CO-SC03	0.5	3.7	B5
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	FA	4	CO-SC03	0.5	2.7	B5
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	FA	4	HC-NM+NOX-SC03	0.02	0.2	B5
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	CA	50	CO-COLD	2.9	10	L2
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	FA	50	CO-COLD	2.9	10	B5
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	CA	120	CO	0.4	4.2	L2
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	CA	120	NMOG	0.048	0.09	L2
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	CA	120	NOX	0.04	0.07	L2
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	CA	50	CO	0.4	3.4	L2
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	CA	50	NMOG	0.041	0.075	L2
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	CA	50	NOX	0.03	0.05	L2
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	CF	120	CO	0.4	4.2	B5
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	FA	120	CO	0.4	4.2	B5
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	FA	120	HC-NM+NOX-COMP	0.08	0.65	B5
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	FA	120	NMOG	0.048	0.09	B5
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	FA	120	NOX	0.04	0.07	B5
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	FA	50	CO	0.4	3.4	B5
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	FA	50	NMOG	0.041	0.075	B5
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	FA	50	NOX	0.03	0.05	B5

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	CA	4	50-CO	0.9	3.4	L2
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	CA	4	50-NMOG	0.121	0.15	L2
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	CA	4	50-NOX	0.01	0.05	L2
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	CA	4	CO-US06	0.9	8	L2
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	CA	4	HC-NM+NOX-US06	0.05	0.14	L2
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	FA	120	CO-US06	0.9	11.1	B5
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	FA	4	CO-US06	0.9	8	B5
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	FA	4	HC-NM+NOX-US06	0.05	0.14	B5
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	CA	4	CO-SC03	0.5	2.7	L2
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	CA	4	HC-NM+NOX-SC03	0.02	0.2	L2
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	FA	120	CO-SC03	0.5	3.7	B5
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	FA	4	CO-SC03	0.5	2.7	B5
GENERAL MOTORS	CADILLAC	SRX AWD	3600	M5	3.91	4750	FA	4	HC-NM+NOX-SC03	0.02	0.2	B5
GENERAL MOTORS	CADILLAC	STS AWD	4600	S5	3.42	4750	CA	50	CO-COLD	3.8	10	LEV
GENERAL MOTORS	CADILLAC	STS AWD	4600	S5	3.42	4750	FA	50	CO-COLD	3.8	10	B9
GENERAL MOTORS	CADILLAC	STS AWD	4600	S5	3.42	4750	CA	100	CO	1.6	4.2	LEV
GENERAL MOTORS	CADILLAC	STS AWD	4600	S5	3.42	4750	CA	100	NMOG	0.075	0.09	LEV
GENERAL MOTORS	CADILLAC	STS AWD	4600	S5	3.42	4750	CA	100	NOX	0.1	0.3	LEV
GENERAL MOTORS	CADILLAC	STS AWD	4600	S5	3.42	4750	CA	50	CO	1.2	3.4	LEV
GENERAL MOTORS	CADILLAC	STS AWD	4600	S5	3.42	4750	CA	50	NMOG	0.058	0.075	LEV
GENERAL MOTORS	CADILLAC	STS AWD	4600	S5	3.42	4750	CA	50	NOX	0.1	0.2	LEV
GENERAL MOTORS	CADILLAC	STS AWD	4600	S5	3.42	4750	CF	100	CO	1.6	4.2	LEV
GENERAL MOTORS	CADILLAC	STS AWD	4600	S5	3.42	4750	FA	100	CO	1.6	4.2	B9
GENERAL MOTORS	CADILLAC	STS AWD	4600	S5	3.42	4750	FA	100	HC-NM+NOX-COMP	0.19	0.73	B9
GENERAL MOTORS	CADILLAC	STS AWD	4600	S5	3.42	4750	FA	100	NMOG	0.075	0.09	B9
GENERAL MOTORS	CADILLAC	STS AWD	4600	S5	3.42	4750	FA	100	NOX	0.1	0.3	B9
GENERAL MOTORS	CADILLAC	STS AWD	4600	S5	3.42	4750	FA	50	CO	1.2	3.4	B9
GENERAL MOTORS	CADILLAC	STS AWD	4600	S5	3.42	4750	FA	50	NMOG	0.058	0.075	B9
GENERAL MOTORS	CADILLAC	STS AWD	4600	S5	3.42	4750	FA	50	NOX	0.1	0.2	B9
GENERAL MOTORS	CADILLAC	STS AWD	4600	S5	3.42	4750	CA	4	CO-US06	2	8	LEV
GENERAL MOTORS	CADILLAC	STS AWD	4600	S5	3.42	4750	CA	4	HC-NM+NOX-US06	0.09	0.14	LEV
GENERAL MOTORS	CADILLAC	STS AWD	4600	S5	3.42	4750	FA	100	CO-US06	2.7	11.1	B9
GENERAL MOTORS	CADILLAC	STS AWD	4600	S5	3.42	4750	FA	4	CO-US06	2	8	B9
GENERAL MOTORS	CADILLAC	STS AWD	4600	S5	3.42	4750	FA	4	HC-NM+NOX-US06	0.09	0.14	B9
GENERAL MOTORS	CADILLAC	STS AWD	4600	S5	3.42	4750	CA	4	CO-SC03	1.8	2.7	LEV
GENERAL MOTORS	CADILLAC	STS AWD	4600	S5	3.42	4750	CA	4	HC-NM+NOX-SC03	0.14	0.2	LEV
GENERAL MOTORS	CADILLAC	STS AWD	4600	S5	3.42	4750	FA	100	CO-SC03	2.5	3.7	B9
GENERAL MOTORS	CADILLAC	STS AWD	4600	S5	3.42	4750	FA	4	CO-SC03	1.8	2.7	B9

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
GENERAL MOTORS	CADILLAC	STS AWD	4600	S5	3.42	4750	FA	4	HC-NM+NOX-SC03	0.14	0.2	B9
GENERAL MOTORS	CHEVROLET	ASTRO2WD(C)CONV	4300	L4	3.73	5000	FC	50	CO-COLD	3.3	12.5	B9
GENERAL MOTORS	CHEVROLET	ASTRO2WD(C)CONV	4300	L4	3.73	5000	CF	100	CO	2.6	4.2	LEV
GENERAL MOTORS	CHEVROLET	ASTRO2WD(C)CONV	4300	L4	3.73	5000	FC	100	CO	2.6	4.2	B9
GENERAL MOTORS	CHEVROLET	ASTRO2WD(C)CONV	4300	L4	3.73	5000	FC	100	HC-NM+NOX-COMP	0.15	1.04	B9
GENERAL MOTORS	CHEVROLET	ASTRO2WD(C)CONV	4300	L4	3.73	5000	FC	100	NMOG	0.087	0.13	B9
GENERAL MOTORS	CHEVROLET	ASTRO2WD(C)CONV	4300	L4	3.73	5000	FC	100	NOX	0.1	0.3	B9
GENERAL MOTORS	CHEVROLET	ASTRO2WD(C)CONV	4300	L4	3.73	5000	FC	50	CO	1.8	3.4	B9
GENERAL MOTORS	CHEVROLET	ASTRO2WD(C)CONV	4300	L4	3.73	5000	FC	50	NMOG	0.066	0.1	B9
GENERAL MOTORS	CHEVROLET	ASTRO2WD(C)CONV	4300	L4	3.73	5000	FC	50	NOX	0.1	0.2	B9
GENERAL MOTORS	CHEVROLET	ASTRO2WD(C)CONV	4300	L4	3.73	5000	FC	100	CO-US06	2	14.6	B9
GENERAL MOTORS	CHEVROLET	ASTRO2WD(C)CONV	4300	L4	3.73	5000	FC	4	CO-US06	0.4	10.5	B9
GENERAL MOTORS	CHEVROLET	ASTRO2WD(C)CONV	4300	L4	3.73	5000	FC	4	HC-NM+NOX-US06	0.04	0.25	B9
GENERAL MOTORS	CHEVROLET	ASTRO2WD(C)CONV	4300	L4	3.73	5000	FC	100	CO-SC03	1.9	4.9	B9
GENERAL MOTORS	CHEVROLET	ASTRO2WD(C)CONV	4300	L4	3.73	5000	FC	4	CO-SC03	0.3	3.5	B9
GENERAL MOTORS	CHEVROLET	ASTRO2WD(C)CONV	4300	L4	3.73	5000	FC	4	HC-NM+NOX-SC03	0.02	0.27	B9
GENERAL MOTORS	CHEVROLET	ASTRO2WD(C)CONV	4300	L4	3.73	5000	FC	50	CO-COLD	3.3	12.5	B9
GENERAL MOTORS	CHEVROLET	ASTRO2WD(C)CONV	4300	L4	3.73	5000	CF	100	CO	2.6	4.2	LEV
GENERAL MOTORS	CHEVROLET	ASTRO2WD(C)CONV	4300	L4	3.73	5000	FC	100	CO	2.6	4.2	B9
GENERAL MOTORS	CHEVROLET	ASTRO2WD(C)CONV	4300	L4	3.73	5000	FC	100	HC-NM+NOX-COMP	0.15	1.04	B9
GENERAL MOTORS	CHEVROLET	ASTRO2WD(C)CONV	4300	L4	3.73	5000	FC	100	NMOG	0.087	0.13	B9
GENERAL MOTORS	CHEVROLET	ASTRO2WD(C)CONV	4300	L4	3.73	5000	FC	100	NOX	0.1	0.3	B9
GENERAL MOTORS	CHEVROLET	ASTRO2WD(C)CONV	4300	L4	3.73	5000	FC	50	CO	1.8	3.4	B9
GENERAL MOTORS	CHEVROLET	ASTRO2WD(C)CONV	4300	L4	3.73	5000	FC	50	NMOG	0.066	0.1	B9
GENERAL MOTORS	CHEVROLET	ASTRO2WD(C)CONV	4300	L4	3.73	5000	FC	50	NOX	0.1	0.2	B9
GENERAL MOTORS	CHEVROLET	ASTRO2WD(C)CONV	4300	L4	3.73	5000	FC	100	CO-US06	2	14.6	B9
GENERAL MOTORS	CHEVROLET	ASTRO2WD(C)CONV	4300	L4	3.73	5000	FC	4	CO-US06	0.4	10.5	B9
GENERAL MOTORS	CHEVROLET	ASTRO2WD(C)CONV	4300	L4	3.73	5000	FC	4	HC-NM+NOX-US06	0.04	0.25	B9
GENERAL MOTORS	CHEVROLET	ASTRO2WD(C)CONV	4300	L4	3.73	5000	FC	100	CO-SC03	1.9	4.9	B9
GENERAL MOTORS	CHEVROLET	ASTRO2WD(C)CONV	4300	L4	3.73	5000	FC	4	CO-SC03	0.3	3.5	B9
GENERAL MOTORS	CHEVROLET	ASTRO2WD(C)CONV	4300	L4	3.73	5000	FC	4	HC-NM+NOX-SC03	0.02	0.27	B9
GENERAL MOTORS	CHEVROLET	ASTRO2WD(C)CONV	4300	L4	3.73	5000	FC	50	CO-COLD	3.6	12.5	LEV
GENERAL MOTORS	CHEVROLET	ASTROAWD(C)CONV	4300	L4	3.73	5500	FA	50	CO-COLD	3.6	12.5	B10
GENERAL MOTORS	CHEVROLET	ASTROAWD(C)CONV	4300	L4	3.73	5500	CA	120	CO	2.9	6.4	LEV
GENERAL MOTORS	CHEVROLET	ASTROAWD(C)CONV	4300	L4	3.73	5500	CA	120	NMOG	0.103	0.23	LEV
GENERAL MOTORS	CHEVROLET	ASTROAWD(C)CONV	4300	L4	3.73	5500	CA	120	NOX	0.1	0.6	LEV
GENERAL MOTORS	CHEVROLET	ASTROAWD(C)CONV	4300	L4	3.73	5500	CA	50	CO	1.8	4.4	LEV
GENERAL MOTORS	CHEVROLET	ASTROAWD(C)CONV	4300	L4	3.73	5500	CA	50	NMOG	0.074	0.16	LEV

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
GENERAL MOTORS	CHEVROLET	ASTROAWD(C)CONV	4300	L4	3.73	5500	CA	50	NOX	0.1	0.4	LEV
GENERAL MOTORS	CHEVROLET	ASTROAWD(C)CONV	4300	L4	3.73	5500	CF	120	CO	2.9	6.4	LEV
GENERAL MOTORS	CHEVROLET	ASTROAWD(C)CONV	4300	L4	3.73	5500	FA	120	CO	2.9	6.4	B10
GENERAL MOTORS	CHEVROLET	ASTROAWD(C)CONV	4300	L4	3.73	5500	FA	120	HC-NM+NOX-COMP	0.18	1.23	B10
GENERAL MOTORS	CHEVROLET	ASTROAWD(C)CONV	4300	L4	3.73	5500	FA	120	NMOG	0.103	0.23	B10
GENERAL MOTORS	CHEVROLET	ASTROAWD(C)CONV	4300	L4	3.73	5500	FA	120	NOX	0.1	0.6	B10
GENERAL MOTORS	CHEVROLET	ASTROAWD(C)CONV	4300	L4	3.73	5500	FA	50	CO	1.8	4.4	B10
GENERAL MOTORS	CHEVROLET	ASTROAWD(C)CONV	4300	L4	3.73	5500	FA	50	NMOG	0.074	0.16	B10
GENERAL MOTORS	CHEVROLET	ASTROAWD(C)CONV	4300	L4	3.73	5500	FA	50	NOX	0.1	0.4	B10
GENERAL MOTORS	CHEVROLET	ASTROAWD(C)CONV	4300	L4	3.73	5500	CA	4	50-CO	0.9	4.4	LEV
GENERAL MOTORS	CHEVROLET	ASTROAWD(C)CONV	4300	L4	3.73	5500	CA	4	50-NMOG	0.097	0.32	LEV
GENERAL MOTORS	CHEVROLET	ASTROAWD(C)CONV	4300	L4	3.73	5500	CA	4	50-NOX	0	0.4	LEV
GENERAL MOTORS	CHEVROLET	ASTROAWD(C)CONV	4300	L4	3.73	5500	CA	4	CO-US06	7	10.5	LEV
GENERAL MOTORS	CHEVROLET	ASTROAWD(C)CONV	4300	L4	3.73	5500	CA	4	HC-NM+NOX-US06	0.04	0.4	LEV
GENERAL MOTORS	CHEVROLET	ASTROAWD(C)CONV	4300	L4	3.73	5500	FA	120	CO-US06	9	16.9	B10
GENERAL MOTORS	CHEVROLET	ASTROAWD(C)CONV	4300	L4	3.73	5500	FA	4	CO-US06	7	10.5	B10
GENERAL MOTORS	CHEVROLET	ASTROAWD(C)CONV	4300	L4	3.73	5500	FA	4	HC-NM+NOX-US06	0	0.4	B10
GENERAL MOTORS	CHEVROLET	ASTROAWD(C)CONV	4300	L4	3.73	5500	CA	4	CO-SC03	0.4	3.5	LEV
GENERAL MOTORS	CHEVROLET	ASTROAWD(C)CONV	4300	L4	3.73	5500	CA	4	HC-NM+NOX-SC03	0.05	0.31	LEV
GENERAL MOTORS	CHEVROLET	ASTROAWD(C)CONV	4300	L4	3.73	5500	FA	120	CO-SC03	2.3	5.6	B10
GENERAL MOTORS	CHEVROLET	ASTROAWD(C)CONV	4300	L4	3.73	5500	FA	4	CO-SC03	0.4	3.5	B10
GENERAL MOTORS	CHEVROLET	ASTROAWD(C)CONV	4300	L4	3.73	5500	FA	4	HC-NM+NOX-SC03	0.05	0.31	B10
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	CF	120	CO	1.8	6.4	LEV
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	120	CO	1.8	6.4	B10
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	120	NMOG	0.071	0.23	B10
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	120	NOX	0.2	0.6	B10
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	50	CO	1.3	4.4	B10
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	50	NMOG	0.057	0.16	B10
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	50	NOX	0.1	0.4	B10
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	CF	120	CO	2.1	6.4	LEV
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	120	CO	2.1	6.4	B10
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	120	NMOG	0.135	0.23	B10
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	120	NOX	0.2	0.6	B10
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	50	CO	1.6	4.4	B10
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	50	NMOG	0.121	0.16	B10
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	50	NOX	0.1	0.4	B10
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	CF	120	CO	1.5	6.4	LEV
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	120	CO	1.5	6.4	B10



2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	120	NMOG	0.07	0.23	B10
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	120	NOX	0.2	0.6	B10
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	50	CO	1	4.4	B10
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	50	NMOG	0.056	0.16	B10
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	50	NOX	0.1	0.4	B10
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	120	CO-US06	1.4	16.9	B10
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	4	CO-US06	0.6	10.5	B10
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	4	HC-NM+NOX-US06	0	0.4	B10
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	120	CO-SC03	1.4	5.6	B10
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	4	CO-SC03	0.6	3.5	B10
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	4	HC-NM+NOX-SC03	0.05	0.31	B10
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	CF	120	CO	1.8	6.4	LEV
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	120	CO	1.8	6.4	B10
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	120	NMOG	0.071	0.23	B10
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	120	NOX	0.2	0.6	B10
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	50	CO	1.3	4.4	B10
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	50	NMOG	0.057	0.16	B10
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	50	NOX	0.1	0.4	B10
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	CF	120	CO	2.1	6.4	LEV
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	120	CO	2.1	6.4	B10
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	120	NMOG	0.135	0.23	B10
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	120	NOX	0.2	0.6	B10
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	50	CO	1.6	4.4	B10
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	50	NMOG	0.121	0.16	B10
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	50	NOX	0.1	0.4	B10
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	CF	120	CO	1.5	6.4	LEV
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	120	CO	1.5	6.4	B10
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	120	NMOG	0.07	0.23	B10
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	120	NOX	0.2	0.6	B10
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	50	CO	1	4.4	B10
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	50	NMOG	0.056	0.16	B10
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	50	NOX	0.1	0.4	B10
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	120	CO-US06	1.4	16.9	B10
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	4	CO-US06	0.6	10.5	B10
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	4	HC-NM+NOX-US06	0	0.4	B10
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	120	CO-SC03	1.4	5.6	B10
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	4	CO-SC03	0.6	3.5	B10
GENERAL MOTORS	CHEVROLET	C1500 TAHOE 2WD	5300	L4	3.73	5500	FC	4	HC-NM+NOX-SC03	0.05	0.31	B10

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	50	CO-COLD	4.1	12.5	B10
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	CF	120	CO	1	3.7	ULEV
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	CF	120	HCHO	0.001	0.016	ULEV
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	CF	50	CO	1	2.5	ULEV
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	CF	50	HCHO	0.001	0.011	ULEV
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	120	CO	1	6.4	B10
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	120	HCHO	0.001	0.027	B10
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	120	NMOG	0.017	0.28	B10
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	120	NOX	0.1	0.6	B10
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	50	CO	1	4.4	B10
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	50	HCHO	0.001	0.018	B10
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	50	NMOG	0.017	0.195	B10
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	50	NOX	0.1	0.4	B10
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	CF	120	CO	1.6	6.4	LEV
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	120	CO	1.6	6.4	B10
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	120	HC-NM+NOX-COMP	0.18	1.67	B10
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	120	NMOG	0.085	0.28	B10
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	120	NOX	0.2	0.6	B10
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	50	CO	1.6	4.4	B10
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	50	NMOG	0.085	0.195	B10
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	50	NOX	0.2	0.4	B10
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	120	CO-US06	1	19.3	B10
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	4	CO-US06	1	11.8	B10
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	4	HC-NM+NOX-US06	0.2	0.6	B10
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	120	CO-SC03	0.8	6.4	B10
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	4	CO-SC03	0.8	4	B10
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	4	HC-NM+NOX-SC03	0.14	0.44	B10
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	50	CO-COLD	4.1	12.5	B10
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	CF	120	CO	1	3.7	ULEV
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	CF	120	HCHO	0.001	0.016	ULEV
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	CF	50	CO	1	2.5	ULEV
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	CF	50	HCHO	0.001	0.011	ULEV
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	120	CO	1	6.4	B10
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	120	HCHO	0.001	0.027	B10
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	120	NMOG	0.017	0.28	B10
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	120	NOX	0.1	0.6	B10
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	50	CO	1	4.4	B10
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	50	HCHO	0.001	0.018	B10

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	50	NMOG	0.017	0.195	B10
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	50	NOX	0.1	0.4	B10
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	CF	120	CO	1.6	6.4	LEV
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	120	CO	1.6	6.4	B10
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	120	HC-NM+NOX-COMP	0.18	1.67	B10
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	120	NMOG	0.085	0.28	B10
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	120	NOX	0.2	0.6	B10
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	50	CO	1.6	4.4	B10
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	50	NMOG	0.085	0.195	B10
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	50	NOX	0.2	0.4	B10
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	120	CO-US06	1	19.3	B10
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	4	CO-US06	1	11.8	B10
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	4	HC-NM+NOX-US06	0.2	0.6	B10
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	120	CO-SC03	0.8	6.4	B10
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	4	CO-SC03	0.8	4	B10
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	4	HC-NM+NOX-SC03	0.14	0.44	B10
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	CF	120	CO	1	3.7	ULEV
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	CF	120	HCHO	0.001	0.016	ULEV
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	CF	120	NMOG	0.017	0.167	ULEV
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	CF	50	CO	1	2.5	ULEV
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	CF	50	HCHO	0.001	0.011	ULEV
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	CF	50	NMOG	0.017	0.117	ULEV
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	120	CO	1	4.2	B8
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	120	HCHO	0.001	0.018	B8
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	120	NMOG	0.017	0.156	B8
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	120	NOX	0.1	0.2	B8
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	50	CO	1	3.4	B8
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	50	HCHO	0.001	0.015	B8
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	50	NMOG	0.017	0.125	B8
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	50	NOX	0.1	0.14	B8
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	CF	120	CO	1	3.7	ULEV
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	CF	120	HCHO	0.001	0.016	ULEV
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	CF	120	NMOG	0.017	0.167	ULEV
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	CF	50	CO	1	2.5	ULEV
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	CF	50	HCHO	0.001	0.011	ULEV
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	CF	50	NMOG	0.017	0.117	ULEV
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	120	CO	1	4.2	B8
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	120	HCHO	0.001	0.018	B8

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	120	NMOG	0.017	0.156	B8
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	120	NOX	0.1	0.2	B8
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	50	CO	1	3.4	B8
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	50	HCHO	0.001	0.015	B8
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	50	NMOG	0.017	0.125	B8
GENERAL MOTORS	CHEVROLET	C2500SLVRADO2WD	6000	L4	4.1	8000	FC	50	NOX	0.1	0.14	B8
GENERAL MOTORS	CHEVROLET	CLASSIC	2200	L4	3.91	3250	CA	50	CO-COLD	5.6	10	LEV
GENERAL MOTORS	CHEVROLET	CLASSIC	2200	L4	3.91	3250	FA	50	CO-COLD	5.6	10	B9
GENERAL MOTORS	CHEVROLET	CLASSIC	2200	L4	3.91	3250	CA	100	CO	0.6	4.2	LEV
GENERAL MOTORS	CHEVROLET	CLASSIC	2200	L4	3.91	3250	CA	100	NMOG	0.042	0.09	LEV
GENERAL MOTORS	CHEVROLET	CLASSIC	2200	L4	3.91	3250	CA	100	NOX	0	0.3	LEV
GENERAL MOTORS	CHEVROLET	CLASSIC	2200	L4	3.91	3250	CA	50	CO	0.6	3.4	LEV
GENERAL MOTORS	CHEVROLET	CLASSIC	2200	L4	3.91	3250	CA	50	NMOG	0.042	0.075	LEV
GENERAL MOTORS	CHEVROLET	CLASSIC	2200	L4	3.91	3250	CA	50	NOX	0	0.2	LEV
GENERAL MOTORS	CHEVROLET	CLASSIC	2200	L4	3.91	3250	CF	100	CO	0.6	4.2	LEV
GENERAL MOTORS	CHEVROLET	CLASSIC	2200	L4	3.91	3250	FA	100	CO	0.6	4.2	B9
GENERAL MOTORS	CHEVROLET	CLASSIC	2200	L4	3.91	3250	FA	100	HC-NM+NOX-COMP	0.07	0.73	B9
GENERAL MOTORS	CHEVROLET	CLASSIC	2200	L4	3.91	3250	FA	100	NMOG	0.042	0.09	B9
GENERAL MOTORS	CHEVROLET	CLASSIC	2200	L4	3.91	3250	FA	100	NOX	0	0.3	B9
GENERAL MOTORS	CHEVROLET	CLASSIC	2200	L4	3.91	3250	FA	50	CO	0.6	3.4	B9
GENERAL MOTORS	CHEVROLET	CLASSIC	2200	L4	3.91	3250	FA	50	NMOG	0.042	0.075	B9
GENERAL MOTORS	CHEVROLET	CLASSIC	2200	L4	3.91	3250	FA	50	NOX	0	0.2	B9
GENERAL MOTORS	CHEVROLET	CLASSIC	2200	L4	3.91	3250	CA	4	CO-US06	0.9	8	LEV
GENERAL MOTORS	CHEVROLET	CLASSIC	2200	L4	3.91	3250	CA	4	HC-NM+NOX-US06	0.04	0.14	LEV
GENERAL MOTORS	CHEVROLET	CLASSIC	2200	L4	3.91	3250	FA	100	CO-US06	0.6	11.1	B9
GENERAL MOTORS	CHEVROLET	CLASSIC	2200	L4	3.91	3250	FA	4	CO-US06	0.9	8	B9
GENERAL MOTORS	CHEVROLET	CLASSIC	2200	L4	3.91	3250	FA	4	HC-NM+NOX-US06	0.04	0.14	B9
GENERAL MOTORS	CHEVROLET	CLASSIC	2200	L4	3.91	3250	CA	4	CO-SC03	0.8	2.7	LEV
GENERAL MOTORS	CHEVROLET	CLASSIC	2200	L4	3.91	3250	CA	4	HC-NM+NOX-SC03	0.04	0.2	LEV
GENERAL MOTORS	CHEVROLET	CLASSIC	2200	L4	3.91	3250	FA	100	CO-SC03	1.2	3.7	B9
GENERAL MOTORS	CHEVROLET	CLASSIC	2200	L4	3.91	3250	FA	4	CO-SC03	0.8	2.7	B9
GENERAL MOTORS	CHEVROLET	CLASSIC	2200	L4	3.91	3250	FA	4	HC-NM+NOX-SC03	0.04	0.2	B9
GENERAL MOTORS	CHEVROLET	COBALT	2200	L4	3.63	3250	CA	4	CO-US06	1.5	8	L2
GENERAL MOTORS	CHEVROLET	COBALT	2200	L4	3.63	3250	CA	4	HC-NM+NOX-US06	0.01	0.14	L2
GENERAL MOTORS	CHEVROLET	COBALT	2200	L4	3.63	3250	FA	4	CO-US06	1.5	8	B5
GENERAL MOTORS	CHEVROLET	COBALT	2200	L4	3.63	3250	FA	4	HC-NM+NOX-US06	0.01	0.14	B5
GENERAL MOTORS	CHEVROLET	COBALT	2200	L4	3.63	3250	CA	4	CO-SC03	1.3	2.7	L2
GENERAL MOTORS	CHEVROLET	COBALT	2200	L4	3.63	3250	CA	4	HC-NM+NOX-SC03	0.03	0.2	L2

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
GENERAL MOTORS	CHEVROLET	COBALT	2200	L4	3.63	3250	FA	4	CO-SC03	1.3	2.7	B5
GENERAL MOTORS	CHEVROLET	COBALT	2200	L4	3.63	3250	FA	4	HC-NM+NOX-SC03	0.03	0.2	B5
GENERAL MOTORS	CHEVROLET	COLORADO 4WD	2800	L4	4.1	4250	CF	100	CO	0.9	4.2	LEV
GENERAL MOTORS	CHEVROLET	COLORADO 4WD	2800	L4	4.1	4250	FC	100	CO	0.9	4.2	B9
GENERAL MOTORS	CHEVROLET	COLORADO 4WD	2800	L4	4.1	4250	FC	100	HC-NM+NOX-COMP	0.3	1.04	B9
GENERAL MOTORS	CHEVROLET	COLORADO 4WD	2800	L4	4.1	4250	FC	100	NMOG	0.069	0.13	B9
GENERAL MOTORS	CHEVROLET	COLORADO 4WD	2800	L4	4.1	4250	FC	100	NOX	0.2	0.3	B9
GENERAL MOTORS	CHEVROLET	COLORADO 4WD	2800	L4	4.1	4250	FC	100	CO-US06	2.8	14.6	B9
GENERAL MOTORS	CHEVROLET	COLORADO 4WD	2800	L4	4.1	4250	FC	4	CO-US06	0.4	10.5	B9
GENERAL MOTORS	CHEVROLET	COLORADO 4WD	2800	L4	4.1	4250	FC	4	HC-NM+NOX-US06	0.08	0.25	B9
GENERAL MOTORS	CHEVROLET	COLORADO 4WD	2800	L4	4.1	4250	FC	100	CO-SC03	1.6	4.9	B9
GENERAL MOTORS	CHEVROLET	COLORADO 4WD	2800	L4	4.1	4250	FC	4	CO-SC03	0.2	3.5	B9
GENERAL MOTORS	CHEVROLET	COLORADO 4WD	2800	L4	4.1	4250	FC	4	HC-NM+NOX-SC03	0.03	0.27	B9
GENERAL MOTORS	CHEVROLET	COLORADOCREW4WD	3500	L4	4.1	4500	CF	100	CO	0.7	4.2	LEV
GENERAL MOTORS	CHEVROLET	COLORADOCREW4WD	3500	L4	4.1	4500	FC	100	CO	0.7	4.2	B9
GENERAL MOTORS	CHEVROLET	COLORADOCREW4WD	3500	L4	4.1	4500	FC	100	HC-NM+NOX-COMP	0.26	1.04	B9
GENERAL MOTORS	CHEVROLET	COLORADOCREW4WD	3500	L4	4.1	4500	FC	100	NMOG	0.077	0.13	B9
GENERAL MOTORS	CHEVROLET	COLORADOCREW4WD	3500	L4	4.1	4500	FC	100	NOX	0.2	0.3	B9
GENERAL MOTORS	CHEVROLET	COLORADOCREW4WD	3500	L4	4.1	4500	FC	100	CO-US06	4.6	14.6	B9
GENERAL MOTORS	CHEVROLET	COLORADOCREW4WD	3500	L4	4.1	4500	FC	4	CO-US06	2.4	10.5	B9
GENERAL MOTORS	CHEVROLET	COLORADOCREW4WD	3500	L4	4.1	4500	FC	4	HC-NM+NOX-US06	0.08	0.25	B9
GENERAL MOTORS	CHEVROLET	COLORADOCREW4WD	3500	L4	4.1	4500	FC	100	CO-SC03	1.4	4.9	B9
GENERAL MOTORS	CHEVROLET	COLORADOCREW4WD	3500	L4	4.1	4500	FC	4	CO-SC03	0.2	3.5	B9
GENERAL MOTORS	CHEVROLET	COLORADOCREW4WD	3500	L4	4.1	4500	FC	4	HC-NM+NOX-SC03	0.03	0.27	B9
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	50	CO-COLD	5.2	10	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	50	CO-COLD	5.2	10	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	120	CO	0.6	4.2	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	120	NMOG	0.04	0.09	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	120	NOX	0.04	0.07	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	50	CO	0.6	3.4	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	50	NMOG	0.032	0.075	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	50	NOX	0.02	0.05	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CF	120	CO	0.6	4.2	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	120	CO	0.6	4.2	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	120	HC-NM+NOX-COMP	0.08	0.65	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	120	NMOG	0.04	0.09	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	120	NOX	0.04	0.07	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	50	CO	0.6	3.4	B5

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	50	NMOG	0.032	0.075	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	50	NOX	0.02	0.05	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	4	50-CO	0.7	3.4	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	4	50-NMOG	0.038	0.15	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	4	50-NOX	0.02	0.05	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	4	CO-US06	0.9	8	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	4	HC-NM+NOX-US06	0.06	0.14	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	120	CO-US06	1	11.1	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	4	CO-US06	0.9	8	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	4	HC-NM+NOX-US06	0.06	0.14	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	4	CO-SC03	0.8	2.7	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	4	HC-NM+NOX-SC03	0.05	0.2	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	120	CO-SC03	0.8	3.7	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	4	CO-SC03	0.8	2.7	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	4	HC-NM+NOX-SC03	0.05	0.2	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	50	CO-COLD	5.2	10	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	50	CO-COLD	5.2	10	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	120	CO	0.6	4.2	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	120	NMOG	0.04	0.09	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	120	NOX	0.04	0.07	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	50	CO	0.6	3.4	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	50	NMOG	0.032	0.075	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	50	NOX	0.02	0.05	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CF	120	CO	0.6	4.2	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	120	CO	0.6	4.2	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	120	HC-NM+NOX-COMP	0.08	0.65	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	120	NMOG	0.04	0.09	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	120	NOX	0.04	0.07	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	50	CO	0.6	3.4	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	50	NMOG	0.032	0.075	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	50	NOX	0.02	0.05	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	4	50-CO	0.7	3.4	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	4	50-NMOG	0.038	0.15	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	4	50-NOX	0.02	0.05	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	4	CO-US06	0.9	8	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	4	HC-NM+NOX-US06	0.06	0.14	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	120	CO-US06	1	11.1	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	4	CO-US06	0.9	8	B5

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	4	HC-NM+NOX-US06	0.06	0.14	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	4	CO-SC03	0.8	2.7	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	4	HC-NM+NOX-SC03	0.05	0.2	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	120	CO-SC03	0.8	3.7	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	4	CO-SC03	0.8	2.7	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	4	HC-NM+NOX-SC03	0.05	0.2	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	50	CO-COLD	5.2	10	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	50	CO-COLD	5.2	10	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	120	CO	0.6	4.2	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	120	NMOG	0.04	0.09	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	120	NOX	0.04	0.07	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	50	CO	0.6	3.4	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	50	NMOG	0.032	0.075	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	50	NOX	0.02	0.05	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CF	120	CO	0.6	4.2	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	120	CO	0.6	4.2	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	120	HC-NM+NOX-COMP	0.08	0.65	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	120	NMOG	0.04	0.09	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	120	NOX	0.04	0.07	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	50	CO	0.6	3.4	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	50	NMOG	0.032	0.075	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	50	NOX	0.02	0.05	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	4	50-CO	0.7	3.4	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	4	50-NMOG	0.038	0.15	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	4	50-NOX	0.02	0.05	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	4	CO-US06	0.9	8	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	4	HC-NM+NOX-US06	0.06	0.14	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	120	CO-US06	1	11.1	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	4	CO-US06	0.9	8	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	4	HC-NM+NOX-US06	0.06	0.14	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	4	CO-SC03	0.8	2.7	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	4	HC-NM+NOX-SC03	0.05	0.2	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	120	CO-SC03	0.8	3.7	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	4	CO-SC03	0.8	2.7	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	4	HC-NM+NOX-SC03	0.05	0.2	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	50	CO-COLD	5.2	10	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	50	CO-COLD	5.2	10	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	120	CO	0.6	4.2	L2

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	120	NMOG	0.04	0.09	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	120	NOX	0.04	0.07	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	50	CO	0.6	3.4	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	50	NMOG	0.032	0.075	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	50	NOX	0.02	0.05	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CF	120	CO	0.6	4.2	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	120	CO	0.6	4.2	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	120	HC-NM+NOX-COMP	0.08	0.65	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	120	NMOG	0.04	0.09	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	120	NOX	0.04	0.07	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	50	CO	0.6	3.4	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	50	NMOG	0.032	0.075	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	50	NOX	0.02	0.05	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	4	50-CO	0.7	3.4	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	4	50-NMOG	0.038	0.15	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	4	50-NOX	0.02	0.05	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	4	CO-US06	0.9	8	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	4	HC-NM+NOX-US06	0.06	0.14	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	120	CO-US06	1	11.1	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	4	CO-US06	0.9	8	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	4	HC-NM+NOX-US06	0.06	0.14	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	4	CO-SC03	0.8	2.7	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	4	HC-NM+NOX-SC03	0.05	0.2	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	120	CO-SC03	0.8	3.7	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	4	CO-SC03	0.8	2.7	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	4	HC-NM+NOX-SC03	0.05	0.2	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	50	CO-COLD	5.2	10	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	50	CO-COLD	5.2	10	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	120	CO	0.6	4.2	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	120	NMOG	0.04	0.09	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	120	NOX	0.04	0.07	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	50	CO	0.6	3.4	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	50	NMOG	0.032	0.075	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	50	NOX	0.02	0.05	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CF	120	CO	0.6	4.2	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	120	CO	0.6	4.2	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	120	HC-NM+NOX-COMP	0.08	0.65	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	120	NMOG	0.04	0.09	B5



2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	120	NOX	0.04	0.07	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	50	CO	0.6	3.4	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	50	NMOG	0.032	0.075	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	50	NOX	0.02	0.05	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	4	50-CO	0.7	3.4	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	4	50-NMOG	0.038	0.15	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	4	50-NOX	0.02	0.05	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	4	CO-US06	0.9	8	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	4	HC-NM+NOX-US06	0.06	0.14	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	120	CO-US06	1	11.1	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	4	CO-US06	0.9	8	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	4	HC-NM+NOX-US06	0.06	0.14	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	4	CO-SC03	0.8	2.7	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	CA	4	HC-NM+NOX-SC03	0.05	0.2	L2
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	120	CO-SC03	0.8	3.7	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	4	CO-SC03	0.8	2.7	B5
GENERAL MOTORS	CHEVROLET	EQUINOX AWD	3400	L5	2.7	4250	FA	4	HC-NM+NOX-SC03	0.05	0.2	B5
GENERAL MOTORS	CHEVROLET	G35CHEVVAN CONV	4800	L4	4.1	8000	CA	120	CO	3.5	7.3	LEV
GENERAL MOTORS	CHEVROLET	G35CHEVVAN CONV	4800	L4	4.1	8000	CA	120	NMOG	0.098	0.28	LEV
GENERAL MOTORS	CHEVROLET	G35CHEVVAN CONV	4800	L4	4.1	8000	CA	120	NOX	0.3	0.9	LEV
GENERAL MOTORS	CHEVROLET	G35CHEVVAN CONV	4800	L4	4.1	8000	CA	50	CO	2.4	5	LEV
GENERAL MOTORS	CHEVROLET	G35CHEVVAN CONV	4800	L4	4.1	8000	CA	50	NMOG	0.088	0.195	LEV
GENERAL MOTORS	CHEVROLET	G35CHEVVAN CONV	4800	L4	4.1	8000	CA	50	NOX	0.1	0.6	LEV
GENERAL MOTORS	CHEVROLET	G35CHEVVAN CONV	4800	L4	4.1	8000	CA	4	50-CO	2.2	5	LEV
GENERAL MOTORS	CHEVROLET	G35CHEVVAN CONV	4800	L4	4.1	8000	CA	4	50-NMOG	0.131	0.39	LEV
GENERAL MOTORS	CHEVROLET	G35CHEVVAN CONV	4800	L4	4.1	8000	CA	4	50-NOX	0.1	0.6	LEV
GENERAL MOTORS	CHEVROLET	G35CHEVVAN CONV	6000	L4	4.1	8000	CA	120	CO	2.6	6.4	U2
GENERAL MOTORS	CHEVROLET	G35CHEVVAN CONV	6000	L4	4.1	8000	CA	120	NMOG	0.124	0.143	U2
GENERAL MOTORS	CHEVROLET	G35CHEVVAN CONV	6000	L4	4.1	8000	CA	120	NOX	0.2	0.2	U2
GENERAL MOTORS	CHEVROLET	G35CHEVVAN CONV	6000	L4	4.1	8000	CA	120	CO	3.8	7.3	LEV
GENERAL MOTORS	CHEVROLET	G35CHEVVAN CONV	6000	L4	4.1	8000	CA	120	NMOG	0.111	0.28	LEV
GENERAL MOTORS	CHEVROLET	G35CHEVVAN CONV	6000	L4	4.1	8000	CA	120	NOX	0.3	0.9	LEV
GENERAL MOTORS	CHEVROLET	G35CHEVVAN CONV	6000	L4	4.1	8000	CA	50	CO	2.6	5	LEV
GENERAL MOTORS	CHEVROLET	G35CHEVVAN CONV	6000	L4	4.1	8000	CA	50	NMOG	0.101	0.195	LEV
GENERAL MOTORS	CHEVROLET	G35CHEVVAN CONV	6000	L4	4.1	8000	CA	50	NOX	0.2	0.6	LEV
GENERAL MOTORS	CHEVROLET	G35CHEVVAN CONV	6000	L4	4.1	8000	CF	120	CO	3.8	7.3	LEV
GENERAL MOTORS	CHEVROLET	G35CHEVVAN CONV	6000	L4	4.1	8000	FA	120	CO	3.8	7.3	B11
GENERAL MOTORS	CHEVROLET	G35CHEVVAN CONV	6000	L4	4.1	8000	FA	120	NMOG	0.111	0.28	B11

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
GENERAL MOTORS	CHEVROLET	G35CHEVVAN CONV	6000	L4	4.1	8000	FA	120	NOX	0.3	0.9	B11
GENERAL MOTORS	CHEVROLET	G35CHEVVAN CONV	6000	L4	4.1	8000	FA	50	CO	2.6	5	B11
GENERAL MOTORS	CHEVROLET	G35CHEVVAN CONV	6000	L4	4.1	8000	FA	50	NMOG	0.101	0.195	B11
GENERAL MOTORS	CHEVROLET	G35CHEVVAN CONV	6000	L4	4.1	8000	FA	50	NOX	0.2	0.6	B11
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	50	CO-COLD	3.3	12.5	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	CF	120	CO	1.8	6.4	LEV
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	120	CO	1.8	6.4	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	120	NMOG	0.071	0.28	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	120	NOX	0.2	0.6	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	50	CO	1.3	4.4	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	50	NMOG	0.057	0.195	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	50	NOX	0.1	0.4	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	CF	120	CO	2.1	6.4	LEV
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	120	CO	2.1	6.4	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	120	NMOG	0.135	0.28	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	120	NOX	0.2	0.6	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	50	CO	1.6	4.4	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	50	NMOG	0.121	0.195	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	50	NOX	0.1	0.4	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	CF	120	CO	1.5	6.4	LEV
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	120	CO	1.5	6.4	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	120	HC-NM+NOX-COMP	0.27	1.67	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	120	NMOG	0.07	0.28	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	120	NOX	0.2	0.6	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	50	CO	1	4.4	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	50	NMOG	0.056	0.195	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	50	NOX	0.1	0.4	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	120	CO-US06	1.4	19.3	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	4	CO-US06	0.6	11.8	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	4	HC-NM+NOX-US06	0	0.6	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	120	CO-SC03	1.4	6.4	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	4	CO-SC03	0.6	4	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	4	HC-NM+NOX-SC03	0.05	0.44	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	50	CO-COLD	3.3	12.5	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	CF	120	CO	1.8	6.4	LEV
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	120	CO	1.8	6.4	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	120	NMOG	0.071	0.28	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	120	NOX	0.2	0.6	B10

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	50	CO	1.3	4.4	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	50	NMOG	0.057	0.195	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	50	NOX	0.1	0.4	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	CF	120	CO	2.1	6.4	LEV
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	120	CO	2.1	6.4	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	120	NMOG	0.135	0.28	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	120	NOX	0.2	0.6	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	50	CO	1.6	4.4	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	50	NMOG	0.121	0.195	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	50	NOX	0.1	0.4	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	CF	120	CO	1.5	6.4	LEV
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	120	CO	1.5	6.4	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	120	HC-NM+NOX-COMP	0.27	1.67	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	120	NMOG	0.07	0.28	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	120	NOX	0.2	0.6	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	50	CO	1	4.4	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	50	NMOG	0.056	0.195	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	50	NOX	0.1	0.4	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	120	CO-US06	1.4	19.3	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	4	CO-US06	0.6	11.8	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	4	HC-NM+NOX-US06	0	0.6	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	120	CO-SC03	1.4	6.4	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	4	CO-SC03	0.6	4	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	4	HC-NM+NOX-SC03	0.05	0.44	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	50	CO-COLD	3.3	12.5	B10
GENERAL MOTORS	CHEVROLET	K1500 SUB'N 4WD	5300	L4	4.1	6000	FC	50	CO-COLD	3.3	12.5	B10
GENERAL MOTORS	CHEVROLET	K15SLVHYBRID4WD	5300	L4	3.73	5500	FC	50	CO-COLD	3.6	12.5	B8
GENERAL MOTORS	CHEVROLET	K15SLVHYBRID4WD	5300	L4	3.73	5500	CF	120	CO	1.3	4.2	LEV
GENERAL MOTORS	CHEVROLET	K15SLVHYBRID4WD	5300	L4	3.73	5500	FC	120	CO	1.3	4.2	B8
GENERAL MOTORS	CHEVROLET	K15SLVHYBRID4WD	5300	L4	3.73	5500	FC	120	HC-NM+NOX-COMP	0.15	1.06	B8
GENERAL MOTORS	CHEVROLET	K15SLVHYBRID4WD	5300	L4	3.73	5500	FC	120	NMOG	0.066	0.156	B8
GENERAL MOTORS	CHEVROLET	K15SLVHYBRID4WD	5300	L4	3.73	5500	FC	120	NOX	0.12	0.2	B8
GENERAL MOTORS	CHEVROLET	K15SLVHYBRID4WD	5300	L4	3.73	5500	FC	50	CO	1	3.4	B8
GENERAL MOTORS	CHEVROLET	K15SLVHYBRID4WD	5300	L4	3.73	5500	FC	50	NMOG	0.055	0.125	B8
GENERAL MOTORS	CHEVROLET	K15SLVHYBRID4WD	5300	L4	3.73	5500	FC	50	NOX	0.09	0.14	B8
GENERAL MOTORS	CHEVROLET	K15SLVHYBRID4WD	5300	L4	3.73	5500	FC	120	CO-US06	2.2	16.9	B8
GENERAL MOTORS	CHEVROLET	K15SLVHYBRID4WD	5300	L4	3.73	5500	FC	4	CO-US06	1.8	10.5	B8
GENERAL MOTORS	CHEVROLET	K15SLVHYBRID4WD	5300	L4	3.73	5500	FC	4	HC-NM+NOX-US06	0.1	0.4	B8

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
GENERAL MOTORS	CHEVROLET	K15SLVHYBRID4WD	5300	L4	3.73	5500	FC	120	CO-SC03	0.9	5.6	B8
GENERAL MOTORS	CHEVROLET	K15SLVHYBRID4WD	5300	L4	3.73	5500	FC	4	CO-SC03	0.4	3.5	B8
GENERAL MOTORS	CHEVROLET	K15SLVHYBRID4WD	5300	L4	3.73	5500	FC	4	HC-NM+NOX-SC03	0.04	0.31	B8
GENERAL MOTORS	CHEVROLET	K2500 SUB'N 4WD	6000	L4	4.1	7500	CA	120	CO	2.8	7.3	LEV
GENERAL MOTORS	CHEVROLET	K2500 SUB'N 4WD	6000	L4	4.1	7500	CA	120	NMOG	0.103	0.28	LEV
GENERAL MOTORS	CHEVROLET	K2500 SUB'N 4WD	6000	L4	4.1	7500	CA	120	NOX	0.2	0.9	LEV
GENERAL MOTORS	CHEVROLET	K2500 SUB'N 4WD	6000	L4	4.1	7500	CA	50	CO	2.8	5	LEV
GENERAL MOTORS	CHEVROLET	K2500 SUB'N 4WD	6000	L4	4.1	7500	CA	50	NMOG	0.103	0.195	LEV
GENERAL MOTORS	CHEVROLET	K2500 SUB'N 4WD	6000	L4	4.1	7500	CA	50	NOX	0.2	0.6	LEV
GENERAL MOTORS	CHEVROLET	K2500 SUB'N 4WD	6000	L4	4.1	7500	CF	120	CO	2.8	7.3	LEV
GENERAL MOTORS	CHEVROLET	K2500 SUB'N 4WD	6000	L4	4.1	7500	FA	120	CO	2.8	7.3	B11
GENERAL MOTORS	CHEVROLET	K2500 SUB'N 4WD	6000	L4	4.1	7500	FA	120	NMOG	0.103	0.28	B11
GENERAL MOTORS	CHEVROLET	K2500 SUB'N 4WD	6000	L4	4.1	7500	FA	120	NOX	0.2	0.9	B11
GENERAL MOTORS	CHEVROLET	K2500 SUB'N 4WD	6000	L4	4.1	7500	FA	50	CO	2.8	5	B11
GENERAL MOTORS	CHEVROLET	K2500 SUB'N 4WD	6000	L4	4.1	7500	FA	50	NMOG	0.103	0.195	B11
GENERAL MOTORS	CHEVROLET	K2500 SUB'N 4WD	6000	L4	4.1	7500	FA	50	NOX	0.2	0.6	B11
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	6000	L4	4.1	9000	CA	120	CO	2.8	7.3	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	6000	L4	4.1	9000	CA	120	NMOG	0.103	0.28	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	6000	L4	4.1	9000	CA	120	NOX	0.2	0.9	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	6000	L4	4.1	9000	CA	50	CO	2.8	5	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	6000	L4	4.1	9000	CA	50	NMOG	0.103	0.195	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	6000	L4	4.1	9000	CA	50	NOX	0.2	0.6	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	6000	L4	4.1	9000	CA	4	50-CO	3.2	5	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	6000	L4	4.1	9000	CA	4	50-NMOG	0.177	0.39	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	6000	L4	4.1	9000	CA	4	50-NOX	0.2	0.6	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	6000	L4	4.1	9000	CA	4	50-CO	3.2	5	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	6000	L4	4.1	9000	CA	4	50-NMOG	0.177	0.39	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	6000	L4	4.1	9000	CA	4	50-NOX	0.2	0.6	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	6000	L4	4.1	9000	CA	120	CO	2.8	7.3	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	6000	L4	4.1	9000	CA	120	NMOG	0.103	0.28	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	6000	L4	4.1	9000	CA	120	NOX	0.2	0.9	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	6000	L4	4.1	9000	CA	50	CO	2.8	5	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	6000	L4	4.1	9000	CA	50	NMOG	0.103	0.195	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	6000	L4	4.1	9000	CA	50	NOX	0.2	0.6	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	6000	L4	4.1	9000	CA	4	50-CO	3.2	5	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	6000	L4	4.1	9000	CA	4	50-NMOG	0.177	0.39	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	6000	L4	4.1	9000	CA	4	50-NOX	0.2	0.6	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	6000	L4	4.1	9000	CA	120	CO	2.8	7.3	LEV

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	6000	L4	4.1	9000	CA	120	NMOG	0.103	0.28	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	6000	L4	4.1	9000	CA	120	NOX	0.2	0.9	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	6000	L4	4.1	9000	CA	50	CO	2.8	5	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	6000	L4	4.1	9000	CA	50	NMOG	0.103	0.195	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	6000	L4	4.1	9000	CA	50	NOX	0.2	0.6	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	6000	L4	4.1	9000	CA	4	50-CO	3.2	5	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	6000	L4	4.1	9000	CA	4	50-NMOG	0.177	0.39	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	6000	L4	4.1	9000	CA	4	50-NOX	0.2	0.6	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	8100	L5	4.1	9500	CA	120	CO	2.8	7.3	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	8100	L5	4.1	9500	CA	120	NMOG	0.15	0.28	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	8100	L5	4.1	9500	CA	120	NOX	0.3	0.9	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	8100	L5	4.1	9500	CA	50	CO	2.8	5	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	8100	L5	4.1	9500	CA	50	NMOG	0.15	0.195	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	8100	L5	4.1	9500	CA	50	NOX	0.3	0.6	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	8100	L5	4.1	9500	CA	120	CO	2.8	7.3	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	8100	L5	4.1	9500	CA	120	NMOG	0.15	0.28	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	8100	L5	4.1	9500	CA	120	NOX	0.3	0.9	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	8100	L5	4.1	9500	CA	50	CO	2.8	5	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	8100	L5	4.1	9500	CA	50	NMOG	0.15	0.195	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	8100	L5	4.1	9500	CA	50	NOX	0.3	0.6	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	8100	L5	4.1	9500	CA	120	CO	2.8	7.3	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	8100	L5	4.1	9500	CA	120	NMOG	0.15	0.28	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	8100	L5	4.1	9500	CA	120	NOX	0.3	0.9	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	8100	L5	4.1	9500	CA	50	CO	2.8	5	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	8100	L5	4.1	9500	CA	50	NMOG	0.15	0.195	LEV
GENERAL MOTORS	CHEVROLET	K3500SLVRADO4WD	8100	L5	4.1	9500	CA	50	NOX	0.3	0.6	LEV
GENERAL MOTORS	CHEVROLET	MALIBU	2200	L4	3.63	3375	FC	50	CO-COLD	5.7	10	B8
GENERAL MOTORS	CHEVROLET	MALIBU	2200	L4	3.63	3375	FC	100	CO	1.8	4.2	B8
GENERAL MOTORS	CHEVROLET	MALIBU	2200	L4	3.63	3375	FC	100	HC-NM+NOX-COMP	0.08	0.71	B8
GENERAL MOTORS	CHEVROLET	MALIBU	2200	L4	3.63	3375	FC	100	NMOG	0.039	0.125	B8
GENERAL MOTORS	CHEVROLET	MALIBU	2200	L4	3.63	3375	FC	100	NOX	0.08	0.2	B8
GENERAL MOTORS	CHEVROLET	MALIBU	2200	L4	3.63	3375	FC	50	CO	1.8	3.4	B8

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
GENERAL MOTORS	CHEVROLET	MALIBU	2200	L4	3.63	3375	FC	50	NMOG	0.039	0.1	B8
GENERAL MOTORS	CHEVROLET	MALIBU	2200	L4	3.63	3375	FC	50	NOX	0.08	0.14	B8
GENERAL MOTORS	CHEVROLET	MALIBU	2200	L4	3.63	3375	FC	100	CO-US06	4.7	11.1	B8
GENERAL MOTORS	CHEVROLET	MALIBU	2200	L4	3.63	3375	FC	4	CO-US06	4.9	8	B8
GENERAL MOTORS	CHEVROLET	MALIBU	2200	L4	3.63	3375	FC	4	HC-NM+NOX-US06	0.03	0.14	B8
GENERAL MOTORS	CHEVROLET	MALIBU	2200	L4	3.63	3375	FC	100	CO-SC03	1.6	3.7	B8
GENERAL MOTORS	CHEVROLET	MALIBU	2200	L4	3.63	3375	FC	4	CO-SC03	1.5	2.7	B8
GENERAL MOTORS	CHEVROLET	MALIBU	2200	L4	3.63	3375	FC	4	HC-NM+NOX-SC03	0.02	0.2	B8
GENERAL MOTORS	CHEVROLET	TRAILBLAZER 2WD	4200	L4	3.42	5000	CA	4	50-CO	1.3	3.4	L2
GENERAL MOTORS	CHEVROLET	TRAILBLAZER 2WD	4200	L4	3.42	5000	CA	4	50-NMOG	0.107	0.15	L2
GENERAL MOTORS	CHEVROLET	TRAILBLAZER 2WD	4200	L4	3.42	5000	CA	4	50-NOX	0.02	0.05	L2
GENERAL MOTORS	CHEVROLET	TRLBLZR EXT 4WD	4200	L4	4.1	5500	CF	120	CO	1.8	4.2	LEV
GENERAL MOTORS	CHEVROLET	TRLBLZR EXT 4WD	4200	L4	4.1	5500	FC	120	CO	1.8	4.2	B8
GENERAL MOTORS	CHEVROLET	TRLBLZR EXT 4WD	4200	L4	4.1	5500	FC	120	HC-NM+NOX-COMP	0.16	1.06	B8
GENERAL MOTORS	CHEVROLET	TRLBLZR EXT 4WD	4200	L4	4.1	5500	FC	120	NMOG	0.102	0.156	B8
GENERAL MOTORS	CHEVROLET	TRLBLZR EXT 4WD	4200	L4	4.1	5500	FC	120	NOX	0.06	0.2	B8
GENERAL MOTORS	CHEVROLET	TRLBLZR EXT 4WD	4200	L4	4.1	5500	FC	120	CO-US06	6.4	16.9	B8
GENERAL MOTORS	CHEVROLET	TRLBLZR EXT 4WD	4200	L4	4.1	5500	FC	4	CO-US06	6.9	10.5	B8
GENERAL MOTORS	CHEVROLET	TRLBLZR EXT 4WD	4200	L4	4.1	5500	FC	4	HC-NM+NOX-US06	0	0.4	B8
GENERAL MOTORS	CHEVROLET	TRLBLZR EXT 4WD	4200	L4	4.1	5500	FC	120	CO-SC03	3.5	5.6	B8
GENERAL MOTORS	CHEVROLET	TRLBLZR EXT 4WD	4200	L4	4.1	5500	FC	4	CO-SC03	1.8	3.5	B8
GENERAL MOTORS	CHEVROLET	TRLBLZR EXT 4WD	4200	L4	4.1	5500	FC	4	HC-NM+NOX-SC03	0.07	0.31	B8
GENERAL MOTORS	CHEVROLET	TRLBLZR EXT 4WD	4200	L4	4.1	5500	CF	120	CO	1.8	4.2	LEV
GENERAL MOTORS	CHEVROLET	TRLBLZR EXT 4WD	4200	L4	4.1	5500	FC	120	CO	1.8	4.2	B8
GENERAL MOTORS	CHEVROLET	TRLBLZR EXT 4WD	4200	L4	4.1	5500	FC	120	HC-NM+NOX-COMP	0.16	1.06	B8
GENERAL MOTORS	CHEVROLET	TRLBLZR EXT 4WD	4200	L4	4.1	5500	FC	120	NMOG	0.102	0.156	B8
GENERAL MOTORS	CHEVROLET	TRLBLZR EXT 4WD	4200	L4	4.1	5500	FC	120	NOX	0.06	0.2	B8
GENERAL MOTORS	CHEVROLET	TRLBLZR EXT 4WD	4200	L4	4.1	5500	FC	120	CO-US06	6.4	16.9	B8
GENERAL MOTORS	CHEVROLET	TRLBLZR EXT 4WD	4200	L4	4.1	5500	FC	4	CO-US06	6.9	10.5	B8
GENERAL MOTORS	CHEVROLET	TRLBLZR EXT 4WD	4200	L4	4.1	5500	FC	4	HC-NM+NOX-US06	0	0.4	B8
GENERAL MOTORS	CHEVROLET	TRLBLZR EXT 4WD	4200	L4	4.1	5500	FC	120	CO-SC03	3.5	5.6	B8
GENERAL MOTORS	CHEVROLET	TRLBLZR EXT 4WD	4200	L4	4.1	5500	FC	4	CO-SC03	1.8	3.5	B8
GENERAL MOTORS	CHEVROLET	TRLBLZR EXT 4WD	4200	L4	4.1	5500	FC	4	HC-NM+NOX-SC03	0.07	0.31	B8
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	CA	50	CO-COLD	3.9	12.5	LEV
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	FA	50	CO-COLD	3.9	12.5	B10
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	CA	50	CO-COLD	3.9	12.5	LEV
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	FA	50	CO-COLD	3.9	12.5	B10
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	CA	50	CO-COLD	3.9	12.5	LEV

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	FA	50	CO-COLD	3.9	12.5	B10
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	CA	120	CO	1.8	6.4	LEV
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	CA	120	NMOG	0.112	0.23	LEV
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	CA	120	NOX	0.2	0.6	LEV
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	CA	50	CO	1.4	4.4	LEV
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	CA	50	NMOG	0.099	0.16	LEV
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	CA	50	NOX	0.1	0.4	LEV
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	CF	120	CO	1.8	6.4	B10
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	FA	120	CO	1.8	6.4	B10
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	FA	120	HC-NM+NOX-COMP	0.34	1.23	B10
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	FA	120	NMOG	0.112	0.23	B10
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	FA	120	NOX	0.2	0.6	B10
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	FA	50	CO	1.4	4.4	B10
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	FA	50	NMOG	0.099	0.16	B10
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	FA	50	NOX	0.1	0.4	B10
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	CA	4	CO-US06	4	10.5	LEV
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	CA	4	HC-NM+NOX-US06	0.12	0.4	LEV
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	FA	120	CO-US06	4.8	16.9	B10
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	FA	4	CO-US06	4	10.5	B10
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	FA	4	HC-NM+NOX-US06	0.1	0.4	B10
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	CA	4	CO-SC03	1.3	3.5	LEV
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	CA	4	HC-NM+NOX-SC03	0.14	0.31	LEV
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	FA	120	CO-SC03	2.1	5.6	B10
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	FA	4	CO-SC03	1.3	3.5	B10
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	FA	4	HC-NM+NOX-SC03	0.14	0.31	B10
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	CA	50	CO-COLD	3.9	12.5	LEV
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	FA	50	CO-COLD	3.9	12.5	B10
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	CA	120	CO	1.8	6.4	LEV
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	CA	120	NMOG	0.112	0.23	LEV
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	CA	120	NOX	0.2	0.6	LEV
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	CA	50	CO	1.4	4.4	LEV
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	CA	50	NMOG	0.099	0.16	LEV
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	CA	50	NOX	0.1	0.4	LEV
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	CF	120	CO	1.8	6.4	B10
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	FA	120	CO	1.8	6.4	B10
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	FA	120	HC-NM+NOX-COMP	0.34	1.23	B10
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	FA	120	NMOG	0.112	0.23	B10
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	FA	120	NOX	0.2	0.6	B10

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	FA	50	CO	1.4	4.4	B10
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	FA	50	NMOG	0.099	0.16	B10
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	FA	50	NOX	0.1	0.4	B10
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	CA	4	CO-US06	4	10.5	LEV
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	CA	4	HC-NM+NOX-US06	0.12	0.4	LEV
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	FA	120	CO-US06	4.8	16.9	B10
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	FA	4	CO-US06	4	10.5	B10
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	FA	4	HC-NM+NOX-US06	0.1	0.4	B10
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	CA	4	CO-SC03	1.3	3.5	LEV
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	CA	4	HC-NM+NOX-SC03	0.14	0.31	LEV
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	FA	120	CO-SC03	2.1	5.6	B10
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	FA	4	CO-SC03	1.3	3.5	B10
GENERAL MOTORS	GMC	G15/25SAVANA(C)	5300	L4	3.73	5500	FA	4	HC-NM+NOX-SC03	0.14	0.31	B10
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	CA	120	CO	2.7	6.4	LEV
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	CA	120	NMOG	0.098	0.23	LEV
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	CA	120	NOX	0.3	0.6	LEV
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	CA	50	CO	2.2	4.4	LEV
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	CA	50	NMOG	0.085	0.16	LEV
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	CA	50	NOX	0.2	0.4	LEV
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	CF	120	CO	2.7	6.4	LEV
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	FA	120	CO	2.7	6.4	B10
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	FA	120	HC-NM+NOX-COMP	0.28	1.23	B10
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	FA	120	NMOG	0.098	0.23	B10
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	FA	120	NOX	0.3	0.6	B10
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	FA	50	CO	2.2	4.4	B10
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	FA	50	NMOG	0.085	0.16	B10
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	FA	50	NOX	0.2	0.4	B10
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	CA	4	CO-US06	2.5	10.5	LEV
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	CA	4	HC-NM+NOX-US06	0.04	0.4	LEV
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	FA	120	CO-US06	3.3	16.9	B10
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	FA	4	CO-US06	2.5	10.5	B10
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	FA	4	HC-NM+NOX-US06	0	0.4	B10
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	CA	4	CO-SC03	1.1	3.5	LEV
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	CA	4	HC-NM+NOX-SC03	0.02	0.31	LEV
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	FA	120	CO-SC03	1.9	5.6	B10
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	FA	4	CO-SC03	1.1	3.5	B10
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	FA	4	HC-NM+NOX-SC03	0.02	0.31	B10
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	CA	120	CO	2.7	6.4	LEV



2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	CA	120	NMOG	0.098	0.23	LEV
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	CA	120	NOX	0.3	0.6	LEV
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	CA	50	CO	2.2	4.4	LEV
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	CA	50	NMOG	0.085	0.16	LEV
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	CA	50	NOX	0.2	0.4	LEV
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	CF	120	CO	2.7	6.4	LEV
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	FA	120	CO	2.7	6.4	B10
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	FA	120	HC-NM+NOX-COMP	0.28	1.23	B10
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	FA	120	NMOG	0.098	0.23	B10
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	FA	120	NOX	0.3	0.6	B10
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	FA	50	CO	2.2	4.4	B10
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	FA	50	NMOG	0.085	0.16	B10
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	CA	4	CO-US06	2.5	10.5	LEV
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	CA	4	HC-NM+NOX-US06	0.04	0.4	LEV
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	FA	120	CO-US06	3.3	16.9	B10
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	FA	4	CO-US06	2.5	10.5	B10
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	FA	4	HC-NM+NOX-US06	0	0.4	B10
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	CA	4	CO-SC03	1.1	3.5	LEV
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	CA	4	HC-NM+NOX-SC03	0.02	0.31	LEV
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	FA	120	CO-SC03	1.9	5.6	B10
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	FA	4	CO-SC03	1.1	3.5	B10
GENERAL MOTORS	GMC	G1525SAVANACONV	4300	L4	3.42	6500	FA	4	HC-NM+NOX-SC03	0.02	0.31	B10
GENERAL MOTORS	GMC	G3500 SAVANA(P)	6000	L4	3.73	7000	FC	50	CO-COLD	3	12.5	B8
GENERAL MOTORS	GMC	G3500 SAVANA(P)	6000	L4	3.73	7000	CF	120	CO	1	3.7	ULEV
GENERAL MOTORS	GMC	G3500 SAVANA(P)	6000	L4	3.73	7000	CF	120	HCHO	0.001	0.016	ULEV
GENERAL MOTORS	GMC	G3500 SAVANA(P)	6000	L4	3.73	7000	CF	50	CO	1	2.5	ULEV
GENERAL MOTORS	GMC	G3500 SAVANA(P)	6000	L4	3.73	7000	CF	50	HCHO	0.001	0.011	ULEV
GENERAL MOTORS	GMC	G3500 SAVANA(P)	6000	L4	3.73	7000	FC	120	CO	1	4.2	B8
GENERAL MOTORS	GMC	G3500 SAVANA(P)	6000	L4	3.73	7000	FC	120	HCHO	0.001	0.018	B8
GENERAL MOTORS	GMC	G3500 SAVANA(P)	6000	L4	3.73	7000	FC	120	NMOG	0.019	0.156	B8
GENERAL MOTORS	GMC	G3500 SAVANA(P)	6000	L4	3.73	7000	FC	120	NOX	0.07	0.2	B8
GENERAL MOTORS	GMC	G3500 SAVANA(P)	6000	L4	3.73	7000	FC	50	CO	1	3.4	B8
GENERAL MOTORS	GMC	G3500 SAVANA(P)	6000	L4	3.73	7000	FC	50	HCHO	0.001	0.015	B8
GENERAL MOTORS	GMC	G3500 SAVANA(P)	6000	L4	3.73	7000	FC	50	NMOG	0.019	0.125	B8
GENERAL MOTORS	GMC	G3500 SAVANA(P)	6000	L4	3.73	7000	FC	50	NOX	0.07	0.14	B8
GENERAL MOTORS	GMC	G3500 SAVANA(P)	6000	L4	3.73	7000	CF	120	CO	1.6	4.2	LEV
GENERAL MOTORS	GMC	G3500 SAVANA(P)	6000	L4	3.73	7000	FC	120	CO	1.6	4.2	B8

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
GENERAL MOTORS	GMC	G3500 SAVANA(P)	6000	L4	3.73	7000	FC	120	HC-NM+NOX-COMP	0.2	1.48	B8
GENERAL MOTORS	GMC	G3500 SAVANA(P)	6000	L4	3.73	7000	FC	120	NMOG	0.096	0.156	B8
GENERAL MOTORS	GMC	G3500 SAVANA(P)	6000	L4	3.73	7000	FC	120	NOX	0.07	0.2	B8
GENERAL MOTORS	GMC	G3500 SAVANA(P)	6000	L4	3.73	7000	FC	50	CO	1.6	3.4	B8
GENERAL MOTORS	GMC	G3500 SAVANA(P)	6000	L4	3.73	7000	FC	50	NMOG	0.096	0.125	B8
GENERAL MOTORS	GMC	G3500 SAVANA(P)	6000	L4	3.73	7000	FC	50	NOX	0.07	0.14	B8
GENERAL MOTORS	GMC	G3500 SAVANA(P)	6000	L4	3.73	7000	FC	4	CO-US06	0.5	11.8	B8
GENERAL MOTORS	GMC	G3500 SAVANA(P)	6000	L4	3.73	7000	FC	4	HC-NM+NOX-US06	0.1	0.6	B8
GENERAL MOTORS	GMC	G3500 SAVANA(P)	6000	L4	3.73	7000	FC	4	CO-SC03	0.9	4	B8
GENERAL MOTORS	GMC	G3500 SAVANA(P)	6000	L4	3.73	7000	FC	4	HC-NM+NOX-SC03	0.03	0.44	B8
GENERAL MOTORS	GMC	G3500 SAVANA(P)	6000	L4	3.73	7500	CF	120	CO	0.6	3.7	ULEV
GENERAL MOTORS	GMC	G3500 SAVANA(P)	6000	L4	3.73	7500	CF	120	HCHO	0.001	0.016	ULEV
GENERAL MOTORS	GMC	G3500 SAVANA(P)	6000	L4	3.73	7500	CF	120	NMOG	0.02	0.167	ULEV
GENERAL MOTORS	GMC	G3500 SAVANA(P)	6000	L4	3.73	7500	CF	50	CO	0.6	2.5	ULEV
GENERAL MOTORS	GMC	G3500 SAVANA(P)	6000	L4	3.73	7500	CF	50	HCHO	0.001	0.011	ULEV
GENERAL MOTORS	GMC	G3500 SAVANA(P)	6000	L4	3.73	7500	CF	50	NMOG	0.02	0.117	ULEV
GENERAL MOTORS	GMC	G3500 SAVANA(P)	6000	L4	3.73	7500	FC	120	CO	0.6	4.2	B8
GENERAL MOTORS	GMC	G3500 SAVANA(P)	6000	L4	3.73	7500	FC	120	HCHO	0.001	0.018	B8
GENERAL MOTORS	GMC	G3500 SAVANA(P)	6000	L4	3.73	7500	FC	120	NMOG	0.02	0.156	B8
GENERAL MOTORS	GMC	G3500 SAVANA(P)	6000	L4	3.73	7500	FC	120	NOX	0.05	0.2	B8
GENERAL MOTORS	GMC	G3500 SAVANA(P)	6000	L4	3.73	7500	FC	50	CO	0.6	3.4	B8
GENERAL MOTORS	GMC	G3500 SAVANA(P)	6000	L4	3.73	7500	FC	50	HCHO	0.001	0.015	B8
GENERAL MOTORS	GMC	G3500 SAVANA(P)	6000	L4	3.73	7500	FC	50	NMOG	0.02	0.125	B8
GENERAL MOTORS	GMC	G3500 SAVANA(P)	6000	L4	3.73	7500	FC	50	NOX	0.05	0.14	B8
GENERAL MOTORS	GMC	H1525SAVAWDCONV	5300	L4	3.73	6000	FC	50	CO-COLD	3.9	12.5	B10
GENERAL MOTORS	GMC	H1525SAVAWDCONV	5300	L4	3.73	6000	CF	120	CO	1.8	6.4	B10
GENERAL MOTORS	GMC	H1525SAVAWDCONV	5300	L4	3.73	6000	FC	120	CO	1.8	6.4	B10
GENERAL MOTORS	GMC	H1525SAVAWDCONV	5300	L4	3.73	6000	FC	120	HC-NM+NOX-COMP	0.34	1.67	B10
GENERAL MOTORS	GMC	H1525SAVAWDCONV	5300	L4	3.73	6000	FC	120	NMOG	0.112	0.28	B10
GENERAL MOTORS	GMC	H1525SAVAWDCONV	5300	L4	3.73	6000	FC	120	NOX	0.2	0.6	B10
GENERAL MOTORS	GMC	H1525SAVAWDCONV	5300	L4	3.73	6000	FC	50	CO	1.4	4.4	B10
GENERAL MOTORS	GMC	H1525SAVAWDCONV	5300	L4	3.73	6000	FC	50	NMOG	0.099	0.195	B10
GENERAL MOTORS	GMC	H1525SAVAWDCONV	5300	L4	3.73	6000	FC	50	NOX	0.1	0.4	B10
GENERAL MOTORS	GMC	H1525SAVAWDCONV	5300	L4	3.73	6000	FC	120	CO-US06	4.8	19.3	B10
GENERAL MOTORS	GMC	H1525SAVAWDCONV	5300	L4	3.73	6000	FC	4	CO-US06	4	11.8	B10
GENERAL MOTORS	GMC	H1525SAVAWDCONV	5300	L4	3.73	6000	FC	4	HC-NM+NOX-US06	0.1	0.6	B10
GENERAL MOTORS	GMC	H1525SAVAWDCONV	5300	L4	3.73	6000	FC	120	CO-SC03	2.1	6.4	B10
GENERAL MOTORS	GMC	H1525SAVAWDCONV	5300	L4	3.73	6000	FC	4	CO-SC03	1.3	4	B10

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
GENERAL MOTORS	GMC	H1525SAVAWDCONV	5300	L4	3.73	6000	FC	4	HC-NM+NOX-SC03	0.14	0.44	B10
GENERAL MOTORS	GMC	H1525SAVAWDCONV	5300	L4	3.73	6000	FC	50	CO-COLD	3.9	12.5	B10
GENERAL MOTORS	GMC	H1525SAVAWDCONV	5300	L4	3.73	6000	CF	120	CO	1.8	6.4	B10
GENERAL MOTORS	GMC	H1525SAVAWDCONV	5300	L4	3.73	6000	FC	120	CO	1.8	6.4	B10
GENERAL MOTORS	GMC	H1525SAVAWDCONV	5300	L4	3.73	6000	FC	120	HC-NM+NOX-COMP	0.34	1.67	B10
GENERAL MOTORS	GMC	H1525SAVAWDCONV	5300	L4	3.73	6000	FC	120	NMOG	0.112	0.28	B10
GENERAL MOTORS	GMC	H1525SAVAWDCONV	5300	L4	3.73	6000	FC	120	NOX	0.2	0.6	B10
GENERAL MOTORS	GMC	H1525SAVAWDCONV	5300	L4	3.73	6000	FC	50	CO	1.4	4.4	B10
GENERAL MOTORS	GMC	H1525SAVAWDCONV	5300	L4	3.73	6000	FC	50	NMOG	0.099	0.195	B10
GENERAL MOTORS	GMC	H1525SAVAWDCONV	5300	L4	3.73	6000	FC	50	NOX	0.1	0.4	B10
GENERAL MOTORS	GMC	H1525SAVAWDCONV	5300	L4	3.73	6000	FC	120	CO-US06	4.8	19.3	B10
GENERAL MOTORS	GMC	H1525SAVAWDCONV	5300	L4	3.73	6000	FC	4	CO-US06	4	11.8	B10
GENERAL MOTORS	GMC	H1525SAVAWDCONV	5300	L4	3.73	6000	FC	4	HC-NM+NOX-US06	0.1	0.6	B10
GENERAL MOTORS	GMC	H1525SAVAWDCONV	5300	L4	3.73	6000	FC	120	CO-SC03	2.1	6.4	B10
GENERAL MOTORS	GMC	H1525SAVAWDCONV	5300	L4	3.73	6000	FC	4	CO-SC03	1.3	4	B10
GENERAL MOTORS	GMC	H1525SAVAWDCONV	5300	L4	3.73	6000	FC	4	HC-NM+NOX-SC03	0.14	0.44	B10
GENERAL MOTORS	GMC	K1500SIERRA AWD	6000	L4	4.1	6000	FC	50	CO-COLD	4.6	12.5	B8
GENERAL MOTORS	GMC	K1500SIERRA AWD	6000	L4	4.1	6000	CF	120	CO	2.2	4.2	LEV
GENERAL MOTORS	GMC	K1500SIERRA AWD	6000	L4	4.1	6000	FC	120	CO	2.2	4.2	B8
GENERAL MOTORS	GMC	K1500SIERRA AWD	6000	L4	4.1	6000	FC	120	HC-NM+NOX-COMP	0.13	1.06	B8
GENERAL MOTORS	GMC	K1500SIERRA AWD	6000	L4	4.1	6000	FC	120	NMOG	0.087	0.156	B8
GENERAL MOTORS	GMC	K1500SIERRA AWD	6000	L4	4.1	6000	FC	120	NOX	0.08	0.2	B8
GENERAL MOTORS	GMC	K1500SIERRA AWD	6000	L4	4.1	6000	FC	50	CO	1.9	3.4	B8
GENERAL MOTORS	GMC	K1500SIERRA AWD	6000	L4	4.1	6000	FC	50	NMOG	0.077	0.125	B8
GENERAL MOTORS	GMC	K1500SIERRA AWD	6000	L4	4.1	6000	FC	50	NOX	0.04	0.14	B8
GENERAL MOTORS	GMC	K1500SIERRA AWD	6000	L4	4.1	6000	FC	120	CO-US06	2.2	16.9	B8
GENERAL MOTORS	GMC	K1500SIERRA AWD	6000	L4	4.1	6000	FC	4	CO-US06	1.7	10.5	B8
GENERAL MOTORS	GMC	K1500SIERRA AWD	6000	L4	4.1	6000	FC	4	HC-NM+NOX-US06	0	0.4	B8
GENERAL MOTORS	GMC	K1500SIERRA AWD	6000	L4	4.1	6000	FC	120	CO-SC03	1.8	5.6	B8
GENERAL MOTORS	GMC	K1500SIERRA AWD	6000	L4	4.1	6000	FC	4	CO-SC03	1.3	3.5	B8
GENERAL MOTORS	GMC	K1500SIERRA AWD	6000	L4	4.1	6000	FC	4	HC-NM+NOX-SC03	0.06	0.31	B8
GENERAL MOTORS	GMC	K1500SIERRA AWD	6000	L4	4.1	6000	FC	50	CO-COLD	4.6	12.5	B8
GENERAL MOTORS	GMC	K1500SIERRA AWD	6000	L4	4.1	6000	CF	120	CO	2.2	4.2	LEV
GENERAL MOTORS	GMC	K1500SIERRA AWD	6000	L4	4.1	6000	FC	120	CO	2.2	4.2	B8
GENERAL MOTORS	GMC	K1500SIERRA AWD	6000	L4	4.1	6000	FC	120	HC-NM+NOX-COMP	0.13	1.06	B8
GENERAL MOTORS	GMC	K1500SIERRA AWD	6000	L4	4.1	6000	FC	120	NMOG	0.087	0.156	B8
GENERAL MOTORS	GMC	K1500SIERRA AWD	6000	L4	4.1	6000	FC	120	NOX	0.08	0.2	B8
GENERAL MOTORS	GMC	K1500SIERRA AWD	6000	L4	4.1	6000	FC	50	CO	1.9	3.4	B8

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
GENERAL MOTORS	GMC	K1500SIERRA AWD	6000	L4	4.1	6000	FC	50	NMOG	0.077	0.125	B8
GENERAL MOTORS	GMC	K1500SIERRA AWD	6000	L4	4.1	6000	FC	50	NOX	0.04	0.14	B8
GENERAL MOTORS	GMC	K1500SIERRA AWD	6000	L4	4.1	6000	FC	120	CO-US06	2.2	16.9	B8
GENERAL MOTORS	GMC	K1500SIERRA AWD	6000	L4	4.1	6000	FC	4	CO-US06	1.7	10.5	B8
GENERAL MOTORS	GMC	K1500SIERRA AWD	6000	L4	4.1	6000	FC	4	HC-NM+NOX-US06	0	0.4	B8
GENERAL MOTORS	GMC	K1500SIERRA AWD	6000	L4	4.1	6000	FC	120	CO-SC03	1.8	5.6	B8
GENERAL MOTORS	GMC	K1500SIERRA AWD	6000	L4	4.1	6000	FC	4	CO-SC03	1.3	3.5	B8
GENERAL MOTORS	GMC	K1500SIERRA AWD	6000	L4	4.1	6000	FC	4	HC-NM+NOX-SC03	0.06	0.31	B8
GENERAL MOTORS	GMC	K1500SIERRA AWD	6000	L4	4.1	6000	FC	50	CO-COLD	4.6	12.5	B8
GENERAL MOTORS	GMC	K1500SIERRA AWD	6000	L4	4.1	6000	CF	120	CO	2.2	4.2	LEV
GENERAL MOTORS	GMC	K1500SIERRA AWD	6000	L4	4.1	6000	FC	120	CO	2.2	4.2	B8
GENERAL MOTORS	GMC	K1500SIERRA AWD	6000	L4	4.1	6000	FC	120	HC-NM+NOX-COMP	0.13	1.06	B8
GENERAL MOTORS	GMC	K1500SIERRA AWD	6000	L4	4.1	6000	FC	120	NMOG	0.087	0.156	B8
GENERAL MOTORS	GMC	K1500SIERRA AWD	6000	L4	4.1	6000	FC	120	NOX	0.08	0.2	B8
GENERAL MOTORS	GMC	K1500SIERRA AWD	6000	L4	4.1	6000	FC	50	CO	1.9	3.4	B8
GENERAL MOTORS	GMC	K1500SIERRA AWD	6000	L4	4.1	6000	FC	50	NMOG	0.077	0.125	B8
GENERAL MOTORS	GMC	K1500SIERRA AWD	6000	L4	4.1	6000	FC	50	NOX	0.04	0.14	B8
GENERAL MOTORS	GMC	K1500SIERRA AWD	6000	L4	4.1	6000	FC	120	CO-US06	2.2	16.9	B8
GENERAL MOTORS	GMC	K1500SIERRA AWD	6000	L4	4.1	6000	FC	4	CO-US06	1.7	10.5	B8
GENERAL MOTORS	GMC	K1500SIERRA AWD	6000	L4	4.1	6000	FC	4	HC-NM+NOX-US06	0	0.4	B8
GENERAL MOTORS	GMC	K1500SIERRA AWD	6000	L4	4.1	6000	FC	120	CO-SC03	1.8	5.6	B8
GENERAL MOTORS	GMC	K1500SIERRA AWD	6000	L4	4.1	6000	FC	4	CO-SC03	1.3	3.5	B8
GENERAL MOTORS	GMC	K1500SIERRA AWD	6000	L4	4.1	6000	FC	4	HC-NM+NOX-SC03	0.06	0.31	B8
GENERAL MOTORS	HUMMER	H2 4WD	6000	L4	4.1	7500	CA	120	CO	4	7.3	LEV
GENERAL MOTORS	HUMMER	H2 4WD	6000	L4	4.1	7500	CA	120	NMOG	0.111	0.28	LEV
GENERAL MOTORS	HUMMER	H2 4WD	6000	L4	4.1	7500	CA	120	NOX	0.3	0.9	LEV
GENERAL MOTORS	HUMMER	H2 4WD	6000	L4	4.1	7500	CA	50	CO	4	5	LEV
GENERAL MOTORS	HUMMER	H2 4WD	6000	L4	4.1	7500	CA	50	NMOG	0.111	0.195	LEV
GENERAL MOTORS	HUMMER	H2 4WD	6000	L4	4.1	7500	CA	50	NOX	0.3	0.6	LEV
GENERAL MOTORS	HUMMER	H2 4WD	6000	L4	4.1	7500	CF	120	CO	4	7.3	LEV
GENERAL MOTORS	HUMMER	H2 4WD	6000	L4	4.1	7500	FA	120	CO	4	7.3	B11
GENERAL MOTORS	HUMMER	H2 4WD	6000	L4	4.1	7500	FA	120	NMOG	0.111	0.28	B11
GENERAL MOTORS	HUMMER	H2 4WD	6000	L4	4.1	7500	FA	120	NOX	0.3	0.9	B11
GENERAL MOTORS	HUMMER	H2 4WD	6000	L4	4.1	7500	FA	50	CO	4	5	B11
GENERAL MOTORS	HUMMER	H2 4WD	6000	L4	4.1	7500	FA	50	NMOG	0.111	0.195	B11
GENERAL MOTORS	HUMMER	H2 4WD	6000	L4	4.1	7500	FA	50	NOX	0.3	0.6	B11
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	50	CO-COLD	6.5	12.5	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	CF	100	CO	0.8	4.2	B9

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	100	CO	0.8	4.2	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	100	HC-NM+NOX-COMP	0.14	1.04	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	100	NMOG	0.061	0.13	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	100	NOX	0.1	0.3	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	50	CO	0.7	3.4	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	50	NMOG	0.055	0.1	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	50	NOX	0.1	0.2	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	100	CO-US06	4.4	14.6	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	4	CO-US06	4.3	10.5	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	4	HC-NM+NOX-US06	0.09	0.25	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	100	CO-SC03	0.2	4.9	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	4	CO-SC03	0.1	3.5	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	4	HC-NM+NOX-SC03	0.11	0.27	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	50	CO-COLD	6.5	12.5	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	CF	100	CO	0.8	4.2	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	100	CO	0.8	4.2	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	100	HC-NM+NOX-COMP	0.14	1.04	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	100	NMOG	0.061	0.13	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	100	NOX	0.1	0.3	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	50	CO	0.7	3.4	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	50	NMOG	0.055	0.1	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	50	NOX	0.1	0.2	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	100	CO-US06	4.4	14.6	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	4	CO-US06	4.3	10.5	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	4	HC-NM+NOX-US06	0.09	0.25	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	100	CO-SC03	0.2	4.9	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	4	CO-SC03	0.1	3.5	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	4	HC-NM+NOX-SC03	0.11	0.27	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	50	CO-COLD	6.5	12.5	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	CF	100	CO	0.8	4.2	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	100	CO	0.8	4.2	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	100	HC-NM+NOX-COMP	0.14	1.04	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	100	NMOG	0.061	0.13	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	100	NOX	0.1	0.3	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	50	CO	0.7	3.4	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	50	NMOG	0.055	0.1	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	50	NOX	0.1	0.2	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	100	CO-US06	4.4	14.6	B9

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	4	CO-US06	4.3	10.5	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	4	HC-NM+NOX-US06	0.09	0.25	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	100	CO-SC03	0.2	4.9	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	4	CO-SC03	0.1	3.5	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	4	HC-NM+NOX-SC03	0.11	0.27	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	50	CO-COLD	6.5	12.5	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	CF	100	CO	0.8	4.2	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	100	CO	0.8	4.2	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	100	HC-NM+NOX-COMP	0.14	1.04	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	100	NMOG	0.061	0.13	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	100	NOX	0.1	0.3	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	50	CO	0.7	3.4	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	50	NMOG	0.055	0.1	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	50	NOX	0.1	0.2	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	100	CO-US06	4.4	14.6	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	4	CO-US06	4.3	10.5	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	4	HC-NM+NOX-US06	0.09	0.25	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	100	CO-SC03	0.2	4.9	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	4	CO-SC03	0.1	3.5	B9
GENERAL MOTORS	PONTIAC	MONTANA AWD	3400	L4	3.69	4750	FC	4	HC-NM+NOX-SC03	0.11	0.27	B9
GENERAL MOTORS	SAAB	SAAB 9-3 CONV	2000	S5	2.44	4000	FC	50	CO-COLD	2	10	B8
GENERAL MOTORS	SAAB	SAAB 9-3 CONV	2000	S5	2.44	4000	FC	100	CO	1.4	4.2	B8
GENERAL MOTORS	SAAB	SAAB 9-3 CONV	2000	S5	2.44	4000	FC	100	HC-NM+NOX-COMP	0.12	0.71	B8
GENERAL MOTORS	SAAB	SAAB 9-3 CONV	2000	S5	2.44	4000	FC	100	NMOG	0.052	0.125	B8
GENERAL MOTORS	SAAB	SAAB 9-3 CONV	2000	S5	2.44	4000	FC	100	NOX	0.08	0.2	B8
GENERAL MOTORS	SAAB	SAAB 9-3 CONV	2000	S5	2.44	4000	FC	50	CO	1	3.4	B8
GENERAL MOTORS	SAAB	SAAB 9-3 CONV	2000	S5	2.44	4000	FC	50	NMOG	0.04	0.1	B8
GENERAL MOTORS	SAAB	SAAB 9-3 CONV	2000	S5	2.44	4000	FC	50	NOX	0.05	0.14	B8
GENERAL MOTORS	SAAB	SAAB 9-3 CONV	2000	S5	2.44	4000	FC	100	CO-US06	5.9	11.1	B8
GENERAL MOTORS	SAAB	SAAB 9-3 CONV	2000	S5	2.44	4000	FC	4	CO-US06	5.3	8	B8
GENERAL MOTORS	SAAB	SAAB 9-3 CONV	2000	S5	2.44	4000	FC	4	HC-NM+NOX-US06	0.02	0.14	B8
GENERAL MOTORS	SAAB	SAAB 9-3 CONV	2000	S5	2.44	4000	FC	100	CO-SC03	2.4	3.7	B8
GENERAL MOTORS	SAAB	SAAB 9-3 CONV	2000	S5	2.44	4000	FC	4	CO-SC03	1.7	2.7	B8
GENERAL MOTORS	SAAB	SAAB 9-3 CONV	2000	S5	2.44	4000	FC	4	HC-NM+NOX-SC03	0.04	0.2	B8
GENERAL MOTORS	SAAB	SAAB 9-5 WAGON	2300	S5	2.44	4000	FC	50	CO-COLD	3.4	10	B8
GENERAL MOTORS	SAAB	SAAB 9-5 WAGON	2300	S5	2.44	4000	FC	100	CO	0.7	4.2	B8
GENERAL MOTORS	SAAB	SAAB 9-5 WAGON	2300	S5	2.44	4000	FC	100	HC-NM+NOX-COMP	0.13	0.71	B8
GENERAL MOTORS	SAAB	SAAB 9-5 WAGON	2300	S5	2.44	4000	FC	100	NMOG	0.049	0.125	B8

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
GENERAL MOTORS	SAAB	SAAB 9-5 WAGON	2300	S5	2.44	4000	FC	100	NOX	0.08	0.2	B8
GENERAL MOTORS	SAAB	SAAB 9-5 WAGON	2300	S5	2.44	4000	FC	50	CO	0.5	3.4	B8
GENERAL MOTORS	SAAB	SAAB 9-5 WAGON	2300	S5	2.44	4000	FC	50	NMOG	0.041	0.1	B8
GENERAL MOTORS	SAAB	SAAB 9-5 WAGON	2300	S5	2.44	4000	FC	50	NOX	0.05	0.14	B8
GENERAL MOTORS	SAAB	SAAB 9-5 WAGON	2300	S5	2.44	4000	FC	100	CO-US06	0.9	11.1	B8
GENERAL MOTORS	SAAB	SAAB 9-5 WAGON	2300	S5	2.44	4000	FC	4	CO-US06	0.5	8	B8
GENERAL MOTORS	SAAB	SAAB 9-5 WAGON	2300	S5	2.44	4000	FC	4	HC-NM+NOX-US06	0.06	0.14	B8
GENERAL MOTORS	SAAB	SAAB 9-5 WAGON	2300	S5	2.44	4000	FC	100	CO-SC03	0.8	3.7	B8
GENERAL MOTORS	SAAB	SAAB 9-5 WAGON	2300	S5	2.44	4000	FC	4	CO-SC03	0.5	2.7	B8
GENERAL MOTORS	SAAB	SAAB 9-5 WAGON	2300	S5	2.44	4000	FC	4	HC-NM+NOX-SC03	0.05	0.2	B8
GENERAL MOTORS	SATURN	ION	2000	M5	4.05	3375	FC	50	CO-COLD	7.7	10	B8
GENERAL MOTORS	SATURN	ION	2000	M5	4.05	3375	FC	100	CO	1	4.2	B8
GENERAL MOTORS	SATURN	ION	2000	M5	4.05	3375	FC	100	HC-NM+NOX-COMP	0.07	0.71	B8
GENERAL MOTORS	SATURN	ION	2000	M5	4.05	3375	FC	100	NMOG	0.067	0.125	B8
GENERAL MOTORS	SATURN	ION	2000	M5	4.05	3375	FC	100	NOX	0.04	0.2	B8
GENERAL MOTORS	SATURN	ION	2000	M5	4.05	3375	FC	50	CO	1	3.4	B8
GENERAL MOTORS	SATURN	ION	2000	M5	4.05	3375	FC	50	NMOG	0.067	0.1	B8
GENERAL MOTORS	SATURN	ION	2000	M5	4.05	3375	FC	50	NOX	0.04	0.14	B8
GENERAL MOTORS	SATURN	ION	2000	M5	4.05	3375	FC	100	CO-US06	8.7	11.1	B8
GENERAL MOTORS	SATURN	ION	2000	M5	4.05	3375	FC	4	CO-US06	6.6	8	B8
GENERAL MOTORS	SATURN	ION	2000	M5	4.05	3375	FC	4	HC-NM+NOX-US06	0.03	0.14	B8
GENERAL MOTORS	SATURN	ION	2000	M5	4.05	3375	FC	100	CO-SC03	1.1	3.7	B8
GENERAL MOTORS	SATURN	ION	2000	M5	4.05	3375	FC	4	CO-SC03	0.6	2.7	B8
GENERAL MOTORS	SATURN	ION	2000	M5	4.05	3375	FC	4	HC-NM+NOX-SC03	0.03	0.2	B8
GENERAL MOTORS	SATURN	LW300	2200	L4	3.91	3375	FC	50	CO-COLD	5.6	10	B8
GENERAL MOTORS	SATURN	LW300	2200	L4	3.91	3375	FC	100	CO	0.6	4.2	B8
GENERAL MOTORS	SATURN	LW300	2200	L4	3.91	3375	FC	100	HC-NM+NOX-COMP	0.07	0.71	B8
GENERAL MOTORS	SATURN	LW300	2200	L4	3.91	3375	FC	100	NMOG	0.042	0.125	B8
GENERAL MOTORS	SATURN	LW300	2200	L4	3.91	3375	FC	100	NOX	0.05	0.2	B8
GENERAL MOTORS	SATURN	LW300	2200	L4	3.91	3375	FC	50	CO	0.6	3.4	B8
GENERAL MOTORS	SATURN	LW300	2200	L4	3.91	3375	FC	50	NMOG	0.042	0.1	B8
GENERAL MOTORS	SATURN	LW300	2200	L4	3.91	3375	FC	50	NOX	0.05	0.14	B8
GENERAL MOTORS	SATURN	LW300	2200	L4	3.91	3375	FC	100	CO-US06	0.6	11.1	B8
GENERAL MOTORS	SATURN	LW300	2200	L4	3.91	3375	FC	4	CO-US06	0.9	8	B8
GENERAL MOTORS	SATURN	LW300	2200	L4	3.91	3375	FC	4	HC-NM+NOX-US06	0.04	0.14	B8
GENERAL MOTORS	SATURN	LW300	2200	L4	3.91	3375	FC	100	CO-SC03	1.2	3.7	B8
GENERAL MOTORS	SATURN	LW300	2200	L4	3.91	3375	FC	4	CO-SC03	0.8	2.7	B8
GENERAL MOTORS	SATURN	LW300	2200	L4	3.91	3375	FC	4	HC-NM+NOX-SC03	0.04	0.2	B8

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	CA	50	CO-COLD	5.8	10	L2
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	FA	50	CO-COLD	5.8	10	B5
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	CA	120	CO	1.5	4.2	L2
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	CA	120	NMOG	0.045	0.09	L2
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	CA	120	NOX	0.05	0.07	L2
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	CA	50	CO	1.4	3.4	L2
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	CA	50	NMOG	0.038	0.075	L2
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	CA	50	NOX	0.04	0.05	L2
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	CF	120	CO	1.5	4.2	B5
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	FA	120	CO	1.5	4.2	B5
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	FA	120	HC-NM+NOX-COMP	0.08	0.65	B5
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	FA	120	NMOG	0.045	0.09	B5
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	FA	120	NOX	0.05	0.07	B5
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	FA	50	CO	1.4	3.4	B5
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	FA	50	NMOG	0.038	0.075	B5
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	FA	50	NOX	0.04	0.05	B5
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	CA	4	50-CO	3	3.4	L2
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	CA	4	50-NMOG	0.088	0.15	L2
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	CA	4	50-NOX	0.02	0.05	L2
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	CA	4	CO-US06	6.2	8	L2
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	CA	4	HC-NM+NOX-US06	0.05	0.14	L2
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	FA	120	CO-US06	6.3	11.1	B5
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	FA	4	CO-US06	6.2	8	B5
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	FA	4	HC-NM+NOX-US06	0.05	0.14	B5
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	CA	4	CO-SC03	2.1	2.7	L2
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	CA	4	HC-NM+NOX-SC03	0.01	0.2	L2
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	FA	120	CO-SC03	2.2	3.7	B5
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	FA	4	CO-SC03	2.1	2.7	B5
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	FA	4	HC-NM+NOX-SC03	0.01	0.2	B5
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	CA	50	CO-COLD	5.8	10	L2
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	FA	50	CO-COLD	5.8	10	B5
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	CA	120	CO	1.5	4.2	L2
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	CA	120	NMOG	0.045	0.09	L2
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	CA	120	NOX	0.05	0.07	L2
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	CA	50	CO	1.4	3.4	L2
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	CA	50	NMOG	0.038	0.075	L2
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	CA	50	NOX	0.04	0.05	L2
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	CF	120	CO	1.5	4.2	B5



2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	FA	120	CO	1.5	4.2	B5
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	FA	120	HC-NM+NOX-COMP	0.08	0.65	B5
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	FA	120	NMOG	0.045	0.09	B5
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	FA	120	NOX	0.05	0.07	B5
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	FA	50	CO	1.4	3.4	B5
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	FA	50	NMOG	0.038	0.075	B5
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	FA	50	NOX	0.04	0.05	B5
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	CA	4	50-CO	3	3.4	L2
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	CA	4	50-NMOG	0.088	0.15	L2
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	CA	4	50-NOX	0.02	0.05	L2
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	CA	4	CO-US06	6.2	8	L2
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	CA	4	HC-NM+NOX-US06	0.05	0.14	L2
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	FA	120	CO-US06	6.3	11.1	B5
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	FA	4	CO-US06	6.2	8	B5
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	FA	4	HC-NM+NOX-US06	0.05	0.14	B5
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	CA	4	CO-SC03	2.1	2.7	L2
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	CA	4	HC-NM+NOX-SC03	0.01	0.2	L2
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	FA	120	CO-SC03	2.2	3.7	B5
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	FA	4	CO-SC03	2.1	2.7	B5
GENERAL MOTORS	SATURN	RELAY AWD	3500	L4	3.69	5000	FA	4	HC-NM+NOX-SC03	0.01	0.2	B5
GENERAL MOTORS	SATURN	VUE AWD	3500	L5	4.06	4000	CA	50	CO-COLD	2.5	12.5	U2
GENERAL MOTORS	SATURN	VUE AWD	3500	L5	4.06	4000	FA	50	CO-COLD	2.5	12.5	B5
GENERAL MOTORS	SATURN	VUE AWD	3500	L5	4.06	4000	CA	120	CO	0.7	2.1	U2
GENERAL MOTORS	SATURN	VUE AWD	3500	L5	4.06	4000	CA	120	NMOG	0.022	0.055	U2
GENERAL MOTORS	SATURN	VUE AWD	3500	L5	4.06	4000	CA	120	NOX	0.03	0.07	U2
GENERAL MOTORS	SATURN	VUE AWD	3500	L5	4.06	4000	CA	50	CO	0.7	1.7	U2
GENERAL MOTORS	SATURN	VUE AWD	3500	L5	4.06	4000	CA	50	NMOG	0.022	0.04	U2
GENERAL MOTORS	SATURN	VUE AWD	3500	L5	4.06	4000	CA	50	NOX	0.03	0.05	U2
GENERAL MOTORS	SATURN	VUE AWD	3500	L5	4.06	4000	FA	120	CO	0.7	4.2	B5
GENERAL MOTORS	SATURN	VUE AWD	3500	L5	4.06	4000	FA	120	HC-NM+NOX-COMP	0.09	0.95	B5
GENERAL MOTORS	SATURN	VUE AWD	3500	L5	4.06	4000	FA	120	NMOG	0.022	0.09	B5
GENERAL MOTORS	SATURN	VUE AWD	3500	L5	4.06	4000	FA	120	NOX	0.03	0.07	B5
GENERAL MOTORS	SATURN	VUE AWD	3500	L5	4.06	4000	FA	50	CO	0.7	3.4	B5
GENERAL MOTORS	SATURN	VUE AWD	3500	L5	4.06	4000	FA	50	NMOG	0.022	0.075	B5
GENERAL MOTORS	SATURN	VUE AWD	3500	L5	4.06	4000	FA	50	NOX	0.03	0.05	B5
GENERAL MOTORS	SATURN	VUE AWD	3500	L5	4.06	4000	CA	4	50-CO	1.2	1.7	U2
GENERAL MOTORS	SATURN	VUE AWD	3500	L5	4.06	4000	CA	4	50-NMOG	0.051	0.08	U2
GENERAL MOTORS	SATURN	VUE AWD	3500	L5	4.06	4000	CA	4	50-NOX	0.01	0.05	U2

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
GENERAL MOTORS	SATURN	VUE AWD	3500	L5	4.06	4000	CA	4	CO-US06	1.6	10.5	U2
GENERAL MOTORS	SATURN	VUE AWD	3500	L5	4.06	4000	CA	4	HC-NM+NOX-US06	0.02	0.25	U2
GENERAL MOTORS	SATURN	VUE AWD	3500	L5	4.06	4000	FA	120	CO-US06	1.9	14.6	B5
GENERAL MOTORS	SATURN	VUE AWD	3500	L5	4.06	4000	FA	4	CO-US06	1.6	10.5	B5
GENERAL MOTORS	SATURN	VUE AWD	3500	L5	4.06	4000	FA	4	HC-NM+NOX-US06	0.02	0.25	B5
GENERAL MOTORS	SATURN	VUE AWD	3500	L5	4.06	4000	CA	4	CO-SC03	0.7	3.5	U2
GENERAL MOTORS	SATURN	VUE AWD	3500	L5	4.06	4000	CA	4	HC-NM+NOX-SC03	0.02	0.27	U2
GENERAL MOTORS	SATURN	VUE AWD	3500	L5	4.06	4000	FA	120	CO-SC03	1.4	4.9	B5
GENERAL MOTORS	SATURN	VUE AWD	3500	L5	4.06	4000	FA	4	CO-SC03	0.7	3.5	B5
GENERAL MOTORS	SATURN	VUE AWD	3500	L5	4.06	4000	FA	4	HC-NM+NOX-SC03	0.02	0.27	B5
HONDA	ACURA	1.7EL	102	L4	4.41	3000	CA	50	CO-COLD	0.3	10	N/A
HONDA	ACURA	1.7EL	102	L4	4.41	3000	FA	50	CO-COLD	0.3	10	N/A
HONDA	ACURA	1.7EL	102	L4	4.41	3000	CA	100	CO	0.1	2.1	ULEV
HONDA	ACURA	1.7EL	102	L4	4.41	3000	CA	100	NMOG	0.033	0.055	ULEV
HONDA	ACURA	1.7EL	102	L4	4.41	3000	CA	100	NOX	0	0.3	ULEV
HONDA	ACURA	1.7EL	102	L4	4.41	3000	CA	50	CO	0.1	1.7	ULEV
HONDA	ACURA	1.7EL	102	L4	4.41	3000	CA	50	NMOG	0.032	0.04	ULEV
HONDA	ACURA	1.7EL	102	L4	4.41	3000	CA	50	NOX	0	0.2	ULEV
HONDA	ACURA	1.7EL	102	L4	4.41	3000	CF	100	CO	0.1	2.1	ULEV
HONDA	ACURA	1.7EL	102	L4	4.41	3000	CF	50	CO	0.1	1.7	ULEV
HONDA	ACURA	1.7EL	102	L4	4.41	3000	FA	100	CO	0.1	4.2	B9
HONDA	ACURA	1.7EL	102	L4	4.41	3000	FA	100	NMOG	0.033	0.09	B9
HONDA	ACURA	1.7EL	102	L4	4.41	3000	FA	100	NOX	0	0.3	B9
HONDA	ACURA	1.7EL	102	L4	4.41	3000	FA	50	CO	0.1	3.4	B9
HONDA	ACURA	1.7EL	102	L4	4.41	3000	FA	50	NMOG	0.032	0.075	B9
HONDA	ACURA	1.7EL	102	L4	4.41	3000	FA	50	NOX	0	0.2	B9
HONDA	ACURA	1.7EL	102	L4	4.41	3000	CA	100	CO	0.1	2.1	ULEV
HONDA	ACURA	1.7EL	102	L4	4.41	3000	CA	100	NMOG	0.03	0.055	ULEV
HONDA	ACURA	1.7EL	102	L4	4.41	3000	CA	100	NOX	0.1	0.3	ULEV
HONDA	ACURA	1.7EL	102	L4	4.41	3000	CA	50	CO	0.1	1.7	ULEV
HONDA	ACURA	1.7EL	102	L4	4.41	3000	CA	50	NMOG	0.029	0.04	ULEV
HONDA	ACURA	1.7EL	102	L4	4.41	3000	CA	50	NOX	0.1	0.2	ULEV
HONDA	ACURA	1.7EL	102	L4	4.41	3000	CF	100	CO	0.1	2.1	ULEV
HONDA	ACURA	1.7EL	102	L4	4.41	3000	CF	50	CO	0.1	1.7	ULEV
HONDA	ACURA	1.7EL	102	L4	4.41	3000	FA	100	CO	0.1	4.2	B9
HONDA	ACURA	1.7EL	102	L4	4.41	3000	FA	100	HC-NM+NOX-COMP	0.06	0.73	B9
HONDA	ACURA	1.7EL	102	L4	4.41	3000	FA	100	NMOG	0.03	0.09	B9
HONDA	ACURA	1.7EL	102	L4	4.41	3000	FA	100	NOX	0.1	0.3	B9

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
HONDA	ACURA	1.7EL	102	L4	4.41	3000	FA	50	CO	0.1	3.4	B9
HONDA	ACURA	1.7EL	102	L4	4.41	3000	FA	50	NMOG	0.029	0.075	B9
HONDA	ACURA	1.7EL	102	L4	4.41	3000	FA	50	NOX	0.1	0.2	B9
HONDA	ACURA	1.7EL	102	L4	4.41	3000	FA	N/A	CO-ST2500	0	0.5	N/A
HONDA	ACURA	1.7EL	102	L4	4.41	3000	FA	N/A	CO-STI	0	0.5	N/A
HONDA	ACURA	1.7EL	102	L4	4.41	3000	FA	N/A	HC-ST2500	9.5	100	N/A
HONDA	ACURA	1.7EL	102	L4	4.41	3000	FA	N/A	HC-STI	11	100	N/A
HONDA	ACURA	1.7EL	102	L4	4.41	3000	CA	4	CO-US06	1.8	8	ULEV
HONDA	ACURA	1.7EL	102	L4	4.41	3000	CA	4	HC-NM+NOX-US06	0.06	0.14	ULEV
HONDA	ACURA	1.7EL	102	L4	4.41	3000	FA	100	CO-US06	1.8	11.1	B9
HONDA	ACURA	1.7EL	102	L4	4.41	3000	FA	4	CO-US06	1.8	8	B9
HONDA	ACURA	1.7EL	102	L4	4.41	3000	FA	4	HC-NM+NOX-US06	0.06	0.14	B9
HONDA	ACURA	1.7EL	102	L4	4.41	3000	CA	4	CO-SC03	0.2	2.7	ULEV
HONDA	ACURA	1.7EL	102	L4	4.41	3000	CA	4	HC-NM+NOX-SC03	0.03	0.2	ULEV
HONDA	ACURA	1.7EL	102	L4	4.41	3000	FA	100	CO-SC03	0.2	3.7	B9
HONDA	ACURA	1.7EL	102	L4	4.41	3000	FA	4	CO-SC03	0.2	2.7	B9
HONDA	ACURA	1.7EL	102	L4	4.41	3000	FA	4	HC-NM+NOX-SC03	0.03	0.2	B9
HONDA	ACURA	MDX 4WD	212	L5	4.38	4750	CA	50	CO-COLD	2.2	12.5	N/A
HONDA	ACURA	MDX 4WD	212	L5	4.38	4750	FA	50	CO-COLD	2.2	12.5	N/A
HONDA	ACURA	MDX 4WD	212	L5	4.38	4750	CA	120	CO	0.8	2.1	U2
HONDA	ACURA	MDX 4WD	212	L5	4.38	4750	CA	120	NMOG	0.022	0.055	U2
HONDA	ACURA	MDX 4WD	212	L5	4.38	4750	CA	120	NOX	0.04	0.07	U2
HONDA	ACURA	MDX 4WD	212	L5	4.38	4750	CA	50	CO	0.6	1.7	U2
HONDA	ACURA	MDX 4WD	212	L5	4.38	4750	CA	50	NMOG	0.016	0.04	U2
HONDA	ACURA	MDX 4WD	212	L5	4.38	4750	CA	50	NOX	0.02	0.05	U2
HONDA	ACURA	MDX 4WD	212	L5	4.38	4750	CF	100	CO	0.8	2.8	ULEV
HONDA	ACURA	MDX 4WD	212	L5	4.38	4750	CF	50	CO	0.6	2.2	ULEV
HONDA	ACURA	MDX 4WD	212	L5	4.38	4750	FA	120	CO	0.8	4.2	B5
HONDA	ACURA	MDX 4WD	212	L5	4.38	4750	FA	120	HC-NM+NOX-COMP	0.06	0.95	B5
HONDA	ACURA	MDX 4WD	212	L5	4.38	4750	FA	120	NMOG	0.022	0.09	B5
HONDA	ACURA	MDX 4WD	212	L5	4.38	4750	FA	120	NOX	0.04	0.07	B5
HONDA	ACURA	MDX 4WD	212	L5	4.38	4750	FA	50	CO	0.6	3.4	B5
HONDA	ACURA	MDX 4WD	212	L5	4.38	4750	FA	50	NMOG	0.016	0.075	B5
HONDA	ACURA	MDX 4WD	212	L5	4.38	4750	FA	50	NOX	0.02	0.05	B5
HONDA	ACURA	MDX 4WD	212	L5	4.38	4750	FA	N/A	CO-ST2500	0	0.5	N/A
HONDA	ACURA	MDX 4WD	212	L5	4.38	4750	FA	N/A	CO-STI	0	0.5	N/A
HONDA	ACURA	MDX 4WD	212	L5	4.38	4750	FA	N/A	HC-ST2500	9	100	N/A
HONDA	ACURA	MDX 4WD	212	L5	4.38	4750	FA	N/A	HC-STI	8.5	100	N/A

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
HONDA	ACURA	MDX 4WD	212	L5	4.38	4750	CA	4	CO-US06	0.5	10.5	U2
HONDA	ACURA	MDX 4WD	212	L5	4.38	4750	CA	4	HC-NM+NOX-US06	0.06	0.25	U2
HONDA	ACURA	MDX 4WD	212	L5	4.38	4750	FA	4	CO-US06	0.5	10.5	B5
HONDA	ACURA	MDX 4WD	212	L5	4.38	4750	FA	4	HC-NM+NOX-US06	0.06	0.25	B5
HONDA	ACURA	MDX 4WD	212	L5	4.38	4750	CA	4	CO-SC03	0.2	3.5	U2
HONDA	ACURA	MDX 4WD	212	L5	4.38	4750	CA	4	HC-NM+NOX-SC03	0.01	0.27	U2
HONDA	ACURA	MDX 4WD	212	L5	4.38	4750	FA	4	CO-SC03	0.2	3.5	B5
HONDA	ACURA	MDX 4WD	212	L5	4.38	4750	FA	4	HC-NM+NOX-SC03	0.01	0.27	B5
HONDA	ACURA	NSX	194	M6	4.06	3500	CA	50	CO-COLD	7.4	10	N/A
HONDA	ACURA	NSX	194	M6	4.06	3500	FA	50	CO-COLD	7.4	10	N/A
HONDA	ACURA	NSX	194	M6	4.06	3500	CA	100	CO	1	4.2	LEV
HONDA	ACURA	NSX	194	M6	4.06	3500	CA	100	NMOG	0.064	0.09	LEV
HONDA	ACURA	NSX	194	M6	4.06	3500	CA	100	NOX	0.1	0.3	LEV
HONDA	ACURA	NSX	194	M6	4.06	3500	CA	50	CO	0.8	3.4	LEV
HONDA	ACURA	NSX	194	M6	4.06	3500	CA	50	NMOG	0.058	0.075	LEV
HONDA	ACURA	NSX	194	M6	4.06	3500	CA	50	NOX	0.1	0.2	LEV
HONDA	ACURA	NSX	194	M6	4.06	3500	FA	100	CO	1	4.2	B9
HONDA	ACURA	NSX	194	M6	4.06	3500	FA	100	HC-NM+NOX-COMP	0.16	0.73	B9
HONDA	ACURA	NSX	194	M6	4.06	3500	FA	100	NMOG	0.064	0.09	B9
HONDA	ACURA	NSX	194	M6	4.06	3500	FA	100	NOX	0.1	0.3	B9
HONDA	ACURA	NSX	194	M6	4.06	3500	FA	50	CO	0.8	3.4	B9
HONDA	ACURA	NSX	194	M6	4.06	3500	FA	50	NMOG	0.058	0.075	B9
HONDA	ACURA	NSX	194	M6	4.06	3500	FA	50	NOX	0.1	0.2	B9
HONDA	ACURA	NSX	194	M6	4.06	3500	FA	N/A	CO-ST2500	0	0.5	N/A
HONDA	ACURA	NSX	194	M6	4.06	3500	FA	N/A	CO-STI	0	0.5	N/A
HONDA	ACURA	NSX	194	M6	4.06	3500	FA	N/A	HC-ST2500	15.5	100	N/A
HONDA	ACURA	NSX	194	M6	4.06	3500	FA	N/A	HC-STI	15	100	N/A
HONDA	ACURA	NSX	194	M6	4.06	3500	CA	4	CO-US06	0.1	8	LEV
HONDA	ACURA	NSX	194	M6	4.06	3500	CA	4	HC-NM+NOX-US06	0.09	0.14	LEV
HONDA	ACURA	NSX	194	M6	4.06	3500	FA	100	CO-US06	0.4	11.1	B9
HONDA	ACURA	NSX	194	M6	4.06	3500	FA	4	CO-US06	0.1	8	B9
HONDA	ACURA	NSX	194	M6	4.06	3500	FA	4	HC-NM+NOX-US06	0.09	0.14	B9
HONDA	ACURA	NSX	194	M6	4.06	3500	CA	4	CO-SC03	0	2.7	LEV
HONDA	ACURA	NSX	194	M6	4.06	3500	CA	4	HC-NM+NOX-SC03	0.08	0.2	LEV
HONDA	ACURA	NSX	194	M6	4.06	3500	FA	100	CO-SC03	0.4	3.7	B9
HONDA	ACURA	NSX	194	M6	4.06	3500	FA	4	CO-SC03	0	2.7	B9
HONDA	ACURA	NSX	194	M6	4.06	3500	FA	4	HC-NM+NOX-SC03	0.08	0.2	B9
HONDA	ACURA	RL	212	S5	4.6	4250	CA	50	CO-COLD	1.4	10	N/A

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
HONDA	ACURA	RL	212	S5	4.6	4250	FA	50	CO-COLD	1.4	10	N/A
HONDA	ACURA	RL	212	S5	4.6	4250	CA	120	CO	0.2	2.1	U2
HONDA	ACURA	RL	212	S5	4.6	4250	CA	120	NMOG	0.034	0.055	U2
HONDA	ACURA	RL	212	S5	4.6	4250	CA	120	NOX	0.03	0.07	U2
HONDA	ACURA	RL	212	S5	4.6	4250	CA	50	CO	0.2	1.7	U2
HONDA	ACURA	RL	212	S5	4.6	4250	CA	50	NMOG	0.026	0.04	U2
HONDA	ACURA	RL	212	S5	4.6	4250	CA	50	NOX	0.02	0.05	U2
HONDA	ACURA	RL	212	S5	4.6	4250	FA	120	CO	0.2	4.2	B5
HONDA	ACURA	RL	212	S5	4.6	4250	FA	120	HC-NM+NOX-COMP	0.08	0.65	B5
HONDA	ACURA	RL	212	S5	4.6	4250	FA	120	NMOG	0.034	0.09	B5
HONDA	ACURA	RL	212	S5	4.6	4250	FA	120	NOX	0.03	0.07	B5
HONDA	ACURA	RL	212	S5	4.6	4250	FA	50	CO	0.2	3.4	B5
HONDA	ACURA	RL	212	S5	4.6	4250	FA	50	NMOG	0.026	0.075	B5
HONDA	ACURA	RL	212	S5	4.6	4250	FA	50	NOX	0.02	0.05	B5
HONDA	ACURA	RL	212	S5	4.6	4250	FA	N/A	CO-ST2500	0	0.5	N/A
HONDA	ACURA	RL	212	S5	4.6	4250	FA	N/A	CO-ST1	0	0.5	N/A
HONDA	ACURA	RL	212	S5	4.6	4250	FA	N/A	HC-ST2500	8.5	100	N/A
HONDA	ACURA	RL	212	S5	4.6	4250	FA	N/A	HC-ST1	8.5	100	N/A
HONDA	ACURA	RL	212	S5	4.6	4250	CA	4	CO-US06	0.9	8	U2
HONDA	ACURA	RL	212	S5	4.6	4250	CA	4	HC-NM+NOX-US06	0.05	0.14	U2
HONDA	ACURA	RL	212	S5	4.6	4250	FA	4	CO-US06	0.9	8	B5
HONDA	ACURA	RL	212	S5	4.6	4250	FA	4	HC-NM+NOX-US06	0.05	0.14	B5
HONDA	ACURA	RL	212	S5	4.6	4250	CA	4	CO-SC03	0	2.7	U2
HONDA	ACURA	RL	212	S5	4.6	4250	CA	4	HC-NM+NOX-SC03	0.07	0.2	U2
HONDA	ACURA	RL	212	S5	4.6	4250	FA	4	CO-SC03	0	2.7	B5
HONDA	ACURA	RL	212	S5	4.6	4250	FA	4	HC-NM+NOX-SC03	0.07	0.2	B5
HONDA	ACURA	RSX	122	M6	4.76	3125	CA	50	CO-COLD	1.3	10	N/A
HONDA	ACURA	RSX	122	M6	4.76	3125	FA	50	CO-COLD	1.3	10	N/A
HONDA	ACURA	RSX	122	M6	4.76	3125	CA	120	CO	0.6	4.2	L2
HONDA	ACURA	RSX	122	M6	4.76	3125	CA	120	NMOG	0.06	0.09	L2
HONDA	ACURA	RSX	122	M6	4.76	3125	CA	120	NOX	0.03	0.07	L2
HONDA	ACURA	RSX	122	M6	4.76	3125	CA	50	CO	0.6	3.4	L2
HONDA	ACURA	RSX	122	M6	4.76	3125	CA	50	NMOG	0.051	0.075	L2
HONDA	ACURA	RSX	122	M6	4.76	3125	CA	50	NOX	0.02	0.05	L2
HONDA	ACURA	RSX	122	M6	4.76	3125	FA	120	CO	0.6	4.2	B5
HONDA	ACURA	RSX	122	M6	4.76	3125	FA	120	HC-NM+NOX-COMP	0.06	0.65	B5
HONDA	ACURA	RSX	122	M6	4.76	3125	FA	120	NMOG	0.06	0.09	B5
HONDA	ACURA	RSX	122	M6	4.76	3125	FA	120	NOX	0.03	0.07	B5

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
HONDA	ACURA	RSX	122	M6	4.76	3125	FA	50	CO	0.6	3.4	B5
HONDA	ACURA	RSX	122	M6	4.76	3125	FA	50	NMOG	0.051	0.075	B5
HONDA	ACURA	RSX	122	M6	4.76	3125	FA	50	NOX	0.02	0.05	B5
HONDA	ACURA	RSX	122	M6	4.76	3125	CA	4	50-NMOG	0.113	0.15	L2
HONDA	ACURA	RSX	122	M6	4.76	3125	CA	4	50-NOX	0.03	0.05	L2
HONDA	ACURA	RSX	122	M6	4.76	3125	FA	N/A	CO-ST2500	0	0.5	N/A
HONDA	ACURA	RSX	122	M6	4.76	3125	FA	N/A	CO-STI	0	0.5	N/A
HONDA	ACURA	RSX	122	M6	4.76	3125	FA	N/A	HC-ST2500	9	100	N/A
HONDA	ACURA	RSX	122	M6	4.76	3125	FA	N/A	HC-STI	9	100	N/A
HONDA	ACURA	RSX	122	M6	4.76	3125	CA	4	CO-US06	0.1	8	L2
HONDA	ACURA	RSX	122	M6	4.76	3125	CA	4	HC-NM+NOX-US06	0.03	0.14	L2
HONDA	ACURA	RSX	122	M6	4.76	3125	FA	4	CO-US06	0.1	8	B5
HONDA	ACURA	RSX	122	M6	4.76	3125	FA	4	HC-NM+NOX-US06	0.03	0.14	B5
HONDA	ACURA	RSX	122	M6	4.76	3125	CA	4	CO-SC03	0.4	2.7	L2
HONDA	ACURA	RSX	122	M6	4.76	3125	CA	4	HC-NM+NOX-SC03	0.01	0.2	L2
HONDA	ACURA	RSX	122	M6	4.76	3125	FA	4	CO-SC03	0.4	2.7	B5
HONDA	ACURA	RSX	122	M6	4.76	3125	FA	4	HC-NM+NOX-SC03	0.01	0.2	B5
HONDA	ACURA	RSX	122	S5	4.56	3125	CA	50	CO-COLD	1	10	N/A
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	50	CO-COLD	1	10	N/A
HONDA	ACURA	RSX	122	S5	4.56	3125	CA	120	CO	1	4.2	L2
HONDA	ACURA	RSX	122	S5	4.56	3125	CA	120	NMOG	0.057	0.09	L2
HONDA	ACURA	RSX	122	S5	4.56	3125	CA	120	NOX	0.05	0.07	L2
HONDA	ACURA	RSX	122	S5	4.56	3125	CA	50	CO	0.8	3.4	L2
HONDA	ACURA	RSX	122	S5	4.56	3125	CA	50	NMOG	0.051	0.075	L2
HONDA	ACURA	RSX	122	S5	4.56	3125	CA	50	NOX	0.03	0.05	L2
HONDA	ACURA	RSX	122	S5	4.56	3125	CF	100	CO	0.9	4.2	LEV
HONDA	ACURA	RSX	122	S5	4.56	3125	CF	50	CO	0.8	3.4	LEV
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	120	CO	1	4.2	B5
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	120	HC-NM+NOX-COMP	0.07	0.65	B5
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	120	NMOG	0.057	0.09	B5
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	120	NOX	0.05	0.07	B5
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	50	CO	0.8	3.4	B5
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	50	NMOG	0.051	0.075	B5
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	50	NOX	0.03	0.05	B5
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	N/A	CO-ST2500	0	0.5	N/A
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	N/A	CO-STI	0	0.5	N/A
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	N/A	HC-ST2500	9	100	N/A
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	N/A	HC-STI	11	100	N/A

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
HONDA	ACURA	RSX	122	S5	4.56	3125	CA	4	CO-US06	0.1	8	L2
HONDA	ACURA	RSX	122	S5	4.56	3125	CA	4	HC-NM+NOX-US06	0	0.14	L2
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	4	CO-US06	0.1	8	B5
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	4	HC-NM+NOX-US06	0	0.14	B5
HONDA	ACURA	RSX	122	S5	4.56	3125	CA	4	CO-SC03	0.3	2.7	L2
HONDA	ACURA	RSX	122	S5	4.56	3125	CA	4	HC-NM+NOX-SC03	0.01	0.2	L2
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	4	CO-SC03	0.3	2.7	B5
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	4	HC-NM+NOX-SC03	0.01	0.2	B5
HONDA	ACURA	RSX	122	S5	4.56	3125	CA	50	CO-COLD	1	10	N/A
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	50	CO-COLD	1	10	N/A
HONDA	ACURA	RSX	122	S5	4.56	3125	CA	120	CO	1	4.2	L2
HONDA	ACURA	RSX	122	S5	4.56	3125	CA	120	NMOG	0.057	0.09	L2
HONDA	ACURA	RSX	122	S5	4.56	3125	CA	120	NOX	0.05	0.07	L2
HONDA	ACURA	RSX	122	S5	4.56	3125	CA	50	CO	0.8	3.4	L2
HONDA	ACURA	RSX	122	S5	4.56	3125	CA	50	NMOG	0.051	0.075	L2
HONDA	ACURA	RSX	122	S5	4.56	3125	CA	50	NOX	0.03	0.05	L2
HONDA	ACURA	RSX	122	S5	4.56	3125	CF	100	CO	0.9	4.2	LEV
HONDA	ACURA	RSX	122	S5	4.56	3125	CF	50	CO	0.8	3.4	LEV
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	120	CO	1	4.2	B5
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	120	HC-NM+NOX-COMP	0.07	0.65	B5
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	120	NMOG	0.057	0.09	B5
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	120	NOX	0.05	0.07	B5
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	50	CO	0.8	3.4	B5
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	50	NMOG	0.051	0.075	B5
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	50	NOX	0.03	0.05	B5
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	N/A	CO-ST2500	0	0.5	N/A
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	N/A	CO-ST1	0	0.5	N/A
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	N/A	HC-ST2500	9	100	N/A
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	N/A	HC-ST1	11	100	N/A
HONDA	ACURA	RSX	122	S5	4.56	3125	CA	4	CO-US06	0.1	8	L2
HONDA	ACURA	RSX	122	S5	4.56	3125	CA	4	HC-NM+NOX-US06	0	0.14	L2
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	4	CO-US06	0.1	8	B5
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	4	HC-NM+NOX-US06	0	0.14	B5
HONDA	ACURA	RSX	122	S5	4.56	3125	CA	4	CO-SC03	0.3	2.7	L2
HONDA	ACURA	RSX	122	S5	4.56	3125	CA	4	HC-NM+NOX-SC03	0.01	0.2	L2
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	4	CO-SC03	0.3	2.7	B5
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	4	HC-NM+NOX-SC03	0.01	0.2	B5
HONDA	ACURA	RSX	122	S5	4.56	3125	CA	50	CO-COLD	1	10	N/A

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	50	CO-COLD	1	10	N/A
HONDA	ACURA	RSX	122	S5	4.56	3125	CA	120	CO	1	4.2	L2
HONDA	ACURA	RSX	122	S5	4.56	3125	CA	120	NMOG	0.057	0.09	L2
HONDA	ACURA	RSX	122	S5	4.56	3125	CA	120	NOX	0.05	0.07	L2
HONDA	ACURA	RSX	122	S5	4.56	3125	CA	50	CO	0.8	3.4	L2
HONDA	ACURA	RSX	122	S5	4.56	3125	CA	50	NMOG	0.051	0.075	L2
HONDA	ACURA	RSX	122	S5	4.56	3125	CA	50	NOX	0.03	0.05	L2
HONDA	ACURA	RSX	122	S5	4.56	3125	CF	100	CO	0.9	4.2	LEV
HONDA	ACURA	RSX	122	S5	4.56	3125	CF	50	CO	0.8	3.4	LEV
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	120	CO	1	4.2	B5
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	120	HC-NM+NOX-COMP	0.07	0.65	B5
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	120	NMOG	0.057	0.09	B5
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	120	NOX	0.05	0.07	B5
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	50	CO	0.8	3.4	B5
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	50	NMOG	0.051	0.075	B5
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	50	NOX	0.03	0.05	B5
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	N/A	CO-ST2500	0	0.5	N/A
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	N/A	CO-ST1	0	0.5	N/A
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	N/A	HC-ST2500	9	100	N/A
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	N/A	HC-ST1	11	100	N/A
HONDA	ACURA	RSX	122	S5	4.56	3125	CA	4	CO-US06	0.1	8	L2
HONDA	ACURA	RSX	122	S5	4.56	3125	CA	4	HC-NM+NOX-US06	0	0.14	L2
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	4	CO-US06	0.1	8	B5
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	4	HC-NM+NOX-US06	0	0.14	B5
HONDA	ACURA	RSX	122	S5	4.56	3125	CA	4	CO-SC03	0.3	2.7	L2
HONDA	ACURA	RSX	122	S5	4.56	3125	CA	4	HC-NM+NOX-SC03	0.01	0.2	L2
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	4	CO-SC03	0.3	2.7	B5
HONDA	ACURA	RSX	122	S5	4.56	3125	FA	4	HC-NM+NOX-SC03	0.01	0.2	B5
HONDA	HONDA	ACCORD	144	L5	4.44	3500	CA	50	CO-COLD	1.1	10	N/A
HONDA	HONDA	ACCORD	144	L5	4.44	3500	FA	50	CO-COLD	1.1	10	N/A
HONDA	HONDA	ACCORD	144	L5	4.44	3500	CA	150	CO	0.4	1	S2
HONDA	HONDA	ACCORD	144	L5	4.44	3500	CA	150	NMOG	0.007	0.01	S2
HONDA	HONDA	ACCORD	144	L5	4.44	3500	CA	150	NOX	0.01	0.02	S2
HONDA	HONDA	ACCORD	144	L5	4.44	3500	CF	100	CO	0.3	4.2	LEV
HONDA	HONDA	ACCORD	144	L5	4.44	3500	CF	50	CO	0.3	3.4	LEV
HONDA	HONDA	ACCORD	144	L5	4.44	3500	FA	120	CO	0.4	2.1	B2
HONDA	HONDA	ACCORD	144	L5	4.44	3500	FA	120	HC-NM+NOX-COMP	0.02	0.6	B2
HONDA	HONDA	ACCORD	144	L5	4.44	3500	FA	120	NMOG	0.007	0.01	B2



2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
HONDA	HONDA	ACCORD	144	L5	4.44	3500	FA	120	NOX	0.01	0.02	B2
HONDA	HONDA	ACCORD	144	L5	4.44	3500	FA	N/A	CO-ST2500	0	0.5	N/A
HONDA	HONDA	ACCORD	144	L5	4.44	3500	FA	N/A	CO-ST1	0	0.5	N/A
HONDA	HONDA	ACCORD	144	L5	4.44	3500	FA	N/A	HC-ST2500	11	100	N/A
HONDA	HONDA	ACCORD	144	L5	4.44	3500	FA	N/A	HC-ST1	11.5	100	N/A
HONDA	HONDA	ACCORD	144	L5	4.44	3500	CA	4	CO-US06	0.4	8	S2
HONDA	HONDA	ACCORD	144	L5	4.44	3500	CA	4	HC-NM+NOX-US06	0.01	0.14	S2
HONDA	HONDA	ACCORD	144	L5	4.44	3500	FA	120	CO-US06	0.4	11.1	B2
HONDA	HONDA	ACCORD	144	L5	4.44	3500	FA	4	CO-US06	0.4	8	B2
HONDA	HONDA	ACCORD	144	L5	4.44	3500	FA	4	HC-NM+NOX-US06	0.01	0.14	B2
HONDA	HONDA	ACCORD	144	L5	4.44	3500	CA	4	CO-SC03	0.4	2.7	S2
HONDA	HONDA	ACCORD	144	L5	4.44	3500	CA	4	HC-NM+NOX-SC03	0.01	0.2	S2
HONDA	HONDA	ACCORD	144	L5	4.44	3500	FA	120	CO-SC03	0.4	3.7	B2
HONDA	HONDA	ACCORD	144	L5	4.44	3500	FA	4	CO-SC03	0.4	2.7	B2
HONDA	HONDA	ACCORD	144	L5	4.44	3500	FA	4	HC-NM+NOX-SC03	0.01	0.2	B2
HONDA	HONDA	ACCORD	144	M5	4.39	3375	CA	50	CO-COLD	0.8	10	N/A
HONDA	HONDA	ACCORD	144	M5	4.39	3375	FA	50	CO-COLD	0.8	10	N/A
HONDA	HONDA	ACCORD	144	M5	4.39	3375	CA	120	CO	0.4	4.2	L2
HONDA	HONDA	ACCORD	144	M5	4.39	3375	CA	120	NMOG	0.028	0.09	L2
HONDA	HONDA	ACCORD	144	M5	4.39	3375	CA	120	NOX	0.05	0.07	L2
HONDA	HONDA	ACCORD	144	M5	4.39	3375	CA	50	CO	0.3	3.4	L2
HONDA	HONDA	ACCORD	144	M5	4.39	3375	CA	50	NMOG	0.023	0.075	L2
HONDA	HONDA	ACCORD	144	M5	4.39	3375	CA	50	NOX	0.04	0.05	L2
HONDA	HONDA	ACCORD	144	M5	4.39	3375	CF	100	CO	0.3	4.2	LEV
HONDA	HONDA	ACCORD	144	M5	4.39	3375	CF	50	CO	0.3	3.4	LEV
HONDA	HONDA	ACCORD	144	M5	4.39	3375	FA	120	CO	0.4	4.2	B5
HONDA	HONDA	ACCORD	144	M5	4.39	3375	FA	120	HC-NM+NOX-COMP	0.07	0.65	B5
HONDA	HONDA	ACCORD	144	M5	4.39	3375	FA	120	NMOG	0.028	0.09	B5
HONDA	HONDA	ACCORD	144	M5	4.39	3375	FA	120	NOX	0.05	0.07	B5
HONDA	HONDA	ACCORD	144	M5	4.39	3375	FA	50	CO	0.3	3.4	B5
HONDA	HONDA	ACCORD	144	M5	4.39	3375	FA	50	NMOG	0.023	0.075	B5
HONDA	HONDA	ACCORD	144	M5	4.39	3375	FA	50	NOX	0.04	0.05	B5
HONDA	HONDA	ACCORD	144	M5	4.39	3375	FA	N/A	CO-ST2500	0	0.5	N/A
HONDA	HONDA	ACCORD	144	M5	4.39	3375	FA	N/A	CO-ST1	0	0.5	N/A
HONDA	HONDA	ACCORD	144	M5	4.39	3375	FA	N/A	HC-ST2500	12	100	N/A
HONDA	HONDA	ACCORD	144	M5	4.39	3375	FA	N/A	HC-ST1	14.5	100	N/A
HONDA	HONDA	ACCORD	144	M5	4.39	3375	CA	4	CO-US06	0.1	8	L2
HONDA	HONDA	ACCORD	144	M5	4.39	3375	CA	4	HC-NM+NOX-US06	0.03	0.14	L2

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
HONDA	HONDA	ACCORD	144	M5	4.39	3375	FA	120	CO-US06	0.2	11.1	B5
HONDA	HONDA	ACCORD	144	M5	4.39	3375	FA	4	CO-US06	0.1	8	B5
HONDA	HONDA	ACCORD	144	M5	4.39	3375	FA	4	HC-NM+NOX-US06	0.03	0.14	B5
HONDA	HONDA	ACCORD	144	M5	4.39	3375	CA	4	CO-SC03	0.3	2.7	L2
HONDA	HONDA	ACCORD	144	M5	4.39	3375	CA	4	HC-NM+NOX-SC03	0.02	0.2	L2
HONDA	HONDA	ACCORD	144	M5	4.39	3375	FA	120	CO-SC03	0.5	3.7	B5
HONDA	HONDA	ACCORD	144	M5	4.39	3375	FA	4	CO-SC03	0.3	2.7	B5
HONDA	HONDA	ACCORD	144	M5	4.39	3375	FA	4	HC-NM+NOX-SC03	0.02	0.2	B5
HONDA	HONDA	ACCORD	183	L5	4.43	3625	CA	50	CO-COLD	1.1	10	N/A
HONDA	HONDA	ACCORD	183	L5	4.43	3625	FA	50	CO-COLD	1.1	10	N/A
HONDA	HONDA	ACCORD	183	L5	4.43	3625	CA	120	CO	0.2	4.2	L2
HONDA	HONDA	ACCORD	183	L5	4.43	3625	CA	120	NMOG	0.016	0.09	L2
HONDA	HONDA	ACCORD	183	L5	4.43	3625	CA	120	NOX	0.03	0.07	L2
HONDA	HONDA	ACCORD	183	L5	4.43	3625	CA	50	CO	0.2	3.4	L2
HONDA	HONDA	ACCORD	183	L5	4.43	3625	CA	50	NMOG	0.014	0.075	L2
HONDA	HONDA	ACCORD	183	L5	4.43	3625	CA	50	NOX	0.02	0.05	L2
HONDA	HONDA	ACCORD	183	L5	4.43	3625	CF	100	CO	0.2	4.2	LEV
HONDA	HONDA	ACCORD	183	L5	4.43	3625	CF	50	CO	0.2	3.4	LEV
HONDA	HONDA	ACCORD	183	L5	4.43	3625	FA	120	CO	0.2	4.2	B5
HONDA	HONDA	ACCORD	183	L5	4.43	3625	FA	120	HC-NM+NOX-COMP	0.06	0.65	B5
HONDA	HONDA	ACCORD	183	L5	4.43	3625	FA	120	NMOG	0.016	0.09	B5
HONDA	HONDA	ACCORD	183	L5	4.43	3625	FA	120	NOX	0.03	0.07	B5
HONDA	HONDA	ACCORD	183	L5	4.43	3625	FA	50	CO	0.2	3.4	B5
HONDA	HONDA	ACCORD	183	L5	4.43	3625	FA	50	NMOG	0.014	0.075	B5
HONDA	HONDA	ACCORD	183	L5	4.43	3625	FA	50	NOX	0.02	0.05	B5
HONDA	HONDA	ACCORD	183	L5	4.43	3625	FA	N/A	CO-ST2500	0	0.5	N/A
HONDA	HONDA	ACCORD	183	L5	4.43	3625	FA	N/A	CO-ST1	0	0.5	N/A
HONDA	HONDA	ACCORD	183	L5	4.43	3625	FA	N/A	HC-ST2500	9.5	100	N/A
HONDA	HONDA	ACCORD	183	L5	4.43	3625	FA	N/A	HC-ST1	9	100	N/A
HONDA	HONDA	ACCORD	183	L5	4.43	3625	CA	4	CO-US06	0.3	8	L2
HONDA	HONDA	ACCORD	183	L5	4.43	3625	CA	4	HC-NM+NOX-US06	0.04	0.14	L2
HONDA	HONDA	ACCORD	183	L5	4.43	3625	FA	4	CO-US06	0.3	8	B5
HONDA	HONDA	ACCORD	183	L5	4.43	3625	FA	4	HC-NM+NOX-US06	0.04	0.14	B5
HONDA	HONDA	ACCORD	183	L5	4.43	3625	CA	4	CO-SC03	0.1	2.7	L2
HONDA	HONDA	ACCORD	183	L5	4.43	3625	CA	4	HC-NM+NOX-SC03	0.06	0.2	L2
HONDA	HONDA	ACCORD	183	L5	4.43	3625	FA	4	CO-SC03	0.1	2.7	B5
HONDA	HONDA	ACCORD	183	L5	4.43	3625	FA	4	HC-NM+NOX-SC03	0.06	0.2	B5
HONDA	HONDA	ACCORD	183	L5	4.43	3625	CA	50	CO-COLD	1.1	10	N/A

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
HONDA	HONDA	ACCORD	183	L5	4.43	3625	FA	50	CO-COLD	1.1	10	N/A
HONDA	HONDA	ACCORD	183	L5	4.43	3625	CA	120	CO	0.2	2.1	U2
HONDA	HONDA	ACCORD	183	L5	4.43	3625	CA	120	NMOG	0.015	0.055	U2
HONDA	HONDA	ACCORD	183	L5	4.43	3625	CA	120	NOX	0.02	0.07	U2
HONDA	HONDA	ACCORD	183	L5	4.43	3625	CA	50	CO	0.2	1.7	U2
HONDA	HONDA	ACCORD	183	L5	4.43	3625	CA	50	NMOG	0.012	0.04	U2
HONDA	HONDA	ACCORD	183	L5	4.43	3625	CA	50	NOX	0.02	0.05	U2
HONDA	HONDA	ACCORD	183	L5	4.43	3625	CF	100	CO	0.2	4.2	LEV
HONDA	HONDA	ACCORD	183	L5	4.43	3625	CF	50	CO	0.2	3.4	LEV
HONDA	HONDA	ACCORD	183	L5	4.43	3625	FA	120	CO	0.2	4.2	B5
HONDA	HONDA	ACCORD	183	L5	4.43	3625	FA	120	HC-NM+NOX-COMP	0.05	0.65	B5
HONDA	HONDA	ACCORD	183	L5	4.43	3625	FA	120	NMOG	0.015	0.09	B5
HONDA	HONDA	ACCORD	183	L5	4.43	3625	FA	120	NOX	0.02	0.07	B5
HONDA	HONDA	ACCORD	183	L5	4.43	3625	FA	50	CO	0.2	3.4	B5
HONDA	HONDA	ACCORD	183	L5	4.43	3625	FA	50	NMOG	0.012	0.075	B5
HONDA	HONDA	ACCORD	183	L5	4.43	3625	FA	50	NOX	0.02	0.05	B5
HONDA	HONDA	ACCORD	183	L5	4.43	3625	FA	N/A	CO-ST2500	0	0.5	N/A
HONDA	HONDA	ACCORD	183	L5	4.43	3625	FA	N/A	CO-ST1	0	0.5	N/A
HONDA	HONDA	ACCORD	183	L5	4.43	3625	FA	N/A	HC-ST2500	9.5	100	N/A
HONDA	HONDA	ACCORD	183	L5	4.43	3625	FA	N/A	HC-ST1	9.5	100	N/A
HONDA	HONDA	ACCORD	183	L5	4.43	3625	CA	4	CO-US06	0.3	8	U2
HONDA	HONDA	ACCORD	183	L5	4.43	3625	CA	4	HC-NM+NOX-US06	0.04	0.14	U2
HONDA	HONDA	ACCORD	183	L5	4.43	3625	FA	4	CO-US06	0.3	8	B5
HONDA	HONDA	ACCORD	183	L5	4.43	3625	FA	4	HC-NM+NOX-US06	0.04	0.14	B5
HONDA	HONDA	ACCORD	183	L5	4.43	3625	CA	4	CO-SC03	0.2	2.7	U2
HONDA	HONDA	ACCORD	183	L5	4.43	3625	CA	4	HC-NM+NOX-SC03	0.04	0.2	U2
HONDA	HONDA	ACCORD	183	L5	4.43	3625	FA	4	CO-SC03	0.2	2.7	B5
HONDA	HONDA	ACCORD	183	L5	4.43	3625	FA	4	HC-NM+NOX-SC03	0.04	0.2	B5
HONDA	HONDA	ACCORD HYBRID	183	L5	4.38	3875	CA	50	CO-COLD	1.5	10	N/A
HONDA	HONDA	ACCORD HYBRID	183	L5	4.38	3875	FA	50	CO-COLD	1.5	10	N/A
HONDA	HONDA	ACCORD HYBRID	183	L5	4.38	3875	CA	120	CO	0.3	2.1	U2
HONDA	HONDA	ACCORD HYBRID	183	L5	4.38	3875	CA	120	NMOG	0.037	0.055	U2
HONDA	HONDA	ACCORD HYBRID	183	L5	4.38	3875	CA	120	NOX	0.05	0.07	U2
HONDA	HONDA	ACCORD HYBRID	183	L5	4.38	3875	CA	50	CO	0.2	1.7	U2
HONDA	HONDA	ACCORD HYBRID	183	L5	4.38	3875	CA	50	NMOG	0.023	0.04	U2
HONDA	HONDA	ACCORD HYBRID	183	L5	4.38	3875	CA	50	NOX	0.04	0.05	U2
HONDA	HONDA	ACCORD HYBRID	183	L5	4.38	3875	CF	100	CO	0.3	4.2	LEV
HONDA	HONDA	ACCORD HYBRID	183	L5	4.38	3875	CF	50	CO	0.2	3.4	LEV

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
HONDA	HONDA	ACCORD HYBRID	183	L5	4.38	3875	FA	120	CO	0.3	4.2	B5
HONDA	HONDA	ACCORD HYBRID	183	L5	4.38	3875	FA	120	HC-NM+NOX-COMP	0.09	0.65	B5
HONDA	HONDA	ACCORD HYBRID	183	L5	4.38	3875	FA	120	NMOG	0.037	0.09	B5
HONDA	HONDA	ACCORD HYBRID	183	L5	4.38	3875	FA	120	NOX	0.05	0.07	B5
HONDA	HONDA	ACCORD HYBRID	183	L5	4.38	3875	FA	50	CO	0.2	3.4	B5
HONDA	HONDA	ACCORD HYBRID	183	L5	4.38	3875	FA	50	NMOG	0.023	0.075	B5
HONDA	HONDA	ACCORD HYBRID	183	L5	4.38	3875	FA	50	NOX	0.04	0.05	B5
HONDA	HONDA	ACCORD HYBRID	183	L5	4.38	3875	CA	4	50-CO	0.2	1.7	U2
HONDA	HONDA	ACCORD HYBRID	183	L5	4.38	3875	CA	4	50-NMOG	0.022	0.08	U2
HONDA	HONDA	ACCORD HYBRID	183	L5	4.38	3875	CA	4	50-NOX	0.03	0.05	U2
HONDA	HONDA	ACCORD HYBRID	183	L5	4.38	3875	FA	N/A	CO-ST2500	0	0.5	N/A
HONDA	HONDA	ACCORD HYBRID	183	L5	4.38	3875	FA	N/A	CO-STI	0	0.5	N/A
HONDA	HONDA	ACCORD HYBRID	183	L5	4.38	3875	FA	N/A	HC-ST2500	9	100	N/A
HONDA	HONDA	ACCORD HYBRID	183	L5	4.38	3875	FA	N/A	HC-STI	9.5	100	N/A
HONDA	HONDA	ACCORD HYBRID	183	L5	4.38	3875	CA	4	CO-US06	0.1	8	U2
HONDA	HONDA	ACCORD HYBRID	183	L5	4.38	3875	CA	4	HC-NM+NOX-US06	0.05	0.14	U2
HONDA	HONDA	ACCORD HYBRID	183	L5	4.38	3875	FA	4	CO-US06	0.1	8	B5
HONDA	HONDA	ACCORD HYBRID	183	L5	4.38	3875	FA	4	HC-NM+NOX-US06	0.05	0.14	B5
HONDA	HONDA	ACCORD HYBRID	183	L5	4.38	3875	CA	4	CO-SC03	0.2	2.7	U2
HONDA	HONDA	ACCORD HYBRID	183	L5	4.38	3875	CA	4	HC-NM+NOX-SC03	0.05	0.2	U2
HONDA	HONDA	ACCORD HYBRID	183	L5	4.38	3875	FA	4	CO-SC03	0.2	2.7	B5
HONDA	HONDA	ACCORD HYBRID	183	L5	4.38	3875	FA	4	HC-NM+NOX-SC03	0.05	0.2	B5
HONDA	HONDA	CIVIC	102	AV	6.36	3000	CA	150	CO	0.2	1	S2
HONDA	HONDA	CIVIC	102	AV	6.36	3000	CA	150	HCHO	0	0.004	S2
HONDA	HONDA	CIVIC	102	AV	6.36	3000	CA	150	NMOG	0.001	0.01	S2
HONDA	HONDA	CIVIC	102	AV	6.36	3000	CA	150	NOX	0.01	0.02	S2
HONDA	HONDA	CIVIC	102	AV	6.36	3000	CF	100	CO	0.1	2.1	ULEV
HONDA	HONDA	CIVIC	102	AV	6.36	3000	CF	100	CO	0.1	4.2	ILEV
HONDA	HONDA	CIVIC	102	AV	6.36	3000	CF	50	CO	0.1	1.7	ULEV
HONDA	HONDA	CIVIC	102	AV	6.36	3000	CF	50	CO	0.1	3.4	ILEV
HONDA	HONDA	CIVIC	102	AV	6.36	3000	FA	120	CO	0.1	2.1	B2
HONDA	HONDA	CIVIC	102	AV	6.36	3000	FA	120	HCHO	0	0.004	B2
HONDA	HONDA	CIVIC	102	AV	6.36	3000	FA	120	NMOG	0.001	0.01	B2
HONDA	HONDA	CIVIC	102	AV	6.36	3000	FA	120	NOX	0.01	0.02	B2
HONDA	HONDA	CIVIC	102	L4	4.07	2875	FA	50	CO-COLD	3	10	N/A
HONDA	HONDA	CIVIC	102	L4	4.07	2875	FA	100	CO	0.6	4.2	B9
HONDA	HONDA	CIVIC	102	L4	4.07	2875	FA	100	HC-NM+NOX-COMP	0.13	0.73	B9
HONDA	HONDA	CIVIC	102	L4	4.07	2875	FA	100	NMOG	0.049	0.09	B9

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
HONDA	HONDA	CIVIC	102	L4	4.07	2875	FA	100	NOX	0.1	0.3	B9
HONDA	HONDA	CIVIC	102	L4	4.07	2875	FA	50	CO	0.5	3.4	B9
HONDA	HONDA	CIVIC	102	L4	4.07	2875	FA	50	NMOG	0.043	0.075	B9
HONDA	HONDA	CIVIC	102	L4	4.07	2875	FA	50	NOX	0.1	0.2	B9
HONDA	HONDA	CIVIC	102	L4	4.07	2875	FA	N/A	CO-ST2500	0	0.5	N/A
HONDA	HONDA	CIVIC	102	L4	4.07	2875	FA	N/A	CO-ST1	0	0.5	N/A
HONDA	HONDA	CIVIC	102	L4	4.07	2875	FA	N/A	HC-ST2500	9.5	100	N/A
HONDA	HONDA	CIVIC	102	L4	4.07	2875	FA	N/A	HC-ST1	9.5	100	N/A
HONDA	HONDA	CIVIC	102	L4	4.07	2875	FA	100	CO-US06	0.9	11.1	B9
HONDA	HONDA	CIVIC	102	L4	4.07	2875	FA	4	CO-US06	0.6	8	B9
HONDA	HONDA	CIVIC	102	L4	4.07	2875	FA	4	HC-NM+NOX-US06	0.08	0.14	B9
HONDA	HONDA	CIVIC	102	L4	4.07	2875	FA	100	CO-SC03	1	3.7	B9
HONDA	HONDA	CIVIC	102	L4	4.07	2875	FA	4	CO-SC03	0.8	2.7	B9
HONDA	HONDA	CIVIC	102	L4	4.07	2875	FA	4	HC-NM+NOX-SC03	0.06	0.2	B9
HONDA	HONDA	CIVIC	102	L4	4.07	2875	CA	50	CO-COLD	2.5	10	N/A
HONDA	HONDA	CIVIC	102	L4	4.07	2875	FA	50	CO-COLD	2.5	10	N/A
HONDA	HONDA	CIVIC	102	L4	4.07	2875	CA	100	CO	0.6	2.1	ULEV
HONDA	HONDA	CIVIC	102	L4	4.07	2875	CA	100	NMOG	0.033	0.055	ULEV
HONDA	HONDA	CIVIC	102	L4	4.07	2875	CA	100	NOX	0	0.3	ULEV
HONDA	HONDA	CIVIC	102	L4	4.07	2875	CA	50	CO	0.6	1.7	ULEV
HONDA	HONDA	CIVIC	102	L4	4.07	2875	CA	50	NMOG	0.029	0.04	ULEV
HONDA	HONDA	CIVIC	102	L4	4.07	2875	CA	50	NOX	0	0.2	ULEV
HONDA	HONDA	CIVIC	102	L4	4.07	2875	CF	100	CO	0.6	2.1	ULEV
HONDA	HONDA	CIVIC	102	L4	4.07	2875	CF	50	CO	0.6	1.7	ULEV
HONDA	HONDA	CIVIC	102	L4	4.07	2875	FA	100	CO	0.6	4.2	B9
HONDA	HONDA	CIVIC	102	L4	4.07	2875	FA	100	NMOG	0.033	0.09	B9
HONDA	HONDA	CIVIC	102	L4	4.07	2875	FA	100	NOX	0	0.3	B9
HONDA	HONDA	CIVIC	102	L4	4.07	2875	FA	50	CO	0.6	3.4	B9
HONDA	HONDA	CIVIC	102	L4	4.07	2875	FA	50	NMOG	0.029	0.075	B9
HONDA	HONDA	CIVIC	102	L4	4.07	2875	FA	50	NOX	0	0.2	B9
HONDA	HONDA	CIVIC	102	L4	4.07	2875	CA	100	CO	0.5	2.1	ULEV
HONDA	HONDA	CIVIC	102	L4	4.07	2875	CA	100	NMOG	0.035	0.055	ULEV
HONDA	HONDA	CIVIC	102	L4	4.07	2875	CA	100	NOX	0.1	0.3	ULEV
HONDA	HONDA	CIVIC	102	L4	4.07	2875	CA	50	CO	0.5	1.7	ULEV
HONDA	HONDA	CIVIC	102	L4	4.07	2875	CA	50	NMOG	0.031	0.04	ULEV
HONDA	HONDA	CIVIC	102	L4	4.07	2875	CA	50	NOX	0	0.2	ULEV
HONDA	HONDA	CIVIC	102	L4	4.07	2875	CF	100	CO	0.5	2.1	ULEV
HONDA	HONDA	CIVIC	102	L4	4.07	2875	CF	50	CO	0.5	1.7	ULEV

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
HONDA	HONDA	CIVIC	102	L4	4.07	2875	FA	100	CO	0.5	4.2	B9
HONDA	HONDA	CIVIC	102	L4	4.07	2875	FA	100	HC-NM+NOX-COMP	0.07	0.73	B9
HONDA	HONDA	CIVIC	102	L4	4.07	2875	FA	100	NMOG	0.035	0.09	B9
HONDA	HONDA	CIVIC	102	L4	4.07	2875	FA	100	NOX	0.1	0.3	B9
HONDA	HONDA	CIVIC	102	L4	4.07	2875	FA	50	CO	0.5	3.4	B9
HONDA	HONDA	CIVIC	102	L4	4.07	2875	FA	50	NMOG	0.031	0.075	B9
HONDA	HONDA	CIVIC	102	L4	4.07	2875	FA	50	NOX	0	0.2	B9
HONDA	HONDA	CIVIC	102	L4	4.07	2875	FA	N/A	CO-ST2500	0	0.5	N/A
HONDA	HONDA	CIVIC	102	L4	4.07	2875	FA	N/A	CO-STI	0	0.5	N/A
HONDA	HONDA	CIVIC	102	L4	4.07	2875	FA	N/A	HC-ST2500	10.5	100	N/A
HONDA	HONDA	CIVIC	102	L4	4.07	2875	FA	N/A	HC-STI	11	100	N/A
HONDA	HONDA	CIVIC	102	L4	4.07	2875	CA	4	CO-US06	0.6	8	ULEV
HONDA	HONDA	CIVIC	102	L4	4.07	2875	CA	4	HC-NM+NOX-US06	0.04	0.14	ULEV
HONDA	HONDA	CIVIC	102	L4	4.07	2875	FA	100	CO-US06	0.6	11.1	B9
HONDA	HONDA	CIVIC	102	L4	4.07	2875	FA	4	CO-US06	0.6	8	B9
HONDA	HONDA	CIVIC	102	L4	4.07	2875	FA	4	HC-NM+NOX-US06	0.04	0.14	B9
HONDA	HONDA	CIVIC	102	L4	4.07	2875	CA	4	CO-SC03	1	2.7	ULEV
HONDA	HONDA	CIVIC	102	L4	4.07	2875	CA	4	HC-NM+NOX-SC03	0.04	0.2	ULEV
HONDA	HONDA	CIVIC	102	L4	4.07	2875	FA	100	CO-SC03	1	3.7	B9
HONDA	HONDA	CIVIC	102	L4	4.07	2875	FA	4	CO-SC03	1	2.7	B9
HONDA	HONDA	CIVIC	102	L4	4.07	2875	FA	4	HC-NM+NOX-SC03	0.04	0.2	B9
HONDA	HONDA	CIVIC	102	AV	5.81	2875	CA	50	CO-COLD	1.4	10	N/A
HONDA	HONDA	CIVIC	102	AV	5.81	2875	FA	50	CO-COLD	1.4	10	N/A
HONDA	HONDA	CIVIC	102	AV	5.81	2875	CA	100	CO	0.7	2.1	ULEV
HONDA	HONDA	CIVIC	102	AV	5.81	2875	CA	100	HCHO	0	0.011	ULEV
HONDA	HONDA	CIVIC	102	AV	5.81	2875	CA	100	NMOG	0.03	0.055	ULEV
HONDA	HONDA	CIVIC	102	AV	5.81	2875	CA	100	NOX	0.1	0.3	ULEV
HONDA	HONDA	CIVIC	102	AV	5.81	2875	CA	50	CO	0.4	1.7	ULEV
HONDA	HONDA	CIVIC	102	AV	5.81	2875	CA	50	HCHO	0	0.008	ULEV
HONDA	HONDA	CIVIC	102	AV	5.81	2875	CA	50	NMOG	0.025	0.04	ULEV
HONDA	HONDA	CIVIC	102	AV	5.81	2875	CA	50	NOX	0.1	0.2	ULEV
HONDA	HONDA	CIVIC	102	AV	5.81	2875	CF	100	CO	0.7	2.1	ULEV
HONDA	HONDA	CIVIC	102	AV	5.81	2875	CF	50	CO	0.4	1.7	ULEV
HONDA	HONDA	CIVIC	102	AV	5.81	2875	FA	100	CO	0.7	4.2	B9
HONDA	HONDA	CIVIC	102	AV	5.81	2875	FA	100	HCHO	0	0.018	B9
HONDA	HONDA	CIVIC	102	AV	5.81	2875	FA	100	NMOG	0.03	0.09	B9
HONDA	HONDA	CIVIC	102	AV	5.81	2875	FA	100	NOX	0.1	0.3	B9
HONDA	HONDA	CIVIC	102	AV	5.81	2875	FA	50	CO	0.4	3.4	B9

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
HONDA	HONDA	CIVIC	102	AV	5.81	2875	FA	50	HCHO	0	0.015	B9
HONDA	HONDA	CIVIC	102	AV	5.81	2875	FA	50	NMOG	0.025	0.075	B9
HONDA	HONDA	CIVIC	102	AV	5.81	2875	FA	50	NOX	0.1	0.2	B9
HONDA	HONDA	CIVIC	102	AV	5.81	2875	CA	100	CO	0.7	2.1	ULEV
HONDA	HONDA	CIVIC	102	AV	5.81	2875	CA	100	HCHO	0	0.011	ULEV
HONDA	HONDA	CIVIC	102	AV	5.81	2875	CA	100	NMOG	0.035	0.055	ULEV
HONDA	HONDA	CIVIC	102	AV	5.81	2875	CA	100	NOX	0.1	0.3	ULEV
HONDA	HONDA	CIVIC	102	AV	5.81	2875	CA	50	CO	0.4	1.7	ULEV
HONDA	HONDA	CIVIC	102	AV	5.81	2875	CA	50	HCHO	0	0.008	ULEV
HONDA	HONDA	CIVIC	102	AV	5.81	2875	CA	50	NMOG	0.03	0.04	ULEV
HONDA	HONDA	CIVIC	102	AV	5.81	2875	CA	50	NOX	0.1	0.2	ULEV
HONDA	HONDA	CIVIC	102	AV	5.81	2875	CF	100	CO	0.7	2.1	ULEV
HONDA	HONDA	CIVIC	102	AV	5.81	2875	CF	50	CO	0.4	1.7	ULEV
HONDA	HONDA	CIVIC	102	AV	5.81	2875	FA	100	CO	0.7	4.2	B9
HONDA	HONDA	CIVIC	102	AV	5.81	2875	FA	100	HC-NM+NOX-COMP	0.1	0.73	B9
HONDA	HONDA	CIVIC	102	AV	5.81	2875	FA	100	HCHO	0	0.018	B9
HONDA	HONDA	CIVIC	102	AV	5.81	2875	FA	100	NMOG	0.035	0.09	B9
HONDA	HONDA	CIVIC	102	AV	5.81	2875	FA	100	NOX	0.1	0.3	B9
HONDA	HONDA	CIVIC	102	AV	5.81	2875	FA	50	CO	0.4	3.4	B9
HONDA	HONDA	CIVIC	102	AV	5.81	2875	FA	50	HCHO	0	0.015	B9
HONDA	HONDA	CIVIC	102	AV	5.81	2875	FA	50	NMOG	0.03	0.075	B9
HONDA	HONDA	CIVIC	102	AV	5.81	2875	FA	50	NOX	0.1	0.2	B9
HONDA	HONDA	CIVIC	102	AV	5.81	2875	FA	N/A	CO-ST2500	0	0.5	N/A
HONDA	HONDA	CIVIC	102	AV	5.81	2875	FA	N/A	CO-STI	0	0.5	N/A
HONDA	HONDA	CIVIC	102	AV	5.81	2875	FA	N/A	HC-ST2500	10	100	N/A
HONDA	HONDA	CIVIC	102	AV	5.81	2875	FA	N/A	HC-STI	9	100	N/A
HONDA	HONDA	CIVIC	102	AV	5.81	2875	CA	4	CO-US06	0.7	8	ULEV
HONDA	HONDA	CIVIC	102	AV	5.81	2875	CA	4	HC-NM+NOX-US06	0.06	0.14	ULEV
HONDA	HONDA	CIVIC	102	AV	5.81	2875	FA	100	CO-US06	1.2	11.1	B9
HONDA	HONDA	CIVIC	102	AV	5.81	2875	FA	4	CO-US06	0.7	8	B9
HONDA	HONDA	CIVIC	102	AV	5.81	2875	FA	4	HC-NM+NOX-US06	0.06	0.14	B9
HONDA	HONDA	CIVIC	102	AV	5.81	2875	CA	4	CO-SC03	0.1	2.7	ULEV
HONDA	HONDA	CIVIC	102	AV	5.81	2875	CA	4	HC-NM+NOX-SC03	0.07	0.2	ULEV
HONDA	HONDA	CIVIC	102	AV	5.81	2875	FA	100	CO-SC03	0.6	3.7	B9
HONDA	HONDA	CIVIC	102	AV	5.81	2875	FA	4	CO-SC03	0.1	2.7	B9
HONDA	HONDA	CIVIC	102	AV	5.81	2875	FA	4	HC-NM+NOX-SC03	0.07	0.2	B9
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	CA	50	CO-COLD	1.8	10	N/A
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	50	CO-COLD	1.8	10	N/A

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	CA	100	CO	0.8	2.1	ULEV
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	CA	100	HCHO	0	0.011	ULEV
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	CA	100	NMOG	0.018	0.055	ULEV
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	CA	100	NOX	0.1	0.3	ULEV
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	CA	50	CO	0.5	1.7	ULEV
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	CA	50	HCHO	0	0.008	ULEV
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	CA	50	NMOG	0.013	0.04	ULEV
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	CA	50	NOX	0.1	0.2	ULEV
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	CF	100	CO	0.8	2.1	ULEV
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	CF	50	CO	0.5	1.7	ULEV
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	100	CO	0.8	4.2	B9
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	100	HCHO	0	0.018	B9
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	100	NMOG	0.018	0.09	B9
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	100	NOX	0.1	0.3	B9
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	50	CO	0.5	3.4	B9
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	50	HCHO	0	0.015	B9
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	50	NMOG	0.013	0.075	B9
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	50	NOX	0.1	0.2	B9
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	CA	100	CO	0.8	2.1	ULEV
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	CA	100	HCHO	0	0.011	ULEV
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	CA	100	NMOG	0.016	0.055	ULEV
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	CA	100	NOX	0.1	0.3	ULEV
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	CA	50	CO	0.5	1.7	ULEV
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	CA	50	HCHO	0	0.008	ULEV
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	CA	50	NMOG	0.012	0.04	ULEV
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	CA	50	NOX	0.1	0.2	ULEV
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	CF	100	CO	0.8	2.1	ULEV
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	CF	50	CO	0.5	1.7	ULEV
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	100	CO	0.8	4.2	B9
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	100	HC-NM+NOX-COMP	0.15	0.73	B9
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	100	HCHO	0	0.018	B9
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	100	NMOG	0.016	0.09	B9
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	100	NOX	0.1	0.3	B9
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	50	CO	0.5	3.4	B9
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	50	HCHO	0	0.015	B9
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	50	NMOG	0.012	0.075	B9
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	50	NOX	0.1	0.2	B9
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	N/A	CO-ST2500	0	0.5	N/A



2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	N/A	CO-STI	0	0.5	N/A
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	N/A	HC-ST2500	7	100	N/A
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	N/A	HC-STI	6.5	100	N/A
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	CA	4	CO-US06	2.7	8	ULEV
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	CA	4	HC-NM+NOX-US06	0.09	0.14	ULEV
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	100	CO-US06	3.3	11.1	B9
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	4	CO-US06	2.7	8	B9
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	4	HC-NM+NOX-US06	0.09	0.14	B9
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	CA	4	CO-SC03	0.5	2.7	ULEV
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	CA	4	HC-NM+NOX-SC03	0.06	0.2	ULEV
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	100	CO-SC03	1.1	3.7	B9
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	4	CO-SC03	0.5	2.7	B9
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	4	HC-NM+NOX-SC03	0.06	0.2	B9
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	CA	50	CO-COLD	1.1	10	N/A
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	50	CO-COLD	1.1	10	N/A
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	CA	150	CO	0.1	1	S2
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	CA	150	HCHO	0	0.004	S2
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	CA	150	NMOG	0.006	0.01	S2
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	CA	150	NOX	0.01	0.02	S2
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	CF	100	CO	0.1	2.1	ULEV
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	CF	50	CO	0.1	1.7	ULEV
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	120	CO	0.1	2.1	B2
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	120	HCHO	0	0.004	B2
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	120	NMOG	0.006	0.01	B2
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	120	NOX	0.01	0.02	B2
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	CA	150	CO	0.1	1	S2
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	CA	150	HCHO	0	0.004	S2
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	CA	150	NMOG	0.006	0.01	S2
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	CA	150	NOX	0.01	0.02	S2
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	CF	100	CO	0.1	2.1	ULEV
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	CF	50	CO	0.1	1.7	ULEV
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	120	CO	0.1	2.1	B2
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	120	HC-NM+NOX-COMP	0.01	0.6	B2
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	120	HCHO	0	0.004	B2
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	120	NMOG	0.006	0.01	B2
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	120	NOX	0.01	0.02	B2
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	N/A	CO-ST2500	0	0.5	N/A
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	N/A	CO-STI	0	0.5	N/A

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	N/A	HC-ST2500	9	100	N/A
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	N/A	HC-STI	8.5	100	N/A
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	CA	4	CO-US06	1.4	8	S2
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	CA	4	HC-NM+NOX-US06	0	0.14	S2
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	120	CO-US06	1.5	11.1	B2
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	4	CO-US06	1.4	8	B2
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	4	HC-NM+NOX-US06	0	0.14	B2
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	CA	4	CO-SC03	0	2.7	S2
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	CA	4	HC-NM+NOX-SC03	0.01	0.2	S2
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	120	CO-SC03	0.1	3.7	B2
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	4	CO-SC03	0	2.7	B2
HONDA	HONDA	CIVIC HYBRID	82	AV	5.78	3000	FA	4	HC-NM+NOX-SC03	0.01	0.2	B2
HONDA	HONDA	CR-V 4WD	144	L5	4.44	3750	CA	50	CO-COLD	1.2	10	N/A
HONDA	HONDA	CR-V 4WD	144	L5	4.44	3750	FA	50	CO-COLD	1.2	10	N/A
HONDA	HONDA	CR-V 4WD	144	L5	4.44	3750	CA	120	CO	1.2	4.2	L2
HONDA	HONDA	CR-V 4WD	144	L5	4.44	3750	CA	120	NMOG	0.06	0.09	L2
HONDA	HONDA	CR-V 4WD	144	L5	4.44	3750	CA	120	NOX	0.05	0.07	L2
HONDA	HONDA	CR-V 4WD	144	L5	4.44	3750	CA	50	CO	0.8	3.4	L2
HONDA	HONDA	CR-V 4WD	144	L5	4.44	3750	CA	50	NMOG	0.046	0.075	L2
HONDA	HONDA	CR-V 4WD	144	L5	4.44	3750	CA	50	NOX	0.03	0.05	L2
HONDA	HONDA	CR-V 4WD	144	L5	4.44	3750	CF	100	CO	1.1	4.2	LEV
HONDA	HONDA	CR-V 4WD	144	L5	4.44	3750	CF	50	CO	0.8	3.4	LEV
HONDA	HONDA	CR-V 4WD	144	L5	4.44	3750	FA	120	CO	1.2	4.2	B5
HONDA	HONDA	CR-V 4WD	144	L5	4.44	3750	FA	120	HC-NM+NOX-COMP	0.07	0.65	B5
HONDA	HONDA	CR-V 4WD	144	L5	4.44	3750	FA	120	NMOG	0.06	0.09	B5
HONDA	HONDA	CR-V 4WD	144	L5	4.44	3750	FA	120	NOX	0.05	0.07	B5
HONDA	HONDA	CR-V 4WD	144	L5	4.44	3750	FA	50	CO	0.8	3.4	B5
HONDA	HONDA	CR-V 4WD	144	L5	4.44	3750	FA	50	NMOG	0.046	0.075	B5
HONDA	HONDA	CR-V 4WD	144	L5	4.44	3750	FA	50	NOX	0.03	0.05	B5
HONDA	HONDA	CR-V 4WD	144	L5	4.44	3750	FA	N/A	CO-ST2500	0	0.5	N/A
HONDA	HONDA	CR-V 4WD	144	L5	4.44	3750	FA	N/A	CO-STI	0	0.5	N/A
HONDA	HONDA	CR-V 4WD	144	L5	4.44	3750	FA	N/A	HC-ST2500	10.5	100	N/A
HONDA	HONDA	CR-V 4WD	144	L5	4.44	3750	FA	N/A	HC-STI	12.5	100	N/A
HONDA	HONDA	CR-V 4WD	144	L5	4.44	3750	CA	4	CO-US06	1.4	8	L2
HONDA	HONDA	CR-V 4WD	144	L5	4.44	3750	CA	4	HC-NM+NOX-US06	0.01	0.14	L2
HONDA	HONDA	CR-V 4WD	144	L5	4.44	3750	FA	4	CO-US06	1.4	8	B5
HONDA	HONDA	CR-V 4WD	144	L5	4.44	3750	FA	4	HC-NM+NOX-US06	0.01	0.14	B5
HONDA	HONDA	CR-V 4WD	144	L5	4.44	3750	CA	4	CO-SC03	0.1	2.7	L2

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
HONDA	HONDA	CR-V 4WD	144	L5	4.44	3750	CA	4	HC-NM+NOX-SC03	0	0.2	L2
HONDA	HONDA	CR-V 4WD	144	L5	4.44	3750	FA	4	CO-SC03	0.1	2.7	B5
HONDA	HONDA	CR-V 4WD	144	L5	4.44	3750	FA	4	HC-NM+NOX-SC03	0	0.2	B5
HONDA	HONDA	ODYSSEY 2WD	212	L5	4.43	4750	CA	50	CO-COLD	2	12.5	N/A
HONDA	HONDA	ODYSSEY 2WD	212	L5	4.43	4750	FA	50	CO-COLD	2	12.5	N/A
HONDA	HONDA	ODYSSEY 2WD	212	L5	4.43	4750	CA	120	CO	0.4	2.1	U2
HONDA	HONDA	ODYSSEY 2WD	212	L5	4.43	4750	CA	120	NMOG	0.026	0.055	U2
HONDA	HONDA	ODYSSEY 2WD	212	L5	4.43	4750	CA	120	NOX	0.04	0.07	U2
HONDA	HONDA	ODYSSEY 2WD	212	L5	4.43	4750	CA	50	CO	0.2	1.7	U2
HONDA	HONDA	ODYSSEY 2WD	212	L5	4.43	4750	CA	50	NMOG	0.021	0.04	U2
HONDA	HONDA	ODYSSEY 2WD	212	L5	4.43	4750	CA	50	NOX	0.02	0.05	U2
HONDA	HONDA	ODYSSEY 2WD	212	L5	4.43	4750	CF	100	CO	0.3	2.8	ULEV
HONDA	HONDA	ODYSSEY 2WD	212	L5	4.43	4750	CF	50	CO	0.2	2.2	ULEV
HONDA	HONDA	ODYSSEY 2WD	212	L5	4.43	4750	FA	120	CO	0.4	4.2	B5
HONDA	HONDA	ODYSSEY 2WD	212	L5	4.43	4750	FA	120	HC-NM+NOX-COMP	0.07	0.95	B5
HONDA	HONDA	ODYSSEY 2WD	212	L5	4.43	4750	FA	120	NMOG	0.026	0.09	B5
HONDA	HONDA	ODYSSEY 2WD	212	L5	4.43	4750	FA	120	NOX	0.04	0.07	B5
HONDA	HONDA	ODYSSEY 2WD	212	L5	4.43	4750	FA	50	CO	0.2	3.4	B5
HONDA	HONDA	ODYSSEY 2WD	212	L5	4.43	4750	FA	50	NMOG	0.021	0.075	B5
HONDA	HONDA	ODYSSEY 2WD	212	L5	4.43	4750	FA	50	NOX	0.02	0.05	B5
HONDA	HONDA	ODYSSEY 2WD	212	L5	4.43	4750	CA	4	50-CO	0.2	1.7	U2
HONDA	HONDA	ODYSSEY 2WD	212	L5	4.43	4750	CA	4	50-NMOG	0.028	0.08	U2
HONDA	HONDA	ODYSSEY 2WD	212	L5	4.43	4750	CA	4	50-NOX	0.01	0.05	U2
HONDA	HONDA	ODYSSEY 2WD	212	L5	4.43	4750	FA	N/A	CO-ST2500	0	0.5	N/A
HONDA	HONDA	ODYSSEY 2WD	212	L5	4.43	4750	FA	N/A	CO-STI	0	0.5	N/A
HONDA	HONDA	ODYSSEY 2WD	212	L5	4.43	4750	FA	N/A	HC-ST2500	9	100	N/A
HONDA	HONDA	ODYSSEY 2WD	212	L5	4.43	4750	FA	N/A	HC-STI	8.5	100	N/A
HONDA	HONDA	ODYSSEY 2WD	212	L5	4.43	4750	CA	4	CO-US06	2.6	10.5	U2
HONDA	HONDA	ODYSSEY 2WD	212	L5	4.43	4750	CA	4	HC-NM+NOX-US06	0.02	0.25	U2
HONDA	HONDA	ODYSSEY 2WD	212	L5	4.43	4750	FA	4	CO-US06	2.6	10.5	B5
HONDA	HONDA	ODYSSEY 2WD	212	L5	4.43	4750	FA	4	HC-NM+NOX-US06	0.02	0.25	B5
HONDA	HONDA	ODYSSEY 2WD	212	L5	4.43	4750	CA	4	CO-SC03	0.1	3.5	U2
HONDA	HONDA	ODYSSEY 2WD	212	L5	4.43	4750	CA	4	HC-NM+NOX-SC03	0.06	0.27	U2
HONDA	HONDA	ODYSSEY 2WD	212	L5	4.43	4750	FA	4	CO-SC03	0.1	3.5	B5
HONDA	HONDA	ODYSSEY 2WD	212	L5	4.43	4750	FA	4	HC-NM+NOX-SC03	0.06	0.27	B5
HONDA	HONDA	S2000	132	M6	4.95	3125	CA	50	CO-COLD	2.6	10	N/A
HONDA	HONDA	S2000	132	M6	4.95	3125	FA	50	CO-COLD	2.6	10	N/A
HONDA	HONDA	S2000	132	M6	4.95	3125	CA	100	CO	0.7	4.2	LEV

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
HONDA	HONDA	S2000	132	M6	4.95	3125	CA	100	NMOG	0.034	0.09	LEV
HONDA	HONDA	S2000	132	M6	4.95	3125	CA	100	NOX	0.1	0.3	LEV
HONDA	HONDA	S2000	132	M6	4.95	3125	CA	50	CO	0.6	3.4	LEV
HONDA	HONDA	S2000	132	M6	4.95	3125	CA	50	NMOG	0.028	0.075	LEV
HONDA	HONDA	S2000	132	M6	4.95	3125	CA	50	NOX	0.1	0.2	LEV
HONDA	HONDA	S2000	132	M6	4.95	3125	FA	100	CO	0.7	4.2	B9
HONDA	HONDA	S2000	132	M6	4.95	3125	FA	100	HC-NM+NOX-COMP	0.09	0.73	B9
HONDA	HONDA	S2000	132	M6	4.95	3125	FA	100	NMOG	0.034	0.09	B9
HONDA	HONDA	S2000	132	M6	4.95	3125	FA	100	NOX	0.1	0.3	B9
HONDA	HONDA	S2000	132	M6	4.95	3125	FA	50	CO	0.6	3.4	B9
HONDA	HONDA	S2000	132	M6	4.95	3125	FA	50	NMOG	0.028	0.075	B9
HONDA	HONDA	S2000	132	M6	4.95	3125	FA	50	NOX	0.1	0.2	B9
HONDA	HONDA	S2000	132	M6	4.95	3125	FA	N/A	CO-ST2500	0	0.5	N/A
HONDA	HONDA	S2000	132	M6	4.95	3125	FA	N/A	CO-ST1	0	0.5	N/A
HONDA	HONDA	S2000	132	M6	4.95	3125	FA	N/A	HC-ST2500	16.5	100	N/A
HONDA	HONDA	S2000	132	M6	4.95	3125	FA	N/A	HC-ST1	14.5	100	N/A
HONDA	HONDA	S2000	132	M6	4.95	3125	CA	4	CO-US06	1.4	8	LEV
HONDA	HONDA	S2000	132	M6	4.95	3125	CA	4	HC-NM+NOX-US06	0.04	0.14	LEV
HONDA	HONDA	S2000	132	M6	4.95	3125	FA	100	CO-US06	1.6	11.1	B9
HONDA	HONDA	S2000	132	M6	4.95	3125	FA	4	CO-US06	1.4	8	B9
HONDA	HONDA	S2000	132	M6	4.95	3125	FA	4	HC-NM+NOX-US06	0.04	0.14	B9
HONDA	HONDA	S2000	132	M6	4.95	3125	CA	4	CO-SC03	0.2	2.7	LEV
HONDA	HONDA	S2000	132	M6	4.95	3125	CA	4	HC-NM+NOX-SC03	0.05	0.2	LEV
HONDA	HONDA	S2000	132	M6	4.95	3125	FA	100	CO-SC03	0.4	3.7	B9
HONDA	HONDA	S2000	132	M6	4.95	3125	FA	4	CO-SC03	0.2	2.7	B9
HONDA	HONDA	S2000	132	M6	4.95	3125	FA	4	HC-NM+NOX-SC03	0.05	0.2	B9
TOYOTA	LEXUS	GS 300/GS 430	2997	L5	3.92	4000	CA	100	CO	1.1	4.2	LEV
TOYOTA	LEXUS	GS 300/GS 430	2997	L5	3.92	4000	CA	100	HCHO	0.001	0.018	LEV
TOYOTA	LEXUS	GS 300/GS 430	2997	L5	3.92	4000	CA	100	NMOG	0.068	0.09	LEV
TOYOTA	LEXUS	GS 300/GS 430	2997	L5	3.92	4000	CA	100	NOX	0.1	0.3	LEV
TOYOTA	LEXUS	GS 300/GS 430	2997	L5	3.92	4000	CA	50	CO	0.7	3.4	LEV
TOYOTA	LEXUS	GS 300/GS 430	2997	L5	3.92	4000	CA	50	HCHO	0.001	0.015	LEV
TOYOTA	LEXUS	GS 300/GS 430	2997	L5	3.92	4000	CA	50	NMOG	0.056	0.075	LEV
TOYOTA	LEXUS	GS 300/GS 430	2997	L5	3.92	4000	CA	50	NOX	0.1	0.2	LEV
TOYOTA	LEXUS	GS 300/GS 430	2997	L5	3.92	4000	FA	100	CO	1.1	4.2	B9
TOYOTA	LEXUS	GS 300/GS 430	2997	L5	3.92	4000	FA	100	HC-NM+NOX-COMP	0.17	0.73	B9
TOYOTA	LEXUS	GS 300/GS 430	2997	L5	3.92	4000	FA	100	HCHO	0.001	0.018	B9
TOYOTA	LEXUS	GS 300/GS 430	2997	L5	3.92	4000	FA	100	NMOG	0.068	0.09	B9

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
TOYOTA	LEXUS	GS 300/GS 430	2997	L5	3.92	4000	FA	100	NOX	0.1	0.3	B9
TOYOTA	LEXUS	GS 300/GS 430	2997	L5	3.92	4000	FA	50	CO	0.7	3.4	B9
TOYOTA	LEXUS	GS 300/GS 430	2997	L5	3.92	4000	FA	50	HCHO	0.001	0.015	B9
TOYOTA	LEXUS	GS 300/GS 430	2997	L5	3.92	4000	FA	50	NMOG	0.056	0.075	B9
TOYOTA	LEXUS	GS 300/GS 430	2997	L5	3.92	4000	FA	50	NOX	0.1	0.2	B9
TOYOTA	LEXUS	GS 300/GS 430	2997	M5	3.92	4000	CA	50	CO-COLD	3.5	10	N/A
TOYOTA	LEXUS	GS 300/GS 430	2997	M5	3.92	4000	FA	50	CO-COLD	3.5	10	N/A
TOYOTA	LEXUS	GS 300/GS 430	2997	M5	3.92	4000	CA	100	CO	1.1	4.2	LEV
TOYOTA	LEXUS	GS 300/GS 430	2997	M5	3.92	4000	CA	100	HCHO	0.001	0.018	LEV
TOYOTA	LEXUS	GS 300/GS 430	2997	M5	3.92	4000	CA	100	NMOG	0.063	0.09	LEV
TOYOTA	LEXUS	GS 300/GS 430	2997	M5	3.92	4000	CA	100	NOX	0.1	0.3	LEV
TOYOTA	LEXUS	GS 300/GS 430	2997	M5	3.92	4000	CA	50	CO	0.7	3.4	LEV
TOYOTA	LEXUS	GS 300/GS 430	2997	M5	3.92	4000	CA	50	HCHO	0.001	0.015	LEV
TOYOTA	LEXUS	GS 300/GS 430	2997	M5	3.92	4000	CA	50	NMOG	0.051	0.075	LEV
TOYOTA	LEXUS	GS 300/GS 430	2997	M5	3.92	4000	CA	50	NOX	0.1	0.2	LEV
TOYOTA	LEXUS	GS 300/GS 430	2997	M5	3.92	4000	FA	100	CO	1.1	4.2	B9
TOYOTA	LEXUS	GS 300/GS 430	2997	M5	3.92	4000	FA	100	HC-NM+NOX-COMP	0.16	0.73	B9
TOYOTA	LEXUS	GS 300/GS 430	2997	M5	3.92	4000	FA	100	HCHO	0.001	0.018	B9
TOYOTA	LEXUS	GS 300/GS 430	2997	M5	3.92	4000	FA	100	NMOG	0.063	0.09	B9
TOYOTA	LEXUS	GS 300/GS 430	2997	M5	3.92	4000	FA	100	NOX	0.1	0.3	B9
TOYOTA	LEXUS	GS 300/GS 430	2997	M5	3.92	4000	FA	50	CO	0.7	3.4	B9
TOYOTA	LEXUS	GS 300/GS 430	2997	M5	3.92	4000	FA	50	HCHO	0.001	0.015	B9
TOYOTA	LEXUS	GS 300/GS 430	2997	M5	3.92	4000	FA	50	NMOG	0.051	0.075	B9
TOYOTA	LEXUS	GS 300/GS 430	2997	M5	3.92	4000	FA	50	NOX	0.1	0.2	B9
TOYOTA	LEXUS	GS 300/GS 430	2997	M5	3.92	4000	CA	4	CO-US06	6.6	8	LEV
TOYOTA	LEXUS	GS 300/GS 430	2997	M5	3.92	4000	CA	4	HC-NM+NOX-US06	0.09	0.14	LEV
TOYOTA	LEXUS	GS 300/GS 430	2997	M5	3.92	4000	FA	100	CO-US06	7.4	11.1	B9
TOYOTA	LEXUS	GS 300/GS 430	2997	M5	3.92	4000	FA	4	CO-US06	6.6	8	B9
TOYOTA	LEXUS	GS 300/GS 430	2997	M5	3.92	4000	FA	4	HC-NM+NOX-US06	0.09	0.14	B9
TOYOTA	LEXUS	GS 300/GS 430	2997	M5	3.92	4000	CA	4	CO-SC03	0.6	2.7	LEV
TOYOTA	LEXUS	GS 300/GS 430	2997	M5	3.92	4000	CA	4	HC-NM+NOX-SC03	0.11	0.2	LEV
TOYOTA	LEXUS	GS 300/GS 430	2997	M5	3.92	4000	FA	100	CO-SC03	1.4	3.7	B9
TOYOTA	LEXUS	GS 300/GS 430	2997	M5	3.92	4000	FA	4	CO-SC03	0.6	2.7	B9
TOYOTA	LEXUS	GS 300/GS 430	2997	M5	3.92	4000	FA	4	HC-NM+NOX-SC03	0.11	0.2	B9
TOYOTA	LEXUS	GX 470	4664	L5	3.73	5250	CA	50	CO-COLD	1.6	12.5	N/A
TOYOTA	LEXUS	GX 470	4664	L5	3.73	5250	FA	50	CO-COLD	1.6	12.5	N/A
TOYOTA	LEXUS	GX 470	4664	L5	3.73	5250	CA	120	CO	0.2	2.1	U2
TOYOTA	LEXUS	GX 470	4664	L5	3.73	5250	CA	120	NMOG	0.021	0.055	U2

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
TOYOTA	LEXUS	GX 470	4664	L5	3.73	5250	CA	120	NOX	0.03	0.07	U2
TOYOTA	LEXUS	GX 470	4664	L5	3.73	5250	CA	50	CO	0.2	1.7	U2
TOYOTA	LEXUS	GX 470	4664	L5	3.73	5250	CA	50	NMOG	0.018	0.04	U2
TOYOTA	LEXUS	GX 470	4664	L5	3.73	5250	CA	50	NOX	0.02	0.05	U2
TOYOTA	LEXUS	GX 470	4664	L5	3.73	5250	FA	120	CO	0.2	4.2	B8
TOYOTA	LEXUS	GX 470	4664	L5	3.73	5250	FA	120	CO-COMP	1	6.4	B8
TOYOTA	LEXUS	GX 470	4664	L5	3.73	5250	FA	120	HC-NM+NOX-COMP	0.04	1.44	B8
TOYOTA	LEXUS	GX 470	4664	L5	3.73	5250	FA	120	NMOG	0.021	0.156	B8
TOYOTA	LEXUS	GX 470	4664	L5	3.73	5250	FA	120	NOX	0.03	0.2	B8
TOYOTA	LEXUS	GX 470	4664	L5	3.73	5250	FA	50	CO	0.2	3.4	B8
TOYOTA	LEXUS	GX 470	4664	L5	3.73	5250	FA	50	CO-COMP	0.9	4.4	B8
TOYOTA	LEXUS	GX 470	4664	L5	3.73	5250	FA	50	HC-NM+NOX-COMP	0.03	1.02	B8
TOYOTA	LEXUS	GX 470	4664	L5	3.73	5250	FA	50	NMOG	0.018	0.125	B8
TOYOTA	LEXUS	GX 470	4664	L5	3.73	5250	FA	50	NOX	0.02	0.14	B8
TOYOTA	LEXUS	GX 470	4664	L5	3.73	5250	CA	N/A	50-CO	0.2	1.7	U2
TOYOTA	LEXUS	GX 470	4664	L5	3.73	5250	CA	N/A	50-NMOG	0.034	0.08	U2
TOYOTA	LEXUS	GX 470	4664	L5	3.73	5250	CA	N/A	50-NOX	0.01	0.05	U2
TOYOTA	LEXUS	GX 470	4664	L5	3.73	5250	CA	4	CO-US06	2.1	10.5	U2
TOYOTA	LEXUS	GX 470	4664	L5	3.73	5250	CA	4	HC-NM+NOX-US06	0.01	0.4	U2
TOYOTA	LEXUS	GX 470	4664	L5	3.73	5250	CA	4	CO-US06	6	10.5	U2
TOYOTA	LEXUS	GX 470	4664	L5	3.73	5250	CA	4	HC-NM+NOX-US06	0.01	0.4	U2
TOYOTA	LEXUS	GX 470	4664	L5	3.73	5500	CA	4	CO-SC03	0.7	3.5	U2
TOYOTA	LEXUS	GX 470	4664	L5	3.73	5500	CA	4	HC-NM+NOX-SC03	0.02	0.31	U2
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	CA	50	CO-COLD	1.6	10	N/A
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	FA	50	CO-COLD	1.6	10	N/A
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	CA	100	CO	0.4	2.1	ULEV
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	CA	100	NMOG	0.034	0.055	ULEV
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	CA	100	NOX	0	0.3	ULEV
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	CA	50	CO	0.4	1.7	ULEV
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	CA	50	NMOG	0.03	0.04	ULEV
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	CA	50	NOX	0	0.2	ULEV
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	FA	100	CO	0.4	4.2	B9
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	FA	100	HC-NM+NOX-COMP	0.07	0.73	B9
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	FA	100	NMOG	0.034	0.09	B9
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	FA	100	NOX	0	0.3	B9
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	FA	50	CO	0.4	3.4	B9
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	FA	50	NMOG	0.03	0.075	B9
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	FA	50	NOX	0	0.2	B9

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	CA	4	CO-US06	1.3	8	ULEV
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	CA	4	HC-NM+NOX-US06	0.03	0.14	ULEV
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	FA	100	CO-US06	1.3	11.1	B9
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	FA	4	CO-US06	1.3	8	B9
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	FA	4	HC-NM+NOX-US06	0.03	0.14	B9
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	CA	4	CO-SC03	0.6	2.7	ULEV
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	CA	4	HC-NM+NOX-SC03	0.05	0.2	ULEV
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	FA	100	CO-SC03	0.7	3.7	B9
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	FA	4	CO-SC03	0.6	2.7	B9
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	FA	4	HC-NM+NOX-SC03	0.05	0.2	B9
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	CA	50	CO-COLD	1.6	10	N/A
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	FA	50	CO-COLD	1.6	10	N/A
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	CA	100	CO	0.4	2.1	ULEV
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	CA	100	NMOG	0.034	0.055	ULEV
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	CA	100	NOX	0	0.3	ULEV
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	CA	50	CO	0.4	1.7	ULEV
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	CA	50	NMOG	0.03	0.04	ULEV
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	CA	50	NOX	0	0.2	ULEV
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	FA	100	CO	0.4	4.2	B9
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	FA	100	HC-NM+NOX-COMP	0.07	0.73	B9
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	FA	100	NMOG	0.034	0.09	B9
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	FA	100	NOX	0	0.3	B9
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	FA	50	CO	0.4	3.4	B9
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	FA	50	NMOG	0.03	0.075	B9
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	FA	50	NOX	0	0.2	B9
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	CA	4	CO-US06	1.3	8	ULEV
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	CA	4	HC-NM+NOX-US06	0.03	0.14	ULEV
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	FA	100	CO-US06	1.3	11.1	B9
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	FA	4	CO-US06	1.3	8	B9
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	FA	4	HC-NM+NOX-US06	0.03	0.14	B9
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	CA	4	CO-SC03	0.6	2.7	ULEV
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	CA	4	HC-NM+NOX-SC03	0.05	0.2	ULEV
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	FA	100	CO-SC03	0.7	3.7	B9
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	FA	4	CO-SC03	0.6	2.7	B9
TOYOTA	LEXUS	LS 430	4293	M6	3.77	4500	FA	4	HC-NM+NOX-SC03	0.05	0.2	B9
TOYOTA	LEXUS	RX 330 2WD	4664	L5	4.1	6000	CA	4	CO-SC03	0.1	4	LEV
TOYOTA	LEXUS	RX 330 2WD	4664	L5	4.1	6000	CA	4	CO-SC03	0.2	4	LEV
TOYOTA	LEXUS	RX 330 2WD	4664	L5	4.1	6000	CA	4	HC-NM+NOX-SC03	0.13	0.44	LEV

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
TOYOTA	LEXUS	RX 330 2WD	4664	L5	4.1	6000	CA	4	HC-NM+NOX-SC03	0.15	0.44	LEV
TOYOTA	LEXUS	RX 330 2WD	4664	L5	4.1	6000	FA	4	CO-SC03	0.1	4	B10
TOYOTA	LEXUS	RX 330 2WD	4664	L5	4.1	6000	FA	4	CO-SC03	0.2	4	B10
TOYOTA	LEXUS	RX 330 2WD	4664	L5	4.1	6000	FA	4	HC-NM+NOX-SC03	0.13	0.44	B10
TOYOTA	LEXUS	RX 330 2WD	4664	L5	4.1	6000	FA	4	HC-NM+NOX-SC03	0.15	0.44	B10
TOYOTA	PONTIAC	VIBE	1794	L4	4.24	3250	CA	50	CO-COLD	2.4	10	N/A
TOYOTA	PONTIAC	VIBE	1794	L4	4.24	3250	FA	50	CO-COLD	2.4	10	N/A
TOYOTA	PONTIAC	VIBE	1794	L4	4.24	3250	CA	100	CO	0.5	4.2	LEV
TOYOTA	PONTIAC	VIBE	1794	L4	4.24	3250	CA	100	HCHO	0	0.018	LEV
TOYOTA	PONTIAC	VIBE	1794	L4	4.24	3250	CA	100	NMOG	0.029	0.09	LEV
TOYOTA	PONTIAC	VIBE	1794	L4	4.24	3250	CA	100	NOX	0.1	0.3	LEV
TOYOTA	PONTIAC	VIBE	1794	L4	4.24	3250	CA	50	CO	0.4	3.4	LEV
TOYOTA	PONTIAC	VIBE	1794	L4	4.24	3250	CA	50	HCHO	0	0.015	LEV
TOYOTA	PONTIAC	VIBE	1794	L4	4.24	3250	CA	50	NMOG	0.024	0.075	LEV
TOYOTA	PONTIAC	VIBE	1794	L4	4.24	3250	CA	50	NOX	0.1	0.2	LEV
TOYOTA	PONTIAC	VIBE	1794	L4	4.24	3250	CF	100	CO	0.5	4.2	B9
TOYOTA	PONTIAC	VIBE	1794	L4	4.24	3250	FA	100	CO	0.5	4.2	B9
TOYOTA	PONTIAC	VIBE	1794	L4	4.24	3250	FA	100	HC-NM+NOX-COMP	0.14	0.73	B9
TOYOTA	PONTIAC	VIBE	1794	L4	4.24	3250	FA	100	HCHO	0	0.018	B9
TOYOTA	PONTIAC	VIBE	1794	L4	4.24	3250	FA	100	NMOG	0.029	0.09	B9
TOYOTA	PONTIAC	VIBE	1794	L4	4.24	3250	FA	100	NOX	0.1	0.3	B9
TOYOTA	PONTIAC	VIBE	1794	L4	4.24	3250	FA	50	CO	0.4	3.4	B9
TOYOTA	PONTIAC	VIBE	1794	L4	4.24	3250	FA	50	HCHO	0	0.015	B9
TOYOTA	PONTIAC	VIBE	1794	L4	4.24	3250	FA	50	NMOG	0.024	0.075	B9
TOYOTA	PONTIAC	VIBE	1794	L4	4.24	3250	FA	50	NOX	0.1	0.2	B9
TOYOTA	PONTIAC	VIBE	1794	L4	4.24	3250	CA	4	CO-US06	2.5	8	LEV
TOYOTA	PONTIAC	VIBE	1794	L4	4.24	3250	CA	4	HC-NM+NOX-US06	0.03	0.14	LEV
TOYOTA	PONTIAC	VIBE	1794	L4	4.24	3250	FA	100	CO-US06	2.7	11.1	B9
TOYOTA	PONTIAC	VIBE	1794	L4	4.24	3250	FA	4	CO-US06	2.5	8	B9
TOYOTA	PONTIAC	VIBE	1794	L4	4.24	3250	FA	4	HC-NM+NOX-US06	0.03	0.14	B9
TOYOTA	PONTIAC	VIBE	1794	L4	4.24	3250	CA	4	CO-SC03	0.6	2.7	LEV
TOYOTA	PONTIAC	VIBE	1794	L4	4.24	3250	CA	4	HC-NM+NOX-SC03	0.13	0.2	LEV
TOYOTA	PONTIAC	VIBE	1794	L4	4.24	3250	FA	100	CO-SC03	0.8	3.7	B9
TOYOTA	PONTIAC	VIBE	1794	L4	4.24	3250	FA	4	CO-SC03	0.6	2.7	B9
TOYOTA	PONTIAC	VIBE	1794	L4	4.24	3250	FA	4	HC-NM+NOX-SC03	0.13	0.2	B9
TOYOTA	TOYOTA	4RUNNER 2WD	4664	L5	3.73	4500	CA	50	CO-COLD	1.8	12.5	N/A
TOYOTA	TOYOTA	4RUNNER 2WD	4664	L5	3.73	4500	FA	50	CO-COLD	1.8	12.5	N/A
TOYOTA	TOYOTA	4RUNNER 2WD	4664	L5	3.73	4500	CA	120	CO	0.2	2.1	U2



2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
TOYOTA	TOYOTA	4RUNNER 2WD	4664	L5	3.73	4500	CA	120	NMOG	0.019	0.055	U2
TOYOTA	TOYOTA	4RUNNER 2WD	4664	L5	3.73	4500	CA	120	NOX	0.02	0.07	U2
TOYOTA	TOYOTA	4RUNNER 2WD	4664	L5	3.73	4500	CA	50	CO	0.2	1.7	U2
TOYOTA	TOYOTA	4RUNNER 2WD	4664	L5	3.73	4500	CA	50	NMOG	0.016	0.04	U2
TOYOTA	TOYOTA	4RUNNER 2WD	4664	L5	3.73	4500	CA	50	NOX	0.02	0.05	U2
TOYOTA	TOYOTA	4RUNNER 2WD	4664	L5	3.73	4500	FA	120	CO	0.2	4.2	B5
TOYOTA	TOYOTA	4RUNNER 2WD	4664	L5	3.73	4500	FA	120	CO-COMP	0.2	5	B5
TOYOTA	TOYOTA	4RUNNER 2WD	4664	L5	3.73	4500	FA	120	HC-NM+NOX-COMP	0.03	0.95	B5
TOYOTA	TOYOTA	4RUNNER 2WD	4664	L5	3.73	4500	FA	120	NMOG	0.019	0.09	B5
TOYOTA	TOYOTA	4RUNNER 2WD	4664	L5	3.73	4500	FA	120	NOX	0.02	0.07	B5
TOYOTA	TOYOTA	4RUNNER 2WD	4664	L5	3.73	4500	FA	50	CO	0.2	3.4	B5
TOYOTA	TOYOTA	4RUNNER 2WD	4664	L5	3.73	4500	FA	50	NMOG	0.016	0.075	B5
TOYOTA	TOYOTA	4RUNNER 2WD	4664	L5	3.73	4500	FA	50	NOX	0.02	0.05	B5
TOYOTA	TOYOTA	4RUNNER 2WD	4664	L5	3.73	4500	CA	4	CO-US06	0.1	10.5	U2
TOYOTA	TOYOTA	4RUNNER 2WD	4664	L5	3.73	4500	CA	4	HC-NM+NOX-US06	0.01	0.25	U2
TOYOTA	TOYOTA	4RUNNER 2WD	4664	L5	3.73	4500	FA	4	CO-US06	0.1	10.5	B5
TOYOTA	TOYOTA	4RUNNER 2WD	4664	L5	3.73	4500	FA	4	HC-NM+NOX-US06	0.01	0.25	B5
TOYOTA	TOYOTA	4RUNNER 2WD	4664	L5	3.73	4500	CA	4	CO-US06	0.8	10.5	U2
TOYOTA	TOYOTA	4RUNNER 2WD	4664	L5	3.73	4500	CA	4	HC-NM+NOX-US06	0.01	0.25	U2
TOYOTA	TOYOTA	4RUNNER 2WD	4664	L5	3.73	4500	FA	4	CO-US06	0.8	10.5	B5
TOYOTA	TOYOTA	4RUNNER 2WD	4664	L5	3.73	4500	FA	4	HC-NM+NOX-US06	0.01	0.25	B5
TOYOTA	TOYOTA	4RUNNER 2WD	4664	L5	3.73	4500	CA	4	CO-SC03	0	3.5	U2
TOYOTA	TOYOTA	4RUNNER 2WD	4664	L5	3.73	4500	CA	4	HC-NM+NOX-SC03	0	0.27	U2
TOYOTA	TOYOTA	4RUNNER 2WD	4664	L5	3.73	4500	FA	4	CO-SC03	0	3.5	B5
TOYOTA	TOYOTA	4RUNNER 2WD	4664	L5	3.73	4500	FA	4	HC-NM+NOX-SC03	0	0.27	B5
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	CA	50	CO-COLD	1.8	12.5	N/A
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	FA	50	CO-COLD	1.8	12.5	N/A
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	CA	120	CO	0.6	4.2	L2
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	CA	120	NMOG	0.042	0.09	L2
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	CA	120	NOX	0.02	0.07	L2
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	CA	50	CO	0.5	3.4	L2
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	CA	50	NMOG	0.037	0.075	L2
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	CA	50	NOX	0.02	0.05	L2
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	FA	120	CO	0.6	4.2	B5
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	FA	120	CO-COMP	2.5	5	B5
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	FA	120	HC-NM+NOX-COMP	0.04	0.95	B5
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	FA	120	NMOG	0.042	0.09	B5
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	FA	120	NOX	0.02	0.07	B5

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	FA	50	CO	0.5	3.4	B5
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	FA	50	NMOG	0.037	0.075	B5
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	FA	50	NOX	0.02	0.05	B5
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	CA	4	CO-US06	7.6	10.5	L2
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	CA	4	HC-NM+NOX-US06	0.02	0.25	L2
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	FA	4	CO-US06	7.6	10.5	B5
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	FA	4	HC-NM+NOX-US06	0.02	0.25	B5
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	CA	4	CO-US06	6	10.5	L2
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	CA	4	HC-NM+NOX-US06	0.02	0.25	L2
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	FA	4	CO-US06	6	10.5	B5
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	FA	4	HC-NM+NOX-US06	0.02	0.25	B5
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	CA	4	CO-SC03	0	3.5	L2
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	CA	4	HC-NM+NOX-SC03	0.03	0.27	L2
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	FA	4	CO-SC03	0	3.5	B5
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	FA	4	HC-NM+NOX-SC03	0.03	0.27	B5
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	CA	50	CO-COLD	1.8	12.5	N/A
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	FA	50	CO-COLD	1.8	12.5	N/A
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	CA	120	CO	0.6	4.2	L2
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	CA	120	NMOG	0.042	0.09	L2
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	CA	120	NOX	0.02	0.07	L2
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	CA	50	CO	0.5	3.4	L2
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	CA	50	NMOG	0.037	0.075	L2
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	CA	50	NOX	0.02	0.05	L2
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	CA	120	CO-COMP	2.5	5	B5
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	FA	120	HC-NM+NOX-COMP	0.04	0.95	B5
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	FA	120	NMOG	0.042	0.09	B5
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	FA	120	NOX	0.02	0.07	B5
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	FA	50	CO	0.5	3.4	B5
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	FA	50	NMOG	0.037	0.075	B5
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	FA	50	NOX	0.02	0.05	B5
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	CA	4	CO-US06	7.6	10.5	L2
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	CA	4	HC-NM+NOX-US06	0.02	0.25	L2
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	FA	4	CO-US06	7.6	10.5	B5
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	FA	4	HC-NM+NOX-US06	0.02	0.25	B5
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	CA	4	CO-US06	6	10.5	L2
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	CA	4	HC-NM+NOX-US06	0.02	0.25	L2
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	FA	4	CO-US06	6	10.5	B5

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	FA	4	HC-NM+NOX-US06	0.02	0.25	B5
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	CA	4	CO-SC03	0	3.5	L2
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	CA	4	HC-NM+NOX-SC03	0.03	0.27	L2
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	FA	4	CO-SC03	0	3.5	B5
TOYOTA	TOYOTA	4RUNNER 4WD	3956	L5	3.73	4750	FA	4	HC-NM+NOX-SC03	0.03	0.27	B5
TOYOTA	TOYOTA	CAMRY	2362	L5	3.39	3625	CA	50	CO-COLD	1.5	10	N/A
TOYOTA	TOYOTA	CAMRY	2362	L5	3.39	3625	CA	150	CO	0.1	1	S2
TOYOTA	TOYOTA	CAMRY	2362	L5	3.39	3625	CA	150	NMOG	0.004	0.01	S2
TOYOTA	TOYOTA	CAMRY	2362	L5	3.39	3625	CA	150	NOX	0.01	0.02	S2
TOYOTA	TOYOTA	CAMRY	2362	L5	3.39	3625	CA	4	CO-US06	4	8	S2
TOYOTA	TOYOTA	CAMRY	2362	L5	3.39	3625	CA	4	HC-NM+NOX-US06	0.01	0.14	S2
TOYOTA	TOYOTA	CAMRY	2362	L5	3.39	3625	CA	4	CO-SC03	0	2.7	S2
TOYOTA	TOYOTA	CAMRY	2362	L5	3.39	3625	CA	4	HC-NM+NOX-SC03	0.03	0.2	S2
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	CA	50	CO-COLD	1.5	10	N/A
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	FA	50	CO-COLD	1.5	10	N/A
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	CA	120	CO	0.2	2.1	U2
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	CA	120	NMOG	0.025	0.055	U2
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	CA	120	NOX	0.01	0.07	U2
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	CA	120	NOX	0.02	0.07	U2
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	CA	50	CO	0.2	1.7	U2
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	CA	50	NMOG	0.022	0.04	U2
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	CA	50	NOX	0.01	0.05	U2
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	FA	120	CO	0.2	4.2	B5
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	FA	120	NMOG	0.025	0.09	B5
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	FA	120	NOX	0.01	0.07	B5
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	FA	120	NOX	0.02	0.07	B5
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	FA	50	CO	0.2	3.4	B5
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	FA	50	NMOG	0.022	0.075	B5
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	FA	50	NOX	0.01	0.05	B5
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	CA	120	CO	0.2	2.1	U2
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	CA	120	NMOG	0.026	0.055	U2
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	CA	120	NOX	0.01	0.07	U2
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	CA	50	CO	0.2	1.7	U2
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	CA	50	NMOG	0.022	0.04	U2
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	CA	50	NOX	0.01	0.05	U2
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	FA	120	CO	0.2	4.2	B5
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	FA	120	NMOG	0.026	0.09	B5
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	FA	120	NOX	0.01	0.07	B5

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	FA	50	CO	0.2	3.4	B5
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	FA	50	NMOG	0.022	0.075	B5
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	FA	50	NOX	0.01	0.05	B5
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	CA	120	CO	0.3	2.1	U2
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	CA	120	NMOG	0.025	0.055	U2
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	CA	120	NOX	0.02	0.07	U2
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	CA	50	CO	0.2	1.7	U2
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	CA	50	NMOG	0.022	0.04	U2
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	CA	50	NOX	0.01	0.05	U2
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	FA	120	CO	0.3	4.2	B5
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	FA	120	NMOG	0.025	0.09	B5
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	FA	120	NOX	0.02	0.07	B5
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	FA	50	CO	0.2	3.4	B5
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	FA	50	NMOG	0.022	0.075	B5
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	CA	4	CO-US06	1.7	8	U2
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	CA	4	HC-NM+NOX-US06	0.02	0.14	U2
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	FA	120	CO-US06	1.8	11.1	B5
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	FA	4	CO-US06	1.7	8	B5
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	FA	4	HC-NM+NOX-US06	0.02	0.14	B5
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	CA	4	CO-US06	4.5	8	U2
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	CA	4	HC-NM+NOX-US06	0.04	0.14	U2
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	FA	120	CO-US06	4.6	11.1	B5
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	FA	4	CO-US06	4.5	8	B5
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	FA	4	HC-NM+NOX-US06	0.04	0.14	B5
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	CA	4	CO-SC03	0	2.7	U2
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	CA	4	HC-NM+NOX-SC03	0.03	0.2	U2
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	FA	120	CO-SC03	0.1	3.7	B5
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	FA	4	CO-SC03	0	2.7	B5
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	FA	4	HC-NM+NOX-SC03	0.03	0.2	B5
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	CA	4	CO-SC03	0	2.7	U2
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	CA	4	HC-NM+NOX-SC03	0.04	0.2	U2
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	FA	120	CO-SC03	0.1	3.7	B5
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	FA	4	CO-SC03	0	2.7	B5
TOYOTA	TOYOTA	CAMRY	2362	L4	2.74	3625	FA	4	HC-NM+NOX-SC03	0.04	0.2	B5
TOYOTA	TOYOTA	CAMRY	2995	L5	3.29	3750	CA	50	CO-COLD	4	10	N/A
TOYOTA	TOYOTA	CAMRY	2995	L5	3.29	3750	FA	50	CO-COLD	4	10	N/A
TOYOTA	TOYOTA	CAMRY	2995	L5	3.29	3750	CA	100	CO	0.3	2.1	ULEV

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
TOYOTA	TOYOTA	CAMRY	2995	L5	3.29	3750	CA	100	NMOG	0.032	0.055	ULEV
TOYOTA	TOYOTA	CAMRY	2995	L5	3.29	3750	CA	100	NOX	0	0.3	ULEV
TOYOTA	TOYOTA	CAMRY	2995	L5	3.29	3750	CA	50	CO	0.2	1.7	ULEV
TOYOTA	TOYOTA	CAMRY	2995	L5	3.29	3750	CA	50	NMOG	0.023	0.04	ULEV
TOYOTA	TOYOTA	CAMRY	2995	L5	3.29	3750	CA	50	NOX	0	0.2	ULEV
TOYOTA	TOYOTA	CAMRY	2995	L5	3.29	3750	FA	100	CO	0.3	4.2	B9
TOYOTA	TOYOTA	CAMRY	2995	L5	3.29	3750	FA	100	CO-COMP	0.7	4.2	B9
TOYOTA	TOYOTA	CAMRY	2995	L5	3.29	3750	FA	100	HC-NM+NOX-COMP	0.05	0.73	B9
TOYOTA	TOYOTA	CAMRY	2995	L5	3.29	3750	FA	100	NMOG	0.032	0.09	B9
TOYOTA	TOYOTA	CAMRY	2995	L5	3.29	3750	FA	100	NOX	0	0.3	B9
TOYOTA	TOYOTA	CAMRY	2995	L5	3.29	3750	FA	50	CO	0.2	3.4	B9
TOYOTA	TOYOTA	CAMRY	2995	L5	3.29	3750	FA	50	NMOG	0.023	0.075	B9
TOYOTA	TOYOTA	CAMRY	2995	L5	3.29	3750	FA	50	NOX	0	0.2	B9
TOYOTA	TOYOTA	CAMRY	2995	L5	3.29	3750	CA	4	CO-US06	1.8	8	ULEV
TOYOTA	TOYOTA	CAMRY	2995	L5	3.29	3750	CA	4	HC-NM+NOX-US06	0.01	0.14	ULEV
TOYOTA	TOYOTA	CAMRY	2995	L5	3.29	3750	FA	4	CO-US06	1.8	8	B9
TOYOTA	TOYOTA	CAMRY	2995	L5	3.29	3750	FA	4	HC-NM+NOX-US06	0.01	0.14	B9
TOYOTA	TOYOTA	CAMRY	2995	L5	3.29	3750	CA	4	CO-SC03	0	2.7	ULEV
TOYOTA	TOYOTA	CAMRY	2995	L5	3.29	3750	CA	4	HC-NM+NOX-SC03	0.07	0.2	ULEV
TOYOTA	TOYOTA	CAMRY	2995	L5	3.29	3750	FA	4	CO-SC03	0	2.7	B9
TOYOTA	TOYOTA	CAMRY	2995	L5	3.29	3750	FA	4	HC-NM+NOX-SC03	0.07	0.2	B9
TOYOTA	TOYOTA	CAMRY SOLARA C/V	3311	L5	3.29	3875	CA	120	CO	0.3	2.1	U2
TOYOTA	TOYOTA	CAMRY SOLARA C/V	3311	L5	3.29	3875	CA	120	NMOG	0.034	0.055	U2
TOYOTA	TOYOTA	CAMRY SOLARA C/V	3311	L5	3.29	3875	CA	120	NOX	0.03	0.07	U2
TOYOTA	TOYOTA	CAMRY SOLARA C/V	3311	L5	3.29	3875	CA	50	CO	0.2	1.7	U2
TOYOTA	TOYOTA	CAMRY SOLARA C/V	3311	L5	3.29	3875	CA	50	NMOG	0.023	0.04	U2
TOYOTA	TOYOTA	CAMRY SOLARA C/V	3311	L5	3.29	3875	CA	50	NOX	0.02	0.05	U2
TOYOTA	TOYOTA	CAMRY SOLARA C/V	3311	L5	3.29	3875	FA	120	CO	0.3	4.2	B5
TOYOTA	TOYOTA	CAMRY SOLARA C/V	3311	L5	3.29	3875	FA	120	HC-NM+NOX-COMP	0.06	0.65	B5
TOYOTA	TOYOTA	CAMRY SOLARA C/V	3311	L5	3.29	3875	FA	120	NMOG	0.034	0.09	B5
TOYOTA	TOYOTA	CAMRY SOLARA C/V	3311	L5	3.29	3875	FA	120	NOX	0.03	0.07	B5
TOYOTA	TOYOTA	CAMRY SOLARA C/V	3311	L5	3.29	3875	FA	50	CO	0.2	3.4	B5
TOYOTA	TOYOTA	CAMRY SOLARA C/V	3311	L5	3.29	3875	FA	50	NMOG	0.023	0.075	B5
TOYOTA	TOYOTA	CAMRY SOLARA C/V	3311	L5	3.29	3875	FA	50	NOX	0.02	0.05	B5
TOYOTA	TOYOTA	CAMRY SOLARA C/V	3311	L5	3.29	4000	CA	4	CO-US06	1.6	8	U2
TOYOTA	TOYOTA	CAMRY SOLARA C/V	3311	L5	3.29	4000	CA	4	HC-NM+NOX-US06	0.02	0.14	U2
TOYOTA	TOYOTA	CAMRY SOLARA C/V	3311	L5	3.29	4000	FA	120	CO-US06	1.8	11.1	B5
TOYOTA	TOYOTA	CAMRY SOLARA C/V	3311	L5	3.29	4000	FA	4	CO-US06	1.6	8	B5

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
TOYOTA	TOYOTA	CAMRY SOLARA C/V	3311	L5	3.29	4000	FA	4	HC-NM+NOX-US06	0.02	0.14	B5
TOYOTA	TOYOTA	CAMRY SOLARA C/V	3311	L5	3.29	4000	CA	4	CO-US06	3.6	8	U2
TOYOTA	TOYOTA	CAMRY SOLARA C/V	3311	L5	3.29	4000	CA	4	HC-NM+NOX-US06	0.02	0.14	U2
TOYOTA	TOYOTA	CAMRY SOLARA C/V	3311	L5	3.29	4000	FA	120	CO-US06	3.8	11.1	B5
TOYOTA	TOYOTA	CAMRY SOLARA C/V	3311	L5	3.29	4000	FA	4	CO-US06	3.6	8	B5
TOYOTA	TOYOTA	CAMRY SOLARA C/V	3311	L5	3.29	4000	FA	4	HC-NM+NOX-US06	0.02	0.14	B5
TOYOTA	TOYOTA	CAMRY SOLARA C/V	3311	L5	3.29	4000	CA	4	CO-SC03	0	2.7	U2
TOYOTA	TOYOTA	CAMRY SOLARA C/V	3311	L5	3.29	4000	CA	4	HC-NM+NOX-SC03	0.01	0.2	U2
TOYOTA	TOYOTA	CAMRY SOLARA C/V	3311	L5	3.29	4000	FA	120	CO-SC03	0.2	3.7	B5
TOYOTA	TOYOTA	CAMRY SOLARA C/V	3311	L5	3.29	4000	FA	4	CO-SC03	0	2.7	B5
TOYOTA	TOYOTA	CAMRY SOLARA C/V	3311	L5	3.29	4000	FA	4	HC-NM+NOX-SC03	0.01	0.2	B5
TOYOTA	TOYOTA	CAMRY SOLARA C/V	3311	L5	3.29	4000	CA	4	CO-SC03	0	2.7	U2
TOYOTA	TOYOTA	CAMRY SOLARA C/V	3311	L5	3.29	4000	FA	120	CO-SC03	0.2	3.7	B5
TOYOTA	TOYOTA	CAMRY SOLARA C/V	3311	L5	3.29	4000	FA	4	CO-SC03	0	2.7	B5
TOYOTA	TOYOTA	CAMRY SOLARA C/V	3311	L5	3.29	4000	FA	4	HC-NM+NOX-SC03	0	0.2	B5
TOYOTA	TOYOTA	CELICA	1794	L4	3.92	2875	CA	50	CO-COLD	2	10	N/A
TOYOTA	TOYOTA	CELICA	1794	L4	3.92	2875	FA	50	CO-COLD	2	10	N/A
TOYOTA	TOYOTA	CELICA	1794	L4	3.92	2875	CA	100	CO	0.3	4.2	LEV
TOYOTA	TOYOTA	CELICA	1794	L4	3.92	2875	CA	100	HCHO	0.001	0.018	LEV
TOYOTA	TOYOTA	CELICA	1794	L4	3.92	2875	CA	100	NMOG	0.047	0.09	LEV
TOYOTA	TOYOTA	CELICA	1794	L4	3.92	2875	CA	100	NOX	0.2	0.3	LEV
TOYOTA	TOYOTA	CELICA	1794	L4	3.92	2875	CA	50	CO	0.3	3.4	LEV
TOYOTA	TOYOTA	CELICA	1794	L4	3.92	2875	CA	50	HCHO	0.001	0.015	LEV
TOYOTA	TOYOTA	CELICA	1794	L4	3.92	2875	CA	50	NMOG	0.039	0.075	LEV
TOYOTA	TOYOTA	CELICA	1794	L4	3.92	2875	CA	50	NOX	0.1	0.2	LEV
TOYOTA	TOYOTA	CELICA	1794	L4	3.92	2875	FA	100	CO	0.3	4.2	B9
TOYOTA	TOYOTA	CELICA	1794	L4	3.92	2875	FA	100	HC-NM+NOX-COMP	0.24	0.73	B9
TOYOTA	TOYOTA	CELICA	1794	L4	3.92	2875	FA	100	HCHO	0.001	0.018	B9
TOYOTA	TOYOTA	CELICA	1794	L4	3.92	2875	FA	100	NMOG	0.047	0.09	B9
TOYOTA	TOYOTA	CELICA	1794	L4	3.92	2875	FA	100	NOX	0.2	0.3	B9
TOYOTA	TOYOTA	CELICA	1794	L4	3.92	2875	FA	50	CO	0.3	3.4	B9
TOYOTA	TOYOTA	CELICA	1794	L4	3.92	2875	FA	50	HCHO	0.001	0.015	B9
TOYOTA	TOYOTA	CELICA	1794	L4	3.92	2875	FA	50	NMOG	0.039	0.075	B9
TOYOTA	TOYOTA	CELICA	1794	L4	3.92	2875	FA	50	NOX	0.1	0.2	B9
TOYOTA	TOYOTA	CELICA	1794	L4	3.92	2875	CA	4	CO-US06	1	8	LEV
TOYOTA	TOYOTA	CELICA	1794	L4	3.92	2875	CA	4	HC-NM+NOX-US06	0.03	0.14	LEV
TOYOTA	TOYOTA	CELICA	1794	L4	3.92	2875	FA	100	CO-US06	1	11.1	B9

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
TOYOTA	TOYOTA	CELICA	1794	L4	3.92	2875	FA	4	CO-US06	1	8	B9
TOYOTA	TOYOTA	CELICA	1794	L4	3.92	2875	FA	4	HC-NM+NOX-US06	0.03	0.14	B9
TOYOTA	TOYOTA	CELICA	1794	L4	3.92	2875	CA	4	CO-SC03	0.1	2.7	LEV
TOYOTA	TOYOTA	CELICA	1794	L4	3.92	2875	CA	4	HC-NM+NOX-SC03	0.14	0.2	LEV
TOYOTA	TOYOTA	CELICA	1794	L4	3.92	2875	FA	100	CO-SC03	0.2	3.7	B9
TOYOTA	TOYOTA	CELICA	1794	L4	3.92	2875	FA	4	CO-SC03	0.1	2.7	B9
TOYOTA	TOYOTA	CELICA	1794	L4	3.92	2875	FA	4	HC-NM+NOX-SC03	0.14	0.2	B9
TOYOTA	TOYOTA	CELICA	1796	M4	3.12	3000	CA	50	CO-COLD	2.6	10	N/A
TOYOTA	TOYOTA	CELICA	1796	M4	3.12	3000	FA	50	CO-COLD	2.6	10	N/A
TOYOTA	TOYOTA	CELICA	1796	M4	3.12	3000	CA	100	CO	0.6	4.2	LEV
TOYOTA	TOYOTA	CELICA	1796	M4	3.12	3000	CA	100	NMOG	0.048	0.09	LEV
TOYOTA	TOYOTA	CELICA	1796	M4	3.12	3000	CA	100	NOX	0.1	0.3	LEV
TOYOTA	TOYOTA	CELICA	1796	M4	3.12	3000	CA	50	CO	0.6	3.4	LEV
TOYOTA	TOYOTA	CELICA	1796	M4	3.12	3000	CA	50	NMOG	0.038	0.075	LEV
TOYOTA	TOYOTA	CELICA	1796	M4	3.12	3000	CA	50	NOX	0.1	0.2	LEV
TOYOTA	TOYOTA	CELICA	1796	M4	3.12	3000	FA	100	CO	0.6	4.2	B10
TOYOTA	TOYOTA	CELICA	1796	M4	3.12	3000	FA	100	HC-NM+NOX-COMP	0.12	0.86	B10
TOYOTA	TOYOTA	CELICA	1796	M4	3.12	3000	FA	100	NMOG	0.048	0.156	B10
TOYOTA	TOYOTA	CELICA	1796	M4	3.12	3000	FA	100	NOX	0.1	0.6	B10
TOYOTA	TOYOTA	CELICA	1796	M4	3.12	3000	FA	50	CO	0.6	3.4	B10
TOYOTA	TOYOTA	CELICA	1796	M4	3.12	3000	FA	50	NMOG	0.038	0.125	B10
TOYOTA	TOYOTA	CELICA	1796	M4	3.12	3000	FA	50	NOX	0.1	0.4	B10
TOYOTA	TOYOTA	CELICA	1796	M4	3.12	3000	CA	100	CO	0.5	4.2	LEV
TOYOTA	TOYOTA	CELICA	1796	M4	3.12	3000	CA	100	NMOG	0.052	0.09	LEV
TOYOTA	TOYOTA	CELICA	1796	M4	3.12	3000	CA	100	NOX	0.1	0.3	LEV
TOYOTA	TOYOTA	CELICA	1796	M4	3.12	3000	CA	50	CO	0.5	3.4	LEV
TOYOTA	TOYOTA	CELICA	1796	M4	3.12	3000	CA	50	NMOG	0.042	0.075	LEV
TOYOTA	TOYOTA	CELICA	1796	M4	3.12	3000	CA	50	NOX	0.1	0.2	LEV
TOYOTA	TOYOTA	CELICA	1796	M4	3.12	3000	FA	100	CO	0.5	4.2	B10
TOYOTA	TOYOTA	CELICA	1796	M4	3.12	3000	FA	100	NMOG	0.052	0.156	B10
TOYOTA	TOYOTA	CELICA	1796	M4	3.12	3000	FA	100	NOX	0.1	0.6	B10
TOYOTA	TOYOTA	CELICA	1796	M4	3.12	3000	FA	50	CO	0.5	3.4	B10
TOYOTA	TOYOTA	CELICA	1796	M4	3.12	3000	FA	50	NMOG	0.042	0.125	B10
TOYOTA	TOYOTA	CELICA	1796	M4	3.12	3000	FA	50	NOX	0.1	0.4	B10
TOYOTA	TOYOTA	CELICA	1796	M4	3.12	3000	CA	4	CO-US06	1.7	8	LEV
TOYOTA	TOYOTA	CELICA	1796	M4	3.12	3000	CA	4	HC-NM+NOX-US06	0.04	0.14	LEV
TOYOTA	TOYOTA	CELICA	1796	M4	3.12	3000	FA	100	CO-US06	1.8	11.1	B10
TOYOTA	TOYOTA	CELICA	1796	M4	3.12	3000	FA	4	CO-US06	1.7	8	B10

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
TOYOTA	TOYOTA	CELICA	1796	M4	3.12	3000	FA	4	HC-NM+NOX-US06	0.04	0.14	B10
TOYOTA	TOYOTA	CELICA	1796	M4	3.12	3000	CA	4	CO-US06	1.3	8	LEV
TOYOTA	TOYOTA	CELICA	1796	M4	3.12	3000	CA	4	HC-NM+NOX-US06	0.03	0.14	LEV
TOYOTA	TOYOTA	CELICA	1796	M4	3.12	3000	FA	100	CO-US06	1.4	11.1	B10
TOYOTA	TOYOTA	CELICA	1796	M4	3.12	3000	FA	4	CO-US06	1.3	8	B10
TOYOTA	TOYOTA	CELICA	1796	M4	3.12	3000	FA	4	HC-NM+NOX-US06	0.03	0.14	B10
TOYOTA	TOYOTA	CELICA	1796	M4	3.12	3000	CA	4	CO-SC03	0.3	2.7	LEV
TOYOTA	TOYOTA	CELICA	1796	M4	3.12	3000	CA	4	HC-NM+NOX-SC03	0.14	0.2	LEV
TOYOTA	TOYOTA	CELICA	1796	M4	3.12	3000	FA	100	CO-SC03	0.4	3.7	B10
TOYOTA	TOYOTA	CELICA	1796	M4	3.12	3000	FA	4	CO-SC03	0.3	2.7	B10
TOYOTA	TOYOTA	CELICA	1796	M4	3.12	3000	FA	4	HC-NM+NOX-SC03	0.14	0.2	B10
TOYOTA	TOYOTA	CELICA	1796	M4	3.12	3000	CA	4	CO-SC03	0.4	2.7	LEV
TOYOTA	TOYOTA	CELICA	1796	M4	3.12	3000	CA	4	HC-NM+NOX-SC03	0.13	0.2	LEV
TOYOTA	TOYOTA	CELICA	1796	M4	3.12	3000	FA	100	CO-SC03	0.5	3.7	B10
TOYOTA	TOYOTA	CELICA	1796	M4	3.12	3000	FA	4	CO-SC03	0.4	2.7	B10
TOYOTA	TOYOTA	CELICA	1796	M4	3.12	3000	FA	4	HC-NM+NOX-SC03	0.13	0.2	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1794	M5	3.94	3000	CA	50	CO-COLD	2.3	10	N/A
TOYOTA	TOYOTA	COROLLA MATRIX	1794	M5	3.94	3000	FA	50	CO-COLD	2.3	10	N/A
TOYOTA	TOYOTA	COROLLA MATRIX	1794	M5	3.94	3000	CA	120	CO	0.2	2.1	U2
TOYOTA	TOYOTA	COROLLA MATRIX	1794	M5	3.94	3000	CA	120	NMOG	0.021	0.055	U2
TOYOTA	TOYOTA	COROLLA MATRIX	1794	M5	3.94	3000	CA	120	NOX	0.03	0.07	U2
TOYOTA	TOYOTA	COROLLA MATRIX	1794	M5	3.94	3000	CA	50	CO	0.2	1.7	U2
TOYOTA	TOYOTA	COROLLA MATRIX	1794	M5	3.94	3000	CA	50	NMOG	0.017	0.04	U2
TOYOTA	TOYOTA	COROLLA MATRIX	1794	M5	3.94	3000	CA	50	NOX	0.02	0.05	U2
TOYOTA	TOYOTA	COROLLA MATRIX	1794	M5	3.94	3000	CF	120	CO	0.2	4.2	B5
TOYOTA	TOYOTA	COROLLA MATRIX	1794	M5	3.94	3000	FA	120	CO	0.2	4.2	B5
TOYOTA	TOYOTA	COROLLA MATRIX	1794	M5	3.94	3000	FA	120	HC-NM+NOX-COMP	0.04	0.65	B5
TOYOTA	TOYOTA	COROLLA MATRIX	1794	M5	3.94	3000	FA	120	NMOG	0.021	0.09	B5
TOYOTA	TOYOTA	COROLLA MATRIX	1794	M5	3.94	3000	FA	120	NOX	0.03	0.07	B5
TOYOTA	TOYOTA	COROLLA MATRIX	1794	M5	3.94	3000	FA	50	CO	0.2	3.4	B5
TOYOTA	TOYOTA	COROLLA MATRIX	1794	M5	3.94	3000	FA	50	NMOG	0.017	0.075	B5
TOYOTA	TOYOTA	COROLLA MATRIX	1794	M5	3.94	3000	FA	50	NOX	0.02	0.05	B5
TOYOTA	TOYOTA	COROLLA MATRIX	1794	M5	3.94	3000	CA	4	CO-US06	2.9	8	U2
TOYOTA	TOYOTA	COROLLA MATRIX	1794	M5	3.94	3000	CA	4	HC-NM+NOX-US06	0.01	0.14	U2
TOYOTA	TOYOTA	COROLLA MATRIX	1794	M5	3.94	3000	FA	120	CO-US06	3	11.1	B5
TOYOTA	TOYOTA	COROLLA MATRIX	1794	M5	3.94	3000	FA	4	CO-US06	2.9	8	B5
TOYOTA	TOYOTA	COROLLA MATRIX	1794	M5	3.94	3000	FA	4	HC-NM+NOX-US06	0.01	0.14	B5
TOYOTA	TOYOTA	COROLLA MATRIX	1794	M5	3.94	3000	CA	4	CO-SC03	0.4	2.7	U2



2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
TOYOTA	TOYOTA	COROLLA MATRIX	1794	M5	3.94	3000	CA	4	HC-NM+NOX-SC03	0.03	0.2	U2
TOYOTA	TOYOTA	COROLLA MATRIX	1794	M5	3.94	3000	FA	120	CO-SC03	0.5	3.7	B5
TOYOTA	TOYOTA	COROLLA MATRIX	1794	M5	3.94	3000	FA	4	CO-SC03	0.4	2.7	B5
TOYOTA	TOYOTA	COROLLA MATRIX	1794	M5	3.94	3000	FA	4	HC-NM+NOX-SC03	0.03	0.2	B5
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	100	CO	1.1	4.2	LEV
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	100	NMOG	0.075	0.09	LEV
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	100	NMOG	0.076	0.09	LEV
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	100	NOX	0.1	0.3	LEV
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	50	CO	0.8	3.4	LEV
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	50	NMOG	0.055	0.075	LEV
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	50	NMOG	0.056	0.075	LEV
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	50	NOX	0.1	0.2	LEV
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	100	CO	1.1	4.2	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	100	NMOG	0.075	0.156	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	100	NMOG	0.076	0.156	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	100	NOX	0.1	0.6	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	50	CO	0.8	3.4	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	50	NMOG	0.055	0.125	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	50	NMOG	0.056	0.125	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	50	NOX	0.1	0.4	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	100	CO	1	4.2	LEV
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	100	NMOG	0.076	0.09	LEV
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	100	NOX	0.1	0.3	LEV
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	50	CO	0.6	3.4	LEV
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	50	NMOG	0.056	0.075	LEV
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	50	NOX	0.1	0.2	LEV
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	100	CO	1	4.2	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	100	NMOG	0.076	0.156	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	100	NOX	0.1	0.6	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	50	CO	0.6	3.4	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	50	NMOG	0.056	0.125	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	50	NOX	0.1	0.4	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	50	CO-COLD	2.2	10	N/A
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	50	CO-COLD	2.2	10	N/A
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	100	CO	0.9	4.2	LEV
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	100	NMOG	0.07	0.09	LEV
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	100	NOX	0.1	0.3	LEV
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	50	CO	0.6	3.4	LEV

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	50	NMOG	0.05	0.075	LEV
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	50	NOX	0.1	0.2	LEV
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	100	CO	0.9	4.2	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	100	HC-NM+NOX-COMP	0.11	0.86	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	100	NMOG	0.07	0.156	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	100	NOX	0.1	0.6	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	50	CO	0.6	3.4	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	50	NMOG	0.05	0.125	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	50	NOX	0.1	0.4	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	4	CO-US06	0.7	8	LEV
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	4	HC-NM+NOX-US06	0.03	0.14	LEV
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	100	CO-US06	1.3	11.1	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	4	CO-US06	0.7	8	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	4	HC-NM+NOX-US06	0.03	0.14	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	4	CO-SC03	0.6	2.7	LEV
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	4	HC-NM+NOX-SC03	0.05	0.2	LEV
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	100	CO-SC03	1.3	3.7	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	4	CO-SC03	0.6	2.7	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	4	HC-NM+NOX-SC03	0.05	0.2	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	50	CO-COLD	2.2	10	N/A
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	50	CO-COLD	2.2	10	N/A
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	100	CO	1.1	4.2	LEV
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	100	NMOG	0.075	0.09	LEV
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	100	NMOG	0.076	0.09	LEV
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	100	NOX	0.1	0.3	LEV
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	50	CO	0.8	3.4	LEV
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	50	NMOG	0.055	0.075	LEV
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	50	NMOG	0.056	0.075	LEV
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	50	NOX	0.1	0.2	LEV
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	100	CO	1.1	4.2	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	100	NMOG	0.075	0.156	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	100	NMOG	0.076	0.156	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	100	NOX	0.1	0.6	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	50	CO	0.8	3.4	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	50	NMOG	0.055	0.125	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	50	NMOG	0.056	0.125	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	50	NOX	0.1	0.4	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	100	CO	1	4.2	LEV

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	100	NMOG	0.076	0.09	LEV
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	100	NOX	0.1	0.3	LEV
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	50	CO	0.6	3.4	LEV
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	50	NMOG	0.056	0.075	LEV
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	50	NOX	0.1	0.2	LEV
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	100	CO	1	4.2	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	100	NMOG	0.076	0.156	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	100	NOX	0.1	0.6	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	50	CO	0.6	3.4	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	50	NMOG	0.056	0.125	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	50	NOX	0.1	0.4	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	100	CO	0.9	4.2	LEV
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	100	NMOG	0.07	0.09	LEV
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	100	NOX	0.1	0.3	LEV
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	50	CO	0.6	3.4	LEV
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	50	NMOG	0.05	0.075	LEV
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	50	NOX	0.1	0.2	LEV
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	100	CO	0.9	4.2	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	100	HC-NM+NOX-COMP	0.11	0.86	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	100	NMOG	0.07	0.156	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	100	NOX	0.1	0.6	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	50	CO	0.6	3.4	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	50	NMOG	0.05	0.125	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	50	NOX	0.1	0.4	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	4	CO-US06	0.7	8	LEV
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	4	HC-NM+NOX-US06	0.03	0.14	LEV
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	100	CO-US06	1.3	11.1	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	4	CO-US06	0.7	8	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	4	HC-NM+NOX-US06	0.03	0.14	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	4	CO-SC03	0.6	2.7	LEV
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	CA	4	HC-NM+NOX-SC03	0.05	0.2	LEV
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	100	CO-SC03	1.3	3.7	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	4	CO-SC03	0.6	2.7	B10
TOYOTA	TOYOTA	COROLLA MATRIX	1796	M6	4.53	3125	FA	4	HC-NM+NOX-SC03	0.05	0.2	B10
TOYOTA	TOYOTA	HIGHLANDER 4WD	2362	L4	3.48	4000	CA	50	CO-COLD	2	12.5	N/A
TOYOTA	TOYOTA	HIGHLANDER 4WD	2362	L4	3.48	4000	FA	50	CO-COLD	2	12.5	N/A
TOYOTA	TOYOTA	HIGHLANDER 4WD	2362	L4	3.48	4000	CA	100	CO	0.4	5.5	LEV
TOYOTA	TOYOTA	HIGHLANDER 4WD	2362	L4	3.48	4000	CA	100	NMOG	0.05	0.13	LEV

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
TOYOTA	TOYOTA	HIGHLANDER 4WD	2362	L4	3.48	4000	CA	100	NOX	0	0.5	LEV
TOYOTA	TOYOTA	HIGHLANDER 4WD	2362	L4	3.48	4000	CA	50	CO	0.3	4.4	LEV
TOYOTA	TOYOTA	HIGHLANDER 4WD	2362	L4	3.48	4000	CA	50	NMOG	0.04	0.1	LEV
TOYOTA	TOYOTA	HIGHLANDER 4WD	2362	L4	3.48	4000	CA	50	NOX	0	0.4	LEV
TOYOTA	TOYOTA	HIGHLANDER 4WD	2362	L4	3.48	4000	FA	100	CO	0.4	4.2	B9
TOYOTA	TOYOTA	HIGHLANDER 4WD	2362	L4	3.48	4000	FA	100	HC-NM+NOX-COMP	0.08	1.03	B9
TOYOTA	TOYOTA	HIGHLANDER 4WD	2362	L4	3.48	4000	FA	100	NMOG	0.05	0.09	B9
TOYOTA	TOYOTA	HIGHLANDER 4WD	2362	L4	3.48	4000	FA	100	NOX	0	0.3	B9
TOYOTA	TOYOTA	HIGHLANDER 4WD	2362	L4	3.48	4000	FA	50	CO	0.3	3.4	B9
TOYOTA	TOYOTA	HIGHLANDER 4WD	2362	L4	3.48	4000	FA	50	NMOG	0.04	0.075	B9
TOYOTA	TOYOTA	HIGHLANDER 4WD	2362	L4	3.48	4000	FA	50	NOX	0	0.2	B9
TOYOTA	TOYOTA	HIGHLANDER 4WD	2362	L4	3.48	4000	CA	100	CO	0.4	5.5	LEV
TOYOTA	TOYOTA	HIGHLANDER 4WD	2362	L4	3.48	4000	CA	100	NMOG	0.044	0.13	LEV
TOYOTA	TOYOTA	HIGHLANDER 4WD	2362	L4	3.48	4000	CA	100	NOX	0	0.5	LEV
TOYOTA	TOYOTA	HIGHLANDER 4WD	2362	L4	3.48	4000	CA	50	CO	0.4	4.4	LEV
TOYOTA	TOYOTA	HIGHLANDER 4WD	2362	L4	3.48	4000	CA	50	NMOG	0.035	0.1	LEV
TOYOTA	TOYOTA	HIGHLANDER 4WD	2362	L4	3.48	4000	CA	50	NOX	0	0.4	LEV
TOYOTA	TOYOTA	HIGHLANDER 4WD	2362	L4	3.48	4000	FA	100	CO	0.4	4.2	B9
TOYOTA	TOYOTA	HIGHLANDER 4WD	2362	L4	3.48	4000	FA	100	NMOG	0.044	0.09	B9
TOYOTA	TOYOTA	HIGHLANDER 4WD	2362	L4	3.48	4000	FA	100	NOX	0	0.3	B9
TOYOTA	TOYOTA	HIGHLANDER 4WD	2362	L4	3.48	4000	FA	50	CO	0.4	3.4	B9
TOYOTA	TOYOTA	HIGHLANDER 4WD	2362	L4	3.48	4000	FA	50	NMOG	0.035	0.075	B9
TOYOTA	TOYOTA	HIGHLANDER 4WD	2362	L4	3.48	4000	FA	50	NOX	0	0.2	B9
TOYOTA	TOYOTA	HIGHLANDER 4WD	2362	L4	3.48	4000	CA	4	CO-US06	2.4	10.5	LEV
TOYOTA	TOYOTA	HIGHLANDER 4WD	2362	L4	3.48	4000	CA	4	HC-NM+NOX-US06	0.04	0.25	LEV
TOYOTA	TOYOTA	HIGHLANDER 4WD	2362	L4	3.48	4000	FA	100	CO-US06	2.5	14.6	B9
TOYOTA	TOYOTA	HIGHLANDER 4WD	2362	L4	3.48	4000	FA	4	CO-US06	2.4	10.5	B9
TOYOTA	TOYOTA	HIGHLANDER 4WD	2362	L4	3.48	4000	FA	4	HC-NM+NOX-US06	0.04	0.25	B9
TOYOTA	TOYOTA	HIGHLANDER 4WD	2362	L4	3.48	4000	CA	4	CO-US06	2.7	10.5	LEV
TOYOTA	TOYOTA	HIGHLANDER 4WD	2362	L4	3.48	4000	CA	4	HC-NM+NOX-US06	0.06	0.25	LEV
TOYOTA	TOYOTA	HIGHLANDER 4WD	2362	L4	3.48	4000	FA	100	CO-US06	2.8	14.6	B9
TOYOTA	TOYOTA	HIGHLANDER 4WD	2362	L4	3.48	4000	FA	4	CO-US06	2.7	10.5	B9
TOYOTA	TOYOTA	HIGHLANDER 4WD	2362	L4	3.48	4000	FA	4	HC-NM+NOX-US06	0.06	0.25	B9
TOYOTA	TOYOTA	HIGHLANDER 4WD	2362	L4	3.48	4000	CA	4	CO-SC03	0	3.5	LEV
TOYOTA	TOYOTA	HIGHLANDER 4WD	2362	L4	3.48	4000	CA	4	HC-NM+NOX-SC03	0.04	0.27	LEV
TOYOTA	TOYOTA	HIGHLANDER 4WD	2362	L4	3.48	4000	FA	100	CO-SC03	0.2	4.9	B9
TOYOTA	TOYOTA	HIGHLANDER 4WD	2362	L4	3.48	4000	FA	4	CO-SC03	0	3.5	B9
TOYOTA	TOYOTA	HIGHLANDER 4WD	2362	L4	3.48	4000	FA	4	HC-NM+NOX-SC03	0.04	0.27	B9

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
TOYOTA	TOYOTA	HIGHLANDER 4WD	2362	L4	3.48	4000	CA	4	CO-SC03	0	3.5	LEV
TOYOTA	TOYOTA	HIGHLANDER 4WD	2362	L4	3.48	4000	CA	4	HC-NM+NOX-SC03	0.03	0.27	LEV
TOYOTA	TOYOTA	HIGHLANDER 4WD	2362	L4	3.48	4000	FA	100	CO-SC03	0.2	4.9	B9
TOYOTA	TOYOTA	HIGHLANDER 4WD	2362	L4	3.48	4000	FA	4	CO-SC03	0	3.5	B9
TOYOTA	TOYOTA	HIGHLANDER 4WD	2362	L4	3.48	4000	FA	4	HC-NM+NOX-SC03	0.03	0.27	B9
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	CA	50	CO-COLD	5	12.5	N/A
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	CA	50	CO-COLD	5.3	12.5	N/A
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	FA	50	CO-COLD	5	12.5	N/A
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	FA	50	CO-COLD	5.3	12.5	N/A
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	CA	120	CO	1.9	7.3	LEV
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	CA	120	NOX	0.3	0.9	LEV
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	CA	50	CO	1.4	5	LEV
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	CA	50	NOX	0.2	0.6	LEV
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	FA	120	CO	1.9	6.4	B10
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	FA	120	CO-COMP	3.4	7	B10
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	FA	120	HC-NM+NOX-COMP	0.37	1.65	B10
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	FA	120	NOX	0.3	0.6	B10
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	FA	50	CO	1.4	4.4	B10
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	FA	50	NOX	0.2	0.4	B10
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	CA	120	CO	1.7	7.3	LEV
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	CA	120	CO	1.9	7.3	LEV
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	CA	120	HCHO	0.001	0.032	LEV
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	CA	120	NMOG	0.102	0.28	LEV
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	CA	120	NMOG	0.104	0.28	LEV
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	CA	120	NOX	0.4	0.9	LEV
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	CA	50	CO	1.1	5	LEV
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	CA	50	CO	1.4	5	LEV
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	CA	50	HCHO	0.001	0.022	LEV
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	CA	50	NMOG	0.081	0.195	LEV
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	CA	50	NMOG	0.083	0.195	LEV
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	CA	50	NOX	0.2	0.6	LEV
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	CA	50	NOX	0.3	0.6	LEV
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	FA	120	CO	1.7	6.4	B10
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	FA	120	CO	1.9	6.4	B10
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	FA	120	CO-COMP	3.4	7	B10
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	FA	120	HC-NM+NOX-COMP	0.4	1.65	B10
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	FA	120	HCHO	0.001	0.027	B10
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	FA	120	NMOG	0.102	0.23	B10

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	FA	120	NMOG	0.104	0.23	B10
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	FA	120	NOX	0.4	0.6	B10
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	FA	50	CO	1.1	4.4	B10
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	FA	50	CO	1.4	4.4	B10
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	FA	50	HCHO	0.001	0.018	B10
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	FA	50	NMOG	0.081	0.16	B10
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	FA	50	NMOG	0.083	0.16	B10
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	FA	50	NOX	0.2	0.4	B10
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	FA	50	NOX	0.3	0.4	B10
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	CA	4	CO-US06	7.4	11.8	LEV
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	CA	4	CO-US06	7.9	11.8	LEV
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	CA	4	HC-NM+NOX-US06	0.11	0.6	LEV
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	CA	4	HC-NM+NOX-US06	0.13	0.6	LEV
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	FA	4	CO-US06	7.4	11.8	B10
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	FA	4	CO-US06	7.9	11.8	B10
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	FA	4	HC-NM+NOX-US06	0.11	0.6	B10
TOYOTA	TOYOTA	LAND CRUISER	4664	L5	4.1	6000	FA	4	HC-NM+NOX-US06	0.13	0.6	B10
TOYOTA	TOYOTA	MR2	1794	M6	4.31	2625	CA	50	CO-COLD	3.3	10	N/A
TOYOTA	TOYOTA	MR2	1794	M6	4.31	2625	FA	50	CO-COLD	3.3	10	N/A
TOYOTA	TOYOTA	MR2	1794	M6	4.31	2625	CA	100	CO	1	4.2	LEV
TOYOTA	TOYOTA	MR2	1794	M6	4.31	2625	CA	100	NMOG	0.058	0.09	LEV
TOYOTA	TOYOTA	MR2	1794	M6	4.31	2625	CA	100	NOX	0.2	0.3	LEV
TOYOTA	TOYOTA	MR2	1794	M6	4.31	2625	CA	50	CO	0.8	3.4	LEV
TOYOTA	TOYOTA	MR2	1794	M6	4.31	2625	CA	50	NMOG	0.049	0.075	LEV
TOYOTA	TOYOTA	MR2	1794	M6	4.31	2625	CA	50	NOX	0.1	0.2	LEV
TOYOTA	TOYOTA	MR2	1794	M6	4.31	2625	FA	100	CO	1	4.2	B9
TOYOTA	TOYOTA	MR2	1794	M6	4.31	2625	FA	100	HC-NM+NOX-COMP	0.23	0.73	B9
TOYOTA	TOYOTA	MR2	1794	M6	4.31	2625	FA	100	NMOG	0.058	0.09	B9
TOYOTA	TOYOTA	MR2	1794	M6	4.31	2625	FA	100	NOX	0.2	0.3	B9
TOYOTA	TOYOTA	MR2	1794	M6	4.31	2625	FA	50	CO	0.8	3.4	B9
TOYOTA	TOYOTA	MR2	1794	M6	4.31	2625	FA	50	NMOG	0.049	0.075	B9
TOYOTA	TOYOTA	MR2	1794	M6	4.31	2625	FA	50	NOX	0.1	0.2	B9
TOYOTA	TOYOTA	MR2	1794	M6	4.31	2625	CA	4	CO-US06	2.8	8	LEV
TOYOTA	TOYOTA	MR2	1794	M6	4.31	2625	CA	4	HC-NM+NOX-US06	0.11	0.14	LEV
TOYOTA	TOYOTA	MR2	1794	M6	4.31	2625	FA	100	CO-US06	3.1	11.1	B9
TOYOTA	TOYOTA	MR2	1794	M6	4.31	2625	FA	4	CO-US06	2.8	8	B9
TOYOTA	TOYOTA	MR2	1794	M6	4.31	2625	FA	4	HC-NM+NOX-US06	0.11	0.14	B9
TOYOTA	TOYOTA	MR2	1794	M6	4.31	2625	CA	4	CO-SC03	0.8	2.7	LEV

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
TOYOTA	TOYOTA	MR2	1794	M6	4.31	2625	CA	4	HC-NM+NOX-SC03	0.01	0.2	LEV
TOYOTA	TOYOTA	MR2	1794	M6	4.31	2625	FA	100	CO-SC03	1	3.7	B9
TOYOTA	TOYOTA	MR2	1794	M6	4.31	2625	FA	4	CO-SC03	0.8	2.7	B9
TOYOTA	TOYOTA	MR2	1794	M6	4.31	2625	FA	4	HC-NM+NOX-SC03	0.01	0.2	B9
TOYOTA	TOYOTA	PRIUS	1497	AV	4.11	3250	CA	50	CO-COLD	1.3	10	N/A
TOYOTA	TOYOTA	PRIUS	1497	AV	4.11	3250	FA	50	CO-COLD	1.3	10	N/A
TOYOTA	TOYOTA	PRIUS	1497	AV	4.11	3250	CA	150	CO	0.1	1	S2
TOYOTA	TOYOTA	PRIUS	1497	AV	4.11	3250	CA	150	NMOG	0.009	0.01	S2
TOYOTA	TOYOTA	PRIUS	1497	AV	4.11	3250	CA	150	NOX	0.01	0.02	S2
TOYOTA	TOYOTA	PRIUS	1497	AV	4.11	3250	FA	150	CO	0.1	2.1	B3
TOYOTA	TOYOTA	PRIUS	1497	AV	4.11	3250	FA	150	HC-NM+NOX-COMP	0.03	0.62	B3
TOYOTA	TOYOTA	PRIUS	1497	AV	4.11	3250	FA	150	NMOG	0.009	0.055	B3
TOYOTA	TOYOTA	PRIUS	1497	AV	4.11	3250	FA	150	NOX	0.01	0.03	B3
TOYOTA	TOYOTA	PRIUS	1497	AV	4.11	3250	CA	4	CO-US06	0	8	S2
TOYOTA	TOYOTA	PRIUS	1497	AV	4.11	3250	CA	4	HC-NM+NOX-US06	0.03	0.14	S2
TOYOTA	TOYOTA	PRIUS	1497	AV	4.11	3250	FA	150	CO-US06	0.1	11.1	B3
TOYOTA	TOYOTA	PRIUS	1497	AV	4.11	3250	FA	4	CO-US06	0	8	B3
TOYOTA	TOYOTA	PRIUS	1497	AV	4.11	3250	FA	4	HC-NM+NOX-US06	0.03	0.14	B3
TOYOTA	TOYOTA	PRIUS	1497	AV	4.11	3250	CA	4	CO-SC03	0.1	2.7	S2
TOYOTA	TOYOTA	PRIUS	1497	AV	4.11	3250	CA	4	HC-NM+NOX-SC03	0.04	0.2	S2
TOYOTA	TOYOTA	PRIUS	1497	AV	4.11	3250	FA	150	CO-SC03	0.2	3.7	B3
TOYOTA	TOYOTA	PRIUS	1497	AV	4.11	3250	FA	4	CO-SC03	0.1	2.7	B3
TOYOTA	TOYOTA	PRIUS	1497	AV	4.11	3250	FA	4	HC-NM+NOX-SC03	0.04	0.2	B3
TOYOTA	TOYOTA	RAV4 4WD	2362	M5	4.56	3375	CA	50	CO-COLD	1.7	10	N/A
TOYOTA	TOYOTA	RAV4 4WD	2362	M5	4.56	3375	FA	50	CO-COLD	1.7	10	N/A
TOYOTA	TOYOTA	RAV4 4WD	2362	M5	4.56	3375	CA	100	CO	0.4	2.1	ULEV
TOYOTA	TOYOTA	RAV4 4WD	2362	M5	4.56	3375	CA	100	NMOG	0.046	0.055	ULEV
TOYOTA	TOYOTA	RAV4 4WD	2362	M5	4.56	3375	CA	100	NOX	0	0.3	ULEV
TOYOTA	TOYOTA	RAV4 4WD	2362	M5	4.56	3375	CA	50	CO	0.3	1.7	ULEV
TOYOTA	TOYOTA	RAV4 4WD	2362	M5	4.56	3375	CA	50	NMOG	0.037	0.04	ULEV
TOYOTA	TOYOTA	RAV4 4WD	2362	M5	4.56	3375	CA	50	NOX	0	0.2	ULEV
TOYOTA	TOYOTA	RAV4 4WD	2362	M5	4.56	3375	FA	100	CO	0.4	4.2	B9
TOYOTA	TOYOTA	RAV4 4WD	2362	M5	4.56	3375	FA	100	HC-NM+NOX-COMP	0.07	0.73	B9
TOYOTA	TOYOTA	RAV4 4WD	2362	M5	4.56	3375	FA	100	NMOG	0.046	0.09	B9
TOYOTA	TOYOTA	RAV4 4WD	2362	M5	4.56	3375	FA	100	NOX	0	0.3	B9
TOYOTA	TOYOTA	RAV4 4WD	2362	M5	4.56	3375	FA	50	CO	0.3	3.4	B9
TOYOTA	TOYOTA	RAV4 4WD	2362	M5	4.56	3375	FA	50	NMOG	0.037	0.075	B9
TOYOTA	TOYOTA	RAV4 4WD	2362	M5	4.56	3375	FA	50	NOX	0	0.2	B9

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
TOYOTA	TOYOTA	RAV4 4WD	2362	M5	4.56	3375	CA	100	CO	0.4	2.1	ULEV
TOYOTA	TOYOTA	RAV4 4WD	2362	M5	4.56	3375	CA	100	NMOG	0.042	0.055	ULEV
TOYOTA	TOYOTA	RAV4 4WD	2362	M5	4.56	3375	CA	100	NOX	0.1	0.3	ULEV
TOYOTA	TOYOTA	RAV4 4WD	2362	M5	4.56	3375	CA	50	CO	0.4	1.7	ULEV
TOYOTA	TOYOTA	RAV4 4WD	2362	M5	4.56	3375	CA	50	NMOG	0.032	0.04	ULEV
TOYOTA	TOYOTA	RAV4 4WD	2362	M5	4.56	3375	CA	50	NOX	0	0.2	ULEV
TOYOTA	TOYOTA	RAV4 4WD	2362	M5	4.56	3375	FA	100	CO	0.4	4.2	B9
TOYOTA	TOYOTA	RAV4 4WD	2362	M5	4.56	3375	FA	100	NMOG	0.042	0.09	B9
TOYOTA	TOYOTA	RAV4 4WD	2362	M5	4.56	3375	FA	100	NOX	0.1	0.3	B9
TOYOTA	TOYOTA	RAV4 4WD	2362	M5	4.56	3375	FA	50	CO	0.4	3.4	B9
TOYOTA	TOYOTA	RAV4 4WD	2362	M5	4.56	3375	FA	50	NMOG	0.032	0.075	B9
TOYOTA	TOYOTA	RAV4 4WD	2362	M5	4.56	3375	FA	50	NOX	0	0.2	B9
TOYOTA	TOYOTA	RAV4 4WD	2362	M5	4.56	3375	CA	4	CO-US06	1.8	8	ULEV
TOYOTA	TOYOTA	RAV4 4WD	2362	M5	4.56	3375	CA	4	HC-NM+NOX-US06	0.03	0.14	ULEV
TOYOTA	TOYOTA	RAV4 4WD	2362	M5	4.56	3375	FA	100	CO-US06	2	11.1	B9
TOYOTA	TOYOTA	RAV4 4WD	2362	M5	4.56	3375	FA	4	CO-US06	1.8	8	B9
TOYOTA	TOYOTA	RAV4 4WD	2362	M5	4.56	3375	FA	4	HC-NM+NOX-US06	0.03	0.14	B9
TOYOTA	TOYOTA	RAV4 4WD	2362	M5	4.56	3375	CA	4	CO-US06	2.3	8	ULEV
TOYOTA	TOYOTA	RAV4 4WD	2362	M5	4.56	3375	CA	4	HC-NM+NOX-US06	0.04	0.14	ULEV
TOYOTA	TOYOTA	RAV4 4WD	2362	M5	4.56	3375	FA	100	CO-US06	2.4	11.1	B9
TOYOTA	TOYOTA	RAV4 4WD	2362	M5	4.56	3375	FA	4	CO-US06	2.3	8	B9
TOYOTA	TOYOTA	RAV4 4WD	2362	M5	4.56	3375	FA	4	HC-NM+NOX-US06	0.04	0.14	B9
TOYOTA	TOYOTA	RAV4 4WD	2362	M5	4.56	3375	CA	4	CO-SC03	0	2.7	ULEV
TOYOTA	TOYOTA	RAV4 4WD	2362	M5	4.56	3375	CA	4	HC-NM+NOX-SC03	0.06	0.2	ULEV
TOYOTA	TOYOTA	RAV4 4WD	2362	M5	4.56	3375	FA	100	CO-SC03	0.2	3.7	B9
TOYOTA	TOYOTA	RAV4 4WD	2362	M5	4.56	3375	FA	4	CO-SC03	0	2.7	B9
TOYOTA	TOYOTA	RAV4 4WD	2362	M5	4.56	3375	FA	4	HC-NM+NOX-SC03	0.06	0.2	B9
TOYOTA	TOYOTA	RAV4 4WD	2362	M5	4.56	3375	CA	4	CO-SC03	0	2.7	ULEV
TOYOTA	TOYOTA	RAV4 4WD	2362	M5	4.56	3375	CA	4	HC-NM+NOX-SC03	0.02	0.2	ULEV
TOYOTA	TOYOTA	RAV4 4WD	2362	M5	4.56	3375	FA	100	CO-SC03	0.2	3.7	B9
TOYOTA	TOYOTA	RAV4 4WD	2362	M5	4.56	3375	FA	4	CO-SC03	0	2.7	B9
TOYOTA	TOYOTA	RAV4 4WD	2362	M5	4.56	3375	FA	4	HC-NM+NOX-SC03	0.02	0.2	B9
TOYOTA	TOYOTA	SCION TC	2362	L4	2.74	3250	CA	50	CO-COLD	1.9	10	N/A
TOYOTA	TOYOTA	SCION TC	2362	L4	2.74	3250	FA	50	CO-COLD	1.9	10	N/A
TOYOTA	TOYOTA	SCION TC	2362	L4	2.74	3250	CA	100	CO	0.3	2.1	ULEV
TOYOTA	TOYOTA	SCION TC	2362	L4	2.74	3250	CA	100	NMOG	0.035	0.055	ULEV
TOYOTA	TOYOTA	SCION TC	2362	L4	2.74	3250	CA	100	NOX	0	0.3	ULEV
TOYOTA	TOYOTA	SCION TC	2362	L4	2.74	3250	CA	50	CO	0.2	1.7	ULEV



2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
TOYOTA	TOYOTA	SCION TC	2362	L4	2.74	3250	CA	50	NMOG	0.026	0.04	ULEV
TOYOTA	TOYOTA	SCION TC	2362	L4	2.74	3250	CA	50	NOX	0	0.2	ULEV
TOYOTA	TOYOTA	SCION TC	2362	L4	2.74	3250	FA	100	CO	0.3	4.2	B9
TOYOTA	TOYOTA	SCION TC	2362	L4	2.74	3250	FA	100	HC-NM+NOX-COMP	0.06	0.73	B9
TOYOTA	TOYOTA	SCION TC	2362	L4	2.74	3250	FA	100	NMOG	0.035	0.09	B9
TOYOTA	TOYOTA	SCION TC	2362	L4	2.74	3250	FA	100	NOX	0	0.3	B9
TOYOTA	TOYOTA	SCION TC	2362	L4	2.74	3250	FA	50	CO	0.2	3.4	B9
TOYOTA	TOYOTA	SCION TC	2362	L4	2.74	3250	FA	50	NMOG	0.026	0.075	B9
TOYOTA	TOYOTA	SCION TC	2362	L4	2.74	3250	FA	50	NOX	0	0.2	B9
TOYOTA	TOYOTA	SCION TC	2362	L4	2.74	3250	CA	4	CO-US06	0.8	8	ULEV
TOYOTA	TOYOTA	SCION TC	2362	L4	2.74	3250	CA	4	HC-NM+NOX-US06	0.03	0.14	ULEV
TOYOTA	TOYOTA	SCION TC	2362	L4	2.74	3250	FA	100	CO-US06	0.9	11.1	B9
TOYOTA	TOYOTA	SCION TC	2362	L4	2.74	3250	FA	4	CO-US06	0.8	8	B9
TOYOTA	TOYOTA	SCION TC	2362	L4	2.74	3250	FA	4	HC-NM+NOX-US06	0.03	0.14	B9
TOYOTA	TOYOTA	SCION TC	2362	L4	2.74	3250	CA	4	CO-SC03	0	2.7	ULEV
TOYOTA	TOYOTA	SCION TC	2362	L4	2.74	3250	CA	4	HC-NM+NOX-SC03	0.02	0.2	ULEV
TOYOTA	TOYOTA	SCION TC	2362	L4	2.74	3250	FA	100	CO-SC03	0.2	3.7	B9
TOYOTA	TOYOTA	SCION TC	2362	L4	2.74	3250	FA	4	CO-SC03	0	2.7	B9
TOYOTA	TOYOTA	SCION TC	2362	L4	2.74	3250	FA	4	HC-NM+NOX-SC03	0.02	0.2	B9
TOYOTA	TOYOTA	SCION XB	1497	M5	4.31	2750	CA	50	CO-COLD	1.5	10	N/A
TOYOTA	TOYOTA	SCION XB	1497	M5	4.31	2750	FA	50	CO-COLD	1.5	10	N/A
TOYOTA	TOYOTA	SCION XB	1497	M5	4.31	2750	CA	100	CO	0.4	4.2	LEV
TOYOTA	TOYOTA	SCION XB	1497	M5	4.31	2750	CA	100	NMOG	0.056	0.09	LEV
TOYOTA	TOYOTA	SCION XB	1497	M5	4.31	2750	CA	100	NOX	0.1	0.3	LEV
TOYOTA	TOYOTA	SCION XB	1497	M5	4.31	2750	CA	50	CO	0.4	3.4	LEV
TOYOTA	TOYOTA	SCION XB	1497	M5	4.31	2750	CA	50	NMOG	0.047	0.075	LEV
TOYOTA	TOYOTA	SCION XB	1497	M5	4.31	2750	CA	50	NOX	0.1	0.2	LEV
TOYOTA	TOYOTA	SCION XB	1497	M5	4.31	2750	FA	100	CO	0.4	4.2	B9
TOYOTA	TOYOTA	SCION XB	1497	M5	4.31	2750	FA	100	HC-NM+NOX-COMP	0.1	0.73	B9
TOYOTA	TOYOTA	SCION XB	1497	M5	4.31	2750	FA	100	NMOG	0.056	0.09	B9
TOYOTA	TOYOTA	SCION XB	1497	M5	4.31	2750	FA	100	NOX	0.1	0.3	B9
TOYOTA	TOYOTA	SCION XB	1497	M5	4.31	2750	FA	50	CO	0.4	3.4	B9
TOYOTA	TOYOTA	SCION XB	1497	M5	4.31	2750	FA	50	NMOG	0.047	0.075	B9
TOYOTA	TOYOTA	SCION XB	1497	M5	4.31	2750	FA	50	NOX	0.1	0.2	B9
TOYOTA	TOYOTA	SCION XB	1497	M5	4.31	2750	CA	100	CO	0.4	4.2	LEV
TOYOTA	TOYOTA	SCION XB	1497	M5	4.31	2750	CA	100	NMOG	0.055	0.09	LEV
TOYOTA	TOYOTA	SCION XB	1497	M5	4.31	2750	CA	100	NOX	0.1	0.3	LEV
TOYOTA	TOYOTA	SCION XB	1497	M5	4.31	2750	CA	50	CO	0.4	3.4	LEV

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
TOYOTA	TOYOTA	SCION XB	1497	M5	4.31	2750	CA	50	NMOG	0.046	0.075	LEV
TOYOTA	TOYOTA	SCION XB	1497	M5	4.31	2750	CA	50	NOX	0	0.2	LEV
TOYOTA	TOYOTA	SCION XB	1497	M5	4.31	2750	FA	100	CO	0.4	4.2	B9
TOYOTA	TOYOTA	SCION XB	1497	M5	4.31	2750	FA	100	NMOG	0.055	0.09	B9
TOYOTA	TOYOTA	SCION XB	1497	M5	4.31	2750	FA	100	NOX	0.1	0.3	B9
TOYOTA	TOYOTA	SCION XB	1497	M5	4.31	2750	FA	50	CO	0.4	3.4	B9
TOYOTA	TOYOTA	SCION XB	1497	M5	4.31	2750	FA	50	NMOG	0.046	0.075	B9
TOYOTA	TOYOTA	SCION XB	1497	M5	4.31	2750	FA	50	NOX	0	0.2	B9
TOYOTA	TOYOTA	SCION XB	1497	M5	4.31	2750	CA	4	CO-US06	2.5	8	LEV
TOYOTA	TOYOTA	SCION XB	1497	M5	4.31	2750	CA	4	HC-NM+NOX-US06	0.03	0.14	LEV
TOYOTA	TOYOTA	SCION XB	1497	M5	4.31	2750	FA	100	CO-US06	2.6	11.1	B9
TOYOTA	TOYOTA	SCION XB	1497	M5	4.31	2750	FA	4	CO-US06	2.5	8	B9
TOYOTA	TOYOTA	SCION XB	1497	M5	4.31	2750	FA	4	HC-NM+NOX-US06	0.03	0.14	B9
TOYOTA	TOYOTA	SCION XB	1497	M5	4.31	2750	CA	4	CO-US06	2.6	8	LEV
TOYOTA	TOYOTA	SCION XB	1497	M5	4.31	2750	CA	4	HC-NM+NOX-US06	0.03	0.14	LEV
TOYOTA	TOYOTA	SCION XB	1497	M5	4.31	2750	FA	100	CO-US06	2.7	11.1	B9
TOYOTA	TOYOTA	SCION XB	1497	M5	4.31	2750	FA	4	CO-US06	2.6	8	B9
TOYOTA	TOYOTA	SCION XB	1497	M5	4.31	2750	FA	4	HC-NM+NOX-US06	0.03	0.14	B9
TOYOTA	TOYOTA	SCION XB	1497	M5	4.31	2750	CA	4	CO-SC03	0.4	2.7	LEV
TOYOTA	TOYOTA	SCION XB	1497	M5	4.31	2750	CA	4	HC-NM+NOX-SC03	0.08	0.2	LEV
TOYOTA	TOYOTA	SCION XB	1497	M5	4.31	2750	FA	100	CO-SC03	0.5	3.7	B9
TOYOTA	TOYOTA	SCION XB	1497	M5	4.31	2750	FA	4	CO-SC03	0.4	2.7	B9
TOYOTA	TOYOTA	SCION XB	1497	M5	4.31	2750	FA	4	HC-NM+NOX-SC03	0.08	0.2	B9
TOYOTA	TOYOTA	SCION XB	1497	M5	4.31	2750	CA	4	CO-SC03	0.6	2.7	LEV
TOYOTA	TOYOTA	SCION XB	1497	M5	4.31	2750	CA	4	HC-NM+NOX-SC03	0.07	0.2	LEV
TOYOTA	TOYOTA	SCION XB	1497	M5	4.31	2750	FA	100	CO-SC03	0.7	3.7	B9
TOYOTA	TOYOTA	SCION XB	1497	M5	4.31	2750	FA	4	CO-SC03	0.6	2.7	B9
TOYOTA	TOYOTA	SCION XB	1497	M5	4.31	2750	FA	4	HC-NM+NOX-SC03	0.07	0.2	B9
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	CA	50	CO-COLD	4.6	12.5	N/A
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	FA	50	CO-COLD	4.6	12.5	N/A
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	CA	120	CO	0.3	2.1	U2
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	CA	120	NOX	0.06	0.07	U2
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	CA	50	CO	0.2	1.7	U2
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	CA	50	NOX	0.04	0.05	U2
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	FA	120	CO	0.3	4.2	B5
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	FA	120	HC-NM+NOX-COMP	0.09	0.95	B5
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	FA	120	NOX	0.06	0.07	B5
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	FA	50	CO	0.2	3.4	B5

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	FA	50	NOX	0.04	0.05	B5
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	CA	120	CO	0.4	2.1	U2
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	CA	120	CO	0.4	2.1	U2
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	CA	120	NMOG	0.037	0.055	U2
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	CA	120	NMOG	0.039	0.055	U2
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	CA	120	NOX	0.04	0.07	U2
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	CA	120	NOX	0.05	0.07	U2
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	CA	50	CO	0.2	1.7	U2
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	CA	50	CO	0.2	1.7	U2
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	CA	50	NMOG	0.027	0.04	U2
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	CA	50	NMOG	0.028	0.04	U2
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	CA	50	NOX	0.03	0.05	U2
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	CA	50	NOX	0.03	0.05	U2
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	FA	120	CO	0.4	4.2	B5
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	FA	120	CO	0.4	4.2	B5
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	FA	120	HC-NM+NOX-COMP	0.09	0.95	B5
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	FA	120	NMOG	0.037	0.09	B5
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	FA	120	NMOG	0.039	0.09	B5
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	FA	120	NOX	0.04	0.07	B5
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	FA	120	NOX	0.05	0.07	B5
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	FA	50	CO	0.2	3.4	B5
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	FA	50	CO	0.2	3.4	B5
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	FA	50	NMOG	0.027	0.075	B5
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	FA	50	NMOG	0.028	0.075	B5
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	FA	50	NOX	0.03	0.05	B5
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	FA	50	NOX	0.03	0.05	B5
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	CA	4	CO-US06	6.4	10.5	U2
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	CA	4	HC-NM+NOX-US06	0.08	0.25	U2
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	FA	120	CO-US06	6.6	14.6	B5
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	FA	4	CO-US06	6.4	10.5	B5
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	FA	4	HC-NM+NOX-US06	0.08	0.25	B5
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	CA	4	CO-SC03	0	3.5	U2
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	CA	4	HC-NM+NOX-SC03	0.02	0.27	U2
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	FA	120	CO-SC03	0.2	4.9	B5
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	FA	4	CO-SC03	0	3.5	B5
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	FA	4	HC-NM+NOX-SC03	0.02	0.27	B5
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	CA	50	CO-COLD	4.6	10	N/A
TOYOTA	TOYOTA	SIENNA 4WD	3311	L5	3.29	4750	FA	50	CO-COLD	4.6	10	N/A

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3625	CA	50	CO-COLD	3.6	10	N/A
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3625	FA	50	CO-COLD	3.6	10	N/A
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3625	CA	120	CO	0.2	4.2	L2
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3625	CA	120	NMOG	0.025	0.09	L2
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3625	CA	120	NOX	0.03	0.07	L2
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3625	CA	50	CO	0.2	3.4	L2
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3625	CA	50	NMOG	0.022	0.075	L2
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3625	CA	50	NOX	0.03	0.05	L2
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3625	FA	120	CO	0.2	4.2	B7
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3625	FA	120	CO-COMP	0.2	4.2	B7
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3625	FA	120	HC-NM+NOX-COMP	0.04	0.68	B7
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3625	FA	120	NMOG	0.025	0.09	B7
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3625	FA	120	NOX	0.03	0.15	B7
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3625	FA	50	CO	0.2	3.4	B7
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3625	FA	50	NMOG	0.022	0.075	B7
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3625	FA	50	NOX	0.03	0.11	B7
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3625	CA	N/A	50-CO	0.3	3.4	L2
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3625	CA	N/A	50-NMOG	0.093	0.15	L2
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3625	CA	N/A	50-NOX	0.03	0.05	L2
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3625	CA	4	CO-US06	0.1	8	L2
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3625	CA	4	HC-NM+NOX-US06	0.02	0.14	L2
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3625	FA	4	CO-US06	0.1	8	B7
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3625	FA	4	HC-NM+NOX-US06	0.02	0.14	B7
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3625	CA	4	CO-SC03	0	2.7	L2
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3625	CA	4	HC-NM+NOX-SC03	0.02	0.2	L2
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3625	FA	4	CO-SC03	0	2.7	B7
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3625	FA	4	HC-NM+NOX-SC03	0.02	0.2	B7
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3875	CA	50	CO-COLD	3.6	12.5	N/A
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3875	FA	50	CO-COLD	3.6	12.5	N/A
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3875	CA	120	CO	0.3	4.2	L2
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3875	CA	120	NMOG	0.03	0.09	L2
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3875	CA	120	NOX	0.02	0.07	L2
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3875	CA	50	CO	0.2	3.4	L2
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3875	CA	50	NMOG	0.026	0.075	L2
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3875	CA	50	NOX	0.02	0.05	L2
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3875	FA	120	CO	0.3	4.2	B7
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3875	FA	120	CO-COMP	0.3	5	B7
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3875	FA	120	HC-NM+NOX-COMP	0.07	0.97	B7

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3875	FA	120	NMOG	0.03	0.09	B7
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3875	FA	120	NOX	0.02	0.15	B7
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3875	FA	50	CO	0.2	3.4	B7
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3875	FA	50	NMOG	0.026	0.075	B7
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3875	FA	50	NOX	0.02	0.11	B7
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3875	CA	4	CO-US06	0	10.5	L2
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3875	CA	4	HC-NM+NOX-US06	0.02	0.25	L2
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3875	FA	4	CO-US06	0	10.5	B7
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3875	FA	4	HC-NM+NOX-US06	0.02	0.25	B7
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3875	CA	4	CO-SC03	0.2	3.5	L2
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3875	CA	4	HC-NM+NOX-SC03	0.1	0.27	L2
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3875	FA	4	CO-SC03	0.2	3.5	B7
TOYOTA	TOYOTA	TOYOTA TACOMA 2WD	2694	L4	3.58	3875	FA	4	HC-NM+NOX-SC03	0.1	0.27	B7
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5250	CA	120	CO	0.4	2.1	U2
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5250	CA	120	NMOG	0.033	0.055	U2
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5250	CA	120	NOX	0.04	0.07	U2
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5250	CA	50	CO	0.3	1.7	U2
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5250	CA	50	NMOG	0.028	0.04	U2
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5250	CA	50	NOX	0.04	0.05	U2
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5250	FA	120	CO	0.4	4.2	B8
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5250	FA	120	CO-COMP	0.4	5.6	B8
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5250	FA	120	HC-NM+NOX-COMP	0.05	1.06	B8
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5250	FA	120	NMOG	0.033	0.156	B8
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5250	FA	120	NOX	0.04	0.2	B8
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5250	FA	50	CO	0.3	3.4	B8
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5250	FA	50	NMOG	0.028	0.125	B8
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5250	FA	50	NOX	0.04	0.14	B8
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5250	CA	4	CO-US06	0.2	10.5	U2
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5250	CA	4	HC-NM+NOX-US06	0.01	0.4	U2
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5250	FA	4	CO-US06	0.2	10.5	B8
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5250	FA	4	HC-NM+NOX-US06	0.01	0.4	B8
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5250	CA	4	CO-US06	0.1	10.5	U2
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5250	CA	4	HC-NM+NOX-US06	0.01	0.4	U2
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5250	FA	4	CO-US06	0.1	10.5	B8
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5250	FA	4	HC-NM+NOX-US06	0.01	0.4	B8
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5250	CA	4	CO-SC03	0.4	3.5	U2
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5250	CA	4	HC-NM+NOX-SC03	0.04	0.31	U2
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5250	FA	4	CO-SC03	0.4	3.5	B8

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5250	FA	4	HC-NM+NOX-SC03	0.04	0.31	B8
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5500	CA	50	CO-COLD	2.1	12.5	N/A
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5500	FA	50	CO-COLD	2.1	12.5	N/A
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5500	CA	50	CO-COLD	2.1	12.5	N/A
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5500	FA	50	CO-COLD	2.1	12.5	N/A
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5500	CA	120	CO	0.3	2.1	U2
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5500	CA	120	NMOG	0.04	0.055	U2
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5500	CA	120	NOX	0.02	0.07	U2
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5500	CA	50	CO	0.3	1.7	U2
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5500	CA	50	NMOG	0.035	0.04	U2
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5500	CA	50	NOX	0.02	0.05	U2
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5500	FA	120	CO	0.3	4.2	B8
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5500	FA	120	CO-COMP	1.3	6.2	B8
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5500	FA	120	HC-NM+NOX-COMP	0.04	1.48	B8
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5500	FA	120	NMOG	0.04	0.156	B8
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5500	FA	120	NOX	0.02	0.2	B8
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5500	FA	50	CO	0.3	3.4	B8
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5500	FA	50	NMOG	0.035	0.125	B8
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5500	FA	50	NOX	0.02	0.14	B8
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5500	CA	120	CO	0.3	2.1	U2
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5500	CA	120	NMOG	0.035	0.055	U2
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5500	CA	120	NOX	0.03	0.07	U2
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5500	CA	50	CO	0.3	1.7	U2
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5500	CA	50	NMOG	0.03	0.04	U2
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5500	CA	50	NOX	0.02	0.05	U2
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5500	FA	120	CO	0.3	4.2	B8
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5500	FA	120	CO-COMP	1.3	6.2	B8
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5500	FA	120	HC-NM+NOX-COMP	0.04	1.48	B8
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5500	FA	120	NMOG	0.035	0.156	B8
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5500	FA	120	NOX	0.03	0.2	B8
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5500	FA	50	CO	0.3	3.4	B8
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5500	FA	50	NMOG	0.03	0.125	B8
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5500	FA	50	NOX	0.02	0.14	B8
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5500	CA	4	CO-US06	3.5	11.8	U2
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5500	CA	4	HC-NM+NOX-US06	0.01	0.6	U2
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5500	FA	4	CO-US06	3.5	11.8	B8
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5500	FA	4	HC-NM+NOX-US06	0.01	0.6	B8
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5500	CA	4	CO-US06	1.2	11.8	U2

2005 DaimlerChrysler, Ford, General Motors, Honda, and Toyota Certification Test Results

Manufacturer Name	Division	Carline	Displ. (cc)	Trans.	Axle Ratio	ETW (lbs.)	Sales Area	Useful Life	Pollutant	Cert. Level	Emission Standard	Tier
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5500	CA	4	HC-NM+NOX-US06	0.01	0.6	U2
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5500	FA	4	CO-US06	1.2	11.8	B8
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5500	FA	4	HC-NM+NOX-US06	0.01	0.6	B8
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5500	CA	4	CO-SC03	0.4	4	U2
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5500	CA	4	HC-NM+NOX-SC03	0.03	0.44	U2
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5500	FA	4	CO-SC03	0.4	4	B8
TOYOTA	TOYOTA	TOYOTA TUNDRA 4WD	4664	L5	3.91	5500	FA	4	HC-NM+NOX-SC03	0.03	0.44	B8