



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

FFB 0 8 2016

OFFICE OF  
AIR AND RADIATION

Mr. Stephen R. Gossett  
Environmental Fellow  
Eastman Chemical Company  
Post Office Box 511  
Kingsport, Tennessee 37662-5075

Dear Mr. Gossett:

The United States Environmental Protection Agency received your May 18, 2015, joint petition for administrative reconsideration of the final rule titled "National Emission Standards for Hazardous Air Pollutants: Off-Site Waste and Recovery Operations" (80 FR 14248, March 18, 2015), which was submitted pursuant to section 307(d)(7)(B) of the Clean Air Act (CAA). Your petition seeks reconsideration of two issues: (1) the equipment leak provisions for connectors, and (2) the pressure relief device (PRD) monitoring requirements for portable containers.

In response to your petition and pursuant to CAA section 307(d)(7)(B), I grant reconsideration of the final rule on the issue of PRD monitoring requirements for portable containers. We intend to issue a *Federal Register* notice initiating notice and comment rulemaking on the issue for which we are granting reconsideration.

If you have any questions regarding the reconsideration process, please contact Peter Tsigotis, Director of the Sector Policies and Programs Division, at (919) 541-9411. We thank you for your continuing interest in this rule and look forward to hearing from you during the reconsideration process.

Sincerely,

A handwritten signature in blue ink, appearing to read "Janet G. McCabe".

Janet G. McCabe  
Acting Assistant Administrator

cc: Mr. Brett Sago, Eastman Chemical Company  
Ms. Leslie Hulse, American Chemistry Council



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

FFB 08 2016

OFFICE OF  
AIR AND RADIATION

Ms. Leslie A. Hulse  
Assistant General Counsel  
American Chemistry Council  
700 Second Street, NE  
Washington, D.C. 20002

Dear Ms. Hulse:

The United States Environmental Protection Agency received your May 18, 2015, joint petition for administrative reconsideration of the final rule titled "National Emission Standards for Hazardous Air Pollutants: Off-Site Waste and Recovery Operations" (80 FR 14248, March 18, 2015), which was submitted pursuant to section 307(d)(7)(B) of the Clean Air Act (CAA). Your petition seeks reconsideration of two issues: (1) the equipment leak provisions for connectors, and (2) the pressure relief device (PRD) monitoring requirements for portable containers.

In response to your petition and pursuant to CAA section 307(d)(7)(B), I grant reconsideration of the final rule on the issue of PRD monitoring requirements for portable containers. We intend to issue a *Federal Register* notice, initiating notice and comment rulemaking on the issue for which we are granting reconsideration.

If you have any questions regarding the reconsideration process, please contact Peter Tsirigotis, Director of the Sector Policies and Programs Division, at (919) 541-9411. We thank you for your continuing interest in this rule and look forward to hearing from you during the reconsideration process.

Sincerely,

A handwritten signature in blue ink, appearing to read "J. McCabe".

Janet G. McCabe  
Acting Assistant Administrator

cc: Mr. Brett Sago, Eastman Chemical Company  
Mr. Stephen R. Gossett, Eastman Chemical Company



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

FEB 08 2016

OFFICE OF  
AIR AND RADIATION

Mr. Brett A. Sago  
Director, HSE Legal Services  
Eastman Chemical Company  
Post Office Box 511  
Kingsport, Tennessee 37662-5075

Dear Mr. Sago:

The United States Environmental Protection Agency received your May 18, 2015, joint petition for administrative reconsideration of the final rule titled "National Emission Standards for Hazardous Air Pollutants: Off-Site Waste and Recovery Operations" (80 FR 14248, March 18, 2015), which was submitted pursuant to section 307(d)(7)(B) of the Clean Air Act (CAA). Your petition seeks reconsideration of two issues: (1) the equipment leak provisions for connectors, and (2) the pressure relief device (PRD) monitoring requirements for portable containers.

In response to your petition and pursuant to CAA section 307(d)(7)(B), I grant reconsideration of the final rule on the issue of PRD monitoring requirements for portable containers. We intend to issue a *Federal Register* notice, initiating notice and comment rulemaking on the issue for which we are granting reconsideration.

If you have any questions regarding the reconsideration process, please contact Peter Tsirigotis, Director of the Sector Policies and Programs Division, at (919) 541-9411. We thank you for your continuing interest in this rule and look forward to hearing from you during the reconsideration process.

Sincerely,

A handwritten signature in blue ink, appearing to read "J. McCabe".

Janet G. McCabe  
Acting Assistant Administrator

cc: Mr. Stephen Gossett, Eastman Chemical Company  
Ms. Leslie A. Hulse, American Chemistry Council