



Advancing Sustainable Materials Management: 2016 Recycling Economic Information (REI) Report Methodology

October 2016

Table of Contents

| | | |
|--------|--|----|
| 1.1. | Economic Contributions of Recycling | 7 |
| 1.2. | REI Methodology Report Organization | 9 |
| 2. | Summary of the WIO Model Methodology | 10 |
| 2.1. | The Recycling, Reuse and Remanufacturing Value Chain | 10 |
| 2.2. | Analytic Approaches Included in the REI Study | 13 |
| 2.2.1. | Hypothetical Economy to Illustrate Methods..... | 15 |
| 2.2.2. | Direct Production of Recycling..... | 16 |
| 2.2.3. | Direct and Indirect Production of Recycling Approach..... | 17 |
| 2.2.4. | Direct Household Demand on Recycling Approach | 18 |
| 2.2.5. | Recycled Content in Final Demand Approach..... | 19 |
| 2.3. | The Waste Input-Output Model..... | 20 |
| 2.3.1. | Waste Input-Output Framework | 21 |
| 2.3.2. | Integrating Measures of Economic Impact | 21 |
| 3. | Data Collection | 23 |
| 3.1. | Data Collection Approach | 23 |
| 3.2. | Summary of Collected Data..... | 26 |
| 3.2.1. | Recycling Process Data..... | 26 |
| 3.2.2. | Economic Data | 28 |
| 3.3. | Challenges and Limitations | 30 |
| 4. | Results | 32 |
| 4.1. | Overview | 32 |
| 4.2. | Direct and Indirect Production of Recycling Approach | 33 |
| 4.3. | Comparison of 2016 REI Study and the 2001 REI Study..... | 38 |
| 4.4. | Model Approach Selection for Communication Purposes | 40 |
| 5. | Recommendations for Future Studies..... | 45 |
| 5.1. | Conclusion | 45 |
| 5.2. | Other Applications of the WIO Model | 45 |
| 5.3. | Areas for Future Study and Refinement | 46 |
| 6. | References..... | 47 |

| | | |
|--------|---|-----|
| 7. | Appendix A – Recycling Economic Impact Metrics: Guidance for Policymakers..... | 53 |
| 7.1. | Step 1: Determine the Objective of the Study | 53 |
| 7.2. | Step 2: Determine the Most Suitable Metric Analysis Approach..... | 53 |
| 7.3. | Step 3: Data Preparation | 55 |
| 7.4. | Step 4: Impact Calculation | 56 |
| 8. | Appendix B – WIO Model Methodology..... | 63 |
| 8.1. | Methodology Introduction..... | 63 |
| 8.2. | Methods for Measuring the Economic Impacts of Recycling..... | 63 |
| 8.2.1. | Scope and Definition of Recycling..... | 63 |
| 8.2.2. | Direct and Multiplier Effects | 64 |
| 8.2.3. | Defining ‘Demand’ in Recycling | 65 |
| 8.2.4. | Four Approaches for Modeling the Impact of Recycling on a National Economy | 67 |
| 8.2.5. | Causality and Interpretation of Multiplier Analysis Results..... | 69 |
| 8.3. | Waste Input-Output (WIO) Model | 69 |
| 8.3.1. | WIO Model..... | 69 |
| 8.3.2. | Derivation of the WIO Analytical Tables | 71 |
| 8.3.3. | Use of WIO Model to Calculate Tax Revenue Associated with Recycling and Reuse | 74 |
| 9. | Appendix C – Results for Alternate WIO Approaches | 75 |
| 9.1. | Direct Production of Recycling Approach | 75 |
| 9.2. | Recycled Content in Direct Household Demand on Recycling Approach | 77 |
| 9.3. | Direct Household Demand on Recycling Approach | 80 |
| 10. | Appendix D – Recycling Process Allocation Assumptions | 83 |
| 10.1. | Overview | 83 |
| 10.2. | Nonferrous Metals (Aluminum) | 84 |
| 10.3. | Plastics..... | 86 |
| 10.4. | Rubber..... | 89 |
| 10.5. | Glass | 92 |
| 10.6. | Paper | 93 |
| 10.7. | Construction and Demolition (C&D) Material..... | 95 |
| 10.8. | Electronics | 100 |
| 10.9. | Food and Organics..... | 104 |
| 11. | Appendix E – Recycling Material Quantity and Price Data..... | 120 |

| | | |
|---------|---|-----|
| 12. | Appendix F – Employment and Tax Revenue Data Compilation | 129 |
| 12.1. | Overview of Methodology | 129 |
| 12.2. | Employment and Wages | 129 |
| 12.2.1. | Agriculture (Crop and Animal Production)..... | 130 |
| 12.2.2. | Private Nonfarm Goods and Services | 131 |
| 12.2.3. | Government | 131 |
| 12.2.4. | NAICS-to-BEA Concordance Table | 131 |
| 12.3. | Occupational Profiles | 144 |
| 12.4. | Corporate Taxes | 145 |
| 12.5. | Summary of Employment and Tax Revenue Data..... | 145 |
| 13. | Appendix G – Relevant Input-Output sectors—Initial Screening (2007 Benchmark Table Classification) 147 | |
| 14. | Appendix H – Standard Supply and Use Calculus | 150 |
| 15. | Appendix I – Prior REI Studies, Sources and Measures | 153 |
| 15.1. | Prior REI Studies | 153 |
| 15.2. | Other Studies of Recycling Economic Activity..... | 154 |
| 15.3. | Alternative Boundaries, Data Sources and Measures..... | 154 |
| 15.4. | Use of Economic Impact Methods to Study Policy Alternatives | 155 |
| 15.5. | International Studies | 155 |
| 15.6. | Trends in Recycling, Reuse and Remanufacturing | 156 |

Index of Tables and Figures

Tables

| | |
|---|-----|
| Table 1: Materials Included in the Scope of Recycling for This Study | 11 |
| Table 2: Four Approaches to Measuring the Impact of Recycling | 15 |
| Table 3: 2016 REI Study Data Elements | 23 |
| Table 4: 2016 REI Study Data Collection Outreach | 24 |
| Table 5: Type of Data Received..... | 26 |
| Table 6: Economic Data Sources by Economic Sector | 28 |
| Table 7: Summary of Employment and Tax Revenue Data Used in the WIO Model, U.S. 2007..... | 29 |
| Table 8: Summary of Overall Job, Wage and Tax Results | 33 |
| Table 9: Comparison Current and Previous REI Studies' Estimates of Contributions of Recycling to U.S. Economic Activity..... | 38 |
| Table 10: Comparison of 2016 REI Report and the 2001 REI Study Based on Direct Employment Estimates ... | 41 |
| Table 11: Metrics to Implement Approach #1 | 57 |
| Table 12: Metrics to Implement Approach #2 | 62 |
| Table 13: Metrics to Implement Approach #3 | 62 |
| Table 14: General Structure of the Flow Table Used in WIO Model* | 70 |
| Table 15: Supply Table for WIO Model of the U.S. | 72 |
| Table 16: Use Table for WIO Model of the U.S. | 73 |
| Table 17: Recycling Material Quantity and Price Data | 120 |
| Table 18: Data Sources by Economic Sector | 129 |
| Table 19: NAICS-to-BEA Concordance Table..... | 131 |
| Table 20: Correspondence Between Occupational Categories Used in WIO Model and BLS OES | 144 |
| Table 21: Summary of Employment and Tax Revenue Data Used in the WIO Model, U.S. 2007..... | 146 |

Figures

| | |
|---|----|
| Figure 1: Double-Counting Can Occur When Intermediate Demand is Applied to an Input-Output Multiplier Framework | 15 |
| Figure 2: Hypothetical Economy to Illustrate Methods..... | 16 |
| Figure 3: Illustration of Direct Production Approach for Estimating Recycling Economic Impacts..... | 17 |
| Figure 4: Illustration of Direct and Indirect Production Approach for Estimating Recycling Economic Impacts | 18 |
| Figure 5: Illustration of Direct Household Demand on Recycling Approach for Estimating Recycling Economic Impacts | 19 |
| Figure 6: Illustration of Recycled Content Approach for Estimating Recycling Economic Impacts | 20 |
| Figure 7: Overview of Food and Organic Material (and Monetary) Flows | 27 |
| Figure 8: Employment Results for the Direct and Indirect Production of Recycling Approach..... | 34 |
| Figure 9: Wage Results for the Direct and Indirect Production of Recycling Approach | 34 |
| Figure 10: Tax Revenue Results for the Direct and Indirect Production of Recycling Approach..... | 35 |
| Figure 11: Share of Recycling's Job Creation, Wage and Tax Revenue by Material (Direct and Indirect Production of Recycling Approach) | 36 |
| Figure 12: Share of Direct and Indirect Employment Numbers (# of Jobs), Wages (\$) and Taxes (\$) by Organics Recycling | 37 |
| Figure 13: Flow Diagram for Determining the Most Suitable Metrics Approach | 55 |
| Figure 14: Direct, Indirect and Induced Impact and Double Counting in Multiplier Analyses | 66 |
| Figure 15: Employment Results for the Direct Production of Recycling Approach | 75 |
| Figure 16: Wage Results for the Direct Production of Recycling Approach | 76 |
| Figure 17: Tax Revenue Results for the Direct Production of Recycling Approach | 76 |
| Figure 18: Share of Recycling's Job Creation, Wage and Tax Revenue by Material (Direct Production of Recycling Approach) | 77 |
| Figure 19: Share of Direct Employment Numbers (# of Jobs), Wages (\$) and Taxes (\$) by Organics Recycling. | 77 |
| Figure 20: Contribution of Recycled Material-Enabled Final Demand to Job Creation (Top 10)..... | 78 |
| Figure 21: Contribution of Recycled Material-Enabled Final Demand to Wage Payment (Top 10) | 79 |
| Figure 22: Contribution of Recycled Material-Enabled Final Demand to Tax Revenue (Top 10) | 80 |
| Figure 23: Employment Results for Recycling as Direct Household Demand on Recycling Approach | 81 |
| Figure 24: Wage Results for Recycling as Direct Household Demand on Recycling Approach | 81 |
| Figure 25: Tax Revenue Results for Direct Household Demand on Recycling Approach..... | 82 |

Acknowledgements

This methodology report and supporting documentation was submitted to the U.S. Environmental Protection Agency, Office of Resource Conservation and Recovery under Contract: EP-W-10-054, Task Order 72 by Abt Associates Inc., 4550 Montgomery Avenue, Suite 800 North, Bethesda, MD 20814. This effort was led by Sangwon Suh, Industrial Ecology Research Service LLC (IERS); Dan Basoli, Abt Associates Inc. and Bill Michaud, SRA International, Inc. Primary data collection was done by Shivira Tomar of IERS with EPA facilitation. Additional input was provided by Kent Foerster, Swarupa Ganguli, Tyler Rubright, Elizabeth Sundin, Ronald Vance, and Nathan Wittstruck of the US EPA, Office of Resource Conservation and Recovery (ORCR).

1. Introduction

1.1. Economic Contributions of Recycling

Recycling is an important part of the U.S. economy that contributes to national economic activity (Ross and Evans 2003; Ayres 1997; Byström and Lönnstedt 1997; Craighill and Powell 1996; Hawley 2009). From an economic perspective, recycling contributes to increased productivity, competitiveness and economic activity, including increased job creation, wages and tax revenue (R.W. Beck/NRC, 2001; Fiksel, 2006; OECD, 2012). Recycling is fundamental to sustainable materials management (SMM), which aims to reduce our reliance on limited natural capital and strengthen the economic position of future generations (EPA, 2009a).

The economic benefits of recycling have rarely been measured. In 2001, EPA laid the groundwork for better understanding the economic benefits of recycling with the National Recycling Economic Information (REI) study, *U.S. Recycling Economic Information Study* (R.W. Beck/NRC, 2001). This study estimated the contributions of recycling to national economic activity and helped raise awareness of the ways in which recycling activities support jobs, wages, revenue, and government tax receipts. The 2001 REI study also provided valuable insights for understanding how changes in waste management policy and investments in recycling markets can contribute to economic outcomes.

The 2001 study acknowledged several challenges and limitations of the REI methodology, including the inability to isolate recycling activities within multi-faceted manufacturing sectors and the issue of double-counting inherent in the methods being used (see Figure 1) (R.W. Beck/NRC, 2001). Since the release of the 2001 report, other researchers have introduced refinements to the methodology to address some of these issues, but challenges remain. The 2016 REI effort represents the next iteration in national REI analysis. It explores alternative approaches for measuring the economic activity associated with recycling, addresses uncertainties from the previous study and creates the foundation for a reinvigorated analysis of the economic impacts of recycling.

The 2016 REI study focuses on the diversion of nine categories of useful material from the waste stream. The material categories include paper, aluminum, glass, plastics, ferrous metals, rubber, food and organics, electronics and construction and demolition (C&D) material that are diverted from the waste stream (e.g., municipal solid waste) and recycled to make new products. The 2016 REI study includes recovery and refurbishing or remanufacturing for reuse of products and materials that have reached the end of their intended useful life, including electronics and certain types of C&D material (e.g., wood flooring). The study also considers the economic activity associated with the salvage and donation of edible food (e.g., canned goods nearing their expiration date).

EPA recognizes that food salvage for donation and the reuse or remanufacturing of electronics are not “recycling” activities. However, for brevity, the 2016 REI Report uses the term “recycling” when describing the overall scope and results of the analysis. In sections describing food donation and electronics recovery, reuse and remanufacturing, more precise language is used.

The 2016 REI study uses four approaches to measure the contribution of recycling to economic activity the U.S. economy:

- The **“direct production of recycling”** approach accounts for the direct economic activity associated with recycling operations. This definition includes, for example, the number of employees associated with recycling operations that produce steel castings from iron and steel scrap.

- The "**direct and indirect production of recycling**" approach accounts for not only direct but also indirect production such as upstream supply chain economic activity that supports recycling processes. Using the steel recycling example, this approach adds the number of employees who work in material recovery facilities that separate steel scrap, employees who work for suppliers of steel recycling facilities (e.g., electric utilities) and employees of other suppliers throughout the upstream supply chain.
- The "**recycled content in final demand**" approach is a novel methodology developed for this study. The approach estimates the direct and supply chain economic activity attributable to recycling based on the recycled content of final products consumed by households. Under this approach, for example, the number of employees directly and indirectly associated with recycling activities in the upstream supply chain of automobile manufacturing is allocated proportionally to the recycled content of an automobile by mass. This approach attempts to measure the size of the economy sustained by the physical presence of recycled materials in final products.
- The "**direct household demand on recycling**" approach accounts for direct and indirect (supply chain) economic activity associated with recycling that is demanded directly by households. Given that most of the recycled materials are used first by industry rather than households (i.e., they are intermediate products), this approach is expected to yield smaller estimates of economic activity (e.g., employment) compared to the other approaches in this study. The direct household demand on recycling approach is considered for the sake of completeness.

To estimate the economic activity associated with recycling using these different approaches, a waste input-output (WIO) model was compiled for the U.S. that distinguishes recycling operations and recyclable and recycled material flows from other sectors of the economy. This model was built on the official U.S. input-output (I-O) tables maintained by the Bureau of Economic Analysis (BEA), which describe the economic transactions between industries in the U.S. and are used, in part, to formulate U.S. monetary and fiscal policy. The U.S. official I-O tables do not distinguish recyclable and recycled material flows. For example, the I-O tables aggregate many of the recyclable material flows addressed in this study in a single "scrap" category (USBEA 2014). In addition, recycling activities are either embedded in the broader activities of a manufacturing sector (e.g., I-O category "331110, Iron and steel mills and ferroalloy manufacturing") or combined and included within the I-O category "562000: Waste management and remediation services."

The WIO model estimates the economic activity attributable to recycling in terms of employment, wages and tax payments. Using the I-O tables as the starting point, the WIO model distinguishes recyclable and recycled material flows and recycling processes and associates information about jobs and wages, as well as local, state and federal tax revenue to specific recycling processes. Combining this information with detailed statistics regarding economic transactions enables the estimation of the economic activity attributable to recycling for a specified year.

In addition to supporting the existing study, a key benefit of developing a WIO model was that it established a sound analytical framework for estimating the broader environmental and economic benefits associated with recycling. The WIO model could provide a framework for analyzing economic impacts (e.g., in terms of shifts in employment from extractive to recycling industries) associated with counterfactual waste management scenarios and recycling policy alternatives. The WIO model could also be extended to analyze environmental impacts associated with different recycling scenarios by linking environmental data to recycling processes (i.e., using the methods established for environmentally extended input-output life cycle analysis).

Of the four approaches used for this study, the direct and indirect production of recycling approach is the most analytically similar to the approach used for the 2001 national REI study. Nonetheless, the two approaches differed in significant ways, including differences in the scope of recyclable materials included in the analysis, characterization of the contributions of recyclable materials collection and processing industries and assumptions¹ and methods used to attribute economic factors to recycling processes in sectors where recycling takes place alongside other manufacturing operations. Additionally, the methodology for the direct and indirect production of recycling approach is most representative of the current dynamics of recycling flows. Not only are facilities directly involved with recycling impacted, but there is also influence on the surrounding infrastructure. The results from the direct and indirect methodology are towards the center of the range of estimates provided across all four approaches. Finally, the direct and indirect production of recycling approach is able to capture the economic impact of recycling while limiting double-counting, which are reasons why the direct and indirect production approach was chosen to summarize the results from the study in the 2016 REI Report.

In general, the approach used for the 2016 study provides more conservative estimates of the economic activity attributable to recycling than the 2001 study. Specific differences between the two studies are described in Section 4 of this methodology report.

1.2.REI Methodology Report Organization

The following sections of the methodology report describe the updated methodology and present the results of the 2016 REI study:

- Section 2 presents an overview of the methodology used to develop the 2016 REI study, describes important concepts used to define the scope of the analysis, presents alternative approaches for estimating the economic activity attributable to recycling and describes how the WIO model is used to estimate the economic activity associated with recycling based on these alternatives;
- Section 3 describes the data used in this study and the approaches taken for data collection;
- Section 4 presents the main results of the 2016 REI study using the methodology and approaches;
- Section 5 discusses the implications of the results and presents recommendations of the study;
- Section 6 provides references; and
- Sections 7 – 16 include Appendices that detail the WIO methodology and data sources, results, history, and context.

¹ In the 2001 REI study, economic activity associated with collection and processing activities were included as “direct” activities. In the current study, they are included as “indirect” activities.

2. Summary of the WIO Model Methodology

EPA developed a waste input-output (WIO) model to provide an improved analytical framework for better understanding the contributions of recycling to the U.S. economy. The WIO model builds on the official U.S. input-output (I-O) tables maintained by the Bureau of Economic Analysis (BEA). These tables describe the economic transactions between industries in the U.S. and are used, for example, to formulate U.S. monetary and fiscal policy.

Using the I-O tables as the starting point, the WIO model adds information about recyclable and recycled material flows in the U.S. and information about employment and local, state and federal tax revenue. Combining this information with the detailed statistics regarding economic transactions enables the estimation of the economic activity attributable to recycling.

This section of the report presents an overview of the methodology used to develop the 2016 REI study, and describes important concepts that define the scope of the analysis. This section also presents alternative approaches for estimating economic activity attributable to recycling and describes how the WIO model is used to recycling's economic contributions based on these approaches. A more detailed description of the methodology is presented in Appendix B – WIO Model Methodology.

2.1. The Recycling, Reuse and Remanufacturing Value Chain

For the purpose of this analysis, recycling is defined as the recovery of useful materials such as paper, glass, plastic, metals, construction and demolition (C&D) and organics from the waste stream (e.g., municipal solid waste) and the transformation of that material to make new products, resulting in a reduction in the amount of virgin raw materials needed to meet consumer demand. This analysis also includes within the definition of recycling the recovery and refurbishing or remanufacturing of products and materials that have reached the end of their intended useful life. This scope could include, for instance, the recovery of timbers from an old house and milling and finishing the timbers to make wood flooring, or the recovery and remanufacturing of computer components. It does not include the reuse of products that are intended to be reused multiple times and have yet to reach the end of their useful life (e.g., tire casings designed for retreading). To help inform federal efforts to reduce food waste, the study also analyzes the economic activity associated with food salvage and donation.

EPA recognizes that food salvage for donation and the reuse or remanufacturing of electronics are not “recycling” activities. However, for brevity, the report uses the term “recycling” when describing the overall scope and results of the analysis. In sections describing food donation and electronics recovery, reuse and remanufacturing, more precise language is used.

To estimate the economic activity attributable to recycling, it is necessary to associate recyclable and recycling flows with the physical processes involved in transforming recyclable materials into useful products, providing reusable materials to the intermediate or final consumer and delivering salvaged food to those in need. These processes can then be associated with specific product and service industries to estimate the direct, indirect and induced economic activity attributable to recycling, reuse and food donation.

There are many different, and equally valid, definitions of recycling that include some or all of the following activities: 1) material collection; 2) separation, cleaning and/or other processing (e.g., baling plastic bottles); 3) transformation of recyclable materials into marketable products; 4) distribution, storage and service delivery (e.g., distribution of food to and from food banks, used products wholesaling and retailing) and 5)

transportation at each stage. For this analysis, recycling is defined to include all of these activities. However, to create an efficient analytical framework that avoids double-counting, recycling activities are further distinguished as *direct* or *indirect*.

Direct recycling activities are those associated with the actual transformation of recyclable materials into marketable products such as the transformation of aluminum scrap into semi-fabricated products (e.g., ingots) in a secondary smelter. For reuse and food donation, the recycling activity is defined as the point for sale (e.g., where reused goods substitute for new goods) or the point of service (e.g., where a food pantry provides donated food to those in need). Indirect activities associated with recycling, reuse and food donation include the activities involved in the value chain of the direct processes, such as the collection, sorting and transportation of aluminum scrap to the smelter or the transportation of donated food from the food bank to the local food pantry.

Finally, the development of a comprehensive WIO model to estimate economic activity attributable to recycling in the U.S. is a significant undertaking involving documentation and modeling of specific material flows. The initial development of the WIO model focused on the most commonly recycled materials and materials that are significant from an environmental, economic and social policy standpoint. Table 1 summarizes the materials and types of processes captured in the 2016 Report WIO model.

Table 1. Materials Included in the Scope of Recycling for this Study

| Material Category | Material Subcategories | Material Description | Example Processes |
|-------------------|---|--|--|
| Ferrous metals | <ul style="list-style-type: none"> • Iron • Steel | Ferrous metals recovered from appliances, automobiles, steel containers, construction and other sources | Use as a feedstock in steel mills and foundries to manufacture raw steel and castings |
| Aluminum | No subcategories | Aluminum scrap from used beverage cans, other containers, transportation, construction and other sources | Use as a feedstock in smelting operations to manufacture semi-fabricated products (e.g., ingots, slabs) |
| Plastics | <ul style="list-style-type: none"> • PET • HDPE • LDPE | Recyclable plastics recovered for recycling | <ul style="list-style-type: none"> • Use in new food and nonfood packaging products • Use in new rug fibers • Use in new pipe products • Use in new composite lumber |
| Rubber | <ul style="list-style-type: none"> • Rubber crumb • Other recyclable rubber | Ground rubber produced from scrap tires used to produce rubber crumb and used in other scrap forms | <ul style="list-style-type: none"> • Use in new molded rubber products • Use for playground surfacing and athletic fields |
| Glass | No subcategories | Glass cullet recovered from glass bottles and jars | <ul style="list-style-type: none"> • Use in new glass containers • Use in new fiberglass |

| Material Category | Material Subcategories | Material Description | Example Processes |
|--|--|--|--|
| Paper | <ul style="list-style-type: none"> Paper and newsprint Paperboard | Recyclable paper and paperboard recovered and recycled | Use in new paper products |
| Construction and demolition (C&D) material | <ul style="list-style-type: none"> Concrete Asphalt pavement Asphalt shingles Gypsum wallboard Wood | Recyclable materials recovered from construction and demolition waste ² | <ul style="list-style-type: none"> Use in road construction Use in new building products |
| Electronics | <ul style="list-style-type: none"> Computers Computer displays Hard copy devices Keyboards and mice Televisions Mobile devices | Recyclable electronics that are recovered for refurbishing, remanufacturing or resale ³ | Refurbishing, remanufacturing and resale as substitute for new equipment |
| Food and Organics Donated Food | <ul style="list-style-type: none"> Gleaned produce Rescued food Salvaged food | Produce, prepared food and salvaged food recovered from farms, wholesalers, retailers and food service facilities that otherwise would have been wasted | Delivery to people in need through community food service programs |
| Food and Organics Recyclable Organics | <ul style="list-style-type: none"> Animal by-products Crop residue Dairy by-products Deceased animal stock | Recyclable by-products from food processing, spoiled food that is no longer edible, grease and other cooking waste and organic material (food waste and yard trimmings) diverted from the solid waste stream | Use in producing minimally processed animal feed, rendering and animal by-product processing, biofuels manufacturing, anaerobic digestion, compost |

² C&D metal waste is included in ferrous and nonferrous metals recycling analysis.

³ For the purposes of this analysis, electronics recycling includes the recovery, refurbishing/remanufacturing and resale of electronics devices. It does not include the processing of used electronics into commodity-grade scrap, such as ferrous metals, nonferrous metals, glass and plastic. To avoid double-counting, commodity-grade scrap is included in estimates of recycling of the respective commodity.

| Material Category | Material Subcategories | Material Description | Example Processes |
|-------------------|--|----------------------|--|
| | <ul style="list-style-type: none"> • Grease/FOG • Plate waste • Produce, oilseed and grain residues • Spoiled food • Trim and other cooking waste • Yard trimmings | | manufacturing and landscape material application |

EPA recognizes that the current 2016 REI WIO model does not include all of the materials where recycling makes important contributions to the U.S. economy. However, the model is a first step in establishing a framework for integrating additional materials, products, material flow and other information as it becomes available to develop a more complete picture of the economic activity attributable to recycling in the U.S. over time.

2.2. Analytic Approaches Included in the REI Study

Manufacturing a product from recyclable materials requires machinery, raw materials (e.g., water, virgin material inputs), energy and other inputs. Manufacturers of recycled products purchase these inputs from other industries (e.g., machinery manufacturers, power companies) that in turn purchase inputs from upstream suppliers. The effect of the demand for recycling inputs on industries throughout the upstream supply chain is referred to as the *multiplier effect* or *ripple effect*. The multiplier effect can be calculated using the Leontief inverse of an input-output table (see Appendix B – WIO Model Methodology).

Multiplier analyses assume the final and intermediate demands for products and services *pull* corresponding upstream inputs, and upstream factor inputs are attributable to downstream activities that require them. In other words, the demand for aluminum scrap for recycling, for example, creates a demand for facilities that recover aluminum scrap and the demand for energy used in those material recovery facilities. If there were no demand for aluminum scrap, this upstream economic activity necessary for aluminum scrap recovery would not exist.

A key issue to consider in multiplier analysis is therefore the definition of *demand*. As discussed in Figure 1, calculating economic activity attributable to recycling by multiplying intermediate (i.e. business-to-business) demand by an input-output multiplier results in the type of double-counting that has challenged previous REI studies. To overcome these challenges, the WIO model bases estimates of economic activity attributable to recycling on the final demand for products and services – that include recycled content or involve recyclables – by the end-users in the economy. Final demand end-users include households, governments and exports.

It is important to realize that the results from multiplier analyses are the results of an analytical model (as opposed to observation). Therefore, they depend on the methodology and assumptions employed in the analytical model. More than one set of assumptions is possible in modeling the economic activity attributable

to recycling in the U.S. economy. To provide a more insightful analysis, the WIO model is used to estimate recycling's contribution to economic activity using four approaches: 1) direct production, 2) direct and indirect production, 3) final demand and 4) recycled content in final demand. Table 2 shows the direct, indirect and induced economic activity covered by each approach.

Section 3 describes the four approaches and the different assumptions and methods used to model economic activity attributable to recycling. The results shared in Section 4 focus on the direct and indirect production approach, which is the preferred method due to its ability to capture the economic impact of recycling while limiting double-counting.

Complex interconnections between economic sectors make it difficult to quantitatively attribute economic activity to a particular sub-component of a sector, such as recycling. Economic input-output models provide a well-established analytical framework for quantifying *direct* and *indirect* economic activity. Sector interconnections throughout the supply chain can be captured through input-output multipliers. However, input-output multipliers are designed to estimate the activity attributable to changes in *final demand*, rather than intermediate demand between economic sectors. When used to analyze changes in intermediate demand, economic activity can be substantially overstated across the supply chain due to a double-counting effect.

For example, suppose that the recycler processes and delivers steel to a smelter that uses the material to produce hot-rolled coil for use in motor vehicle suspensions. By creating a demand for the recycled steel, each and every industry in the downstream supply chain (e.g., smelter, suspension maker and automaker) can claim the direct and indirect economic activity of the recycling facility as part of their contribution to the economy. Aggregating economic activity at intermediate points along the supply chain will therefore result in figures that far exceed the true regional and national totals.

Existing methods to mitigate the double-counting effect generally involve normalization of the results to dilute the effect. However, the origin of the problem is the misuse of these multipliers, which are designed to be used with final demand, not intermediate demand. Normalization techniques do not specifically address this issue. Final demand in an input-output framework is the end-point of a supply chain. When economic activity is attributed to final demand, consumption—and the economic activity created in the supply chain as a result of that consumption, such as the economic activity associated with recycled steel created by the demand for motor vehicles—is counted only once in a *mutually exclusive and collectively exhaustive* manner (see, e.g., Lenzen et al., 2007).

The WIO model builds on BEA's national I-O tables by disaggregating the "scrap" flow to better represent the flows of secondary materials, recycling processes and their interactions with the rest of the economy. This enables approaches (e.g., recycled content in final demand) that transparently track gross physical and economic recycling activity at a higher resolution and assess the net economic activity of recycling, avoiding the double-counting problem.

Figure 1: Double-Counting Can Occur When Intermediate Demand is applied to an Input-Output Multiplier Framework

Table 2. Four Approaches to Measuring the Impact of Recycling

| Approach Name | Recycling's direct activity | Recycling's supply chain activity | Ordinary products' direct and induced activity outside recycling's supply chain |
|----------------------------------|-----------------------------|-----------------------------------|---|
| Direct production | ○ | × | × |
| Direct and indirect production | ○ | ○ | × |
| Final demand | △ | △ | × |
| Recycled content in final demand | ▲ | ▲ | ▲ |

Notes: ○ Included. × Not included. △ Partly included (only the final demand sectors' share of recycling).
▲ Partly included (based on recycled content in final demand).

2.2.1. Hypothetical Economy to Illustrate Methods

Table 2 presents a hypothetical economy to illustrate alternate methods for estimating the economic activity attributable to recycling. The figure highlights four subsectors of the economy (Sectors 1 through 4) that involve a linear set of supply chain relationships. Two of the sectors are involved in recycling activities associated with two materials (Materials A and B).

The hypothetical economy is described as follows:

Sector-to-sector relationships:

- Sector 1 manufactures durable equipment using Material A as an input. The equipment is used by manufacturers in Sector 2 (i.e. it is one of the products shown in the Direct Inputs box beneath Sector 2). The equipment does not become, in a physical sense, part of the product manufactured in Sector 2.
- Sector 2 produces an intermediate product that is used in the Material B recycling process in Sector 3.
- Sector 3 produces a mechanical part that is assembled with other materials and parts during the manufacturing of the final product in Sector 4 (e.g., a part made with recycled aluminum assembled into a car engine). The product of Sector 3 is embedded in a physical sense in the final product manufactured in Sector 4.

Relationships to final consumers:

- Sector 4 produces the final product consumed by households and governments.

- Sectors 1 through 3 are part of the upstream supply chain of the Sector 4 final product.

Recycling activity:

- Sectors 1 and 3 are engaged in recycling activities. At least a portion of the activity within each sector is involved in transforming recyclable materials generated by consumers or other sectors into intermediate products.

For simplicity, this hypothetical segment of the economy does not show the detailed interactions and processes associated with other product and service sectors. These product and service sectors consume inputs and produce the resources, materials, products and services that are used in Sectors 1 through 4 and other parts of the economy. For illustration purposes, it is assumed that recycling does not take place in these other sectors. The other products and services component includes both upstream supply chain sectors and final products and services.




Figure 2: Hypothetical economy to illustrate methods

2.2.2. *Direct production of recycling*

The *direct production of recycling* approach defines the economic activity attributable to recycling in terms of inputs and outputs associated with sectors *directly engaged in recycling*. Using the hypothetical economy, this model consists of the labor inputs (jobs) associated with Sectors 1 and 3. Figure 3 illustrates this approach, partially highlighting the “labor” inputs to indicate the hypothetical situation where not all of the

jobs in these sectors are engaged in recycling processes. Other measures of economic impacts could include percentage of total sales or tax payments attributable to recycling activities in Sectors 1 and 3. The direct




Figure 3: Illustration of direct production approach for estimating recycling economic impacts

method does not include indirect (i.e., supply chain) effects.

2.2.3. Direct and indirect production of recycling approach

The *direct and indirect production of recycling* approach builds on the *direct production approach* and adds the economic activity in the upstream supply chain of recycling processes. Of the four approaches described herein, this methodology is most similar to the approach for estimating direct and indirect economic activity used in the 2001 REI study.

As illustrated in Figure 4 the direct and indirect production approach includes workers directly engaged in recycling in Sectors 1 and 3. It also includes workers engaged in the upstream supply chain of the recycling activities in both Sectors 1 and Sector 3. Workers directly engaged in recycling in Sector 1 and workers engaged in the upstream supply chain of recycling activities in Sector 1 are also be counted in the jobs estimates for Sector 3, which results in double-counting.




Figure 4: Illustration of direct and indirect production approach for estimating recycling economic impacts

2.2.4. Direct household demand on recycling approach

The *direct household demand on recycling* approach estimates the economic activity attributable to recycling based on final demand by households, governments and exports directly for recycling. Using the jobs example, the approach captures the direct and supply chain labor associated with recycling that is demanded directly by final consumers. The approach applies the primary factor input multipliers included in the I-O model and avoids the issue of double-counting. The approach does not include the economic activity attributable to recycling of materials that are used solely in intermediate products (i.e. that are not physically embedded in final products).

As illustrated in Figure 5, this approach includes the jobs associated with Sector 3 because the product of this sector is embedded in a physical sense in the product of Sector 4. It also includes labor inputs in the supply chain that are pulled by the recycling activities in Sector 3 using the I-O model. It does not include the jobs in the upstream supply chain of the recycling activities in Sector 1, as the equipment produced by this sector does not become part of the final product of Sector 4.




Figure 5: Illustration of direct household demand on recycling approach for estimating recycling economic impacts

2.2.5. Recycled Content in Final Demand Approach

The *recycled content in final demand* approach (referred to herein as the *recycled content* approach for brevity) allocates the economic activity attributable to product proportionally to the recycled content of the products consumed by final consumers (households, government and exports). This approach incorporates the concept that the materials constituting a consumer product harbor the services that the product renders. Therefore, this approach extends the definition of final demand for recycling to the final consumer products that physically incorporate recycled materials based on the recycled material share by mass.

Using the hypothetical example, one can calculate the direct and indirect labor required to produce the final product in Sector 4 including not only direct labor input to Sector 4 but also all of the labor in the upstream supply chain that can be attributed to manufacturing the product. The recycled content approach uses the share of recycled materials in the final consumer product that Sector 4 produces and attributes the direct and indirect labor requirement of Sector 4 to recycling based on the share.

Computationally, recycling economic activity attributable to the final consumption of a product is estimated as the share of the total direct and multiplier impacts associated final consumption that is proportional to the final product's recycled content. The approach applies the primary factor input multipliers and pulls in all recycling activity that has been included in the I-O model. It produces a more complete estimate of the economic activity attributable to recycling while avoiding double-counting. In doing so, it includes the labor inputs to ordinary sectors not directly associated with recycling if the downstream products of those sectors incorporate recycled content.

Using the hypothetical example, the approach would include workers directly engaged in recycling in Sectors 1 and 3. It would also include workers engaged in the upstream supply chain of the recycling activities in both Sectors 1 and 3, without double-counting and is illustrated in Figure 6.




Figure 6: Illustration of recycled content approach for estimating recycling economic impacts

2.3. The Waste Input-Output Model

The WIO model combines the official U.S. input-output tables and more detailed information about recyclable and recycling material flows, process inputs and economic data to create a computational framework for estimating the economic activity attributable to recycling. Developing the WIO model required:

- *Creating the WIO framework*—defining the recycling economy in relation to the rest of the U.S. economy by defining the sectors where recycling occurs, distinguishing recycling activities from other activities within those sectors and translating this information into a computational model.
- *Integrating measures of economic impact*—aligning publicly available and verifiable measures of economic impact, including jobs, wages, occupational classifications and tax revenue, to the resulting WIO framework.

The methodologies used to create the WIO framework and integrate measures of economic impact are described in the following section. The resulting WIO model is the first iteration of the model that leverages publicly available information to estimate the economic activity attributable to recycling in the U.S. The

model provides a framework that can be used to further our understanding of the economic activity attributable to recycling as new information is made available (e.g., through updated federal statistics, state data, and industry sources). It also establishes a sound analytical framework for estimating the broader economic impacts associated with recycling. Section 5 identifies opportunities for further refinements and extensions to the WIO model.

2.3.1. Waste Input-Output Framework

The existing U.S. official input-output table shows flows of transactions between industries, but does not specifically distinguish recyclable and recycled material flows. For example, the I-O table aggregates many of the recyclable material flows addressed in this study in the form of single scrap flow (USBEA 2014). In addition, recycling activities are either embedded in the broader activities of a manufacturing sector (e.g., I-O category “331110, Iron and steel mills and ferroalloy manufacturing”) or combined and included within the I-O category “562000: Waste management and remediation services.” Therefore, the input-output structure specifically for recycling activities is not specified in that framework.

Development of the WIO model involves disaggregation of recyclable and recycled flows in the existing national input-output table, and creation of a hybrid unit table that links physical flows of recycling inputs and outputs to monetary flows in the economy. The following additional types of information were collected and incorporated into a hybrid I-O framework for the nine material categories included in this study to produce the WIO model:

- Estimates and/or modeled flows of scrap, recyclable materials, reusable products and materials and salvaged food produced or donated by industry or households;
- Estimates and/or modeled flows of secondary (recycled, reused and remanufactured) materials consumed by industry and households;
- Unit price data for recyclable materials, reusable products and materials, donated food and secondary (recycled) materials, used to integrate material flows with existing I-O data;
- Statistics on the percentage of scrap, recyclable materials and reusable products and materials generated that enter into recycling, reuse and remanufacturing operations and percentage of donated food that reaches people in need;
- For recycling processes (versus reuse and food donation), secondary material yields; and
- The input used by recycling, reuse, remanufacturing and food donation operations (i.e., amounts of materials and energy consumed).

Section 3 describes data collection efforts in more detail, including sources of information and techniques used to impute missing information.

2.3.2. Integrating Measures of Economic Impact

By defining relationships among businesses and final consumers in the economy, the WIO framework creates a computational approach for estimating the direct and upstream economic inputs and outcomes associated with recycling processes. For consistency with previous REI studies, economic inputs and outcomes incorporated into the WIO model include employment as measured in terms of number of jobs, wages and occupational distribution; and tax revenue generated as a result of recycling operations.

To integrate this information within the WIO framework, data on jobs and wages were collected from publicly available information sources, including the Census Bureau Statistics on U.S. Businesses (SUSB), the U.S. Agricultural Census and the U.S. Census of Governments. Data regarding corporate tax review was collected from the Internal Revenue Service (IRS) Statistics of Income (SOI) program. These sources were used to ensure that the methodology leverages existing public data and can be reproduced and updated in the future as new data become available.

Data were integrated with the WIO framework by associating economic sector classifications in the original data source with the sectors used in the BEA I-O tables. Economic data were attributed to specific recycling processes using the types of material flow information described above to calculate the share of production in recycling industries that can be attributed to recyclables versus materials for which recyclables are substituted to meet the functional requirements of products and services. Section 3 describes the data collection activities in greater detail.

3. Data Collection

Two primary types of data were collected to create the waste input-output (WIO) model: 1) recycling process data, including data used to characterize recyclable material flows, recycling process inputs and outputs and recycled material flows and 2) economic data to enable analysis of the impact of recycling on jobs, wages and tax revenue. Section 3 describes the data collection effort, summarizes collected data and discusses the challenges and limitations associated with the data collection effort.

3.1.Data Collection Approach

Table 3 provides a list of data elements that were targeted for data collection for each of the nine material categories included in the study. Information for most data elements was collected from public data sources. For other information, such as recycling process inputs, that were not as readily available, assumptions based on best judgement were applied. A list of assumptions made to characterize the inputs of recycling processes can be found in Appendix D – Recycling Process Allocation Assumptions. Additionally, detailed information on the quantities of materials recycled/recovered, along with unit prices for recycled materials can be found in Appendix E – Recycling Material Quantity and Price Data.

Table 3: 2016 REI Study Data Elements

| Data Element | Description | Units |
|--|---|---|
| Recycling Process Inputs, including recyclable materials | Quantity of energy, material, water, transportation, labor and capital inputs to recycling processes, including the recyclable material inputs. | Physical, and if available, monetary unit |
| Recyclable Material Production | Quantity of recyclable materials produced by industrial sectors and households, which can become inputs to recycling processes depending on the destination of those materials. | Physical, and if available, monetary unit |
| Distribution of Recyclable Materials | Sectors to which recyclable materials produced by industrial sectors and households are distributed such as recycling, landfill and incineration; including the quantity sourced to each. | Physical, and if available, monetary unit |
| Recyclable Materials Proportion | Ratio of recyclable material to total material (sum of recyclable material and virgin material for which the recyclable material is used as a substitute) used in processes that involve recycling. | Physical unit |
| Recycled Material Production | Quantity of recycled materials produced by recycling processes. | Physical, and if available, monetary unit |
| Distribution of Recycled Materials | Sectors to which recycled materials produced by recycling processes are distributed, including the quantity sourced to each. These materials may be used for consumption by households, or as intermediate inputs by industry for subsequent industrial production processes. | Physical, and if available, monetary unit |

Data collection efforts included literature review and outreach to industry associations for the nine material categories selected for the project. EPA contacted representatives at industry associations and organizations through e-mail and telephone calls to describe the project's data requirements and establish initial communication. Additionally, contact was established with working groups within EPA that could provide

information relevant to this study, including information on electronics recycling, reuse and remanufacturing, food donation and organics recycling. A list of organizations and industry associations contacted is provided in Table 4.

Table 4: 2016 REI Study Data Collection Outreach

| Material | Organization / Industry Association |
|---------------------------|--|
| Ferrous Metals | Institute of Scrap Recycling Industries, Inc. (ISRI) Steel Recycling Institute (SRI) |
| Nonferrous Metals | The Aluminum Association |
| Plastic | American Chemistry Council (ACC) The Association of Postconsumer Plastic Recyclers (APR) Society of the Plastics Industry (SPI) KW Plastics |
| Rubber | Rubber Manufacturers Association |
| Glass | Glass Packaging Institute Container Recycling Institute |
| Paper | American Forest and Paper Association (AF&PA) American Wood Council (AWC) U.S. Department of Agriculture (USDA) |
| Construction & Demolition | Construction & Demolition Recycling Association |
| Electronics | Electronics TakeBack Coalition |
| Organics | BioCycle |

Key data sources included in the literature review include the following U.S. Government Reports:

- EPA ORCR's Municipal Solid Waste Generation, Recycling and Disposal report for 2012 containing figures for all nine product categories in the United States (USEPA, 2014)
- EPA report on Electronics Waste Management in the United States (USEPA 2011)
- EPA documentation for the Waste Reduction Model (WARM) (USEPA, 2015b)
- EPA studies of food waste loss, diversion and donation in the US (USEPA, 2009b; USEPA 2013; USEPA, 2014b; USEPA 2015b)
- EPA's Anaerobic Digestion and its Applications (USEPA 2015e)
- USGS Minerals Yearbook containing recycling figures for ferrous and nonferrous metals (USGS, 2006; USGS, 2010a; USGS 2010b; USGS, 2013; USGS, 2014)
- U.S. International Trade Commission's report on Used Electronic Products (USITC, 2013)

- USDA Consumer-level Food Loss estimates (USDA, 2011)

Industry Association Reports:

- Bureau of International Recycling's world steel recycling reports for ferrous metals (BIR, 2013) and non-ferrous metals (BIR, 2012)
- Reports from the Aluminum Association (Aluminum Association, 2011)
- Reports from the American Chemistry Council on plastics recycling (ACC, 2009; ACC, 2014; ACC, 2015a; ACC, 2015b)
- Publications from the National Renderers Association (Meeker, 2006)
- Container Recycling Institute's report on U.S. beverage container recycling rates and trends (CRI, 2013)
- Rubber Manufacturers Association reports on scrap tire recycling (RMA 2009; RMA, 2014)
- Glass Packaging Institute's report on glass recycling (GPI, 2014)
- Annual Statistical Summary of Recovered Paper Utilization report from the American Forest and Paper Association (AFPA, 2014)

Other Reports:

- Tellus Institute and Sound Resource Management Group, Inc.'s report on Growing the Recycling Economy in the U.S. (Tellus Institute, 2011)
- Institute for Local Self-Reliance's report on the State of Composting in the U.S. (Platt et al. 2014)

These reports were used to collect information on production volumes, recycling statistics and the recyclable material proportions. For information on recycling process inputs, mass-based and monetary-based data were gathered from Life Cycle Inventory datasets such as EcolInvent v.3.0, U.S. LCI and CEDAv.4.8.

Mass-based inputs are direct inputs (in physical units) that go into production of 1 kg of the material, and monetary-based inputs are direct inputs (in dollar values) that go into production of \$1 of the material. Industry associations provided review and comments on the input structure information for their industry and were able to supply alternate data when available. While the input structure in some cases was specific to inputs of a recycled product (such as inputs to 1 kg of 100% recycled graphic paper), in other cases input information was available for the product in general (such as inputs to \$1 of synthetic rubber manufacturing).

The purpose of this exercise was to provide industry associations with an approximation of the input structure for the products being analyzed, and to request more accurate or complete information if available. When better information was not available the existing input structure was used as proxy data to build the WIO model.

In two cases alternate input structure data was available from industry: for aluminum, from the Aluminum Association's report on The Environmental Footprint of Semi-Finished Aluminum Products in North America (2010) (Aluminum Association, 2013) and for corrugated cardboard products from the NCASI report on Life Cycle Assessment of U.S. Average Corrugated Product (NCASI, 2014).

The efforts coordinating with industry yielded data on the production volumes of recyclable and recycled materials, recycling statistics and input structures. However, data describing distribution of recyclables and recycled materials to other sectors and geographically was not readily available.

3.2. Summary of Collected Data

3.2.1. Recycling Process Data

Some recycling process data were obtained directly from industry associations, while other data are supplied as proxy data from life cycle inventory databases. Table 5 summarizes data received by industry associations and data gaps that were filled using proxy data garnered from life cycle data.

Table 5: Type of Data Received

| Material | Production of recyclables | Distribution of recyclables | Production of recycled | Distribution of recycled | Inputs and outputs of recycling |
|--------------------------------------|---------------------------|-----------------------------|------------------------|--------------------------|---------------------------------|
| Ferrous metals | ✓ | ✓ | ✓ | ✓ | Proxy data |
| Nonferrous metals | ✓ | Proxy data | ✓ | Proxy data | ✓ |
| Plastic | ✓ | ✓ | ✓ | ✓ | Proxy data |
| Rubber | ✓ | ✓ | ✓ | ✓ | Proxy data |
| Glass | ✓ | ✓ | ✓ | Proxy data | Proxy data |
| Paper | ✓ | ✓ | ✓ | ✓ | ✓ |
| Construction and demolition material | ✓ | ✓ | ✓ | ✓ | Proxy data |
| Electronics | ✓ | ✓ | ✓ | ✓ | Proxy data |
| Food and organics | ✓ | ✓ | ✓ | ✓ | Proxy data |

Proxy data are needed when there are incomplete full life cycle analyses done by the particular material sectors. Table 5 demonstrates that only aluminum and paper have complete recycling flow of the inputs and outputs of recycling for their industry. Given the complex, heterogeneous nature of food and organics category material and monetary flows and fundamental differences between food donation and organics recycling, the WIO model (and associated data collection efforts) incorporated a higher level of granularity. Donated food was characterized in terms of three categories: gleaned produce, rescued food and salvaged food.⁴ Recyclable organics were subdivided into nine additional categories, including eight categories

⁴ In some figures and tables used in this report, salvaged food and rescued food are combined into a single category, “salvaged and rescued food” for brevity.

associated with food production, processing, distribution, preparation and waste and one category associated with yard trimmings (e.g., grass clippings and branches). All categories were defined to be mutually exclusive. A high-level depiction of material (and monetary) flows associated with the food and organics category is shown in Figure 7. Definitions of the twelve food and organics categories are included in Appendix D – Recycling Process Allocation Assumptions.




Figure 7: Overview of food and organic material (and monetary) flows

3.2.2. *Economic Data*

Employment, wage, occupation and tax revenue data were collected from publicly available sources for the U.S. economy for the baseline model year 2007. Data were associated with the economic sectors used in the BEA I-O tables to form a model of employment and tax payments for the entire economy as the basis for estimating economic activity attributable to recycling using the four approaches described in. Table 6 lists the sources of employment and tax data. Table 6 summarizes the data, aggregated to major economic sectors. Appendix F – Employment and Tax Revenue Data Compilation describes the economic data collection methodology in greater detail.

Table 6: Economic Data Sources by Economic Sector

| Sector | Associated Activities | Jobs and Wages | Occupational Profile | Tax Payments |
|--------------------------|--|---|---|--|
| Agriculture | <ul style="list-style-type: none">• Crop and animal production | 2007 U.S. Census of Agricultural (USDA 2009) | 2007 Occupational and Employment Statistics (USBLS, 2007) | 2007 U.S. Statistics of Income (USIRS, 2007) |
| Nonfarm private industry | <ul style="list-style-type: none">• Forestry, fishing and agricultural support services• Mining, quarrying, oil and gas extraction, utilities and construction• Manufacturing• Wholesale and retail trade• Transportation and warehousing• Services (except government) | 2007 Statistics of U.S. Businesses (U.S. Census Bureau, 2007b) | 2007 Occupational and Employment Statistics (USBLS, 2007) | 2007 U.S. Statistics of Income (USIRS, 2007) |
| Government | <ul style="list-style-type: none">• Federal government• State government• Local government | 2007 Annual Survey of Public Employment and Payroll (U.S. Census Bureau, 2007a) | | |

Table 7: Summary of Employment and Tax Revenue Data Used in the WIO Model, U.S. 2007

| Sector | Total Employment | Total Wages (\$ million) | * Mgmt | * B&L | * STEM | * S&A | * P&T | * EH&O | Total Tax Payments (\$ million) |
|---|-------------------------|---------------------------------|---------------|------------------|---------------|------------------|------------------|-------------------|--|
| Crop and animal production | 5,973,955 | \$46,235 | 2% | 0% | 1% | 6% | 90% | 2% | \$2,916 |
| Forestry, fishing and agricultural support services | 172,105 | \$5,564 | 2% | 0% | 1% | 6% | 90% | 1% | \$976 |
| Mining, quarrying, oil and gas extraction, utilities and construction | 8,586,544 | \$427,574 | 5% | 3% | 3% | 12% | 77% | 0% | \$80,049 |
| Manufacturing | 13,275,432 | \$624,422 | 5% | 3% | 8% | 13% | 70% | 1% | \$158,152 |
| Wholesale and retail trade | 20,057,919 | \$668,528 | 3% | 2% | 2% | 64% | 23% | 6% | \$140,625 |
| Transportation and warehousing | 4,351,460 | \$173,908 | 3% | 2% | 1% | 22% | 69% | 4% | \$28,540 |
| Services (except government) | 72,006,244 | \$3,063,248 | 5% | 7% | 6% | 25% | 17% | 40% | \$342,034 |
| Government | 22,116,019 | \$942,997 | 5% | 13% | 8% | 19% | 37% | 18% | ---** |
| Total | 146,539,678 | \$5,952,479 | 5% | 6% | 6% | 27% | 34% | 23% | \$753,296 |

* **Occupational Profile** (% employment by category)

* Key to Occupational Profile (see Appendix E for crosswalk with BLS occupational categories):

Mgmt: Management occupations
B&L: Business and legal occupations
STEM: Science, technology and engineering occupations
S&A: Sales and office administration occupations
P&T: Production, building services and transportation occupations
EH&O: Educational, health care and other service occupations

** Does not include inter-governmental transfers

Economic data were allocated to recycling processes based on statistics and other information regarding recyclable material production, distribution and proportions for the nine material categories included in the model. To the extent possible, data were collected to represent conditions as they existed for the baseline model year 2007.

Recyclable material production data were collected from industry sources and publicly available reports, as described in Section 3.1. The distribution of recyclables was modeled by identifying the major consuming sectors of recyclable materials and/or by identifying major intermediate and end-uses of recyclables and the economic sectors in which the associated recycling processes take place. Recycling material proportions were estimated based on statistics and other publicly available information on virgin and recyclable material flows associated with each recycling process.

Material-specific summaries of assumptions were also developed and distributed to the industry organizations listed in Table 7 for review. Feedback from these organizations was used to modify assumptions based on verifiable data sources and/or was used to help interpret the results of the analysis. Appendix D contains the material-specific summaries of assumptions, amended based on comments received from industry associations and other organizations.

3.3.Challenges and Limitations

EPA faced several data challenges and limitations during the data collection process. While best efforts were made, it is acknowledged that data used in the study will need to be refined in the future.

One of the challenges in collecting data for different material categories was that the type of data collected from different sources varies by year, by units (e.g., short tons, pounds) as well as by type (e.g., mass-based or monetary-based). Where data were expressed in different units, conversion factors were applied to convert from one unit to another. For consistency, metric tons was applied throughout as the mass unit and the dollar (USD) was used as the monetary unit. While efforts were made to find and use price data of recyclables and recycled products for the study baseline year – 2007 – in some cases price data were selected from a different year which might not be the best representation of the price of that recyclable/recycled material during 2007. Price data were also challenging due to the varied definitions of recyclable and recycled materials being applied in public sources and reports. Many such reports do not differentiate clearly between recyclable and recycled materials (e.g., the price of “recyclable glass cullet” is described as the price of “recycled glass”). The price of scrap material, in many cases, is represented as the price of the recycled material, which is inaccurate.

During the data collection process, data sources were limited to those found in the public domain. Therefore, proprietary data were outside the scope of the data collection for the study.

Moreover, while nine major material categories were targeted for data collection, obtaining data for each overall category itself, such as for recycled paper or recycled plastics, was fairly uncommon. For instance, production volumes and recyclable and recycled material data for ‘plastics’ was not available. Data availability differed by the type of plastic (i.e. plastic bag and PE films, plastic bottles, postconsumer non-bottle rigid plastics and plastic polymer type such as polyethylene terephthalate (PET), high density polyethylene (HDPE), polyvinyl chloride (PVC), low density polyethylene (LDPE) or polypropylene (PP)) and were aggregated.

Similarly, for construction and demolition materials, data on recyclable quantities was available by the type of material consumed. For paper, data collection was focused on recycled paperboard, and recycled paper amounts were estimated using commodity outputs of industrial sectors related to paper production. For the glass product category, data collection efforts focused on glass beverage containers as data for other types of glass were not readily available. Data collection for rubber products focused on ground rubber produced from scrap tires and other rubber recovered from scrap tires used in civil engineering, reclamation and agricultural applications. Electronic items such as computers, monitors, hard copy devices, keyboards, mice, televisions and mobile devices were considered for data collection for electronics. Ferrous metals data collection was conducted for steel products, and non-ferrous metals data collection was conducted for aluminum products such as aluminum scrap from used beverage cans, other containers, transportation, construction and other sources.

For food and organics, data were collected for each of the twelve sub-material categories shown in Appendix D – Recycling Process Allocation Assumptions. Donated food and many organic products do not have a price value (e.g., donated food is given away for free, and some food waste and yard trimmings are diverted from municipal solid waste). Unit price information was only available for grease, animal-by-products and dairy-by-products. In addition, obtaining data on physical inputs to recycled material was a challenge and in many cases assumptions were required to estimate inputs (see Appendix D – Recycling Process Allocation Assumptions).

Finally, some of the economic data used in the analysis is only available at an aggregated industry level. For these situations, the project team used other information to allocate data. For example, the U.S. Census of Agriculture reports total farm employment and wage data, but does not break down these data by type of farm product. This finer resolution is required to associate farm employment and wage data to the BEA I-O classification system. The U.S. Census of Agriculture does break down market value of agricultural products at an adequate level to associate the data with specific BEA I-O codes. Therefore, the proportion of market sales associated with different sectors of the agricultural economy was used to apportion total employment and wage data. Additional details regarding the methods used to address these data limitations are described in Appendix A.

4. Results

4.1. Overview

Using the WIO model, for each proposed approach EPA estimated the number of job, wages and tax revenue attributable to recycling.

Table 8 summarizes the estimates of the economic activity attributable to recycling in the base year 2007 using the four approaches described in Section 3. In summary:

- Using the **direct production of recycling approach**, it is estimated that 371,000 of the 147 million jobs in the U.S. economy in 2007 (0.25% of all jobs in the U.S. economy) were directly attributable to recycling. The direct production approach also estimates that recycling activities contributed \$18.7 billion in wages (0.32% of total wages paid) and generated tax revenues of \$3.7 billion (0.50% of the total tax revenues).
- Using the **direct and indirect production of recycling** approach, it is estimated 386,000 jobs can be attributed to indirect activity in the upstream supply chain of recycling. Combining the indirect and direct activities makes a total of 757,000 jobs (0.52% of all jobs in the U.S. economy) attributable to recycling in 2007. The direct and indirect approach also estimates that recycling activities contributed to \$36.6 billion in wages (0.62% of total wages paid) and \$6.7 billion in tax revenues (0.90% of total tax revenues).
- The **recycled content in final demand** approach estimated recycling's contribution to the U.S. economy in 2007 as 3.5 million jobs (2.41% of all jobs in the U.S. economy), \$181 billion wage (3.04% of total wages paid) and \$30.7 billion in tax revenue (4.08% of total tax revenues). This methodology indicates that a more complete accounting of physical flows of recycled material would likely yield higher estimates of recycling's contribution to the U.S. economy than the direct and direct and indirect approaches.
- Looking at the **direct household demand on recycling approach**, the number of jobs, wage and tax revenues attributable to recycling were estimated to be 83,000 (0.06% of all jobs in the U.S. economy), \$3.9 billion (0.07% of total wages paid) and \$694 million (0.09% of total tax revenues), respectively. This low number demonstrates the relative importance of intermediate (direct and indirect), business-to-business flows of recycled materials in the U.S. economy. When intermediate or indirect production is not accounted for, the estimates likely underestimate the contribution of recycling on jobs, wages and taxes.

Table 8: Summary of Overall Job, Wage and Tax Results

| Title | Unit | Total Economy | Direct production of recycling approach | Direct and indirect production of recycling approach | Recycled content approach | Direct household demand on recycling approach |
|---|----------------|---------------|---|--|---------------------------|---|
| Quantity and Value Contribution | | | | | | |
| Jobs | # of jobs | 146,539,678 | 371,452 | 757,325 | 3,527,304 | 83,550 |
| Wage | \$1,000 | 5,952,479,603 | 18,768,765 | 36,636,597 | 181,018,880 | 3,908,227 |
| Tax | \$1,000 | 753,296,234 | 3,743,036 | 6,795,244 | 30,747,406 | 694,178 |
| Percentage Contribution | | | | | | |
| Jobs | % | 100% | 0.25% | 0.52% | 2.41% | 0.06% |
| Wage | % | 100% | 0.32% | 0.62% | 3.04% | 0.07% |
| Tax | % | 100% | 0.50% | 0.90% | 4.08% | 0.09% |
| Normalized Contribution Metrics (per metric ton) | | | | | | |
| Jobs | # jobs/1000 mt | - | 0.85 | 1.73 | 8.07 | 0.19 |
| Wage | \$/1000 mt | - | 42,935 | 83,809 | 414,097 | 8,940 |
| Tax | \$/1000 mt | - | 8,562 | 15,544 | 70,337 | 1,588 |

* mt = metric ton

Section 4.2 summarizes the results for the direct and indirect production approach. Section 4.3 compares the results of the 2001 and 2016 REI food salvage studies and discusses the significant differences between the two studies, in terms of methods and underlying assumptions. Results for the other three approaches are presented in greater detail in Appendix C.

4.2. Direct and Indirect Production of Recycling Approach

The results from the analysis under the direct and indirect production of recycling approach is summarized in Figure 8, Figure 9, and Figure 10. C&D provides the largest contribution to all three categories considered (job, wage and tax revenue), followed by ferrous metals and non-ferrous metals (aluminum). It is notable that the relative proportion of shares by the nine materials are kept stable between the *direct production of recycling* and *direct and indirect recycling production* approaches, while the absolute amounts are bigger under the *direct and indirect production of recycling* approach (Figure 11).




Figure 8: Employment results for the direct and indirect production of recycling approach




Figure 9: Wage results for the direct and indirect production of recycling approach





Figure 10: Tax Revenue results for the direct and indirect production of recycling approach








Figure 11: Share of recycling's job creation, wage and tax revenue by material (direct and indirect production of recycling approach)

Since the organics material category comprises a heterogeneous material stream, a breakdown of direct and indirect employment numbers, wages and taxes associated with the six different sub-material types is shown in Figure 12..⁵ The total direct and indirect employment (# of jobs) by the organics category is around 47,118, associated wages are about \$1.5 billion and associated taxes are about \$200 million.



⁵ Note that this figure refers to animal meal (blood, bone and meat) and animal fats, oils and tallow since these are recycled products from the rendering sector. Fats, oil and grease is a recyclable material flow (see Figure 8).

Wages(\$)



Taxes(\$)




Figure 12: Share of direct and indirect employment numbers (# of jobs), wages (\$) and taxes (\$) by organics recycling

4.3 Comparison of 2016 REI Study and the 2001 REI Study

Of the four approaches included in this current study, the *direct and indirect production of recycling* approach is conceptually most similar to the original 2001 national REI study. However, the current study's estimates of the contributions of recycling to the U.S. economy using the direct and indirect approach are significantly lower than the estimates generated by the 2001 REI study. For example, the 2016 study estimates that recycling activities accounted for 0.5% of the jobs in the U.S. in 2007, directly or indirectly. The 2001 study estimated this figure to be 2.0%. Table 9 summarizes the 2001 REI Report results and the 2016 Report estimates of direct and indirect economic activity attributable to recycling.

Table 9: Comparison Current and Previous REI Studies' Estimates of Contributions of Recycling to U.S. Economic Activity

| Metric | 2016 REI Report (Direct and Indirect Approach) | | | 2001 REI Report ¹ (Direct and Indirect Estimates) | | |
|---|---|--------------|--------------|---|-----------------|-----------------|
| | Direct | Indirect | Total | Direct | Indirect | Total |
| Quantity and Value Contribution | | | | | | |
| Jobs | 371,452 | 385,873 | 757,325 | 1,121,804 | 1,377,310 | 2,499,114 |
| Wage (\$1,000) | \$18,768,765 | \$17,867,832 | \$36,636,597 | \$36,712,482 | \$52,275,305 | \$88,987,787 |
| Tax Revenue (\$1,000) | \$3,743,036 | \$3,052,208 | \$6,795,244 | \$12,935,000 | NR ² | NR ² |
| Percentage Contribution Relative to Whole U.S. Economy | | | | | | |
| Jobs | 0.25% | 0.27% | 0.52% | 0.86% | 1.06% | 1.92% |
| Wage | 0.32% | 0.30% | 0.62% | 1.00% | 1.43% | 2.43% |
| Tax | 0.50% | 0.40% | 0.90% | --- | --- | --- |

Notes:

¹ Ref. R.W. Beck/NRC (2001), Tables 4-2, 5-1 and 5-6

The 2001 REI study estimates tax revenue associated with direct and total economic activity (direct, indirect and induced); it does not break out a separate estimate tax revenues from indirect activity

As discussed in previous sections of this report, there are several fundamental differences between the original 2001 study and the 2016 REI study that help explain the different results. The most significant differences include:

- *Definition of recycling processes*—the 2001 study included recyclable material collection, processing and related activities (e.g., wholesaling) in its definition of recycling processes and estimates of recycling direct economic contributions. The 2016 study does not classify these activities as recycling processes. Rather, recyclable material collection, processing and related activities are defined as upstream supply chain processes. Using the relationships defined in the WIO model, they are included in the estimates of indirect economic activity attributable to recycling.
- *Scoping approach*—in the 2001 study industry sectors directly or indirectly engaged in recycling were identified *a priori* based on the methodology established in earlier REI studies and recommended by NERC (NERC, 1998). The 2016 study identified the scope of recycling activity using a materials flow approach. Recyclable materials were selected *a priori* and industries directly engaged in recycling were identified based on government and industry information documenting the flows and destination of these materials. Industries indirectly engaged in recycling were identified using the WIO model.
- *Proportioning economic factors*—the two studies used a different approach for apportioning jobs and wages associated with processes that use a mix of recyclable and virgin material feedstocks. The 2001 study counted all jobs (and associated wages) engaged in processing recyclables regardless of the mix of recyclable and virgin materials in the process. The 2016 study apportioned jobs and wages according to the mix of recyclables and the virgin materials for which recycles are used as a substitute.
- *Input-output methodology*—the 2001 REI study used a proprietary set of multiplier models created for local and regional economies using the national economic input-output tables, estimates of non-market transactions and local and regional economic data. The WIO model from the 2016 Report uses national I-O tables with peer-reviewed primary factor input multipliers. These differences affect the magnitude of double-counting in the indirect estimates.
- *Base year and recycling trends*— the 2001 study used a base year of 1997 and the 2016 study uses a base year of 2007 (the most recent national data available) to estimate economic activity attributable to recycling. Differences in absolute and relative contributions of recycling to national economic activity between 1997 and 2007 would be affected by changes in conditions such as economic output and employment in different sectors, recyclables recovery, recyclable and recycled material markets, and recycling technology.

Table 10 compares estimates of jobs directly attributable to recycling generated by the two studies to illustrate sources of difference in the estimates, including differences in the scope of industries identified as engaged in recycling and the apportionment of jobs within an industry to recycling processes.

The 2016 study presents a more conservative estimate of the economic activity in the U.S. economy that is directly or indirectly attributable to recycling. The study likely underestimates the direct activity associated with recycling activities due to the empirical methods used to identify recycling processes, more limited definition of the scope of recycling and conservative assumptions used to apportion economic activity to recycling processes. Underestimates of direct activity will have a ripple effect on estimates of indirect activity, resulting in greater underestimation of the total direct and indirect activity attributable to recycling.

The approach taken in the 2016 REI Report to estimate the direct contributions of recycling minimizes the possibility of double-counting.⁶ The 2001 study estimates of the share of U.S. jobs directly attributable to recycling is 0.75%, which is three times the estimate in the 2016 study. Both the original 2001 REI Report and current 2016 REI Report estimates of direct contributions of recycling as a share of national employment are significantly higher than estimates developed for the European Union using similar methodologies.⁷

In terms of indirect estimates, the *direct and indirect production of recycling* approach used in the 2016 study does not eliminate the double-counting issue inherent in the original 2001 REI study, but may significantly reduce its impact on the estimate. Double-counting will offset some of the conservative factors affecting the current 2016 study's estimates of indirect economic activity.

4.4 Model Approach Selection for Communication Purposes

For purposes of communicating the recycling jobs, wages and taxes numbers and the REI story, it was determined that one approach should be selected. The process of selection involved reviewing the four approaches presented in the 2016 REI Methodology Document: direct, direct and indirect (intermediate approach), recycled material flow and the recycled demand by end consumer. The direct production of recycling approach was too one dimensional and limited in its analysis and missed the impact within indirect and upstream industries. The direct and indirect (intermediate) production of recycling approach is the two dimensional analysis that accounts for not only direct, but also upstream supply chain economic activity. The intermediate approach is the closest methodological approach to the original 2001 REI study, but incorporates advances that improve the estimates and limit double-counting. The recycled content in final demand approach was the newly created three dimensional SMM material flow model that needs considerably more data and further independent review and analysis before becoming the 21st century job analysis tool. The direct household demand on recycling approach was an academic exercise to test the model with limited analytical capability for providing a reliable estimate of the impact recycling has on jobs, wages and taxes. EPA's National Center for Environmental Economics (NCEE) gave an informal preliminary review of the draft 2016 REI Report and found the direct, and direct and indirect methodologies the most

⁶ For example, recycling of nonferrous metals and plastics recovered from disassembly of electronic products was not included in estimates of the recycling activity associated with electronics to minimize possibility of double-counting the jobs, wages and tax revenues associated with nonferrous metals and plastics recycling.

⁷ For further comparison, similar studies of the European Union estimated that recycling directly contributed to 0.09% of all jobs in the EU in 2007 (Ecorys, 2012).

appropriate. With those considerations, the intermediate approach (direct and indirect) was selected for the 2016 REI report.

Table 10: Comparison of 2016 REI Report and the 2001 REI Study based on Direct Employment Estimates

| Material Category (2016 Study) | Corresponding Industry Category (2001 Study) | Associated NAICS Industry Classifications | 2001 Study Recycling Share of Jobs | 2001 Study Estimated Recycling Jobs | 2016 Study Recycling Share of Jobs | 2016 Study Estimated Recycling Jobs | Difference in Jobs Estimate |
|--------------------------------|--|---|------------------------------------|-------------------------------------|------------------------------------|-------------------------------------|-----------------------------|
| Ferrous metals | Iron and steel mills | <ul style="list-style-type: none"> 331111 | 81% | 118,544 | 40% | 43,183 | -75,361 |
| | Iron and steel foundries | <ul style="list-style-type: none"> 331511 331512 331513 | 96% | 126,313 | 40% | 36,071 | -90,242 |
| Nonferrous metals | Nonferrous Secondary Smelting and Refining Mills | <ul style="list-style-type: none"> 331314 331423 331492 | 62% | 12,790 | 27% | 4,788 | -8,002 |
| | Nonferrous Product Producers | <ul style="list-style-type: none"> 331421 331315 331316 331319 | 45% | 36,363 | 33% | 20,039 | -16,324 |
| | Nonferrous Foundries | <ul style="list-style-type: none"> 331521 331522 331524 331525 331528 | 74% | 69,317 | 26% | 17,936 | -51,381 |
| | --- ¹ | <ul style="list-style-type: none"> 331422 331491 | --- | --- | 23% | 6,017 | +6,017 |
| Plastics | Plastics converters | <u>Included in both studies:</u> <ul style="list-style-type: none"> 326112 326113 326122 326160 326199 <u>Included in 2001 REI study only:</u> ² <ul style="list-style-type: none"> 326111 326121 326130 326140 326150 326191 326192 | 22% | 178,700 | 4% | 30,535 | -148,165 |
| | Plastics reclaimers | <ul style="list-style-type: none"> 325991 | 70% | 19,411 | 0% ² | 0 | -19,411 |

| | --- | • 325222 | --- | --- | 4% | 651 | +651 |
|--|---|--|---|--|---|--|------------------------------------|
| Material Category (2016 Study) | Corresponding Industry Category (2001 Study) | Associated NAICS Industry Classifications | 2001 Study Recycling Share of Jobs | 2001 Study Estimated Recycling Jobs | 2016 Study Recycling Share of Jobs | 2016 Study Estimated Recycling Jobs | Difference in Jobs Estimate |
| Rubber | Rubber product manufacturers | <ul style="list-style-type: none"> • 326211 • 326220 • 326291 • 326299 | 2% | 3,917 | 17,211 | 12% | +13,294 |
| | Tire Retreaders | <ul style="list-style-type: none"> • 326212 | 100% | 7,939 | 5% | 410 | -7,529 |
| | --- | <ul style="list-style-type: none"> • 237310 • 237990 • 238910 • 238990 | --- | --- | 12% | 119,496 | +119,496 |
| Glass | Glass container manufacturing plants | <ul style="list-style-type: none"> • 327213 | 90% | 19,066 | 23% | 3,451 | -15,615 |
| | Glass product producers (other recycled uses) | <ul style="list-style-type: none"> • 327212 | 13% | 4,723 | 0% ² | 0 | -4,723 |
| | --- | <ul style="list-style-type: none"> • 327993 | --- | --- | 30% | 5,639 | +5,639 |
| Paper | Paper, paperboard and deinked market pulp mills | <ul style="list-style-type: none"> • 322121 • 322122 • 322130 | 72% | 139,375 | 14% | 17,183 | -122,192 |
| | Paper-based product manufacturers | <ul style="list-style-type: none"> • 322299 | 54% | 12,867 | 0% ² | 0 | -12,867 |
| Construction and demolition (C&D) material | Pavement mix producers (asphalt and aggregate) | <ul style="list-style-type: none"> • 324121 | 25% | 3,460 | 17% | 14,457 | -1,069 |
| | --- | <ul style="list-style-type: none"> • 115112 • 321219 • 321918 • 324122 • 327310 • 327420 | --- | --- | 2% | 2,278 | +2,290 |
| Electronics | Computer and electronic appliance demanufacturers | <ul style="list-style-type: none"> • 421690 • 811212 | 1% | 3,837 | 0% ² | 0 | -3,837 |

| | | | | | | | |
|---|--|---|------------------|---------|-----------------|--------|----------|
| | | | | | | | |
| Material Category (2016 Study) | | | | | | | |
| | --- ¹ | <ul style="list-style-type: none"> • 333315 • 334111 • 334119 • 334210 • 334220 • 334310 | --- | --- | 3% | 8,025 | +8,025 |
| Food and Organics | Compost and miscellaneous organics producers | <u>Specified in 2016 study:</u> ³ <ul style="list-style-type: none"> • 112210 • 221119 • 311613 • 325199 • 325314 • 561730 • 624210 | --- ³ | 31,718 | 4% | 36,118 | +4,400 |
| Other Industries Not Included in 2016 Study | Residential curbside collection | <ul style="list-style-type: none"> • 562111 | 24% | 32,010 | 0% ⁴ | 0 | -32,010 |
| | Materials recovery facilities | <ul style="list-style-type: none"> • 562920 | 100% | 14,155 | 0% ⁴ | 0 | -14,155 |
| | Recyclable material wholesalers | <ul style="list-style-type: none"> • 421930 | 100% | 114,992 | 0% ⁴ | 0 | -114,992 |
| | Other recycling processors/manufacturers | Not specified | --- ³ | 14,901 | 0% | 0 | -14,901 |
| | Motor vehicle parts (used) | <ul style="list-style-type: none"> • 421140 | 100% | 45,807 | 0% | 0 | -45,807 |
| | Retail used merchandise sales | <ul style="list-style-type: none"> • 453310 | 100% | 97,965 | 0% | 0 | -97,965 |
| | Wood reuse (not C&D) | <ul style="list-style-type: none"> • 321920 • 321999 | 10% | 9,109 | 0% | 0 | -9109 |
| | Materials Exchange Services | <ul style="list-style-type: none"> • 541990 | 1% | 186 | 0% | 0 | -186 |
| | Other Reuse | <ul style="list-style-type: none"> • 421810 • 421820 | 22% | 4,340 | 0% | 0 | -4,340 |

| | | | | | | | |
|--|--|--|-----|------------------|-----|----------------|-----------------|
| | | • 421830 | | | | | |
| | | Total Direct Employment Estimates | --- | 1,121,804 | --- | 335,317 | -786,487 |

Notes:

¹ Industry identified in as 2016 study but not 2001 study as including enterprises engaged in recycling (see Appendix C).

² Industry not identified in 2016 study as including enterprises engaged in recycling (see Appendix C).

³ Industrial sectors not specified in original 2001 study; recycling share of jobs in industry(ies) based on the 2001 study cannot be calculated.

⁴ Jobs associated with industry captured as “indirect” employment in 2016 study based on supply chain relationships to recycling processes.

5. Recommendations for Future Studies

5.1. Conclusion

In this study, a waste input-output (WIO) model is developed, which focuses on nine material categories, to estimate related employment, wages and tax revenues attributable to recycling, reuse and food donation in the United States. Four alternative approaches were employed in estimating recycling's impact on the U.S. economy. These approaches include the *direct production of recycling*, *direct and indirect production of recycling*, *recycled content in final demand* and *direct household demand on recycling* approaches. Of the four approaches, the *direct and indirect production of recycling* approach was chosen to communicate the results as it best modeled the impact recycling has on the economy, including intermediate and upstream impacts, while limiting the impact of double-counting on the estimates of jobs, wages and taxes.

The results from the four estimating strategies show that recycling in the nine material categories employs 0.06% (based on the direct household demand on recycling approach), 0.52% (based on the direct and indirect production of recycling approach) and 2.41% (based on the recycled content approach) of the national workforce. Due to the significance of recycling and demand by intermediate industry, the results from the *direct household demand on recycling approach* did not provide useful insights on the overall recycling activities and their roles in the U.S. economy.

Overall, the *recycled content in final demand* approach consistently shows substantially higher estimates of recycling's contributions to economic activity because the approach is based on the physical presence of recycled materials in consumer products. The other approaches are based on the monetary share of recycling activities and the monetary transactions between industries. Given that prices of recyclables and recycled materials are often lower than those of virgin materials, the estimates do not correspond to the physical volume of recycled materials and the production and consumption activities that they enable.

In all cases, the recycling of metals (ferrous and non-ferrous) and construction and demolition (C&D) materials are identified as the most significant contributors to the national economy. The other materials assessed included plastics, rubber, glass, paper, electronics and food and organics.

The results highlight the importance of recycling's role in providing physical materials to the national economy. These impacts may be considerably larger than the volume of monetary transactions indicate.

5.2. Other Applications of the WIO Model

This project is the first attempt to construct a WIO model for the United States. As such, there are several limitations in the 2016 REI Report WIO model (see Section 3). Higher quality data would significantly improve the accuracy of the estimates of the model.

The WIO model could eventually be used to estimate the broader economic and environmental benefits associated with recycling. The model could be used to conduct first-order counterfactual ("what-if") scenario analyses where the economic impacts of different recycling and waste management strategies could be evaluated (e.g., in terms of shifts in employment from extractive to recycling industries). The framework could also be used to quantify the benefits of recycling with regard to greenhouse gas (GHG) emission reduction, energy, employment and other environmental and social metrics.

In other countries, WIO models have been utilized for Life Cycle Assessment (LCA), Life Cycle Costing (LCC) and waste management planning (Nakamura et al., 2007; Nakamura and Kondo, 2009; Kondo and Nakamura, 2004; Takase et al., 2005; Nakamura and Kondo, 2002; Ecorys, 2012).

The basic idea of distinguishing materials, wastes, recyclables and recycled flows in an input-output table can also be applied to sustainable resource management policy. A well-constructed hybrid-unit WIO model serves as a map that shows how resources are extracted, transformed, distributed, deposited and discarded in and out of a national economy. Such a tool is indispensable for understanding the materials metabolism of a national economy and identifying potential areas for resource efficiency improvement.

5.3. Areas for Future Study and Refinement

Resource efficiency is recognized as an important strategy for a competitive economy, and many countries and authorities are actively developing new strategies toward resource efficiency. EPA established a vision for improving resource efficiency in the U.S. in the Sustainable Materials Management, The Road Ahead report (USEPA, 2009a), and is pursuing several strategic initiatives to foster SMM (USEPA, 2015d). The European Commission issued a roadmap toward a circular economy in April 2015 (European Commission, 2015), and a new and comprehensive strategy document and policy to achieve a circular economy (<http://ec.europa.eu/environment/circular-economy>).

Recycling statistics to support future research can be greatly improved with additional data collection efforts focused on the following topics:

- Amount, price and source (producing parties) of recyclables by materials
- Amount, price and destination (consuming parties) of recycled materials
- Inputs needed to process recyclables and to produce recycled materials

In addition, developing a standard definition of recycling processes and system boundaries would be beneficial for future REI studies. The 2016 WIO framework is capable of being continuously updated and maintained with additional data as they become available. While the framework developed in this study can be applied to regional analyses, it is suggested that estimates be substituted by data specific to a particular region of interest for a more sophisticated economic impact analysis.

6. References

- ADEM. (2012). *Economic Impact of Recycling in Alabama and Opportunities for Growth*. Montgomery, AL: Alabama Department of Environmental Management (ADEM).
- Aluminum Association (2011). *Aluminum: The Element of Sustainability*. Arlington, Virginia.
- Aluminum Association. (2013). The Environmental Footprint of Semi-Finished Aluminum Products in North America: A Life Cycle Assessment Report.
- ACC (2009). 2007 United States National Post-Consumer Plastics Bottle Recycling Report. Washington, DC: American Chemistry Council.
- American Chemistry Council (ACC) (2014). 2013 United States National Post-Consumer Plastics Bottle Recycling Report. Washington, DC: American Chemistry Council.
- American Chemistry Council (ACC) (2015a). 2013 National Post-Consumer Non-Bottle Rigid Plastic Recycling Report. Washington, DC: American Chemistry Council.
- American Chemistry Council (ACC) (2015b). 2013 National Post-Consumer Plastic Bag & Film Recycling Report. Washington, DC: American Chemistry Council.
- American Forest & Paper Association (AFPA) (2014). *Annual Statistical Summary of Recovered Paper Utilization 2014*. Washington, DC: American Forest & Paper Association.
- Ayers, R.U. (1997). Metals Recycling: Economic and Environmental Implications. *Resources, Conservation and Recycling*, 21(3): 145-173.
- Bratkovich, S., J. Howe, J. Bowyer, E. Pepke, M. Frank and K. Fernholz (2014). Municipal Solid Waste (MSW) and Construction and Demolition (C&D) Wood Waste Generation and Recovery in the United States. Minneapolis, MN: Dovetail Partners, Inc.
- Bureau of International Recycling (BIR) (2012). *World Steel Recycling in Figures 2007-2011*. Brussels, Belgium: Bureau of International Recycling, Ferrous Division.
- Bureau of International Recycling (BIR). (2013). *World Steel Recycling in Figures: 2008 - 2012*. Steel Scrap - a Raw Material for Steelmaking.
- Byström, S. and L. Lönnstedt (1997). Paper recycling: environmental and economic impact. *Resources, Conservation and Recycling*, 21(2): 109-127.
- CalRecycle. 2014. Waste Prevention Terms and Definitions by California Department of Resources Recycling and Recovery. <http://www.calrecycle.ca.gov/reducewaste/define.htm#Recycling>. Accessed August 6, 2014.
- Cascadia Consulting Group. (2009). *Recycling and Economic Development: A Review of Existing Literature on Job Creation, Capital Investment, and Tax Revenues*. Seattle: King County Solid Waste Division.
- Cochran, K., Townsend, T. 2010. Estimating Construction and Demolition Debris Generation Using a Materials Flow Analysis Approach. *Waste Management*, 30: 2247-2254. doi:10.1016/j.wasman.2010.04.008.
- Connecticut Economic Resource Center (CERC) (2012). The Economic Impact on Connecticut from Recycling Activity. Hartford, CT: Connecticut Resources Recovery Authority

- Container Recycling Institute. (2013). Bottled Up: Beverage Container Recycling Stagnates (2000-2010). U.S. Container Recycling Rates & Trends, 2013.
- Craighill, A.L. and J.C. Powell. 1996. Lifecycle assessment and economic evaluation of recycling: A case study. *Resources, Conservation and Recycling* 17(2): 75–96.
- Dietzenbacher, E. 2005. More on multipliers. *Journal of Regional Science* 45(2): 421–426. Accessed August 6, 2014.
- DSM Environmental (2010). 2010 Recycling Economic Information Study Update for Illinois. Oak Park, Illinois: Illinois Recycling Association.
- DSM/NERC. (2009). *Recycling Economic Information Study Update: Delaware, Maine, Massachusetts, New York, and Pennsylvania*. Brattleboro, VT: Northeast Recycling Council
- Duchin, F. 2014. The transformative potential of input–output economics for addressing critical resource challenges in the 21st century. In *In Baranzini M, Rotondi C, Scazzieri R (eds). Scale Constraints, Resource Rents, and Structural Dynamics*. Cambridge University Press, Cambridge, UK.
- Ecorys and IDEA. 2009. Study of the competitiveness of the EU eco-industry. Brussels: European Commission.
- Ecorys. 2012. The number of Jobs dependent on the Environment and Resource Efficiency improvements. Rotterdam: Ecorys.
- European Commission. 2007. *Communication from the Commission to the Council and the European Parliament on the Interpretative Communication on waste and by-products*. EUR-Lex - 52007DC0059. Brussels, Belgium: DG Environment. <http://eur-lex.europa.eu/legal-content/EN/TXT/?uri=CELEX:52007DC0059> Accessed August 6, 2014.
- European Commission. 2015. *Communication from the Commission to the European Parliament, the Council, the European Economic and Social Committee and the Committee of the Regions: Closing the Loop – An EU Action Plan for the Circular Economy*. COM(2015) 614 final. Brussels: European Commission.
- European Environment Agency. 2014. Environmental Terminology Discovery Service — EEA. http://glossary.eea.europa.eu/terminology/concept_html?term=waste%20recycling. Accessed August 6, 2014.
- Fiksel, J. 2006. A Framework for Sustainable Materials Management. *Journal of Materials* 58(8): 15-22.
- GHK, Cambridge Econometrics and IEEP. 2007. Links between the environment, economy and jobs. London: GHK Consulting.
- Glass Packaging Institute (GPI) (2014). Achieving 50% Recycled Content for Glass Containers: Efforts, Challenges, and Opportunities Ahead for the North American Glass Container Industry. Arlington, Virginia: Glass Packaging Institute.
- Glavič, P. and R. Lukman. 2007. Review of sustainability terms and their definitions. *Journal of Cleaner Production* 15(18): 1875–1885. Accessed August 6, 2014.
- Goldman, G. and A. Ogishi (2001). The Economic Impact of Waste Disposal and Diversion in California. Sacramento, CA: California Integrated Waste Management Board.
- Hawley, J.M. 2009. Economic impact of textile recycling: 207–232.

- Hefner, F. (2014). The Economic Impact of the Recycling Industry in South Carolina. Report No. CR- 011380. Columbia, SC: South Carolina Department of Health and Environmental Control.
- International Data Corporation (IDC) (2011). Inside the U.S. Electronics Recycling Industry. Framingham, Massachusetts: International Data Corporation.
- John Dunham and Associates. (2013). *Economic Impact of the Scrap Recycling Industry in the United States*. Washington, DC: Institute of Scrap Recycling Industries.
- Jorgenson, D.W. and P.J. Wilcoxon. 1993. Reducing US carbon emissions: an econometric general equilibrium assessment. *Resource and Energy Economics* 15(1). Resource and Energy Economics: 7–25. Accessed December 2, 2011.
- KEDC. (2007). *Profile of Kentucky's Recycling Industry*. Frankfort, KY: Kentucky Economic Development Cabinet (KEDC).
- Kondo, Y. and S. Nakamura. 2004. Evaluating alternative life-cycle strategies for electrical appliances by the waste input-output model. *The International Journal of Life Cycle Assessment* 9(4): 236–246.
- Konijn, P. 1994. The make and use of commodities by industries: on the compilation of input-output data from the national accounts.
- Lenzen, M. 2001. A Generalized Input-Output Multiplier Calculus for Australia. *Economic Systems Research* 13(1): 65–92.
- Lenzen, M., J. Murray, F. Sack and T. Wiedmann. 2007. Shared producer and consumer responsibility — Theory and practice. *Ecological Economics* 61(1): 27–42. Accessed April 3, 2014.
- Lenzen, M. and C.J. Reynolds. 2014. A Supply-Use Approach to Waste Input-Output Analysis. *Journal of Industrial Ecology* 18(2): 212–226. Accessed August 8, 2014.
- Leontief, W. 1970. Environmental Repercussions and the Economic Structure: An Input-Output Approach. *The Review of Economics and Statistics* 52(3): 262. Accessed August 6, 2014.
- Leontief, W.W. 1951. Input-output economics. *Sci Am* 185(4): 15–21.
- Lofgren, H., R.L. Harris and S. Robinson. 2002. *A Standard Computable General Equilibrium (CGE) Model in GAMS*. International Food Policy Research Institute, January 1.
- Miller, A., H. Nguyen, S. Sifleet. 2007. The Economic Benefits of Recycling in Virginia. Richmond, VA: Virginia Department of Environmental Quality.
- Meeker, D.L., ed. 2006. Essential Rendering: All About the Animal By-products Industry. Arlington, VA: National Renderers Association.
- Miller, R.E. and P.D. Blair. 2009. *Input-output analysis: foundations and extensions*. Cambridge [England]; New York: Cambridge University Press.
- Morgan, J. and P. Mitchell. 2015. Employment and the circular economy: Job creation in a more resource efficient Britain. London: Green Alliance.
- National Asphalt Pavement Association (NAPA) (2014). Annual Asphalt Pavement Industry Survey on Recycled Materials and Warm-Mix Asphalt Usage: 2009-2013. Lanham, Maryland: National Asphalt Pavement Association.

- National Association for PET Container Resources (NAPCOR) (2014). Postconsumer PET Container Recycling Activity in 2013. Florence, Kentucky: National Association for PET Container Resources.
- NCASI. (2014). Life Cycle Assessment of U.S. Average Corrugated Product.
- Nakamura, S. and Y. Kondo. 2002. Input-Output Analysis of Waste Management. *Journal of Industrial Ecology* 6(1): 39–63. Accessed April 3, 2014.
- Nakamura, S. and Y. Kondo. 2009. *Waste Input-Output Analysis: Concepts and Application to Industrial Ecology*. Springer, February 8.
- Nakamura, S., K. Nakajima, Y. Kondo and T. Nagasaka. 2007. The Waste Input-Output Approach to Materials Flow Analysis. *Journal of Industrial Ecology* 11(4): 50–63. Accessed April 3, 2014.
- Northeast Recycling Council (NERC) (1998). Recycling Economic Information Project, Recommendations for Conducting a Study of the U.S. Recycling and Reuse Industries, Final Report. Brattleboro, VT: Northeast Recycling Council.
- OECD. 2012. Sustainable Materials Management: Making Better Use of Resources. OECD Publishing.
- Oosterhaven, J. and D. Stelder. 2002. Net Multipliers Avoid Exaggerating Impacts: With A Bi-Regional Illustration for the Dutch Transportation Sector. *Journal of Regional Science* 42(3): 533–543. Accessed April 3, 2014.
- Partridge, M.D. and D.S. Rickman. 1998. Regional Computable General Equilibrium Modeling: A Survey and Critical Appraisal. *International Regional Science Review* 21(3): 205–248. Accessed August 8, 2014.
- Platt, B., N. Goldstein, C. Coker and S. Brown. 2014. State of Composting in the U.S. Washington, DC: Institute for Local Self-Reliance.
- Recycling Business Assistance Center (RBAC) (2013). Employment Trends in North Carolina's Recycling Industry – 2013. Raleigh, NC: North Carolina Department of Environment and Natural Resources.
- Rose, A. 1995. Input-output economics and computable general equilibrium models. *Structural Change and Economic Dynamics* 6(3): 295–304. Accessed August 8, 2014.
- Ross, S. and D. Evans. 2003. The environmental effect of reusing and recycling a plastic-based packaging system. *Journal of Cleaner Production* 11(5): 561–571.
- Rubber Manufacturers Association (RMA) (2009). Scrap Tire Markets in the United States. Washington, DC: Rubber Manufacturers Association.
- Rubber Manufacturers Association (RMA) (2014). 2013 U.S. Scrap Tire Management Summary. Washington, DC: Rubber Manufacturers Association.
- R.W. Beck/NERC. (2000). *Recycling Economic Information Study*. Brattleboro, VT: Northeast Recycling Council (NERC).
- R.W. Beck/NRC. (2001). *U.S. Recycling Economic Information Study*. Washington, DC: National Recycling Coalition (NRC).
- Stone, R.A. 1961. Input-output accounts and national accounts. *Organization for European Economic Cooperation, Paris*.

- Suh, S. 2004. Functions, commodities and environmental impacts in an ecological–economic model. *Ecological Economics* 48(4): 451–467. Accessed July 4, 2012.
- Suh, S. and G. Huppes. 2005. Methods for Life Cycle Inventory of a product. *Journal of Cleaner Production* 13(7): 687–697. Accessed August 8, 2014.
- Suh, S., M. Lenzen, G.J. Treloar, H. Hondo, A. Horvath, G. Huppes, O. Jolliet and colleagues. 2004. System Boundary Selection in Life-Cycle Inventories Using Hybrid Approaches. *Environmental Science & Technology* 38(3): 657–664. Accessed February 18, 2013.
- Suh, S. and B.C. Lippiatt. 2012. Framework for hybrid life cycle inventory databases: a case study on the Building for Environmental and Economic Sustainability (BEES) database. *The International Journal of Life Cycle Assessment* 17(5): 604–612. Accessed August 27, 2013.
- Suh, S., B. Weidema, J.H. Schmidt and R. Heijungs. 2010. Generalized Make and Use Framework for Allocation in Life Cycle Assessment. *Journal of Industrial Ecology* 14(2): 335–353. Accessed August 8, 2014.
- Suh, S. and Y. Yang. 2014. On the uncanny capabilities of consequential LCA. *The International Journal of Life Cycle Assessment* 19(6): 1179–1184. Accessed August 8, 2014.
- Takase, K., Y. Kondo and A. Washizu. 2005. An Analysis of Sustainable Consumption by the Waste Input-Output Model. *Journal of Industrial Ecology* 9(1-2): 201–219.
- Tellus Institute. (2011). *More Jobs, Less Pollution: Growing the Recycling Economy in the U.S.* Boston: Tellus Institute.
- United Nations. 2008. *System of National Accounts*. New York, NY, US: United Nations Statistics Division. <http://unstats.un.org/unsd/nationalaccount/sna2008.asp>. Accessed August 6, 2014.
- USBEA. (2014). Bureau of Economic Analysis (BEA). 2007 Benchmark Input-Output Accounts (data files), Bureau of Economic Analysis, Department of Commerce, Washington D.C., USA.
- U.S. Bureau of Labor Statistics (USBLS) (2007). 2007 Occupational and Employment Statistics. Retrieved April 20, 2015 from <http://www.bls.gov/oes/tables.htm>
- U.S. Census Bureau (2007). 2007 Annual Survey of Public Employment and Payroll. Retrieved April 20, 2015 from <http://www.census.gov/govs/apes/>
- U.S. Census Bureau (2007). 2007 Statistics of U.S. Businesses Annual Data. Retrieved April 20, 2015 from <https://www.census.gov/econ/susb/data/susb2007.html>
- USDA (2009). 2007 Census of Agriculture, United States, Summary and State Data, Geographic Area Series, Part 51. Report No. AC-07-A-51. Washington, DC: U.S. Department of Agriculture.
- USDA (2011). Consumer-Level Food Loss Estimates and Their Use in the ERS Loss-Adjusted Food Availability Data. Economic Research Service. Technical Bulletin No. 1927. Washington, DC: U.S. Department of Agriculture.
- USEPA (2009a). Sustainable Materials Management: The Road Ahead. Report No. EPA530-R-09-009. Washington, DC: U.S. Environmental Protection Agency.
- USEPA (2009b). An Informal Data Study of Food Waste in the U.S. Office of Resource Conservation and Recovery. Washington, DC: U.S. Environmental Protection Agency.

- USEPA (2011). *Electronics Waste Management in the United States through 2009*. Washington, DC: U.S. Environmental Protection Agency.
- USEPA (2013). Food Waste Loss and Donation. Office of Resource Conservation and Recovery. Washington, DC: U.S. Environmental Protection Agency.
- USEPA (2014a). *Municipal Solid Waste Generation, Recycling, and Disposal in the United States: Facts and Figures for 2012*. Office of Solid Waste and Emergency Response. Washington, DC: U.S. Environmental Protection Agency.
- USEPA (2014b). Food Waste Management Scoping Study. Washington, DC: U.S. Environmental Protection Agency.
- USEPA (2015a). *Documentation for Greenhouse Gas Emission and Energy Factors Used in the Waste Reduction Model (WARM)*. Washington, DC: U.S. Environmental Protection Agency.
- USEPA (2015b). Postconsumer Food Diverted Through Donation, Animal Feed, Anaerobic Digestion, and Composting for 2013. Washington, DC: U.S. Environmental Protection Agency.
- USEPA (2015c). *Advancing Sustainable Materials Management: Facts and Figures 2013*. Office of Resource Conservation and Recovery. Report No. EPA530-R-15-002. Washington, DC: U.S. Environmental Protection Agency.
- USEPA (2015d). *U.S. EPA Sustainable Materials Management Program Strategic Plan, Fiscal Year 2017-2022*. Washington, DC: U.S. Environmental Protection Agency.
- USEPA (2015e). Anaerobic Digestion and its Applications. Office of Research and Development, National Risk Management Research Laboratory. Report No. EPA/600/R-15/304. Cincinnati, OH: U.S. Environmental Protection Agency.
- USGS (2006). *Aluminum Recycling in the United States in 2000*. Reston, VA: U.S. Geological Survey.
- USGS (2010a). *2008 Minerals Yearbook: Aluminum*. Reston, VA: U.S. Geological Survey.
- USGS (2010b). *2007 Mineral Yearbook: Iron and Steel, Scrap*. Reston, Virginia: U.S. Geological Survey.
- USGS (2013). *Metal Prices in the United States through 2010*. Reston, Virginia: U.S. Geological Survey.
- USGS (2014). *2012 Minerals Yearbook: Iron and Steel Scrap (Advance Release)*. Reston, Virginia: U.S. Geological Survey.
- U.S. Geological Survey. (2012). Minerals Yearbook 2012: Recycling – Metals (Advance Release)
- U.S. Internal Revenue Service (USIRS) (2007). 2007 Statistics of Income. Retrieved April 20, 2015 from <http://www.irs.gov/uac/Tax-Stats-2>
- U.S. International Trade Commission (USITC) (2013). *Used Electronic Products: An Examination of U.S. Exports*. Washington, CD: United States International Trade Commission.
- Ward. 2012. *Ward's Motor Vehicle Facts & Figures*. Ward's Communications.

7. Appendix A – Recycling Economic Impact Metrics: Guidance for Policymakers

This appendix is designed to assist state and local government to estimate potential economic impacts of recycling activities based on the framework, methods and data presented in this report using a step-by-step approach.

It is important to note that the calculations presented in this document are designed to provide an approximate assessment of recycling's economic impacts. Due to the limitations of the data and the methodology used, the metrics provided in this document may include significant uncertainties. Estimates produced based on the data below cannot therefore be substituted for a more sophisticated economic impact analysis and data tailored to the particular location and question of interest.

While this study establishes a sound analytical framework for estimating the broader economic and environmental impacts associated with recycling, and could be a useful tool for pursuing more sustainable materials management (SMM), it is acknowledged that the purpose of this study is not for future analyses of EPA's regulatory impacts or for more specific regional analyses. For regional analyses, further detailed local data will be required since the high level of aggregation of the data used in the 2016 report can make the report and analysis better suited to applicability at the national scale rather than at a regional scale.

7.1. Step 1: Determine the Objective of the Study

First, consider the objective(s) of the recycling economic impact analysis, including:

- Who is the audience?
- What level of analytic rigor is required to support the study?
- What are the decisions to be supported by the results, if any?

Identifying the objective(s) informs whether the approaches presented in this guidance can sufficiently accomplish the objective(s), and if so, which approach is most appropriate. For example, if the objective of the study is to estimate with absolute precision the amount of additional tax revenue needed for funding a mission-critical program, then the use of this report is not advisable. On the other hand, if the objective of the study is to acquire a first-cut estimate of recycling's economic benefits, then this report can provide useful information.

7.2. Step 2: Determine the Most Suitable Metric Analysis Approach

Based on the objectives determined in Step 1, navigate through the decision tree in Figure 13, and select an approach to be used for the analysis:

- Is the focus of the study to gauge the size of the economy supported by the physical presence of recycled materials in products (go to Approach 1)⁸, or to measure the economic impact of recycling activities (go to 2)

⁸ Recycled materials' physical presence is larger than their monetary representation in our economy. Consumption of products that incorporate recycled materials induces economic impacts. This approach assumes that direct and

- Is the study interested in the consequence of increasing recycling activities (go to③)⁹, or understanding the economic impacts attributable to the current recycling activities (go to④)¹⁰?
- Is the study focusing only on the direct impact (go to Approach 2)¹¹, or both direct and indirect impact of recycling (N/A)¹²
- Is the study focusing only on the direct impact (go to Approach 2), or both direct and indirect impact of recycling (Approach 3)¹³?

indirect economic impacts of a product is attributable to recycling proportional to the recycled material content of the product measured by weight. See Section 3 for details.

⁹ This section is about predicting the changes that increasing recycling activities will induce. Recycling activities can be increased by increasing recycling rate or by building or expanding recycling facilities.

¹⁰ This section is about allocating current level of economic activities to existing recycling operations. It aims at understanding the role of recycling in the economy as it currently stands rather than predicting the impact of recycling in the future.

¹¹ Direct impact refers to the job, wage and tax revenue generation impacts directly from the recycling operation itself.

¹² The methodology used in this report does not support the calculation of direct and indirect economic consequences of increasing recycling activities. The users are advised to consult economic impact analysis professionals in this case.

¹³ This approach calculates the direct and indirect economic impacts attributable to existing recycling operations.




Figure 13: Flow Diagram for Determining the Most Suitable Metrics Approach

7.3.Step 3: Data Preparation

Once the approach is selected in Step 2, required data for calculation needs to be compiled.

- Approach 1 ('recycled content in final demand' approach) requires the amount of products consumed within the system of interest in monetary value (in 2007 dollars). Table 11 shows the list of products for which default recycled material content, job intensity, wage intensity and tax revenue intensity are calculated.
- Approach 2 ('direct production of recycling' approach) requires the amount of additional or current amount of materials recycled for each of the nine material categories in metric tons. Table 12 shows job intensity, wage intensity and tax revenue intensity for Approach 2.
- Approach 3 ('direct and indirect production of recycling' approach) requires the amount of materials recycled for each of the nine material categories in metric tons. Table 13 shows job intensity, wage intensity and tax revenue intensity for Approach 3.

7.4.Step 4: Impact Calculation

Once the required data is prepared, use the corresponding table to calculate the impact of interest.

- For Approach 1 ('recycled content in final demand' approach):
 - Multiply the amount of product consumed in 2007 USD by the percentage of recycled content in Table 11 and by any of the three intensity metrics (Direct and indirect job intensity, Direct and indirect wage intensity (\$/\$), or Direct and indirect tax intensity (\$/\$)) in Table 13.
- For Approach 2 ('direct production of recycling' approach):
 - Multiply the quantity of recycled material of interest, measured in metric tons, by the respective economic impact metrics in Table 12.
- For Approach 3 ('direct and indirect production of recycling' approach):
 - Multiply the quantity of recycled material of interest, measured in metric tons, by the respective economic impact metrics in Table 13.

Table 11: Metrics to Implement Approach #1

| Commodity Description | Default recycled content | Direct and Indirect job intensity (job/\$) | Direct and indirect wage intensity (\$/\$) | Direct and indirect tax intensity (\$/\$) |
|--|--------------------------|--|--|---|
| Health care structures | 2.8% | 1.6E-05 | 0.74 | 0.08 |
| Manufacturing structures | 2.8% | 1.9E-05 | 0.84 | 0.09 |
| Power and communication structures | 2.8% | 6.3E-06 | 0.32 | 0.05 |
| Educational and vocational structures | 2.8% | 1.7E-05 | 0.76 | 0.09 |
| Highways and streets | 2.8% | 8.9E-06 | 0.47 | 0.08 |
| Commercial structures, including farm structures | 2.8% | 1.9E-05 | 0.86 | 0.10 |
| Other nonresidential structures | 2.8% | 7.2E-06 | 0.35 | 0.05 |
| Single-family residential structures | 2.8% | 1.1E-05 | 0.47 | 0.06 |
| Multifamily residential structures | 2.8% | 7.9E-06 | 0.35 | 0.05 |
| Other residential structures | 2.8% | 7.7E-06 | 0.33 | 0.05 |
| Mineral wool manufacturing | 25.0% | 9.2E-06 | 0.45 | 0.08 |
| Iron and steel mills and ferroalloy manufacturing | 38.5% | 8.1E-06 | 0.43 | 0.09 |
| Steel product manufacturing from purchased steel | 38.5% | 1.0E-05 | 0.48 | 0.09 |
| Alumina refining and primary aluminum production | 19.6% | 8.6E-06 | 0.43 | 0.09 |
| Aluminum product manufacturing from purchased aluminum | 19.6% | 1.1E-05 | 0.54 | 0.11 |
| Plate work and fabricated structural product manufacturing | 50.3% | 1.1E-05 | 0.52 | 0.09 |
| Ornamental and architectural metal products manufacturing | 50.3% | 1.2E-05 | 0.55 | 0.09 |
| Power boiler and heat exchanger manufacturing | 50.3% | 9.7E-06 | 0.50 | 0.08 |
| Metal tank (heavy gauge) manufacturing | 26.0% | 1.1E-05 | 0.51 | 0.08 |
| Metal can, box and other metal container (light gauge) manufacturing | 47.0% | 1.0E-05 | 0.49 | 0.10 |
| Hardware manufacturing | 50.3% | 1.1E-05 | 0.52 | 0.08 |
| Spring and wire product manufacturing | 50.3% | 1.2E-05 | 0.55 | 0.09 |
| Turned product and screw, nut and bolt manufacturing | 50.3% | 1.1E-05 | 0.52 | 0.07 |
| Valve and fittings other than plumbing | 50.3% | 9.9E-06 | 0.49 | 0.08 |
| Plumbing fixture fitting and trim manufacturing | 50.3% | 8.5E-06 | 0.40 | 0.08 |
| Ball and roller bearing manufacturing | 50.3% | 9.3E-06 | 0.45 | 0.07 |
| Ammunition, arms, ordnance and accessories manufacturing | 50.3% | 8.7E-06 | 0.44 | 0.07 |
| Fabricated pipe and pipe fitting manufacturing | 50.3% | 9.8E-06 | 0.47 | 0.08 |
| Other fabricated metal manufacturing | 50.3% | 1.1E-05 | 0.52 | 0.08 |
| Farm machinery and equipment manufacturing | 63.4% | 9.4E-06 | 0.45 | 0.08 |

| Commodity Description | Default recycled content | Direct and Indirect job intensity (job/\$) | Direct and indirect wage intensity (\$/\$) | Direct and indirect tax intensity (\$/\$) |
|---|--------------------------|--|--|---|
| Lawn and garden equipment manufacturing | 63.4% | 1.1E-05 | 0.48 | 0.09 |
| Construction machinery manufacturing | 63.4% | 9.3E-06 | 0.46 | 0.09 |
| Mining and oil and gas field machinery manufacturing | 63.4% | 9.4E-06 | 0.48 | 0.08 |
| Other industrial machinery manufacturing | 63.4% | 1.1E-05 | 0.57 | 0.08 |
| Plastics and rubber industry machinery manufacturing | 63.4% | 1.1E-05 | 0.56 | 0.08 |
| Semiconductor machinery manufacturing | 63.4% | 8.7E-06 | 0.51 | 0.08 |
| Vending, commercial laundry and other commercial and service industry machinery manufacturing | 63.4% | 1.0E-05 | 0.50 | 0.08 |
| Office machinery manufacturing | 63.4% | 9.1E-06 | 0.49 | 0.08 |
| Optical instrument and lens manufacturing | 63.4% | 9.9E-06 | 0.54 | 0.07 |
| Photographic and photocopying equipment manufacturing | 63.4% | 7.4E-06 | 0.39 | 0.07 |
| Air purification and ventilation equipment manufacturing | 63.4% | 1.1E-05 | 0.48 | 0.08 |
| Heating equipment (except warm air furnaces) manufacturing | 63.4% | 1.1E-05 | 0.51 | 0.08 |
| Air conditioning, refrigeration and warm air heating equipment manufacturing | 63.4% | 1.0E-05 | 0.49 | 0.09 |
| Industrial mold manufacturing | 63.4% | 1.2E-05 | 0.60 | 0.07 |
| Metal cutting and forming machine tool manufacturing | 63.4% | 1.0E-05 | 0.56 | 0.08 |
| Special tool, die, jig and fixture manufacturing | 63.4% | 1.3E-05 | 0.65 | 0.08 |
| Cutting and machine tool accessory, rolling mill and other metalworking machinery manufacturing | 63.4% | 1.2E-05 | 0.63 | 0.08 |
| Turbine and turbine generator set units manufacturing | 63.4% | 9.0E-06 | 0.48 | 0.08 |
| Speed changer, industrial high-speed drive and gear manufacturing | 63.4% | 9.7E-06 | 0.48 | 0.07 |
| Mechanical power transmission equipment manufacturing | 63.4% | 9.8E-06 | 0.49 | 0.08 |
| Other engine equipment manufacturing | 63.4% | 1.0E-05 | 0.51 | 0.09 |
| Pump and pumping equipment manufacturing | 63.4% | 8.8E-06 | 0.45 | 0.08 |
| Air and gas compressor manufacturing | 63.4% | 8.9E-06 | 0.45 | 0.08 |
| Material handling equipment manufacturing | 63.4% | 9.6E-06 | 0.48 | 0.08 |
| Power-driven hand tool manufacturing | 63.4% | 8.7E-06 | 0.41 | 0.08 |
| Other general purpose machinery manufacturing | 63.4% | 1.1E-05 | 0.56 | 0.09 |
| Packaging machinery manufacturing | 63.4% | 1.1E-05 | 0.60 | 0.08 |
| Industrial process furnace and oven manufacturing | 63.4% | 1.1E-05 | 0.55 | 0.08 |

| Commodity Description | Default recycled content | Direct and Indirect job intensity (job/\$) | Direct and indirect wage intensity (\$/\$) | Direct and indirect tax intensity (\$/\$) |
|--|--------------------------|--|--|---|
| Fluid power process machinery | 63.4% | 1.0E-05 | 0.52 | 0.08 |
| Electronic computer manufacturing | 24.7% | 5.5E-06 | 0.32 | 0.07 |
| Computer storage device manufacturing | 24.7% | 6.7E-06 | 0.42 | 0.08 |
| Computer terminals and other computer peripheral equipment manufacturing | 24.7% | 8.2E-06 | 0.49 | 0.11 |
| Telephone apparatus manufacturing | 24.7% | 7.5E-06 | 0.55 | 0.09 |
| Broadcast and wireless communications equipment | 24.7% | 7.3E-06 | 0.45 | 0.08 |
| Other communications equipment manufacturing | 24.7% | 8.4E-06 | 0.43 | 0.08 |
| Audio and video equipment manufacturing | 24.7% | 8.4E-06 | 0.42 | 0.09 |
| Other electronic component manufacturing | 24.7% | 1.1E-05 | 0.52 | 0.08 |
| Semiconductor and related device manufacturing | 24.7% | 6.5E-06 | 0.39 | 0.07 |
| Printed circuit assembly (electronic assembly) manufacturing | 24.7% | 1.0E-05 | 0.52 | 0.10 |
| Electromedical and electrotherapeutic apparatus manufacturing | 24.7% | 6.9E-06 | 0.41 | 0.07 |
| Search, detection and navigation instruments manufacturing | 24.7% | 7.8E-06 | 0.47 | 0.08 |
| Automatic environmental control manufacturing | 24.7% | 8.8E-06 | 0.45 | 0.07 |
| Industrial process variable instruments manufacturing | 24.7% | 9.1E-06 | 0.49 | 0.08 |
| Totalizing fluid meter and counting device manufacturing | 24.7% | 9.2E-06 | 0.47 | 0.09 |
| Electricity and signal testing instruments manufacturing | 24.7% | 8.1E-06 | 0.53 | 0.08 |
| Analytical laboratory instrument manufacturing | 24.7% | 7.9E-06 | 0.47 | 0.08 |
| Small electrical appliance manufacturing | 16.6% | 9.5E-06 | 0.45 | 0.08 |
| Household cooking appliance manufacturing | 16.6% | 1.0E-05 | 0.46 | 0.08 |
| Household refrigerator and home freezer manufacturing | 16.6% | 8.6E-06 | 0.42 | 0.07 |
| Household laundry equipment manufacturing | 16.6% | 1.0E-05 | 0.47 | 0.08 |
| Other major household appliance manufacturing | 16.6% | 8.7E-06 | 0.42 | 0.07 |
| Power, distribution and specialty transformer manufacturing | 24.7% | 8.6E-06 | 0.41 | 0.07 |
| Motor and generator manufacturing | 24.7% | 1.0E-05 | 0.49 | 0.08 |
| Switchgear and switchboard apparatus manufacturing | 24.7% | 8.8E-06 | 0.45 | 0.07 |
| Relay and industrial control manufacturing | 24.7% | 9.1E-06 | 0.47 | 0.07 |
| Storage battery manufacturing | 24.7% | 9.1E-06 | 0.45 | 0.07 |
| Primary battery manufacturing | 24.7% | 8.4E-06 | 0.42 | 0.07 |
| Communication and energy wire and cable manufacturing | 24.7% | 9.1E-06 | 0.45 | 0.09 |

| Commodity Description | Default recycled content | Direct and Indirect job intensity (job/\$) | Direct and indirect wage intensity (\$/\$) | Direct and indirect tax intensity (\$/\$) |
|--|--------------------------|--|--|---|
| Wiring device manufacturing | 24.7% | 9.0E-06 | 0.43 | 0.07 |
| All other miscellaneous electrical equipment and component manufacturing | 24.7% | 9.8E-06 | 0.51 | 0.07 |
| Automobile manufacturing | 18.1% | 9.2E-06 | 0.48 | 0.09 |
| Light truck and utility vehicle manufacturing | 18.1% | 9.4E-06 | 0.49 | 0.09 |
| Heavy duty truck manufacturing | 18.1% | 1.1E-05 | 0.52 | 0.09 |
| Motor vehicle body manufacturing | 18.1% | 1.2E-05 | 0.58 | 0.09 |
| Truck trailer manufacturing | 18.1% | 1.3E-05 | 0.56 | 0.09 |
| Motor home manufacturing | 18.1% | 1.2E-05 | 0.57 | 0.09 |
| Travel trailer and camper manufacturing | 18.1% | 1.4E-05 | 0.59 | 0.09 |
| Motor vehicle gasoline engine and engine parts manufacturing | 18.1% | 1.1E-05 | 0.55 | 0.09 |
| Motor vehicle electrical and electronic equipment manufacturing | 18.1% | 1.1E-05 | 0.56 | 0.09 |
| Motor vehicle steering, suspension component (except spring) and brake systems manufacturing | 18.1% | 1.1E-05 | 0.54 | 0.09 |
| Motor vehicle transmission and power train parts manufacturing | 18.1% | 1.0E-05 | 0.54 | 0.09 |
| Motor vehicle seating and interior trim manufacturing | 18.1% | 1.2E-05 | 0.54 | 0.09 |
| Motor vehicle metal stamping | 18.1% | 1.0E-05 | 0.54 | 0.09 |
| Other motor vehicle parts manufacturing | 18.1% | 1.1E-05 | 0.53 | 0.09 |
| Aircraft manufacturing | 11.0% | 7.1E-06 | 0.42 | 0.06 |
| Aircraft engine and engine parts manufacturing | 33.8% | 8.0E-06 | 0.45 | 0.07 |
| Other aircraft parts and auxiliary equipment manufacturing | 33.8% | 8.6E-06 | 0.48 | 0.06 |
| Guided missile and space vehicle manufacturing | 33.8% | 7.7E-06 | 0.51 | 0.06 |
| Propulsion units and parts for space vehicles and guided missiles | 33.8% | 8.8E-06 | 0.56 | 0.06 |
| Railroad rolling stock manufacturing | 41.0% | 1.1E-05 | 0.58 | 0.09 |
| Ship building and repairing | 11.6% | 1.2E-05 | 0.57 | 0.07 |
| Boat building | 7.0% | 1.3E-05 | 0.56 | 0.09 |
| Motorcycle, bicycle and parts manufacturing | 33.8% | 9.1E-06 | 0.46 | 0.08 |
| Military armored vehicle, tank and tank component manufacturing | 33.8% | 5.8E-06 | 0.30 | 0.06 |
| All other transportation equipment manufacturing | 33.8% | 1.1E-05 | 0.51 | 0.09 |

| Commodity Description | Default recycled content | Direct and Indirect job intensity (job/\$) | Direct and indirect wage intensity (\$/\$) | Direct and indirect tax intensity (\$/\$) |
|--|--------------------------|--|--|---|
| Carpet and rug mills | 4.8% | 1.3E-05 | 0.53 | 0.09 |
| Pulp mills | 38.7% | 9.1E-06 | 0.46 | 0.08 |
| Paper mills | 38.7% | 9.1E-06 | 0.46 | 0.08 |
| Paperboard mills | 38.7% | 8.9E-06 | 0.45 | 0.08 |
| Paperboard container manufacturing | 38.7% | 1.1E-05 | 0.54 | 0.09 |
| Paper bag and coated and treated paper manufacturing | 38.7% | 9.9E-06 | 0.49 | 0.09 |
| Stationery product manufacturing | 38.7% | 1.0E-05 | 0.48 | 0.08 |
| Sanitary paper product manufacturing | 38.7% | 8.3E-06 | 0.42 | 0.08 |
| All other converted paper product manufacturing | 38.7% | 1.1E-05 | 0.50 | 0.08 |
| Asphalt paving mixture and block manufacturing | 0.2% | 5.3E-06 | 0.28 | 0.09 |
| Petrochemical manufacturing | 3.4% | 5.2E-06 | 0.27 | 0.10 |
| Plastics material and resin manufacturing | 3.4% | 8.0E-06 | 0.41 | 0.12 |
| Synthetic rubber and artificial and synthetic fibers and filaments manufacturing | 3.4% | 9.9E-06 | 0.47 | 0.11 |
| Plastics packaging materials and unlaminated film and sheet manufacturing | 3.4% | 9.8E-06 | 0.48 | 0.09 |
| Plastics pipe, pipe fitting and unlaminated profile shape manufacturing | 3.4% | 1.0E-05 | 0.49 | 0.09 |
| Laminated plastics plate, sheet (except packaging) and shape manufacturing | 3.4% | 8.8E-06 | 0.43 | 0.07 |
| Polystyrene foam product manufacturing | 3.4% | 1.1E-05 | 0.51 | 0.09 |
| Urethane and other foam product (except polystyrene) manufacturing | 3.4% | 1.1E-05 | 0.48 | 0.08 |
| Plastics bottle manufacturing | 3.4% | 9.7E-06 | 0.45 | 0.09 |
| Other plastics product manufacturing | 3.4% | 1.3E-05 | 0.56 | 0.08 |
| Tire manufacturing | 57.3% | 1.1E-05 | 0.54 | 0.08 |
| Rubber and plastics hoses and belting manufacturing | 1.8% | 1.2E-05 | 0.52 | 0.07 |
| Other rubber product manufacturing | 1.0% | 1.2E-05 | 0.53 | 0.07 |

Table 12: Metrics to Implement Approach #2

| Material | Employment (jobs / metric ton) | Wages (\$1000 / metric ton) | Tax Revenue (\$1000 / metric ton) |
|-----------------------------|---------------------------------------|------------------------------------|--|
| Ferrous metals | 0.00238 | 0.14 | 0.035 |
| Aluminum | 0.03201 | 1.45 | 0.415 |
| Glass | 0.00443 | 0.23 | 0.028 |
| Paper | 0.00057 | 0.04 | 0.009 |
| Plastics | 0.01314 | 0.51 | 0.049 |
| Rubber | 0.00530 | 0.22 | 0.017 |
| Construction and Demolition | 0.00038 | 0.02 | 0.003 |
| Electronics | 0.02066 | 1.57 | 0.555 |
| Organics | 0.00080 | 0.02 | 0.003 |
| Average | 0.00085 | 0.043 | 0.00856 |

Table 13: Metrics to Implement Approach #3

| Material | Employment (jobs / metric ton) | Wages (\$1000 / metric ton) | Tax Revenue (\$1000 / metric ton) |
|-----------------------------|---------------------------------------|------------------------------------|--|
| Ferrous metals | 0.0050 | 0.25 | 0.056 |
| Aluminum | 0.0822 | 3.87 | 0.859 |
| Glass | 0.0104 | 0.54 | 0.077 |
| Paper | 0.0017 | 0.09 | 0.018 |
| Plastics | 0.0295 | 1.32 | 0.187 |
| Rubber | 0.0076 | 0.32 | 0.034 |
| Construction and Demolition | 0.00073 | 0.04 | 0.006 |
| Electronics | 0.0359 | 2.41 | 0.701 |
| Organics | 0.0010 | 0.03 | 0.004 |
| Average | 0.00173 | 0.084 | 0.01554 |

8. Appendix B – WIO Model Methodology

8.1. Methodology Introduction

This appendix describes four approaches for measuring the impacts to the U.S. economy attributable to recycling. First, the “direct” approach measures the wage and tax payments made directly by recycling operations. Second, the “final demand” approach uses the multiplier effects of recycling demanded by households, the government and exports. Third, the “recycled content in final demand” approach is a novel method proposed in this report. The approach applies the wage and tax payment multipliers to the portion of the total final demands on material goods that consists of recycled materials. Finally, the “intermediate production” approach applies the wage and tax payment multipliers to the sum of intermediate production for recycled products. To empirically test the differences, a waste input-output (WIO) model is compiled for the U.S., distinguishing recycling operations and recyclable and recycled material flows from other sectors of the economy.

8.2. Methods for measuring the economic impacts of recycling

8.2.1. *Scope and definition of recycling*

The European Environment Agency defines waste recycling as “a method of recovering wastes as resources which includes the collection and often involving the treatment, of waste products for use as a replacement of all or part of the raw material in a manufacturing process” (European Environment Agency 2014). Similarly, the California Department of Resources Recycling and Recovery define recycling as “using waste as material to manufacture a new product” (CalRecycle 2014). Glavič and Lukman (2007) define recycling “as a resource recovery method involving the collection and treatment of waste products for use as raw material in the manufacture of the same or a similar product.”

There are two potential sources of ambiguity in these definitions. First, all of these definitions rely on the term waste. Waste is defined as “objects or materials for which no use or reuse is intended” (CalRecycle 2014). The term waste is not defined in European Environment Agency (2014) or Glavič and Lukman (2007).¹⁴ Given that recycling makes use of what is defined as waste, the no use condition that defines waste in the first place becomes no longer valid as soon as it is intended to be used for recycling.

A way to get around this problem is to assume a temporal gap, in which case recycling can be (re)defined as using what was recognized as waste as material to manufacture a new product. In this case, the temporal dimension becomes important in defining recycling: how many years should one count before recycling becomes a new norm, therefore it can no longer be counted as recycling? Depending on the answer, the

¹⁴ The European Environment Agency’s glossary does provide definitions to related terms such as ‘household waste’ and ‘industrial waste’, which all refer to the term ‘waste’.

entire petrochemical industry, for example, can be characterized as a recycling activity.¹⁵ Likewise, depending on the answer, the use of used aluminum scraps for smelters may no longer be counted as recycling.

The 2007 Communication to the European Parliament distinguishes by-products and wastes (European Commission 2007). In this communication ‘by-product’ is defined as “a production residue that is not a waste” and ‘production residue’ is defined as “a material that is not deliberately produced in a production process.” This definition of by-product conforms well to the term used in production economics and national accounts, where by-products are generally referred to as a potentially marketable product, while the demand of it does not generally increase the overall production activity of the process that produces it (Konijn 1994; United Nations 2008). However, not all by-products are recyclable, and not all recyclable materials are by-products. For example, many recyclable materials are given away for free, or a producer has to pay for hauling recyclable materials away from their facilities, in which case the recyclable materials cannot be referred to as a ‘product.’

Recycling, as it is commonly understood, involves a series of processes such as (1) collection and separation of recyclable materials (collection and pre-processing), (2) transformation of the recyclable materials into marketable products (conversion) and (3) transportation and storage (logistics) associated with them. Many of these processes overlap with ordinary production processes. For example, recycling iron and steel in end-of-life automobile involves dismantling, sorting, compression (hulk making), shredding, cleaning, magnetic separation, transportation and melting through an electric arc furnace (EAF) or basic oxygen furnace (BOF). The question is whether all or only some of these processes should be referred to as recycling. In the literature, recycling is sometimes narrowly defined to include only some of these processes, such as collection and pre-processing, or it can be defined more broadly.

In this report recycling refers to the recovery of useful materials, such as paper, glass, plastic and metals, from the waste stream (e.g., municipal solid waste) to make new products, reducing the amount of virgin raw materials needed to meet consumer demands. Recycling also includes recovery and refurbishing or remanufacturing for reuse of products and materials that have reached the end of their intended useful life.

8.2.2. Direct and multiplier effects

Producing a product requires machinery, raw materials and energy, which in turn requires upstream inputs from their suppliers, the suppliers’ suppliers and so on. The impact of demand on upstream processes throughout the upstream supply chain is referred to as the multiplier effect or ripple effect. The multiplier effect has been commonly calculated using Leontief inverse of an input-output table (Lenzen 2001; Leontief 1951, 1970; Miller and Blair 2009).

Let a product-by-1 vector \mathbf{y} describe the quantity of arbitrary final demand. Let primary factor-by-product matrix \mathbf{B} describe the quantity of primary factor input per a unit product output. Let product-by-product matrix \mathbf{A} describe the quantity of product input per unit of product output. If so, the amount of factor input

¹⁵ Distillation of crude oil for liquid fuel and light oil leaves large volume of ‘waste’, which has been the target for petrochemical industries to identify new uses as feedstock over the last half a century. Under the current definition of ‘recycling’ and ‘waste’, even the entire history of material use in human civilization since Paleolithic era can be said as the history of recycling, i.e., discovery of new uses of ‘waste’ starting from stones.

needed to meet the final demand directly by the production activities that produce them can be noted as $\mathbf{B}\mathbf{y}$. The production of these products to meet the final demand will require upstream inputs from their direct suppliers (1st tier upstream input), which can be calculated by $\mathbf{A}\mathbf{y}$, and the amount of primary factor input directly needed by the 1st tier upstream input can be denoted as $\mathbf{B}\mathbf{A}\mathbf{y}$. Likewise, the amount of primary factor input to 2nd, 3rd and n^{th} tier upstream can be denoted as $\mathbf{B}\mathbf{A}^2\mathbf{y}$, $\mathbf{B}\mathbf{A}^3\mathbf{y}$ and $\mathbf{B}\mathbf{A}^n\mathbf{y}$, respectively. If the chain of upstream requirements propagates infinitely, the total factor inputs required to fulfil \mathbf{y} can be calculated as:

$$(1) \quad \mathbf{m} = \mathbf{B}\mathbf{y} + \mathbf{B}\mathbf{A}\mathbf{y} + \mathbf{B}\mathbf{A}^2\mathbf{y} + \cdots + \mathbf{B}\mathbf{A}^n\mathbf{y} = \mathbf{B}(\mathbf{I} + \mathbf{A} + \mathbf{A}^2 + \cdots + \mathbf{A}^n)\mathbf{y}$$

for $n \rightarrow \infty$. Let

$$(2) \quad \mathbf{x} = (\mathbf{I} + \mathbf{A} + \mathbf{A}^2 + \cdots + \mathbf{A}^n)\mathbf{y}.$$

Then, $\mathbf{m} = \mathbf{B}\mathbf{x}$. Multiplying $(\mathbf{I} - \mathbf{A})$ on both sides of (2),

$$(3) \quad (\mathbf{I} - \mathbf{A})\mathbf{x} = (\mathbf{I} + \mathbf{A} + \mathbf{A}^2 + \cdots + \mathbf{A}^n)\mathbf{y} - (\mathbf{A} + \mathbf{A}^2 + \cdots + \mathbf{A}^n)\mathbf{y} = \mathbf{y}.$$

Therefore, $\mathbf{x} = (\mathbf{I} - \mathbf{A})^{-1}\mathbf{y}$ and

$$(4) \quad \mathbf{m} = \mathbf{B}(\mathbf{I} - \mathbf{A})^{-1}\mathbf{y}.$$

The inverse matrix $(\mathbf{I} - \mathbf{A})^{-1}$ is the Leontief inverse \mathbf{L} , and $\mathbf{B}\mathbf{L}$ is the primary factor multiplier showing direct and indirect primary factor inputs per unit of final demand.

8.2.3. *Defining 'demand' in recycling*

Multiplier analyses assume that the final and subsequent intermediate demands pull corresponding upstream inputs and that upstream factor inputs are attributable to downstream activities that require them. Therefore, how demand is defined in an input-output table determines the result of a multiplier analysis. In input-output analysis tradition, the supply-demand relationship is easily defined by the flow of payment.

Unlike ordinary products where payment and product flow at the same time in an opposite directions, the flows of recyclables may not always accompany payment or both money and recyclables may flow in the same direction. For example, suppose that a stamping operation for an automotive part produces steel scrap which is hauled away for free by a local recycling center where it is sold to a household light stand manufacturer. In this case, it becomes a question whether the recycling center is the party that demands the recyclable steel from the stamping facility or the stamping facility is the party that demands waste treatment service from the recycling center. If the recycling center is the demanding party, the stamping facility becomes the recycling center's upstream supplier and part of the direct and supply chain impacts of the facility becomes attributable to the recycling center, which will be passed down to the light stand (the question, how much of it is attributable to recycling center will be treated later). If the stamping facility is the

party that demanded the waste management service, part of the recycling center's direct and supply chain impacts are attributable to the stamping facility. The impacts will be passed down to automobiles, but not to light stands.

In this report, the party that makes the payment is assumed to be the demanding party regardless of the direction of the physical flow. In case of no payment, corresponding physical flow is split and allocated equally to waste management service and recyclable material rows of the two columns in the use matrix that represent the two parties (see Section 3.3. for details). For instance, the stamping facility is assumed to have purchased waste treatment service from the recycling center for the half of the stamping scrap it generated, and the recycling center is assumed to have purchased half of the stamping scrap as a recyclable by-product from the stamping facility (c.f., Lenzen and colleagues 2007). For a household and the government the payment for waste management service is assumed to be included either in the tax payment or in the purchase price of the goods from which recyclable products are generated. Therefore, a household and the government are assumed to be the demanding party for all recyclable material flows originating from them.

Another important issue to consider in multiplier analysis is the definition of vector \mathbf{y} in equation (4). Factor multipliers in input-output analysis are designed to be pre-multiplied to a vector of final demand \mathbf{y} . Therefore, the amount of recycled materials produced or the amount of recyclable materials consumed by recycling operations are not proper entry to \mathbf{y} vector in multiplier analyses. It is well known in input-output literature that such a practice generates grossly exaggerated impact results, which have been unfortunately misused in some program evaluation studies and are referred to as "the sin of exaggerating sectorial impacts" (Oosterhaven and Stelder 2002; Dietzenbacher 2005). The reason why the use of intermediate production or consumption leads to an exaggerated multiplier result is that gross production values are counted multiple times. Consider a \mathbf{y} vector of a closed economy for a multiplier analysis using total production volume of glass (\$50 million), steel (\$200 million), engine and automotive parts (\$100 million) and automobile (\$300 million). Among the \$300 million of automobile production, \$100 million engine and automotive parts and part of the \$200 million steel might have been already included and among the \$100 engine and automotive parts production, part of \$200 million steel and \$50 million glass might have been included. When such a \mathbf{y} vector is used, the direct and indirect factor inputs attributable to automobile, the engine and automotive parts, steel and glass create multiple double-counting, resulting in an exaggeration.

The only methodologically sound approach to avoid double-counting in a multiplier analysis is to use only final demand values for \mathbf{y} .

Figure 14: Direct, indirect and induced impact and double-counting in multiplier analyses

Suppose that the economic and employment impacts attributable to an iron and steel recycling plant in the suburb of Pittsburgh, PA ("Facility A", hereafter) are being estimated. The plant receives end-of-life vehicles in the form of hulk, processes them through crushing and magnetic separation and finally hauls out separated iron and steel to smelters in the neighborhood. The entire revenue, value-added and employment accredited to the operation itself, is referred to as *direct impact*. Direct impacts are easily attributable to this recycling operation.

Suppose further that Facility A requires heavy equipment, electricity, fuel, ground freight services, as well as automobile disassembly and compression services in order to produce the

hulk. In this case, the value-added and employment from those upstream supply chain industries needed to provide such inputs to Facility A would be attributable to iron and steel recycling to the extent that they are utilized by Facility A, which constitute *indirect impact*.

The wages paid to the employees of Facility A and its upstream supply chain industries will spend their income earned in relation to the operation of Facility A on various items including groceries, housing, automobiles, *etc.* and such expenditures and associated supply chain would induce another round of economic and employment impact, which is referred to as *induced impact*.

These direct, indirect and induced impacts have been widely quantified using regional multipliers. However, regional multipliers such as IMPLAN and RIMS II are designed to be used to estimate the impact of changes in *final demand* not in *intermediate sectors*. When they are used for intermediate sectors, economic and employment impacts are (more than) double-counted across the supply chain.

Suppose that the recycled steel from Facility A sent to smelters are used to produce hot-rolled coil, which is used for suspension of a motor vehicle ultimately purchased by a household. Each and every industry in the downstream supply chain of Facility A (*i.e.*, smelters, hot-rolled coil maker, suspension maker and automaker) can claim the entire direct, indirect and induced economic and employment impact of Facility A as a part of their contributions to the economy. Industries upstream from Facility A can do the same: each industry can also claim their upstream suppliers' economic and employment impacts as part of their contributions. Summing these up across the supply chain produces the impact figures that well exceed the regional or national total due to the double-counting effect throughout the supply chain.

Efforts have been made to mitigate the double-counting effect of gross multipliers, and proposed various approaches, which generally involve some form of normalization to dilute the double-counting. But the very origin of the problem is the misuse of these multipliers, which are designed to be used with final demand changes rather than intermediate changes. The reason why there is no double-counting problem when these multipliers are used for final demand changes only is because the final demands are considered in an input-output framework at the end-point of supply chains and therefore all economic and employment impacts are attributed to final demands only once in a mutually exclusive and collectively exhaustive manner (Lenzen et al., 2007).

8.2.4. *Four approaches for modeling the impact of recycling on a national economy*

It is important to note that the results from multiplier analyses are the results of a model (as opposed to observation), and therefore depend on the approaches and assumptions employed by a modeler. More than one approach is possible in measuring the impact of recycling in a national economy, and such alternative

approaches may allow complementary insights. When interpreting the results, it is important to understand the differences in underlying assumptions employed in a model.

Direct production of recycling approach

First, this approach measures the primary factor inputs directly to recycling operations (see also Box 1). The direct primary factor input to recycling, \mathbf{m}_1 , is calculated by:

$$(5) \quad \mathbf{m}_1 = \mathbf{B}\hat{\mathbf{r}}\mathbf{x},$$

where \mathbf{r} is a column vector of recycling fraction of production activity ($r_i \in [0, 1]$). I.e., $r_i = 1$ for all recycling activities, 0 for non-recycling activities and between 0 and 1 for the activities that contribute partly to recycling. For example, a paper production that produces 60% recycled paper gets 0.6 of recycling fraction. Hat ($\hat{\cdot}$) diagonalizes a vector. This approach does not include any multiplier effects.

Direct household demand on recycling approach

The direct household demand on recycling approach uses the amount of final demand on recycling (waste management service in the form of recycling in physical unit) by household, government and export (\mathbf{y}_2) (4)

$$(6) \quad \mathbf{m}_2 = \mathbf{B}(\mathbf{I} - \mathbf{A})^{-1}\mathbf{y}_2,$$

While the calculation is methodologically consistent, this approach limits the impact of recycling only to the ones that are demanded directly by the final consumers.

Recycled Content in Final Demand Approach

The recycled content in final demand approach applies the primary factor input multipliers to the portion of the total final demands to the extent that they consist of recycled materials. Total primary factor input can be calculating following this approach by:

$$(7) \quad \mathbf{m}_3 = \mathbf{B}(\mathbf{I} - \mathbf{A})^{-1}\mathbf{c}\mathbf{y},$$

Where \mathbf{c} is a diagonalized vector of recycled content in final consumption ($c_i \in [0, 1]$). I.e., $c_i = 1$ for 100% recycled product, and 0 for 0% recycled product by mass. For example, a typical automobile contains 60-80% recycled content by mass (Ward 2012), and therefore the corresponding element in \mathbf{c} becomes 0.6-0.8. In this case 60%-80% of the total direct and multiplier impacts of automobile is attributed to recycling. Under this approach, the materials constituting a consumer product are considered to harbor the services that the product renders, and therefore it views that the direct, and multiplier impacts associated with the final consumption of the product are attributable to recycling proportional to their recycled content. Because it uses a portion of final demand, this approach avoids the double-counting problem discussed earlier.

Direct and Indirect Production of Recycling Approach

This approach applies the primary factor input multipliers to the sum of intermediate and final demands on recycling. In a matrix equation, this can be calculated by:

$$(8) \quad \mathbf{m}_4 = \mathbf{B}(\mathbf{I} - \mathbf{A})^{-1}\mathbf{x}_4,$$

Where \mathbf{x}_4 is the total (direct and indirect) production of recycled products in physical unit. This approach exaggerates the results and is not methodologically sound. Post-multiplying production to Leontief inverse in equation (8) is known to create double-counting (Oosterhaven and Stelder 2002; Dietzenbacher 2005).

8.2.5. Causality and interpretation of multiplier analysis results

Multiplier analyses aim at quantifying the amount of factor inputs that are attributable to certain final demand based on the allocation scheme employed, and the results of a multiplier analysis does not imply a cause-effect relationship. For example, suppose that total compensation to employees attributable to total final demand on recycling is calculated to be \$X. It does not mean that increasing the recycling rate by 10% will increase the compensation to employees by 10% of \$X, because such a change may potentially affect various elements of an economy such as price, input structure and wages, and therefore the underlying economic structure used for the calculation of the multiplier effect becomes no longer valid.

Such changes can be, in principle, captured by using computable general equilibrium (CGE) models (Lofgren and colleagues 2002; Partridge and Rickman 1998; Jorgenson and Wilcoxon 1993). CGE models simultaneously derive quantity and price based on a new supply-and-demand equilibrium after a shock to the economy. The underlying principles of CGE models are well in line with those of mainstream economics, and it may provide useful insights on the direction of changes in response to a large-scale policy intervention. In reality, however, the sector resolution in such a model is generally very poor (generally less than 60 sectors for a national economy), and statistically significant substitution elasticity functions specifically derived for the given region, technology and time of a study are rare (see also Duchin 2014; Rose 1995; Suh and Yang 2014).

8.3. Waste Input-Output Model

The official U.S. input-output tables by the Bureau of Economic Analysis (BEA) distinguish a limited number of categories for recyclables and recycling operations (see Appendix F) hampering adequate understanding of recycling's contribution to the national economy. To address the problem, a waste input-output (WIO) model is compiled for the U.S.

8.3.1. WIO model

WIO model is a mixed-unit input-output model that highlights the flows of wastes in a national economy (Nakamura and colleagues 2007; Nakamura and Kondo 2009, 2002). The underlying flow table for the WIO model distinguishes flows of wastes and recyclables and activities of recycling and waste management in addition to the flows of ordinary products and sectors described in official input-output tables. Table 14 shows the general structure of the flow table used in WIO model.

Table 14: General structure of the flow table used in WIO model*

| | | Intermediate sectors | | | | Waste management activities | | | | Final demand | | |
|----------------------|------------|---|----------|-----|------------|--|------------|-----|--------------|--|------------|--------|
| | | Sector 1 | Sector 2 | ... | Sector n | Activity 1 | Activity 2 | ... | Activity p | Household | Government | Export |
| Intermediate sectors | Sector 1 | $n \times n$ matrix of intermediate inputs to intermediate sectors (\$) | | | | $n \times p$ matrix of intermediate inputs to waste management activities (\$) | | | | $n \times 3$ matrix of final consumption of intermediate products (\$) | | |
| | Sector 2 | | | | | | | | | | | |
| | ⋮ | | | | | | | | | | | |
| | Sector n | | | | | | | | | | | |
| Waste flows | Waste 1 | $q \times n$ matrix of waste generated by intermediate sectors (ton) | | | | $q \times p$ matrix of waste generated by waste management activities (ton) | | | | $q \times 3$ matrix of waste generated by final consumers (ton) | | |
| | Waste 2 | | | | | | | | | | | |
| | ⋮ | | | | | | | | | | | |
| | Waste q | | | | | | | | | | | |
| Primary factors | Wage | $3 \times n$ matrix of primary factor inputs by intermediate sectors (\$) | | | | $3 \times p$ matrix of primary factor inputs to waste management activities (\$) | | | | | | |
| | Tax | | | | | | | | | | | |
| | Profit | | | | | | | | | | | |
| | | | | | | | | | | | | |

* Shaded area contains additional information that is not well represented in an ordinary input-output. The framework can accommodate any number of final demand sectors and primary factors. Only three final demand sectors and primary factors are shown here for the sake of simplicity.

The underlying flow table for WIO model can be rectangular, and the square direct input coefficient matrix is derived using the allocation matrix from the flow table. Here the basic analytical framework of the 2001 REI Report WIO model is summarized without discussing the derivation of the analytical tables, which will be done in the next section.

Let \mathbf{A}^* be the direct input coefficient matrix of the WIO model by Nakamura and Kondo (2009). \mathbf{A}^* consists of four concatenated matrices such that:

$$(9) \quad \mathbf{A}^* = \begin{pmatrix} \mathbf{A}_{11}^* & \mathbf{A}_{12}^* \\ \mathbf{A}_{21}^* & \mathbf{A}_{22}^* \end{pmatrix},$$

where \mathbf{A}_{11}^* is an intermediate sector-by-intermediate sector matrix, of which i - j th element shows the input from sector i to sector j per unit of out from j (\$/\$), \mathbf{A}_{12}^* is an intermediate sector-by-waste management activity matrix, of which i - j th element shows the input from sector i to waste management activity j per unit of out from j (\$/ton), \mathbf{A}_{21}^* is an waste management activity-by-intermediate sector matrix, of which i - j th element shows the use of waste management service or product (such as solid waste landfill service or recycled paper) i by intermediate sector j per unit of out from j (ton/\$), and finally \mathbf{A}_{22}^* is an waste management activity-by-waste management activity matrix, of which i - j th element shows the use of waste management service or product i by waste management activity j per unit of out from j (ton/ton). The elements of \mathbf{A}^* may take a negative sign, in which case it shows production of product or service (instead of consumption).

The general analytical framework can be considered a special case of the integrated hybrid framework (Suh 2004; Suh et al. 2004; Suh and Huppel 2005; Suh and Lippiatt 2012), where the foreground system describes waste management processes in the WIO model. The integrated hybrid approach of Suh (2004) is based on a product-by-product matrix derived from supply and use (S&U) framework, while the 2001 WIO model in Nakamura and Kondo (2002) follows an industry-by-industry (or activity) framework.

WIO multiplier analyses can be performed by using \mathbf{A}^* in the place of \mathbf{A} in equations (6) to (8).

8.3.2. *Derivation of the WIO analytical tables*

The supply and use framework separates product flows of products from the institutions or activities (sectors) that house their production (supply) and consumption (use) (Stone 1961; Konijn 1994; United Nations 2008). The separation enables higher statistical quality in underlying flow tables used for input-output analyses, while it also necessitates the use of models to convert the flow tables to symmetric analytical tables such as commodity-technology model and industry-technology model (Konijn 1994).

Built upon such developments, the use of supply and use framework in the hybrid input-output setting was introduced by Suh (2004), which was extended to a generalized supply and use calculus for process-level details represented in physical units by Suh and colleagues (2010).

Suh and colleagues (2010) observed that the use of an allocation matrix to convert waste flows to waste management activities in the 2001 WIO framework by Nakamura and Kondo (2002, 2009) is a special case of standard supply and use calculus. Lenzen and Reynolds (2014) recently confirmed the earlier observation by (Suh et al. 2010) and further elaborated on the relationship between the WIO model and supply and use framework. The official input-output tables of Japan, where the 2001 WIO model originates, are not using a supply and use framework, and therefore Nakamura and Kondo (2002, 2009) treated the conversion between the waste flows and activities separately from the rest of the economy.

In the U.S., the official input-output tables are published in the form of supply and use tables. Therefore, it is natural to embed the derivation of analytical tables for WIO on a supply and use framework.

The flow table for WIO model shown in Table 14 is separated into two tables, namely the supply table (Table 15) and the use table (Table 16). The supply table shows the production of ordinary products (goods and services) by ordinary sectors as well as the production of waste management services by waste management activities. It is very important to carefully define production, especially for the flows involving waste management services. The 2001 WIO model (Nakamura and Kondo 2002) assumes that generation of wastes means consumption (use) of waste management service. For recyclables, however, producers of recyclable materials may be able to sell such materials. In this case the recyclables are in fact by-products that need to be registered in the supply table not in the use table.

Table 15: Supply table for WIO model of the U.S.

| | | Intermediate products | | | | Waste management services | | | |
|-----------------------------|--------------|--|-----------|-----|-------------|---|-----------|-----|-------------|
| | | Product 1 | Product 2 | ... | Product n | Service 1 | Service 2 | ... | Service q |
| Intermediate sectors | Sector 1 | $n \times n$ matrix of intermediate product produced by intermediate sectors (\$) | | | | $n \times q$ matrix of waste management services produced by intermediate sectors (ton) (≈ 0) | | | |
| | Sector 2 | | | | | | | | |
| | : | | | | | | | | |
| | Sector n | | | | | | | | |
| Waste management activities | Activity 1 | $p \times n$ matrix of intermediate products produced by waste management activities (\$)(≈ 0) | | | | $p \times q$ matrix of waste management services produced by waste management activities (ton) | | | |
| | Activity 2 | | | | | | | | |
| | : | | | | | | | | |
| | Activity p | | | | | | | | |

* Shaded area contains additional information that is not well represented in an ordinary supply table. The framework can accommodate any number of final demand sectors and primary factors. Only three final demand sectors and primary factors are shown here for the sake of simplicity.

The intermediate and waste management portion of the supply and use tables forms **V** and **U** matrices, respectively, which can be subsequently manipulated to produce product-by-product or industry-by-industry (or activity-by-activity) analytical tables following a standard supply and use framework.

Table 16: Use table for WIO model of the U.S.

| | | Intermediate sectors | | | | Waste management activities | | | | Final demand | | |
|---------------------------|-------------|--|----------|-----|------------|---|------------|-----|--------------|---|------------|--------|
| | | Sector 1 | Sector 2 | ... | Sector n | Activity 1 | Activity 2 | ... | Activity p | Household | Government | Export |
| Intermediate products | Product 1 | $n \times n$ matrix of intermediate inputs to intermediate sectors (\$) | | | | $n \times p$ matrix of intermediate inputs to waste management activities (\$) | | | | $n \times 3$ matrix of final consumption of intermediate products (\$) | | |
| | Product 2 | | | | | | | | | | | |
| | ... | | | | | | | | | | | |
| | Product n | | | | | | | | | | | |
| Waste management services | Service 1 | $q \times n$ matrix of waste management services purchased by intermediate sectors (ton) | | | | $q \times p$ matrix of waste management services purchased by waste management activities (ton) | | | | $q \times 3$ matrix of waste management services purchased by final consumers (ton) | | |
| | Service 2 | | | | | | | | | | | |
| | ... | | | | | | | | | | | |
| | Service q | | | | | | | | | | | |
| Primary factors | Wage | $3 \times n$ matrix of primary factor inputs by intermediate sectors (\$) | | | | $3 \times p$ matrix of primary factor inputs to waste management activities (\$) | | | | | | |
| | Tax | | | | | | | | | | | |
| | Profit | | | | | | | | | | | |
| | | | | | | | | | | | | |

* Shaded area contains additional information that is not well represented in an ordinary use table. The framework can accommodate any number of final demand sectors and primary factors. Only three final demand sectors and primary factors are shown here for the sake of simplicity.

8.3.3. Use of WIO Model to Calculate Tax Revenue Associated with Recycling and Reuse

The WIO methodology allows for a refinement to the approach used to calculate tax revenue associated with recycling and reuse. In the 2001 REI study, U.S. Census of Governments data were used to estimate total state and local government general revenue (e.g., exclusive of Social Security and retirement tax revenue, public utility revenue, etc.). Effective tax rates for each level of government were calculated by dividing general revenue by total personal income data collected from the U.S. Bureau of Economic Analysis. These effective rates were multiplied by the modelled estimates of total personal income attributed to recycling and reuse to estimate state and local revenue attributable to recycling.

In addition to eliminating the double-counting issues inherent in the approach used in 2001, the WIO methodology allows for further refinements to these estimates. A key assumption of the 2001 REI Report methodology was that all establishments in the U.S. are taxed at the same rate and that the total amount of taxes associated with a sector is proportional to personal income taxes paid. However, the federal government, and many states, has established tax brackets and marginal tax rates for personal and corporate income taxes, meaning that total taxes vary non-linearly with output. Industries in different sectors differ significantly with respect to the average size and distribution of establishments. Industries in different sectors also differ significantly with respect to labor intensity per output, with implications for the assumption that total taxes are proportional to personal income.

By associating recycled material flows with the national IO framework, the WIO methodology helps to address these sources of uncertainty in the 2001 REI Report model by allowing for the introduction of industry-specific tax revenue data. Data from the U.S. Internal Revenue Service (IRS), U.S. Census of Governments and U.S. Economic Census can be used to allocate personal and corporate tax revenues to different sectors of the economy, allowing the WIO model to more precisely estimate the proportion of these revenues attributable to recycling and reuse. Further review will be conducted to assess differences in resolution between IO tables and tax revenue data sources, crosswalk data tables and explore the possibility of introducing geographic variation (by state or region) into the analysis.

9. Appendix C – Results for Alternate WIO Approaches

The results of the three alternate approaches, other than the intermediate production approach are summarized below.

9.1.Direct Production of Recycling Approach

The results of the direct production of recycling approach is summarized in this section. Construction and demolition (C&D) contributed most significantly to job creation and wages, followed by ferrous metals. Ferrous metals were the most significant source of tax revenue among the eight materials studied, followed closely by C&D. Figure 15, Figure 16 and Figure 17 present the employment, wage and tax revenue results for this approach. Figure 18 shows the relative contribution by the nine materials to job creation, wage and tax revenue under this approach.

Figure 15: Employment results for the direct production of recycling approach




Figure 16: Wage results for the direct production of recycling approach





Figure 17: Tax revenue results for the direct production of recycling approach






Figure 18: Share of recycling's job creation, wage and tax revenue by material (direct production of recycling approach)

A breakdown of direct and indirect employment numbers, wages and taxes associated with the seven different sub-material types is shown in Figure 19 below. The total direct employment (# of jobs) by the organics category is around 36,118, associated wages are about \$1.04 billion and associated taxes are about \$135 million.




Figure 19: Share of direct employment numbers (# of jobs), wages (\$) and taxes (\$) by organics recycling

9.2. Recycled Content in Direct Household Demand on Recycling Approach

Unlike the *direct production of recycling* and the *direct and indirect production of recycling* approaches, the results of the analysis under the *recycled content in final demand* approach do not fall only under the nine material categories. Therefore the results from the analysis under the *recycled content in final demand* approach are organized according to the final demand categories in a decreasing order of contribution per each measure (Figure 20, Figure 21, Figure 22). The results show that consumption of various recycled material-enabled products contributes significantly to job creation, wage payment and tax revenue generation. Motor vehicles, and machinery and equipment categories are ranked high in these tables due to their uses of various recycled materials such as ferrous metals, non-ferrous metals, plastics and rubber.

Figure 20: Contribution of recycled material-enabled final demand to job creation (Top 10)




Figure 21: Contribution of recycled material-enabled final demand to wage payment (Top 10)





Figure 22: Contribution of recycled material-enabled final demand to tax revenue (Top 10)



It is notable that the contributions from motor vehicles, machinery manufacturing and electronic and electrical equipment stand out under the *recycled content approach* because of the combination of (1) the significant share of recycled ferrous and nonferrous metals and recycled plastics by weight, and (2) the significant consumption quantity of these products.

9.3. Direct Household Demand on Recycling Approach

The results from the analysis under the *direct household demand on recycling* approach is summarized in Figure 23, Figure 24 Figure 25. Recycling of paper provides the largest contribution to all three categories considered (job, wage and tax revenue).

Figure 23: Employment results for recycling as direct household demand on recycling approach




Figure 24: Wage results for recycling as direct household demand on recycling approach





Figure 25: Tax revenue results for direct household demand on recycling approach



10. Appendix D – Recycling Process Allocation Assumptions

10.1. Overview

The following tables summarize assumptions used to define recycling processes within the larger I-O framework. The tables identify assumptions and data sources for the following:

- **Recycled material quantity and price**—used to express recyclable and recycling material flows in monetary units to allow integration with official I-O statistical tables.
- **Major consumers of and processes consuming recyclable material**—identifies economic sectors where recycling activities occur or processes where recyclable materials are consumed, by material, where a recycling activity is defined as the transformation of scrap or recovered materials and products into a useful intermediate or final product.
- **Recyclable material proportion**—ratio of scrap/recovered material/products to the sum of the scrap/recovered material/products and the virgin material/new products for which the scrap/recovered material/products is used as a substitute.

These three bullets correspond to the three heading in each section below. The rationale for the approach is that it provides a means of defining recyclable material flows. This accomplishes two things: 1) it lays the foundation for a data-based approach for identify sectors where recycling occurs (versus identifying them *a priori* like in the previous REI studies); and 2) sets up a proportional flow approach for allocating economic factors across manufacturing and recycling processes. If instead of a proportional flow approach, we try to define specific recycling activities, this would suggest a hybrid LCA approach, which would require significantly more effort to create and maintain. Ferrous Metals

Recycled Material Quantities and Price

| Material | Description | Assumptions (2007 Basis) | | Data Sources |
|----------------|---|---|---------------|--------------------|
| Iron and Steel | Ferrous metals recovered from appliances (such as washing machines, water heaters, refrigerators, etc.), automobiles, steel containers, construction material and other sources | Material amounts recovered and recycled | 33,287,587 mt | USGS (2014) |
| | | Unit price of recycled material ¹⁶ | \$795.65 /mt | USGS (2013), p. 72 |

¹⁶ Based on average annual unit price for hot rolled steel bar

mt = metric ton

Major Consumers of Recyclable Material

- Manufacturers of pig iron and raw steel and castings (NAICS 331111)
- Manufacturers of steel castings (NAICS 331512, 331513)
- Iron foundries and miscellaneous users (NAICS 331511)

Data source: USGS (2010), Table 1

Recyclable Material Proportion

| Consuming Process | Process Description | Recyclable Material Proportion | Basis for Proportion | Data Source |
|--|--|--------------------------------|--|------------------|
| Manufacturers of pig iron and raw steel and castings | Ferrous scrap used as feedstock to manufacturing process | 40.1% | World industry-wide average share of total crude steel production from scrap, 2007 | BIR (2012), p. 9 |
| Manufacturers of steel castings | Ferrous scrap used as feedstock to manufacturing process | 40.1% | World industry-wide average share of total crude steel production from scrap, 2007 | BIR (2012), p. 9 |
| Iron foundries and miscellaneous users | Ferrous scrap used as feedstock to manufacturing process | 40.1% | World industry-wide average share of total crude steel production from scrap, 2007 | BIR (2012), p. 9 |

Sources Cited

BIR (2012). *World Steel Recycling in Figures 2007-2011*. Brussels, Belgium: Bureau of International Recycling, Ferrous Division. Retrieved May 21, 2015, from http://www.bdsv.org/downloads/bir_fr.pdf

USGS (2010). *2007 Mineral Yearbook: Iron and Steel, Scrap*. Reston, Virginia: U.S. Geological Survey. Retrieved May 21, 2015, from http://minerals.usgs.gov/minerals/pubs/commodity/iron_&_steel_scrap/myb1-2008-fescr.pdf

USGS (2013). *Metal Prices in the United States Through 2010*. Reston, Virginia: U.S. Geological Survey. Retrieved May 21, 2015, from <http://pubs.usgs.gov/sir/2012/5188/sir2012-5188.pdf>

USGS (2014). *2012 Minerals Yearbook: Iron and Steel Scrap (Advance Release)*. Reston, Virginia: U.S. Geological Survey. Retrieved May 21, 2015, from http://minerals.usgs.gov/minerals/pubs/commodity/iron_&_steel_scrap/myb1-2012-fescr.pdf

10.2. Nonferrous Metals (Aluminum)

Recycled Material Quantities and Price

| Material | Description | Assumptions (2007 Basis) | | Data Sources |
|----------|--|---|--------------|--------------------|
| Aluminum | Aluminum scrap from used beverage cans, other containers, transportation, construction and other sources | Material amounts recovered and recycled | 1,524,071 mt | USGS (2010) |
| | | Unit price of recycled material ¹⁷ | \$2,640 /mt | Index Mundi (2015) |

mt = metric ton

Major Consumers of Recyclable Material

- Secondary aluminum smelters (NAICS 331314)
- Independent mill fabricators and other (NAICS 331315, 331316, 331319)
- Aluminum foundries (NAICS 331521, 331524)

Data sources: USGS (2010), Table 3; USGS (2006), Figure 1

Recyclable Material Proportion

| Consuming Process | Process Description | Recyclable Material Proportion | Basis for Proportion | Data Source |
|--|---|--------------------------------|---|-------------|
| Secondary aluminum smelters | Aluminum scrap used as feedstock to manufacturing process | 40% | Percentage of total U.S. aluminum supply recovered from scrap | USGS (2010) |
| Independent mill fabricators and other | Aluminum scrap used as feedstock to manufacturing process | 40% | Percentage of total U.S. aluminum supply recovered from scrap | USGS (2010) |

¹⁷ Based on LME spot price for aluminum, 99.5% purity; comparable to unit price from USGS (2013), p. 5

| Consuming Process | Process Description | Recyclable Material Proportion | Basis for Proportion | Data Source |
|--------------------|---|--------------------------------|---|-------------|
| Aluminum foundries | Aluminum scrap used as feedstock to manufacturing process | 40% | Percentage of total U.S. aluminum supply recovered from scrap | USGS (2010) |

Sources Cited

Index Mundi (2015). Aluminum Monthly Price – U.S. Dollars per Metric Ton. *Commodity Prices, Aluminum*. Retrieved May 21, 2015, from <http://www.indexmundi.com/commodities/?commodity=aluminum&months=300>

USGS (2006). *Aluminum Recycling in the United States in 2000*. Reston, VA: U.S. Geological Survey. Retrieved May 21, 2015, from <http://pubs.usgs.gov/circ/c1196w/c1196w.pdf>

USGS (2010). *2008 Minerals Yearbook: Aluminum*. Reston, VA: U.S. Geological Survey. Retrieved May 21, 2015, from <http://minerals.usgs.gov/minerals/pubs/commodity/aluminum/myb1-2008-alumi.pdf>

USGS (2013). *Metal Prices in the United States Through 2010*. Reston, Virginia: U.S. Geological Survey. Retrieved May 21, 2015, from <http://pubs.usgs.gov/sir/2012/5188/sir2012-5188.pdf>

10.3. Plastics

Recycled Material Quantities and Price

| Material | Description | Assumptions (2007 Basis) | | Data Sources |
|----------|-------------------|---|----------------|--------------|
| Plastic | Recycled plastics | Material amounts recovered and recycled | 2,413,112 mt | EPA (2014) |
| | | Unit price of recycled material | \$1,208.68 /mt | Block (2012) |

mt = metric ton

Major Consumers of Recyclable Material

- PET

- Non-cellulosic fibers (NAICS 325222)
- Sheet, film and strapping (NAICS 326112, 326113)
- Food and non-food bottles (NAICS 326160)
- HDPE
 - Non-food bottles (NAICS 326160)
 - Pipe (NAICS 326122)
 - Automotive products (NAICS 326199)
 - Lawn and garden products (NAICS 326220)
 - Sheet and film (NAICS 326112, 326113)
 - Composite lumber (NAICS 326199)
 - Pallets, crates and buckets (NAICS 326199)
- LDPE
 - Composite lumber (NAICS 326199)

Data sources: ACC (2009), ACC (2014a), ACC (2015a), ACC (2015a), NAPCOR (2014)

Recyclable Material Proportion

| Consuming Process | Process Description | Recyclable Material Proportion | Basis for Proportion | Data Source |
|---|--|--------------------------------|---|-------------|
| PET Non-cellulosic fibers | Recovered PET used as substitute for virgin PET during non-cellulosic fiber manufacturing | 24.6% | National “recycling rate” (ratio of plastic recycled to total resin sales) for PET | ACC (2009) |
| PET Sheet, film and strapping | Recovered PET used as substitute for virgin PET during PET sheet, film and strapping manufacturing | 24.6% | National “recycling rate” (ratio of plastic recycled to total resin sales) for PET | ACC (2009) |
| PET Food and non-food bottles | Recovered PET used as substitute for virgin PET during food and non-food bottle manufacturing | 24.6% | National “recycling rate” (ratio of plastic recycled to total resin sales) for PET | ACC (2009) |
| HDPE Non-food bottles | Recovered HDPE used as substitute for virgin HDPE during non-food bottle manufacturing | 26.0% | National “recycling rate” (ratio of plastic recycled to total resin sales) for HDPE | ACC (2009) |

| Consuming Process | Process Description | Recyclable Material Proportion | Basis for Proportion | Data Source |
|--|---|--------------------------------|--|-------------|
| HDPE Pipe | Recovered HDPE used as substitute for virgin HDPE during HDPE pipe manufacturing | 26.0% | National “recycling rate” (ratio of plastic recycled to total resin sales) for HDPE | ACC (2009) |
| HDPE Automotive products | Recovered HDPE used as substitute for virgin HDPE during automotive plastic parts manufacturing | 26.0% | National “recycling rate” (ratio of plastic recycled to total resin sales) for HDPE | ACC (2009) |
| HDPE Lawn and garden products | Recovered HDPE used as substitute for virgin HDPE during lawn and garden products manufacturing | 26.0% | National “recycling rate” (ratio of plastic recycled to total resin sales) for HDPE | ACC (2009) |
| HDPE Sheet and film | Recovered HDPE used as substitute for virgin HDPE during HDPE sheet and film manufacturing | 26.0% | National “recycling rate” (ratio of plastic recycled to total resin sales) for HDPE | ACC (2009) |
| HDPE Composite lumber | Recovered HDPE used as substitute for virgin HDPE during composite lumber manufacturing | 26.0% | National “recycling rate” (ratio of plastic recycled to total resin sales) for HDPE | ACC (2009) |
| HDPE Pallets, crates and buckets | Recovered HDPE used as substitute for virgin HDPE during durable plastic products manufacturing | 26.0% | National “recycling rate” (ratio of plastic recycled to total resin sales) for HDPE | ACC (2009) |
| LDPE Composite lumber | Recovered LDPE used as substitute for virgin LDPE during composite lumber manufacturing | 25% | Assumption based on LDPE:HDPE share (and other materials) and relatively high average recycled content | |

Sources Cited

ACC (2009). 2007 United States National Post-Consumer Plastics Bottle Recycling Report. Washington, DC: American Chemistry Council. Retrieved May 22, 2015, from <http://plastics.americanchemistry.com/Education-Resources/Publications/2007-National-Postconsumer-Bottle-Recycling-Report.pdf>

ACC (2014). 2013 United States National Post-Consumer Plastics Bottle Recycling Report. Washington, DC: American Chemistry Council. Retrieved May 22, 2015, from <http://plastics.americanchemistry.com/Education-Resources/Publications/2013-National-Post-Consumer-Plastics-Bottle-Recycling-Report.pdf>

- ACC (2015a). 2013 National Post-Consumer Non-Bottle Rigid Plastic Recycling Report. Washington, DC: American Chemistry Council. Retrieved May 22, 2015, from <http://plastics.americanchemistry.com/Education-Resources/Publications/2013-National-Report-on-Post-Consumer-Non-Bottle-Rigid-Plastic-Recycling.pdf>
- ACC (2015b). 2013 National Post-Consumer Plastic Bag & Film Recycling Report. Washington, DC: American Chemistry Council. Retrieved May 22, 2015, from <http://plastics.americanchemistry.com/Education-Resources/Publications/2013-National-Postconsumer-Plastic-Bag-Film-Recycling-Report.pdf>
- Block, D.G. (2012). Recycled Resin Prices: Recycled Plastics Prices Unstable In First Half of 2012. *Plastics Technology*. Retrieved May 22, 2015, from <http://www.ptonline.com/articles/recycled-plastics-prices-unstable-in-first-half-of-2012>
- EPA (2014). *Municipal Solid Waste Generation, Recycling, and Disposal in the United States: Tables and Figures for 2012*. Office of Solid Waste and Emergency Response. Washington, DC: U.S. Environmental Protection Agency. Retrieved May 22, 2015, from http://www.epa.gov/solidwaste/nonhaz/municipal/pubs/2012_msw_dat_tbls.pdf
- NAPCOR (2014). Postconsumer PET Container Recycling Activity in 2013. Florence, Kentucky: National Association for PET Container Resources. Retrieved May 22, 2015, from http://www.napcor.com/pdf/NAPCOR_2013RateReport-FINAL.pdf

10.4. Rubber

Recycled Material Quantities and Price

| Material | Description | Assumptions (2007 Basis) | | Data Sources |
|-----------------------|---|---|-----------------|----------------------------|
| Rubber crumb | Ground rubber produced from scrap tires | Material amounts recovered and recycled | 1,100,016 mt | RMA (2014) |
| | | Unit price of recycled material | \$374.79 /mt | ProfitableRecycling (2015) |
| Other recycled rubber | Other rubber recovered from scrap tires used in civil engineering, reclamation and agricultural applications. | Material amounts recovered and recycled | 971,218 mt | RMA (2014) |
| | | Unit price of recycled material | \$385.81 /mt | ProfitableRecycling (2015) |

mt = metric ton

Major Consumers of Recyclable Material

- Molded/extruded rubber products (NAICS 326291)
- Athletic field construction (NAICS 237990)

- Artificial turf installation (NAICS 238990)
- Playground construction (NAICS 237990)
- Tire manufacturing (NAICS 326211)
- Tire retreading (NAICS 326212)
- Rubber hoses and belting (NAICS 326220)
- Rubber-modified asphalt (NAICS 324121)
- Road subgrade (NAICS 237310)
- Light rail construction (NAICS 237990)
- Septic drain fields and construction fill (NAICS 238910)

Data sources: RMA (2009)

Recyclable Material Proportion

| Consuming Process | Process Description | Recyclable Material Proportion | Basis for Proportion | Data Source |
|---------------------------------|---|--------------------------------|---|----------------|
| Molded/extruded rubber products | Ground rubber substituted for virgin rubber in molded rubber products (e.g., carpet underlay, dock bumpers, etc.) | 30% | Assumption based on general literature review and heterogeneity of products | RW (2012) |
| Athletic field construction | Direct application of crumb rubber as substitute for other material on field/track surface | <1% | Assumption based on general literature review | |
| Artificial turf installation | Direct application of crumb rubber as substitute for other material as cushion layer beneath artificial turf | 80% | Assumption based on general literature review | MadeHow (2015) |
| Playground construction | Direct application of crumb rubber as substitute for other material for playground surfacing | 20% | Assumption based on general literature review | |
| Tire manufacturing | Ground rubber substituted for virgin rubber in tire manufacturing | 5% | Recycled content achieved based on performance/technical limitations | TiE50 (2015) |

| Consuming Process | Process Description | Recyclable Material Proportion | Basis for Proportion | Data Source |
|---|--|--------------------------------|---|-------------------|
| Tire retreading | Ground rubber substituted for virgin rubber in new tread; does not include retreadable casings | 5% | Recycled content achieved based on performance/technical limitations | TiE50 (2015) |
| Rubber hoses and belting | Ground rubber substituted for virgin rubber in hose/belt manufacturing | 30% | Assumption based on general literature review | |
| Rubber-modified asphalt | Crumb rubber substituted for other material during asphalt manufacturing | <1% | Assumption based on characterization of minimal use/market demand | RMA (2009), p. 11 |
| Road subgrade | Direct application of crumb rubber as substitute for other material in road subgrade | <1% | Assumption based on general literature review and amounts of non-rubber material used in this application | |
| Light rail construction | Direct application of crumb rubber as substitute for other material to create vibration dampening layer for light rail | <1% | Assumption based on general literature review and amounts of non-rubber material used in this application | |
| Septic drain fields and construction fill | Direct application of crumb rubber as substitute for other material in septic drain fields and construction fill | <1% | Assumption based on general literature review and amounts of non-rubber material used in this application | |

Sources Cited

MadeHow (2015). How Products Are Made: Artificial Turf. *MadeHow.com*. Retrieved May 22, 2015, from <http://www.madehow.com/Volume-7/Artificial-Turf.html>

ProfitableRecycling (2015). Scrap Tire Recycling. *ProfitableRecycling.com*. Retrieved May 22, 2015, from <http://www.profitablerecycling.com/tirerecycling.htm>

RMA (2009). *Scrap Tire Markets in the United States*. Washington, DC: Rubber Manufacturers Association. Retrieved May 22, 2015, from http://www.rma.org/download/scrap-tires/market-reports/US_STMarkets2007.pdf

RMA (2014). 2013 U.S. Scrap Tire Management Summary. Washington, DC: Rubber Manufacturers Association. Retrieved May 22, 2015, from http://www.rma.org/download/scrap-tires/market-reports/US_STMarket2013.pdf

RW (2012). Market Focus: Rubber consumption to approach 31 mmt in 2015. *Rubber World Magazine*. Retrieved May 22, 2015, from <http://d27vj430nutdmd.cloudfront.net/9911/113868/2cd86525977761e2e04a03f833fc5a363e639080.pdf>

TiE50 (2015). 2014 TiE50 Company Profile: Tyromer Inc. *TiE50 Awards Program*. Retrieved May 22, 2015, from http://www.tie50.net/CompanyProfile/TiE50CompanyProfile_2014.asp?VwID=JNPOPRN0

Other General Literature

CalRecycle (2014). Matrix: Overview of Recycled Content Levels and Product Availability. *Sustainable (Green) Building*. Retrieved May 22, 2015, from <http://www.calrecycle.ca.gov/greenbuilding/materials/matrix.htm>

10.5. Glass

Recycled Material Quantities and Price

| Material | Description | Assumptions (2007 Basis) | | Data Sources |
|----------|--|---|--------------|--------------------------|
| Glass | Glass cullet recovered from glass bottles and jars | Material amounts recovered and recycled | 2,053,020 mt | GPI (2014) |
| | | Unit price of recycled material | \$32.50 /mt | Popular Mechanics (2008) |

mt = metric ton

Major Consumers of Recyclable Material

- Glass container manufacturing (NAICS 327213)
- Fiberglass manufacturing (NAICS 327993)

Data sources: GPI (2015); Waste360 (2015)

Recyclable Material Proportion

| Consuming Process | Process Description | Recyclable Material Proportion | Basis for Proportion | Data Source |
|-------------------------------|---|--------------------------------|---|-----------------------|
| Glass container manufacturing | Glass cullet used as feedstock during container manufacturing process | 23% | Mix of production from virgin and recycled inputs for glass manufacturing, 2015 | EPA (2015), Exhibit 9 |
| Fiberglass manufacturing | Fiberglass manufacturing | 30% | Average recycled content of fiberglass | TNet (2015) |

Sources Cited

EPA (2015). *Documentation for Greenhouse Gas Emission and Energy Factors Used in the Waste Reduction Model (WARM), Glass*. Washington, DC: U.S.

Environmental Protection Agency. Retrieved May 21, 2015, from <http://epa.gov/epawaste/conservation/tools/warm/pdfs/Glass.pdf>

GPI (2014). *Achieving 50% Recycled Content for Glass Containers: Efforts, Challenges and Opportunities Ahead for the North American Glass Container Industry*.

Arlington, Virginia: Glass Packaging Institute. Retrieved May 21, 2015, from

<http://www.gpi.org/sites/default/files/GPI%20Recycled%20Content%20Report%2C%20September%202014.pdf>

GPI (2015). Glass Facts. *Recycling*. Arlington, Virginia: Glass Packaging Institute. Retrieved May 21, 2015, from <http://www.gpi.org/recycling/glass-recycling-facts>

TNet (2015). *Metal Building: Fiberglass and Mineral Wool Insulation*. New York: Thomas Publishing Company. Retrieved May 21, 2015, from

<http://www.thomasnet.com/articles/plastics-rubber/fiberglass-mineral-wool-insulation>

Popular Mechanics (2008). *Recycling by the Numbers: The Truth About Recycling*. Retrieved May 21, 2015, from

<http://www.popularmechanics.com/science/environment/a3757/4291576/>

Waste360 (2015). Glass Containers. *Recycling*. Retrieved May 21, 2015, from http://waste360.com/Recycling_And_Processing/waste_glass_containers_4

10.6. Paper

Recycled Material Quantities and Price

| Material | Description | Assumptions (2007 Basis) | | Data Sources |
|----------|---|---|---------------|--------------------------|
| Paper | Recovered and recycled paper and paperboard | Material amounts recovered and recycled | 30,290,546 mt | AFPA (2014) |
| | | Unit price of recycled material | \$126.77 /mt | Popular Mechanics (2008) |

mt = metric ton

Major Consumers of Recyclable Material

- Paper mills, except newsprint (NAICS 322121)
- Newsprint mills (NAICS 322122)
- Paperboard mills (NAICS 322130)

Data sources: AFPA (2014)

Recyclable Material Proportion

| Consuming Process | Process Description | Recyclable Material Proportion | Basis for Proportion | Data Source |
|-------------------------------|--|--------------------------------|--|-------------|
| Paper mills, except newsprint | Paper manufacturing using pulp produced from recycled paper, either in integrated pulp-paper mill or in pulp mill that processes recycled paper ¹⁸ | 4% | From WARM model % production from recycled inputs (ref. products: magazines/ third class mail, office paper and textbooks) | EPA (2015) |
| Newsprint mills | Newsprint manufacturing using pulp produced from recycled newsprint, either in integrated pulp-newsprint mill or in pulp mill that processes recycled newsprint ² | 23% | From WARM model % production from recycled inputs (ref. product: newspaper) | EPA (2015) |
| Paperboard mills | Paperboard manufacturing using pulp produced from recycled paperboard, either in integrated pulp-paperboard mill or in pulp mill that processes recycled paperboard ² | 35% | From WARM model % production from recycled inputs (ref. product: corrugated containers) | EPA (2015) |

Sources Cited

AFPA (2014). *Annual Statistical Summary of Recovered Paper Utilization 2014*. Washington, DC: American Forest & Paper Association.

¹⁸ This definition of the recycling process assumes that production of pulp from recycled paper materials occurs separately from production of pulp from virgin material (EPA 2012). Therefore, pulping is defined as a “processing” step that transforms the paper material into a form usable as a substitute for pulp from virgin materials. Recycling takes place when the pulp from recycled material is used to make paper, newsprint or paperboard.

EPA (2012). Paper Making and Recycling. *U.S. Environmental Protection Agency*. Retrieved May 22, 2015, from <http://www.epa.gov/osw/consERVE/materials/paper/basics/papermaking.htm>

EPA (2015). *Documentation for Greenhouse Gas Emission and Energy Factors Used in the Waste Reduction Model (WARM), Paper Products*. Washington, DC: U.S. Environmental Protection Agency. Retrieved May 22, 2015, from http://epa.gov/epawaste/consERVE/tools/warm/pdfs/Paper_Products.pdf

Popular Mechanics (2008). Recycling by the Numbers: The Truth about Recycling. PopularMechanics.com. Retrieved May 22, 2015, from <http://www.popularmechanics.com/science/environment/a3757/4291576/>

10.7. Construction and Demolition (C&D) Material

Recycled Material Quantities and Price

| Material | Description | Assumptions (2007 Basis) | | Data Sources |
|-----------------------|--|---|----------------|--|
| Recycled C&D Material | Recycled concrete, asphalt, gypsum and wood recovered from construction and demolition waste ¹⁹ | Material amounts recovered and recycled | 318,419,727 mt | Modeled based on estimates of C&D generation amounts, recycling rates, recovery rates and recycled amounts for Mixed C&D, bulk aggregate and Reclaimed Asphalt Pavement (RAP) from CDRA whitepaper (CDRA 2014), NAPA survey (NAPA 2014) and personal communication with K. Janjic. (EPA) |
| | Unit price assumptions | | | |
| Recycled C&D Material | Recycled concrete | Unit price of recycled material | \$9.50 /mt | USGS (2000) |

¹⁹ C&D metal waste is included in ferrous and nonferrous metals recycling analysis.

| Material | Description | Assumptions (2007 Basis) | | Data Sources |
|----------|-------------------------------------|---------------------------------|-------------|-------------------|
| | Brick (recycled aggregate) | Unit price of recycled material | \$27.78 /mt | Kurtz (2015) |
| | Wood (recycled wood chips) | Unit price of recycled material | \$24.80 /mt | NETI (2015) |
| | Asphalt (recycled asphalt shingles) | Unit price of recycled material | \$44.09 /mt | Crushcrete (2015) |
| | Gypsum (drywall) | Unit price of recycled material | \$15.98 /mt | Bauer (2012) |

mt = metric ton

Major Consuming Processes/Applications of Recyclable Material

- C&D concrete
 - Aggregate for road base (NAICS 212319)
 - Aggregate for ready mix concrete (NAICS 212319)
 - Construction fill (NAICS 238910)
 - Other construction applications (e.g., soil stabilization, pipe bedding and landscaping) (NAICS 238910)

Data Sources: CDRA (2015b); USGS (2010), p. 71.3

- C&D asphalt pavement
 - Aggregate for asphalt pavement (NAICS 237310, 324121)

Data Source: NAPA (2014); USGS (2010), p. 71.3

- C&D asphalt shingles
 - Asphalt pavement (NAICS 324121)
 - Asphalt roofing products (NAICS 324122)

Data Source: SRO (2014); ARMA (2015)

- C&D gypsum wallboard
 - New drywall (NAICS 327420)
 - Portland cement (NAICS 327310)
 - Soil amendment (NAICS 115112)
 - Fertilizer (NAICS 325314)

Data Source: CDRA (2015c); USGS (2010)

- Wood
 - Engineered wood products (NAICS 321219)
 - Wood flooring (NAICS 321918)
 - Mulch, animal bedding and compost amendment (NAICS 325314)

Data sources: Bratkovich et al. (2014); Falk and McKeever (2004)

Recyclable Material Proportion

| Consuming Process | Process Description | Recyclable Material | Basis for Proportion | Data Source |
|----------------------------------|--|---------------------|---|------------------------------|
| Concrete | | | | |
| Aggregate for road base | Crushed/processed concrete used as substitute for crushed stone in road base | 10.2% | Ratio of recycled concrete in 2008 (14.8 mmt) consumed to sum of graded road base and crusher run, fill or waste consumed (145.4 mmt) | USGS (2010), Tables 9 and 15 |
| Aggregate for ready mix concrete | Crushed/processed concrete used as substitute for other materials in concrete for road surfacing | 1% | Assumption based on general literature review and considerations in Obla et al. (2007) | |
| Construction fill | Recovered concrete used as substitute for other material in construction fill | 10.2% | Ratio of recycled concrete in 2008 (14.8 mmt) consumed to sum of graded road base and crusher run, fill or waste consumed (145.4 mmt) | USGS (2010), Tables 9 and 15 |
| Other construction applications | Recovered concrete used as substitute for other material in other construction applications | <1% | Assumption based on general literature review | |

| Consuming Process | Process Description | Recyclable Material Proportion | Basis for Proportion | Data Source |
|--------------------------------------|---|--------------------------------|---|-----------------------------|
| Asphalt pavement | | | | |
| Asphalt pavement aggregate (on-site) | Reclaimed/milled asphalt used as substitute for new aggregate in on-site hot mix asphalt process | 16.2% | National average all mixes based on RAP tons used in HMA/WMA, 2009 | NAPA (2014), Table 4, p. 11 |
| Asphalt pavement aggregate (plant) | Reclaimed/milled asphalt used as substitute for new aggregate in asphalt manufacturing plant | 16.2% | National average all mixes based on RAP Tons used in HMA/WMA, 2009 | NAPA (2014), Table 4, p. 11 |
| Asphalt shingles | | | | |
| Asphalt pavement additive | Reclaimed/crushed asphalt shingles added as substitute for other material in asphalt paving manufacturing | 1% | Assumption based on general literature review | |
| Asphalt roofing products | Reclaimed/crushed asphalt shingles added as substitute for other material in asphalt shingle manufacturing | 3% | Assumption based on general literature review | |
| Gypsum wallboard | | | | |
| New drywall | Gypsum from scrap drywall used as substitute for virgin gypsum in manufacturing new drywall | 15% | Midpoint of typical recycled amounts of scrap drywall in new products (10%-20%) | CDRA (2015a) |
| Portland cement | Gypsum from scrap drywall used as substitute for other material in manufacturing of Portland cement | 1% | Assumption based on general literature review, including USGS (2010a), p. 33.2 and EPA (2015) | |
| Soil amendment | Reclaimed gypsum from scrap drywall applied to soil as substitute for other nutrients or texture amendments | 1% | Assumption based on general literature review, including USGS (2010a), p. 33.2 and EPA (2015) | |
| Fertilizer additive | Gypsum from scrap drywall used as substitute for other nutrient sources in fertilizer manufacturing | 1% | Assumption based on general literature review, including USGS (2010a), p. 33.2 and EPA (2015) | |

| Consuming Process | Process Description | Recyclable Material Proportion | Basis for Proportion | Data Source |
|---|---|--------------------------------|--|-------------|
| Wood | | | | |
| Engineered wood products | Reclaimed C&D wood chipped and used as substitute for other wood in engineered wood product manufacturing | 1% | Assumption based on general literature review, including Bratkovich et al. (2014) and Falk and McKeever (2004) | |
| Wood flooring | Reclaimed C&D flooring and lumber processed and used as substitute for flooring made from virgin wood | 1% | Assumption based on general literature review, including Bratkovich et al. (2014) and Falk and McKeever (2004) | |
| Mulch, animal bedding and compost amendment | Reclaimed C&D wood chipped and used as substitute for other material in mulch, animal bedding and compost manufacturing | 1% | Assumption based on general literature review, including Bratkovich et al. (2014) and Falk and McKeever (2004) | |

Sources Cited

ARMA (2015). Asphalt Shingle Recycling FAQs. Retrieved May 24, 2015, from Asphalt Roofing Manufacturers Association:

<http://www.asphaltroofing.org/asphalt-shingle-recycling-faqs>

Bauer, C. (2012). *Gypsum Recycling in PlaNYC 2030: Spaces for Government Intervention*. Retrieved May 24, 2015, from Columbia University Academic Commons: <http://hdl.handle.net/10022/AC:P:13287>

Bratkovich, S., J. Howe, J. Bowyer, E. Pepke, M. Frank and K. Fernholz (2014). *Municipal Solid Waste (MSW) and Construction and Demolition (C&D) Wood Waste Generation and Recovery in the United States*. Minneapolis, MN: Dovetail Partners, Inc. Retrieved May 24, 2015, from http://www.dovetailinc.org/report_pdfs/2014/dovetailwoodrecovery0914.pdf

CDRA (2014). The Benefits of Construction and Demolition Materials Recycling in the United States. Retrieved September 14, 2015, from Construction & Demolition Recycling Association: http://www.cdrecycling.org/assets/docs/exec%20summary_cd%20recycling%20impact%20white%20paper.pdf

CDRA (2015a). *Drywall Recycling Market: Manufacture of New Drywall*. Retrieved May 24, 2015, from Construction & Demolition Recycling Association: <http://www.cdrecycling.org/new-drywall>

CDRA (2015b). *Markets for Recycled Concrete Aggregate*. Retrieved May 24, 2015, from Construction & Demolition Recycling Association: <http://www.cdrecycling.org/end-markets>

- CDRA (2015c). *Markets for Recycling Gypsum Drywall*. Retrieved May 24, 2015, from Construction & Demolition Recycling Association: <http://www.cdrecycling.org/markets>
- Crushcrete (2015). Recycled Asphalt Shingles (RAS) as a Valuable Commodity. Retrieved May 24, 2015, from Crushcrete Inc.: <http://www.crushcrete.com/ras.html>
- EPA (2015). *Documentation for Greenhouse Gas Emission and Energy Factors Used in the Waste Reduction Model (WARM)*, Wallboard. Washington, DC: U.S. Environmental Protection Agency. Retrieved May 24, 2015, from <http://epa.gov/epawaste/conservetools/warm/pdfs/Drywall.pdf>
- Faulk, R. and D. McKeever (2004). *Recovering Wood for Reuse and Recycling, A United States Perspective*. European COST E31 Conference: Management of Recovered Wood Recycling Bioenergy and other Options: proceedings, 22-24 April 2004, Thessaloniki. Thessaloniki: University Studio Press. Retrieved May 24, 2015, from http://www.fpl.fs.fed.us/documnts/pdf2004/fpl_2004_falk001.pdf
- Kurtz (2015). *#304 Recycled Aggregate*. Retrieved May 24, 2015, from Kurtz Bros., Inc.: <http://www.kurtz-bros.com/landscape-supplies/recycled-aggregate/304-recycled-aggregate/>
- NAPA (2014). *Annual Asphalt Pavement Industry Survey on Recycled Materials and Warm-Mix Asphalt Usage: 2009-2013*. Lanham, Maryland: National Asphalt Pavement Association. Retrieved May 24, 2015, from http://www.asphaltpavement.org/PDFs/IS138/IS138-2013_RAP-RAS-WMA_Survey_Final.pdf
- NETI (2015). *Wood Chips*. Retrieved May 24, 2015, from NE Timberland Investments, LLC: <http://www.netimberland.com/woodchips.html>
- Obla, K., H. Kim and C. Lobo (2007). *Crushed Returned Concrete as Aggregates for New Concrete*. Silver Spring, Maryland: National Ready Mixed Concrete Association. Retrieved May 24, 2015, from <http://www.rmc-foundation.org/images/CCA%20Study%20Final%20Report%2009-07.pdf>
- SRO (2015). *Markets for Recycling Asphalt Shingles*. Retrieved May 24, 2015, from Shingle Recycling.org: <http://www.shinglerecycling.org/content/markets-recycling-asphalt-shingles>
- USGS (2000). *Recycled Aggregates—Profitable Resource Conservation*. Reston, Virginia: U.S. Geological Survey. Retrieved May 24, 2015, from <http://pubs.usgs.gov/fs/fs-0181-99/fs-0181-99so.pdf>
- USGS (2010). 2008 Minerals Yearbook: Gypsum. Reston, Virginia: U.S. Geological Survey. Retrieved May 24, 2015, from <http://minerals.usgs.gov/minerals/pubs/commodity/gypsum/myb1-2008-gypsu.pdf>
- USGS (2010). 2008 Minerals Yearbook: Stone, Crushed. Reston, Virginia: U.S. Geological Survey. Retrieved May 24, 2015, from http://minerals.usgs.gov/minerals/pubs/commodity/stone_crushed/myb1-2008-stonc.pdf

10.8. Electronics

Recycled Material Quantities and Price

| Material | Description | | Assumptions (2007 Basis) | Data Sources |
|----------------------|--|---|--------------------------|--|
| Recycled Electronics | Recycled computers, computer displays, printers, fax machines, keyboards, televisions and mobile devices | Material amounts recovered and recycled | 388,404 mt | EPA (2011) |
| | Unit price assumptions | | | |
| Recycled Electronics | Recycled UEP - Computers and computer peripheral devices | Unit price (weight basis) | \$702.25 /mt | ITC (2013), Table 3.2 |
| | Recycled UEP - Monitors | Unit price (weight basis) | \$798.93 /mt | ITC (2013), Table 3.2 |
| | Recycled UEP - Hard Copy Devices | Unit price (weight basis) | \$116.87 /mt | On-line marketplace prices ²⁰ |
| | Recycled UEP - Keyboards & Mice | Unit price (weight basis) | \$44.24 /mt | On-line marketplace prices ¹ |
| | Recycled UEP – Televisions | Unit price (weight basis) | \$73.99 /mt | ITC (2013), Table 3.2 |
| | Recycled UEP - Mobile Devices | Unit price (weight basis) | \$2,741.39 /mt | ITC (2013), Table 3.2 |

mt = metric ton

Major Consuming Processes/Applications of Recyclable Material

- Computer refurbishers, remanufacturers, resellers (NAICS 334111)
- Computer monitor refurbishers, remanufacturers, resellers (NAICS 334119)
- Printer, scanner and multi-function device refurbishers, remanufacturers and resellers (NAICS 334119)
- Fax machine refurbishers, remanufacturers and resellers (NAICS 334210)
- Digital copier refurbishers, remanufacturers and resellers (NAICS 333315)
- Keyboard and mouse refurbishers, remanufacturers and resellers (NAICS 334119)
- Television refurbishers, remanufacturers and resellers (NAICS 334310)
- Mobile device refurbishers, remanufacturers and resellers (NAICS 334220)

²⁰ Calculated based on average price of top 10 "new & popular" on Amazon.com

Data sources: IDC (2011); EPA (2011)

Recyclable Material Proportion

| Consuming Process | Process Description ²¹ | Recyclable Material Proportion (2007) | Basis for Proportion (2007) ²² | Data Source |
|---|---|---------------------------------------|--|--|
| Computers | Used computers refurbished, remanufactured and resold as substitute for new computers | 9.1% | Ratio of weight of recycled devices sold to all devices sold | EPA (2011), Tables 1, 2 and 11; IDC (2011) |
| Computer displays | Used computer displays refurbished, remanufactured and resold as substitute for new computer displays | 9.2% | Ratio of weight of recycled devices sold to all devices sold | EPA (2011), Tables 1, 2 and 11; IDC (2011) |
| Hard copy devices: printers, scanners, multi-function devices | Used hard copy devices refurbished, remanufactured and resold as substitute for new hard copy devices | 7.7% | Ratio of weight of recycled devices sold to all devices sold | EPA (2011), Tables 1, 2 and 11; IDC (2011) |
| Hard copy devices: fax machines | Used hard copy devices refurbished, remanufactured and resold as substitute for new hard copy devices | 7.7% | Ratio of weight of recycled devices sold to all devices sold | EPA (2011), Tables 1, 2 and 11; IDC (2011) |
| Hard copy devices: digital copiers | Used hard copy devices refurbished, remanufactured and resold as substitute for new hard copy devices | 7.7% | Ratio of weight of recycled devices sold to all devices sold | EPA (2011), Tables 1, 2 and 11; IDC (2011) |
| Keyboards and mice | Used keyboards and mice refurbished, remanufactured and resold as substitute for new keyboards and mice | 2.5% | Ratio of weight of recycled devices sold to all devices sold | EPA (2011), Tables 1, 2 and 11; IDC (2011) |

²¹ For the purposes of this analysis, electronics recycling includes the recovery, refurbishing/remanufacturing and resale of electronics devices. It does not include the processing of used electronics into commodity-grade scrap, such as ferrous metals, nonferrous metals, glass and plastic. To avoid double-counting, commodity-grade scrap is included in estimates of recycling of the respective commodity.

²² The ratio is calculated by multiplying tons of products collected for recycling (EPA 2011, Table 11) by percentage recycled from IDC (2011) (30% for all products except mobile devices; 42% for mobile devices) and dividing this number by the total weight of comparable products sold, derived by multiplying total sales from EPA (2011), Table 1, by average device weight from EPA (2011), Table 2, and converting units. E.g., Recyclable Material Proportion for computers (2007) = $(143,000 * 30\%) / (((34,210,000 * 22) + (30,020,000 * 6.4)) / 2000) = 9.1\%$.

| Consuming Process | Process Description ²¹ | Recyclable Material Proportion (2007) | Basis for Proportion (2007) ²² | Data Source |
|-------------------|---|---------------------------------------|--|--|
| Televisions | Used televisions refurbished, remanufactured and resold as substitute for new televisions | 3.9% | Ratio of weight of recycled devices sold to all devices sold | EPA (2011), Tables 1, 2 and 11; IDC (2011) |
| Mobile devices | Used mobile devices refurbished, remanufactured and resold as substitute for new mobile devices | 3.0% | Ratio of weight of recycled devices sold to all devices sold | EPA (2011), Tables 1, 2 and 11; IDC (2011) |

Sources Cited

EPA (2011). *Electronics Waste Management in the United States through 2009*. Washington, DC: U.S. Environmental Protection Agency. Retrieved May 24, 2015, from <http://www.epa.gov/epawaste/conserve/materials/ecycling/docs/fullbaselinereport2011.pdf>

IDC (2011). *Inside the U.S. Electronics Recycling Industry*. Framingham, Massachusetts: International Data Corporation. Retrieved May 24, 2015, from <https://www.isri.org/docs/default-source/recycling-analysis-%28reports-studies%29/idc-report-inside-the-us-electronics-recycling-industry-final.pdf?sfvrsn=4>

ITC (2013). *Used Electronic Products: An Examination of U.S. Exports*. Washington, CD: United States International Trade Commission. Retrieved May 24, 2015, from <http://www.usitc.gov/publications/332/pub4379.pdf>

10.9. Food and Organics

Donated Food Quantities and Price

| Material | Description | Assumptions (2007 Basis) | | Data Sources |
|-----------------|---|--|-----------|-----------------------|
| Gleaned produce | Produce that would not have been harvested by farmers for commercial sale and was gleaned for donation to community food programs. Does not include unusable parts of fruits, vegetables and grains that are unsuitable for human consumption (see “crop residue”). | Material amounts recovered and donated | 19,654 mt | EPA (2009), Exhibit 5 |

| Material | | | | |
|---------------|--|--|------------|-----------------------|
| Rescued food | Food that was prepared by restaurants and institutional food services that would have been wasted but was diverted and recovered for use in community food programs. | Material amounts recovered and donated | 17,378 mt | EPA (2009), Exhibit 5 |
| Salvaged food | Food, including manufactured food products nearing expiration and fresh produce nearing spoilage, that would have been wasted but was diverted and recovered for use in community food programs. Does not include food that would not have been wasted if it was not donated (e.g., canned goods collected as part of a food drive). | Material amounts recovered and donated | 265,268 mt | EPA (2009), Exhibit 5 |

Recyclable Organic Material Quantities and Price

| Material | Description | Assumptions (2007 Basis) | | Data Sources |
|--------------------|---|---|---------------|--|
| Animal by-products | By-products of livestock slaughtering operations and fish and other seafood processing operations and processing scraps (e.g., trimmed fat) from grocery stores and butcher shops. | Material amounts recovered and recycled | 21,858,700 mt | Jekanowski (2011) |
| Crop residue | Parts of fruit and vegetables such as stalks, leaves and roots that are not normally sold for food products as well as misshapen, bruised or undersized fruit and vegetables that are separated out on the farm as unsuitable for sale or food donation. Does not include "gleaned produce," as defined herein. | Material amounts recovered and recycled | 3,533 mt | Sapkota et al. (2007); Platt et al. (2014) |
| Dairy by-products | By-products of milk and cheese production, including buttermilk and whey that would be wasted if not diverted for recycling. | Material amounts recovered and recycled | 15,518 mt | NARA (2009); BSR (2013); USEPA (2014) |

| Material | | | | |
|------------------------------------|---|---|---------------|--|
| Deceased stock | Animals that are condemned and/or non-ambulatory prior to slaughter and dead aquatic animals from aquaculture operations that, therefore, cannot be processed for human food. | Material amounts recovered and recycled | 952,350 mt | Jekanowski (2011) |
| Grease/FOG | Natural by-products of the cooking process, derived from animal fats, vegetable oils, baked goods, dairy products and other foods. Includes yellow grease rendered from spent filtered cooking oil and brown grease that has been processed to remove contaminants. | Material amounts recovered and recycled | 1,159,146 mt | Jekanowski (2011); USEPA (2014) |
| Plate waste | Uneaten food served in restaurants, institutional food service facilities and homes that is not saved as leftovers for future human consumption. | Material amounts recovered and recycled | 495,517 mt | USEPA (2007); NARA (2009); USEPA (2014) |
| Produce, oilseed and grain residue | Residues from food manufacturing and processing operations, including inedible trimmings, other fruit and vegetable material left-over after processing and residues from grain and oilseed processing. Does not include edible produce that is salvaged for feeding people (see "salvaged food") or "spoiled food," as defined herein. | Material amounts recovered and recycled | 463,530 mt | NARA (2009); BSR (2013); USEPA (2014) |
| Spoiled food | Food, including fruits, vegetables, meat and semi-perishable manufactured products, which spoil or expire and cannot be sold, donated or processed for human consumption. | Material amounts recovered and recycled | 445,595 mt | NARA (2009); BSR (2013); USEPA (2014) |
| Trim and other cooking waste | Food scraps resulting from food preparation, including inedible and/or trimmed parts of fruits and vegetables, trimmings from preparing meat and burned or otherwise inedible cooking products. | Material amounts recovered and recycled | 428,565 mt | USEPA (2007); NARA (2009); USEPA (2014) |
| Yard trimmings | Grass, leaves and tree and brush trimmings from residential, institutional and commercial sources. | Material amounts recovered and recycled | 17,505,100 mt | EPA (2007); CalRecycle (2010); Platt et al. (2013) |

| Material | Description | Assumptions (2007 Basis) | | Data Sources |
|---|---|---|--------------|----------------|
| Unit price assumptions (only for recyclable organic products sold on the market) | | | | |
| Animal by-products | Estimated the average annual price of selected rendered products in 2007. The rendered products include materials such as inedible tallow and greases, edible tallow and lard and protein meals (meat and bone meal, pork meat and bone meal, blood meal, pork blood meal). | Unit price of 1 metric ton of rendered products | \$545.30/mt | NRA (2012) |
| Dairy by-products | Estimated the average price of dairy by-products whey and buttermilk in 2007. | Unit price of 1 metric ton of dairy by-products | \$2481.76/mt | USDA (2008) |
| Grease | Estimated the average price of recovered grease product. | Unit price of 1 metric ton of grease | \$224.87/mt | Centrec (2014) |

mt = metric ton

Recycled Organic Material Quantities

| Material | Description | Assumptions (2007 Basis) | | Data Sources |
|--|---|-----------------------------|--------------|-------------------|
| Animal meal, meat, fats, oils and tallow | Primary products of animal rendering processes. Different types of meat and bone meal is a protein product used to produce livestock, poultry, aquaculture feed and pet food. Animal fats, oils and tallow are used as intermediate products for animal feed; industrial products like fatty acids, lubricants, plastics, printing inks and explosives; and consumer products such as soap, cosmetics, shaving cream, deodorants, perfumes, polishes, cleaners, paints, candles, fertilizer and caulking compounds. Special rendering processes are used to produce edible products, such as lard, from specially sourced animal by-products. | Material amounts recycled | 8,364,137 mt | Jekanowski (2011) |

| Material | | | | |
|-----------------------------------|--|---------------------------|---------------|--------------------------------|
| Animal feed for animal production | Keeping, grazing, breeding or feeding animals, including livestock and aquatic animals, for sale. | Material amounts recycled | 2,742,531 mt | EPA (2009) |
| Biodiesel | A replacement fuel for diesel engines made from used cooking oils, vegetable oils and/or animal fats and oils; usually made up of a blend of pure biodiesel and petroleum-based diesel. | Material amounts recycled | 2,524,963 mt | NRA (2007) |
| Biogas | A renewable energy fuel gas consisting mainly of methane and carbon dioxide that is produced through anaerobic digestion. | Material amounts recycled | 17,402,653 mt | American Biogas Council (2014) |
| Compost | Material produced from the aerobic decomposition of organic material. Compost is used as a soil amendment and surface dressing for agricultural, silvicultural, horticultural, landscaping and construction applications. | Material amounts recycled | 5,830,932 mt | Platt et al. (2013) |
| Mulch & wood chips | Mulch: Organic, non-composted product created by chipping or grinding woody yard trimmings, land clearing debris, crop residuals and other natural wood, used as a ground cover around or over plants to enrich or insulate the soil. Wood Chips: Organic, non-composted product created by chipping or grinding woody yard trimmings, land clearing debris and other natural wood, used as a ground cover, boiler fuel or as an intermediate product for animal bedding and other value-added applications. | Material amounts recycled | 5,532,740 mt | Assumption |

mt = metric ton

Sources and Uses of Donated Diverted Food Waste

- Gleaned produce
 - Community food programs (NAICS 624210, Community Food Services)

Data Sources: USEPA and USDA (1999)

- Salvaged and rescued food
 - Community food programs (NAICS 624210, Community Food Services)

Data sources: USEPA (1999); USEPA (2009); USEPA (2013a); USEPA (2014); USEPA (2015a)

Sources and Uses of Recyclable Organics

- **Animal by-products**
 - Rendering and animal by-product processing (NAICS 311613, Rendering and Meat Byproduct Processing)
 - Other bio-based materials manufacturing (not specified – see Note 1)

Data Sources: Meeker (2006); Jekanowski (2011); Centrec (2014); USEPA (2014)

- **Crop residue**
 - Minimally processed animal feed (NAICS 112210, Hog and Pig Farming)
 - Biofuels manufacturing (NAICS 325199, All Other Basic Organic Chemical Manufacturing)
 - Anaerobic digestion (NAICS 221119, Other Electric Power Generation)
 - Other bio-based materials manufacturing (not specified – see Note 1)
 - Compost manufacturing (NAICS 325314, Fertilizer (Mixing Only) Manufacturing)

Data Sources: Sapkota et al. (2007); Platt et al. (2014)

- **Dairy by-products**
 - Minimally processed animal feed (NAICS 112210, Hog and Pig Farming)
 - Anaerobic digestion (NAICS 221119, Other Electric Power Generation)

Data sources: Sapkota et al. (2007); NREL (2013); USEPA (2015b); USDA (2008)

- **Deceased stock**
 - Rendering and animal by-product processing (NAICS 311613, Rendering and Meat Byproduct Processing)
 - Compost manufacturing (NAICS 325314, Fertilizer (Mixing Only) Manufacturing)

Data Sources: Meeker (2006); Jekanowski (2011); Platt et al. (2014)

- **Grease/FOG**
 - Rendering and animal by-product processing (NAICS 311613, Rendering and Meat Byproduct Processing)
 - Biofuels manufacturing (NAICS 325199, All Other Basic Organic Chemical Manufacturing)
 - Anaerobic digestion (NAICS 221119, Other Electric Power Generation)

Data sources: IWMRC (2006); USEPA (2009); Jekanowski (2011); USDA (2011); USEPA (2014); USEPA (2015a); USEPA (2015b)

- **Plate waste**

- Minimally processed animal feed (NAICS 112210, Hog and Pig Farming)
- Anaerobic digestion (NAICS 221119, Other Electric Power Generation)
- Compost manufacturing (NAICS 325314, Fertilizer (Mixing Only) Manufacturing)

Data sources: Sapkota et al. (2007); USEPA (2008); USEPA (2009); CalRecycle (2010); USDA (2011); USEPA (2013b); NREL (2013); Platt et al. (2014); Themelis and Arsova (2015); USEPA (2014); USEPA (2015a); USEPA (2015b)

- **Produce, oilseed and grain residue**

- Minimally processed animal feed (NAICS 112210, Hog and Pig Farming)
- Anaerobic digestion (NAICS 221119, Other Electric Power Generation)
- Other bio-based materials manufacturing (not specified – see Note 1)
- Compost manufacturing (NAICS 325314, Fertilizer (Mixing Only) Manufacturing)

Data sources: Sapkota et al. (2007); BSR (2013); NREL (2013); Platt et al. (2014); USEPA (2014); USEPA (2015a); USEPA (2015b)

- **Spoiled food**

- Minimally processed animal feed (NAICS 112210, Hog and Pig Farming)
- Anaerobic digestion (NAICS 221119, Other Electric Power Generation)
- Compost manufacturing (NAICS 325314, Fertilizer (Mixing Only) Manufacturing)

Data sources: Sapkota et al. (2007); USEPA (2008); USEPA (2009); CalRecycle (2010); USDA (2011); BSR (2013); USEPA (2013b); NREL (2013); Platt et al. (2014); USEPA (2014); USEPA (2015a); Themelis and Arsova (2015); USEPA (2015b)

- **Trim and other cooking waste**

- Minimally processed animal feed (NAICS 112210, Hog and Pig Farming)
- Anaerobic digestion (NAICS 221119, Other Electric Power Generation)
- Compost manufacturing (NAICS 325314, Fertilizer (Mixing Only) Manufacturing)

Data sources: Sapkota et al. (2007); USEPA (2008); USEPA (2009); CalRecycle (2010); USDA (2011); USEPA (2013b); NREL (2013); Platt et al. (2014); USEPA (2014); Themelis and Arsova (2015); USEPA (2015a); USEPA (2015b)

- **Yard trimmings**

- Other biomass-based power generation (NAICS 221119, Other Electric Power Generation)
- Compost manufacturing (NAICS 325314, Fertilizer (Mixing Only) Manufacturing)
- Landscape materials application (NAICS 561730, Landscaping Services)

Data sources: USEPA (2008); CalRecycle (2010); Platt et al. (2013); USEPA (2013b); Platt et al. (2014); SCDHEC (2014); Themelis and Arsova (2015)

Note 1: The WIO model includes production of bio-based materials and chemicals as an output of recycling through two processes: 1) rendering and animal by-products processing, and 2) biofuels manufacturing. It is recognized that bio-based materials are produced through other recycling processes. However, due to the diffuse nature of these processes and lack of data to model them, they are not included quantitatively in the analysis.

Donated Food Proportion

| Consuming Process | Process Description | Recyclable Material Proportion | Basis for Proportion | Data Source |
|----------------------------------|--|--------------------------------|---|--------------|
| Gleaned produce | | | | |
| Community food programs | Gleaned produce from farms without which community food programs would need to find another source of produce (e.g., purchased produce) to meet their needs. | 2.3% | Ratio of estimated amount of gleaned produce to total food donated in 2008, where 10% of produce donated in 2008 is assumed to be gleaned | USEPA (2009) |
| Salvaged and rescued food | | | | |
| Community food programs | Salvaged and rescued food without which community food programs would need to find another source of food (e.g., purchased) to meet their needs. | 33.2% | Ratio of estimated amount of salvaged and rescued food to total food donated in 2008, where 90% of produce donated in 2008 is assumed to be from food salvage or rescue | USEPA (2009) |

Recyclable Materials Proportion

| Consuming Process | Process Description | Recyclable Material Proportion | Basis for Proportion | Data Source |
|--|--|--------------------------------|--|--------------------------------|
| Animal by-products | | | | |
| Rendering and animal by-product processing | By-products from slaughterhouses, grocery stores and butcher shops rendered to produce usable products | 91.3% | Ratio of estimated amount of animal by-products to total raw material, 2008 | Jekanowski (2011) |
| Other bio-based materials manufacturing ¹ | Animal by-products recovered and used (without intermediate rendering) to produce bio-based products (e.g., oyster shells as landscaping material) | --- | --- | --- |
| Crop residue | | | | |
| Minimally processed animal feed | Crop residue recovered and used as substitute for other sources of feed used in hog and pig farming | <0.1% | Ratio estimated crop residue diverted for animal feed to animal feed required to support hog inventory, 2007 | NARA (2009); Feedstuffs (2011) |
| Biofuels manufacturing ² | Crop residue recovered and used as feedstock for biofuels manufacturing | --- | --- | --- |
| Anaerobic digestion | Dairy by-products recovered and used as substitute for other feedstock in off-farm, commercial anaerobic digestion operations | 0.3% | Percentage anaerobic digestion feedstock from crop residue based on European study (5%) | ABDA (2015) |
| Other bio-based materials manufacturing ¹ | Crop residue recovered and used to produce bio-based products | --- | --- | --- |
| Compost manufacturing | Crop residue recovered and used to produce compost in off-farm commercial composting operations | <0.1% | Ratio of estimated crop residue recovered for off-farm composting to total compost feedstock | Platt et al. (2014) |

| Consuming Process | Process Description | Recyclable Material Proportion | Basis for Proportion | Data Source |
|--|---|--------------------------------|--|--------------------------------|
| Dairy by-products | | | | |
| Minimally processed animal feed | Dairy by-products recovered and used as substitute for other sources of feed used in hog and pig farming | <0.1% | Ratio estimated dairy by-products diverted for animal feed to animal feed required to support hog inventory, 2007 | NARA (2009); Feedstuffs (2011) |
| Anaerobic digestion | Dairy by-products recovered and used as substitute for other feedstock in off-farm, commercial anaerobic digestion operations | 0.5% | Percentage anaerobic digestion feedstock from food waste based on European study (5%) apportioned across food waste categories in study; dairy products assumed 10% of this recyclables stream | ABDA (2015) |
| Deceased stock | | | | |
| Rendering and animal by-product processing | Deceased stock rendered to produce usable products | 4.0% | Ratio of estimated amount of dead stock to total raw material, 2008 | Jekanowski (2011) |
| Compost manufacturing | Deceased stock recovered and used to produce compost in off-farm commercial composting operations | <0.1% | Ratio of estimated crop residue recovered for off-farm composting to total compost feedstock | Platt et al. (2014) |
| Grease/FOG | | | | |
| Rendering and animal by-product processing | Recovered restaurant grease rendered to produce usable products | 4.7% | Ratio of estimated amount of recovered restaurant grease to total raw material, 2008 | Jekanowski (2011) |
| Biofuels manufacturing ² | Recovered restaurant grease used as feedstock for biofuels manufacturing | --- | --- | --- |

| Consuming Process | Process Description | Recyclable Material Proportion | Basis for Proportion | Data Source |
|---------------------------------|---|--------------------------------|--|---------------------------------|
| Anaerobic digestion | Recovered restaurant grease used as substitute for other feedstock in commercial anaerobic digestion operations | 1.0% | Percentage anaerobic digestion feedstock from food waste based on European study (5%) apportioned across food waste categories in study; grease/FOG assumed 20% of this recyclables stream | ABDA (2015) |
| Plate waste | | | | |
| Minimally processed animal feed | Plate waste recovered and diverted and used as substitute for other sources of feed used in hog and pig farming | 0.7% | Ratio estimated plate waste diverted for animal feed to animal feed required to support hog inventory, 2007 | NARA (2009); Feedstuffs (2011) |
| Anaerobic digestion | Recovered plate waste used as substitute for other feedstock in commercial anaerobic digestion operations | 0.5% | Percentage anaerobic digestion feedstock from food waste based on European study (5%) apportioned across food waste categories in study; grease/FOG assumed 20% of this recyclables stream | ABDA (2015) |
| Compost manufacturing | Plate waste recovered and used to produce compost in off-farm commercial composting operations | 2.9% | Ratio of food waste composted in 2007 to total compost feedstock; apportioned equally between plate waste and trim and other cooking waste | EPA (2007); Platt et al. (2014) |

| Consuming Process | Process Description | Recyclable Material Proportion | Basis for Proportion | Data Source |
|--|---|--------------------------------|--|---------------------------------|
| Produce, oilseed and grain residue | | | | |
| Minimally processed animal feed | Produce, oilseed and grain processing residue recovered and used as substitute for other sources of feed used in hog and pig farming | 0.2% | Ratio estimated produce, oilseed and grain residue diverted for animal feed to animal feed required to support hog inventory, 2007 | NARA (2009); Feedstuffs (2011) |
| Anaerobic digestion | Produce, oilseed and grain processing residue recovered and used as substitute for other feedstock in commercial anaerobic digestion operations | 2.0% | Percentage anaerobic digestion feedstock from food waste based on European study (5%) apportioned across food waste categories in study; produce, oilseed and grain residue assumed 40% of this recyclables stream | ABDA (2015) |
| Other bio-based materials manufacturing ¹ | Produce, oilseed and grain processing residue recovered and used to produce bio-based products | --- | --- | --- |
| Compost manufacturing | Produce, oilseed and grain processing residue recovered and used to produce compost in off-farm commercial composting operations | 3.0% | Ratio of estimated diverted food waste from manufacturing sector to total compost feedstock | BSR (2013); Platt et al. (2014) |
| Spoiled food | | | | |
| Minimally processed animal feed | Spoiled food recovered and used as substitute for other sources of feed used in hog and pig farming | 0.2% | Ratio of estimated spoiled food diverted for animal feed to animal feed required to support hog inventory, 2007 | NARA (2009); Feedstuffs (2011) |

| Consuming Process | Process Description | Recyclable Material Proportion | Basis for Proportion | Data Source |
|-------------------------------------|--|--------------------------------|--|---------------------------------|
| Anaerobic digestion | Spoiled food recovered and used as substitute for other feedstock in commercial anaerobic digestion operations | 0.5% | Percentage anaerobic digestion feedstock from food waste based on European study (5%) apportioned across food waste categories in study; spoiled food assumed 10% of this recyclables stream | ABDA (2015) |
| Compost manufacturing | Spoiled food recovered and used to produce compost in off-farm commercial composting operations | 3.3% | Ratio of estimated diverted food waste from food wholesale/resale sector to total compost feedstock | BSR (2013); Platt et al. (2014) |
| Trim and other cooking waste | | | | |
| Minimally processed animal feed | Trim and other cooking waste recovered and used as substitute for other sources of feed used in hog and pig farming | 0.3% | Ratio estimated trim and other cooking waste diverted for animal feed to animal feed required to support hog inventory, 2007 | NARA (2009); Feedstuffs (2011) |
| Anaerobic digestion | Trim and other cooking waste recovered and used as substitute for other feedstock in commercial anaerobic digestion operations | 0.5% | Percentage anaerobic digestion feedstock from food waste based on European study (5%) apportioned across food waste categories in study; trim and other cooking waste assumed 10% of this recyclables stream | ABDA (2015) |
| Compost manufacturing | Trim and other cooking waste recovered and used to produce compost in off-farm commercial composting operations | 2.9% | Ratio of food waste composted in 2007 to total compost feedstock; apportioned equally between plate waste and trim and other cooking waste | EPA (2007); Platt et al. (2014) |

| Consuming Process | Process Description | Recyclable Material Proportion | Basis for Proportion | Data Source |
|--------------------------------------|---|--------------------------------|--|--|
| Yard trimmings | | | | |
| Other biomass-based power generation | Diverted natural wood waste processed by chipping and grinding and used as boiler fuel for energy production | 0.1% | Industrial biomass energy consumption and electricity net generation by industry and energy source, 2007 | EIA (2012), Table 1.8 |
| Compost manufacturing | Yard trimmings (grass and woody waste) recovered and used to produce compost in off-farm commercial composting operations | 83.8% | Ratio of estimated tons of yard waste composted to total compost feedstock | EPA (2007); Platt et al. (2013); Platt et al. (2014) |
| Landscape materials application | Diverted natural wood waste processed by chipping and grinding (not composted) and applied for landscape cover (e.g., “mulch” and “wood chips”) | 1.0% | Assumption based on reasoning that most bio-based landscaping materials are produced in the forest products manufacturing industry (not from wood waste diverted from MSW) | --- |

Notes:

- ¹ Economic activity associated with recycling of organics via bio-based materials manufacturing processes were not quantified due to diffuse nature of activities and lack of supporting data.
- ² Economic activity associated with biofuels manufacturing was not included in the scope of the study.

Sources Cited

American Biogas Council (2014). Current and Potential Biogas Production. Accessed on January 09, 2016: <https://www.americanbiogascouncil.org/pdf/biogas101.pdf>

Business for Social Responsibility (BSR). 2013. Analysis of U.S. Food Waste among Food Manufacturers, Retailers, & Wholesalers. Washington, DC: Grocery Manufacturers Association and Food Marketing Institute.

Buzby, J.C., J. Hyman, H. Stewart and H.F. Wells. 2011. The Value of Retail- and Consumer-Level Fruit and Vegetable Losses in the United States. The Journal of Consumer Affairs, Fall 2011: 492–515.

California Department of Resources Recycling and Recovery (CalRecycle). 2010. Third Assessment of California's Compost- and Mulch-Producing Infrastructure, Management Practices and Market Conditions. Sacramento, CA: California Department of Resources Recycling and Recovery.

Centrec Consulting Group. 2014. Biodiesel Demand for Animal Fats and Tallow Generates an Additional Revenue Stream for the Livestock Industry. Jefferson City, MO: National Biodiesel Board.

Council for Agricultural Science and Technology (CAST). 2013. Animal Feed vs. Human Food: Challenges and Opportunities in Sustaining Animal Agriculture Toward 2050. Issue Paper 53. Ames, IA: Council for Agricultural Science and Technology

Cuéllar A.D. and M.E. Webber. 2010. Wasted Food, Wasted Energy: The Embedded Energy in Food Waste in the United States. *Environ. Sci. Technol.*, 44 (16): 6464–6469.

Energy Information Administration (EIA). 2012. Renewable Energy Annual 2009. Washington, DC: U.S. Department of Energy.

Feedstuffs. 2011. Feed Marketing and Distribution.

Illinois Waste Management and Research Center (IWMRC). 2006. Feasibility Report: Small Scale Biodiesel Production. Champaign, IL: Waste Management and Research Center.

Jekanowski, M. Survey Says: A Snapshot of Rendering. *Render Magazine*. April 2011: 58-61.

Meeker, D.L., ed. 2006. Essential Rendering: All about the Animal By-products Industry. Arlington, VA: National Renderers Association.

National Archives and Records Administration (NARA). 2009. Swine Health Protection; Feeding of Processed Product to Swine. Office of the Federal Register. 74 FR 15215. Washington, DC: Government Printing Office.

National Renderer's Association (2007). Accessed on January 08, 2016: <http://www.nationalrenderers.org/environmental/biofuels/>

National Renderers Association (NRA). 2012. *Render Magazine, Market Report*, April 2012. Accessed January 11, 2016 at <https://d10k7k7mywg42z.cloudfront.net/assets/4f7f24b2dabe9d320b008ec3/apr12render.pdf>

National Renewable Energy Research Laboratory (NREL). 2013. Feasibility Study of Anaerobic Digestion of Food Waste in St. Bernard, Louisiana. Report No. NREL/TP-7A30-57082. Golden, Colorado: U.S. Department of Energy.

Platt, B., B. Bell and C. Harsh. 2013. Pay Dirt, Composting in Maryland to Reduce Waste, Create Jobs, and Protect the Bay. Washington, DC: Institute for Local Self-Reliance.

Platt, B., N. Goldstein, C. Coker and S. Brown. 2014. State of Composting in the U.S. Washington, DC: Institute for Local Self-Reliance.

Sapkota, A.R., L.Y. Lefferts, S. McKenzie and P. Walker. 2007. What Do We Feed to Food-Production Animals? A Review of Animal Feed Ingredients and Their Potential Impacts on Human Health. *Environmental Health Perspectives*. 115 (5): 663-670.

South Carolina Department of Health and Environmental Control (SCDHEC). 2014. Solid Waste Management: Compost and Mulch Production from Land-clearing Debris, Yard Trimmings and Organic Residuals. Report No. R.61-107.4. Columbia, SC: South Carolina Department of Health and Environmental Control.

- Themelis, N.J. and L. Arsova. Calculating Tons to Composting In the U.S. BioCycle. 56 (2): 27.
- U.S. Department of Agriculture (USDA). 2008. Dairy Products. 2007 Summary. Accessed on January 08, 2016 at: <http://usda.mannlib.cornell.edu/usda/nass/DairProdSu//2000s/2008/DairProdSu-04-25-2008.pdf>
- U.S. Department of Agriculture (USDA). 2011. Consumer-Level Food Loss Estimates and Their Use in the ERS Loss-Adjusted Food Availability Data. Economic Research Service. Technical Bulletin No. 1927. Washington, DC: U.S. Department of Agriculture.
- U.S. Department of Agriculture (USDA). 2013. U.S. Hog Production from 1992 to 2009: Technology, Restructuring, and Productivity Growth. Economic Research Service. Economic Research Report No. 158. Washington, DC: U.S. Department of Agriculture.
- U.S. Department of Agriculture (USDA). 2015. Oil Crops Yearbook, Table 35, Use for selected industrial products, U.S., 1980-2010. Economic Research Service. Washington, DC: U.S. Department of Agriculture. Accessed December 30, 2015 at <http://www.ers.usda.gov/data-products/oil-crops-yearbook.aspx>
- U.S. Environmental Protection Agency (USEPA) and U.S. Department of Agriculture (USDA). 1999. Waste Not Want Not, Feeding the Hungry and Reducing Solid Waste Through Food Recovery. Report No. EPA 530-R-99-040. Washington, DC: U.S. Environmental Protection Agency.
- U.S. Environmental Protection Agency (USEPA). 2007. Municipal Solid Waste in the United States, 2007 Facts and Figures. Office of Solid Waste. Report No. EPA 530-R-08-010. Washington, DC: U.S. Environmental Protection Agency.
- U.S. Environmental Protection Agency (USEPA). 2009. An Informal Data Study of Food Waste in the U.S. Office of Resource Conservation and Recovery. Washington, DC: U.S. Environmental Protection Agency.
- U.S. Environmental Protection Agency (USEPA). 2008. Municipal Solid Waste in the United States, 2007 Facts and Figures. Office of Solid Waste. Report No. EPA 530-R-08-010. Washington, DC: U.S. Environmental Protection Agency.
- U.S. Environmental Protection Agency (USEPA). 2013a. Food Waste Loss and Donation. Office of Resource Conservation and Recovery. Washington, DC: U.S. Environmental Protection Agency.
- U.S. Environmental Protection Agency (USEPA). 2013b. Municipal Solid Waste in the United States, 2011 Facts and Figures. Office of Solid Waste. Report No. EPA 530-R-13-001. Washington, DC: U.S. Environmental Protection Agency.
- U.S. Environmental Protection Agency (USEPA). 2014. Food Waste Management Scoping Study. Washington, DC: U.S. Environmental Protection Agency.
- U.S. Environmental Protection Agency (USEPA). 2015a. Postconsumer Food Diverted Through Donation, Animal Feed, Anaerobic Digestion, and Composting for 2013. Washington, DC: U.S. Environmental Protection Agency.
- U.S. Environmental Protection Agency (USEPA). 2015b. Anaerobic Digestion and its Applications. Office of Research and Development, National Risk Management Research Laboratory. Report No. EPA/600/R-15/304. Cincinnati, OH: U.S. Environmental Protection Agency.
- West Virginia University (WVU). 2002. Waste Management in Aquaculture. Agriculture and Resource Economics Program. Aquaculture Information Series Publication No. AQ02-1. Morgantown, WV: West Virginia University.

11. Appendix E – Recycling Material Quantity and Price Data

Table 17: Recycling Material Quantity and Price Data

| Material | Description | Assumptions (2007 Basis) | | Data Sources | Comments |
|----------------|--|---|---------------|-------------------------------------|--|
| Iron and Steel | Total ferrous metals recovered from appliances (such as washing machines, water heaters, refrigerators etc.), automobiles, steel containers, construction material and other sources | Material amounts recovered and recycled | 35,039,566 mt | USGS (2014) | This tonnage is the sum of all ferrous metal products recovered. The recycled ferrous metal amount was estimated from this number by assuming a material loss of 5% during the recycling process meaning that 95% of the recovered ferrous metal is assumed to be recycled |
| Iron and Steel | Appliances (washing machines, water heaters, air conditioners, refrigerators, dryers) | Material amounts recovered and recycled | 2,600,000 mt | USGS (2014) | See pg. 38.1 of source USGS (2014) |
| Iron and Steel | Automobiles | Material amounts recovered and recycled | 14,800,000 mt | USGS (2014) | See pg. 38.1 of source USGS (2014) |
| Iron and Steel | Steel containers | Material amounts recovered and recycled | 17,000,000 mt | USGS (2014) | See pg. 38.1 of source USGS (2014) |
| Iron and Steel | Construction materials and other | Material amounts recovered and recycled | 639,566 mt | EPA (2003), Tellus Institute (2011) | The amount of ferrous metals that comprise all of the metal amount recovered from construction and demolition activities (EPA, 2003) was estimated using the Tellus Institute report (Tellus Institute 2011). Acc. to the report approx. 75% of metal waste in C&D activities is comprised of ferrous metals and 12.5% of waste is comprised of non-ferrous metals while the remaining 12.5% is comprised of other metals. Pg. B-18 of source EPA (2003) provides metal amounts recycled from C&D waste as 940,000 short tons/yr which when converted is |

| Material | Description | Assumptions (2007 Basis) | | Data Sources | Comments |
|----------------|--|---|---------------|-----------------------------|--|
| | | | | | 852,754 mt, of which 75% is ferrous metal amount, i.e., 639,566 mt |
| Iron and Steel | - | Unit price of recycled material | \$795.65 /mt | USGS (2013), p. 72 | Based on average annual unit price for hot rolled steel bar. The source reports the price as \$36.09/100 lbs., converted to \$795.65/mt |
| Aluminum | Aluminum scrap from used beverage cans, other containers, transportation, construction and other sources | Material amounts recovered and recycled | 1,524,071 mt | Aluminum Association (2011) | According to personal communications with the Aluminum Association, the recycled proportion in the US metal supply was approx. 40%. Quantities of recovered material from scrap recycling in 2007 were 4.2 million tons which converted is 3,810,177 mt, 40% of which is 1,524,071 mt. |
| Aluminum | - | Unit price of recycled material | \$2,640 /mt | Index Mundi (2015) | Based on the London Metal Exchange spot price for aluminum in 2007, 99.5% purity; comparable to unit price of aluminum in 2007 from USGS (2013), p. 5 |
| Glass | Glass cullet recovered from glass bottles and jars | Material amounts recovered and recycled | 2,053,020 mt | GPI (2014) | According to source, glass cullet recovered is approx. 2,263,067 short ton which converted is 2,053,020 mt |
| Glass | - | Unit price of recycled material | \$32.50 /mt | Popular Mechanics (2008) | Price converted from \$/short ton to \$/mt |
| Paper | Recovered and recycled paper and paperboard | Material amounts recovered and recycled | 13,508,892 mt | AFPA (2014) | According to source AFPA (2014), recycled paperboard production in year 2007 was 14,891,000 short tons which converted is 13,508,892 mt. However, for WIO calculations, recycled paper production amounts were calculated by dividing the recycled paperboard production amounts by the sum of commodity output of industrial sectors - 'Paperboard mills' and 'Paperboard container manufacturing', multiplied with the sum of commodity output of all industrial sectors related to paper production such as 'Paper mills', 'Paperboard mills', 'Paperboard container manufacturing', 'Paper bag manufacturing', 'Stationery product manufacturing', |

| Material | Description | Assumptions (2007 Basis) | | Data Sources | Comments |
|--------------|---|---|----------------|----------------------------|---|
| | | | | | 'Sanitary product manufacturing' and 'All other converted paper product manufacturing'. |
| Paper | - | Unit price of recycled material | \$126.77 /mt | Popular Mechanics (2008) | Price converted from \$/short ton to \$/mt |
| Plastic | Total Recycled plastics | Material amounts recovered and recycled | 2,540,118 mt | EPA (2014) | This is the sum of all plastics recovered and recycled |
| Plastic | Durable goods | Material amounts recovered and recycled | 698,532 mt | EPA (2014) | According to source EPA (2014), material amounts of durable goods (PET, HDPE, PVC, LDPE/LLDPE, PP, PS and other resins) are reported as 770,000 short tons which converted is 698,532 mt |
| Plastic | Nondurable goods | Material amounts recovered and recycled | 117,934 mt | EPA (2014) | According to source EPA (2014), material amounts of nondurable goods (plastics in clothing, footwear, disposable diapers, etc.) are reported as 130,000 short tons which converted is 117,934 mt |
| Plastic | Plastic containers and packaging | Material amounts recovered and recycled | 1,723,652 mt | EPA (2014) | According to source EPA (2014), material amounts of plastic containers and packaging (such as bottles, jars, other containers, bags, sacks, wraps and other plastic packaging) are reported as 1,900,000 short tons which converted is 1,723,652 mt |
| Plastic | - | Unit price of recycled material | \$1,208.68 /mt | Block (2012) | The source Block (2012) provides recycled resin prices in ¢/lb. which after averaging out is converted into \$/mt |
| Rubber crumb | Ground rubber produced from scrap tires | Material amounts recovered and recycled | 1,100,016 mt | RMA (2014) | The source RMA (2014) provides information on ground rubber and rubber used in civil engineering projects. Both estimates were used to calculate the ground rubber amounts produced from scrap tires |
| Rubber crumb | - | Unit price of recycled material | \$374.79 /mt | ProfitableRecycling (2015) | Price converted from \$/short ton to \$/mt |

| Material | Description | Assumptions (2007 Basis) | | Data Sources | Comments |
|---|---|---|----------------|---|--|
| Other recycled rubber | Other rubber recovered from scrap tires used in civil engineering, reclamation and agricultural applications. | Material amounts recovered and recycled | 971,218 mt | RMA (2014) | The source RMA (2014) provides information on different types of recycled rubber amounts including recycled rubber used in tire derived fuel. Estimates of other rubber recovered were derived by subtracting the sum of ground rubber and tire derived fuel rubber from the total recycled rubber amounts |
| Other recycled rubber | - | Unit price of recycled material | \$385.81 /mt | ProfitableRecycling (2015) | Price converted from \$/short ton to \$/mt |
| Recycled Construction & Demolition Material | Recycled concrete, asphalt, gypsum and wood recovered from construction and demolition waste | Material amounts recovered and recycled | 863,050,913 mt | Modeled based on estimates of % contribution of C&D to end uses | C&D metal waste is included in ferrous and nonferrous metals recycling analysis. Recycled construction and demolition amounts were calculated by dividing the total commodity output of the C&D sectors by the price of total recycled C&D material in \$/mt |
| Recycled Construction & Demolition Material | Recycled concrete | Unit price of recycled material | \$9.50 /mt | USGS (2000) | Averaged out the price of aggregate products made from recycled concrete |
| Recycled Construction & Demolition Material | Brick (recycled aggregate) | Unit price of recycled material | \$27.78 /mt | Kurtz (2015) | Recycled bricks are often placed in mixed aggregate markets, with concrete and block and are used in aggregate production. Therefore the price of recycled bricks is assumed to be the same as price of recycled aggregates \$25.20/short ton which converted is \$27.78/mt |
| Recycled Construction & Demolition Material | Wood (recycled wood chips) | Unit price of recycled material | \$24.80 /mt | NETI (2015) | Averaged out the price of wood chips in source NETI (2005), \$22.50/short ton which converted is \$24.80/mt |
| Recycled Construction & Demolition Material | Asphalt (recycled asphalt shingles) | Unit price of recycled material | \$44.09 /mt | Crushcrete (2015) | According to the source, recycled asphalt shingles are \$40/short ton which converted is \$44.09/mt |
| Recycled Construction & | Gypsum (drywall) | Unit price of recycled material | \$15.98 /mt | Bauer (2012) | According to the source, pg. 30, recycled gypsum is on an average \$14.5/short ton which converted is \$15.98/mt |

| Material | Description | Assumptions (2007 Basis) | | Data Sources | Comments |
|----------------------|--|---|------------|--------------|--|
| Demolition Material | | | | | |
| Recycled Electronics | Total Recycled computers, computer displays, printers, fax machines, keyboards, televisions and mobile devices | Material amounts recovered and recycled | 388,404 mt | EPA (2011) | This is the sum of all electronic products recovered and recycled |
| Recycled Electronics | Computers | Material amounts recovered and recycled | 100,589 mt | EPA (2011) | According to source EPA (2011) pg. 26, material amounts of computer products collected for recycling is 168,000 short tons. Of these roughly 66% were recycled (pg. 20) amounting to 110,880 short tons which converted is 100,589 mt |
| Recycled Electronics | Monitors | Material amounts recovered and recycled | 116,156 mt | EPA (2011) | According to source EPA (2011) pg. 26, material amounts of electronic products - monitors collected for recycling is 194,000 short tons. Of these roughly 66% were recycled (pg. 20) amounting to 128,040 short tons which converted is 116,156 mt |
| Recycled Electronics | Hard Copy Devices | Material amounts recovered and recycled | 58,078 mt | EPA (2011) | According to source EPA (2011) pg. 26, material amounts of electronic products - hard copy devices collected for recycling is 97,000 short tons. Of these roughly 66% were recycled (pg. 20) amounting to 64,020 short tons which converted is 58,078 mt |
| Recycled Electronics | Keyboards and Mice | Material amounts recovered and recycled | 3,868 mt | EPA (2011) | According to source EPA (2011) pg. 26, material amounts of electronic products - keyboards and mice - collected for recycling is 6460 short tons. Of these roughly 66% were recycled (pg. 20) amounting to 4,264 short tons which converted is 3,868 mt |
| Recycled Electronics | Televisions | Material amounts recovered and recycled | 108,372 mt | EPA (2011) | According to source EPA (2011) pg. 26, material amounts of electronic products - televisions - collected for recycling is 181,000 short tons. Of these roughly 66% were recycled (pg. 20) amounting to 119,460 short tons which converted is 108,372 mt |

| Material | Description | Assumptions (2007 Basis) | | Data Sources | Comments |
|----------------------|--|---|----------------|----------------------------|--|
| Recycled Electronics | Mobile Devices | Material amounts recovered and recycled | 1,341 mt | EPA (2011) | According to source EPA (2011) pg. 26, material amounts of electronic products - mobile devices - collected for recycling is 2,240 short tons. Of these roughly 66% were recycled (pg. 20) amounting to 1,478 short tons which converted is 1,341 mt |
| Recycled Electronics | Recycled UEP - Computers and computer peripheral devices | Unit price (weight basis) | \$702.25 /mt | ITC (2013), Table 3.2 | According to source ITC (2013), Table 3.2, pg. 3-7, the price of computers and computer peripheral devices was estimated by dividing the value (in million \$) by volume (in short tons) and then converting the resulting price in \$/short tons to \$/mt |
| Recycled Electronics | Recycled UEP - Monitors | Unit price (weight basis) | \$798.93 /mt | ITC (2013), Table 3.2 | According to source ITC (2013), Table 3.2, pg. 3-7, the price of monitors was estimated by dividing the value (in million \$) by volume (in short tons) and then converting the resulting price in \$/short tons to \$/mt |
| Recycled Electronics | Recycled UEP - Hard Copy Devices | Unit price (weight basis) | \$116.87 /mt | On-line marketplace prices | Calculated based on average price of top 10 "new & popular" on Amazon.com |
| Recycled Electronics | Recycled UEP - Keyboards & Mice | Unit price (weight basis) | \$44.24 /mt | On-line marketplace prices | Calculated based on average price of top 10 "new & popular" on Amazon.com |
| Recycled Electronics | Recycled UEP – Televisions | Unit price (weight basis) | \$73.99 /mt | ITC (2013), Table 3.2 | According to source ITC (2013), Table 3.2, pg. 3-7, the price of televisions was estimated by dividing the value (in million \$) by volume (in short tons) and then converting the resulting price in \$/short tons to \$/mt |
| Recycled Electronics | Recycled UEP - Mobile Devices | Unit price (weight basis) | \$2,741.39 /mt | ITC (2013), Table 3.2 | According to source ITC (2013), Table 3.2, pg. 3-7, the price of mobile devices was estimated by dividing the value (in million \$) by volume (in short tons) and then converting the resulting price in \$/short tons to \$/mt |
| Donated Food | Donated gleaned produce | Material amounts recovered and recycled | 19,654 mt | EPA (2009) | Calculated based on the assumption that 10% of produce donated in 2007 from EPA (2009), Exhibit 5, was from gleaned produce. |
| Donated Food | Donated rescued food | Material amounts recovered and recycled | 17,378 mt | EPA (2009) | "Prepared food" from EPA (2009), Exhibit 5, based on alignment between definitions of rescued food herein and prepared food in EPA (2009). |

| Material | Description | Assumptions (2007 Basis) | | Data Sources | Comments |
|-------------------|--|---|---------------|--------------------------------|---|
| Donated Food | Donated salvaged food | Material amounts recovered and recycled | 265,268 mt | EPA (2009) | Calculated as "salvaged food" plus remaining 90% of donated produce from EPA (2009), Exhibit 5. |
| Recycled Organics | Animal meal, meat, fats, oils and tallow | Material amounts recovered and recycled | 8,364,137 mt | Jekanowski (2011) | Reported information. |
| Recycled Organics | Animal feed for animal production | Material amounts recovered and recycled | 2,742,531 mt | EPA (2009) | Reported information. |
| Recycled Organics | Biodiesel | Material amounts recovered and recycled | 2,524,963 mt | NRA (2007) | Reported information. |
| Recycled Organics | Biogas | Material amounts recovered and recycled | 17,402,653 mt | American Biogas Council (2014) | Reported information. |
| Recycled Organics | Compost | Material amounts recovered and recycled | 5,830,932 mt | Platt et al. (2013) | Reported information. |
| Recycled Organics | Mulch & wood chips | Material amounts recovered and recycled | 5,532,740 mt | Assumption | Calculated based on estimated recovered yard trimmings and process loss assumptions. |

Sources Cited

AFPA (2014). Annual Statistical Summary of Recovered Paper Utilization 2014. Washington, DC: American Forest & Paper Association.

Aluminum Association (2011). Aluminum: The Element of Sustainability. Arlington, Virginia. Retrieved May 21, 2015, from http://www.aluminum.org/sites/default/files/Aluminum_The_Element_of_Sustainability.pdf

American Biogas Council (2014). Current and Potential Biogas Production. Accessed on January 09, 2016: <https://www.americanbiogascouncil.org/pdf/biogas101.pdf>

- Bauer, C. (2012). Gypsum Recycling in PlaNYC 2030: Spaces for Government Intervention. Retrieved May 24, 2015, from Columbia University Academic Commons: <http://hdl.handle.net/10022/AC:P:13287>
- Block, D.G. (2012). Recycled Resin Prices: Recycled Plastics Prices Unstable In First Half of 2012. *Plastics Technology*. Retrieved May 22, 2015, from <http://www.ptonline.com/articles/recycled-plastics-prices-unstable-in-first-half-of-2012>
- Crushcrete (2015). Recycled Asphalt Shingles (RAS) as a Valuable Commodity. Retrieved May 24, 2015, from Crushcrete Inc.: <http://www.crushcrete.com/ras.html>
- EPA (2003). Building-Related Construction and Demolition Material Amounts. Washington, DC: U.S. Environmental Protection Agency. Retrieved May 24, 2015, from <http://www.epa.gov/epawaste/conserve/imr/cdm/pubs/cd-meas.pdf>
- EPA (2009). An Informal Data Study of Food Waste in the U.S. Office of Resource Conservation and Recovery. Washington, DC: U.S. Environmental Protection Agency.
- EPA (2011). Electronics Waste Management in the United States Through 2009. Washington, DC: U.S. Environmental Protection Agency. Retrieved May 24, 2015, from <http://www.epa.gov/epawaste/conserve/materials/ecycling/docs/fullbaselinereport2011.pdf>
- EPA (2014). Municipal Solid Waste Generation, Recycling, and Disposal in the United States: Tables and Figures for 2012. Office of Solid Waste and Emergency Response. Washington, DC: U.S. Environmental Protection Agency. Retrieved May 22, 2015, from http://www.epa.gov/solidwaste/nonhaz/municipal/pubs/2012_msw_dat_tbls.pdf
- GPI (2014). Achieving 50% Recycled Content for Glass Containers: Efforts, Challenges, and Opportunities Ahead for the North American Glass Container Industry. Arlington, Virginia: Glass Packaging Institute. Retrieved May 21, 2015, from <http://www.gpi.org/sites/default/files/GPI%20Recycled%20Content%20Report%2C%20September%202014.pdf>
- Index Mundi (2015). Aluminum Monthly Price – U.S. Dollars per Metric Ton. *Commodity Prices, Aluminum*. Retrieved May 21, 2015, from <http://www.indexmundi.com/commodities/?commodity=aluminum&months=300>
- ITC (2013). Used Electronic Products: An Examination of U.S. Exports. Washington, CD: United States International Trade Commission. Retrieved May 24, 2015, from <http://www.usitc.gov/publications/332/pub4379.pdf>
- Jekanowski, M. Survey Says: A Snapshot of Rendering. *Render Magazine*. April 2011: 58-61.

- Kurtz (2015). #304 Recycled Aggregate. Retrieved May 24, 2015, from Kurtz Bros., Inc.: <http://www.kurtz-bros.com/landscape-supplies/recycled-aggregate/304-recycled-aggregate/>
- NRA (2012). Render Magazine, Market Report, April 2012. Accessed January 11, 2016 at <https://d10k7k7mywg42z.cloudfront.net/assets/4f7f24b2dabe9d320b008ec3/apr12render.pdf>
- NETI (2015). Wood Chips. Retrieved May 24, 2015, from NE Timberland Investments, LLC: <http://www.netimberland.com/woodchips.html>
- Platt, B., B. Bell and C. Harsh (2013). Pay Dirt, Composting in Maryland to Reduce Waste, Create Jobs, and Protect the Bay. Washington, DC: Institute for Local Self-Reliance.
- Popular Mechanics (2008). Recycling by the Numbers: The Truth About Recycling. Retrieved May 21, 2015, from <http://www.popularmechanics.com/science/environment/a3757/4291576/>
- ProfitableRecycling (2015). Scrap Tire Recycling. ProfitableRecycling.com. Retrieved May 22, 2015, from <http://www.profitablerecycling.com/tirerecycling.htm>
- RMA (2014). 2013 U.S. Scrap Tire Management Summary. Washington, DC: Rubber Manufacturers Association. Retrieved May 22, 2015, from http://www.rma.org/download/scrap-tires/market-reports/US_STMarket2013.pdf
- Tellus Institute (2011). More Jobs, Less Pollution: Growing the Recycling Economy in the U.S. Retrieved May 22, 2015, from <http://www.tellus.org/tellus/publication/more-jobs-less-pollution-growing-the-recycling-economy-in-the-u-s>
- USGS (2000). Recycled Aggregates—Profitable Resource Conservation. Reston, Virginia: U.S. Geological Survey. Retrieved May 24, 2015, from <http://pubs.usgs.gov/fs/fs-0181-99/fs-0181-99so.pdf>
- USGS (2013). Metal Prices in the United States Through 2010. Reston, Virginia: U.S. Geological Survey. Retrieved May 21, 2015, from <http://pubs.usgs.gov/sir/2012/5188/sir2012-5188.pdf>
- USGS (2014). 2012 Minerals Yearbook: Iron and Steel Scrap (Advance Release). Reston, Virginia: U.S. Geological Survey. Retrieved May 21, 2015, from http://minerals.usgs.gov/minerals/pubs/commodity/iron_&_steel_scrap/myb1-2012-fescr.pdf