



Solutia Inc.
575 Maryville Centre Drive
St. Louis, Missouri 63141

Tel: 314-674-3312
Fax: 314-674-8808

gmrina@eastman.com

April 17, 2015

Ms. Carolyn Bury - LU-9J
U.S. EPA Region 5
Corrective Action Section
77 West Jackson Boulevard
Chicago, IL 60604-3507

Re: Route 3 Drum Site Groundwater Monitoring Program
1st Quarter 2015 Data Report
Solutia Inc., W. G. Krummrich Plant, Sauget, IL

Dear Ms. Bury:

Enclosed please find the Route 3 Drum Site Groundwater Monitoring Program
1st Quarter 2015 Data Report for Solutia Inc.'s W. G. Krummrich Plant, Sauget, IL.

If you have any questions or comments regarding this report, please contact me at
(314) 674-3312 or gmrina@eastman.com

Sincerely,

A handwritten signature in blue ink, appearing to read "Gerald M. Rinaldi".

Gerald M. Rinaldi
Manager, Remediation Services

Enclosure

cc: Distribution List

DISTRIBUTION LIST

**Route 3 Drum Site Groundwater Monitoring Program
1st Quarter 2015 Data Report
Solutia Inc., W. G. Krummrich Plant, Sauget, IL**

USEPA

Stephanie Linebaugh
USEPA Region 5 - SR6J, 77 West Jackson Boulevard, Chicago, IL 60604

Solutia

Donn Haines 500 Monsanto Avenue, Sauget, IL 62206-1198



GROUNDWATER MONITORING REPORT

ILLINOIS ROUTE 3 DRUM SITE
GROUNDWATER MONITORING
SOLUTIA INC., W.G. KRUMMRICH FACILITY
SAUGET, ILLINOIS

Prepared For: Solutia Inc.
575 Maryville Centre Drive
St. Louis, MO 63141 USA

Submitted By: Golder Associates Inc.
820 S. Main Street, Suite 100
St. Charles, MO 63301 USA

April 2015

140-3345

A world of
capabilities
delivered locally





TABLE OF CONTENTS

1.0	INTRODUCTION.....	1
2.0	FIELD ACTIVITIES	2
2.1	Water Level Measurement.....	2
2.2	Groundwater Sample Collection	2
2.3	Quality Assurance and Sample Handling	3
2.4	Decontamination and Investigation Derived Waste	4
3.0	QUALITY ASSURANCE	4
4.0	OBSERVATIONS.....	4
5.0	CLOSING	5
6.0	REFERENCES.....	6

List of Figures

- Figure 1 Site Location Map
- Figure 2 Monitoring Well Location and Groundwater Elevation Map

List of Tables

- Table 1 Monitoring Well Gauging Information
- Table 2 Groundwater Analytical Results
- Table 3 Monitored Natural Attenuation Results

List of Appendices

- Appendix A Groundwater Purging and Sampling Forms
- Appendix B Chain-of-Custody
- Appendix C Quality Assurance Report
- Appendix D Groundwater Analytical Results (including data validation reports)



1.0 INTRODUCTION

Golder Associates Inc. (Golder) is pleased to submit this report summarizing the 1st Quarter 2015 (1Q15) groundwater sampling activities at the Illinois Route 3 Drum Site (Site), located within “Lot F” on Figure 1. The Site is associated with the Solutia Inc. (Solutia) W.G. Krummrich (WGK) facility in Sauget, Illinois located at 500 Monsanto Avenue, Sauget, Illinois. The 1Q15 sampling event was performed in general accordance with the Revised Illinois Route 3 Drum Site Operation and Maintenance Plan (Work Plan) (Solutia 2008).

The scope of work detailed in the Work Plan is summarized below.

Two (2) monitoring wells, located in the shallow hydrogeologic unit (SHU), are sampled during the Drum Site monitoring event. The locations of the monitoring wells are shown on Figure 2 and the sample locations are included on the table below.

Area	Location Relative to Area	Sample Identification
Illinois Route 3 Drum Site	Adjacent	GM-31A
	Downgradient	GM-58A

The water levels of the two (2) monitoring wells are measured quarterly and total depths are measured in the 1st quarter of each year.

During the quarterly sampling events, monitoring wells are sampled for the following semi-volatile organic compound (SVOC) analytes: 1,1-biphenyl, 1-chloro-2,4-dinitrobenzene, 2,4,6-trichlorophenol, 2,4-dichlorophenol, 2-chloronitrobenzene/4-chloronitrobenzene, 2-nitrobiphenyl, 3,4-dichloronitrobenzene, 3-nitrobiphenyl, 3-nitrochlorobenzene, 4-nitrobiphenyl, nitrobenzene, and pentachlorophenol. In addition, the following monitored natural attenuation (MNA) parameters are sampled quarterly to evaluate active natural attenuation occurring at the Site:

- Electron Donors – total and dissolved organic carbon
- Electron Acceptors – iron, manganese, nitrate, sulfate
- Biodegradation Byproducts – carbon dioxide, chloride, methane
- Biodegradation Indicators – alkalinity



2.0 FIELD ACTIVITIES

Golder conducted 1Q15 sampling activities on February 6, 2015. Activities were performed in general accordance with the Work Plan.

2.1 Water Level Measurement

Prior to sampling during the 1Q15 event, Golder performed a synoptic round of water level and total depth measurements at 77 monitoring wells and piezometers on January 29 and January 30, 2015. The following monitoring well series is included in the Drum Site program:

- GM-series

An oil/water interface probe was used to measure the water level (to 0.01 feet) and, if present, detect and measure the thickness of non-aqueous phase liquid (NAPL). During the 1Q15 sampling event, NAPL was not detected in monitoring wells or piezometers. Total depths are measured during the 1Q15 event. The 1Q15 well gauging information is shown on Table 1.

2.2 Groundwater Sample Collection

Monitoring wells sampled during the 1Q15 Drum Site event were purged and sampled using low-flow sampling techniques, low-density polyethylene tubing (LDPE) and a submersible (GM-31A) or peristaltic pump (GM-58A). The pump intake was placed at approximately the middle of the screened interval for each well. Purging occurred at a rate of approximately 300 mL/min to reduce drawdown. Drawdown was measured throughout purging activities to ensure that it did not exceed 25% of the distance between the pump intake and the top of the screen. Measurement of field parameters began once the flow rate and drawdown were stable for each well. Parameters were measured for each system volume purged using a SmartTROLL™ multi-parameter meter. The system volume includes the volume of the tubing, the volume of the pump and the volume of the flow-through cell containing the multi-parameter meter. Samples were collected after field parameters were stabilized within the ranges below for three (3) consecutive measurements:

- Dissolved Oxygen (DO): +/- 10% or +/- 0.2 mg/L, whichever is greatest
- Oxidation-Reduction Potential (ORP): +/- 20 mV
- pH: +/-0.2 standard units
- Specific Conductivity: +/- 3%

The flow rate was adjusted as needed to maintain approximately 300 mL/min during sampling activities. To reduce possible sample cross contamination, the flow-through cell was bypassed and gloves were replaced prior to sampling.



Sample bottles were provided by TestAmerica Laboratories, Inc. (TestAmerica) for the following analyses:

- SVOCs – USEPA SW-846 Method 8270D
- MNA parameters – alkalinity and carbon dioxide (USEPA Method 310.1), chloride (USEPA Method 352.5), total and dissolved iron and total and dissolved manganese (USEPA SW-846 Method 6010C), methane, ethane and ethylene (RSK-175), nitrate (USEPA Method 353.2), sulfate (USEPA Method 375.4), and total and dissolved organic carbon (USEPA Method 415.1)

Gas sensitive parameter sample bottles were filled first followed by SVOCs and general chemistry parameters. Ferrous iron was field analyzed with a HACH 890 Colorimeter and HACH AccuVac® ampules. Samples collected for ferrous iron and dissolved analyses were field filtered using an in-line 0.2 micron disposable filter. Groundwater purging and sampling forms are included in Appendix A.

2.3 Quality Assurance and Sample Handling

One (1) analytical duplicate (AD), one (1) equipment blank (EB) and one (1) matrix spike/matrix spike duplicate (MS/MSD) pair were collected during the 1Q15 Drum Site sampling event. Sample bottles were labeled with the date and time of sample collection, sampler initials, analysis requested, preservative used, and sample identification based on the following nomenclature “GM-##A-MMYQ-QA/QC” where:

- “GM” denotes “Geraghty & Miller” and “##A” denotes monitoring well location and number
- “MMYQ” denotes month and year of sampling quarter, e.g.: February (1st quarter), 2015 (0215)
- “QA/QC” denotes QA/QC sample
 - AD – Analytical Duplicate
 - EB – Equipment Blank
 - MS or MSD – Matrix Spike or Matrix Spike Duplicate

Samples that were field filtered with an in-line 0.2 micron filter include “F(0.2)” prior to the “MMYQ” portion of the sample identification. Sample information was recorded on a chain-of-custody (COC) that included project identification, sample identification, date and time of sample collection, analysis requested, preservative used, sample matrix and type, number of sample containers, sampler signature, and date COC was completed. A copy of the COC is included in Appendix B.

Directly after sampling, sample bottles were placed in an iced cooler to maintain a sample temperature of approximately 4°C. Prior to sample shipment, samples and ice were placed inside two (2) contractor trash bags. The bags were tied and the cooler was sealed between the lid and sides with a signed and dated custody seal. Samples were shipped overnight via FedEx to the TestAmerica facility in Savannah, Georgia.



2.4 Decontamination and Investigation Derived Waste

Sampling equipment was decontaminated prior to mobilizing to the Site, between sample locations and prior to demobilizing from the Site. Non-dedicated sampling equipment was decontaminated between samples with a non-phosphatic detergent solution and a deionized water rinse.

Investigation derived waste (IDW) was placed in 55-gallon drums, labeled with the generation date and staged for disposal by Solutia. IDW such as gloves and other disposable sampling equipment was bagged for disposal by Solutia.

3.0 QUALITY ASSURANCE

Sample results were provided by TestAmerica in electronic format and reviewed for quality and completeness by Golder in accordance with the Work Plan. Sample results are included in Appendix D. Results were submitted in one (1) sample delivery group (SDG) as follows:

Sample Delivery Group (SDG)	Sample Identification
KOM027	GM-58A-0215
	GM-31A-0215
	GM-31A-0215-AD
	GM-31A-0215-EB

Golder completed validation of the analytical data following the general guidelines in the Work Plan, and the most recent versions of the national data validation guidelines. The following guidelines were generally used:

- USEPA Contract Laboratory Program National Functional Guidelines for Superfund Organic Methods Data Review, EPA-540-R-08-01, June 2008
- USEPA Contract Laboratory Program National Functional Guidelines for Inorganic Superfund Data Review, EPA 540-R-10-011, January 2010

Although some data required qualifications due to quality control criteria that were not achieved, the data were deemed usable. The completeness for the data set was 100%.

4.0 OBSERVATIONS

SVOCs were not detected in groundwater samples collected from monitoring well GM-58A during the 1Q15 sampling event. SVOCs were detected in groundwater samples collected from monitoring well GM-31A during the 1Q15 sampling event. 2-Nitrobiphenyl and 2,4,6-trichlorophenol were detected in GM-31A and GM-31A-AD at concentrations of 26 µg/L / 28 µg/L and 76 µg/L / 84 µg/L, respectively. Groundwater analytical data for SVOCs and MNA parameters is presented in Table 2 and 3, respectively.



5.0 CLOSING

Golder appreciates the opportunity to assist Solutia Inc. with the Illinois Route 3 Drum Site groundwater sampling events. Please contact the undersigned if you need additional information.

Sincerely,

GOLDER ASSOCIATES INC.

Lori A. Bindner
Geological Engineer

Amanda W. Derhake, Ph.D., P.E.
Senior Project Engineer

Mark N. Haddock, R.G., P.E
Associate, Senior Consultant




6.0 REFERENCES

Solutia Inc., 2008. Revised Illinois Route 3 Drum Site Operation and Maintenance Plan, W.G. Krummrich Facility, Sauget, IL, May 2008.

USEPA, 2010. Contract Laboratory Program National Functional Guidelines for Inorganic Superfund Data Review.


USEPA, 2008. Contract Laboratory Program National Functional Guidelines for Superfund Organic Methods Data Review.

FIGURES




Path: \\solutia.com\proj\140-3345-Schubel-GW-Sampling\WGK-Facility-IL\Figures\GIS\Figures\1-Figures\015-Figures\015-ROUTES DRUM SITE.dwg

LEGEND

 **MONITORING WELL LOCATION WITH GROUNDWATER ELEVATION (FT NAVD)**

NOTES

1. REFER TO TABLE 1 FOR MONITORING WELL CONSTRUCTION INFORMATION.



CLIENT
SOLUTIA INC.
W.G. KRUMMRICH FACILITY
SAUGET, ILLINOIS

CONSULTANT	YYYY-MM-DD	2015-03-23
	PREPARED	LAB
	DESIGN	LAB
	REVIEW	AWD
	APPROVED	MNH



PROJECT
ILLINOIS ROUTE 3 DRUM SITE GROUNDWATER SAMPLING 1ST QUARTER 2015 DATA REPORT

TITLE
MONITORING WELL LOCATIONS AND GROUNDWATER ELEVATION MAP

PROJECT No.	PHASE	Rev.	FIGURE
140-3345	0012	0	2

TABLES

Table 1
Monitoring Well Gauging Information
1Q15 Route 3 Drum Site Monitoring Program
Solutia Inc., W.G. Krummrich Facility
Sauget, Illinois

Well Identification	Monitoring Well Construction Data						1Q15 - January 29 and January 30, 2015			
	Ground Surface Elevation ¹ (ft)	Top of Casing Elevation ¹ (ft)	Top of Screen Depth (ft bgs)	Bottom of Screen Depth (ft bgs)	Top of Screen Elevation ¹ (ft)	Bottom of Screen Elevation ¹ (ft)	Water Level (ft btoc)	Depth to NAPL (ft btoc)	Total Depth ² (ft btoc)	Water Level Elevation ¹ (ft)
SHU 395-380 ft NAVD 88										
GM-31A	416.63	418.63	19.00	39.00	397.63	377.63	25.64	NP	40.15	392.99
GM-58A	412.24	414.24	19.40	39.40	392.84	372.84	21.45	NP	40.82	392.79

Notes

ft - feet

bgs - below ground surface

btoc - below top of casing

NP - no product observed

SHU - shallow hydrogeologic unit

¹ - Elevations based on North American Vertical Datum (NAVD) 88 datum.

² - Total depths are measured annually during the first quarter of each year.

Prepared By: LAB 2/10/2015

Checked By: PJJ 2/12/2015

Reviewed By: AWD 3/24/2015

Table 2
Groundwater Analytical Results
1Q15 Route 3 Drum Site Monitoring Program
Solutia Inc., W.G. Krummrich Facility
Sauget, Illinois

Sample Identification	Sample Date	SVOCs (µg/L)											
		1,1'-Biphenyl	1-Chloro-2,4-Dinitrobenzene	2,4,6-Trichlorophenol	2,4-Dichlorophenol	2-Chloronitrobenzene/ 4-Chloronitrobenzene	2-Nitrobiphenyl	3,4-Dichloronitrobenzene	3-Nitrobiphenyl	3-Nitrochlorobenzene	4-Nitrobiphenyl	Nitrobenzene	Pentachlorophenol
SHU													
GM-31A-0215	2/6/2015	<11	<11	76	<11	<23	26	<11	<11	<11	<11	<11	<56
GM-31A-0215-AD	2/6/2015	<11	<11	84	<11	<22	28	<11	<11	<11	<11	<11	<55
GM-58A-0215	2/6/2015	<10	<10	<10	<10	<20	<10	<10	<10	<10	<10	<10	<50

Notes

SVOCs - semi-volatile organic compounds
µg/L - micrograms per liter
< - result is non-detect, less than the reporting limit
AD - analytical duplicate
SHU - shallow hydrogeologic unit

Prepared By: EPW 3/23/2015
Checked By: LAB 3/23/2015
Reviewed By: AWD 3/24/2015

Table 3
Monitored Natural Attenuation Results
1Q15 Route 3 Drum Site Monitoring Program
Solutia Inc., W.G. Krummrich Facility
Sauget, Illinois

Sample Identification	Sample Date	Monitored Natural Attenuation Parameters																
		Alkalinity (mg/L)	Carbon Dioxide (mg/L)	Chloride (mg/L)	Dissolved Oxygen (mg/L)	Ethane (ug/L)	Ethylene (ug/L)	Ferrous Iron (mg/L)	Iron (mg/L)	Iron, Dissolved (mg/L)	Manganese (mg/L)	Manganese, Dissolved (mg/L)	Methane (ug/L)	Nitrogen, Nitrate (mg/L)	Sulfate as SO4 (mg/L)	Total Organic Carbon (mg/L)	Dissolved Organic Carbon (mg/L)	ORP (mV)
SHU																		
GM-31A-0215	2/6/2015	320	81	73 D	0.12	<1.1	<1.0	-	1.2	-	1.4	-	75	1.5	250 D	4.7	-	21.09
GM-31A-F(0.2)-0215	2/6/2015	-	-	-	-	-	-	0.0	-	<0.050	-	1.4	-	-	-	-	5.0	-
GM-58A-0215	2/6/2015	350	30	71 D	0.09	<1.1	<1.0	-	0.51	-	1.3	-	6.0	1.3	290 D	4.4	-	29.27
GM-58A-F(0.2)-0215	2/6/2015	-	-	-	-	-	-	0.0	-	<0.050	-	1.3	-	-	-	-	4.2	-

Notes

Dissolved Oxygen (DO) and Oxidation Reduction Potential (ORP) values represent the final field measurements prior to sampling (In-Situ - SmartTroll®)
 Ferrous Iron was field measured using a 0.2 µm field filtered sample (Hach DR-890 Colorimeter)
 F(0.2) - sample was field filtered using a 0.2 µm filter during sample collection
 µg/L - micrograms per liter
 mg/L - milligrams per liter
 mV - millivolts
 < - result is non-detect, less than the reporting limit
 "-" - not analyzed
 D - compound analyzed at a dilution
 SHU - shallow hydrogeologic unit

Prepared By: EPW 3/23/2015
 Checked By: LAB 3/23/2015
 Reviewed By: AWD 3/24/2015

APPENDIX A
GROUNDWATER PURGING AND SAMPLING FORMS

Project Information:

Operator Name LAB
 Company Name Golder Associates
 Project Name W.G. Krummrich
 Site Name Rt. 3 Drum

Pump Information:

Pump Model/Type SS Monsoon
 Tubing Type LDPE
 Tubing Diameter 0.19 in
 Tubing Length 44.32 ft
 Pump Placement from TOC 30.15 ft

Well Information:

Well Id GM-31A
 Well Diameter 2 in
 Well Total Depth 40.15 ft
 Depth to Top of Screen 20.15 ft
 Screen Length 20 ft
 Depth to Water 25.70 ft

Pumping Information:

Final Pumping Rate 300 mL/min
 System Volume 437 mL
 Calculated Sample Rate 87 sec
 Sample Rate 87 sec
 Stabilized Drawdown 0 ft

Low-Flow Sampling Stabilization Summary

	Time	Temp [C]	pH [pH]	Cond [µS/cm]	Turb [NTU]	RDO [mg/L]	ORP [mV]
Stabilization Settings			+/-0.2	+/-0.1 +/-3%	+/-1 +/-10%	+/-0.2 +/-10%	+/-20
Last 5 Readings	10:30:14	14.08	7.82	1392.52	34.10	0.31	14.73
	10:31:41	14.13	7.72	1384.79	26.80	0.20	18.39
	10:33:08	14.15	7.64	1388.10	21.90	0.16	19.80
	10:34:35	14.11	7.57	1395.63	21.60	0.13	20.35
	10:36:02	14.12	7.52	1400.84	19.80	0.12	21.09
Variance in Last 3 Readings		0.02	-0.08	3.31	-4.90	-0.04	1.41
		-0.04	-0.07	7.53	-0.30	-0.03	0.55
		0.01	-0.05	5.21	-1.80	-0.01	0.74

Notes:

Project Information:

Operator Name LAB
 Company Name Golder Associates
 Project Name W.G. Krummrich
 Site Name Rt. 3 Drum

Pump Information:

Pump Model/Type Peristaltic
 Tubing Type LDPE
 Tubing Diameter 0.19 in
 Tubing Length 50.58 ft
 Pump Placement from TOC 30.82 ft

Well Information:

Well Id GM-58A
 Well Diameter 2 in
 Well Total Depth 40.82 ft
 Depth to Top of Screen 20.82 ft
 Screen Length 20 ft
 Depth to Water 21.55 ft

Pumping Information:

Final Pumping Rate 300 mL/min
 System Volume 382 mL
 Calculated Sample Rate 76 sec
 Sample Rate 76 sec
 Stabilized Drawdown 0.01 ft

Low-Flow Sampling Stabilization Summary

	Time	Temp [C]	pH [pH]	Cond [µS/cm]	Turb [NTU]	RDO [mg/L]	ORP [mV]
Stabilization Settings			+/-0.2	+/-0.1 +/-3%	+/-1 +/-10%	+/-0.2 +/-10%	+/-20
Last 5 Readings	11:48:16	14.12	7.44	1373.08	53.50	0.11	29.79
	11:49:32	14.08	7.43	1395.53	46.10	0.10	29.85
	11:50:48	14.03	7.43	1396.25	54.60	0.10	29.46
	11:52:04	14.03	7.43	1403.47	60.40	0.10	29.28
	11:53:21	14.08	7.42	1413.67	41.40	0.09	29.27
Variance in Last 3 Readings		-0.05	0.00	0.72	8.50	0.00	-0.39
		0.00	0.00	7.22	5.80	0.00	-0.18
		0.05	-0.01	10.20	-19.00	-0.01	-0.01

Notes:

**APPENDIX B
CHAIN-OF-CUSTODY**

Regulatory Program: DW NPDES RCRA Other:

Client Contact		Project Manager: Amanda Derhake		Site Contact: Lori Bindner		Date: 2/6/15		COC No:	
Golder Associates Inc.		Tel/Fax: 636-724-9191		Lab Contact: Michele Kersey		Carrier: FedEx		1 of 1 COCs	
820 South Main Street		Analysis Turnaround Time		Filtered Sample (Y/N) Perform MS / MSD (Y / N) SVOCs by 8270 Total Fe/Mn by 6010C Alk/CO2 by 310.1 Chloride by 325.2/Sulfate by 375.4 Methane by RSK 175 Nitrate by 353.2 TOC by 415.1 Dissolved Fe/Mn by 6010C DOC by 415.1				Sampler:	
St. Charles, MO 63301		<input checked="" type="checkbox"/> CALENDAR DAYS <input type="checkbox"/> WORKING DAYS						For Lab Use Only:	
(636) 724-9191 Phone		TAT if different from Below Standard						Walk-in Client:	
(636) 724-9323 FAX		<input checked="" type="checkbox"/> 2 weeks						Lab Sampling:	
Project Name: 1Q15 Drum Site GW Sampling-1403345		<input type="checkbox"/> 1 week						Job / SDG No.:	
Site: Solutia WG Krummrich Facility		<input type="checkbox"/> 2 days							
P O # 42447936		<input type="checkbox"/> 1 day							
Sample Identification		Sample Date	Sample Time	Sample Type (C=Comp, G=Grab)	Matrix	# of Cont.			Sample Specific Notes:
GM-31A-0215		2/6/15	1037	G	W	12	2	1 1 1 3 1 3	
GM-31A-F(0.2)-0215						4	1		
GM-31A-0215-AD						2	2		
GM-31A-0215-EB			1100			2	2		
GM-58A-0215			1155			12	2	1 1 1 3 1 3	
GM-58A-F(0.2)-0215						4	1		
GM-58A-0215-MS						2	2		
GM-58A-0215-MSD						2	2		
Preservation Used: 1= Ice, 2= HCl; 3= H2SO4; 4=HNO3; 5=NaOH; 6= Other							1 4 1 1 2 3 1 3 4 3		
Possible Hazard Identification: Are any samples from a listed EPA Hazardous Waste? Please List any EPA Waste Codes for the sample in the Comments Section if the lab is to dispose of the sample.						Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)			
<input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown						<input type="checkbox"/> Return to Client <input checked="" type="checkbox"/> Disposal by Lab <input type="checkbox"/> Archive for _____ Months			
Special Instructions/QC Requirements & Comments:						1.8/1.6/1.0 (CF) 1.5/1.3/0.7 °C			
Custody Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No		Custody Seal No.: 436227/336648		Cooler Temp. (°C): Obs'd: _____		Corr'd: _____		Therm ID No.: _____	
Relinquished by: <i>A. Binner</i>		Company: <i>Golder</i>		Date/Time: 2/6/15		Received by: <i>L. Bindner</i>		Company: <i>TAS</i>	
Relinquished by:		Company:		Date/Time:		Received by:		Date/Time: 02/07/15 0918	
Relinquished by:		Company:		Date/Time:		Received in Laboratory by:		Date/Time:	



APPENDIX C
QUALITY ASSURANCE REPORT



QUALITY ASSURANCE REPORT

ILLINOIS ROUTE 3 DRUM SITE
GROUNDWATER MONITORING
SOLUTIA INC., W.G. KRUMMRICH FACILITY
SAUGET, ILLINOIS

Prepared For: Solutia Inc.
575 Maryville Centre Drive
St. Louis, MO 63141 USA

Submitted By: Golder Associates Inc.
820 S. Main Street, Suite 100
St. Charles, MO 63301 USA

April 2015

140-3345

A world of
capabilities
delivered locally





Table of Contents

1.0	INTRODUCTION.....	1
2.0	SEMI-VOLATILE ORGANIC COMPOUNDS	2
2.1	Receipt Condition and Sample Holding Times	3
2.2	Blanks.....	3
2.3	Surrogate Spike Recoveries	3
2.4	Laboratory Control Sample Recoveries	3
2.5	Matrix Spike/Matrix Spike Duplicate (MS/MSD) Samples	3
2.6	Analytical Duplicates	4
2.7	Internal Standard Responses.....	4
2.8	Results Reported From Dilutions	4
3.0	INORGANICS AND GENERAL CHEMISTRY	4
3.1	Receipt Condition and Sample Holding Times	4
3.2	Blanks.....	5
3.3	Laboratory Control Sample Recoveries	5
3.4	Matrix Spike/Matrix Spike Duplicate (MS/MSD) Samples	5
3.5	Results Reported From Dilutions	5
4.0	SUMMARY	6
5.0	REFERENCES.....	7



1.0 INTRODUCTION

Golder Associates Inc. (Golder) completed a review of analytical data for the groundwater samples collected on February 6, 2015 at the Illinois Route 3 Drum Site (Site) associated with the Solutia Inc. (Solutia) W.G. Krummrich (WKG) facility in Sauget, Illinois. Golder collected a total of six (6) samples from groundwater monitoring wells as part of the 1st Quarter 2015 (1Q15) Illinois Route 3 Drum Site groundwater monitoring. Two (2) groundwater samples, one (1) equipment blank (EB), one (1) analytical duplicate (AD), and one (1) matrix spike/matrix spike duplicate (MS/MSD) pair were prepared. Groundwater monitoring location GM-31A is located at the Site and monitoring location GM-58A is located just north of the Site. The samples were submitted to the TestAmerica Laboratories, Inc. (TestAmerica) facility located in Savannah, Georgia for analysis using United States Environmental Protection Agency (USEPA) methods, standard methods and USEPA SW-846 test methods. Samples submitted to TestAmerica were analyzed for semi-volatile organic compounds (SVOCs), total and dissolved metals, dissolved gases, and general chemistry parameters. The analytical results were placed into one (1) sample delivery groups (SDGs) as described in the table below:

Sample Delivery Group (SDG)	Sample Identification
KOM027	GM-31A-0215
	GM-31A-0215-AD
	GM-31A-0215-EB
	GM-58A-0215

The samples were collected and analyzed in general accordance with the Revised Illinois Route 3 Drum Site Operation and Maintenance Plan (Work Plan) (Solutia 2008). The groundwater monitoring well samples were analyzed for SVOCs, total and dissolved metals, dissolved gases, and general chemistry parameters. The general chemistry parameters included chloride, nitrate, sulfate, total organic carbon (TOC), alkalinity, carbon dioxide, and dissolved organic carbon (DOC). One (1) EB, one (1) AD, and one (1) MS/MSD pair were submitted and analyzed for SVOCs only. The following analytical methods used are from USEPA document SW-846, Test Methods for Evaluating Solid Waste, Revision 6 contained in Final Update III August 2002 and listed below:

- SVOCs were analyzed using USEPA SW-846 Method 8270D Semi-Volatile Organic Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)
- Total and Dissolved Iron and Manganese analyzed by USEPA SW-846 Method 6010C Inductively Coupled Plasma-Atomic Emission Spectrometry

The following standard methods were used to analyze monitored natural attenuation (MNA) parameters:

- Dissolved Gases analyzed by Method RSK-175
- Alkalinity and Free Carbon Dioxide analyzed by USEPA Method 310.1 by Titration
- Chloride analyzed by USEPA Method 325.2 by Automated Colorimetry



- Nitrogen, Nitrate analyzed by USEPA Method 353.2 by Automated Colorimetry
- Sulfate analyzed by USEPA Method 375.4 by Spectrophotometer
- Total and Dissolved Organic Carbon analyzed by USEPA Method 415.1

Golder completed validation of the analytical data following the general guidelines in the Work Plan. The most recent versions of the national data validation guidelines were used for data review. The following guidelines were generally used:

- USEPA Contract Laboratory Program National Functional Guidelines for Superfund Organic Methods Data Review, EPA-540-R-08-01, June 2008
- USEPA Contract Laboratory Program National Functional Guidelines for Inorganic Superfund Data Review, EPA 540-R-10-011, January 2010

These documents are hereafter referred to as the "functional guidelines". If there was a conflict between the functional guidelines and the quality control criteria specified in the analytical method, the method-specific criteria were used. The SDGs were prepared as a Level IV data report package containing quality control information and raw data. Golder completed Level III review of 100% of the analytical data and Level IV review of 10% of the analytical data.

Data that has been qualified by the data validator has been added to the laboratory report. The qualifiers indicate data that did not meet acceptance criteria and corrective actions were not successful or not performed. Laboratory data qualifiers are defined below:

- U – The analyte was analyzed for but not was not detected
- F1 – MS/MSD Recovery exceeds the control limits
- 4 – MS, MSD: The analyte present in the original sample is greater than 4 times the matrix spike concentration; therefore control limits are not applicable

Golder data qualifiers are defined below:

- D – The analyte was analyzed at a dilution

Sections 2 and 3 summarize the specific instances where quality control criteria in the functional guidelines were not met. As specified in the functional guidelines, if the non-adherence to quality control criteria is slight, professional judgment was used in qualification of the data. However, if the non-adherence is significant, qualification and rejection of the data may be necessary. A summary of qualified data is provided in Section 4.0.

2.0 SEMI-VOLATILE ORGANIC COMPOUNDS

Samples were collected from two (2) groundwater monitoring locations and analyzed for SVOCs. An AD sample was collected from one (1) sampling location, GM-31A. One (1) EB was also prepared and shipped for laboratory analysis. The samples were submitted to TestAmerica, placed into one (1) data package or SDG (KOM027), and were prepared and analyzed using SW-846 Method 8270D. Samples



were validated in general accordance with the functional guidelines. Results of the validation are summarized below.

2.1 Receipt Condition and Sample Holding Times

The SDG Case Narrative, chain-of-custody, login sample receipt checklist, and analysis dates were reviewed to verify analytical method holding times and proper preservation upon sampling.

KOM027 – Samples were received at temperatures below the 4°C +/-2°C criteria. The samples were otherwise received in good condition and data qualification was not required.

2.2 Blanks

Laboratory and field blanks, including method blanks and equipment blanks are prepared and analyzed to determine if contamination occurred as a result of laboratory or field activities.

Laboratory method blanks were performed for each laboratory system as outlined for each analytical method to evaluate whether cross contamination occurred during laboratory analysis activities. Results for the method blanks were non-detect.

One (1) EB was collected during the 1Q15 event, associated with sample GM-31A, to assess the effectiveness of the decontamination procedure. Results for the EB were non-detect.

2.3 Surrogate Spike Recoveries

Samples to be analyzed for SVOCs were spiked with surrogate compounds: 2-fluorobiphenyl, 2-fluorophenol, nitrobenzene-d5, phenol-d5, terphenyl-d14, and 2,4,6-trichlorophenol, prior to analysis, to evaluate overall laboratory performance. Surrogate recoveries were within acceptance criteria.

2.4 Laboratory Control Sample Recoveries

A laboratory control sample (LCS) is analyzed on each laboratory system to evaluate the analytical method accuracy and laboratory performance. LCS recoveries were within acceptance criteria.

2.5 Matrix Spike/Matrix Spike Duplicate (MS/MSD) Samples

MS/MSD samples are analyzed to determine long term precision and accuracy of the analytical method on various matrices. One (1) MS/MSD pair is sampled for every twenty (20) field samples. One (1) MS/MSD pair was collected during the 1Q15 event associated with sample GM-58A. MS accuracy data was outside acceptance limits for 2,4-dichlorophenol in GM-58A. MS/MSD precision data met criteria. Since MS/MSD data alone cannot be used to evaluate the precision and accuracy of data, data qualification was not required for associated samples.



2.6 Analytical Duplicates

One (1) AD is collected for every ten (10) field samples to determine the overall precision of field and laboratory methods. One (1) AD was collected during the 1Q15 event associated with sample GM-31A. The relative percent difference (RPD) between the sample GM-31A and the AD, GM-31A-AD, did not exceed 25%; therefore, data qualification was not required.

2.7 Internal Standard Responses

Internal standard performance criteria ensure that GC/MS sensitivity and response are stable during each analysis. Internal standard area counts did not vary by more than a factor of two (2) from the associated 12 hour calibration standard. Internal standard retention times did not vary more than +/-30 seconds from the retention time of the associated 12 hour calibration standard. Qualification of data was not required.

2.8 Results Reported From Dilutions

SVOC samples in the SDG did not require dilutions.

3.0 INORGANICS AND GENERAL CHEMISTRY

Samples were collected from two (2) groundwater monitoring locations and analyzed for inorganics and general chemistry. The samples were submitted to TestAmerica, placed into one (1) data package or SDG (KOM027), and were prepared and analyzed using the following methods:

- Total and Dissolved Iron and Manganese analyzed by USEPA Method 6010C Inductively Coupled Plasma-Atomic Emission Spectrometry
- Dissolved Gases analyzed by Method RSK-175
- Alkalinity and Free Carbon Dioxide analyzed by USEPA Method 310.1 by Titration
- Chloride analyzed by USEPA Method 325.2 by Automated Colorimetry
- Nitrogen, Nitrate analyzed by USEPA Method 353.2 by Automated Colorimetry
- Sulfate analyzed by USEPA Method 375.4 by Spectrophotometer
- Total and Dissolved Organic Carbon analyzed by USEPA Method 415.1

Samples were validated in general accordance with the functional guidelines. Results of the validation are summarized below.

3.1 Receipt Condition and Sample Holding Times

The SDG Case Narrative, chain-of-custody, login sample receipt checklist, and analysis dates were reviewed to verify analytical method holding times and proper preservation upon sampling.

KOM027 – Samples were received at temperatures below the 4°C +/-2°C criteria. The samples were otherwise received in good condition and data qualification was not required.



3.2 Blanks

Laboratory method blanks are prepared and analyzed to determine if contamination occurred as a result of laboratory activities.

Laboratory method blanks were performed for each laboratory system as outlined for each analytical method to evaluate whether cross contamination occurred during laboratory analysis activities. Results for the method blanks were non-detect.

3.3 Laboratory Control Sample Recoveries

A LCS is analyzed on each laboratory system to evaluate the analytical method accuracy and laboratory performance. LCS recoveries were within acceptance criteria; therefore, data qualification was not required.

3.4 Matrix Spike/Matrix Spike Duplicate (MS/MSD) Samples

MS/MSD samples are analyzed to determine long term precision and accuracy of the analytical method on various matrices. Although MS/MSD analysis was not required for inorganic and general chemistry per the Work Plan, the laboratory spiked groundwater sample GM-31A and GM-58A for various analytes. Some MS/MSD data for these samples was outside acceptance criteria. Since MS/MSD data alone cannot be used to evaluate the precision and accuracy of data, data qualification was not required for associated samples.

3.5 Results Reported From Dilutions

Samples in the SDG required dilutions due to high levels of target analytes chloride and sulfate. Reporting limits were adjusted to reflect the dilution. Result qualifications are shown in Section 4.0.



4.0 SUMMARY

Golder validated the data collected during the 1Q15 sampling event from the Illinois Route 3 Drum Site in general accordance with the Work Plan and USEPA functional guidelines. Although some data required qualifications due to quality control criteria that were not achieved, the data were deemed usable. Where a positive result was qualified as estimated, the analyte should be considered present. Similarly, a result that was qualified as an estimated reporting limit should be considered not present for the purposes of this program, although the limit itself may not be precise. The completeness for the entire data set was 100%.

Qualification Summary Table

Quality Control Issue	Compound(s)	Qualifier	Samples Affected
Compounds analyzed at a dilution	Chloride and Sulfate	D	GM-31A and GM-58A



5.0 REFERENCES

Solutia Inc., 2008. Revised Illinois Route 3 Drum Site Operation and Maintenance Plan, W.G. Krummrich Facility, Sauget, IL, May 2008.

USEPA, 2010. Contract Laboratory Program National Functional Guidelines for Inorganic Superfund Data Review.

USEPA, 2008. Contract Laboratory Program national Functional Guidelines for Superfund Organic Methods Data Review.

**APPENDIX D
GROUNDWATER ANALYTICAL RESULTS
(INCLUDING DATA VALIDATION REPORT)**



Level IV Data Validation Summary
Solutia Inc., W.G. Krummrich, Sauget, Illinois
1Q15 Route 3 Drum Site Monitoring Program

Company Name: Golder Associates
Project Name: WGK-1Q15 DRUM
Reviewer: L. Bindner
Laboratory: TestAmerica
SDG#: KOM027
Matrix: Water

Project Manager: A. Derhake
Project Number: 140-3345
Sample Date: February 2015

Analytical Method: SVOC (8270D), Dissolved Gases (RSK-175), Metals (6010C), Alkalinity (310.1), Chloride (325.2), Nitrogen, Nitrate-Nitrite (353.2), Sulfate (375.4), TOC (415.1), and DOC (415.1)

Sample Names: GM-31A-0215, GM-31A-F(0.2)-0215, GM-31A-0215-AD, GM-31A-0215-EB, GM-58A-0215, and GM-58A-F(0.2)-0215

Table with 4 columns: Field Information, YES, NO, NA. Rows include 'a) Sampling dates noted?' and 'b) Does the laboratory narrative indicate deficiencies?'.

Comments:

SVOC: 2,4-Dichlorophenol recovered low for the GM-58A-0215 MS in batch 371381.

Dissolved Gases: No deficiencies noted.

Metals: No deficiencies noted.

Alkalinity: No deficiencies noted.

Chloride: Chloride recovered low for the GM-58A-0215MS and GM-58A-0215MSD in batch 370558. Samples GM-31A-0215 and GM-58A-0215 required dilution prior to analysis, reporting limits were adjusted accordingly.

Nitrate-Nitrite as Nitrogen: Nitrate as N and Nitrate Nitrite as N recovered low for the GM-31A-0215MS and GM-31A-0215MSD in batch 370023.

Sulfate: Sulfate recovered low for the GM-58A-0215MS and GM-58A-0215MSD in batch 370565. Samples GM-31A-0215 and GM-58A-0215 required dilution prior to analysis, reporting limits were adjusted accordingly.

TOC: No deficiencies noted.

DOC: No deficiencies noted.

Table with 4 columns: Chain-of-Custody (COC), YES, NO, NA. Rows include 'a) Was the COC signed by both field and laboratory personnel?' and 'b) Were samples received in good condition?'.

Comments: Samples were received at 0.7°C, 1.3° and 1.5°C, outside the 4°C +/-2°C criteria.

Table with 4 columns: General, YES, NO, NA. Rows include 'a) Were hold times met for sample analysis?', 'b) Were the correct preservatives used?', 'c) Was the correct method used?', and 'd) Any sample dilutions noted?'.

Comments: None



**GC/MS Instrument Performance Check (IPC) and Internal Standards (IS)****YES NO NA**

- a) IPC analyzed at the appropriate frequency and met the appropriate standards?
- b) Does DFTPP meet the ion abundance criteria?
- c) Internal Standard retention times and areas met appropriate criteria?

Comments: None**Calibrations****YES NO NA**

- a) Initial calibration analyzed at the appropriate frequency and met the appropriate standards?
- b) Continuing calibrations analyzed at the appropriate frequency and met the appropriate standards?
- c) Initial calibration verifications and blanks analyzed at the appropriate frequency and met the appropriate standards?
- d) Continuing calibration verifications and blanks analyzed at the appropriate frequency and met the appropriate standards?

Comments: Analytes of interest met calibration standards.**Blanks****YES NO NA**

- a) Were blanks (trip, equipment, method) performed at required frequency?
- b) Were analytes detected in any blanks?

Comments: Equipment blank GM-31A-0215-EB was submitted with SDG KOM027.**Matrix Spike/Matrix Spike Duplicate (MS/MSD)****YES NO NA**

- a) Was MS/MSD accuracy criteria met?
- b) Was MS/MSD precision criteria met?

Comments: 2,4-Dichlorophenol, chloride, nitrate, and sulfate recoveries were outside control limits associated with batches 371381, 370558, 370023, and 370565. Data was not qualified based on MS/MSD data alone.**Laboratory Control Sample (LCS)****YES NO NA**

- a) LCS analyzed at the appropriate frequency and met appropriate standards?

Comments: None**Surrogate (System Monitoring) Compounds****YES NO NA**

- a) Surrogate compounds analyzed at the appropriate frequency and met appropriate standards?

Comments: None**Duplicates****YES NO NA**

- a) Were field duplicates collected?
- b) Was field duplicate precision criteria met?

Comments: Duplicate sample GM-31A-0215-AD was submitted with SDG KOM027.**Additional Comments:** None



Qualifications:

Quality Control Issue	Compound(s)	Qualifier	Samples Affected
Compounds analyzed at a dilution	Chloride and Sulfate	D	GM-31A and GM-58A

SDG KOM027
Sample Results from:

GM-31A
GM-58A

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

TestAmerica Laboratories, Inc.
TestAmerica Savannah
5102 LaRoche Avenue
Savannah, GA 31404
Tel: (912)354-7858

TestAmerica Job ID: 680-109733-1
TestAmerica Sample Delivery Group: KOM027
Client Project/Site: 1Q15 Drum Site GW Sampling - 1403345
Revision: 1

For:
Solutia Inc.
575 Maryville Centre Dr.
Saint Louis, Missouri 63141

Attn: Mr. Jerry Rinaldi

Michele Kersey

Authorized for release by:
3/23/2015 10:39:42 AM

Michele Kersey, Project Manager I
(912)354-7858
michele.kersey@testamericainc.com

LINKS

Review your project
results through

TotalAccess

Have a Question?

**Ask
The
Expert**

Visit us at:

www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

LAB
3/20/15



Definitions/Glossary

Client: Solutia Inc.
Project/Site: 1Q15 Drum Site GW Sampling - 1403345

TestAmerica Job ID: 680-109733-1
SDG: KOM027

Qualifiers

GC/MS Semi VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.
F1	MS and/or MSD Recovery exceeds the control limits

GC VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

Metals

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

General Chemistry

Qualifier	Qualifier Description
F1	MS and/or MSD Recovery exceeds the control limits
4	MS, MSD: The analyte present in the original sample is greater than 4 times the matrix spike concentration; therefore, control limits are not applicable.
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
▫	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

TestAmerica Savannah

LAB
3/20/15

Sample Summary

Client: Solutia Inc.

Project/Site: 1Q15 Drum Site GW Sampling - 1403345

TestAmerica Job ID: 680-109733-1

SDG: KOM027

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
680-109733-1	GM-31A-0215	Water	02/06/15 10:37	02/07/15 09:18
680-109733-2	GM-31A-F(0.2)-0215	Water	02/06/15 10:37	02/07/15 09:18
680-109733-3	GM-31A-0215-AD	Water	02/06/15 10:37	02/07/15 09:18
680-109733-4	GM-31A-0215-EB	Water	02/06/15 11:00	02/07/15 09:18
680-109733-5	GM-58A-0215	Water	02/06/15 11:55	02/07/15 09:18
680-109733-6	GM-58A-F(0.2)-0215	Water	02/06/15 11:55	02/07/15 09:18



Case Narrative

Client: Solutia Inc.
Project/Site: 1Q15 Drum Site GW Sampling - 1403345

TestAmerica Job ID: 680-109733-1
SDG: KOM027

Job ID: 680-109733-1

Laboratory: TestAmerica Savannah

Narrative

CASE NARRATIVE

Client: Solutia Inc.

Project: 1Q15 Drum Site GW Sampling - 1403345

Report Number: 680-109733-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In the event of interference or analytes present at high concentrations, samples may be diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

RECEIPT

The samples were received on 02/07/2015; the samples arrived in good condition, properly preserved and on ice. The temperatures of the 3 coolers at receipt time were 0.7° C, 1.3° C and 1.5° C.

NOTE: Revised report to correct NCM.

Field Service

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

SEMIVOLATILE ORGANIC COMPOUNDS (AQUEOUS)

Samples GM-31A-0215 (680-109733-1), GM-31A-0215-AD (680-109733-3), GM-31A-0215-EB (680-109733-4) and GM-58A-0215 (680-109733-5) were analyzed for Semivolatile Organic Compounds (Aqueous) in accordance with EPA SW-846 Method 8270D. The samples were prepared on 02/10/2015 and analyzed on 02/18/2015.

2,4-Dichlorophenol failed the recovery criteria low for the MS of sample GM-58A-0215MS (680-109733-5) in batch 680-371381.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

DISSOLVED GASES

Samples GM-31A-0215 (680-109733-1) and GM-58A-0215 (680-109733-5) were analyzed for dissolved gases in accordance with RSK-175. The samples were analyzed on 02/11/2015.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

METALS (ICP)

Samples GM-31A-F(0.2)-0215 (680-109733-2) and GM-58A-F(0.2)-0215 (680-109733-6) were analyzed for Metals (ICP) in accordance with EPA SW-846 Method 6010C. The samples were prepared on 02/11/2015 and analyzed on 02/13/2015.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

METALS (ICP)

Samples GM-31A-0215 (680-109733-1) and GM-58A-0215 (680-109733-5) were analyzed for Metals (ICP) in accordance with EPA

Case Narrative

Client: Solutia Inc.
Project/Site: 1Q15 Drum Site GW Sampling - 1403345

TestAmerica Job ID: 680-109733-1
SDG: KOM027

Job ID: 680-109733-1 (Continued)

Laboratory: TestAmerica Savannah (Continued)

SW-846 Method 6010C. The samples were prepared on 02/11/2015 and analyzed on 02/13/2015.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

ALKALINITY

Samples GM-31A-0215 (680-109733-1) and GM-58A-0215 (680-109733-5) were analyzed for alkalinity in accordance with EPA Method 310.1. The samples were analyzed on 02/09/2015.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

CHLORIDE

Samples GM-31A-0215 (680-109733-1) and GM-58A-0215 (680-109733-5) were analyzed for Chloride in accordance with EPA Method 325.2. The samples were analyzed on 02/11/2015.

Chloride failed the recovery criteria low for the MS of sample GM-58A-0215MS (680-109733-5) in batch 680-370558.

Chloride failed the recovery criteria low for the MSD of sample GM-58A-0215MSD (680-109733-5) in batch 680-370558.

Samples GM-31A-0215 (680-109733-1)[2X] and GM-58A-0215 (680-109733-5)[2X] required dilution prior to analysis. The reporting limits have been adjusted accordingly.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

NITRATE-NITRITE AS NITROGEN

Samples GM-31A-0215 (680-109733-1) and GM-58A-0215 (680-109733-5) were analyzed for nitrate-nitrite as nitrogen in accordance with EPA Method 353.2. The samples were analyzed on 02/07/2015.

Nitrate as N and Nitrate Nitrite as N failed the recovery criteria low for the MS of sample GM-31A-0215MS (680-109733-1) in batch 680-370023.

Nitrate as N and Nitrate Nitrite as N failed the recovery criteria low for the MSD of sample GM-31A-0215MSD (680-109733-1) in batch 680-370023.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

SULFATE

Samples GM-31A-0215 (680-109733-1) and GM-58A-0215 (680-109733-5) were analyzed for sulfate in accordance with EPA Method 375.4. The samples were analyzed on 02/11/2015.

Sulfate failed the recovery criteria low for the MS of sample GM-58A-0215MS (680-109733-5) in batch 680-370565.

Sulfate failed the recovery criteria low for the MSD of sample GM-58A-0215MSD (680-109733-5) in batch 680-370565.

Samples GM-31A-0215 (680-109733-1)[10X] and GM-58A-0215 (680-109733-5)[10X] required dilution prior to analysis. The reporting limits have been adjusted accordingly.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

TOTAL ORGANIC CARBON

Samples GM-31A-0215 (680-109733-1) and GM-58A-0215 (680-109733-5) were analyzed for total organic carbon in accordance with EPA Method 415.1. The samples were analyzed on 02/24/2015.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

DISSOLVED ORGANIC CARBON (DOC)

Case Narrative

Client: Solutia Inc.
Project/Site: 1Q15 Drum Site GW Sampling - 1403345

TestAmerica Job ID: 680-109733-1
SDG: KOM027

Job ID: 680-109733-1 (Continued)

Laboratory: TestAmerica Savannah (Continued)

Samples GM-31A-F(0.2)-0215 (680-109733-2) and GM-58A-F(0.2)-0215 (680-109733-6) were analyzed for Dissolved Organic Carbon (DOC) in accordance with EPA Method 415.1. The samples were analyzed on 02/24/2015.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Client Sample Results

Client: Solutia Inc.
Project/Site: 1Q15 Drum Site GW Sampling - 1403345

TestAmerica Job ID: 680-109733-1
SDG: KOM027

Client Sample ID: GM-31A-0215

Lab Sample ID: 680-109733-1

Date Collected: 02/06/15 10:37

Matrix: Water

Date Received: 02/07/15 09:18

Method: 8270D - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1'-Biphenyl	11	U	11		ug/L		02/10/15 16:35	02/18/15 14:49	1
1-chloro-2,4-dinitrobenzene	11	U	11		ug/L		02/10/15 16:35	02/18/15 14:49	1
1-Chloro-3-nitrobenzene	11	U	11		ug/L		02/10/15 16:35	02/18/15 14:49	1
2-chloronitrobenzene / 4-chloronitrobenzene	23	U	23		ug/L		02/10/15 16:35	02/18/15 14:49	1
3,4-Dichloronitrobenzene	11	U	11		ug/L		02/10/15 16:35	02/18/15 14:49	1
2,4-Dichlorophenol	11	U	11		ug/L		02/10/15 16:35	02/18/15 14:49	1
Nitrobenzene	11	U	11		ug/L		02/10/15 16:35	02/18/15 14:49	1
2-Nitrobiphenyl	26		11		ug/L		02/10/15 16:35	02/18/15 14:49	1
3-Nitrobiphenyl	11	U	11		ug/L		02/10/15 16:35	02/18/15 14:49	1
4-Nitrobiphenyl	11	U	11		ug/L		02/10/15 16:35	02/18/15 14:49	1
Pentachlorophenol	56	U	56		ug/L		02/10/15 16:35	02/18/15 14:49	1
2,4,6-Trichlorophenol	76		11		ug/L		02/10/15 16:35	02/18/15 14:49	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl	62		32 - 113				02/10/15 16:35	02/18/15 14:49	1
2-Fluorophenol	43		26 - 109				02/10/15 16:35	02/18/15 14:49	1
Nitrobenzene-d5	56		32 - 118				02/10/15 16:35	02/18/15 14:49	1
Phenol-d5	46		27 - 110				02/10/15 16:35	02/18/15 14:49	1
Terphenyl-d14	63		10 - 126				02/10/15 16:35	02/18/15 14:49	1
2,4,6-Tribromophenol	74		39 - 124				02/10/15 16:35	02/18/15 14:49	1

Method: RSK-175 - Dissolved Gases (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethane	1.1	U	1.1		ug/L			02/11/15 12:42	1
Ethylene	1.0	U	1.0		ug/L			02/11/15 12:42	1
Methane	75		0.58		ug/L			02/11/15 12:42	1

Method: 6010C - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	1.2		0.050		mg/L		02/11/15 13:40	02/13/15 02:37	1
Manganese	1.4		0.010		mg/L		02/11/15 13:40	02/13/15 02:37	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	73	D	2.0		mg/L			02/11/15 13:13	2
Nitrate as N	1.5		0.050		mg/L			02/07/15 13:36	1
Sulfate	250	D	50		mg/L			02/11/15 13:37	10
Total Organic Carbon	4.7		1.0		mg/L			02/24/15 16:01	1
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Alkalinity	320		5.0		mg/L			02/09/15 17:42	1
Carbon Dioxide, Free	81		5.0		mg/L			02/09/15 17:42	1

TestAmerica Savannah

LAB
3/20/15

Client Sample Results

Client: Solutia Inc.
 Project/Site: 1Q15 Drum Site GW Sampling - 1403345

TestAmerica Job ID: 680-109733-1
 SDG: KOM027

Client Sample ID: GM-31A-F(0.2)-0215

Lab Sample ID: 680-109733-2

Date Collected: 02/06/15 10:37

Matrix: Water

Date Received: 02/07/15 09:18

Method: 6010C - Metals (ICP) - Dissolved

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron, Dissolved	0.050	U	0.050		mg/L		02/11/15 13:40	02/13/15 02:41	1
Manganese, Dissolved	1.4		0.010		mg/L		02/11/15 13:40	02/13/15 02:41	1

General Chemistry - Dissolved

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Dissolved Organic Carbon	5.0		1.0		mg/L			02/24/15 21:24	1

5

LAB
3/20/15

Client Sample Results

Client: Solutia Inc.
 Project/Site: 1Q15 Drum Site GW Sampling - 1403345

TestAmerica Job ID: 680-109733-1
 SDG: KOM027

Client Sample ID: GM-31A-0215-AD

Lab Sample ID: 680-109733-3

Date Collected: 02/06/15 10:37

Matrix: Water

Date Received: 02/07/15 09:18

Method: 8270D - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1'-Biphenyl	11	U	11		ug/L		02/10/15 16:35	02/18/15 15:13	1
1-chloro-2,4-dinitrobenzene	11	U	11		ug/L		02/10/15 16:35	02/18/15 15:13	1
1-Chloro-3-nitrobenzene	11	U	11		ug/L		02/10/15 16:35	02/18/15 15:13	1
2-chloronitrobenzene /	22	U	22		ug/L		02/10/15 16:35	02/18/15 15:13	1
4-chloronitrobenzene									
3,4-Dichloronitrobenzene	11	U	11		ug/L		02/10/15 16:35	02/18/15 15:13	1
2,4-Dichlorophenol	11	U	11		ug/L		02/10/15 16:35	02/18/15 15:13	1
Nitrobenzene	11	U	11		ug/L		02/10/15 16:35	02/18/15 15:13	1
2-Nitrobiphenyl	28		11		ug/L		02/10/15 16:35	02/18/15 15:13	1
3-Nitrobiphenyl	11	U	11		ug/L		02/10/15 16:35	02/18/15 15:13	1
4-Nitrobiphenyl	11	U	11		ug/L		02/10/15 16:35	02/18/15 15:13	1
Pentachlorophenol	55	U	55		ug/L		02/10/15 16:35	02/18/15 15:13	1
2,4,6-Trichlorophenol	84		11		ug/L		02/10/15 16:35	02/18/15 15:13	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl	69		32 - 113				02/10/15 16:35	02/18/15 15:13	1
2-Fluorophenol	54		26 - 109				02/10/15 16:35	02/18/15 15:13	1
Nitrobenzene-d5	63		32 - 118				02/10/15 16:35	02/18/15 15:13	1
Phenol-d5	54		27 - 110				02/10/15 16:35	02/18/15 15:13	1
Terphenyl-d14	35		10 - 126				02/10/15 16:35	02/18/15 15:13	1
2,4,6-Tribromophenol	73		39 - 124				02/10/15 16:35	02/18/15 15:13	1

5

Client Sample Results

Client: Solutia Inc.
 Project/Site: 1Q15 Drum Site GW Sampling - 1403345

TestAmerica Job ID: 680-109733-1
 SDG: KOM027

Client Sample ID: GM-31A-0215-EB

Lab Sample ID: 680-109733-4

Date Collected: 02/06/15 11:00

Matrix: Water

Date Received: 02/07/15 09:18

Method: 8270D - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1'-Biphenyl	10	U	10		ug/L		02/10/15 16:35	02/18/15 15:36	1
1-chloro-2,4-dinitrobenzene	10	U	10		ug/L		02/10/15 16:35	02/18/15 15:36	1
1-Chloro-3-nitrobenzene	10	U	10		ug/L		02/10/15 16:35	02/18/15 15:36	1
2-chloronitrobenzene / 4-chloronitrobenzene	21	U	21		ug/L		02/10/15 16:35	02/18/15 15:36	1
3,4-Dichloronitrobenzene	10	U	10		ug/L		02/10/15 16:35	02/18/15 15:36	1
2,4-Dichlorophenol	10	U	10		ug/L		02/10/15 16:35	02/18/15 15:36	1
Nitrobenzene	10	U	10		ug/L		02/10/15 16:35	02/18/15 15:36	1
2-Nitrobiphenyl	10	U	10		ug/L		02/10/15 16:35	02/18/15 15:36	1
3-Nitrobiphenyl	10	U	10		ug/L		02/10/15 16:35	02/18/15 15:36	1
4-Nitrobiphenyl	10	U	10		ug/L		02/10/15 16:35	02/18/15 15:36	1
Pentachlorophenol	52	U	52		ug/L		02/10/15 16:35	02/18/15 15:36	1
2,4,6-Trichlorophenol	10	U	10		ug/L		02/10/15 16:35	02/18/15 15:36	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl	59		32 - 113	02/10/15 16:35	02/18/15 15:36	1
2-Fluorophenol	47		26 - 109	02/10/15 16:35	02/18/15 15:36	1
Nitrobenzene-d5	59		32 - 118	02/10/15 16:35	02/18/15 15:36	1
Phenol-d5	47		27 - 110	02/10/15 16:35	02/18/15 15:36	1
Terphenyl-d14	37		10 - 126	02/10/15 16:35	02/18/15 15:36	1
2,4,6-Tribromophenol	53		39 - 124	02/10/15 16:35	02/18/15 15:36	1

5

Client Sample Results

Client: Solutia Inc.
Project/Site: 1Q15 Drum Site GW Sampling - 1403345

TestAmerica Job ID: 680-109733-1
SDG: KOM027

Client Sample ID: GM-58A-0215

Lab Sample ID: 680-109733-5

Date Collected: 02/06/15 11:55

Matrix: Water

Date Received: 02/07/15 09:18

Method: 8270D - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1'-Biphenyl	10	U	10		ug/L		02/10/15 16:35	02/18/15 15:59	1
1-chloro-2,4-dinitrobenzene	10	U	10		ug/L		02/10/15 16:35	02/18/15 15:59	1
1-Chloro-3-nitrobenzene	10	U	10		ug/L		02/10/15 16:35	02/18/15 15:59	1
2-chloronitrobenzene /	20	U	20		ug/L		02/10/15 16:35	02/18/15 15:59	1
4-chloronitrobenzene									
3,4-Dichloronitrobenzene	10	U	10		ug/L		02/10/15 16:35	02/18/15 15:59	1
2,4-Dichlorophenol	10	U	10		ug/L		02/10/15 16:35	02/18/15 15:59	1
Nitrobenzene	10	U	10		ug/L		02/10/15 16:35	02/18/15 15:59	1
2-Nitrobiphenyl	10	U	10		ug/L		02/10/15 16:35	02/18/15 15:59	1
3-Nitrobiphenyl	10	U	10		ug/L		02/10/15 16:35	02/18/15 15:59	1
4-Nitrobiphenyl	10	U	10		ug/L		02/10/15 16:35	02/18/15 15:59	1
Pentachlorophenol	50	U	50		ug/L		02/10/15 16:35	02/18/15 15:59	1
2,4,6-Trichlorophenol	10	U	10		ug/L		02/10/15 16:35	02/18/15 15:59	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl	56		32 - 113				02/10/15 16:35	02/18/15 15:59	1
2-Fluorophenol	42		26 - 109				02/10/15 16:35	02/18/15 15:59	1
Nitrobenzene-d5	55		32 - 118				02/10/15 16:35	02/18/15 15:59	1
Phenol-d5	44		27 - 110				02/10/15 16:35	02/18/15 15:59	1
Terphenyl-d14	45		10 - 126				02/10/15 16:35	02/18/15 15:59	1
2,4,6-Tribromophenol	62		39 - 124				02/10/15 16:35	02/18/15 15:59	1

Method: RSK-175 - Dissolved Gases (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethane	1.1	U	1.1		ug/L			02/11/15 12:55	1
Ethylene	1.0	U	1.0		ug/L			02/11/15 12:55	1
Methane	6.0		0.58		ug/L			02/11/15 12:55	1

Method: 6010C - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	0.51		0.050		mg/L		02/11/15 13:40	02/13/15 02:46	1
Manganese	1.3		0.010		mg/L		02/11/15 13:40	02/13/15 02:46	1

General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	71	D	2.0		mg/L			02/11/15 12:56	2
Nitrate as N	1.3		0.050		mg/L			02/07/15 13:40	1
Sulfate	290	D	50		mg/L			02/11/15 13:39	10
Total Organic Carbon	4.4		1.0		mg/L			02/24/15 16:06	1
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Alkalinity	350		5.0		mg/L			02/09/15 17:35	1
Carbon Dioxide, Free	30		5.0		mg/L			02/09/15 17:35	1

Client Sample Results

Client: Solutia Inc.
Project/Site: 1Q15 Drum Site GW Sampling - 1403345

TestAmerica Job ID: 680-109733-1
SDG: KOM027

Client Sample ID: GM-58A-F(0.2)-0215

Lab Sample ID: 680-109733-6

Date Collected: 02/06/15 11:55

Matrix: Water

Date Received: 02/07/15 09:18

Method: 6010C - Metals (ICP) - Dissolved

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron, Dissolved	0.050	U	0.050		mg/L		02/11/15 13:40	02/13/15 02:50	1
Manganese, Dissolved	1.3		0.010		mg/L		02/11/15 13:40	02/13/15 02:50	1

General Chemistry - Dissolved

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Dissolved Organic Carbon	4.2		1.0		mg/L			02/24/15 21:29	1

5

QC Sample Results

Client: Solutia Inc.
Project/Site: 1Q15 Drum Site GW Sampling - 1403345

TestAmerica Job ID: 680-109733-1
SDG: KOM027

Method: 8270D - Semivolatile Organic Compounds (GC/MS)

Lab Sample ID: MB 680-370287/13-A
Matrix: Water
Analysis Batch: 371381

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 370287

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
1,1'-Biphenyl	10	U	10		ug/L		02/10/15 16:35	02/18/15 14:26	1
1-chloro-2,4-dinitrobenzene	10	U	10		ug/L		02/10/15 16:35	02/18/15 14:26	1
1-Chloro-3-nitrobenzene	10	U	10		ug/L		02/10/15 16:35	02/18/15 14:26	1
2-chloronitrobenzene /	20	U	20		ug/L		02/10/15 16:35	02/18/15 14:26	1
4-chloronitrobenzene									
3,4-Dichloronitrobenzene	10	U	10		ug/L		02/10/15 16:35	02/18/15 14:26	1
2,4-Dichlorophenol	10	U	10		ug/L		02/10/15 16:35	02/18/15 14:26	1
Nitrobenzene	10	U	10		ug/L		02/10/15 16:35	02/18/15 14:26	1
2-Nitrobiphenyl	10	U	10		ug/L		02/10/15 16:35	02/18/15 14:26	1
3-Nitrobiphenyl	10	U	10		ug/L		02/10/15 16:35	02/18/15 14:26	1
4-Nitrobiphenyl	10	U	10		ug/L		02/10/15 16:35	02/18/15 14:26	1
Pentachlorophenol	50	U	50		ug/L		02/10/15 16:35	02/18/15 14:26	1
2,4,6-Trichlorophenol	10	U	10		ug/L		02/10/15 16:35	02/18/15 14:26	1

Surrogate	MB MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
2-Fluorobiphenyl	67		32 - 113	02/10/15 16:35	02/18/15 14:26	1
2-Fluorophenol	56		26 - 109	02/10/15 16:35	02/18/15 14:26	1
Nitrobenzene-d5	64		32 - 118	02/10/15 16:35	02/18/15 14:26	1
Phenol-d5	60		27 - 110	02/10/15 16:35	02/18/15 14:26	1
Terphenyl-d14	99		10 - 126	02/10/15 16:35	02/18/15 14:26	1
2,4,6-Tribromophenol	66		39 - 124	02/10/15 16:35	02/18/15 14:26	1

Lab Sample ID: LCS 680-370287/14-A
Matrix: Water
Analysis Batch: 371381

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 370287

Analyte	Spike Added	LCS LCS		Unit	D	%Rec	%Rec.	Limits
		Result	Qualifier					
1,1'-Biphenyl	100	63.5		ug/L		64		46 - 97
2,4-Dichlorophenol	100	64.8		ug/L		65		48 - 107
Nitrobenzene	100	61.5		ug/L		61		41 - 105
Pentachlorophenol	200	157		ug/L		79		36 - 143
2,4,6-Trichlorophenol	100	72.9		ug/L		73		49 - 113

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
2-Fluorobiphenyl	55		32 - 113
2-Fluorophenol	45		26 - 109
Nitrobenzene-d5	55		32 - 118
Phenol-d5	49		27 - 110
Terphenyl-d14	82		10 - 126
2,4,6-Tribromophenol	73		39 - 124

Lab Sample ID: LCS 680-370287/17-A
Matrix: Water
Analysis Batch: 371381

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 370287

Analyte	Spike Added	LCS LCS		Unit	D	%Rec	%Rec.	Limits
		Result	Qualifier					
1-chloro-2,4-dinitrobenzene	100	90.0		ug/L		90		10 - 130
1-Chloro-3-nitrobenzene	100	87.8		ug/L		88		50 - 130

TestAmerica Savannah

LAB
3/20/15

QC Sample Results

Client: Solutia Inc.
Project/Site: 1Q15 Drum Site GW Sampling - 1403345

TestAmerica Job ID: 680-109733-1
SDG: KOM027

Method: 8270D - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 680-370287/17-A

Client Sample ID: Lab Control Sample

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 371381

Prep Batch: 370287

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
2-chloronitrobenzene /	200	169		ug/L		85	10 - 130
4-chloronitrobenzene							
3,4-Dichloronitrobenzene	100	76.9		ug/L		77	10 - 130
2-Nitrobiphenyl	100	87.7		ug/L		88	10 - 130
3-Nitrobiphenyl	100	83.2		ug/L		83	10 - 130
4-Nitrobiphenyl	100	82.2		ug/L		82	10 - 130

Surrogate	LCS LCS		Limits
	%Recovery	Qualifier	
2-Fluorobiphenyl	64		32 - 113
2-Fluorophenol	56		26 - 109
Nitrobenzene-d5	66		32 - 118
Phenol-d5	54		27 - 110
Terphenyl-d14	85		10 - 126
2,4,6-Tribromophenol	74		39 - 124

Lab Sample ID: 680-109733-5 MS

Client Sample ID: GM-58A-0215

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 371381

Prep Batch: 370287

Analyte	Sample Result	Sample Qualifier	Spike Added	MS MS		Unit	D	%Rec	%Rec. Limits
				Result	Qualifier				
1,1'-Biphenyl	10	U	99.4	47.1		ug/L		47	46 - 97
2,4-Dichlorophenol	10	U	99.4	45.7	F1	ug/L		46	48 - 107
Nitrobenzene	10	U	99.4	45.9		ug/L		45	41 - 105
Pentachlorophenol	50	U	199	122		ug/L		57	36 - 143
2,4,6-Trichlorophenol	10	U	99.4	51.9		ug/L		52	49 - 113

Surrogate	MS MS		Limits
	%Recovery	Qualifier	
2-Fluorobiphenyl	39		32 - 113
2-Fluorophenol	29		26 - 109
Nitrobenzene-d5	41		32 - 118
Phenol-d5	33		27 - 110
Terphenyl-d14	50		10 - 126
2,4,6-Tribromophenol	54		39 - 124

Lab Sample ID: 680-109733-5 MS

Client Sample ID: GM-58A-0215

Matrix: Water

Prep Type: Total/NA

Analysis Batch: 371381

Prep Batch: 370287

Analyte	Sample Result	Sample Qualifier	Spike Added	MS MS		Unit	D	%Rec	%Rec. Limits
				Result	Qualifier				
1-chloro-2,4-dinitrobenzene	10	U	100	85.7		ug/L		85	10 - 130
1-Chloro-3-nitrobenzene	10	U	100	75.8		ug/L		76	50 - 130
2-chloronitrobenzene /	20	U	201	173		ug/L		86	10 - 130
4-chloronitrobenzene									
3,4-Dichloronitrobenzene	10	U	100	68.7		ug/L		68	10 - 130
2-Nitrobiphenyl	10	U	100	80.7		ug/L		80	10 - 130
3-Nitrobiphenyl	10	U	100	77.2		ug/L		77	10 - 130
4-Nitrobiphenyl	10	U	100	75.3		ug/L		75	10 - 130

TestAmerica Savannah

LAB
3/20/15

QC Sample Results

Client: Solutia Inc.
Project/Site: 1Q15 Drum Site GW Sampling - 1403345

TestAmerica Job ID: 680-109733-1
SDG: KOM027

Method: 8270D - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 680-109733-5 MS
Matrix: Water
Analysis Batch: 371381

Client Sample ID: GM-58A-0215
Prep Type: Total/NA
Prep Batch: 370287

Surrogate	MS MS		Limits
	%Recovery	Qualifier	
2-Fluorobiphenyl	51		32 - 113
2-Fluorophenol	43		26 - 109
Nitrobenzene-d5	56		32 - 118
Phenol-d5	43		27 - 110
Terphenyl-d14	44		10 - 126
2,4,6-Tribromophenol	58		39 - 124

Lab Sample ID: 680-109733-5 MSD
Matrix: Water
Analysis Batch: 371381

Client Sample ID: GM-58A-0215
Prep Type: Total/NA
Prep Batch: 370287

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	%Rec.		RPD	
	Result	Qualifier	Added	Result	Qualifier				Limits	RPD	Limit	
1,1'-Biphenyl	10	U	105	59.4		ug/L		56	46 - 97	23	50	
2,4-Dichlorophenol	10	U	105	57.5		ug/L		55	48 - 107	23	50	
Nitrobenzene	10	U	105	57.2		ug/L		53	41 - 105	22	50	
Pentachlorophenol	50	U	211	140		ug/L		62	36 - 143	13	50	
2,4,6-Trichlorophenol	10	U	105	64.2		ug/L		61	49 - 113	21	50	

Surrogate	MSD MSD		Limits
	%Recovery	Qualifier	
2-Fluorobiphenyl	51		32 - 113
2-Fluorophenol	39		26 - 109
Nitrobenzene-d5	53		32 - 118
Phenol-d5	45		27 - 110
Terphenyl-d14	52		10 - 126
2,4,6-Tribromophenol	65		39 - 124

Lab Sample ID: 680-109733-5 MSD
Matrix: Water
Analysis Batch: 371381

Client Sample ID: GM-58A-0215
Prep Type: Total/NA
Prep Batch: 370287

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	%Rec.		RPD	
	Result	Qualifier	Added	Result	Qualifier				Limits	RPD	Limit	
1-chloro-2,4-dinitrobenzene	10	U	98.4	79.3		ug/L		81	10 - 130	8	50	
1-Chloro-3-nitrobenzene	10	U	98.4	66.4		ug/L		68	50 - 130	13	50	
2-chloronitrobenzene / 4-chloronitrobenzene	20	U	197	154		ug/L		78	10 - 130	12	50	
3,4-Dichloronitrobenzene	10	U	98.4	59.9		ug/L		61	10 - 130	14	50	
2-Nitrobiphenyl	10	U	98.4	71.0		ug/L		72	10 - 130	13	50	
3-Nitrobiphenyl	10	U	98.4	69.5		ug/L		71	10 - 130	10	50	
4-Nitrobiphenyl	10	U	98.4	68.8		ug/L		70	10 - 130	9	50	

Surrogate	MSD MSD		Limits
	%Recovery	Qualifier	
2-Fluorobiphenyl	47		32 - 113
2-Fluorophenol	39		26 - 109
Nitrobenzene-d5	50		32 - 118
Phenol-d5	43		27 - 110
Terphenyl-d14	68		10 - 126
2,4,6-Tribromophenol	58		39 - 124

TestAmerica Savannah
LAB
3/20/15

QC Sample Results

Client: Solutia Inc.
 Project/Site: 1Q15 Drum Site GW Sampling - 1403345

TestAmerica Job ID: 680-109733-1
 SDG: KOM027

Method: RSK-175 - Dissolved Gases (GC)

Lab Sample ID: MB 680-370430/7
 Matrix: Water
 Analysis Batch: 370430

Client Sample ID: Method Blank
 Prep Type: Total/NA

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Ethane	1.1	U	1.1		ug/L			02/11/15 10:35	1
Ethylene	1.0	U	1.0		ug/L			02/11/15 10:35	1
Methane	0.58	U	0.58		ug/L			02/11/15 10:35	1

Lab Sample ID: LCS 680-370430/5
 Matrix: Water
 Analysis Batch: 370430

Client Sample ID: Lab Control Sample
 Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Ethylene	269	262		ug/L	97	75 - 125	
Methane	154	150		ug/L	98	75 - 125	

Lab Sample ID: LCSD 680-370430/6
 Matrix: Water
 Analysis Batch: 370430

Client Sample ID: Lab Control Sample Dup
 Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Ethylene	269	234		ug/L	87	75 - 125	11	30	
Methane	154	146		ug/L	95	75 - 125	3	30	

Method: 6010C - Metals (ICP)

Lab Sample ID: MB 680-370514/1-A
 Matrix: Water
 Analysis Batch: 370847

Client Sample ID: Method Blank
 Prep Type: Total Recoverable
 Prep Batch: 370514

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Iron	0.050	U	0.050		mg/L		02/11/15 13:40	02/13/15 01:14	1
Iron, Dissolved	0.050	U	0.050		mg/L		02/11/15 13:40	02/13/15 01:14	1
Manganese	0.010	U	0.010		mg/L		02/11/15 13:40	02/13/15 01:14	1
Manganese, Dissolved	0.010	U	0.010		mg/L		02/11/15 13:40	02/13/15 01:14	1

Lab Sample ID: LCS 680-370514/2-A
 Matrix: Water
 Analysis Batch: 370847

Client Sample ID: Lab Control Sample
 Prep Type: Total Recoverable
 Prep Batch: 370514

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Iron, Dissolved	5.00	5.06		mg/L	101	80 - 120	
Manganese	0.500	0.525		mg/L	105	80 - 120	
Manganese, Dissolved	0.500	0.525		mg/L	105	80 - 120	

TestAmerica Savannah

LAB
3/20/15

QC Sample Results

Client: Solutia Inc.
Project/Site: 1Q15 Drum Site GW Sampling - 1403345

TestAmerica Job ID: 680-109733-1
SDG: KOM027

Method: 310.1 - Alkalinity

Lab Sample ID: MB 680-370292/5
Matrix: Water
Analysis Batch: 370292

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB MB		RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Alkalinity	5.0	U	5.0		mg/L			02/09/15 16:57	1
Carbon Dioxide, Free	5.0	U	5.0		mg/L			02/09/15 16:57	1

Lab Sample ID: LCS 680-370292/6
Matrix: Water
Analysis Batch: 370292

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits

Lab Sample ID: LCSD 680-370292/15
Matrix: Water
Analysis Batch: 370292

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	Limit

Method: 325.2 - Chloride

Lab Sample ID: MB 680-370558/5
Matrix: Water
Analysis Batch: 370558

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Chloride	1.0	U	1.0		mg/L			02/11/15 11:53	1

Lab Sample ID: LCS 680-370558/15
Matrix: Water
Analysis Batch: 370558

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits

Lab Sample ID: 680-109733-5 MS
Matrix: Water
Analysis Batch: 370558

Client Sample ID: GM-58A-0215
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits

Lab Sample ID: 680-109733-5 MSD
Matrix: Water
Analysis Batch: 370558

Client Sample ID: GM-58A-0215
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	Limit

TestAmerica Savannah

LAB
3/20/15

QC Sample Results

Client: Solutia Inc.
Project/Site: 1Q15 Drum Site GW Sampling - 1403345

TestAmerica Job ID: 680-109733-1
SDG: KOM027

Method: 353.2 - Nitrogen, Nitrate-Nitrite

Lab Sample ID: MB 680-370023/13
Matrix: Water
Analysis Batch: 370023

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Nitrate as N	0.050	U	0.050		mg/L			02/07/15 13:32	1

Lab Sample ID: LCS 680-370023/16
Matrix: Water
Analysis Batch: 370023

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Nitrate Nitrite as N	1.00	1.02		mg/L		102	90 - 110
Nitrite as N	0.500	0.498		mg/L		100	90 - 110

Lab Sample ID: 680-109733-1 MS
Matrix: Water
Analysis Batch: 370023

Client Sample ID: GM-31A-0215
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Nitrate Nitrite as N	1.5		1.00	2.25	F1	mg/L		75	90 - 110
Nitrite as N	0.050	U	0.500	0.503		mg/L		101	90 - 110

Lab Sample ID: 680-109733-1 MSD
Matrix: Water
Analysis Batch: 370023

Client Sample ID: GM-31A-0215
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Nitrate Nitrite as N	1.5		1.00	2.24	F1	mg/L		75	90 - 110	0	10
Nitrite as N	0.050	U	0.500	0.504		mg/L		101	90 - 110	0	10

Method: 375.4 - Sulfate

Lab Sample ID: MB 680-370565/17
Matrix: Water
Analysis Batch: 370565

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB MB		RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Sulfate	5.0	U	5.0		mg/L			02/11/15 13:33	1

Lab Sample ID: LCS 680-370565/11
Matrix: Water
Analysis Batch: 370565

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits

TestAmerica Savannah

LAB
3/20/15

QC Sample Results

Client: Solutia Inc.
Project/Site: 1Q15 Drum Site GW Sampling - 1403345

TestAmerica Job ID: 680-109733-1
SDG: KOM027

Method: 375.4 - Sulfate (Continued)

Lab Sample ID: 680-109733-5 MS
Matrix: Water
Analysis Batch: 370565

Client Sample ID: GM-58A-0215
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Sulfate	290		20.0	301	4	mg/L		31	75 - 125

Lab Sample ID: 680-109733-5 MSD
Matrix: Water
Analysis Batch: 370565

Client Sample ID: GM-58A-0215
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	Limit
Sulfate	290		20.0	297	4	mg/L		11	75 - 125	1	30

Method: 415.1 - DOC

Lab Sample ID: MB 160-175823/73
Matrix: Water
Analysis Batch: 175823

Client Sample ID: Method Blank
Prep Type: Dissolved

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Dissolved Organic Carbon	1.0	U	1.0		mg/L			02/24/15 20:45	1

Lab Sample ID: LCS 160-175823/74
Matrix: Water
Analysis Batch: 175823

Client Sample ID: Lab Control Sample
Prep Type: Dissolved

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Dissolved Organic Carbon	10.0	10.3		mg/L		103	90 - 110

Method: 415.1 - TOC

Lab Sample ID: MB 160-175822/32
Matrix: Water
Analysis Batch: 175822

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Organic Carbon	1.0	U	1.0		mg/L			02/24/15 15:26	1

Lab Sample ID: LCS 160-175822/33
Matrix: Water
Analysis Batch: 175822

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Total Organic Carbon	10.0	9.97		mg/L		100	90 - 110

QC Association Summary

Client: Solutia Inc.
Project/Site: 1Q15 Drum Site GW Sampling - 1403345

TestAmerica Job ID: 680-109733-1
SDG: KOM027

GC/MS Semi VOA

Prep Batch: 370287

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-109733-1	GM-31A-0215	Total/NA	Water	3520C	
680-109733-3	GM-31A-0215-AD	Total/NA	Water	3520C	
680-109733-4	GM-31A-0215-EB	Total/NA	Water	3520C	
680-109733-5	GM-58A-0215	Total/NA	Water	3520C	
680-109733-5 MS	GM-58A-0215	Total/NA	Water	3520C	
680-109733-5 MS	GM-58A-0215	Total/NA	Water	3520C	
680-109733-5 MSD	GM-58A-0215	Total/NA	Water	3520C	
680-109733-5 MSD	GM-58A-0215	Total/NA	Water	3520C	
LCS 680-370287/14-A	Lab Control Sample	Total/NA	Water	3520C	
LCS 680-370287/17-A	Lab Control Sample	Total/NA	Water	3520C	
MB 680-370287/13-A	Method Blank	Total/NA	Water	3520C	

Analysis Batch: 371381

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-109733-1	GM-31A-0215	Total/NA	Water	8270D	370287
680-109733-3	GM-31A-0215-AD	Total/NA	Water	8270D	370287
680-109733-4	GM-31A-0215-EB	Total/NA	Water	8270D	370287
680-109733-5	GM-58A-0215	Total/NA	Water	8270D	370287
680-109733-5 MS	GM-58A-0215	Total/NA	Water	8270D	370287
680-109733-5 MS	GM-58A-0215	Total/NA	Water	8270D	370287
680-109733-5 MSD	GM-58A-0215	Total/NA	Water	8270D	370287
680-109733-5 MSD	GM-58A-0215	Total/NA	Water	8270D	370287
LCS 680-370287/14-A	Lab Control Sample	Total/NA	Water	8270D	370287
LCS 680-370287/17-A	Lab Control Sample	Total/NA	Water	8270D	370287
MB 680-370287/13-A	Method Blank	Total/NA	Water	8270D	370287

GC VOA

Analysis Batch: 370430

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-109733-1	GM-31A-0215	Total/NA	Water	RSK-175	
680-109733-5	GM-58A-0215	Total/NA	Water	RSK-175	
LCS 680-370430/5	Lab Control Sample	Total/NA	Water	RSK-175	
LCSD 680-370430/6	Lab Control Sample Dup	Total/NA	Water	RSK-175	
MB 680-370430/7	Method Blank	Total/NA	Water	RSK-175	

Metals

Prep Batch: 370514

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-109733-1	GM-31A-0215	Total Recoverable	Water	3005A	
680-109733-2	GM-31A-F(0.2)-0215	Dissolved	Water	3005A	
680-109733-5	GM-58A-0215	Total Recoverable	Water	3005A	
680-109733-6	GM-58A-F(0.2)-0215	Dissolved	Water	3005A	
LCS 680-370514/2-A	Lab Control Sample	Total Recoverable	Water	3005A	
MB 680-370514/1-A	Method Blank	Total Recoverable	Water	3005A	

Analysis Batch: 370847

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-109733-1	GM-31A-0215	Total Recoverable	Water	6010C	370514

TestAmerica Savannah

LAB
3/20/15

QC Association Summary

Client: Solutia Inc.
 Project/Site: 1Q15 Drum Site GW Sampling - 1403345

TestAmerica Job ID: 680-109733-1
 SDG: KOM027

Metals (Continued)

Analysis Batch: 370847 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-109733-2	GM-31A-F(0.2)-0215	Dissolved	Water	6010C	370514
680-109733-5	GM-58A-0215	Total Recoverable	Water	6010C	370514
680-109733-6	GM-58A-F(0.2)-0215	Dissolved	Water	6010C	370514
LCS 680-370514/2-A	Lab Control Sample	Total Recoverable	Water	6010C	370514
MB 680-370514/1-A	Method Blank	Total Recoverable	Water	6010C	370514

General Chemistry

Analysis Batch: 175822

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-109733-1	GM-31A-0215	Total/NA	Water	415.1	
680-109733-5	GM-58A-0215	Total/NA	Water	415.1	
LCS 160-175822/33	Lab Control Sample	Total/NA	Water	415.1	
MB 160-175822/32	Method Blank	Total/NA	Water	415.1	

Analysis Batch: 175823

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-109733-2	GM-31A-F(0.2)-0215	Dissolved	Water	415.1	
680-109733-6	GM-58A-F(0.2)-0215	Dissolved	Water	415.1	
LCS 160-175823/74	Lab Control Sample	Dissolved	Water	415.1	
MB 160-175823/73	Method Blank	Dissolved	Water	415.1	

Analysis Batch: 370023

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-109733-1	GM-31A-0215	Total/NA	Water	353.2	
680-109733-1 MS	GM-31A-0215	Total/NA	Water	353.2	
680-109733-1 MSD	GM-31A-0215	Total/NA	Water	353.2	
680-109733-5	GM-58A-0215	Total/NA	Water	353.2	
LCS 680-370023/16	Lab Control Sample	Total/NA	Water	353.2	
MB 680-370023/13	Method Blank	Total/NA	Water	353.2	

Analysis Batch: 370292

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-109733-1	GM-31A-0215	Total/NA	Water	310.1	
680-109733-5	GM-58A-0215	Total/NA	Water	310.1	
LCS 680-370292/6	Lab Control Sample	Total/NA	Water	310.1	
LCSD 680-370292/15	Lab Control Sample Dup	Total/NA	Water	310.1	
MB 680-370292/5	Method Blank	Total/NA	Water	310.1	

Analysis Batch: 370558

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-109733-1	GM-31A-0215	Total/NA	Water	325.2	
680-109733-5	GM-58A-0215	Total/NA	Water	325.2	
680-109733-5 MS	GM-58A-0215	Total/NA	Water	325.2	
680-109733-5 MSD	GM-58A-0215	Total/NA	Water	325.2	
LCS 680-370558/15	Lab Control Sample	Total/NA	Water	325.2	
MB 680-370558/5	Method Blank	Total/NA	Water	325.2	

QC Association Summary

Client: Solutia Inc.
Project/Site: 1Q15 Drum Site GW Sampling - 1403345

TestAmerica Job ID: 680-109733-1
SDG: KOM027

General Chemistry (Continued)

Analysis Batch: 370565

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-109733-1	GM-31A-0215	Total/NA	Water	375.4	
680-109733-5	GM-58A-0215	Total/NA	Water	375.4	
680-109733-5 MS	GM-58A-0215	Total/NA	Water	375.4	
680-109733-5 MSD	GM-58A-0215	Total/NA	Water	375.4	
LCS 680-370565/11	Lab Control Sample	Total/NA	Water	375.4	
MB 680-370565/17	Method Blank	Total/NA	Water	375.4	

7

Lab Chronicle

Client: Solutia Inc.
Project/Site: 1Q15 Drum Site GW Sampling - 1403345

TestAmerica Job ID: 680-109733-1
SDG: KOM027

Client Sample ID: GM-31A-0215

Lab Sample ID: 680-109733-1

Date Collected: 02/06/15 10:37
Date Received: 02/07/15 09:18

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3520C			887.9 mL	1.0 mL	370287	02/10/15 16:35	RBS	TAL SAV
Total/NA	Analysis	8270D		1	887.9 mL	1.0 mL	371381	02/18/15 14:49	RAM	TAL SAV
Total/NA	Analysis	RSK-175		1	17 mL	17 mL	370430	02/11/15 12:42	AJMC	TAL SAV
Total Recoverable	Prep	3005A			50 mL	50 mL	370514	02/11/15 13:40	CRW	TAL SAV
Total Recoverable	Analysis	6010C		1	50 mL	50 mL	370847	02/13/15 02:37	BCB	TAL SAV
Total/NA	Analysis	310.1		1			370292	02/09/15 17:42	LBH	TAL SAV
Total/NA	Analysis	325.2		2	2 mL	2 mL	370558	02/11/15 13:13	JME	TAL SAV
Total/NA	Analysis	353.2		1	2 mL	2 mL	370023	02/07/15 13:36	GRX	TAL SAV
Total/NA	Analysis	375.4		10	2 mL	2 mL	370565	02/11/15 13:37	JME	TAL SAV
Total/NA	Analysis	415.1		1	10 mL	10 mL	175822	02/24/15 16:01	JCB	TAL SL

Client Sample ID: GM-31A-F(0.2)-0215

Lab Sample ID: 680-109733-2

Date Collected: 02/06/15 10:37
Date Received: 02/07/15 09:18

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Dissolved	Prep	3005A			50 mL	50 mL	370514	02/11/15 13:40	CRW	TAL SAV
Dissolved	Analysis	6010C		1	50 mL	50 mL	370847	02/13/15 02:41	BCB	TAL SAV
Dissolved	Analysis	415.1		1	10 mL	10 mL	175823	02/24/15 21:24	JCB	TAL SL

Client Sample ID: GM-31A-0215-AD

Lab Sample ID: 680-109733-3

Date Collected: 02/06/15 10:37
Date Received: 02/07/15 09:18

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3520C			916.3 mL	1.0 mL	370287	02/10/15 16:35	RBS	TAL SAV
Total/NA	Analysis	8270D		1	916.3 mL	1.0 mL	371381	02/18/15 15:13	RAM	TAL SAV

Client Sample ID: GM-31A-0215-EB

Lab Sample ID: 680-109733-4

Date Collected: 02/06/15 11:00
Date Received: 02/07/15 09:18

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3520C			956.9 mL	1.0 mL	370287	02/10/15 16:35	RBS	TAL SAV
Total/NA	Analysis	8270D		1	956.9 mL	1.0 mL	371381	02/18/15 15:36	RAM	TAL SAV

Client Sample ID: GM-58A-0215

Lab Sample ID: 680-109733-5

Date Collected: 02/06/15 11:55
Date Received: 02/07/15 09:18

Matrix: Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3520C			501.1 mL	0.5 mL	370287	02/10/15 16:35	RBS	TAL SAV

TestAmerica Savannah

LAB
3/20/15

Lab Chronicle

Client: Solutia Inc.
 Project/Site: 1Q15 Drum Site GW Sampling - 1403345

TestAmerica Job ID: 680-109733-1
 SDG: KOM027

Client Sample ID: GM-58A-0215

Lab Sample ID: 680-109733-5

Date Collected: 02/06/15 11:55

Matrix: Water

Date Received: 02/07/15 09:18

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8270D		1	501.1 mL	0.5 mL	371381	02/18/15 15:59	RAM	TAL SAV
Total/NA	Analysis	RSK-175		1	17 mL	17 mL	370430	02/11/15 12:55	AJMC	TAL SAV
Total Recoverable	Prep	3005A			50 mL	50 mL	370514	02/11/15 13:40	CRW	TAL SAV
Total Recoverable	Analysis	6010C		1	50 mL	50 mL	370847	02/13/15 02:46	BCB	TAL SAV
Total/NA	Analysis	310.1		1			370292	02/09/15 17:35	LBH	TAL SAV
Total/NA	Analysis	325.2		2	2 mL	2 mL	370558	02/11/15 12:56	JME	TAL SAV
Total/NA	Analysis	353.2		1	2 mL	2 mL	370023	02/07/15 13:40	GRX	TAL SAV
Total/NA	Analysis	375.4		10	2 mL	2 mL	370565	02/11/15 13:39	JME	TAL SAV
Total/NA	Analysis	415.1		1	10 mL	10 mL	175822	02/24/15 16:06	JCB	TAL SL

8

Client Sample ID: GM-58A-F(0.2)-0215

Lab Sample ID: 680-109733-6

Date Collected: 02/06/15 11:55

Matrix: Water

Date Received: 02/07/15 09:18

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Dissolved	Prep	3005A			50 mL	50 mL	370514	02/11/15 13:40	CRW	TAL SAV
Dissolved	Analysis	6010C		1	50 mL	50 mL	370847	02/13/15 02:50	BCB	TAL SAV
Dissolved	Analysis	415.1		1	10 mL	10 mL	175823	02/24/15 21:29	JCB	TAL SL

Laboratory References:

TAL SAV = TestAmerica Savannah, 5102 LaRoche Avenue, Savannah, GA 31404, TEL (912)354-7858

TAL SL = TestAmerica St. Louis, 13715 Rider Trail North, Earth City, MO 63045, TEL (314)298-8566

TestAmerica Savannah

LAB
3/20/15

Certification Summary

Client: Solutia Inc.
 Project/Site: 1Q15 Drum Site GW Sampling - 1403345

TestAmerica Job ID: 680-109733-1
 SDG: KOM027

Laboratory: TestAmerica Savannah

Unless otherwise noted, all analytes for this laboratory were covered under each certification below.

Authority	Program	EPA Region	Certification ID	Expiration Date
Illinois	NELAP	5	200022	11-30-15

The following analytes are included in this report, but are not certified under this certification:

Analysis Method	Prep Method	Matrix	Analyte
8270D	3520C	Water	4-Nitrobiphenyl

The following analytes are included in this report, but certification is not offered by the governing authority:

Analysis Method	Prep Method	Matrix	Analyte
310.1		Water	Alkalinity
310.1		Water	Carbon Dioxide, Free
325.2		Water	Chloride
375.4		Water	Sulfate
8270D	3520C	Water	1,1'-Biphenyl
8270D	3520C	Water	1-chloro-2,4-dinitrobenzene
8270D	3520C	Water	1-Chloro-3-nitrobenzene
8270D	3520C	Water	2-chloronitrobenzene / 4-chloronitrobenzene
8270D	3520C	Water	2-Nitrobiphenyl
8270D	3520C	Water	3,4-Dichloronitrobenzene
8270D	3520C	Water	3-Nitrobiphenyl
RSK-175		Water	Ethane
RSK-175		Water	Ethylene
RSK-175		Water	Methane

Laboratory: TestAmerica St. Louis

The certifications listed below are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
Illinois	NELAP	5	200023	11-30-15

Method Summary

Client: Solutia Inc.
Project/Site: 1Q15 Drum Site GW Sampling - 1403345

TestAmerica Job ID: 680-109733-1
SDG: KOM027

Method	Method Description	Protocol	Laboratory
8270D	Semivolatile Organic Compounds (GC/MS)	SW846	TAL SAV
RSK-175	Dissolved Gases (GC)	RSK	TAL SAV
6010C	Metals (ICP)	SW846	TAL SAV
310.1	Alkalinity	MCAWW	TAL SAV
325.2	Chloride	MCAWW	TAL SAV
353.2	Nitrogen, Nitrate-Nitrite	MCAWW	TAL SAV
375.4	Sulfate	MCAWW	TAL SAV
415.1	TOC	MCAWW	TAL SL
415.1	DOC	MCAWW	TAL SL

Protocol References:

MCAWW = "Methods For Chemical Analysis Of Water And Wastes", EPA-600/4-79-020, March 1983 And Subsequent Revisions.
RSK = Sample Prep And Calculations For Dissolved Gas Analysis In Water Samples Using A GC Headspace Equilibration Technique, RSKSOP-175, Rev. 0, 8/11/94, USEPA Research Lab
SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

TAL SAV = TestAmerica Savannah, 5102 LaRoche Avenue, Savannah, GA 31404, TEL (912)354-7858
TAL SL = TestAmerica St. Louis, 13715 Rider Trail North, Earth City, MO 63045, TEL (314)298-8566

TestAmerica Savannah

5102 LaRoche Avenue

Savannah, GA 31404
phone 912.354.7858 fax

Chain of Custody Record

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

TestAmerica Laboratories, Inc.

Regulatory Program: DW NPDES RCRA Other:

Client Contact Golder Associates Inc. 820 South Main Street St. Charles, MO 63301 (636) 724-9191 Phone (636) 724-9323 FAX Project Name: 1Q15 Drum Site GW Sampling-1403345 Site: Solutia WG Krummrich Facility P O # 42447936		Project Manager: Amanda Derhake Tel/Fax: 636-724-9191		Site Contact: Lori Bindner Lab Contact: Michele Kersey		Date: 2/6/15 Carrier: FedEx		COC No: 1 of 1 COCs								
		Analysis Turnaround Time <input checked="" type="checkbox"/> CALENDAR DAYS <input type="checkbox"/> WORKING DAYS TAT if different from Below <u>Standard</u> <input checked="" type="checkbox"/> 2 weeks <input type="checkbox"/> 1 week <input type="checkbox"/> 2 days <input type="checkbox"/> 1 day		Filtered Sample (Y/N)		Perform MS / MSD (Y/N)		Sampler: For Lab Use Only: Walk-in Client: Lab Sampling: Job / SDG No.:								
Sample Identification		Sample Date	Sample Time	Sample Type (C=Comp, G=Grab)	Matrix	# of Cont.	SVOCs by 8270	Total Fe/Mn by 6010C	Alk/CO2 by 310.1	Chloride by 325.2/Sulfate by 375.4	Methane by RSK 175	Nitrate by 353.2	TOC by 415.1	Dissolved Fe/Mn by 6010C	DOC by 415.1	Sample Specific Notes:
GM-31A-0215		2/6/15	1037	G	W	12	2	1	1	1	3	1	3			
GM-31A-F(0.2)-0215						4	1							13		
GM-31A-0215-AD						2	2									
GM-31A-0215-EB			1100			2	2									
GM-58A-0215			1155			12	2	1	1	1	3	1	3			
GM-58A-F(0.2)-0215						4	1							13		
GM-58A-0215-MS						2	2									
GM-58A-0215-MSD						2	2									
Preservation Used: 1=Ice; 2=HCl; 3=H2SO4; 4=HNO3; 5=NaOH; 6=Other							1 4 1 1 2 3 1 3 4 3									
Possible Hazard Identification: Are any samples from a listed EPA Hazardous Waste? Please List any EPA Waste Codes for the sample in the Comments Section if the lab is to dispose of the sample. <input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown							Sample Disposal (A fee may be assessed if samples are retained longer than 1 month) <input type="checkbox"/> Return to Client <input checked="" type="checkbox"/> Disposal by Lab <input type="checkbox"/> Archive for _____ Months									
Special Instructions/QC Requirements & Comments: <p style="text-align: right; font-size: 24px;">1.8/1.6/1.0(CF) 1.9/1.3/0.7°C</p>																
Custody Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No		Custody Seal No.: 436227/336648				Cooler Temp. (°C): Obs'd: _____		Corr'd: _____		Therm ID No.: _____						
Relinquished by: <i>J. Bimenez</i>		Company: <i>Colder</i>		Date/Time: 2/6/15		Received by: <i>J. Banda</i>		Company: <i>TAS</i>		Date/Time: 020715 0918						
Relinquished by:		Company:		Date/Time:		Received by:		Company:		Date/Time:						
Relinquished by:		Company:		Date/Time:		Received in Laboratory by:		Company:		Date/Time:						



LAB 3/20/15

Login Sample Receipt Checklist

Client: Solutia Inc.

Job Number: 680-109733-1

SDG Number: KOM027

Login Number: 109733

List Source: TestAmerica Savannah

List Number: 1

Creator: Banda, Christy S

Question	Answer	Comment
Radioactivity wasn't checked or is \neq background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	N/A	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ (1/4").	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

12

LAB
3/20/15

Login Sample Receipt Checklist

Client: Solutia Inc.

Job Number: 680-109733-1

SDG Number: KOM027

Login Number: 109733

List Source: TestAmerica St. Louis

List Number: 2

List Creation: 02/10/15 10:24 AM

Creator: Clarke, Jill C

Question	Answer	Comment
Radioactivity wasn't checked or is \leq background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	2.8
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	False	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <math><6\text{mm}</math> (1/4").	N/A	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	



At Golder Associates we strive to be the most respected global group of companies specializing in ground engineering and environmental services. Employee owned since our formation in 1960, we have created a unique culture with pride in ownership, resulting in long-term organizational stability. Golder professionals take the time to build an understanding of client needs and of the specific environments in which they operate. We continue to expand our technical capabilities and have experienced steady growth with employees now operating from offices located throughout Africa, Asia, Australasia, Europe, North America and South America.

Africa	+ 27 11 254 4800
Asia	+ 852 2562 3658
Australasia	+ 61 3 8862 3500
Europe	+ 356 21 42 30 20
North America	+ 1 800 275 3281
South America	+ 55 21 3095 9500

solutions@golder.com
www.golder.com

Golder Associates Inc.
820 S. Main Street, Suite 100
St. Charles, MO 63301 USA
Tel: (636) 724-9191
Fax: (636) 724-9323

