



Solutia Inc.  
575 Maryville Centre Drive  
St. Louis, Missouri 63141

Tel: 314-674-3312  
Fax: 314-674-8808

gmrina@eastman.com

October 23, 2015

Ms. Carolyn Bury - LU-9J  
U.S. EPA Region 5  
Corrective Action Section  
77 West Jackson Boulevard  
Chicago, IL 60604-3507

Re: Route 3 Drum Site Groundwater Monitoring Program  
3<sup>rd</sup> Quarter 2015 Data Report  
Solutia Inc., W. G. Krummrich Plant, Sauget, IL

Dear Ms. Bury:

Enclosed please find the Route 3 Drum Site Groundwater Monitoring Program  
3<sup>rd</sup> Quarter 2015 Data Report for Solutia Inc.'s W. G. Krummrich Plant, Sauget, IL.

If you have any questions or comments regarding this report, please contact me at  
(314) 674-3312 or gmrina@eastman.com

Sincerely,

Gerald M. Rinaldi  
Manager, Remediation Services

Enclosure

cc: Distribution List

## **DISTRIBUTION LIST**

**Route 3 Drum Site Groundwater Monitoring Program  
3<sup>rd</sup> Quarter 2015 Data Report  
Solutia Inc., W. G. Krummrich Plant, Sauget, IL**

### USEPA

Stephanie Linebaugh  
USEPA Region 5 - SR6J, 77 West Jackson Boulevard, Chicago, IL 60604

### Solutia

Donn Haines                      500 Monsanto Avenue, Sauget, IL 62206-1198



# GROUNDWATER MONITORING REPORT

## GROUNDWATER MONITORING REPORT

ILLINOIS ROUTE 3 DRUM SITE  
GROUNDWATER MONITORING  
SOLUTIA INC., W.G. KRUMMRICH FACILITY  
SAUGET, ILLINOIS

**Prepared For:** Solutia Inc.  
575 Maryville Centre Drive  
St. Louis, MO 63141 USA

**Submitted By:** Golder Associates Inc.  
820 S. Main Street, Suite 100  
St. Charles, MO 63301 USA

October 2015

140-3345

A world of  
capabilities  
delivered locally





## TABLE OF CONTENTS

1.0	INTRODUCTION.....	1
2.0	FIELD ACTIVITIES .....	2
2.1	Water Level Measurement.....	2
2.2	Groundwater Sample Collection .....	2
2.3	Quality Assurance and Sample Handling .....	3
2.4	Decontamination and Investigation Derived Waste .....	4
3.0	QUALITY ASSURANCE .....	4
4.0	OBSERVATIONS.....	4
5.0	CLOSING.....	5
6.0	REFERENCES.....	6

### List of Figures

Figure 1	Site Location Map
Figure 2	Monitoring Well Location and Groundwater Elevation Map

### List of Tables

Table 1	Monitoring Well Gauging Information
Table 2	Groundwater Analytical Results
Table 3	Monitored Natural Attenuation Results

### List of Appendices

Appendix A	Groundwater Purging and Sampling Forms
Appendix B	Chain-of-Custody
Appendix C	Quality Assurance Report
Appendix D	Groundwater Analytical Results (including data validation reports)





## 1.0 INTRODUCTION

Golder Associates Inc. (Golder) is pleased to submit this report summarizing the 3<sup>rd</sup> Quarter 2015 (3Q15) groundwater sampling activities at the Illinois Route 3 Drum Site (Site), located within “Lot F” on Figure 1. The Site is associated with the Solutia Inc. (Solutia) W.G. Krummrich (WGK) facility in Sauget, Illinois located at 500 Monsanto Avenue, Sauget, Illinois. The 3Q15 sampling event was performed in general accordance with the Revised Illinois Route 3 Drum Site Operation and Maintenance Plan (Work Plan) (Solutia 2008).

The scope of work detailed in the Work Plan is summarized below.

Two (2) monitoring wells, located in the shallow hydrogeologic unit (SHU), are sampled during the Drum Site monitoring event. The locations of the monitoring wells are shown on Figure 2 and the sample locations are included on the table below.

Area	Location Relative to Area	Sample Identification
Illinois Route 3 Drum Site	Adjacent	GM-31A
	Downgradient	GM-58A

The water levels of the two (2) monitoring wells are measured quarterly and total depths are measured in the 1<sup>st</sup> quarter of each year.

During the quarterly sampling events, monitoring wells are sampled for the following semi-volatile organic compound (SVOC) analytes: 1'1-biphenyl, 1-chloro-2,4-dinitrobenzene, 2,4,6-trichlorophenol, 2,4-dichlorophenol, 2-chloronitrobenzene/4-chloronitrobenzene, 2-nitrobiphenyl, 3,4-dichloronitrobenzene, 3-nitrobiphenyl, 3-nitrochlorobenzene, 4-nitrobiphenyl, nitrobenzene, and pentachlorophenol. In addition, the following monitored natural attenuation (MNA) parameters are sampled quarterly to evaluate active natural attenuation occurring at the Site:

- Electron Donors – total and dissolved organic carbon
- Electron Acceptors – iron, manganese, nitrate, sulfate
- Biodegradation Byproducts – carbon dioxide, chloride, methane
- Biodegradation Indicators – alkalinity



## 2.0 FIELD ACTIVITIES

Golder conducted 3Q15 sampling activities on August 7, 2015. Activities were performed in general accordance with the Work Plan.

### 2.1 Water Level Measurement

Prior to sampling during the 3Q15 event, Golder performed a synoptic round of water level and total depth measurements at 77 monitoring wells and piezometers on July 30 and July 31, 2015. The following monitoring well series is included in the Drum Site program:

- GM-series

An oil/water interface probe was used to measure the water level (to 0.01 feet) and, if present, detect and measure the thickness of non-aqueous phase liquid (NAPL). During the 3Q15 sampling event, NAPL was not detected in monitoring wells or piezometers. Total depths are measured during the 1<sup>st</sup> quarter of each year. The 3Q15 well gauging information is shown on Table 1.

### 2.2 Groundwater Sample Collection

Monitoring wells sampled during the 3Q15 Drum Site event were purged and sampled using low-flow sampling techniques, low-density polyethylene tubing (LDPE) and a submersible (GM-31A) or peristaltic pump (GM-58A). The pump intake was placed at approximately the middle of the screened interval for each well. Purging occurred at a rate of approximately 300 mL/min to reduce drawdown. Drawdown was measured throughout purging activities to ensure that it did not exceed 25% of the distance between the pump intake and the top of the screen. Measurement of field parameters began once the flow rate and drawdown were stable for each well. Parameters were measured for each system volume purged using a SmartTROLL™ multi-parameter meter. The system volume includes the volume of the tubing, the volume of the pump and the volume of the flow-through cell containing the multi-parameter meter. Samples were collected after field parameters were stabilized within the ranges below for three (3) consecutive measurements:

- Dissolved Oxygen (DO): +/- 10% or +/- 0.2 mg/L, whichever is greatest
- Oxidation-Reduction Potential (ORP): +/- 20 mV
- pH: +/-0.2 standard units
- Specific Conductivity: +/- 3%

The flow rate was adjusted as needed to maintain approximately 300 mL/min during sampling activities. To reduce possible sample cross contamination, the flow-through cell was bypassed and gloves were replaced prior to sampling.



Sample bottles were provided by TestAmerica Laboratories, Inc. (TestAmerica) for the following analyses:

- SVOCs – USEPA SW-846 Method 8270D
- MNA parameters – alkalinity and carbon dioxide (USEPA Method 310.1), chloride (USEPA Method 352.5), total and dissolved iron and total and dissolved manganese (USEPA SW-846 Method 6010C), methane, ethane and ethylene (RSK-175), nitrate (USEPA Method 353.2), sulfate (USEPA Method 375.4), and total and dissolved organic carbon (USEPA Method 415.1)

Gas sensitive parameter sample bottles were filled first followed by SVOCs and general chemistry parameters. Ferrous iron was field analyzed with a HACH 890 Colorimeter and HACH AccuVac® ampules. Samples collected for ferrous iron and dissolved analyses were field filtered using an in-line 0.2 micron disposable filter. Groundwater purging and sampling forms are included in Appendix A.

## 2.3 Quality Assurance and Sample Handling

One (1) analytical duplicate (AD), one (1) equipment blank (EB) and one (1) matrix spike/matrix spike duplicate (MS/MSD) pair were collected during the 3Q15 Drum Site sampling event. Sample bottles were labeled with the date and time of sample collection, sampler initials, analysis requested, preservative used, and sample identification based on the following nomenclature “GM-##A-MMY-YY-QA/QC” where:

- “GM” denotes “Geraghty & Miller” and “##A” denotes monitoring well location and number
- “MMYY” denotes month and year of sampling quarter, e.g.: August (3<sup>rd</sup> quarter), 2015 (0815)
- “QA/QC” denotes QA/QC sample
  - AD – Analytical Duplicate
  - EB – Equipment Blank
  - MS or MSD – Matrix Spike or Matrix Spike Duplicate

Samples that were field filtered with an in-line 0.2 micron filter include “F(0.2)” prior to the “MMYY” portion of the sample identification. Sample information was recorded on a chain-of-custody (COC) that included project identification, sample identification, date and time of sample collection, analysis requested, preservative used, sample matrix and type, number of sample containers, sampler signature, and date COC was completed. A copy of the COC is included in Appendix B.

Directly after sampling, sample bottles were placed in an iced cooler to maintain a sample temperature of approximately 4°C. Prior to sample shipment, samples and ice were placed inside two (2) contractor trash bags. The bags were tied and the cooler was sealed between the lid and sides with a signed and dated custody seal. Samples were shipped overnight via FedEx to the TestAmerica facility in Savannah, Georgia.



## 2.4 Decontamination and Investigation Derived Waste

Sampling equipment was decontaminated prior to mobilizing to the Site, between sample locations and prior to demobilizing from the Site. Non-dedicated sampling equipment was decontaminated between samples with a non-phosphatic detergent solution and a deionized water rinse.

Investigation derived waste (IDW) was placed in 55-gallon drums, labeled with the generation date and staged for disposal by Solutia. IDW such as gloves and other disposable sampling equipment was bagged for disposal by Solutia.

## 3.0 QUALITY ASSURANCE

Sample results were provided by TestAmerica in electronic format and reviewed for quality and completeness by Golder in accordance with the Work Plan. Sample results are included in Appendix D. Results were submitted in one (1) sample delivery group (SDG) as follows:

Sample Delivery Group (SDG)	Sample Identification
KOM029	GM-58A-0815
	GM-31A-0815
	GM-31A-0815-AD
	GM-31A-0815-EB

Golder completed validation of the analytical data following the general guidelines in the Work Plan, and the most recent versions of the national data validation guidelines. The following guidelines were generally used:

- USEPA Contract Laboratory Program National Functional Guidelines for Superfund Organic Methods Data Review, EPA-540-R-08-01, June 2008
- USEPA Contract Laboratory Program National Functional Guidelines for Inorganic Superfund Data Review, EPA 540-R-10-011, January 2010

Although some data required qualifications due to quality control criteria that were not achieved, the data were deemed usable. The completeness for the data set was 100%.

## 4.0 OBSERVATIONS

SVOCs were not detected in groundwater samples collected from monitoring well GM-58A during the 3Q15 sampling event. The SVOC 2-nitrobiphenyl was detected in GM-31A and GM-31A-AD at concentrations of 14 µg/L and 13 µg/L, respectively. Groundwater analytical data for SVOCs and MNA parameters is presented in Table 2 and 3, respectively.



## 5.0 CLOSING

Golder appreciates the opportunity to assist Solutia Inc. with the Illinois Route 3 Drum Site groundwater sampling events. Please contact the undersigned if you need additional information.

Sincerely,

**GOLDER ASSOCIATES INC.**

A handwritten signature in blue ink, reading "Amanda W. Derhake".

Amanda W. Derhake, Ph.D., P.E.  
Senior Project Engineer

A handwritten signature in blue ink, reading "Mark N. Haddock".

Mark N. Haddock, R.G., P.E.  
Associate, Senior Consultant



## 6.0 REFERENCES


Solutia Inc., 2008. Revised Illinois Route 3 Drum Site Operation and Maintenance Plan, W.G. Krummrich Facility, Sauget, IL, May 2008.

USEPA, 2010. Contract Laboratory Program National Functional Guidelines for Inorganic Superfund Data Review.

USEPA, 2008. Contract Laboratory Program National Functional Guidelines for Superfund Organic Methods Data Review.

## FIGURES






**LEGEND**

W.G. KRUMMRICH FACILITY

SAUGET AREA #1

SAUGET AREA #2



MISSISSIPPI RIVER

CLIENT  
SOLUTIA INC.  
W.G. KRUMMRICH FACILITY  
SAUGET, ILLINOIS

CONSULTANT

YYYY-MM-DD	2015-09-15
PREPARED	EPW
DESIGN	EPW
REVIEW	AWD
APPROVED	MNH

PROJECT  
ILLINOIS ROUTE 3 DRUM SITE GROUNDWATER SAMPLING  
3RD QUARTER 2015 DATA REPORT


TITLE  
SITE LOCATION MAP

PROJECT No. 140-3345	PHASE 0014	Rev. 0	FIGURE 1
-------------------------	---------------	-----------	-------------

Path: \\atlas\common\Projects\140 Projects\1403345 - Solutia GW Sampling WGR Plant - LLE Figures\2015 Figures - File Name: 1403345DDELMF001.dwg


IF THIS MEASUREMENT DOES NOT MATCH WHAT IS SHOWN, THE SHEET SIZE HAS BEEN MODIFIED FROM: ANSI B





Path: \\valouiscor\mon\Projects\140 Projects\1403345 - Solutia GW Sampling WCK Plant - LUG\Figures\016 Figures\ - File Name: 1403345 - ROUTE3 DRUM SITE.dwg

LEGEND

 MONITORING WELL LOCATION  
WITH GROUNDWATER ELEVATION  
(FT NAVD)

NOTES

1. REFER TO TABLE 1 FOR MONITORING  
WELL CONSTRUCTION INFORMATION.



CLIENT  
SOLUTIA INC.  
W.G. KRUMMRICH FACILITY  
SAUGET, ILLINOIS

CONSULTANT



YYYY-MM-DD	2015-09-25
PREPARED	EPW
DESIGN	EPW
REVIEW	AWD
APPROVED	MNH

PROJECT  
ILLINOIS ROUTE 3 DRUM SITE GROUNDWATER SAMPLING  
3RD QUARTER 2015 DATA REPORT

TITLE  
**MONITORING WELL LOCATIONS AND  
GROUNDWATER ELEVATION MAP**

PROJECT No.	PHASE	Rev.	FIGURE
140-3345	0014	0	2

## TABLES

**Table 1**  
**Monitoring Well Gauging Information**  
**3Q15 Route 3 Drum Site Monitoring Program**  
**Solutia Inc., W.G. Krummrich Facility**  
**Sauget, Illinois**

Well Identification	Monitoring Well Construction Data						3Q15 - July 30 and 31, 2015			
	Ground Surface Elevation <sup>1</sup> (ft)	Top of Casing Elevation <sup>1</sup> (ft)	Top of Screen Depth (ft bgs)	Bottom of Screen Depth (ft bgs)	Top of Screen Elevation <sup>1</sup> (ft)	Bottom of Screen Elevation <sup>1</sup> (ft)	Water Level (ft btoc)	Depth to NAPL (ft btoc)	Total Depth <sup>2</sup> (ft btoc)	Water Level Elevation <sup>1</sup> (ft)
<b>SHU 395-380 ft NAVD 88</b>										
GM-31A	416.63	418.63	19.00	39.00	397.63	377.63	13.15	NP	40.15	405.48
GM-58A	412.24	414.24	19.40	39.40	392.84	372.84	8.80	NP	40.82	405.44

**Notes**

ft - feet

bgs - below ground surface

btoc - below top of casing

NP - no product observed

SHU - shallow hydrogeologic unit

<sup>1</sup> - Elevations based on North American Vertical Datum (NAVD) 88 datum.

<sup>2</sup> - Total depths are measured annually during the first quarter of each year.

Prepared By: EPW 8/12/2015

Checked By: JRS 8/13/2015

Reviewed By: AWD 9/30/2015

**Table 2**  
**Groundwater Analytical Results**  
**3Q15 Route 3 Drum Site Monitoring Program**  
**Solutia Inc., W.G. Krummrich Facility**  
**Sauget, Illinois**

Sample Identification	Sample Date	SVOCs (µg/L)											
		1,1'-Biphenyl	1-Chloro-2,4-Dinitrobenzene	2,4,6-Trichlorophenol	2,4-Dichlorophenol	2-Chloronitrobenzene/ 4-Chloronitrobenzene	2-Nitrobiphenyl	3,4-Dichloronitrobenzene	3-Nitrobiphenyl	3-Nitrochlorobenzene	4-Nitrobiphenyl	Nitrobenzene	Pentachlorophenol
SHU													
GM-31A-0815	8/7/2015	<9.9	<9.9	<9.9	<9.9	<20	14	<9.9	<9.9	<9.9	<9.9	<9.9	<50
GM-31A-0815-AD	8/7/2015	<10	<10	<10	<10	<21	13	<10	<10	<10	<10	<10	<52
GM-58A-0815	8/7/2015	<9.6	<9.6	<9.6	<9.6	<19	<9.6	<9.6	<9.6	<9.6	<9.6	<9.6	<48

**Notes**

SVOCs - semi-volatile organic compounds

µg/L - micrograms per liter

< - result is non-detect, less than the reporting limit

AD - analytical duplicate

SHU - shallow hydrogeologic unit

**Bold** - indicates detection greater than reporting limit

Prepared By: JS 9/17/2015

Checked By: EPW 9/17/2015

Reviewed By: AWD 9/30/2015

Table 3  
Monitored Natural Attenuation Results  
3Q15 Route 3 Drum Site Monitoring Program  
Solutia Inc., W.G. Krummrich Facility  
Sauget, Illinois

Sample Identification	Sample Date	Monitored Natural Attenuation Parameters																
		Alkalinity (mg/L)	Carbon Dioxide (mg/L)	Chloride (mg/L)	Dissolved Oxygen (mg/L)	Ethane (ug/L)	Ethylene (ug/L)	Ferrous Iron (mg/L)	Iron (mg/L)	Iron, Dissolved (mg/L)	Manganese (mg/L)	Manganese, Dissolved (mg/L)	Methane (ug/L)	Nitrogen, Nitrate (mg/L)	Sulfate as SO4 (mg/L)	Total Organic Carbon (mg/L)	Dissolved Organic Carbon (mg/L)	ORP ( mV)
SHU																		
GM-31A-0815	8/7/2015	320	24	61 D	0.08	<1.1	<1.0	-	4.2	-	0.50	-	15	1.7	150 D	4.1	-	60.09
GM-31A-F(0.2)-0815	8/7/2015	-	-	-	-	-	-	0.0	-	0.32	-	0.46	-	-	-	-	5.5	-
GM-58A-0815	8/7/2015	420	30	73 D	0.10	<1.1	<1.0	-	1.20	-	2.0	-	<0.58	<0.050	310 D	4.3	-	72.88
GM-58A-F(0.2)-0815	8/7/2015	-	-	-	-	-	-	0.0	-	0.21	-	2.0	-	-	-	-	4.1	-

**Notes**  
Dissolved Oxygen (DO) and Oxidation Reduction Potential (ORP) values represent the final field measurements prior to sampling (In-Situ - SmartTroll™)  
Ferrous Iron was field measured using a 0.2 µm field filtered sample (Hach DR-890 Colorimeter)  
F(0.2) - sample was field filtered using a 0.2 µm filter during sample collection  
µg/L - micrograms per liter  
mg/L - milligrams per liter  
mV - millivolts  
< - result is non-detect, less than the reporting limit  
"- " - not analyzed  
D - compound analyzed at a dilution  
SHU - shallow hydrogeologic unit

Prepared By: JS 9/17/2015  
Checked By: EPW 9/20/2015  
Reviewed By: AWD 9/30/2015

**APPENDIX A**  
**GROUNDWATER PURGING AND SAMPLING FORMS**



SmartTroll  
8/7/2015

Low-Flow System  
ISI Low-Flow Log

**Project Information:**

Operator Name LAB  
Company Name Golder Associates  
Project Name W.G. Krummrich  
Site Name Rt. 3 Drum

**Pump Information:**

Pump Model/Type SS Monsoon  
Tubing Type LDPE  
Tubing Diameter 0.19 in  
Tubing Length 44.32 ft  
Pump Placement from TOC 30.15 ft

**Well Information:**

Well Id GM-31A  
Well Diameter 2 in  
Well Total Depth 40.15 ft  
Depth to Top of Screen 20.15 ft  
Screen Length 20 ft  
Depth to Water 13.86 ft

**Pumping Information:**

Final Pumping Rate 300 mL/min  
System Volume 437 mL  
Calculated Sample Rate 87 sec  
Sample Rate 87 sec  
Stabilized Drawdown 0.02 ft

**Low-Flow Sampling Stabilization Summary**

	Time	Temp [C]	pH [pH]	Cond [ $\mu$ S/cm]	Turb [NTU]	RDO [mg/L]	ORP [mV]
Stabilization Settings			+/-0.2	+/-0.1 +/-3%	+/-1 +/-10%	+/-0.2 +/-10%	+/-20
Last 5 Readings	10:06:58	16.86	7.14	1164.12	83.90	0.09	60.80
	10:08:25	16.86	7.14	1166.32	71.40	0.08	60.66
	10:09:52	16.86	7.14	1165.51	69.30	0.08	60.48
	10:11:19	16.87	7.14	1163.87	70.00	0.07	60.32
	10:12:46	16.91	7.14	1166.55	62.60	0.08	60.09
Variance in Last 3 Readings		0.00	0.00	-0.81	-2.10	0.00	-0.18
		0.01	0.00	-1.64	0.70	-0.01	-0.16
		0.04	0.00	2.68	-7.40	0.01	-0.23

Notes:



SmartTroll  
8/7/2015

Low-Flow System  
ISI Low-Flow Log

**Project Information:**

Operator Name LAB  
Company Name Golder Associates  
Project Name W.G. Krummrich  
Site Name Rt. 3 Drum

**Pump Information:**

Pump Model/Type Peristaltic  
Tubing Type LDPE  
Tubing Diameter 0.19 in  
Tubing Length 50.58 ft  
Pump Placement from TOC 30.82 ft

**Well Information:**

Well Id GM-58A  
Well Diameter 2 in  
Well Total Depth 40.82 ft  
Depth to Top of Screen 20.82 ft  
Screen Length 20 ft  
Depth to Water 9.54 ft

**Pumping Information:**

Final Pumping Rate 300 mL/min  
System Volume 472 mL  
Calculated Sample Rate 94 sec  
Sample Rate 94 sec  
Stabilized Drawdown 0.00 ft

**Low-Flow Sampling Stabilization Summary**

	Time	Temp [C]	pH [pH]	Cond [ $\mu$ S/cm]	Turb [NTU]	RDO [mg/L]	ORP [mV]
Stabilization Settings			+/-0.2	+/-0.1 +/-3%	+/-1 +/-10%	+/-0.2 +/-10%	+/-20
Last 5 Readings	8:48:51	17.17	7.11	1376.75	91.00	0.12	79.41
	8:50:25	17.07	7.10	1385.74	68.20	0.11	77.46
	8:52:00	17.08	7.09	1382.41	55.30	0.11	75.88
	8:53:34	16.99	7.09	1384.89	55.60	0.10	74.20
	8:55:08	17.02	7.08	1390.63	48.60	0.10	72.88
Variance in Last 3 Readings		0.01	-0.01	-3.33	-12.90	0.00	-1.58
		-0.09	0.00	2.48	0.30	-0.01	-1.68
		0.03	-0.01	5.74	-7.00	0.00	-1.32

Notes:



**APPENDIX B**  
**CHAIN-OF-CUSTODY**

# TestAmerica Savannah

5102 LaRoche Avenue

Savannah, GA 31404  
phone 912 354 7858 fax

## Chain of Custody Record

# TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

TestAmerica Laboratories, Inc.

Regulatory Program: ☐ DW ☐ NPDES ☒ RCRA ☐ Other:

<b>Client Contact</b>		<b>Project Manager:</b> Amanda Derhake		<b>Site Contact:</b> Lori Bindner		<b>Date:</b> 8/7/15		<b>COC No:</b>										
Golder Associates Inc.		Tel/Fax: 636-724-9191		Lab Contact: Michele Kersey		Carrier: FedEx		1 of 1 COCs										
820 South Main Street		<b>Analysis Turnaround Time</b>						Sampler:										
St. Charles, MO 63301		<input checked="" type="checkbox"/> CALENDAR DAYS <input type="checkbox"/> WORKING DAYS						<b>For Lab Use Only:</b>										
(636) 724-9191 Phone		TAT if different from Below <u>Standard</u>						Walk-in Client:										
(636) 724-9323 FAX		2 weeks						Lab Sampling:										
Project Name: 3Q15 Drum Site GW Sampling-1403345		1 week																
Site: Solutia WG Krummrich Facility		2 days						Job / SDG No.										
P O # 42447936		1 day																
<b>Sample Identification</b>		<b>Sample Date</b>	<b>Sample Time</b>	<b>Sample Type</b> (C=Comp, G=Grab)	<b>Matrix</b>	<b># of Cont.</b>	<b>Filtered Sample (Y/N)</b>	<b>Perform MS / MSD (Y/N)</b>	<b>SVCs by 8270</b>	<b>Total Fe/Mn by 6010C</b>	<b>Alk/CO2 by 310.1</b>	<b>Chloride by 325.2/Sulfate by 375.4</b>	<b>Methane by RSK 175</b>	<b>Nitrate by 353.2</b>	<b>TOC by 415.1</b>	<b>Dissolved Fe/Mn by 6010C</b>	<b>DOC by 415.1</b>	<b>Sample Specific Notes:</b>
GM-31A-0815	8/7/15	1010	G	W	12			2	1	1	3	1	3					
GM-31A-F(0.2)-0815					4											1	3	
GM-31A-0815-AD					2			2										
GM-31A-0815-EB					2													
GM-58A-0815					12			2	1	1	3	1	3					
GM-58A-F(0.2)-0815					4											1	3	
GM-58A-0815-MS					2			2										
GM-58A-0815-MSD					2			2										
<b>Preservation Used:</b> 1=Ice, 2=HCl, 3=H2SO4, 4=HNO3, 5=NaOH, 6=Other							1 4 1 1 2 3 3 4 3											
<b>Possible Hazard Identification:</b> Are any samples from a listed EPA Hazardous Waste? Please List any EPA Waste Codes for the sample in the Comments Section if the lab is to dispose of the sample.							<b>Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)</b>											
<input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown							<input type="checkbox"/> Return to Client <input checked="" type="checkbox"/> Disposal by Lab <input type="checkbox"/> Archive for _____ Months											
<b>Special Instructions/QC Requirements &amp; Comments:</b>																		
Custody Seals Intact <input type="checkbox"/> Yes <input type="checkbox"/> No		Custody Seal No: 337196/337197/337198				Cooler Temp. (°C): Obs'd: _____ Cor'd: _____				Therm ID No.: _____								
Relinquished by: <i>J. Bindner</i>		Company: Golder		Date/Time: 8/7/15		Received by: <i>Brandon</i>		Company: SAO		Date/Time: 8/8/15		1000						
Relinquished by:		Company:		Date/Time:		Received by:		Company:		Date/Time:								
Relinquished by:		Company:		Date/Time:		Received by: <i>680-115379</i>		Company:		Date/Time: 1/8/15		242						

**APPENDIX C**  
**QUALITY ASSURANCE REPORT**



# QUALITY ASSURANCE REPORT

ILLINOIS ROUTE 3 DRUM SITE  
GROUNDWATER MONITORING  
SOLUTIA INC., W.G. KRUMMRICH FACILITY  
SAUGET, ILLINOIS

**Prepared For:** Solutia Inc.  
575 Maryville Centre Drive  
St. Louis, MO 63141 USA

**Submitted By:** Golder Associates Inc.  
820 S. Main Street, Suite 100  
St. Charles, MO 63301 USA

October 2015

140-3345

A world of  
capabilities  
delivered locally





## Table of Contents

1.0	INTRODUCTION.....	1
2.0	SEMI-VOLATILE ORGANIC COMPOUNDS .....	2
2.1	Receipt Condition and Sample Holding Times .....	3
2.2	Blanks.....	3
2.3	Surrogate Spike Recoveries .....	3
2.4	Laboratory Control Sample Recoveries .....	3
2.5	Matrix Spike/Matrix Spike Duplicate (MS/MSD) Samples .....	3
2.6	Analytical Duplicates .....	3
2.7	Internal Standard Responses.....	4
2.8	Results Reported From Dilutions .....	4
3.0	INORGANICS AND GENERAL CHEMISTRY .....	4
3.1	Receipt Condition and Sample Holding Times .....	4
3.2	Blanks.....	4
3.3	Laboratory Control Sample Recoveries .....	5
3.4	Matrix Spike/Matrix Spike Duplicate (MS/MSD) Samples .....	5
3.5	Results Reported From Dilutions .....	5
4.0	SUMMARY .....	6
5.0	REFERENCES.....	7



## 1.0 INTRODUCTION

Golder Associates Inc. (Golder) completed a review of analytical data for the groundwater samples collected on August 7, 2015 at the Illinois Route 3 Drum Site (Site) associated with the Solutia Inc. (Solutia) W.G. Krummrich (WGK) facility in Sauget, Illinois. Golder collected a total of six (6) samples from groundwater monitoring wells as part of the 3<sup>rd</sup> Quarter 2015 (3Q15) Illinois Route 3 Drum Site groundwater monitoring. Two (2) groundwater samples, one (1) equipment blank (EB), one (1) analytical duplicate (AD), and one (1) matrix spike/matrix spike duplicate (MS/MSD) pair were prepared. Groundwater monitoring location GM-31A is located at the Site and monitoring location GM-58A is located just north of the Site. The samples were submitted to the TestAmerica Laboratories, Inc. (TestAmerica) facility located in Savannah, Georgia for analysis using United States Environmental Protection Agency (USEPA) methods, standard methods and USEPA SW-846 test methods. Samples submitted to TestAmerica were analyzed for semi-volatile organic compounds (SVOCs), total and dissolved metals, dissolved gases, and general chemistry parameters. The analytical results were placed into one (1) sample delivery groups (SDGs) as described in the table below:

Sample Delivery Group (SDG)	Sample Identification
KOM029	GM-31A-0815
	GM-31A-0815-AD
	GM-31A-0815-EB
	GM-58A-0815

The samples were collected and analyzed in general accordance with the Revised Illinois Route 3 Drum Site Operation and Maintenance Plan (Work Plan) (Solutia 2008). The groundwater monitoring well samples were analyzed for SVOCs, total and dissolved metals, dissolved gases, and general chemistry parameters. The general chemistry parameters included chloride, nitrate, sulfate, total organic carbon (TOC), alkalinity, carbon dioxide, and dissolved organic carbon (DOC). One (1) EB, one (1) AD, and one (1) MS/MSD pair were submitted and analyzed for SVOCs only. The following analytical methods used are from USEPA document SW-846, Test Methods for Evaluating Solid Waste, Revision 6 contained in Final Update III August 2002 and listed below:

- SVOCs were analyzed using USEPA SW-846 Method 8270D Semi-Volatile Organic Compounds by Gas Chromatography/Mass Spectrometry (GC/MS)
- Total and Dissolved Iron and Manganese analyzed by USEPA SW-846 Method 6010C Inductively Coupled Plasma-Atomic Emission Spectrometry

The following standard methods were used to analyze monitored natural attenuation (MNA) parameters:

- Dissolved Gases analyzed by Method RSK-175
- Alkalinity and Free Carbon Dioxide analyzed by USEPA Method 310.1 by Titration
- Chloride analyzed by USEPA Method 325.2 by Automated Colorimetry



- Nitrogen, Nitrate analyzed by USEPA Method 353.2 by Automated Colorimetry
- Sulfate analyzed by USEPA Method 375.4 by Spectrophotometer
- Total and Dissolved Organic Carbon analyzed by USEPA Method 415.1

Golder completed validation of the analytical data following the general guidelines in the Work Plan. The most recent versions of the national data validation guidelines were used for data review. The following guidelines were generally used:

- USEPA Contract Laboratory Program National Functional Guidelines for Superfund Organic Methods Data Review, EPA-540-R-08-01, June 2008
- USEPA Contract Laboratory Program National Functional Guidelines for Inorganic Superfund Data Review, EPA 540-R-10-011, January 2010

These documents are hereafter referred to as the "functional guidelines". If there was a conflict between the functional guidelines and the quality control criteria specified in the analytical method, the method-specific criteria were used. The SDGs were prepared as a Level IV data report package containing quality control information and raw data. Golder completed Level III review of 100% of the analytical data and Level IV review of 10% of the analytical data.

Data that has been qualified by the data validator has been added to the laboratory report. The qualifiers indicate data that did not meet acceptance criteria and corrective actions were not successful or not performed. Laboratory data qualifiers are defined below:

- U – The analyte was analyzed for but not was not detected
- F1 – MS/MSD Recovery exceeds the control limits
- 4 – MS, MSD: The analyte present in the original sample is greater than 4 times the matrix spike concentration; therefore control limits are not applicable

Golder data qualifiers are defined below:

- D – The analyte was analyzed at a dilution

Sections 2 and 3 summarize the specific instances where quality control criteria in the functional guidelines were not met. As specified in the functional guidelines, if the non-adherence to quality control criteria is slight, professional judgment was used in qualification of the data. However, if the non-adherence is significant, qualification and rejection of the data may be necessary. A summary of qualified data is provided in Section 4.0.

## 2.0 SEMI-VOLATILE ORGANIC COMPOUNDS

Samples were collected from two (2) groundwater monitoring locations and analyzed for SVOCs. An AD sample was collected from one (1) sampling location, GM-31A. One (1) EB was also prepared and shipped for laboratory analysis. The samples were submitted to TestAmerica, placed into one (1) data package or SDG (KOM029), and were prepared and analyzed using SW-846 Method 8270D. Samples



were validated in general accordance with the functional guidelines. Results of the validation are summarized below.

## **2.1 Receipt Condition and Sample Holding Times**

The SDG Case Narrative, chain-of-custody, login sample receipt checklist, and analysis dates were reviewed to verify analytical method holding times and proper preservation upon sampling. Samples were received by TestAmerica in good condition.

## **2.2 Blanks**

Laboratory and field blanks, including method blanks and equipment blanks are prepared and analyzed to determine if contamination occurred as a result of laboratory or field activities.

Laboratory method blanks were performed for each laboratory system as outlined for each analytical method to evaluate whether cross contamination occurred during laboratory analysis activities. Results for the method blanks were non-detect.

One (1) EB was collected during the 3Q15 event, associated with sample GM-31A, to assess the effectiveness of the decontamination procedure. Results for the EB were non-detect.

## **2.3 Surrogate Spike Recoveries**

Samples to be analyzed for SVOCs were spiked with surrogate compounds: 2-fluorobiphenyl, 2-fluorophenol, nitrobenzene-d5, phenol-d5, terphenyl-d14, and 2,4,6-trichlorophenol, prior to analysis, to evaluate overall laboratory performance. Surrogate recoveries were within acceptance criteria.

## **2.4 Laboratory Control Sample Recoveries**

A laboratory control sample (LCS) is analyzed on each laboratory system to evaluate the analytical method accuracy and laboratory performance. LCS recoveries were within acceptance criteria.

## **2.5 Matrix Spike/Matrix Spike Duplicate (MS/MSD) Samples**

MS/MSD samples are analyzed to determine long term precision and accuracy of the analytical method on various matrices. One (1) MS/MSD pair is sampled for every twenty (20) field samples. One (1) MS/MSD pair was collected during the 3Q15 event associated with sample GM-58A. Results were within accuracy and precision criteria.

## **2.6 Analytical Duplicates**

One (1) AD is collected for every ten (10) field samples to determine the overall precision of field and laboratory methods. One (1) AD was collected during the 3Q15 event associated with sample GM-31A.





The relative percent difference (RPD) between the sample GM-31A and the AD, GM-31A-AD, did not exceed 25%; therefore, data qualification was not required.

## 2.7 Internal Standard Responses

Internal standard performance criteria ensure that GC/MS sensitivity and response are stable during each analysis. Internal standard area counts did not vary by more than a factor of two (2) from the associated 12 hour calibration standard. Internal standard retention times did not vary more than +/-30 seconds from the retention time of the associated 12 hour calibration standard. Qualification of data was not required.

## 2.8 Results Reported From Dilutions

SVOC samples in the SDG did not require dilutions.

## 3.0 INORGANICS AND GENERAL CHEMISTRY

Samples were collected from two (2) groundwater monitoring locations and analyzed for inorganics and general chemistry. The samples were submitted to TestAmerica, placed into one (1) data package or SDG (KOM029), and were prepared and analyzed using the following methods:

- Total and Dissolved Iron and Manganese analyzed by USEPA Method 6010C Inductively Coupled Plasma-Atomic Emission Spectrometry
- Dissolved Gases analyzed by Method RSK-175
- Alkalinity and Free Carbon Dioxide analyzed by USEPA Method 310.1 by Titration
- Chloride analyzed by USEPA Method 325.2 by Automated Colorimetry
- Nitrogen, Nitrate analyzed by USEPA Method 353.2 by Automated Colorimetry
- Sulfate analyzed by USEPA Method 375.4 by Spectrophotometer
- Total and Dissolved Organic Carbon analyzed by USEPA Method 415.1

Samples were validated in general accordance with the functional guidelines. Results of the validation are summarized below.

## 3.1 Receipt Condition and Sample Holding Times

The SDG Case Narrative, chain-of-custody, login sample receipt checklist, and analysis dates were reviewed to verify analytical method holding times and proper preservation upon sampling.

## 3.2 Blanks

Laboratory method blanks are prepared and analyzed to determine if contamination occurred as a result of laboratory activities.



Laboratory method blanks were performed for each laboratory system as outlined for each analytical method to evaluate whether cross contamination occurred during laboratory analysis activities. Results for the method blanks were non-detect.

### **3.3 Laboratory Control Sample Recoveries**

A LCS is analyzed on each laboratory system to evaluate the analytical method accuracy and laboratory performance. LCS recoveries were within acceptance criteria; therefore, data qualification was not required.

### **3.4 Matrix Spike/Matrix Spike Duplicate (MS/MSD) Samples**

MS/MSD samples are analyzed to determine long term precision and accuracy of the analytical method on various matrices. Although MS/MSD analysis was not required for inorganic and general chemistry per the Work Plan, the laboratory spiked groundwater sample GM-31A and GM-58A for various analytes. Some MS/MSD data for these samples was outside acceptance criteria. Since MS/MSD data alone cannot be used to evaluate the precision and accuracy of data, data qualification was not required for associated samples.

### **3.5 Results Reported From Dilutions**

Samples in the SDG required dilutions due to high levels of target analytes chloride and sulfate. Reporting limits were adjusted to reflect the dilution. Result qualifications are shown in Section 4.0.



## 4.0 SUMMARY

Golder validated the data collected during the 3Q15 sampling event from the Illinois Route 3 Drum Site in general accordance with the Work Plan and USEPA functional guidelines. Although some data required qualifications due to quality control criteria that were not achieved, the data were deemed usable. Where a positive result was qualified as estimated, the analyte should be considered present. Similarly, a result that was qualified as an estimated reporting limit should be considered not present for the purposes of this program, although the limit itself may not be precise. The completeness for the entire data set was 100%.

**Qualification Summary Table**

Quality Control Issue	Compound(s)	Qualifier	Samples Affected
Compounds analyzed at a dilution	Chloride and Sulfate	D	GM-31A and GM-58A



## 5.0 REFERENCES

Solutia Inc., 2008. Revised Illinois Route 3 Drum Site Operation and Maintenance Plan, W.G. Krummrich Facility, Sauget, IL, May 2008.

USEPA, 2010. Contract Laboratory Program National Functional Guidelines for Inorganic Superfund Data Review.

USEPA, 2008. Contract Laboratory Program national Functional Guidelines for Superfund Organic Methods Data Review.

**APPENDIX D**  
**GROUNDWATER ANALYTICAL RESULTS**  
**(INCLUDING DATA VALIDATION REPORT)**



**Level IV Data Validation Summary**  
**Solutia Inc., W.G. Krummrich, Sauget, Illinois**  
**3Q15 Route 3 Drum Site Monitoring Program**

**Company Name:** Golder Associates  
**Project Name:** WGK-3Q15 DRUM  
**Reviewer:** A. Derhake  
**Laboratory:** TestAmerica  
**SDG#:** KOM029  
**Matrix:** Water

**Project Manager:** A. Derhake  
**Project Number:** 140-3345  
**Sample Date:** August 2015

**Analytical Method:** SVOC (8270D), Dissolved Gases (RSK-175), Metals (6010C), Alkalinity (310.1), Chloride (325.2), Nitrogen, Nitrate-Nitrite (353.2), Sulfate (375.4), TOC (415.1), and DOC (415.1)

**Sample Names:** GM-31A-0815, GM-31A-F(0.2)-0815, GM-31A-0815-AD, GM-31A-0815-EB, GM-58A-0815, and GM-58A-F(0.2)-0815

**Field Information****YES NO NA**

- a) Sampling dates noted? ☒ ☐ ☐
- b) Does the laboratory narrative indicate deficiencies? ☒ ☐ ☐

**Comments:**

**SVOC:** The continuing calibration verification (CCV) analyzed in 396813 was outside the method criteria for the following analyte(s): 3 & 4 Methylphenol, and detection for the affected analyte is considered estimated.

**Dissolved Gases:** Insufficient sample volume for MS/MSD associated with 396021.

**Metals:** No deficiencies noted.

**Alkalinity:** No deficiencies noted.

**Chloride:** Chloride exceeded the recovery criteria low for the MSD of sample GM-58A-0815MSD in 395887. Samples GM-31A-0815 and GM-58A-0815 required dilution prior to analysis, reporting limits have been adjusted accordingly.

**Nitrate-Nitrite as Nitrogen:** No deficiencies noted.

**Sulfate:** Sulfate recovered low for the GM-31A-0815MS and GM-31A-0815MSD in batch 395890. Samples GM-31A-0815 and GM-58A-0815 required dilution prior to analysis, reporting limits were adjusted accordingly.

**TOC:** No deficiencies noted.

**DOC:** No deficiencies noted.

**Chain-of-Custody (COC)****YES NO NA**

- a) Was the COC signed by both field and laboratory personnel? ☒ ☐ ☐
- b) Were samples received in good condition? ☒ ☐ ☐

**Comments:** Samples were received at 2.2°C and 3.4°C, within the 4°C +/- 2°C criteria.

**General****YES NO NA**

- a) Were hold times met for sample analysis? ☒ ☐ ☐
- b) Were the correct preservatives used? ☒ ☐ ☐
- c) Was the correct method used? ☒ ☐ ☐
- d) Any sample dilutions noted? ☒ ☐ ☐

**Comments:** Samples GM-31A-0815 and GM-58A-0815 required dilution prior to sulfate and chloride analyses.



**GC/MS Instrument Performance Check (IPC) and Internal Standards (IS)****YES NO NA**

- a) IPC analyzed at the appropriate frequency and met the appropriate standards? ☒ ☐ ☐
- b) Does DFTPP meet the ion abundance criteria? ☒ ☐ ☐
- c) Internal Standard retention times and areas met appropriate criteria? ☒ ☐ ☐

**Comments:** None**Calibrations****YES NO NA**

- a) Initial calibration analyzed at the appropriate frequency and met the appropriate standards? ☒ ☐ ☐
- b) Continuing calibrations analyzed at the appropriate frequency and met the appropriate standards? ☒ ☐ ☐
- c) Initial calibration verifications and blanks analyzed at the appropriate frequency and met the appropriate standards? ☒ ☐ ☐
- d) Continuing calibration verifications and blanks analyzed at the appropriate frequency and met the appropriate standards? ☒ ☐ ☐

**Comments:** Analytes of interest met calibration standards.**Blanks****YES NO NA**

- a) Were blanks (trip, equipment, method) performed at required frequency? ☒ ☐ ☐
- b) Were analytes detected in any blanks? ☐ ☒ ☐

**Comments:** Equipment blank GM-31A-0815-EB was submitted with SDG KOM029.**Matrix Spike/Matrix Spike Duplicate (MS/MSD)****YES NO NA**

- a) Was MS/MSD accuracy criteria met? ☐ ☒ ☐
- b) Was MS/MSD precision criteria met? ☒ ☐ ☐

**Comments:** Chloride and sulfate recoveries were outside control limits associated with batches 395887 and 395890. Data was not qualified based on MS/MSD data alone.**Laboratory Control Sample (LCS)****YES NO NA**

- a) LCS analyzed at the appropriate frequency and met appropriate standards? ☒ ☐ ☐

**Comments:** None**Surrogate (System Monitoring) Compounds****YES NO NA**

- a) Surrogate compounds analyzed at the appropriate frequency and met appropriate standards? ☒ ☐ ☐

**Comments:** None**Duplicates****YES NO NA**

- a) Were field duplicates collected? ☒ ☐ ☐
- b) Was field duplicate precision criteria met? ☒ ☐ ☐

**Comments:** Duplicate sample GM-31A-0815-AD was submitted with SDG KOM029.**Additional Comments:** None

**Qualifications:**

Quality Control Issue	Compound(s)	Qualifier	Samples Affected
Compounds analyzed at a dilution	Chloride and Sulfate	D	GM-31A and GM-58A



**SDG KOM029**  
**Sample Results from:**

**GM-31A**  
**GM-58A**

# TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

## ANALYTICAL REPORT

TestAmerica Laboratories, Inc.  
TestAmerica Savannah  
5102 LaRoche Avenue  
Savannah, GA 31404  
Tel: (912)354-7858

TestAmerica Job ID: 680-115379-1  
TestAmerica Sample Delivery Group: KOM029  
Client Project/Site: 3Q15 Drum Site GW Sampling - 1403345

For:  
Solutia Inc.  
575 Maryville Centre Dr.  
Saint Louis, Missouri 63141

Attn: Mr. Jerry Rinaldi

*Michele Kersey*

Authorized for release by:  
8/27/2015 3:53:00 PM

Michele Kersey, Project Manager I  
(912)354-7858  
michele.kersey@testamericainc.com

### LINKS

Review your project  
results through

**TotalAccess**

Have a Question?

**Ask  
The  
Expert**

Visit us at:

[www.testamericainc.com](http://www.testamericainc.com)

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

AWD  
9/4/15

## Definitions/Glossary

Client: Solutia Inc.  
Project/Site: 3Q15 Drum Site GW Sampling - 1403345

TestAmerica Job ID: 680-115379-1  
SDG: KOM029

### Qualifiers

#### GC/MS Semi VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

#### GC VOA

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

#### Metals

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.

#### General Chemistry

Qualifier	Qualifier Description
U	Indicates the analyte was analyzed for but not detected.
F1	MS and/or MSD Recovery is outside acceptance limits.
4	MS, MSD: The analyte present in the original sample is greater than 4 times the matrix spike concentration; therefore, control limits are not applicable.

### Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
$\alpha$	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CNF	Contains no Free Liquid
DER	Duplicate error ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision level concentration
MDA	Minimum detectable activity
EDL	Estimated Detection Limit
MDC	Minimum detectable concentration
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
NC	Not Calculated
ND	Not detected at the reporting limit (or MDL or EDL if shown)
PQL	Practical Quantitation Limit
QC	Quality Control
RER	Relative error ratio
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)

AWD  
9/14/15  
TestAmerica Savannah



## Sample Summary

Client: Solutia Inc.

Project/Site: 3Q15 Drum Site GW Sampling - 1403345

TestAmerica Job ID: 680-115379-1

SDG: KOM029

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
680-115379-1	GM-31A-0815	Water	08/07/15 10:10	08/08/15 10:00
680-115379-2	GM-31A-F(0.2)-0815	Water	08/07/15 10:10	08/08/15 10:00
680-115379-3	GM-31A-0815-AD	Water	08/07/15 10:10	08/08/15 10:00
680-115379-4	GM-31A-0815-EB	Water	08/07/15 10:45	08/08/15 10:00
680-115379-5	GM-58A-0815	Water	08/07/15 08:55	08/08/15 10:00
680-115379-6	GM-58A-F(0.2)-0815	Water	08/07/15 08:55	08/08/15 10:00

AWP  
8/14/15  
TestAmerica Savannah

## Case Narrative

Client: Solutia Inc.  
Project/Site: 3Q15 Drum Site GW Sampling - 1403345

TestAmerica Job ID: 680-115379-1  
SDG: KOM029

**Job ID: 680-115379-1**

**Laboratory: TestAmerica Savannah**

### Narrative

## CASE NARRATIVE

**Client: Solutia Inc.**

**Project: 3Q15 Drum Site GW Sampling - 1403345**

**Report Number: 680-115379-1**

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In the event of interference or analytes present at high concentrations, samples may be diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

### RECEIPT

The samples were received on 8/8/2015 10:00 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperatures of the 2 coolers at receipt time were 2.2° C and 3.4° C.

### SEMIVOLATILE ORGANIC COMPOUNDS (AQUEOUS)

Samples GM-31A-0815 (680-115379-1), GM-31A-0815-AD (680-115379-3), GM-31A-0815-EB (680-115379-4) and GM-58A-0815 (680-115379-5) were analyzed for Semivolatile Organic Compounds (Aqueous) in accordance with EPA SW-846 Method 8270D. The samples were prepared on 08/10/2015 and analyzed on 08/18/2015.

The continuing calibration verification (CCV) analyzed in batch 680-396813 was outside the method criteria for the following analyte(s): 3 & 4 Methylphenol. A CCV standard at or below the reporting limit (RL) was analyzed with the affected samples and found to be acceptable. As indicated in the reference method, sample analysis may proceed; however, any detection for the affected analyte(s) is considered estimated.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

### DISSOLVED GASES

Samples GM-31A-0815 (680-115379-1) and GM-58A-0815 (680-115379-5) were analyzed for dissolved gases in accordance with RSK-175. The samples were analyzed on 08/14/2015.

Insufficient sample volume was available to perform a matrix spike/matrix spike duplicate (MS/MSD) associated with analytical batch 680-396021.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

### METALS (ICP)

Samples GM-31A-F(0.2)-0815 (680-115379-2) and GM-58A-F(0.2)-0815 (680-115379-6) were analyzed for Metals (ICP) in accordance with EPA SW-846 Method 6010C. The samples were prepared on 08/13/2015 and analyzed on 08/14/2015.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

### METALS (ICP)

Samples GM-31A-0815 (680-115379-1) and GM-58A-0815 (680-115379-5) were analyzed for Metals (ICP) in accordance with EPA SW-846 Method 6010C. The samples were prepared on 08/13/2015 and analyzed on 08/14/2015.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

## Case Narrative

Client: Solutia Inc.  
Project/Site: 3Q15 Drum Site GW Sampling - 1403345

TestAmerica Job ID: 680-115379-1  
SDG: KOM029

### Job ID: 680-115379-1 (Continued)

#### Laboratory: TestAmerica Savannah (Continued)

##### ALKALINITY

Samples GM-31A-0815 (680-115379-1) and GM-58A-0815 (680-115379-5) were analyzed for alkalinity in accordance with EPA Method 310.1. The samples were analyzed on 08/09/2015.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

##### CHLORIDE

Samples GM-31A-0815 (680-115379-1) and GM-58A-0815 (680-115379-5) were analyzed for Chloride in accordance with EPA Method 325.2. The samples were analyzed on 08/12/2015.

Chloride exceeded the recovery criteria low for the MSD of sample GM-58A-0815MSD (680-115379-5) in batch 680-395887.

Refer to the QC report for details.

Samples GM-31A-0815 (680-115379-1)[2X] and GM-58A-0815 (680-115379-5)[2X] required dilution prior to analysis. The reporting limits have been adjusted accordingly.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

##### NITRATE-NITRITE AS NITROGEN

Samples GM-31A-0815 (680-115379-1) and GM-58A-0815 (680-115379-5) were analyzed for nitrate-nitrite as nitrogen in accordance with EPA Method 353.2. The samples were analyzed on 08/08/2015.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

##### SULFATE

Samples GM-31A-0815 (680-115379-1) and GM-58A-0815 (680-115379-5) were analyzed for sulfate in accordance with EPA Method 375.4. The samples were analyzed on 08/12/2015.

Sulfate exceeded the recovery criteria low for the MS and MSD of sample GM-58A-0815 (680-115379-5) in batch 680-395890.

Refer to the QC report for details.

Samples GM-31A-0815 (680-115379-1)[5X] and GM-58A-0815 (680-115379-5)[10X] required dilution prior to analysis. The reporting limits have been adjusted accordingly.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

##### TOTAL ORGANIC CARBON

Samples GM-31A-0815 (680-115379-1) and GM-58A-0815 (680-115379-5) were analyzed for total organic carbon in accordance with EPA Method 415.1. The samples were analyzed on 08/20/2015 and 08/21/2015.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

##### DISSOLVED ORGANIC CARBON (DOC)

Samples GM-31A-F(0.2)-0815 (680-115379-2) and GM-58A-F(0.2)-0815 (680-115379-6) were analyzed for Dissolved Organic Carbon (DOC) in accordance with EPA Method 415.1. The samples were analyzed on 08/20/2015.

No analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.



# Client Sample Results

Client: Solutia Inc.  
Project/Site: 3Q15 Drum Site GW Sampling - 1403345

TestAmerica Job ID: 680-115379-1  
SDG: KOM029

Client Sample ID: GM-31A-0815

Lab Sample ID: 680-115379-1

Date Collected: 08/07/15 10:10

Matrix: Water

Date Received: 08/08/15 10:00

## Method: 8270D - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1'-Biphenyl	9.9	U	9.9		ug/L		08/10/15 15:00	08/18/15 21:40	1
1-chloro-2,4-dinitrobenzene	9.9	U	9.9		ug/L		08/10/15 15:00	08/18/15 21:40	1
1-Chloro-3-nitrobenzene	9.9	U	9.9		ug/L		08/10/15 15:00	08/18/15 21:40	1
2-chloronitrobenzene /	20	U	20		ug/L		08/10/15 15:00	08/18/15 21:40	1
4-chloronitrobenzene									
3,4-Dichloronitrobenzene	9.9	U	9.9		ug/L		08/10/15 15:00	08/18/15 21:40	1
2,4-Dichlorophenol	9.9	U	9.9		ug/L		08/10/15 15:00	08/18/15 21:40	1
Nitrobenzene	9.9	U	9.9		ug/L		08/10/15 15:00	08/18/15 21:40	1
2-Nitrobiphenyl	14		9.9		ug/L		08/10/15 15:00	08/18/15 21:40	1
3-Nitrobiphenyl	9.9	U	9.9		ug/L		08/10/15 15:00	08/18/15 21:40	1
4-Nitrobiphenyl	9.9	U	9.9		ug/L		08/10/15 15:00	08/18/15 21:40	1
Pentachlorophenol	50	U	50		ug/L		08/10/15 15:00	08/18/15 21:40	1
2,4,6-Trichlorophenol	9.9	U	9.9		ug/L		08/10/15 15:00	08/18/15 21:40	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl	51		32 - 113	08/10/15 15:00	08/18/15 21:40	1
2-Fluorophenol	49		26 - 109	08/10/15 15:00	08/18/15 21:40	1
Nitrobenzene-d5	64		32 - 118	08/10/15 15:00	08/18/15 21:40	1
Phenol-d5	53		27 - 110	08/10/15 15:00	08/18/15 21:40	1
Terphenyl-d14	43		10 - 126	08/10/15 15:00	08/18/15 21:40	1
2,4,6-Tribromophenol	69		39 - 124	08/10/15 15:00	08/18/15 21:40	1

## Method: RSK-175 - Dissolved Gases (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethane	1.1	U	1.1		ug/L			08/14/15 01:50	1
Ethylene	1.0	U	1.0		ug/L			08/14/15 01:50	1
Methane	15		0.58		ug/L			08/14/15 01:50	1

## Method: 6010C - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	4.2		0.050		mg/L		08/13/15 09:29	08/14/15 22:58	1
Manganese	0.50		0.010		mg/L		08/13/15 09:29	08/14/15 22:58	1

## General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	61	P	2.0		mg/L			08/12/15 16:00	2
Nitrate as N	1.7		0.050		mg/L			08/08/15 12:12	1
Sulfate	150	P	25		mg/L			08/12/15 16:09	5
Total Organic Carbon	4.1		1.0		mg/L			08/20/15 19:01	1
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Alkalinity	320		5.0		mg/L			08/09/15 18:09	1
Carbon Dioxide, Free	24		5.0		mg/L			08/09/15 18:09	1

AWB 8/14/15  
TestAmerica Savannah

## Client Sample Results

Client: Solutia Inc.  
Project/Site: 3Q15 Drum Site GW Sampling - 1403345

TestAmerica Job ID: 680-115379-1  
SDG: KOM029

Client Sample ID: GM-31A-F(0.2)-0815

Lab Sample ID: 680-115379-2

Date Collected: 08/07/15 10:10

Matrix: Water

Date Received: 08/08/15 10:00

### Method: 6010C - Metals (ICP) - Dissolved

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron, Dissolved	0.32		0.050		mg/L		08/13/15 09:29	08/14/15 23:03	1
Manganese, Dissolved	0.46		0.010		mg/L		08/13/15 09:29	08/14/15 23:03	1

### General Chemistry - Dissolved

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Dissolved Organic Carbon	5.5		1.0		mg/L			08/20/15 04:24	1

AWD  
8/14/15

TestAmerica Savannah



# Client Sample Results

Client: Solutia Inc.  
Project/Site: 3Q15 Drum Site GW Sampling - 1403345

TestAmerica Job ID: 680-115379-1  
SDG: KOM029

Client Sample ID: GM-31A-0815-AD

Lab Sample ID: 680-115379-3

Date Collected: 08/07/15 10:10

Matrix: Water

Date Received: 08/08/15 10:00

## Method: 8270D - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1'-Biphenyl	10	U	10		ug/L		08/10/15 15:00	08/18/15 22:04	1
1-chloro-2,4-dinitrobenzene	10	U	10		ug/L		08/10/15 15:00	08/18/15 22:04	1
1-Chloro-3-nitrobenzene	10	U	10		ug/L		08/10/15 15:00	08/18/15 22:04	1
2-chloronitrobenzene /	21	U	21		ug/L		08/10/15 15:00	08/18/15 22:04	1
4-chloronitrobenzene									
3,4-Dichloronitrobenzene	10	U	10		ug/L		08/10/15 15:00	08/18/15 22:04	1
2,4-Dichlorophenol	10	U	10		ug/L		08/10/15 15:00	08/18/15 22:04	1
Nitrobenzene	10	U	10		ug/L		08/10/15 15:00	08/18/15 22:04	1
2-Nitrobiphenyl	13		10		ug/L		08/10/15 15:00	08/18/15 22:04	1
3-Nitrobiphenyl	10	U	10		ug/L		08/10/15 15:00	08/18/15 22:04	1
4-Nitrobiphenyl	10	U	10		ug/L		08/10/15 15:00	08/18/15 22:04	1
Pentachlorophenol	52	U	52		ug/L		08/10/15 15:00	08/18/15 22:04	1
2,4,6-Trichlorophenol	10	U	10		ug/L		08/10/15 15:00	08/18/15 22:04	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl	55		32 - 113	08/10/15 15:00	08/18/15 22:04	1
2-Fluorophenol	49		26 - 109	08/10/15 15:00	08/18/15 22:04	1
Nitrobenzene-d5	62		32 - 118	08/10/15 15:00	08/18/15 22:04	1
Phenol-d5	50		27 - 110	08/10/15 15:00	08/18/15 22:04	1
Terphenyl-d14	33		10 - 126	08/10/15 15:00	08/18/15 22:04	1
2,4,6-Tribromophenol	63		39 - 124	08/10/15 15:00	08/18/15 22:04	1

AWD  
9/4/15

TestAmerica Savannah

# Client Sample Results

Client: Solutia Inc.  
Project/Site: 3Q15 Drum Site GW Sampling - 1403345

TestAmerica Job ID: 680-115379-1  
SDG: KOM029

Client Sample ID: GM-31A-0815-EB

Lab Sample ID: 680-115379-4

Date Collected: 08/07/15 10:45

Matrix: Water

Date Received: 08/08/15 10:00

## Method: 8270D - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1'-Biphenyl	10	U	10		ug/L		08/10/15 15:00	08/18/15 22:28	1
1-chloro-2,4-dinitrobenzene	10	U	10		ug/L		08/10/15 15:00	08/18/15 22:28	1
1-Chloro-3-nitrobenzene	10	U	10		ug/L		08/10/15 15:00	08/18/15 22:28	1
2-chloronitrobenzene /	20	U	20		ug/L		08/10/15 15:00	08/18/15 22:28	1
4-chloronitrobenzene									
3,4-Dichloronitrobenzene	10	U	10		ug/L		08/10/15 15:00	08/18/15 22:28	1
2,4-Dichlorophenol	10	U	10		ug/L		08/10/15 15:00	08/18/15 22:28	1
Nitrobenzene	10	U	10		ug/L		08/10/15 15:00	08/18/15 22:28	1
2-Nitrobiphenyl	10	U	10		ug/L		08/10/15 15:00	08/18/15 22:28	1
3-Nitrobiphenyl	10	U	10		ug/L		08/10/15 15:00	08/18/15 22:28	1
4-Nitrobiphenyl	10	U	10		ug/L		08/10/15 15:00	08/18/15 22:28	1
Pentachlorophenol	50	U	50		ug/L		08/10/15 15:00	08/18/15 22:28	1
2,4,6-Trichlorophenol	10	U	10		ug/L		08/10/15 15:00	08/18/15 22:28	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl	66		32 - 113	08/10/15 15:00	08/18/15 22:28	1
2-Fluorophenol	43		26 - 109	08/10/15 15:00	08/18/15 22:28	1
Nitrobenzene-d5	76		32 - 118	08/10/15 15:00	08/18/15 22:28	1
Phenol-d5	53		27 - 110	08/10/15 15:00	08/18/15 22:28	1
Terphenyl-d14	68		10 - 126	08/10/15 15:00	08/18/15 22:28	1
2,4,6-Tribromophenol	83		39 - 124	08/10/15 15:00	08/18/15 22:28	1

AWD  
9/4/15

TestAmerica Savannah

# Client Sample Results

Client: Solutia Inc.  
Project/Site: 3Q15 Drum Site GW Sampling - 1403345

TestAmerica Job ID: 680-115379-1  
SDG: KOM029

Client Sample ID: GM-58A-0815

Lab Sample ID: 680-115379-5

Date Collected: 08/07/15 08:55

Matrix: Water

Date Received: 08/08/15 10:00

## Method: 8270D - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1'-Biphenyl	9.6	U	9.6		ug/L		08/10/15 15:00	08/18/15 22:52	1
1-chloro-2,4-dinitrobenzene	9.6	U	9.6		ug/L		08/10/15 15:00	08/18/15 22:52	1
1-Chloro-3-nitrobenzene	9.6	U	9.6		ug/L		08/10/15 15:00	08/18/15 22:52	1
2-chloronitrobenzene /	19	U	19		ug/L		08/10/15 15:00	08/18/15 22:52	1
4-chloronitrobenzene									
3,4-Dichloronitrobenzene	9.6	U	9.6		ug/L		08/10/15 15:00	08/18/15 22:52	1
2,4-Dichlorophenol	9.6	U	9.6		ug/L		08/10/15 15:00	08/18/15 22:52	1
Nitrobenzene	9.6	U	9.6		ug/L		08/10/15 15:00	08/18/15 22:52	1
2-Nitrobiphenyl	9.6	U	9.6		ug/L		08/10/15 15:00	08/18/15 22:52	1
3-Nitrobiphenyl	9.6	U	9.6		ug/L		08/10/15 15:00	08/18/15 22:52	1
4-Nitrobiphenyl	9.6	U	9.6		ug/L		08/10/15 15:00	08/18/15 22:52	1
Pentachlorophenol	48	U	48		ug/L		08/10/15 15:00	08/18/15 22:52	1
2,4,6-Trichlorophenol	9.6	U	9.6		ug/L		08/10/15 15:00	08/18/15 22:52	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl	43		32 - 113	08/10/15 15:00	08/18/15 22:52	1
2-Fluorophenol	34		26 - 109	08/10/15 15:00	08/18/15 22:52	1
Nitrobenzene-d5	57		32 - 118	08/10/15 15:00	08/18/15 22:52	1
Phenol-d5	46		27 - 110	08/10/15 15:00	08/18/15 22:52	1
Terphenyl-d14	32		10 - 126	08/10/15 15:00	08/18/15 22:52	1
2,4,6-Tribromophenol	58		39 - 124	08/10/15 15:00	08/18/15 22:52	1

## Method: RSK-175 - Dissolved Gases (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethane	1.1	U	1.1		ug/L			08/14/15 02:03	1
Ethylene	1.0	U	1.0		ug/L			08/14/15 02:03	1
Methane	0.58	U	0.58		ug/L			08/14/15 02:03	1

## Method: 6010C - Metals (ICP) - Total Recoverable

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	1.2		0.050		mg/L		08/13/15 09:29	08/14/15 23:07	1
Manganese	2.0		0.010		mg/L		08/13/15 09:29	08/14/15 23:07	1

## General Chemistry

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	73	F1 D	2.0		mg/L			08/12/15 16:00	2
Nitrate as N	0.050	U	0.050		mg/L			08/08/15 12:14	1
Sulfate	310	D	50		mg/L			08/12/15 16:35	10
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Alkalinity	420		5.0		mg/L			08/09/15 18:17	1
Carbon Dioxide, Free	30		5.0		mg/L			08/09/15 18:17	1

## General Chemistry - RA2

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Organic Carbon	4.3		1.0		mg/L			08/21/15 10:31	1

AWP  
8/14/15  
TestAmerica Savannah

## Client Sample Results

Client: Solutia Inc.

Project/Site: 3Q15 Drum Site GW Sampling - 1403345

TestAmerica Job ID: 680-115379-1

SDG: KOM029

**Client Sample ID: GM-58A-F(0.2)-0815**

**Lab Sample ID: 680-115379-6**

Date Collected: 08/07/15 08:55

Matrix: Water

Date Received: 08/08/15 10:00

### Method: 6010C - Metals (ICP) - Dissolved

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron, Dissolved	0.21		0.050		mg/L		08/13/15 09:29	08/14/15 23:12	1
Manganese, Dissolved	2.0		0.010		mg/L		08/13/15 09:29	08/14/15 23:12	1

### General Chemistry - Dissolved

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Dissolved Organic Carbon	4.1		1.0		mg/L			08/20/15 04:29	1

PWD  
8/14/15  
TestAmerica Savannah



# QC Sample Results

Client: Solutia Inc.  
Project/Site: 3Q15 Drum Site GW Sampling - 1403345

TestAmerica Job ID: 680-115379-1  
SDG: KOM029

## Method: 8270D - Semivolatile Organic Compounds (GC/MS)

Lab Sample ID: MB 680-395256/17-A  
Matrix: Water  
Analysis Batch: 396444

Client Sample ID: Method Blank  
Prep Type: Total/NA  
Prep Batch: 395256

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1'-Biphenyl	10	U	10		ug/L		08/10/15 15:00	08/16/15 21:06	1
1-chloro-2,4-dinitrobenzene	10	U	10		ug/L		08/10/15 15:00	08/16/15 21:06	1
1-Chloro-3-nitrobenzene	10	U	10		ug/L		08/10/15 15:00	08/16/15 21:06	1
2-chloronitrobenzene /	20	U	20		ug/L		08/10/15 15:00	08/16/15 21:06	1
4-chloronitrobenzene									
3,4-Dichloronitrobenzene	10	U	10		ug/L		08/10/15 15:00	08/16/15 21:06	1
2,4-Dichlorophenol	10	U	10		ug/L		08/10/15 15:00	08/16/15 21:06	1
Nitrobenzene	10	U	10		ug/L		08/10/15 15:00	08/16/15 21:06	1
2-Nitrobiphenyl	10	U	10		ug/L		08/10/15 15:00	08/16/15 21:06	1
3-Nitrobiphenyl	10	U	10		ug/L		08/10/15 15:00	08/16/15 21:06	1
4-Nitrobiphenyl	10	U	10		ug/L		08/10/15 15:00	08/16/15 21:06	1
Pentachlorophenol	50	U	50		ug/L		08/10/15 15:00	08/16/15 21:06	1
2,4,6-Trichlorophenol	10	U	10		ug/L		08/10/15 15:00	08/16/15 21:06	1

Surrogate	MB %Recovery	MB Qualifier	Limits	Prepared	Analyzed	Dil Fac
2-Fluorobiphenyl	60		32 - 113	08/10/15 15:00	08/16/15 21:06	1
2-Fluorophenol	53		26 - 109	08/10/15 15:00	08/16/15 21:06	1
Nitrobenzene-d5	67		32 - 118	08/10/15 15:00	08/16/15 21:06	1
Phenol-d5	54		27 - 110	08/10/15 15:00	08/16/15 21:06	1
Terphenyl-d14	78		10 - 126	08/10/15 15:00	08/16/15 21:06	1
2,4,6-Tribromophenol	60		39 - 124	08/10/15 15:00	08/16/15 21:06	1

Lab Sample ID: LCS 680-395256/18-A  
Matrix: Water  
Analysis Batch: 396444

Client Sample ID: Lab Control Sample  
Prep Type: Total/NA  
Prep Batch: 395256

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
1,1'-Biphenyl	100	59.0		ug/L		59	46 - 97
2,4-Dichlorophenol	100	63.5		ug/L		64	48 - 107
Nitrobenzene	100	64.3		ug/L		64	41 - 105
Pentachlorophenol	200	164		ug/L		82	36 - 143
2,4,6-Trichlorophenol	100	69.7		ug/L		70	49 - 113

Surrogate	LCS %Recovery	LCS Qualifier	Limits
2-Fluorobiphenyl	57		32 - 113
2-Fluorophenol	51		26 - 109
Nitrobenzene-d5	65		32 - 118
Phenol-d5	55		27 - 110
Terphenyl-d14	69		10 - 126
2,4,6-Tribromophenol	71		39 - 124

Lab Sample ID: LCS 680-395256/24-A  
Matrix: Water  
Analysis Batch: 396721

Client Sample ID: Lab Control Sample  
Prep Type: Total/NA  
Prep Batch: 395256

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
1-chloro-2,4-dinitrobenzene	100	80.9		ug/L		81	10 - 130
1-Chloro-3-nitrobenzene	100	60.5		ug/L		61	50 - 130

TestAmerica Savannah  
AWD 9/4/15

# QC Sample Results

Client: Solutia Inc.  
Project/Site: 3Q15 Drum Site GW Sampling - 1403345

TestAmerica Job ID: 680-115379-1  
SDG: KOM029

## Method: 8270D - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 680-395256/24-A

Matrix: Water

Analysis Batch: 396721

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 395256

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
2-chloronitrobenzene /	200	120		ug/L		60	10 - 130
4-chloronitrobenzene							
3,4-Dichloronitrobenzene	100	59.9		ug/L		60	10 - 130
2-Nitrobiphenyl	100	71.3		ug/L		71	10 - 130
3-Nitrobiphenyl	100	68.6		ug/L		69	10 - 130
4-Nitrobiphenyl	100	68.2		ug/L		68	10 - 130

Surrogate	LCS %Recovery	LCS Qualifier	Limits
2-Fluorobiphenyl	54		32 - 113
2-Fluorophenol	47		26 - 109
Nitrobenzene-d5	58		32 - 118
Phenol-d5	52		27 - 110
Terphenyl-d14	68		10 - 126
2,4,6-Tribromophenol	65		39 - 124

Lab Sample ID: 680-115379-5 MS

Matrix: Water

Analysis Batch: 396813

Client Sample ID: GM-58A-0815

Prep Type: Total/NA

Prep Batch: 395256

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
1-chloro-2,4-dinitrobenzene	9.6	U	96.5	79.3		ug/L		82	10 - 130
1-Chloro-3-nitrobenzene	9.6	U	96.5	64.7		ug/L		67	50 - 130
2-chloronitrobenzene /	19	U	193	145		ug/L		75	10 - 130
4-chloronitrobenzene									
3,4-Dichloronitrobenzene	9.6	U	96.5	65.8		ug/L		68	10 - 130
2-Nitrobiphenyl	9.6	U	96.5	86.3		ug/L		89	10 - 130
3-Nitrobiphenyl	9.6	U	96.5	77.6		ug/L		80	10 - 130
4-Nitrobiphenyl	9.6	U	96.5	77.4		ug/L		80	10 - 130

Surrogate	MS %Recovery	MS Qualifier	Limits
2-Fluorobiphenyl	53		32 - 113
2-Fluorophenol	43		26 - 109
Nitrobenzene-d5	59		32 - 118
Phenol-d5	42		27 - 110
Terphenyl-d14	35		10 - 126
2,4,6-Tribromophenol	61		39 - 124

Lab Sample ID: 680-115379-5 MSD

Matrix: Water

Analysis Batch: 396813

Client Sample ID: GM-58A-0815

Prep Type: Total/NA

Prep Batch: 395256

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	Limit
1-chloro-2,4-dinitrobenzene	9.6	U	96.5	80.6		ug/L		84	10 - 130	2	50
1-Chloro-3-nitrobenzene	9.6	U	96.5	63.4		ug/L		66	50 - 130	2	50
2-chloronitrobenzene /	19	U	193	144		ug/L		75	10 - 130	0	50
4-chloronitrobenzene											
3,4-Dichloronitrobenzene	9.6	U	96.5	65.6		ug/L		68	10 - 130	0	50
2-Nitrobiphenyl	9.6	U	96.5	83.6		ug/L		87	10 - 130	3	50

TestAmerica Savannah

AWD9/14/15

## QC Sample Results

Client: Solutia Inc.  
Project/Site: 3Q15 Drum Site GW Sampling - 1403345

TestAmerica Job ID: 680-115379-1  
SDG: KOM029

### Method: 8270D - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 680-115379-5 MSD

Matrix: Water

Analysis Batch: 396813

Client Sample ID: GM-58A-0815

Prep Type: Total/NA

Prep Batch: 395256

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
3-Nitrobiphenyl	9.6	U	96.5	75.6		ug/L		78	10 - 130	3	50
4-Nitrobiphenyl	9.6	U	96.5	71.3		ug/L		74	10 - 130	8	50

Surrogate	MSD %Recovery	MSD Qualifier	Limits
2-Fluorobiphenyl	44		32 - 113
2-Fluorophenol	44		26 - 109
Nitrobenzene-d5	57		32 - 118
Phenol-d5	50		27 - 110
Terphenyl-d14	34		10 - 126
2,4,6-Tribromophenol	61		39 - 124

### Method: RSK-175 - Dissolved Gases (GC)

Lab Sample ID: MB 680-396021/7

Matrix: Water

Analysis Batch: 396021

Client Sample ID: Method Blank

Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Ethane	1.1	U	1.1		ug/L			08/13/15 23:16	1
Ethylene	1.0	U	1.0		ug/L			08/13/15 23:16	1
Methane	0.58	U	0.58		ug/L			08/13/15 23:16	1

Lab Sample ID: LCS 680-396021/2

Matrix: Water

Analysis Batch: 396021

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Ethane	288	316		ug/L		109	75 - 125
Ethylene	269	298		ug/L		111	75 - 125
Methane	154	167		ug/L		108	75 - 125

Lab Sample ID: LCSD 680-396021/3

Matrix: Water

Analysis Batch: 396021

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Ethane	288	300		ug/L		104	75 - 125	5	30
Ethylene	269	283		ug/L		105	75 - 125	5	30
Methane	154	158		ug/L		103	75 - 125	5	30

### Method: 6010C - Metals (ICP)

Lab Sample ID: MB 680-395870/1-A

Matrix: Water

Analysis Batch: 396333

Client Sample ID: Method Blank

Prep Type: Total Recoverable

Prep Batch: 395870

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	0.050	U	0.050		mg/L		08/13/15 09:29	08/14/15 21:26	1

TestAmerica Savannah

AWD 9/14/15



## QC Sample Results

Client: Solutia Inc.  
Project/Site: 3Q15 Drum Site GW Sampling - 1403345

TestAmerica Job ID: 680-115379-1  
SDG: KOM029

### Method: 6010C - Metals (ICP) (Continued)

Lab Sample ID: MB 680-395870/1-A  
Matrix: Water  
Analysis Batch: 396333

Client Sample ID: Method Blank  
Prep Type: Total Recoverable  
Prep Batch: 395870

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron, Dissolved	0.050	U	0.050		mg/L		08/13/15 09:29	08/14/15 21:26	1
Manganese	0.010	U	0.010		mg/L		08/13/15 09:29	08/14/15 21:26	1
Manganese, Dissolved	0.010	U	0.010		mg/L		08/13/15 09:29	08/14/15 21:26	1

Lab Sample ID: LCS 680-395870/2-A  
Matrix: Water  
Analysis Batch: 396333

Client Sample ID: Lab Control Sample  
Prep Type: Total Recoverable  
Prep Batch: 395870

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Iron	5.00	5.19		mg/L		104	80 - 120
Iron, Dissolved	5.00	5.19		mg/L		104	80 - 120
Manganese	0.500	0.534		mg/L		107	80 - 120
Manganese, Dissolved	0.500	0.534		mg/L		107	80 - 120

### Method: 310.1 - Alkalinity

Lab Sample ID: MB 680-395214/5  
Matrix: Water  
Analysis Batch: 395214

Client Sample ID: Method Blank  
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Alkalinity	5.0	U	5.0		mg/L			08/09/15 16:00	1
Carbon Dioxide, Free	5.0	U	5.0		mg/L			08/09/15 16:00	1

Lab Sample ID: LCS 680-395214/6  
Matrix: Water  
Analysis Batch: 395214

Client Sample ID: Lab Control Sample  
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Alkalinity	250	245		mg/L		98	80 - 120

Lab Sample ID: LCSD 680-395214/32  
Matrix: Water  
Analysis Batch: 395214

Client Sample ID: Lab Control Sample Dup  
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Alkalinity	250	254		mg/L		102	80 - 120	4	30

### Method: 325.2 - Chloride

Lab Sample ID: MB 680-395887/17  
Matrix: Water  
Analysis Batch: 395887

Client Sample ID: Method Blank  
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	1.0	U	1.0		mg/L			08/12/15 16:00	1

TestAmerica Savannah  
AWD 9/4/15



# QC Sample Results

Client: Solutia Inc.  
Project/Site: 3Q15 Drum Site GW Sampling - 1403345

TestAmerica Job ID: 680-115379-1  
SDG: KOM029

## Method: 325.2 - Chloride (Continued)

Lab Sample ID: LCS 680-395887/14  
Matrix: Water  
Analysis Batch: 395887

Client Sample ID: Lab Control Sample  
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	25.0	26.1		mg/L		105	85 - 115

Lab Sample ID: LCSD 680-395887/16  
Matrix: Water  
Analysis Batch: 395887

Client Sample ID: Lab Control Sample Dup  
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	25.0	26.3		mg/L		105	85 - 115	0	30

Lab Sample ID: 680-115379-5 MS  
Matrix: Water  
Analysis Batch: 395887

Client Sample ID: GM-58A-0815  
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	73	F1	25.0	93.8		mg/L		85	85 - 115

Lab Sample ID: 680-115379-5 MSD  
Matrix: Water  
Analysis Batch: 395887

Client Sample ID: GM-58A-0815  
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	73	F1	25.0	92.8	F1	mg/L		81	85 - 115	1	30

Lab Sample ID: MB 680-395888/22  
Matrix: Water  
Analysis Batch: 395888

Client Sample ID: Method Blank  
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloride	1.0	U	1.0		mg/L			08/12/15 16:00	1

Lab Sample ID: LCS 680-395888/15  
Matrix: Water  
Analysis Batch: 395888

Client Sample ID: Lab Control Sample  
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Chloride	25.0	26.1		mg/L		105	85 - 115

Lab Sample ID: LCSD 680-395888/21  
Matrix: Water  
Analysis Batch: 395888

Client Sample ID: Lab Control Sample Dup  
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Chloride	25.0	26.3		mg/L		105	85 - 115	0	30

TestAmerica Savannah  
AWD9/4/15

# QC Sample Results

Client: Solutia Inc.  
Project/Site: 3Q15 Drum Site GW Sampling - 1403345

TestAmerica Job ID: 680-115379-1  
SDG: KOM029

## Method: 353.2 - Nitrogen, Nitrate-Nitrite

Lab Sample ID: MB 680-395164/13  
Matrix: Water  
Analysis Batch: 395164

Client Sample ID: Method Blank  
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Nitrate as N	0.050	U	0.050		mg/L			08/08/15 11:27	1

Lab Sample ID: LCS 680-395164/16  
Matrix: Water  
Analysis Batch: 395164

Client Sample ID: Lab Control Sample  
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Nitrate as N	0.500	0.555		mg/L		111	75 - 125
Nitrate Nitrite as N	1.00	1.07		mg/L		107	90 - 110
Nitrite as N	0.500	0.518		mg/L		104	90 - 110

## Method: 375.4 - Sulfate

Lab Sample ID: MB 680-395889/52  
Matrix: Water  
Analysis Batch: 395889

Client Sample ID: Method Blank  
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfate	5.0	U	5.0		mg/L			08/13/15 08:41	1

Lab Sample ID: LCS 680-395889/16  
Matrix: Water  
Analysis Batch: 395889

Client Sample ID: Lab Control Sample  
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Sulfate	20.0	20.0		mg/L		100	75 - 125

Lab Sample ID: LCSD 680-395889/42  
Matrix: Water  
Analysis Batch: 395889

Client Sample ID: Lab Control Sample Dup  
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Sulfate	20.0	19.9		mg/L		100	75 - 125	0	30

Lab Sample ID: MB 680-395890/15  
Matrix: Water  
Analysis Batch: 395890

Client Sample ID: Method Blank  
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfate	5.0	U	5.0		mg/L			08/12/15 16:35	1

Lab Sample ID: LCS 680-395890/17  
Matrix: Water  
Analysis Batch: 395890

Client Sample ID: Lab Control Sample  
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Sulfate	20.0	19.9		mg/L		100	75 - 125

TestAmerica Savannah

msd/4/15

# QC Sample Results

Client: Solutia Inc.  
Project/Site: 3Q15 Drum Site GW Sampling - 1403345

TestAmerica Job ID: 680-115379-1  
SDG: KOM029

## Method: 375.4 - Sulfate (Continued)

Lab Sample ID: LCSD 680-395890/8  
Matrix: Water  
Analysis Batch: 395890

Client Sample ID: Lab Control Sample Dup  
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Sulfate	20.0	19.5		mg/L		98	75 - 125	2	30

Lab Sample ID: 680-115379-5 MS  
Matrix: Water  
Analysis Batch: 395890

Client Sample ID: GM-58A-0815  
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec. Limits
Sulfate	310		20.0	285	4	mg/L		-139	75 - 125

Lab Sample ID: 680-115379-5 MSD  
Matrix: Water  
Analysis Batch: 395890

Client Sample ID: GM-58A-0815  
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec. Limits	RPD	RPD Limit
Sulfate	310		20.0	319	4	mg/L		31	75 - 125	11	30

## Method: 415.1 - DOC

Lab Sample ID: MB 160-206911/83  
Matrix: Water  
Analysis Batch: 206911

Client Sample ID: Method Blank  
Prep Type: Dissolved

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Dissolved Organic Carbon	1.0	U	1.0		mg/L			08/20/15 02:35	1

Lab Sample ID: LCS 160-206911/84  
Matrix: Water  
Analysis Batch: 206911

Client Sample ID: Lab Control Sample  
Prep Type: Dissolved

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Dissolved Organic Carbon	10.0	9.64		mg/L		96	90 - 110

## Method: 415.1 - TOC

Lab Sample ID: MB 160-206910/5  
Matrix: Water  
Analysis Batch: 206910

Client Sample ID: Method Blank  
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Total Organic Carbon	1.0	U	1.0		mg/L			08/20/15 18:15	1

Lab Sample ID: LCS 160-206910/6  
Matrix: Water  
Analysis Batch: 206910

Client Sample ID: Lab Control Sample  
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec. Limits
Total Organic Carbon	10.0	10.0		mg/L		100	90 - 110

AWD 9/14/15  
TestAmerica Savannah



## QC Association Summary

Client: Solutia Inc.  
Project/Site: 3Q15 Drum Site GW Sampling - 1403345

TestAmerica Job ID: 680-115379-1  
SDG: KOM029

### GC/MS Semi VOA

#### Prep Batch: 395256

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-115379-1	GM-31A-0815	Total/NA	Water	3520C	
680-115379-3	GM-31A-0815-AD	Total/NA	Water	3520C	
680-115379-4	GM-31A-0815-EB	Total/NA	Water	3520C	
680-115379-5	GM-58A-0815	Total/NA	Water	3520C	
680-115379-5 MS	GM-58A-0815	Total/NA	Water	3520C	
680-115379-5 MSD	GM-58A-0815	Total/NA	Water	3520C	
LCS 680-395256/18-A	Lab Control Sample	Total/NA	Water	3520C	
LCS 680-395256/24-A	Lab Control Sample	Total/NA	Water	3520C	
MB 680-395256/17-A	Method Blank	Total/NA	Water	3520C	

#### Analysis Batch: 396444

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
LCS 680-395256/18-A	Lab Control Sample	Total/NA	Water	8270D	395256
MB 680-395256/17-A	Method Blank	Total/NA	Water	8270D	395256

#### Analysis Batch: 396721

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
LCS 680-395256/24-A	Lab Control Sample	Total/NA	Water	8270D	395256

#### Analysis Batch: 396813

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-115379-1	GM-31A-0815	Total/NA	Water	8270D	395256
680-115379-3	GM-31A-0815-AD	Total/NA	Water	8270D	395256
680-115379-4	GM-31A-0815-EB	Total/NA	Water	8270D	395256
680-115379-5	GM-58A-0815	Total/NA	Water	8270D	395256
680-115379-5 MS	GM-58A-0815	Total/NA	Water	8270D	395256
680-115379-5 MSD	GM-58A-0815	Total/NA	Water	8270D	395256

### GC VOA

#### Analysis Batch: 396021

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-115379-1	GM-31A-0815	Total/NA	Water	RSK-175	
680-115379-5	GM-58A-0815	Total/NA	Water	RSK-175	
LCS 680-396021/2	Lab Control Sample	Total/NA	Water	RSK-175	
LCSD 680-396021/3	Lab Control Sample Dup	Total/NA	Water	RSK-175	
MB 680-396021/7	Method Blank	Total/NA	Water	RSK-175	

### Metals

#### Prep Batch: 395870

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-115379-1	GM-31A-0815	Total Recoverable	Water	3005A	
680-115379-2	GM-31A-F(0.2)-0815	Dissolved	Water	3005A	
680-115379-5	GM-58A-0815	Total Recoverable	Water	3005A	
680-115379-6	GM-58A-F(0.2)-0815	Dissolved	Water	3005A	
LCS 680-395870/2-A	Lab Control Sample	Total Recoverable	Water	3005A	
MB 680-395870/1-A	Method Blank	Total Recoverable	Water	3005A	

AWD 9/4/15  
TestAmerica Savannah

## QC Association Summary

Client: Solutia Inc.  
Project/Site: 3Q15 Drum Site GW Sampling - 1403345

TestAmerica Job ID: 680-115379-1  
SDG: KOM029

### Metals (Continued)

#### Analysis Batch: 396333

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-115379-1	GM-31A-0815	Total Recoverable	Water	6010C	395870
680-115379-2	GM-31A-F(0.2)-0815	Dissolved	Water	6010C	395870
680-115379-5	GM-58A-0815	Total Recoverable	Water	6010C	395870
680-115379-6	GM-58A-F(0.2)-0815	Dissolved	Water	6010C	395870
LCS 680-395870/2-A	Lab Control Sample	Total Recoverable	Water	6010C	395870
MB 680-395870/1-A	Method Blank	Total Recoverable	Water	6010C	395870

### General Chemistry

#### Analysis Batch: 206910

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-115379-1	GM-31A-0815	Total/NA	Water	415.1	
680-115379-5 - RA2	GM-58A-0815	Total/NA	Water	415.1	
LCS 160-206910/6	Lab Control Sample	Total/NA	Water	415.1	
MB 160-206910/5	Method Blank	Total/NA	Water	415.1	

#### Analysis Batch: 206911

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-115379-2	GM-31A-F(0.2)-0815	Dissolved	Water	415.1	
680-115379-6	GM-58A-F(0.2)-0815	Dissolved	Water	415.1	
LCS 160-206911/84	Lab Control Sample	Dissolved	Water	415.1	
MB 160-206911/83	Method Blank	Dissolved	Water	415.1	

#### Analysis Batch: 395164

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-115379-1	GM-31A-0815	Total/NA	Water	353.2	
680-115379-5	GM-58A-0815	Total/NA	Water	353.2	
LCS 680-395164/16	Lab Control Sample	Total/NA	Water	353.2	
MB 680-395164/13	Method Blank	Total/NA	Water	353.2	

#### Analysis Batch: 395214

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-115379-1	GM-31A-0815	Total/NA	Water	310.1	
680-115379-5	GM-58A-0815	Total/NA	Water	310.1	
LCS 680-395214/6	Lab Control Sample	Total/NA	Water	310.1	
LCSD 680-395214/32	Lab Control Sample Dup	Total/NA	Water	310.1	
MB 680-395214/5	Method Blank	Total/NA	Water	310.1	

#### Analysis Batch: 395887

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-115379-5	GM-58A-0815	Total/NA	Water	325.2	
680-115379-5 MS	GM-58A-0815	Total/NA	Water	325.2	
680-115379-5 MSD	GM-58A-0815	Total/NA	Water	325.2	
LCS 680-395887/14	Lab Control Sample	Total/NA	Water	325.2	
LCSD 680-395887/16	Lab Control Sample Dup	Total/NA	Water	325.2	
MB 680-395887/17	Method Blank	Total/NA	Water	325.2	

#### Analysis Batch: 395888

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-115379-1	GM-31A-0815	Total/NA	Water	325.2	

AWD 4/1/15  
TestAmerica Savannah

## QC Association Summary

Client: Solutia Inc.  
Project/Site: 3Q15 Drum Site GW Sampling - 1403345

TestAmerica Job ID: 680-115379-1  
SDG: KOM029

### General Chemistry (Continued)

#### Analysis Batch: 395888 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
LCS 680-395888/15	Lab Control Sample	Total/NA	Water	325.2	
LCSD 680-395888/21	Lab Control Sample Dup	Total/NA	Water	325.2	
MB 680-395888/22	Method Blank	Total/NA	Water	325.2	

#### Analysis Batch: 395889

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-115379-1	GM-31A-0815	Total/NA	Water	375.4	
LCS 680-395889/16	Lab Control Sample	Total/NA	Water	375.4	
LCSD 680-395889/42	Lab Control Sample Dup	Total/NA	Water	375.4	
MB 680-395889/52	Method Blank	Total/NA	Water	375.4	

#### Analysis Batch: 395890

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
680-115379-5	GM-58A-0815	Total/NA	Water	375.4	
680-115379-5 MS	GM-58A-0815	Total/NA	Water	375.4	
680-115379-5 MSD	GM-58A-0815	Total/NA	Water	375.4	
LCS 680-395890/17	Lab Control Sample	Total/NA	Water	375.4	
LCSD 680-395890/8	Lab Control Sample Dup	Total/NA	Water	375.4	
MB 680-395890/15	Method Blank	Total/NA	Water	375.4	

AWD 9/4/15  
TestAmerica Savannah



# Lab Chronicle

Client: Solutia Inc.  
Project/Site: 3Q15 Drum Site GW Sampling - 1403345

TestAmerica Job ID: 680-115379-1  
SDG: KOM029

**Client Sample ID: GM-31A-0815**

**Lab Sample ID: 680-115379-1**

Date Collected: 08/07/15 10:10

Matrix: Water

Date Received: 08/08/15 10:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3520C			1005.3 mL	1.0 mL	395256	08/10/15 15:00	RBS	TAL SAV
Total/NA	Analysis	8270D		1	1005.3 mL	1.0 mL	396813	08/18/15 21:40	RAM	TAL SAV
Total/NA	Analysis	RSK-175		1	17 mL	17 mL	396021	08/14/15 01:50	AAH	TAL SAV
Total Recoverable	Prep	3005A			50 mL	50 mL	395870	08/13/15 09:29	BJB	TAL SAV
Total Recoverable	Analysis	6010C		1	50 mL	50 mL	396333	08/14/15 22:58	BCB	TAL SAV
Total/NA	Analysis	310.1		1			395214	08/09/15 18:09	DAM	TAL SAV
Total/NA	Analysis	325.2		2	2 mL	2 mL	395888	08/12/15 16:00	JME	TAL SAV
Total/NA	Analysis	353.2		1	2 mL	2 mL	395164	08/08/15 12:12	GRX	TAL SAV
Total/NA	Analysis	375.4		5	2 mL	2 mL	395889	08/12/15 16:09	JME	TAL SAV
Total/NA	Analysis	415.1		1	10 mL	10 mL	206910	08/20/15 19:01	BLH	TAL SL

**Client Sample ID: GM-31A-F(0.2)-0815**

**Lab Sample ID: 680-115379-2**

Date Collected: 08/07/15 10:10

Matrix: Water

Date Received: 08/08/15 10:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Dissolved	Prep	3005A			50 mL	50 mL	395870	08/13/15 09:29	BJB	TAL SAV
Dissolved	Analysis	6010C		1	50 mL	50 mL	396333	08/14/15 23:03	BCB	TAL SAV
Dissolved	Analysis	415.1		1	10 mL	10 mL	206911	08/20/15 04:24	BLH	TAL SL

**Client Sample ID: GM-31A-0815-AD**

**Lab Sample ID: 680-115379-3**

Date Collected: 08/07/15 10:10

Matrix: Water

Date Received: 08/08/15 10:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3520C			953.2 mL	1.0 mL	395256	08/10/15 15:00	RBS	TAL SAV
Total/NA	Analysis	8270D		1	953.2 mL	1.0 mL	396813	08/18/15 22:04	RAM	TAL SAV

**Client Sample ID: GM-31A-0815-EB**

**Lab Sample ID: 680-115379-4**

Date Collected: 08/07/15 10:45

Matrix: Water

Date Received: 08/08/15 10:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3520C			1002 mL	1.0 mL	395256	08/10/15 15:00	RBS	TAL SAV
Total/NA	Analysis	8270D		1	1002 mL	1.0 mL	396813	08/18/15 22:28	RAM	TAL SAV

**Client Sample ID: GM-58A-0815**

**Lab Sample ID: 680-115379-5**

Date Collected: 08/07/15 08:55

Matrix: Water

Date Received: 08/08/15 10:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Prep	3520C			1039.5 mL	1.0 mL	395256	08/10/15 15:00	RBS	TAL SAV

TestAmerica Savannah

AWD 9/4/15

# Lab Chronicle

Client: Solutia Inc.  
Project/Site: 3Q15 Drum Site GW Sampling - 1403345

TestAmerica Job ID: 680-115379-1  
SDG: KOM029

**Client Sample ID: GM-58A-0815**

**Lab Sample ID: 680-115379-5**

Date Collected: 08/07/15 08:55

Matrix: Water

Date Received: 08/08/15 10:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total/NA	Analysis	8270D		1	1039.5 mL	1.0 mL	396813	08/18/15 22:52	RAM	TAL SAV
Total/NA	Analysis	RSK-175		1	17 mL	17 mL	396021	08/14/15 02:03	AAH	TAL SAV
Total Recoverable	Prep	3005A			50 mL	50 mL	395870	08/13/15 09:29	BJB	TAL SAV
Total Recoverable	Analysis	6010C		1	50 mL	50 mL	396333	08/14/15 23:07	BCB	TAL SAV
Total/NA	Analysis	310.1		1			395214	08/09/15 18:17	DAM	TAL SAV
Total/NA	Analysis	325.2		2	2 mL	2 mL	395887	08/12/15 16:00	JME	TAL SAV
Total/NA	Analysis	353.2		1	2 mL	2 mL	395164	08/08/15 12:14	GRX	TAL SAV
Total/NA	Analysis	375.4		10	2 mL	2 mL	395890	08/12/15 16:35	JME	TAL SAV
Total/NA	Analysis	415.1	RA2	1	10 mL	10 mL	206910	08/21/15 10:31	BLH	TAL SL

**Client Sample ID: GM-58A-F(0.2)-0815**

**Lab Sample ID: 680-115379-6**

Date Collected: 08/07/15 08:55

Matrix: Water

Date Received: 08/08/15 10:00

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Dissolved	Prep	3005A			50 mL	50 mL	395870	08/13/15 09:29	BJB	TAL SAV
Dissolved	Analysis	6010C		1	50 mL	50 mL	396333	08/14/15 23:12	BCB	TAL SAV
Dissolved	Analysis	415.1		1	10 mL	10 mL	206911	08/20/15 04:29	BLH	TAL SL

## Laboratory References:

TAL SAV = TestAmerica Savannah, 5102 LaRoche Avenue, Savannah, GA 31404, TEL (912)354-7858

TAL SL = TestAmerica St. Louis, 13715 Rider Trail North, Earth City, MO 63045, TEL (314)298-8566

AWD 9/4/15  
TestAmerica Savannah



# Certification Summary

Client: Solutia Inc.  
Project/Site: 3Q15 Drum Site GW Sampling - 1403345

TestAmerica Job ID: 680-115379-1  
SDG: KOM029

## Laboratory: TestAmerica Savannah

Unless otherwise noted, all analytes for this laboratory were covered under each certification below.

Authority	Program	EPA Region	Certification ID	Expiration Date
Illinois	NELAP	5	200022	11-30-15
The following analytes are included in this report, but are not certified under this certification:				
Analysis Method	Prep Method	Matrix	Analyte	
8270D	3520C	Water	4-Nitrobiphenyl	
The following analytes are included in this report, but certification is not offered by the governing authority:				
Analysis Method	Prep Method	Matrix	Analyte	
310.1		Water	Alkalinity	
310.1		Water	Carbon Dioxide, Free	
325.2		Water	Chloride	
375.4		Water	Sulfate	
8270D	3520C	Water	1,1'-Biphenyl	
8270D	3520C	Water	1-chloro-2,4-dinitrobenzene	
8270D	3520C	Water	1-Chloro-3-nitrobenzene	
8270D	3520C	Water	2-chloronitrobenzene / 4-chloronitrobenzene	
8270D	3520C	Water	2-Nitrobiphenyl	
8270D	3520C	Water	3,4-Dichloronitrobenzene	
8270D	3520C	Water	3-Nitrobiphenyl	
RSK-175		Water	Ethane	
RSK-175		Water	Ethylene	
RSK-175		Water	Methane	

## Laboratory: TestAmerica St. Louis

The certifications listed below are applicable to this report.

Authority	Program	EPA Region	Certification ID	Expiration Date
Illinois	NELAP	5	200023	11-30-15

AWD 9/14/15  
TestAmerica Savannah

## Method Summary

Client: Solutia Inc.

Project/Site: 3Q15 Drum Site GW Sampling - 1403345

TestAmerica Job ID: 680-115379-1

SDG: KOM029

Method	Method Description	Protocol	Laboratory
8270D	Semivolatile Organic Compounds (GC/MS)	SW846	TAL SAV
RSK-175	Dissolved Gases (GC)	RSK	TAL SAV
6010C	Metals (ICP)	SW846	TAL SAV
310.1	Alkalinity	MCAWW	TAL SAV
325.2	Chloride	MCAWW	TAL SAV
353.2	Nitrogen, Nitrate-Nitrite	MCAWW	TAL SAV
375.4	Sulfate	MCAWW	TAL SAV
415.1	TOC	MCAWW	TAL SL
415.1	DOC	MCAWW	TAL SL

### Protocol References:

MCAWW = "Methods For Chemical Analysis Of Water And Wastes", EPA-600/4-79-020, March 1983 And Subsequent Revisions.

RSK = Sample Prep And Calculations For Dissolved Gas Analysis In Water Samples Using A GC Headspace Equilibration Technique, RSKSOP-175, Rev. 0, 8/11/94, USEPA Research Lab

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

### Laboratory References:

TAL SAV = TestAmerica Savannah, 5102 LaRoche Avenue, Savannah, GA 31404, TEL (912)354-7858

TAL SL = TestAmerica St. Louis, 13715 Rider Trail North, Earth City, MO 63045, TEL (314)298-8566

AWD 8/14/15  
TestAmerica Savannah

## TestAmerica Savannah

5102 LaRoche Avenue

Savannah, GA 31404  
phone 912 354 7858 fax

## Chain of Custody Record

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

TestAmerica Laboratories, Inc.

Regulatory Program: ☐ DW ☐ NPDES ☒ RCRA ☐ Other:

Client Contact		Project Manager: Amanda Derhake		Site Contact: Lon Bindner		Date: 8/7/15		COC No:	
Golder Associates Inc.		Tel/Fax: 636-724-9191		Lab Contact: Michele Kersey		Carrier: FedEx		1 of 1 COCs	
820 South Main Street		Analysis Turnaround Time		Filtered Sample (Y/N) Perform MS / MSD (Y/N) SVOCs by 8270 Total Fe/Mn by 8010C Alk/CO2 by 310.1 Chloride by 325.2/Sulfate by 375.4 Methane by RSK 475 Nitrate by 383.2 TOC by 415.1 Dissolved Fe/Mn by 6010C DOC by 415.1		Sampler:		For Lab Use Only:	
St. Charles, MO 63301		<input checked="" type="checkbox"/> CALENDAR DAYS <input type="checkbox"/> WORKING DAYS				Walk-in Client:		Lab Sampling:	
(636) 724-9191 Phone		TAT if different from Below Standard				Job / SDG No.			
(636) 724-9323 FAX		<input checked="" type="checkbox"/> 2 weeks							
Project Name: 3Q15 Drum Site GW Sampling-1403345		<input type="checkbox"/> 1 week							
Site: Solutia WVG Krummrich Facility		<input type="checkbox"/> 2 days							
P O # 42447936		<input type="checkbox"/> 1 day							
Sample Identification	Sample Date	Sample Time	Sample Type (C=Comp, G=Grab)	Matrix	# of Cont.			Sample Specific Notes:	
GM-31A-0815	8/7/15	1010	G	W	12	2	1	1	3
GM-31A-F(0.2)-0815					4				13
GM-31A-0815-AD					2	2			
GM-31A-0815-EB		1045			2				
GM-58A-0815		0855			12	2	1	1	3
GM-58A-F(0.2)-0815					4				13
GM-58A-0815-MS					2	2			
GM-58A-0815-MSD					2	2			
Observations Used: 1=Ice, 2=H2SO4, 3=H2SO4, 4=HNO3, 5=NaOH, 6=Other Possible Hazard Identification: Are any samples from a listed EPA Hazardous Waste? Please List any EPA Waste Codes for the sample in the Comments Section if the lab is to dispose of the sample.									
<input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown						Sample Disposal (A fee may be assessed if samples are retained longer than 1 month) <input type="checkbox"/> Return to Client <input checked="" type="checkbox"/> Disposal by Lab <input type="checkbox"/> Archive for _____ Months			
Special Instructions/QC Requirements & Comments:									
Custody Seals Intact <input type="checkbox"/> Yes <input type="checkbox"/> No		Custody Seal No: 337196/337197/337198		Cooler Temp. (°C): Obs'd: _____ Corr'd: _____		Therm ID No.: _____			
Relinquished by: <i>Lon Bindner</i>		Company: <i>Golder</i>		Date/Time: 8/7/15		Received by: <i>Michele Kersey</i>		Company: <i>SAI</i>	
Relinquished by: <i>SAI</i>		Company: _____		Date/Time: _____		Received by: _____		Company: _____	
Relinquished by: <i>SAI</i>		Company: _____		Date/Time: _____		Received by: <i>SAI</i>		Company: _____	





## Login Sample Receipt Checklist

Client: Solutia Inc.

Job Number: 680-115379-1

SDG Number: KOM029

Login Number: 115379

List Source: TestAmerica Savannah

List Number: 1

Creator: Banda, Christy S

Question	Answer	Comment
Radioactivity wasn't checked or is $\leq$ background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	N/A	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ ( $1/4''$ ).	True	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

AWD  
9/4/15

## Login Sample Receipt Checklist

Client: Solutia Inc.

Job Number: 680-115379-1

SDG Number: KOM029

Login Number: 115379

List Number: 2

Creator: Clarke, Jill C

List Source: TestAmerica St. Louis

List Creation: 08/12/15 04:33 PM

Question	Answer	Comment
Radioactivity wasn't checked or is $\leq$ background as measured by a survey meter.	True	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	2.1
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	False	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time.	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is $<6\text{mm}$ ( $1/4''$ ).	N/A	
Multiphasic samples are not present.	True	
Samples do not require splitting or compositing.	True	
Residual Chlorine Checked.	N/A	

*AWD  
9/4/15*

At Golder Associates we strive to be the most respected global group of companies specializing in ground engineering and environmental services. Employee owned since our formation in 1960, we have created a unique culture with pride in ownership, resulting in long-term organizational stability. Golder professionals take the time to build an understanding of client needs and of the specific environments in which they operate. We continue to expand our technical capabilities and have experienced steady growth with employees now operating from offices located throughout Africa, Asia, Australasia, Europe, North America and South America.

Africa	+ 27 11 254 4800
Asia	+ 852 2562 3658
Australasia	+ 61 3 8862 3500
Europe	+ 356 21 42 30 20
North America	+ 1 800 275 3281
South America	+ 55 21 3095 9500

[solutions@golder.com](mailto:solutions@golder.com)  
[www.golder.com](http://www.golder.com)

**Golder Associates Inc.**  
**820 S. Main Street, Suite 100**  
**St. Charles, MO 63301 USA**  
**Tel: (636) 724-9191**  
**Fax: (636) 724-9323**

