



The Payne Firm, Inc.

Vernay Laboratories, Inc.

Yellow Springs, Ohio

Project No. 0292.11.44

TABLE 1: VOC Analytical Data for Constituents of Concern above the Drinking Water Criteria (MCL)

Well ID	Monitoring Zone	Units	Date Sampled	PCE MCL = 5	TCE MCL = 5	cis-1,2-DCE MCL = 70	VC MCL = 2	1,2-DCP MCL = 5
MW01-01	Upper Cedarville Aquifer	UG/L	11/5/1998	< 1 U	< 1 U	0.96	< 2 U	25
			5/12/1999	< 1 U	< 1 U	0.78	< 2 U	< 1 U
			11/30/1999	< 1 U	< 1 U	< 0.5 U	< 2 U	8.2
			6/5/2000	< 1 U	< 1 U	< 0.5 U	< 2 U	< 1 U
			11/19/2001	< 1 U	< 1 U	< 0.5 U	< 2 U	< 1 U
			2/13/2003	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
			5/6/2003	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
			9/11/2003	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
			11/4/2003	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
			2/18/2004	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
			4/12/2004	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
			7/12/2004	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
			10/5/2004	< 1 U	< 1 U	0.34 J	< 1 U	2.1
			3/8/2005	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
MW01-02	Upper Cedarville Aquifer	UG/L	10/3/2005	< 1 U	< 1 U	0.22 J	< 1 U	1.1
			4/25/2006	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
			11/5/1998	< 25 U	< 25 U	< 12 U	< 50 U	510
			5/12/1999	< 8.3 U	< 8.3 U	< 4.2 U	< 17 U	240
			11/30/1999	< 17 U	< 17 U	< 8.3 U	< 33 U	450
			6/5/2000	< 10 U	< 10 U	< 5 U	< 20 U	280
			6/7/2001	< 1 U	1.7	0.83	< 2 U	28
			2/13/2003	< 5 U	2.5 J	2.4 J	< 5 U	120
			9/11/2003	< 20 U	4.4 J	7.1 J	< 20 U	610
			11/5/2003	< 20 U	6.6 J	8.2 J	< 20 U	570
			2/18/2004	< 29 U	< 29 U	13 J	< 29 U	810
			4/13/2004	< 11 U	4.2 J	6.1	< 11 U	360
			7/14/2004	< 17 U	< 17 U	8.6	< 17 U	570
			10/7/2004	< 25 U	12 J	18	< 25 U	980
MW01-02CD	Middle Cedarville Aquifer	UG/L	10/4/2005	2.6 J	5.6 J	7.4	< 10 U	560
			2/15/2006	< 91 U	< 91 U	23 J	< 91 U	1800
			4/26/2006	< 56 U	< 56 U	21 J	< 56 U	1700
			5/11/1999	< 1 U	< 1 U	< 0.5 U	< 2 U	< 1 U
			11/30/1999	< 1 U uj	< 1 U uj	< 0.5 U uj	< 2 U uj	< 1 U uj
			6/5/2000	< 1 U	< 1 U	< 0.5 U	< 2 U	< 1 U
			6/8/2001	< 1 U	< 1 U	< 0.5 U	< 2 U	< 1 U
			2/13/2003	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
			9/11/2003	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
			11/5/2003	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
			2/18/2004	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
			4/13/2004	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
			7/12/2004	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
			10/5/2004	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
			4/24/2006	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U



The Payne Firm, Inc.

TABLE 1: VOC Analytical Data for Constituents of Concern above the Drinking Water Criteria (MCL)

Well ID	Monitoring Zone	Units	Date Sampled	PCE MCL = 5	TCE MCL = 5	cis-1,2-DCE MCL = 70	VC MCL = 2	1,2-DCP MCL = 5
MW01-02SE	Lower Cedarville Aquifer	UG/L	5/11/1999	<1 U	<1 U	<0.5 U	<2 U	<1 U
			11/30/1999	<1 U	<1 U	<0.5 U	<2 U	<1 U
			6/5/2000	<1 U	<1 U	<0.5 U	<2 U	<1 U
			2/13/2003	<1 U	<1 U	<0.5 U	<1 U	<1 U
			9/11/2003	<1 U	<1 U	<0.5 U	<1 U	<1 U
			11/4/2003	<1 U	<1 U	<0.5 U	<1 U	<1 U
			2/18/2004	<1 U	<1 U	<0.5 U	<1 U	<1 U
			4/12/2004	<1 U	<1 U	<0.5 U	<1 U	<1 U
			5/19/2004	<1 U	<1 U	<0.5 U	<1 U	<1 U
			7/12/2004	<1 U	<1 U	<0.5 U	<1 U	<1 U
MW01-03	Upper Cedarville Aquifer	UG/L	10/5/2004	<1 U	<1 U	<0.5 U	<1 U	<1 U
			4/25/2006	<1 U	<1 U	<0.5 U	<1 U	<1 U
			11/5/1998	<1 U	3.1	1.5	<2 U	1
			5/12/1999	<1 U	3.1	1	<2 U	<1 U
			11/30/1999	<1 U	2.7	2.6	<2 U	1.6
			6/6/2000	<1 U	2.4	0.8	<2 U	<1 U
			11/1/2000	<1 U	2.7	1.1	<2 U	<1 U
			6/7/2001	<1 U	1.7	0.51	<2 U	<1 U
			2/12/2003	0.59 J	0.45 J	<0.5 U	<1 U	<1 U
			5/6/2003	1	<1 U	<0.5 U	<1 U	<1 U
			9/11/2003	1.2	<1 U	<0.5 U	<1 U	<1 U
			11/4/2003	1.4	<1 U	<0.5 U	<1 U	<1 U
			2/17/2004	0.81 J	<1 U	<0.5 U	<1 U	<1 U
			4/12/2004	0.88 J	<1 U	<0.5 U	<1 U	<1 U
			7/13/2004	1	<1 U	<0.5 U	<1 U	<1 U
MW01-03CD	Middle Cedarville Aquifer	UG/L	10/6/2004	0.87 J	<1 U	<0.5 U	<1 U	<1 U
			3/8/2005	0.85 J	<1 U	<0.5 U	<1 U	<1 U
			10/4/2005	0.92 J	<1 U	<0.5 U	<1 U	<1 U
			4/25/2006	0.9 J	<1 U	<0.5 U	<1 U	<1 U
			5/12/1999	<1 U	<1 U	<0.5 U	<2 U	<1 U
			11/30/1999	<1 U	<1 U	<0.5 U	<2 U	<1 U
			6/6/2000	<1 U	<1 U	<0.5 U	<2 U	<1 U
			11/1/2000	<1 U	<1 U	<0.5 U	<2 U	<1 U
			6/7/2001	<1 U	<1 U	<0.5 U	<2 U	<1 U
			2/13/2003	<1 U	<1 U	<0.5 U	<1 U	<1 U
			9/11/2003	<1 U	<1 U	<0.5 U	<1 U	<1 U
			11/4/2003	<1 U	<1 U	<0.5 U	<1 U	<1 U
			2/17/2004	<1 U	<1 U	<0.5 U	<1 U	<1 U
			4/12/2004	<1 U	<1 U	<0.5 U	<1 U	<1 U
MW01-04	Upper Cedarville Aquifer	UG/L	7/12/2004	<1 U	<1 U	<0.5 U	<1 U	<1 U
			10/5/2004	<1 U	<1 U	<0.5 U	<1 U	<1 U
			3/8/2005	<1 U	<1 U	<0.5 U	<1 U	<1 U
			10/3/2005	<1 U	<1 U	<0.5 U	<1 U	<1 U
			4/25/2006	<1 U	<1 U	<0.5 U	<1 U	<1 U
			11/5/1998	4600	150 J	< 83 U	< 330 U	< 170 U
			5/13/1999	4000	180	< 62 U	< 250 U	< 120 U
			5/13/1999	4500	210	< 62 U	< 250 U	< 120 U
			12/1/1999	3300	170	< 62 U	< 250 U	< 120 U
			6/6/2000	6100	170	< 83 U	< 330 U	< 170 U
MW01-04	Upper Cedarville Aquifer	UG/L	11/2/2000	3200	130	< 62 U	< 250 U	< 120 U
			11/2/2000	3000 E j	130	< 62 U	< 250 U	< 120 U
			11/2/2000	2900	120	59	< 50 U	< 25 U
			11/2/2000	3700 E j	140	52	< 50 U	< 25 U
			6/8/2001	850	66	55	< 50 U	< 25 U
			6/8/2001	1000	74	56	< 67 U	< 33 U



The Payne Firm, Inc.

TABLE 1: VOC Analytical Data for Constituents of Concern above the Drinking Water Criteria (MCL)

Well ID	Monitoring Zone	Units	Date Sampled	PCE MCL = 5	TCE MCL = 5	cis-1,2-DCE MCL = 70	VC MCL = 2	1,2-DCP MCL = 5
MW01-04	Upper Cedarville Aquifer	UG/L	11/19/2001	400	52	45	< 33 U	< 17 U
			2/14/2003	310	44	38	< 12 U	< 12 U
			2/14/2003	450	55	47	< 12 U	< 12 U
			5/7/2003	160	28	20	< 5.7 U	< 5.7 U
			9/15/2003	76	16	12	< 3.3 U	< 3.3 U
			9/15/2003	76	17	13	< 3.3 U	< 3.3 U
			11/6/2003	98	20	15	< 3.3 U	< 3.3 U
			2/19/2004	73	11	5.9	< 3.3 U	< 3.3 U
			4/14/2004	65	8.7	4.8	< 2 U	< 2 U
			7/14/2004	72	6.6	2	< 2.5 U	< 2.5 U
			10/6/2004	120	15	5.8	< 4 U	< 4 U
			3/9/2005	88	9.2	3.8	< 2.5 U	< 2.5 U
			10/4/2005	130	15	5.3	< 2 U	0.37 J
			2/14/2006	160	19	11	< 8 U	< 8 U
			2/14/2006	160	18	13	< 8 U	< 8 U
MW01-04CD	Middle Cedarville Aquifer	UG/L	4/26/2006	95	22	13	< 3.3 U	< 3.3 U
			4/26/2006	93	20	12	< 4 U	< 4 U
			5/12/1999	1200	< 50 U	< 25 U	< 100 U	< 50 U
			12/1/1999	740	31	< 12 U	< 50 U	< 25 U
			6/7/2000	760	29	< 12 U	< 50 U	< 25 U
			6/7/2000	780	29	< 12 U	< 50 U	< 25 U
			11/2/2000	480 E j	25	< 10 U	< 40 U	< 20 U
			11/2/2000	500	25	< 2.5 U	< 10 U	< 5 U
			6/8/2001	1600	< 50 U	< 25 U	< 100 U	< 50 U
			11/19/2001	1000	< 40 U	< 20 U	< 80 U	< 40 U
			2/18/2003	630	26 J	< 20 U	< 40 U	< 40 U
			5/7/2003	520	20	< 10 U	< 20 U	< 20 U
			5/7/2003	620	25	< 12 U	< 25 U	< 25 U
			9/15/2003	680	25 J	< 17 U	< 33 U	< 33 U
			11/6/2003	480	22	< 10 U	< 20 U	< 20 U
			2/19/2004	2300	59 J	< 42 U	< 83 U	< 83 U
			2/19/2004	2000	49 J	< 45 U	< 91 U	< 91 U
			4/14/2004	330	14 J	< 8.3 U	< 17 U	< 17 U
			7/14/2004	530	20	< 10 U	< 20 U	< 20 U
MW01-04SE	Lower Cedarville Aquifer	UG/L	10/6/2004	350	22	< 8.3 U	< 17 U	< 17 U
			3/9/2005	290	16	2.3 J	< 9.1 U	< 9.1 U
			10/4/2005	220	13	1.5 J	< 5 U	< 5 U
			2/14/2006	260	15	< 7.1 U	< 14 U	< 14 U
			4/26/2006	190	12	1.8 J	< 8 U	< 8 U
			2/25/2004	2.7	< 1 U	< 0.5 U	< 1 U	< 1 U
			3/5/2004	3	< 1 U	< 0.5 U	< 1 U	< 1 U
			3/5/2004	2.9	< 1 U	< 0.5 U	< 1 U	< 1 U
			4/14/2004	0.7 J	< 1 U	< 0.5 U	< 1 U	< 1 U
			4/14/2004	0.71 J	< 1 U	< 0.5 U	< 1 U	< 1 U
			5/19/2004	0.53 J	< 1 U	< 0.5 U	< 1 U	< 1 U
			5/19/2004	0.59 J	< 1 U	< 0.5 U	< 1 U	< 1 U
			7/13/2004	0.94 J	< 1 U	< 0.5 U	0.25 J	< 1 U
			7/13/2004	0.86 J	< 1 U	< 0.5 U	0.24 J	< 1 U
			10/5/2004	0.21 J	< 1 U	< 0.5 U	< 1 U	< 1 U
			10/5/2004	0.22 J	< 1 U	< 0.5 U	< 1 U	< 1 U
			3/9/2005	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
			3/9/2005	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
			10/3/2005	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
			10/3/2005	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
			4/25/2006	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U



The Payne Firm, Inc.

TABLE 1: VOC Analytical Data for Constituents of Concern above the Drinking Water Criteria (MCL)

Well ID	Monitoring Zone	Units	Date Sampled	PCE MCL = 5	TCE MCL = 5	cis-1,2-DCE MCL = 70	VC MCL = 2	1,2-DCP MCL = 5
MW01-05	Upper Cedarville Aquifer	UG/L	11/5/1998	28	5.3	0.58	< 2 U	3.2
			11/5/1998	29	5.5	0.63	< 2 U	3.2
			5/12/1999	32	6.2	0.73	< 2.5 U	4.7
			12/1/1999	30	6.2	0.62	< 2 U	2.9
			12/1/1999	31	6.3	0.6	< 2 U	3.1
			6/6/2000	9.6	2.7	< 0.5 U	< 2 U	5.8
			11/2/2000	3	1.9	< 0.5 U	< 2 U	6.1
			6/8/2001	2.8	1.5	< 0.5 U	< 2 U	5.2
			6/8/2001	3.2	1.6	< 0.5 U	< 2 U	5.2
			11/19/2001	1.6	1.4	< 0.5 U	< 2 U	2.8
			2/14/2003	0.8 J	1.2	< 0.5 U	< 1 U	< 1 U
			5/6/2003	1.8	1.3	< 0.5 U	< 1 U	< 1 U
			9/12/2003	1.7	1.3	< 0.5 U	< 1 U	0.21 J
			11/6/2003	1.6	1.1	< 0.5 U	< 1 U	< 1 U
			2/19/2004	4	2	< 0.5 U	< 1 U	< 1 U
			4/13/2004	2.3	1.5	< 0.5 U	< 1 U	0.19 J
MW01-05CD	Middle Cedarville Aquifer	UG/L	7/13/2004	2.4	1.7	< 0.5 U	< 1 U	0.2 J
			10/6/2004	1.6	1.4	< 0.5 U	< 1 U	0.18 J
			5/12/1999	< 1 U	1.3	4.8	< 2 U	11
			11/30/1999	< 1 U	1.7	1.6	< 2 U	7.5
			6/6/2000	< 1 U	1.3	1.4	< 2 U	5.4
			11/2/2000	< 1 U	1.4	1.7	< 2 U	4.4
			6/8/2001	< 1 U	1.2	0.88	< 2 U	2.1
			11/19/2001	< 1 U	1.1	0.68	< 2 U	1.9
			2/14/2003	0.58 J	0.99 J	0.55	< 1 U	1.3
			5/7/2003	0.71 J	1.1	0.38 J	< 1 U	0.69 J
			9/12/2003	0.41 J	1.1	0.35 J	< 1 U	0.95 J
			11/5/2003	0.36 J	1.2	0.35 J	< 1 U	0.82 J
			2/18/2004	0.71 J	1.1	0.26 J	< 1 U	0.39 J
MW01-06	Upper Cedarville Aquifer	UG/L	4/13/2004	0.69 J	1.2	< 0.5 U	< 1 U	0.32 J
			7/13/2004	1.2	1.3	< 0.5 U	< 1 U	0.27 J
			10/5/2004	1.1	1.2	< 0.5 U	< 1 U	0.29 J
			4/25/2006	2.5	0.93 J	< 0.5 U	< 1 U	0.23 J
			11/5/1998	< 33 U	860	34	< 67 U	< 33 U
			5/13/1999	< 25 U	630	40	< 50 U	< 25 U
			12/1/1999	< 62 U	2200	100	< 120 U	< 62 U
			6/5/2000	< 33 U	1100	24	< 67 U	< 33 U
			2/14/2003	18 J	1400	25	< 40 U	< 40 U
			9/15/2003	8.2 J	590	16	< 22 U	< 22 U
			11/6/2003	7.3 J	610	15	< 20 U	< 20 U
MW01-07	Upper Cedarville Aquifer	UG/L	11/6/2003	7.6 J	670	16	< 20 U	< 20 U
			2/19/2004	5.2 J	380	11	< 17 U	< 17 U
			4/13/2004	5.4 J	420	11	< 14 U	< 14 U
			7/14/2004	5.5 J	370	11	< 12 U	< 12 U
			10/7/2004	6.3 J	580	17	< 25 U	< 25 U
			3/26/1999	< 1 U	< 1 U	< 0.5 U	< 2 U	< 1 U
			5/12/1999	< 1 U	< 1 U	< 0.5 U	< 2 U	< 1 U
			11/30/1999	< 1 U	< 1 U	< 0.5 U	< 2 U	< 1 U
			6/5/2000	< 1 U	< 1 U	< 0.5 U	< 2 U	< 1 U
			11/19/2001	< 1 U	< 1 U	< 0.5 U	< 2 U	< 1 U
MW01-07	Upper Cedarville Aquifer	UG/L	2/12/2003	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
			9/10/2003	2.7	< 1 U	< 0.5 U	< 1 U	< 1 U
			10/15/2003	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
			10/15/2003	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
			11/4/2003	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U



The Payne Firm, Inc.

TABLE 1: VOC Analytical Data for Constituents of Concern above the Drinking Water Criteria (MCL)

Well ID	Monitoring Zone	Units	Date Sampled	PCE MCL = 5	TCE MCL = 5	cis-1,2-DCE MCL = 70	VC MCL = 2	1,2-DCP MCL = 5
MW01-07	Upper Cedarville Aquifer		2/17/2004	<1 U	<1 U	<0.5 U	<1 U	<1 U
			4/12/2004	<1 U	<1 U	<0.5 U	<1 U	<1 U
			7/13/2004	<1 U	<1 U	<0.5 U	<1 U	<1 U
			10/5/2004	<1 U	<1 U	<0.5 U	<1 U	<1 U
			3/8/2005	<1 U	<1 U	<0.5 U	<1 U	<1 U
			10/3/2005	<1 U	<1 U	<0.5 U	<1 U	<1 U
			4/24/2006	0.23 J	<1 U	<0.5 U	<1 U	<1 U
MW01-08	Upper Cedarville Aquifer	UG/L	3/26/1999	<1 U	<1 U	<0.5 U	<2 U	<1 U
			5/12/1999	<1 U	<1 U	<0.5 U	<2 U	<1 U
			11/30/1999	<1 U	<1 U	<0.5 U	<2 U	<1 U
			6/5/2000	1.6	<1 U	<0.5 U	<2 U	<1 U
			11/1/2000	<1 U	<1 U	<0.5 U	<2 U	<1 U
			6/7/2001	<1 U	<1 U	<0.5 U	<2 U	<1 U
			2/13/2003	<1 U	<1 U	<0.5 U	<1 U	<1 U
			9/10/2003	<1 U	<1 U	<0.5 U	<1 U	<1 U
			11/4/2003	<1 U	<1 U	<0.5 U	<1 U	<1 U
			2/17/2004	<1 U	<1 U	<0.5 U	<1 U	<1 U
			4/12/2004	<1 U	<1 U	<0.5 U	<1 U	<1 U
			7/13/2004	<1 U	<1 U	<0.5 U	<1 U	<1 U
MW01-09	Upper Cedarville Aquifer	UG/L	10/5/2004	<1 U	<1 U	<0.5 U	<1 U	<1 U
			3/26/1999	10	<1 U	<0.5 U	<2 U	<1 U
			5/12/1999	9.3	<1 U	<0.5 U	<2 U	<1 U
			11/30/1999	7.6	<1 U	<0.5 U	<2 U	<1 U
			6/6/2000	4.8	<1 U	<0.5 U	<2 U	<1 U
			11/1/2000	2.3	<1 U	<0.5 U	<2 U	<1 U
			6/8/2001	6.3	<1 U	<0.5 U	<2 U	<1 U
			2/13/2003	2.6	<1 U	<0.5 U	<1 U	<1 U
			9/12/2003	1.8	<1 U	<0.5 U	<1 U	<1 U
			11/6/2003	1.3	<1 U	<0.5 U	<1 U	<1 U
			2/19/2004	1.1	<1 U	0.36 J	<1 U	<1 U
			4/13/2004	1.2	<1 U	0.27 J	<1 U	<1 U
MW01-10	Upper Cedarville Aquifer	UG/L	7/14/2004	1.1	<1 U	0.31 J	<1 U	<1 U
			10/6/2004	1.1	<1 U	<0.5 U	<1 U	<1 U
			3/26/1999	180	100	5.2	<10 U	<5 U
			3/26/1999	170	100	5.3	<10 U	<5 U
			5/13/1999	180	110	6.1	<11 U	<5.6 U
			12/1/1999	150	88	20	<12 U	<6.2 U
			6/6/2000	360	83	36	<25 U	14
			11/1/2000	360	120	30	<33 U	<17 U
			6/8/2001	290	100	30	<20 U	<10 U
			11/19/2001	320	110	31	<22 U	<11 U
			2/14/2003	380	85	44	<12 U	<12 U
			2/14/2003	390	83	47	<12 U	<12 U
			9/15/2003	600	64	110	22	<20 U
			9/15/2003	530	70	83	17 J	<20 U
			11/6/2003	540	63	94	20	<17 U
			2/19/2004	570	41	140	37	<20 U
			4/14/2004	580	42	95	23	<20 U
			7/15/2004	700	27	170	36	<25 U
			10/7/2004	640	35	190	46	<25 U
			10/4/2005	450	26	91	15	<8.3 U
			2/15/2006	950	37 J	240	56	<56 U
			4/26/2006	1400	45 J	270	74	<50 U



The Payne Firm, Inc.

TABLE 1: VOC Analytical Data for Constituents of Concern above the Drinking Water Criteria (MCL)

Well ID	Monitoring Zone	Units	Date Sampled	PCE MCL = 5	TCE MCL = 5	cis-1,2-DCE MCL = 70	VC MCL = 2	1,2-DCP MCL = 5
MW01-11	Upper Cedarville Aquifer	UG/L	5/21/1999	< 1 U	13	4.1	< 2 U	< 1 U
			12/1/1999	< 1 U	28	11	< 2 U	< 1 U
			6/6/2000	< 1 U	26	8.9	< 2 U	< 1 U
			6/8/2001	< 1 U	24	7.1	< 2 U	< 1 U
			2/14/2003	< 1 U	32	10	< 1 U	< 1 U
			9/15/2003	< 1 U	40	6.8	< 1 U	0.24 J
			11/6/2003	< 1.4 U	40	9.5	< 1.4 U	< 1.4 U
			2/19/2004	0.77 J	12	3.7	< 1 U	< 1 U
			4/13/2004	0.4 J	13	4.9	< 1 U	< 1 U
			7/14/2004	< 1 U	15	5.9	< 1 U	< 1 U
MW01-12	Sanitary Sewer Backfill (No Drinking Water Criteria)	UG/L	11/30/1999	< 1	2.4	< 0.5	< 2	< 1
			6/5/2000	< 1	4.6	< 0.5	< 2	< 1
			6/8/2001	< 1	3.3	< 0.5	< 2	< 1
			2/13/2003	0.51 J	3.2	< 0.5	< 1	< 1
			9/12/2003	0.39 J	4.4	< 0.5	< 1	< 1
			11/6/2003	0.3 J	3.2	< 0.5	< 1	< 1
			2/19/2004	0.28 J	2.5	< 0.5	< 1	< 1
			4/13/2004	0.46 J	3.8	< 0.5	< 1	< 1
			7/14/2004	0.54 J	2.9	< 0.5	< 1	< 1
			10/6/2004	0.68 J	1.8	< 0.5	< 1	< 1
MW01-13	Storm Sewer Backfill (No Drinking Water Criteria)	UG/L	11/30/1999	6800	< 250	< 120	< 500	< 250
			2/17/2000	9000	< 380	240	< 770	< 380
			3/23/2000	2800	< 120	< 62	< 250	< 120
			4/25/2000	1700	< 62	< 31	< 120	< 62
			6/6/2000	1600	< 71	< 36	< 140	< 71
			11/2/2000	3200	120	67	< 50	< 25
			11/2/2000	3300 E	120	64	< 200	< 100
			6/8/2001	640	< 20	19	< 40	< 20
			11/19/2001	1300	< 40	61	< 80	< 40
			11/19/2001	1600	< 50	63	< 100	< 50
			2/18/2003	1100	34 J	44	< 40	< 40
			9/15/2003	830	13 J	17	< 33	< 33
			11/7/2003	1000	19 J	27	< 33	< 33
			2/20/2004	620	9.8 J	11 J	< 25	< 25
			4/15/2004	580	10 J	18	< 22	< 22
			7/14/2004	910	29	33	< 25	< 25
			10/7/2004	2400	160	14 J	< 62	< 62
			10/4/2005	2500	140	15 J	< 50	< 50
MW01-14	Upper Cedarville Aquifer	UG/L	2/13/2003	740	60	39	< 25 U	< 25 U
			9/12/2003	720	61	37	< 20 U	< 20 U
			11/6/2003	620	52	77	9.1 J	< 17 U
			2/19/2004	490	41	26	< 29 U	< 29 U
			4/13/2004	390	37	110	3.5 J	< 12 U
			7/14/2004	340	28	120	9 J	< 10 U
			10/7/2004	440	48	93	11 J	< 15 U
MW02-01	Upper Cedarville Aquifer	UG/L	3/25/1999	< 1 U	< 1 U	< 0.5 U	< 2 U	< 1 U
			5/13/1999	< 1 U	< 1 U	< 0.5 U	< 2 U	< 1 U
			12/1/1999	< 1 U	< 1 U	< 0.5 U	< 2 U	< 1 U
			6/6/2000	< 1 U	< 1 U	< 0.5 U	< 2 U	< 1 U
			11/1/2000	< 1 U	< 1 U	< 0.5 U	< 2 U	< 1 U
			6/8/2001	< 1 U	< 1 U	< 0.5 U	< 2 U	< 1 U
			11/20/2001	< 1 U	< 1 U	< 0.5 U	< 2 U	< 1 U



The Payne Firm, Inc.

TABLE 1: VOC Analytical Data for Constituents of Concern above the Drinking Water Criteria (MCL)

Well ID	Monitoring Zone	Units	Date Sampled	PCE MCL = 5	TCE MCL = 5	cis-1,2-DCE MCL = 70	VC MCL = 2	1,2-DCP MCL = 5
MW02-01	Upper Cedarville Aquifer	UG/L	2/19/2003	<1 U	<1 U	<0.5 U	<1 U	<1 U
			9/10/2003	<1 U	<1 U	<0.5 U	<1 U	<1 U
			11/3/2003	<1 U	<1 U	<0.5 U	<1 U	<1 U
			2/19/2004	<1 U	<1 U	<0.5 U	<1 U	<1 U
			4/12/2004	<1 U	<1 U	<0.5 U	<1 U	<1 U
			7/12/2004	<1 U	<1 U	<0.5 U	<1 U	<1 U
			10/5/2004	<1 U	<1 U	<0.5 U	<1 U	<1 U
MW02-02	Upper Cedarville Aquifer	UG/L	3/25/1999	3.5	6.4	9.1	<2 U	<1 U
			5/13/1999	2.8	5.7	8.2	<2 U	<1 U
			11/30/1999	3	6.7	7.1	<2 U	<1 U
			11/30/1999	3.1	6.9	7.1	<2 U	<1 U
			6/6/2000	3.4	4	2.7	<2 U	<1 U
			11/1/2000	3.2	4.3	3.6	<2 U	<1 U
			6/8/2001	1	<1 U	<0.5 U	<2 U	<1 U
			11/20/2001	<1 U	<1 U	<0.5 U	<2 U	<1 U
			2/19/2003	1.1	1.3	1	<1 U	<1 U
			5/7/2003	<1 U	<1 U	<0.5 U	<1 U	<1 U
			9/10/2003	0.25 J	<1 U	<0.5 U	<1 U	<1 U
			11/3/2003	0.18 J	<1 U	<0.5 U	<1 U	<1 U
			2/23/2004	0.26 J	<1 U	<0.5 U	<1 U	<1 U
			4/14/2004	<1 U	<1 U	<0.5 U	<1 U	<1 U
			7/12/2004	<1 U	<1 U	<0.5 U	<1 U	<1 U
MW02-03	Upper Cedarville Aquifer	UG/L	10/5/2004	<1 U	<1 U	<0.5 U	<1 U	<1 U
			10/5/2004	0.19 J	<1 U	<0.5 U	<1 U	<1 U
			4/25/2006	<1 U	<1 U	<0.5 U	<1 U	<1 U
			3/25/1999	4.2	2.1	2.2	<2 U	<1 U
			5/13/1999	4.5	1.6	1.4	<2 U	<1 U
			12/1/1999	6.9	2.7	2.1	<2 U	<1 U
			6/7/2000	19	4.5	3.2	<2 U	<1 U
			11/1/2000	6.3	<1 U	0.86	<2 U	<1 U
			6/8/2001	7.3	1.5	1	<2 U	<1 U
			11/20/2001	5.3	1.1	<0.5 U	<2 U	<1 U
			2/19/2003	11	2.3	0.62	<1 U	<1 U
			5/8/2003	6.7	1.4	<0.5 U	<1 U	<1 U
			9/10/2003	4.8	0.75 J	<0.5 U	<1 U	<1 U
			11/3/2003	6.6	1	<0.5 U	<1 U	<1 U
			2/20/2004	4.6	0.6 J B u	<0.5 U	<1 U	<1 U
MW02-03CD	Middle Cedarville Aquifer	UG/L	4/15/2004	1	<1 U	<0.5 U	<1 U	<1 U
			7/16/2004	0.75 J	<1 U	<0.5 U	<1 U	<1 U
			10/12/2004	0.38 J	<1 U	<0.5 U	<1 U	<1 U
			3/10/2005	1	<1 U	<0.5 U	<1 U	<1 U
			10/5/2005	0.39 J	<1 U	<0.5 U	<1 U	<1 U
			2/14/2006	<1 U	<1 U	<0.5 U	<1 U	<1 U
			4/24/2006	0.3 J	<1 U	<0.5 U	<1 U	<1 U
			2/6/2004	19	7.8	3.7	<4 U	<4 U
			2/23/2004	12	5	2.3	<1 U	<1 U
			2/23/2004	12	4.9	2.4	<1 U	<1 U



The Payne Firm, Inc.

TABLE 1: VOC Analytical Data for Constituents of Concern above the Drinking Water Criteria (MCL)

Well ID	Monitoring Zone	Units	Date Sampled	PCE MCL = 5	TCE MCL = 5	cis-1,2-DCE MCL = 70	VC MCL = 2	1,2-DCP MCL = 5
MW02-03SE	Lower Cedarville Aquifer	UG/L	9/10/2003	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
			11/3/2003	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
			2/20/2004	2.7	0.22 J B u	< 0.5 U	< 1 U	< 1 U
			4/15/2004	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
			4/15/2004	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
			5/19/2004	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
			7/12/2004	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
			7/12/2004	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
			10/5/2004	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
			10/3/2005	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
			2/14/2006	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
MW02-04	Upper Cedarville Aquifer	UG/L	4/24/2006	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
			3/25/1999	< 1 U	< 1 U	< 0.5 U	< 2 U	< 1 U
			5/13/1999	< 1 U	< 1 U	< 0.5 U	< 2 U	< 1 U
			12/1/1999	< 1 U uj	< 1 U uj	< 0.5 U uj	< 2 U uj	< 1 U uj
			6/7/2000	< 1 U	< 1 U	< 0.5 U	< 2 U	< 1 U
			11/1/2000	< 1 U	< 1 U	< 0.5 U	< 2 U	< 1 U
			6/7/2001	< 1 U	< 1 U	< 0.5 U	< 2 U	< 1 U
			11/20/2001	< 1 U	< 1 U	< 0.5 U	< 2 U	< 1 U
			2/19/2003	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
			9/11/2003	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
			11/4/2003	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
			2/23/2004	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
			4/14/2004	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
			7/13/2004	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
			10/5/2004	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
MW02-04CD	Middle Cedarville Aquifer	UG/L	3/7/2005	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
			10/3/2005	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
			4/25/2006	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
			2/25/2004	< 1 U	0.64 J	< 0.5 U	< 1 U	< 1 U
			4/13/2004	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
			7/13/2004	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
MW02-05	Upper Cedarville Aquifer	UG/L	10/5/2004	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
			3/8/2005	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
			10/3/2005	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
			3/25/1999	< 1 U	< 1 U	< 0.5 U	< 2 U	< 1 U
			5/13/1999	< 1 U	< 1 U	< 0.5 U	< 2 U	< 1 U
			12/1/1999	< 1 U	< 1 U	< 0.5 U	< 2 U	< 1 U
			6/7/2000	< 1 U	< 1 U	< 0.5 U	< 2 U	< 1 U
			11/1/2000	< 1 U	< 1 U	< 0.5 U	< 2 U	< 1 U
			6/7/2001	< 1 U	< 1 U	< 0.5 U	< 2 U	< 1 U
			11/20/2001	< 1 U	< 1 U	< 0.5 U	< 2 U	< 1 U
			2/19/2003	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
			9/11/2003	0.36 J	< 1 U	< 0.5 U	< 1 U	< 1 U
			11/4/2003	0.23 J	< 1 U	< 0.5 U	< 1 U	< 1 U
			2/24/2004	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
MW02-05CD	Middle Cedarville Aquifer	UG/L	4/14/2004	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
			7/13/2004	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
			10/5/2004	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
			4/26/2006	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
			2/24/2004	0.98 J	1	0.64	< 1 U	< 1 U
			4/14/2004	< 1 U	< 1 U	0.46 J	< 1 U	< 1 U
MW02-05CD	Middle Cedarville Aquifer	UG/L	7/13/2004	< 1 U	< 1 U	0.45 J	< 1 U	< 1 U
			10/5/2004	< 1 U	< 1 U	0.5	< 1 U	< 1 U
			4/26/2006	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
			4/26/2006	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
			4/26/2006	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U



The Payne Firm, Inc.

TABLE 1: VOC Analytical Data for Constituents of Concern above the Drinking Water Criteria (MCL)

Well ID	Monitoring Zone	Units	Date Sampled	PCE MCL = 5	TCE MCL = 5	cis-1,2-DCE MCL = 70	VC MCL = 2	1,2-DCP MCL = 5
MW02-06	Upper Cedarville Aquifer	UG/L	3/25/1999	6.2	5.8	2	< 2 U	< 1 U
			5/13/1999	6.7	6.2	2.2	< 2 U	< 1 U
			5/13/1999	7.5	6.5	2.2	< 2 U	< 1 U
			11/30/1999	13	10	3.1	< 2 U	< 1 U
			6/7/2000	12	8.5	2.8	< 2 U	< 1 U
			6/7/2000	12	7.7	3.1	< 2 U	< 1 U
			11/1/2000	16	9.3	3.8	< 2 U	< 1 U
			6/7/2001	14	7.8	3.4	< 4 U	< 2 U
			11/20/2001	18	8.6	3.8	< 5 U	< 2.5 U
			2/19/2003	18	7.7	3.1	< 2 U	< 2 U
			9/11/2003	21	7.7	2.7	< 2 U	< 2 U
			11/4/2003	20	7.2	2.5	< 2.5 U	< 2.5 U
			2/23/2004	20	6.2	2.1	< 1.7 U	< 1.7 U
			4/15/2004	21	6.4	2.2	< 2 U	< 2 U
			7/16/2004	19	5.9	2	< 1.7 U	< 1.7 U
			7/16/2004	19	5.7	2	< 1.7 U	< 1.7 U
			10/12/2004	18	5.3	1.8	< 1.7 U	< 1.7 U
MW02-06CD	Middle Cedarville Aquifer	UG/L	10/5/2005	20	5.6	1.7	< 1 U	< 1 U
			2/15/2006	18	4.9	1.7	< 2.5 U	< 2.5 U
			4/27/2006	23	5.8	1.8	< 1.7 U	< 1.7 U
			1/28/2004	0.29 J	< 1 U	< 0.5 U	< 1 U	< 1 U
			2/23/2004	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
			4/15/2004	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
			7/13/2004	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
MW02-07	Upper Cedarville Aquifer	UG/L	10/6/2004	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
			10/5/2005	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
			2/15/2006	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
			4/27/2006	1.1	< 1 U	< 0.5 U	< 1 U	< 1 U
			3/25/1999	< 1 U	< 1 U	< 0.5 U	< 2 U	< 1 U
			5/13/1999	< 1 U	< 1 U	< 0.5 U	< 2 U	< 1 U
			12/1/1999	< 1 U uj	< 1 U uj	< 0.5 U uj	< 2 U uj	< 1 U uj
			6/7/2000	< 1 U	< 1 U	< 0.5 U	< 2 U	< 1 U
			11/1/2000	< 1 U	< 1 U	< 0.5 U	< 2 U	< 1 U
			6/7/2001	< 1 U	< 1 U	< 0.5 U	< 2 U	< 1 U
			11/20/2001	< 1 U	< 1 U	< 0.5 U	< 2 U	< 1 U
			2/19/2003	< 1 U	0.54 J	< 0.5 U	< 1 U	< 1 U
			9/11/2003	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
			11/4/2003	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
MW02-08	Upper Cedarville Aquifer	UG/L	2/20/2004	0.57 J	< 1 U	< 0.5 U	< 1 U	< 1 U
			4/14/2004	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
			7/14/2004	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
			10/6/2004	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
			4/25/2006	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
			9/12/2003	19	5.9	3.4	< 2 U	< 2 U
			11/4/2003	13	2.6	1.4	< 1 U	< 1 U
			11/4/2003	14	3.4	1.7	< 1.7 U	< 1.7 U
			2/24/2004	9	2.9	1.4	< 1 U	< 1 U
			4/15/2004	12	2.8	1.2	< 1 U	< 1 U
	Upper Cedarville Aquifer	UG/L	4/15/2004	11	2.9	1.4	< 2 U	< 2 U
			7/19/2004	12	3.8	1.4	< 1.7 U	< 1.7 U
			10/11/2004	50	10	3.9	< 6.7 U	< 6.7 U
			3/10/2005	9	2.8	0.92	< 1 U	< 1 U
			10/5/2005	10	2.2	0.72	< 1 U	< 1 U
			2/15/2006	11	2.7	0.75	< 1 U	< 1 U
			4/27/2006	14	4.2	1.1	< 2 U	< 2 U



The Payne Firm, Inc.

TABLE 1: VOC Analytical Data for Constituents of Concern above the Drinking Water Criteria (MCL)

Well ID	Monitoring Zone	Units	Date Sampled	PCE MCL = 5	TCE MCL = 5	cis-1,2-DCE MCL = 70	VC MCL = 2	1,2-DCP MCL = 5
MW02-08CD	Middle Cedarville Aquifer	UG/L	9/12/2003	72	31	7.1	< 4 U	0.95 J
			11/4/2003	73	35	7.9	< 6.7 U	< 6.7 U
			2/24/2004	88	41	8.9	< 5 U	1 J
			4/15/2004	120	44	10	< 8 U	< 8 U
			7/16/2004	110	35	10	< 8.3 U	< 8.3 U
			10/11/2004	110	37	9.9	< 10 U	< 10 U
			3/10/2005	100	33	9.5	< 9.1 U	< 9.1 U
			10/5/2005	130	44	11	< 6.7 U	1.1 J
			2/15/2006	66	27	6.7	< 6.7 U	< 6.7 U
MW02-08SE	Lower Cedarville Aquifer	UG/L	4/27/2006	14	7.3	1.9	< 1 U	0.34 J
			9/12/2003	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
			11/5/2003	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
			2/24/2004	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
			4/15/2004	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
			5/19/2004	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
			7/14/2004	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
			10/6/2004	< 1 U	< 1 U	< 0.5 U	0.3 J	< 1 U
			10/4/2005	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
MW02-09	Upper Cedarville Aquifer	UG/L	2/14/2006	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
			4/25/2006	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
			9/11/2003	11	7.2	2	< 1 U	< 1 U
			11/4/2003	9.6	6.5	1.6	< 1 U	< 1 U
			2/24/2004	13	7.8	2.2	< 1 U	< 1 U
			4/15/2004	11	6.9	1.9	< 1 U	< 1 U
			7/16/2004	12	5.7	1.5	< 1.4 U	< 1.4 U
			10/8/2004	14	5.4	1.3	< 1 U	< 1 U
			10/5/2005	15	6.7	1.6	< 1 U	< 1 U
MW02-10	Upper Cedarville Aquifer	UG/L	2/15/2006	13	6.1	1.8	< 2 U	< 2 U
			4/27/2006	17	7.6	2	< 1 U	0.17 J
			9/11/2003	1.6	0.99 J	< 0.5 U	< 1 U	< 1 U
			10/15/2003	1.7	1.2	< 0.5 U	< 1 U	< 1 U
			11/4/2003	1.7	0.97 J	< 0.5 U	< 1 U	< 1 U
			2/20/2004	1.9	1.2 B u	< 0.5 U	< 1 U	< 1 U
			4/13/2004	1.8	0.99 J	< 0.5 U	< 1 U	< 1 U
			7/16/2004	1.7	0.84 J	< 0.5 U	< 1 U	< 1 U
			10/8/2004	3.8	1.1	< 0.5 U	< 1 U	< 1 U
MW02-10CD	Middle Cedarville Aquifer	UG/L	3/8/2005	2.1	0.92 J	< 0.5 U	< 1 U	< 1 U
			10/5/2005	2.6	0.95 J	< 0.5 U	< 1 U	< 1 U
			2/15/2006	2.5	0.83 J	< 0.5 U	< 1 U	< 1 U
			4/27/2006	2.3	0.87 J	< 0.5 U	< 1 U	< 1 U
			2/19/2004	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
			4/13/2004	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
			7/14/2004	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
			10/6/2004	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
			3/8/2005	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
MW02-11	Upper Cedarville Aquifer	UG/L	10/4/2005	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
			2/14/2006	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
			9/11/2003	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
			11/5/2003	< 1 U	0.32 J	< 0.5 U	< 1 U	< 1 U
			2/25/2004	< 1 U	0.25 J	< 0.5 U	< 1 U	< 1 U
			4/16/2004	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
			7/14/2004	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
			10/6/2004	< 1 U	0.5 J	< 0.5 U	< 1 U	< 1 U
			3/9/2005	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
			10/4/2005	< 1 U	0.4 J	< 0.5 U	< 1 U	< 1 U
			2/14/2006	< 1 U	0.52 J	< 0.5 U	< 1 U	< 1 U
			4/25/2006	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U



The Payne Firm, Inc.

TABLE 1: VOC Analytical Data for Constituents of Concern above the Drinking Water Criteria (MCL)

Well ID	Monitoring Zone	Units	Date Sampled	PCE MCL = 5	TCE MCL = 5	cis-1,2-DCE MCL = 70	VC MCL = 2	1,2-DCP MCL = 5
MW02-11SE	Lower Cedarville Aquifer	UG/L	9/11/2003	<1 U	<1 U	<0.5 U	<1 U	<1 U
			11/5/2003	<1 U	<1 U	<0.5 U	<1 U	<1 U
			2/24/2004	<1 U	<1 U	<0.5 U	<1 U	<1 U
			4/16/2004	<1 U	<1 U	<0.5 U	<1 U	<1 U
			5/19/2004	<1 U	<1 U	<0.5 U	<1 U	<1 U
			7/14/2004	<1 U	<1 U	<0.5 U	<1 U	<1 U
			10/6/2004	<1 U	<1 U	<0.5 U	<1 U	<1 U
			10/4/2005	<1 U	<1 U	<0.5 U	<1 U	<1 U
			2/14/2006	<1 U	<1 U	<0.5 U	<1 U	<1 U
			4/25/2006	<1 U	<1 U	<0.5 U	<1 U	<1 U
MW02-12	Storm Sewer Backfill (No Drinking Water Criteria)	UG/L	9/15/2003	2	0.97 J	0.42 J	<1	<1
			11/5/2003	1.2	0.63 J	0.35 J	<1	<1
			2/25/2004	2.3	0.85 J	<0.5	<1	<1
			4/15/2004	2.3	1	<0.5	<1	<1
			7/16/2004	1	1.3	0.47 J	<1	<1
			10/12/2004	0.91 J	1.1	0.87	<1	<1
			2/24/2004	1.7	4.3	0.39 J	<1 U	<1 U
MW02-13	Upper Cedarville Aquifer	UG/L	2/24/2004	1.8	4	0.39 J	<1 U	<1 U
			4/15/2004	3	5.5	3.1	<1.4 U	<1.4 U
			7/16/2004	1.1	2.2	<0.5 U	<1 U	<1 U
			10/12/2004	2.7	4.1	2.3	<2 U	<2 U
			10/5/2005	2.5	3.6	1.3	<1 U	<1 U
			4/26/2006	2	2.5	<0.5 U	<1 U	<1 U
			2/20/2004	<1 U	<1 U	<0.5 U	<1 U	<1 U
MW02-14	Upper Cedarville Aquifer	UG/L	4/13/2004	<1 U	<1 U	<0.5 U	<1 U	<1 U
			7/15/2004	<1 U	<1 U	<0.5 U	<1 U	<1 U
			10/8/2004	<1 U	<1 U	<0.5 U	<1 U	<1 U
			3/8/2005	<1 U	<1 U	<0.5 U	<1 U	<1 U
			10/3/2005	<1 U	<1 U	<0.5 U	<1 U	<1 U
			4/26/2006	<1 U	<1 U	<0.5 U	<1 U	<1 U
			2/6/2004	<1 U	<1 U	<0.5 U	<1 U	<1 U
MW02-14CD	Middle Cedarville Aquifer	UG/L	2/20/2004	<1 U	<1 U	<0.5 U	<1 U	<1 U
			4/13/2004	<1 U	<1 U	<0.5 U	<1 U	<1 U
			7/15/2004	<1 U	<1 U	<0.5 U	<1 U	<1 U
			10/8/2004	1.6	<1 U	<0.5 U	<1 U	<1 U
			3/8/2005	<1 U	<1 U	<0.5 U	<1 U	<1 U
			10/3/2005	<1 U	<1 U	<0.5 U	<1 U	<1 U
			4/26/2006	<1 U	<1 U	<0.5 U	<1 U	<1 U
MW02-15	Upper Cedarville Aquifer	UG/L	2/19/2004	<1 U	<1 U	<0.5 U	<1 U	<1 U
			4/12/2004	<1 U	<1 U	<0.5 U	<1 U	<1 U
			7/15/2004	0.47 J	<1 U	<0.5 U	<1 U	<1 U
			10/8/2004	<1 U	<1 U	<0.5 U	<1 U	<1 U
			3/8/2005	0.35 J	0.57 J	<0.5 U	<1 U	<1 U
			10/4/2005	0.31 J	0.34 J	<0.5 U	<1 U	<1 U
			4/26/2006	0.41 J	0.63 J	<0.5 U	<1 U	<1 U
MW02-15CD	Middle Cedarville Aquifer	UG/L	2/19/2004	<1 U	<1 U	<0.5 U	<1 U	<1 U
			4/12/2004	<1 U	<1 U	<0.5 U	<1 U	<1 U
			7/15/2004	4	<1 U	<0.5 U	<1 U	<1 U
			10/8/2004	<1 U	<1 U	<0.5 U	<1 U	<1 U
			10/8/2004	<1 U	<1 U	<0.5 U	<1 U	<1 U
			3/9/2005	<1 U	<1 U	<0.5 U	<1 U	<1 U
			3/9/2005	<1 U	<1 U	<0.5 U	<1 U	<1 U
			10/4/2005	<1 U	<1 U	<0.5 U	<1 U	<1 U
MW02-16	Upper Cedarville Aquifer	UG/L	10/4/2005	<1 U	<1 U	<0.5 U	<1 U	<1 U
			2/25/2004	0.29 J	0.66 J	<0.5 U	<1 U	<1 U
			4/12/2004	0.37 J	0.59 J	<0.5 U	<1 U	<1 U
			7/15/2004	0.54 J	0.81 J	<0.5 U	<1 U	<1 U
			10/8/2004	1.2	0.86 J	<0.5 U	<1 U	<1 U



The Payne Firm, Inc.

TABLE 1: VOC Analytical Data for Constituents of Concern above the Drinking Water Criteria (MCL)

Well ID	Monitoring Zone	Units	Date Sampled	PCE MCL = 5	TCE MCL = 5	cis-1,2-DCE MCL = 70	VC MCL = 2	1,2-DCP MCL = 5
MW02-16CD	Middle Cedarville Aquifer	UG/L	2/25/2004	< 1	< 1	< 0.5	< 1	< 1
			4/12/2004	< 1	< 1	< 0.5	< 1	< 1
			7/15/2004	< 1	< 1	< 0.5	< 1	< 1
			10/8/2004	0.58 J	< 1	< 0.5	< 1	< 1
MW02-17	Upper Cedarville Aquifer	UG/L	3/5/2004	< 1 U	1.2	1.6	< 1 U	1.6
			4/14/2004	0.33 J	1.2	1.4	< 1 U	1.5
			7/15/2004	0.65 J	1.1	1.3	< 1 U	1.5
			10/8/2004	0.57 J	2	1.8	< 1 U	1.8
			3/9/2005	0.37 J	1.1	1.3	< 1 U	1.5
			10/5/2005	1.9	1.4	1.6	< 1 U	1.6
			4/25/2006	0.39 J	0.93 J	1.1	< 1 U	1.3
MW02-17CD	Middle Cedarville Aquifer	UG/L	3/5/2004	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
			4/14/2004	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
			7/15/2004	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
			10/8/2004	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
			3/9/2005	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
			10/5/2005	0.47 J	< 1 U	< 0.5 U	< 1 U	< 1 U
MW02-18	Upper Cedarville Aquifer	UG/L	4/25/2006	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
			3/5/2004	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
			4/14/2004	0.47 J	< 1 U	< 0.5 U	< 1 U	< 1 U
			7/15/2004	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
MW02-18CD	Middle Cedarville Aquifer	UG/L	10/12/2004	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
			3/5/2004	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
			4/14/2004	0.32 J	< 1 U	< 0.5 U	< 1 U	< 1 U
			7/15/2004	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
759 Dayton Monitoring Well	Upper Cedarville Aquifer	UG/L	10/12/2004	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
			4/16/2004	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
			10/11/2004	< 1 U	< 1 U	< 0.5 U	< 1 U	< 1 U
			3/31/2004	< 1	< 1	< 0.5	< 1	< 1
MW02-860 Dayton St	Sand Seam (No Drinking Water Criteria)	UG/L	7/19/2004	0.31 J	< 1	< 0.5	< 1	< 1
			10/5/2004	0.24 J	< 1	< 0.5	< 1	< 1
			4/20/1999	31000 j	< 1000 U uj	< 500 U uj	< 2000 U uj	< 1000 U uj
RW01-05	Upper Cedarville Aquifer	UG/L	4/20/1999	23000	< 830 U	< 420 U	< 1700 U	< 830 U
			4/21/1999	26000	< 1000 U	< 500 U	< 2000 U	< 1000 U
			4/21/1999	26000	< 1200 U	< 620 U	< 2500 U	< 1200 U
			4/22/1999	30000	< 1000 U	< 500 U	< 2000 U	< 1000 U
			4/23/1999	43000	< 1200 U	< 620 U	< 2500 U	< 1200 U
			4/27/1999	44000	< 1200 U	< 620 U	< 2500 U	< 1200 U
			5/4/1999	24000	< 1000 U	< 500 U	< 2000 U	< 1000 U
			5/11/1999	34000	< 830 U	< 420 U	< 1700 U	< 830 U
			5/20/1999	28000	< 710 U	< 360 U	< 1400 U	< 710 U
			6/8/2001	8900	< 330 U	< 170 U	< 670 U	< 330 U
			2/18/2003	9700	410 J	< 250 U	< 500 U	< 500 U
			5/8/2003	8500	300 J	< 170 U	< 330 U	< 330 U
			9/15/2003	6000	170 J	< 120 U	< 250 U	< 250 U
			11/7/2003	8900	250	< 120 U	< 250 U	< 250 U
			2/20/2004	7900	280	< 100 U	< 200 U	< 200 U
			4/16/2004	6100	170 J	< 120 U	< 250 U	< 250 U
			7/15/2004	7000	180 J	< 120 U	< 250 U	< 250 U
			10/7/2004	5800	200	< 83 U	< 170 U	< 170 U
			10/4/2005	4700	240	21 J	< 100 U	< 100 U
			2/16/2006	5400	320	< 83 U	< 170 U	< 170 U
Vernay Plant 2 Water Well	Water Well Sample (Purged)	UG/L	4/26/2006	5000	330	< 83 U	< 170 U	< 170 U
			7/28/2000	< 1	23	8.9	< 2	< 1
			7/28/2000	< 1	23	8.6	< 2	< 1



The Payne Firm, Inc.

TABLE 1: VOC Analytical Data for Constituents of Concern above the Drinking Water Criteria (MCL)

Well ID	Monitoring Zone	Units	Date Sampled	PCE MCL = 5	TCE MCL = 5	cis-1,2-DCE MCL = 70	VC MCL = 2	1,2-DCP MCL = 5
324 Dayton Water Well	Outside Spigot Sample (No Purge)	UG/L	3/30/2004	< 1	< 1	< 0.5	< 1	< 1
	Outside Spigot Sample (Purged)		3/30/2004	< 1	< 1	< 0.5	< 1	< 1
401 Suncrest-36' Water Well	Water Well Sample (No Purge)	UG/L	6/13/2005	2.6	1.6	< 0.5	< 1	< 1
	Water Well Sample (Purged)		6/13/2005	2.5	1.5	< 0.5	< 1	< 1
	401 Suncrest Well Abandoned on 6/13/2005							
420 East Enon Water Well	Outside Hose Sample (No Purge)	UG/L	3/30/2004	< 1	< 1	< 0.5	< 1	< 1
	Outside Hose Sample (Purged)		3/30/2004	< 1	< 1	< 0.5	< 1	< 1
502 WS College Water Well	Water Well Sample (Ohio EPA)	UG/L	11/1/1998	< 1	< 1	< 0.5	< 1	< 1
545 Dayton Water Well	Water Well Sample (Ohio EPA)	UG/L	11/9/1998	< 1	2	< 1	< 1	< 1
	Water Well Sample (No Purge)		3/30/2004	< 1	2.3	< 0.5	< 1	< 1
	Water Well Sample (Purged)		3/30/2004	< 1	2.2	< 0.5	< 1	< 1
	Water Well Sample (No Purge)		3/11/2005	< 1	2.8	< 0.5	< 1	< 1
	Water Well Sample (Purged)		3/11/2005	< 1	2.4	< 0.5	< 1	< 1
602 Wright Water Well	Water Well Sample (Ohio EPA)	UG/L	11/9/1998	14	9.7	2.7	< 0.5	< 0.5
685 Wright Water Well	Water Well Sample (No Purge)	UG/L	2/18/2004	< 1	< 1	< 0.5	< 1	< 1
690 Wright Water Well	Outside Hose Sample (No Purge)	UG/L	3/31/2004	2.2	0.65 J	< 0.5	< 1	< 1
	Outside Hose Sample (Purged)		3/31/2004	12	3.1	1.2	< 1	< 1
	Outside Hose Sample (No Purge)		3/11/2005	6	8.1	0.8	< 1	< 1
	Outside Hose Sample (Purged)		3/11/2005	12	2.9	0.57	< 1	< 1
	Outside Hose Sample (Purged)		3/11/2005	13	3.1	0.64	< 1	< 1
775 Dayton Water Well	Water Well Sample (Ohio EPA)	UG/L	11/9/1998	< 1	< 1	< 1	< 1	< 1
	Kitchen Faucet Sample (No Purge)		3/30/2004	< 1	< 1	< 0.5	< 1	< 1
	Kitchen Faucet Sample (Purged)		3/30/2004	< 1	< 1	< 0.5	< 1	< 1
	775 Dayton Well Abandoned on 6/15/2005							
780 Dayton Water Well	Water Well Sample (Ohio EPA)	UG/L	8/1/1991	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
	Outside Spigot Sample (No Purge)		9/15/1998	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
	Outside Spigot Sample (No Purge)		3/31/2004	< 1	< 1	< 0.5	< 1	< 1
	Outside Spigot Sample (No Purge)		3/11/2005	< 1	< 1	< 0.5	< 1	< 1
	Outside Spigot Sample (Purged)		3/31/2004	< 1	< 1	< 0.5	< 1	< 1
825 Dayton Water Well	Water Well Sample (Ohio EPA)	UG/L	8/1/1991	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
	Kitchen Faucet Sample (No Purge)		9/15/1998	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
	Kitchen Faucet Sample (Purged)		4/17/2003	< 1	< 1	< 0.5	< 1	< 1
	Spigot post-Tank Sample (No Purge)		4/17/2003	< 1	< 1	< 0.5	< 1	< 1
	Spigot post-Tank Sample (Purged)		4/5/2004	< 1	< 1	< 0.5	< 1	< 1
	Spigot post-Tank Sample (No Purge)		4/5/2004	< 1	< 1	< 0.5	< 1	< 1
	Spigot post-Tank Sample (Purged)		4/5/2004	< 1	< 1	< 0.5	< 1	< 1
	825 Dayton Well Abandoned on 6/14/2005							



The Payne Firm, Inc.

TABLE 1: VOC Analytical Data for Constituents of Concern above the Drinking Water Criteria (MCL)

Well ID	Monitoring Zone	Units	Date Sampled	PCE MCL = 5	TCE MCL = 5	cis-1,2-DCE MCL = 70	VC MCL = 2	1,2-DCP MCL = 5
845 Dayton Water Well	Water Well Sample (Ohio EPA)	UG/L	9/1/1998	1.5	2.4	0.6	< 1	9.3
850 Dayton Water Well	Water Well Sample (Ohio EPA)	UG/L	11/9/1998	< 1	< 1	< 1	< 1	< 1
	Inside Plumbing Sample (No Purge)		3/30/2004	< 1	< 1	< 0.5	< 1	< 1
	Inside Plumbing Sample (Purged)		3/30/2004	< 1	< 1	< 0.5	< 1	< 1
	Inside Plumbing Sample (No Purge)		4/26/2005	< 1	< 1	< 0.5	< 1	< 1
	Inside Plumbing Sample (Purged)		4/26/2005	< 1	< 1	< 0.5	< 1	< 1
860 Dayton North Water Well	Water Well Sample (Purged)	UG/L	2/4/1999	3.2	< 1	< 0.5	< 2	< 1
			5/13/1999	< 1	< 1	< 0.5	< 2	< 1
			12/2/1999	< 1	< 1	< 0.5	< 2	< 1
			6/8/2000	< 1	< 1	< 0.5	< 2	< 1
			6/8/2001	< 1	< 1	< 0.5	< 2	< 1
			11/20/2001	< 1	< 1	< 0.5	< 2	< 1
860 Dayton South Water Well	Water Well Sample (Ohio EPA)	UG/L	8/1/1991	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
	Water Well Sample (Purged)		9/15/1998	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5
			12/2/1999	< 1	< 1	< 0.5	< 2	< 1
			6/8/2000	< 1	< 1	< 0.5	< 2	< 1
			6/8/2001	1.1	< 1	< 0.5	< 2	< 1
			11/20/2001	< 1	< 1	< 0.5	< 2	< 1
			3/31/2004	< 1	< 1	< 0.5	< 1	< 1
			3/31/2004	< 1	< 1	< 0.5	< 1	< 1
	Water Well Sample (No Purge)		3/11/2005	< 1	< 1	< 0.5	< 1	< 1
			3/11/2005	< 1	< 1	< 0.5	< 1	< 1
Park Meadows Water Well	Water Well Sample (Ohio EPA)	UG/L	11/9/1998	< 1	< 1	< 0.5	< 1	< 1
4100 E Enon Water Well	Water Well Sample (Ohio EPA)	UG/L	11/9/1998	< 1	< 1	< 0.5	< 1	< 1

VOC = Volatile Organic Compound

PCE = Tetrachloroethene

TCE = Trichloroethene

cis-1,2-DCE = cis-1,2-Dichloroethene

VC = Vinyl Chloride

1,2-DCP = 1,2-Dichloroethene

MCL = Maximum Contaminant Level

UG/L = Micrograms per Liter

25 = Result above MCL

< 0.5 U = Result below laboratory reporting limit



The Payne Firm, Inc.

Vernay Laboratories, Inc.

Plant 2/3 Facility

Yellow Springs, Ohio

Project No. 0292.11.44

TABLE 2: Post-RFI Sampling Locations

Unit	Facility Location	Sample Location Identification	Proximity to Capture Zone ¹	Sample Frequency
CEDARVILLE AQUIFER	On-Facility	CW01-01	Within Capture Zone	Monthly
		CW01-02	Within Capture Zone	Monthly
		MW01-01	Within Capture Zone	Semi-Annual
		MW01-02	Within Capture Zone	Semi-Annual/Quarterly²
		MW01-02CD	Within Capture Zone	Semi-Annual
		MW01-02SE	Within Capture Zone	Semi-Annual
		MW01-03	Within Capture Zone	Semi-Annual
		MW01-03CD	Within Capture Zone	Semi-Annual
		MW01-04	Within Capture Zone	Semi-Annual/Quarterly²
		MW01-04CD	Within Capture Zone	Semi-Annual/Quarterly²
		MW01-04SE	Within Capture Zone	Semi-Annual
		MW01-05	Within Capture Zone	
		MW01-05CD	Within Capture Zone	Semi-Annual
		MW01-06	Within Capture Zone	
		MW01-07	~100 feet Downgradient	Semi-Annual
		MW01-08	~150 feet Downgradient	
		MW01-09	Within Capture Zone	
		MW01-10	Within Capture Zone	Quarterly²
		MW01-11	Within Capture Zone	
		MW01-14	Within Capture Zone	
	Off-Facility	MW02-01	~50 feet Downgradient	
		MW02-02	Within Capture Zone	Semi-Annual
		MW02-03	Within Capture Zone	Semi-Annual/Quarterly²
		MW02-03CD	Within Capture Zone	Semi-Annual/Quarterly²
		MW02-03SE	Within Capture Zone	Semi-Annual/Quarterly²
		MW02-04	~350 feet Downgradient	Semi-Annual
		MW02-04CD	~400 feet Downgradient	
		MW02-05	~300 feet Downgradient	Semi-Annual
		MW02-05CD	~300 feet Downgradient	Semi-Annual
		MW02-06*	~350 feet Downgradient	Semi-Annual/Quarterly²
		MW02-06CD*	~350 feet Downgradient	Semi-Annual/Quarterly²
		MW02-07	~500 feet Downgradient	Semi-Annual
		MW02-08*	Within Capture Zone	Semi-Annual/Quarterly²
		MW02-08CD*	Within Capture Zone	Semi-Annual/Quarterly²
		MW02-08SE	Within Capture Zone	Semi-Annual/Quarterly²
		MW02-09*	~650 feet Downgradient	Semi-Annual/Quarterly²
		MW02-10*	~900 feet Downgradient	Semi-Annual/Quarterly²



The Payne Firm, Inc.

TABLE 2: Post-RFI Sampling Locations

Unit	Facility Location	Sample Location Identification	Proximity to Capture Zone ¹	Sample Frequency
CEDARVILLE AQUIFER	Off-Facility	MW02-10CD	~900 feet Downgradient	
		MW02-11	Within Capture Zone	Semi-Annual/Quarterly²
		MW02-11SE	Within Capture Zone	Semi-Annual/Quarterly²
		MW02-13	~200 feet Downgradient	Semi-Annual/Quarterly²
		MW02-14	~500 feet Downgradient	Semi-Annual
		MW02-14CD	~500 feet Downgradient	
		MW02-15	~1,100 feet Downgradient	Semi-Annual
		MW02-15CD	~1,100 feet Downgradient	
		MW02-16	~950 feet Downgradient	
		MW02-16CD	~950 feet Downgradient	
		MW02-17	Within Capture Zone	Semi-Annual
		MW02-17CD	Within Capture Zone	Semi-Annual
		MW02-18	~200 feet Downgradient	
		MW02-18CD	~200 feet Downgradient	
		RW01-05	Within Capture Zone	Quarterly²
		860 Dayton Street Non-Potable Water Well	Within Capture Zone	Annual
		850 Dayton Street Potable Water Well	Within Capture Zone	Annual
		780 Dayton Street Potable Water Well	~100 feet Downgradient	Annual
		545 Dayton Street Non-Potable Water Well	~1,600 feet Downgradient	Annual
		690 Wright Street Non-Potable Water Well	~200 feet Downgradient	Annual
Sewer Backfill	On-Facility	MW01-12	Sewer Backfill	
	On-Facility	MW01-13	Sewer Backfill	Quarterly²
	Off-Facility	MW02-12	Sewer Backfill	
Outfall	Off-Facility	ST02-05	Surface Water Outfall	Semi-Annual

*Monitoring Well also sampled for treatability evaluation parameters.

¹For approximate capture zone area, refer to the CA750 EI report "Figure 6: Cedarville Aquifer Flow Conditions."

²Quarterly sampling locations requested by U.S. EPA as part of the approval of the Phase II RFI report