

Appendix J

Indoor Air Analytical Data

**General Motors
902 E. Hamilton
Flint Mich.
48550**

Fax Cover Sheet

DATE: April 23, 2002 **TIME:** 8:04 AM
TO: DEREK KAIDING **PHONE:** 248-377-9162
 FAX : 248-377-9413
FROM: Dennis Hopwood **PHONE:** 8-466-1691
 Worldwide Facilities Group **FAX:** 810-236-0994

RE: BASIS SAMPLES YOU REQUESTED FACTORY 36-01 ROD DEPT.

DENNIS HOPWOOD

Number of pages including cover sheet: 2

]

SAMPLE RESULTS WITH EXPOSURE LIMITS
AND LOCATION DESCRIPTION BY DEPARTMENT
PERSONAL AND GENERAL CONDITION SAMPLES
WITH SAMPLE DATES FROM: JANUARY 1, 2001 THRU: DECEMBER 31, 2001
CONTAMINANT(S): BENZ\$ EMBZ TOL XYL
CONTAMINANT GROUP(S): \$\$\$
REPORT NAME: AIRRPT04 GENERATED: 04-18-2002 15:28.11

S	DEPT	SAMPLE	DATE	LAST NAME	F	I	EMPLOYEE ID	CONTAMINANT	R	C	RESULT	PEL	OEG	TWA	TLV	TWA	UNITS
3601	G	06/19/01	0388	2001	0078			BENZENE	<		.260	1.000	1.000				.500 PPM
								ETHYL BENZENE	<		.970	100.000	100.000				100.000 PPM
								TOLUENE	<		1.120	200.000	100.000				50.000 PPM
								XYLENE	<		.970	100.000	100.000				100.000 PPM
								LOC DESC: FACT. 36 DEPT. 01 ROD DEPT. AT MAIN N-S AISLE									SAMPLING REQUESTED
								BY DEREK KAIDJING									
								BENZENE	<		.250	1.000	1.000				.500 PPM
								ETHYL BENZENE	<		.920	100.000	100.000				100.000 PPM
								TOLUENE	<		1.060	200.000	100.000				50.000 PPM
								XYLENE	<		.920	100.000	100.000				100.000 PPM
								LOC DESC: FACT. 36 DEPT. 01 ROD DEPT. AT MAIN N-S AISLE									SAMPLING REQUESTED
								BY DEREK KAIDJING									
								0388	2001	0079							

Dennis E. Hopwood
10/30/2003 10:50 AM

To: "DEREK KAIDING" <DCK@bbl-inc.com>
cc:
Subject: Re: Air Samples

Hi

Yes we do have all the data back at this point . It was all non-detect. I will put a summary report together for you.

Dennis

"DEREK KAIDING" <DCK@bbl-inc.com>



"DEREK KAIDING"
<DCK@bbl-inc.com>
10/27/2003 11:00 AM

To: <dennis.e.hopwood@gm.com>
cc: <robert.metcalf@gm.com>
Subject: Air Samples

Dennis, do you have the final results of the Factory 36 and Factory 81 air samples collected in September 2003?

Derek

This information contained in this e-mail message is intended only for the personal and confidential use of the recipient(s) named above. This message may be an attorney-client communication and as such is privileged and confidential. If the reader of this message is not the intended recipient, you are hereby notified that you have received this message in error and that any review, dissemination, distribution, or copying of this message is strictly prohibited. If you have received this message in error, please notify the sender immediately by e-mail, and delete the original message.

PAGE 1

B A S I S S T A N D A R D R E P O R T

REPORT NAME: AIRRPT04 GENERATED: 10-28-2003 14.18.39 FROM: XZ55DT

ANSWERS YOU PROVIDED TO PROMPTS AND THAT LIMITED THIS REPORT:

PUNIT(S) : 19492 19493

CONTAMINANT(S) : \$\$\$\$

CONTAMINANT GROUP(S) : \$\$\$

DEPT CODE(S) : \$\$\$\$

(EXCLUDES BLANK DEPARTMENT SAMPLES)

SAMPLE TYPE : PERSONAL AND GENERAL CONDITION SAMPLES

SAMPLE DATE RANGE: SEPTEMBER 8, 2003 THRU SEPTEMBER 12, 2003

B A S I S S T A N D A R D R E P O R T

UNIT: 19492 GMPT - FLINT ENGINE V-6

SAMPLE RESULTS WITH EXPOSURE LIMITS
AND LOCATION DESCRIPTION BY DEPARTMENT
PERSONAL AND GENERAL CONDITION SAMPLES
WITH SAMPLE DATES FROM: SEPTEMBER 8, 2003 THRU: SEPTEMBER 12, 2003
CONTAMINANT(S): \$\$\$\$\$\$
CONTAMINANT GROUP(S): \$\$\$
REPORT NAME: AIRRPT04 GENERATED: 10-28-2003 14.18.39

DEPT	SAMPLE DATE	SAMPLE ID	LAST NAME	F I EMPLOYEE ID	CONTAMINANT	R C RESULT	PEL	OEG TWA	TLV TWA	UNITS
3606 G	09/08/03	0388 2003 0378			ACETONE	<	.910 1000.000	750.000	500.000	PPM
					BENZENE	<	.190 1.000	1.000	.500	PPM
					BUTYL ACETATE	<	.580 150.000	150.000	150.000	PPM
					CYCLOHEXANONE	<	.190 50.000	25.000	20.000	PPM
					CHLOROBENZENE	<	.640 75.000	75.000	10.000	PPM
					1,2-DICHLOROETHANE	<	.320 50.000	1.000	10.000	PPM
					DECANE	<	.320 .000	.000	.000	PPM
					DIOXANE	<	.700 100.000	25.000	20.000	PPM
					ETHYL ACETATE	<	.700 400.000	400.000	400.000	PPM
					ETHYL BENZENE	<	.180 100.000	100.000	100.000	PPM
					HEPTANE	<	.370 500.000	400.000	400.000	PPM
					HEXANE	<	.390 500.000	50.000	50.000	PPM
					ISOOCTANE	<	.350 .000	.000	.000	PPM
					METHYL ETHYL KETONE	<	.200 200.000	200.000	200.000	PPM
					METHYLENE CHLORIDE	<	.330 25.000	25.000	50.000	PPM
					METHYL ISOBUTYL KETO	<	.180 100.000	50.000	50.000	PPM
					OCTANE	<	.350 500.000	300.000	300.000	PPM
					PENTANE	<	.420 1000.000	600.000	600.000	PPM
					PERCHLOROETHYLENE	<	.230 100.000	25.000	25.000	PPM
					N-PROPYL ACETATE	<	.350 200.000	200.000	200.000	PPM
					STYRENE	<	1.520 100.000	50.000	20.000	PPM
					TRICHLOROETHYLENE	<	.260 100.000	50.000	50.000	PPM
					1,1,1-TRICHLOROETHAN	<	.260 350.000	350.000	350.000	PPM
					TETRAHYDROFURAN	<	.790 200.000	200.000	200.000	PPM
					TRIMETHYLBENZENE (MI	<	.720 .000	25.000	25.000	PPM
					TOLUENE	<	.180 200.000	100.000	50.000	PPM
					XYLENE	<	.180 100.000	100.000	100.000	PPM

LOC DESC: FACT. 36 DEPT 06 AIR SAMPLING FOR SCAN 1 REQUESTED BY SHERYL
COSTELLO FOR CAPPED WELL SEPAGE. BADGE # RS4557 BADGE AT N/W
PALLET ELEV. # 1A S/E DOCK AT AISLE.

0388 2003 0379

ACETONE	<	.910 1000.000	750.000	500.000	PPM
BENZENE	<	.190 1.000	1.000	.500	PPM
BUTYL ACETATE	<	.580 150.000	150.000	150.000	PPM
CYCLOHEXANONE	<	.190 50.000	25.000	20.000	PPM
CHLOROBENZENE	<	.640 75.000	75.000	10.000	PPM
1,2-DICHLOROETHANE	<	.320 50.000	1.000	10.000	PPM
DECANE	<	.320 .000	.000	.000	PPM
DIOXANE	<	.700 100.000	25.000	20.000	PPM
ETHYL ACETATE	<	.700 400.000	400.000	400.000	PPM
ETHYL BENZENE	<	.180 100.000	100.000	100.000	PPM

BASIS STANDARD REPORT

UNIT: 19492 GMP - FLINT ENGINE V-6

SAMPLE RESULTS WITH EXPOSURE LIMITS
AND LOCATION DESCRIPTION BY DEPARTMENT
PERSONAL AND GENERAL CONDITION SAMPLES
WITH SAMPLE DATES FROM: SEPTEMBER 8, 2003 THRU: SEPTEMBER 12, 2003
CONTAMINANT(S): \$\$\$\$
CONTAMINANT GROUP(S): \$\$\$
REPORT NAME: AIRRPT04 GENERATED: 10-28-2003 14.18.39

S	DEPT	T	SAMPLE	LAST NAME	F	I	EMPLOYEE ID	CONTAMINANT	R	C	RESULT	PEL	OEG	TWA	TIV	TWA	UNITS
----	----	----	-----	-----	----	----	-----	-----	----	----	-----	-----	-----	-----	-----	-----	-----
3606	G	09/08/03	0388 2003 0379					HEPTANE	<	<	.370	500.000	400.000	400.000	400.000	400.000	PPM
								HEXANE	<	<	.390	500.000	50.000	50.000	50.000	50.000	PPM
								ISOCTANE	<	<	.350	200.000	200.000	200.000	200.000	200.000	PPM
								METHYL ETHYL KETONE	<	<	.200	25.000	25.000	25.000	25.000	25.000	PPM
								METHYLENE CHLORIDE	<	<	.330	100.000	50.000	50.000	50.000	50.000	PPM
								METHYL ISOBUTYL KETO	<	<	.180	100.000	300.000	300.000	300.000	300.000	PPM
								OCTANE	<	<	.350	500.000	600.000	600.000	600.000	600.000	PPM
								PENTANE	<	<	.420	1000.000	200.000	200.000	200.000	200.000	PPM
								PERCHLOROETHYLENE	<	<	.230	100.000	25.000	25.000	25.000	25.000	PPM
								N-PROPYL ACETATE	<	<	.350	200.000	200.000	200.000	200.000	200.000	PPM
								STYRENE	<	<	1.520	100.000	50.000	50.000	50.000	50.000	PPM
								TRICHLOROETHYLENE	<	<	.260	100.000	350.000	350.000	350.000	350.000	PPM
								1,1,1-TRICHLOROETHAN	<	<	.260	350.000	200.000	200.000	200.000	200.000	PPM
								TETRAHYDROFURAN	<	<	.790	200.000	25.000	25.000	25.000	25.000	PPM
								TRIMETHYLENENE (MI)	<	<	.720	200.000	100.000	100.000	100.000	100.000	PPM
								TOLUENE	<	<	.180	200.000	100.000	100.000	100.000	100.000	PPM
								XYLENE	<	<	.180	100.000	100.000	100.000	100.000	100.000	PPM

LOC DESC: FACT. 36 DEPT 06 AIR SAMPLING FOR SCAN 1 REQUESTED BY SHERYL
COSTELLO FOR CAPPED WELL SEPAGE. BADGE # RS4546 BADGE AT S-PALLET
ELEV. # 2B S/E DOCK.

0388 2003 0380

ACETONE	<	.870	1000.000	750.000	500.000	500.000	PPM
BENZENE	<	.180	1.000	1.000	1.000	500.000	PPM
BUTYL ACETATE	<	.550	150.000	150.000	150.000	150.000	PPM
CYCLOHEXANONE	<	.180	50.000	25.000	25.000	20.000	PPM
CHLOROBENZENE	<	.620	75.000	75.000	75.000	10.000	PPM
1,2-DICHLOROETHANE	<	.310	50.000	1.000	1.000	10.000	PPM
DECANE	<	.310	100.000	25.000	25.000	20.000	PPM
DIOXANE	<	.670	400.000	400.000	400.000	400.000	PPM
ETHYL ACETATE	<	.180	100.000	100.000	100.000	100.000	PPM
ETHYL BENZENE	<	.350	500.000	400.000	400.000	400.000	PPM
HEPTANE	<	.370	500.000	50.000	50.000	50.000	PPM
HEXANE	<	.340	200.000	200.000	200.000	200.000	PPM
ISOCTANE	<	.190	25.000	25.000	25.000	50.000	PPM
METHYL ETHYL KETONE	<	.320	100.000	50.000	50.000	300.000	PPM
METHYLENE CHLORIDE	<	.340	500.000	300.000	300.000	600.000	PPM
METHYL ISOBUTYL KETO	<	.400	1000.000	600.000	600.000	25.000	PPM
OCTANE	<	.220	100.000	200.000	200.000	200.000	PPM
PENTANE	<	1.460	100.000	50.000	50.000	20.000	PPM
PERCHLOROETHYLENE	<						
N-PROPYL ACETATE	<						
STYRENE	<						

B A S I S S T A N D A R D R E P O R T

UNIT: 19492 GMPT - FLINT ENGINE V-6

SAMPLE RESULTS WITH EXPOSURE LIMITS
AND LOCATION DESCRIPTION BY DEPARTMENT
PERSONAL AND GENERAL CONDITION SAMPLES
WITH SAMPLE DATES FROM: SEPTEMBER 8, 2003 THRU: SEPTEMBER 12, 2003
CONTAMINANT(S): \$\$\$\$
CONTAMINANT GROUP(S): \$\$\$
REPORT NAME: AIRRPT04 GENERATED: 10-28-2003 14.18.39

S	DEPT	SAMPLE	DATE	SAMPLE ID	LAST NAME	F	I	EMPLOYEE ID	CONTAMINANT	R	C	RESULT	PEL	OEG	TWA	TLV	TWA	UNITS
3606	G	09/08/03		0388	2003	0380												
									TRICHLOROETHYLENE	<		.250	100.000	50.000	50.000	50.000	50.000	PPM
									1,1,1-TRICHLOROETHAN	<		.250	350.000	350.000	350.000	350.000	350.000	PPM
									TETRAHYDROFURAN	<		.760	200.000	200.000	200.000	200.000	200.000	PPM
									TRIMETHYLBENZENE (MI	<		.700	.000	25.000	25.000	25.000	25.000	PPM
									TOLUENE	<		.180	200.000	100.000	100.000	100.000	100.000	PPM
									XYLENE	<		.180	100.000	100.000	100.000	100.000	100.000	PPM
LOC DESC: FACT. 36 DEPT 06 AIR SAMPLING FOR SCAN 1 REQUESTED BY SHERYL COSTELLO FOR CAPPED WELL SEPAGE. BADGE # RS4483 BADGE AT FENCE NEAR HOLE N/W SIDE OF AISLE INTERSECTION.																		
				0388	2003	0381			ACETONE	<		.890	1000.000	750.000	750.000	500.000	500.000	PPM
									BENZENE	<		.190	1.000	1.000	1.000	1.500	1.500	PPM
									BUTYL ACETATE	<		.560	150.000	150.000	150.000	150.000	150.000	PPM
									CYCLOHEXANONE	<		.180	50.000	25.000	25.000	20.000	20.000	PPM
									CHLOROBENZENE	<		.630	75.000	75.000	75.000	10.000	10.000	PPM
									1,2-DICHLOROETHANE	<		.310	50.000	1.000	1.000	10.000	10.000	PPM
									DECANE	<		.310	.000	.000	.000	.000	.000	PPM
									DIOXANE	<		.680	100.000	25.000	25.000	20.000	20.000	PPM
									ETHYL ACETATE	<		.680	400.000	400.000	400.000	400.000	400.000	PPM
									ETHYL BENZENE	<		.180	100.000	100.000	100.000	100.000	100.000	PPM
									HEPTANE	<		.360	500.000	400.000	400.000	400.000	400.000	PPM
									HEXANE	<		.370	500.000	50.000	50.000	50.000	50.000	PPM
									ISOCTANE	<		.340	.000	.000	.000	.000	.000	PPM
									METHYL ETHYL KETONE	<		.320	200.000	200.000	200.000	200.000	200.000	PPM
									METHYLENE CHLORIDE	<		.320	25.000	25.000	25.000	50.000	50.000	PPM
									METHYL ISOBUTYL KETO	<		.170	100.000	50.000	50.000	50.000	50.000	PPM
									OCTANE	<		.340	500.000	300.000	300.000	300.000	300.000	PPM
									PENTANE	<		.410	1000.000	600.000	600.000	600.000	600.000	PPM
									PERCHLOROETHYLENE	<		.770	100.000	25.000	25.000	25.000	25.000	PPM
									N-PROPYL ACETATE	<		.340	200.000	200.000	200.000	200.000	200.000	PPM
									STYRENE	<		1.480	100.000	50.000	50.000	20.000	20.000	PPM
									TRICHLOROETHYLENE	<		.250	100.000	50.000	50.000	50.000	50.000	PPM
									1,1,1-TRICHLOROETHAN	<		.250	350.000	350.000	350.000	350.000	350.000	PPM
									TETRAHYDROFURAN	<		.770	200.000	200.000	200.000	200.000	200.000	PPM
									TRIMETHYLBENZENE (MI	<		.700	.000	25.000	25.000	25.000	25.000	PPM
									TOLUENE	<		.180	200.000	100.000	100.000	100.000	100.000	PPM
									XYLENE	<		.180	100.000	100.000	100.000	100.000	100.000	PPM

BASIS STANDARD REPORT

UNIT: 19492 GMPT - FLINT ENGINE V-6

SAMPLE RESULTS WITH EXPOSURE LIMITS
 AND LOCATION DESCRIPTION BY DEPARTMENT
 PERSONAL AND GENERAL CONDITION SAMPLES
 WITH SAMPLE DATES FROM: SEPTEMBER 8, 2003 THRU: SEPTEMBER 12, 2003
 CONTAMINANT(S): \$\$\$\$\$\$
 CONTAMINANT GROUP(S): \$\$\$
 REPORT NAME: AIRRPT04 GENERATED: 10-28-2003 14.18.39

S	DEPT T	SAMPLE DATE	SAMPLE ID	LAST NAME	F I	R C	RESULT	PEL	OEG TWA	TLV TWA	UNITS
3606 G	09/08/03	0388 2003 0382									
LOC DESC: FACT. 36 DEPT 06 AIR SAMPLING FOR SCAN 1 REQUESTED BY SHERYL COSTELLO FOR CAPPED WELL SEPAGE. BADGE # RS4535 BADGE AT FENCE NEAR HOLE S/W SIDE OF AISLE INTERSECTION.											
						<	.890	1000.000	750.000	500.000	PPM
						<	.190	1.000	1.000	.500	PPM
						<	.560	150.000	150.000	150.000	PPM
						<	.180	50.000	25.000	20.000	PPM
						<	.630	75.000	75.000	10.000	PPM
						<	.310	50.000	1.000	10.000	PPM
						<	.310	.000	.000	.000	PPM
						<	.680	100.000	25.000	20.000	PPM
						<	.680	400.000	400.000	400.000	PPM
						<	.180	100.000	100.000	100.000	PPM
						<	.360	500.000	400.000	400.000	PPM
						<	.370	500.000	50.000	50.000	PPM
						<	.340	.000	.000	.000	PPM
						<	.200	200.000	200.000	200.000	PPM
						<	.320	25.000	25.000	50.000	PPM
						<	.170	100.000	50.000	50.000	PPM
						<	.340	500.000	300.000	300.000	PPM
						<	.410	1000.000	600.000	600.000	PPM
						<	.220	100.000	25.000	25.000	PPM
						<	.340	200.000	200.000	200.000	PPM
						<	1.480	100.000	50.000	20.000	PPM
						<	.250	100.000	50.000	50.000	PPM
						<	.250	350.000	300.000	350.000	PPM
						<	.770	200.000	200.000	200.000	PPM
						<	.700	.000	25.000	25.000	PPM
						<	.180	200.000	100.000	50.000	PPM
						<	.180	100.000	100.000	100.000	PPM

LOC DESC: FACT. 36 DEPT 06 AIR SAMPLING FOR SCAN 1 REQUESTED BY SHERYL COSTELLO FOR CAPPED WELL. SEPAGE. BADGE # RS4627 BADGE AT FENCE NEAR HOLE W SIDE OF AISLE NEAR STAIRS TO BATHROOM

B A S I S S T A N D A R D R E P O R T

UNIT: 19493 GMPT - FLINT COMPONENTS

SAMPLE RESULTS WITH EXPOSURE LIMITS
AND LOCATION DESCRIPTION BY DEPARTMENT
PERSONAL AND GENERAL CONDITION SAMPLES
WITH SAMPLE DATES FROM: SEPTEMBER 8, 2003 THRU: SEPTEMBER 12, 2003
CONTAMINANT(S): \$\$\$\$
CONTAMINANT GROUP(S): \$\$\$
REPORT NAME: AIRRPT04 GENERATED: 10-28-2003 14.18.39

DEPT	T	S	SAMPLE DATE	SAMPLE ID	LAST NAME	F	I	EMPLOYEE ID	CONTAMINANT	R	C	RESULT	PEL	OEG TWA	TLV TWA	UNITS
8108	G		09/12/03	0388 2003 0384												
									ACETONE	<		.890	1000.000	750.000	500.000	PPM
									BENZENE	<		.190	1.000	1.000	.500	PPM
									BUTYL ACETATE	<		.560	150.000	150.000	150.000	PPM
									CYCLOHEXANONE	<		.180	50.000	25.000	20.000	PPM
									CHLOROBENZENE	<		.630	75.000	75.000	10.000	PPM
									1,2-DICHLOROETHANE	<		.310	50.000	1.000	10.000	PPM
									1,1-DICHLOROETHYLENE	<		.280	.000	1.000	5.000	PPM
									DECANE	<		.310	.000	.000	.000	PPM
									DIOXANE	<		.680	100.000	25.000	20.000	PPM
									ETHYL ACETATE	<		.680	400.000	400.000	400.000	PPM
									ETHYL BENZENE	<		.180	100.000	100.000	100.000	PPM
									HEPTANE	<		.360	500.000	400.000	400.000	PPM
									HEXANE	<		.370	500.000	50.000	50.000	PPM
									ISOOCTANE	<		.340	.000	.000	.000	PPM
									METHYL ETHYL KETONE	<		.200	200.000	200.000	200.000	PPM
									METHYLENE CHLORIDE	<		.320	25.000	25.000	50.000	PPM
									METHYL ISOBUTYL KETO	<		.170	100.000	50.000	50.000	PPM
									OCTANE	<		.340	500.000	300.000	300.000	PPM
									PENTANE	<		.410	1000.000	600.000	600.000	PPM
									PERCHLOROETHYLENE	<		.220	100.000	25.000	25.000	PPM
									N-PROPYL ACETATE	<		.340	200.000	200.000	200.000	PPM
									STYRENE	<		1.480	100.000	50.000	20.000	PPM
									TRICHLOROETHYLENE	<		.250	350.000	350.000	350.000	PPM
									1,1,1-TRICHLOROETHAN	<		.350	1000.000	1000.000	1000.000	PPM
									1,1,2-TRICHLORO-1,2,	<		.770	200.000	200.000	200.000	PPM
									TETRAHYDROFURAN	<		.700	.000	25.000	25.000	PPM
									TRIMETHYLBENZENE (MI	<		.180	200.000	100.000	50.000	PPM
									TOLUENE	<		.180	200.000	100.000	100.000	PPM
									XYLENE	<		.180	100.000	100.000	100.000	PPM

LOC DESC: GMPT FLINT NORTH , DEPT. 81-08 , BAY I-30 GENERAL SAMPLE LOCATED
AT SOUTH END OF PART INSP TABLE , 10 FEET EAST OF WELL LOCATION
N/SIDE OF E/W AISLE,

0388 2003 0386

1,1-DICHLOROETHANE < .630 100.000 100.000 100.000 PPM

BASIS STANDARD REPORT

UNIT: 19493 GMPT - FLINT COMPONENTS

WITH SAMPLE DATES FROM SEPTEMBER 8, 2003 THRU SEPTEMBER 12, 2003

S	DEPT	SAMPLE DATE	SAMPLE ID	LAST NAME	F I	R C	EMPLOYEE ID	CONTAMINANT	RESULT	PEL	OBSG TWA	TIV TWA	UNITS
8108	G	09/12/03	0388	2003	0387								
								LOC DESC:					
								GMPT FLINT NORTH , DEPT. 81-08 , BAY I-30 GENERAL SAMPLE LOCATED AT E-1 DISCONNECT FOR VISION INSP OP 110 , 8 FEET S/W OF WELL					
								1,1,2-TRICHLORO-1,2, <	.350	1000.000	1000.000	1000.000	PPM
								LOC DESC:					
								FLINT NORTH, DEPT. 8108 BAY I-30 GENERAL SAMPLE LOCATED AT SHUTTLE VALVE EAST OF OPER. STATION 8 FEET NORTH OF WELL SOUTH SIDE OF PART WASHER					
								1,1-DICHLOROETHYLENE <	.630	.000	1.000	5.000	PPM
								LOC DESC:					
								FLINT NORTH, DEPT. 81-08, BAY I-30 GENERAL SAMPLE AT BT 2547736 CONTROL PANEL NORTH SIDE EAST/WEST AISLE 30 FEET S/E OF WELL N/SIDE OF AISLE					