

NEW HAMPSHIRE CODE OF ADMINISTRATIVE RULES

Env-A 2100

TABLE OF CONTENTS

CHAPTER Env-A 2100 PARTICULATE MATTER AND VISIBLE EMISSIONS STANDARDS

PART Env-A 2101 PURPOSE; APPLICABILITY

Env-A 2101.01 Purpose .....Page 1

Env-A 2101.02 Applicability ..... Page 1

PART Env-A 2102 EMISSION STANDARDS FOR PARTICULATE MATTER

Env-A 2102.01 Applicability..... Page 1

Env-A 2102.02 Definitions ..... Page 1

Env-A 2102.03 Emission Standards for Particulate Matter..... Page 1

Env-A 2102.04 Calculation of Particulate Matter Emission Standards..... Page 2

PART Env-A 2103 VISIBLE EMISSION STANDARDS

Env-A 2103.01 Applicability..... Page 3

Env-A 2103.02 Visible Emission Standards..... Page 3

Env-A 2103.03 \* \* \*

---

\* \* \* NOTE: EPA did not approve PART Env-A 2103.03 AFFIRMATIVE DEFENSE TO PENALTY ACTION into the New Hampshire State Implementation Plan.

NEW HAMPSHIRE CODE OF ADMINISTRATIVE RULES  
Env-A 2100

CHAPTER Env-A 2100 PARTICULATE MATTER AND VISIBLE EMISSIONS STANDARDS

Statutory Authority: RSA 125-C:4:I, (a) and (e)

PART Env-A 2101 PURPOSE

Env-A 2101.01 Purpose. The purpose of this chapter is to establish standards for particulate matter and visible emissions for those stationary sources or devices that are not specifically regulated pursuant to any other chapter, part, or section of this subtitle.

Env-A 2101.02 Applicability. The rules in this chapter shall apply within New Hampshire as specified in Env-A 2102.01 and Env-A 2103.01.

PART Env-A 2102 EMISSION STANDARDS FOR PARTICULATE MATTER

Env-A 2102.01 Applicability.

- (a) Subject to (b), below, this part shall apply to any stationary source or device that is a source of particulate matter emissions discharged to the ambient air through a stack or through an exhaust and ventilation system.
- (b) Those sources of particulate matter emissions that are governed specifically by other chapters, parts, or sections of this subtitle shall be controlled by those particular chapters, parts, or sections.

Env-A 2102.02 Definitions. “Exhaust and ventilation system” means any system that removes and transports particulate matter from the point of generation to the ambient air.

Env-A 2102.03 Emission Standards for Particulate Matter.

- (a) For any stationary source or device installed after February 18, 1972, the owner or operator shall not cause or allow the emission of particulate matter at such source or device to exceed the emission standards specified for “New Devices” as listed in Table 2102-1, in (c), below.
- (b) For any stationary source or device installed prior to or on February 18, 1972, the owner or operator shall not cause or allow the emission of particulate matter at such source or device to exceed the emission standards specified for “Existing Devices” as listed in Table 2102-1, in (c), below.
- (c) Particulate matter emission standards shall be as set forth in Table 2102-1, below:

Table 2102-1 Particulate Matter Emission Standards

Process Weight Rate (tons per hour)	Emission Standard for "New Devices" (pounds per hour)	Emission Standard for "Existing Devices" (pounds per hour)
0.025	0.36	0.43
0.05	0.55	0.68
Process Weight Rate (tons per hour)	Emission Standard for "New Devices" (pounds per hour)	Emission Standard for "Existing Devices" (pounds per hour)
0.25	1.53	1.99
0.5	2.58	3.17
2.5	7.58	9.35
5	12.0	14.85
10	19.2	23.62
30	40.0	49.31
40	42.5	51.03
60	46.3	55.55
90	49.0	58.88
100	51.2	61.53
500	69.0	82.75
1,000	77.6	93.11

Env-A 2102.04 Calculation of Particulate Matter Emission Standards.

(a) Where the process weight rate is not explicitly listed in Table 2102-1, the maximum allowable particulate matter emission rate shall be calculated using the applicable equation in (b) or (c), below, where:

- (1) "E" means the maximum allowable particulate matter emission rate in pounds per hour (lb/hr); and
- (2) "P" means the process weight rate in tons per hour (tons/hr).

(b) For a stationary source or device installed prior to or on February 18, 1972, if the process weight rate is:

- (1) Up to 30 tons/hr, P shall be raised to the 0.67 power and multiplied by 5.05, as shown in the formula below:

$$E = 5.05 P^{0.67}$$

(2) In excess of 30 tons/hr, P shall be raised to the 0.11 power and multiplied by 66.0, and then 48 shall be subtracted from that result, as shown in the formula below:

$$E = 66.0 P^{0.11} - 48$$

(c) For a stationary source or device installed after February 18, 1972, if the process weight rate is:

(1) Up to 30 tons/hr, P shall be raised to the 0.67 power and multiplied by 4.10, as in the formula below:

$$E = 4.10 P^{0.67}$$

(2) In excess of 30 tons/hr, P shall be raised to the 0.11 power and multiplied by 55.0, and then 40 shall be subtracted from that result, as in the formula below:

$$E = 55.0 P^{0.11} - 40$$

## PART Env-A 2103 VISIBLE EMISSION STANDARDS

### Env-A 2103.01 Applicability.

(a) Subject to (b), below, this part shall apply to any stationary source or device that is a source of visible emissions.

(b) Those sources of visible emissions that are governed specifically by other chapters, parts, or sections of this subtitle shall be controlled by those particular chapters, parts, or sections.

### Env-A 2103.02 Visible Emission Standards.

(a) The owner or operator shall not cause or allow visible emissions from any stationary source or device subject to this part to exceed an average of 20 percent opacity for any continuous 6-minute period.

(b) Opacity shall be determined in accordance with Env-A 807.

### Env-A 2103.03 \* \* \*

---

\* \* \* NOTE: EPA did not approve PART Env-A 2103.03 AFFIRMATIVE DEFENSE TO PENALTY ACTION into the New Hampshire State Implementation Plan.