

ALABAMA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

Air Division

Chapter 335-3-2
Air Pollution Emergency

335-3-2-.01 Air Pollution Emergency

The Director is authorized and empowered to enforce or require enforcement of any provisions of this Chapter throughout the State of Alabama.

Author: James W. Cooper and John E. Daniel

Statutory Authority: Code of Alabama 1975, Secs. 22-28-14, 22-22A-5, 22-22A-5, 22-22A-6, and 22-22A-8.

History: Effective date: January 18, 1972.

Amended:

	Date Submitted to EPA	Date Approved by EPA	Federal Register
Original Reg	JAN 25, 1972	MAY 31, 1972	37 FR 10842
1st Revision	OCT 31, 1989	MAR 19, 1990	55 FR 10062

335-3-2-.02 Episode Criteria

When the Director determines that conditions justify the proclamation of an air pollution episode stage, due to the accumulation of air contaminants in any place within the State, attaining levels which could, if sustained or exceeded, lead to a substantial threat to the health of persons, he shall be guided by the following criteria.

(a) Episode stages shall be determined and declared upon the basis of average concentrations recorded at any monitoring station in the State.

(b) If contamination and meteorology warrant, any advanced episode stage may be declared by the Director without first declaring a lesser degree of Alert or Watch. The Director shall, at his discretion, declare a lesser stage, the termination or the continuance of the advanced episode stage during such times when contamination and meteorological conditions moderate significantly after an advanced episode stage has been declared.

(c) **Episode Watch.** The Director shall declare an Episode Watch when one or more of the following events takes place.

1. An Atmospheric Stagnation Advisory is issued by the National Weather Service, stating that atmospheric conditions marked by a slow moving high pressure system, light winds, and temperature inversions are expected to affect the State of Alabama or portions thereof for the next thirty-six (36) hours.

2. A forecast by local meteorologist that stagnant atmospheric conditions as described above could result in high air pollution levels in Alabama or portions thereof.

3. Validated reports of abnormally high air pollution measurements, specifically, reaching or exceeding fifty percent (50%) of the Alert level of paragraph (4) of this Rule for at least three (3) consecutive hours at a given locality in the State.

(d) **Alert.** The Director shall declare an Alert when any one of the following contaminant concentrations is measured at any monitoring site and when adverse meteorological conditions can be expected to remain at these levels or higher for the next twelve (12) hours or more unless control measures are taken:

1. Sulfur Dioxide. Measured by a continuous coulometric and colorimetric analyzer or equivalent.

24-hour average. 0.30 ppm (800 ug/m³)

2. PM₁₀. Measured by a PM₁₀ sampler, 24 hour accumulation.

24 hour average, 350 µg/m³

3. Carbon Monoxide. Measured by a continuous reference method analyzer or equivalent.

8-hour average, 15 ppm (17 mg/m³)

4. Nitrogen Dioxide. Measured by a continuous reference method analyzer or equivalent.

24-hour average, 0.15 ppm (282 µg/m³)

or 1-hour average, 0.6 ppm (1130 µg/m³)

5. Ozone. Measured by a continuous reference method analyzer or equivalent.

1-hour average, 0.15 ppm (295 µg/m³)

(e) **Warning.** A Warning shall be declared by the Director when the concentrations of any of the following air contaminants measured at any monitoring site reach the following levels, and when adverse meteorological conditions can be expected to remain at these levels or higher for the next 12 hours or more unless control measures are taken:

1. Sulfur Dioxide. Measured by a continuous reference method analyzer or equivalent

24-hour average, 0.6 ppm (1600 µg/m³)

2. PM₁₀. Measured by a PM₁₀ sampler, 24 hour accumulation.

24-hour average, 420 µg/m³

3. Carbon Monoxide. Measured by a continuous reference method analyzer or equivalent.

8-hour average, 30 ppm (34 mg/m³)

4. Nitrogen Dioxide. Measured by a continuous reference method analyzer or equivalent.

24-hour average, 0.30 ppm (565 µg/m³)

1-hour average, 1.20 ppm (2260 µg/m³)

5. Ozone. Measured by a continuous reference method analyzer or equivalent.

1-hour average, 0.40 ppm (800 µg/m³)

(f) **Emergency.** An Emergency shall be declared by the Director when the following concentrations of air contaminants have been reached or when meteorological conditions can be

expected to reach or exceed these levels at any monitoring site in the State for a period of twelve (12) hours or more unless control actions are taken:

1. Sulfur dioxide. Measured by a continuous reference method analyzer or equivalent.

24-hour average, 0.8 ppm (2100 $\mu\text{g}/\text{m}^3$)

2. PM₁₀. Measured by a PM₁₀ sampler, 24-hour accumulation.

24-hour average, 500 $\mu\text{g}/\text{m}^3$

3. Carbon Monoxide. Measured by a continuous reference method analyzer or equivalent.

8-hour average, 40 ppm (46 mg/m^3)

4. Nitrogen Dioxide. Measured by a continuous reference method analyzer or equivalent.

24-hour average, 0.40 ppm (750 $\mu\text{g}/\text{m}^3$)

1-hour average, 1.60 ppm (3000 $\mu\text{g}/\text{m}^3$)

5. Ozone. Measured by a continuous reference method analyzer or equivalent.

1-hour average, 0.50 ppm (1000 $\mu\text{g}/\text{m}^3$)¹

(g) Termination.

1. The status reached by application of the Episode Criteria of this Rule shall remain in effect until the criteria for that level is no longer met. At such time, the next lower status will be assumed and such changes declared by the Director. Specifically:

- (i) When ambient contaminant concentrations fall below the critical levels for the stage, and a downward trend of concentration is established; and

- (ii) When meteorological conditions that attended the high concentrations are no longer called for in official weather predictions.

¹ (Revised March 30, 1976)

2. A public declaration will take on one of the following forms:

- (i) Terminate "Emergency Status," resume "Warning Status" or "Alert Status", whichever is appropriate;
- (ii) Terminate "Warning Status," resume "Alert Status," or stage;
- (iii) Terminate "Episode Status."

3. Upon termination of an "Episode Status," the Division of Air Pollution Control will remain on internal "Episode Watch" until a return to normal operation is announced by the Division Director.

(h) **Status Declaration Authority.** The Director, Division of Air Pollution Control, or his duly authorized agent, shall have the authority to make an announcement of internal Episode watch and public declarations of Alert, Warning, and Emergency Status.

Author: James W. Cooper and John E. Daniel

Statutory Authority: Code of Alabama 1975, Secs. 22-28-14, 22-22A-5, 22-22A-5, 22-22A-6, and 22-22A-8.

History: Effective date: January 18, 1972.

Amended:

	Date Submitted to EPA	Date Approved by EPA	Federal Register
Original Reg	JAN 25, 1972	MAY 31, 1972	37 FR 10842
1 st Revision	FEB 15, 1973	APR 23, 1974	39 FR 14338
2 nd Revision	JAN 11, 1980	AUG 11, 1980	45 FR 53136
3 rd Revision	OCT 31, 1989	MAR 19, 1990	55 FR 10063
4 th Revision	OCT 30, 1996	JUN 06, 1997	62 FR 30991
5 th Revision	AUG 16, 2000	DEC 08, 2000	65 FR 76938

NOTE: Sections d e and f 2-5 were updated August 20, 2010. These provisions were inadvertently deleted from the SIP in a 1990 action (55 FR 10062 AL-28) when we did not approve an update to those sections. In AL-44, the state submitted and we approved a blanket revision to 335-3-2-.02 (62 FR 30991). Therefore we are adding that change back into the next compilation. In 2000, Alabama recodified the section (65 FR 76938). These revisions dates are already included so no need to update the table.

335-3-2-.03 Special Episode Criteria

(1) The Director shall have the authority to declare episodic conditions when the atmospheric concentration of a single contaminant or that of a specific locality within the State show elevated concentrations.

(2) **Specific Pollutant Situation.** When concentrations of one or two contaminants reach or exceed the defined criteria levels, and concentration of other contaminants remain substantially below 50 percent of Alert levels, and meteorological conditions are such that these specific contaminant concentrations can be expected to remain at the above levels for 12 hours or more or increase unless control action is taken, a Specific Alert, Warning, or Emergency Status shall be declared by the Director, naming the contaminants that meet the respective criteria. In such instances when two such contaminants meet different criteria, the Director shall declare the status for the episode having the higher level and that an Episode Watch is being maintained on the remaining contaminant.

(3) **Specific Locality Situation.** When high concentrations of one or more contaminants are measured at one monitoring site and not others and the effect is judged to originate from an identifiable source near the given site, the Director shall declare the appropriate local Alert, Warning, or Emergency, Status for the delineated area and that an Episodic Watch is in effect for any remaining portion of the jurisdictional area while meteorological conditions favor the maintenance or increase of said high concentration for at least twelve (12) hours or more unless control action is taken.

Author: James W. Cooper and John E. Daniel

Statutory Authority: Code of Alabama 1975, Secs. 22-28-14, 22-22A-5, 22-22A-5, 22-22A-6, and 22-22A-8.

History: Effective date: January 18, 1972.

Amended:

Date Submitted to EPA	Date Approved by EPA	Federal Register	
Original Reg	JAN 25, 1972	MAY 31, 1972	37 FR 10842
1st Revision	OCT 31, 1989	MAR 19, 1990	55 FR 10062

335-3-2-.04 Emission Reduction Plans

Upon declaring and Episode Watch, Alert, Warning, or Emergency, the Director shall order persons responsible for the operation of a source of air contaminants causing or contributing to such episode to take the general measures outlined in the Emergency Episode Plan for the State of Alabama (dated November 1971, prepared by TRW, Inc.) or revision thereof, as he deems appropriate, in addition to all specific source curtailments designated by him.

Author: James W. Cooper and John E. Daniel

Statutory Authority: Code of Alabama 1975, Secs. 22-28-14, 22-22A-5, 22-22A-5, 22-22A-6, and 22-22A-8.

History: Effective date: January 18, 1972.

Amended:

Date Submitted to EPA	Date Approved by EPA	Federal Register	
Original Reg	JAN 25, 1972	MAY 31, 1972	37 FR 10842
1st Revision	OCT 31, 1989	MAR 19, 1990	55 FR 10062

335-3-2-.05 Two Contaminant Episode

The Director shall declare an Alert, Warning, or Emergency Status specific for two contaminants when the ambient concentrations of two contaminants simultaneously reach or exceed their respective Episode Criteria of this Chapter and meteorological conditions or such that contaminant concentrations can be expected to remain at those criteria levels for twelve (12) or more hours or increase unless control actions are taken. When criteria levels correspond to different episode status for two contaminants, the Director shall declare the status of the higher of the two.

Author: James W. Cooper and John E. Daniel

Statutory Authority: Code of Alabama 1975, Secs. 22-28-14, 22-22A-5, 22-22A-5, 22-22A-6, and 22-22A-8.

History: Effective date: January 18, 1972.

Amended:

Date Submitted to EPA	Date Approved by EPA	Federal Register	
Original Reg	JAN 25, 1972	MAY 31, 1972	37 FR 10842
1st Revision	OCT 31, 1989	MAR 19, 1990	55 FR 10062

335-3-2-.06 General Episodes

The Director shall, in the event that the ambient concentrations of three (3) or more contaminants simultaneously reach or exceed their respective Episode Criteria and no improvements in meteorological conditions are forecast for the next twelve (12) hours, declare a General Alert, Warning, or Emergency Status. In the event that criteria levels correspond to different statuses for each contaminant, the Director shall declare a general status corresponding to the highest individual status.

Author: James W. Cooper and John E. Daniel

Statutory Authority: Code of Alabama 1975, Secs. 22-28-14, 22-22A-5, 22-22A-5, 22-22A-6, and 22-22A-8.

History: Effective date: January 18, 1972.

Amended:

	Date Submitted to EPA	Date Approved by EPA	Federal Register
Original Reg	JAN 25, 1972	MAY 31, 1972	37 FR 10842
1st Revision	OCT 31, 1989	MAR 19, 1990	55 FR 10062

335-3-2-.07 Local Episodes

(1) The Director shall specify the area of the State affected when a Local Alert, Warning, or Emergency Status is declared or when an Accidental Episode for common contaminants occurs, based upon air quality and meteorological reports and predictions.

(2) When the Director declares such a local episode, any person responsible for the operation from which excess emissions result shall shut down such an operation and make repairs or alter then process as required by the Director to restore normal operations.

(3) When the Director declares that a Local Alert, Warning, or Emergency Status is in effect for a delineated area, corresponding general measures shall be applied as detailed in Part 335-3-2-.04, depending upon which contaminant(s) is/are being emitted in excess. (*Amended July 26, 1972*)

Author: James W. Cooper and John E. Daniel

Statutory Authority: Code of Alabama 1975, Secs. 22-28-14, 22-22A-5, 22-22A-5, 22-22A-6, and 22-22A-8.

History: Effective date: January 18, 1972.

Amended:

	Date Submitted to EPA	Date Approved by EPA	Federal Register
Original Reg	JAN 25, 1972	MAY 31, 1972	37 FR 10842
1st Revision	OCT 31, 1989	MAR 19, 1990	55 FR 10062

335-3-2-.08 Other Sources

(1) Any person responsible for the operation of a source of air contaminants as determined by the Director shall prepare standby plans for reducing the emissions of air contaminants during periods of an Episode Alert, Warning, and Emergency. Standby plans shall be designed to reduce or eliminate emissions of air contaminants in accordance with the objectives set forth in Rule 335-3-2-.04.

(Amended July 26, 1972)

(2) Any person responsible for the operation of a source of air contaminants not designated by the Director shall when requested in writing by the Director prepare standby plans for reducing the emission of air contaminants during periods of Episode Alert, Warning, and Emergency. Standby plans shall be designed to reduce or eliminate emissions for air contaminants in accordance with the objectives set forth in Rule 335-3-2-.04. *(Amended July 26, 1972)*

(3) Standby plans as required under paragraph (1) of this Rule shall begin writing and identify the sources of air contaminants, the amount of reduction of contaminants, and a brief description of the manner in which reduction will be achieved during Episodes of Alert, Warning and Emergency.

(4) During Episodes of Alert, Warning, and Emergency Status, standby plans as required by this Chapter shall be made available on the premises to any person authorized to enforce the provisions of applicable rules and regulations.

(5) Standby plans as required by these rules and regulations shall be submitted to the Director upon request within thirty (30) days of the receipt of such request; such standby plans shall be subject to review and approval of the Director. If, in the opinion of the Director, a standby plan does not effectively carry out the objectives as set forth in these rules and regulations, the Director may disapprove it, state the reason for disapproval, and order the preparation of an amended standby plan within the time period specified in the order.

Author: James W. Cooper and John E. Daniel

Statutory Authority: Code of Alabama 1975, Secs. 22-28-14, 22-22A-5, 22-22A-5, 22-22A-6, and 22-22A-8.

History: Effective date: January 18, 1972.

Amended: July 26, 1972

	Date Submitted to EPA	Date Approved by EPA	Federal Register
Original Reg	JAN 25, 1972	MAY 31, 1972	37 FR 10842

1st Revision	FEB 15, 1973	APR 23, 1974	39 FR 14338
2nd Revision	JAN 11, 1980	AUG 11, 1980	45 FR 53136
3rd Revision	OCT 31, 1989	MAR 19, 1990	55 FR 10063
4th Revision	OCT 30, 1996	JUN 06, 1997	62 FR 30991

335-3-2-.09 Other Authority Not Affected

The provisions of this Chapter shall in no way affect the power and authority of the Governor, Chairman, or Director as they pertain to Emergency Procedures as provided in Section 11 of the Act.

Author: James W. Cooper and John E. Daniel

Statutory Authority: Code of Alabama 1975, Secs. 22-28-14, 22-22A-5, 22-22A-5, 22-22A-6, and 22-22A-8.

History: Effective date: January 18, 1972.

Amended:

	Date Submitted to EPA	Date Approved by EPA	Federal Register
Original Reg	JAN 25, 1972	MAY 31, 1972	37 FR 10842
1st Revision	OCT 31, 1989	MAR 19, 1990	55 FR 10062