

Appendix A

2016 Air Monitoring Site Descriptions

Summary

The following pages are descriptions of MPCA Air Quality Monitoring Sites. Each site has its own page and each page is listed in the Table of Contents.

At the top of each page is the city where the site is located and the site name. Below the heading there is identification information for each site, including the AQS site identification number, MPCA site identification number, address, city, county, location setting, latitude, longitude, elevation, and year established.

The next section of the page has a table of possible monitoring parameters and a map of Minnesota. Parameters that are monitored at the particular site are indicated in the table. The Minnesota map portrays the approximate location of the site within the state.

Next there is a smaller scale map of the site. This map indicates the major roadways or other geographic features that are near the site. It is followed by a recent picture of the monitors in their current location.

The final section of the page contains a short site description, a list of monitoring objectives, and any changes proposed for the site.

Federal Regulation

40 CFR § 58.10(a)(1) Annual monitoring network plan and periodic network assessment
Beginning July 1, 2007, the State, or where applicable local, agency shall adopt and submit to the Regional Administrator an annual monitoring network plan which shall provide for the establishment and maintenance of an air quality surveillance system that consists of a network of SLAMS monitoring stations including FRM, FEM, and ARM monitors that are part of SLAMS, NCore stations, STN stations, State speciation stations, SPM stations, and/or, in serious, severe and extreme ozone nonattainment areas, PAMS stations, and SPM monitoring stations. The plan shall include a statement of purposes for each monitor and evidence that siting and operation of each monitor meets the requirements of appendices A, C, D, and E of this part, where applicable. The annual monitoring network plan must be made available for public inspection for at least 30 days prior to submission to EPA.

Authors

Kurt Anderson
Kellie Gavin
Dennis Fenlon
Rick Strassman

The MPCA is reducing printing and mailing costs by using the Internet to distribute reports and information to wider audience. Visit our web site for more information.

MPCA reports are printed on 100% post-consumer recycled content paper manufactured without chlorine or chlorine derivatives.

Contributors / acknowledgements

Cassie McMahon
Shawn Nelson
Mark Schifsky
Joseph Smith

Minnesota Pollution Control Agency

520 Lafayette Road North | Saint Paul, MN 55155-4194 | www.pca.state.mn.us | 651-296-6300
Toll free 800-657-3864 | TTY 651-282-5332

This report is available in alternative formats upon request, and online at
www.pca.state.mn.us/air/monitoringnetwork.html

Document number: aq10-14b

Table of Contents

NADP Site MN08: Hovland	A-1
NADP Site MN16: Marcell	A-2
NADP Site MN23: Camp Ripley.....	A-3
NADP Site MN27: Lamberton	A-4
NADP Site MN28: Grindstone Lake	A-5
NADP Site MN32: Voyageurs NP	A-6
NADP Site MN99: Wolf Ridge	A-7
MPCA Site 250: St. Louis Park City Hall	A-8
MPCA Site 420: Flint Hills Refinery 420.....	A-9
MPCA Site 423: Flint Hills Refinery 423.....	A-10
MPCA Site 436: St. Paul Park Refinery 436.....	A-11
MPCA Site 438: St. Paul Park Refinery 438.....	A-12
MPCA Site 443: Flint Hills Refinery 443.....	A-13
MPCA Site 446: Point Road	A-14
MPCA Site 465: Gopher Resources.....	A-15
MPCA Site 470: Westview School	A-16
MPCA Site 480: Near Road Lakeville	A-17
MPCA Site 505: Shakopee	A-18
MPCA Site 861: Lexington Avenue	A-19
MPCA Site 818 : St. Paul Downtown Airport	A-20
MPCA Site 866: Red Rock Road	A-21
MPCA Site 868: Ramsey Health Center	A-22
MPCA Site 871: Harding High School	A-23
MPCA Site 907: Humboldt Avenue.....	A-24
MPCA Site 909: Lowry Avenue	A-25
MPCA Site 910: Pacific Street.....	A-26
MPCA Site 954: Arts Center.....	A-27
MPCA Site 961: Richfield Intermediate School.....	A-28
MPCA Site 962: Near Road I-35/I-94	A-29
MPCA Site 963: Andersen School	A-30
MPCA Site 966: City of Lakes Building.....	A-31
MPCA Site 1300: Virginia City Hall.....	A-32
MPCA Site 1908: South St. Anthony Park.....	A-33
MPCA Site 2013: Detroit Lakes.....	A-34
MPCA Site 2304: Red Lake Nation.....	A-35
MPCA Site 3051: Mille Lacs Band	A-36
MPCA Site 3052: Talahi School.....	A-37
MPCA Site 3201: St. Michael	A-38
MPCA Site 3204: Brainerd Lakes Regional Airport	A-39
MPCA Site 4210: Marshall.....	A-40
MPCA Site 5008: Rochester.....	A-41
MPCA Site 5302: Stanton Air Field	A-42
MPCA Site 6010: Anoka County Airport (NADP site MN98)	A-43
MPCA Site 6012: U of M - Cedar Creek (NADP site MN01)	A-44
MPCA Site 6016: St. Croix Watershed Research Station	A-45
MPCA Site 7001: Ely (NADP site MN18)	A-46
MPCA Site 7417: Fond du Lac Band.....	A-47
MPCA Site 7545: Oneota Street	A-48
MPCA Site 7549: W Michigan Street	A-49
MPCA Site 7550: U of M Duluth	A-50
MPCA Site 7554: Laura MacArthur School.....	A-51
MPCA Site 7555: Waseca Road	A-52
MPCA Site 7810: Grand Portage Band	A-53
IMPROVE Site GRR11: Great River Bluffs State Park	A-54

Hovland

Site Information:

AQS Site ID: **(none)**
 NADP Site ID: **MN08**
 Address: **(open field)**
 City: **Hovland**
 County: **Cook**

Location Setting: **Rural**



Latitude: **47.8472**
 Longitude: **-89.9625**
 Elevation: **224 m**
 Year Established: **1996**

Monitoring Parameters:

PM _{2.5} FRM	PM _{2.5} Continuous	PM _{2.5} Speciation	PM ₁₀	TSP/Metals	VOCs	Carbonyls	Carbon Monoxide	Ozone	SO ₂	NO _x	Meteorological Data	Other*
												E

E = Existing, A = Proposed to Add, T = Proposed to Terminate
 Sampling Frequency: 1 = Everyday, 3 = Every 3rd day, 6 = Every 6th day

*Acid Deposition



Site Description:

This NADP acid rain monitoring site is located in Cook County near the small community of Hovland in northeastern Minnesota. The site is located in a two acre clearing along County Road 69, ½ mile north of State Highway 61 and Lake Superior. Land use within one mile of the site is a mix of residential along the Lake Superior shoreline and county, state, and federal forests inland along the Arrowhead Trail. Significant air emission sources are located more than 50 miles from the site and consist of pulp and paper mills, lumber mills, taconite processing facilities, and a coal fired power plant.

Monitoring Objectives:

- Characterize precipitation chemistry to track long-term spatial and temporal trends, support research, and assess the effectiveness of State and Federal SO₂ emission reduction programs.
- Demonstrate compliance with the Minnesota Wet Sulfate Deposition Standard (Minn. R. 7005.4010 to 7005.4050).

Planned Changes:

None

Marcell

Site Information:

AQS Site ID: **(none)**
 NADP Site ID: **MN16**
 Address: **Marcell Experimental Forest**
 City: **Balsam Lake**
 County: **Itasca**

Location Setting: **National Forest**
 Latitude: **47.5311**
 Longitude: **-93.4686**
 Elevation: **431 m**
 Year Established: **1978**

Monitoring Parameters:

PM _{2.5} FRM	PM _{2.5} Continuous	PM _{2.5} Speciation	PM ₁₀	TSP/Metals	VOCs	Carbonyls	Carbon Monoxide	Ozone	SO ₂	NO _x	Meteorological Data	Other*
												E

E = Existing, A = Proposed to Add, T = Proposed to Terminate
 Sampling Frequency: 1 = Everyday, 3 = Every 3rd day, 6 = Every 6th day

*Acid and Hg Deposition



Site Description:

This NADP acid rain and mercury monitoring site is located in Itasca County approximately 20 miles north of Grand Rapids in a two-acre clearing on the Marcell Experimental Forest. This area is within the Chippewa National Forest. U.S. Forest Service personnel operate and maintain this site with support from the MPCA. Land use within a mile of the site is dominated by managed forests and seasonal residences on the area lakes. Significant air emission sources are located more than 20 miles from the site and consist of pulp and paper mills, lumber mills, and a coal fired power plant.

Monitoring Objectives:

- Characterize precipitation chemistry to track long-term spatial and temporal trends, support research, and assess the effectiveness of State and Federal SO₂ and mercury emissions reduction programs.
- Demonstrate compliance with the Minnesota Wet Sulfate Deposition Standard (Minn. R. 7005.4010 to 7005.4050).

Planned Changes:

None

Camp Ripley

Site Information:

AQS Site ID: **(none)**
 NADP Site ID: **MN23**
 Address: **(open field)**
 City: **Pillager**
 County: **Morrison**

Location Setting: **Rural**
 Latitude: **46.2494**
 Longitude: **-94.4972**
 Elevation: **410 m**
 Year Established: **1983**

Monitoring Parameters:

PM _{2.5} FRM	PM _{2.5} Continuous	PM _{2.5} Speciation	PM ₁₀	TSP/Metals	VOCs	Carbonyls	Carbon Monoxide	Ozone	SO ₂	NO _x	Meteorological Data	Other*
												E

E = Existing, A = Proposed to Add, T = Proposed to Terminate
 Sampling Frequency: 1 = Everyday, 3 = Every 3rd day, 6 = Every 6th day

*Acid and Hg Deposition



Site Description:

This NADP acid rain and mercury monitoring site is located in Morrison County south of Pillager in a two acre forest clearing. Land use within a mile of the site is primarily forest cover with some agricultural activities. This site is located on the western boundary of the Camp Ripley Military Reservation. It is south of the Brainerd Lakes area which is the nearest population and a seasonal tourism center in north central Minnesota. Significant air emission sources are located more than 20 miles from the site. The MPCA and the U.S. Geological Survey (USGS) sponsor operation and maintenance at this site.

Monitoring Objectives:

- Characterize precipitation chemistry to track long-term spatial and temporal trends, support research, and assess the effectiveness of State and Federal SO₂ and mercury emissions reduction programs.
- Demonstrate compliance with the Minnesota Wet Sulfate Deposition Standard (Minn. R. 7005.4010 to 7005.4050).

Planned Changes:

None

Lamberton

Site Information:

AQS Site ID: (none)
 NADP Site ID: **MN27**
 Address: **U of M SW Agricultural Research Center**
 City: **Lamberton**
 County: **Redwood**

Location Setting: **Rural**
 Latitude: **44.2369**
 Longitude: **-95.3010**
 Elevation: **343 m**
 Year Established: **1979**

Monitoring Parameters:

PM _{2.5} FRM	PM _{2.5} Continuous	PM _{2.5} Speciation	PM ₁₀	TSP/Metals	VOCs	Carbonyls	Carbon Monoxide	Ozone	SO ₂	NO _x	Meteorological Data	Other*
												E

E = Existing, A = Proposed to Add, T = Proposed to Terminate
 Sampling Frequency: 1 = Everyday, 3 = Every 3rd day, 6 = Every 6th day

*Acid and Hg Deposition



Site Description:

This NADP acid rain and mercury monitoring site is located at the University of Minnesota Southwest Agricultural Research and Outreach Center just north of U.S. Highway 14 near Lamberton. The primary land use in the area is row-crop agriculture. University of Minnesota (U of M) personnel operate and maintain this site with support from the MPCA.

Monitoring Objectives:

- Characterize precipitation chemistry to track long-term spatial and temporal trends, support research, and assess the effectiveness of State and Federal SO₂ and mercury emissions reduction programs.
- Demonstrate compliance with the Minnesota Wet Sulfate Deposition Standard (Minn. R. 7005.4010 to 7005.4050).

Planned Changes:

None

Grindstone Lake

Site Information:

AQS Site ID: **(none)**
 NADP Site ID: **MN28**
 Address: **Audubon Center of the North Woods**
 City: **Sandstone**
 County: **Pine**

Location Setting: **Rural**
 Latitude: **46.1208**
 Longitude: **-93.0042**
 Elevation: **337 m**
 Year Established: **1996**

Monitoring Parameters:

PM _{2.5} FRM	PM _{2.5} Continuous	PM _{2.5} Speciation	PM ₁₀	TSP/Metals	VOCs	Carbonyls	Carbon Monoxide	Ozone	SO ₂	NO _x	Meteorological Data	Other*
												E

E = Existing, A = Proposed to Add, T = Proposed to Terminate
 Sampling Frequency: 1 = Everyday, 3 = Every 3rd day, 6 = Every 6th day

*Acid Deposition



Site Description:

This NADP acid rain monitoring site is located approximately five miles west of I-35 at the Audubon Center of the North Woods on the eastern shore of Grindstone Lake in Pine County. Land use in the area is a mix of agriculture and forest cover. Significant air emission sources are located more than 20 miles from the site.

Monitoring Objectives:

- Characterize precipitation chemistry to track long-term spatial and temporal trends, support research, and assess the effectiveness of State and Federal SO₂ emissions reduction programs.
- Demonstrate compliance with the Minnesota Wet Sulfate Deposition Standard (Minn. R. 7005.4010 to 7005.4050).

Planned Changes:

None

Voyageurs NP

Site Information:

AQS Site ID: **27-137-0034**
 NADP Site ID: **MN32**
 IMPROVE Site ID: **VOYA2**
 Address: **Sullivan Bay**
 City: **International Falls**
 County: **Louis**



Location Setting: **National Park**
 Latitude: **48.4128**
 Longitude: **-92.8292**
 Elevation: **429 m**
 Year Established: **2000**

Monitoring Parameters:

PM _{2.5} FRM	PM _{2.5} Continuous	PM _{2.5} Speciation**	PM ₁₀	TSP/Metals	VOCs	Carbonyls	Carbon Monoxide	Ozone ⁺	SO ₂	NO _x	Meteorological Data	Other*
		1/6						E				E

E = Existing, A = Proposed to Add, T = Proposed to Terminate
 Sampling Frequency: 1 = Everyday, 3 = Every 3rd day, 6 = Every 6th day

*Acid Deposition **IMPROVE +not part of the MPCA network



Site Description:

This monitoring site is located on a rocky outcrop near the Ash River Interpretive Center on the southeast side of Voyageurs National Park. Land use in this area is primarily forest managed for recreation, timber, and wilderness. Pulp and paper mills in International Falls and Fort Frances Ontario are located approximately 20 miles northwest of the site. The National Park Service operates this site.

Monitoring Objectives:

- Characterize precipitation chemistry to track long-term spatial and temporal trends, support research, and assess the effectiveness of State and Federal SO₂ emissions reduction programs.
- Demonstrate compliance with the Minnesota Wet Sulfate Deposition Standard (Minn. R. 7005.4010 to 7005.4050).
- Characterize fine particle chemistry to quantify existing conditions, track trends, and develop plans to protect visibility in Class 1 wilderness areas.

Planned Changes:

None

Wolf Ridge

Site Information:

AQS Site ID: **(none)**
 NADP Site ID: **MN99**
 Address: **6282 Cranberry Rd**
 City: **Finland**
 County: **Lake**

Location Setting: **Rural**
 Latitude: **47.3875**
 Longitude: **-91.1958**
 Elevation: **351 m**
 Year Established: **1996**

Monitoring Parameters:

PM _{2.5} FRM	PM _{2.5} Continuous	PM _{2.5} Speciation	PM ₁₀	TSP/Metals	VOCs	Carbonyls	Carbon Monoxide	Ozone	SO ₂	NO _x	Meteorological Data	Other*
												E

E = Existing, A = Proposed to Add, T = Proposed to Terminate
 Sampling Frequency: 1 = Everyday, 3 = Every 3rd day, 6 = Every 6th day
 *Acid Deposition



Site Description:

This NADP acid rain monitoring site is located in Lake County approximately two miles inland from Lake Superior. The site is located at Wolf Ridge Environmental Learning Center which is approximately five miles east of Finland on County Road 6. Land use near the site is a mix of residential along Lake Superior and county, state and federal forests managed for timber and recreation. Significant air emission sources include a taconite ore processing plant 15 miles southwest at Silver Bay and a coal-fired power plant 25 miles to the northeast at Schroeder. Wolf Ridge Environmental Learning Center personnel operate and maintain the site with support from the MPCA.

Monitoring Objectives:

- Characterize precipitation chemistry to track long-term spatial and temporal trends, support research, and assess the effectiveness of State and Federal SO₂ emissions reduction programs.
- Demonstrate compliance with the Minnesota Wet Sulfate Deposition Standard (Minn. R. 7005.4010 to 7005.4050).

Planned Changes:

None

St. Louis Park - City Hall

Site Information:


AQS Site ID: 27-053-2006
 MPCA Site ID: 250
 Address: 5005 Minnetonka Blvd
 City: St. Louis Park
 County: Hennepin

Location Setting: **Suburban**
 Latitude: **44.9481**
 Longitude: **-93.3429**
 Elevation: **282 m**
 Year Established: **1972**

Monitoring Parameters:

PM _{2.5} FRM	PM _{2.5} Continuous	PM _{2.5} Speciation	PM ₁₀	TSP/Metals	VOCs	Carbonyls	Carbon Monoxide	Ozone	SO ₂	NO _x	Meteorological Data	Other
1/3				A	1/6	1/6						

E = Existing, A = Proposed to Add, T = Proposed to Terminate
 Sampling Frequency: 1 = Everyday, 3 = Every 3rd day, 6 = Every 6th day



Site Description:

This monitoring site is located on the roof of the St. Louis Park City Hall. This location provides air quality data representative of suburban neighborhoods which are dominated by residential areas, commercial zones, and high volume roadways. It is approximately three blocks east of State Highway 100 and ½ mile north of State Highway 7.

Monitoring Objectives:

- Demonstrate compliance with PM_{2.5} NAAQS and TSP MAAQS.
- Characterize air toxics (VOCs, carbonyls, and metals)

Planned Changes:

None

Rosemount - Flint Hills Refinery 420

Site Information:

AQS Site ID: **27-037-0020**
 MPCA Site ID: **420**
 Address: **12821 Pine Bend Trail**
 City: **Rosemount**
 County: **Dakota**

Location Setting: **Rural**

Latitude: **44.7632**
 Longitude: **-93.0325**
 Elevation: **285 m**
 Year Established: **1972**


Monitoring Parameters:

PM _{2.5} FRM	PM _{2.5} Continuous	PM _{2.5} Speciation	PM ₁₀	TSP/Metals	VOCs	Carbonyls	Carbon Monoxide	Ozone	SO ₂	NO _x	Meteorological Data	Other*
				1/6	1/6	1/6	E		E	E	E	E

E = Existing, A = Proposed to Add, T = Proposed to Terminate
 Sampling Frequency: 1 = Everyday, 3 = Every 3rd day, 6 = Every 6th day



*TRS



Site Description:

This monitoring site is located in Rosemount and is one of three sites in the Flint Hills Resources air quality monitoring network. This site is located in the highway median created by the split of State Highways 55 and 52 less than one mile east of the refinery complex. In addition to the refinery several air emission sources are located to the north, east, and southeast of this site. These include household waste and demo landfills, truck terminals, sand and gravel operations, waste food recycling, aluminum smelting, and a fertilizer plant.

Monitoring Objectives:

- Demonstrate compliance with SO₂, NO₂, CO NAAQS.
- Demonstrate compliance with TSP and H₂S MAAQS.
- Characterize air toxics (VOCs, carbonyls, and metals) and identify emission sources.
- Support modeling and source separation by collecting meteorological data.

Planned Changes:

Site infrastructure is being upgraded to add PAH and a second TSP-metals monitor in 2016.

Rosemount - Flint Hills Refinery 423

Site Information :


AQS Site ID : **27-037-0423**
MPCA Site ID: **423**
Address: **2142 120th St E**
City: **Rosemount**
County: **Dakota**

Location Setting: **Rural**
Latitude: **44.7730**
Longitude: **-93.0627**
Elevation: **272 m**
Year Established: **1990**


Monitoring Parameters:

PM _{2.5} FRM	PM _{2.5} Continuous	PM _{2.5} Speciation	PM ₁₀	TSP/Metals	VOCs	Carbonyls	Carbon Monoxide	Ozone	SO ₂	NO _x	Meteorological Data	Other*
				A	1/6	1/6	E		E	E	E	E

E = Existing, A = Proposed to Add, T = Proposed to Terminate
Sampling Frequency: 1/1 = Everyday, 1/3 = 1-in-3 day, 1/6 = 1-in-6 day



*TRS



Site Description:

This monitoring site is located in Rosemount and is one of three sites in the Flint Hills Resources air quality monitoring network. This site is located on the west side of the refinery less than one mile west of County Road 71 on 120th Street. Large municipal waste and demo landfills are located to the northeast of this site.

Monitoring Objectives:

- Demonstrate compliance with SO₂, NO₂, and CO NAAQS.
- Demonstrate compliance with H₂S MAAQS.
- Characterize air toxics (VOCs and carbonyls) and identify emission sources.
- Support modeling and source separation by collecting meteorological data.

Planned Changes:

Site infrastructure is being upgraded in 2016. A TSP-metals monitor will be added when work is done.

St. Paul Park Refinery 436

Site Information :


AQS Site ID: **27-163-0436**
 MPCA Site ID: **436**
 Address: **649 5th St**
 City: **Saint Paul Park**
 County: **Washington**

Location Setting: **Suburban**
 Latitude: **44.8473**
 Longitude: **-92.9956**
 Elevation: **245 m**
 Year Established: **1989**

Monitoring Parameters:

PM _{2.5} FRM	PM _{2.5} Continuous	PM _{2.5} Speciation	PM ₁₀	TSP/Metals	VOCs**	Carbonyls**	Carbon Monoxide	Ozone	SO ₂	NO _x	Meteorological Data	Other*
					1/6	1/6			E			E

E = Existing, A = Proposed to Add, T = Proposed to Terminate
 Sampling Frequency: 1/1 = Everyday, 1/3 = 1-in-3 day, 1/6 = 1-in-6 day



*TRS **Collocated

Site Description:

This monitoring site is located in Saint Paul Park and is one of the two sites in St. Paul Park Refining Company air quality monitoring network. The monitoring shelter is located in an alley corridor just off 5th Street. The alley corridor runs along the north boundary of the maintenance garage. The refinery complex is located four blocks northeast of the monitoring site. A commercial freight railroad line is located 200 meters west of the site.

Monitoring Objectives:

- Demonstrate compliance with SO₂ NAAQS.
- Demonstrate compliance with H₂S MAAQS.
- Characterize air toxics (VOCs and carbonyls).

Planned Changes:

None

Newport - St. Paul Park Refinery 438



Site Information :

AQS Site ID : 27-163-0438
 MPCA Site ID: 438
 Address: 4th Ave & 2nd St
 City: Newport
 County: Washington

Location Setting: **Suburban**
 Latitude: **44.8599**
 Longitude: **-93.0035**
 Elevation: **230 m**
 Year Established: **1995**

Monitoring Parameters:

PM _{2.5} FRM	PM _{2.5} Continuous	PM _{2.5} Speciation	PM ₁₀	TSP/Metals	VOCs	Carbonyls	Carbon Monoxide	Ozone	SO ₂	NOx	Meteorological Data	Other
				1/6	1/6	1/6						
E = Existing, A = Proposed to Add, T = Proposed to Terminate Sampling Frequency: 1/1 = Everyday, 1/3 = 1-in-3 day, 1/6 = 1-in-6 day												



Site Description:

This monitoring site is located in Newport and is one of the two sites in the St. Paul Park Refining Company air quality monitoring network. The site is one block north of the refinery tank storage and truck loading terminal. The area north of the monitoring site is predominately residential. The area south and east is predominately industrial and commercial. The Mississippi River is three blocks west of the monitoring site. The monitoring site is on property owned by St. Paul Park Refining Company LLC.

Monitoring Objectives:

- Characterize air toxics (VOCs, carbonyls, and metals).
- Demonstrate compliance with TSP MAAQS.

Planned Changes:

None

Rosemount- Flint Hills Refinery 443

Site Information:


AQS Site ID: 27-037-0443
 MPCA Site ID: 443
 Address: 14035 Blaine Ave E
 City: Rosemount
 County: Dakota

Location Setting: Rural
 Latitude: 44.7457
 Longitude: -93.0554
 Elevation: 270 m
 Year Established: 2008

Monitoring Parameters:

PM _{2.5} FRM	PM _{2.5} Continuous	PM _{2.5} Speciation	PM ₁₀	TSP/Metals	VOCs	Carbonyls	Carbon Monoxide	Ozone	SO ₂	NO _x	Meteorological Data	Other*
					1/6	1/6			E			

E = Existing, A = Proposed to Add, T = Proposed to Terminate
 Sampling Frequency: 1/1 = Everyday, 1/3 = 1-in-3 day, 1/6 = 1-in-6 day



Site Description:

This monitoring site is located in Rosemount and is one of three sites in the Flint Hills Resources air quality monitoring network. The site is located approximately one mile west of U.S. Highway 52 and one mile southwest of the refinery complex.

Monitoring Objectives:

- Demonstrate compliance with SO₂ NAAQS.
- Characterize air toxics (VOCs and carbonyls).

Planned Changes:

Site infrastructure is being upgraded in 2016.

Bayport - Point Road


Site Information:

AQS Site ID: **27-163-0446**
 MPCA Site ID: **446**
 Address: **22 Point Rd**
 City: **Bayport**
 County: **Washington**

Location Setting: **Suburban**
 Latitude: **45.02798**
 Longitude: **-92.77415**
 Elevation: **230 m**
 Year Established: **2007**

Monitoring Parameters:

PM _{2.5} FRM	PM _{2.5} Continuous	PM _{2.5} Speciation	PM ₁₀	TSP/Metals	VOCs	Carbonyls	Carbon Monoxide	Ozone	SO ₂	NO _x	Meteorological Data	Other
				1/6	1/6	1/6						
E = Existing, A = Proposed to Add, T = Proposed to Terminate Sampling Frequency: 1/1 = Everyday, 1/3 = 1-in-3 day, 1/6 = 1-in-6 day												



Site Description:

This monitoring site is located off Point Road in an open field north of Andersen Window Corporation and south of the Xcel Energy Allen S. King Plant. This site was selected in order to sample between the two primary emissions sources to provide some degree of source separation. Monitoring began in 2007 in response to citizen concerns about the potential impact of emissions from Andersen Windows and the Allen S. King Plant on air quality in Bayport.

Monitoring Objectives:

- Characterize air toxics (VOCs, carbonyls, and metals).
- Demonstrate compliance with TSP MAAQS.
- Assess neighborhood exposure to air emissions.

Planned Changes:

None

Eagan - Gopher Resources

Site Information:

AQS Site ID: 27-037-0465
 MPCA Site ID: 465
 Address: Yankee Doodle Rd & Hwy 149
 City: Eagan
 County: Dakota



Location Setting: Suburban
 Latitude: 44.8343
 Longitude: -93.1163
 Elevation: 281 m
 Year Established: 2006

Monitoring Parameters:

PM _{2.5} FRM	PM _{2.5} Continuous	PM _{2.5} Speciation	PM ₁₀	TSP/Metals*	VOCs	Carbonyls	Carbon Monoxide	Ozone	SO ₂	NO _x	Meteorological Data	Other
				1/6								

E = Existing, A = Proposed to Add, T = Proposed to Terminate
 Sampling Frequency: 1/1 = Everyday, 1/3 = 1-in-3 day, 1/6 = 1-in-6 day

*Collocated and source-oriented



Site Description:

This monitoring site is located in Eagan near the northeast corner of State Highway 149 and Yankee Doodle Road. The site is approximately 100 meters east of Gopher Resources Corporation, a lead recycling, smelting and refining facility. This is the MPCA's only source-oriented lead monitoring site; however, a full scan of metals is performed on all TSP samples. More detailed information about this site can be found in the 2010 Source-oriented Lead Monitoring Plan on the MPCA website at www.pca.state.mn.us/air/monitoringnetwork.html.

Monitoring Objectives:

- Demonstrate compliance with the lead NAAQS.
- Demonstrate compliance with the TSP MAAQS.
- Characterize metals concentrations.

Planned Changes:

None

Apple Valley - Westview School

Site Information:

AQS Site ID: 27-037-0470
 MPCA Site ID: 470
 Address: 225 Garden View Dr
 City: Apple Valley
 County: Dakota

Location Setting: Suburban
 Latitude: 44.7387
 Longitude: -93.2373
 Elevation: 306 m
 Year Established: 2000

Monitoring Parameters:

PM _{2.5} FRM	PM _{2.5} Continuous FEM	PM _{2.5} Speciation	PM ₁₀	TSP/Metals	VOCs	Carbonyls	Carbon Monoxide	Ozone	SO ₂	NOx	Meteorological Data	Other
1/3	E			1/6	1/6	1/6						
E = Existing, A = Proposed to Add, T = Proposed to Terminate Sampling Frequency: 1/1 = Everyday, 1/3 = 1-in-3 day, 1/6 = 1-in-6 day												



Site Description:

This monitoring site is located on the roof of Westview Elementary School in Apple Valley. This location provides air quality data representative of suburban neighborhoods which are dominated by residential areas, light commercial zones, retail zones, and roadways. The school is located less than one mile north of County Road 42.

Monitoring Objectives:

- Demonstrate compliance with the PM_{2.5} NAAQS.
- Demonstrate compliance with the TSP MAAQS.
- Support AQI reporting and forecasting for PM_{2.5}.
- Characterize air toxics (VOCs, carbonyls, and metals).

Planned Changes:

None

Lakeville – Near Road I-35

Site Information :



AQS Site ID : 27-037-0480
 MPCA Site ID: 480
 Address: 16750 Kenyon Ave
 City: Lakeville
 County: Dakota

Location Setting: Suburban
 Latitude: 44.7061
 Longitude: -93.2858
 Elevation: 312 m
 Year Established: 2015

Monitoring Parameters:

PM _{2.5} FRM	PM _{2.5} Continuous FEM	PM _{2.5} Speciation	PM ₁₀	TSP/Metals	VOCs	Carbonyls	Carbon Monoxide	Ozone	SO ₂	NO _x	Meteorological Data	Other
E	E						E			E	E	

E = Existing, A = Proposed to Add, T = Proposed to Terminate
 Sampling Frequency: 1/1 = Everyday, 1/3 = 1-in-3 day, 1/6 = 1-in-6 day



Site Description:

This monitoring site is located on the west side of Interstate 35 and approximately one mile south of Buck Hill in Lakeville. The surrounding area is predominately residential with commercial and retail businesses along the interstate frontage roads. This is the second near-road monitor required in the Twin Cities to assess air pollution levels in the near-road environment.

Monitoring Objectives:

- Demonstrate compliance with the NO₂, CO, and PM_{2.5} NAAQS.
- Support modeling and source separation by collecting meteorological data.

Planned Changes:

None

Shakopee - B.F. Pearson School

Site Information :

AQS Site ID : 27-139-0505
 MPCA Site ID: 505
 Address: 917 Dakota St
 City: Shakopee
 County: Scott

Location Setting: Suburban
 Latitude: 44.7894
 Longitude: -93.5125
 Year Established: 2000

Monitoring Parameters:

PM _{2.5} FRM	PM _{2.5} Continuous	PM _{2.5} Speciation	PM ₁₀	TSP/Metals	VOCs	Carbonyls	Carbon Monoxide	Ozone	SO ₂	NOx	Meteorological Data	Other
1/3								E				

E = Existing, A = Proposed to Add, T = Proposed to Terminate
 Sampling Frequency: 1/1 = Everyday, 1/3 = 1-in-3 day, 1/6 = 1-in-6 day



Site Description:

This monitoring site is located on the roof of B.F. Pearson Elementary School in Shakopee. This location provides air quality data representative of suburban neighborhoods which are dominated by residential areas, light commercial zones, retail zones, and roadways.

Monitoring Objectives:

- Demonstrate compliance with PM_{2.5} and ozone NAAQS.
- Support AQI reporting and forecasting for ozone.

Planned Changes:

None

St. Paul Downtown Airport



Site Information :

AQS Site ID : 27-123-0818
 MPCA Site ID: 818
 Address: 719 Eaton St
 City: St. Paul
 County: Ramsey

Location Setting: **Urban Center City**
 Latitude: **44.9268**
 Longitude: **-93.0593**
 Year Established: **2016**

Monitoring Parameters:

PM _{2.5} FRM	PM _{2.5} Continuous	PM _{2.5} Speciation	PM ₁₀	TSP/Metals	VOCs	Carbonyls	Carbon Monoxide	Ozone	SO ₂	NOx	Meteorological Data	Other
				1/6								
E = Existing, A = Proposed to Add, T = Proposed to Terminate Sampling Frequency: 1/1 = Everyday, 1/3 = 1-in-3 day, 1/6 = 1-in-6 day												



Site Description:

This monitoring site is located at the southwest corner of the St. Paul Downtown Airport between the airport and the Southport Industrial District. Land use in the immediate area of the monitor is a mix of commercial and industrial activities bordered by residential neighborhoods to the west across Concord Street. The purpose of the monitoring is to further investigate the findings from the St. Paul Westside Community Air Monitoring Project conducted in the spring of 2014, that showed elevated metals concentrations.

Monitoring Objectives:

- Monitor metals concentrations and determine the need for further monitoring.

Planned Changes:

None

Saint Paul - Lexington Avenue

Site Information :



AQS Site ID: 27-123-0050
 MPCA Site ID: 861
 Address: 1088 W University
 City: Saint Paul
 County: Ramsey

Location Setting: Urban Center City
 Latitude: 44.9556
 Longitude: -93.1459
 Elevation: 286 m
 Year Established: 1987

Monitoring Parameters:

PM _{2.5} FRM	PM _{2.5} Continuous	PM _{2.5} Speciation	PM ₁₀	TSP/Metals	VOCs	Carbonyls	Carbon Monoxide	Ozone	SO ₂	NO _x	Meteorological Data	Other
							E					

E = Existing, A = Proposed to Add, T = Proposed to Terminate
 Sampling Frequency: 1/1 = Everyday, 1/3 = 1-in-3 day, 1/6 = 1-in-6 day



Site Description:

This monitoring site is located near the southeast corner of University and Lexington Avenues in Saint Paul. Land use along University Avenue is predominantly commercial and retail with some light industrial. Residential neighborhoods dominate the land use to the north and south of the University Avenue business corridor. Violations of the CO NAAQS were recorded in the mid-1990s. Minnesota currently meets the CO NAAQS but is required to continue monitoring for several more years to demonstrate compliance. The Central Corridor Light Rail Transit line opened in June 2014. Traffic patterns, land use changes and redevelopment are expected.

Monitoring Objectives:

- Demonstrate compliance with CO NAAQS.
- Support AQI reporting for CO.

Planned Changes

None

Saint Paul - Red Rock Road

Site Information :

AQS Site ID : 27-123-0866
 MPCA Site ID: 866
 Address: 1450 Red Rock Rd
 City: Saint Paul
 County: Ramsey


Location Setting: **Suburban**
 Latitude: **44.8994**
 Longitude: **-93.0171**
 Elevation: **232 m**
 Year Established: **1997**

Monitoring Parameters:

PM _{2.5} FRM	PM _{2.5} Continuous	PM _{2.5} Speciation	PM ₁₀ *	TSP/Metals	VOCs	Carbonyls	Carbon Monoxide	Ozone	SO ₂	NO _x	Meteorological Data	Other
			1/6	A								

E = Existing, A = Proposed to Add, T = Proposed to Terminate
 Sampling Frequency: 1/1 = Everyday, 1/3 = 1-in-3 day, 1/6 = 1-in-6 day

*Collocated



Site Description:

This monitoring site is located along Red Rock Road in Saint Paul. This area was a non-attainment area for PM₁₀ in the 1990s due to high particulate emissions from area sources and roadways. The site is located in an industrialized corridor along the Mississippi River. The surrounding area contains a mix of industrial and commercial activities including a steel recycling mill, a municipal waste sorting plant, railroad yards, and barge operations for river transport of grain, aggregate, and coal. Diesel truck traffic is heavy as materials are transported to and from the various facilities. Residential neighborhoods border this area to the east and to the southwest across the river. The nearest residential neighborhoods are approximately 1/2 mile to the east.

Monitoring Objectives:

- Demonstrate compliance with PM₁₀ NAAQS and TSP MAAQS.

Planned Changes:

None

Saint Paul - Ramsey Health Center

Site Information:

AQS Site ID: 27-123-0868
 MPCA Site ID: 868
 Address: 555 Cedar St
 City: Saint Paul
 County: Ramsey

Location Setting: Urban Center City



Latitude: 44.9507
 Longitude: -93.0985
 Elevation: 251 m
 Year Established: 1998

Monitoring Parameters:

PM _{2.5} FRM	PM _{2.5} Continuous	PM _{2.5} Speciation	PM ₁₀ Continuous	TSP/Metals	VOCs	Carbonyls	Carbon Monoxide	Ozone	SO ₂	NO _x	Meteorological Data	Other*
1/3			E		1/6	1/6						E

E = Existing, A = Proposed to Add, T = Proposed to Terminate
 Sampling Frequency: 1/1 = Everyday, 1/3 = 1-in-3 day, 1/6 = 1-in-6 day

*Asbestos



Site Description:

This monitoring site is located at the intersection of Cedar and 10th Street on the roof of the Ramsey County Health Center in Saint Paul. The monitors are positioned on the north side of the building approximately 60 meters south of the I-94 corridor and interchange with I-35E. The Central Corridor Light Rail Transit line which runs along Cedar Avenue opened in June 2014. Redevelopment is expected in the area. The location was selected to demonstrate NAAQS compliance in areas where commercial and residential land uses are in close proximity to major roadways.

Monitoring Objectives:

- Demonstrate compliance with PM_{2.5} and PM₁₀ NAAQS.
- Characterize air toxics (VOCs and carbonyls).
- Demonstrate compliance with North Shore Mining permit requirements for asbestos-like fibers.

Planned Changes:

None

Saint Paul - Harding High School

Site Information:

AQS Site ID: 27-123-0871
 MPCA Site ID: 871
 Address: 1540 East 6th St
 City: Saint Paul
 County: Ramsey


Location Setting: Suburban
 Latitude: 44.9593
 Longitude: -93.0359
 Elevation: 296 m
 Year Established: 1998

Monitoring Parameters:

PM _{2.5} FRM*	PM _{2.5} Continuous FEM *	PM _{2.5} Speciation	PM ₁₀	TSP/Metals	VOCs	Carbonyls	Carbon Monoxide	Ozone	SO ₂	NO _x	Meteorological Data	Other
1/3	E			1/6	1/6	1/6						

E = Existing, A = Proposed to Add, T = Proposed to Terminate
 Sampling Frequency: 1/1 = Everyday, 1/3 = 1-in-3 day, 1/6 = 1-in-6 day

*Collocated



Site Description:

This monitoring site is located on the roof of Harding High School on the east side of Saint Paul. The surrounding area is predominantly residential neighborhoods with some commercial and retail activity. This location provides air quality data representative of urban neighborhoods which are dominated by residential land use.

Monitoring Objectives:

- Demonstrate compliance with PM_{2.5} NAAQS.
- Support AQI reporting and forecasting for PM_{2.5}.
- Demonstrate compliance with TSP MAAQS.
- Characterize air toxics (VOCs, carbonyls, and metals).

Planned Changes:

- None

Minneapolis - Humboldt Avenue

Site Information:


AQS Site ID: 27-053-1007
 MPCA Site ID: 907
 Address: 4646 N Humboldt Ave
 City: Minneapolis
 County: Hennepin

Location Setting: Suburban
 Latitude: 45.0397
 Longitude: -93.2987
 Elevation: 263 m
 Year Established: 1966

Monitoring Parameters:

PM _{2.5} FRM	PM _{2.5} Continuous	PM _{2.5} Speciation	PM ₁₀	TSP/Metals	VOCs	Carbonyls	Carbon Monoxide	Ozone	SO ₂	NO _x	Meteorological Data	Other
				1/6	1/6	1/6						

E = Existing, A = Proposed to Add, T = Proposed to Terminate
 Sampling Frequency: 1/1 = Everyday, 1/3 = 1-in-3 day, 1/6 = 1-in-6 day



Site Description:

This monitoring site is located on the roof of Fire Station No. 22 in North Minneapolis. The surrounding area contains a mix of land uses including truck terminals, railroad yards, and manufacturing facilities to the west and northwest and residential neighborhoods to the north, east, and south. This location provides air quality data representative of urban neighborhoods which are predominantly residential but are adjacent or near significant industrial air emission sources.

Monitoring Objectives:

- Demonstrate compliance with TSP MAAQS.
- Characterize air toxics (VOCs, carbonyls, and metals).

Planned Changes:

PAH monitoring will begin in 2016.

Minneapolis – Lowry Avenue

Site Information:



AQS Site ID: 27-053-0909
 MPCA Site ID: 909
 Address: 3104 North Pacific Street
 City: Minneapolis
 County: Hennepin

Location Setting: Urban
 Latitude: 45.0121
 Longitude: -93.2767
 Elevation: 249 m
 Year Established: 2013

Monitoring Parameters:

PM _{2.5} FRM	PM _{2.5} Continuous	PM _{2.5} Speciation	PM ₁₀ Continuous	TSP/Metals	VOCs	Carbonyls	Carbon Monoxide	Ozone	SO ₂	NO _x	Meteorological Data	Other
			E	E	E	E					E	

E = Existing, A = Proposed to Add, T = Proposed to Terminate
 Sampling Frequency: 1/1 = Everyday, 1/3 = 1-in-3 day, 1/6 = 1-in-6 day



Site Description:

This monitoring site is located on the roof of a commercial building near the west bank of the Mississippi River, east of Interstate 94 in an industrial area of North Minneapolis. The surrounding area contains a mix of land use activities including highway corridors, metal recycling, manufacturing facilities, aggregate and ready-mix concrete supply, commercial warehousing, office buildings, and retail businesses with adjacent residential neighborhoods.

Monitoring Objectives:

- Demonstrate compliance with PM₁₀ NAAQS and TSP MAAQS.
- Characterize air toxics (VOCs, carbonyls, and metals).
- Assess neighborhood exposure to air emissions.
- Support modeling and source separation by collecting meteorological data.
- Identify sources contributing to the exceedance of TSP and PM₁₀ standards.

Planned Changes:

None

Minneapolis – Pacific Street

Site Information:



AQS Site ID: 27-053-0910
 MPCA Site ID: 910
 Address: 2710 North Pacific Street
 City: Minneapolis
 County: Hennepin

Location Setting: **Urban**
 Latitude: **45.0083**
 Longitude: **-93.2770**
 Elevation: **249 m**
 Year Established: **2015**

Monitoring Parameters:

PM _{2.5} FRM	PM _{2.5} Continuous	PM _{2.5} Speciation	PM ₁₀ Continuous	TSP/Metals	VOCs	Carbonyls	Carbon Monoxide	Ozone	SO ₂	NO _x	Meteorological Data	Other
			E	E								

E = Existing, A = Proposed to Add, T = Proposed to Terminate
 Sampling Frequency: 1/1 = Everyday, 1/3 = 1-in-3 day, 1/6 = 1-in-6 day



Site Description:

This monitoring site is located on the ground at a City of Minneapolis Public Works facility near the west bank of the Mississippi River, east of Interstate 94 in an industrial area of North Minneapolis. The surrounding area contains a mix of land use including metal recycling, manufacturing facilities, aggregate and ready-mix concrete supply, commercial warehousing, office buildings, and retail businesses with residential neighborhoods to the east and west.

Monitoring Objectives:

- Demonstrate compliance with PM₁₀ NAAQS and TSP MAAQS.
- Identify sources contributing to the exceedance of TSP and PM₁₀ standards.

Planned Changes:

None

Minneapolis - Arts Center



Site Information:

AQS Site ID: 27-053-0954
 MPCA Site ID: 954
 Address: 528 Hennepin Ave
 City: Minneapolis
 County: Hennepin

Location Setting: Urban Center City
 Latitude: 44.9790
 Longitude: -93.2737
 Elevation: 259 m
 Year Established: 1989

Monitoring Parameters:

PM _{2.5} FRM	PM _{2.5} Continuous	PM _{2.5} Speciation	PM ₁₀	TSP/Metals	VOCs	Carbonyls	Carbon Monoxide	Ozone	SO ₂	NO _x	Meteorological Data	Other
							E		E			
E = Existing, A = Proposed to Add, T = Proposed to Terminate Sampling Frequency: 1/1 = Everyday, 1/3 = 1-in-3 day, 1/6 = 1-in-6 day												



Site Description:

This monitoring site is located at the Cowles Center for Dance and the Performing Arts in downtown Minneapolis. This center city location is characterized by a mix of commercial and residential land use with high traffic volume and street canyons caused by tall buildings that restrict air dispersion.

Monitoring Objectives:

- Demonstrate compliance with CO and SO₂ NAAQS.
- Support AQI reporting for CO and SO₂.

Planned Changes:

None

Richfield Intermediate School



Site Information:

AQS Site ID: 27-053-0961
 MPCA Site ID: 961
 Address: 7020 12th Ave S
 City: Richfield
 County: Hennepin

Location Setting: Suburban
 Latitude: 44.8756
 Longitude: -93.2588
 Elevation: 262 m
 Year Established: 1999

Monitoring Parameters:

PM _{2.5} FRM	PM _{2.5} Continuous	PM _{2.5} Speciation	PM ₁₀	TSP/Metals	VOCs	Carbonyls	Carbon Monoxide	Ozone	SO ₂	NO _x	Meteorological Data	Other
				A	1/6	1/6						
E = Existing, A = Proposed to Add, T = Proposed to Terminate Sampling Frequency: 1/1 = Everyday, 1/3 = 1-in-3 day, 1/6 = 1-in-6 day												



Site Description:

This monitoring site is located on the roof of the Richfield Intermediate School in Richfield. The school is approximately one mile west of Cedar Avenue (State Highway 77) and the Minneapolis-Saint Paul International Airport. Air toxics monitoring was added to this site in 2006 at the request of the City of Richfield to address concerns regarding the impact of airport operations on air quality in the surrounding residential neighborhoods. This area is predominately residential with commercial and retail business along the main corridors of Cedar Avenue, I-494, and 66th Street East (Richfield City Center).

Monitoring Objectives:

- Characterize air toxics (VOCs, carbonyls, and metals).
- Demonstrate compliance with TSP MAAQS.

Planned Changes:

TSP and metals will be added to this site in 2016.

Minneapolis – Near Road I-35/I-94

Site Information:

AQS Site ID: 27-053-0962
 MPCA Site ID: 962
 Address: 1444 18th St E
 City: Minneapolis
 County: Hennepin



Location Setting: Urban
 Latitude: 44.9652
 Longitude: -93.2548
 Elevation: 259 m
 Year Established: 2013

Monitoring Parameters:

PM _{2.5} FRM	PM _{2.5} FEM	PM _{2.5} Speciation	PM ₁₀	TSP/Metals	VOCs	Carbonyls	Carbon Monoxide	Ozone	SO ₂	NO _x	Meteorological Data	Other*
	A			A	A	A	E	E		E	E	T

E = Existing, A = Proposed to Add, T = Proposed to Terminate
 Sampling Frequency: 1/1 = Everyday, 1/3 = 1-in-3 day, 1/6 = 1-in-6 day

* black carbon, ultrafine particle counter



Site Description:

This monitoring site is located along the I-94/I-35W commons near downtown Minneapolis. This area is predominately residential with some commercial and retail businesses nearby. It is part of the near-road monitoring network which was established to assess air pollution levels in the near-road environment. This traffic segment had the highest Annual Average Daily Traffic (AADT) count in Minnesota in 2012 at 277,000 vehicles per day.

Monitoring Objectives:

- Demonstrate compliance with NO₂, ozone, PM_{2.5}, and CO NAAQS.
- Support modeling and source separation by collecting meteorological data.
- Demonstrate compliance with TSP MAAQS.
- Characterize air toxics (VOCs, carbonyls, and metals).
- Characterize black carbon and ultra-fine particles in the near-road environment.

Planned Changes:

None

Minneapolis - Andersen School

Site Information:

AQS Site ID: 27-053-0963
 MPCA Site ID: 963
 Address: 2727 10th Ave S
 City: Minneapolis
 County: Hennepin


Location Setting: Urban Center City
 Latitude: 44.9535
 Longitude: -93.2583
 Elevation: 270 m
 Year Established: 2001

Monitoring Parameters:

PM _{2.5} FRM	PM _{2.5} Continuous FEM	PM _{2.5} Speciation*	PM ₁₀	TSP/Metals	VOCs	Carbonyls	Carbon Monoxide	Ozone	SO ₂	NO _x	Meteorological Data	Other
1/3	E	1/3		1/6	1/6	1/6						

E = Existing, A = Proposed to Add, T = Proposed to Terminate
 Sampling Frequency: 1/1 = Everyday, 1/3 = 1-in-3 day, 1/6 = 1-in-6 day

*CSN



Site Description:

This monitoring site is located on the roof of the Hans Christian Andersen School in the Phillips Neighborhood of Minneapolis. It is approximately two miles south of downtown Minneapolis and is bordered by major roadways. This location provides air quality data representative of urban neighborhoods which are dominated by residential and commercial land use.

Monitoring Objectives:

- Demonstrate compliance with PM_{2.5} NAAQS.
- Demonstrate compliance with TSP MAAQS.
- Support AQI reporting and forecasting for PM_{2.5}.
- Characterize air toxics (VOCs, carbonyls, and metals).
- Characterize PM_{2.5} chemical composition.

Planned Changes:

PAH monitoring will begin in 2016.

Minneapolis - City of Lakes Building

Site Information:


AQS Site ID: 27-053-0966
 MPCA Site ID: 966
 Address: 309 2nd Ave S
 City: Minneapolis
 County: Hennepin

Location Setting: Urban Center City
 Latitude: 44.9793
 Longitude: -93.2661
 Elevation: 267 m
 Year Established: 2002

Monitoring Parameters:

PM _{2.5} FRM	PM _{2.5} Continuous	PM _{2.5} Speciation	PM ₁₀	TSP/Metals	VOCs*	Carbonyls*	Carbon Monoxide	Ozone	SO ₂	NO _x	Meteorological Data	Other
			1/6	1/6	1/6	1/6						
E = Existing, A = Proposed to Add, T = Proposed to Terminate												
Sampling Frequency: 1/1 = Everyday, 1/3 = 1-in-3 day, 1/6 = 1-in-6 day												

*Collocated



Site Description:

This monitoring site is located on the roof of the City of Lakes Building located at the corner of 3rd Street and 2nd Avenue South in downtown Minneapolis. This center city location is characterized by a mix of commercial and residential land use with high traffic volume and street canyons caused by tall buildings that restrict air dispersion.

Monitoring Objectives:

- Demonstrate compliance with PM₁₀ NAAQS.
- Demonstrate compliance with TSP MAAQS.
- Characterize air toxics (VOCs, carbonyls, and metals).

Planned Changes:

None

Virginia City Hall

Site Information:



AQS Site ID: **27-137-7001**
 MPCA Site ID: **1300**
 Address: **327 First Street South**
 City: **Virginia**
 County: **St. Louis**

Location Setting: **Urban Center City**
 Latitude: **47.5212**
 Longitude: **-92.5363**
 Elevation: **455 m**
 Year Established: **1968**

Monitoring Parameters:

PM _{2.5} FRM	PM _{2.5} FEM	PM _{2.5} Speciation	PM ₁₀	TSP/Metals	VOCs	Carbonyls	Carbon Monoxide	Ozone	SO ₂	NO _x	Meteorological Data	Other
	E		1/6	1/6								

E = Existing, A = Proposed to Add, T = Proposed to Terminate
 Sampling Frequency: 1/1 = Everyday, 1/3 = 1-in-3 day, 1/6 = 1-in-6 day



Site Description:

This monitoring site is located on the roof of the City Hall Building in Virginia, a mid-sized city surrounded by open-pit mining and iron-ore processing plants. The site is approximately one mile northeast of U.S. Highway 53 in the downtown business district. Land use in the surrounding area is a mix of residential, commercial and industrial activities.

Monitoring Objectives:

- Demonstrate compliance with PM_{2.5} and PM₁₀ NAAQS.
- Demonstrate compliance with TSP MAAQS.
- Support AQI reporting and forecasting for PM_{2.5}.
- Characterize metals concentrations. .

Planned Changes:

None

St. Paul – South St. Anthony Park



Site Information:

AQS Site ID: 27-123-1908
 MPCA Site ID: 1908
 Address: 2237 Robbins St
 City: St. Paul
 County: Ramsey

Location Setting: Suburban
 Latitude: 44.9731
 Longitude: -93.1999
 Elevation: 273 m
 Year Established: 2016

Monitoring Parameters:

PM _{2.5} FRM	PM _{2.5} Continuous FEM	PM _{2.5} Speciation	PM ₁₀	TSP/Metals	VOCs	Carbonyls	Carbon Monoxide	Ozone	SO ₂	NOx	Meteorological Data	Other
E				1/6	1/6	1/6						
E = Existing, A = Proposed to Add, T = Proposed to Terminate Sampling Frequency: 1/1 = Everyday, 1/3 = 1-in-3 day, 1/6 = 1-in-6 day												



Site Description:

This monitoring site is located in South St. Anthony Park and is bordered by State Highway 280 to the west, a railroad corridor and light industrial area to the north, trucking terminals and rail yard to the east and residential neighborhoods to the south. This Community Air Monitoring Project site was chosen to assess air quality in a neighborhood impacted by a variety of commercial and mobile sources.

Monitoring Objectives:

- Assess air quality impacts from mobile sources.
- Characterize air toxics (VOCs, carbonyls, and metals).

Planned Changes:

This Community Air Monitoring Project site will close in 2016 and move to another location.

Detroit Lakes – FWS Wetland Management District

Site Information:


AQS Site ID: 27-005-2013
 MPCA Site ID: 2013
 Address: 26624 N Tower Rd
 City: Detroit Lakes
 County: Becker

Location Setting: Rural
 Latitude: 46.8499
 Longitude: -95.8463
 Elevation: 425 m
 Year Established: 2004

Monitoring Parameters:

PM _{2.5} FRM	PM _{2.5} Continuous FEM	PM _{2.5} Speciation	PM ₁₀	TSP/Metals	VOCs	Carbonyls	Carbon Monoxide	Ozone	SO ₂	NO _x	Meteorological Data	Other
	E							E				

E = Existing, A = Proposed to Add, T = Proposed to Terminate
 Sampling Frequency: 1/1 = Everyday, 1/3 = 1-in-3 day, 1/6 = 1-in-6 day



Site Description:

This monitoring site is located at the U.S. Fish and Wildlife Service Wetland Management District office near Detroit Lakes in west central Minnesota. It is approximately two miles north of downtown Detroit Lakes. Land use near this site is a mix of residential and agricultural activities.

Monitoring Objectives

- Demonstrate compliance with PM_{2.5} and ozone NAAQS.
- Support AQI reporting and forecasting for PM_{2.5} and ozone.

Planned Changes:

None

Red Lake Nation*


Site Information:

AQS Site ID: **27-007-2304**
 MPCA Site ID: **2304**
 Address: **24760 Hospital Drive**
 City: **Red Lake**
 County: **Beltrami**

Location Setting: **Rural**
 Latitude: **47.8782**
 Longitude: **-95.0292**
 Elevation: **369 m**
 Year Established: **2014**

Monitoring Parameters:

PM _{2.5} FRM	PM _{2.5} Continuous FEM	PM _{2.5} Speciation	PM ₁₀	TSP/Metals	VOCs	Carbonyls	Carbon Monoxide	Ozone	SO ₂	NO _x	Meteorological Data	Other*
	E											
E = Existing, A = Proposed to Add, T = Proposed to Terminate Sampling Frequency: 1/1 = Everyday, 1/3 = 1-in-3 day, 1/6 = 1-in-6 day												



Site Description:

This tribal monitoring site is located on the roof of the Red Lake Indian Health Service Hospital. The site is located along the south shore of Lower Red Lake. Land use surrounding the hospital is primarily residential.

Monitoring Objectives:

- Demonstrate compliance with PM_{2.5} NAAQS.
- Support AQI reporting and forecasting for PM_{2.5}
- Support Tribal monitoring objectives.

Planned Changes:

None

*This monitoring site is operated by the Red Lake Band of Chippewa Indians and supported in part by the MPCA.

Mille Lacs Band*

Site Information:


AQS Site ID: 27-095-3051
 MPCA Site ID: 3051
 Address: HCR 67 Box 194
 City: Mille Lacs
 County: Mille Lacs

Location Setting: Rural
 Latitude: 46.2052
 Longitude: -93.7594
 Elevation: 393 m
 Year Established: 1997

Monitoring Parameters:

PM _{2.5} FRM	PM _{2.5} Continuous	PM _{2.5} Speciation	PM ₁₀	TSP/Metals	VOCs	Carbonyls	Carbon Monoxide	Ozone	SO ₂	NO _x	Meteorological Data	Other
								E				

E = Existing, A = Proposed to Add, T = Proposed to Terminate
 Sampling Frequency: 1/1 = Everyday, 1/3 = 1-in-3 day, 1/6 = 1-in-6 day



Site Description:

This tribal monitoring site is located one mile north of the Mille Lacs Band of Ojibwe Government Center located on the western shore of Mille Lacs Lake. This site is approximately 12 miles north of Onamia on Highway 169. Land use to the south and west of the monitoring site is a mix of residential and heavy forest cover. This site was established in 1997 to characterize and assess transport of pollutants from the Twin Cities metropolitan area located approximately 90 miles to the southeast.

Monitoring Objectives:

- Demonstrate compliance with ozone NAAQS.
- Support AQI reporting and forecasting for ozone.
- Support Tribal monitoring objectives.

Planned Changes:

None

*This monitoring site is operated by the Mille Lacs Band of Ojibwe and supported in part by the MPCA.

Saint Cloud - Talahi School

Site Information:


AQS Site ID: 27-145-3052
 MPCA Site ID: 3052
 Address: 1321 Michigan Ave SE
 City: Saint Cloud
 County: Sherburne

Location Setting: Suburban
 Latitude: 45.5497
 Longitude: -94.1335
 Elevation: 320 m
 Year Established: 1998

Monitoring Parameters:

PM _{2.5} FRM	PM _{2.5} Continuous FEM	PM _{2.5} Speciation	PM ₁₀	TSP/Metals	VOCs	Carbonyls	Carbon Monoxide	Ozone	SO ₂	NOx	Meteorological Data	Other
	E							E				

E = Existing, A = Proposed to Add, T = Proposed to Terminate
 Sampling Frequency: 1/1 = Everyday, 1/3 = 1-in-3 day, 1/6 = 1-in-6 day



Site Description:

This monitoring site is located on the roof of the Talahi Elementary School at the corner of 15th Avenue SE and Michigan Avenue SE in Saint Cloud. The site is approximately three miles east of the Saint Cloud city center and less than a mile southwest of U.S. Highway 10. The surrounding area is predominately residential with commercial and retail businesses located to the north along U.S. Highway 10.

Monitoring Objectives:

- Demonstrate compliance with PM_{2.5} and ozone NAAQS.
- Support AQI reporting and forecasting for PM_{2.5} and ozone.

Planned Changes:

None

St. Michael Elementary School

Site Information:

AQS Site ID: 27-171-3201
 MPCA Site ID: 3201
 Address: 101 Central Ave W
 City: St. Michael
 County: Wright

Location Setting: Suburban
 Latitude: 45.2092
 Longitude: -93.6690
 Elevation: 288 m
 Year Established: 2003

Monitoring Parameters:

PM _{2.5} FRM	PM _{2.5} Continuous FEM	PM _{2.5} Speciation	PM ₁₀	TSP/Metals	VOCs	Carbonyls	Carbon Monoxide	Ozone	SO ₂	NO _x	Meteorological Data	Other
E								E				

E = Existing, A = Proposed to Add, T = Proposed to Terminate
 Sampling Frequency: 1/1 = Everyday, 1/3 = 1-in-3 day, 1/6 = 1-in-6 day



Site Description:

This monitoring site is located on the roof of the St. Michael Elementary School in St. Michael. The school is located approximately two miles south of I-94 in a residential neighborhood with nearby commercial and retail businesses. This site provides representative data for areas undergoing rapid development from rural to suburban residential land use.

Monitoring Objectives:

- Demonstrate compliance with for PM_{2.5} and ozone NAAQS.
- Support AQI reporting and forecasting for PM_{2.5} and ozone.

Planned Changes:

None

Brainerd Lakes Regional Airport

Site Information:


AQS Site ID: 27-035-3204
 MPCA Site ID: 3204
 Address: 16384 Airport Rd
 City: Brainerd
 County: Crow Wing

Location Setting: Rural
 Latitude: 46.3921
 Longitude: -94.1444
 Elevation: 381 m
 Year Established: 2004

Monitoring Parameters:

PM _{2.5} FRM	PM _{2.5} Continuous FEM	PM _{2.5} Speciation	PM ₁₀	TSP/Metals	VOCs	Carbonyls	Carbon Monoxide	Ozone	SO ₂	NOx	Meteorological Data	Other
E								E				

E = Existing, A = Proposed to Add, T = Proposed to Terminate
 Sampling Frequency: 1/1 = Everyday, 1/3 = 1-in-3 day, 1/6 = 1-in-6 day



Site Description:

This monitoring site is located in an open field on the east side of the Brainerd Regional Airport. The airport is less than one mile northwest of State Highway 210 and about three miles northeast of the Brainerd business district. Land use surrounding the airport is primarily residential and forest cover.

Monitoring Objectives:

- Demonstrate compliance with ozone NAAQS.
- Support AQI reporting and forecasting for PM_{2.5} and ozone.

Planned Changes:

None

Marshall – Southwest Minnesota Regional Airport

Site Information:

AQS Site ID: 27-083-4210
MPCA Site ID: 4210
Address: West Highway 19
City: Marshall
County: Lyon

Location Setting: Rural

Latitude: 44.4559

Longitude: -95.8363


Elevation: 361 m

Year Established: 2004

Monitoring Parameters:

PM _{2.5} FRM	PM _{2.5} Continuous FEM	PM _{2.5} Speciation	PM ₁₀	TSP/Metals	VOCs	Carbonyls	Carbon Monoxide	Ozone	SO ₂	NO _x	Meteorological Data	Other
	E							E				

E = Existing, A = Proposed to Add, T = Proposed to Terminate
Sampling Frequency: 1/1 = Everyday, 1/3 = 1-in-3 day, 1/6 = 1-in-6 day



Site Description:

This monitoring site is located in an open field at the Marshall Regional Airport near Marshall in southwest Minnesota. The monitor is located approximately one mile west of the central business district. Land use surrounding the airport and the City of Marshall is predominately agricultural with a mix of commercial and light industrial.

Monitoring Objectives:

- Demonstrate compliance with PM_{2.5} and ozone NAAQS.
- Support AQI reporting and forecasting for PM_{2.5} and ozone.

Planned Changes:

None

Rochester - Ben Franklin School

Site Information:

AQS Site ID: 27-109-5008
MPCA Site ID: 5008
Address: 1801 9th Ave SE
City: Rochester
County: Olmsted

Location Setting: Suburban

Latitude: 43.9949

Longitude: -92.4504


Elevation: 400 m

Year Established: 1997

Monitoring Parameters:

PM _{2.5} FRM	PM _{2.5} Continuous FEM	PM _{2.5} Speciation	PM ₁₀	TSP/Metals	VOCs	Carbonyls	Carbon Monoxide	Ozone	SO ₂	NO _x	Meteorological Data	Other
1/6	E							E	T			

E = Existing, A = Proposed to Add, T = Proposed to Terminate
Sampling Frequency: 1/1 = Everyday, 1/3 = 1-in-3 day, 1/6 = 1-in-6 day



Site Description:

This monitoring site is located on the roof of the Ben Franklin Elementary School in southeast Rochester. The school is located in a residential neighborhood approximately two miles south of the central business district. Some commercial and light industrial activity is located to the south and west of the site. This location provides air quality data representative of suburban neighborhoods which are dominated by residential land use.

Monitoring Objectives:

- Demonstrate compliance with PM_{2.5}, ozone, and SO₂ NAAQS.
- Support AQI reporting and forecasting for PM_{2.5} and ozone.

Planned Changes:

SO₂ monitoring will be terminated in 2017 after three years of monitoring to establish a background concentration is complete.

Stanton Air Field

Site Information:

AQS Site ID: **27-049-5302**
 MPCA Site ID: **5302**
 Address: **1235 Highway 17**
 City: **Stanton**
 County: **Goodhue**

Location Setting: **Rural**
 Latitude: **44.4719**
 Longitude: **-93.0126**
 Elevation: **300 m**
 Year Established: **2003**

Monitoring Parameters:

PM _{2.5} FRM	PM _{2.5} FEM	PM _{2.5} Speciation	PM ₁₀	TSP/Metals	VOCs	Carbonyls	Carbon Monoxide	Ozone	SO ₂	NO _x	Meteorological Data	Other
								E				
E = Existing, A = Proposed to Add, T = Proposed to Terminate Sampling Frequency: 1/1 = Everyday, 1/3 = 1-in-3 day, 1/6 = 1-in-6 day												



Site Description:

This monitoring site is located at the Stanton Air Field in Goodhue County. The site is located approximately 10 miles east of Northfield and 36 miles south of Saint Paul. Land use near the air field is predominantly agricultural.

Monitoring Objectives:

- Demonstrate compliance with ozone NAAQS.
- Support AQI reporting and forecasting for ozone.

Planned Changes:

None

Blaine - Anoka County Airport (NCore)

Site Information:

AQS Site ID: **27-003-1002**
MPCA Site ID: **6010**
NADP Site ID: **MN98**
Address: **2289 Co Rd J**
City: **Blaine**
County: **Anoka**

Location Setting: **Suburban**
Latitude: **45.1407**
Longitude: **-93.2220**
Elevation: **280 m**
Year Established: **1979**

Monitoring Parameters:

PM _{2.5} FRM	PM _{2.5} Continuous FEM	PM _{2.5} Speciation**	PM ₁₀ Continuous	PM _{10-2.5}	TSP/Metals ^{PL}	VOCs	Carbonyls	Carbon Monoxide ⁺	Ozone	SO ₂	NO _x [†]	Meteorological Data	Other*
1/3	E	E	E	E	E	E	E	E	E	E	E	E	E

E = Existing, A = Proposed to Add, T = Proposed to Terminate
Sampling Frequency: 1/1 = Everyday, 1/3 = 1-in-3 day, 1/6 = 1-in-6 day




^{PL}Population-oriented

**CSN

[†]Trace level NO_x, NO_y, and CO

*Hg Deposition



Site Description:

This monitoring site is located at the Anoka County Airport in Blaine, approximately 12 miles northwest of Saint Paul. The Anoka County Airport is characterized as a reliever airport in the metropolitan air traffic system and has a low traffic volume with no commercial service. The area surrounding the airport contains a mix of residential, office parks, commercial, light industrial and recreational use.

Monitoring Objectives:

- Demonstrate compliance with PM_{2.5}, PM₁₀, Pb, CO, ozone, SO₂, and NO₂ NAAQS.
- Support AQI reporting and forecasting for PM_{2.5}, ozone, and SO₂.
- Characterize air toxics (VOCs, carbonyls, and metals).
- Characterize PM_{2.5} chemical composition.
- Characterize precipitation chemistry to track long-term spatial and temporal trends, support research, and assess the effectiveness of mercury emissions reduction programs.

Planned changes:

None

U of M Cedar Creek Ecosystem Science Reserve

Site Information:

AQS Site ID: **27-003-1001**
 MPCA Site ID: **6012**
 NADP Site ID: **MN01**
 Address: **2660 Fawn Rd**
 City: **East Bethel**
 County: **Anoka**

Location Setting: **Rural**
 Latitude: **45.4018**
 Longitude: **-93.2031**
 Elevation: **280 m**
 Year Established: **1979**

Monitoring Parameters:

PM _{2.5} FRM	PM _{2.5} Continuous	PM _{2.5} Speciation	PM ₁₀	TSP/Metals	VOCs	Carbonyls	Carbon Monoxide	Ozone	SO ₂	NO _x	Meteorological Data	Other*
								E				E

E = Existing, A = Proposed to Add, T = Proposed to Terminate
 Sampling Frequency: 1/1 = Everyday, 1/3 = 1-in-3 day, 1/6 = 1-in-6 day

*Acid Deposition



Site Description:

This monitoring site is located at the University of Minnesota Cedar Creek Ecosystem Science Reserve near East Bethel, approximately 30 miles north of the Twin Cities. Cedar Creek is one of 26 Long Term Ecological Research Sites in the country. It consists of 5400 acres of wooded uplands, abandoned fields, lowland wooded swamps, and open fens and marshes. Land use surrounding Cedar Creek is rapidly being developed from agricultural to large-lot residential and commercial use.

Monitoring Objectives:

- Demonstrate compliance with ozone NAAQS.
- Support AQI forecasting and reporting for ozone.
- Characterize precipitation chemistry to track long-term spatial and temporal trends, support research, and assess the effectiveness of State and Federal SO₂ emissions reduction programs.
- Demonstrate compliance with the Minnesota Wet Sulfate Deposition Standard (Minn. R. 7005.4010 to 7005.4050).

Planned Changes:

None

St. Croix Watershed Research Station

Site Information:


AQS Site ID: **27-163-6016**
MPCA Site ID: **6016**
Address: **St. Croix Trail N**
City: **Marine on St. Croix**
County: **Washington**

Location Setting: **Rural**
Latitude: **45.1680**
Longitude: **-92.7651**
Elevation: **221 m**
Year Established: **2012**

Monitoring Parameters:

PM _{2.5} FRM	PM _{2.5} Continuous	PM _{2.5} Speciation	PM ₁₀	TSP/Metals	VOCs	Carbonyls	Carbon Monoxide	Ozone	SO ₂	NOx	Meteorological Data	Other
								E				

E = Existing, A = Proposed to Add, T = Proposed to Terminate
Sampling Frequency: 1/1 = Everyday, 1/3 = 1-in-3 day, 1/6 = 1-in-6 day



Site Description:

This site is located at the Science Museum of Minnesota's St. Croix Watershed Research Station. The St. Croix Watershed Research station is allocated 2 miles south of Marine on St. Croix, Minnesota, approximately 35 miles from St. Paul. Land use surrounding the station is a mix of agricultural and residential.

Monitoring Objectives:

- Demonstrate compliance with ozone NAAQS.
- Support AQI reporting and forecasting for ozone.

Planned Changes:

None

Ely - Fernberg Road

Site Information:

AQS Site ID: **27-075-0005**
 MPCA Site ID: **7001**
 NADP Site ID: **MN18**
 IMPROVE Site ID: **BOWA1**
 Address: **Fernberg Rd**
 City: **Ely**

County: **Lake**
 Location Setting: **Rural**
 Latitude: **47.9466**
 Longitude: **-91.4956**
 Elevation: **528 m**
 Year Established: **1977**

Monitoring Parameters:

PM _{2.5} FRM	PM _{2.5} Continuous FEM	PM _{2.5} Speciation**	PM ₁₀	TSP/Metals	VOCs	Carbonyls	Carbon Monoxide	Ozone	SO ₂	NO _x	Meteorological Data	Other*
E	1/6						E					E

E = Existing, A = Proposed to Add, T = Proposed to Terminate
 Sampling Frequency: 1/1 = Everyday, 1/3 = 1-in-3 day, 1/6 = 1-in-6 day

*Acid and Hg Deposition **IMPROVE



Site Description:

This monitoring site is located in a remote hilltop clearing approximately 19 miles east of Ely and adjacent to the Boundary Waters Canoe Area Wilderness. Land use surrounding this site is managed forests, recreation, and wilderness. This site is operated and maintained by the Superior National Forest with support from the MPCA.

Monitoring Objectives:

- Demonstrate compliance with ozone and PM_{2.5} NAAQS.
- Support AQI reporting and forecasting for PM_{2.5} and ozone.
- Characterize precipitation chemistry to track long-term spatial and temporal trends, support research, and assess effectiveness of State and Federal SO₂ and mercury emissions reduction programs.
- Demonstrate compliance with the Minnesota Wet Sulfate Deposition Standard (Minn. R. 7005.4010 to 7005.4050).
- Characterize fine particle chemistry to quantify existing conditions, track trends, and develop plans to protect visibility in Class 1 wilderness areas.

Planned Changes:

None

Fond du Lac Band*

Site Information:

AQS Site ID: 27-017-7417
 MPCA Site ID: 7417
 Address: 28 University Rd
 City: Cloquet
 County: Carlton

Location Setting: **Rural**
 Latitude: **46.1737**
 Longitude: **-92.5117**
 Elevation: **433 m**
 Year Established: **2015**

Monitoring Parameters:

PM _{2.5} FRM	PM _{2.5} Continuous FEM	PM _{2.5} Speciation	PM ₁₀	TSP/Metals	VOCs	Carbonyls	Carbon Monoxide	Ozone	SO ₂	NO _x	Meteorological Data	Other
	E							E				

E = Existing, A = Proposed to Add, T = Proposed to Terminate
 Sampling Frequency: 1/1 = Everyday, 1/3 = 1-in-3 day, 1/6 = 1-in-6 day



Site Description:

This tribal monitoring station is located in the Fond du Lac Resource Management and Tribal Court Building located approximately two miles west of Cloquet. The Fond du Lac Environmental Program relocated their long-term air monitoring site to this new location in April 2015. Land use in the surrounding area includes a Tribal government campus, community center and school. Low density residential neighborhoods and undeveloped forest lands surround the Tribal campus to the south, west and north. The Cloquet Carlton County Airport is located to the southeast of the campus. The City of Cloquet is located approximately two miles to the east and is the home of several large forest products industries.

Monitoring Objectives:

- Demonstrate compliance with ozone and PM_{2.5} NAAQS.
- Support AQI reporting and forecasting for ozone and PM_{2.5}.
- Support Tribal monitoring objectives.

Planned Changes:

None

***This monitoring site is operated by the Fond du Lac Band of Lake Superior Chippewa with technical support from the MPCA.**

Duluth - Oneota Street

Site Information:

AQS Site ID: 27-137-0032
 MPCA Site ID: 7545
 Address: Oneota St & 37th Ave W
 City: Duluth
 County: St. Louis


Location Setting: Urban Center City
 Latitude: 46.7516
 Longitude: -92.1413
 Elevation: 193 m
 Year Established: 1985

Monitoring Parameters:

PM _{2.5} FRM	PM _{2.5} Continuous	PM _{2.5} Speciation	PM ₁₀ *	TSP/Metals	VOCs	Carbonyls	Carbon Monoxide	Ozone	SO ₂	NO _x	Meteorological Data	Other
			1/6									

E = Existing, A = Proposed to Add, T = Proposed to Terminate
 Sampling Frequency: 1/1 = Everyday, 1/3 = 1-in-3 day, 1/6 = 1-in-6 day

*Collocated



Site Description:

This monitoring site is located in west central Duluth between I-35 and the Duluth-Superior Harbor. This site was established to monitor fugitive emissions from a variety of facilities and harbor operations that handle and ship materials including taconite pellets, aggregate, and coal. Other air emissions sources in the harbor area include scrap metal yards, railroad yards, wastewater treatment, power generation, and the I-35 corridor. Commercial land use changes to residential neighborhoods approximately 400 meters northwest of the site.

Monitoring Objectives:

- Demonstrate compliance with PM₁₀ NAAQS.

Planned Changes:

None

Duluth - Michigan Street

Site Information:


AQS Site ID: 27-137-7549
 MPCA Site ID: 7549
 Address: 1532 W Michigan St
 City: Duluth
 County: St. Louis

Location Setting: Urban Center City
 Latitude: 46.7694
 Longitude: -92.1194
 Elevation: 204 m
 Year Established: 1994

Monitoring Parameters:

PM _{2.5} FRM	PM _{2.5} Continuous	PM _{2.5} Speciation	PM ₁₀	TSP/Metals	VOCs	Carbonyls	Carbon Monoxide	Ozone	SO ₂	NO _x	Meteorological Data	Other
				1/6	1/6	1/6						

E = Existing, A = Proposed to Add, T = Proposed to Terminate
 Sampling Frequency: 1/1 = Everyday, 1/3 = 1-in-3 day, 1/6 = 1-in-6 day



Site Description:

This monitoring site is located in central Duluth along I-35 and the Duluth-Superior Harbor. This site was established to characterize air toxics from a variety of emissions sources along the I-35 corridor and Duluth-Superior Harbor. Residential neighborhoods located along the hillside are within two blocks of the monitoring site.

Monitoring Objectives:

- Demonstrate compliance with TSP MAAQS.
- Characterize air toxics (VOCs, carbonyls, and metals).

Planned Changes:

- None

Duluth – U of M

Site Information:

AQS Site ID: 27-137-7550
 MPCA Site ID: 7550
 Address: 1202 East University Circle
 City: Duluth
 County: St. Louis


Location Setting: Suburban
 Latitude: 46.8182
 Longitude: -92.0894
 Elevation: 351 m
 Year Established: 1998

Monitoring Parameters:

PM _{2.5} FRM*	PM _{2.5} Continuous	PM _{2.5} Speciation	PM ₁₀	TSP/Metals	VOCs	Carbonyls	Carbon Monoxide	Ozone	SO ₂	NO _x	Meteorological Data	Other
1/3								E				

E = Existing, A = Proposed to Add, T = Proposed to Terminate
 Sampling Frequency: 1/1 = Everyday, 1/3 = 1-in-3 day, 1/6 = 1-in-6 day

*Collocated



Site Description:

This monitoring site is located on the roof of the WDSE television studios in northern Duluth on the University of Minnesota Duluth campus. The site is less than one mile west of Woodland Avenue, 500 meters south of Saint Marie Street, and 500 meters north of College Street. The area surrounding the campus is predominantly residential with some commercial and retail business. WSDE was selected as a site representative of urban neighborhoods that are located at higher elevations in Duluth.

Monitoring Objectives:

- Demonstrate compliance with PM_{2.5} and ozone NAAQS.
- Support AQI reporting and forecasting for ozone.

Planned Changes:

None

Duluth – Laura MacArthur School

Site Information:

AQS Site ID: **27-137-7554**
 MPCA Site ID: **7554**
 Address: **720 N Central Ave**
 City: **Duluth**
 County: **St. Louis**


Location Setting: **Suburban**

Latitude: **46.7437**
 Longitude: **-92.1660**
 Elevation: **197 m**
 Year Established: **2012**

Monitoring Parameters:

PM _{2.5} FRM	PM _{2.5} Continuous FEM	PM _{2.5} Speciation	PM ₁₀	TSP/Metals	VOCs	Carbonyls	Carbon Monoxide	Ozone	SO ₂	NO _x	Meteorological Data	Other
1/3	E			1/6	1/6	1/6						

E = Existing, A = Proposed to Add, T = Proposed to Terminate
 Sampling Frequency: 1/1 = Everyday, 1/3 = 1-in-3 day, 1/6 = 1-in-6 day



Site Description:

This monitoring site is located on the roof of Laura MacArthur elementary school in west central Duluth. It is located in a neighborhood with mixed commercial and residential land use approximately one half mile north of the I35 corridor and the industrial area bordering the Duluth-Superior Harbor.

Monitoring Objectives:

- Demonstrate compliance with PM_{2.5} NAAQS.
- Support AQI reporting and forecasting for PM_{2.5}.
- Characterize air toxics (VOCs, carbonyls, and metals)

Planned Changes:

- TSP, metals, VOCs, and carbonyls will be added to this site in July 2015 as part of the Community Air Monitoring Project. More information can be found on the project website (<http://www.pca.state.mn.us/9xc4ahc>).
- No changes are planned for 2016.

Duluth - Waseca Road

Site Information:

AQS Site ID: 27-137-7555
 MPCA Site ID: 7555
 Address: Waseca Industrial Rd
 City: Duluth
 County: St. Louis



Location Setting: Urban Center City
 Latitude: 46.7306
 Longitude: -92.1634
 Elevation: 194 m
 Year Established: 2001

Monitoring Parameters:

PM _{2.5} FRM	PM _{2.5} Continuous	PM _{2.5} Speciation	PM ₁₀	TSP/Metals*	VOCs	Carbonyls	Carbon Monoxide	Ozone	SO ₂	NO _x	Meteorological Data	Other
				1/6								

E = Existing, A = Proposed to Add, T = Proposed to Terminate
 Sampling Frequency: 1/1 = Everyday, 1/3 = 1-in-3 day, 1/6 = 1-in-6 day

*Collocated



Site Description:

This monitoring site is located in western Duluth between a residential neighborhood and several facilities along the Duluth-Superior Harbor. This site was established to monitor fugitive emissions from a variety of facilities that handle and ship materials including aggregate, bentonite clay, and coal. Other air emissions sources in this area include a paper mill and power plant. Residential neighborhoods are located approximately 400 meters west of the site.

Monitoring Objectives:

- Demonstrate compliance with TSP MAAQS.
- Characterize metals.

Planned Changes:

None

Grand Portage Band*

Site Information:

AQS Site ID: 27-031-7810
 MPCA Site ID: 7810
 Address: 27 Store Rd
 City: Grand Portage
 County: Cook

Location Setting: Rural
 Latitude: 47.9701
 Longitude: -89.6910
 Elevation: 125 m
 Year Established: 2005

Monitoring Parameters:

PM _{2.5} FRM	PM _{2.5} FEM Continuous	PM _{2.5} Speciation	PM ₁₀	TSP/Metals	VOCs	Carbonyls	Carbon Monoxide	Ozone	SO ₂	NO _x	Meteorological Data	Other
	E											

E = Existing, A = Proposed to Add, T = Proposed to Terminate
 Sampling Frequency: 1/1 = Everyday, 1/3 = 1-in-3 day, 1/6 = 1-in-6 day



Site Description:

This Tribal monitoring site is located at the Grand Portage Band offices in Grand Portage in northeastern Minnesota. This site is less than one mile south of U.S. Highway 61 and less than one mile north of the Lake Superior shoreline. A small residential neighborhood surrounds the monitor. Land use outside of the Grand Portage community is undeveloped forests.

Monitoring Objectives:

- Support AQI reporting and forecasting for PM_{2.5}.
- Support Tribal monitoring objectives.

Planned Changes:

None

***This monitoring site is operated by the Grand Portage Band of Lake Superior Chippewa and supported in part by the MPCA**

Great River Bluffs State Park

Site Information:

AQS Site ID: **27-169-9000**
 IMPROVE Site ID: **GRRR1**
 Address: **43605 Kipp Drive**
 City: **Winona**
 County: **Winona**


Location Setting: **Rural**
 Latitude: **43.9373**
 Longitude: **-91.4052**
 Elevation: **370 m**
 Year Established: **2002**

Monitoring Parameters:

PM _{2.5} FRM	PM _{2.5} Continuous	PM _{2.5} Speciation**	PM ₁₀	TSP/Metals	VOCs	Carbonyls	Carbon Monoxide	Ozone	SO ₂	NO _x	Meteorological Data	Other
		1/3										

E = Existing, A = Proposed to Add, T = Proposed to Terminate
 Sampling Frequency: 1/1 = Everyday, 1/3 = 1-in-3 day, 1/6 = 1-in-6 day

**IMPROVE



Site Description:

This regional scale monitoring site is located at Great River Bluffs State Park that runs along the Mississippi River in southeast Minnesota. Land uses surrounding the 3000 acre state park are primarily agriculture and managed forests. The site is operated by park personnel with support from MPCA under an interagency agreement.

Monitoring Objectives:

- Characterize fine particle chemistry to quantify existing conditions, track trends, and develop plans to protect visibility in Class 1 wilderness areas.

Planned Changes:

None