



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION 5
77 WEST JACKSON BOULEVARD
CHICAGO, IL 60604-3590

FEB 06 2015

REPLY TO THE ATTENTION OF

Mr. Jeffrey Hunyor
Facility Manager
Systech Environmental Corporation
11397 Road 176
Paulding, Ohio 45879

Re: Final Federal RCRA Permit, Systech Environmental Corporation
Paulding, Ohio, OHD 005 048 947

Dear Mr. Hunyor:

Enclosed is a copy of the Federal portion of a Resource Conservation and Recovery Act (RCRA) Hazardous Waste permit for the above-referenced facility. The complete RCRA Hazardous Waste permit contains both Federal permit conditions (contained herein) and State permit conditions, which were issued separately by the State of Ohio RCRA program authorized under Title 40 of the Code of Federal Regulations (40 CFR) Part 271. Any hazardous waste activity not included in the Federal portion of the RCRA permit or in the State portion of the RCRA permit is prohibited when such activity requires a RCRA Hazardous Waste permit.

The draft federal RCRA permit was publicly noticed in the *Paulding Progress Newspaper*, Paulding, Ohio, and on WDFM Radio Station on or about April 30, 2014. A copy of the draft federal RCRA permit was available for review at the Paulding County Library, 205 South Main Street, Paulding, Ohio 45879. The public comment period extended from April 30 to June 16, 2014.

The only comments received by U.S. Environmental Protection Agency on the draft Federal RCRA permit during the public comment period were submitted by Systech Environmental Corporation. No comments from any concerned citizens were received. EPA's Response Summary to the comments is enclosed with this letter.

This Federal permit is effective March 25, 2015 and valid until August 13, 2024, unless the Federal permit is revoked and reissued, or terminated pursuant to 40 CFR § 270.41 and § 270.43. Failure to comply with any conditions of the Federal permit may result in civil and/or criminal Penalties.

You may appeal the issuance of this permit by filing a petition for review with the Environmental Appeals Board.



A petition for review of any condition of a RCRA permit decision must be filed with the Environmental Appeals Board within 30 days after EPA serves notice of the issuance of the final permit decision. 40 CFR § 124.19(a)(3). When EPA serves the notice by mail, service is deemed to be completed when the notice is placed in the mail, not when it is received. However, to compensate for the delay caused by mailing, the 30-day deadline for filing a petition is extended by three days if the final permit decision being appealed was served on the petitioner by mail. 40 CFR § 124.20(d). Petitions are deemed filed when they are received by the Clerk of the Board at the address specified for the appropriate method of delivery. 40 CFR § 124.19(a)(3) and 40 CFR § 124.19(i). Additional information regarding petitions for review may be found in the Environmental Appeals Board Practice Manual (January 2013) and A Citizen's Guide to EPA's Environmental Appeals Board, both of which are available at http://yosemite.epa.gov/oa/EAB_Web_Docket.nsf/General+Information/Environmental+Appeals+Board+Guidance+Documents?OpenDocument.


Eligibility to appeal the Federal permit is discussed further in 40 CFR §124.19. General filing requirements are contained in the Practice Manual, The Environmental Appeals Board and A Citizens' Guide to EPA's Environmental Appeals Board.

All documents that are sent through the U.S. Postal Service (except by Express Mail) must be addressed as follows:

Clerk of the Board
U.S. Environmental Protection Agency
Environmental Appeals Board
1200 Pennsylvania Avenue, NW
Mail Code 1103M
Washington, DC 20460-0001

Documents that are hand-carried in person, delivered via courier, mailed by Express Mail, or delivered by a non-U.S. Postal Service carrier (e.g., Federal Express or UPS) must be delivered to:

Clerk of the Board
U.S. Environmental Protection Agency
Environmental Appeals Board
1201 Constitution Avenue, NW
U.S. EPA East Building, Room 3334
Washington, DC 20004



A copy of the petition should also be sent to:

RCRA Branch (LR-8J)
U.S. Environmental Protection Agency, Region 5
77 West Jackson Boulevard
Chicago, Illinois 60604-3590

The procedures for filing an appeal are found in 40 CFR § 124.19. The administrative appeal procedures must be completed prior to any action seeking judicial review.

If you have any questions concerning this permit, please contact Mr. Jae Lee of my staff, at (312) 886-3781.

Sincerely,



Margaret M. Guerriero
Director
Land and Chemicals Division

Enclosure

cc: Jeremy Carroll, OEPA

FINAL
UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION 5

RESOURCE CONSERVATION AND RECOVERY ACT PERMIT

Facility Name and Location: Systech Environmental Corporation
11397 County Road 176
Paulding, Ohio 45879

Owner: Systech Environmental Corporation
3085 Woodman Drive, Suite 300
Dayton, Ohio 45420

Operator: Systech Environmental Corporation
3085 Woodman Drive, Suite 300
Dayton, Ohio 45420

U.S. EPA Identification Number: OHD 005 048 947

Effective Date: March 25, 2015

Expiration Date: August 13, 2024

Authorized Activities:

The U.S. Environmental Protection Agency hereby issues a Resource Conservation and Recovery Act permit (hereinafter referred to as the "permit") to Systech Environmental Corporation (addressed in the second person as "you") in connection with the hazardous waste management operations at the Systech Environmental Corporation, located in Paulding, Ohio.

This permit is issued under the Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act of 1976, and the Hazardous and Solid Waste Amendments (HSWA) of 1984 (42 USC § 6901 *et seq.*) (collectively referred to as "RCRA") and EPA's regulations promulgated thereunder (codified, and to be codified, in Title 40 of the Code of Federal Regulations (40 CFR)).

The RCRA permit consists of both this permit, which contains the effective Federal RCRA permit conditions, and the effective State RCRA permit conditions issued by the State of Ohio's RCRA program authorized under 40 CFR Part 271 (hereinafter called the "State RCRA permit").

The State RCRA permit was issued on August 13, 2014. (The effective and expiration dates of the State RCRA permit are August 13, 2014 and August 13, 2024, respectively.) Any hazardous waste activity which requires a RCRA permit and is not included in the RCRA permit is prohibited.

Permit Approval:

On June 28, 1989, the State of Ohio received final authorization according to Section 3006 of RCRA, 42 USC § 6926, and 40 CFR Part 271, to administer the pre-HSWA RCRA hazardous waste program. The State of Ohio has also received final authorization to administer certain additional RCRA requirements on several occasions since then. However, because EPA has not yet authorized the State of Ohio to administer certain regulations, including the air emission standards for equipment leaks and changes to other sections of applicable regulations, the U.S. EPA Region 5 is issuing the RCRA permit requirements for operations at your facility which fall under these regulations.

You must comply with all terms and conditions contained in this permit. This permit consists of all the conditions contained herein, the documents attached hereto, all documents cross-referenced in these documents, approved submittals (including plans, schedules and other documents), the applicable regulations in 40 CFR Parts 124, 260, 261, 262, 264, 268, 270, and applicable provisions of RCRA.

This permit is based on the assumption that the information submitted in your RCRA Part B Permit Renewal Application dated February 5, 2013 and all other revisions and addendums to that application (hereinafter referred to as the "Part B Permit Application") is accurate and the facility is configured, operated and maintained as specified in the Part B Permit Application and other relevant documents.


Any inaccuracies in the submitted information may be grounds for EPA to terminate, revoke and reissue, or modify this permit in accordance with 40 CFR §§ 270.41, 270.42 and 270.43; and for enforcement action. You must inform EPA of any deviation from, or changes in, the information in the Part B Permit Application and other pertinent documents that might affect your ability to comply with the applicable regulations or conditions of this permit.

Opportunity to Appeal:

Petitions for review must be submitted within 30 days after EPA serves notice of the final permit decision. Any person who filed comments on the draft permit or participated in the public hearing may petition the Environmental Appeals Board to review any condition of the permit decision. Any person who failed to file comments or failed to participate in the public hearing on the draft permit may file a petition for review only to the extent of the changes from the draft to the final permit decision. The procedures for permit appeals are found in 40 CFR § 124.19.

Effective Date:

This permit is effective as of **March 25, 2015** and will remain in effect until **August 13, 2024**, unless revoked and reissued under 40 CFR § 270.41, terminated under 40 CFR § 270.43, or continued in accordance with 40 CFR § 270.51(a).

By:  _____ Date: 2/6/2015
Margaret M. Guerriero, Director
Land and Chemicals Division

**OHD 005 048 947
Systech Environmental Corporation, Paulding, Ohio**

TABLE OF CONTENTS

SECTION I--STANDARD PERMIT CONDITIONS1

I.A EFFECT OF PERMIT1

I.B PERMIT ACTIONS1

 I.B.1 Permit Review, Modification, Revocation and Reissuance, and
 Termination1

 I.B.2 Permit Renewal2

I.C SEVERABILITY2

I.D DEFINITIONS2

I.E DUTIES AND REQUIREMENTS3

 I.E.1 Duty to Comply3

 I.E.2 Duty to Reapply3

 I.E.3 Permit Expiration3

 I.E.4 Need to Halt or Reduce Activity Not a Defense3

 I.E.5 Duty to Mitigate3

 I.E.6 Proper Operation and Maintenance4

 I.E.7 Duty to Provide Information4

 I.E.8 Inspection and Entry4

 I.E.9 Monitoring and Records5

 I.E.10 Reporting Planned Changes5

 I.E.11 Reporting Anticipated Noncompliance5

 I.E.12 Certification of Construction6

 I.E.13 Transfer of Permits6

 I.E.14 Twenty-Four Hour Reporting6

 I.E.15 Other Noncompliance8

 I.E.16 Other Information8

I.F SIGNATORY REQUIREMENT8

I.G REPORTS, NOTIFICATIONS AND SUBMITTALS TO THE DIRECTOR9

I.H CONFIDENTIAL INFORMATION9

I.I DOCUMENTS TO BE MAINTAINED AT THE FACILITY9

 I.I.1 Operating Record9

 I.I.2 Notifications9

 I.I.3 Copy of Permit10

I.J ATTACHMENTS AND DOCUMENTS INCORPORATED BY
REFERENCE10

I.K COORDINATION WITH THE CLEAN AIR ACT 10

SECTION II-- AIR EMISSION STANDARDS FOR EQUIPMENT LEAKS
 (40 CFR PART 264 SUBPART BB)11

II.A EQUIPMENT LEAKS11

II.A.1 Applicable Equipment11

II.A.2 Pumps in Light Liquid Service (40 CFR § 264.1052).....11

II.A.3 Pressure Relief Devices in Gas/Vapor Services (40 CFR 264.1054).....11

II.A.4 Sampling Connection Systems (40 CFR § 264.1055).....12

II.A.5 Open-Ended Valves or Lines (40 CFR § 264.1056).....12

II.A.6 Valves in Gas/Vapor Service or in Light Liquid Service
 (40 CFR § 264.1057)13

II.A.7 Pressure Relief Devices in Light Liquid Service,
 and Flanges and Other Connectors (40 CFR § 264.1058)13

II.A.8 Delay of Repair (40 CFR § 264.1059).....13

II.A.9 Closed-Vent Systems and Control Devices (40 CFR § 264.1060).....14

II.A.10 Alternative Standards for Valves in Gas/Vapor Service or in
 Light Liquid Service: Percentage of Valves Allowed to Leak
 (40 CFR § 264.1061)14


II.A.11 Alternative Standards for Valves in Gas/Vapor Service or in
 Light Liquid Service: Skip Period Leak Detection and Repair
 (40 CFR § 264.1062)14

II.B TEST METHOD AND PROCEDURES (40 CFR § 264.1063)15

II.C RECORDKEEPING AND REPORTING REQUIREMENTS
 (40 CFR §§ 264.1064 and 264.1065).....15

SECTION III-- AIR EMISSION STANDARDS FOR TANKS AND CONTAINERS
 (40 CFR PART 264 SUBPART CC)15

SECTION IV—COMPLIANCE SCHEDULE FOR WASTE TRANSFER TO
 CONTAINER16



SECTION I—STANDARD PERMIT CONDITIONS

I.A EFFECT OF PERMIT

This permit contains the federal RCRA permit conditions. You also have a state RCRA permit. You are hereby allowed to manage hazardous waste at Systech Environmental Corporation (“facility”) in accordance with this permit and the effective state RCRA permit. Under this permit, the operation of units storing RCRA hazardous waste must comply with all terms and conditions in this permit. Other aspects of the storage of RCRA hazardous wastes in tanks and containers are subject to the conditions in the state RCRA permit. Any hazardous waste activity which requires a RCRA permit and is not included either in this permit or the state RCRA permit, is prohibited.

Subject to 40 C.F.R. § 270.4, compliance with the RCRA permit during its term generally constitutes compliance, for purposes of enforcement, with Subtitle C of RCRA except for those requirements not included in the permit which: (1) become effective by statute; (2) are promulgated under 40 C.F.R. Part 268 restricting the placement of hazardous waste in or on the land; (3) are promulgated under 40 C.F.R. Part 264 regarding leak detection systems; or (4) promulgated under subparts AA, BB, or CC of 40 C.F.R. Part 265 limiting air emissions.

This permit does not: (1) convey any property rights or any exclusive privilege; (2) authorize any injury to persons or property, or invasion of other private rights; or (3) authorize any infringement of state or local law or regulations. Compliance with the terms of this permit does not constitute a defense to any order issued, or any action brought, under: (1) Sections 3008(a), 3008(h), 3013, or 7003 of RCRA; (2) Sections 104, 106(a), or 107 of the Comprehensive Environmental Response, Compensation, and Liability Act of 1980, 42 U.S.C. §§ 9601 *et seq.* (commonly known as “CERCLA”); or (3) any other law protecting public health or the environment

I.B PERMIT ACTIONS

I.B.1 Permit Review, Modification, Revocation and Reissuance, and Termination

EPA may review, modify, or revoke and reissue this permit, or terminate it for cause, as specified in 40 C.F.R. §§ 270.41, 270.42, and 270.43. EPA may also review and modify this permit, consistent with 40 C.F.R. § 270.41, to include any terms and conditions it determines are necessary to protect human health and the environment under Section 3005(c)(3) of RCRA. The filing of a request for a permit modification, revocation and reissuance, or termination, or a notification of planned changes or anticipated noncompliance on your part will not stay the applicability or enforceability of any permit condition. (40 C.F.R. § 270.30(f))

You may request a modification of this permit under the procedures specified in 40 C.F.R. § 270.42. A class 1 modification is generally allowed without prior approval by EPA except under certain conditions as described in 40 C.F.R. § 270.42(a)(2). A class 2 modification requires prior approval by EPA as described in 40 C.F.R. § 270.42(b). You must not perform any construction associated with a Class 3 permit modification request until such modification request is granted and the modification becomes effective. You may perform construction associated with a Class 2 permit modification request beginning 60 days after submission of the request, unless the Director establishes a later date. (40 C.F.R. § 270.42(b)(8)) Pursuant to Chapter 8-6 of the Region 5 Delegation Manual, the authority assigned to the Regional Administrator as Director under 40 C.F.R. § 270.42(b)(8) has been delegated to the Director of the Land and Chemicals Division of EPA, Region 5. Thus, for the purposes of this permit, the term Director shall refer to the Division Director of EPA Region 5's Land and Chemicals Division. Procedures for a class 3 modification are specified in 40 C.F.R. § 270.42(c).

I.B.2 Permit Renewal

This permit may be renewed as specified in 40 C.F.R. § 270.30(b) and Section I.E.2 of this permit. In reviewing any application for a permit renewal, EPA will consider improvements in the state of control and measurement technology, and changes in applicable regulations. (40 C.F.R. § 270.30(b) and RCRA Section 3005(c)(3))

I.C SEVERABILITY

This permit's provisions are severable. If any permit provision, or the application of any permit provision to any circumstance, is held invalid, such provision's application to other circumstances and the remainder of this permit will not be affected. Invalidation of any statutory or regulatory provision on which any condition of this permit is based does not affect the validity of any other statutory or regulatory basis for that condition. (40 C.F.R. § 124.16(a))

I.D DEFINITIONS

The terms used in this permit will have the same meaning as in 40 C.F.R. Parts 124, 260 through 266, 268 and 270, unless this permit specifically provides otherwise. Where neither the regulations nor the permit define a term, the term's definition will be the standard dictionary definition or its generally accepted scientific or industrial meaning.

I.E DUTIES AND REQUIREMENTS

1.E.1 Duty to Comply

You must comply with all conditions of this permit, except to the extent and for the duration for which an emergency permit authorizes such noncompliance (40 C.F.R. § 270.61). Any permit noncompliance, except under the terms of an emergency permit, constitutes a violation of RCRA and will be grounds for: enforcement action; permit termination, revocation and reissuance, or modification; or denial of a permit renewal application. (40 C.F.R. § 270.30(a))

1.E.2 Duty to Reapply

If you wish to continue an activity this permit regulates after its expiration date, you must apply for and obtain a new permit. You must submit a complete application for a new permit at least 180 days before the permit expires, unless the Director grants permission for a later date. The Director will not grant permission to submit the complete application for a new permit later than the permit's expiration date. (40 C.F.R. §§ 270.10(h) and 270.30(b))

1.E.3 Permit Expiration

Unless revoked or terminated, this permit and all conditions herein will be effective for approximately 10 years from this permit's effective date. This permit and all conditions herein will remain in effect beyond the permit's expiration date if you have submitted a timely, complete application (40 C.F.R. § 270.10 and §§ 270.13 through 270.29), and, through no fault of your own, the Director has not made a final determination regarding permit reissuance. (40 C.F.R. §§ 270.50 and 270.51)

1.E.4 Need to Halt or Reduce Activity Not a Defense

In an enforcement action, you are not entitled to a defense that it would have been necessary to halt or reduce the permitted activity to maintain compliance with this permit. (40 C.F.R. § 270.30(c))

1.E.5 Duty to Mitigate

In the event of noncompliance with this permit, you must take all reasonable steps to minimize releases to the environment resulting from the noncompliance and must implement all reasonable measures to prevent significant adverse impacts on human health or the environment. (40 C.F.R. § 270.30(d))

I.E.6 Proper Operation and Maintenance

You must always properly operate and maintain all facilities and treatment and control systems (and related appurtenances) that you install or use to comply with this permit. Proper operation and maintenance includes effective performance, adequate funding, adequate operator staffing and training, and adequate laboratory and process controls, including appropriate quality assurance/quality control procedures. This provision requires you to operate back-up or auxiliary facilities or similar systems only when necessary to comply with this permit. (40 C.F.R. § 270.30(e))

I.E.7 Duty to Provide Information

You must provide the Director, within a reasonable time, any relevant information that the Director requests to determine whether there is cause to modify, revoke and reissue, or terminate this permit, or to determine permit compliance. You must also provide the Director, upon request, with copies of any records this permit requires. The information you must maintain under this permit is not subject to the Paperwork Reduction Act of 1995, 44 USC §§ 3501 *et seq.* (40 C.F.R. §§ 264.74(a) and 270.30(h))

I.E.8 Inspection and Entry

Upon the presentation of credentials and other legally required documents, you must allow the Director or an authorized representative to:

I.E.8.a Enter at reasonable times upon your premises where a regulated activity is located or conducted, or where records must be kept under the conditions of this permit;

I.E.8.b Have access to and copy, at reasonable times, any records that you must keep under the conditions of this permit;

I.E.8.c Inspect, at reasonable times, any facilities, equipment (including monitoring and control equipment), practices, or operations regulated or required under this permit; and

I.E.8.d Sample or monitor any substances at any location at reasonable times, to assure permit compliance or as RCRA otherwise authorizes.

Notwithstanding any provision of this permit, EPA retains the inspection and access authority which it has under RCRA and other applicable laws. (40 C.F.R. § 270.30(i))

I.E.9 Monitoring and Records

I.E.9.a Samples and measurements taken for monitoring purposes must be representative of the monitored activity. The methods used to obtain a representative sample of the feed streams, treatment residues, or other hazardous wastes to be analyzed must be the appropriate methods from Appendix I of 40 C.F.R. Part 261, or the methods specified in the Waste Characteristics and Waste Analysis Plan which is Section C of the Part B Permit Application, or an equivalent method approved by the Director. Laboratory methods must be those specified in *Test Methods for Evaluating Solid Waste: Physical/Chemical Methods* (SW-846, latest edition), *Methods for Chemical Analysis of Water and Wastes* (EPA 600/4-79-020), or an equivalent method, as specified in the referenced Waste Characteristics. (40 C.F.R. § 270.30(j)(1))

I.E.9.b You must retain, at the facility, records of all monitoring information as specified in 40 C.F.R. § 264.74.

I.E.9.c You must retain all reports, records, or other documents, required by this permit, and records of all data used to complete the application for this permit, for a period of at least 3 years from the date of the reports, records, or other documents, unless a different period is specified in this permit. These periods may be extended by request of the Director at any time and is automatically extended during the course of any unresolved enforcement action regarding this facility. (40 C.F.R. §§ 270.30(j) and 270.31)

I.E.10 Reporting Planned Changes

You must notify the Director as soon as possible of any planned physical alterations or additions to the permitted facility. (40 C.F.R. § 270.30(l)(1))

I.E.11 Reporting Anticipated Noncompliance

You must notify the Director, in advance, of any planned changes in the permitted facility or activity that may result in permit noncompliance. Advance notice will not constitute a defense for any noncompliance. (40 C.F.R. § 270.30(l)(2))

I.E.12 Certification of Construction

You must not operate any RCRA air emission control devices completed after the effective date of this permit until you have submitted to the Director, by certified mail or hand-delivery, a letter signed both by your authorized representative and by a registered professional engineer. That letter must state that the portions of the facility covered by this permit have been constructed in compliance with the applicable conditions of this permit. In addition, you must not operate the permitted control devices until either:

I.E.12.a The Director or his/her representative has inspected those portions of the facility and finds them in compliance with the conditions of the permit; or

I.E.12.b The Director waives the inspection and the permittee may commence treatment, storage, or disposal of hazardous waste in accordance with 40 C.F.R. § 270.30(1)(2)(ii)(B).

I.E.13 Transfer of Permits

This permit is not transferable to any person, except after notice to the Director. You must inform the Director in writing and obtain prior written approval of the Director before transferring ownership or operational control of the facility. (40 C.F.R. § 270.42, Appendix I) Under 40 C.F.R. § 270.40, the Director may require permit modification, or revocation and reissuance to change your name and incorporate other RCRA requirements. Before transferring ownership or operation of the facility during its operating life, you must notify the Director and obtain prior approval, and notify the new owner or operator in writing of the requirements of 40 C.F.R. Parts 264, 266, 268, and 270, and you must provide a copy of the RCRA permit to the new owner or operator. (40 C.F.R. §§ 264.12(c), 270.30(1)(3), and 270.40(a))

I.E.14 Twenty-Four Hour Reporting

I.E.14.a You must report to the Director any noncompliance with this permit that may endanger human health or the environment. Any such information must be promptly reported orally, but no later than 24 hours after you become aware of the circumstances.

I.E.14.b The report must include the following (40 C.F.R. § 270.30(1)(6)): (1) Information concerning release of any hazardous waste that may endanger public drinking water supplies; (2) Information of a release or discharge of hazardous waste; or (3) Information of a fire or explosion from the hazardous waste management facility, that could threaten the environment or human health outside the facility. You must include the following information:

- (1) Name, title and telephone number of the person making the report;
- (2) Name, address and telephone number of the facility owner or operator;
- (3) Facility name, address and telephone number;
- (4) Date, time and type of incident;
- (5) Location and cause of incident;
- (6) Identification and quantity of material(s) involved;
- (7) Extent of injuries, if any;
- (8) Assessment of actual or potential hazards to the environment and human health outside the facility, where applicable;
- (9) Description of any emergency action taken to minimize the threat to human health and the environment; and
- (10) Estimated quantity and disposition of recovered material that resulted from the incident.

I.E.14.c In addition to the oral notification required under Sections I.E.14.a and I.E.14.b of this permit, a written report must also be provided within 5 calendar days after you become aware of the circumstances. The written report must include, but is not limited to, the following:

- (1) Name, address and telephone number of the person reporting;
- (2) Incident description (noncompliance and/or release or discharge of hazardous waste), including cause, location, extent of injuries, if any, and an assessment of actual or potential hazards to the environment and human health outside the facility, where applicable;
- (3) Period(s) in which the incident (noncompliance and/or release or discharge of hazardous waste) occurred, including exact dates and times;

- (4) Whether the incident's results continue to threaten human health and the environment, which will depend on whether the noncompliance has been corrected and/or the release or discharge of hazardous waste has been adequately cleaned up; and
- (5) If the noncompliance has not been corrected, the anticipated period for which it is expected to continue and the steps taken or planned to reduce, eliminate, and prevent the recurrence of the noncompliance.

The Director may waive the requirement that written notice be provided within 5 calendar days; however, you will then be required to submit a written report within 15 calendar days of the day on which you must provide oral notice, in accordance with Sections I.E.14.a and I.E.14.b of this permit. (40 C.F.R. §§ 270.30(1)(6) and 270.30(h))

I.E.15 Other Noncompliance

You must report all instances of noncompliance not reported under Section I.E.14 of this permit, when any other reports this permit requires are submitted. The reports must contain the information listed in Section I.E.14 of this permit. (40 C.F.R. § 270.30(l)(10))

I.E.16 Other Information

I.E.16.a Whenever you become aware that you failed to submit or otherwise omitted any relevant facts in the Part B Permit Application or other submittal, or submitted incorrect information in the Part B Permit Application or other submittal, you must promptly notify the Director of any incorrect information or previously omitted information, submit the correct facts or information, and explain in writing the circumstances of the incomplete or inaccurate submittal. (40 C.F.R. §§ 270.30(l)(11) and 270.30(h))

I.E.16.b All other requirements contained in 40 C.F.R. § 270.30 not specifically described in this permit are incorporated into this permit and you must comply with all those requirements.

I.F SIGNATORY REQUIREMENT

You must sign and certify all applications, reports, or information this permit requires, or which are otherwise submitted to the Director, in accordance with 40 C.F.R. § 270.11. (40 C.F.R. § 270.30(k))

I.G REPORTS, NOTIFICATIONS AND SUBMITTALS TO THE DIRECTOR

Except as otherwise specified in this permit, all reports, notifications, or other submittals that this permit requires to be sent or given to the Director should be sent by certified mail or express mail, or hand-delivered to the U.S. Environmental Protection Agency Region 5, RCRA Branch, at the following address:

RCRA Branch, LR-8J
Land and Chemicals Division
U.S. EPA Region 5
77 West Jackson Boulevard
Chicago, Illinois 60604

I.H CONFIDENTIAL INFORMATION

In accordance with 40 C.F.R. Part 2, Subpart B, you may claim any information this permit requires, or otherwise submitted to the Director, as confidential. You must assert any such claim at the time of submittal in the manner prescribed on the application form or instructions or, in the case of other submittals, by stamping the words "Confidential Business Information" on each page containing such information. If you made no claim at the time of submittal, the Director may make the information available to the public without further notice. If you assert a claim, the information will be treated in accordance with the procedures in 40 C.F.R. Part 2. (40 C.F.R. § 270.12)

I.I DOCUMENTS TO BE MAINTAINED AT THE FACILITY

You must maintain at the facility, until closure is completed and certified by an independent registered professional engineer, the following documents and all amendments, revisions, and modifications to them.

I.I.1 Operating Record

You must maintain in the facility's operating record the documents required by this permit, and by the applicable portions of 40 C.F.R. §§ 266.102, 264.13, and 264.73 (as they apply to the equipment used to comply with this permit).

I.I.2 Notifications

You must maintain notifications from generators that are required by 40 C.F.R. § 268.7 to accompany an incoming shipment of hazardous wastes subject to 40 C.F.R. Part 268, Subpart C, that specify treatment standards, as required by 40 C.F.R. §§ 264.73, 268.7, and this permit.

I.I.3 Copy of Permit

You must keep a copy of this permit on site, including all of the documents listed in any attachments, and you must update it as necessary to incorporate any official permit modifications.

I.J ATTACHMENTS AND DOCUMENTS INCORPORATED BY REFERENCE

I.J.1 All attachments and documents that this permit requires to be submitted, if any, including all plans and schedules are, upon the Director's approval, incorporated into this permit by reference and become an enforceable part of this permit. Since required items are essential elements of this permit, failure to submit any of the required items or submission of inadequate or insufficient information may subject you to enforcement action under Section 3008 of RCRA. This may include fines, or permit suspension or revocation.

I.J.2 This permit also includes the documents attached hereto, all documents cross-referenced in these documents, and the applicable regulations contained in 40 C.F.R. Parts 124, 260, 261, 262, 264, 266, 268, and 270, and applicable provisions of RCRA, all of which are incorporated herein by reference.

I.J.3 Any inconsistency or deviation from the approved designs, plans and schedules is a permit noncompliance. The Director may grant written requests for extensions of due dates for submittals required in this permit.

I.J.4 If the Director determines that actions beyond those provided for, or changes to what is stated herein, are warranted, the Director may modify this permit according to procedures in Section I.B of this permit.

I.J.5 If any documents attached to this permit are found to conflict with any of the conditions in this permit, the condition will take precedence.

I.K COORDINATION WITH THE CLEAN AIR ACT

You must fully comply with all applicable Clean Air Act (CAA) and RCRA permit limits. Where two or more operating limitations apply, the most stringent operating limitations take precedence.

**SECTION II -- AIR EMISSION STANDARDS FOR EQUIPMENT LEAKS
(40 CFR PART 264 SUBPART BB)**

II.A EQUIPMENT LEAKS

II.A.1 Applicable Equipment

You must comply with all applicable requirements of 40 CFR §§ 264.1050 through 264.1065 regarding air emission standards for equipment leaks. The applicable equipment contains or contacts hazardous waste with organic concentrations of at least 10 percent by weight. The equipment which is subjected to the Subpart BB requirements is considered as "In light liquid service" or "In gas/vapor service" as defined in 40 CFR § 264.1031. The applicable equipment includes, but is not limited to: 1) pumps, 2) valves, 3) flanges and other connectors, 4) pressure release devices, 5) sampling connection systems, 6) open-ended valves or lines, and 7) closed-vent system and control devices.

II.A.2 Pumps in Light Liquid Service (40 CFR § 264.1052)

II.A.2.a Each pump in light liquid service must be monitored monthly to detect leaks by the methods specified in 40 CFR § 264.1063(b), except: when each pump is 1) equipped with dual mechanical seal system satisfying the requirements of 40 CFR § 264.1052(d); 2) designated, as described in 40 CFR § 264.1064(g)(2), for no detectable emissions, as indicated by an instrument reading of less than 500 parts per million (ppm) above background, and meeting the requirements of 40 CFR § 264.1052(e); or 3) equipped with a closed vent system complying with the requirements of 40 CFR § 264.1052(f).

II.A.2.b Each pump shall be checked by visual inspection each calendar week for seal leaks.

II.A.2.c A leak is detected if: 1) an instrument reading of 10,000 ppm or greater is measured, or 2) there is an indication of liquid dripping from the pump seal.

II.A.2.d When a leak is detected, you must repair it as soon as practicable, but not later than 15 calendar days after it is detected, except as provided in 40 CFR § 264.1059 - Standards: Delay of repair. The first attempt at repair must be made no later than five calendar days after each leak is detected.

II.A.3 Pressure Relief Devices in Gas/Vapor Services (40 CFR § 264.1054)

II.A.3.a Each pressure relief device in gas/vapor service shall be operated with no detectable emissions, as indicated by an instrument reading of less than 500

parts per million (ppm) above background, as measured by the method specified in 40 CFR § 264.1063(c), except during pressure releases.

II.A.3.b After each pressure release, the pressure release device shall be returned to a condition of no detectable emissions, as indicated by an instrument reading of less than 500 ppm above background, as soon as practicable, but no later than 5 calendar days after each pressure release except as provided in 40 CFR § 264.1059.

II.A.3.c No later than 5 calendar days after the pressure release, the pressure relief device shall be monitored to confirm the condition of no detectable emissions, as indicated by an instrument reading of less than 500 ppm above background, as measured by the method specified in 40 CFR § 264.1063(c).

II.A.4 Sampling Connection Systems (40 CFR § 264.1055)

Each sampling connection system, except *in-situ* sampling systems and sampling systems without purges, shall be equipped with a closed-purge, closed-loop, or closed-vent system that meets one of the following requirements:

II.A.4.a Return the purged process fluid directly to the process line;

II.A.4.b Collect and recycle the purged process fluid; or

II.A.4.c Be designed and operated to capture and transport all the purged process fluid to a waste management unit that complies with applicable sections of 40 CFR § 264.1084 through § 264.1086 or a control device that complies with 40 CFR § 264.1060, Standards for Closed-Vent Systems and Control Devices.

II.A.5 Open-ended Valves or Lines (40 CFR § 264.1056)

II.A.5.a Each open-ended valve or line must be equipped with a: 1) cap, 2) blind flange, 3) plug, or 4) second valve, which seals the open end at all times except during operations requiring hazardous waste stream flow through the open-ended valve or line.

II.A.5.b When a double block and bleed system is used, the bleed valve or line may remain open during operations that require venting the line between the block valves but shall seal the open end at all other times.

II.A.6 Valves in Gas/Vapor Service or in Light Liquid Service (40 CFR § 264.1057)

II.A.6.a Each valve in light liquid service shall be monitored monthly to detect leaks in accordance with 40 CFR § 264.1057(a) and (c), except as provided in 40 CFR §§ 264.1057(f), (g), and (h).

II.A.6.b If an instrument reading of 10,000 ppm or greater is measured, a leak is detected.

II.A.7 Pressure Relief Devices in Light Liquid Service, and Flanges and Other Connectors (40 CFR § 264.1058)

II.A.7.a Pressure relief devices in light liquid service and flanges and other connectors must be monitored within five days by the method specified in 40 CFR § 264.1063(b) if evidence of a potential leak is found by visual, audible, olfactory, or any other detection method. If an instrument reading of 10,000 ppm or greater is measured, a leak is detected.

II.A.7.b When a leak is detected, you must repair the leak as soon as practicable, but not later than 15 calendar days after it is detected, except as provided in 40 CFR § 264.1059. The first attempt at repair shall be made no later than five calendar days after each leak is detected.

II.A.7.c First attempts at repair include, but are limited to, the best practices described under 40 CFR § 264.1057(e).

II.A.8 Delay of Repair (40 CFR § 264.1059)

II.A.8.a Delay of repair of equipment for which leaks have been detected will be allowed if: 1) the repair is technically infeasible without a hazardous waste management unit shutdown; or 2) the equipment is isolated from the hazardous waste management unit and does not continue to contain or contact hazardous waste with organic concentrations at least 10 percent by weight.

II.A.8.b Delay of repair for valves will be allowed if: 1) emissions of purged material resulting from immediate repair are greater than the emissions likely to result from delay of repair; and 2) when repair procedures are effected, the purged material is collected and destroyed or recovered in a control device complying with 40 CFR § 264.1060.

II.A.8.c Delay of repair for pumps will be allowed if: 1) repair requires the use of a dual mechanical seal system that includes a barrier fluid system; and 2) repair is completed as soon as practicable, but not later than six months after the leak was detected.

II.A.8.d Delay of repair beyond a hazardous waste management unit shutdown will be allowed for a valve only if it meets the provisions of 40 CFR § 264.1059(e).

II.A.9 Closed-Vent Systems and Control Devices (40 CFR § 264.1060)

Closed-vent systems and control devices shall comply with the provisions of 40 CFR §§ 264.1033 and 264.1060.

II.A.10 Alternative Standards for Valves in Gas/Vapor Service or in Light Liquid Service: Percentage of Valves Allowed to Leak (40 CFR § 264.1061)

You may elect to have all valves within a hazardous waste management unit comply with an alternative standard that allows no greater than 2 percent of the valves to leak if the provisions of 40 CFR §§ 264.1061(b) and (c) are met. You must notify the Director in writing, if you decide to discontinue the election of the alternative standards, that the work practice standards described in 40 CFR §§ 264.1057(a) through (e) will be followed.

II.A.11 Alternative Standards for Valves in Gas/Vapor Service or in Light Liquid Service: Skip Period Leak Detection and Repair (40 CFR § 264.1062)

You may elect for all valves subject to the requirements of 40 CFR § 264.1057 and Section II.A.7 within a hazardous waste management unit to comply with one of the alternative work practices specified below.

II.A.11.a After two consecutive quarterly leak detection periods with the percentage of valves leaking equal to or less than 2 percent, you may begin to skip one of the quarterly leak detection periods for the valves.

II.A.11.b After five consecutive quarterly leak detection periods with the percentage of valves leaking equal to or less than 2 percent, you may begin to skip three of the quarterly leak detection periods for the valves.

You must monitor valve leaks monthly in accordance with 40 CFR § 264.1057, if the percentage of valves leaking is greater than 2 percent, but you may again elect

to use the alternative standards after meeting the requirements of 40 CFR § 264.1057(c)(1).

II.B TEST METHODS AND PROCEDURES (40 CFR § 264.1063)

The leak test methods and procedures must be as specified in 40 CFR § 264.1063.

**II.C RECORDKEEPING AND REPORTING REQUIREMENTS
(40 CFR §§ 264.1064 and 264.1065)**

You must comply with the recordkeeping and reporting requirements of 40 CFR §§ 264.1064 and 264.1065.

**SECTION III – AIR EMISSION STANDARDS FOR TANKS AND CONTAINERS
(40 CFR PART 264 SUBPART CC)**

The Part B Permit Application states that hazardous waste tanks and containers permitted under the State RCRA permit are equipped with and operating air emission controls according to 40 CFR Part 61, Subpart FF (National Emission Standard for Benzene Waste Operations). For purposes of this permit, EPA considers the information specified in the Part B Permit Application as a certification (“Certification”) pursuant to 40 CFR § 264.1080(b)(7) with respect to those hazardous waste tanks and containers.

Therefore, according to 40 CFR § 264.1080(b)(7), except the compliance schedule requirement specified in Section IV, the requirements of the air emission standard for tanks and containers specified in 40 CFR §§ 264.1084 and 264.1086 is not applicable to your facility. The tanks and containers specified in the Part B Permit Application shall be equipped with and operating air pollution controls in accordance with the requirements of 40 CFR § Part 61, Subpart FF.

You shall update the Certification, which is in the Part B Permit Application, annually certifying that all of the tanks and containers specified in the Part B application will comply with the applicable 40 CFR Part 61 of CAA to control air emission pollutants from these tanks and containers. The certification shall be retained at the facility and must be provided to the EPA representatives, or its designees, upon request.

For any changes of the Certification or the compliance status of the tanks and containers with the CAA, you shall inform EPA, RCRA program, in writing, about the changes not later than 30 days prior to such changes. In the event that any of the tanks and containers specified in the Part B Permit Application are no longer equipped with and operating air emission controls according to 40 CFR Part 61, Subpart FF such tanks and/or containers shall be subject to and comply with all applicable requirements of 40 CFR Part 264, Subpart CC, and you shall then submit a class 2

permit modification request providing for the application of 40 CFR Part 264, Subpart CC to those hazardous waste tanks and/or containers.

SECTION IV – COMPLIANCE SCHEDULE FOR WASTE TRANSFER FROM CONTAINERS

In the Part B Permit Application, you specified that the pumpable hazardous waste is pumped off from containers. As a part of transfer activity, the viscous semi-solids is dissolved or re-suspended in the fuel solvents by using appropriate mechanical mixing and agitating devices. Mechanical device such as auger is utilized for the drums containing viscous materials.

You shall transfer hazardous waste into or out of a Level 2 container in such a manner as to minimize exposure of the hazardous waste to the atmosphere, to the extent practical, as specified in 40 CFR § 264.1086(d)(2).

For the transfer of liquid, semi-liquid, and viscous non-pumpable hazardous waste from containers, you shall prepare an Emission Control Plan how to minimize emissions from such agitation and transfer activities and such plan shall be submitted in accordance with the schedule specified below. The plan shall include, but not be limited to, estimated total vapor emissions from the agitation and transfer process of containers, proposal of physical or chemical modification of the operation, efficiency of the venting and control device, proposal of the addition of the venting device, any need of conducting "Procedure T – Criteria for and Verification of a Permanent or Temporary Total Enclosure" under 40 CFR § 52.741 to determine an adequacy of the venting of the vapors in the enclosure room to the closed vent and vapor control system, and any other proposals to minimize the exposure of the hazardous waste to the atmosphere to the extent practical. The Plan should also describe any compliance activity with CAA requirements in term of minimizing vapor emissions from the transfer process.

Submittal of Emission Control Plan:	Within 45 days of Effective Date of Final Permit
Submittal of Revised Emission Control Plan:	Within 45 days of EPA's Review and Comment
Implementation of the Approved Emission Control Plan:	Within 45 Days of EPA's Approval of the Emission Control Plan

Administrative Record Index *(Final RCRA PERMIT)*
Systech Environmental Corporation
Paulding, Ohio
OHD 005 048 947

<u>Title</u>	<u>Date</u>	<u>Prepared by</u>
1. State RCRA Final Permit	August 2003	OEPA
2. Federal RCRA Final Permit	June 2007	EPA
3. Part B Permit Renewal Application	February 5, 2013	Systech
4. Title 5 Air Permit	May 23, 2012	OEPA
5. Revised Part B Application	July 8, 2013	Systech
6. Revised Part B Application	November 19, 2013	Systech
7. E-mail Correspondence	September-December 2013	EPA/Systech
8. Part B Addendum	January 13, 2014	Systech
9. Title 5 Air Permit Revised	February 24, 2014	OEPA
10. Fact Sheet	April 2014	EPA/OEPA
11. Public Notice	April 2014	EPA/OEPA
12. Draft RCRA State Permit	April 2014	OEPA
13. Draft RCRA Federal Permit	April 2014	EPA
14. Final State RCRA Permit	August 13, 2014	OEPA
15. Response Summary	February 2015	EPA
16. Final RCRA Federal Permit	February 2015	EPA

EPA: United States Environmental Protection Agency

OEPA: Ohio Environmental Protection Agency

RCRA: Resource Conservation and Recovery Act

RESPONSE TO COMMENTS ON THE FEDERAL DRAFT PERMIT FOR
Systech Environmental Corporation
Paulding, Ohio EPA ID# OHD 005048947

I. INTRODUCTION

This summary is issued in response to all of the significant comments raised during the public comment period. The public comment period for the draft permit lasted from April 30 to June 16, 2014.

II. COMMENTS, RESPONSES, AND CHANGES

Systech Environmental Corporation (Systech) submitted the following comments during the public comment period. No comments from any concerned citizens were received.. Each comment is taken directly from Systech's written comments.

1. **Comment:** Permit Condition:I.A. Effect of Permit: In the second paragraph next to the last line, there is a reference to Subparts AA, BB, or CC of 40 C.F.R. Part 265. Part 265 refers to Interim Status facilities. Since Systech has had a Federal permit that covers these Subparts for nearly 20 years, should this reference be Part 264 instead?

Response: Section I.A (Effect of Permit) specifies that compliance with a RCRA permit during its term generally is considered compliance, for purposes of RCRA enforcement, with Subtitle C of RCRA. This provision means that an owner and operator complies with the requirements specified in the permit, rather than with the corresponding regulations as promulgated in Parts 264 and 266. This is referred to as the "permit-as-a-shield" provision. However, a permittee must still comply with requirements that are imposed by the statute itself, the land disposal restrictions promulgated under Part 268, and the liner and leak detection requirements for certain land disposal units (57 FR 3462; January 29, 1992). In addition, the definition of permit-as-a-shield was amended to require facilities to comply with Subparts AA, BB, and CC of Part 265 (59 FR 62952; December 6, 1994).

2. **Comment:** Permit Condition:II.A.2.c Pumps in Light Liquid Service (40 CFR § 264.1052): The applicable regulation states that a leak is detected if an instrument reading is 10,000 ppm or greater. Based on current operating practice, Systech has determined that it will report a leak when it has an instrument reading in excess of 500 ppm. Systech uses this lower concentration level because of the readily available calibration gases. This procedure has been acceptable to the Agency. Systech is not requesting a change to the permit because if Systech were able to find a reliable source of calibration gases that would allow use of the broader range, it will changes its operational procedures.

Response: No response is necessary for this comment.

3. **Comment:** Permit Condition:III. Air Emission Standards for Tanks and Containers: In the fourth paragraph (pg. 15 of 16), line 5, there is a typographical error in that the citation should have read 40 CFR Part 61, Subpart FF instead of DFF.

Response: “DFF” in the Section III, fourth paragraph is a typographical error of “FF”. EPA will modify the permit to correct the error.

4. **Comment:** Permit Condition:IV. Compliance Schedule for Waste Transfer From Containers: The permit application describes container (drum) processing capabilities that are not currently installed. There are no longer augers installed in the container (drum) processing operation. If there are viscous materials in the drums, then fuel is added to the container (drum) and the total volume is agitated to re-suspend the solid material in the liquid in order to pump it out of the container (drum) and transfer it to the tank farm. As such, the requirement to prepare an Emission Control Plan needs, at a minimum, to be modified to reflect how Systech is currently operating. Moreover, it is unclear to Systech what US EPA is requesting be in the Emission Control Plan. As such, Systech questions whether the compliance schedule is realistic. At a minimum, Systech requests that the compliance schedule be subject to negotiation based on a clarification of what US EPA is requesting Systech develop and implement related to the container (drum) processing operation.

Response: As required in 40 CFR § 264.1086(d)(2), Systech should transfer hazardous waste into or out of a Level 2 container in such a manner as to minimize exposure of the hazardous waste to the atmosphere, to the extent practical. As specified in the Section IV of the permit, in order to comply with 40 CFR § 264.1086(d)(2), Systech should demonstrate that whether the current Systech’s transfer activity is performed in such a manner to minimize the emission of hazardous waste. If there is any manner that can be adopted by Systech to minimize the emissions, then such manner can be proposed in the Emission Control Plan. Section IV describes types of information that can be discussed in the Emission Control Plan.

If System needs more time for the submittal and/or implementation of the Emission Control Plan, Systech can request EPA for the extension of such compliance schedule.



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION 5
77 WEST JACKSON BOULEVARD
CHICAGO, IL 60604-3590

FEB 06 2015

Reference Desk Librarian
Paulding County Library
205 South Main Street
Paulding, Ohio 45879

REPLY TO THE ATTENTION OF:

Re: Final Federal RCRA Permit, Systech Environmental Corporation
Paulding, Ohio, OHD 005 048 947

Dear Madam or Sir:

The U.S. Environmental Protection Agency intends to issue a final Hazardous Waste Management permit to Systech Environmental Corporation, Paulding, Ohio. In accordance with the public involvement procedures in Title 40 Code of Federal Regulations Part 124, a public notice was announced in the *Paulding Progress Newspaper*, Paulding, Ohio, and WDFM Radio Station on or about April 30, 2014. The public comment period extended from April 30 to June 16, 2014.

Please make available for public examination this letter and the enclosed documents for at least seventy-five (75) days under "Reference Materials – Systech Environmental Corporation". The following items are enclosed.


- Final Permit and Response Summary
- Fact Sheet
- Public Notice

Thank you for your assistance. If you have any questions, please contact me at 312-886-3781.

Sincerely,

A handwritten signature in black ink, appearing to read "Jae B. Lee".

Jae B. Lee
Permit Writer
Land and Chemicals Division





UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION 5
77 WEST JACKSON BOULEVARD
CHICAGO, IL 60604-3590

FEB 06 2015

REPLY TO THE ATTENTION OF:

Mr. Jeremy Carroll
Ohio Environmental Protection Agency
Division of Hazardous Waste Management
Post Office Box 1049
Columbus, Ohio 43266-0149

Re: Final Federal RCRA Permit, Systech Environmental Corporation
Paulding, Ohio, OHD 005 048 947

Dear Mr. Carroll:

Enclosed please find a copy of the final Federal Resource Conservation and Recovery Act permit and cover letter to the above-referenced facility.

If you have any questions, please contact Jae Lee of my staff at (312) 886-3781.

Sincerely,

A handwritten signature in cursive script, appearing to read "Mary S. Setnicar".

Mary S. Setnicar, Chief
RCRA/TSCA Programs Section

Enclosure

