



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION III
1650 Arch Street
Philadelphia, Pennsylvania 19103-2029

April 7, 2011

Ms. Brenda McGraw
Sarah S. Bovard Memorial Library
P.O. Box 127
Tionesta, PA 16353

RE: UIC Permit Issuance PAS2R991BFOR – Devonian Resources, Incorporated

Dear Ms. McGraw:

Enclosed is information pertaining to the Underground Injection Control (UIC) permit issuance for Devonian Resources, Incorporated. This permit will allow Devonian Resources to operate a Class IIR enhanced recovery injection well located in the PO Hickory Field Project in Harmony Township, Forest County, PA.

During our telephone conversation yesterday, you agreed to allow EPA to use the Sarah S. Bovard Memorial Library as a repository for public information pertaining to this permit. This package contains the Public Notice, Statement of Basis, Permit Application, and Draft Permit. Please make this information available to the public should they request it.

Any questions that arise should be referred to me at the address and telephone number listed below:

U. S. Environmental Protection Agency
Ground Water & Enforcement Branch (3WP22)
1650 Arch Street
Philadelphia, PA 19103
(215) 814-5462

Thank you for your cooperation in this matter.

Sincerely,

A handwritten signature in cursive script that reads "Roger Reinhart".

Roger Reinhart
Ground Water & Enforcement Branch (3WP22)
Office of Drinking Water & Source Water Protection

Enclosures



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION III
1650 Arch Street
Philadelphia, Pennsylvania 19103-2029

UNDERGROUND INJECTION CONTROL PERMIT NUMBER PAS2R991BFOR

AUTHORIZATION TO OPERATE CLASS IIR INJECTION WELL

In compliance with provisions of the Safe Drinking Water Act, as amended, (42 U.S.C. §§300f-300j-11, commonly known as the SDWA), the Resource Conservation and Recovery Act (42 U.S.C. §§6901-6991i, commonly known as RCRA) and attendant regulations promulgated by the U. S. Environmental Protection Agency (EPA) under Title 40 of the Code of Federal Regulations (CFR),

Devonian Resources, Incorporated

15566 Tionesta Road

Pleasantville, PA 16341

is authorized by this permit to construct and operate one (1) Class IIR enhanced oil recovery injection well (T-263), under the conditions as set forth herein. This facility is known as the PO Hickory Field Project and is located in Harmony Township, Forest County, Pennsylvania.

All references to Title 40 of the CFR are to all regulations that are in effect on the date that this permit is effective.

This permit shall become effective on June 10, 2011.

This permit and its authorization to inject shall remain in effect for the operational life of the facility, which includes the proper plugging and abandonment of the injection wells when the facility ceases to operate.

Signed this 10th day of June, 2011.

Catherine A. Libby per
Jon M. Capacasa, Director
Water Protection Division

Part I

A. Effect of Permit

The Permittee is allowed to engage in underground injection in accordance with the conditions of this permit. The underground injection activity, otherwise authorized by this permit or rule, shall not allow the movement of fluid containing any contaminant into underground sources of drinking water, if the presence of that contaminant may cause a violation of any primary drinking water regulation under 40 CFR Part 141 or may otherwise adversely affect the health of persons. Any underground injection activity not authorized in this permit or otherwise authorized by permit or rule is prohibited. Issuance of this permit does not convey property rights of any sort or any exclusive privilege; nor does it authorize any injury to persons or property, any invasion of other private rights, or any infringement of State or local law or regulations. Compliance with the terms of this permit does not constitute a defense to any action brought under Part C or the imminent and substantial endangerment provisions in Part D of the Safe Drinking Water Act (SDWA) or any other common or statutory law for any breach of any other applicable legal duty.

B. Permit Actions

This permit can be modified, revoked and reissued, or terminated for cause or upon request as specified in 40 CFR §§144.12, 144.39 and 144.40. Also, the permit is subject to minor modifications as specified in 40 CFR §144.41. The filing of a request for a permit modification, revocation and reissuance, or termination, or the notification of planned changes, or anticipated noncompliance on the part of the permittee shall not stay the applicability or enforceability of any permit condition.

C. Severability

The provisions of this permit are severable, and if any provision of this permit or the application of any provision of this permit to any circumstance is held invalid, the application of such provision to other circumstances, and the remainder of this permit shall not be affected thereby.

D. General Requirements

1. Duty to Comply. The permittee shall comply with all applicable Underground Injection Control (UIC) Program regulations and conditions of this permit. Any permit noncompliance constitutes a violation of the SDWA and is grounds for enforcement action, permit termination, revocation and reissuance or modification, or for denial of a permit renewal application.

2. Need to Halt or Reduce Activity not a Defense. It shall not be a defense for a permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of this permit.



3. Duty to Mitigate. The permittee shall take all reasonable steps to minimize or correct any adverse impact on the environment resulting from noncompliance with this permit.

4. Proper Operation and Maintenance. The permittee shall at all times properly operate and maintain all facilities and systems of treatment and control and related appurtenances which are installed or used by the permittee to achieve compliance with the conditions of this permit. Proper operation and maintenance includes effective performance, effective site security, adequate funding for operator staffing and training, and adequate laboratory and process controls, including appropriate quality assurance procedures. This provision requires the operation of back-up or auxiliary facilities or similar systems only when necessary to achieve compliance with the conditions of this permit.

5. Duty to Provide Information. The permittee shall furnish to the Director, within a reasonable time, specified by the Director, any information which the Director may request to determine whether cause exists for modifying, revoking and reissuing, or terminating this permit, or to determine compliance with this permit. The permittee shall also furnish to the Director, upon request, copies of records required to be kept by this permit. If the permittee becomes aware of any incomplete or incorrect information in the permit application or subsequent reports, the permittee shall promptly submit information addressing these deficiencies.

6. Inspection and Entry. The permittee shall allow the Director, or authorized representative, upon the presentation of credentials and other documents as may be required by law to:

a. Enter upon the permittee's premises where a regulated facility or activity is located or conducted, or where records must be kept under the conditions of this permit;

b. Have access to and copy, at reasonable times, any records that must be kept under the conditions of this permit;

c. Inspect at reasonable times any facilities, equipment (including monitoring and control equipment), practices, or operations regulated or required under this permit; and

d. Sample or monitor any substances or parameters at any location, at reasonable times, for the purposes of assuring permit compliance or as otherwise authorized by the SDWA.

7. Penalties. Any person who violates a permit requirement is subject to civil penalties, fines and other enforcement actions under the SDWA and may be subject to the same such actions pursuant to RCRA. Any person who willfully violates permit conditions is subject to criminal prosecution.

8. Transfer of Permits. This permit is not transferable to any person except after notice is sent on EPA Form 7520-7 and approval is given by the Director and the requirements of 40 CFR §144.38 are satisfied. The Director may require modification or revocation of the permit to change the name of the permittee and incorporate such other requirements as may be necessary under the SDWA.

9. Signatory Requirements.

a. All reports required by this permit and other information requested by the Director shall be signed as follows:

- (1) for a corporation, by a responsible corporate officer of at least the level of vice-president;
- (2) for a partnership or sole proprietorship, by a general partner or the proprietor, respectively.

b. A duly authorized representative of the official designated in paragraph a. above may also sign only if:

- (1) the authorization is made in writing by a person described in paragraph a. above;
- (2) the authorization specifies either an individual or a position having responsibility for the overall operation of the regulated facility or activity, such as the position of plant manager, operator of a well or a well field, superintendent, or a position of equivalent responsibility. A duly authorized representative may thus be either a named individual or any individual occupying a named position; and
- (3) the written authorization is submitted to the Director.

c. If an authorization under paragraph b. of this section is no longer accurate because a different individual or position has responsibility for the overall operation of the facility, a new authorization satisfying the requirements of paragraph b. of this section must be submitted to the Director prior to or together with any reports, information or applications to be signed by an authorized representative.

d. Any person signing a document under paragraph a. or b. of this section shall make the following certification:

"I certify under the penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person(s) who may manage the system, or those persons directly responsible for gathering the information, the information submitted is to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."

10. Confidentiality of Information.

a. In accordance with 40 CFR Part 2 and §144.5 (Public Information), any information submitted to the Director pursuant to this permit may be claimed as confidential by the submitter. Any such claim must be asserted at the time of submission by stamping the words "confidential business information" on each page containing such information. If no claim is made at the time of submission, EPA may make the information available to the public without further notice. If a claim is asserted, the information will be treated in accordance with the procedures in 40 CFR Part 2 and §144.5.

b. Claims of confidentiality for the following information will be denied:

- (1) The name and address of any permit applicant or permittee.
- (2) Information which deals with the existence, absence, or level of contaminants in drinking water.

11. Reapplication. If the permittee wishes to continue operations regulated by this permit after the expiration date of this permit, the permittee must submit a complete application for a new permit at least 100 days before this permit expires.

12. State Laws. Nothing in this permit shall be construed to preclude the institution of any legal action or relieve the permittee from any responsibilities, liabilities, or penalties established pursuant to any applicable State law or regulation.

PART II

A. General

Copies of all reports and notifications required by this permit shall be signed and certified in accordance with the requirements of Section D9. of Part I of this permit and shall be submitted to the Director at the following address:

Office of Drinking Water & Source Water Protection
Ground Water & Enforcement Branch (3WP22)
U. S. Environmental Protection Agency Region III
1650 Arch Street
Philadelphia, Pennsylvania 19103

B. Record Retention

1. The permittee shall retain records of all monitoring and other information required by this permit, including the following (if applicable), for a period of at least five years from the date of the sample, measurement, report or application, unless such records are required to be retained for a longer period of time under paragraphs B.2. and B.3., below. This period may be extended by request of the Director at any time.

a. All data required to complete the permit application form for this permit and any supplemental information submitted under 40 CFR §144.31;

b. Calibrations and maintenance records and all original strip chart recordings for continuous monitoring instrumentation;

c. Copies of all reports required by this permit.

2. The permittee shall retain records concerning the nature and composition of all injected fluids, as listed in Part II, paragraphs C.3. and C.4. of this permit, until three years after the completion of any plugging and abandonment procedures.

3. The permittee shall continue to retain records after the above specified retention periods unless he or she delivers the records to the Director or obtains written approval from the Director to discard the records.

4. Records of monitoring information shall include:

a. The date, exact place, and the time of sampling or measurements;

- b. The individual(s) who performed the sampling or measurements;
- c. A precise description of both sampling methodology and the handling (custody) of samples;
- d. The date(s) analyses were performed;
- e. The individual(s) who performed the analyses;
- f. The analytical techniques or methods used; and
- g. The results of such analyses

5. Monitoring of the nature of injected fluids shall comply with applicable analytical methods cited in Part II, paragraph C.1., below.

6. All environmental measurements required by the permit, including, but not limited to measurements of pressure, temperature, mechanical integrity (as applicable) and chemical analyses shall be done in accordance with EPA guidance on quality assurance.

C. Monitoring Requirements

1. Samples and measurements taken for the purpose of monitoring shall be representative of the monitored activity. The method used to obtain a representative sample of the fluid to be analyzed and the procedure for analysis of the sample shall be in accordance with test procedures approved under 40 CFR §136.3 and Appendix III of 40 CFR Part 261 unless otherwise approved by the Director. The permittee shall identify the types of tests and methods used to generate the monitoring data.

2. Injection pressure, flow rate and cumulative volume shall at a minimum be observed and recorded monthly and records submitted annually.

3. Monitoring and recording of the fluid level in two production wells in the area of review (wells Thompson T-262 and Jocelyn J-2) shall be performed on a monthly basis commencing at the time authorization to inject is provided by the Director for injection well T-263. In the event that the fluid level in either well rises to within 50 feet of the lowermost USDW or 300 feet from the surface, permittee shall notify the Director within 24 hours of becoming aware of the situation. The Director shall prescribe specific actions to be taken if this should occur. The Director shall also be advised if the operator determines that these wells are to be plugged and abandoned.

4 The permittee shall sample, analyze and record the nature of the injected fluid for the parameters listed below once at the initiation of the injection operation and, thereafter, with sufficient frequency to provide a representative analysis or whenever the operator anticipates a change in the injection fluid.

- | | | |
|--------------------|--------------------------|------------------------|
| - pH | - Manganese | - Magnesium |
| - Specific Gravity | - Total Dissolved Solids | - Specific Conductance |
| - Barium | - Iron | - Dissolved Oxygen |
| - Sodium | - Hydrogen Sulfide | - Chloride |
| - TOC | | |

5. A demonstration of mechanical integrity in accordance with 40 CFR §146.8 shall, after the initial demonstration, be made at least once every five years. Each subsequent demonstration shall be conducted thirty (30) days prior to the five year anniversary date of the previous test. In addition to the above requirement, a mechanical integrity test demonstration shall be conducted whenever protective casing or tubing is removed from the well, the packer is resealed, or a well failure is evident. The permittee may continue operation only if he or she has successfully demonstrated to the Director the mechanical integrity of the permitted wells. The permittee shall cease injection operations if a loss of mechanical integrity becomes evident or if mechanical integrity cannot be demonstrated. Any such test shall be conducted in keeping with the notification requirements of Permit Condition D.12. of Part II of this permit.

D. Reporting and Notification Requirements

1. Report on Permit Review. Within 30 days of receipt of this permit, the permittee shall report to the Director that he or she has read and is personally familiar with all terms and conditions of this permit.

2. Commencing Injection. The operator of a new injection well may not commence injection until construction is complete, and

a. The permittee has demonstrated to EPA that the injection well has mechanical integrity in accordance with 40 CFR §146.8 and the permittee has received written notice from the Director that such demonstration is satisfactory; and

b. The permittee has submitted notice of completion of construction (EPA Form 7520-10) to the Director; and

c. The Director has inspected or otherwise reviewed the new injection well and finds it is in compliance with the conditions of the permit; or

d. The permittee has not received notice from the Director of his or her intent to inspect or otherwise review the new injection well within 13 days of the date of the notice in paragraph a. above, of this permit condition in which case prior inspection or review is waived and the permittee may commence injection.

3. Twenty-four Hour Reporting.

a. The permittee shall report to the Director any noncompliance which may endanger health or the environment. Such report shall be provided orally (phone numbers: (215) 814-5445 or (215) 814-5464) within 24 hours from the time the permittee becomes aware of the circumstances. The following shall be included as information which must be reported orally within 24 hours:

(1) Any monitoring or other information which indicates that any contaminant may cause an endangerment to an underground source of drinking water.

(2) Any noncompliance with a permit condition, malfunction of the injection system which may cause fluid migration into or between underground sources of drinking water, or failure of mechanical integrity test demonstrations.

b. A written submission shall also be provided within five (5) days of the time the permittee becomes aware of the circumstances. The written submission shall contain a description of the noncompliance and its cause; the period of noncompliance, including exact dates and times, and if the noncompliance has not been corrected, the anticipated time it is expected to continue; and steps taken or planned to reduce, eliminate, and prevent reoccurrence of the noncompliance.

4. Anticipated Noncompliance. The permittee shall give advance notice to the Director of any planned changes in the permitted facility or activity which may result in noncompliance with permit requirements.

5. Other Noncompliance. The permittee shall report all other instances of noncompliance in writing within ten (10) days of the time the permittee becomes aware of the circumstances. The reports shall contain the information listed in Permit Condition D.3. of Part II of this permit.

6. Planned Changes. The permittee shall give notice to the Director as soon as possible of any planned physical alterations or additions to the permitted facility.

7. Conversion. The permittee shall notify the Director thirty (30) days prior to the conversion of the well(s) to an operating status other than an injection well.

8. Temporary Abandonment. The permittee shall notify the Director prior to the temporary abandonment of an injection well.

9. Annual Report. The permittee shall submit an Annual Report (EPA Form 7520-11) to the Director summarizing the results of the monitoring and testing required by Permit Condition C of Part II of this permit. This report shall include monthly monitoring records of injected fluids, the results of any mechanical integrity test(s), and any major changes in characteristics or sources of injected fluids. The Annual Report shall be submitted not later than January 31st, summarizing the activity of the calendar year ending the previous December 31st.

10. Plugging and Abandonment Reports and Notifications.

a. The permittee shall notify the Director 45 days before plugging and abandonment of any well. The Director may allow a shorter notice period upon written request.

b. Revisions to the Plugging and Abandonment Plan must be submitted to the Director no less than 45 days prior to plugging and abandonment. The Director must approve the revisions prior to the start of plugging operations.

c. Within 60 days after plugging the well(s), the permittee shall submit a report to the Director which shall consist of either:

(1) A statement that the well was plugged in accordance with the plan previously submitted to and approved by the Director; or

(2) Where actual plugging differed from the plan previously submitted, an updated version of the plan, on the form supplied by the Director, specifying the different procedures used. Any deviation from a previously approved plan which may endanger Underground Sources of Drinking Water is cause for the Director to require the operator to replug the well. The report shall be certified as accurate by the person who performed the plugging operation.

11. Compliance Schedules. Reports of compliance or noncompliance with, or any progress reports on, interim and final requirements contained in any compliance schedule of this permit shall be submitted no later than 30 days following each schedule date.

12. Mechanical Integrity Tests. The permittee shall notify the Director of his or her intent to conduct a mechanical integrity test at least 30 days prior to such a demonstration.

13. Cessation of Injection Activity. The permittee shall notify the Director upon cessation of injection well activity lasting more than six months. After a cessation of injection

for two years, the owner or operator shall plug and abandon the well in accordance with the Plugging and Abandonment Plan unless he or she:

- a. Provides written notice to the Director; and
- b. Describes actions or procedures, satisfactory to the Director, that the permittee will take to ensure that the well will not endanger USDWs during the period of temporary abandonment. These actions and procedures shall include compliance with the technical requirements applicable to an active injection well unless waived, in writing, by the Director.

E. Mechanical Integrity

1. Standards. The permittee shall have and maintain the mechanical integrity of the permitted injection well pursuant to 40 CFR §146.8.
2. Request from Director. The Director may by written notice, require the permittee to demonstrate mechanical integrity at any time.

Part III

A. Construction Requirements

1. Notwithstanding any other provision of this permit, the injection well shall inject only into a formation which is separated from any underground source of drinking water by a confining zone that is free of known open faults or fractures within the Area of Review.
2. Casing and Cementing. The permittee shall case and cement the well to prevent the movement of fluids into or between underground sources of drinking water. The casing and cement used in the construction of the well must be designed for the life expectancy of the well. However, in all cases cemented surface casing shall be installed from the surface to a depth at least fifty feet below the lowermost underground source of drinking water. The injection zone shall be isolated by the placement of long string casing to the top of the injection zone and cemented back a minimum of 100 feet. In addition, the well will be completed with tubing and packer set inside the long string casing.
3. Logs and Tests. The following logs and/or tests shall be conducted during the drilling and construction of the well: electric, gamma and caliper logs in the open hole, a cement bond log, temperature or density log on the surface casing (if cement returns are not achieved), and a cement bond log on the long string casing. Cement records shall also be submitted and a standard pressure test shall be performed on the well prior to injection and, at a minimum, every five (5) years thereafter. The permittee shall submit a narrative report that interprets log and test

results which specifically relate to the results of the cementing operation. Further, the narrative shall detail the rationale used to make these interpretations. The narrative report shall be prepared by a knowledgeable log analyst and submitted to the Director. The Director may prescribe additional logs or waive logging requirements in the future should field conditions so warrant.

4. Mechanical Integrity. Injection operations are prohibited until the permittee demonstrates that the well covered by the permit has demonstrated mechanical integrity and the permittee has received notice from the Director that such a demonstration is satisfactory in accordance with the provisions of Condition D.2. of Part II of this permit.

5. Corrective Action. Injection operations are prohibited until the permittee has successfully performed the activities detailed in the Corrective Action Plan submitted in their Permit Application and hereby incorporated. If any abandoned well is discovered within the area of review as identified in the Permit Application, the permittee shall notify the Director upon discovery and within five (5) days, submit to the Director for approval, a plan for corrective action and implement the approved plan.

6. Completion Reports. The results of those activities required in Part III, Section A, 1 through 5 of this permit must be summarized and submitted to the Director prior to the commencement of injection operations as part of the Completion Reports.

B. Operating Requirements

1. Injection Formation. Injection shall be limited to the First Venango Formation located at the subsurface interval between approximately 610 feet to 633 feet.

2. Injection Fluid. The permittee shall not inject any hazardous substances, as defined by 40 CFR 261, or any other fluid, other than treated produced fluid obtained from production wells on the PO Hickory Field Project lease.

3. Injection Pressure Limitation. Injection pressure, measured at the surface, shall not exceed a maximum of 530 psi. Injection at a pressure which initiates fractures in the confining zone adjacent to underground sources of drinking water or causes the movement of injection or formation fluids into an underground source of drinking water is prohibited.

4. Injection Volume Limitation. Injection volume shall be limited to 150 barrels per day.

5. Injection between the outermost casing protecting underground sources of drinking water and the well bore is prohibited, as is injection into any underground source of drinking water.

C. Plugging and Abandonment.

1. Plugging and Abandonment. The permittee shall plug and abandon the well in accordance with the approved plugging and abandonment plan (EPA Form 7520-14) provided in the Permit Application, which is hereby incorporated.

2. Plugging and Abandonment shall be conducted in such a manner that movement of fluids will not be allowed into an underground source of drinking water nor will one underground source of drinking water be allowed to move into another.

D. Financial Responsibility

1. The permittee shall maintain continuous compliance with the requirement to maintain financial responsibility and resources to close, plug and abandon the underground injection well in the amount of at least \$2,600. Should the acceptability of the trust agreement change, the permittee shall provide advance notification to the Director. The permittee shall not substitute an alternative demonstration of financial responsibility from that which the Director has approved, unless he or she has previously submitted evidence of that alternative demonstration to the Director and the Director notifies him or her that the alternative demonstration of financial responsibility is acceptable. The Director may require the permittee to submit a revised demonstration of Financial Responsibility if the Director has reason to believe that the original demonstration is no longer adequate to cover the costs of plugging and abandonment.

2. Insolvency of Financial Institution. In the event of the bankruptcy of the trustee or issuing institution of the financial mechanism, or a suspension or revocation of the authority of the trustee institution to act as a trustee or the institution issuing the financial mechanism to issue such an instrument, the permittee must immediately notify the Director and submit an alternative demonstration of financial responsibility acceptable to the Director within sixty days after such an event.