

74:36:07:08. Ash disposal requirements. All ash generated at a municipal waste combustor must be disposed of in accordance with article 74:27.

Source: 17 SDR 69, effective November 22, 1990; transferred from § 74:26:26:02, 19 SDR 157, effective April 22, 1993; 23 SDR 106, effective December 29, 1996.

General Authority: SDCL 34A-1-6.

Law Implemented: SDCL 34A-1-18.

74:36:07:29. Operating requirements for wire reclamation furnaces. New wire reclamation furnaces shall be equipped with a secondary chamber or afterburner which provides for turbulent mixing and a two-second residence time at 2200 degrees Fahrenheit or greater.

New wire reclamation furnaces shall meet applicable emission standards during all phases of operation, and the secondary combustion chamber or combustion zone temperature shall be maintained at required levels until waste is completely combusted.

Source: 19 SDR 157, effective April 22, 1993.

General Authority: SDCL 34A-1-6.

Law Implemented: SDCL 34A-1-18.

74:36:07:30. Monitoring requirements for wire reclamation furnaces. An owner or operator of a new regulated wire reclamation furnace shall install, calibrate, operate, and maintain devices which continuously monitor and record the temperature of gases leaving the secondary or final combustion chamber. Such devices must have an accuracy of plus or minus 25 degrees Fahrenheit. Flames from the burners may not impact the temperature sensors.

Source: 19 SDR 157, effective April 22, 1993.

General Authority: SDCL 34A-1-6.

Law Implemented: SDCL 34A-1-11.

those in 40 C.F.R. § 60 Subpart K (July 1, 2016). A source that operates a unit subject to 40 C.F.R. § 60 Subpart K (July 1, 2016) is exempt from the obligation to obtain a Part 70 operating permit if the unit is not required to install controls and if the source is not required to obtain a Part 70 operating permit for a reason other than the source is subject to 40 C.F.R. § 60 Subpart K (July 1, 2016). Exempted sources must still meet the applicable requirements in 40 C.F.R. § 60 Subpart K (July 1, 2016).

Source: 14 SDR 72, effective November 24, 1987; 17 SDR 170, effective May 13, 1991; transferred from § 74:26:14:05, 19 SDR 157, effective April 22, 1993; 21 SDR 119, effective January 5, 1995; 23 SDR 106, effective December 29, 1996; 30 SDR 26, effective September 1, 2003; 31 SDR 101, effective January 2, 2005; 32 SDR 209, effective June 13, 2006; 33 SDR 217, effective June 13, 2007; 36 SDR 207, effective June 28, 2010; 39 SDR 219, effective June 25, 2013; 42 SDR 52, effective October 13, 2015; 44 SDR 43, effective September 13, 2017.

General Authority: SDCL 34A-1-6.

Law Implemented: SDCL 34A-1-18.

74:36:07:13. Standards of performance for storage vessels of petroleum liquids constructed after May 18, 1978, and before July 24, 1984. The standards of performance for storage vessels of petroleum liquids constructed after May 18, 1978, and before July 24, 1984, are those in 40 C.F.R. § 60 Subpart Ka (July 1, 2016). A source that operates a unit subject to 40 C.F.R. § 60 Subpart Ka (July 1, 2016) is exempt from the obligation to obtain a Part 70 operating permit if the unit is not required to install controls and if the source is not required to obtain a Part 70 operating permit for a reason other than the source is subject to 40 C.F.R. § 60 Subpart Ka (July 1, 2016). Exempted sources must still meet the applicable requirements in 40 C.F.R. § 60 Subpart Ka (July 1, 2016).

Source: 14 SDR 72, effective November 24, 1987; 16 SDR 88, effective November 14, 1989; 17 SDR 170, effective May 13, 1991; transferred from § 74:26:20:19, 19 SDR 157, effective April 22, 1993; 21 SDR 119, effective January 5, 1995; 23 SDR 106, effective December 29, 1996; 30 SDR 26, effective September 1, 2003; 31 SDR 101, effective January 2, 2005; 32 SDR 209, effective June 13, 2006; 33 SDR 217, effective June 13, 2007; 36 SDR 207, effective June 28, 2010; 39 SDR 219, effective June 25, 2013; 42 SDR 52, effective October 13, 2015; 44 SDR 43, effective September 13, 2017.

General Authority: SDCL 34A-1-6.

Law Implemented: SDCL 34A-1-18.

74:36:07:14. Standards of performance for volatile organic liquid storage vessels (including petroleum liquid storage vessels) for which construction, reconstruction, or modification commenced after July 23, 1984. The standards of performance for volatile organic liquid storage vessels (including petroleum liquid storage vessels) for which construction, reconstruction, or modification commenced after July 23, 1984, are those in 40 C.F.R. § 60 Subpart Kb (July 1, 2016). A source that operates a unit subject to 40 C.F.R. § 60 Subpart Kb (July 1, 2016) is exempt from the obligation to obtain a Part 70 operating permit if the unit is not required to install controls and if the source is not required to obtain a Part 70 operating permit for a reason other than the source is subject to 40 C.F.R. § 60 Subpart Kb (July 1, 2016). Exempted sources must still meet the applicable requirements in 40 C.F.R. § 60 Subpart Kb (July 1, 2016).

Source: 16 SDR 88, effective November 14, 1989; 17 SDR 170, effective May 13, 1991; transferred from § 74:26:25:01, 19 SDR 157, effective April 22, 1993; 21 SDR 119, effective January 5, 1995; 23 SDR 106, effective December 29, 1996; 26 SDR 168, effective June 27, 2000;

30 SDR 26, effective September 1, 2003; 31 SDR 101, effective January 2, 2005; 32 SDR 209, effective June 13, 2006; 33 SDR 217, effective June 13, 2007; 36 SDR 207, effective June 28, 2010; 39 SDR 219, effective June 25, 2013; 42 SDR 52, effective October 13, 2015; 44 SDR 43, effective September 13, 2017.

General Authority: SDCL 34A-1-6.

Law Implemented: SDCL 34A-1-18.

74:36:07:15. Standards of performance for sewage treatment plants. The standards of performance for sewage treatment plants are those in 40 C.F.R. § 60 Subpart O (July 1, 2016).

Source: 14 SDR 72, effective November 24, 1987; 17 SDR 170, effective May 13, 1991; transferred from § 74:26:15:06, 19 SDR 157, effective April 22, 1993; 21 SDR 119, effective January 5, 1995; 23 SDR 106, effective December 29, 1996; 30 SDR 26, effective September 1, 2003; 31 SDR 101, effective January 2, 2005; 32 SDR 209, effective June 13, 2006; 33 SDR 217, effective June 13, 2007; 36 SDR 207, effective June 28, 2010; 39 SDR 219, effective June 25, 2013; 42 SDR 52, effective October 13, 2015; 44 SDR 43, effective September 13, 2017.

General Authority: SDCL 34A-1-6.

Law Implemented: SDCL 34A-1-18.

74:36:07:16. Standards of performance for coal preparation plants. The standards of performance for coal preparation plants are those in 40 C.F.R. § 60, Subpart Y (July 1, 2016).

Source: 14 SDR 72, effective November 24, 1987; 17 SDR 170, effective May 13, 1991; transferred from § 74:26:16:06, 19 SDR 157, effective April 22, 1993; 21 SDR 119, effective January 5, 1995; 23 SDR 106, effective December 29, 1996; 30 SDR 26, effective September 1, 2003; 31 SDR 101, effective January 2, 2005; 32 SDR 209, effective June 13, 2006; 33 SDR 217, effective June 13, 2007; 36 SDR 207, effective June 28, 2010; 39 SDR 219, effective June 25, 2013; 42 SDR 52, effective October 13, 2015; 44 SDR 43, effective September 13, 2017.

General Authority: SDCL 34A-1-6.

Law Implemented: SDCL 34A-1-18.

74:36:07:17. Standards of performance for grain elevators. The standards of performance for grain elevators are those in 40 C.F.R. § 60 Subpart DD (July 1, 2016). A source subject to 40 C.F.R. § 60 Subpart DD (July 1, 2016) is exempt from the obligation to obtain a Part 70 operating permit if the source is not required to obtain a Part 70 operating permit for a reason other than the source is subject to 40 C.F.R. § 60 Subpart DD (July 1, 2016). Exempted sources must still meet the applicable requirements in 40 C.F.R. § 60 Subpart DD (July 1, 2016).

Source: 14 SDR 72, effective November 24, 1987; 16 SDR 88, effective November 14, 1989; 17 SDR 170, effective May 13, 1991; transferred from § 74:26:17:06, 19 SDR 157, effective April 22, 1993; 21 SDR 119, effective January 5, 1995; 23 SDR 106, effective December 29, 1996; 30 SDR 26, effective September 1, 2003; 31 SDR 101, effective January 2, 2005; 32 SDR 209, effective June 13, 2006; 33 SDR 217, effective June 13, 2007; 36 SDR 207, effective June 28, 2010; 39 SDR 219, effective June 25, 2013; 42 SDR 52, effective October 13, 2015; 44 SDR 43, effective September 13, 2017.

General Authority: SDCL 34A-1-6.

Law Implemented: SDCL 34A-1-18.

74:36:07:18. Standards of performance for stationary gas turbines. The standards of performance for stationary gas turbines are those in 40 C.F.R. § 60 Subpart GG (July 1, 2016).

Source: 14 SDR 72, effective November 24, 1987; 16 SDR 88, effective November 14, 1989; 17 SDR 170, effective May 13, 1991; transferred from § 74:26:19:07, 19 SDR 157, effective April 22, 1993; 21 SDR 119, effective January 5, 1995; 23 SDR 106, effective December 29, 1996; 30 SDR 26, effective September 1, 2003; 31 SDR 101, effective January 2, 2005; 32 SDR 209, effective June 13, 2006; 33 SDR 217, effective June 13, 2007; 36 SDR 207, effective June 28, 2010; 39 SDR 219, effective June 25, 2013; 42 SDR 52, effective October 13, 2015; 44 SDR 43, effective September 13, 2017.

General Authority: SDCL 34A-1-6.

Law Implemented: SDCL 34A-1-18.

74:36:07:19. Standards of performance for lime manufacturing plants. The standards of performance for lime manufacturing plants are those in 40 C.F.R. § 60 Subpart HH (July 1, 2016).

Source: 14 SDR 72, effective November 24, 1987; 17 SDR 170, effective May 13, 1991; transferred from § 74:26:18:10, 19 SDR 157, effective April 22, 1993; 21 SDR 119, effective January 5, 1995; 23 SDR 106, effective December 29, 1996; 30 SDR 26, effective September 1, 2003; 31 SDR 101, effective January 2, 2005; 32 SDR 209, effective June 13, 2006; 33 SDR 217, effective June 13, 2007; 36 SDR 207, effective June 28, 2010; 39 SDR 219, effective June 25, 2013; 42 SDR 52, effective October 13, 2015; 44 SDR 43, effective September 13, 2017.

General Authority: SDCL 34A-1-6.

Law Implemented: SDCL 34A-1-18.

74:36:07:20. Standards of performance for metallic mineral processing plants. The standards of performance for metallic mineral processing plants are those in 40 C.F.R. § 60 Subpart LL (July 1, 2016).

Source: 11 SDR 151, effective May 12, 1985; 13 SDR 129, 13 SDR 141, effective July 1, 1987; 14 SDR 72, effective November 24, 1987; 17 SDR 170, effective May 13, 1991; transferred from § 74:26:21:02, 19 SDR 157, effective April 22, 1993; 21 SDR 119, effective January 5, 1995; 23 SDR 106, effective December 29, 1996; 30 SDR 26, effective September 1, 2003; 31 SDR 101, effective January 2, 2005; 32 SDR 209, effective June 13, 2006; 33 SDR 217, effective June 13, 2007; 36 SDR 207, effective June 28, 2010; 39 SDR 219, effective June 25, 2013; 42 SDR 52, effective October 13, 2015; 44 SDR 43, effective September 13, 2017.

General Authority: SDCL 34A-1-6.

Law Implemented: SDCL 34A-1-18.

74:36:07:21. Standards of performance for pressure-sensitive tape and label surface coating operations. The standards of performance for pressure-sensitive tape and label surface coating operations are those in 40 C.F.R. § 60 Subpart RR (July 1, 2016).

Source: 19 SDR 157, effective April 22, 1993; 21 SDR 119, effective January 5, 1995; 23 SDR 106, effective December 29, 1996; 30 SDR 26, effective September 1, 2003; 31 SDR 101, effective January 2, 2005; 32 SDR 209, effective June 13, 2006; 33 SDR 217, effective June 13, 2007; 36 SDR 207, effective June 28, 2010; 39 SDR 219, effective June 25, 2013; 42 SDR 52, effective October 13, 2015; 44 SDR 43, effective September 13, 2017.

General Authority: SDCL 34A-1-6.

Law Implemented: SDCL 34A-1-18.

74:36:07:22. Standards of performance for equipment leaks of VOC in the synthetic organic chemicals manufacturing industry. The standards of performance for equipment leaks of VOC in the synthetic organic chemicals manufacturing industry are those in 40 C.F.R. § 60 Subpart VV (July 1, 2016).

Source: 19 SDR 157, effective April 22, 1993; 21 SDR 119, effective January 5, 1995; 23 SDR 106, effective December 29, 1996; 26 SDR 168, effective June 27, 2000; 30 SDR 26, effective September 1, 2003; 31 SDR 101, effective January 2, 2005; 32 SDR 209, effective June 13, 2006; 33 SDR 217, effective June 13, 2007; 36 SDR 207, effective June 28, 2010; 39 SDR 219, effective June 25, 2013; 42 SDR 52, effective October 13, 2015; 44 SDR 43, effective September 13, 2017.

General Authority: SDCL 34A-1-6.

Law Implemented: SDCL 34A-1-18.

74:36:07:22.01. Standards of performance for equipment leaks of VOC in the synthetic organic chemicals manufacturing industry for which construction, reconstruction, or modification commenced after November 7, 2006. The standards of performance for equipment leaks of VOC in the synthetic organic chemicals manufacturing industry, for which construction, reconstruction, or modification commenced after November 7, 2006, are those in 40 C.F.R. § 60, Subpart VVa (July 1, 2016).

Source: 36 SDR 207, effective June 28, 2010; 39 SDR 219, effective June 25, 2013; 42 SDR 52, effective October 13, 2015; 44 SDR 43, effective September 13, 2017.

General Authority: SDCL 34A-1-6.

Law Implemented: SDCL 34A-1-18.

74:36:07:23. Standards of performance for bulk gasoline terminals. The standards of performance for bulk gasoline terminals are those in 40 C.F.R. § 60 Subpart XX (July 1, 2016).

Source: 19 SDR 157, effective April 22, 1993; 21 SDR 119, effective January 5, 1995; 23 SDR 106, effective December 29, 1996; 26 SDR 168, effective June 27, 2000; 30 SDR 26, effective September 1, 2003; 31 SDR 101, effective January 2, 2005; 32 SDR 209, effective June 13, 2006; 33 SDR 217, effective June 13, 2007; 36 SDR 207, effective June 28, 2010; 39 SDR 219, effective June 25, 2013; 42 SDR 52, effective October 13, 2015; 44 SDR 43, effective September 13, 2017.

General Authority: SDCL 34A-1-6.

Law Implemented: SDCL 34A-1-18.

74:36:07:24. Standards of performance for new residential wood heaters. The standards of performance for new residential wood heaters are those in 40 C.F.R. § 60 Subpart AAA (July 1, 2016).

Source: 19 SDR 157, effective April 22, 1993; 21 SDR 119, effective January 5, 1995; 23 SDR 106, effective December 29, 1996; 26 SDR 168, effective June 27, 2000; 30 SDR 26, effective September 1, 2003; 31 SDR 101, effective January 2, 2005; 32 SDR 209, effective June 13, 2006; 33 SDR 217, effective June 13, 2007; 36 SDR 207, effective June 28, 2010; 39 SDR 219, effective June 25, 2013; 42 SDR 52, October 13, 2015; 44 SDR 43, effective September 13, 2017.

General Authority: SDCL 34A-1-6.

Law Implemented: SDCL 34A-1-18.

74:36:07:25. Standards of performance for petroleum dry cleaners. The standards of performance for petroleum dry cleaners are those in 40 C.F.R. § 60 Subpart JJJ (July 1, 2016). A source subject to 40 C.F.R. § 60 Subpart JJJ (July 1, 2016) is exempt from the obligation to obtain a Part 70 operating permit if the source is not required to obtain a Part 70 operating permit for a reason other than the source is subject to 40 C.F.R. § 60 Subpart JJJ (July 1, 2016). Exempted sources must still meet the applicable requirements in 40 C.F.R. § 60 Subpart JJJ (July 1, 2016).

Source: 19 SDR 157, effective April 22, 1993; 21 SDR 119, effective January 5, 1995; 23 SDR 106, effective December 29, 1996; 30 SDR 26, effective September 1, 2003; 31 SDR 101, effective January 2, 2005; 32 SDR 209, effective June 13, 2006; 33 SDR 217, effective June 13, 2007; 36 SDR 207, effective June 28, 2010; 39 SDR 219, effective June 25, 2013; 42 SDR 52, effective October 13, 2015; 44 SDR 43, effective September 13, 2017.

General Authority: SDCL 34A-1-6.

Law Implemented: SDCL 34A-1-18.

74:36:07:26. Standards of performance for VOC emissions from synthetic organic chemical manufacturing industry (SOCMI) distillation operations. The standards of performance for VOC emissions from synthetic organic chemical manufacturing industry (SOCMI) distillation operations are those in 40 C.F.R. § 60 Subpart NNN (July 1, 2016).

Source: 19 SDR 157, effective April 22, 1993; 21 SDR 119, effective January 5, 1995; 23 SDR 106, effective December 29, 1996; 26 SDR 168, effective June 27, 2000; 30 SDR 26, effective September 1, 2003; 31 SDR 101, effective January 2, 2005; 32 SDR 209, effective June 13, 2006; 33 SDR 217, effective June 13, 2007; 36 SDR 207, effective June 28, 2010; 39 SDR 219, effective June 25, 2013; 42 SDR 52, effective October 13, 2015; 44 SDR 43, effective September 13, 2017.

General Authority: SDCL 34A-1-6.

Law Implemented: SDCL 34A-1-18.

74:36:07:27. Standards of performance for nonmetallic mineral processing plants. The standards of performance for nonmetallic mineral processing plants are those in 40 C.F.R. § 60 Subpart OOO (July 1, 2016).

Source: 12 SDR 183, effective May 21, 1986; 13 SDR 129, 13 SDR 141, effective July 1, 1987; 14 SDR 72, effective November 24, 1987; 17 SDR 170, effective May 13, 1991; transferred from § 74:26:23:02, 19 SDR 157, effective April 22, 1993; 21 SDR 119, effective January 5, 1995; 23 SDR 106, effective December 29, 1996; 26 SDR 168, effective June 27, 2000; 30 SDR 26, effective September 1, 2003; 31 SDR 101, effective January 2, 2005; 32 SDR 209, effective June 13, 2006; 33 SDR 217, effective June 13, 2007; 36 SDR 207, effective June 28, 2010; 39 SDR 219, effective June 25, 2013; 42 SDR 52, effective October 13, 2015; 44 SDR 43, effective September 13, 2017.

General Authority: SDCL 34A-1-6.

Law Implemented: SDCL 34A-1-18.

74:36:07:28. Standards of performance for magnetic tape coating facilities. The standards of performance for magnetic tape coating facilities are those in 40 C.F.R. § 60 Subpart SSS (July 1, 2016).

Source: 19 SDR 157, effective April 22, 1993; 21 SDR 119, effective January 5, 1995; 23 SDR 106, effective December 29, 1996; 26 SDR 168, effective June 27, 2000; 30 SDR 26, effective September 1, 2003; 31 SDR 101, effective January 2, 2005; 32 SDR 209, effective June 13, 2006; 33 SDR 217, effective June 13, 2007; 36 SDR 207, effective June 28, 2010; 39 SDR 219, effective June 25, 2013; 42 SDR 52, effective October 13, 2015; 44 SDR 43, effective September 13, 2017.

General Authority: SDCL 34A-1-6.

Law Implemented: SDCL 34A-1-18.

74:36:07:31. Standards of performance for graphic arts industry -- Publication rotogravure printing. The standards of performance for publication rotogravure printing in the graphic arts industry are those in 40 C.F.R. § 60 Subpart QQ (July 1, 2016).

Source: 21 SDR 119, effective January 5, 1995; 23 SDR 106, effective December 29, 1996; 30 SDR 26, effective September 1, 2003; 31 SDR 101, effective January 2, 2005; 32 SDR 209, effective June 13, 2006; 33 SDR 217, effective June 13, 2007; 36 SDR 207, effective June 28, 2010; 39 SDR 219, effective June 25, 2013; 42 SDR 52, effective October 13, 2015; 44 SDR 43, effective September 13, 2017.

General Authority: SDCL 34A-1-6.

Law Implemented: SDCL 34A-1-18.

74:36:07:32. Standards of performance for volatile organic compound emissions from synthetic organic chemical manufacturing industry (SOCMI) reactor processes. The standards of performance for volatile organic compound emissions from synthetic organic chemical manufacturing industry reactor processes are those in 40 C.F.R. § 60, Subpart RRR (July 1, 2016).

Source: 23 SDR 106, effective December 29, 1996; 26 SDR 168, effective June 27, 2000; 30 SDR 26, effective September 1, 2003; 31 SDR 101, effective January 2, 2005; 32 SDR 209, effective June 13, 2006; 33 SDR 217, effective June 13, 2007; 36 SDR 207, effective June 28, 2010; 39 SDR 219, effective June 25, 2013; 42 SDR 52, effective October 13, 2015; 44 SDR 43, effective September 13, 2017.

General Authority: SDCL 34A-1-6.

Law Implemented: SDCL 34A-1-18.

74:36:07:33. Standards of performance for calciners and dryers in mineral industries.

The standards of performance for calciners and dryers in mineral industries are those in 40 C.F.R. § 60, Subpart UUU (July 1, 2016).

Source: 23 SDR 106, effective December 29, 1996; 30 SDR 26, effective September 1, 2003; 31 SDR 101, effective January 2, 2005; 32 SDR 209, effective June 13, 2006; 33 SDR 217, effective June 13, 2007; 36 SDR 207, effective June 28, 2010; 39 SDR 219, effective June 25, 2013; 42 SDR 52, October 13, 2015; 44 SDR 43, effective September 13, 2017.

General Authority: SDCL 34A-1-6.

Law Implemented: SDCL 34A-1-18.

74:36:07:34. Existing municipal solid waste landfill. The owner or operator of an existing municipal solid waste landfill that meets the following conditions shall comply with §§ 74:36:07:35 to 74:36:07:42, inclusive:

(1) The landfill has accepted waste at any time since November 8, 1987, or has additional design capacity available for future waste deposition;

(2) The landfill has a design capacity greater than or equal to 2.5 million megagrams and 2.5 million cubic meters. The landfill may calculate design capacity either in megagrams or cubic meters. Density conversions must be documented and submitted with the report; and

(3) The landfill has a nonmethane organic compound emission rate of 50 megagrams a year or more. The calculation of the landfill nonmethane organic compound emission rate must meet the requirements of 40 C.F.R. § 60.754 (July 1, 2016), to determine the landfill nonmethane organic compound emission rate.

Source: 23 SDR 106, effective December 29, 1996; 25 SDR 123, effective April 4, 1999; 26 SDR 168, effective June 27, 2000; 30 SDR 26, effective September 1, 2003; 31 SDR 101, effective January 2, 2005; 32 SDR 209, effective June 13, 2006; 33 SDR 217, effective June 13, 2007; 36 SDR 209, effective June 28, 2010; 39 SDR 219, effective June 25, 2013; 42 SDR 52, effective October 13, 2015; 44 SDR 43, effective September 13, 2017.

General Authority: SDCL 34A-1-6.

Law Implemented: SDCL 34A-1-18.

74:36:07:35. Plan submittal by existing municipal solid waste landfills. The owner or operator of an existing municipal solid waste landfill that meets the requirements of § 74:36:07:34 shall submit a plan within one year of the first annual report showing the nonmethane organic compound emissions equal or exceed 50 megagrams a year. The plan must be prepared by a professional engineer and contain a collection and control system and a compliance schedule that meets § 74:36:07:38. The plan must be approved by the department in accordance with §§ 74:36:07:36 to 74:36:07:38, inclusive.

Source: 23 SDR 106, effective December 29, 1996; 25 SDR 123, effective April 4, 1999.

General Authority: SDCL 34A-1-6.

Law Implemented: SDCL 34A-1-18.

74:36:07:36. Collection system. The department shall approve the collection and control system plan if it is equivalent to or meets the conditions provided in 40 C.F.R. § 60.752(b)(2)(ii) (July 1, 2016), and the control requirements in § 74:36:07:37.

Source: 23 SDR 106, effective December 29, 1996; 25 SDR 123, effective April 4, 1999; 26 SDR 168, effective June 27, 2000; 30 SDR 26, effective September 1, 2003; 31 SDR 101, effective January 2, 2005; 32 SDR 209, effective June 13, 2006; 33 SDR 217, effective June 13, 2007; 36 SDR 207, effective June 28, 2010; 39 SDR 219, effective June 25, 2013; 42 SDR 52, effective October 13, 2015; 44 SDR 43, effective September 13, 2017.

General Authority: SDCL 34A-1-6.

Law Implemented: SDCL 34A-1-18.

74:36:07:37. Control system. The department shall approve the control system if it is equivalent to or meets one of the following requirements:

(1) An open flare designed and operated in accordance with the parameters established in 40 C.F.R. § 60.18 (July 1, 2016);

(2) A control system designed and operated to reduce nonmethane organic compounds by 98 percent by weight; or

(3) An enclosed combustor designed and operated to either reduce nonmethane organic compounds by 98 percent by weight or the outlet nonmethane organic compound concentration to 20 parts per million as hexane by volume, dry basis at three percent oxygen, or less.

Source: 23 SDR 106, effective December 29, 1996; 26 SDR 168, effective June 27, 2000; 30 SDR 26, effective September 1, 2003; 31 SDR 101, effective January 2, 2005; 32 SDR 209, effective June 13, 2006; 33 SDR 217, effective June 13, 2007; 36 SDR 207, effective June 28, 2010; 39 SDR 219, effective June 25, 2013; 42 SDR 52, effective October 13, 2015; 44 SDR 43, effective September 13, 2017.

General Authority: SDCL 34A-1-6.

Law Implemented: SDCL 34A-1-18.

74:36:07:38. Compliance schedule for existing municipal solid waste landfills. The owner or operator of an existing municipal solid waste landfill that meets the requirements of § 74:36:07:34 must meet the following compliance dates:

(1) Award contracts within 15 months of the first annual report showing the nonmethane organic compound emissions equal or exceed 50 megagrams a year;

(2) Begin construction within 18 months of the first annual report showing the nonmethane organic compound emissions equal or exceed 50 megagrams a year;

(3) Complete construction within 30 months of the first annual report showing the nonmethane organic compound emissions equal or exceed 50 megagrams a year; and

(4) Demonstrate compliance with all applicable requirements within 180 days of completing construction.

Source: 23 SDR 106, effective December 29, 1996; 25 SDR 123, effective April 4, 1999.

General Authority: SDCL 34A-1-6.

Law Implemented: SDCL 34A-1-18.

74:36:07:39. Existing municipal solid waste landfill operational standards for collection and control systems. The owner or operator of an existing municipal solid waste landfill that meets the requirements of § 74:36:07:34 shall meet the operational standards for collection and control systems in 40 C.F.R. § 60.753 (July 1, 2016).

Source: 23 SDR 106, effective December 29, 1996; 25 SDR 123, effective April 4, 1999; 26 SDR 168, effective June 27, 2000; 30 SDR 26, effective September 1, 2003; 31 SDR 101, effective January 2, 2005; 32 SDR 209, effective June 13, 2006; 33 SDR 217, effective June 13, 2007; 36 SDR 207, effective June 28, 2010; 39 SDR 219, effective June 25, 2013; 42 SDR 52, effective October 13, 2015; 44 SDR 43, effective September 13, 2017.

General Authority: SDCL 34A-1-6.

Law Implemented: SDCL 34A-1-18.

74:36:07:40. Existing municipal solid waste landfill compliance provisions. The owner or operator of an existing municipal solid waste landfill that meets the requirements of § 74:36:07:34 shall meet the compliance provisions in 40 C.F.R. § 60.755 (July 1, 2016).

Source: 23 SDR 106, effective December 29, 1996; 25 SDR 123, effective April 4, 1999; 26 SDR 168, effective June 27, 2000; 30 SDR 26, effective September 1, 2003; 31 SDR 101, effective January 2, 2005; 32 SDR 209, effective June 13, 2006; 33 SDR 217, effective June 13, 2007; 36 SDR 207, effective June 28, 2010; 39 SDR 219, effective June 25, 2013; 42 SDR 52, effective October 13, 2015; 44 SDR 43, effective September 13, 2017.

General Authority: SDCL 34A-1-6.

Law Implemented: SDCL 34A-1-18.

74:36:07:41. Existing municipal solid waste landfill monitoring provisions. The owner or operator of an existing municipal solid waste landfill that meets the requirements of § 74:36:07:34 shall meet the monitoring provisions in 40 C.F.R. § 60.756 (July 1, 2016).

Source: 23 SDR 106, effective December 29, 1996; 25 SDR 123, effective April 4, 1999; 26 SDR 168, effective June 27, 2000; 30 SDR 26, effective September 1, 2003; 31 SDR 101, effective January 2, 2005; 32 SDR 209, effective June 13, 2006; 33 SDR 217, effective June 13, 2007; 36 SDR 207, effective June 28, 2010; 39 SDR 219, effective June 25, 2013; 42 SDR 52, effective October 13, 2015; 44 SDR 43, effective September 13, 2017.

General Authority: SDCL 34A-1-6.

Law Implemented: SDCL 34A-1-18.

74:36:07:42. Existing municipal solid waste landfill reporting and recordkeeping. The owner or operator of an existing municipal solid waste landfill that meets the requirements of § 74:36:07:34 shall meet the reporting and recordkeeping requirements specified in 40 C.F.R. §§ 60.757 and 60.758 (July 1, 2016).

Source: 23 SDR 106, effective December 29, 1996; 25 SDR 123, effective April 4, 1999; 26 SDR 168, effective June 27, 2000; 30 SDR 26, effective September 1, 2003; 31 SDR 101, effective January 2, 2005; 32 SDR 209, effective June 13, 2006; 33 SDR 217, effective June 13, 2007; 36 SDR 207, effective June 28, 2010; 39 SDR 219, effective June 25, 2013; 42 SDR 52, effective October 13, 2015; 44 SDR 43, effective September 13, 2017.

General Authority: SDCL 34A-1-6.

Law Implemented: SDCL 34A-1-18.

74:36:07:42.01. Additional reporting for existing municipal solid waste landfills. The owner or operator of an existing municipal solid waste landfill that meets the requirements of subdivisions 74:36:07:34(1) and (2) shall submit an initial nonmethane organic compound emission rate report within 90 days of the effective date of EPA's approval of the state's § 111(d) plan required in the Clean Air Act and annually or every five years thereafter in accordance with 40 C.F.R. § 60.757(b) (July 1, 2016).

Source: 25 SDR 123, effective April 4, 1999; 26 SDR 168, effective June 27, 2000; 30 SDR 26, effective September 1, 2003; 31 SDR 101, effective January 2, 2005; 32 SDR 209, effective June 13, 2006; 33 SDR 217, effective June 13, 2007; 36 SDR 207, effective June 28, 2010; 39 SDR 219, effective June 25, 2013; 42 SDR 52, effective October 13, 2015; 44 SDR 43, effective September 13, 2017.

General Authority: SDCL 34A-1-6.

Law Implemented: SDCL 34A-1-18

74:36:07:43. Standards of performance for new municipal solid waste landfills. The standards of performance for municipal solid waste landfills that commenced construction, reconstruction, or modification on or after May 29, 1991, are those in 40 C.F.R. § 60 Subpart WWW (July 1, 2016). Physical or operational changes made to existing municipal solid waste landfills solely to comply with §§ 74:36:07:34 to 74:36:07:42, inclusive, or activities required by or conducted pursuant to a CERCLA, RCRA, or state remedial action are not considered construction, reconstruction, or modification for purposes of this section.

Source: 23 SDR 106, effective December 29, 1996; 25 SDR 123, effective April 4, 1999; 26 SDR 168, effective June 27, 2000; 30 SDR 26, effective September 1, 2003; 31 SDR 101, effective January 2, 2005; 32 SDR 209, effective June 13, 2006; 33 SDR 217, effective June 13, 2007; 36 SDR 207, effective June 28, 2010; 39 SDR 219, effective June 25, 2013; 42 SDR 52, effective October 13, 2015; 44 SDR 43, effective September 13, 2017.

General Authority: SDCL 34A-1-6.

Law Implemented: SDCL 34A-1-18.

74:36:07:44. Standards of performance for nitric acid plants. The standards of performance for nitric acid plants are those in 40 C.F.R. § 60 Subpart G (July 1, 2016).

Source: 33 SDR 217, effective June 13, 2007; 36 SDR 207, effective June 28, 2010; 39 SDR 219, effective June 25, 2013; 42 SDR 52, effective October 13, 2015; 44 SDR 43, effective September 13, 2017.

General Authority: SDCL 34A-1-6.

Law Implemented: SDCL 34A-1-18.

74:36:07:45. Standards of performance for sulfuric acid plants. The standards of performance for sulfuric acid plants are those in 40 C.F.R. § 60 Subpart H (July 1, 2016).

Source: 33 SDR 217, effective June 13, 2007; 36 SDR 207, effective June 28, 2010; 39 SDR 219, effective June 25, 2013; 42 SDR 52, effective October 13, 2015; 44 SDR 43, effective September 13, 2017.

General Authority: SDCL 34A-1-6.

Law Implemented: SDCL 34A-1-18.

74:36:07:46. Standards of performance for petroleum refineries. The standards of performance for petroleum refineries are those in 40 C.F.R. § 60, Subpart J (July 1, 2016).

Source: 33 SDR 217, effective June 13, 2007; 36 SDR 207, effective June 28, 2010; 39 SDR 219, effective June 25, 2013; 42 SDR 52, effective October 13, 2015; 44 SDR 43, effective September 13, 2017.

General Authority: SDCL 34A-1-6.

Law Implemented: SDCL 34A-1-18.

74:36:07:46.01. Standards of performance for petroleum refineries for which construction, reconstruction, or modification commenced after May 14, 2007. The standards of performance for petroleum refineries for which construction, reconstruction, or modification commenced after May 14, 2007, are those in 40 C.F.R. § 60, Subpart Ja, (July 1, 2016).

Source: 36 SDR 207, effective June 28, 2010; 39 SDR 219, effective June 25, 2013; 42 SDR 52, effective October 13, 2015; 44 SDR 43, effective September 13, 2017.

General Authority: SDCL 34A-1-6.

Law Implemented: SDCL 34A-1-18.

74:36:07:47. Standards of performance for secondary lead smelters. The standards of performance for secondary lead smelters are those in 40 C.F.R. § 60 Subpart L (July 1, 2016).

Source: 33 SDR 217, effective June 13, 2007; 36 SDR 207, effective June 28, 2010; 39 SDR 219, effective June 25, 2013; 42 SDR 52, effective October 13, 2015; 44 SDR 43, effective September 13, 2017.

General Authority: SDCL 34A-1-6.

Law Implemented: SDCL 34A-1-18.

74:36:07:48. Standards of performance for secondary brass and bronze production plants. The standards of performance for secondary brass and bronze production plants are those in 40 C.F.R. § 60 Subpart M (July 1, 2016).

Source: 33 SDR 217, effective June 13, 2007; 36 SDR 207, effective June 28, 2010; 39 SDR 219, effective June 25, 2013; 42 SDR 52, effective October 13, 2015; 44 SDR 43, effective September 13, 2017.

General Authority: SDCL 34A-1-6.

Law Implemented: SDCL 34A-1-18.

74:36:07:49. Standards of performance for primary emissions from basic oxygen process furnaces for which construction commenced after June 11, 1973. The standards of performance for basic oxygen process furnaces are those in 40 C.F.R. § 60 Subpart N (July 1, 2016).

Source: 33 SDR 217, effective June 13, 2007; 36 SDR 207, effective June 28, 2010; 39 SDR 219, effective June 25, 2013; 42 SDR 52, effective October 13, 2015; 44 SDR 43, effective September 13, 2017.

General Authority: SDCL 34A-1-6.

Law Implemented: SDCL 34A-1-18.

74:36:07:50. Standards of performance for secondary emissions from basic oxygen process steelmaking facilities for which construction commenced after January 20, 1983. The standards of performance for basic oxygen process steelmaking facilities are those in 40 C.F.R. § 60 Subpart Na (July 1, 2016).

Source: 33 SDR 217, effective June 13, 2007; 36 SDR 207, effective June 28, 2010; 39 SDR 219, effective June 25, 2013; 42 SDR 52, effective October 13, 2015; 44 SDR 43, effective September 13, 2017.

General Authority: SDCL 34A-1-6.

Law Implemented: SDCL 34A-1-18.

74:36:07:51. Standards of performance for primary copper smelter. The standards of performance for primary copper smelters are those in 40 C.F.R. § 60 Subpart P (July 1, 2016).

Source: 33 SDR 217, effective June 13, 2007; 36 SDR 207, effective June 28, 2010; 39 SDR 219, effective June 25, 2013; 42 SDR 52, effective October 13, 2015; 44 SDR 43, effective September 13, 2017.

General Authority: SDCL 34A-1-6.

Law Implemented: SDCL 34A-1-18.

74:36:07:52. Standards of performance for primary zinc smelter. The standards of performance for primary zinc smelters are those in 40 C.F.R. § 60 Subpart Q (July 1, 2016).

Source: 33 SDR 217, effective June 13, 2007; 36 SDR 207, effective June 28, 2010; 39 SDR 219, effective June 25, 2013; 42 SDR 52, effective October 13, 2015; 44 SDR 43, effective September 13, 2017.

General Authority: SDCL 34A-1-6.

Law Implemented: SDCL 34A-1-18.

74:36:07:53. Standards of performance for primary lead smelter. The standards of performance for primary lead smelters are those in 40 C.F.R. § 60 Subpart R (July 1, 2016).

Source: 33 SDR 217, effective June 13, 2007; 36 SDR 207, effective June 28, 2010; 39 SDR 219, effective June 25, 2013; 42 SDR 52, effective October 13, 2015; 44 SDR 43, effective September 13, 2017.

General Authority: SDCL 34A-1-6.

Law Implemented: SDCL 34A-1-18.

74:36:07:54. Standards of performance for primary aluminum reduction plant. The standards of performance for primary aluminum reduction plants are those in 40 C.F.R. § 60 Subpart S (July 1, 2016).

Source: 33 SDR 217, effective June 13, 2007; 36 SDR 207, effective June 28, 2010; 39 SDR 219, effective June 25, 2013; 42 SDR 52, effective October 13, 2015; 44 SDR 43, effective September 13, 2017.

General Authority: SDCL 34A-1-6.

Law Implemented: SDCL 34A-1-18.

74:36:07:55. Standards of performance for wet-process phosphoric acid plant. The standards of performance for wet-process phosphoric acid plants are those in 40 C.F.R. § 60 Subpart T (July 1, 2016).

Source: 33 SDR 217, effective June 13, 2007; 36 SDR 207, effective June 28, 2010; 39 SDR 219, effective June 25, 2013; 42 SDR 52, effective October 13, 2015; 44 SDR 43, effective September 13, 2017.

General Authority: SDCL 34A-1-6.

Law Implemented: SDCL 34A-1-18.

74:36:07:56. Standards of performance for superphosphoric acid plant. The standards of performance for superphosphoric acid plants are those in 40 C.F.R. § 60 Subpart U (July 1, 2016).

Source: 33 SDR 217, effective June 13, 2007; 36 SDR 207, effective June 28, 2010; 39 SDR 219, effective June 25, 2013; 42 SDR 52, effective October 13, 2015; 44 SDR 43, effective September 13, 2017.

General Authority: SDCL 34A-1-6.

Law Implemented: SDCL 34A-1-18.

74:36:07:57. Standards of performance for diammonium phosphate plant. The standards of performance for diammonium phosphate plants are those in 40 C.F.R. § 60 Subpart V (July 1, 2016).

Source: 33 SDR 217, effective June 13, 2007; 36 SDR 207, effective June 28, 2010; 39 SDR 219, effective June 25, 2013; 42 SDR 52, effective October 13, 2015; 44 SDR 43, effective September 13, 2017.

General Authority: SDCL 34A-1-6.

Law Implemented: SDCL 34A-1-18.

74:36:07:58. Standards of performance for triple superphosphate plant. The standards of performance for triple superphosphate plants are those in 40 C.F.R. § 60 Subpart W (July 1, 2016).

Source: 33 SDR 217, effective June 13, 2007; 36 SDR 207, effective June 28, 2010; 39 SDR 219, effective June 25, 2013; 42 SDR 52, effective October 13, 2015; 44 SDR 43, effective September 13, 2017.

General Authority: SDCL 34A-1-6.

Law Implemented: SDCL 34A-1-18.

74:36:07:59. Standards of performance for granular triple superphosphate storage facility. The standards of performance for granular triple superphosphate storage facilities are those in 40 C.F.R. § 60 Subpart X (July 1, 2016).

Source: 33 SDR 217, effective June 13, 2007; 36 SDR 207, effective June 28, 2010; 39 SDR 219, effective June 25, 2013; 42 SDR 52, effective October 13, 2015; 44 SDR 43, effective September 13, 2017.

General Authority: SDCL 34A-1-6.

Law Implemented: SDCL 34A-1-18.

74:36:07:60. Standards of performance for ferroalloy production plant. The standards of performance for ferroalloy production plants are those in 40 C.F.R. § 60 Subpart Z (July 1, 2016).

Source: 33 SDR 217, effective June 13, 2007; 36 SDR 207, effective June 28, 2010; 39 SDR 219, effective June 25, 2013; 42 SDR 52, effective October 13, 2015; 44 SDR 43, effective September 13, 2017.

General Authority: SDCL 34A-1-6.

Law Implemented: SDCL 34A-1-18.

74:36:07:61. Standards of performance for electric arc furnaces and argon-oxygen decarburization vessels constructed after August 17, 1983. The standards of performance for electric arc furnaces and argon-oxygen decarburization vessels are those in 40 C.F.R. § 60 Subpart AAa (July 1, 2016).

Source: 33 SDR 217, effective June 13, 2007; 36 SDR 207, effective June 28, 2010; 39 SDR 219, effective June 25, 2013; 42 SDR 52, effective October 13, 2015; 44 SDR 43, effective September 13, 2017.

General Authority: SDCL 34A-1-6.

Law Implemented: SDCL 34A-1-18.

74:36:07:62. Standards of performance for kraft pulp mills. The standards of performance for kraft pulp mills are those in 40 C.F.R. § 60 Subpart BB (July 1, 2016).

Source: 33 SDR 217, effective June 13, 2007; 36 SDR 207, effective June 28, 2010; 39 SDR 219, effective June 25, 2013; 42 SDR 52, effective October 13, 2015; 44 SDR 43, effective September 13, 2017.

General Authority: SDCL 34A-1-6.

Law Implemented: SDCL 34A-1-18.

74:36:07:63. Standards of performance for glass manufacturing plant. The standards of performance for glass manufacturing plants are those in 40 C.F.R. § 60 Subpart CC (July 1, 2016).

Source: 33 SDR 217, effective June 13, 2007; 36 SDR 207, effective June 28, 2010; 39 SDR 219, effective June 25, 2013; 42 SDR 52, effective October 13, 2015; 44 SDR 43, effective September 13, 2017.

General Authority: SDCL 34A-1-6.

Law Implemented: SDCL 34A-1-18.

74:36:07:64. Standards of performance for surface coating of metal furniture. The standards of performance for surface coating of metal furniture are those in 40 C.F.R. § 60 Subpart EE (July 1, 2016).

Source: 33 SDR 217, effective June 13, 2007; 36 SDR 207, effective June 28, 2010; 39 SDR 219, effective June 25, 2013; 42 SDR 52, effective October 13, 2015; 44 SDR 43, effective September 13, 2017.

General Authority: SDCL 34A-1-6.

Law Implemented: SDCL 34A-1-18.

74:36:07:65. Standards of performance for lead-acid battery manufacturing plant. The standards of performance for lead-acid battery manufacturing plants are those in 40 C.F.R. § 60 Subpart KK (July 1, 2016).

Source: 33 SDR 217, effective June 13, 2007; 36 SDR 207, effective June 28, 2010; 39 SDR 219, effective June 25, 2013; 42 SDR 52, effective October 13, 2015; 44 SDR 43, effective September 13, 2017.

General Authority: SDCL 34A-1-6.

Law Implemented: SDCL 34A-1-18.

74:36:07:66. Standards of performance for automobile and light duty truck surface coating operations. The standards of performance for automobile and light duty truck surface coating operations are those in 40 C.F.R. § 60 Subpart MM (July 1, 2016).

Source: 33 SDR 217, effective June 13, 2007; 36 SDR 208, effective June 28, 2010; 39 SDR 219, effective June 25, 2013; 42 SDR 52, effective October 13, 2015; 44 SDR 43, effective September 13, 2017.

General Authority: SDCL 34A-1-6.

Law Implemented: SDCL 34A-1-18.

74:36:07:67. Standards of performance for phosphate rock plants. The standards of performance for phosphate rock plants are those in 40 C.F.R. § 60 Subpart NN (July 1, 2016).

Source: 33 SDR 217, effective June 13, 2007; 36 SDR 207, effective June 28, 2010; 39 SDR 219, effective June 25, 2013; 42 SDR 52, effective October 13, 2015; 44 SDR 43, effective September 13, 2017.

General Authority: SDCL 34A-1-6.

Law Implemented: SDCL 34A-1-18.

74:36:07:68. Standards of performance for ammonium sulfate manufacture. The standards of performance for ammonium sulfate manufacture are those in 40 C.F.R. § 60 Subpart PP (July 1, 2016).

Source: 33 SDR 217, effective June 13, 2007; 36 SDR 207, effective June 28, 2010; 39 SDR 219, effective June 25, 2013; 42 SDR 52, effective October 13, 2015; 44 SDR 43, effective September 13, 2017.

General Authority: SDCL 34A-1-6.

Law Implemented: SDCL 34A-1-18.

74:36:07:69. Standards of performance for industrial surface coating -- Large appliances. The standards of performance for industrial surface coating of large appliances are those in 40 C.F.R. § 60 Subpart SS (July 1, 2016).

Source: 33 SDR 217, effective June 13, 2007; 36 SDR 207, effective June 28, 2010; 39 SDR 219, effective June 25, 2013; 42 SDR 52, effective October 13, 2015; 44 SDR 43, effective September 13, 2017.

General Authority: SDCL 34A-1-6.

Law Implemented: SDCL 34A-1-18.

74:36:07:70. Standards of performance for metal coil surface coating. The standards of performance for metal coil surface coating are those in 40 C.F.R. § 60 Subpart TT (July 1, 2016).

Source: 33 SDR 217, effective June 13, 2007; 36 SDR 207, effective June 28, 2010; 39 SDR 219, effective June 25, 2013; 42 SDR 52, effective October 13, 2015; 44 SDR 43, effective September 13, 2017.

General Authority: SDCL 34A-1-6.

Law Implemented: SDCL 34A-1-18.

74:36:07:71. Standards of performance for asphalt processing and asphalt roofing manufacture. The standards of performance for asphalt processing and asphalt roofing manufacture are those in 40 C.F.R. § 60 Subpart UU (July 1, 2016).

Source: 33 SDR 217, effective June 13, 2007; 36 SDR 207, effective June 28, 2010; 39 SDR 219, effective June 25, 2013; 42 SDR 52, effective October 13, 2015; 44 SDR 43, effective September 13, 2017.

General Authority: SDCL 34A-1-6.

Law Implemented: SDCL 34A-1-18.

74:36:07:72. Standards of performance for beverage can surface coating industry. The standards of performance for beverage can surface coating industry are those in 40 C.F.R. § 60 Subpart WW (July 1, 2016).

Source: 33 SDR 217, effective June 13, 2007; 36 SDR 207, effective June 28, 2010; 39 SDR 219, effective June 25, 2013; 42 SDR 52, effective October 13, 2015; 44 SDR 43, effective September 13, 2017.

General Authority: SDCL 34A-1-6.

Law Implemented: SDCL 34A-1-18.

74:36:07:73. Standards of performance for rubber tire manufacturing industry. The standards of performance for rubber tire manufacturing industry are those in 40 C.F.R. § 60 Subpart BBB (July 1, 2016).

Source: 33 SDR 217, effective June 13, 2007; 36 SDR 207, effective June 28, 2010; 39 SDR 219, effective June 25, 2013; 42 SDR 52, effective October 13, 2015; 44 SDR 43, effective September 13, 2017.

General Authority: SDCL 34A-1-6.

Law Implemented: SDCL 34A-1-18.

74:36:07:74. Standards of performance for volatile organic compound emissions from polymer manufacturing industry. The standards of performance for polymer manufacturing industry are those in 40 C.F.R. § 60 Subpart DDD (July 1, 2016).

Source: 33 SDR 217, effective June 13, 2007; 36 SDR 207, effective June 28, 2010; 39 SDR 219, effective June 25, 2013; 42 SDR 52, effective October 13, 2015; 44 SDR 43, effective September 13, 2017.

General Authority: SDCL 34A-1-6.

Law Implemented: SDCL 34A-1-18.

74:36:07:75. Standards of performance for flexible vinyl and urethane coating and printing. The standards of performance for flexible vinyl and urethane coating and printing are those in 40 C.F.R. § 60 Subpart FFF (July 1, 2016).

Source: 33 SDR 217, effective June 13, 2007; 36 SDR 207, effective June 28, 2010; 39 SDR 219, effective June 25, 2013; 42 SDR 52, effective October 13, 2015; 44 SDR 43, effective September 13, 2017.

General Authority: SDCL 34A-1-6.

Law Implemented: SDCL 34A-1-18.

74:36:07:76. Standards of performance for equipment leaks of VOC in petroleum refineries. The standards of performance for equipment leaks in petroleum refineries are those in 40 C.F.R. § 60 Subpart GGG (July 1, 2016).

Source: 33 SDR 217, effective June 13, 2007; 36 SDR 207, effective June 28, 2010; 39 SDR 219, effective June 25, 2013; 42 SDR 52, effective October 13, 2015; 44 SDR 43, effective September 13, 2017.

General Authority: SDCL 34A-1-6.

Law Implemented: SDCL 34A-1-18.

74:36:07:76.01. Standards of performance for equipment leaks of VOC in petroleum refineries. The standards of performance for equipment leaks in petroleum refineries for which construction, reconstruction, or modification commenced after November 7, 2006, are those in 40 C.F.R. § 60, Subpart GGGa, (July 1, 2016).

Source: 36 SDR 207, effective June 28, 2010; 39 SDR 219, effective June 25, 2013; 42 SDR 52, effective October 13, 2015; 44 SDR 43, effective September 13, 2017.

General Authority: SDCL 34A-1-6.

Law Implemented: SDCL 34A-1-18.

74:36:07:77. Standards of performance for synthetic fiber production facility. The standards of performance for synthetic fiber production facilities are those in 40 C.F.R. § 60 Subpart HHH (July 1, 2016).

Source: 33 SDR 217, effective June 13, 2007; 36 SDR 207, effective June 28, 2010; 39 SDR 219, effective June 25, 2013; 42 SDR 52, effective October 13, 2015; 44 SDR 43, effective September 13, 2017.

General Authority: SDCL 34A-1-6.

Law Implemented: SDCL 34A-1-18.

74:36:07:78. Standards of performance for VOC emissions from synthetic organic chemical manufacturing industry air oxidation unit process. The standards of performance for synthetic organic chemical manufacturing industry air oxidation unit processes are those in 40 C.F.R. § 60 Subpart III (July 1, 2016).

Source: 33 SDR 217, effective June 13, 2007; 36 SDR 207, effective June 28, 2010; 39 SDR 219, effective June 25, 2013; 42 SDR 52, effective October 13, 2015; 44 SDR 43, effective September 13, 2017.

General Authority: SDCL 34A-1-6.

Law Implemented: SDCL 34A-1-18.

74:36:07:79. Standards of performance for equipment leaks of VOC from onshore natural gas processing plant. The standards of performance for equipment leaks from onshore natural gas processing plants are those in 40 C.F.R. § 60 Subpart KKK (July 1, 2016).

Source: 33 SDR 217, effective June 13, 2007; 36 SDR 207, effective June 28, 2010; 39 SDR 219, effective June 25, 2013; 42 SDR 52, effective October 13, 2015; 44 SDR 43, effective September 13, 2017.

General Authority: SDCL 34A-1-6.

Law Implemented: SDCL 34A-1-18.

74:36:07:80. Standards of performance for onshore natural gas processing. The standards of performance for onshore natural gas processing are those in 40 C.F.R. § 60 Subpart LLL (July 1, 2016).

Source: 33 SDR 217, effective June 13, 2007; 36 SDR 207, effective June 28, 2010; 39 SDR 219, effective June 25, 2013; 42 SDR 52, effective October 13, 2015; 44 SDR 43, effective September 13, 2017.

General Authority: SDCL 34A-1-6.

Law Implemented: SDCL 34A-1-18.

74:36:07:81. Standards of performance for wool fiberglass insulation manufacturing plant. The standards of performance for wool fiberglass insulation manufacturing plants are those in 40 C.F.R. § 60 Subpart PPP (July 1, 2016).

Source: 33 SDR 217, effective June 13, 2007; 36 SDR 207, effective June 28, 2010; 39 SDR 219, effective June 25, 2013; 42 SDR 52, effective October 13, 2015; 44 SDR 43, effective September 13, 2017.

General Authority: SDCL 34A-1-6.

Law Implemented: SDCL 34A-1-18.

74:36:07:82. Standards of performance for VOC emissions from petroleum refinery wastewater system. The standards of performance for petroleum refinery wastewater systems are those in 40 C.F.R. § 60 Subpart QQQ (July 1, 2016).

Source: 33 SDR 217, effective June 13, 2007; 36 SDR 207, effective June 28, 2010; 39 SDR 219, effective June 25, 2013; 42 SDR 52, effective October 13, 2015; 44 SDR 43, effective September 13, 2017.

General Authority: SDCL 34A-1-6.

Law Implemented: SDCL 34A-1-18.

74:36:07:83. Standards of performance for industrial surface coating -- Surface coating of plastic parts for business machines. The standards of performance for the surface

coating of plastic parts for business machines are those in 40 C.F.R. § 60 Subpart TTT (July 1, 2016).

Source: 33 SDR 217, effective June 13, 2007; 36 SDR 207, effective June 28, 2010; 39 SDR 219, effective June 25, 2013; 42 SDR 52, effective October 13, 2015; 44 SDR 43, effective September 13, 2017.

General Authority: SDCL 34A-1-6.

Law Implemented: SDCL 34A-1-18.

74:36:07:84. Standards of performance for polymeric coating of supporting substrates facility. The standards of performance for polymeric coating of supporting substrates facilities are those in 40 C.F.R. § 60 Subpart VVV (July 1, 2016).

Source: 33 SDR 217, effective June 13, 2007; 36 SDR 207, effective June 28, 2010; 39 SDR 219, effective June 25, 2013; 42 SDR 52, effective October 13, 2015; 44 SDR 43, effective September 13, 2017.

General Authority: SDCL 34A-1-6.

Law Implemented: SDCL 34A-1-18.

74:36:07:85. Standards of performance for small municipal waste combustion units for which construction commenced after August 30, 1999, or modification or reconstruction commenced after June 6, 2001. The standards of performance for small municipal waste combustion units are those in 40 C.F.R. § 60, Subpart AAAA (July 1, 2016).

Source: 33 SDR 217, effective June 13, 2007; 36 SDR 207, effective June 28, 2010; 39 SDR 219, effective June 25, 2013; 42 SDR 52, effective October 13, 2015; 44 SDR 43, effective September 13, 2017.

General Authority: SDCL 34A-1-6.

Law Implemented: SDCL 34A-1-18.

74:36:07:86. Standards of performance for commercial or industrial solid waste incineration units for which construction commenced after November 30, 1999, or modification or reconstruction commenced on or after June 1, 2001. The standards of performance for commercial solid waste incineration units are those in 40 C.F.R. § 60, Subpart CCCC (July 1, 2016).

Source: 33 SDR 217, effective June 13, 2007; 36 SDR 207, effective June 28, 2010; 39 SDR 219, effective June 25, 2013; 42 SDR 52, effective October 13, 2015; 44 SDR 43, effective September 13, 2017.

General Authority: SDCL 34A-1-6.

Law Implemented: SDCL 34A-1-18.

74:36:07:87. Standards of performance for other solid waste incineration units for which construction commenced after December 9, 2004, or modification or reconstruction commenced on or after June 16, 2006. The standards of performance for other solid waste incineration units are those in 40 C.F.R. § 60, Subpart EEEE (July 1, 2016).

Source: 33 SDR 217, effective June 13, 2007; 36 SDR 207, effective June 28, 2010; 39 SDR 219, effective June 25, 2013; 42 SDR 52, effective October 13, 2015; 44 SDR 43, effective September 13, 2017.

General Authority: SDCL 34A-1-6.

Law Implemented: SDCL 34A-1-18.

74:36:07:88. Standards of performance for stationary compression ignition internal combustion engines. The standards of performance for stationary compression ignition internal combustion engines are those in 40 C.F.R. § 60, Subpart IIII (July 1, 2016). A source subject to Subpart IIII is exempt from the obligation to obtain a Part 70 operating permit if the source is not required to obtain a Part 70 operating permit for a reason other than the source is subject to Subpart IIII. Exempted sources must still meet the applicable requirements in Subpart IIII.

Source: 33 SDR 217, effective June 13, 2007; 36 SDR 207, effective June 28, 2010; 39 SDR 219, effective June 25, 2013; 42 SDR 52, effective October 13, 2015; 44 SDR 43, effective September 13, 2017.

General Authority: SDCL 34A-1-6.

Law Implemented: SDCL 34A-1-18.

74:36:07:89. Standards of performance for stationary combustion turbines. The standards of performance for stationary combustion turbines are those in 40 C.F.R. §§ 60.4300 to 60.4420, inclusive, (July 1, 2016).

Source: 33 SDR 217, effective June 13, 2007; 36 SDR 207, effective June 28, 2010; 39 SDR 219, effective June 25, 2013; 42 SDR 52, effective October 13, 2015; 44 SDR 43, effective September 13, 2017.

General Authority: SDCL 34A-1-6.

Law Implemented: SDCL 34A-1-18.

74:36:07:90. Standards of performance for stationary spark ignition internal combustion engines. The standards of performance for stationary spark combustion engines are those in 40 C.F.R. § 60, Subpart JJJJ (July 1, 2016). A source subject to Subpart JJJJ is exempt from the obligation to obtain a Part 70 operating permit if the source is not required to obtain a Part 70 operating permit for a reason other than the source is subject to Subpart JJJJ. Exempted sources must still meet the applicable requirements in Subpart JJJJ.

Source: 36 SDR 207, effective June 28, 2010; 39 SDR 219, effective June 25, 2013; 42 SDR 52, effective October 13, 2015; 44 SDR 43, effective September 13, 2017.

General Authority: SDCL 34A-1-6.

Law Implemented: SDCL 34A-1-18.

74:36:07:91. Standards of performance for nitric acid plants for which construction, reconstruction, or modification commenced after October 14, 2011. The standards of performance for nitric acid plants are those in 40 C.F.R. § 60, Subpart Ga (July 1, 2016).

Source: 39 SDR 219, effective June 25, 2013; 42 SDR 52, effective October 13, 2015; 44 SDR 43, effective September 13, 2017.

General Authority: SDCL 34A-1-6.

Law Implemented: SDCL 34A-1-18.

74:36:07:92. Standards of performance for new sewage sludge incineration units. The standards of performance for new sewage sludge incineration units are those in 40 C.F.R. § 60, Subpart LLLL (July 1, 2016).

Source: 39 SDR 219, effective June 25, 2013; 42 SDR 52, effective October 13, 2015; 44 SDR 43, effective September 13, 2017.

General Authority: SDCL 34A-1-6.

Law Implemented: SDCL 34A-1-18.

74:36:07:93. Standards of performance for crude oil and natural gas production, transmission and distribution. The standards of performance for crude oil and natural gas production, transmission, and distribution are those in 40 C.F.R. § 60, Subpart OOOO (July 1, 2016).

Source: 42 SDR 52, effective October 13, 2015; 44 SDR 43, effective September 13, 2017.

General Authority: SDCL 34A-1-6.

Law Implemented: SDCL 34A-1-18.