

**CONSOLIDATED CHECKLIST C8**

Standards for Owners and Operators of Hazardous Waste Facilities  
Operating Under a Standardized Permit  
40 CFR Part 267 as of June 30, 2018

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV-ALENT	LESS STRIN- GENT	MORE STRIN- GENT	BROADER IN SCOPE
<b>† SUBPART A - GENERAL</b>							
<b>WHAT ARE THE PURPOSE, SCOPE AND APPLICABILITY OF THIS SUBPART?</b>							
establish standards for standardized permit	210	267.1(a)					
applies to facilities operating under standardized permit, except as provided in part 261, subpart A, or 264.1(f) and (g)	210	267.1(b)					
<b>WHAT IS THE RELATIONSHIP TO INTERIM STATUS STANDARDS?</b>							
compliance with part 265 until final administrative disposition of standardized permit, except as provided under 40 CFR part 264 subpart S	210	267.2					
<b>HOW DOES THIS PART AFFECT AN IMMEDIATE HAZARD ACTION?</b>							
enforcement actions under RCRA 7003	210	267.3					
<b>† SUBPART B - GENERAL FACILITY STANDARDS</b>							
<b>DOES THIS SUBPART APPLY TO ME?</b>							
applies to facilities operating under standardized permit, except as provided in 267.1(b)	210	267.10					
<b>WHAT MUST I DO TO COMPLY WITH THIS SUBPART?</b>							
obtain identification number and follow specified requirements	210	267.11					
<b>HOW DO I OBTAIN AN IDENTIFICATION NUMBER?</b>							
application for EPA identification number using EPA form 8700-12	210	267.12					
<b>WHAT ARE MY WASTE ANALYSIS REQUIREMENTS?</b>							
analysis of representative waste sample; needed information	210	267.13(a)					
inclusion of data	210	267.13(a)(1)					
need for repeat analysis	210	267.13(a)(2)					
waste analysis plan	210	267.13(b)					
		267.13(b)(1)					

CONSOLIDATED CHECKLIST C8  
Standards for Owners and Operators of Hazardous Waste Facilities  
Operating Under a Standardized Permit  
40 CFR Part 267 as of June 30, 2018 (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV-ALENT	LESS STRIN-GENT	MORE STRIN-GENT	BROADER IN SCOPE
		267.13(b)(2)					
		267.13(b)(3)					
		267.13(b)(3)(i) & (ii)					
		267.13(b)(4)					
		267.13(b)(5)					
<b>WHAT ARE MY SECURITY REQUIREMENTS?</b>							
prevent unauthorized entry	210	267.14(a)					
24-hour surveillance system, artificial or natural barrier and means to control entry	210	267.14(b)					
		267.14(b)(1)					
		267.14(b)(2)					
sign	210	267.14(b)(3)					
sign	210	267.14(c)					
<b>WHAT ARE MY GENERAL INSPECTION REQUIREMENTS?</b>							
inspect for malfunctions, deterioration, operator errors, and discharges that may cause:	210	267.15(a)					
release to the environment	210	267.15(a)(1)					
threat to human health	210	267.15(a)(2)					
develop and follow a written inspection schedule	210	267.15(b)					
schedule kept at facility	210	267.15(b)(1)					
schedule content	210	267.15(b)(2)					
inspection frequency	210	267.15(b)(3)					
remedy any deterioration or malfunction; must take remedial action	210	267.15(c)					
record all inspections	210	267.15(d)					
<b>WHAT TRAINING MUST MY EMPLOYEES HAVE?</b>							
training program requirements	210	267.16(a)					
		267.16(a)(1)					
		267.16(a)(2)					
		267.16(a)(2)(i) – (vi)					
timing of instruction	210	267.16(b)					
annual review of initial training required at 267.16(a)	210	267.16(c)					

**CONSOLIDATED CHECKLIST C8**  
**Standards for Owners and Operators of Hazardous Waste Facilities**  
**Operating Under a Standardized Permit**  
**40 CFR Part 267 as of June 30, 2018 (cont'd)**

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIVALENT	LESS STRINGENT	MORE STRINGENT	BROADER IN SCOPE
recordkeeping	210	267.16(d)					
		267.16(d)(1)					
		267.16(d)(2)					
		267.16(d)(3)					
		267.16(d)(4)					
retention of training records	210	267.16(e)					

**WHAT ARE THE REQUIREMENTS FOR MANAGING IGNITABLE, REACTIVE, OR INCOMPATIBLE WASTES?**

precautions to prevent waste ignition or reaction	210	267.17(a)					
		267.17(a)(1) – (3)					
precautions to prevent specified reactions	210	267.17(b)					
		267.17(b)(1)					
		267.17(b)(2)					
		267.17(b)(3)					
		267.17(b)(4)					
documentation of compliance with 26.17(a) or (b)	210	267.17(c)					

**WHAT ARE THE STANDARDS FOR SELECTING THE LOCATION OF MY FACILITY?**

location standards	210	267.18(a)					
		267.18(a)(1)					
		267.18(a)(2)					
		267.18(a)(3)					
100-year flood plain requirements	210	267.18(b)					
		267.18(b)(1)					
		267.18(b)(2)					
		267.18(b)(3)					

† **SUBPART C - PREPAREDNESS AND PREVENTION**

**DOES THIS SUBPART APPLY TO ME?**

applies to facilities under standardized permit, except as provided in 267.1(b)	210	267.30					
---	-----	--------	--	--	--	--	--

**WHAT ARE THE GENERAL DESIGN AND OPERATION STANDARDS?**

design and operation requirements	210	267.31					
-----------------------------------	-----	--------	--	--	--	--	--

**WHAT EQUIPMENT AM I REQUIRED TO HAVE?**

what a facility must be equipped with	210	267.32					
internal communications or alarm	210	267.32(a)					
telephone or equivalent	210	267.32(b)					

**CONSOLIDATED CHECKLIST C8**  
**Standards for Owners and Operators of Hazardous Waste Facilities**  
**Operating Under a Standardized Permit**  
**40 CFR Part 267 as of June 30, 2018 (cont'd)**

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIVALENT	LESS STRINGENT	MORE STRINGENT	BROADER IN SCOPE
fire extinguishers, fire control equipment, spill control equipment, and decontamination equipment	210	267.32(c)					
water of adequate volume and pressure	210	267.32(d)					
<b>WHAT ARE THE TESTING AND MAINTENANCE REQUIREMENTS FOR EQUIPMENT?</b>							
what equipment must be tested and maintained	210	267.33					
<b>WHEN MUST PERSONNEL HAVE ACCESS TO COMMUNICATION EQUIPMENT OR AN ALARM SYSTEM?</b>							
handling hazardous waste – what equipment personnel must have immediate access to	210	267.34(a)					
equipment immediately available when only one employee on premises	210	267.34(b)					
<b>HOW DO I ENSURE ACCESS FOR PERSONNEL AND EQUIPMENT DURING EMERGENCIES?</b>							
required aisle space	210	267.35					
<b>WHAT ARRANGEMENTS MUST I MAKE WITH LOCAL AUTHORITIES FOR EMERGENCIES?</b>							
specific arrangements with local authorities	210	267.36(a)					
		267.36(a)(1)					
		267.36(a)(2)					
		267.36(a)(3)					
		267.36(a)(4)					
refusals documented in operating record	210	267.36(b)					
<b>† SUBPART D - CONTINGENCY PLAN AND EMERGENCY PROCEDURES</b>							
<b>DOES THIS SUBPART APPLY TO ME?</b>							
applies to facilities under standardized permit, except as provided in 267.1(b)	210	267.50					
<b>WHAT IS THE PURPOSE OF THE CONTINGENCY PLAN AND HOW DO I USE IT?</b>							
contingency plan required; purpose	210	267.51(a)					
implementation of plan	210	267.51(b)					
<b>WHAT MUST BE IN THE CONTINGENCY PLAN?</b>							
content of contingency plan	210	267.52(a)					
		267.52(a)(1)					
		267.52(a)(2)					
		267.52(a)(3)					
		267.52(a)(4)					

CONSOLIDATED CHECKLIST C8  
Standards for Owners and Operators of Hazardous Waste Facilities  
Operating Under a Standardized Permit  
40 CFR Part 267 as of June 30, 2018 (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIVALENT	LESS STRINGENT	MORE STRINGENT	BROADER IN SCOPE
		267.52(a)(5)					
amendment of SPCC	210	267.52(b)					
<b>WHO MUST COPIES OF THE CONTINGENCY PLAN?</b>							
maintain copies and revisions of plan at facility	210	267.53(a)					
submit copy of plan with all revisions to local authorities	210	267.53(b)					
<b>WHEN MUST I AMEND THE CONTINGENCY PLAN?</b>							
conditions for amendment of contingency plan	210	267.54					
		267.54(a)					
		267.54(b)					
		267.54(c)					
		267.54(d)					
<b>WHAT IS THE ROLE OF THE EMERGENCY COORDINATOR?</b>							
emergency coordinator responsibilities	210	267.55					
<b>WHAT ARE THE REQUIRED EMERGENCY PROCEDURES FOR THE EMERGENCY COORDINATOR?</b>							
imminent or emergency notification procedures	210	267.56(a)					
		267.56(a)(1)					
		267.56(a)(2)					
procedures in event of release, fire, explosion	210	267.56(b)					
		267.56(b)(1)					
		267.56(b)(2)					
reporting of emergency coordinator's findings	210	267.56(c)					
		267.56(c)(1)					
		267.56(c)(2)					
		267.56(c)(2)(i) – (vi)					
measures during emergency	210	267.56(d)					
procedures if facility stops operation	210	267.56(e)					
<b>WHAT MUST THE EMERGENCY COORDINATOR DO AFTER AN EMERGENCY?</b>							
treatment, storage, or disposal of material resulting from emergency	210	267.57(a)					
no incompatible waste in affected area; emergency equipment is cleaned and fit	210	267.57(b)					
		267.57(b)(1)					
		267.57(b)(2)					

**CONSOLIDATED CHECKLIST C8**  
**Standards for Owners and Operators of Hazardous Waste Facilities**  
**Operating Under a Standardized Permit**  
**40 CFR Part 267 as of June 30, 2018 (cont'd)**

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV-ALENT	LESS STRIN-GENT	MORE STRIN-GENT	BROADER IN SCOPE
<b>WHAT NOTIFICATION AND RECORDKEEPING MUST I DO AFTER AN EMERGENCY?</b>							
notify Regional Administrator, state and local authorities	210	267.58(a)					
recordkeeping following an emergency	210	267.58(b)					
		267.58(b)(1) – (7)					
†,1 <b>SUBPART E - MANIFEST SYSTEM, RECORDKEEPING, REPORTING, AND NOTIFYING</b>							
<b>DOES THIS SUBPART APPLY TO ME?</b>							
applies to facilities that store or non-thermally treat HW under standardized permit; compliance with part 262 manifest requirements	210	267.70					
<b>USE OF THE MANIFEST SYSTEM</b>							
duties when receiving waste accompanied by manifest	210	267.71(a) 267.71(a)(1) – (3)					
	210, 236	267.71(a)(4) & (5)					
	236	267.71(a)(6) 267.71(a)(6)(i) & (ii)					
duties when receiving waste accompanied by shipping paper	210	267.71(b)					
		267.71(b)(1)					
		267.71(b)(2)					
		267.71(b)(3)					
		267.71(b)(4) 267.71(b)(5)					
facility initiating shipment complies with 262	210, 237	267.71(c)					
shipment subject to part 262 subpart H	210, 236	267.71(d)					
<b>MANIFEST DISCREPANCIES</b>							
manifest discrepancy definitions	210	267.72(a)					
		267.72(a)(1)					
		267.72(a)(2)					
actions on discovering a discrepancy	210	267.72(b)					
<b>WHAT INFORMATION MUST I KEEP?</b>							
written operating record at facility	210	267.73(a)					
	210	267.73(b)					

**CONSOLIDATED CHECKLIST C8**  
**Standards for Owners and Operators of Hazardous Waste Facilities**  
**Operating Under a Standardized Permit**  
**40 CFR Part 267 as of June 30, 2018 (cont'd)**

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV-ALENT	LESS STRIN-GENT	MORE STRIN-GENT	BROADER IN SCOPE
information recorded in operating record		267.73(b)(1)					
		267.73(b)(2)					
		267.73(b)(3)					
		267.73(b)(4)					
		267.73(b)(5)					
		267.73(b)(6)					
		267.73(b)(7)					
		267.73(b)(8)					
		267.73(b)(9)					
		267.73(b)(10)					
		267.73(b)(11)					
		267.73(b)(12)					
<b>WHO SEES THE RECORDS?</b>							
all records available for inspection	210	267.74(a)					
retention period extension under unresolved enforcement action	210	267.74(b)					
<b>WHAT REPORTS MUST I PREPARE AND TO WHOM DO I SEND THEM?</b>							
biennial report required	210	267.75					
when to submit biennial report; what form, and what must be reported	210	267.75(a)					
		267.75(a)(1)					
		267.75(a)(2)					
		267.75(a)(3)					
		267.75(a)(4)					
		267.75(a)(5)					
		267.75(a)(6)					
additional reports	210	267.75(b)					
		267.75(b)(1)					
		267.75(b)(2)					
		267.75(b)(3)					
information requirements for off-site facilities	210	267.75(c)					
description and quantity of wastes received	210	267.75(d)					
<b>WHAT NOTIFICATIONS MUST I MAKE?</b>							
notification before transfer of ownership	210	267.76					

**CONSOLIDATED CHECKLIST C8**  
**Standards for Owners and Operators of Hazardous Waste Facilities**  
**Operating Under a Standardized Permit**  
**40 CFR Part 267 as of June 30, 2018 (cont'd)**

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV-ALENT	LESS STRIN-GENT	MORE STRIN-GENT	BROADER IN SCOPE
<b>† SUBPART F - RELEASES FROM SOLID WASTE MANAGEMENT UNITS</b>							
<b>WHO MUST COMPLY WITH THIS SECTION?</b>							
applies to facilities that treats or stores HW under a standardized permit, except as provided in 267.1(b)	210	267.90					
[Reserved]	210	267.91 - 267.100					
<b>WHAT MUST I DO TO ADDRESS CORRECTIVE ACTION FOR SOLID WASTE MANAGEMENT UNITS?</b>							
institute corrective action to protect human health and environment from hazardous waste releases	210	267.101(a)					
corrective action specified by Regional Administrator	210	267.101(b)					
corrective action beyond facility boundaries	210	267.101(c)					
applicability to remediation waste management sites	210	267.101(d)					
<b>† SUBPART G – CLOSURE</b>							
<b>DOES THIS SUBPART APPLY TO ME?</b>							
applies to facilities that treat or store HW under a standardized permit, except as provided in 267.1(b)	210	267.110					
<b>WHAT GENERAL STANDARDS MUST I MEET WHEN I STOP OPERATING THE UNIT?</b>							
manner of closing	210	267.111					
minimize further maintenance needs	210	267.111(a)					
control, minimize, or eliminate post-closure escape of wastes	210	267.111(b)					
meet closure requirements of 267.176, 267.201, and 267.1108; possible post-closure requirements	210	267.111(c)					
<b>WHAT PROCEDURES MUST I FOLLOW?</b>							
follow approved closure plan and notification requirements	210	267.112(a)					
		267.112(a)(1)					
		267.112(a)(2)					



CONSOLIDATED CHECKLIST C8  
Standards for Owners and Operators of Hazardous Waste Facilities  
Operating Under a Standardized Permit  
40 CFR Part 267 as of June 30, 2018 (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIVALENT	LESS STRINGENT	MORE STRINGENT	BROADER IN SCOPE
satisfy closure plan content requirements	210	267.112(b)					
		267.112(b)(1)					
		267.112(b)(2)					
		267.112(b)(3)					
		267.112(b)(4)					
		267.112(b)(5)					
		267.112(b)(6)					
submit written notification to amend plan	210	267.112(c)					
events requiring closure plan amendment	210	267.112(c)(1)					
		267.112(c)(1)(i) – (iii)					
submit amended closure plan with notification	210	267.112(c)(2)					
notification required before final closure	210	267.112(d)					
		267.112(d)(1)					
		267.112(d)(2)					
		267.112(d)(3)					
<b>WILL THE PUBLIC HAVE THE OPPORTUNITY COMMENT ON THE PLAN?</b>							
director to provide public notice; opportunity for written comments and hearing	210	267.113(a)					
public notice of hearing;	210	267.113(b)					
[Reserved]	210	267.114					
<b>AFTER I STOP OPERATING, HOW LONG UNTIL I MUST CLOSE?</b>							
treat, remove, or dispose of all hazardous wastes within 90 days	210	267.115(a)					
complete partial or final closure within 180 days	210	267.115(b)					
		267.115(b)(1)					
		267.115(b)(2)					
		267.115(b)(3)					
waste removal and dismantling per approved final closure plan	210	267.115(c)					
<b>WHAT MUST I DO WITH CONTAMINATED EQUIPMENT, STRUCTURE, AND SOILS?</b>							
disposal and decontamination requirements during closure; 262 generator requirements	210	267.116					

CONSOLIDATED CHECKLIST C8  
Standards for Owners and Operators of Hazardous Waste Facilities  
Operating Under a Standardized Permit  
40 CFR Part 267 as of June 30, 2018 (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV-ALENT	LESS STRIN-GENT	MORE STRIN-GENT	BROADER IN SCOPE
<b>HOW DO I CERTIFY CLOSURE?</b>							
closure certification requirements; required signatures; documentation upon request	210	267.117					
† <b>SUBPART H – FINANCIAL REQUIREMENTS</b>							
<b>WHO MUST COMPLY WITH THIS SUBPART, AND BRIEFLY, WHAT DO THEY HAVE TO DO?</b>							
applies to facilities operating under standardized permit, except as provided in 267.1(b) or 267.140(d)	210	267.140(a)					
financial assurance requirements	210	267.140(b)					
		267.140(b)(1)					
		267.140(b)(2)					
		267.140(b)(3)					
notification of Regional Administrator	210	267.140(c)					
State and Federal government exemptions	210	267.140(d)					
<b>DEFINITIONS OF TERMS AS USED IN THIS SUBPART</b>							
“closure plan”	210	267.141(a)					
“current closure cost estimate”	210	267.141(b)					
[Reserved]	210	267.141(c)					
“parent corporation”	210	267.141(d)					
[Reserved]	210	267.141(e)					
terms used in financial tests	210	267.141(f) intro.					
“assets”	210	267.141(f)					
“current plugging and abandonment cost estimate”	210	267.141(f)					
“independently audited”	210	267.141(f)					
“liabilities”	210	267.141(f)					
“tangible net worth”	210	267.141(f)					
introduction to definitions relating to bodily injury and property damage	210	267.141(g) intro.					
“accidental occurrence”	210	267.141(g)					
“legal defense costs”	210	267.141(g)					
“sudden accidental occurrence”	210	267.141(g)					

CONSOLIDATED CHECKLIST C8  
Standards for Owners and Operators of Hazardous Waste Facilities  
Operating Under a Standardized Permit  
40 CFR Part 267 as of June 30, 2018 (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV-ALENT	LESS STRIN-GENT	MORE STRIN-GENT	BROADER IN SCOPE
“substantial business relationship”	210	267.141(h)					
<b>COST ESTIMATE FOR CLOSURE</b>							
closure cost estimate requirements and calculations	210	267.142(a)					
		267.142(a)(1)					
		267.142(a)(2)					
		267.142(a)(3)					
		267.142(a)(4)					
closure cost estimate adjustment requirements	210	267.142(b)					
		267.142(b)(1)					
		267.142(b)(2)					
closure cost estimate revision requirements	210	267.142(c)					
cost estimates kept at facility	210	267.142(d)					
<b>FINANCIAL ASSURANCE FOR CLOSURE</b>							
financial assurance options for closure	210	267.143					
closure trust fund; requirements	210	267.143(a)					
		267.143(a)(1)					
		267.143(a)(2)					
		267.143(a)(3)					
		267.143(a)(4)					
surety bond guaranteeing payment into closure trust fund	210	267.143(b)					
surety bond guaranteeing performance of closure	210	267.143(c)					
closure letter of credit	210	267.143(d)					
closure insurance	210	267.143(e)					
corporate financial test demonstration	210	267.143(f)					
owner or operator must satisfy one the three conditions	210	267.143(f)(1)(i)					
		267.143(f)(1)(i)(A) – (C)					
tangible net worth of owner or operator	210	267.143(f)(1)(ii)					
		267.143(f)(1)(ii)(A) – (B)					

CONSOLIDATED CHECKLIST C8  
Standards for Owners and Operators of Hazardous Waste Facilities  
Operating Under a Standardized Permit  
40 CFR Part 267 as of June 30, 2018 (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIVALENT	LESS STRINGENT	MORE STRINGENT	BROADER IN SCOPE
assets located in the U.S. amounting to at least sum of obligations covered by financial test described in paragraph (f)(2)(i)(A)(1)	210	267.143(f)(1)(iii)					
recordkeeping and reporting items to submit	210	267.143(f)(2)(i)					
letter signed by owner/operator chief financial officer	210	267.143(f)(2)(i)(A)					
		267.143(f)(2)(i)(A)(I)					
		267.143(f)(2)(i)(A)(I)(i) - (vii)					
		267.143(f)(2)(i)(A)(2)					
copy of independent certified public accountant's opinion	210	267.143(f)(2)(i)(B)					
chief financial officer's letter providing evidence of financial assurance	210	267.143(f)(2)(i)(C)					
chief financial officer's letter providing a demonstration that the firm has assured for environmental obligations	210	267.143(f)(2)(i)(D)					
reporting requirements for owner/operator of new facility	210	267.143(f)(2)(ii)					
submission of updated information	210	267.143(f)(2)(iii)					
when owner/operator is no longer required to submit information	210	267.143(f)(2)(iv)					
		267.143(f)(2)(iv)(A) & (B)					
owner and operator who no longer meets 267.143(f)(1)	210	267.143(f)(2)(v)					
		267.143(f)(2)(v)(A) & (B)					
conditions under which owner or operator may not meet requirements of 267.143(f)(1)	210	267.143(f)(2)(vi)					
corporate guarantee requirements	210	267.143(g)(1)					
new facility guarantee	210	267.143(g)(2)					

CONSOLIDATED CHECKLIST C8  
Standards for Owners and Operators of Hazardous Waste Facilities  
Operating Under a Standardized Permit  
40 CFR Part 267 as of June 30, 2018 (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIVALENT	LESS STRINGENT	MORE STRINGENT	BROADER IN SCOPE
terms of the guarantee	210	267.143(g)(3)					
		267.143(g)(3)(i)					
		267.143(g)(3)(i)(A) & (B)					
		267.143(g)(3)(ii)					
		267.143(g)(3)(iii)					
if corporate guarantor no longer meets the requirements of 267.143(f)(1)	210	267.143(g)(4)					
conditions under which guarantor is not required to meet the requirements of 264.147(g)	210	267.143(g)(5)					
		267.143(g)(5)(i)					
		267.143(g)(5)(ii)					
use of multiple financial mechanisms	210	267.143(h)					
use of financial mechanism for multiple facilities	210	267.143(i)					
release of owner/operator from the requirements of 267.143	210	267.143(j)					
[Reserved]	210	267.144 – 267.146					
<b>LIABILITY REQUIREMENTS</b>							
liability coverage for sudden accidental occurrences	210	267.147(a)					
trust fund	210	267.147(a)(1)					
surety bond	210	267.147(a)(2)					
letter of credit	210	267.147(a)(3)					
Insurance	210	267.147(a)(4)					
financial test	210	267.147(a)(5)					
guarantee	210	267.147(a)(6)					
combination of mechanisms	210	267.147(a)(7)					
		267.147(a)(8)					
		267.147(a)(8)(i) - (iii)					
[Reserved]	210	267.147(b) – (d)					
period of coverage	210	267.147(e)					
financial test for liability coverage	210	267.147(f)					

CONSOLIDATED CHECKLIST C8  
Standards for Owners and Operators of Hazardous Waste Facilities  
Operating Under a Standardized Permit  
40 CFR Part 267 as of June 30, 2018 (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIVALENT	LESS STRINGENT	MORE STRINGENT	BROADER IN SCOPE
financial component requirements	210	267.147(f)(1)(i)					
		267.147(f)(1)(ii)					
		267.147(f)(1)(iii)					
recordkeeping and reporting requirements	210	267.147(f)(2)					
items to submit	210	267.147(f)(2)(i)					
letter signed by owner/operator chief financial officer	210, 214	267.147(f)(2)(i)(A)					
copy of independent certified public accountant's opinion	210	267.147(f)(2)(i)(B)					
chief financial officer's letter providing evidence of financial assurance	210	267.147(f)(2)(i)(C)					
reporting requirements for owner/operator of new facility	210	267.147(f)(2)(ii)					
submission of updated information	210	267.147(f)(2)(iii)					
when owner/operator is no longer required to submit information	210	267.147(f)(2)(iv)					
		267.147(f)(2)(iv)(A)					
		267.147(f)(2)(iv)(B)					
owner and operator who no longer meets 267.147(f)(1)	210	267.147(f)(2)(v)					
		267.147(f)(2)(v)(A)					
		267.147(f)(2)(v)(B)					
conditions under which owner or operator may not meet	210	267.147(f)(2)(vi)					
guarantee for liability coverage; conditions under which owner or operator may not meet	210	267.147(g)					
		267.147(g)(1)					
		267.147(g)(1)(i)					
[Reserved]	210	267.147(g)(1)(ii)					
corporations incorporated in the United States	210	267.147(g)(2)(i)					
corporations incorporated outside the United States	210	267.147(g)(2)(ii)					
		267.147(g)(2)(ii)(A) & (B)					

CONSOLIDATED CHECKLIST C8  
Standards for Owners and Operators of Hazardous Waste Facilities  
Operating Under a Standardized Permit  
40 CFR Part 267 as of June 30, 2018 (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV-ALENT	LESS STRIN-GENT	MORE STRIN-GENT	BROADER IN SCOPE
<b>INCAPACITY OF OWNERS OR OPERATORS, GUARANTORS, OR FINANCIAL INSTITUTIONS</b>							
incapacity by bankruptcy of owner, operator, or guarantor	210	267.148(a)					
incapacity of financial institution by bankruptcy or authority suspension	210	267.148(b)					
[Reserved]	210	267.149					
<b>2 STATE ASSUMPTION OF RESPONSIBILITY</b>							
State assumption of legal liability for compliance with closure care/liability requirements	210	267.150(a)					
owner/operator meets requirements using State's assurance and additional financial mechanism	210	267.150(b)					
<b>WORDING OF THE INSTRUMENTS</b>							
required wording of chief financial officer's letter (financial test)	210	267.151(a)					
required wording of chief financial officer's letter (financial assurance for third party liability)	210	267.151(b)					
<b>† SUBPART I - USE AND MANAGEMENT OF CONTAINERS</b>							
<b>DOES THIS SUBPART APPLY TO ME?</b>							
applies to facilities under standardized permit, except as provided in 267.1(b)	210	267.170					
<b>WHAT STANDARDS APPLY TO THE CONTAINERS?</b>							
condition of containers, compatibility of waste and to management of containers	210	267.171					
requirements when container is not in good condition	210	267.171(a)					
		267.171(a)(1)					
		267.171(a)(2)					
container compatible with hazardous waste	210	267.171(b)					
management of containers	210	267.171(c)					
		267.171(c)(1)					
		267.171(c)(2)					

CONSOLIDATED CHECKLIST C8  
Standards for Owners and Operators of Hazardous Waste Facilities  
Operating Under a Standardized Permit  
40 CFR Part 267 as of June 30, 2018 (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV-ALENT	LESS STRIN-GENT	MORE STRIN-GENT	BROADER IN SCOPE
<b>WHAT ARE THE INSPECTION REQUIREMENTS?</b>							
weekly inspection requirements	210	267.172					
<b>WHAT STANDARDS APPLY TO THE CONTAINER STORAGE AREAS?</b>							
design and operation of containment system must meet 267.173(b) requirements, except as provided in 267.173(c)	210	267.173(a)					
containment system design and operation requirements	210	267.173(b)					
		267.173(b)(1)					
		267.173(b)(2)					
		267.173(b)(3)					
		267.173(b)(4)					
containment system not required for containers without free liquids; conditions	210	267.173(c)					
		267.173(c)(1)					
		267.173(c)(2)					
containment system requirements for storage of F020-F023, F026, F027	210	267.173(d)					
<b>WHAT SPECIAL REQUIREMENTS MUST I MEET FOR IGNITABLE OR REACTIVE WASTE?</b>							
required distance from property line	210	267.174					
<b>WHAT SPECIAL REQUIREMENTS MUST I MEET FOR INCOMPATIBLE WASTES?</b>							
incompatible wastes not placed in same container	210	267.175(a)					
incompatible wastes not placed in unwashed, previously used container	210	267.175(b)					
separation/protection requirements for containers holding incompatible wastes	210	267.175(c)					
<b>WHAT MUST I DO WHEN I WANT TO STOP USING THE CONTAINERS?</b>							
decontamination or removal at closure	210	267.176					



CONSOLIDATED CHECKLIST C8  
Standards for Owners and Operators of Hazardous Waste Facilities  
Operating Under a Standardized Permit  
40 CFR Part 267 as of June 30, 2018 (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV-ALENT	LESS STRIN-GENT	MORE STRIN-GENT	BROADER IN SCOPE
<b>WHAT AIR EMISSION STANDARDS APPLY?</b>							
manage hazardous waste according to the requirements part 264, subparts AA, BB, and CC; permissible control devices for facilities under a standardized permit	210	267.177					
<b>SUBPART J - TANK SYSTEMS</b>							
<b>DOES THIS SUBPART APPLY TO ME?</b>							
applies to facilities under standardized permit, except as provided in 267.1(b)	210	267.190					
tank systems containing no free liquids exempted from 267.195; test Method 9095B used to demonstrate absence of free liquids	210	267.190(a)					
secondary containment systems not required for tank systems part of secondary containment system	210	267.190(b)					
<b>WHAT ARE THE REQUIRED DESIGN AND CONSTRUCTION STANDARDS FOR NEW TANK SYSTEMS OR COMPONENTS?</b>							
written assessment of tank system's integrity	210	267.191					
design standards	210	267.191(a)					
hazardous characteristics	210	267.191(b)					
new tank systems or components in contact with soil or water; required determination by corrosion expert	210	267.191(c)					
factors affecting potential for corrosion	210	267.191(c)(1)					
		267.191(c)(1)(i) – (vii)					
type and degree of external corrosion protection needed	210	267.191(c)(2)					
		267.191(c)(2)(i) – (iii)					
design considerations	210	267.191(d)					
tank foundation maintains load	210	267.191(d)(1)					

**CONSOLIDATED CHECKLIST C8**  
**Standards for Owners and Operators of Hazardous Waste Facilities**  
**Operating Under a Standardized Permit**  
**40 CFR Part 267 as of June 30, 2018 (cont'd)**

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIVALENT	LESS STRINGENT	MORE STRINGENT	BROADER IN SCOPE
tank systems anchored to prevent flotation or dislodgment	210	267.191(d)(2)					
tank systems withstand frost heave effects	210	267.191(d)(3)					
<b>WHAT HANDLING AND INSPECTION PROCEDURES MUST I FOLLOW DURING INSTALLATION OF NEW TANK SYSTEMS?</b>							
new tank installation procedures; inspection requirements	210	267.192(a)					
		267.192(a)(1)					
		267.192(a)(2)					
		267.192(a)(3)					
		267.192(a)(4)					
		267.192(a)(5)					
remedy discrepancies before use	210	267.192(b)					
<b>WHAT TESTING MUST I DO?</b>							
tightness testing required for all new tank systems	210	267.193					
<b>WHAT INSTALLATION REQUIREMENTS MUST I FOLLOW?</b>							
support/protect ancillary equipment during installation	210	267.194(a)					
corrosion protection requirements	210	267.194(b)					
written statements and certification statements	210	267.194(c)					
<b>WHAT ARE THE SECONDARY CONTAINMENT REQUIREMENTS?</b>							
secondary containment required for new and existing tank systems	210	267.195					
requirements for secondary containment systems	210	267.195(a)					
		267.195(a)(1)					
		267.195(a)(2)					
minimum specifications of secondary containment systems	210	267.195(b)					
		267.195(b)(1)					
		267.195(b)(2)					
		267.195(b)(3)					
<b>WHAT ARE THE REQUIRED DEVICES FOR SECONDARY CONTAINMENT AND WHAT ARE THEIR DESIGN, OPERATING AND INSTALLATION REQUIREMENTS?</b>							
devices that satisfy the secondary containment requirements	210	267.196(a)					
		267.196(a)(1)					
		267.196(a)(2)					
		267.196(a)(3)					

CONSOLIDATED CHECKLIST C8  
Standards for Owners and Operators of Hazardous Waste Facilities  
Operating Under a Standardized Permit  
40 CFR Part 267 as of June 30, 2018 (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV-ALENT	LESS STRIN-GENT	MORE STRIN-GENT	BROADER IN SCOPE
additional requirements for external liner systems	210	267.196(b)					
		267.196(b)(1)					
		267.196(b)(2)					
		267.196(b)(3)					
		267.196(b)(4)					
additional requirements for double-walled tanks	210	267.196(c)					
		267.196(c)(1)					
		267.196(c)(2)					
		267.196(c)(3)					
<b>WHAT ARE THE REQUIREMENTS FOR ANCILLARY EQUIPMENT?</b>							
secondary containment requirements for ancillary equipment; exceptions	210	267.197					
aboveground piping	210	267.197(a)					
welded parts and connections	210	267.197(b)					
sealless or magnetic coupling pumps and sealless valves	210	267.197(c)					
pressurized aboveground piping systems with automatic shut-off devices	210	267.197(d)					
<b>WHAT ARE THE GENERAL OPERATING REQUIREMENTS FOR MY TANK SYSTEMS?</b>							
hazardous waste/treatment reagents prohibited from placement in tank system	210	267.198(a)					
minimum controls and practices to prevent spills and overflows	210	267.198(b)					
		267.198(b)(1)					
		267.198(b)(2)					
		267.198(b)(3)					
requirements if a leak or spill occurs	210	267.198(c)					
<b>WHAT INSPECTION REQUIREMENTS MUST I MEET?</b>							
inspection requirements	210	267.199					
schedule and procedure for inspecting overfill controls	210	267.199(a)					
daily inspection requirements	210	267.199(b)					
		267.199(b)(1)					
		267.199(b)(2)					
		267.199(b)(3)					

CONSOLIDATED CHECKLIST C8  
Standards for Owners and Operators of Hazardous Waste Facilities  
Operating Under a Standardized Permit  
40 CFR Part 267 as of June 30, 2018 (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIVALENT	LESS STRINGENT	MORE STRINGENT	BROADER IN SCOPE
minimum inspection frequency for cathodic protection systems	210	267.199(c)					
		267.199(c)(1)					
		267.199(c)(2)					
document in operating record	210	267.199(d)					
<b>WHAT MUST I DO IN CASE OF A LEAK OR A SPILL?</b>							
immediate removal from service of leaking/unfit-for-use tank or secondary containment system	210	267.200					
stop flow or addition of waste and inspect system	210	267.200(a)					
schedule for removal of waste from tank system or secondary containment system	210	267.200(b)					
		267.200(b)(1)					
		267.200(b)(2)					
containment of visible releases to the environment	210	267.200(c)					
		267.200(c)(1)					
		267.200(c)(2)					
required notifications and reports following any release to the environment	210	267.200(d)					
		267.200(d)(1)					
		267.200(d)(1)(i) & (ii)					
		267.200(d)(2)					
		267.200(d)(2)(i) - (v)					
provision of secondary containment, repair, or closure	210	267.200(e)					
		267.200(e)(1)					
		267.200(e)(2)					
		267.200(e)(3)					
certification of major repairs	210	267.200(f)					
		267.200(f)(1)					
		267.200(f)(2)					
<b>WHAT MUST I DO WHEN I STOP OPERATING THE TANK SYSTEM?</b>							
tank system closure requirements	210	267.201					
<b>WHAT SPECIAL REQUIREMENTS MUST I MEET FOR IGNITABLE OR REACTIVE WASTES?</b>							
no ignitable or reactive waste in tank systems unless:	210	267.202(a)					
waste is treated, rendered or mixed	210	267.202(a)(1)					
		267.202(a)(1)(i) & (ii)					
waste is protected	210	267.202(a)(2)					

CONSOLIDATED CHECKLIST C8  
Standards for Owners and Operators of Hazardous Waste Facilities  
Operating Under a Standardized Permit  
40 CFR Part 267 as of June 30, 2018 (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIVALENT	LESS STRINGENT	MORE STRINGENT	BROADER IN SCOPE
system used solely for emergencies	210	267.202(a)(3)					
maintenance of protective distances	210	267.202(b)					
<b>WHAT SPECIAL REQUIREMENTS MUST I MEET FOR INCOMPATIBLE WASTES?</b>							
no placement of incompatible wastes in tank system unless compliance with 267.17(b)	210	267.203(a)					
no placement of incompatible wastes in tank system unless compliance with 267.17(b)	210	267.203(b)					
<b>WHAT AIR EMISSION STANDARDS APPLY?</b>							
manage hazardous waste according to the requirements part 264, subparts AA, BB, and CC; permissible control devices for facilities under a standardized permit	210	267.204					
<b>SUBPARTS K THROUGH CC [RESERVED]</b>							
<b>SUBPART DD - CONTAINMENT BUILDINGS</b>							
<b>DOES THIS SUBPART APPLY TO ME?</b>							
applies to facilities under standardized permit, except as provided in 267.1(b); storage or treatment in containment building not land disposal if unit meets the requirements of 267.1101, 267.1102, and 267.1103.	210	267.1100					
<b>WHAT DESIGN AND OPERATING STANDARDS MUST MY CONTAINMENT BUILDING MEET?</b>							
containment buildings comply with following design standards:	210	267.1101					
completely enclosed as specified	210	267.1101(a)					

CONSOLIDATED CHECKLIST C8  
Standards for Owners and Operators of Hazardous Waste Facilities  
Operating Under a Standardized Permit  
40 CFR Part 267 as of June 30, 2018 (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV-ALENT	LESS STRIN-GENT	MORE STRIN-GENT	BROADER IN SCOPE
design and construction of floor, containment walls and secondary containment system	210	267.1101(b)					
		267.1101(b)(1)					
		267.1101(b)(2)					
		267.1101(b)(2)(i) – (v)					
chemically compatible surfaces	210	267.1101(c)					
no placement of incompatible wastes or treatment reagents that could cause unit or secondary containment system to fail	210	267.1101(d)					
primary barrier designed to withstand movement of personnel, waste and handling equipment in unit	210	267.1101(e)					
criteria for exception to structural strength requirement	210	267.1101(f)					
		267.1101(f)(1)					
		267.1101(f)(2)					
storage area inspected and recorded in facility's operating records	210	267.1101(g)					
certification that containment building design meets requirements	210	267.1101(h)					
<b>WHAT OTHER REQUIREMENTS MUST I MEET TO PREVENT RELEASES?</b>							
controls and practices to ensure containment of hazardous waste within unit; at a minimum	210	267.1102					
maintain primary barrier as specified	210	267.1102(a)					
maintain level of stored/treated hazardous waste as specified	210	267.1102(b)					
take measures to prevent tracking of hazardous waste out of unit; equipment decontamination area; rinsate collection and management	210	267.1102(c)					

**CONSOLIDATED CHECKLIST C8**  
**Standards for Owners and Operators of Hazardous Waste Facilities**  
**Operating Under a Standardized Permit**  
**40 CFR Part 267 as of June 30, 2018 (cont'd)**

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIVALENT	LESS STRINGENT	MORE STRINGENT	BROADER IN SCOPE
take measures to control fugitive dust emissions; maintain particulate collection devices as specified; when “no visible emissions” must be maintained	210	267.1102(d)					
<b>WHAT ADDITIONAL DESIGN AND OPERATING STANDARDS APPLY IF LIQUIDS WILL BE IN MY CONTAINMENT BUILDING?</b>							
requirements for hazardous waste containing free liquids or treated with free liquids	210	267.1103					
primary barrier to prevent migration of hazardous constituents into the barrier	210	267.1103(a)					
liquid collection and removal system to minimize accumulation of liquid on primary barrier	210	267.1103(b)					
		267.1103(b)(1)					
		267.1103(b)(2)					
secondary containment system to prevent hazardous constituent migration into barrier; leak detection and liquid collection as specified	210	267.1103(c)					
		267.1103(c)(1)					
		267.1103(c)(1)(i) & (ii)					
		267.1103(c)(2)					
		267.1103(c)(3)					
<b>HOW MAY I OBTAIN A WAIVER FROM SECONDARY CONTAINMENT REQUIREMENTS?</b>							
Regional Administrator waiver of secondary containment requirements; what owner/operator demonstrates	210	267.1104					
		267.1104(a)					
		267.1104(b)					
<b>WHAT DO I DO IF MY CONTAINMENT BUILDING CONTAINS AREAS BOTH WITH AND WITHOUT SECONDARY CONTAINMENT?</b>							
containment buildings that contain areas both with and without secondary containment, owner/operator requirements	210	267.1105					
		267.1105(a)					
		267.1105(b)					
		267.1105(c)					

CONSOLIDATED CHECKLIST C8  
Standards for Owners and Operators of Hazardous Waste Facilities  
Operating Under a Standardized Permit  
40 CFR Part 267 as of June 30, 2018 (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV-ALENT	LESS STRIN-GENT	MORE STRIN-GENT	BROADER IN SCOPE
<b>WHAT DO I DO IF I DETECT A RELEASE?</b>							
prompt repairs of unit throughout active life as specified	210	267.1106					
procedures upon detection of condition that could lead to or has led to a release	210	267.1106(a)					
enter record of discovery in facility operating record	210	267.1106(a)(1)					
immediately remove portion of containment building affected from service	210	267.1106(a)(2)					
determine steps needed for repair, remove leakage from secondary collection system and establish schedule for cleanup and repairs	210	267.1106(a)(3)					
within 7 days, notify Regional Administrator of condition; within 14 working days, provide written notice to Regional Administrator; what written notice must include	210	267.1106(a)(4)					
Regional Administrator must review notice, determine extent to which unit must be removed from service during repairs, and notify owner/operator of determination and rationale in writing	210	267.1106(b)					
written notification to Regional Administrator on completion of repair and cleanup; verification by a qualified, registered professional engineer that repairs and cleanup are in compliance	210	267.1106(c)					



CONSOLIDATED CHECKLIST C8  
Standards for Owners and Operators of Hazardous Waste Facilities  
Operating Under a Standardized Permit  
40 CFR Part 267 as of June 30, 2018 (cont'd)

FEDERAL REQUIREMENTS	CHECKLIST REFERENCE	FEDERAL RCRA CITATION	ANALOGOUS STATE CITATION	STATE ANALOG IS:			
				EQUIV-ALENT	LESS STRIN-GENT	MORE STRIN-GENT	BROADER IN SCOPE
<b>CAN A CONTAINMENT BUILDING ITSELF BE CONSIDERED SECONDARY CONTAINMENT?</b>							
when containment building can serve as secondary containment	210	267.1107					
		267.1107(a)					
		267.1107(b)					
<b>WHAT MUST I DO WHEN I STOP OPERATING THE CONTAINMENT BUILDING?</b>							
closure requirements	210	267.1108					

† Optional

- 1 There is an error in the September 8, 2005 Federal Register notice associated with the heading for part 267, subpart E. The text “– Manifest System,” is missing after “Subpart E”. The error is present in the 2006 through 2018 CFRs.
- 2 40 CFR 267.150 applies only to unauthorized States and is not appropriate in the code of States applying for authorization. This situation is analogous to that for 40 CFR 264.150.