



Figures




- LEGEND:**
- RIVER SHORELINE
 - APPROXIMATE RIVER MILE
 - BUOY
 - FLASHING BUOY
 - ◇ MULTICOLORED BUOY
 - FIXED BUOY OR BEACON
 - Marina ITEM IDENTIFIED BY QEA

- BUOY IDENTIFICATION:**
- R = RED
 - G = GREEN
 - NUMBER = BUOY NUMBER
 - WOr = WHITE AND ORANGE
 - FL = FLASHING
 - Priv = PRIVATELY OWNED
- REFER TO NOAA CHART NO.1 FOR COMPLETE EXPLANATION OF COLORS AND IDENTIFICATION.

- ABBREVIATIONS:**
- CL = CLEARANCE
 - FT = FEET
 - TYP = TYPICAL



- NOTE:**
1. PHOTOGRAMMETRY SOURCE, INCLUDING SHORELINE AND UPLAND CONTOURS: CHAS H. SELLS, INC. DATUM: NAD 1983 NY EAST ZONE, NAVD 1988. DATE OF PHOTOGRAPHY: SPRING 2002.
 2. APPROXIMATE RIVER MILE MARKERS PROVIDED BY QEA AS MEASURED FROM NY BATTERY.
 3. BUOY LOCATIONS AND IDENTIFICATION BASED ON NOAA CHARTS AND CONSIDERED APPROXIMATE. BUOYS ARE REMOVED DURING WINTER, ARE SUBJECT TO MOVEMENT DURING HIGH WATER CONDITIONS, AND DISCRETIONARY PLACEMENT BY NY CANAL CORPORATION.
 4. STRUCTURE INFORMATION BASED ON NOAA CHARTS, DATA SHOWN ON FIGURES BY OCEAN SURVEYS, INC. TITLED "GEOPHYSICAL INVESTIGATION, RIVER BOTTOM TYPE CLASSIFICATION, HUDSON RIVER PROJECT, TROY-FORT EDWARD, NEW YORK" DATED APRIL 2003, AND SUPPLEMENTED BY DATA PROVIDED BY QEA.
 5. ALL LOCATIONS ARE APPROXIMATE.
 6. OBSTRUCTION INVENTORY IS A WORK IN PROGRESS AND WILL BE EXPANDED AS ADDITIONAL INFORMATION IS COLLECTED.
 7. UPLAND CONTOURS ARE 5 FOOT INTERVALS.



GENERAL ELECTRIC COMPANY
HUDSON RIVER PCBs SUPERFUND SITE
PRELIMINARY DESIGN REPORT

**HUDSON RIVER
STRUCTURE AND
OBSTRUCTION
INVENTORY**

RS3.5
X: HUDSONRIVER01: 05511X01,05511X02,05511X03,ALLCON1,ALLCON2,ALLCON3,ALLCON4,RIVCON.DWG
L: ON=*, OFF=REF*,#HEDGE,#TREE-CONF,#WOODLINE
P: PAGESET/PLT-BP
12/20/03 SYR-85-RLP GMS RLP
N/20433007/OBSTRUCT/20433B01.DWG




- LEGEND:**
- RIVER SHORELINE
 - - - APPROXIMATE RIVER MILE
 - BUOY
 - (with dot) FLASHING BUOY
 - ◇ (with dot) MULTICOLORED BUOY
 - (with dot) FIXED BUOY OR BEACON
 - Marina** ITEM IDENTIFIED BY QEA

- BUOY IDENTIFICATION:**
- R = RED
 - G = GREEN
 - NUMBER = BUOY NUMBER
 - Wor = WHITE AND ORANGE
 - FL = FLASHING
 - Priv = PRIVATELY OWNED
- REFER TO NOAA CHART NO.1 FOR COMPLETE EXPLANATION OF COLORS AND IDENTIFICATION.

- ABBREVIATIONS:**
- CL = CLEARANCE
 - FT = FEET
 - TYP = TYPICAL



- NOTE:**
1. PHOTOGRAMMETRY SOURCE, INCLUDING SHORELINE AND UPLAND CONTOURS: CHAS H. SELLS, INC. DATUM: NAD 1983 NY EAST ZONE, NAVD 1988. DATE OF PHOTOGRAPHY: SPRING 2002.
 2. APPROXIMATE RIVER MILE MARKERS PROVIDED BY QEA AS MEASURED FROM NY BATTERY.
 3. BUOY LOCATIONS AND IDENTIFICATION BASED ON NOAA CHARTS AND CONSIDERED APPROXIMATE. BUOYS ARE REMOVED DURING WINTER, ARE SUBJECT TO MOVEMENT DURING HIGH WATER CONDITIONS, AND DISCRETIONARY PLACEMENT BY NY CANAL CORPORATION.
 4. STRUCTURE INFORMATION BASED ON NOAA CHARTS, DATA SHOWN ON FIGURES BY OCEAN SURVEYS, INC. TITLED "GEOPHYSICAL INVESTIGATION, RIVER BOTTOM TYPE CLASSIFICATION, HUDSON RIVER PROJECT, TROY-FORT EDWARD, NEW YORK" DATED APRIL 2003, AND SUPPLEMENTED BY DATA PROVIDED BY QEA.
 5. ALL LOCATIONS ARE APPROXIMATE.
 6. OBSTRUCTION INVENTORY IS A WORK IN PROGRESS AND WILL BE EXPANDED AS ADDITIONAL INFORMATION IS COLLECTED.
 7. UPLAND CONTOURS ARE 5 FOOT INTERVALS.



GENERAL ELECTRIC COMPANY
HUDSON RIVER PCBs SUPERFUND SITE
PRELIMINARY DESIGN REPORT

**HUDSON RIVER
STRUCTURE AND
OBSTRUCTION
INVENTORY**

RS3.6
X: HUDSONRIVER01: 05511X01,05511X02,05511X03,ALLCON1,ALLCON2,ALLCON3,ALLCON4,RIVCON.DWG
L: ON=*: OFF=*REF*,*HEDGE,*TREE-CONF,*WOODLINE
P: PAGESET/PLT-BP
12/20/03 SYR-85-RLP GMS RLP
N/20433007/OBSTRUCT/20433801.DWG




- LEGEND:**
- RIVER SHORELINE
 - APPROXIMATE RIVER MILE
 - ◆ BUOY
 - ◆ FLASHING BUOY
 - ◆ MULTICOLORED BUOY
 - ◆ FIXED BUOY OR BEACON
 - ◆ Marina ITEM IDENTIFIED BY QEA

- BUOY IDENTIFICATION:**
- R = RED
 - G = GREEN
 - NUMBER = BUOY NUMBER
 - WOr = WHITE AND ORANGE
 - FL = FLASHING
 - Priv = PRIVATELY OWNED
- REFER TO NOAA CHART NO.1 FOR COMPLETE EXPLANATION OF COLORS AND IDENTIFICATION.

- ABBREVIATIONS:**
- CL = CLEARANCE
 - FT = FEET
 - TYP = TYPICAL



- NOTE:**
1. PHOTOGRAMMETRY SOURCE, INCLUDING SHORELINE AND UPLAND CONTOURS: CHAS H. SELLS, INC. DATUM: NAD 1983 NY EAST ZONE, NAVD 1988. DATE OF PHOTOGRAPHY: SPRING 2002.
 2. APPROXIMATE RIVER MILE MARKERS PROVIDED BY QEA AS MEASURED FROM NY BATTERY.
 3. BUOY LOCATIONS AND IDENTIFICATION BASED ON NOAA CHARTS AND CONSIDERED APPROXIMATE. BUOYS ARE REMOVED DURING WINTER, ARE SUBJECT TO MOVEMENT DURING HIGH WATER CONDITIONS, AND DISCRETIONARY PLACEMENT BY NY CANAL CORPORATION.
 4. STRUCTURE INFORMATION BASED ON NOAA CHARTS, DATA SHOWN ON FIGURES BY OCEAN SURVEYS, INC. TITLED "GEOPHYSICAL INVESTIGATION, RIVER BOTTOM TYPE CLASSIFICATION, HUDSON RIVER PROJECT, TROY-FORT EDWARD, NEW YORK" DATED APRIL 2003, AND SUPPLEMENTED BY DATA PROVIDED BY QEA.
 5. ALL LOCATIONS ARE APPROXIMATE.
 6. OBSTRUCTION INVENTORY IS A WORK IN PROGRESS AND WILL BE EXPANDED AS ADDITIONAL INFORMATION IS COLLECTED.
 7. UPLAND CONTOURS ARE 5 FOOT INTERVALS.



GENERAL ELECTRIC COMPANY
HUDSON RIVER PCBs SUPERFUND SITE
PRELIMINARY DESIGN REPORT

**HUDSON RIVER
STRUCTURE AND
OBSTRUCTION
INVENTORY**

RS3.7
X: HUDSONRIVER01: 05511X01,05511X02,05511X03,ALLCON1,ALLCON2,ALLCON3,ALLCON4,RIVCON.DWG
L: ON=*: OFF=*REF*,*HEDGE,*TREE-CONFIF,*WOODLINE
P: PAGESET/PLT-BP
12/20/03 SYR-85-RLP GMS RLP
N/20433007/OBSTRUCT/20433801.DWG




- LEGEND:**
- RIVER SHORELINE
 - APPROXIMATE RIVER MILE
 - ◆ BUOY
 - FLASHING BUOY
 - ◇ MULTICOLORED BUOY
 - FIXED BUOY OR BEACON
 - Marina ITEM IDENTIFIED BY QEA

- BUOY IDENTIFICATION:**
- R = RED
 - G = GREEN
 - NUMBER = BUOY NUMBER
 - Wor = WHITE AND ORANGE
 - FL = FLASHING
 - Priv = PRIVATELY OWNED
- REFER TO NOAA CHART NO.1 FOR COMPLETE EXPLANATION OF COLORS AND IDENTIFICATION.

- ABBREVIATIONS:**
- CL = CLEARANCE
 - FT = FEET
 - TYP = TYPICAL



- NOTE:**
1. PHOTOGRAMMETRY SOURCE, INCLUDING SHORELINE AND UPLAND CONTOURS: CHAS H. SELLS, INC. DATUM: NAD 1983 NY EAST ZONE, NAVD 1988. DATE OF PHOTOGRAPHY: SPRING 2002.
 2. APPROXIMATE RIVER MILE MARKERS PROVIDED BY QEA AS MEASURED FROM NY BATTERY.
 3. BUOY LOCATIONS AND IDENTIFICATION BASED ON NOAA CHARTS AND CONSIDERED APPROXIMATE. BUOYS ARE REMOVED DURING WINTER, ARE SUBJECT TO MOVEMENT DURING HIGH WATER CONDITIONS, AND DISCRETIONARY PLACEMENT BY NY CANAL CORPORATION.
 4. STRUCTURE INFORMATION BASED ON NOAA CHARTS, DATA SHOWN ON FIGURES BY OCEAN SURVEYS, INC. TITLED "GEOPHYSICAL INVESTIGATION, RIVER BOTTOM TYPE CLASSIFICATION, HUDSON RIVER PROJECT, TROY-FORT EDWARD, NEW YORK" DATED APRIL 2003, AND SUPPLEMENTED BY DATA PROVIDED BY QEA.
 5. ALL LOCATIONS ARE APPROXIMATE.
 6. OBSTRUCTION INVENTORY IS A WORK IN PROGRESS AND WILL BE EXPANDED AS ADDITIONAL INFORMATION IS COLLECTED.
 7. UPLAND CONTOURS ARE 5 FOOT INTERVALS.



GENERAL ELECTRIC COMPANY
HUDSON RIVER PCBs SUPERFUND SITE
PRELIMINARY DESIGN REPORT

**HUDSON RIVER
STRUCTURE AND
OBSTRUCTION
INVENTORY**

RS3.8
X: HUDSONRIVER01: 05511X01,05511X02,05511X03,ALLCON1,ALLCON2,ALLCON3,ALLCON4,RIVCON.DWG
L: ON=*, OFF=*REF*,*HEDGE,*TREE-CONF,*WOODLINE
P: PAGESET/PLT-BP
12/20/03 SYR-85-RLP GMS RLP
N/20433007/OBSTRUCT/20433801.DWG




- LEGEND:**
- RIVER SHORELINE
 - - - APPROXIMATE RIVER MILE
 - ◆ BUOY
 - ◆ (with circle) FLASHING BUOY
 - ◆ (with triangle) MULTICOLORED BUOY
 - ◆ (with dot) FIXED BUOY OR BEACON
 - ◆ (with 'M') **Marina** ITEM IDENTIFIED BY QEA

- BUOY IDENTIFICATION:**
- R = RED
 - G = GREEN
 - NUMBER = BUOY NUMBER
 - W/O = WHITE AND ORANGE
 - FL = FLASHING
 - Priv = PRIVATELY OWNED
- REFER TO NOAA CHART NO.1 FOR COMPLETE EXPLANATION OF COLORS AND IDENTIFICATION.

- ABBREVIATIONS:**
- CL = CLEARANCE
 - FT = FEET
 - TYP = TYPICAL



- NOTE:**
1. PHOTOGRAMMETRY SOURCE, INCLUDING SHORELINE AND UPLAND CONTOURS: CHAS H. SELLS, INC. DATUM: NAD 1983 NY EAST ZONE, NAVD 1988. DATE OF PHOTOGRAPHY: SPRING 2002.
 2. APPROXIMATE RIVER MILE MARKERS PROVIDED BY QEA AS MEASURED FROM NY BATTERY.
 3. BUOY LOCATIONS AND IDENTIFICATION BASED ON NOAA CHARTS AND CONSIDERED APPROXIMATE. BUOYS ARE REMOVED DURING WINTER, ARE SUBJECT TO MOVEMENT DURING HIGH WATER CONDITIONS, AND DISCRETIONARY PLACEMENT BY NY CANAL CORPORATION.
 4. STRUCTURE INFORMATION BASED ON NOAA CHARTS, DATA SHOWN ON FIGURES BY OCEAN SURVEYS, INC. TITLED "GEOPHYSICAL INVESTIGATION, RIVER BOTTOM TYPE CLASSIFICATION, HUDSON RIVER PROJECT, TROY-FORT EDWARD, NEW YORK" DATED APRIL 2003, AND SUPPLEMENTED BY DATA PROVIDED BY QEA.
 5. ALL LOCATIONS ARE APPROXIMATE.
 6. OBSTRUCTION INVENTORY IS A WORK IN PROGRESS AND WILL BE EXPANDED AS ADDITIONAL INFORMATION IS COLLECTED.
 7. UPLAND CONTOURS ARE 5 FOOT INTERVALS.



GENERAL ELECTRIC COMPANY
HUDSON RIVER PCBs SUPERFUND SITE
PRELIMINARY DESIGN REPORT

**HUDSON RIVER
STRUCTURE AND
OBSTRUCTION
INVENTORY**

RS3.9
X: HUDSONRIVER01: 05511X01,05511X02,05511X03,ALLCON1,ALLCON2,ALLCON3,ALLCON4,RIVCON.DWG
L: ON=*; OFF=*REF*,*HEDGE,*TREE-CONIF,*WOODLINE
P: PAGESET/PLT-BP
12/20/03 SYR-85-RLP GMS RLP
N/20433007/OBSTRUCT/20433B01.DWG




- LEGEND:**
- RIVER SHORELINE
 - APPROXIMATE RIVER MILE
 - ◆ BUOY
 - ◆ FLASHING BUOY
 - ◆ MULTICOLORED BUOY
 - ◆ FIXED BUOY OR BEACON
 - ◆ Marina ITEM IDENTIFIED BY QEA

- BUOY IDENTIFICATION:**
- R = RED
 - G = GREEN
 - NUMBER = BUOY NUMBER
 - WOr = WHITE AND ORANGE
 - FL = FLASHING
 - Priv = PRIVATELY OWNED
- REFER TO NOAA CHART NO.1 FOR COMPLETE EXPLANATION OF COLORS AND IDENTIFICATION.

- ABBREVIATIONS:**
- CL = CLEARANCE
 - FT = FEET
 - TYP = TYPICAL



- NOTE:**
1. PHOTOGRAMMETRY SOURCE, INCLUDING SHORELINE AND UPLAND CONTOURS: CHAS H. SELLS, INC. DATUM: NAD 1983 NY EAST ZONE, NAVD 1988. DATE OF PHOTOGRAPHY: SPRING 2002.
 2. APPROXIMATE RIVER MILE MARKERS PROVIDED BY QEA AS MEASURED FROM NY BATTERY.
 3. BUOY LOCATIONS AND IDENTIFICATION BASED ON NOAA CHARTS AND CONSIDERED APPROXIMATE. BUOYS ARE MOVED DURING WINTER, ARE SUBJECT TO MOVEMENT DURING HIGH WATER CONDITIONS, AND DISCRETIONARY PLACEMENT BY NY CANAL CORPORATION.
 4. STRUCTURE INFORMATION BASED ON NOAA CHARTS, DATA SHOWN ON FIGURES BY OCEAN SURVEYS, INC. TITLED "GEOPHYSICAL INVESTIGATION, RIVER BOTTOM TYPE CLASSIFICATION, HUDSON RIVER PROJECT, TROY-FORT EDWARD, NEW YORK" DATED APRIL 2003, AND SUPPLEMENTED BY DATA PROVIDED BY QEA.
 5. ALL LOCATIONS ARE APPROXIMATE.
 6. OBSTRUCTION INVENTORY IS A WORK IN PROGRESS AND WILL BE EXPANDED AS ADDITIONAL INFORMATION IS COLLECTED.
 7. UPLAND CONTOURS ARE 5 FOOT INTERVALS.



GENERAL ELECTRIC COMPANY
HUDSON RIVER PCBs SUPERFUND SITE
PRELIMINARY DESIGN REPORT

**HUDSON RIVER
STRUCTURE AND
OBSTRUCTION
INVENTORY**

RS3.10
X: HUDSONRIVER01: 05511X01,05511X02,05511X03,ALLCON1,ALLCON2,ALLCON3,ALLCON4,RIVCON.DWG
L: ON=* OFF=*REF* *HEDGE,*ITREE-CONF,*WOODLINE
P: PAGESET/PLT-BP
12/20/03 SYR-85-RLP GMS RLP
N/20433007/OBSTRUCT/20433801.DWG




- LEGEND:**
- RIVER SHORELINE
 - APPROXIMATE RIVER MILE
 - ◆ BUOY
 - ◆ FLASHING BUOY
 - ◆ MULTICOLORED BUOY
 - ◆ FIXED BUOY OR BEACON
 - ◆ Marina ITEM IDENTIFIED BY QEA

- BUOY IDENTIFICATION:**
- R = RED
 - G = GREEN
 - NUMBER = BUOY NUMBER
 - WOr = WHITE AND ORANGE
 - FL = FLASHING
 - Priv = PRIVATELY OWNED
- REFER TO NOAA CHART NO.1 FOR COMPLETE EXPLANATION OF COLORS AND IDENTIFICATION.

- ABBREVIATIONS:**
- CL = CLEARANCE
 - FT = FEET
 - TYP = TYPICAL



- NOTE:**
1. PHOTOGRAMMETRY SOURCE, INCLUDING SHORELINE AND UPLAND CONTOURS: CHAS H. SELLS, INC. DATUM: NAD 1983 NY EAST ZONE, NAVD 1988. DATE OF PHOTOGRAPHY: SPRING 2002.
 2. APPROXIMATE RIVER MILE MARKERS PROVIDED BY QEA AS MEASURED FROM NY BATTERY.
 3. BUOY LOCATIONS AND IDENTIFICATION BASED ON NOAA CHARTS AND CONSIDERED APPROXIMATE. BUOYS ARE REMOVED DURING WINTER, ARE SUBJECT TO MOVEMENT DURING HIGH WATER CONDITIONS, AND DISCRETIONARY PLACEMENT BY NY CANAL CORPORATION.
 4. STRUCTURE INFORMATION BASED ON NOAA CHARTS, DATA SHOWN ON FIGURES BY OCEAN SURVEYS, INC. TITLED "GEOPHYSICAL INVESTIGATION, RIVER BOTTOM TYPE CLASSIFICATION, HUDSON RIVER PROJECT, TROY-FORT EDWARD, NEW YORK" DATED APRIL 2003, AND SUPPLEMENTED BY DATA PROVIDED BY QEA.
 5. ALL LOCATIONS ARE APPROXIMATE.
 6. OBSTRUCTION INVENTORY IS A WORK IN PROGRESS AND WILL BE EXPANDED AS ADDITIONAL INFORMATION IS COLLECTED.
 7. UPLAND CONTOURS ARE 5 FOOT INTERVALS.



GENERAL ELECTRIC COMPANY
HUDSON RIVER PCBs SUPERFUND SITE
PRELIMINARY DESIGN REPORT

**HUDSON RIVER
STRUCTURE AND
OBSTRUCTION
INVENTORY**

RS3.11
X: HUDSONRIVER01: 05511X01,05511X02,05511X03,ALLCON1,ALLCON2,ALLCON3,ALLCON4,RIVCON.DWG
L: ON=* OFF=*REF* *HEDGE,*ITREE-*CONF,*WOODLINE
P: PAGESET/PLT-BP
12/20/03 SYR-85-RLP GMS RLP
N/20433007/OBSTRUCT/20433801.DWG




- LEGEND:**
- RIVER SHORELINE
 - - - APPROXIMATE RIVER MILE
 - ◆ BUOY
 - FLASHING BUOY
 - ◇ MULTICOLORED BUOY
 - FIXED BUOY OR BEACON
 - Marina** ITEM IDENTIFIED BY QEA

- BUOY IDENTIFICATION:**
- R = RED
 - G = GREEN
 - NUMBER = BUOY NUMBER
 - WOr = WHITE AND ORANGE
 - FL = FLASHING
 - Priv = PRIVATELY OWNED
- REFER TO NOAA CHART NO.1 FOR COMPLETE EXPLANATION OF COLORS AND IDENTIFICATION.

- ABBREVIATIONS:**
- CL = CLEARANCE
 - FT = FEET
 - TYP = TYPICAL



- NOTE:**
1. PHOTOGRAMMETRY SOURCE, INCLUDING SHORELINE AND UPLAND CONTOURS: CHAS H. SELLS, INC. DATUM: NAD 1983 NY EAST ZONE, NAVD 1988. DATE OF PHOTOGRAPHY: SPRING 2002.
 2. APPROXIMATE RIVER MILE MARKERS PROVIDED BY QEA AS MEASURED FROM NY BATTERY.
 3. BUOY LOCATIONS AND IDENTIFICATION BASED ON NOAA CHARTS AND CONSIDERED APPROXIMATE. BUOYS ARE REMOVED DURING WINTER, ARE SUBJECT TO MOVEMENT DURING HIGH WATER CONDITIONS, AND DISCRETIONARY PLACEMENT BY NY CANAL CORPORATION.
 4. STRUCTURE INFORMATION BASED ON NOAA CHARTS, DATA SHOWN ON FIGURES BY OCEAN SURVEYS, INC. TITLED "GEOPHYSICAL INVESTIGATION, RIVER BOTTOM TYPE CLASSIFICATION, HUDSON RIVER PROJECT, TROY-FORT EDWARD, NEW YORK" DATED APRIL 2003, AND SUPPLEMENTED BY DATA PROVIDED BY QEA.
 5. ALL LOCATIONS ARE APPROXIMATE.
 6. OBSTRUCTION INVENTORY IS A WORK IN PROGRESS AND WILL BE EXPANDED AS ADDITIONAL INFORMATION IS COLLECTED.
 7. UPLAND CONTOURS ARE 5 FOOT INTERVALS.



GENERAL ELECTRIC COMPANY
HUDSON RIVER PCBs SUPERFUND SITE
PRELIMINARY DESIGN REPORT

**HUDSON RIVER
STRUCTURE AND
OBSTRUCTION
INVENTORY**

RS3.12
X: HUDSONRIVER01: 05511X01,05511X02,05511X03,ALLCON1,ALLCON2,ALLCON3,ALLCON4,RIVCON.DWG
L: ON=*, OFF=REF*,HEDGE,*ITREE-CONIF,*WOODLINE
P: PAGESET/PLT-BP
12/20/03 SYR-85-RLP GMS RLP
N/20433007/OBSTRUCT/20433801.DWG




- LEGEND:**
- RIVER SHORELINE
 - APPROXIMATE RIVER MILE
 - ◆ BUOY
 - ⊙ FLASHING BUOY
 - ◇ MULTICOLORED BUOY
 - FIXED BUOY OR BEACON
 - Marina ITEM IDENTIFIED BY QEA

- BUOY IDENTIFICATION:**
- R = RED
 - G = GREEN
 - NUMBER = BUOY NUMBER
 - WOr = WHITE AND ORANGE
 - FL = FLASHING
 - Priv = PRIVATELY OWNED
- REFER TO NOAA CHART NO.1 FOR COMPLETE EXPLANATION OF COLORS AND IDENTIFICATION.

- ABBREVIATIONS:**
- CL = CLEARANCE
 - FT = FEET
 - TYP = TYPICAL



- NOTE:**
1. PHOTOGRAMMETRY SOURCE, INCLUDING SHORELINE AND UPLAND CONTOURS: CHAS H. SELLS, INC. DATUM: NAD 1983 NY EAST ZONE, NAVD 1988. DATE OF PHOTOGRAPHY: SPRING 2002.
 2. APPROXIMATE RIVER MILE MARKERS PROVIDED BY QEA AS MEASURED FROM NY BATTERY.
 3. BUOY LOCATIONS AND IDENTIFICATION BASED ON NOAA CHARTS AND CONSIDERED APPROXIMATE. BUOYS ARE REMOVED DURING WINTER, ARE SUBJECT TO MOVEMENT DURING HIGH WATER CONDITIONS, AND DISCRETIONARY PLACEMENT BY NY CANAL CORPORATION.
 4. STRUCTURE INFORMATION BASED ON NOAA CHARTS, DATA SHOWN ON FIGURES BY OCEAN SURVEYS, INC. TITLED "GEOPHYSICAL INVESTIGATION, RIVER BOTTOM TYPE CLASSIFICATION, HUDSON RIVER PROJECT, TROY-FORT EDWARD, NEW YORK" DATED APRIL 2003, AND SUPPLEMENTED BY DATA PROVIDED BY QEA.
 5. ALL LOCATIONS ARE APPROXIMATE.
 6. OBSTRUCTION INVENTORY IS A WORK IN PROGRESS AND WILL BE EXPANDED AS ADDITIONAL INFORMATION IS COLLECTED.
 7. UPLAND CONTOURS ARE 5 FOOT INTERVALS.



GENERAL ELECTRIC COMPANY
HUDSON RIVER PCBs SUPERFUND SITE
PRELIMINARY DESIGN REPORT

**HUDSON RIVER
STRUCTURE AND
OBSTRUCTION
INVENTORY**

RS3.13
X: HUDSONRIVER01: 05511X01,05511X02,05511X03,ALLCON1,ALLCON2,ALLCON3,ALLCON4,RIVCON.DWG
L: ON=*, OFF=REF*, *HEDGE, *TREE-CONIF, *WOODLINE
P: PAGESET/PLT-BP
12/20/03 SYR-85-RLP GMS RLP
N/20433007/OBSTRUCT/20433B01.DWG





- LEGEND:**
- RIVER SHORELINE
 - - - APPROXIMATE RIVER MILE
 - BUOY
 - (with dot) FLASHING BUOY
 - ◇ (with dot) MULTICOLORED BUOY
 - (with dot) FIXED BUOY OR BEACON
 - (with 'A') **Marina** ITEM IDENTIFIED BY QEA
- BUOY IDENTIFICATION:**
- R = RED
 - G = GREEN
 - NUMBER = BUOY NUMBER
 - WOr = WHITE AND ORANGE
 - FL = FLASHING
 - Priv = PRIVATELY OWNED
- REFER TO NOAA CHART NO.1 FOR COMPLETE EXPLANATION OF COLORS AND IDENTIFICATION.
- ABBREVIATIONS:**
- CL = CLEARANCE
 - FT = FEET
 - TYP = TYPICAL

- NOTE:**
1. PHOTOGRAMMETRY SOURCE, INCLUDING SHORELINE AND UPLAND CONTOURS: CHAS H. SELLS, INC. DATUM: NAD 1983 NY EAST ZONE, NAVD 1988. DATE OF PHOTOGRAPHY: SPRING 2002.
 2. APPROXIMATE RIVER MILE MARKERS PROVIDED BY QEA AS MEASURED FROM NY BATTERY.
 3. BUOY LOCATIONS AND IDENTIFICATION BASED ON NOAA CHARTS AND CONSIDERED APPROXIMATE. BUOYS ARE REMOVED DURING WINTER, ARE SUBJECT TO MOVEMENT DURING HIGH WATER CONDITIONS, AND DISCRETIONARY PLACEMENT BY NY CANAL CORPORATION.
 4. STRUCTURE INFORMATION BASED ON NOAA CHARTS, DATA SHOWN ON FIGURES BY OCEAN SURVEYS, INC. TITLED "GEOPHYSICAL INVESTIGATION, RIVER BOTTOM TYPE CLASSIFICATION, HUDSON RIVER PROJECT, TROY-FORT EDWARD, NEW YORK" DATED APRIL 2003, AND SUPPLEMENTED BY DATA PROVIDED BY QEA.
 5. ALL LOCATIONS ARE APPROXIMATE.
 6. OBSTRUCTION INVENTORY IS A WORK IN PROGRESS AND WILL BE EXPANDED AS ADDITIONAL INFORMATION IS COLLECTED.
 7. UPLAND CONTOURS ARE 5 FOOT INTERVALS.
- 0 500' 1000'
GRAPHIC SCALE - FEET

GENERAL ELECTRIC COMPANY
HUDSON RIVER PCBs SUPERFUND SITE
PRELIMINARY DESIGN REPORT

**HUDSON RIVER
STRUCTURE AND
OBSTRUCTION
INVENTORY**

RS3.14
X: HUDSONRIVER01: 05511X01,05511X02,05511X03,ALLCON1,ALLCON2,ALLCON3,ALLCON4,RIVCON.DWG
L: ON=*; OFF=*REF*,*HEDGE,*TREE-CONIF,*WOODLINE
P: PAGESET/PLT-BP
12/20/03 SYR-85-RLP GMS RLP
N/20433007/OBSTRUCT/20433801.DWG




- LEGEND:**
- RIVER SHORELINE
 - APPROXIMATE RIVER MILE
 - ◆ BUOY
 - ◆ (with circle) FLASHING BUOY
 - ◆ (with triangle) MULTICOLORED BUOY
 - ◆ (with dot) FIXED BUOY OR BEACON
 - ◆ (with 'M') Marina ITEM IDENTIFIED BY QEA

- BUOY IDENTIFICATION:**
- R = RED
 - G = GREEN
 - NUMBER = BUOY NUMBER
 - WOr = WHITE AND ORANGE
 - FL = FLASHING
 - Priv = PRIVATELY OWNED
- REFER TO NOAA CHART NO.1 FOR COMPLETE EXPLANATION OF COLORS AND IDENTIFICATION.

- ABBREVIATIONS:**
- CL = CLEARANCE
 - FT = FEET
 - TYP = TYPICAL



- NOTE:**
1. PHOTOGRAMMETRY SOURCE, INCLUDING SHORELINE AND UPLAND CONTOURS: CHAS H. SELLS, INC. DATUM: NAD 1983 NY EAST ZONE, NAVD 1988. DATE OF PHOTOGRAPHY: SPRING 2002.
 2. APPROXIMATE RIVER MILE MARKERS PROVIDED BY QEA AS MEASURED FROM NY BATTERY.
 3. BUOY LOCATIONS AND IDENTIFICATION BASED ON NOAA CHARTS AND CONSIDERED APPROXIMATE. BUOYS ARE REMOVED DURING WINTER, ARE SUBJECT TO MOVEMENT DURING HIGH WATER CONDITIONS, AND DISCRETIONARY PLACEMENT BY NY CANAL CORPORATION.
 4. STRUCTURE INFORMATION BASED ON NOAA CHARTS, DATA SHOWN ON FIGURES BY OCEAN SURVEYS, INC. TITLED "GEOPHYSICAL INVESTIGATION, RIVER BOTTOM TYPE CLASSIFICATION, HUDSON RIVER PROJECT, TROY-FORT EDWARD, NEW YORK" DATED APRIL 2003, AND SUPPLEMENTED BY DATA PROVIDED BY QEA.
 5. ALL LOCATIONS ARE APPROXIMATE.
 6. OBSTRUCTION INVENTORY IS A WORK IN PROGRESS AND WILL BE EXPANDED AS ADDITIONAL INFORMATION IS COLLECTED.
 7. UPLAND CONTOURS ARE 5 FOOT INTERVALS.



GENERAL ELECTRIC COMPANY
HUDSON RIVER PCBs SUPERFUND SITE
PRELIMINARY DESIGN REPORT

**HUDSON RIVER
STRUCTURE AND
OBSTRUCTION
INVENTORY**

RS3.15
X: HUDSONRIVER01: 05511X01,05511X02,05511X03,ALLCON1,ALLCON2,ALLCON3,ALLCON4,RIVCON.DWG
L: ON=*, OFF=*REF*,*HEDGE,*ITREE-CONIF,*WOODLINE
P: PAGESET/PLT-BP
12/20/03 SYR-85-RLP GMS RLP
N/20433007/OBSTRUCT/20433801.DWG




- LEGEND:**
- RIVER SHORELINE
 - APPROXIMATE RIVER MILE
 - ◆ BUOY
 - FLASHING BUOY
 - ◇ MULTICOLORED BUOY
 - FIXED BUOY OR BEACON
 - Marina ITEM IDENTIFIED BY QEA

- BUOY IDENTIFICATION:**
- R = RED
 - G = GREEN
 - NUMBER = BUOY NUMBER
 - WOr = WHITE AND ORANGE
 - FL = FLASHING
 - Priv = PRIVATELY OWNED
- REFER TO NOAA CHART NO.1 FOR COMPLETE EXPLANATION OF COLORS AND IDENTIFICATION.

- ABBREVIATIONS:**
- CL = CLEARANCE
 - FT = FEET
 - TYP = TYPICAL



- NOTE:**
1. PHOTOGRAMMETRY SOURCE, INCLUDING SHORELINE AND UPLAND CONTOURS: CHAS H. SELLS, INC. DATUM: NAD 1983 NY EAST ZONE, NAVD 1988. DATE OF PHOTOGRAPHY: SPRING 2002.
 2. APPROXIMATE RIVER MILE MARKERS PROVIDED BY QEA AS MEASURED FROM NY BATTERY.
 3. BUOY LOCATIONS AND IDENTIFICATION BASED ON NOAA CHARTS AND CONSIDERED APPROXIMATE. BUOYS ARE REMOVED DURING WINTER, ARE SUBJECT TO MOVEMENT DURING HIGH WATER CONDITIONS, AND DISCRETIONARY PLACEMENT BY NY CANAL CORPORATION.
 4. STRUCTURE INFORMATION BASED ON NOAA CHARTS, DATA SHOWN ON FIGURES BY OCEAN SURVEYS, INC. TITLED "GEOPHYSICAL INVESTIGATION, RIVER BOTTOM TYPE CLASSIFICATION, HUDSON RIVER PROJECT, TROY-FORT EDWARD, NEW YORK" DATED APRIL 2003, AND SUPPLEMENTED BY DATA PROVIDED BY QEA.
 5. ALL LOCATIONS ARE APPROXIMATE.
 6. OBSTRUCTION INVENTORY IS A WORK IN PROGRESS AND WILL BE EXPANDED AS ADDITIONAL INFORMATION IS COLLECTED.
 7. UPLAND CONTOURS ARE 5 FOOT INTERVALS.



GENERAL ELECTRIC COMPANY
HUDSON RIVER PCBs SUPERFUND SITE
PRELIMINARY DESIGN REPORT

**HUDSON RIVER
STRUCTURE AND
OBSTRUCTION
INVENTORY**

RS3.16
X: HUDSONRIVER01: 05511X01,05511X02,05511X03,ALLCON1,ALLCON2,ALLCON3,ALLCON4,RIVCON.DWG
L: ON=* OFF=*REF* *HEDGE* *TREE-CONF* *WOODLINE
P: PAGESET/PLT-BP
12/20/03 SYR-85-RLP GMS RLP
N/20433007/OBSTRUCT/20433B01.DWG



- LEGEND:**
- RIVER SHORELINE
 - APPROXIMATE RIVER MILE
 - BUOY
 - FLASHING BUOY
 - ◇ MULTICOLORED BUOY
 - FIXED BUOY OR BEACON
 - Marina ITEM IDENTIFIED BY QEA

- BUOY IDENTIFICATION:**
- R = RED
 - G = GREEN
 - NUMBER = BUOY NUMBER
 - Wor = WHITE AND ORANGE
 - FL = FLASHING
 - Priv = PRIVATELY OWNED
- REFER TO NOAA CHART NO.1 FOR COMPLETE EXPLANATION OF COLORS AND IDENTIFICATION.

- ABBREVIATIONS:**
- CL = CLEARANCE
 - FT = FEET
 - TYP = TYPICAL



- NOTE:**
1. PHOTOGRAMMETRY SOURCE, INCLUDING SHORELINE AND UPLAND CONTOURS: CHAS H. SELLS, INC. DATUM: NAD 1983 NY EAST ZONE, NAVD 1988. DATE OF PHOTOGRAPHY: SPRING 2002.
 2. APPROXIMATE RIVER MILE MARKERS PROVIDED BY QEA AS MEASURED FROM NY BATTERY.
 3. BUOY LOCATIONS AND IDENTIFICATION BASED ON NOAA CHARTS AND CONSIDERED APPROXIMATE. BUOYS ARE REMOVED DURING WINTER, ARE SUBJECT TO MOVEMENT DURING HIGH WATER CONDITIONS, AND DISCRETIONARY PLACEMENT BY NY CANAL CORPORATION.
 4. STRUCTURE INFORMATION BASED ON NOAA CHARTS, DATA SHOWN ON FIGURES BY OCEAN SURVEYS, INC. TITLED "GEOPHYSICAL INVESTIGATION, RIVER BOTTOM TYPE CLASSIFICATION, HUDSON RIVER PROJECT, TROY-FORT EDWARD, NEW YORK" DATED APRIL 2003, AND SUPPLEMENTED BY DATA PROVIDED BY QEA.
 5. ALL LOCATIONS ARE APPROXIMATE.
 6. OBSTRUCTION INVENTORY IS A WORK IN PROGRESS AND WILL BE EXPANDED AS ADDITIONAL INFORMATION IS COLLECTED.
 7. UPLAND CONTOURS ARE 5 FOOT INTERVALS.



GENERAL ELECTRIC COMPANY
HUDSON RIVER PCBs SUPERFUND SITE
PRELIMINARY DESIGN REPORT

**HUDSON RIVER
STRUCTURE AND
OBSTRUCTION
INVENTORY**

RS3.17
X: HUDSONRIVER01: 05511X01,05511X02,05511X03,ALLCON1,ALLCON2,ALLCON3,ALLCON4,RIVCON.DWG
L: ON=*; OFF=*REF*,*HEDGE,*TREE-CONF,*WOODLINE
P: PAGESET/PLT-BP
12/20/03 SYR-85-RLP GMS RLP
N/20433007/OBSTRUCT/20433801.DWG



LEGEND:

- RIVER SHORELINE
- APPROXIMATE RIVER MILE
- ◆ BUOY
- ◆ (with circle) FLASHING BUOY
- ◆ (with triangle) MULTICOLORED BUOY
- ◆ (with dot) FIXED BUOY OR BEACON
- Marina** ITEM IDENTIFIED BY QEA

BUOY IDENTIFICATION:

- R = RED
- G = GREEN
- NUMBER = BUOY NUMBER
- WOr = WHITE AND ORANGE
- FL = FLASHING
- Priv = PRIVATELY OWNED

REFER TO NOAA CHART NO.1 FOR COMPLETE EXPLANATION OF COLORS AND IDENTIFICATION.

ABBREVIATIONS:

- CL = CLEARANCE
- FT = FEET
- TYP = TYPICAL

NOTE:

1. PHOTOGRAMMETRY SOURCE, INCLUDING SHORELINE AND UPLAND CONTOURS: CHAS H. SELLS, INC. DATUM: NAD 1983 NY EAST ZONE, NAVD 1988. DATE OF PHOTOGRAPHY: SPRING 2002.
2. APPROXIMATE RIVER MILE MARKERS PROVIDED BY QEA AS MEASURED FROM NY BATTERY.
3. BUOY LOCATIONS AND IDENTIFICATION BASED ON NOAA CHARTS AND CONSIDERED APPROXIMATE. BUOYS ARE REMOVED DURING WINTER, ARE SUBJECT TO MOVEMENT DURING HIGH WATER CONDITIONS, AND DISCRETIONARY PLACEMENT BY NY CANAL CORPORATION.
4. STRUCTURE INFORMATION BASED ON NOAA CHARTS, DATA SHOWN ON FIGURES BY OCEAN SURVEYS, INC. TITLED "GEOPHYSICAL INVESTIGATION, RIVER BOTTOM TYPE CLASSIFICATION, HUDSON RIVER PROJECT, TROY-FORT EDWARD, NEW YORK" DATED APRIL 2003, AND SUPPLEMENTED BY DATA PROVIDED BY QEA.
5. ALL LOCATIONS ARE APPROXIMATE.
6. OBSTRUCTION INVENTORY IS A WORK IN PROGRESS AND WILL BE EXPANDED AS ADDITIONAL INFORMATION IS COLLECTED.
7. UPLAND CONTOURS ARE 5 FOOT INTERVALS.

0 500' 1000'
GRAPHIC SCALE - FEET



GENERAL ELECTRIC COMPANY
HUDSON RIVER PCBs SUPERFUND SITE
PRELIMINARY DESIGN REPORT

**HUDSON RIVER
STRUCTURE AND
OBSTRUCTION
INVENTORY**

BBL
BLASLAND, BOUCK & LEE, INC.
engineers & scientists

FIGURE
3-27

RS3.18
X: HUDSONRIVER01: 05511X01,05511X02,05511X03,ALLCON1,ALLCON2,ALLCON3,ALLCON4,RIVCON.DWG
L: ON=*, OFF=*REF*,*HEDGE,*TREE-CONIF,*WOODLINE
P: PAGESET/PLT-BP
12/21/03 SYR-85-RLP GMS RLP
N/20433007/OBSTRUCT/20433B01.DWG




- LEGEND:**
- RIVER SHORELINE
 - APPROXIMATE RIVER MILE
 - BUOY
 - (with dot) FLASHING BUOY
 - ◇ (with dot) MULTICOLORED BUOY
 - (with dot) FIXED BUOY OR BEACON
 - Marina** ITEM IDENTIFIED BY QEA

- BUOY IDENTIFICATION:**
- R = RED
 - G = GREEN
 - NUMBER = BUOY NUMBER
 - WOr = WHITE AND ORANGE
 - FL = FLASHING
 - Priv = PRIVATELY OWNED
- REFER TO NOAA CHART NO.1 FOR COMPLETE EXPLANATION OF COLORS AND IDENTIFICATION.

- ABBREVIATIONS:**
- CL = CLEARANCE
 - FT = FEET
 - TYP = TYPICAL



- NOTE:**
1. PHOTOGRAMMETRY SOURCE, INCLUDING SHORELINE AND UPLAND CONTOURS: CHAS H. SELLS, INC. DATUM: NAD 1983 NY EAST ZONE, NAVD 1988. DATE OF PHOTOGRAPHY: SPRING 2002.
 2. APPROXIMATE RIVER MILE MARKERS PROVIDED BY QEA AS MEASURED FROM NY BATTERY.
 3. BUOY LOCATIONS AND IDENTIFICATION BASED ON NOAA CHARTS AND CONSIDERED APPROXIMATE. BUOYS ARE REMOVED DURING WINTER, ARE SUBJECT TO MOVEMENT DURING HIGH WATER CONDITIONS, AND DISCRETIONARY PLACEMENT BY NY CANAL CORPORATION.
 4. STRUCTURE INFORMATION BASED ON NOAA CHARTS, DATA SHOWN ON FIGURES BY OCEAN SURVEYS, INC. TITLED "GEOPHYSICAL INVESTIGATION, RIVER BOTTOM TYPE CLASSIFICATION, HUDSON RIVER PROJECT, TROY-FORT EDWARD, NEW YORK" DATED APRIL 2003, AND SUPPLEMENTED BY DATA PROVIDED BY QEA.
 5. ALL LOCATIONS ARE APPROXIMATE.
 6. OBSTRUCTION INVENTORY IS A WORK IN PROGRESS AND WILL BE EXPANDED AS ADDITIONAL INFORMATION IS COLLECTED.
 7. UPLAND CONTOURS ARE 5 FOOT INTERVALS.



GENERAL ELECTRIC COMPANY
HUDSON RIVER PCBs SUPERFUND SITE
PRELIMINARY DESIGN REPORT

**HUDSON RIVER
STRUCTURE AND
OBSTRUCTION
INVENTORY**

RS3.19
X: HUDSONRIVER01: 05511X01,05511X02,05511X03,ALLCON1,ALLCON2,ALLCON3,ALLCON4,RIVCON.DWG
L: ON=*; OFF=*REF*,*HEDGE,*TREE-CONIF,*WOODLINE
P: PAGESET/PLT-BP
12/20/03 SYR-85-RLP GMS RLP
N/20433007/OBSTRUCT/20433B01.DWG




- LEGEND:**
- RIVER SHORELINE
 - APPROXIMATE RIVER MILE
 - ◆ BUOY
 - FLASHING BUOY
 - ◇ MULTICOLORED BUOY
 - FIXED BUOY OR BEACON
 - Marina** ITEM IDENTIFIED BY QEA

- BUOY IDENTIFICATION:**
- R = RED
 - G = GREEN
 - NUMBER = BUOY NUMBER
 - WOr = WHITE AND ORANGE
 - FL = FLASHING
 - Priv = PRIVATELY OWNED
- REFER TO NOAA CHART NO.1 FOR COMPLETE EXPLANATION OF COLORS AND IDENTIFICATION.

- ABBREVIATIONS:**
- CL = CLEARANCE
 - FT = FEET
 - TYP = TYPICAL



- NOTE:**
1. PHOTOGRAMMETRY SOURCE, INCLUDING SHORELINE AND UPLAND CONTOURS: CHAS H. SELLS, INC. DATUM: NAD 1983 NY EAST ZONE, NAVD 1988. DATE OF PHOTOGRAPHY: SPRING 2002.
 2. APPROXIMATE RIVER MILE MARKERS PROVIDED BY QEA AS MEASURED FROM NY BATTERY.
 3. BUOY LOCATIONS AND IDENTIFICATION BASED ON NOAA CHARTS AND CONSIDERED APPROXIMATE. BUOYS ARE REMOVED DURING WINTER, ARE SUBJECT TO MOVEMENT DURING HIGH WATER CONDITIONS, AND DISCRETIONARY PLACEMENT BY NY CANAL CORPORATION.
 4. STRUCTURE INFORMATION BASED ON NOAA CHARTS, DATA SHOWN ON FIGURES BY OCEAN SURVEYS, INC. TITLED "GEOPHYSICAL INVESTIGATION, RIVER BOTTOM TYPE CLASSIFICATION, HUDSON RIVER PROJECT, TROY-FORT EDWARD, NEW YORK" DATED APRIL 2003, AND SUPPLEMENTED BY DATA PROVIDED BY QEA.
 5. ALL LOCATIONS ARE APPROXIMATE.
 6. OBSTRUCTION INVENTORY IS A WORK IN PROGRESS AND WILL BE EXPANDED AS ADDITIONAL INFORMATION IS COLLECTED.
 7. UPLAND CONTOURS ARE 5 FOOT INTERVALS.



GENERAL ELECTRIC COMPANY
HUDSON RIVER PCBS SUPERFUND SITE
PRELIMINARY DESIGN REPORT

**HUDSON RIVER
STRUCTURE AND
OBSTRUCTION
INVENTORY**

RS3.20
X: HUDSONRIVER01: 05511X01,05511X02,05511X03,ALLCON1,ALLCON2,ALLCON3,ALLCON4,RIVCON.DWG
L: ON=*; OFF=*REF*,*HEDGE,*TREE-CONIF,*WOODLINE
P: PAGESET/PLT-BP
12/20/03 SYR-85-RLP GMS RLP
N/20433007/OBSTRUCT/20433B01.DWG




- LEGEND:**
- RIVER SHORELINE
 - APPROXIMATE RIVER MILE
 - ◊ BUOY
 - ◊ FLASHING BUOY
 - ◊ MULTICOLORED BUOY
 - ◊ FIXED BUOY OR BEACON
 - Marina ITEM IDENTIFIED BY QEA

- BUOY IDENTIFICATION:**
- R = RED
 - G = GREEN
 - NUMBER = BUOY NUMBER
 - WOr = WHITE AND ORANGE
 - FL = FLASHING
 - Priv = PRIVATELY OWNED
- REFER TO NOAA CHART NO.1 FOR COMPLETE EXPLANATION OF COLORS AND IDENTIFICATION.

- ABBREVIATIONS:**
- CL = CLEARANCE
 - FT = FEET
 - TYP = TYPICAL


- NOTE:**
1. PHOTOGRAMMETRY SOURCE, INCLUDING SHORELINE AND UPLAND CONTOURS: CHAS H. SELLS, INC. DATUM: NAD 1983 NY EAST ZONE, NAVD 1988. DATE OF PHOTOGRAPHY: SPRING 2002.
 2. APPROXIMATE RIVER MILE MARKERS PROVIDED BY QEA AS MEASURED FROM NY BATTERY.
 3. BUOY LOCATIONS AND IDENTIFICATION BASED ON NOAA CHARTS AND CONSIDERED APPROXIMATE. BUOYS ARE REMOVED DURING WINTER, ARE SUBJECT TO MOVEMENT DURING HIGH WATER CONDITIONS, AND DISCRETIONARY PLACEMENT BY NY CANAL CORPORATION.
 4. STRUCTURE INFORMATION BASED ON NOAA CHARTS, DATA SHOWN ON FIGURES BY OCEAN SURVEYS, INC. TITLED "GEOPHYSICAL INVESTIGATION, RIVER BOTTOM TYPE CLASSIFICATION, HUDSON RIVER PROJECT, TROY-FORT EDWARD, NEW YORK" DATED APRIL 2003, AND SUPPLEMENTED BY DATA PROVIDED BY QEA.
 5. ALL LOCATIONS ARE APPROXIMATE.
 6. OBSTRUCTION INVENTORY IS A WORK IN PROGRESS AND WILL BE EXPANDED AS ADDITIONAL INFORMATION IS COLLECTED.
 7. UPLAND CONTOURS ARE 5 FOOT INTERVALS.



GENERAL ELECTRIC COMPANY
HUDSON RIVER PCBs SUPERFUND SITE
PRELIMINARY DESIGN REPORT

**HUDSON RIVER
STRUCTURE AND
OBSTRUCTION
INVENTORY**

RS3.21
X: HUDSONRIVER01: 05511X01,05511X02,05511X03,ALLCON1,ALLCON2,ALLCON3,ALLCON4,RIVCON.DWG
L: ON=* OFF=*REF* *HEDGE,*ITREE-CONIF,*WOODLINE
P: PAGESET/PLT-BP
12/20/03 SYR-85-RLP GMS RLP
N/20433007/OBSTRUCT/20433801.DWG




SARATOGA COUNTY

Waterford

Mohawk River

KEY MAP



LEGEND:

- RIVER SHORELINE
- APPROXIMATE RIVER MILE
- ◆ BUOY
- ◆○ FLASHING BUOY
- ◆◇ MULTICOLORED BUOY
- ◆● FIXED BUOY OR BEACON

Marina ITEM IDENTIFIED BY QEA

BUOY IDENTIFICATION:

- R = RED
- G = GREEN
- NUMBER = BUOY NUMBER
- WOr = WHITE AND ORANGE
- FL = FLASHING
- Priv = PRIVATELY OWNED

REFER TO NOAA CHART NO.1 FOR COMPLETE EXPLANATION OF COLORS AND IDENTIFICATION.

ABBREVIATIONS:

- CL = CLEARANCE
- FT = FEET
- TYP = TYPICAL

NOTE:

1. PHOTOGRAMMETRY SOURCE, INCLUDING SHORELINE AND UPLAND CONTOURS: CHAS H. SELLS, INC. DATUM: NAD 1983 NY EAST ZONE, NAVD 1988. DATE OF PHOTOGRAPHY: SPRING 2002.
2. APPROXIMATE RIVER MILE MARKERS PROVIDED BY QEA AS MEASURED FROM NY BATTERY.
3. BUOY LOCATIONS AND IDENTIFICATION BASED ON NOAA CHARTS AND CONSIDERED APPROXIMATE. BUOYS ARE REMOVED DURING WINTER, ARE SUBJECT TO MOVEMENT DURING HIGH WATER CONDITIONS, AND DISCRETIONARY PLACEMENT BY NY CANAL CORPORATION.
4. STRUCTURE INFORMATION BASED ON NOAA CHARTS, DATA SHOWN ON FIGURES BY OCEAN SURVEYS, INC. TITLED "GEOPHYSICAL INVESTIGATION, RIVER BOTTOM TYPE CLASSIFICATION, HUDSON RIVER PROJECT, TROY-FORT EDWARD, NEW YORK" DATED APRIL 2003, AND SUPPLEMENTED BY DATA PROVIDED BY QEA.
5. ALL LOCATIONS ARE APPROXIMATE.
6. OBSTRUCTION INVENTORY IS A WORK IN PROGRESS AND WILL BE EXPANDED AS ADDITIONAL INFORMATION IS COLLECTED.
7. UPLAND CONTOURS ARE 5 FOOT INTERVALS.





GENERAL ELECTRIC COMPANY
HUDSON RIVER PCBs SUPERFUND SITE
PRELIMINARY DESIGN REPORT

**HUDSON RIVER
STRUCTURE AND
OBSTRUCTION
INVENTORY**



FIGURE
3-31

RS3.22
X: HUDSONRIVER01: 05511X01,05511X02,05511X03,ALLCON1,ALLCON2,ALLCON3,ALLCON4,RIVCON.DWG
L: ON=*, OFF=*REF*,*HEDGE,*TREE-CONIF,*WOODLINE
P: PAGESET/PLT-BP
12/20/03 SYR-85-RLP GMS RLP
N/20433007/OBSTRUCT/20433B01.DWG




- LEGEND:**
- RIVER SHORELINE
 - APPROXIMATE RIVER MILE
 - ◆ BUOY
 - ◆ (with circle) FLASHING BUOY
 - ◆ (with diamond) MULTICOLORED BUOY
 - ◆ (with triangle) FIXED BUOY OR BEACON
 - ◆ (with square) **Marina** ITEM IDENTIFIED BY QEA

- BUOY IDENTIFICATION:**
- R = RED
 - G = GREEN
 - NUMBER = BUOY NUMBER
 - WOr = WHITE AND ORANGE
 - FL = FLASHING
 - Priv = PRIVATELY OWNED
- REFER TO NOAA CHART NO.1 FOR COMPLETE EXPLANATION OF COLORS AND IDENTIFICATION.

- ABBREVIATIONS:**
- CL = CLEARANCE
 - FT = FEET
 - TYP = TYPICAL

- NOTE:**
1. PHOTOGRAMMETRY SOURCE, INCLUDING SHORELINE AND UPLAND CONTOURS: CHAS H. SELLS, INC. DATUM: NAD 1983 NY EAST ZONE, NAVD 1988. DATE OF PHOTOGRAPHY: SPRING 2002.
 2. APPROXIMATE RIVER MILE MARKERS PROVIDED BY QEA AS MEASURED FROM NY BATTERY.
 3. BUOY LOCATIONS AND IDENTIFICATION BASED ON NOAA CHARTS AND CONSIDERED APPROXIMATE. BUOYS ARE REMOVED DURING WINTER, ARE SUBJECT TO MOVEMENT DURING HIGH WATER CONDITIONS, AND DISCRETIONARY PLACEMENT BY NY CANAL CORPORATION.
 4. STRUCTURE INFORMATION BASED ON NOAA CHARTS, DATA SHOWN ON FIGURES BY OCEAN SURVEYS, INC. TITLED "GEOPHYSICAL INVESTIGATION, RIVER BOTTOM TYPE CLASSIFICATION, HUDSON RIVER PROJECT, TROY-FORT EDWARD, NEW YORK" DATED APRIL 2003, AND SUPPLEMENTED BY DATA PROVIDED BY QEA.
 5. ALL LOCATIONS ARE APPROXIMATE.
 6. OBSTRUCTION INVENTORY IS A WORK IN PROGRESS AND WILL BE EXPANDED AS ADDITIONAL INFORMATION IS COLLECTED.
 7. UPLAND CONTOURS ARE 5 FOOT INTERVALS.



GENERAL ELECTRIC COMPANY
HUDSON RIVER PCBs SUPERFUND SITE
PRELIMINARY DESIGN REPORT

**HUDSON RIVER
STRUCTURE AND
OBSTRUCTION
INVENTORY**

RS3.23
X: HUDSONRIVER01: 05511X01,05511X02,05511X03,ALLCON1,ALLCON2,ALLCON3,ALLCON4,RIVCON.DWG
L: ON=*, OFF=REF*, *HEDGE,*ITREE-COIF,*WOODLINE
P: PAGESET/PLT-BP
12/20/03 SYR-85-RLP GMS RLP
N/20433007/OBSTRUCT/20433801.DWG