

Developing Air Quality Sensors: Perspectives and Challenges for Real Applications

Michele Penza Head of Laboratory

Functional Materials & Technologies for Sustainable Applications - Brindisi Research Center, Brindisi, Italy

Chair of COST Action TD1105 - EuNetAir michele.penza@enea.it

US EPA AIR SENSORS 2018 WORKSHOP

EPA Campus, Research Triangle Park, Durham, NC, USA, 25-27 June 2018

EPA AIR SENSORS 2018 - Deliberating Performance Targets for Air Quality Sensors



OUTLINE

- ENEA profile
- Context of the air pollution control
- ENEA efforts in performance standards for AQ sensors
- Sensor performance: transducers, measurement parameters
- Rationale for the sensor performance:
 - ✓ EU Directive 2008/50/EC, certification standards
- Examples of certification standards in air quality:
 - ✓ WSN in Bari (Italy): PM₁₀, Saharan dust, AQI, mobile sensing (bus).
 - ✓ AQ sensors: biofuel-powered aircraft emissions
 - ✓ EuNetAir joint-exercise, Aveiro, Portugal (Oct. 2014)
- Sensor market and value chain
- Selected current European projects on AQ sensors
- Concluding remarks



About ENEA

- **ENEA** Italian National Agency for New Technologies, Energy and Sustainable Economic Development
- It is a public RTO (Research and Technology
 Organization) operating in the fields of energy, the
 environment and new technologies to support the
 Country's competitiveness and sustainable development
- ENEA's mission is to develop new technological solutions to meet the societal challenges, fostering transition to a low-carbon and circular economy
- The institutional mandate of the Agency is to disseminate and transfer knowledge, innovation and technology to industry, institutions and civil society at large









Activities ENEA

- ENEA's activities span many fronts ranging from basic to applied research and innovation
- Research: Basic, mission-oriented, applied and industrial research, also through the development of prototypes and product industrialization
- Technology Transfer: Dissemination and transfer of research results to industry and public administrations, and exploitation for production purposes
- Advanced services: Studies, measurements, tests and assessments tailored to both public and private bodies and enterprises
- Training and information: Activities aimed at broadening sector expertise and public knowledge and awareness











Research Facilities and Staff



Research facilities:

- 9 Research Centres
- 5 Research Laboratories
- 13 Territorial offices
- Brussels Liaison Office
- Headquarters in Rome

Human Resources:

About 2500 permanent staff:

- 36% women
- 59% graduates

















Research and Development



& Nuclear -usion

- Fusion
- Fission (new gen)
- Radiation protection
- Nuclear safety & security
- lonizing/non ionizing radiation applications



• RES (PV, CSP)

- Energy efficiency technologies
- Bio-fuels
- Smart grids
- Storage
- Sustainable Mobility
- Advanced energy materials
- Sustainable use of fossil fuels



Sustainability

My Department

- Resource efficiency
- Climate change: modeling, adaptation and mitigation
- Environmental technologies
 - Innovative materials
- Environmental characterization, prevention and recovery
 - Seismic and natural hazards assessment and prevention
 - Bio and nanotechnologies
 - Agrifood
 - Health
 - Cultural heritage





Context of Air Pollution in Europe

Cristina Guerreiro

EEA Report No 13/2017

Air quality in Europe - 2017 report














Almost one third of the Europe's citizens are exposed to excessive concentrations of airborne particulate matter.

Exposure to $PM_{2.5}$, NO_2 and O_3 lead to respectively 431 000, 75 000, and 17 000 premature deaths in Europe (2012 conc.).

Mitigation and Regulation: AMBIENT AIR QUALITY EU DIRECTIVE (2008/50/EC) and Daughters



Some Environmental Emergencies:

1930 - Meuse Valley (Belgium)

1952 - Great London Smog (UK)

1954 - Los Angeles (USA)

1984 - Bhopal (India)

2005 - Teheran (Iran)

2006 - Hong Kong

2008, 2015 - Shanghai, Peking (China)

2012 - Taranto (Italy)









K	egı	liatea	
Limit	of	Detect	tion

Pollutant	Limit Level
NO_x	100, 200 ppb
СО	8 ppm
SO ₂	130, 190 ppb
O ₃	120 μ g/m ³
PM ₁₀	50 μ g/m ³
BTEX	6 μ g/m ³
PAH (BaP)	1 ng/m³
PM _{2.5}	25 μ g/m ³

Severe very-low limits of detection to preserve human health, eco-systems and environment



ENEA efforts in performance standards for AQ sensors (1/2)

- COST Action TD1105: European Network on New Sensing Technologies for Air Pollution Control and Environmental Sustainability EuNetAir (2012-2016)
 Chair: M. Penza www.cost.eunetair.it

 International Networking on sensor materials, gas sensors, sensor-systems, measurements, protocols, standards with more than 120 teams from 31 COST Countries and 7 International Partner Countries (including USA)
- ESSC: European Sensor Systems Cluster (2014-present)
 Chairman: M. Penza <u>www.cluster-essc.eu</u>
 Working Group on sensor-systems to define a Roadmap Towards European Leadership in Sensor-Systems for H2020 Calls 2018-2020, as requested by EC
- Italian Project ABC: Aerocrafts powered by Biofuel (2017-2019)
 Partnership: CNR, ENEA, Italian Air Force
 Working Group to study the impact of the emissions from aircrafts powered by biofuel, as funded by Italian Ministry of Environment, Landscape and Sea

ENEA efforts in performance standards for AQ & Climate (2/2)

- MINNI: Italian National Atmospheric Modelling System (Italian Legislative Law 152/2010 (2010-present) by ENEA www.minni.org
 Air Quality Scenario Simulations at medium-long term to support the Italian Environment Ministry in negotiation to define European and International policies on air pollution, including National Air Quality Forecasting System
- ENEA Station for Climate Observation "Roberto Sarao", Lampedusa (Sicilia): ENEA <u>www.lampedusa.enea.it</u>
 - A **Research Facility in the Mediterranean** to measure the climatic parameters. The atmospheric/oceanic observatory is composed by two sections:
 - ground-based laboratory (35.52°N, 12.63°E) since 1997
 - oceanic buoy (35.49°N,12.47°E) for air-sea and satellite observations since 2015
- <u>EIT CLIMATE-KIC</u>: European Institute of Innovation and Technology (EIT) Climate Knowledge and Innovation Community (KIC) <u>www.climate-kic.org</u>
 <u>ENEA linked partner</u> on Innovation for Climate Action

Transducers for air quality sensors

Type of Transducer	Air Pollutant	Prototype/Device
Electrochemical	NO ₂ , NO, O ₃ , CO, SO ₂ , H ₂ S	
Spectroscopic and NDIR	CO ₂ , CH ₄ , specific VOCs	ADIR COS NOIR COS MAR 27200 MA 2720
Photo-Ionisation Detector	total VOCs	
Optical Particulate Counter	PM ₁₀ , PM _{2.5} , PM _{1.0} , BC	
Metal Oxides	NO ₂ /NO, O ₃ , CO, SO ₂ , H ₂ S, VOCs	
Pellistors	CH ₄ , hydrocarbons	

Measurement parameters for air sensor performance

Limit of

sub-ppm

ppm

Open

Interference.

calibration, signal proc.

Interference,

calibration, signal proc.

Iransducer	Sensitivity	Selectivity	Stability	Detection	Questions
Electrochemical	High	Variable	Improved	ppb	Interference, calibration, signal proc.
Spectroscopic and NDIR	High	Variable	Low	ppm	Interference, calibration, signal proc.
Photo-Ionisation Detector	High	Low	Improved	ppm	Interference, calibration, signal proc.

Spectroscopic and NDIR	High	Variable	Low	ppm	Interference, calibration, signal proc.
Photo-Ionisation Detector	High	Low	Improved	ppm	Interference, calibration, signal proc.
Optical Particulate					Interference .

High *Improved Improved* $\mu g/m^3$ Counter calibration, signal proc.

Low

Improved

Good electronics (low noise), good mechanical design, software/firmware/cloud are needed

Variable

Low


Metal Oxides

Pellistors

High

High

Sensor/Node/Network for air quality



- Study of sensor elements active control techniques on all levels:
 - Sensor module → enhanced electronics (i.e. for self-monitoring)
 - Sensor node → improved selectivity and stability via information correlation
 - Sensor network → enhanced reliability, auto-configuration/calibration



Rationale for the choice of the sensor performance **EU Directive 2008/50/EC: Sensors-versus-Analyzers**

EU Directive 2008/50/EC: Ambient Air Quality and Cleaner Air for Europe, art. 2

	,
Definition	
It means measurements taken at fixed sites	
 the levels in accordance with the relevant	Data Quality

Measurements

Indicative

Measurements

the upper assessment thresholds are exceeded. means

are considered as Informative Measurements.



Fixed Objectives (DQO). They are mandatory in zones and agglomerations where

> measurements which meet Data Objectives (DQO) that are less strict than those required

for "Fixed Measurements". The "Indicative Measurements"

1/2

2/2

Analyzers:

Fluorescence.

Chemilumin., GC,

UV Photometry,

Optical Absorption,

Gravimetry

Low Cost Sensors

(diffusive samplers)

Ma		

Fixed

Measurements

(High Accuracy)

Indicative

Measurements

(Low Accuracy)

SO₂, CO

15%

25%

IX UNCERTAINTY Requested by Directive

15%

30%

30%

50%

25%

30%

DEVICES FOR NO₂/NO/NO_x, **MEASURE** Benzene PM₁₀/PM_{2.5} O_3

Examples of certification standards for air quality

European Standard EN

- ▶ performance criteria and test procedures for certified Automated Measuring Systems (AMS) for ambient air quality for gases and PM are defined in:
- EN 14211:2012 for NO_x, and daughters
- EN 14212:2012 for **SO₂**, and daughters
- EN 14625:2012 for O₃, and daughters
- EN 14626:2012 for CO, and daughters
- EN 14662-3:2005 for C₆H₆, and daughters
- EN 12341:2014 for **PM**₁₀, and daughters
- EN 14907:2005 for **PM_{2.5}**, and daughters
- EN 16450: 2017 for PM₁₀ and PM_{2.5}, and daughters
- Guide to the Demonstration of Equivalence of Ambient Air Monitoring GDE
- > CEN/TS 16450 supposed to become an EN Standard in future after validation work

Air Quality Sensors Network operating in BARI (Italy) Case-Study Italian Project RES-NOVAE: Sensors-vs-Analyzers

11 Sensor Nodes (10 stationary + 1 mobile)
managed by ENEA and deployed in Bari



Air Quality Monitoring Stations (10 units) managed by ARPA-Puglia in Bari




ARPA PUGLIA



Air Quality Sensors Network operating in Bari (Italy) Case-Study Italian Project RES-NOVAE: Virtual Private Network


CO-B4	Alphasense, UK	Smart City Bari	AQ ENEA	Sensors	s Fixe	d Nodes I	Netwo	ork d	istribu	ited in	Bari (I	Italy)
NO2-B4	Alphasense, UK	Olare City Ball	M2: ENFA								N7.	NA PROPERTY.
O3-B4	Alphasense, UK					ENE	7	Centro	Ricerche	Brindisi	Total Control	N BUS
SO2-B4	Alphasense, UK	N4: ENE	tex			ENEA Senso	ors Lab (OpenVPN	Status N	Monitor	ENEN	2
CO2-IRC-A1	Alphasense, UK	AND A WALL		nea NasusPi - 6	Connection u	p, pingable, 12 client	s 60384760	7 bytes in	314525951 by	des out		72.17.0.1 tun]
VOCs-PID-A1	Alphasense, UK			Isername /	VPN IP Address	Remote IP Po Address				Connected Since	***	Time Online
PPD20V	Shinyei, JP	MA PERONI	100	nasutpi-5	172.17.06	37,19,108,20 524	28	73065	73872	23/02/2016 15:28:09	23/02/2016 15:28:16	301:40
TC1047A	Microchip	No. Upper	N4: AMTAB	nasuspi-8	172.17.09	62.19.56.54 240	59	16932314	8252487	14/02/2016 02:05:33	23/02/2016 18:26:23	9 days, 16:23:16
HIH5031	Honeywell	N6: AIRPORT		nasuspi-2	172.17.0.3	62.19.60.1:87 500	59	61118723	29838611	19/01/2016 31:29	23/02/2016 18:22:13	35 days. 2:58:20
and the same of th		\ ____	7	nasuspi-12	172.17.0.1	 10 Station 	ary No	odes ir	n City	2/2016 31:11	23/02/2016 19:26:45	1 day, 5:58:38
		ALCOHOLD TO THE	N8: POLIBA	nasuspi-3	172.17.0	• 1 Mobile N	Node c	n Pub	lic Bus	1/2016 59:28	21/02/2016 18:18:43	29 days, 3:30:21
	NO ₂ O ₃	5 de de de de	12	nasuspi-13	172.17.0.1	 Campaigr 	n Perio	od: 30 l	Months	2/2016 22:35	23/02/2016 18:19:49	4 days, 3 07 1 4
	COOO		4.1	nasusai-6	172.17.0	1 July 20				1/2016 35.05	23/02/2016 18:27:28	33 days, 8.54.44
	32	NO COEFIN N	110 City Offic	airbox-one	172:17.0:2	•		i Dec.	. 2017	2/2016 20:28	18/02/2016 09:20:28	5 days. 9:09:21
				nasuspi-1	172.17.0	Big Data:	5Gb			2/2016 05:49	23/02/2016 18:17:56	9 days, 16:24:00
PM ₁₀	310			nosuspi-9	172,17.0.1	 Sampling 	Rate:	10 sec		2/2016 43:32	23/02/2016 18:26:32	4 days, 22:41:17
END	R		Many BOOT	nasuspi-4	172.17.05	62.19.57.93 348	03	25405886	12317796	09/02/2016 06:27:37	23/02/2016 18:25:51	14 days, 12:02:13
CV		N12: FAIR	HID. FURI	nasuspi-10	172.17.0.11	5.170.246.1120 201	80	17242918	8314106	14/02/2016	23/02/2016	9 days,


PM₁₀: Sensors Network Data operating in Bari (Italy) Node 6 Airport: May 2017, Sensor vs Analyzer - Saharan Dust













Air Quality Sensors Network operating in Bari (Italy) Case-Study Italian Project RES-NOVAE

PM₁₀ WSN Performance: Jan - Dec 2016

Node ID	Node Location	Sensor Node PM ₁₀ Yearly Mean (µg/m³)	Closest AQMS PM ₁₀ Yearly Mean (µg/m³)	Sensor Node PM ₁₀ Mean Absolute Error (*) (µg/m³)	Sensor Node Accuracy (**) (%)
Node 1	ENEL	25.85	22.56	5.61	24.86
Node 2	ENEA	22.61	25.91	5.61	21.65
Node 3	PERONI	22.32	26.67	7.78	29.16
Node 4	AMTAB	21.40	26.67	8.16	30.60
Node 6	AIRPORT K. Wojtyla	22.37	27.31	5.61	20.54
Node 8	POLITECNICO	21.34	25.91	5.08	19.60
Node 9	COFELY	21.63	24.98	4.26	17.05
Node 10	UFFICI COMUNALI (°)	24.52	24.69	6.27	25.41

^(*) MAE = Mean Absolute Error




^(**) Accuracy is defined as sensor MAE divided by AQMS Yearly Mean

^(°) Sensor performance considering Min value instead of Avg value for Node 10 only

PM₁₀: Sensors Network Data operating in Bari (Italy) AQI - Node 2 and Node 6: Feb. 2016, Sensor vs Analyzer

Node 2 - Feb 2016


Node 6 - Feb. 2016






Air Quality Sensors Network operating in Bari (Italy) Case-Study RES-NOVAE: Mobile Sensing on Public Bus

iAQI: CO 9 November 2015 iAQI: NO₂











Air Quality Sensors Network operating in Bari (Italy) Case-Study RES-NOVAE: Mobile Sensing on Public Bus

iAQI: PM₁₀

9 November 2015

iAQI: CO₂





Polluted air: high PM₁₀ AQI (yellow - red)






Air Quality Sensors: Biofuel-powered Aircraft Emissions

Airport *Pratica di Mare (Italy)*: PM₁₀/PM_{2.5}/PM_{1.0} emissions monitored by OPC sensors







COST Action TD1105 EuNetAir: Aveiro INTERCOMPARISON



Assessment of air quality microsensors versus reference methods: The EuNetAir joint exercise

Original Research Article

In Press, Accepted Manuscript, Available online 22 Sept. 2016

C. Borrego^{a,b}, A. M. Costa^a, J. Ginja^a, M. Amorim^a, M. Coutinho^a, K. Karatzas^c, Th. Sioumis^c, N. Katsifarakis^c, K. Konstantinidis^c, S. De Vito^d, E. Esposito^d, P. Smith^e, N. André^f, P. Gérard^f, L. A. Francis^f, N. Castell^g, P. Schneider^g, M. Viana^h, M.C Minguillón^h, W. Reimringerⁱ, R.P. Otjes^j, O. v.Sicard^k, R. Pohle^k, B. Elenⁱ, D. Suriano^m, V. Pfister^m, M. Prato^m, S. Dipinto^m, M. Penza^m

liahliahts

- ·Several air quality microsensors were tested against reference methods.
- •Significant differences in the results depending on the platform and on the sensors
- •Promising results were observed for O₃, CO and NO₂ sensors.
- •The sensors can improve spatiotemporal resolution of data to complement existing air quality monitoring networks.

Aveiro Joint-Exercise Intercomparison & WG Meeting

13 - 27 October 2014: Starting Joint-Exercise (2 weeks duration)

14 - 15 October 2014: EuNetAir WG1-WG4 Meeting

EuNetAir Air Quality Joint-Exercise Intercomparison 2014

<u>Local Organizers</u>: Prof. Carlos Borrego and Dr. Ana Margarida Costa (IDAD) Air Quality Monitoring campaign at Aveiro (Portugal) city centre 2014



ATMOSPHERIC






Continuous measurements: CO, benzene, NOx, SO₂, PM₁₀, VOC Temperature, humidity, wind velocity, wind direction, solar radiation, precipitation

COST partners (15 teams joined from 12 COST Countries) installed their microsensors side-by-side to compare performance with referenced equipment in the Air-Quality Mobile Laboratory


Joint-Exercise EuNetAir: Sensors-versus-Analyzers




The optical particle counters (OPC) for PM_{2.5} presented correlations varying between 0.45-0.85 and data collection efficiencies in the range of 67-80%.

C. Borrego et al., Atmospheric Environment 147 (2016) 246-263

Value Chain for Air Quality Sensors



Sensors Market Evolution



Selected FU projects on air quality sensors

	projecte on an quanty concert	(1/2)
Project Acronym	Title of Project / Coordinator / Website	
iSCAPE	Improving the Smart Control of Air Pollution in Europe	9

H2020-SC5-04-2015

ClairCity

H2020-SC5-04-2015

ICARUS

Coordinator: Dr. Francesco Pilla, University College Dublin,

Ireland - Website: www.iscapeproject.eu Citizen-led Scenarios to Improve Air Quality in EU Cities

Coordinator: Prof. Enda Hayes, University of the West of England, Bristol, UK - Website: www.claircity.eu

Integrated Climate forcing and Air pollution Reduction in **Urban Systems** H2020-SC5-04-2015

Coordinator: Prof. Dimosthenis Sarigiannis, Aristotle University of Thessaloniki, Greece - Website: www.icarus2020.eu



European Network of Living Labs - www.openlivinglabs.eu **ENoLL**

Selected EU projects on air quality sensors (2/2)

Acronym	Title of Project / Coordinator / Website
CAPTOR	Collective Awareness Platform for Tropospheric Ozone Pollution
H2020 GA:	Coordinator: Prof. Jorge Garcia Vidal, Universitat Politecnica de
688110	Catalunya, Barcelona, Spain - Website: www.captor-project.eu

LIFE15 IPE IT013 Coordinator: Regione Emilia-Romagna, Bologna, Italy - Website: www.lifeprepair.eu Air Pollution Treatment in European Urban Environments by means of Photocatalytic Textiles

Website: www.ceam.es/PHOTOCITYTEX/home.htm

Coordinator: Dr. Amalia Muñoz Cintas, CEAM, Valencia, Spain -

Po Regions Engaged to Policies of Air



LIFE13

ENV/ES/000603

PREPAIR

Open Questions of the Air Quality Sensors

- Lower Accuracy compared to Reference Methods
- Cross-sensitivity and low Selectivity
- Low Stability and Drift to be corrected periodically
- Calibration needs periodically (e.g., at least 1 calibration/month??)
- Regular Maintenance of the in-field AQ sensor nodes
- Data Quality Objective (European Directive 2008/50/EC) to be addressed for *Indicative Measurements* by demonstration of the equivalence to use microsensors for AQ monitoring



Advantages and Benefits of the Air Quality Sensors

- Low-cost for deployment in Cities at high spatial-temporal resolution
- Suitability for personal exposure studies
- Suitability for emission source information
- Outdoor monitoring of gases (NO₂/NO, O₃, CO, SO₂, H₂S, tVOCs, CO₂, NH₃, etc.)
- Outdoor monitoring of particulate matter (PM₁₀, PM_{2.5}, PM_{1.0}, UFP)
- Indoor monitoring of gases (CO, VOCs, benzene, formaldehyde, naphthalene, toluene, etc.) and PM (PM₁₀, PM_{2.5}, PM_{1.0})
- Combination of sensors with modelling for micro-scale analysis (1-2 mt resolution)



CONCLUSIONS

- Micro-Sensors should not substitute but supplement routine environmental monitoring equipments/devices
- Future Routine Environmental Networks may look very different from today and include low-cost and accurate Sensors?
- <u>Green Routes</u> through the city or access to information about airpollution load at specific local address might be future goals
- Pervasive low-cost Micro-Sensors for Indoor Energy Efficiency should be a must for future <u>Green-Buildings</u>
- What do we want to provide (e.g. AQI) on the long-term in relation to Routine Monitoring and Public Information to enhance Environmental Awareness?



ACKNOWLEDGEMENTS



COST Action TD1105 *EuNetAir* Kick-off Meeting at COST Office 16 May 2012, Brussels (Belgium)



Final Meeting COST Action TD1105 at J. Heyrovsky Institute of Physical Chemistry Academy of Sciences of Czech Republic Prague, Czech Republic, 5 - 7 October 2016

EUROPEAN COOPERATION IN SCIENCE AND TECHNOLOG

ACKNOWLEDGEMENTS





nichele.penza@enea.it







Dr. Michele Penza

ENEA - Head of Laboratory

Functional Materials and Technologies for Sustainable Applications

AIR SENSORS 2018 - Deliberating Performance Targets for Air Quality Sensors









RTP, Durham, USA 25-27 June 2018



















