

**NPDES PERMIT NO. TX0086193
STATEMENT OF BASIS**

FOR THE DRAFT NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM
(NPDES) PERMIT TO DISCHARGE TO WATERS OF THE UNITED STATES

APPLICANT:

Enterprise Products Operating LLC
P.O. Box 4324
Houston, TX 77210

ISSUING OFFICE:

U.S. Environmental Protection Agency
Region 6
1201 Elm Street, Suite 500
Dallas, TX 75270

PREPARED BY:

Matias C. Fernandez
Life Scientist
NPDES Permits Branch (6WD-PE)
Water Division
Phone: 214-665-2754
Email: fernandez.matias@epa.gov

DATE PREPARED:

August 3 , 2020

PERMIT ACTION

It is proposed that the facility be issued an NPDES permit for a 5-year term in accordance with regulations contained in 40 Code of Federal Regulations (CFR) 122.46(a).

40 CFR CITATIONS: Unless otherwise stated, citations to 40 CFR refer to promulgated regulations listed at Title 40, Code of Federal Regulations, revised as of February 1, 2019.

RECEIVING WATER – BASIN

Hillebrandt Bayou; Texas Segment 0704 in the Neches-Trinity Coastal Basin

DOCUMENT ABBREVIATIONS

For brevity, Region 6 used acronyms and abbreviated terminology in this Statement of Basis document whenever possible. The following acronyms were used frequently in this document:

BAT	Best Available Technology Economically Achievable
BOD ₅	Biochemical oxygen demand (five-day unless noted otherwise)
BPJ	Best professional judgment
CFR	Code of Federal Regulations
cfs	Cubic feet per second
COD	Chemical oxygen demand
COE	United States Corp of Engineers
CWA	Clean Water Act
DMR	Discharge monitoring report
ELG	Effluent limitation guidelines
EPA	United States Environmental Protection Agency
ESA	Endangered Species Act
F&WS	United States Fish and Wildlife Service
GPD	Gallon per day
HT	Hydrostatic Testing
IP	Procedures to Implement the Texas Surface Water Quality Standards
µg/l	Micrograms per liter (one part per billion)
mg/l	Milligrams per liter (one part per million)
MGD	Million gallons per day
MSGP	Multi-Sector General Permit
NPDES	National Pollutant Discharge Elimination System
MQL	Minimum quantification level
O&G	Oil and grease
RRC	Railroad Commission of Texas
RP	Reasonable potential
SIC	Standard industrial classification
s.u.	Standard units (for parameter pH)
TAC	Texas Administrative Code
TCEQ	Texas Commission on Environmental Quality
TDS	Total dissolved solids
TMDL	Total maximum daily load
TOC	Total Organic Carbon
TRC	Total residual chlorine
TSS	Total suspended solids
TSWQS	Texas Surface Water Quality Standards
WET	Whole effluent toxicity
WQMP	Water Quality Management Plan
WQS	Water Quality Standards

I. APPLICANT LOCATION AND ACTIVITY

The proposed permit allows only for hydrostatic discharge water from the 16.7-mile portion of new 30-inch diameter pipeline to increase ethane pipeline capacity from an Enterprise Mont Belvieu facility in Chambers County, Texas to an Enterprise Beaumont facility in Jefferson County, Texas. The facility plans to conduct hydrostatic testing of the new pipeline with a one-time discharge of approximately 3,018,800 gallons. Hydrostatic test water will be sourced from, then discharged back into, the Hilledebrandt Bayou. Discharge will occur from one of two potential discharge sites along the pipeline, with both potential discharge sites discharging within the same region and into the same water body.

Under the SIC Code 4923, Natural Gas Transmission, the applicant plans to engage in the transmission of natural gas. Beginning in February 2021, the applicant intends to conduct hydrostatic testing of new segment of steel pipe. The new pipeline will be filled with pressurized water to ensure pipeline integrity per Federal Department of Transportation rules and regulations. Since the tests are to be conducted on new pipe segments and the discharge will not be chemically treated, the applicant does not anticipate the addition of any pollutants from this activity. After the tests are completed, the water will be discharged into receiving waters at a rate of 6,223-8,298 gal/min through an energy dissipation device and/or filtration device to prevent erosion at an outfall.

II. DISCHARGE LOCATION

Table 1 – Discharge Locations for Outfalls 001 and 002

Outfall Number	Discharge Coordinates	County	Average Flow MGD*	Receiving Water	Texas Water Segment
001	29° 58' 6.096" N, 94° 7' 19.481" W	Jefferson	3.02	Hillebrandt Bayou	Segment 0704
002	29° 58' 11.380" N, 94° 7' 40.702" W	Jefferson	3.02	Hillebrandt Bayou	Segment 0704

**Note: For the proposed activity this flow consists of a one-time total discharge from one of the potential outfalls listed.*

III. DISCHARGE DESCRIPTION

This permit is for a new facility and no discharge has occurred yet. The facility provided estimates for the following parameters:

Parameter	Maximum Daily Discharge
Flow	3,018,800 GPD
pH	6.0 – 9.0 s.u.
BOD	20 mg/L
TSS	30 mg/L
Oil & Grease	15 mg/L

Parameter	Maximum Daily Discharge
Ammonia	3 mg/L
Temperature	15 °C (Winter); 32 °C (Summer)

Water for the hydrostatic test will be sourced from Hillebrandt Bayou (Texas Water Segment 0704) for both outfalls (Outfalls 001 and 002). Test water will only contact new piping and therefore no contaminants are expected to be introduced to the water as a result of the hydrostatic test. The discharge for either outfall will flow back into the Hillebrandt Bayou. The designated uses of Texas Water Segment 0704 are primary contact recreation and intermediate aquatic life.

IV. REGULATORY AUTHORITY/PERMIT ACTION

In November 1972, Congress passed the Federal Water Pollution Control Act establishing the NPDES permit program to control water pollution. These amendments established technology-based or end-of-pipe control mechanisms and an interim goal to achieve “water quality which provides for the protection and propagation of fish, shellfish, and wildlife and provides for recreation in and on the water;” more commonly known as the “swimmable, fishable” goal. Further amendments in 1977 of the CWA gave EPA the authority to implement pollution control programs such as setting wastewater standards for industry and established the basic structure for regulating pollutants discharges into the waters of the United States. In addition, it made it unlawful for any person to discharge any pollutant from a point source into navigable waters, unless a permit was obtained under its provisions. Regulations governing the EPA administered NPDES permit program are generally found at 40 CFR §122 (program requirements & permit conditions), §124 (procedures for decision making), §125 (technology-based standards) and §136 (analytical procedures). Other parts of 40 CFR provide guidance for specific activities and may be used in this document as required.

It is proposed that the permit be issued for a 5-year term following regulations promulgated at 40 CFR 122.46(a). This is a first-time permit issuance. An NPDES Application for a Permit to Discharge (Form 1 & 2E) dated April 28, 2020, was received on May 1, 2020 (estimated) with an addendum modifying the number and location of outfalls received on June 30, 2020 and a further addendum modifying the number of outfalls received July 7, 2020. The application was deemed administratively complete on July 1, 2020.

V. DRAFT PERMIT RATIONALE AND PROPOSED PERMIT CONDITIONS

A. OVERVIEW of TECHNOLOGY-BASED VERSUS WATER QUALITY STANDARDS-BASED EFFLUENT LIMITATIONS AND CONDITION FOR PERMIT ISSUANCE

Regulations contained in 40 CFR §122.44 NPDES permit limits are developed that meet the more stringent of either technology-based effluent limitation guidelines, numerical and/or narrative water quality standard-based effluent limits, on best professional judgment (BPJ) in the absence of guidelines, and/or requirements pursuant to 40 CFR 122.44(d), whichever are more stringent. Limitations for Oil & Grease, TSS, and pH are proposed in the permit. Technology-

based effluent limitations are established in the proposed draft permit for TSS and Oil & Grease. Water quality-based effluent limitations are established in the proposed draft permit for pH.

B. TECHNOLOGY-BASED EFFLUENT LIMITATIONS/CONDITIONS

Regulations promulgated at 40 CFR §122.44 (a) require technology-based effluent limitations to be placed in NPDES permits based on ELGs where applicable, on BPJ in the absence of guidelines, or on a combination of the two. In the absence of promulgated guidelines for the discharge, permit conditions may be established using BPJ procedures. EPA establishes limitations based on the following technology-based controls: BPT, BCT, and BAT. These levels of treatment are:

BPT - The first level of technology-based standards generally based on the average of the best existing performance facilities within an industrial category or subcategory.

BCT - Technology-based standard for the discharge from existing industrial point sources of conventional pollutants including BOD, TSS, fecal coliform, pH, and O&G.

BAT - The most appropriate means available on a national basis for controlling the direct discharge of toxic and non-conventional pollutants to navigable waters. BAT effluent limits represent the best existing performance of treatment technologies that are economically achievable within an industrial point source category or subcategory.

There are no published ELG's for this type of activity. Permit limits are proposed based on BPJ. Since hydrostatic test water discharges are batch discharges of short-term duration, with variable and intermittent flow, limits in this Permit will be expressed in terms of daily maximum concentrations rather than in terms of mass limitations, as allowed by 40 CFR 122.45(e) and (f). The proposed limitations for TSS are 45 mg/l maximum, and for Oil & Grease are 15 mg/l maximum. Narrative standards for oil, grease, or related residue have been placed in the proposed permit. A technology-based limit of 15 mg/l for Oil and Grease should assure that the narrative criterion is maintained.

C. WATER QUALITY BASED LIMITATIONS

1. General Comments

Water quality-based requirements are necessary where effluent limits more stringent than technology-based limits are necessary to maintain or achieve federal or state water quality limits. Under Section 301(b)(1)(C) of the CWA, discharges are subject to effluent limitations based on federal or state WQS. Effluent limitations and/or conditions established in the draft permit are in compliance with applicable State WQS and applicable State water quality management plans to assure that surface WQS of the receiving waters are protected and maintained, or attained.

2. Implementation

The NPDES permits contain technology-based effluent limitations reflecting the best controls available. Where these technology-based permit limits do not protect water quality or the

designated uses, additional water quality-based effluent limitations and/or conditions are included in the NPDES permits. State narrative and numerical water quality standards are used in conjunction with EPA criteria and other available toxicity information to determine the adequacy of technology-based permit limits and the need for additional water quality-based controls.

3. State Water Quality Standards

The Clean Water Act in Section 301 (b) requires that effluent limitations for point sources include any limitations necessary to meet water quality standards. Federal regulations found at 40 CFR 122.44(d) state that if a discharge poses the reasonable potential to cause an in-stream excursion above a water quality criterion, the permit must contain an effluent limit for that pollutant. If the discharge poses the reasonable potential to cause an in-stream violation of narrative standards, the permit must contain prohibitions to protect that standard. Additionally, the TWQS found at 30 TAC Chapter 307 states that "surface waters will not be toxic to man from ingestion of water, consumption of aquatic organisms, or contact with the skin, or to terrestrial or aquatic life." The methodology outlined in the "Procedures to Implement the Texas Surface Water Quality Standards" (IP) is designed to ensure compliance with 30 TAC Chapter 307. Specifically, the methodology is designed to ensure that no source will be allowed to discharge any wastewater which: (1) results in instream aquatic toxicity; (2) causes a violation of an applicable narrative or numerical state water quality standard; (3) results in the endangerment of a drinking water supply; or (4) results in aquatic bioaccumulation which threatens human health.

The IP document is not a state water quality standard, but rather, a non-binding, non-regulatory guidance document. See IP at page 2 stating that "this is a guidance document and should not be interpreted as a replacement to the rules. The TWQS may be found in 30 TAC Sections (§§) 307.1-.10."). EPA does not consider the IP to be a new or revised water quality standard and has never approved it as such. EPA did comment on and conditionally "approve" the IP as part of the Continuing Planning Process (CPP) required under 40 CFR §130.5(c) and the Memorandum of Agreement between TCEQ and EPA, but this does not constitute approval of the IP as a water quality standard under CWA Section 303(c). Therefore, EPA is not bound by the IP in establishing limits in this permit – but rather, must ensure that the limits are consistent with the EPA-approved state WQS. However, EPA has made an effort, where we believe the IP procedures are consistent with all applicable State and Federal regulations, to use those procedures.

The general criteria and numerical criteria which make up the stream standards are provided in the 2018 EPA-approved Texas Water Quality Standards, Texas Administrative Code (TAC), 30 TAC Sections 307.1 - 307.9, effective November 2, 2018.

4. Reasonable Potential - Procedures

EPA develops draft permits to comply with State WQS, and for consistency, attempts to follow the IP where appropriate. However, EPA is bound by the State's WQS, not State guidance, including the IP, in determining permit decisions. EPA performs its own technical and legal

review for permit issuance, to assure compliance with all applicable State and Federal requirements, including State WQS, and makes its determination based on that review. Waste load allocations (WLA's) are calculated using estimated effluent dilutions, criteria outlined in the TWQS, and partitioning coefficients for metals (when appropriate and designated in the implementation procedures). The WLA is the end-of-pipe effluent concentrations that can be discharged and still meet instream criteria after mixing with the receiving stream. From the WLA, a long-term average (LTA) is calculated, for both chronic and acute toxicity, using a log normal probability distribution, a given coefficient of variation (0.6), and either a 90th or a 99th percentile confidence level. The 90th percentile confidence level is for discharges to rivers, freshwater streams and narrow tidal rivers with upstream flow data, and the 99th percentile confidence level is for the remainder of cases. For facilities that discharge into receiving streams that have human health standards, a separate LTA will be calculated. The implementation procedures for determining the human health LTA use a 99th percentile confidence level, along with a given coefficient of variation (0.6). The lowest of the calculated LTA; acute, chronic and/or human health, is used to calculate the daily average and daily maximum permit limits.

Procedures found in the IP for determining significant potential are to compare the reported analytical data either from the DMR history and/or the application information, against percentages of the calculated daily average water quality-based effluent limitation. If the average of the effluent data equals or exceeds 70% but is less than 85% of the calculated daily average limit, monitoring for the toxic pollutant will usually be included as a condition in the permit. If the average of the effluent data is equal to or greater than 85% of the calculated daily average limit, the permit will generally contain effluent limits for the toxic pollutant. The permit may specify a compliance period to achieve this limit if necessary.

Procedures found in the IP require review of the immediate receiving stream and effected downstream receiving waters. Further, if the discharge reaches a perennial stream or an intermittent stream with perennial pools within three-miles, chronic toxicity criteria apply at that confluence.

For Outfalls 001 and 002 hydrostatic test water will be drawn from the Hillebrandt Bayou (Texas Water Segment 0704) and discharge back into Hillebrandt Bayou. Since intake and discharge of the hydrostatic test water will involve the same water segment, an intake credit for TSS is allowed for Outfalls 001 and 002.

5. Permit-Action - Water Quality-Based Limits

Regulations promulgated at 40 CFR §122.44(d) require limits in addition to, or more stringent than effluent limitation guidelines (technology based). State WQS that are more stringent than effluent limitation guidelines are as follows:

a. pH

Daily minimum and daily maximum permit limits of 6.0 standard units to 9.0 standard units are typically used on hydrostatic test general permits developed by other EPA Regions and States. TAC 307.10 states, "The pH criteria are listed as minimum and maximum values expressed in standard units at any site within the segment."

However, wastewater discharges from the facility will flow into Hillebrandt Bayou (Texas Water Segment 0704) which has a Texas WQS for pH of 6.5-9.0 s.u. Therefore, pH for Outfalls 001 and 002 shall be limited to 6.5-9.0 s.u., the criteria listed for Segment 0704.

b. Narrative Limitations

Narrative protection for aesthetic standards will require that surface waters shall be maintained so that oil, grease, or related residue will not produce a visible film or globules of grease on the surface or coat the banks or bottoms of the watercourse; or cause toxicity to man, aquatic life, or terrestrial life.

The following narrative limitations in the proposed permit represent protection of water quality for all Outfalls:

“The effluent shall contain no visible film of oil or globules of grease on the surface or coat the banks or bottoms of the watercourse.”

c. Total Residual Chlorine

Since the permittee intends to both source and discharge water from a nearby water body, as opposed to any municipal sources, there is no expectation for chlorine in the discharge.

d. Toxics

The CWA in Section 301 (b) requires that effluent limitations for point sources include any limitations necessary to meet water quality standards. Federal regulations found at 40 CFR §122.44 (d) state that if a discharge poses the reasonable potential to cause an in-stream excursion above a water quality criteria, the permit must contain an effluent limit for that pollutant.

The applicant proposes to draw water from the Hillebrandt Bayou Texas Water Segment 0704 to conduct its hydrostatic testing. The applicant states that all hydrostatic testing water will contact only clean pipe, and no chemicals will be added. As a result, no contaminants are expected to be present in the hydrostatic test water discharge at amounts that would pose a reasonable potential to exceed State WQS.

Solids and Foam

The prohibition of the discharge of floating solids or visible foam in other than trace amounts is proposed in the draft permit. In addition, there shall be no discharge of visible films of oil, globules of oil, grease or solids in or on the water, or coatings on stream banks.

e. Monitoring Frequency for Limited Parameters

Regulations require permits to establish monitoring requirements to yield data representative of the monitored activity, 40 CFR §122.48(b), and to assure compliance with permit limitations, 40 CFR §122.44(i)(1). The monitoring frequencies are based on BPJ, taking into account the nature of the facility.

For Outfalls 001 and 002 monitoring for flow, TSS, Oil & Grease, and pH shall be daily by grab sample, when discharging.

f. Whole Effluent Toxicity Testing

The applicant has stated that no chemical additives, such as corrosion inhibitors, are being added to the hydrostatic test water. It does not appear that the discharge will have a potential for toxicity. The draft permit therefore does not propose any biomonitoring of the HT water.

g. Final Effluent Limitations

See the draft permit for limitations.

VI. FACILITY OPERATIONAL PRACTICES

A. WASTE WATER POLLUTION PREVENTION REQUIREMENTS

The permittee shall institute programs directed towards pollution prevention. The permittee will institute programs to improve the operating efficiency and extend the useful life of the treatment system.

B. OPERATION AND REPORTING

The permittee must submit Discharge Monitoring Report's (DMR's) quarterly, beginning on the effective date of the permit, lasting through the expiration date of the permit or termination of the permit, to report on all limitations and monitoring requirements in the permit.

VII. IMPAIRED WATER - 303(d) LIST AND TMDL

According to the 2018 Texas Integrated Report Index of Water Quality Impairments, the classified receiving water for Outfalls 001 and 002, Hillebrandt Bayou (Texas Water Segment 0704), is listed as impaired for bacteria under TCEQ's category 5a and depressed dissolved oxygen under category 5b. The planned permitted activity does not add bacteria to its discharge nor does it depress dissolved oxygen, therefore no additional requirements beyond the previously described technology-based or water quality-based effluent limitations and monitoring requirements are established in the proposed permit.

VIII. ANTIDegradation

The Texas Commission on Environmental Quality, Texas Surface Water Quality Standards, Antidegradation, Title 30, Part 1, Chapter 307, Rule §307.5 sets forth the requirements to protect

designated uses through implementation of the State WQS. The limitations and monitoring requirements set forth in the proposed permit are developed from the State WQS and are protective of those designated uses. Furthermore, the policy sets forth the intent to protect the existing quality of those waters, whose quality exceeds their designated use. The permit requirements are protective of the assimilative capacity of the receiving waters, which is protective of the designated uses of that water.

IX. ANTIBACKSLIDING

The proposed permit is consistent with the requirements and exemption to meet antibacksliding provisions of the Clean Water Act, Section 402(o) and 40 CFR Part 122.44(i)(B), which state in part that interim or final effluent limitations must be as stringent as those in the previous permit, unless new information is available which was not available at the time of permit issuance. Since this is a first time NPDES Permit for this discharge, antibacksliding does not apply.

X. ENDANGERED SPECIES

The effects of EPA's permitting action are considered in the context of the environmental baseline. The environmental baseline is established by the past and present impacts of all Federal, State, or private actions and other human activities in an action area; the anticipated impacts of all proposed Federal projects in an action area that have already undergone formal or early ESA §7 consultation; and the impact of State or private actions that are contemporaneous with the consultation in process (50 CFR §402.02).

Wastewater discharges will occur after the facility has been completed, which itself needed to have received the appropriate federal, state, and local authorizations, putting the construction into the environmental baseline. The scope of the evaluation of the effects of the discharge authorized by this permit were therefore limited to the effects related to the authorized discharge.

According to the most recent county listing available at US Fish and Wildlife Service (USFWS), Southwest Region 2 website, at <http://ecos.fws.gov/ipac/wizard/chooseLocation!prepare.action>, there are 5 threatened species: West Indian Manatee, Piping Plover, Red Knot, Green sea turtle, Loggerhead sea turtle and 3 endangered species: Hawksbill sea turtle, Leatherback sea turtle, Kemp's Ridley sea turtle for Jefferson County as of July 1, 2020.

A description of the species and their effects to the proposed permit follows:

WEST INDIAN MANATEE (*Trichechus manatus*; Threatened)

The West Indian manatee is protected by the Marine Mammal Protection Act, prohibiting the harassment, hunting, capturing, or killing of all marine mammals. It is believed that the species will likely become endangered in most or all its range. Jefferson county is not designated as critical habitat. West Indian manatees are large, gray aquatic mammals with bodies that taper to a flat, paddle-shaped tail. They have two forelimbs, called flippers, with three to four nails on each flipper. Their head and face are wrinkled with whiskers on the snout. The manatee's closest relatives are the elephant and the hyrax. Manatees are believed to have evolved from a wading,

plant-eating animal. The average adult manatee is about 10 feet long and weighs between 800 and 1,200 pounds. Manatees can be found in shallow, slow-moving rivers, estuaries, saltwater bays, canals, and coastal areas — particularly where seagrass beds or freshwater vegetation flourish. Manatees are a migratory species. Manatees are gentle and slow-moving animals. Most of their time is spent eating, resting, and traveling. Manatee are mostly herbivorous, however small fish and invertebrates can sometimes be ingested along with a manatee's normal vegetation diet. West Indian manatees have no natural enemies, and it is believed they can live 60 years or more. As with all wild animal populations, a certain percentage of manatee mortality is attributed to natural causes of death such as cold stress, gastrointestinal disease, pneumonia, and other diseases. A high number of additional fatalities are from human-related causes. Most human related manatee fatalities occur from collisions with watercraft. Other causes of human-related manatee mortality include being crushed and/or drowned in canal locks and flood control structures; ingestion of fish hooks, litter, and monofilament line; and entanglement in crab trap lines. Ultimately, loss of habitat is the most serious threat facing manatees in the United States today.

PIPING PLOVER (*Charadrius melodus*; Threatened)

Piping Plover is listed in Brazoria County as threatened. A small plover has wings approximately 117 mm; tail 51 mm; weight 46-64 g (average 55 g); length averages about 17-18 cm. Inland birds have more complete breast band than Atlantic coast birds. The non-breeding plovers lose the dark bands. The breeding season begins when the adults reach the breeding grounds in mid-to late April or in mid-May in northern parts of the range. The adult males arrive earliest, select beach habitats, and defend established territories against other males. When adult females arrive at the breeding grounds several weeks later, the males conduct elaborate courtship rituals including aerial displays of circles and figure eights, whistling song, posturing with spread tail and wings, and rapid drumming of feet. The plovers defend territory during breeding season and at some winter sites. Nesting territory may or may not contain the foraging area. Home range during the breeding season generally is confined to the vicinity of the nest. Plovers are usually found in sandy beaches, especially where scattered grass tufts are present, and sparsely vegetated shores and islands of shallow lakes, ponds, rivers, and impoundments. Food consists of worms, fly larvae, beetles, crustaceans, mollusks, and other invertebrates. The plovers prefer open shoreline areas, and vegetated beaches are avoided. It also eats various small invertebrates. It obtains food from surface of substrate, or occasionally probes into sand or mud. Destruction of habitat, disturbance and increased predation rates due to elevated predator densities in piping plover habitat are described as the main reasons for this species' endangered status and continue to be the primary threats to its recovery. The remaining populations, whether on the breeding or wintering grounds, mostly inhabit public or undeveloped beaches. These populations are vulnerable to predation and disturbance. Research of available material finds that the primary cause for the population decreases leading to threatened or endangered status for these species is destruction of habitat.

RED KNOT (*Calidris Canutus rufa*; Threatened)

Red Knot is a medium-sized shorebird and the largest of the "peeps" in North America, and one of the most colorful. It makes one of the longest yearly migrations of any bird, traveling 15,000

km (9,300 mile) from its Arctic breeding grounds to Tierra del Fuego in southern South America. Their diet varies according to season; arthropods and larvae are the preferred food items at the breeding grounds, while various hard-shelled mollusks are consumed at other feeding sites at other times. The Red Knot nests on the ground, near water, and usually inland. The nest is a shallow scrape lined with leaves, lichens and moss. Males construct three to five nest scrapes in their territories prior to the arrival of the females. The female lays three or more usually four eggs, apparently laid over the course of six days. Both parents incubate the eggs, sharing the duties equally. The incubation period last around 22 days. The birds have become threatened as a result of commercial harvesting of horseshoe crabs in the Delaware Bay which began in the early 1990s. Delaware Bay is a critical stopover point during spring migration; the birds refuel by eating the eggs laid by these crabs (with little else to eat in the Delaware Bay). Causes for habitat loss in Red Knot populations include climate change, development and other effects (e.g., ocean acidification; warming coastal waters; marine diseases, parasites, and invasive species; sediment placement; recreation; and fisheries).

GREEN SEA TURTLE (*Chelonia mydas*; Threatened)

It is believed that the Green sea turtle will likely become endangered in most or all its range. Jefferson county is not designated as critical habitat. The species is generally found in the shallow waters of reefs, bays, and inlets. Green sea turtles nest on open beaches with minimal disturbance and often repeatedly return to nest on the same beaches. Human threats include: oil spills, live bottom smothering with sediments and drilling fluids, dredging, coastal development, agricultural and industrial pollution, seagrass bed degradation, shrimp trawling and other fisheries, boat collisions, underwater explosions, ingestion of marine debris, entanglement in marine debris, and poaching.

LOGGERHEAD SEA TURTLE (*Caretta caretta*; Threatened)

Though considered 'threatened' in Jefferson County, the Loggerhead sea turtle has populations in other areas that are endangered. Jefferson county is not designated as critical habitat. The species is generally found in the shallow waters of reefs, bays, and inlets. Loggerheads are the most abundant species in U.S. coastal waters and are often captured incidental to shrimp trawling. Shrimping is thought to have played a significant role in the population declines observed for the loggerhead. Maturity is reached at between 16-40 years. Mating takes place in late March-early June, and eggs are laid throughout the summer. Loggerheads are circumglobal, inhabiting continental shelves, bays, estuaries, and lagoons in temperate, subtropical, and tropical waters. In the United States, killing of nesting loggerheads is infrequent. However, in a number of areas, egg poaching is common. Erosion of nesting beaches can result in loss of nesting habitat. Loggerhead turtles eat a wide variety of marine debris such as plastic bags, plastic and styrofoam pieces, tar balls, balloons and raw plastic pellets. Effects of consumption include interference in metabolism or gut function, even at low levels of ingestion, as well as absorption of toxic byproducts. Turtles are taken by gillnet fisheries in the Atlantic and Gulf of Mexico. Several thousand vessels are involved in hook and line fishing for various coastal species. Sea turtles are at risk when encountering an oil spill. Respiration, skin, blood chemistry and salt gland functions are affected. Pesticides, heavy metals and PCB's have been detected in turtles and eggs, but the effect on them is unknown. Turtles have been caught in saltwater intake

systems of coastal power plants. The mortality rate is estimated at 2%. Underwater explosions can kill or injure turtles and may destroy or damage habitat. The effects of offshore lights are not known. They may attract hatchlings and interfere with proper offshore orientation, increasing the risk from predators. Turtles get caught in discarded fishing gear. The number affected is unknown, but potentially significant.

HAWKSBILL SEA TURTLE (*Eretmochelys imbricata*; Endangered)

The Hawksbill sea turtle is at risk of extinction in most or all of its range. Jefferson county is not designated as critical habitat. Hawksbill is a small to medium-sized sea turtle averaging approximately 2.8 feet in curved carapace length with a weight of approximately 176 pounds. Hawksbills reenter coastal waters when they reach approximately 20-25 cm carapace length. Coral reefs are widely recognized as the resident foraging habitat of juveniles, sub-adults and adults. This habitat association is undoubtedly related to their diet of sponges, which need solid substrate for attachment. The ledges and caves of the reef provide shelter for resting both during the day and night. Hawksbills are also found around rocky outcrops and high energy shoals, which are also optimum sites for sponge growth. Hawksbills are also known to inhabit mangrove-fringed bays and estuaries, particularly along the eastern shore of continents where coral reefs are absent. In Texas, juvenile hawksbills are associated with stone jetties. Hawksbills utilize both low- and high-energy nesting beaches in tropical oceans of the world. Both insular and mainland nesting sites are known. Hawksbills will nest on small pocket beaches and, because of their small body size and great agility can traverse fringing reefs that limit access by other species. They exhibit a wide tolerance for nesting substrate type. Nests are typically placed under vegetation. Threats to this species include: poaching, oil spills, vessel anchoring and groundings, artificial lighting at nesting sites, mechanical beach cleaning, increased human presence, beach vehicular driving, entanglement at sea, ingestion of marine debris, commercial and recreational fisheries, water craft collisions, sedimentation and siltation, and agricultural and industrial pollution.

LEATHERBACK SEA TURTLE (*Dermochelys coriacea*; Endangered)

The Leatherback sea turtle is at risk of extinction in most or all of its range. Jefferson county is not designated as critical habitat. Leatherback is the largest living turtle and is so distinctive as to be placed in a separate taxonomic family, Dermochelyidae. The carapace is distinguished by a rubber-like texture, about 4 cm thick, and made primarily of tough, oil-saturated connective tissue. No sharp angle is formed between the carapace and the plastron, resulting in the animal being somewhat barrel-shaped. The front flippers are proportionally longer than in any other sea turtle. Nesting occurs from February - July with sites located from Georgia to the U.S. Virgin Islands. During the summer, leatherbacks tend to be found along the east coast of the U.S. from the Gulf of Maine south to the middle of Florida. Leatherbacks become entangled in longlines, fish traps, buoy anchor lines and other ropes and cables. This can lead to serious injuries and/or death by drowning. Leatherback turtles eat a wide variety of marine debris such as plastic bags, plastic and styrofoam pieces, tar balls, balloons and plastic pellets. Effects of consumption include interference in metabolism or gut function, even at low levels of ingestion, as well as absorption of toxic byproducts. Leatherbacks are vulnerable to boat collisions and strikes,

particularly when in waters near shore. Marine turtles are at risk when encountering an oil spill. Respiration, skin, blood chemistry and salt gland functions are affected.

KEMP'S RIDLEY SEA TURTLE (*Lepidochelys kempii*; Endangered)

The Kemp's Ridley sea turtle is at risk of extinction in most or all of its range. There is proposed critical habitat for this species, it is not currently known whether Jefferson county would be designated as critical habitat. Kemp's ridley sea turtle is found in Brazoria County. Kemp's ridley sea turtles are the smallest of all extant sea turtles. Adult Kemp's ridleys' shells are almost as wide as long. Neonatal Kemp's ridleys feed on the available sargassum and associated infauna or other epipelagic species found in the Gulf of Mexico. In post-pelagic stages, the ridley is largely a crab-eater, with a preference for portunid crabs. Age at sexual maturity is not known, but is believed to be approximately 7-15 years, although other estimates of age at maturity range as high as 35 years. The major nesting beach for Kemp's ridleys is on the northeastern coast of Mexico. This location is near Rancho Nuevo in southern Tamaulipas. The species occurs mainly in coastal areas of the Gulf of Mexico and the northwestern Atlantic Ocean. Hunting of both turtles and eggs contributed to the decline of this species. Existing threats include: development and human encroachment of nesting beaches, erosion of beaches, vehicular traffic on beaches, fisheries, oil spills, floating debris, dredging, and explosive removal of old oil and gas platforms.

Determination:

The proposed permit establishes limits to meet the current state water quality standards for the area of discharge. The limits established in the proposed permit are protective and will have no impact on the habitats of this species. The permit includes limitations and/or monitoring requirements for flow, pH, O&G, TSS. These requirements are also consistent with the State of Texas implementation guidance.

In accordance with requirements under section 7(a)(2) of the Endangered Species Act, EPA has reviewed this permit for its effect on listed threatened and endangered species and designated critical habitat. There is no information indicating the species are affected directly by the discharge. After review, EPA has determined that the issuance of this permit will have "no effect" on listed threatened and endangered species nor will adversely modify designated critical habitat. EPA makes this determination based on the following:

1. No pollutants are identified by the permittee-submitted application at levels which might affect species habitat or prey species. Issuance of this permit is found to have no impact on the habitats of these species.
2. Based on information described above, EPA Region 6 has determined that discharges proposed to be authorized by the proposed permit will have no effect on the listed species in Jefferson County.

The standard reopener clause in the permit will allow EPA to reopen the permit and impose additional limitations if it is determined that changes in species or knowledge of the discharge would require different permit conditions.

Operators have an independent ESA obligation to ensure that any of their activities do not result in prohibited “take” of listed species. Section 9 of the ESA prohibits any person from “taking” a listed species, e.g., harassing or harming it, with limited exceptions. See ESA Sec 9; 16 U.S.C. §1538. This prohibition generally applies to “any person,” including private individuals, businesses and government entities. Operators who intend to undertake construction activities in areas that harbor endangered and threatened species may seek protection from potential “take” liability under ESA section 9 either by obtaining an ESA section 10 permit or by requesting coverage under an individual permit and participating in the section 7 consultation process with the appropriate FWS or NMFS office. Operators unsure of what is needed for such liability protection should confer with the appropriate Services.

XI. HISTORICAL AND ARCHEOLOGICAL PRESERVATION CONSIDERATIONS

Based on supplemental information submitted by the permittee received on July 27, 2020 and originally dated July 29, 2019, a State Historic Preservation Officer concurred with the permittee’s survey of cultural resources at the two permit discharge sites. Based on this, the issuance of the permit will have no impact on historical and/or archeological preservation.

XII. PERMIT REOPENER

The permit may be reopened and modified during the life of the permit if relevant portions of the Texas WQS are revised or remanded. In addition, the permit may be reopened and modified during the life of the permit if relevant procedures implementing the WQS are either revised or promulgated. Should the State adopt a new WQS, and/or develop a TMDL, this permit may be reopened to establish effluent limitations for the parameter(s) to be consistent with that approved State standard and/or water quality management plan, in accordance with 40 CFR §122.44(d). Modification of the permit is subject to the provisions of 40 CFR §124.5.

XIII. VARIANCE REQUESTS

No variance requests have been received.

XIV. COMPLIANCE HISTORY

This is a first-time permit issuance.

XV. CERTIFICATION

This permit is in the process of certification by the Texas Railroad Commission following regulations promulgated at 40 CFR 124.53. A draft permit and draft public notice will be sent to the District Engineer, Corps of Engineers; to the Regional Director of the U.S. Fish and Wildlife Service and to the National Marine Fisheries Service prior to the publication of that notice.

XVI. FINAL DETERMINATION

The public notice describes the procedures for the formulation of final determinations.

XVII. ADMINISTRATIVE RECORD

The following information was used to develop the proposed permit:

A. APPLICATION

NPDES Application for Permit to Discharge, Form 1 & 2E dated April 28, 2020 and received on May 1, 2020 (estimated) with an addendum modifying the number and location of outfalls received on June 30, 2020 and a further addendum modifying the number of outfalls received on July 7, 2020. The application was deemed administratively complete on July 1, 2020.

B. State of Texas References

2018 Texas Integrated Report - Texas 303(d) List

The State of Texas Water Quality Inventory, 13th Edition, Publication No. SFR-50, Texas Commission on Environmental Quality, December 1996.

"Procedures to Implement the Texas Surface Water Quality Standards via Permitting," Texas Commission on Environmental Quality, June 2010.

Texas Surface Water Quality Standards, 30 TAC Sections 307.1 - 307.9, effective November 2, 2018.

C. Endangered Species References

http://www.fws.gov/southwest/es/ES_Lists_Main.cfm

D. 40 CFR CITATIONS

Sections 122, 124, 125, 133, and 136

E. MISCELLANEOUS CORRESPONDENCE

Brent Larsen, EPA, emailed Matias Fernandez, EPA, the Mont Belvieu Hydrostatic Test permit application on 06/09/2020.

Carlos Hinojosa, Percheron LLC, emailed Matias Fernandez, EPA, introducing himself as the permittee contact and requesting the permits assigned number on 06/09/2020. Matias Fernandez emailed Lashunda Brown, EPA, requesting a number for the assigned permit on 06/10/2020, received response on 06/11/2020 that assigning numbers was running into complications and that a number would be provided as soon as was possible.

Carlos Hinojosa, Percheron LLC, emailed Matias Fernandez, EPA, requesting a phone conversation to address several questions about the permitting process on 06/14/2020. During the phone conversation on the same day, Carlos Hinojosa expressed the permittee's desire to include

multiple potential outfalls to the permit application. On 06/30/2020 Carlos Hinojosa provided an addendum to the permit application outlining the added potential outfalls.

Carlos Hinojosa, Percheron LLC, emailed Aron Korir, EPA, who then forwarded to Matias Fernandez, EPA, on 07/27/2020 an update to the requested permit outfalls, information on Section 106 concurrence, and information on expected erosion control. The letter requested that Outfall 002 be removed from the permit (Outfall 003 was then renamed to Outfall 002 to maintain consecutive outfall numbering).