



**UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
REGION 8**

1595 Wynkoop Street
Denver, CO 80202-1129
Phone 800-227-8917
<http://www.epa.gov/region8>

Ref: 8WD-SDU

SENT VIA EMAIL
DIGITAL READ RECEIPT REQUESTED

Mike Hannigan, Project Manager
Kinder Morgan CO₂ Company
michael_hannigan@kindermorgan.com

Re: Draft Permit - CO10787-00053, HWD-1 (Hovenweep 1)

Dear Mr. Hannigan:

Enclosed is a copy of the draft U.S. Environmental Protection Agency Region 8 Underground Injection Control (UIC) permit (Permit) for the above referenced well or project area. Also enclosed are copies of the statement of basis for the proposed action and the public notice provided on EPA's website at <https://www.epa.gov/uic/underground-injection-control-epa-region-8-co-mt-nd-sd-ut-and-wy>.

EPA regulations and procedures for issuing UIC permit decisions are found in Title 40 of the Code of Federal Regulations (40 CFR) part 124. These regulations and procedures require a public notice and the opportunity for the public to comment on this proposed Permit decision. The public comment period will run for at least 30 days and a courtesy announcement of the comment period, also enclosed, has been published in the following newspapers(s):

Durango Herald

A final decision will not be made until after the close of the comment period. All relevant comments will be taken into consideration. If any substantial comments are received, the effective date of the final Permit will be delayed for an additional 30 days, as required by 40 CFR § 124.15(b), to allow for any potential appeal of the final Permit decision.

If you have any questions or comments about the above action, please contact Linda Bowling at (303) 312-6254 or Bowling.Linda@epa.gov.

Sincerely,

12/18/2020

X Sarah Bahrman

Signed by: SARAH BAHRMAN

Sarah Bahrman, Chief
Safe Drinking Water Branch
Water Division

Enclosures

cc: John Pecor
Bureau of Land Management
Durango, Colorado 81301
jpecor@blm.gov