

ACKNOWLEDGMENTS

These Chesapeake Bay-specific water quality criteria were derived through the collaborative efforts, collective knowledge and applied expertise of the following four Chesapeake Bay criteria and standards coordinator teams.

Water Clarity Criteria Team

Richard Batiuk, U.S. EPA Chesapeake Bay Program Office; Peter Bergstrom, U.S. Fish and Wildlife Service; Arthur Butt, Virginia Department of Environmental Quality; Ifeyinwa Davis, U.S. EPA Office of Water; Frederick Hoffman, Virginia Department of Environmental Quality; Charles Gallegos, Smithsonian Environmental Research Center; Will Hunley, Hampton Roads Sanitation District; Michael Kemp, University of Maryland Horn Point Laboratory; Ken Moore, Virginia Institute of Marine Science; Michael Naylor, Maryland Department of Natural Resources; and Nancy Rybicki, U.S. Geological Survey.

Without the efforts of the authors of the first and second Chesapeake Bay SAV technical syntheses, the Bay-specific water clarity criteria could not have been developed: Steve Ailstock, Anne Arundel Community College; Rick Bartleson, University of Maryland Horn Point Laboratory; Richard Batiuk, U.S. EPA Chesapeake Bay Program Office; Peter Bergstrom, U.S. Fish and Wildlife Service; Steve Bieber, Maryland Department of the Environment; Virginia Carter, U.S. Geological Survey; William Dennison, University of Maryland Center for Environmental Studies; Charles Gallegos, Smithsonian Environmental Research Center; Patsy Heasley, Chesapeake Research Consortium; Edward Hickman, U.S. Geological Survey; Lee Karrh, Maryland Department of Natural Resources; Michael Kemp, University of Maryland Horn Point Laboratory; Evamaria Koch, University of Maryland Horn Point Laboratory; Stan Kollar, Harford Community College; Jurate Landwehr, U.S. Geological Survey; Ken Moore, Virginia Institute of Marine Science; Laura Murray, University of Maryland Horn Point Laboratory; Michael Naylor, Maryland Department of Natural Resources; Robert Orth, Virginia Institute of Marine Science; Nancy Rybicki, U.S. Geological Survey; Lori Staver, University of Maryland; Court Stevenson, University of Maryland Horn Point Laboratory; Mirta Teichberg, Woods Hole Oceanographic Institution; and David Wilcox, Virginia Institute of Marine Science.

Dissolved Oxygen Criteria Team

Richard Batiuk, U.S. EPA Chesapeake Bay Program Office; Denise Breitburg, Academy of Natural Sciences; Arthur Butt, Virginia Department of Environmental Quality; Thomas Cronin, U.S. Geological Survey; Ifeyinwa Davis, U.S. EPA Office of Water; Robert Diaz, Virginia Institute of Marine Science; Frederick Hoffman, Virginia Department of Environmental Quality; Steve Jordan, Maryland Department of Natural Resources; James Keating, U.S. EPA Office of Water; Marcia Olson, NOAA Chesapeake Bay Office; James Pletl, Hampton Roads Sanitation District; David Secor, University of Maryland Chesapeake Biological Laboratory; Glen Thursby, U.S. EPA Office of Research and Development; and Erik Winchester, U.S. EPA Office of Research and Development.

Scientists from across the country, well-recognized for their work in the area of low dissolved

oxygen effects on individual species up to ecosystem trophic dynamics, contributed their time, expertise, publications and preliminary data and findings to support the derivation of Chesapeake Bay-specific criteria: Steve Brandt, NOAA Great Lakes Environmental Research Laboratory; Walter Boynton, University of Maryland Chesapeake Biological Laboratory; Ed Chesney, Louisiana Universities Marine Consortium; Larry Crowder, Duke University Marine Laboratory; Peter deFur, Virginia Commonwealth University; Ed Houde, University of Maryland Chesapeake Biological Laboratory; Julie Keister, Oregon State University; Nancy Marcus, Florida State University; John Miller, North Carolina State University; Ken Paynter, University of Maryland; Sherry Poucher, SAIC; Nancy Rabalias, Louisiana Universities Marine Consortium; Jim Rice, North Carolina State University; Mike Roman, University of Maryland Horn Point Laboratory; Linda Schaffner, Virginia Institute of Marine Science; Dave Simpson, Connecticut Department of Environmental Protection; and Tim Target, University of Delaware.

Chlorophyll A Criteria Team

Richard Batiuk, U.S. EPA Chesapeake Bay Program Office; Claire Buchanan, Interstate Commission on the Potomac River Basin; Arthur Butt, Virginia Department of Environmental Quality; Ifeyinwa Davis, U.S. EPA Office of Water; Tom Fisher, University of Maryland Horn Point Laboratory; David Flemer, U.S. EPA Office of Water; Larry Haas, Virginia Institute of Marine Science; Larry Harding, University of Maryland Horn Point Laboratory/Maryland Sea Grant; Frederick Hoffman Virginia Department of Environmental Quality; Will Hunley, Hampton Roads Sanitation District; Richard Lacouture, Academy of Natural Sciences; Robert Magnien, Maryland Department of Natural Resources; Harold Marshall, Old Dominion University; Robert Steidel, Hopewell Regional Wastewater Facility; and Peter Tango, Maryland Department of Natural Resources.

Without the efforts of the Chesapeake Bay Phytoplankton Restoration Goals Team, the forging of connections between reference phytoplankton communities and resulting chlorophyll *a* concentrations would not have been possible: Claire Buchanan, Interstate Commission on the Potomac River Basin; Richard Lacouture, Academy of Natural Sciences; Harold Marshall, Old Dominion University; Stella Sellner, Academy of Natural Sciences; Jacqueline Johnson, Interstate Commission on the Potomac River Basin/Chesapeake Bay Program Office; Jonathan Champion, Chesapeake Research Consortium/Chesapeake Bay Program Office; Marcia Olson, NOAA Chesapeake Bay Office; Fred Jacobs, AKRF, Inc.; John Seibel, PBS & J, Inc.; and Elgin Perry.

Water Quality Standards Coordinators Team

Richard Batiuk, U.S. EPA Chesapeake Bay Program Office; Jerusalem Bekele, District of Columbia Department of Health; Libby Chatfield, West Virginia Environmental Quality Board; Joe Beaman, Maryland Department of the Environment; Thomas Gardner, U.S. EPA Office of Water (Criteria); Jean Gregory, Virginia Department of Environmental Quality; Denise Hakowski, U.S. EPA Region III; Elaine Harbold, U.S. EPA Region III; Wayne Jackson, U.S. EPA Region II; James Keating, U.S. EPA Office of Water (Standards); Larry Merrill, U.S. EPA Region III; Garrison Miller, U.S. EPA Region III; Joel Salter, U.S. EPA Office of Water (Permits); John Schneider, Delaware Department of Natural Resources and Environmental

Control; Mark Smith, U.S. EPA Region III; Scott Stoner, New York State Department of Environmental Conservation; and Carol Young, Pennsylvania Department of Environmental Protection.

Without the efforts of the Chesapeake Bay Tidal Monitoring Network Design Team, the development of the criteria attainment procedures contained in this document would not have been developed: Claire Buchanan, Interstate Commission the Potomac River Basin; Paul Jacobson; Marcia Olson, NOAA Chesapeake Bay Office; Elgin Perry; Steve Preston, U.S. Geological Survey/Chesapeake Bay Program Office, Walt Boynton, University of Maryland; Larry Haas, Virginia Institute of Marine Science; Rick Hoffman, Virginia DEQ; Bruce Michael, Maryland DNR; Jackie Johnson, Interstate Commission for the Potomac River Basin; Kevin Summers, EPA; Dave Jasinski, University of Maryland; Mary Ellen Ley, U.S. Geological Survey/ Chesapeake Bay Program Office; Lewis Linker, U.S. EPA.Chesapeake Bay Program Office.

The contributions of the 11 independent scientific peer reviewers, selected based on their recognized national expertise and drawn from institutions and agencies from across the country, are hereby acknowledged.

Without the contributions of the well over a hundred individuals listed as authors or technical contributors to various syntheses of Chesapeake Bay living resource habitat requirements over the past two decades, the scientific basis for a set of designated uses tailored to Chesapeake Bay tidal habitats and species would not have been forged. Without the efforts of the many individuals involved in all aspects of collection, management and analysis of Chesapeake Bay Monitoring Program data over the past two decades, these criteria could not have been derived. Their collective contributions are hereby fully acknowledged.