# The Occurrence and Sources of Perchlorate in Massachusetts

Rose Knox, P.E.
Policy & Program Development
MassDEP Bureau of Waste Site Cleanup

617-556-1026 Rosemary.Knox@state.ma.us http://Mass.Gov/dep



### Here in lieu of:

#### Many other MassDEP staff, including

Paul Locke, Ed Kunce, John Fitzgerald, Carol Rowan West, Tsedash Zewdie, Dave Terry, Damon Guterman, Millie Garcia-Surette, Oscar Pancorbo, Rich Cretien, and a host of others directly or indirectly involved in the perchlorate project




The Road to Regulation can be a simple path:



But have you ever asked directions while driving in Boston?


"You can't get there from here"





# Perchlorate Occurrence Monitoring

Detections (> 1 µg/L) March 2004 – December 2005 (approximately 700 systems)



# Perchlorate Occurrence Monitoring

March 2004 – December 2005 - Public Water Supply Data Only (693 systems)

	Maximum	
Town	(µg/L)	Source?
Boxboro	1,300	Blasting
Boxford	2.1	Sodium Hypochlorite
Chesterfield	8.9	Fireworks
Hadley	3.8	Unknown
Millbury	45	Blasting
Southbridge	3.1	Unknown
Tewksbury	3.3	Industry
Westford	3.7	Blasting
Westport	3	Fireworks
Williamstown	10	Fireworks

# BWSC Perchlorate Response Plan

Phase I: Identifying and Mitigating Exposures private well sampling conducted by MassDEP near contaminated public supply wells...

Phase II: Abating Imminent Hazards providing bottled water where necessary

Phase III: Integrating Impacted Sites into the MCP Process

Source discovery, fate & transport studies, treatment studies, etc...



### Current Status of Standards

- Toxicology reviewed following NAS Report
  - MassDEP Advisory Panel met with members of NAS to discuss Report
- Revised Toxicology Assessment, Mass MCL proposal and Cleanup Standards under final review
- Public hearings expected in Spring 2006



# Source Discovery

Fireworks

Blasting

Industrial Discharges

Sodium Hypochlorite



#### **Fireworks**

Perchlorate use and content has increased over time


Primary uses are to produce color effects and loud bang/flash

Potential Environmental Release Pathways


- ➤ Atmospheric fallout
- > Duds
- > Misfires



# Modeling Results – 40% Perchlorate in Fireworks







#### Chesterfield, MA

Perchlorate in
Public Water
Supply Well,
Private Wells, and
Fireworks Display
Location






# Conducting research at UMASS Dartmouth campus

Determine effects of fireworks in groundwater and soil


Calibrate/validate leaching model for perchlorate





Dartmouth University of Massachusetts






Westford, MA

Perchlorate in Public Water Supply Well






Westford, MA

Perchlorate in Public Water Supply Well and Fireworks Display Locations





Westford, MA

Perchlorate in Public Water Supply Well, Fireworks Display Locations and Blasting Site





# Blasting

Perchlorates used as a sensitizer in a relatively small percentage of blasting agents and explosives; primarily water gel and emulsion formulations




Blasting is locally regulated

(harder to get handle on state-wide activities)

MassDEP worked with Department of Fire Services And Fire Marshall (http://Mass.Gov/dfs) to draft a letter to blasting contractors and interested parties

(http://www.mass.gov/dep/bwsc/files/blasting.htm)





# Westford, Mass

**ANFO** 


95,000 LBS

Slurran XLS (SEC)

9,500 LBS

20-30 % Ammonium Perchlorate





# Millbury, MA

**ANFO: 621,000 LBS** 

**Detagel: 360 LBS (?)** 

"< 7% Ammonium Perchlorate"

**Blasting Caps: EZ-Det** 

0.5% Potassium Perchlorate (?)



# Industrial Discharges and Hypochlorite


- Perchloric acid is a powerful oxidizing agent
- Industrial-scale discharges of process wastewater have the potential to create significant impacts to groundwater and surface water
- Perchlorate is present in hypochlorite solutions used in commercial and household applications



### The Merrimac River

- Hits greater than 1 μg/L in Surface Water Supply (Tewksbury)
- MassDEP conducted source investigation:
  - Ambient sampling of Merrimac and Concord Rivers
  - Influent, Process & Effluent sampling of WWTPs
  - Mapping & sampling of sites, facilities and other sources along the rivers
  - Concurrent sampling using IC and LC/MS/MS





# **Commercial Products**

Plant	Brand	Perchlorate (µg/L) LC/MS/MS
Lowell WWTP	Univar	3400
Lowell WWTP	Jones	260
Billerica WWTP	Univar	4600
Tewksbury WTP	Univar	4100



# Commercial Product – Storage Study

Age	Storage	Perchlorate (µg/L) LC/MS/MS
New	Just Delivered	N.D.
26 Days	Cool (5°C)	995/1020
26 Days	Filtered (5°C)	490
26 Days	Room Temp	6750



## Household Bleach

Brand	Brand Info	Perchlorate µg/L LC/MS/MS
Chlorox	6% NaOCl	370
Shaws	2.5 years old	8000
Market Basket	6% NaOCl	390
Walmart	6% NaOCl	89



### Conclusions

- Perchlorate contamination is <u>not</u> pervasive in Massachusetts
- Localized impacts exist and present risks
- Most significant Sources of GW contamination:
  - Military use (hundreds of  $\mu g/L$ )
  - Blasting (tens-to-hundreds of  $\mu$ g/L)
  - Fireworks (up-to-tens of  $\mu g/L$ )



# For More Information...

http://Mass.Gov/dep/toxics/

